Outlines of the lectures on surgery / delivered by Sir Astley Cooper, Bart., at St. Thomas's and Guy's Hospitals.

Contributors

Cooper, Astley, Sir, 1768-1841. St. Thomas's Hospital. Medical School. Library King's College London

Publication/Creation

London : Printed by F. Warr, 1823.

Persistent URL

https://wellcomecollection.org/works/n2g58whk

License and attribution


This material has been provided by This material has been provided by King's College London. The original may be consulted at King's College London. where the originals may be consulted.


This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.




Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org














OUTLINES

26. 0. 9.

OF THE

LECTURES ON SURGERY,

DELIVERED BY

SIR ASTLEY COOPER, BART.,

ST. THOMAS'S AND GUY'S HOSPITALS.

AT

PRINTED FOR THE USE OF THE STUDENTS.

London :

PRINTED BY F. WARR, RED LION PASSAGE, RED LION SQUARE, HOLBORN.

1823.

568/39 TOUMS



LECTURES ON SURGER

IN THE STHEASTHEN COOPERST BART, VOID

TOTAT THE MAY THE BUTTLE HUSET AND BY LYN

and the whole assistant he bears.

territan he's wann, and tron samanic nerstand of and


OUTLINES

PREFACE.

For the last thirty years I have been in the habit of using the following Notes, to direct the order of my ideas, and to recal the pathological facts which I have had an opportunity of observing. I have been induced to print them, from the conviction that they will assist the Student in taking notes of what I may deliver; as it will be more easy to fill up these outlines, than to arrange and write the whole of what he hears.

A. P. C.

Sept. 20th, 1823.



INTRODUCTORY LECTURE.

Surgery defined.

Principles of Surgery,

----- explained.

_____ on what founded.

True Theory contrasted with Hypothesis.

Evils resulting to science from the latter.

Practice of Surgery.

Qualities required in a Surgeon.

- Anatomy; its use in the discrimination of disease; in the performance of operations; and in the examination of morbid parts.
- The parts of the body most essential to be particularly studied.

Practical Anatomy ; mode of pursuing it.

Physiology. Healthy functions to be known before diseased actions can be understood.

Cause of Mr. Hunter's superiority.

Medicine; the study of it important. The influence of local disease on the constitution; and the origin of local disease from constitutional derangement. Medicine and Surgery mutually assist each other.

INTRODUCTORY LECTURE.

Midwifery.

- Hespital attendance. Duties of the Apprentice. Dresser. Pupil.
- Reading. Systematic Works. Books on detached subjects.
- Mode of Education improved of late. Classical attainments.

Advice. Advantages resulting from knowledge united with perseverance.

LECTURE I.

(3)

ON IRRITATION.

Definition of Irritation.

Remote effects of accidents and diseases.

Sympathy; the meaning of the term explained.

Diseased sympathetic sensations.

Diseased sympathetic actions.

Irritation is local or constitutional.

The symptoms of constitutional irritation, called *irritative fever*.

Cause of these symptoms; nervous system deranged; secretions stopped.

Circumstances on which their degree depends.

Treatment of constitutional and local irritation.

в 2

LECTURE I.

To remove the cause of irritation.

To deplete the system.

4

To restore the secretions.

To lessen the irritability of the body.

LECTURE II.

(5)

ON INFLAMMATION.

Its characteristic symptoms.

The explanation of these.

The local effects of inflammation in producing adhesion, suppuration, ulceration, and gangrene.

The constitutional effects of inflammation.

Inflammation is healthy or unhealthy.

It is acute or chronic.

Irritable inflammation.

Inflammation peculiar or specific.

Causes predisposing to its production.

Its occasional causes.

Its proximate cause, or state of the body under the disease.

LECTURE II.

Different opinions respecting it. Deductions from experiments.

Effects of inflammation on the larger bloodvessels.

LECTURE III.

THE TREATMENT OF INFLAMMATION.

Is constitutional and local.

- The constitutional treatment consists in a diminution of nervous excitement, and of the force of circulation, by
- Bleeding. When indicated. Signs for its repetition. General or local bleeding.
- Restoring the secretions. *Purgatives*; their action; different kinds. *Sudorifics*; their action; best mode of producing the effect. *Diuretics*; medicines required for this purpose.
- Diminishing the irritability of the body; modes of effecting this object.
- Chronic inflammation requires a slow, gradual, and continued action on the secretions; mode of doing this.

Local treatment.

To diminish nervous power, contract the distended vessels, and increase the secretions, by

Cold applications; Heat and moisture united; Local Bleeding;

LECTURE III

Counter irritation ; its influence ; Advantage of rest to inflamed parts. Their posture to be attended to. Remote effects of inflammation to be removed, viz.

8

LECTURE IV.

(9)

ON THE ADHESIVE INFLAMMATION.

Effects of inflammation on the blood.
Nature of the adhesive matter which is effused.
Parts most prone to the adhesive inflammation.
Advantages arising from this tendency to adhesion rather than suppuration.

Appearances which parts assume under this inflammation.

In what manner it is best displayed. The time required for the production of adhesion. The adhesive matter becomes organized. The time required for this purpose. The use of adhesive inflammation ; In wounds ; In operations ;

In sealing blood-vessels;

LECTURE IV.

In forming cysts ; In dividing cavities ; In enclosing pus.

10

LECTURE V.

ON SUPPURATION.

The constitutional symptoms produced by the suppurative inflammation.

Its local appearances and effects.

The parts of the body which are most prone to this inflammation.

Suppuration in wounds.

Loss of substance not essential to suppuration.

Pus a secretion.

The usual qualities of pus.

Its specific qualities.

The use of suppuration, upon the surface of ulcers, and

In aiding the ulcerative process.

LECTURE V.

Incrustations produced by it.

Consequences of the sudden cessation of suppuration.

. anibrangone of failmeaston companies to soppare the

suppristing of suppristing on

The survey mountains of fails.

in define the these process.

1

(13)

LECTURE VI.

ON ULCERATION.

Definition of ulceration.

Effect of inflammation on the absorbent vessels.

The constitutional and local symptoms of ulceration.

Its principal causes.

The direction it generally takes.

Its extreme *rapidity* when compared with the power of *restoration*.

New formed parts most liable to yield to its influence.

Parts of weak living powers most readily ulcerate.

The uses of ulceration.

OF ABSCESSES.

The mode of their formation.

LECTURE VI.

The danger with which they are attended. Abscesses acute or chronic; healthy or unhealthy. Their constitutional treatment.

Their local treatment.

The cause of the constitutional irritation which follows the opening of an abscess.

(15)

LECTURE VII.

ON GRANULATION.

The second mode of union.

The mode in which abscesses and wounds are healed.

Formation of granulations explained.

Their vascularity.

---- sensibility.

---- ready inosculation.

ON CICATRIZATION.

New skin ; in what manner produced.

Its degree of vascularity.

- Its subsequent contraction, producing deformity.
- Cicatrization affected by the form of ulcers; and their situation.

Re-production of parts by adhesion and granulation.

LECTURE VII.

OF ULCERS.

Appearance when healthy.

Principles by which their treatment is to be guided.

•

1 10

in what moment preduced.

(17)

LECTURE VIII.

UNHEALTHY STATE OF ULCERS.

Granulations too prominent.

____ languid.

Ulcers inflamed.

Gangrenous ulcer.

Irritable state of ulcers.

Sinuous ulcer.

Ulcers from extraneous bodies.

The chronic carbuncle.

The menstrual ulcer.

Ulcers from varicose veins.

The œdematous ulcer.

Cutaneous ulcerations.

C

LECTURE VIII.

State of the edges impeding the healing of ulcers:

Edges callous;

18

- everted ;

- inverted.

Malignant ulcers hereafter described.

LECTURE IX.

(19)

STO

SPHACELUS, GANGRENE, OR MORTIFICATION.

Gangrene defined.

Produced by two degrees of action.

Symptoms preceding it in its different states.

The sloughing process explained.

State of the body and of the part which predisposes to it.

Its occasional cause.

Dissection of the part, prior to and during the state of gangrene.

TREATMENT.

Preventing its occurrence when threatened by high degrees of inflammation.

Constitutional and local means.

Prevention when threatened by low degrees of action.

Treatment during the sloughing process. Amputation for gangrene considered. Gangrene in old persons.

CARBUNCLE.

Its nature explained. The degree of danger attending it. Its treatment.

BOILS.

ON ERYSIPELAS.

Of two kinds.

Its characteristic symptoms. Reason of its great extent. Occurs at particular seasons. Its causes. Dissection of it.

Does it ever suppurate ? Its danger in certain situations.

TREATMENT.

Local; no relaxing applications. Constitutional.

Is there any specific remedy for this disease?

(21)

LECTURE X.

INJURIES OF THE BRAIN.

Enumeration of the functions supported by the brain and spinal marrow.

Symptoms produced by violence done to the brain.

The causes which give rise to these symptoms. Concussion.

Its usual symptoms.

Its discriminating marks.

Appearances upon dissection.

Treatment of concussion.

Principal object is to prevent inflammation.

Depletion carried to a great extent.

Emetics; their effect.

Counter irritation.

Mental excitement and all stimulants to be avoided.

Trephining; its danger; its inutility in concussion. Remote consequences of concussion.

Their treatment.

22

Concussion in children ; how treated.

(23)

LECTURE XI.

COMPRESSION OF THE BRAIN.

From extravasation of blood. Its symptoms. Appearances on dissection. Treatment of extravasation. Trephining, its use considered.

FRACTURES OF THE SKULL

Produce no immediate symptoms of injury to the brain, unless accompanied by extravasation, concussion, or depression of bone.

Sometimes followed by inflammation.

Simple or compound.

Their union shewn.

Fractures at the basis of the skull.

Dissection.

Their treatment.

FRACTURES, WITH DEPRESSION OF THE SKULL.

Their immediate effects depending on the degree of depression.

Experiments.

Fractures with depression are simple or compound.

the brain, malees accompanied by extravas

sation, concussion, or depression of bone.

I new treatment.

Various specimens shewn.

The treatment which they require.

LECTURE XII.

(25)

In dancer

WOUNDS OF THE BRAIN.

Their effects on the cerebral functions. Fungus arising from the brain. Its treatment.

INFLAMMATION AND SUPPURATION OF THE BRAIN.

Symptoms of these states.

The time at which they supervene.

Appearances on dissection, shewing the various seats of suppuration.

- Treatment required to prevent the occurrence of inflammation after injuries; and to subdue it when present.
- When matter is formed, is the operation of trephining required, and to what extent should it be carried.

Operation of trephining

Instruments required.

Much simplified of late years.

LECTURE XII.

Its use. Its danger.

The parts of the skull to be avoided in the operation.

Treatment after the operation.

INJURIES OF THE SCALP.

Their danger.

INJURIES OF THE SPINE.

Concussion of the medulla spinalis. Extravasation upon it. Fracture with depression.

26

(27)

LECTURE XIII.

ON ANEURISM.

Aneurism defined.

Divided into external and internal aneurism.

Symptoms of the external.

----- divided into three stages.

Symptoms of internal aneurisms; thoracic, abdominal, pelvic, cerebral.

A general or partial disposition in arteries to their production.

Greatest number in the same individual.

The age at which they most frequently occur.

The sex most liable to them.

Their discriminating marks.

Their mode of formation.

.

The appearances which they exhibit on dissection.

The causes of aneurism.

Its spontaneous cure.

28

The medical and dietetic treatment of the patient, and its results.

LECTURE XIV.

(29)

ON THE OPERATION FOR ANEURISM.

The old operation described.

The new mode of operating, as suggested and practised by Mr. Hunter.

Its principle.

Deviations from Mr. Hunter's mode of operating ; their result.

Different kinds of ligature.

Steps of the operation shewn on the dead body.

The after-treatment which is required.

Period at which the ligature separates.

The effects produced by the operation.

LECTURE XIV.

The operation shewn on the different accessible arteries of the body.

Treatment of the lacerated and wounded artery, by pressure or operation.

LECTURE XV.

(31)

A. 12

ON HYDROCELE.

The disease defined.

Different situations in which it is found.

Hydrocele of the tunica vaginalis testis.

Its progress described.

Varieties met with in this disease.

Characters which distinguish it from other diseases in the scrotum.

The causes of hydrocele.

Its natural cure.

The medical treatment of hydrocele when connected with a morbid state of constitution.

Its palliative treatment by tapping.

Mode of performing the operation.

ON HYDROCELE

Instruments required. Effects of the operation.

Its danger in some cases.

(33)

LECTURE XVI.

ON THE CURE OF HYDROCELE.

Principles of cure by absorption.

_____ adhesion.

granulation.

Absorption in the young.

- Adhesion generally produced by tent; by seton; by injections.
- Granulation produced by incision; by caustic; by excision.

Various modes of operating described.

The three now occasionally employed.

Seton; in what cases employed; how to be introduced.

Incision ; method adopted to insure its success.

Injection.

Apparatus required.

Fluid injected.

LECTURE XVI.

Mode of performing the operation. Time required. After-treatment.

HYDROCELE OF THE SPERMATIC CHORD.

Its symptoms. Diagnosis.

Treatment.

ENCYSTED HYDROCELE.

Adhesing expects/v moduled by tent; by seton;

Its seats. Its treatment. The work of the second se

bow to be

HEMATOCELE.

Symptoms. Diagnosis. Treatment. Mistakes relative to it.

LECTURE XVII. A disease of frequent

THE FUNCOUS DISEASE OF THE TESTIS.

iss result.

DISEASES OF THE TESTICLE, RENDERING ITS REMOVAL NECESSARY.

Its rapid increase. Hydatid on encysted testicle. Erternal character. Its character and progress. The age at which it occurs. Its appearance on dissection. Operation: Its distinguishing marks. Operation for its removal. Result of the operation for this disease. True hydatid enlargement of the testis.

THE SCIRRHOUS TESTICLE.

A disease of rare occurrence. Its progress and termination. The age at which this disease affects the testicle. Its appearance on dissection. Operation for its removal. Result of the operation. Its danger in protracted cases.

D 2

LECTURE XVII.

THE FUNGOUS DISEASE OF THE TESTIS.

A disease of frequent occurrence.

The age at which it most commonly appears.

The symptoms which accompany its progress.

Its rapid increase.

External character.

The appearances presented by the testis and other parts of the body on dissection.

OLUTR

Operation.

Its result.

LECTURE XVIII.

(37)

DISEASES OF THE TESTIS, CONTINUED.

Chronic inflammation of the organ. Its symptoms and progress.

A suppurative progress frequently ensuing.

Granulating tumor from its surface.

Its causes.

Its treatment; is generally to be subdued.

Treatment of the granulating swelling.

Removal of the testis; in what cases it is required.

THE IRRITABLE TESTIS.

Its symptoms.

Cause of this disease.

Dissection of a testicle affected with this disease.

Cases in which its removal has been required.

The was found of a collargement of the breast,

Castration.

Steps of the operation.

After-treatment.

LECTURE XIX.

Its influence on the absorbent glands.

(39)

ON DISEASES OF THE BREAST. The hydatid or encysted state of the breast. Its symptoms. The age at which it most frequently takes place. Its appearance on dissection. The characteristic marks of the disease. Its treatment when there is a large single cyst. Its removal by operation. The result of its removal.

The true hydatid enlargement of the breast.

OF THE SCIRRHOUS BREAST.

Its great frequency.

Its symptoms in its *attempts* at the adhesive, suppurative and ulcerative stages.

Its progress from the breast.

LECTURE XIX.

Its influence on the absorbent glands.

Dissection frequently displays a general disposition to the disease.

State of the menstrual discharge; its influence in producing it

Single and barren women most susceptible of it.

It occurs in persons of the same family.

Age at which it most frequently appears.

It is often the result of blows in peculiar states of constitution.

Its cause.

(41)

LECTURE XX.

ON DISEASES OF THE BREAST, CONTINUED.

The medical and dietetic treatment of persons labouring under schirrus.

Influence of *climate* on this disease.

Local treatment.

Operation for its removal.

Result of the operation.

OF THE FUNGOUS DISEASES.

Its symptoms.

- Its attempts at adhesion, suppuration, and ulceration.
- Found to contain *cysts* from which a fungous projection grows.

Its discriminating character.

Dissection of the diseased part and of the body.

Operation of removal.

OF THE CHRONIC ENLARGEMENT OF THE BREAST.

Symptoms in its three stages. Its cause.

LECTURE XX.

Dissection of the part.

Operation for it when required.

OF THE ADIPOSE TUMOUR.

Remarkable case of one in the breast.

OF THE IRRITABLE TUMOUR OF THE BREAST.

Influence of

Its symptoms.

The age at which it occurs.

Its cause.

The treatment which it requires; with its result.

T SEDDED FOR STORE STORE OF COLORS

1 in whether any of a local and a second sec

LASSAGE LANDER IN CALL

OF THE LACTEAL TUMOUR.

Its appearance and progress.

Its cause.

The treatment required.

OF THE CARCINOMA IN THE NIPPLE OF MAN.

Its symptoms.

Operation of removing the breast described. Its danger considered.

LECTURE XXI.

(43)

ON LITHOTOMY.

Calculi are found in four different situations in the urinary organs.

In the kidney.

The symptoms detailed.

Nature's attempts to remove them.

Dissection of several cases, both limit

Their effects on the kidney shewn.

Their medical treatment.

Occasional relief from surgery.

In the ureter.

Symptoms which they produce in this canal.

Dissection of three cases of this disease.

Natural modes of relief.

In the bladder.

Symptoms produced by the calculi-

Discriminating character of stone in the bladder.

LECTURE XXI.

Effects of calculus in the bladder in producing other diseases.

Structure of calculi.

The nuclei.

The size they acquire.

Their number in one individual.

Their form.

Composition of calculi according to Dr. Wollaston, Dr. Marcet, Dr. Prout, and Mr. Brande.

Their medical treatment.

The natural modes of relief.

(45)

LECTURE XXII.

OPERATION OF LITHOTOMY.

General health previously considered.

Inquiry made as to the existence of other local disease.

The age of the person ; its influence in the success of the operation.

The degree of success in this operation.

Circumstances which most conduce to prevent its success.

Instruments required.

Form of these most calculated to insure success.

The steps of the operation shewn on the dead body.

Difficulties in the operation from

A large calculus :

A narrow-pelvis :

A soft stone :

Sacculi :

LECTURE XXII.

Irregular contractions of the bladder : Numerous calculi : Enlarged prostate gland. After-treatment of the patient. Danger after the operation. Time of recovery. Operation above the pubes.

STONE IN THE URETHRA.

In three situations. The treatment required in each of these. Operation for their extraction.

SMALL CALCULI IN THE BLADDER.

Removed by forceps. Cases. Difficulties in the operation from Mode shewn.

influence in the suc-

A parrow poivis :

A large calculus ;

The degree of success in

Form of these most cale wh

: Hussed

1 116 8

VILLOUI

LECTURE XXIII.

(47)

CALCULI IN THE PROSTATE GLAND.

Norde al operating for their removal.

They are of *two* kinds. The symptoms they produce. Dissection of those who die of this disease. Operation required.

CALCULUS IN THE FEMALE

Less frequent than in males.

Symptoms.

Variety in their situations.

Deceptions practised by females in regard to this disease.

Calculi of large size pass by natural efforts.

Injections used for them.

Operation by dilatation.

----- of lithotomy.

After-treatment.

Prevention of incontinence of urine after the operation.

LECTURE XXIII.

CALCULI IN THE SUBMAXILLARY DUCT.

augro Tolinit to P. Ch.

Symptoms produced by them. Mode of operating for their removal.

LECTURE XXIV.

(49)

RETENTION OF URINE.

Its causes stated.

Its treatment considered hereafter.

Operations to relieve this complaint.

ABOVE THE PUBES.

a mode which I adop

TIDON'T HORE

Anatomy of the parts.

Mode of performing the operation shewn.

Easy of execution.

After-treatment.

Objections to this mode of operating.

OPERATION BY THE RECTUM.

The anatomy of the posterior part of the bladder described.
Mode of operation shewn.
The operation easily performed.
Objections to it.

E

THE OPERATION IN PERINÆO.

The parts to be avoided in this operation. The natural place of relief. Mode of operating shewn. The objections which have been made to it. The mode which I adopt.

RETENTION OF URINE IN THE FEMALE. Causes.

A floor treastraint

Operation required for it.

(51)

LECTURE XXV.

FISTULA IN ANO.

Its nature.

Causes producing it. Varieties of this disease. Medical treatment. *Operation* required. After-treatment of the patient described. Cure attempted sometimes by *injections* and by *ligature*.

PILES." sti lo fluser od T

The nature of *piles*. They are either *external* or *internal*. Symptoms to which they give rise. The *local treatment* which they require. Their medical treatment. The *operation* required for their *removal*. *Excrescences* which succeed piles.

PROLAPSUS ANI. Its cause. Its treatment.

POLYPI OF THE NOSE.

Different species of these.

LECTURE XXV.

Common polypus. Its appearance and effects. Its removal described. Hydatid polypus. Its character. The treatment it requires. The treatment it requires. The carcinomatous polypus. Its distinguishing characters. The age at which it occurs. The fungous polypus. Its symptoms. The age at which it appears. The result of its removal.

POLYPUS UTERI.

Symptoms which it produces. Operation for its removal.

POLYPUS RECTI.

Its appearance described. Its mode of removal by operation.

ENLARGED TONSIL GLANDS.

Their treatment. Mode of removal.

LECTURE XXVI.

(53)

ON DROPSY OF THE ABDOMEN. Of two kinds: Peritoneal or ascites and the encysted or ovarian. Symptoms of ascites. Nature of the fluid. Causes. Interruption to the return of blood. Local irritation. Increased secretion.

Medical treatment.

Operation of paracentesis.

OVARIAN DROPSY.

Its symptoms.

Signs distinguishing this disease from ascites. Fluctuation often indistinct.

Solid tumours of the ovarium.

Various appearance of the fluid in ovarian dropsy.

Quantity of fluid usually found, and large collection in some cases.

Medical treatment of ovarian dropsy.

Ovarian cyst burst by accident.

LECTURE XXVI.

Operation not to be performed early. *Mistakes* sometimes occurring in this disease. *Mode of operating* explained. Instruments required. Patient's position.

The part at which it is best performed. Sometimes successful in producing a cure. Its repetition generally required.

OF EMPYEMA.

al irruation. Increased secretion.

Collections of pus in the thorax are of two kinds, general or partial.

Operation sometimes succesfully performed in these cases.

narray or high all loss and more had

Solid tamours of the overstand

Scorrow Paul barrens is the fident.

. (55)

LECTURE XXVII.

ON HARE LIP.

Its different appearances described. Connected with deficiency of the gum, bone, palate, or uvula. Operation required for it. The *age* at which it should, and should not, be performed. *Steps* of the operation. Arterial bleeding. Bone projecting. Time of removing the ligatures. *Double hare lip*. *Artificial palate*.

CANCER LABII.

The usual seat of this disease. Symptoms attending it. Local applications. Operation for its removal. Result of the operation.

TIC DOULOUREUX.

Description of the disease.

Its constitutional treatment.

Local applications which have been found to be most useful in it.

Operation for iton the different accessible nerves. Result of the operation.

AURA EPILEPTICA.

Operation for this disease.

FISTULA LACRYMALIS.

Nature of the disease. Division into three stages. Its causes.

Treatment necessary in each stage.

The medical treatment required.

The operation seldom successful in the very young.

(57)

LECTURE XXVIII.

ON CATARACT.

This disease is either crystalline or capsular. Symptoms of the crystalline cataract. Appearance of the humor. Its different states of solidity. Sometimes fluid. The floating cataract described. Cataract sometimes occurs in several persons of the same family. Congenital cataract, accompanied with deafness, case of. Capsular cataract. Its distinguishing marks. It often adheres to the iris. Cause of cataract considered. Operations for it. Of Extraction Of Depression. By Solution. Operation of extraction.

LECTURE XXVIII.

Preparation required.

Instruments necessary.

Position of the patient.

----- surgeon.

assistant.

Humor fluid.

Capsule opake.

After-treatment of the patient.

Causes of failure in this operation.

---- Knife passing between the laminæ of the cornea.

Appearance of the numor.

----- Opening too small.

------ Iris wounded by the knife.

------ Vitreous humor escaping.

----- Iris torn.

- ———— The inflammation too great.
- ——— Gutta serena following it.

(59)

LECTURE XXIX.

ON DEPRESSION OF THE CATARACT, OR COUGHING.

The instruments required.

The patient's and the surgeon's position.

The operation shewn.

The advantages of this operation.

The objections to it.

OPERATION BY SOLUTION.

Produces absorption of the lens.

Mr. Saunders.

The principle upon which the cure is founded.

Mode of performing the operation shewn.

The success of this operation.

Objections to it.

Comparative view of the *three* operations.

REMOVAL OF THE EYE.

For cancer or fungus.

LECTURE XXIX.

Cancer in the eye, rare; more frequent in its: appendages.

Fungus oculi.

Its symptoms.

Dissection.

The age at which it most frequently occurs.

Result of the operation.

The disease often appears in other parts.

The disease sometimes appears in the eye when removed from another part of the body.

(61)

LECTURE XXX.

Transferration (1)

ON AMPUTATION.

- The circumstances considered which render it necessary.
- Advantages of union by adhesion in this operation.

The degree of danger attending it.

The kind of tourniquet and its application.

Mode of amputating the fingers and toes at the different joints.

Amputation at the tarsal bones.

Removal of the leg by the flap operation.

Amputation of the leg below the knee.

Removal of the leg above the knee.

The removal of the limb at the hip-joint.

Amputation of the metacarpal bones.

Removal of the hand at the wrist-joint.

Amputation through the fore-arm.

The amputation of the arm above the elbow.

Amputation at the axilla.

Removal of the head of the os humeri from the glenoid cavity.

The vessels in each amputation required to be secured.

Mode of dressing the limb after each amputation.

blade of amputating the fincers and toes at il

The ampaitation of the area chose the ellow

d.

LECTURE XXXI.

(63)

ON HERNIÆ.

The definition of hernia.

Kinds of herniæ.

Inguinal; four species of this disease.

Of the Oblique inguinal hernia. .

Structure of the inguinal canal.

Its upper and lower orifice.

Origin and course of this hernia.

Its coverings and its sac.

Its situation with respect to the spermatic cord and testis.

Its dissection.

The varieties of this hernia.

The distinguishing marks of this disease from others with which it is liable to be confounded.

The diseases which sometimes accompany it.

· Its situation

at hotologamus to monordated he

torne unterstanding distriction

The causes of hernia.

Its treatment in the reducible state.

Trusses.

64

The result of their employment.

(65)

LECTURE XXXII.

IRREDUCIBLE HERNIA.

Causes which render it irreducible.

Its danger.

Treatment of the apparently irreducible hernia.

STRANGULATED HERNIA.

Its symptoms when strangulated.

Dissection of the hernia and of the abdomen in strangulated hernia.

Seats of the stricture.

The treatment of strangulated hernia.

Its reduction by the taxis.

Means to be employed if the taxis does not succeed.

F

The direct inguinal hernia.

Its course.

Its coverings.

The mode of distinguishing it from the Oblique inguinal hernia.

Its treatment when reducible.

Operation for both these species of hernia, the Oblique and Direct.

LECTURE XXXIII.

(67)

0000

ACCOUNT OF THE OPERATION CONTINUED.

Treatment of the intestine.

——— of the omentum.

Closure of the wound.

After-treatment.

LARGE HERNIÆ.

Operation for these.

HERNIA IN THE INGUINAL CANAL. Operation for it.

INGUINAL HERNIA IN THE FEMALE.

Its symptoms.

Its striking peculiarity.

The truss it requires.

Taxis for it.

Operation for it when strangulated.

F 2

LECTURE XXXIII.

HERNIA CONGENTA, OR HERNIA TUNICÆ VAGINALIS.

Circumstances on which it is founded. Its symptoms. Its discriminating characters. Treatment when reducible.

Truss for the very young.

68

Operation for this hernia.

ENCYSTED HERNIA OF THE TUNICA VAGINALIS.

Its formation. Its treatment when reducible. Operation for it.

LECTURE XXXIV.

ON FEMORAL HERNIA.

Anatomy of the groin.

The course of this hernia.

Its seat and appearance.

Its dissection ; enclosed in two sacs

Discrimination of this disease from others.

Its varieties.

Sex in which it most frequently occurs.

Treatment in the reducible state.

Form of truss.

Effects of wearing it.

Irreducible. The truss required for it-

THE STRANGULATED FEMORAL HERNIA. Its treatment.

The operation for it.

Two sacs opened.

70

Seat of the stricture.

Danger of the operation advised by Gimbernat.

LECTURE XXXV.

(71)

UMBILICAL HERNIA,

Its frequency.

Structure of the parts through which it passes.

Its frequency in infants.

Its various appearances in the adult.

Its causes.

Treatment when reducible.

The best form of truss in the adult, and in children.

Irreducible.

The truss required for it.

Strangulated.

The mode of attempting its reduction.

Its treatment.

The operation it requires.

Of large umbilical herniæ.

THE VENTRAL HERNIA.

Its seat.

The operation for it in different situations of the disease.

LECTURE XXXV.

Of large unbilicat bei

Thyroideal hernia. Pudendal —. Vaginal —. Perineal —. Ischiatic —. Mysenteric —. Mezocolic —.

72

LECTURE XXXVI.

ON POISONS.

Definition of the term poison.

The sources from which they are derived.

- The action of some poisons on the nervous, of others on the sanguiferous system.
- The effects of some poisons depend on their *quantity*, of others not.
- Their effects are diminished by their repeated application.
- That poisons may act, a *predisposition* for their action is required.
- The *time* which is required to elapse before their action begins.

OF ANIMAL POISONS.

Stings and bites of animals.

Hydrophobia ; the symptoms which it produces.

LECTURE XXXVI.

What light dissection throws on the disease.

Inoculation of the saliva of a rabid animal.

Pretended remedies for hydrophobia.

74

Mode of preventing the baneful effects of the injury.

LECTURE XXXVII.

ON VEGETABLE POISONS. Conium. Tobacco. Opium. Symptoms. Quantity taken from habit. _______attempts at suicide. Dissection. Treatment. Belladonna. Essential of bitter almonds.

CHEMICAL POISONS.

Oxymurias Hydrargyri. The symptoms which it produces. Appearances exhibited in dissection. Treatment. Arsenic.

Symptoms produced by it.

200

Dissection.

76

Treatment.

Injection of oxymurias hydrargyri and arsenic into veins.

Lead.

Its effects on the system.

Dissection.

Effects of the Ticunas poison shewn upon the living amimal.

LECTURE XXXVIII.

(77)

ON VIRULENT GONORRHEA.

Its symptoms.

The external course of the inflammation.

Its internal course.

The time of its appearance after the application of the poison.

Its seat.

Dissection of the parts infected with the disease.

- Is it unattended with *ulceration* of the membrane of the urethra ?
- The manner in which the poison is communicated.
- The influence of constitutional derangement on the discharge.

It is said to be cured spontaneously.

In what cases its cure is most difficult.

OF THE TREATMENT OF GONORRHCEA.

Has mercury any influence upon it?

LECTURE XXXIII.

78

Mode of treatment required in its state of *acute* inflammation.

———— in its chronic state.

Injections ; objections urged against them. Medicines having a specific influence on the disease.

Its wanattended with electrotion of the mem-

Dilatation

illiam others, which the poison is communi-

51 51 63 50 🕷

Ablution; does it prevent gonorrhœa ?

LECTURE XXXIX.

(79)

The differentitreath requiring in estrate

OF THE CONSEQUENCES OF GONORRHŒA.

Strictures

Are of three kinds. Chronic stricture. Its symptoms. Its effects upon the urethra, bladder, and kidneys. Its seat. Some parts of the urethra more disposed to it than others. Often more than one stricture. Dissection of the chronic stricture. Caruncles and warts. Causes of stricture. Its local treatment. Bougies ; their action by Dilatation, Absorption, Destruction of the diseased part.

The different treatment which is required.

The dangers attending the local treatment of strictures.

OWNER HORE HORE

for sumbas and with the day no

"Francipausa of the aveliances on distored to ake

Their constitutional treatment.

0

56

LECTURE XL.

(81)

ON ABSCESSES IN THE LACUNÆ AND FISTULA IN PERINÆO.

Abscesses in the lacunæ.

_____at the frænum.

_____ on the dorsum.

------ opposite to the scrotum, dangerous.

———— in perinæo producing fistulæ in perinæo.

The danger arising from pressure on the urethra. Abscess breaking into the rectum.

Treatment of the disease in each of these situations.

Mode of *closing* the fistulous openings in perinæo; in recto.

Extravasation of urine

Its symptoms.

Treatment.

SPASMODIC STRICTURE. Commonly combined with the chronic.

Its seat.

LECTURE XL.

The symptoms attending it. Its treatment, locally. Effects of warm and cold bathing on it. Its constitutional treatment.

ACUTE INFLAMMATORY STRICTURE.

Its symptoms.

The circumstances under which it occurs. Muscles of the perinæum affected.

Treatment.

Constitutional remedies.

Local applications. Soothing treatment. Counter irritants.

IRRITABLE URETHRA.

Its symptoms. Its treatment.

LECTURE XLI.

ON ENLARGED PROSTATE GLAND FROM ACUTE OR CHRONIC INFLAMMATION.

The *acute* inflammation of the prostate gland. Symptoms.

Danger.

Mode of relief.

The chronic form of inflammation frequent in persons of advanced years.

Its symptoms.

Its discriminating characters.

Its effects on the bladder and kidney.

Its dissection.

The change which it produces in the form of the urethra.

Often accompanied by irritable bladder and kidneys, and enlargement of the testicle.

Constitutional treatment.

Local treatment when it produces retention of urine.

Particular instruments required.

Mode of using them.

Danger of injury to the gland and bladder.

The Instrument supposed to be in the bladder, when it has not reached it.

G 2

LECTURE XLI.

Other modes of relieving the enlarged prostate. Mistaken for the stone. Case.

IRRITABLE BLADDER.

Its symptoms. Its ultimate effects. Appearances on dissection. The principle of its treatment. Constitutional and local means. The result.

MUCOUS DISEASE OF THE BLADDER.

Its symptoms. The treatment it requires. Constitutional and local treatment.

PARALYSIS OF THE BLADDER.

Its characteristic symptoms. Its treatment.

EFFECT OF DISEASES OF THE URETHRA ON THE KIDNEYS.

Symptoms. Dissection. Treatment,

LECTURE XLII.

ON CHORDEE.

(85)

Two states of it. Its symptoms. Its cause. Constitutional and local treatment. Thickening remains.

BLEEDINGS FROM THE URETHRA.

Their causes. Mode of stopping them. Constitutional treatment.

HERNIA HUMORALIS.

What is meant by it. Time of its accession in gonorrhœa. Its seat. Its symptoms. The cause which produces it. Its prevention. LECTURE XLH.

Its treatment,

----- in slight cases.

----- in its more severe attacks.

_____ locally and constitutionally.

Hardness of the testicle remaining; means of dispersing it.

CHRONIC INFLAMMATION OF THE TESTICLE.

Its symptoms.

Its causes.

Its treatment.

Abscesses following it.

Granulations protruding from these abscesses. Sinuses produced.

Treatment required.

WASTING OF THE TESTIS.

Causes of this.

IRRITABLE TESTIS.

Its symptoms. Its treatment. Result of these cases.

86

LECTURE XLIII.

SYMPATHETIC BUBO.

The absorbent vessels irritated. Their glands effected. Treatment.

ON GLEET.

Discharge not infectious.

Is there such a disease after gonorrhœa ?

In what cases does gleet occur ?

Symptoms of it.

Its seat.

Dissection of the urethra in these cases.

Periods at which discharges succeeding gonorrhœa will remain infectious.

Causes of gleet.

Its treatment.

----- local.

----- medical.

The most effectual mode of cure.

LECTURE XLIII.

Impotence.

The several causes producing it considered. Treatment of these. Anomalous affections succeeding gonorrhæa. Discharge from the glandulæ odoriferæ. Its treatment. Gonorrhæal rheumatism. Causes of.

Treatment.

88

LECTURE XLIV.

ON GONORRHŒA IN THE FEMALE.

Its symptoms.

Its dissection.

Its local and constitutional treatment.

Discharges in young females.

GLEET IN THE FEMALE.

Symptoms.

Treatment.

When does gonorrhæa become gleet?

ON SYPHILIS.

The effects of this poison. Chancre.

Its usual mode of commencement.

Its common appearance.

It varies exceedingly in its appearance in different persons; also, in the same person under different degrees of irritation, and as it is accompanied by more or less of inflammation.

Its variety as to its seat.

The difference of its local effects according to its seat.

Its treatment in a good constitution. Best local applications.

Their propriety.

The best constitutional treatment.

Danger of local treatment only.

Chancres heal without other than slight local treatment.

Of phymosis, as the effect of chancre.
Its treatment, and of the contraction which remains.
Operation for it.
Of paraphymosis.
How produced.

Principle of its treatment. Its reduction.

LECTURE XLV.

(91)

ON CHANCRES WHEN IRRITATED, OR IN A VERY IRRITABLE CONSTITUTION.

Poison of syphilis generally mild and little destructive.

Chancre originally unirritable.

How rendered irritable.

When irritable they rapidly extend.

Exhibit a sloughy disposition.

Their dangerous effects.

The local and constitutional treatment which they require to prevent irritability, and to remove it when present.

Profuse bleeding from them.

Urethra sloughing.

Contraction of the urethra at its orifice.

Its complete closure.

Chancres indolent.

Their treatment.

Of chancres in women.

Their seat.

----- usual appearance.

LECTURE XLV.

Their best local and constitutional treatment. Irritable chancres in the female.

Symptoms.

92

High degree of danger.

Their treatment.

(93)

LECTURE XVLI.

WARTS.

Their growth and nature. Are they syphilitic? Their causes. The effects they produce when very large. Two states of warts. Treatment in each state. Their great size often in the female. The effect of the inoculation of their secretion.

OF THE SYPHILITIC BUBO.

Two orders of inguinal glands. Chancre preceding bubo. Examination of the gland by dissection. Treatment, constitutional and local.

LECTURE XLVI.

Symptoms.

Their danger.

Hæmorrhage from them.

Gland projecting.

Treatment of the *sinus* that remains. After-treatment of the sloughing bubo. Several glands enlarged.

PHAGEDENIC BUBO.

Its nature and cause. The treatment which it requires.

(95)

LECTURE XLVII.

OF THE SECONDARY SYMPTOMS OF SYPHILIS.

Progress of the poison into the blood. Interior glands unaffected. Parts most liable to be affected.

DISEASE IN THE THROAT.

The effects of syphilis on the Palate.

----- Tonsils.

Pharynx.

_____ Larynx.

Treatment of these forms of the disease; local and constitutional.

Irritable state of the disease in these parts.

Its effects upon the nose.

Symptoms.

Treatment.

These cases often mistaken and improperly treated.

Deformity, how prevented.

LECTURE XLVII.

SYPHILITIC ERUPTIONS.

Their general character. Varieties to which they are subject. Their treatment. *Irritable* state of eruptions. Their treatment in this state. *Phagedenic sores* arising from them. How treated.

(97)

LECTURE XLVIII.

SYPHILITIC INFLAMMATION OF THE PERIOSTEUM AND BONES.

The cylindrical bones most affected by it. Train of symptoms. Seat of the disease. Treatment, constitutional and local. Fluid forms under the periosteum. Suppuration ensues. Effects of this disease on the *flat bones*. Nodes on the *Head*.

---- Sternum.

Effects sometimes dangerous ; cases of.

GENERAL INFLAMMATION OF THE PERIOSTEUM.

The pains attending this state. Their seat.

Effects on the bones.

SYPHILITIC OPHTHALMIA.

Its symptoms.

LECTURE XLVIII.

Characteristic appearances. Iritis. Its symptoms. Its treatment.

GENERAL REMARKS ON SYPHILIS.

Its symptoms, primary or secondary.

Certain parts only of the body liable to be affected by syphilis.

Some persons not susceptible of its influence.

Time at which the secondary symptoms usually shew themselves.

Are children affected in utero?

Does much inflammation attend syphilis in a healthy constitution ?

98

(99)

LECTURE XLIX.

GENERAL REMARKS ON SYPHILIS CONTINUED.

Is the constitution affected prior to the appearance, or during the continuance of secondary symptoms ?

Is the matter of secondary ulcers infectious?

- Is the matter of *bubo* infectious?
- Is any infection communicated by venereal intercourse but that of gonorrhœa or syphilis ?
- Is the matter produced by gonorrhœa and syphilis the same?
- Are the parts which are the usual seats of syphilis subject to *diseases* which may be *mistaken* for syphilis ?

What is the appearance of such diseases ?

Their treatment.

- In what cases does syphilis refuse to yield to the usual remedies for the disease ?
- Is syphilis always *progressive*, except when under the influence of mercury ?
- Does chancre sometimes heal without the use of mercury ?

н 2

LECTURE XLIX.

ON THE USE OF MERCURY.,

Its modus operandi in the cure of syphilis.

- How the use of this remedy is to be regulated to ensure its curative effects.
- The quantity required varies according to the susceptibility of different constitutions.
- Any violent action induced by mercury often prevents the cure of the disease.

The best forms of mercury.

The objections to its use or continuance.

Is mercury discovered in the *blood* or *secretions* of persons salivated ?

Bad effects of mercury in unhealthy constitutions, and when incautiously used.

Attempts at various times made to cure syphilis without the aid of mercury.

Their result.

Alterative remedies for syphilis.

Safe and judicious treatment of chancre.

My usual mode of treating gonorrhœa and syphilis described.

(101)

LECTURE L.

ON SCROFULA.

Definition of the disease.
Diseases it most commonly produces.
The age at which it most frequently shews itself.
The character of a scrofulous person.
The temperament which usually accompanies a scrofulous habit.
The influence of climate and seasons upon the disease.
Is it or is it not hereditary ?
Its exciting cause.
State of the body under the disease.
Dissection of scrofulous persons.
The state of the blood and sanguiferous system.

TREATMENT.

Principles on which relief can be expected.The means necessarily slow and gentle in their effects on the disease.

Nourishment.

LECTURE L.

Air.

102

Exercise.

State of mind.

Medicines. What are the best? Are there specific remedies?

to will the top and the me to a

Clothing.

Bathing.

(103)

LECTURE LI.

ON SCROFULA CONTINUED

The enlargement of the absorbent glands.

The progress of adhesion, suppuration, and ulceration in them.

Carbonate of lime sometimes produced in them.

Death produced by the enlargement of the glands in the neck.

The cause of the cervical glands being frequently enlarged.

Treatment in the adhesive, suppurative, and ulcerative states.

Mesenteric enlargement.

Symptoms.

Cause of this affection.

Treatment.

DISEASES OF THE JOINTS,

Commonly called white swellings. Symptoms ; in their adhesive,

suppurative, and *ulcerative* state.

Dissection of these diseases, shewing the original state of progress of the disease in the synovial membrane, ligaments, cartilage, and bone.

Effects of the disease ; complete or partial anchyloses ; sometimes a perfect recovery.

Treatment in the adhesive, suppurative, and ulcerative states.

Question of amputation for diseased joints considered.

(105)

LECTURE LII.

SCROFULOUS DISEASE OF THE HIP-JOINT.

Characteristic symptoms of the disease.

Its effects upon the limb.

Dissection of the part.

12

Treatment in the adhesive, suppurative, and ulcerative forms of the disease.

VERTEBRAL DISEASE.

Its symptoms in its different seats.

Psoas and lumbar abscess produced by it.

Other courses which vertebral abscesses sometimes take.

LECTURE LII.

106

Dissection ; shewing the origin of the disease, its progress, and the parts it affects.

Treatment of this disease, constitutionally and locally.

LECTURE LIII.

PSOAS AND LUMBAR ABSCESS.

Symptoms by which they are marked in their commencement.

Their progress.

Result of their being opened.

Dissection of the disease; shewing them to be the effect of diseased spine.

Treatment.

Counter irritation.

Advantages of rest in these cases.

Ought they to be opened ?

OF RICKETS.

The state of the constitution and of the bones in this disease.

The usual symptoms.

The degree to which it extends in the metropolis.

Dissection of the body and of the bones affected with rickets.

The medical and local treatment of the disease.

LECTURE LIII.

Curved spine. Deformed chests. Machines.

General principle of the treatment of curved spine.

Tibia. Femur. Knee curved.

Their treatment.

108

ENLARGED TESTIS.

Period at which it occurs. Symptoms. Treatment.

Ophthalmia. Ophthalmic purulenta. Ophthalmia tarsi. Their treatment. The cause of these affections in children. Eruptions ; their seat and treatment.

LECTURE LIV.

(109)

ON WOUNDS.

The division of these into four kinds.

The incised wound.

Its symptoms.

Two modes of union.

Adhesion explained.

Best mode of effecting it.

Most parts of the body are regenerated—exceptions to this.

Adhesion produced in parts nearly separated; in parts completely separated.

Union by granulation, when adhesion fails; comparative danger attending the two modes of union.

Circumstances enumerated which prevent ad-

LACERATED WOUNDS.

Their symptoms.

Their danger.

The treatment which they require.

(111)

LECTURE LV.

ON CONTUSED WOUNDS.

In what they differ from other wounds. Their symptoms. Their union by granulation. The treatment which they require. Effects of these wounds. Their danger. Simple contusions.

OF PUNCTURED WOUNDS.

The three effects which they produce. Absorbent inflammation. Its appearance. Its cause. Punctures in dissection ; their danger ; Their treatment. Bad effects easily prevented. Fascial inflammation. Symptoms. Treatment.

LECTURE LV.

Opening of thecæ.

Effect on the nervous system.

General spasms.

Tetanus.

Kind of wound most likely to produce this effect.

Means which have been tried in tetanus, both constitutional and local.

Their results.

What kind of treatment is the best.

OF CHRONIC TETANUS.

Its symptoms. Its results.

TRISMUS.

Its treatment.

(113)

LECTURE LVI.

ON WOUNDS OF ARTERIES.

The effect of incised wounds of arteries.

The mode in which nature stops the bleeding from them.

The partial division of arteries.

The lacerated artery.

Punctures of arteries.

The mode in which the *circulation* is carried on after the *division* of a *large vessel*.

Changes in the anastomising vessels.

The larger arteries possess anastomising vessels.

Treatment of wounded arteries.

Of the completely divided artery.

Of the partially divided.

Pressure.

Operation of tying them.

Tourniquet.

Ligatures.

Circumstances to be considered in their application.

I

114 LECTURE LVI.

Cause of the *slow separation* of a ligature. Treatment after the application of a ligature. Mode of tying the principal arteries shewn. Hæmorrhages from small arteries. Immediate or remote. Causes of their recurrence. Constitutional treatment. Local treatment. Styptics.

(115)

LECTURE LVII.

ON WOUNDS OF VEINS

Effects of such wounds.

Degree of danger from their hæmorrhage.

- inflammation.

The anastomoses of veins. Tying the saphæna major vein.

WOUNDS OF THE ABDOMEN.

Of two kinds.

Stomach wounded.

Wounds of the large intestines.

_____ small intestines.

-_____ liver.

_____ gall bladder.

Spleen often wounded.

----- removed.

Kidney wounded.

WOUNDS OF THE THORAX.

Of two kinds.

12

LECTURE LVII.

Lungs wounded. Empyema. Treatment.

116

Danger of such wounds; bleeding, inflammation, suppuration.

Heart wounded.

Pericardium wounded.

WOUNDS OF THE THROAT.

Anatomy of the space between the chin and sternum.
Three kinds of wounds.
Ist. of the pharynx.
2nd. — larynx.
3rd. — trachea and æsophagus.
Symptoms of each.
Their treatment.

(117)

LECTURE LVIII.

ON WOUNDS OF JOINTS.

Extremely dangerous.

Symptoms, if suppurative inflammation is permitted.

Dissection of the injured joint.

Principle to be attended to in the treatment of these cases.

Treatment if they suppurate.

Anchylosis.

Degree of.

WOUNDS OF TENDONS.

Result of these.

Principle of their treatment.

Division of the tendo achilles.

Its symptoms.

Its treatment and result.

Partial laceration of the gastrocnemius muscle, and of the tendo achilles; mistaken for laceration of the plantaris tendon.

Their treatment.

LECTURE LVIII.

SPRAINS.

Their nature. Their treatment.

WOUNDS OF NERVES.

Effects of their division on the sensation, motion, and heat of the limb. Disposition of the limb to inflame and ulcerate. The reproduction of nerves. The time required for it. Appearance at the place of union. Ligatures on nerves. Their partial division. Treatment of wounded nerves.

(119)

LECTURE LIX.

INFLAMMATION IN BONES, AND THE INJURIES TO WHICH THEY ARE SUBJECT.

Composition of bone.

Its shell and cancellated structure. Its *periosteal* and *medullary* membranes. Its two sets of vessels. *Inflammation* in bones. Acute, chronic, or malignant. *Periosteal inflammation of bone*. Its effects. Its causes. Treatment, if acute or chronic. *Medullary inflammation of bone*. Its effects. Its effects. Its causes. Treatment.

LECTURE LIX.

ON SIMPLE FRACTURE. Its signs.

Its local and constitutional effects. The mode of union of a simple fracture. Its danger and difficulty in some cases. The time which is required for union. The treatment of simple fracture. The principles to be borne in mind. The reduction of fractures. Applications required. Bandages. Position. Constitutional treatment. Causes of deformity in the limb. Time at which the bandages may be removed.

(*** 121 ***) ****

LECTURE LX.

FRACTURES OF THE DIFFERENT BONES.

Metatarsal bones. Tibia and Fibula. Bandages. Position. Time required for union. Fibula. Fracture of ; how ascertained. Bandages required. Posture of the limb. Femur. Fractured; how ascertained. Bandages. Position. Fracture near the trochanter major. Fracture of the clavicle. Signs. Causes of this fracture. Its treatment. The objects to be had in view,

122 LECTURE LX. Os humeri. Fracture of. Signs. Treatment. Radius and ulna; fractured together. Signs. Treatment. Radius fractured alone. How ascertained. Treatment. Ulna alone. How ascertained. Treatment. Metacarpal bones. Lower-jaw. Effects of this fracture. Best treatment of it. Ribs. Fractures of. Symptoms. How ascertained. Dangers of these accidents. Causes of this danger.

Treatment.

(123)

LECTURE LXI.

FRACTURES IN AND NEAR TO JOINTS.

PATELLA.

Transverse fracture of.
Its symptoms explained.
Its mode of union.
Experiments.
Treatment.
Time for giving motion to the limb.
Its result.
Compound fracture of the patella.
Advantages of adhesion.
Mode of effecting it.
Uniting ligament ulcerating.
Effect of this ulceration.
Longitudinal fracture of the patella.
Its mode of union.
The treatment it requires.

FRACTURE OF THE CONDYLES OF THE OS FEMORIS.

Signs and treatment,

LECTURE LXI.

FRACTURE OF THE HEAD OF THE TIBIA.

Signs and treatment.

FRACTURE OF THE NECK OF THE OS FEMORIS.

Two kinds of this fracture.
Within the capsule of the joint.
External to it.
Contrasted with dislocation of the femur.
Age of the patient.
Slight causes producing it.
Absence of bony union when the fracture is within the capsule.
Causes of want of union.
Experiments.
Treatment of fracture within the articulation.
The result.
Treatment of those external to the capsule.
Their result.

(125)

LECTURE LXII.

FRACTURE OF THE OLECRANON.

Its signs.

The mode of union. The treatment it requires. The result. *Time* for giving the limb motion. *Compound fractures* of the olecranon. Their treatment. Result.

FRACTURE OF THE CORONOID PROCESS OF THE ULNA.

Its signs.

Its result.

Its union by ligament.

FRACTURE OF THE CONDYLES OF THE OS HUMERI.

Signs.

Age at which it occurs.

Distinguishing marks of the fracture of each condyle.

This accident often *mistaken*. Treatment which it requires.

LECTURE LXII.

Great attention required to preserve the motion of the joint.

Ossific union not produced when the fracture is entirely within the capsular ligament.

ON FRACTURES OF THE NECK OF THE OS HUMERI.

Their signs.

The age at which they occur.

Their treatment.

Its result.

FRACTURE OF THE GLENOID CAVITY OF THE SCAPULA.

Its signs

Mistaken for dislocation.

Its treatment.

Its results.

SIMPLE FRACTURES WHICH DO NOT UNITE.

This not a very rare occurrence. The causes which give rise to it. The treatment which it requires. Its result.

FRAGILITY OF BONES.

Cases of.

In some cases it is the effect of *paralysis*. The result of these cases.

126

(127)

LECTURE LXIII.

SUPPURATION IN BONE AND COMPOUND FRACTURE.

ON COMPOUND FRACTURE.

Definition of a compound fracture. Granulatory process in bone explained. Process of union in compound fracture. Callus; its structure.

LECTURE LXIII.

128

Treatment of compound fracture. Adjustment. **有效的 化和同时间的** Bandages. Position. Constitutional treatment. Union by adhesion ; its great advantage. Time required for union. Difficulties in compound fracture, viz. Reduction sometimes difficult. **Oblique fractures.** Bone shattered. Hæmorrhage from large arteries. Inflammation excessive. Joints laid open. Deformity of the limb. Exfoliations of bone. Want of union. Tetanus produced by them. Amputation of compound fractured limbs. Time at which it should be performed, when requisite. Circumstances favourable to it.

--- unfavourable to it-

(129)

LECTURE LXIV.

MORTIFICATION IN BONE.

The causes of partial death in bone. The sloughing or exfoliating process. Periosteal or external exfoliation. Its symptoms. The process of separation. Its treatment. Chemical. Mechanical. Medullary or internal exfoliation. Its cause. The process of separation, and of the formation of new bone. The time required for the process in health, and in a diseased state of the constitution. Treatment of the internal or medullary exfoliation. Chemically. Mechanically. Exfoliations of the bones of the skull.

LECTURE LXIV.

ON EXOSTOSIS.

Of two kinds. Cartilaginous, and Fungous. See Tumours, Lecture LXX.

SCIRRHUS IN BONE.

Symptoms of this state. Under what circumstances occurring.

MOLLITIES OSSIUM.

Symptoms. Dissection. Degree of loss of phosphate of lime.

WARTY ULCER FROM DISEASED BONE.

discoved state of the constitution

Cases.

(131)

LECTURE LXV. ON DISLOCATIONS.

81913

Dislocations of the spine. The accident so called is a fracture of the spine with displacement. Symptoms produced by them vary according to their situation in the cervical, dorsal, or lumbar vertebræ.

Time in which they generally prove destructive is according to their seat ; exceptions to this. Sometimes recovered from.

Dissection of these cases.

Attempts to relieve them.

Fracture of the spine without displacement. Dislocation of the extremities of the ribs. Very rare.

Treatment.

Dislocation of the clavicle. At the sternal extremity.

How ascertained.

Treatment.

Operation for this dislocation when occasioned by distortion of the spine.

LECTURE LXV.

132

Dislocation of the scapular end of the clavicle. Signs. Treatment. Result. Dislocation of the os humeri. Downwards and forwards in the axilla. Symptoms. How ascertained. Mode of reduction. Forwards under the pectoral muscle. Symptoms. How ascertained. Reduction. Backwards on the dorsum scapulæ. Discriminating symptoms. Reduction. Partial dislocation of the os humeri. Accidents at the shoulder-joint, with which dislocations are liable to be confounded.

(133)

LECTURE LXVI.

DISLOCATION OF THE ELBOW.

Ulna and Radius backwards.
Symptoms.
Reduction.
Ulna and Radius laterally.
Symptoms.
Reduction.
Ulna backwards.
Symptoms.
Reduction.
Radius forwards.
How ascertained.
Principle of its reduction.
Accidents at the elbow-joint confounded with dislocation.

DISLOCATIONS OF THE WRIST.

Forwards. Symptoms.

DISLOCATIONS OF THE WINSE.

Mode of reduction.

(135)

LECTURE LXVII.

DISLOCATIONS OF THE HIP-JOINT

Evacuate of the neck of the thigh-bone. Are of four kinds. Upwards on the dorsum ilii. The characteristic signs. Mode of reduction. Downwards in the foramen ovale. Its characteristic signs. Mode of reduction. Backwards in the ischiatic notch. Its characteristic signs. Its reduction. Forward upon the pubes. Its signs. Reduction.

136

Accidents liable to be mistaken for dislocations; viz.

Fractures of the pelvis through the acetabulum. Fracture of the neck of the thigh-bone. Discriminating marks.

(137)

LECTURE LXVIII.

DISLOCATIONS OF THE KNEE.

Dislocations of the patella. Laterally. Signs. Reduction. Upwards. Its treatment. Dislocation of the tibia. Inwards or outwards. Backwards. Signs of each species. Reduction. Result. Compound dislocations of the knee. Dislocation of the head of the fibula. With fracture of the tibia. Produced by relaxation. Treatment. Dislocations of the ancle-joint, Forwards. Symptoms.

LECTURE LXVIII.

138

Reduction. Dislocation inwards. Symptoms. Reduction. Outwards. Symptoms. Reduction. Compound dislocations in the same directions. Their treatment considered. Dislocations of the astragalus. Simple. Bartheright Its treatment. Compound. Its treatment. Dislocations of the metatarsus. - toes.

With fracture of the tibia.

General remarks on dislocations.

(139)

LECTURE LXIX.

ON GUN-SHOT WOUNDS.

These are of the nature of contused wounds. They are of two kinds, viz. 1st. When the ball passes. 2d. When the ball lodges. Symptoms of the first. Separation of the slough. Suppuration, when established. Treatment, constitutional and local. Sinus remaining. Ball lodging. Remains encysted. Or is discharged by abscess. Its course. Wounds of arteries by gun-shot. Wounds in the neighbourhood of arteries. Symptoms.

Treatment.

LECTURE LXIX.

Wounds of the abdomen.

Their danger.

140

Penetrating wounds.

Slanting wounds.

Wounds through the Pelvis.

Wounds of the Thorax.

----- Lungs.

----- Heart.

----- Large vessels.

Near the heart.

Wounds of the head.

Ball lodging in the sphenoidal or ethmoidal sinus.

Wounds of the brain.

Gun-shot wounds of bones.

The bone much shattered.

Gun-shot wounds of large joints, often recovered from.

Amputation; when it should be performed

(141)

LECTURE LXX.

ON BURNS AND SCALDS.

Three effects produced by them. The local treatment of each state. Their constitutional treatment. Cuticle quickly reproduced. Deformity produced by them.

ON TUMORS.

Of two kinds :

growths of the constituent parts of the body.

----- new growths.

The former attain the greatest size.

THE ADIPOSE TUMOR.

Its symptoms. Seat. Its nature. The size it acquires. The operation for its removal. Under what circumstances dangerous.

LECTURE LXX.

OF THE ENCYSTED OR FOLLICULAR TUMOR.

Its symptoms.
Its seat.
The manner of its growth from an obstructed follicle.
Number in the same individual.
Disposition to them in families.
Operation for their removal.
In what cases dangerous.
Two other species of encysted tumor described.

ABSORBENT GLANDULAR TUMOR.

Symptoms. Size. Most common seat. Several glands united. Operation for its removal. Its danger.

OF THE SIMPLE CHRONIC TUMOR.

Its growth. Its effects. Its treatment. (143)

LECTURE LXXI.

OF THE BURSAL TUMOR, OR GANGLION.

Symptoms. Seat. Cure, — by absorption, — bursting, — adhesion, — excision.

VASCULAR TUMOR, OR NÆVUS MATERNUS.

Arterial and venous. Symptoms of the arterial. Their effects. Cause of their growth. Local treatment. Operation for them. Symptoms of the venous. Operation for it.

OF THE CUTANEOUS TUMOR.

Its extensive growth. Its removal.

THE HYDATID TUMOR.

Of two kinds. Described. Natural mode of cure. Removed by operation.

THE OSSIFIC TUMOR, OR EXOSTOSIS.

Defined. Periosteal or medullary. Appearance in different bones. Cartilaginous or fungous. Treatment of the periosteal. _____ medullary.

(2 145)

LECTURE LXXII

CARCINOMA.

OF THE WARRY TH

Its characters. Its usual seat. Its course. Its treatment.

OF THE FUNGOID TUMOR.

The result of its

injumphe ; also on other parts of the body.

Symptoms of this tumor.

In the adhesive stage.

In its attempts at suppuration.

In the ulcerated state.

The *fungus* growing from it; its disposition to bleed.

Different names have been given to this disease in its three stages.

Its extension by absorption.

Its disposition to form in various parts at the same time.

The structures most liable to its attacks.

Treatment.

Unaffected by constitutional treatment.

146 LECTURE LXXII.

Disposition to it prevented. Local treatment. Operation for it. Its result.

OF THE WARTY TUMOR.

Of two kinds.
Chronic and carcinomatous.
1st. Of great size upon the labia pudendi and nymphæ; also on other parts of the body.
2nd. Its symptoms.
Its most frequent seat.
Its dissection.
The result of its removal.

THE END.

F. WARR, PRINTER, RED LION PASSAGE, HOLBORN, LONDON.



