Miscellaneous tracts and collections relating to natural history, selected from the principal writers of antiquity on that subject / by W. Falconer, M. D.

Contributors

Falconer, William, 1744-1824. Bath Medical Library University of Bristol. Library

Publication/Creation

Cambridge : Printed by J. Archdeacon and J. Burges, Printers to the University; for J. & J. Merrill, in Cambridge; T. Cadell, in the Strand, B. & J. White, in Fleetstreet, J. Deighton, No. 325. High Holborn, G. & T. Wilkie, Thomas Evans, No. 46. and James Evans, No. 32. Paternoster Row, London, 1793.

Persistent URL

https://wellcomecollection.org/works/rhyvabhr

Provider

Special Collections of the University of Bristol Library

License and attribution

This material has been provided by This material has been provided by University of Bristol Library. The original may be consulted at University of Bristol Library. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org







Digitized by the Internet Archive in 2015

https://archive.org/details/b21441078







MISCELLANEOUS

TRACTS AND COLLECTIONS

RELATING TO

NATURAL HISTORY,

SELECTED FROM THE

PRINCIPAL WRITERS OF ANTIQUITY ON THAT SUBJECT.

By W. FALCONER, M.D.

CAMBRIDGE,

Printed by J. ARCHDEACON and J. BURGES, Printers to the UNIVERSITY; For J. & J. MERRILL, in Cambridge; T. CADELL, in the Strand, B. & J. WHITE, in Fleetftreet, J. DEIGHTON, No. 325. High Holborn, G. & T. WILKIE, THOMAS EVANS, No. 46. and JAMES EVANS, No. 32. Paternofter Row, London.

M D C C X CIII.

MISCELLANEOUS

TRACTS AND COLLECTIONS


RELATING TO

NATURAL HISTORY.

SELECTLD FROM THE

PRINCIPAL WRITERS OF ANTIQUITY ON THAT SUBJECT.

BY W. FALCONER, M.D.




ADDENDA ET CORRIGENDA.

Preface, P. i. l. 14. read taken mostly from Geminus. P. v. l. 15. Infert after the Period. "This is divided into two parts." l. 19. for Plantaurum, read Plantarum. P. 4. Infert between the 2d and 5th of July,

Orion rifes entirely 13 Gem. 4

P. 7. ad imum. The rifing of Arcturus fhould be quoted from Ætius Tetr. I. c. 164. and be referred to September 17. P. 10. For ripening of the Chefnut. See Theoph. III. 6. not VI. 6. P. 14. In Column for the Weather, Jan. 3. infert, "South Wind blows." P. 22. For the Afh-tree and the Maple. See Theoph. III. 6. P. 27. In the 1ft Col. for Jan. 3. add "Cancer fets. Col. XI. 2." P. 28. In the 1ft Col. for Jan. 5. add "Lyra rifes in the Morning. Col. XI. 2." P. 67. 1. 10. for imbribas, read imbribus. P. 71. in Note (b) for onw, read now. P. 74. 1. 12. read "The cofinical rife of Orion being mentioned to be on the 4th and 5th," &c. P. 102. 1. 3. for Agusto, read Augusto. P. 114. Col. 1. 1. 10. for Chamælon, read Chamæleon. Col. 2. 1. 1. for Axagva, read Axagvav. P. 116. Col. 2. 1. 24. for cocruleo, read cœruleo. P. 119. Ad v. Agusto. adde "Scribitur hæc vox et Agustor et Agusteov." Col. 2. 1. 18. for Augustoa, read Augustosc. P. 122. Col. 1. 1. 28. after vios, add exav. P. 123. Col. 2. 1. 25. for mhartoquinna, read mhartoquinna, read Augustox, P. 133. Col. 2. 1. 21. for Augusta, read Augustox, P. 134. Col. 1. 1. 30. dele Ang. P. 135. Col. 1. 1. 4. for agwapting, read µina. P. 134. Col. 1. 1. 30. dele Ang. P. 135. Col. 1. 1. 4. for agwapting, P. 182. 1. 7. for Laferpitum, read Laferpitum,



A D V E R T I S E M E N T.

THE following detached pieces were prepared many years ago, with a view to their being laid before a literary Society with which the Author was at that time connected. About three years fince he accidentally mentioned in the prefence of the Rev. Dr. Parr, that he had fuch a Collection in his poffeffion; when the Doctor, always eager to promote any literary undertaking, fuggefted to the Author that fuch attempts, if properly executed, might contribute to forward the Interefts of literature; and that he himfelf, fhould he on a perufal approve the Execution, would venture to recommend the Work to the Syndics of the Prefs in the Univerfity of Cambridge, to be printed by their Authority and at their Expence. This the Doctor very kindly performed, and that illuftrious Seminary of Learning, with a Liberality almost peculiar to itself, immediately complied with fo diftinguished a Recommendation, and under their Aufpices this Collection is now prefented to the Public.

The kindness of Dr. Parr did not stop here, as he engaged one of his learned friends, the Rev. Mr. Maltby, of Pembroke Hall, not only to superintend the Press, but to correct any Errors that he might discover in the MS. itself.

Under the very refpectable Patronage above-mentioned this Work now appears; and if it contributes to elucidate any parts of Ancient Literature, or to facilitate to those who visit the Countries which are the Seats of the Observations here collected, the Comparison of the Antient and Modern state of the Seasons, and other appearances of Nature, it can hardly fail of rendering such Excursions more useful, as it will probably point out some Sources of rational and literary Entertainment to the learned or the philofophical Traveller.

Bath, June 1, 1793.

WILLIAM FALCONER.

PREFACE.

a

ADVERTISEMENT.

The HE shlowing detailed pieces were prepared many years ago with a solution of their bring this before a literary Society with which the Author was at that time commetted. About three years fince he accidentally monitoned in the preferee of the Roy. Dr. Párt, that he had fuch a Collection in his pollation (v here the Roy. Dr. Párt, that he had fuch a sary liteaux undertaining, inggefield to the Author that fuch attempts, a gropeely executed, might contribute to forward the latenthe of literature ind that the function, though the on a perulal approve the Execution, would write the Octoor very kindly positioned by their Authority and et then Exprantion to be spinled by their Authority and et the Expranvertive of Combridge to be primted by their Authority and et then Exprantion the the Unition the the Herity postermed, and that fully in the Univertive of Combridge to be primted by their Authority and et theor Exprantion the the Unition the the Unities to infeit, unnediately complete the the Octoor very kindly postermed, and that fully the Exprantion the the Author the their Authority and et theor Exprantion the the United by their Authority and et theor Expranties and the the Combridge to be primted by their Authority and the Unitermine with a Liberake along providented, and their fluctures Seminery of the the Completion of the Seminery of the Internation of the Internation

I he kinducts of Dr. Pair did not flop here, as he engaged one of idlearned friguds, the Rev. Mr. Malthy, of Pembroke Hall, not only to faperatural the Prefs, but to correct any Errors that he might different in the MS. itleff.

Under the very respectable Patronage above-mentioned this Worle now appears; and if it contributes to elacidate any parts of America Literature, or to facilitate to those who wift the Countries which are the Sears of the Obfervations here collected, the Comparifon of the Antient and Modern finite of the Seatons, and other appearances of Nature, it can handly full of eardering fuch Excurfiens more uteful, as it, will probably point out force sources of rational and laterary Entertainment to the learned or the physfophical Traveller.

Parts, Jame 1, 1793.

WILLIAM FALCONER.

H of the E

COME previous Account of the miscellaneous Pieces that are included J under the foregoing Title will be necessary. The first that offers itself is a Calendar of natural Occurrences, which are fuppofed to have taken place in Greece and most probably in the Latitude of Athens. This is taken nearly, but not altogether from Theophrastus's History of Plants. A fimilar Attempt was made fome Years ago, and published by Mr. Stillingfleet in his Mifcellaneous Tracts. That here inferted, though defective in point of Matter, is neverthelefs more full and explicit than that given by the Gentleman mentioned above; and contains, in addition to what he has given, an account of the Weather and of the cofmical, achronical, and heliacal rifing and fetting of many of the Stars and Conftellations, which have enabled the Author to fix with greater probability the time of the Year of many of the natural Events recorded by Theophrastus, and to adjust them to modern Computation. This part of the Calendar is taken from Geminus, an ancient Greek Writer whole date is not afcertained, fome thinking him to be prior to "Hipparchus, others bringing him later as to the time of "Sylla, or even of 'Cicero. This Calendar is made to commence with the Summer Solftice, at which time the 'Greeks began their Solar Year. It was first in tended to have divided the Year according to the Greek Months, but feveral Reafons determined against fuch an attempt.

I. The Names and Order of the Greek Months are fo much difputed, and fo doubtful, that it would have required a long previous 'Difcuffion to fettle their Places and Denominations, a thing inconfistent with a Work like the prefent. Moreover the Year to which these Months were adjusted was either of the Lunar kind, and confifting of 354 Days only, or elfe fomewhat

a 2

between

Jackfon's Chronological Antiquities.

^b Vide Notas in Geminum. p. 410. Petav. Uranologion. · Hoffmanni Lexicon.

d Aç de nuis woispuida açxaç enaure per, wegi Deginaç reomaç, de Adniaioi. - Simplicius. • The Names and Order of the Greek Months are both doubtful. The Lexicons give two and fometimes three Significations to each Month. Thus Exarophaisw is rendered by Budæus, Aprilis vel Junius. Bondeourun, Junius, Augustus et September. IIvan fun, October et Julius; and to of the others. It is also doubted if EAapyCoAlay be the name of a Month, or only an epithet of

PREFACE.

between the Lunar and Solar Year, and containing 360 Days; and probably both of them were in use at ^a different periods of time. The Calendar however was fo incorrectly managed, and the commencement of the Lunar Year fo irregular (it beginning not at the time of the Summer Solftice but at the new ^bMoon fucceeding it, or perhaps the nearest to it whether before or after) as to create great Error in calculating feasons, or dates of natural events.

Another reafon of greater weight was, that the Lunar Year was not made ufe of in calculating fuch occurrences. Civil affairs[°], fuch as the celebration of [°]Feftivals, the election of Magiftrates, the payment of Salaries, intereft of Money, and all civil contracts were indeed reckoned by the Lunar Year, but what regarded natural events, as the rife or fetting of [°]Stars or Conftellations, the works of [′]Agriculture, the ⁸flowering of Plants, and the ^h geftation of Animals, together with all Tranfactions that regarded the laws of Nations,

of a time of Year. The order of the Greek Months that feems most agreable to the ancient Greek Writers is that which is given in Spon and Wheler's Travels, and taken from an antique Marble preferved at Oxford; and is as follows.

Exatopheaner. Junius et Julius. MITAYIITTHER. Julius et Augustus. Bondgopher. Augustus et September. HUARIYIER. September et October. Maipartneier. October et November. Hogeister. November et December. Γαμηλιών. December et Januar. Ανθις ηφιών. Januarius et Februar. Ελαφηδολιών. Februar. et Mart. Μυνυχιών. Martius et Aprilis. Θαργηλιών. Aprilis et Maius. Σκιροφοριών. Maius et Junius.

^a Selden, Apparat. ad Græcor. Epochas Chronologicus.

^b Annus Lunaris à primâ Luna nova post folstitium æstivum auspicabatur. Ward's Greek Grammar.

c Civiles anni erant lunares, qui fcilicet festis celebrandis, magistratibus ineundis, creditis, usuris, stipendiis, pensionibus solvendis, et id genus aliis, statis temporibus, persiciendis aptati. Selden. Apparat. ad Græcor. Epochas Chronologicus.

d Ariftophanes pleafantly tells us that these were so irregularly managed that the Gods themfelves did not know them, and that they menaced the Moon with their resentment, because that by her uncertain notice of these convival Meetings, they were disappointed of their Entertainment, and obliged to return hungry back to heaven.

> πειδη φως Σεληναιής καλου. Αλλα τ' ιὖ δρῶν φησιν' ὑμῶς δ' ἐκ ἀγειν τας ἡμέρας Ουδιν οgθως, αλλ' ανω τι και κατω κυδοιδοπῶν. Ωσ' ἀπειλειν φησιν αυτή τος θευς ἐκαςοτε, Ηνικ' αν ψευσθωσι δειπνο, κἀπιωσιν οικαδε, Της ίοgτης μη τυχοντες, κατα λογον των ἡμερων.

Ariftophan. Nebulæ. Act. I. Scen. ultim.

c See Calendarium Gemini .- Petav. Uranologion. f Hefiod. Egy. xas Husewr.

ד אביו לי לאאסיריד דשי אוומג ש שפסה סבאאואי מפוטאפוסטמו, מאאמ שפסה אאוסי. Galen. Comm. Epid. II.

h Or de inflaunnos ymostas en των inator ήμεξεων και ογθοηκοντα και δυω και σεοσοντος μεξιυ. - Hippocr. de septimestri partu.

Hurou זש ואמטדש אמו דהל העוצהל דש עוצשל דש עוצשו הסלש אוטעווש שוציאוטידמו העוצמו. Ibidem.

Er yag igneorra, uns divons nueges, ryyurara due unus interneurai. Ibidem. See also Aristot. Hist. Animal

ü

Nations, as the duration of *Treaties, Truces, &c. were reckoned by the Solar Year. A Solar Year, or the term of 365 days, is alfo underftood to be meant whenever the fpace of an entire *Year is mentioned or a feries of Years. It has been the opinion of fome 'learned Perfons, that the Solar Year was divided, as well as the Lunar, into twelve Months, each of which commenced at the entrance of the Sun into the feveral figns of the Zodiac, and this is confirmed by fome 'expressions of Geminus, and particularly by the Calendar of that Author above mentioned, which is actually divided in that manner, which division is preferved in the Calendar here exhibited.

The next piece that appears is a Calendar of the fame kind adjusted to the Climate of Italy, and probably nearly to the Latitude of Rome; compiled from the ancient Roman Writers, those especially that treat on the Subject of Agriculture. This, as well as the other, has a Calendar of the Weather joined with it, which is mostly, but not altogether, taken from ^cColumella.

I have in this Calendar inferted fuch Paffages from the ancient Roman Poets as appeared to be peculiarly defcriptive either of the general appearance of Nature in feveral Seafons in that Country, or of any other natural events that occur at any particular time of the Year. To this Calendar are fubjoined, an attempt towards a division of it into natural Months, according to the Plan proposed by Mr. Stillingfleet, and two fmall fketches of the Seafons at Aleppo in Syria, and at Nice in Italy, the former extracted

Animal. L. VI. 20. It is remarkable that Hippocrates, who in divers parts of his Work, the Epidemics particularly, has fo much occafion to particularife Times and Seafons of the Year, never makes use of any of the terms by which the Greek Months were diffinguished, but expresses his meaning either by the Seafons as Summer, Winter, &c. or by the Equinoxes or Solftices, or by the rife or fetting of the Stars or Conftellations.

a Induciæ, fædera, et quæ funt, id genus, aliæ temporum durationes. Selden Apparat.

^b Plato in his Timæus, after faying that a Month is measured by the Course of the Moon, adds enavros di inoras inter ros saure megundes zurnes. Thucydides also, in speaking of the duration of the Peloponnesian War, uses the Words Aurodizaeros diedesros, which the Scholiast interprets to mean ten compleat or Solar Years. Themistius likewise, speaking of the duration of the Trojan War, fays Hoos geous de ro Dues iano; dena erecus reto de esu rosaide megiocai re nais. Themist. Physic. L. IV. Macrobius also speaks to the fame purpose. Annum vetustissimi Græcorum AuraGarra appellabant ros are re nure (id est fole) sausperes zas pergeption.

c Antiqui Græci Annum in duodecim Menfes, pro totidem fignis in Zodiaco, diviferunt; femperque novi menfis initium fuit, quando Sol in novum ingrederetur fignum. Notæ in Theoph. à Bodæo à Stapel. p. 137.

d Αλλος γας εςτο καθ'ήλιου επαυτος, και αλλος κατα σωλητην. ό μεν γας το ήλιο, 16' ζωδιων εχει σεςιδζομην το ηλιο. όπες ειστο ημεςαι τζε^α. ό δε σελητής 16' μηνων σεςτεχει χζονου της σελητης' όπες εςτο ήμεςαι τοδ'. Gemin. Cap. VI. —

· L. IX. Cap. 2.

ed from Dr. Ruffel's Hiftory of the first mentioned Place, the latter from Dr. Smollett's Travels into Italy. To thefe are added a Table of the time of Wheat-harveft in different Parts of Italy, taken from Dr. Symonds on the Climate of Italy, and published in the fourth Volume of Mr. Young's Annals of Agriculture, and a table of the foliation of Trees in this country for feveral Years, taken from the Gentleman's Magazine .- Next come fome Remarks on the leafing, flowering, &c. of fome Trees and Plants in Italy, made in the Years 1768, 1769, by Dr. Symonds, and taken, as well as the foregoing, from Mr. Young's Annals of Agriculture .- Next follow fome Remains of Antiquity, taken from Gruter's Infcriptions, being two ruffic Calendars yet remaining engraven on Stone at Rome. These are often referred to in the Calendar I have given, and tend towards its illustration .-The next article is a table of hours for every Month in the Year, taken from Palladius.

The 'use of this is thought to have been to enable the labourer in the fields to guess at the time of the Day, by measuring with his foot the proportion which the length of that bears to the length of the fhadow of his own Perfon. The rule on which this depends, will in a grofs view, hold good in Men of different Stature, becaufe, generally fpeaking, the length of a Man's foot bears nearly the fame proportion to his height whether he be tall or middle fized.

As the proportion which the length of any upright Gnomon bears to that of its fhadow at any certain hour, varies every Day, a table is here given exhibiting the proportion which the Gnomon and its fhadow bear to one another, at a medium computation for each Month. The above tables, it is clear, were adjusted to show the unequal hours, or each 12th part of the time between "the rife and fetting of the Sun. Thus for example on the 21ft of December, when the length of the foot was to that of the shadow of the body as 1 to 29, the peafant knew that 1 part of

^b The Romans called the time between the rifing and fetting of the Sun the natural Day, and the whole 24 hours the civil Day. The civil Day they began and ended at Midnight.

The coincidence of ancient with modern Hours at the Equinoxes was as follows, Sunrife I II III IV V VI VII VIII IX X XI XII Sunfet

678910 II 12 I 2345 The upper Column is of the ancient, the lower of the modern hours. Whatever difference there might be between the length of the hours at one Seafon of the Year or another, the time of Noon was always at the fame hour, namely the fixth.

iv


a Calmafii Plinian. Exercit. Long's Aftronomy.

of the fpace of time between the rife and fetting of the Sun had elapfed, which they denominated an hour, and this proportion of measurement ferved to denote the first hour of the Day, at that feason of the Year. On the 21ft of the Month of June on the other hand, when the length of the foot bore a proportion to that of the fhadow of the perfon as I to 22, the peafant knew that i part of the fpace between Sunrife and Sunfet was paft, which was by him denominated the end of the first hour, notwithftanding the real fpace of time in each of the intervals which he called hours varied confiderably, an hour in the Month of December being to an hour in the Month of June as nine to fifteen .- Next follows a table of the Days on which the Sun enters into the different figns of the Zodiac according to the computation of different ages .- Next come fome tables of the Weather in different countries, according to both ancient and modern accounts, intended for the purpose of comparing them together. The last and the largest of these pieces is an alphabetical table of the Greek plants. The former of thefe exhibits ift the Greek name of the plant and the author who mentions it, 2d the name affigned to the fame by Cafpar Bauhin in his Pinax and other Works, 3d the corresponding name given by Linnæus in his Spec. Plantaurum, 4th the modern English name where that could be found. The fecond part of this table exhibits the Linnæan names of the Greek plants placed in alphabetical order with the Greek names fubjoined. The use of this is to enable the Reader to discover if any particular plant, the Linnæan name of which is known, be one of those with which the Greeks were acquainted .- An attempt of this kind, though fufficiently laborious to the compiler, must be liable to much error and uncertainty; but fome Indulgence may be hoped to be given to the first attempt of this kind, at least in our own Country.

An Index to each of the Calendars is added at the end of the Work.

CALEN-

v



CALENDAR

OF

NATURAL OCCURRENCES IN ANCIENT GREECE,

COMMENCING WITH THE SUMMER SOLSTICE.

Extracted from ARISTOTLE, THEOPHRASTUS, GEMINUS, PLINY, and others.'

CALCULATED PRINCIPALLY FOR


ATHENS,

Lat. 37º. 25'. N.L.

ADJUSTED TO THE ANCIENT SOLAR YEAR,

AND TO THE

MODERN COMPUTATIONS OF TIME.



CALE'NDAR, &c.

EXPLANATION OF THE MARKS.

F. Signifies the flowering of a Plant.

FR. Signifies Fruit ripe.

L. Signifies the leafing of a Plant.

Swed. Calendar. Denotes that made at Upfal, A.D. 1755, by Alex. Mal. Berger, and printed in the Amœnitates Academicæ, and translated by Mr. Stillingfleet in his Miscellaneous Tracts relating to Natural History.

Eng. Calendar. Denotes one made by Mr. Stillingfleet, at Stratton, in Norfolk, and published also in his Miscellaneous Tracts.

	Καρκι- νος.	JUNE.
Sun [*] paffes into Cancer. Cancer begins to rife. Gemin.*	I 22	SUMMER Solftice. S Green-finch, χλοφιων, feen about this time. Arift. Hift. Animal. Lib. IX. 22. Common Marjoram ^b , οφιγανος. Theophr. VI. 2. F.
	- Read	Great Turnfole, ηλιοτροπιον. Theophr. VII. 14. F. Spanish Golden Thistle, σκολυμος. Theophr. VII.
		14. F. See alfo Hefiod. Eqy. και Ημερ. II. 200. Cornel tree, κρανεια. Theophr. VI. 2. FR. The Olive, ελαια, The Lime tree, φιλυρα, the Elm,
the line five days	L. For	whete and the white Poplar, λευκη, feem to in- vert their leaves. Theophr. I. 16. See the Notes on this Chapter by Bodæus a Stapel. Ever-green trees lose their leaves. Theophr. Lib. I. 15.

^a Cancer begins to rife cofmically about July 14. ^b July 11. Swed. Calendar. ^{*} The firft column in this calendar, is allotted for celeftial obfervations taken from feveral authors, but principally from Geminus. The fecond column contains firft the mark or fymbol expreffive of the Sign of the Zodiac in which the Sun then is, next, the day of the fign, and laftly, the day of the month according to the prefent reckoning. Thus the firft article, column I. expreffes the paffage of the Sun into Cancer, and the rife of that Conftellation. Column II. expreffes farther, that the above events take place on the firft day of the fign of Cancer, and the 22d day of June, New Style. The third column denotes the other natural events that happen on each day. Where no events are obferved, no notice is taken of the day.

JUNE.

. (4)		
	Карні- vos.	JUNE.
	5 4 25	Laft Sprouting of Trees. Bark parts eafily. Theophr. III. 6.
	∞ 9 30	South Wind. Gemin
Ine toget, hild a and in togetherights a	Карні- vos.	JULY.
Orion [*] rifes in the Morn. Gemin.	95 II 2	
Orion rifes en- tirely. Plin. xv111. 28.	5 5	Sent-palles into - a CUMMER bashes
Corona ^b begins to fet in the Morn. Gemin.	55 16 7	rife. Gemin.* Comuon Maijoram Sen
Canis rifes in the Morning. Gemin.	Contract of the second second	The Old 22 Consult of Consultance of
Canis rifes. Cancer' fets. Gem.		Etefian Winds blow. N.B. For the first five days they are called Prodromi. Gemin.
Aquila ^d fets in the Morn. Gem.	55 28 19	Tempestuous weather at Sea. Gemin.

Orion rifes cofmically about July 10.
 ^b Corona fets cofmically about this time of year.
 ^c Cancer fets achronically about August 21.
 ^b Corona fets cofmically about this time of year.
 ^d Aquila fets cofmically, August 5.
 J U L Y.

		1 5 1
ir.	Καρκι- νος.	DULJULY.
Leo [*] begins to rife. Canis is feen rifing. Gemin.	56 30 21	South Wind. Gemin.
Sun enters into Leo. Notæin The- ophraft. p. 733.	5 3 I 2 2	South Wind. Gemin.
Sun passes into Leo. Gemin. Canis appears. Gem.	Λεων. Ω Ι 23	Hot Weather. Time of gathering the Summer fruits, or Οπωρα. Olympiodor. Peripat. Vid. Jackfon's Chron. An- tiquities. Vol. II. 12.—Galen. Comm. I. in Lib. I. Epid. Hippocr.
	ຄ 2 24	Balfam-bearing trees to be cut to drain off the. Refin.
Roman of Star	ຄ 4 26	Plants grow but little after this time. Ariftot. de Plant. South Winds blow. Ariftot. Probl. Sect. 26. §. 26.
Aquila fets in the Morn. Gemin.	ຄ 5 27	
Antonia and	ຄ 9 31	Etelian Winds blow. Ariftot. Meteorol. L. II. C. 5.

(5)

* Leo begins to rife cofinically about July 30 ...

I ATO REPORT OF AND

10 all AU-

Shoulders of

(6)

	Λεων.	AUGUST.
Corona fets. Gem.	ຄ 10 1	Avigato Pear, σερσεα Αιγυπτια. Theophr. IV. 2. FR.
Half [*] of Leo rifes. Gemin.	ຄ 12 3	Very hot Weather. Gemin.
Lyra ^b fets. Pegafus ^c rifes. Gemin.	ຄ 17 8	Rainy Weather. Etefian Winds ceafe. Gemin.
Delphin ^d fets in the Morning. Vindemitor rifes in the Even. Gem.	ณ 18 9	The second secon
Lyra fets in the Morn. Gemin.	શ 22 13	End of Summer. Hefiod.
Virgo [°] rifes. Gem	ର 29 20	Aquala lists in the set of the se
Sun paffes into Virgo. Gem.	Παρθε- νον. ηγ Ι 23	TA Wold som we possible of
Shoulders of Virgo appear. Gemin.	m 5 27	Great Storms of Wind and Thunder. Etefian Winds still blow. Gemin.

a Half of Leo rifes about August 21.
b Lyra sets cosmically, August 14.
c One of the last stars in Pegasus rifes achronically about September 5.
d Delphin sets cosmically August 23.
c Virgo begins to rife cosmically about Sept. 11.
S E P-

(7)

a a a	Παρθε- νον.	SEPTEMBER.	
Vindemitor [*] ap- pears. Arcturus rifes. Sagitta fets in the Morn. Gemin.	观[10] 1	Storms at Sea, Rain with Thunder and high Wind. Gemin. Time of gathering the Summer fruits, or Οπωρα, over. Galen. Comm. in Epidem. Hippocrat. I.	
Arcturus ^b rifes. Sagitta ^c fets. Plinii xv111. 31.		 Green-finch departs. Ariftot. Hift. Anim. IX. 22. Figs and Grapes ripe in Attica. Athenæi XIV. Platon. de Legib. L. VIII. Seeds of the Fir tree ripe. Galen. de Sanit. tuend. L. IV. Nightingale retires. Ariftot. Hift. Animal. L. V. 9. Beginning of Autumn. Not. in Theophr. p. 1144. Grapes to be gathered for the Vintage. Hefiod. Eq. II. 228. 	
Half ⁴ of Virgo rifes. Arcturus is feen rifing. Gem.	т 17 8	Dogberry, θηλυχρανεια. Theophr. III. 6. FR. Alder, κληθρα. Theophr. III. 6. FR. Walnut, καρυα. Theophr. III. 6. FR. Pear tree, (wild) αχρας. Theophr. III. 6. FR. Quail departs, ορίυξ. Aristot. Hist. Anim. VIII. 12.	
Arcturus rifes in the Morn. Gem.	m 19 10	Windy, but clear for the next feven days. After that period Eafterly Winds prevail.	
Arcturus is feen. Capra rifes, and the large ftar ^e in Auriga. Gem.	取 20 11	Beginning of Autumn. Gemin. and Galen. Comm. in Hipp. Epid. I.Stormy Weather at Sea. Gemin.Rainy with cold Winds. Galen ut fupra.	
Arcturus is visible. Ætii L. II. c. 164. Gemin.	1 .	Great fweet Flea-bane, κονυζα αξοην. Theophr. VI.2.F. Small true Flea-bane, κονυζα θηλεια. Theophr. VI. 2. F.	

Vindemitor rifes cofmically, Sept. 24.
Sagitta fets cofmically, August 13.
A large ftar in Capella Aurigae rifes about October 28.

SEP-

(8)

1 E 1	Παρθε- νον.	SEPTEMBER.
Spica Virginis rifes. Gemin.	双 24 15	Some leaves of Trees fall. Theophr. I. 15. Vintage. Platon. de Leg. L. VIII.
Sun paffes into Libra. Aries [*] begins to fet. Gemin.	4	Autumnal Equinox. Narrow-leaved Laurel, κνεω- ρον. Theophr. VI. 2. F. Yellow Autumnal Lily, λειριον vel ναρκισσος. Theophr. VI. 6. F.
Hædi ^b rife in the Evening. Gemin.		Stormy Weather. Gemin.
Capra ^e rifes in the Even. Gemin.	≌ 4 25	Grapes to be gathered for Frey. II. 228.
Pleiades ^d rife in the Evening. Virgo ceafes to rife. Gemin.	≌ 5 26	Strawberry tree, πομαρος. Theophr. III. 16. F. Venice Sumach, ποκκονιλεα. Theophr. IV. 3. begins to flower.
even days. After south	≌ 6 27	Fruits in general ripe, and Vintage going on. Plutarch. Life of Thefeus.
Corona rifes. Gemin.	≏ 7 28	 Blotched Alaternus, αφαρκη. Theophr. III. 6. FR. Eaftern Strawberry Tree, ανδραχνη. Theophr. III. 6. FR. Stormy Weather. Geminus.
Pleiades rife. Gemin.	12 8 29	Time of ploughing Land for Corn. Hefiod. Egy. II. ad Initium.

^a Star g in Aries fets cofmically, October 25. ^b Hœdi rife achronically, November 9. ^c Capra rifes achronically, December 22. ^d Pleiades rife achronically, November 12. O C T-

	Zuyov.	OCTOBER.	
Corona [*] rifes in the Morn. Gem. Plin. xv111. 31.	户3 11 2	Crane, yeçavoç, departs. Arift. Hift. Anim. VIII. 12.	
Scorpius ^b begins to fet in the Even. Gemin.	- ≅ 12 3	Storms of Wind. Gemin. Apple tree, μηλεα. Theophr. III. 6. FR.	
The whole of Scorpio, and of Capra fet in the Evening. Chelæ begin to rife. Gemin.	na 17 8	Fleiad a et antiè a presentation formation de Morrarge de secondo de la constante commissione de Regione de secondo de la constante commissione de rilles. Comun. Regione de rilles. Comun. Secondo de la constante constante regione de la constante de la constante de regione de la constante de la constante de regione de la constante de la constante de regione de la constante de la constante de la constante de regione de la constante de la constante de la constante de regione de la constante de la constante de la constante de regione de la constante de la const	
Ee.V.	19 10	North and South Winds blow. Gemin.	
Hyades ^c rife in the Evening. Gemin.	₽ 22 13	e Materine graam Theor	
Tail of Taurus fets. Gemin.	≌ 28 19	al Hawthorn, et massier: T Archurus (stein at Windy Weather, Genut	
phr. III. 6. FR.	≌ 29 20	North and South Winds blow. Gemin.	
pp mars	12 30 21	Great Storms at Sea. Gemin.	

(9)

^a Corona rifes cofmically, October 3. ^c Hyades rife achronically, Nov. 3.

^b Scorpio begins to fet achronically, October 24.

В

OC-

(10)		
1	Σκος- πιος.	OCTOBER.
Sun passes into Scorpio. Gemin.	т 1 22	Coronal rates in an Ormon pressor, departs, A the Morn. Geme 41 Prin. rvrut 11. 2
. 6. FR.	m 3 24	Stormy Weather. Gemin.
Pleiades fet in the Morning. Front of Scorpio rifes. Gemin.	m 4 25	 Cold wintry Weather, with Wind and Sleet. Leaves begin to fall. Gemin. Time of Sowing Corn. Theophr. VIII. 1. Hefiod. Eqγ. II. Autumnal Crocus, κροκος. Theophr. VI. 6. F. Oak tree, δρυς. Theophr. III. 6. FR. Chefnut, Διος βαλανος. Theophr. VI. 6. FR.
Arcturus fets in the Evening. Gemin.	26	High Winds. Gemin. Halcyon feen. Arift. Hift. Anim. V. 9. Scate (fifh) breeds. Arift. Hift. Anim. VI. 11. Rice harveft. Theophr. IV. 5.
A second second	7	Alaternus, φιλυκη. Theophr. III. 6. FR. Chrift's Thorn, σαλισχος. Theophr. III. 6. FR. Hawthorn, οξυακανθος. Theophr. III. 6. FR.
Arcturus fets in the Morning. Gemin.	m 8 29	Windy Weather. Gemin. Pine, common, wirrug. Theophr. III. 6. FR. Fir tree, common, weven. Theophr. III. 6. FR.
Head [*] of Taurus fets in the Morn. Gemin.	m 9 30	Rainy. Gemin. Lime tree, φιλυρα. Theophr. III. 6. FR. Box tree, πυξος. Theophr. III. 6. FR.
Lyra fets in the Morning. Gemin.	m 10 31	Wintry Weather, with Rain. Gemin.

a Head of Taurus fets cofmically, Nov. 27.

.00

NO-

(11)

je x.	Σκο <u></u> ς- πιος.	NOVEMBER.
Orion begins to rife in the Even. Gemin.	т 12 2	Lyra riter ut the a Narraw low-despindle to Moming. Cemin er III 6. FR. 11. C. Free of Life, Josev. The
Lyra [*] rifes in the Morning. Gemin.	m 13 3	Stormy Weather.
AND ALLER	m 14 4	Rainy. Combol with a states of a state of the state of th
Pleiades fet.	15	 Stormy Weather towards the middle and latter end of the Month. Gemin. Beginning of Winter. Galeni Comm. in Epid. Hippocr. I. Cold Weather. Ibidem. White Beam tree, αqua. Theophr. III. 6. FR.
Bright ^b ftar in Scorpio rifes, and the Pleiades fet. Gemin.	т 16 6	Sen pasiestino 1560 banper 1000 marine. The Sagittarius Contact and Contact The Sagittarius Contact of the contact of The
Scorpio begins to rife in the Morn. Gemin.	m 18 8	Canier fets
Pleiades fet in the Morning. Orion [°] begins to fet. Gemin.	m 19 9	Stormy Weather. Gemin. Beginning of Winter. Germanici Aratea Prognostic.

a Lyra rifes cofinically, Nov. 12. • Orion begins to fet cofinically, Nov. 18. ^b Cor Scorpionis rifes cofmically, Dec. 2.

D.B-

B 2

NO-

	Σκοg- πιος.	NOVEMBER.
Lyra rifes in the Morning. Gemin.	21	 Narrow-leaved Spindle tree, τέζαγωνια. Theophr. III. 6. FR. Tree of Life, θνεια. Theophr. III. 6. FR. Yew tree, μιλος. Theophr. III. 6. FR. Pear tree, (wild probably, but, as it feems, a different Variety from that mentioned, Sept. 8.) αχρας. Theophr. III. 6. FR.
Hyades fet. Gemin.	27	Rainy. Gemin. Ivy, z17705. Theophr. III. 6. FR. Silver fir, Elaty. Theophr. III. 6. FR.
Horns of Taurus fet. Gemin.	m 28 18	Rainy.
Hyades [*] fet. Gemin.	m 29 19	Very Stormy. Gemin.
Sun passes into Sagittarius. Gem.	Ĵ	Juniper tree, αρκευθος. Theophr. III. 6. FR. Staff tree, κηλαςρος. Theophr. III. 6. FR. Holm Oak, σεινος. Theophr. III. 6. FR.
Canis ^b fets. Sagittarius ^c be- gins to rife, and Orion to fet. Gem.	7 27	Stormy Weather. Gemin.
Orion fets in the Morning. Gemin.	‡ 8 28	
Sting of Scorpio rifes. Gemin.	‡ 10 30	Andreas a solution Novers.

(12)

^a Hyades fet cofmically, Nov. 27. ^b Canis fets cofmically, Dec. 6. ^c Sagittarius begins to rife cofmically, Dec. 26.

DE-

(13)

a a	Τοξο- της.	DECEMBER.
Canis fets in the Morning. Gemin.	Ĵ 12 2	Stormy Weather. Gemin.
and General	‡ 14 4	Rainy. Gemin.
Aquila rifes. Gemin.	‡ 15 5	South Wind blows. Gemin.
Aquila rifes with the Sun. Canis rifes in the Evening. Gemini [*] fet. Gem.		Storms of Thunder, Lightning, Wind and Rain. Gemin.
Scorpio rifes in the Morning. Gemin.	Ĵ 21 11	Stormy.
Capra fets in the Morning. Gemin.		
Aquila ^b rifes in the Morning. Gemin.	1 26 16	Contraction W. Social fibril A. R. S.
Sun paffes into Capricorn. Sagittarius ceafes to rife. Gemin.	ΑιΓοκε- φων. νο Ι 20	Winter Solftice. Stormy Weather. Gemin. Halcyon days are the feven immediately preceding, and the fame number immediately fucceeding the Winter Solftice. Arift. Hift. Anim. V. 8.

» Gemini fet cofmically, Jan. 22.

^b Star Altayr in Aquila rifes cofmically, Dec. 20. D E -

1		
(14	
	14	
A	10 M T	1
10		

E R.	ΑιΓοκε- φων.	DIECEMBER.
Delphin rifes. Gemin.	v ⁹ .1	Stormy. Gemin: Stormy .nimed
	21	a of the same - Theory a site of the
	25	Winter Solftice. Stormy. Gemin.
	4 23	Theorem 21. 6. 21
	139	Halcyon lays about this Seafon. Ariftot. Hift. Anim. V. 8.
	5 24	Then in the second seco
Aquila [*] fets in the Evening. Gemin.	- CA	Stormy. Gemin.
Evening. Gemin.	7 26	Canis rifes in the 6
Aquila fets in the Even. Plin. xv111.		Gilbins fit Gam
26. Germ. Arat.	11 30	Scorpto rifes in r Storing, .
Prog.		
And the second s	۷۶ I 2	South Wind. Gemin. and Arift. Probl. Sect. 26. §. 13.
	31	A line of the second se
Contraction Contraction		JANUARY.
and the states stated in the second states and the second states and the second states of the second states and the second states are second states and the second states are second are second states are second are		Middle of Winter.
ter. Cemin.	14	Storms at Sea from the South. Gemin.
Capricorn ^b begins	HALF PARTY	Bagitterias ceafes w and the fame number in
to rife. Gemin.	15 3	To This, . Comm. 1 1 - Minter Solffice. Anifi

* Aquila fets achronically, Feb. 1. b Capricorn begins to rife cofmically, Jan. 13. J A-

(15)			
i i a al	А:Гоке- еши.	JANUARY.	
pring Snow-drop.	v≠ 16 4	Storms at Sea from the South Quarter. Gemin.	
Perfeus fets in the Evening, after the Sun. Gemin.		South Wind blows. Gemin.	
Delphin fets in in the Evening. Cancer ceafes to fet. Gemin.	127 15	Half of Aquarius a Walt Wind blows Ger rifes. Germa a Ly Dog-gooth Violer's graves	
Sun in Aquarius. Gemin.	X005.	E Common Marcifitis, szeran 	
1. <u>1.3</u>	1 18	Bay tree, septer, Theop	
Leo [*] begins to fet. Gemin.	2 19	Wintry Weather. Gemin. 11 Here Valley, anomic valley, anomic valley, anomic valley, anomic valley valley, anomic valley	
Delphin fets in the Evening. Gemin.	₩ 4 2 I	And Markensel VI.7. F. VI.7. F. Bulbous-moted Flower d	
Lyra ^b fets in the Evening. Gemin.	# 11 28	Rainy Weather. Gemin.	
rally about February g. ril 1. Eng. Calendar. 19 14. Swed. Calendar. ch 28. Eng. Calendar.	= 14 31	Calm clear, Weather, fometimes with a Westerly Wind. Gemin. 4 b about O and A ling A memory of the state of t	

(10)

Ac touch no given alchoff of governe a weld sint area at to minher a the second at the

FE-

T. P. A	хбро- хоос.	FEBRUARY.
garter. Cemm	15 I	The bulbous Violet [*] , or great Spring Snow-drop, λευκοιον. Theophr. VI. 7. F. Cornel tree, κρανεια. Theophr. III. 6. L. Dogberry, Θηλυκρανεια. Theophr. III. 6. L.
	16 2	West Wind begins to blow. Gemin.
Half ^b of Aquarius rifes. Gemin.	## 17 3	West Wind blows. Gemin. Dog-tooth Violet ^e , κρινον πορφυρον. Theophr. VI.7.F. Wall flower ^d , φλογιον. Theophr. F.
	== 19 5	Common Narciffus, ναρκισσος. Theophr. VI. 7. F. Common white Lily, λειριον. Theophr. VI. 7. F. Single Daffodil [°] , βολβεκωδιον. Theophr. VI. 7. F.
	25 11	Bay tree ^f , δαφνη. Theophr. III. 6. L. Alder ^s , κληθεα. Theophr. III. 6. L.
	28 14	Lily ^b of the Valley, οινανθη. Theophr. VI. 7. F. Violet ⁱ common, μελανιον (ιον fcilicet). Theophr. VI. 7. F. * White wood anomone encours descent Theophr
		 * White wood-anemone, ανεμωνη λειμωνια. Theophr. VI. 7. F. Bulbous-rooted Flower de Luce, ξιφιον. Theophr. VI. 7. F. Great Grape Hyacinth, υακινθος. Theophr. VI. 7. F.

April 13. Swed. Calendar.
April 13. Swed. Calendar.
April 18. Eng. Calendar.
May 1. Eng. Calendar.
May 30. Swed. Calenda

Latitude 52°. 45'.

FE-

(17)

	тбоо- хоос.	FEBRUARY.
for the nine days Theophy (He 601): 6. L.	30 16	White Poplar [*] , or Abele, λευκη. Theophr. III. 6. L. Elm [*] , <i>ω</i>]ελεα. Theophr. III. 6. L. Almond-leaved Willow, <i>ιτεα</i> . Theophr. III. 6. L. Black Poplar ^c , <i>αιγειρος</i> . Theophr. III. 6. L.
Sun in Pifces. Gemin.	Ιχθυες. * I 17	Plane tree ⁴ , <i>ωλατανος</i> . Theophr. III. 6. L.
Leo ceafes to fet. Gemin.	* 2 18	Swallow [*] appears. Ornithian Winds blow. Gemin.
	* 3 19	Walnut tree ⁶ , xaqua. Theophr. III. 6. L. Oak tree ⁸ , dquç. Theophr. III. 6. L. Elder tree, anty. Theophr. III. 6. L.
Arcturus ^h rifes in the Even. Gem.	¥ 4 20	 Various Weather, called Halcyon days. Rain. Gem. Swallow appears. Hefiodi Egy. II. 184. Gemin. Northerly Winds blow for thirty days fucceffively, called Proornithiæ. Gemin. Seafon of Inflammatory complaints. Hippocr. Epid. I. Gal. Comm. in eundem.
Their ter is the	* 5 21	Greater Celandine', ZELidoviov. Theophr. VII. 14. F.
Arcturus rifes in the Evening. Gemin.	¥ 12 28	Cold North Wind blows. Gemin.

a April 19. Swed. Calendar. April 17. Eng. Calendar.
b April 10. Eng. Calendar. May 15. Swed. Calendar.
c April 21. Eng. Calendar.
c April 21. Eng. Calendar.
c May 9. Swed. Calendar. April 6. Eng. Calendar.
On an average of 38 years, the fwallow was feen at Stratton, in Norfolk, in the 10th of April.
Philof. Tranf. Vol. 79. p. 1.
f April 21. Eng. Calendar.
g April 18. Eng. Calendar. May 21. Swed. Calendar.

On an average of 33 years, at Stratton, in Norfolk, the Oak was in leaf, May 2.

h Arcturus rifes achronically, April 1. i May 10. Eng. Calendar. May 27. Swed. Calendar.

Ç

MARCH.

	0	1
1	× .	1.0
10	8	1
		11

. К. Ү.	ιχθυες.	MARCH.
Pegafus rifes in the Morning. Gemin.	¥ 4 14 19 19 19	 Cold Winds, called Ornithian, blow for nine days fucceffively. Gemin. Fig tree[*], (wild probably) ερινεος. Theophr. III. 6. L. Alaternus, φιλυκη. Theophr. III. 6. L. Hawthorn[*], οξυακανθος. Theophr. III. 6. L. Chrift's Thorn, <i>waluegos</i>. Theophr. III. 6. L. Turpentine tree, <i>τερμινθος</i>. Theophr. III. 6. L. Chefnut tree[*], Διος βαλανος. Theophr. III. 6. L.
Milvus appears. Pifcis auftralis rifes. Gemin.	¥ 17 2	Stormy Weather. North Wind ceafes. Gemin. Rofe, godov. Theophr. VI. 7. F.
Corona rifes in the Evening. Gemin.	* 21' 9	Ornithian Winds begin to blow. Gemin.
Milvus appears. Gemin. Milvus appears. Plin, xv111. 26. Gemin.	* 22 10 * 27 15	Ornithian Winds blow until the Equinox. Gemin.
Orion rifes. Plin. xv111. 26. Gemin.	¥ 28 16	Stormy. Plin. XVIII. 26.
The first stars in Scorpio set. Gem.	29 17	Cold North Wind blows. Gemin. Lime tree ^d , φιλυρα. Theophr. III. 6. L. Maple ^s , ζυγια. Theophr. III. 6. L. South European Oak, φηγος. Theophr. III. 6. L. Fig tree ^f , συκη. Theophr. III. 6. L.

* April 21. Eng. Calendar. ^b March 29. Eng. Calendar. May 15. Swed. Calendar.

This took place March 15. at Stratton, in Norfolk, on an average of 35 years. • April 18. Eng. Calendar. This took place at Stratton, in Norfolk, nearly on the 25th of April, on an average of 23 years. Phil. Tranf. Vol. 79. • April 18. Eng. Calendar. This took place at Stratton, on April 17. on an average of 25 years. Phil. Tranf. • April 18. Eng. Calendar. This took place at Stratton, nearly on the 21ft of April, on an average of 23 years. • f April 21. Eng. Calendar.

MARCH.

19)

(

a)	Ιχθυες.	MARCH.
Pifcis borealis ceafes to fet. Milvus appears. Gemin.	₩ 30 18	Cold North Wind. & Gemin. Plant of an intervel of an intervel Origination from the formula Origination from the formula Or
Sun in Aries. Vinculum Pif- cium rifes. Gemin.	° 1 19	Vernal Equinox. Very Stormy with fmall Rain. Gemin. Pine, wirus. Theophr. III. 6. L. Fir tree, weven. Theophr. III. 6. FR. Flowers in full beauty. Gemin. El. Aftr. I.
Aries* begins to rife. Gemin.	3	Rain or Snow. Gemin. Beginning of Spring. Gal. Comm. in Epid. Hipp. I. Dandelion ^b , aqann. Theophr. VII. 8. L.
iit. Idyll, 7.		Flea-wort, zuvoy. Theophr. VII. 8. F. Succory ^e , zuzogetov. Theophr. VII. 8. F.
ipan rivis in 1960 Janung, Gemin	4	Plants in general in the vigour of flower. Gemin. El. Aftr. Cap. I. Apple tree ^d , μηλεα. Theophr. III. 6. L.
Partes riter or the p	6.	Vernal Equinox. Rainy Weather. Gemin. Nightingale [°] fings. Demetr. Phaler. §. 133.
Pleiades fet in the Evening. Gemin.	r 10 28	Evenues Gemma 19 Evenues Femma 27

^a Aries rifes cofmically about April 2. ^b April 3. Eng. Calendar. ^c June 28. Eng. Calendar. ^d April 14. Eng. Calendar. ^e The Nightingale began to fing at Stratton, in Norfolk, nearly on the 22d of April, on an average of 42 years. Phil. Tranf. Vol. 79.

C 2

MARCH.

E.	Кеюс.	MARCH.
Pleiades fet in the Evening. Orion * begins to fet in the Evening. Gemin.	12	 Ivy, ψος. Theophr. III. 6. L. Beam tree^b, αρια. Theophr. III. 6. L. Narrow-leaved^c Spindle tree, τεζαγωνια. Theophr. III. 6. L. Tree of Life, or Arbor Vitæ, θυεια. Theophr. III. 6. L. Yew tree^d, μιλος. Theophr. III. 6. L. Rainy Weather.
El. Aftr. I. in Epid. Hipp. I. II. 8, 5.		Rainy Weather. Gemin. Cyperus Papyrus, φλεως. Theophr. VI. 5. L. A P R I L.
* Pleiades' fet in the Evening. Gemin.	r 18 5	Storms from the South. Theocrit. Idyll. 7.
Hyades' fet in the Evening. Gemin.		4 EL. Attr. Cap. I. 22 Apple arce", us Nee. The
Hyades fet. Libra ^s begins to fet. Gemin.	r 23 19	Weft Wind blows. Gemin.
Lyra [*] rifes in the Evening. Gemin		

^a Orion fets achronically, May 16. ^b May 16. Swed. Calendar. ^c May 14. Swed. Calendar. ^d April 22. Eng. Calendar. * Pliny fays on April 3. ^c Pleiades fet achronically, May 10. ^f Hyades fet achronically, May 25. ^g Libra begins to fet cofinically, May 2. ^h Lyra rifes achronically, May 19.

APRIL.

(20)

(21)		
	Kg105.	APRIL.
Suculæ fet in the Evening. Gemin.		Fratue fills & Beguining of Summer . Head of Theorem 17 Wind avoidy Souther . After General . Hippers I .
Sun in Taurus. Orion [*] fets in the Evening. Aries ceafes to rife. Gemin.	у Г	Rain and much hail. Gemin. Trees, in general, in Leaf. Theophr. III. 6.
Canis ^b fets in the Even. Lyra rifes. Tail of Taurus rifes. Sun in Taurus. Gemin.	2 20	Hail and Rain. Gemin.
7 FR.	8 7 25	Rainy. Gemin.
Capra rifes in the Morning. Gemin. Canis fets in the Evening, and Fides rifes in the Morning. Gemin. Plin. XVIII. 26.		Rainy with a South Wind, but calm. Gemin.
Scorpio begins to fet in the Morn. Gemin.	8 11 29	Rainy. Gemin.

^a Orion fets achronically, May 16.

MA

^b Canis fets achronically, June 6.

(22)

-	Γαυρος	M A Y.
Pleias rifes. Head of Taurus rifes. Gemin.	8 13 1	Beginning of Summer. Gemin. Wind moftly South. Galen. Comm. in Epid. Hippocr. I.
Scorpio fets en- tirely in the Morn. Gemin.	8 21 9	nue je j'aune. Taves, l'en abd nade hal #10 Großt less in the B Tites, in general in Less Evening.
Pleiades rife. Gemin.	8 22 10	 Beginning of Summer. Galen. Comm. in Epid. Hippocr. I. Harvest begins. Hession Egy. II. Turpentine tree, τερμινθος. Theophr. III. 6. FR. Scarlet Lychnis, λυχνις. Theophr. VI. 7. F. Rose Campion, Διος ανθος. Theophr. VI. 7. F. Yellow Asphodel, αμαρακος. Theophr. VI. 7. F. Assisting Theophr. VI. 7. FR. Maple, σφενδαμινος. Theophr. VI. 7. FR.
Aquila fets in the Evening. Gemin.	8 25 13	Virgins bower, wollos oforyios. Theophr. VI. 7. F. Greater Honeywort, znguvlos. Theophr. VI. 7. F.
	8 26 14	Gypfophila Struthium, στιςεθιον. Theophr. VI. 7. F.
Aquila [*] rifes in the Evening.	8 31	Flin. xvur 26
Gemin.	19	Scorpio begins teg & Ramy. Comm.
Arcturus ^b fets in the Morning. Taurus ceafes to rife. Hyades rife in the Even. Gemin.		Comme and and a second a
Life Dieni Gennin.		

а

23)
----	---

(

	Διδυ- μος.	MAY.
Canis [*] fets in the Evening. Sun in Gemini. Gemin.	П 1 21	Shoulder of Orion U nics. 24 43 43 43 43 43
Gemini begin to rife. Canis fets in the Evening. Plin. xv111. 26.	11 2 22	Wet Weather. Gemin. Second Shoots of Trees. Theophr. III. 6.
Hyades rife in the Morning. Gemin.		Buely, Pha. vyur-31 28, 28, 0100 and administration from Line
Aquila rifes in the Evening. Gemin.	п 7 27	
	10 30	Wet Weather. Gemin.
		JUNE.
Arcturus fets in the Morning. Gemin.	П 13 2	
Delphin ^b rifes in the Evening. Gemin.	п 18 7	

* Canis fets achronically, June 6.

^b Delphin rifes achronically, June 28.

JUNE.

(24)	
	C	1	

	Διδυ- μος.	JUNE.
Shoulder of Orion rifes.	24	Cause' fets in the 11 3 for the second
Orion [*] begins to rife. Gemin.	13 II 29 18	Silver Fir, ελατη. Theophr. III. 6. F. Yew tree, μιλος. Theophr. III. 6. F. Calm Weather from this time to the blowing of
		the Prodromi. Arift. Meteor. II. c. 5.
Orion rifes en- tirely. Plin. xv111.	п 31	Aller and a second seco
28,	20	Mamma Genind as I Menter and Mail

" Orion rifes cofmically complete about July 10.

CALENDAR

CALENDAR

NATURAL OCCURRENCES,

OF :

COLLECTED FROM THE ANCIENT ROMAN AUTHORS,

THOSE PARTICULARLY THAT TREAT OF

A G R I C U L T U R E.

CALCULATED FOR THE CLIMATE OF

I T A L Y,

AND PARTICULARLY FOR THAT OF

M

Ε,


R

- 14 M

0

ADJUSTED TO THE MODERN COMPUTATIONS OF TIME.

Lat. 41º. 45'.



CALEN, DAR, &c.

LAUDAMUS VETERES, SED NOSTRIS UTIMUR ANNIS, MCS TAMEN EST ÆQUE DIGNUS UTERQUE COLI. OVID. FAST. I. 224.

Liebertruly. Pfin.	- 6100	JANUARY. Tut. Deity, JUNO.
St. Karnek	21.5	Signa dabunt imbres, exoriente Lyrâ. Ovid. I. 315.
Delphin rifes.	19	Uncertain Weather. Colum. XI. 2.
Geop. 1. 9.	16	Hens lay Eggs. Colum. VIII. 5.
Calendæ*.	I	IN Ideas a middle of Wannie Oni
IV. Non.	79	Weather milder. Colum. XI. 2.
in the second second	17	
and the same and	2	· Philip Index (Concertain N and Differ .
Claws [*] of Cancer	ve	Variable Weather. Colum. XI. 2.
fet. Ovid. 1. 311.	18	Quinces, Services, and Plumbs to be fown from
III. Non.	3.	this time to February 13. Plin. XVII. 18.
the antipole is hite	rection	Almond flowers. Plin. XVI. 25.
Delphin ^b rifes in	vp	Middle of Winter. Colum. XI. 2.
the Morning.	19	Violent South-wind with Rain. Colum. XI. 2.
Plin. xv111. 26.	4	
Prid. Non.		the state of the s

* The first column denotes the celestial events according to various authors, that happen each day, and also marks the day of the month according to the Roman computation; the fecond column marks the fign of the Zodiac in which the Sun then is, and the day of that fign which is expressed by the figures under the symbol. The lowest figures mark the day of the month, New Style.

^a Star # in the left claw fets cofmically, Jan. 29.

^b Delphin rifes now cofmically about this featon.

D 2

rA' L'estant fete acheonically, l'et

	ig.	JANUARY.
Lyra rifes fully.	109	Dark, cloudy, and wet Weather. Ovid. I. 315.
Aquila fets in the	and the second second	Variable Weather. Colum. XI. 2.
Evening. Cal. Julii Cæf.	5	
Nonæ.	1.10	a nomico discipa dus disarres spenning i - a compressione duple cen names i com
Delphin' fets in	1/2	South, and fometimes Wefterly Winds. Col. XI. 2.
the Evening.	AT COURSE AND A	Cold Weather for fome days fucceffively. Plin.
Plin. xv111. 26.	8	XVIII. 26.
VI. Idus.	Nillid	an win the second se
Delphin ^b rifes	15	South Wind with Showers. Colum. XI. 2.
heliacally.	24	And the second
Ovid. 1. 457. V. Idus.	9	Delphin rites w Uncertain Weather Un
v. Idus.	1114	Ceopy is on the Plane lev Regist Column
IV. Idus.	75	Middle of Winter. Ovid. I. 459.
	25	IV. Near, Weather milder. Colum
	10	
Prid. Idus.		Uncertain Weather. Colum. XI. 2.
2. 1. 1. 1. 1.	27	- Chaves of Cantors w Variable Weathers Con
to be fown from	12	fit. Oud. 1.311. 18 Quinces Services and
Idus.	vs	Works of hufbandry begin. Colum. XI. 2.
	28	- patitur cultus ager, et renovatur aratro.
	13	Ovid. Faft. I. 159.
Colum X1. c.	Rain	— redit Agricolis labor actus in orbem, Atque in fe fua per vestigia volvitur annus.
		Virg. Georg. II. 401.
		Windy, uncertain Weather. Colum. XI. 2.
authors, that happen,	organ o	Middle fpace between the depth of Winter, and the
e dridy may with to re-	sab bu	first blowing of the West Wind. Colum. XI. 2.
Arate Section and an in the		Hens fit. Colum. VIII. 5. Hay fields to be cleared of Cattle. Colum. XI. 2.
Dirti di la		· · · · · · · · · · · · · · · · · · ·
* Delphin fets achronically, Feb. 13. * Delphin rifes heliacally about this time.		

(28)

A.

J A-

(29)		
		JANUARY.
XIX. Cal.	- v 9 29 14	If the Weather is mild, Barley may be fown. Colum. II. 9. Depression incipiat jam tum mihi taurus aratro Ingemere, et fulco attritus splendescere vomer. Virg. Georg. I. 45. Vines to be planted. Geopon. III. 1.
Sun in Aquarius. German. Arat. Prog. XVIII. Cal.	130 15	Uncertain Weather. Colum. XI. 2. Almond tree blows. Plin. XVI. 26.
Sun [*] in Aquarius. Leo ^b begins to fet in the Morning. Col. x1. 2. XVII. Cal.		South Weft, and fometimes South Wind with Rain. Colum. XI. 2. — ingeminant Auftri, et denfiffimus imber. Virg. Georg. I. 333.
Cancer ceafes to fet. Sun in Aquari- us. Plin. xv111. 26. XVI. Cal.	= 2 17	Cold wintry Weather. Colum. XI. 2.
Aquarius ^c begins to rife. Col. x1. 2. Sun in Aquarius. Ptolemy. XV. Cal.	== 3 18	South Weft Wind, with Storms. Colum. XI. 2. End of Winter. Fragment of an Anc'. Calendar. Gruteri Infcript. P. CXXXVI.
XII. Cal.	# 6 21	Chichlings (Cicercula) fowed this month, or the next. Colum. II. 10.
Fidicula fets in the Even. Col. x1.2 XI. Cal.	7 22	Rainy. Colum, XI. 2.

According to modern calculation, Jan. 19.
Aquarius rifes cofinically about this time.

^b Leo fets cofinically about Feb. 1.

J A- '

(30)		
		JANUARY.
Lyra [*] fets helia- cally. Ovid. 1. 654. Sun in Aquarius. Cal. Conft. Magn. X. Cal.	= 8 23	XIX. Col. 12 March 14 10 Column 14 0100 m
Star ^b in the breaft of Leo fets. Ovid. 1. 655. IX. Cal.	= 9 24	Stormy. Colum. XI. 2.
Star in the breaft of Leo, called Royal (regia) fets. Plin. xv111. 26. VIII. Cal.	and the second sec	Geefe lay Eggs about this time. Plin. X. 59. Depth of Winter ends. Plin. XVIII. 25.
Star in the breaft of Leo fets. Col. x1. 2. VI. Cal.		Winter half fpent. Colum. XI. 2. Swallows feen in an early feafon. Plin. XVIII. 25.
V. Cal.	== 13 28	Cold Rainy Weather, with South, or South Weft Wind. Colum. XI. 2.
Delphin begins to fet ^c . Fidicula fets. Colum. x1. 2. III. Cal.		Acceleration of the second secon
Prid. Calend.	= 16 31	Stormy. Colum. XI. 2.

Star « in Lyra fets heliacally, Feb. 6.
 ^b Cor Leonis fets cofinically, Feb. 19.
 ^c This refers to its achronical fetting. It is entirely fet by Feb. 21.

(31)
---	----	---

		FEBRUARY. Tut. Deity, NEPTUNE.
istica in the second		- ver aperit tunc omnia, denfaque cedit Frigoris afperitas, fætaque terra parit. Ovid. IV. 87.
Fidis begins to fet. Colum. x1. 2. Calendæ.	= 17 1	 Heavy Rain, and deep Snow. Ovid. II. 72. Eaft, and fometimes South Wind, with Hail. Col. XI. 2. Almonds (nux Græca) to be fown. Col. V. 10. Fænugreek (fænum Græcum) to be fown, when intended for Seed. Pallad. Menf. Januarius. Geefe fit. Columell. Lib. VIII. 14.
Lyra [*] , and Terga Leonis fet. Ovid. 11. 76. IV. Non.	= 18 2	en of the property of the second of the seco
Delphin fets. Ovid. 11. 79. Fidis fets entirely, and half of Leo. Col. x1. 2. III. Non.	== 19 3	Weft, North Weft, or North, and fometimes Weft, Winds. Colum. XI. 2. Summer fallows to be broken up in rich Soils. ergo age, terræ Pingue folum primis extemplò a menfibus anni Fortes invertant tauri, glebafque jacentes Pulverulenta coquat maturis folibus æftas. Virg. Georg. I. 63.
Fidicula fets in the Even. Plin. xv111. 26. Prid. Non.	20 4	Analysis and and an article of the second se
Half ^b of Aquarius rifes. Col. x1. 2. Ovid. 11. 145. Nonæ.	21 5	Air fofter by the Weft Wind. ————————————————————————————————————

• Star & fets achronically, Feb. 19. • At prefent nearly half the Conftellation rifes about Feb. 17. F E-

(32)

A trend with		FEBRUARY.
ue cold a patrit. or of PTC Re- paid 15. 72.	== 21 5	Jam puer Idæus medio tenus eminet alvo, Et liquidas, misto nectare, fundit aquas. Ovid. II. 145. Fields to be cleared of Weeds. Caton. Cap. L. Windy Weather. Colum. XI. 2.
VIII. Idus.		Beginning of Spring. Anonym. Auct. End of Winter. Geopon. I. 1. Weft Winds blow. Act. 164.
Callifto fets. Colum. XI. 2. VII. Idus.	= 23 7	Weft Winds begin to blow. Colum. XI. 2. and Geoponic. I.28. Beginning of Spring. Varro. I.28. — hiems adoperta gelu nunc denique cedit, Et pereunt victæ, Sole tepente, nives. Ovid. III. 535. Cattle to be turned into the fields and paftures. Virg. Georg. III. 322.
VI. Idus.	24 8	Weft Winds blow. Plin. XVI. 25. Stormy. Colum. XI. 2. — referata viget genitalis Aura Favonî. Lucret. I. 11. Beginning of Vegetation. Cornel tree buds, and Oak*, Larch, and Fir trees fhoot. Plin. XVI. 25.
V. Idus.	25 9	Beginning of Spring. Ovid. II. 150. Ne fallare tamen, reftant tibi frigora, reftant, Magnaque difcedens figna relinquit hyems. Ovid. II. 151. Nunc primum miti pelagus confternitur undâ, Et varios audet flores emittere Tellus. Manil III. 652. White Violet (viola alba) blows. Plin. XXI. 11. Mergus Plin : or Diver, lays Eggs. Plin. X. 59.

* In the year 1769, the leaves of little oaks, were just making their appearance on Feb. 14. Symonds on the Climate of Italy.

FE-

(33)

R. Y.	A U	FEBRUARY.
IV. Idus.		 Bay tree (laurus) buds. Plin. XVI. 25. Roots of Vines to be laid bare, and those parts cut off that rife above ground. Willows to be fown, and crops hoed, from hence to the vernal Equinox. Varron. de re ruft. I. 29.
Feet [*] of Bootes rife. Ovid. 11. 1 54. III. Idus.	27	 Poplar, Elm^b, Willow^c, Alder and Hazel-nut trees bud. Plin. XVI. 25. Apple tree in blow. Plin. XVI. 25. East Wind. Colum. XI. 2. Fields to be cleared and laid down for hay in warm dry maritime fituations. Colum. XI. 2.
Prid. Idus.	28	Lupines, and other Legumina to be fown. Col.II.10. Mitior alternum Zephyri jam bruma teporem Senferat, et primi laxabant germina flores. Claud. in Eutrop. II. 95.
Sagittarius fets in the Evening. Colum. x1. 2. Idus.		Very cold Weather. Colum. XI. 2. Mulberry trees to be fown from this time to March 24. Colum. V. 10. Plin. XVII. 18. Afh and Poplar trees to be planted. Plin. XVII. 18. Violet, purple (viola purpurea) blows about this time. Plin. XXII. 2. Pea fowl lay. Pallad. I. 28. Pear tree in blow. Plin. XVI. 25.
Corvus, Anguis, and Crater rife. Ovid. 11. 243. Crater rifes in the Evening. Col. XI. 2. XVI. Cal.	30 14	Change of Wind. Colum. XI. 2. Plane tree buds. Plin. XVI. 25. Wet Weather. Virg. Georg. III. 304. Weft Wind blows. Colum. VIII. 11. Aura parit flores tepidi fœcunda Favonî. Catull. de Nupt. Pelei et Thetidos. Parturit almus ager, Zephyrique tepentibus auris Laxant arva finus.—Virg. Georg. III. 330.

The Feet of this Conftellation now rife achronically about March 23.
The Elm was in leaf at Stratton, in Norfolk, on April 2, on an average of 24 years.
Willows in leaf between Evoli and Pefti in the kingdom of Naples on Feb. 28, 1769.

E

FE-

(34)

	14 14	FEBRUARY.
Sun ^a in Pifces. Colum. XI. 2. XV. Cal.	* '1 15	 Stormy Weather. Colum. XI. 2. Flame-coloured Violet, perhaps, the Hearts-eafe Violet or Panfy, viola flammea vel Phlox Plinii, blows. Plin. XXI. 11. Beginning of Spring. Manil. II. 267 Cherry and Plumb trees in flower. Plin. XVI. 25.
Sun in Pifces. Ovid. 11. 458. XIV. Cal.	¥ 2 16	Stormy Weather for fix days fucceffively. fex referata diebus Carceris Æolii janua laxa patet.—Ovid. II. 455.
XIII. Cal.	* 3 17	Weft or South Wind, with Hail or Storms. Col. XI. 2.
XII. Cal.	¥ 4 18	Weft or South Wind, with Hail or Storms. Col. XI. 2. The Holly (aquifolium), Turpentine tree (terebinthus), Thorn (paliurus), Chefnut and maft-bearing trees are in flower. Plin.XVI.25.
Leo ceafes to fet. Col. x1. 2. Sun in Pifces. Cal. Conftant. Magn. X. Cal.	¥ 6 20	Ornithian Winds blow, and Swallows arrive. Col. XI. 2. Veris et adventum nidis cantabit hirundo. Colum. Lib. X.
Arcturus begins to rife. Col. x1. 2 IX. Cal.	¥ 7 21	Cold Weather, with North or North-weft Wind, and fometimes Rain. Colum. XI. 2.
Sagitta begins to rife. Col. x1. 2. VIII. Cal.	ж 8 22	Various Weather (halcyonei dies). Colum. XI. 2. Spring fhoots of the Oak. Larch and Fir trees at a ftand. Plin. XVI. 25. ————————————————————————————————————

" The Sun is now underflood to enter Pifces, Feb. 19.

ΈΕ-

(35)

AVENERVA.

HONAN!

FEBRUARY.

and the second se	- Dimension	and the second
Arcturus [*] rifes in the Evening. Plin. xv111. 26. VII. Cal.	* 9 23	Swallows appear. Col. XI. 2. Windy Weather. Col. XI. 2. Ornithian Winds blow. Plin. II. 47. Vines, and Fruit trees in general in warm fitua- tions, to be grafted. Colum. XI. 2.
Arcturus rifes. Colum 11. 10. VI. Cal.	¥ 10 24	Swallows arrive. – veris prænuntia venit hirundo. Ovid. II. 853. – ignotaque prodit hirundo, Et luteum, celsâ fub trabe, fingit opus. Ovid. I. 157.
V. Cal.	¥ 11 25	Hemp fown. Colum. II. 10. Geop. II. 40. Swallows come. Compend. Cedreni P. 139. Nidum ponit, Ityn flebiliter gemens,- Infelix avis. Horat. Carm. IV. Od. 12.
Arcturus rifes in the Evening. Geop. 1. 9. IV. Cal.	¥ 12 26	Jam nec prata rigent, nec fluvii ftrepunt Hybernâ nive turgidi. Hor. Carm. IV. Od. 12. Hemp fown until March 24. Geopon. II. 40.
III. Cal.	* 13 27	Hazel nuts, Walnuts, Pine Cones and Chefnuts to be fown. Colum. V. 10.
Pridie Calend.	¥ 14 28	Pomegranates to be fown until April 1ft. Col. XI. 2. Vere tument terræ, et genitalia femina pofcunt. Virg. Georg. I. 324.

a Arcturus rifes achronically, March 27.

MARCH.

Ovid. Partice 19

Bootes fets,

.

E 2

oth Winds. Column XI. 2

(36)		
it a		MARCH. Tut. Deity, MINERVA.
biney Western downlight II. apr altit wryn fittar-	l, in L'ende L'énde	
Calendæ.		South Weft or South Wind, with Hail. Col. XI. 2. Geefe fit and hatch from this time to the Winter Solftice. Varron. III. 10. Colum. VIII. 14. Pallad. I. 30. Time for laying branches of trees to take root. Colum. V. 10. Walnuts, Hazel nuts, Chefnuts and Pine Cones to be fowed till March 15. Plin. XVII. 18. Seeds of the Broom and of the Willow fown. Plin. XVII. 18. Vines to be pruned till March 23. Col. XI. 2. madidum ver Incipit. Juvenal. Satyr. IX. 51.
Vindemitor * ap- pears. Col. x1. 2. VI. Non.	ж 16 2	Northerly Winds. Colum. XI. 2. Fruit of the Almond tree formed. Plin. XVI. 25. Pear tree in blow.
Auftrinus pifcis fets. Ovid.111.400. V. Non.	* 17 3	Tempus ver hædus petulans, et garrula hirundo Indicat. Aufonii Tetraftichon Mens.
IV. Non.	* 18 4	Weft, and fometimes South Wind, with cold Wea- ther. Colum. XI. 2.
Vindemitor rifes. Bootes fets. Ovid.111.405.407. III. Non.	* 19 5	Barley may be fown in cold heavy Land. Col. II. 9.
Pegafus ^b rifes. Ovid. 111. 450. Colum. x1. 2. Nonæ.	¥ 21 7	North Winds. Colum. XI. 2.

Vindemitor rifes achronically about March 20. ^b Pegafus rifes cofmically about this time. MARCH. (37)

I	0	MARCH.
Pifcis Aquilonius rifes. Plin. xv111. 26. Corona [*] rifes. Ovid. 111. 459. Vindemitor rifes. Plin. xv111. 26. VIII. Idus.	¥ 22 8	Orion rufes. Plin. xymi. 265 Stormy
Orion rifes. Plin. xv111. 26. VII. Idus.	* 23 9	Sun ⁶ in Aries. Colum. x1 J Colum. x1 J Calend. Conft. 17 Kaxant arva finus.
VI. Idus.	¥ 24 10	Olive trees to be pruned. Caton. Cap. XLIV. Navigation for Merchant ships commences. Veg. IV. 39.—Natalis Navigationis.
V. Idus.	₩ 25 11	Olive trees to be pruned. Plin. XVI. 18.
Pifcis Aquilonius ceafes to rife. Col. x1. 2. III. Idus.	¥ 27 13	Northerly Winds. Colum. XI. 2.
Argo ^b rifes. Col. x1. 2. Prid. Idus.	* 28 14	West, South, and sometimes North Winds. Colum. XI. 2. Gardens to be put into order. Colum. XI. 2.
Nepa begins to fet. Colum. x1. 2. Plin. xv111. 26. Pifcis Aquilonius rifes. Plin. xv111. 26. Idus. * Corona rifes achro	29 15	Stormy Weather. Colum. XI. 2.
• This probably refe		

(38)

H	(0)	AM MARCH.
Orion rifes. Plin. xv111. 26. Nepa fets. Colum. x1. 2. Firft part of Scorpio rifes [*] . Ovid. 111. 712. XVII. Cal.	ж 30 16	Cold Weather. Colum. XI. 2. Stormy. — nautis infeftus Orion. Horat. Epod. Od. 15. — fluctu affurgens nimbolus Orion. Virg. Æneid. I. 539.
Sun ^b in Aries. Colum. x1. Calend. Conft. Magn. XVI. Cal.	r I I7 Cato	Weft or North Weft Wind. Colum. XI. 2. Parturit almus ager, Zephyrique tepentibus auris Laxant arva finus. Virg. Georg. II. 330. Solus ovantem Zephyrus Perdominatur Annum. Claudian. Fefcennin. 1.85.
Sun in Aries. Ovid. 111. 852. Milvus appears. Plinii xv111. 26. XV. Cal.	γ 2 18	-vernus fequitur rubor, omnis in herbas Turget humus. Claud. de raptu Proferp. II. 90.
Pegafus [°] fets in the Morning. Colum. x1. 2. Plin. xv111. 26. XII. Calend.	Υ 5 21	North Winds. Colum. XI. 2. Lime tree (tilia), Maple (acer), bud about this time. Plin. XVI. 25. Vegetation most active about this time. Plin. XVIII. 26.
XI. Cal.	r 6 22	Vernal Equinox. Ovid. III. 878. Bees begin to leave their hives. Plin. XI. 16. Ground ploughed in warm fituations. Plin. XVIII. 19. Violets ^d blow. Statut. Coll. Efculap. et Hygeiæ.

Some Copies read fets (occidit). See Notes on this Paffage. Edit. Variorum.
 The Sun is now underftood to enter Aries, March 21.

Brank Hose Manole 25, days W. A. R. C F.

c This feems more likely to refer to its achronical fetting, which takes place about the end of March.

^d N.B. Hæc Statuta fervantur in marmore elegantiffimo in hort. Barberinis. Vide Spon. Mifcell. Antiq. Hic dies appellatur dies violaris.

MARCH.

(39)

H.	Э.	AM MARCH.
Aries' begins to rife. Col. x1. 2. X. Cal.	7 23	Rain, and fometimes Snow or Sleet. Millet and Panic to be fown until April 13. Colum. XI. 2. Vernal Equinox. Act. Lib. III. P. 164. Stormy.
mili III, I. 6, 4. niii III, I. 6, 4. sity, Vanus ora ponti, prob	2402 2422 2422 2422 2422 2422 2422 2422	 This day and the next are the Vernal Equinox. Colum. XI. 2. Stormy. Ibidem. Olive trees to be grafted from this time until April 13. Colum. V. 10. Bees wander freely in fearch of food. Col. IX. 14. Rure levis verno flores apis ingerit alveo, Compleat ut dulci, fedula, melle favos. Tibull. II. Eleg. I. Beans in flower. Plin. XVIII. 27.
Encres, J. 774		Pistacia trees grafted and Pine Cones fown. Pallad. Menf. Mart. Quince and Medlar trees to be planted. Geop. X.71.
VIII. Cal.	toni. X lemite tova d	 Olive trees to be fown and pruned from this time to May 7. Varron. I. 30. Vernal Equinox. Plin. XVIII. 26. Geop. I. 1. Olive trees to be grafted from hence to July 5. Pallad, Menf. Aprilis. Singing birds in general breed between the Autumnal and Vernal Equinoxes. Plin. X. 31. Vernal Equinox. Calendar. Ruft. Farnefian. Thrufh leaves Italy. Varr. III. Cap. 5.
VI. Cal. andro	γ 11 27	Arboribus redeunt detonfæ frigore frondes, Vividaque e tenero palmite gemma tumet. Ovid. III. 237.
IV. Cal.	v 13 29	— nitidæ fúrgunt fruges, ramique virefcunt Arboribus. Lucret. I. 253.

* Stars α and β in Aries rife cofinically, March 31.

MARCH.

(40))

H	0	MARCH.
III. Cal. 199	γ 14 30	Nunc fœcundus ager, pecoris nunc hora creandi, Nunc avis in ramo tecta, laremque parat. Ovid. III. 241.
Prid. Cal. Vernal Equinor.	15	Nunc pecudum volucrumque genus per pabula læta In Venerem paftumque ruit, totumque canorâ Voce nemus loquitur, frondemque virefcit in omnem. Manilii III. 1. 654. Pheafants lay. Pallad. I. 29.
od. Coll IX. 1 + (no. A of f	APRIL. Tut. Deity, VENUS.
le favos. all. II. Eleg. I. 17: 12: form Pellad.	la, me Tù VHI inc Ci	—— tibi fuaves dædala Tellus Summittit flores, tibi rident æquora ponti; Placatumque nitet, diffufo lumine, cælum. Lucret. I. 7.
Pleiades fet in the Morning. Plin. xv111. 26. Scorpio fets. Ovid. 1v. 164. Colum. x1. 2. Calendæ.	γ 16 1	 Stormy. Colum. XI. 2. Indomitas prope qualis undas Exercet Aufter, Pleïadum choro Scindente nubes. Hor. Carm. IV. Od. 14. Afparagus fown. Pall. Menf. Mart. Piftacia nuts fown. Geopon. X. 12. Early rofes in blow. Aurea ficcato redimicula demite collo: Nunc alii flores, nunc nova danda rofa eft. Ovid. Faft. Lib. IV. 1. 135.
Pleiades rife. Ovid. 1v. 169. IV. Non.	Υ 17 2	Flora quibus mater præfpergens ante viaï, Cuncta coloribus egregiis, et odoribus opplet. Lucret. V. 738. Bees taken. Varron. Lib. III. Cap. 16.
Prid. Non.	r 19 4	Weft or South Wind, with Hail. Colum. XI. 2.

	1ª	APRIL.
Orion fets. Ovid. 1v. 388. Nonæ.	r 20 5	West or South Wind with Hail. Col. XI. 2. ———— quanto trepidet tumultu Pronus Orion? Horat. Carm. III. Od. 27.
Pleiades [*] fet in the Evening. Col. x1. 2. VIII. Idus.	γ 21 6	Cold Weather. Colum. XI. 2.
VII. Idus.	r 22 7	Stormy Weather, with South, and South West Winds. Colum. XI. 2.
Libra ^b rifes. Ovid. 1v. 386. VI. Idus.	r 23 8	Rainy. Ovid. IV. 385. Plin. XVIII. 26. South, and South West Winds, with Storms. Colum. XI. 2.
V. Idus.	r 24 9	South, and South Weft Winds, with Storms. Colum. XI. 2.
Libra [°] begins to fet at Sun rife. Colum. x1. 2. IV. Idus.	r 25 10	Stormy. Colum. XI. 2.
Suculæ fet. Colum. x1. 2. Lyra fets. Colum. x1. 2. Prid. Idus.	r 27 12	Cold Weather. Colum. XI. 2.
Libra fets. Col. x1. 2. Idus.	r 28 13	Cold Weather. Colum. XI. 2.

Pleiades fet achronically about May 20.
Libra rifes achronically about May 2.
Libra begins to fet cofmically about April 30.
F A P R

(42)

APRIL.

A CARLES AND A CARL		
XVIII. Cal.	γ 29 14	Windy, with Hail. Ovid. IV. 626. Windy, but uncertain Weather, with Showers. Colum. XI. 2.
Hyades ^a fet. Ovid. 1v. 678. Sun ^b in Taurus. Col. x1. 2. XV. Cal.	. 8 I 17	Rainy. Colum. XI. 2. — Hyadas fævis auxerat Aufter aquis. Ovid. Trift. I. Eleg. X. — nondum pluvias Hyadas poterat vitare ratis. Senecæ Medea.
Suculæ fet in the Evening. Colum. x1. 2. Sun in Taurus. Cal. Conft. Magn. XIV. Cal.	୪ 2 18	Rainy. Colum. XI. 2. Stormy. Plin. XVIII. 26.
XIII. Cal.	8 3 19	Mushrooms gathered. Ovid. IV. 697.
Sun in Taurus. Ovid. 1v. 716'. XII. Cal.	8 4 20	Sidera jam Tyrius Phryxeï refpicit agni Taurus, et alternum Caftora fugit hyems. Martial.
XI. Cal.	8 5 21	Spring half over. Rain and Hail. Colum. XI. 2. Ridet ager, veftitur humus, veftitur et arbos; Ifmarium pellex Attica plorat Ityn. Martial. Beginning of Summer. Fragment of an anci- ent Calend. Gruter. Infcr. CXXXVI.
Pleiades ^c rife with the Sun. Col. XI. 2. ^a Aldebaran fets ach Taurus, April 20.	6 22 hronicall	South Weft, or South Wind, with Rain. Colum. XI. 2. First feason for the gathering of Honey. May 24. b The Sun is at prefent understood to enter Pleiades rife cofmically about May 18.

(43)

	1	APRIL.
X. Cal.	6 22	Taygete fimul os terris oftendit honeftum Pleias, et oceani fpretos pede reppulit amnes. Virg, Georgic. IV. 232. Vine and Olive bud. Plin. XVI. 25. Jam ver purpureum, jam verficoloribus anni Fœtibus alma parens cingi fua tempora gaudet. Colum. X. 256.
Fidicula appears. Col. XI. 2.	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Stormy. Colum. XI. 2.
Pleiades rife at	7 23	
Sun rife. Geop.1.9. IX. Cal.	linto i	Olemie Cupelli - B - Lillege Center
VIII. Cal.	8	Bees begin to come forth from their hives accord- ing to Plin. XI. 6.
bivo swold ist	24	ing to Fini. Al. 0.
Aries [*] fets. Ovid. 1v. 903. Canis [*] rifes. Ovid. 1v. 904. Hædirife.Gaffend. VII. Cal.	8 9 25	Middle of Spring. Ovid. IV. 902. ——cum violis rofifque natum Quo pars optima nuncupatur anni, Hyblam quod fapit, Atticofque flores. Martial IX. Epig. 12.
Canis fets. Plin. xv111. 29. IV. Cal.	8 12 28	South Wind, with Rain. Colum. XI. 2. Stormy. Plin. XVIII. 29.
Capra rifes in the Morn. Col. x1. 2. Orion fets in the Even. Geop. 1. 9. III. Cal.	13 29	South Wind, with Rain. Colum. XI. 2. Lucerne (Medica) to be fown or planted. Colum. II. 11. Beans, Millet, and Lucerne to be fown. Virg. Georg. I. 215.

a This probably refers to its achronical fetting.
b Qu. if it fhould not be fets? Star a fets achronically, April 30.

(44)

		APRIL.
Canis ^a fets in the Even. Col. XI. 2. Suculærife at Sun rife. Geop. 1. 9. Prid. Calend.	14	Stormy. Colum. XI. 2. Manil. I. 403.
Sec. R. Jenitor		M A Y. Tut. Deity, Apollo.
		Nunc frondent Sylvæ, nunc formofiffimus annus. Virgil.
Olenia ^b Capella rifes. Ovid. v. 113. Calendæ.	-	Terra dedit circum colles; campofque per omnes Florida fulferunt viridanti prata colore. Lucret. V. 781.
Sucula rifes with the Sun. Col. x1. 2. Hyades ^e rife in the Even.Ovid.v.164. Columella fays in the Morning. Col. x1. 2. VI. Non.	16	The Wefterly Wind, called Argeftes, blows. Ovid. V. 161. Northerly Winds. Colum. XI. 2.
Chiron ^d rifes. Ovid. v. 379. Colum. x1. 2. V. Non.	8 17 3	Stormy. Colum. XI. 2.
Lyra [°] rifes in the Even.Ovid.v.416. Colum. x1. 2. III. Non.	19 5	Rainy. Colum. XI. 2.
^a Canis fets achronically about May 16. ^b Hædi rife cofmically now, about this time.		

Aldebaran rifes cofmically, June 4.
Star λ rifes achronically about May 12.

d This is meant of its achronical rife.

MAY.

45)	
------	--

(

	2	M A Y.
Half [*] of Scorpius fets. Ovid. v. 418. Colum. x1. 2. Prid. Non.		Stormy. Colum. XI. 2.
Pleiades ^b rife in the Morning. Colum. x1. 2. Geopon. 1. 9. Nonæ.	8 21 7	Weft Wind. Colum. XI. 2. Vines and Olives getting their leaves. Plin. XVI. 25. Vines to be planted. Virg. Georg. II. 319. Vines to be pruned from hence to June 22. Varron. I. 31. Beginning of Summer. Plin. XVIII. 25. 29. Storks (ciconiæ) appear. Plin. X. 23. End of Spring. Geopon. I. 1. Cherries ripe. Plin. XV. 25.
Capella rifes. Plin. xv111. 26. VIII. Idus.	୪ 22 8	Rainy. Plin. XVIII. 26. Beginning of Summer. Geopon. I. 1. Sea Gulls lay Eggs. Plin. X. 29.
VII. Idus.	8 23 9	Beginning of Summer. Colum. XI. 2. Varron. I. 28. Weft, or North Weft Winds, fometimes with Rain. Colum. XI. 2.
Pleiades rife en- tirely. Col. 1x. 14. x1. 2. Plin. xv111. 26. VI. Idus.	8 24 10	 Rainy. Colum. XI. 2. Bees breed, and fwarm from this time to the Summer Solftice. Colum. IX. 14. Millet, Panic, and Sefamum, fown. Plin. XVII. 7. Vine and Olive in leaf. Germ. Arat. Progn.
Oron [°] fets. Ovid. v. 493. V. Idus.	8 25 11	Rofes in blow. Spon. Mifcell. P. 53.
Arcturus ⁴ fets. Plin. v111. 47. Fidicula rifes. Plin. xv111. 27.	8 27 13	Beginning of Summer. Ovid.V.603. Plin.XVIII.19. Stormy. Colum. XI. 2. Hay harveft. Colum. XI. 2.

 Half of it fets cofmically about May 22.
 ^b Pleiades rife cofmically about May 18.
 ^c Orion fets totally, achronically, June 1.
 ^d Arcturus fets cofmically, at prefent about June 4. M A Y. (46)

	. 8	M A Y.
Fidis rifes in the Morning. Colum. XI. 2. All the Pleiades [*] rife. Ovid. v. 599. III. Idus.	8 27 13	Haif of Scarpins at 18 voray, Column XI. 2. fets. Ovid. v. 418. 20 Column fit a. Petal Non Pleiades Life in 8 Wefi Wind Column 5 she Monung. 2
Head of Taurus ^b rifes. Ovid. v. 603. Prid. Idus.	8 28 14	Colum Xr. 2
Fidis rifes in the Morning. Colum. x1. 2. Idus.	8 29 ,1 <u>5</u>	South, or South Eaft Winds, with Rain. Col. XI. 2. Hay harveft this month. Pall. Menf. Maius. Second feafon for Honey. Plin. XI. 14. Seas open for Fleets. Veget. IV. 39.
XVII. Cal.	४ ३० 16	South, or South Eaft Winds, with Rain. Col. XI. 2.
XVI. Cal.	8 31 17	South, or South East Winds, with Rain. Col. XI. 2. Cattle fometimes necessary to be foddered, the grafs being burnt up. Colum. XI. 2.
XV. Cal.	8 32 18	South, or South Eaft Winds, with Rain. Col. XI.2.
Sun ^e in Gemini. Colum. x1. 2. XIV. Cal.	п 1 19	Beginning of Summer. Manil. II. 266.
Sun in Gemini. Ovid. v. 694. Cal. Conft. Magn XIII. Cal.	Ш 2 20	Summer fhoots of the Oak, Fir, and Larch trees. Plin. XVI. 25.

a Pleiades rife cofmically now, about this time. b Star : in the forehead of Taurus rifes cofmically about May 31. c Modern calculations place it, May 21.

MAY.

M

. Massoary,		MAY.
Capella fets in the Evening. Plin. xv111. 27. Suculæ rife. Col. x1. 2. XII. Cal.	11 3 21	North, and fometimes South Wind, with Rain, Colum. XI. 2.
Canis Erigoneius fets. Ovid. v. 723. Arcturus fets this day and the next. Colum. xr. 2. XI. Cal.	Ц 4 22	Stormy. Colum. XI. 2.
X. Cal.	п 5 23	Stormy. Colum. XI. 2.
Aquila, beak of, rifes. Ovid. v. 732. Capra rifes in the Morn. this day and the next. Colum. x1. 2. VIII. Cal.		Northerly Winds. Colum. XI. 2.
Bootes ^a fets. Ovid. v. 733. VII. Cal.	п 8 26	the Morning. 10 Plani zvir. 27 6 VIII. Idas
Orion ^b rifes. Plin. xv11. 28. Hyades rife. Ovid. v. 734. VI. Cal.	a second second	Seas fafe for Mariners. Veget. IV. 39.

This probably refers to its achronical fetting. Star i fets, June 22.
b Orion rifes cofinically about June 11.

JUNE.

(48)

	X.	J U N E. Tut. Deity, MERCURY.
Wind: with Pale	r dud	Solftitium pecori defendite, jam venit æftas Torrida. Virg. Eclog. VII. 47.
Aquila [*] rifes. Col. x1. 2, Ovid. v1. 196. Calendæ.	Description of the Parks	 Windy, with Rain. Colum. XI. 2. Cattle fometimes fed upon leaves, from this time to the end of Autumn. Colum. XI. 2. Barley harvest at the beginning of this month. Pallad. Menf. Maius. Hay harvest. Plin. XVIII. 28.
Aquila rifes. Plin. xv111. 29. Hyades ^b rife heli- acally. Ovid. v1. 197. IV. Non.	15	Windy, with Rain. Colum. XI. 2. Rainy. Ovid. VI. 198. Horat. Carm. I. Od. 3. Vine and Olive in flower. Plin. XVIII. 29.
Aquila rifes in the Evening. Plin. xv111. 27. The Sword of Orion begins to fet. Plin. xv111. 27. III. Non.	п 16 3	
Arcturus ^e fets in the Morning. Plinii xv11. 27. VIII. Idus.	п 19 6	
Arcturus fets. Col.x1.2.Geopon. 1.9. Bootes fets heliacally. Ovid. v1. 236. VII. Idus.	п 20 7	Weft, or North Weft Wind. Colum. XI. 2.
 This refers to its achronical rife. Star Atiar rifes about June 15. Aldebaran rifes heliacally June 18. Arcturus fets cofmically about this time. JUNE. 		

(49)		
	i n	JUNE.
Delphin [*] rifes in the Evening. Plin. xv111. 27. VI. Idus.	п 21 8	Stabilit Cancer. a. Stoney. Column 20. a. Column xr- a a. Stoney. Column 20. a. - Mailt Calcies in the second and a second a second and a second
Delphin rifes. Ovid. v1. 471. Colum. x1. 2. Pleiades rife. Geopon. 1. 1. IV. Idus.	п 23 10	Weft Wind, with fmall Rain. Colum. XI. 2. Pine, and Pitch Pine in flower. Plin. XVI. 26.
Idus.	п 26 13	Hot Weather begins. Colum. XI. 2.
Sword ^b of Orion rifes. Plin. xv11. 27. Thyene (one of the Hyades) rifes. Ovid.v1.711. Sun ^c in Cancer. Cal. Conft. Magn. XVII. Cal.	л 28 15	
Orion rifes cofmi- cally.Ovid.v1.719. XVI. Cal.	п 29 16	West Winds blow. Ovid. VI. 716.
Delphin rifes. Ovid. v1. 720. XV. Cal.	п 30 17	And the set of the set of the set of the
Sun in Cancer. Ovid. v1. 727. XIV. Cal. • Delphin rifes achro	II 3 I 1 8	Galls formed on the Oak, and other maft-bearing trees. Plin. XV. 7.

* Delphin rifes achronically, about July 27. ^b Star 8 in the belt of Orion rifes cofmically, about July 3. ^c According to modern calculation, it is June 22. G JUNE.

(50)

JUNE.

and the second se		
Sun in Cancer.	69	Stormy. Colum. XI. 2. I in allin might
Colum. x1. 2.	I	the Evening. 21
XIII. Cal.	19	Plin. RVIII. 27. 8
Ophiuchus rifes.	69	folares refpicit horas
Ovid. v1. 735.	.2	Junius, ac Phœbum flectere monstrat iter.
XII. Cal.	20	Idem maturas Cereris defignat ariftas;
A TEN . CARA		Floralesque fugas lilia fusa docent.
in the second		Aufon. Tetraft.
Ophiuchus* fets	99	Stormy. Colum. XI. 2.
in the Morning.	3	Cretan Marjoram, Origanum Creticum. Plin. XXI.
Colum. x1. 2.	1211/10	Idus
XI. Cal.		20
Orion begins to	6	This, or the following are Solftitial days. Col. II.4.
rife. Geop. 1. 9.	5	Chlorion (Green-finch) appears. Plin. X. 29.
IX. Cal.	23	Altes Phn. XVII. 25
VIII. Cal.	95	This and the two following are Solftitial days.
	6	West Wind, and great heat. Colum. XI. 2.
	24	Vine in flower. Plin. XVI. 25.
		Solftice. Plin. XVIII. 27, 28, 29. Geopon. I. 1.
And the second second		Sheep fhorn. Plin. XVIII. 27. Vetches cut for Summer Fodder. Plin. XVIII. 28.
	IV.B	Bean harveft. Phin. XVIII. 28.
- CHANGER HE	POT	Vine and Thyme plant in flower. Plin. XI. 14.
		Honey collected principally at this feafon. Plin.
g man an anna Tairmana		XI. 14.
	- 7 5	Solftice. Calend. Farnefian.
VII. Cal.	95	West Wind, and great heat. Colum. XI. 2.
Contract - Starrage for	7	Cornel tree (cornus mas) fruit ripe. Plin. XVI. 26.
Contraction and	25	Stock dove fits. Plin. XVIII. 28.

0

a It fets cofmically about the middle of July.

JUNE.

	R .	JUNE.
Belt of Orion rifes. Ovid. v1. 788. Plin. xv111. 28. VI. Cal.	8	Summer Solftice. Ovid. VI. 790. Plin. XVIII. 20. Weft Wind, and great heat. Colum. XI. 2. Yellow flowering Fir (abies croci colore) in flower. Corn harveft from hence, to July 26. Varron. I. 32. Green-finch appears. Plin. XVIII. 28.
V. Cal.	9 27	 Oak, Fir, and Larch trees fhoot. Leaves of the Elm, Linden, Olive, white Poplar, and Willow, begin to fall. Plin. XVI. 23. Etefian Winds blow. Senec. Quæft. Natural. V. 10. Dogwood (cornus fæmina) fruit of, ripe. Plin. XVI. 26.
Vin Cal . W Jami Jambrad Joorg, R. 189 Jambrad Ja	28	 Olive tree in flower. Plin. XVI. 25. The Olive, white Poplar, and Willow, feem to invert their Leaves at this feafon. Varron. I. 46. Plin. XVIII. 28. Aul. Gell. VI. 7. Wood Pigeon fits. Plin. XVIII. 28. Bees fwarm. Colum. IX. 14. Pall. Menf. Jun.
III. Cal.	5 11 29	Windy Weather. Colum. XI. 2. Honey taken until July 26. Colum. IX. 14. XI. 2. Wheat harveft. Poplar in blow. Pall. Menf. Junius.
ot vv cathors b paten m Lib III. 201	Very 1 romed er, Car	JULY. Tut. Deity, JUPITER.
Colum. XI. 2. San, Colum.XI.2.	wold shed a	Leniat et rabiem Canis, et momenta Leonis, Cum femel accepit Solem furibundus acutum? Hor. Ep. Lib. I. 10.
Calendæ.	⊕ 13 1	Weft, or South Wind, with great heat. Col. XI. 2. Nunc etiam pecudes umbras et frigora captant; Nunc virides etiam occultant fpineta lacertos. Virg. Eclog. II. 8. G 2 J U L Y.

1	and the second	
1	- 0	
	32	
(52)

	-14	JULY.	
Corona fets in the Morn. Col. x1. 2. IV. Non.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Jam paftor umbras cum grege languido Rivumque fessius quærit, et horridi Dumeta Sylvani. Hor. Carm. Lib. III. 29.	
Corona ^a fets in the Morning. Plin. xv111. 28. III. Non.	95 17 5	Sole fub ardenti refonant arbufta cicadis. Virg. Eclog. II. 13.	
Half ^b of Cancer fets. Col. x1. 2. Prid. Non.	18	Very hot Weather, and Earth cracked by the heat. Colum. V. 9. XI. 2. Wheat harveft over. Pall. Menf. Julius.	
Nonæ.	19	Vines and Olives out of flower. Plin. XVI. 25. – O, qui me gelidis in vallibus Hæmi Siftat, et ingenti ramorum protegat umbra ! Virg. Georg. II. 489.	
Half ^e of Capri- corn fets. Colum x1. 2. VIII. Idus.	20	Very hot. Colum. XI. 2. Rura mihi et rigui placeant in vallibus amnes; Flumina amem filvaíque. Virg. Georg. — dies medius flagrantibus æftuat horis. Lucan. I.	
Cepheus ^d rifes in the Evening. Colum. x1. 2. VII. Idus.	21	Stormy. Colum. XI. 2. Very hot Weather. Jam clarus occultum Andromedæ pater Oftendit ignem. Hor. Carm. Lib. III. 29.	
Orion rifes in the Morn. Geop. 1. 9. VI. Idus.	2 - 1 - 8 - 2 - 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	Winds, called Prodromi, blow. Colum. XI. 2. Summer fallows to be ploughed again. Colum.XI.2.	

b Star # fets achronically about Aug. 3.

Corona fets cofmically about July 7.
It fets cofmically about August 3.
No part of this constellation fets in the Latitude of Rome.

JULY.

Calendie,

1

ULY.

	1 -	, , , , , , , , , , , , , , , , , , ,
umbre.subI .V aques. cull. I. Eleg. I.	2300	Winds, called Prodromi, blow. Plin. II. 47. Very ftormy Weather at Sea, about this time. Polyb. Lib. I. c. 3.
Procyon rifes in the Morning. Geop. 1. 9. III. Idus.	\$ 25 13	Service trees to be planted until Feb. 13. Colum. Mulberries ripe. Morus fanguineos præbet gravidata racemos, Quæ medio Cancri fidere læta viret. Aufon. Tetraftic.
Procyon rifes in the Morning. Colum. x1. 2. Idus.	5 27 15	Stormy. Colum. XI. 2. Very dry Weather. ——jam Procyon furit, Et stella vefani Leonis, Sole dies referente siccos. Hor.Carm.III.Od.29. Almonds ripe enough to gather. Pall. Menf. Julius.
Canis rifes. Plin. xv111. 28. XVII. Cal.	95 28 16	- rubicunda Ceres medio fucciditur æftu; Et medio toftas æftu terit area fruges. Virg. Georg. I. 297. Very hot Weather. Plin. XVIII. 29.
Canicula rifes. Plin. xv111. 29. Sun in Leo. Cal. Conft. Magn. XVI. Cal.		Earth cracked by heat. — hiulca fiti findit Canis [*] æftifer arva. Virg. Georg. I. 353. — flagrantis atrox hora Caniculæ. Horat. Carm. Lib. III. 13. Cum Procyon fureret, cum Solis torridus ignis Flexilibus rimis fitientes feinderet agros.

Sidon, Apollin.

* We muft not fuppofe that when the Greek or Roman writers fpeak of heat, ftorms, or other changes of weather, being produced by the rife or fetting of certain ftars, that they ferioufly meant to afcribe fuch effects to their influence. Geminus (cap. 14) expressly fays, that it is altogether abfurd to think that they have any power over the weather, and that fuch expreffions mean no more than, that the people, having by long obfervation found what weather moft commonly took place at the feafons of the year that were diffinguished by the rife and fetting of particular ftars, were thereby enabled to foretel what kind of weather might be expected in future years at the rife or fetting of the fame ftars. To this he adds, that fuch predictions being founded on obfervation only were apt to be erroneous. It is the opinion of the learned Dr. Long, fince the obfervations on which these prognoftics were founded, must have been of a number of

JULY.

(54))

	.T.	JULY.
Canicula rifes. Plin. 1147. XV. Cal.	æ 30 18	- Canis æftivos ortus vitare fub umbrâ Arboris, ad rivos prætereuntis aquæ. Tibull. I. Eleg. I. Meadows mowed a fecond time. Varron. I. 33.
Canicula rifes. Pallad. Menf. Jun. Geop. 11. 15. XIV. Cal.	5 31 19	Hotteft time of Year. Ardentiffimo æftatis tem- pore oritur Caniculæ fidus. Plin. II. 471 Venit enim tempus quo torridus æftuat aër, Incipit et ficco fervere terra Cane.
y Wether,	ery di	Stormy. Act. 164.
Aquila fets. Plin. xv111. 29. Sun in Leo ^a . Colum. x1. 2. Canicula rifes. Geop. 1. 8. XIII. Cal.	ຄ 1 2011	Weft Wind. Colum. XI. 2. 1 Etefian Winds blow. Plin. II. 47. Oenanthe retires. Plin. X. 29.
Aquila fets. Plin. v111. 47. X. Cal.	रू 4 23	Winds, called Prodromi, blow, according to Cæfar's calculation. Plin. XVIII. 28. End of Summer. Gruter. Infcr. P. CXXXVI. Third feafon for Bees gathering Honey. Plin. XI. 14.
Bright star in the breast of Leo rifes Colum. x1. 2. Canicula rifes in the Morning. Geop. 1. 9. IX. Cal.	and the second sec	Stormy. Colum. XI. 2. Sæpe ego, cum flavis mefforem induceret arvis Agricola, et fragili jam ftringeret hordea culmo, Omnia ventorum concurrere prælia vidi: Quæ gravidam latè fegetem ab radicibus imis Sublime expulsam eruerent. Virg. Georg. I. 316. Very hot. Plin. II. 47.

years, that they took for that purpole, the Metonic Cycle of nineteen years; for, as within that time the Moon returns to the fame afpects with the Sun, and that planet was thought to have a great influence upon the weather, they might imagine that an almanack of 19 years would be a perpetual one, not only to mark the days of their facrifices, and other folemnities, but alfo to foretel the Weather. Long's Aftron. Vol. II. §. 1333.

* According to Modern calculations, July 23.

JULY.

(55)

T.	U	JULY.
Aquarius begins to fet. Col. x1. 2. VIII. Cal.	the second of the	Weft or South Wind. Colum. XI. 2. Fruit of the Turpentine tree, the Maple, and the Afh tree, ripe. Plin. XVI. 26.
Canicula appears. Colum. x1. 2. VII. Cal.	7 26	 Hot cloudy Weather (caligo æftuofa). Col. XI. 2. Summer fhoots of Trees. Plin. XVI. 25. Corn harveft over. Colum. II. 21. Etefian Winds begin to blow. Geopon. I. 9. Firft crop of Figs of various kinds, and fome forts of Plumbs and Peaches, ripe. Colum. Lib. X.
Aquila rifes. Colum. x1. 2. VI. Cal.	ຄ. 89 27	Half of Aquarius A Beginning of Autumn. fets. Col. x1. 2. 20 Leaves to be collected Fidicula Lts. 8" XVIII 21. Hot clo
Bright ftar in the breaft of Leo rifes. Colum. x1. 2. IV. Cal.		 Stormy. Colum. XI. 2. Leaves to be cut Morning and Evening, this month and the next, for foddering of Cattle. Col. XI. 2. Very hot Weather. —— Cleonæo fidere fervet ager. Martial.
Aquila fets. Colum. x1. 2. Bright ftar in the	ຄ 11 30	Vines fometimes burnt up by the South East Wind. Colum. V. 5. Stormy. Corn harvest over, in maritime and tem-
breast of Leo rifes. Geop. 1. 9. III. Cal.	. 2.	perate fituations. Colum. XI. 2. 21
		AUGUST. Tut. Deity, CERES.
Anna and and and		Inde loci fequitur Calor aridus, et comes unà Pulverulenta Ceres, et Etefia flabra Aquilonum. Lucret, V. 740.
Calendæ.	2 13 1	Etefian Winds blow. Colum. XI. 2. Fox-tail Amaranth (Amaranthus caudatus) blows. Plin. XXI. 8. Avigato Pear (Persea) ripe. Plin. XIII. 13. A U G U S T.

TTTT

(56)

(56)		
4		AUGUST.
Half of Leo rifes Colum. x1. 2. Prid. Non.	ณ 16 4	Very hot Weather. — rabidi Leonis æftus. Sidon. Apoll. Stormy. Colum. XI. 2.
Half of Arcturus fets Plin.xv111.28. VIII. Idus.	and the second se	Colucal especies a Flot cloudly Weather (ca Coluca, xi, 2, 7 Simucher floots of Trees VU. Cal. 26 Corn harveft over, Col
VII. Idus.	ณ 19 7	End of Summer. Geopon. I. 1.
Half of Aquarius fets. Col. x1. 2. Fidicula fets. Plin. xv111. 25. VI. Idus.	ຄ 20 8	Beginning of Autumn. Plin. XVIII. 25, 28. Leaves to be collected for Winter fodder. Plin. XVIII. 31. Hot cloudy Weather (nebulofus æftus). Colum. XI. 2. Nuts, Apples, Pears, and the fruit of the South European Oak, (efculus) ripe. Plin. XVI. 26.
Fidicula fets ac- cording to Cæfar. Plin. xv111. 28, III. Idus.	ດ 23 11	Beginning of Autumn. Plin. XVIII. 28. Varr. I. 28. Time of fowing Corn. Plin. XVIII. 25.
Fidis fets in the Morn. Col. x1. 2. Prid. Idus.	ຄ 24 12	Beginning of Autumn. Colum. XI. 2. Bees taken. Colum. XI. 2.
Delphin fets. Col. x1. 2. Idus.	ম 25 13	Stormy. Colum. XI. 2.
Delphin fets in the Morn. Col. XI. 2. XIX. Cal.	ณ 26 14	Stormy. Colum. XI. 2.
Sun in Virgo. Cal. Conft. Magn. XVI. Cal.	ณ 29 17	AUGUST.

(57)

Daicy, Vuncam.	IN'T U	AUGUST.
Sun [*] in Virgo. Col. x1. 2. Fidis fets. Colum. x1. 2. XIII. Cal.	Vinde	Stormy, with Thunder. Colum. XI. 2. Beginning of Autumn. Manil. II. 266. Cool Weather. Act. 164.
XII. Cal.	m 2 2 I	Stormy, with Thunder. Colum. XI. 2.
Vindemitor rifes in the Morning. Plin. xv111. 31. XI. Cal.	т 3 22	Commercial and the second and the se
X. Cal.	ny 4 23	Stormy, with Rain. Colum. XI. 2.
Sagitta fets. Geopon. 1. 9. VIII. Cal.	項 6 25	Hins think one of in O this name, and Sept. in Beet taken. Varion, IH. in
Arcturus begins to fet. Vindemitor rifes in the Morn. Colum. x1. 2. VII. Cal.	ν 7 26	Rainy. Colum. XI. 2. Ripe Grapes. Plin. XVIII. 31.
VI. Cal.	ид. 8 27	Etefian Winds ceafe. Plin. II. 47. Dog days end on the 28th. of August. Act. 164.
Shoulders of Virgo appear. Col. x1. 2. III. Cal.	and the second	Etefian Winds ceafe. Cool Weather. Col. XI. 2. Fig trees inoculated. Colum. XI. 2.
Andromedarifesin theEven.Col.x1.2. Prid, Calend.	12 31	Cool Weather. Colum. XI. 2.
Accordi	ng to Mo	bdern calculation, Aug. 23. H SEP-

SEP-

T.	3 0	SEPTEMBER. Tut. Deity, VULCAN.
. XI. 2: 11. 265.	1	-varios ponit fetus Autumnus; et altè Mitis in apricis coquitur Vindemia faxis. Virg. Georg. II. 521.
Calendæ.	And in the Party of the Party o	Hot Weather. Colum. XI. 2. Moift, flat, fhallow Land fown. Pall. Menf. Auguft.
Pifcis auftrinus ceafes to fet. Colum. x1. 2. IV. Non.	ng 14 2	Hot Weather. Colum. XI. 2.
Arcturus rifes. Colum. x1. 2. Nonæ.	π 17 5	 Weft, or North Weft Wind. Colum. XI. 2. Autumnal fhoots of Plants. Plin. XVI. 25. Stormy. Vehemens fum (Arcturus) exoriens. Plaut. Prol. in Rudentem. 71. Pliny thinks the oil in Olives is generated between this time, and Sept. 16. Plin. XV. 3. Bees taken. Varron. III. 16. Kite departs. Plin.X. 10. Swallows depart. Plin. XVIII. 31. — ad terram gurgite ab alto Quam multæ glomerantur aves, ubi frigidus annus Trans pontum fugat, et terris immittit apricis. Virg. Æneid. VI. 310.
Pifcis Aquilonius ceafes to fet. Capra rifes. Colum. x1. 2. VII. Idus.	政 19 7	Stormy. Colum. XI. 2. Storms from the South. —— Ille notis actus ad Oricum, Poft infana Capræ fidera. Horat.Carm. III. Od. 7. Beginning of Autumn. Varron. I. 28. Turbidus imber aquâ denfifque nigerrimus Auftris. Virg. Æneid. V. 696.
Half of Virgo rifes. Col. x1. 2. VI. Idus.	11X 20 8	Weft, or South Weft Wind. Colum. XI. 2. Vintage begun, in warm maritime fituations. Col. XI. 2.

A fige appling to Motors executions. Aug. 25-

SEP-

(59)

Call R. C. C.	br le	SEPTEMBER.
ritude auditoradi floro egoinge dire	ng 20 8	jam tibi lividos Diftinguet Autumnus racemos, Purpureo varius colore. Hor. Carm. II. Od. 5. Annus in apricis maturat collibus uvas. Tibull. I. Eleg. IV.
Capella rifes in the Even. Col. x1. 2. V. Idus.		Surgentes acinos varios, et præfecat uvas September, fub quo mitia poma jacent. Aufon. Tetraftic.
Virgo rifes. Colum. x1. 2. III. Idus.	mg 23 11	Weft, or North Weft Wind. Colum. XI. 2.
Half of Arcturus rifes. Plin. xv111. 31. Prid. Idus.	m 24 12	 Very ftormy Weather, for five days fucceffively. Plin. XVIII. 31. Wild honey (mel Ericæum) gathered, and the heath or ling Plant in blow. Plin. XI. 16.
Idus.	m 25 13	Stormy. Colum. XI. 2.
Arcturus rifes. Plin. 11. 47. XVIII. Cal.	双 26 14	Stormy, with Hail. Plin. II. 39. Seas dangerous to fail on, from this time to Nov. 11th. Veget. IV. 39.
Arcturus rifes. Geop. 1. 9. XVII. Cal.	172 27 15	Contraction of the second of t
Spica [*] Virginis rifes in the Morn. Plin. xv111. 31. XVI. Cal.	тр 28 16	Etefian Winds ceafe. Plin. XVIII. 31.

* Spica Virginis rifes cofinically about October 13.

H 2

	20.00	
5. E . R. S. 1	M	SEPTEMER.
Arcturus rifes he- liacally. Col. x1. 2. See too Notes on Theophraftus. P. 579. XV. Cal.	2900	 Weft, or South Weft Wind, and fometimes South Eaft. Colum. XI. 2. Ground drieft about this time, and Springs moft defective. Colum. XI. 3. ————————————————————————————————————
Spica Virginis rifes in the Morn. Colum. x1. 2. XIV. Cal.		Weft, or North Weft Wind. Colum. XI. 2.
Sun in Libra [*] . Crater appears in the Morning. Colum. x1. 2. XIII. Cal.	19	Bees taken the fecond time. Colum. XI. 2. Fallows to be broken up in dry, barren grounds. At fi non tellus fuerit fecunda, fub ipfum Arcturum tenui fat erit fufpendere fulco. Virg. Georg. I. 67.
Sun in Libra. Cal. Conft. Magn. XII. Cal.	십 2 20	Barley fown from this time, to the end of Winter. Virg. Georg. I. 210.
Aries ^b begins to fet. Pifces ^c fet in the Morn. Col. x1. 2. Plin. xv111. 31. XI. Cal.	3	Weft, or North Weft Wind, and fometimes South, with fhowers. Colum. XI. 2. Purple Lily (filium purpureum Plinii XXI. 5.) blows.
Ship Argo fets. Colum. x1. 2. X. Cal.	≌ 4 22_0	Stormy, fometimes with Rain. Colum. XI. 2.
Centaurus ⁴ begins to rife in the Morn. Colum. x1. 2. IX. Cal.	5 23	Stormy, fometimes with Rain. Colum. XI. 2. Autumnal Equinox. Colum. II. 8.

^a According to Modern calculation, Sept. 23. ^b This alludes, I believe, to its cofinical fetting, which begins about Oct. 27. ^c This refers to their cofinical fetting. ^d It begins to rife cofinically about October 24.

SEP-

(60)

0	61	12.2.6	1
10. S - S	01		
10			15

		SEPTEMBER.
VIII, Cal.	≌ 6 24	Rainy. Colum. XI. 2. Great ftorm. Veg. IV. 39. Autumnal Equinox. Geopon. I. 1. Beginning of Barley fowing. Geopon. II. 14. Flax fown from this time, to January 4. Autumnal Equinox. Calend. Farnef.
VII. Cal.	n 1 25	 This day and the two adjoining are the Autumnal Equinox. Col. XI. 2. Rainy Weather. Col. XI. 2. Barley, and Linfeed fown about this time. Virg. Georg. I. 210. Stormy. Act. 164. Grapes gathered, and vintage going on, until October 28. Varron. I. 34. Autumnal Equinox. Col. IX. 14. Bees taken. Ibid. Apples ripe enough to gather. Plin. XV. 16.
VI. Cal.	11 8 26	 Rainy. Colum. XI. 2. Sefamum to be fown from hence to Oct. 15. Colum. II. 10. Vetches fown. Colum. II. 11. Wheat fown in cold moift Soils. Pallad. Menf. Septemb. Beft time for the vintage, from hence to Nov. 6. Plin. XVIII. 31.
Hœdi [*] rife. Colum. x1. 2. V. Cal.	≌ 9 27	Weft, and fometimes South Wind, with Rain. Colum. XI. 2. Stormy. Horat. Carm. III. Od. I. Plin. XVIII. 28. Ovid. Trift. I. Eleg. X.
Virgo ceafes to rife. Colum. x1. 2. Capella rifes in the Morning. Plin. xv111. 31. IV. Cal.	≌ 10 ⁻ 28	 Vintage begun in most places. Weather, stormy. Colum. XI. 2. Panic and Millet reaped this month. Pallad. Menst Sept. ————————————————————————————————————
Hœdi rife. Plin. xv111. 31. III. Cal.	≌ 11 29	Peafe fowed the latter end of the month. Pallad. Menf. Sept. Vintage this month. Pall. Menf. Sept. Nunc Liber gravidâ defcendit lenis ab ulmo, Pinguiaque e preffis exfpumant mufta racemis. Manil. III. 662.

* This probably relates to their achronical rife, which is about October 26.

SEP-

		(-62)
R B		SEPTEMBER.
Hædi fet in the Evening. Plin. xv111. 31. Pridie Calend.	≌ 12 30	Cneorum (Daphne Cneorum) flowers. Plin. XXI. 9.
Teres and set of		OCTOBER. Tut. Deity, MARS.
		quum rapidus Sol Nondum hiemem contingit equis, jam præterit æftas. Virg. Georg. II. 321.
Calendæ.	13 13	Stormy. Colum. XI. 2. Wheat fown in moift, cold fituations. Col. II. 8. Linfeed fown, from hence to Dec. 7. Col. II. 10.
VI. Non.	≌ 14 2	Stormy. Colum. XI. 2.
V. Non.	⊭≏ 15 3	Seeds of Fruit trees to be fown. Colum. V. 10.
Auriga fets in the Morn.Virgo ceafes to fet. Col. XI. 2 Corona ^a rifes in the Morn. Geop. 1. 9 IV. Non.	6 16 4	Stormy. Colum, XI. 2.
Corona begins to rife. Col. x1. 2. III. Non.	17 5	Stormy. Colum. XI. 2. Sowing time for Corn. Plin. XVIII. 25. Mandant et fulcis Cererem, dum terra tepore Autumni refoluta patet. Manilii III. 664.

* The bright ftar in Corona rifes cofmically, October 5.

0 C-

(63)		
	Ø.	OCTOBER.
Hædi rife in the Even.HalfofAries rifes. Col. x1. 2. Prid. Non.		North Wind. Colum. XI. 2. Stormy. Plin. XVIII. 28. Horat. Carm. III. Od. 1.
Bright ftar in Corona rifes. Colum. x1. 2. Plin. xv111. 31. VIII. Idus.	14 20 8	ALL CALLS
Pleiades [*] rifein the Even. Col. x1. 2. VI. Idus.		Weft, and fometimes South Weft Wind, with Rain. Colum. XI. 2.
Corona rifes en- tirely on this, and thefollowing days. Colum. XI. 2. Pleiades rife. Plin. XVIII. 31. III. Idus.		South Wind, with Rain and cold Weather. Vintage going on in cold fituations. Bread-corn in general to be fown. Colum. XI. 2.
Prid. Idus.	≌ 26 14	South Wind, with Rain and cold Weather. Col. XI. 2.
Corona rifes en- tirely. Plin. xv111. 31. Idus.	₽ 27 15	Stormy, with fmall Rain. Beans fown, until Nov. 1. Colum. XI. 2.
XVII. Cal.	≌ 28 16	Stormy, with finall Rain. Colum. XI. 2.

Pleiades rife achronically about Nov. 7.

0 C-

E R.	a.	OCTOBER.
XVI. Cal.	A 26 2 3 4 1	Stormy, with fmall Rain. Colum. XI. 2.1 ibold
Carm.III. Od. i.	29 17	Even. HaltofArres 18 Stormy, Pin. XVIII. 28.
Sun [*] in Scorpio.	m	Wheat and Barley fown. Plin. XVIII. 7.
Colum. x1. 2. Cal. Conft. Magn.	I	Bright flar 20
XIV. Cal.	19	Columents a. 8
Pleiades ^b begin to fet at Sun rife.	m 2	Stormy. Colum. XI. 2. Pine Cones in general, and maft of trees, ripe.
Colum. x1. 2.	20	Plin. XVI. 26.
XIII. Cal.		Pomifer autumnus fruges effuderit, et mox
	1 Jan 9	Bruma recurrit iners. Hor. Carm. IV. Od. 7.
XII. Cal.	m	Stormy. Colum. XI. 2no aller Brond
	3	Wheat and Barley fown. Plin. XVIII. 7. Main
To TX music li	21	sheldbowing days is "likead-own in goodal to
Tail of Taurus	m	South Wind, and fometimes Rain. Colum. XI. 2.
fets. Col. x1. 2.	4	
XI. Cal.	.22	Decutit arboribus frondes, aut nubibus imbres
		Colligit. Claud. de Raptu Proferp. II. 308.
X. Cal.	m	Wheat fown, from this time to Dec. 8. Pallad.
Manaren (manar	5	Menf. Octob. Virgil. Georg. I. 219.
	23	Beginning of Winter. Gruter. Infcr. P. CXXXVI.
Pleiades fet at Sun	10.2	Quam cito purpureos deperdit terra colores!
rife. Geop. 1. 9.	6	Quam cito formofas populus alta comas!
IX. Cal.	24	Tibull. I. Eleg. 4.
Centaurus ceases	and the second second second	Stormy. Col.XI.2. Leaves of trees fall. Plin.XVI.22.
torifein the Morn.		Frigidus et fylvis Aquilo decuffit honorem.
Colum. x1. 2. VIII. Cal.	25	Virg. Georg. II. 404. Quam multa in fylvis, Autumni frigore primo,
vin, Cal.		Lapfa cadunt folia. Virg. Æneid. VI. 309.
	Parti	Bees taken. Varron. III. 16.
a According to Mo	dern cal	

According to Modern calculation, Oct. 24. • They fet cofmically about Nov. 22. O C-

(64)

		(65)
IN JEL	11	OCTOBER.
Front of Scorpio rifes. Col. x1. 2. VII. Cal.	m 8 26	Stormy. Colum. XI. 2.
Suculæ rife in the Evening. Plin. xv111. 31. VI. Cal.	m 9 27	—nemus omne fuo viridi fpoliatur honore. Nemefian.
Pleiades fet. Colum. x1. 2. V. Cal.	m 10 28	Cold Weather, with Sleet. Colum. XI. 2. — calor extremus primo cum frigore miftus Volvitur. Lucret. VI. 370. Wheat fown. Plin. XVIII. 34. Virg. Georg. I. 219. Bees wander but little from their hives. Plin. XI. 6. Second feafon for the gathering Honey. Aut eadem fidus fugiens ubi Pifcis aquofi Triftior hybernas cœlo defcendit in undas. Virg. Georg. IV. 234.
Arcturus [*] fets in the Evening. Colum. x1. 2. IV. Cal.	m 11 29	 Windy. Colum. XI. 2. Stormy. Plin. XVIII. 28. Vehemens fum (Arcturus) exoriens, cum occido, vehementior. Plauti Prol. in Rudent. fævus Arcturi cadentis Impetus. Horat. Carm. III. Od. 1. Almond trees fown. Plin. XVII. 18.
This day and the following, Caf- fiope ^b begins to fet. Col. XI. 2. III. Cal.	the second strength which it is a	Stormy. Colum. XI. 2. Wheat fown in dry foils. Colum. II. 8. Olives [°] preffed for green oil (oleum viride). Colum. XI. 2.

^a Arcturus fets achronically, Dec. 4. ^b Only two ftars, π and ε, of this conftellation, fet in the latitude of Rome; the former of thefe fets achronically, June 16, and cofinically, June 23. ^c This oil is expressed from the unripe and yet austere olive. It was called by the Greeks supergrees, and emparison, and by the Latins acerbum, æstivum, et viride. See Dioscor. Lib. 1. 26. and Joann. Bauhini Hift. Plantar. Vol. I. Lib. VI.

I

OC

		(66)
	14	OCTOBER.
Suculæ rife with the Sun. Arcturus fets, according to Cæfar. Plin. xv111. 31. Prid. Cal.	m 13 31	Front of Stondies a. Stormy: Colum. 221. a. rilles. Oal. XI. a WIL Cal
		NOVEMBER. Tut. Deity, DIANA.
gorodician arte Elescones ity: Cathge Letters	tis aire 16.1 1	Inde aliæ tempestates, ventique sequentur Altitonans Vulturnus, et Auster fulmine pollens [*] . Lucret. Lib. V.
Head of Taurus ^b fets this day, and the next. Col.x1.2. Pleiades fet in the Morning. Orion begins to fet. Geop. 1. 9. Calendæ.	1. 1 M 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Rainy. Colum. XI. 2. Fruit of the Crab-tree ripe. Plin. XVI. 27.
Arcturus fets in the Evening. Plin. xv111. 31. Pleiades fet. Geopon. 1. 1. IV. Non.	m 15 2	 Rainy. Colum. XI. 2. Vetches (vicia) and lentils (phafelus) to be fown. Virg. Georg. I. 227. Beginning of Wheat fowing. Geopon. II. 14.
Fidicula rifes. Colum. x1. 2. III. Non.	m 16 3	Cold, rainy Weather. Colum. XI. 2.

^a The winters in Italy are, in the prefent age, generally ufhered in by thunder and lightning. Horace alludes to this in Epod. II. v. 29. Dr. Symonds on the Climate of Italy. Annals of Agric. Vol. IV. ^b Star : fets cofmically, November 27.

N 0-

(67)

NOVEMBER. Trees to be pruned. Pallad. Menf. Novemb. Nonæ. m 18 5 South, or Weft Wind, with cold Weather. Col.XI.2. Fidicula rifes enm tirely. Col. XI. 2. 19 VIII. Idus. 6 Bright ftar in Cold wintry Weather, with a fmall Rain, and a m Scorpio rifes. 21 South East Wind. Colum. XI. 2. Beginning of Winter. Plin. XVIII. 31. Pleiades fet in the 8 Fruit of the Cork-tree ripe. Plin. XVI. 26. Morning. Wheat and Barley fown. Plin. XVIII. 7. Colum x1. 2. Geop. 111. 13. -largis VI. Idus. Aquofus Eurus arva radat imbribas. Hor. Epod. XVI. 54. Sword of Orion Beginning of Winter. South or South East Wind, m begins to fet. with fmall Rain. Colum. XI. 2. Varr. I. 28. 22 ----- unde nigerrimus Aufter Plin. xvIII. 31. 9 V. Idus. Nafcitur, et pluvio contriftat frigore cœlum. Virg. Georg. III. 279. .i & mulou Apples and Pears ripe. Plin. XVI. 26. Stormy Weather in the Mediterranean fea, efpecially towards Carthage. Quam multi Lybico volvuntur marmore fluctus, Sævus ubi Orion hybernis conditur undis. Virg. Æneid. VII. 719. Nec fidus atrà nocte amicum appareat, Quâ triftis Orion cadit. Hor. Epod. X. Beginning of Winter. Geopon. I. 1. IV. Idus. m 23 XIII. Cal. D.I IO * Star « in Scorpio rifes cofmically, Dec. 2. noiteterance authold of guileroood N O-

- (F VI

1	68	
	0ð	
(1

	e i	NOVE-MBER.
Pleiades fet. Plinii xv111. 31. III. Idus.	m 24 11	 Seas rendered dangerous to Mariners, by Storms. Veget. de re militari. Winter fruits to be gathered. Plin. XVIII. 31. Beginning of Winter. Plin. II. 47. Varron. I. 27. Cranes appear. Plin. II. 23. Trees to be transplanted, from this time to the Winter Solftice. Geopon. X. 2.
Prid. Idus.	m 25 12	Jam breve decrefcit lumen, languetque fenili Segnis stella gelu. Claudian. Idyll. I. 36. Seeds of the Pine, and Pitch Pine, ripe. Plin.XVI.26.
Idus.	m 26 13	Uncertain Weather, but mostly calm. Col. XI. 2. Wild honey taken. Plin. XI. 16.
Fidis rifes in the Morn. Col. x1. 2. XVI. Cal.	m 29 16	South, and fometimes violent North Wind. Col. XI. 2.
XV. Cal.	m 30 17	North, or fometimes South Wind with Rain. Colum. XI. 2. ——nunc mare, nunc filüæ Threïcio Aquilone fonant. Hor. Epod. XIII.
Sun [*] in Sagitta- rius. Suculæ rife in the Morning. Colum. x1. 2. XIV. Cal.	‡ 1 18	Stormy. Colum. XI. 2.
Sol in Sagittarius. Cal. Conft. Magn. XIII. Cal.	‡ 2 19	AV idus a Segfuning of Winter C

* According to Modern computation, Nov. 22.

NO:

		(69)
a Liney . going		NOVEMBER.
Horns [*] of Taurus fet in the Even. Colum. XI. 2. XII. Cal.	‡ 3 20	Cold North Wind, and Rain. Colum. XI. 2.
Sucula ^b fets in the Morn. Col. x1. 2. XI. Cal.	‡ 4 21	Cold Weather. Colum. XI. 2.
Lepus fets in the Morn. Col. x1. 2. Canis fets in the Morn. Geop. 1. 9. X. Cal.	‡ 5 22	Stormy. Colum. XI. 2.
Canicula ^c fets at Sun rife. Colum. x1. 2. IX. Cal.	2 23	Cold Weather. Colum. XI. 2.
Canicula fets at Sun rife. Colum. x1. 2, VII. Cal.	‡ 8 25	Cold Weather. Colum. XI. 2. Wheat fown. Geopon. II. 14.
V. Cal.	2 10 27	Pear trees to be fown. Colum. V. 10.
Suculæ fet en- tirely. Col. x1. 2. Prid. Calend.	1 13 30	Weft, or South wind, with Rain. Colum. XI. 2.

* The horns fet cofmically now, about Dec. 17. c It fets cofmically, Nov. 27.

b It fets cofinically, Nov. 27.

DE-

•		(70)
	N	DECEMBER. Tut. Deity, VESTA.
even a construction of the second		Tandem bruma nives adfert, pigrumque rigorem Reddit; hyems fequitur. Lucret. Lib. V.
Calendæ.	‡ 14 1	Uncertain Weather, but mostly calm. Col. XI. 2. Middle of Olive harvest. Colum. XII. 50.
Half [*] of Sagitta- rius fets. Scorpius ^b rifes entirely in the Morn. Col. x1. 2. VIII. Idus.	‡ 19 6	Stormy. Colum. XI. 2.
Aquila ^e rifes in the Morn. Col. x1. 2. VII. Idus.		South Eaft, or South Wind with fmall Rain. Colum. XI. 2. Beans fown. Pallad. Menf. Decembris.
III. Idus.	1 24 11	North Weft, or North Wind, and fometimes South with Rain. Colum. XI. 2. Horridus ecce fonat Boreæ ftridore December. Martial. ————————————————————————————————————
Scorpio rifes en- tirely in the Morn Colum. x1. 2. Idus.	7 26 13	Cold Weather, Colum. XI. 2. Rura gelu tum claudit hyems. Virg. Georg. II. 317.
Sun in Capricorn ⁴ Colum. x1. 2.	. vs I 17	Winter Solftice, according to Hipparchus's Calcu- lation. Colum. XI. 2. Manilii II. 267. Stormy Weather. Ibidem.

About half the Conftellation fets achronically, Dec. 27.
Scorpius rifes cofinically about Dec. 12.
According to Modern calculation, Dec. 22.

DE-

(71)

	A 1/	DECEMBER.
XVI. Cal.	vs 1 17	Hefperiæ Capricornus undæ. Hor. Carm. II. 17. Quid moveant Pifces, animofaque figna Leonis, Lotus et Hefperiâ quid Capricornus aquâ? Propert. IV. El. I. 107.
Sun in Capricorn. Cal. Conft. Magn. XV. Cal.	v y 2 18	Wind changeable. Colum. XI. 2. Annua fulcatæ conjecta et femina terræ Pafcit hyems; pluvio de Jove cuncta madent. Aufon. Tetraftic.
Aquila rifes. Plin. xv111. 29. XIII. Cal.	v9 4 20	Almond tree flowers. Plin. XVI. 25.
Capra [*] fets in the	130	Stormy. Colum. XI. 2.
Morn. Col. x1. 2. X. Cal.	7 23	Ground ploughed in warm fituations. Plin. XVIII. 19. Winter Solftice. Act. 164.
Morn. Col. x1. 2.	7	Ground ploughed in warm fituations. Plin.
Morn. Col. x1. 2. X. Cal.	7 23 19 8	 Ground ploughed in warm fituations. Plin. XVIII. 19. Winter Solftice. Aet. 164. Winter Solftice, according to the Chaldæan obfer- vations. Colum. XI. 2. Calm for fourteen days together, called Halcyon

* Capra fets cofmically, Jan. 22.

^b It rifes onw cofmically about Jan. 4.

		(72)
and the second		DECEMBER.
Aquila rifes in the Even. Col. x1. 2. IV. Cal.	1.	Cold Weather. Colum. XI. 2. Bay trees fown, until Feb. 13. Plin.
Canicula fets in theEven.Col.x1.2. Pliny fays in the Morning [*] . Plin. xv111. 26. III. Cal.	v 9 14 30	Stormy. Colum. XI. 2.
Prid. Cal.	v9 15 31	Windy Weather. Colum. XI. 2.

- See too Germanici Aratza Prognoffica,

POSTSCRIPT

POSTSCRIPT TO THE ROMAN CALENDAR:

I T may appear extraordinary to the reader, that fo much ftormy weather fhould be fet down in the foregoing calendar, which is profeffedly adjusted to an Italian climate, generally described to us as particularly mild and benign. What adds to our furprife is, that thefe diffurbances occur fcarcely lefs frequently in the fummer*, than in the other feafons of the year. The word used by Columella and Pliny to express these changes of the atmosphere, is tempestas, which is here rendered by the word storm, not that the ideas of each perhaps exactly correspond, but as the English word approaches nearer to the Latin than any other fingle word I could find in the language, a little enquiry into the meaning of the word, as here ufed, may not be unneceffary, as well as fome confirmation of the fact from other authorities.

It appears from a paffage in Cicero that flowers of rain, rainy clouds agitated by the wind', ftorms at fea and whirlwinds, were all included under the word tempestas. Hail is likewife added by Pliny of to the description. I am inclined notwithstanding to believe, that nothing but wind was underftood by this word in the calendar of Columella, as he mentions hail, rain, and thunder particularly, and inferts them as frequently as we could fuppofe them to happen. Windy weather, it must be owned, is often fpecified in the calendar, but I apprehend it means only an inferior degree of what was underftood by tempestas. That violent forms of this kind happen in hot climates in the fummer months, we know generally from experience, and that fuch have taken place in the climate of Italy, and the parts

a Six ftormy days are marked in the calendar of Columella during the months of June and

July. ^b Referendæ in Deos erunt Tempestates, quæ populi Romani ritibus confecratæ funt; ergo Dijertendi funt Ciceron de Natur. Deor. L. III.

Imbres, Nimbi, Procellæ, Turbines, Dii putandi funt. Ciceron. de Natur. Deor. L. III. ^c Unum, quod Tempestates vocamus, in quibus grandines, procellæ, cæteraque fimilia intelli-guntur: &c. Vid. Plin. L. XVIII. 28. See too Germanici Aratea Prognostica.

parts adjacent, is agreeable to the teftimony both of ancient and modern writers. Polybius tells us, that in the first Punic war the Roman fleet was fo far deftroyed by a ftorm, that out of 364 fhips only eighty escaped. This he attributes to the obstinacy of the Confuls in neglecting the advice of the pilots, who cautioned them against going along the fouthern coast of Sicily, as the fhore was too deep for anchorage, and afforded no harbour; especially too as the feafon was then the most unfavourable for navigation, the conftellation' of Orion being not quite paffed, and the Dogftar just ready to appear. If we compute this according to the calendar of Geminus, which is nearest to the date of the account, and also nearer to. the latitude where this transaction happened, it must have taken place on fome day between the fourth and feventeenth of July, the cofmical rife of Orion being mentioned on the 5th, and the rife of the Dog-ftar on the 16th. The calendar of Columella agrees nearly herewith; Orion being mentioned as rifing cofmically as late as the 10th, and the Dog-ftar is put down as rifing on the 17th. Geminus b too in the calendar published in the prefent work remarks, that the 19th of July has been noted for tempeftuous weather at fea. Virgil likewife mentions that he had often feen great ftorms or whirlwinds' arife in the midft of corn harveft, which is just about this time, Varro placing it between the 26th of June and the 26th of July. These he represents as fo violent as to tear up and lay waste every thing in their progrefs, even rooting up the corn itfelf, and attended with an immenfe deluge of rain. The ftorm likewife defcribed by Virgil, which wrecked part of the fleet of Æneas, is related by him to have happened nearly in the fame feas with that mentioned by Polybius, and much

a Polyb. L. I. § 37.

b Xiyuw xara Jahaooav iniyinitai. Gemin. Calendar.

Sæpe ego cum flavis mefforem induceret arvis Agricola, et fragili jam ftringeret hordea culmo, Omnia ventorum concurrere prælia vidi, Quæ gravidam latè fegetem ab radicibus imis. Sublime expulsam eruerent: ita turbine nigro Ferret hyems culmumque levem, ftipulasque volantes. Sæpe etiam immensum cælo venit agmen aquarum, Et sædam glomerant tempestatem imbribus atris Collectæ ex alto nubes: ruit arduus æther, Et pluviå ingenti sata læta boumque labores Diluit; implentur fossæ, et cava flumina crescunt Cum sonitu; fervetque fretis spirantibus æquor.

VIRG. Georg. I. 316.

much refembles the hurricanes of hot climates, as being 'fudden in its rife', violent in its effects', and foon over. Modern information, at leaft what I have feen, agrees herein with the ancient. Abbè Toaldo', in a journal of the weather at Venice for the year 1755, mentions two whirlwinds, and a violent ftorm refembling that defcribed by Virgil, that happened that year in the months of June and July. This is the only modern Italian journal of the weather that I have feen. It is probable that in the more foutherly parts of Italy, thefe aërial diffurbances happen more frequently, as they are obferved to be more common, as well as violent, in hot climates.

Quà data porta, ruunt, et terras turbine perflant.

VIRG. Æneid. L. I.

^b Eripiunt fubito nubes cœlumque, diemque Teucrorum ex oculis : ponto nox incubat atra. Intonuere poli, et crebris micat ignibus æther; Præfentemque viris intentant omnia mortem.

Ibid.

c ---- dicto citius tumida æquora placat: Collectafque fugat nubes, folemque reducit.

Ibid.

Ibidem.

From the defcription of it, it appears to have been of the nature of a whirlwind, many opposite winds being defcribed as blowing at the fame time. Una Eurufque Notufque ruunt creberque procellis

Africus.

d Saggio Meteorologico. Quarto, Padoua, 1770.

DIVI-

K 2

DIVISION

OF THE YEAR INTO MONTHS,

MARKED OUT BY

NATURAL OCCURRENCES.

REVIVING WINTER MONTH.

MONTH I.

From the first laying of eggs by hens, to the blowing of the West wind; viz. from January the first, to February the fifth.

BUDDING MONTH.

MONTH II.

From the blowing of the Weft wind, to the appearance of the fwallow; viz. from February the fifth, to February the twenty-third.

LEAFING MONTH.

MONTH III.

From the arrival of the fwallow, to the free exit of bees from their hives; viz. from February the twenty-third, to March the twenty-fourth.

FLOWERING MONTH.

MONTH IV.

From the free exit of bees from their hives, to the arrival of the ftork; or from March the twenty-fourth, to May the feventh.

FRUIT-

* FRUITING MONTH.

MONTH V.

From the arrival of the ftork, to the fummer fhoots of the fir tree; or from May the feventh, to May the twentieth.

+ RIPENING MONTH.

MONTH VI.

From the fummer fhoots of the fir, to the flowering of the pitch pine; or from May the twentieth, to June the tenth.

REAPING MONTH.

MONTH VII.

From the flowering of the pitch pine, to the blowing of the Etefianwinds; or from June the tenth, to August the first.

SOWING MONTH.

MONTH VIII.

From the blowing of the Etefian winds, to the departure of the fwallow; or from August the first, to September the fifth.

MATURING MONTH.

MONTH IX.

From the departure of the fwallow, to the ripening of the grape; or from September the fifth, to September the twentieth.

SHEDDING MONTH.

MONTH X.

From the ripening of the grape, to the confinement of bees to their hives; or from September the twentieth, to October the twenty-eighth.

DE-

* This refers to the forming of the pulpy fruits. + This refers to the ripening of the early fruits.

(78)

DECAYING WINTER MONTH.

MONTH XI.

From the confinement of bees to their hives, to the full ripening of the olive; or from October the twenty-eighth, to December the first.

DEAD WINTER MONTH.

MONTH XII.

From the ripening of the olive, to the laying of eggs by hens; or from the first of December, to January the first.

trading the black of the Electron windle in the departure of the firellow

E X-

(79)

EXTRACT FROM DR. RUSSEL'S HISTORY OF ALEPPO. LATITUDE 36°. 12'. N. L.

	1	
	12	DECEMBER. Maarbanie, or depth of Winter begins. Narciffus flowers.
	15 20	J A N U A R Y. Hyacinths and Violets flower. Maarbanie ends.
Service and	5 12 20	F E B R U A R Y. Fields green. Almond tree blows. Apricot and Peach blow.
	5 15 20	M A Y. Barley harveft begins. Country burnt up. Barley and Wheat harveft over.
	15 25	S E P T E M B E R. First Rains. Ploughing begins.
and the second s	5 10 20	OCTOBER. Cotton harveft. Second Rains. Early Wheat Sown.
	15	NOVEMBER. Leaves of trees fall. OBSEI

2.

OBSERVATIONS MADE AT NICE IN ITALY,

EXTRACTED FROM SMOLLET'S TRAVELS, Vol. II. ad finem.

LATITUDE OF NICE. 43°. 42'.

-		
1		APRIL.
1		A A A T A A A A A A
	20	Orange harveft
1	26	Ripe Strawberries Wheat in ear.
1		Rye feven or eight feet high.
-	28	Strawberries in the market.
	1	M A Y.
	3	Ripe Cherries.
	3 4 6	Orange and Lemon trees in flower.
	A COLUMN AND A	Ripe Figs.
	20	Olive tree in bloffom.
	29	Silk Worm weaving.
		No. I State of the second s
		JUNE.
	9	Pears and Plumbs in the market.
	-	Ripe Figs and Apricots.
	- 11	JULY.
_		and the second
		Ripe Peaches and Apples.
	2 I	Ripe Water Melons.
	30	Ripe Grapes.
		A REAL PROPERTY AND A REAL PROPERTY A REAL PROPERTY A REAL PROPERTY A REAL PROPERTY A REAL PROPERTY A REAL PROPERT
		OCTOBER.
-	8	Vintage begun.
	31	Oil harveft begins.

TABLE

(80)

(81)

30

74

and and and	T	ABL	Е	
of the Tim	e of Wheat Ha	arvest in differe	ent Parts of mo	dern Italy.
From	Dr. Symond	s—Annals of	Agriculture, Vo	ol. IV.
Containine	14.1			
Calabria	Calabria	About Naples.	Sulmona.	Aquino.
citra.	oltre.	Lat. 41°. 6'.	Lat. 42°. 6'.	K. of Naples. Lat. 41°. 35'.
The 1ft or 2d of June.	Latter end of May.	The 12th of June.	Beginning of July.	End of June.
Rome.	Terni.	Camerino.	Marc: of An-	Tufcany.
reome.		Cumerino.	cona.	Turcury.
Lat. 41°. 45'.	Lat. 42°.	Lat. 43°. 15.	Lat. 43°. 38'.	1949년 <u>음</u> 식하
Middle of June.	Latter end of June, or begin- ning of July.	The very end of July.	Middle of July.	The 18th. of June.
AboutFerrara.	Milan. Lat. 45°. 25'.	Vercellæ and Novara. Lat. 45°. 15'.	Vicenza. Rep.ofVenice. Lat. 45°. 36'.	Valdagno.
Latter end of June.	Latter end of June.	2d week in July.	Latter end of June.	Beginning of July.

ORDER

L

ORDER of the compleat Expansion of the Flowers and Leaves of feveral Trees and Shrubs in Great Britain,

1 (A)
1.1
1.24
5
~~
55
N
-
1.00
-
-
0.
-
-
April,
IO
0
- Here
100
43
9
C
3
2
0
50
3
a
/a
Ma
Ma
Ma
s Ma
's Ma
n's Ma
an's Ma
ian's Ma
nan's Ma
man's Ma
eman's Ma
leman's Ma
tleman's Ma
itleman's Ma
ntleman's Ma
entleman's Ma
tentleman's Ma
Gentleman's Ma
Gentleman's Ma
Gentleman's Ma
c Gentleman's Ma
le Gentleman's Ma
he Gentleman's Ma
the Gentleman's Ma
From the Gentleman's Ma

. .

Janu Gapri Apri Apri Apri Apri Apri Apri Apri A			8	0		~	-	~	-		~	15							1	~		1	100									
VídVídVídVídVídVídVídVídVídVídVídVídVídVídVídřebruavy táMarch 5March 5March 10Februavy 10March 8Februavy 8April 15March 18March 12March 10Februavy 10March 8Februavy 8March 18March 13March 12March 10Februavy 10March 8Februavy 8March 13March 12March 12April 28April 10March 24April 21March 20March 28March 13April 28April 28April 21April 21April 2March 29March 13April 28April 29April 21April 2April 27April 28April 29April 27April 20April 27April 28April 27April 27April 27April 27April 26April 27April 27April 27April 27April 26April 27April 27April 26April 26April 27April 27April 27April 26April 26April 27April 27April 27April 27April 26April 27April 27April 27April 26April 26April 27April 27April 26April 26April 27April 27April 27April 26April 27April 27April 26April 26April 27April 27April 27April 26April 27April 27April 27April 26 </td <th></th> <td>1782</td> <td>March 1</td> <td>March 1</td> <td>May 17</td> <td>April 20</td> <td>April 24</td> <td>April 30</td> <td>April 30</td> <td>May II</td> <td>June 20</td> <td>May 12</td> <td>May 17</td> <td>May 20</td> <td>June 12</td> <td>Man IT</td> <td>AGAY 2/2</td> <td>INTAY 20</td> <td>LI APTA</td> <td>May 20</td> <td>May ro</td> <td>Mayre</td> <td>Mave</td> <td>May 20</td> <td>May 2</td> <td>May 21</td> <td>Tune 10</td> <td>Tune IC</td> <td></td> <td></td> <td>June 18</td> <td></td>		1782	March 1	March 1	May 17	April 20	April 24	April 30	April 30	May II	June 20	May 12	May 17	May 20	June 12	Man IT	AGAY 2/2	INTAY 20	LI APTA	May 20	May ro	Mayre	Mave	May 20	May 2	May 21	Tune 10	Tune IC			June 18	
Tybi, 	ern		-	-	0			q	1	10				0	9		1	TH	5	12-3	-	-	-		a	in		20	0	00	9	- second
If the second	11 .	178	Februa	Februa	April 2	March	March	April 5	April 5	April 1	June 5	April 1	April 2	April 2	Way I	April 2	April 2	April 2	April 2	April	Anril	May	Anril 2	Mav I	Mave	Mav 7	Mavi	Mavo	April	May 1	May 2	
ry64ry65ry71ry78ry79ry64ry65ry71february 14february 16February 10April 16April 28March 12April 28March 10February 10April 2March 13April 28March 12April 20April 10April 2April 28March 12April 28April 10April 2April 2April 28March 12April 20April 2April 2April 28March 12April 20April 2April 2April 28March 20April 2April 2April 20March 20April 2April 2April 20March 20April 2April 25April 20April 20April 27April 25April 25April 26April 29April 25April 25April 27April 29April 25April 25April 27April 29April 25April 25April 27April 29April 25April 25April 27April 29April 25April 25April 29April 25April 27April 29April 25April 27April 25April 25April 27April 26April 27April 27April 27April 28May 29April 29May 29April 29May 29April 29May 29April 25May 29April 26April 27April 27April 27April 28May 29Apr		780	ch 8	ch 8	44	01 10	01 10	II IO	il Io	il 27					1 22	94	1.5	4.	1110	11 27	2	4 .	4 .	+ + + + + + + + + + + + + + + + + + + +		V 2.2	000		14	y 22	y 25	and a super-
TriftTriftTriftTriftTriftTriftTriftTriftTriftFebruary 1March 15March 15March 12March 18March 15March 12March 12March 13March 15March 12March 12March 30March 25March 12April 26March 30March 29March 12March 30March 29March 12April 2March 12April 24March 30March 23March 13April 2April 2April 2April 2April 2April 24April 2April 25April 27March 23April 27April 25April 26March 25April 27April 26April 26March 27April 27April 26April 26March 27April 27April 26April 26March 27April 27March 28April 26March 28April 27 </td <th></th> <td>-</td> <td></td> <td>-</td> <td>May</td> <td>Apr</td> <td>Apr</td> <td>Apr</td> <td>Apr</td> <td>Apr</td> <td>Juni</td> <td>Apr</td> <td>May</td> <td>Apr</td> <td>May</td> <td>IMay</td> <td>(ma)</td> <td>[NIA]</td> <td>Apr</td> <td>Apr</td> <td>ALT.</td> <td>TATA</td> <td>Mar</td> <td>Mar</td> <td>Mar</td> <td>May</td> <td>Ma</td> <td>Ma</td> <td>CM13</td> <td>Ma</td> <td>Ma</td> <td></td>		-		-	May	Apr	Apr	Apr	Apr	Apr	Juni	Apr	May	Apr	May	IMay	(ma)	[NIA]	Apr	Apr	ALT.	TATA	Mar	Mar	Mar	May	Ma	Ma	CM13	Ma	Ma	
TriftTriftTriftTriftTriftTriftTriftTriftTriftFebruary 1March 15March 15March 12March 18March 15March 12March 12March 13March 15March 12March 12March 30March 25March 12April 26March 30March 29March 12March 30March 29March 12April 2March 12April 24March 30March 23March 13April 2April 2April 2April 2April 2April 24April 2April 25April 27March 23April 27April 25April 26March 25April 27April 26April 26March 27April 27April 26April 26March 27April 27April 26April 26March 27April 27March 28April 26March 28April 27 </td <th></th> <td>644</td> <td>uary 10</td> <td>uary 10</td> <td>0I I</td> <td>ch 15</td> <td>ch 20</td> <td>ch 13</td> <td>ch 20</td> <td>ch 4</td> <td>IO</td> <td>ch 25</td> <td>127</td> <td>ch 28</td> <td>3</td> <td>OI</td> <td>DI</td> <td>22</td> <td>61</td> <td>ch 25</td> <td>29</td> <td>30</td> <td>γ.</td> <td>100</td> <td>10</td> <td>61</td> <td>C+</td> <td>14</td> <td>104</td> <td>4</td> <td>27</td> <td></td>		644	uary 10	uary 10	0I I	ch 15	ch 20	ch 13	ch 20	ch 4	IO	ch 25	127	ch 28	3	OI	DI	22	61	ch 25	29	30	γ.	100	10	61	C+	14	104	4	27	
 I 175 I 1764 I 1765 I 1765 I 1765 I 1765 I 1765 I 1765 I 177 I 165 I 165 I 171 I 165 I 165 I 171 I 165 I 126 I 12 I 12 I 12 I 12 I 13 I 12 I 13 I 12 I 13 I 12 I 12 I 12 I 12 I 12 I 13 I 13 I 14 I 12 I 13 I 12 I 13 I 14 I 15 I 14 I 15 I 16 I 17 I 17 I 13 I 13 I 14 I 12 I 13 I 14 I 15 I 14 I 15 I 14 I 15 I 17 I 14 <	-	I	Febr	Febr	Apri	Marc	Marc	Marg	Marc	Mar	June	Marg	Apri	Marc	May	Apri	April	Apri	April	Marc	ander	ndy	Man	Man	And	Anri	Man	May	Anri	May	May	
 I 175 I 1764 I 1765 I 1765 I 1765 I 1765 I 1765 I 1765 I 177 I 165 I 165 I 171 I 165 I 165 I 171 I 165 I 126 I 12 I 12 I 12 I 12 I 13 I 12 I 13 I 12 I 13 I 12 I 12 I 12 I 12 I 12 I 13 I 13 I 14 I 12 I 13 I 12 I 13 I 14 I 15 I 14 I 15 I 16 I 17 I 17 I 13 I 13 I 14 I 12 I 13 I 14 I 15 I 14 I 15 I 14 I 15 I 17 I 14 <	E	1778	urch IO	urch Io	ril 24	ril I	oil 4	ril I	nil 8	nril-8	ne 15	ril 20	ril 27	ril 25	ay 22	IL	oril 27	nil 27	nril 10	arch 25	111 30	4y 2	ay 3	5 mg	67 (1	ay 10	07 Au	47 20	47 25	ay 1 av 22	ay 20	and the second
 I764 I765 January 5 February 1 February 1 February 1 April 2 April 2<!--</td--><th>0</th><td></td><td>-</td><td>-</td><td>AP</td><td>AP</td><td>AF</td><td>AF</td><td>Ap</td><td>AF</td><td>Ju</td><td>AF</td><td>AP of</td><td>AF</td><td>W</td><td>W</td><td>AF</td><td></td><td></td><td>0.0</td><td>de la</td><td>TAL OF</td><td>INT</td><td>d'a</td><td>IN</td><td>M</td><td>IN I</td><td>IN O</td><td>INI</td><td>M</td><td>M</td><td></td>	0		-	-	AP	AP	AF	AF	Ap	AF	Ju	AF	AP of	AF	W	W	AF			0.0	de la	TAL OF	INT	d'a	IN	M	IN I	IN O	INI	M	M	
 I764 I765 January 5 February 1 February 1 February 1 April 2 April 2<!--</td--><th>di</th><td>1777</td><td>ruary 2</td><td>rch 12</td><td>ril 28</td><td>rch 24</td><td>nil 6</td><td>rch II</td><td>rch 18</td><td>ril 12</td><td>V 29</td><td>cil 13</td><td>y.I.</td><td>ril 12</td><td>y-29</td><td>y.I</td><td>ril 26</td><td>ril 25</td><td>rit4</td><td>rch 23</td><td>11 25</td><td>y.I</td><td>3.5</td><td>y 2</td><td>74</td><td></td><td>y 4</td><td>y 29</td><td>y 14</td><td>1 1</td><td>y 30</td><td></td>	di	1777	ruary 2	rch 12	ril 28	rch 24	nil 6	rch II	rch 18	ril 12	V 29	cil 13	y.I.	ril 12	y-29	y.I	ril 26	ril 25	rit4	rch 23	11 25	y.I	3.5	y 2	74		y 4	y 29	y 14	1 1	y 30	
April 264 January 5 February 1 April 16 March 18 April 3 April 3 April 3 April 3 April 30 April 25 April 26 April 26 Apr			-		-		Ap	Ma	Ma	Ap	Ma	Api	Ma	Ap	Ma	Ma	Ap	Ap	Ap	Ma	Ap	IN1a	INIA	INIA	PTAT	M	NT.	INT	INTA	Ma	Ma	
April 264 January 5 February 1 April 16 March 18 April 3 April 3 April 3 April 3 April 30 April 25 April 26 April 26 Apr		765	ary 14	ch 5	126	ch 15	14	ch 20	12	-	20	12	124	ch 23	00	1 16	124	123	1 19	ch 27	2	4	9	I	7	3	0	13	6	206	28	
Janu Gapri Apri Apri Apri Apri Apri Apri Apri A		-	Janu	Man	Apri	Mar	Apri	Mar	Apri	Apri	Mav	Apri	Apri	Mar	May	Apri	Apri	Apri	Apri	Mar	May	May	May	INTAY	INIAY	INIAY	INIAY	INIAY	INTAY	May	May	
Janu Gapri Apri Apri Apri Apri Apri Apri Apri A		164	arvs	uary I	911	ch 18	12	ch 20	00		20	2	127	I	II	1 30	2	1 30	100	ch 25	30	24	30	30	25	127	3	7	7	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	26	
9 8 8 9 7 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		I J	Tanu	-	-	Marc	Apri	Mar	Anri	Anri	Mav	Apri	Apri	Apri	May	Apri	May	Apri	Apri	Mar	Apri	Apri	Apri	Apri	April	April	INTay	May	May	May	May	
		69.	LV 2.2	Iarv 10	28	h 22	C 1	h 27	17 1			20	20	20	10	25	29	26	9	h 23	26	28 .	22	26	20	26		20	27	200	50	
	1	. 1.			April	Marc	Anril	Marc	Marc	Ann	Mav	Anril	April	April	May	April	April	April	April	Marc	April	April	April	April	April	April	May	April	April	Maw	May	
Hazle Male Bloffom Female Hazle in Leaf Goofeberry in Leaf Bloom Currant in Leaf Bloom Elder in Leaf White Thorn Bloom Black Thorn Bloom Elm in Leaf Willow in Leaf Willow in Leaf Cotton in Leaf Cotton in Leaf Cotton in Leaf Maple in Leaf Alh in Leaf Alh in Leaf Maple in Leaf Maple in Leaf Maple in Leaf Mulberry in Leaf Bloom Walnut in Leaf Mulberry in Leaf Bloom			loffom			T.eaf	Bloom	Je	min	IIIO		Bloom	Leaf	Leaf	Bloom		af	ıf		Bloom	Leaf	Bloom	Leaf				E	af	•	t Leat	eaf	
Hazle Male Bloffom Female Hazle in Leaf Goofeberry in Leaf Bloom Currant in Leaf Bloom Elder in Leaf White Thorn Bloom Bloom Elm in Leaf Willow in Leaf Willow in Leaf Cotton in Leaf Damafcen in Bloom Leaf Maple in Leaf Alh in Leaf Alder in Leaf Maple in Leaf Mulberry in Leaf Bloom			Male B	Female	In Leaf	ni vara	i fun	tin Le	Blo	Jun T and	Bloor	Thorn	TIME	Thorn			v in Le	in Lea	n Leaf	cen in		Cherry.		n Leaf	Leaf	in Lea	Bloc	it in Le	Leaf	Cheinu	rry in L	
Hazle Male Bloffom Female Hazle in Leaf Gooleberry in Leaf Bloom Elder in Leaf Bloom Black Thorn Bloom Black Thorn Bloom Elm in Leaf White Thorn Leaf Willow in Leaf Willow in Leaf Cotton in Leaf Lime in Leaf Lime in Leaf Maple in Leaf Adh in Leaf Maple in Leaf Mabler in Leaf Maple in Leaf Mabler in Leaf Mulberry in Leaf Bloom			Harla	STOPTS	Harle	Confel and		Current	Curran	Ellas :	L laer	Plack .	Thigh	White		Elm in	Willov	Cotton	Lime i	Damaf		Heart		Alder	Athin	Maple		Walnu	Oak in	Horle	Mulbe	

(82))

REMARKS

UPON THE

LEAFING, FLOWERING, &C. OF SOME TREES AND PLANTS:

Made in the Years 1768 and 1769, by Dr. SYMONDS.

From YOUNG'S Annals of Agriculture, Vol. IV.

1768.

April 29. Poplars not yet in leaf, at Cafe Nuove in Umbria.

- May 4. Few Oaks had any leaves, between Macerata and Loretto; yet the Mulberry-trees were fo forward, that the leaves had already been gathered from the young ones planted this year.
- May 8. The Mulberry-trees from Ancona to Senigallia, fcarce in leaf; fo that it was feared the worms would ftarve.
- Dec. 23. Lauruftinus, Viburnum-tinus of Linnæus, near Terni, beginning to flower.

N. B. The Lauruftinus grows in fo great abundance upon the coaft of Genoa, and upon the hills about the convents of Camaldoli and Cava in the kingdom of Naples, that it is with good reafon confidered as a native of Italy. It may, by the way, be obferved, that a fpecies of the Phytolacea is found wild in the kingdom of Naples, which heretofore was not thought to be fo.

.9071 mentariy upon Monte Gargan

Jan. 27. White fpring Crocufes in flower in the Circus of Caracalla at Rome. Anemone in flower every where about Rome.

Feb. 14. Leaves of little Oaks just making their appearance at St. Agatha in the kingdom of Naples.

28. Day-lily (hemerocallis flava) in flower in great abundance. White and orange-coloured Narciffus in full blow.

Willows

- March 3. Crocus Sativus—Star-hyacinth (fcilla Italica)—Grape-hyacinth (hyacinthus botryoïdes)—Day-lily—white, red, and purple Anemonies.—Elm in flower, and White-thorn (cratægus oxyacan tha) with young leaf, from Mola to Rome.
 - Cornelian Cherry in blow about Albano.
 Plumb-tree in blow about Tivoli.
 Hazle and Maple in leaf, between Albano and Tivoli.
 - Colts-foot and green Hellebore in flower between Radicofani and Sienna.
 - 19. Alders and Hazle in young leaf about Lucca.
 - 24. Elm in flower, between Pifa and Leghorne.
 - 25. Willow in young leaf, and Poplar just breaking into leaf, near Pietra Santa in Tuscany.
- April 3. Poplar not stirring, and Willows and Thorns but just beginning to leaf, between Tortona and Pavia.
 - Catkin of the Poplar, between Pavia and Firenzuola, fcarce appearing, which I had feen full of down near Leghorne.
 - Thorn in full blow Elm beginning to leaf Willow not ftirring in the Cremonefe.
 - 8. Hazle in young leaf—Apple-tree in leaf—Viburnum in leaf and flower about Varefe, between Milan and the Lago Maggiore.
 - Poplar—Maple—Lime—Horfe-chefnut in leaf, about the river Serio in the province of Bergamo.
 - 17. Black-thorn (prunus fpinofus) going off, and White-thorn not yet in flower from Palazzuolo to Brefcia.
 - 18. Elm in full leaf, about Brefcia. I obferved for the first time in Lombardy many Tulips (tulipa fylvestris) in a field between Ospideletto and Brescia. I faw plenty of them in Apulia, particularly upon Monte Gargano in the kingdom of Naples.
 - 19. Oaks just bursting into leaf, between Lonedo and Devenzano. White-thorn and Marsh-elder (viburnum opulus) just coming into flower by the fides of the Lago di Garda.

Chrift's Thorn (Rhamnus paliurus) not ftirring about Verona. N. B. This backwardnefs in the paliurus, which is frequently used for fences fences in Italy, fhews that it is more improper for the purpose than the white or black Thorn.

April 20. Elm in full leaf—Mulberry-tree in young leaf, between Verona and Villafranca—Walnut in young leaf—Oak not yet, between Lovabella and Mantua.

N. B. I had feen but one Oak actually in young leaf in Lombardy.


 Barley in the ear—many Poplars and Willows not ftirring between Legnago and Bevilacqua.
 Vines in young leaf, near Efte.—Aſh in young leaf—White-

thorn in flower, between Monfelice and Padua.

- May 1. Mountain Afh (forbus aucuparia) in flower. Horfe-chefnut juft in flower from Meftri to Sala.
 - 19. Young poplars but just in leaf upon the Brenta.

These observations, imperfect as they are, will enable us to compare the ftate of vegetation in Lombardy and England, as well as in the northern and fouthern provinces of Italy. The circumstance of the poplars and willows not being in leaf upon the 21st of April, surprised me very much, and among other things convinced me, that our trees and plants are in general as forward as in Lombardy in the beginning of vegetation: the great difference lies in every thing ripening faster in that country than in ours.

KALEN-



KALENDARIVM

ANTIQVVM RVSTICVM,

QVODIN

PALATIO NOVO FARNESIANO, ROMÆ,

ADSERVATVR.

" tem in pause diferte quorunt practica bie fabicoi." Mafer viriationes

EX INSCRIPT: ANTIQVIS

IANI GRVTERI

DESVMPTVM.

"In Ædibus Bernardini della Valle," inquit Gruterus, "alterum hujuf-"modi Kalendarium extat: ejufdem quidem exemplaris. ——Scriptura au-"tem in paucis differt, quorum præcipua hic fubjeci." Hafce variationes nos fideliter è Grutero defumpfimus, et ad latus Kal. Farnef. appofuimus.

KALENDARIV

MVDITEVS MVV.DITHA

(89)

KALENDARIVM RVSTICVM

FARNESIAN: ROMÆ.

MENSIS IANVAR. DIES XXXI. 'NON. QVINT DIES 'HOR. VIIIIS, NOX HOR. XIIII SOL CAPRICORNO TUTELA IVNONIS PALVS 'AQVITVR ^dSALIX HARVNDO CAEDITVR SACRIFICANT DIS PENATIBVS

Var. Scrip. in Kal. Bern. della Valle, MES. IAN.

143101.

D'IS

SACRIFIC.

MEN-

a Nonæ Quintanæ ita dicebantur, quòd quinto die Menfis effent; Septimanæ verò, feptimo. Vid. Macrob. Saturn. Lib. I.

 Liquidò patet, horas, quarum mentio facta fit in hoc Kalendario, pro paribus vel aftronomicis horis accipi debere, non pro iis, in quas Romani diem naturalem diviferint, et quæ, pro diverfis anni partibus, ipfæ fuerint diverfæ. c AQVITVR pro ACVITVR. vetufta fcript. Vid. Col. XI. 2. d Caton. tit. 7. Varron. I. 30. Colum. XI. 2. IV. 32.

MES. FEBR.

(90) MENSIS FEBRVAR. DIES XXVIII. NON. QVINT. DIES HOR. XS NOX HOR. XIII SOL. AQVARIO TVTEL. NEPTVNI *SEGETES SARIVNTVR **VINEARVM** SVPERFIC COLIT **'HARVNDINES** INCENDVNT PARENTALIA LVPERCALIA CARA. COGNATO TERMINALIA

SVPERFICIVM COLITVR HARVNDO INCENDIT LVPERCALIA PARENTALIA CARA. COGNAT

MEN-

Colum. XI. 2. Pallad. Mens. Jan. tit. 9.
Colum. XI. 2. Pallad. Mens. Febr. tit. 20.
Colum. IV. 32.

(91)

MENSIS

MARTIVS

DIES. XXXI. NON. SEPTIMAN DIES HOR. XII. NOX HOR. XII.

AEQVINOCTIVM

VIII KAL. APR.

SOL PISCIBVS TVTEL. MINERVAE 'VINEAE. PEDAMEN

IN PASTINO

PVTANTVR TRIMESTR. SERITVR ISIDA. AVIGIVM SACR. MAMVRIO LIBERAL. QVINQVA TRIA. 'LAVMIO VINEAE. ET PEDAMINA

ISIDIS. NAVIGIVM SACRVM MAMV-RIO

MEN-

Varron. de Re Ruft. I. 8. Colum. IV. 26. et c. 15. et Lib. XI. 2. Pallad. Mens. Mart. tit. 1.
Colum. II. 9. Pallad. III. 3. I. 6. Caton. 25.
Colum. II. 9. Pallad. III. 3. I. 6. Caton. 25.
M 2

MES. MAR.

(92) MENSIS APRILIS DIES XXX NONAE QVINTAN DIES HOR. XIIIS. NOX HOR. XS. SOL ARIETE TVTELA VENERIS °OVES LVSTRANTVR-SACRVM 'PHARIAE ITEM SARAPIA

MEN-

* Ovid. Faft. IV.

^b Alii legunt, PRIAE.

· Alii legunt, SARITIAE.

MES. APR.

(93)

MENSIS

MAIVS

DIES XXXI NON. SEPTIM DIES HOR. XIIIIS. NOX HOR. VIIIIS.

SOL. TAVRO TVTEL. APOLLIN *SEGET. RVNCANT OVES. *TVNDVNT LANA. LAVATVR

IVVENCI. DOMANT

^dVICEA PABVLAR

SECATVRO

SEGETES

°L V S T R A N T V R

SACRVM MERCVR.

ET FLORAE

FORTVNAE

MEN-

a Varron. I. 30. Colum. XI. 2.

^b Ita fcribebant antiqui pro TONDENT, quod positum est pro TONDENTVR. Tondebantur enim oves hac tempestate. Vide Col. XI. 2. Pallad. Mens. Maius tit. 8.

varro I. 20.
d Colum. XI. 2. VICEA pro VICIA ponebant antiqui.
virg. Bucolic. I. Tibull. II. El. 1. Propert. IV. El. 1. Caton. tit. 141.

SEGETES RVNCANTVR

IVVENCI DO MANTVR

MES. MAI.

(94)
MENSIS
IVNIVS
DIES XXX.
NON. QVINT
DIES. HOR. XV.
NOX. HOR. VIIII
OLIS INSTITIVM
VIII. KAL. IVL.
SOL. GEMINIS
TVTELA
MERCVRI
^b FAENISICIVM
ALVVINIAEOUV
OCCANTVR
SACRVM
HERCVLI
SACRVM
FORTIS
FORTVNAE

S (

MES. IVN.

SOLSTITIVM

FAENISIC.

MEN-

а Педе de Рации, ѝ цериян йцеда адан іспиндинан не.-Gemin. El. Aftron. Cap. V.

b Pallad. Menfis Junius.

WYENCI DO

MEN

c Pro VINEAE.—I et E invicem mutantur. De occatione Vincarum, Vide Colum. XI. 2. Liber de Arboribus C. 5. Pallad. in Maio, tit. 4.

(95) MENSIS IVLIVS. DIES XXXI. NONÆ SEPTIMAN DIESOV HORAR XIIII. NOX HOR. VIIIIS SOL CANCR TVTELA IOVIS MESSES 'HORDIAR ET FABAR APOLLINAR NEPTVNAL

MES. JVL.

MEN-

FABARIAE

* Colum. XI. 2. Pallad. VII. 2, 3. HORDIAR pro HORDEAR.

(96) MENSIS AVGVST DIES XXXI NON. QVINT. DIES. HOR. XIII. NOX. HOR. XI. SOL. LEONE TVTEL. CERER *PALVS. PARAT MESSES FRVMENTAR ITEM **TRITICAR** STVPVLAE INCENDVNT SACRVM. SPEI SALVTI DEANAE VOLCANALIA

MES. AVG.

PARATVR

STVPLAE

VOLCANO

MEN-

^a Colum. XI. 2. ^b Pallad. Lib. VIII. 1. Varron. I. 32. ^c Pallad. Mens. August.

1

(97)

MES. SEPT.

MENSIS SEPTEMBER.

DIES XXX NON. QVINT. DIES HOR. XII NOX HOR. XII AEQVINOCT VIII. KAL. OCT SOL VIRGINE TVTELA VOLCANI *DOLEA PICANTVR POMA. LEGVNT ARBORVM. 'OBLAQ VIATIO EPVLVM MINERVAE

LEGVNTVR

OBLAQVEATIO-

MEN-

* DOLEA pro DOLIA. Colum. XI. 2. Pallad. Sept. tit. XI. N ^b Colum. XI. 24

MENSIS OCTOBER. DIES XXXI NONAE SEPTIMAN DIES HOR. XS. NOX HOR. XIIIS. SOL LIBRA TVTELA MARTIS *VINDEMIAE SACRVM LIBERO

(98)

MES. OCT.

MEN-

a Colum. XI. 2. Varron. I. 27. 54. Pallad. September XI.

(99)

MES. NOV.

NOVEMBER.

MENSIS

DIES. XXX NON. QVINT DIES ^bHOR. VIIIIS NOX HOR. XIIIIS

SOL

SCORPIONE

TUTELA

DEANAE

'SEMENTES TRITICAR

ET HORDIAR

SCROBATIO

ARBORVM

IOVIS

EPVLVM

HEVRESIS

MEN-

* Pro DIANAE.

b Pallad. XIII. 1.

Caton. tit. 7. Col. XI. 2. V. 5. Pall. II. 10. 13. N 2

(100) MENSIS DECEMB. DIES. XXXI. NON. QVINT. DIES. HOR. VIIII NOX. HOR. XV SOL. SAGITT TVTEL VESTAE HIEMPS INITIVM SIVE TROPAE CHIMERIN *VINEAS. STERC °FABA SERENTES °MATERIAS DEICIENTES OLIVA LEGENT ITEM VENANT SATVRNALIA

MES. DEC.

HIEMIS. INIT.

TROPAEAE CHIMER. VINEAE STERCORANTVR

SERITVR

DECIENTES

TABULA

Caton, tit. 33. Colum. II. 2. 16.
De cædendis Arboribus intelligendum eft. Colum. XI. 2.—Plin. XVIII. 26.

(101)

TABULA HORARUM SINGULORM MENSIUM EX PALLADIO, L. II. &c.

IANVARIVS.

Hic Menfis in horarum fpatio cum Decembri Menfe convenit, quarum fic Menfura colligitur. Pallad. L. II.

Hora	I	Pedes	XXIX
	II		XIX
Les Artis	III		XV
	JIII		XII
and the	V	1. 1. 1. 1.	X
STATE!	VI		IX
1. 1	VII		X
10.15	VIII		XII
A States	IX	Section 20	XV
NULSES ST	X		XIX
	XI	W BOW	XXIX

FEBRVARIVS.

Hic Menfis in horarum Menfurâ cum Novembri Menfe concordat, quas hâc numeri ratione colligimus. Pallad. L. III.

Hora	II	Pedes	XXVII
	Î		XVII
	III	20.30	XIII
	IIII		X
The man	V.	1. 1. 1. 1. 1.	VIII
	VI		VII
1. 1. 1.	VII	1.1.1	VIII
	VIII	12.12	X
1.295	IX		XIII
	X	1. 196	XVII
人在新生	XI	State of	XXVII

MARTIVS.

Hic Menfis ad deprehendendas horas confentit Octobri. Pallad. L. IV. 16.

II	Pedes	XXV
II		XV
. III		XI
IIII	ALS NO	VIII
V	C. 2 7 .	VI
VI	S165.13	V
VII	1.22	VI
VIII	H Star	VIII
IX ·		XI
X		XV
XI		XXV
	· III IIII V VI VII VIII IX X	II IIII V VI VII VIII IX X

APRILIS.

Hujus Menfis horæ, horis Menfis Septembris æquantur hoç genere. Pallad. L. V.

Hora	I	Pedes	XXIV
	H		XIIII
23/18	III		X
	IIII		VII
	V	1.1.1.1.1.1.1	V
A Second	VI	S. Ball	1111
	VII	1053.4	V
.1.1.1	VIII	Sugar	VII
	IX		X
	X	1 TY WY	XIIII
	XI		XXIV
	1. 1. 1.	N	IAIVS.

MAIVS.

IVNIVS.

In horarum menfuris, Maius re-Junius ac Julius horarum fibi æqua fpatia contulerunt. Pallad. L. fpondet Agufto. Pallad. L. VI. VII.

Sec. Sec.	and the second	No. of the owner						
Hora	I	Pedes	·XXIII		Hora	II	Pedes	XXII
111111	II		XIII		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	II	11.11.11.1	XII
PHE B	iii	1. 8. 18.12	IX	298	The state	III		VIII
	IIII	1.4.1.1	VI		A STATE AND AND A	IIII	10. 152	v
	and the second	Stalla -				W	1 1. 63	
	V_	C. Trents	IIII		1	V	the second second	III
613 19g	VI		III		S. Marker	VI	1.16	II III
1.2.5	VII		IIII		10 TO 1 10 TO	VII	S. 10 TH	III
	VIII		VI		STATISTICS.	VIII	· 《新教》。	v
A LALA	IX	LOUISE.	IX	14		IX	a states a	VIII
1.4.4.4.4	X	1. J.K1	XIII		Sec. March			XII
11 N 1	XI	a sector as	XXIII			X XI	A ANELLA	XXII
16.8.5	AL		ллш	1		AI	A STATE	I VVII

IVLIVS.

*

I

Π

III

IIII

V

VI

VII

VIII

IX X

XI

Hora

Julii et Junii horas pari menfurâ Libra composuit.

AVGVSTVS.

Augustum Maius per Solis curfus æquavit.

SEPTEM-

SEPTEMBER.

Septembris et Aprilis dies horis fimilibus conferuntur.

Hora	I	Pedes	XXIIII	
No. of States	II	133157	XIIII	
Sell And	III	02 图形	X	
and the second	IIII		VII	- 11
	V	a la	V	1 .
7. 10 57	VI	ALL HALL	IIII	
	VII	自己在	V	
Sale and	VIII		VII	
and the first	IX	1211 5.11	X	
Libert	X		XIIII	
1. S. S. S. S.	XI	Con the la	XXIIII	1

OCTOBER.

October Martium fimilibus umbris fibi fecit æquari.

Hora	II	Pedes	XXV
	ĪĪ		XV
	III		XI
123	IIII		VIII
	V	N not 1	VI
	VI	11112	V
	VII		VI
	VIII	1911.491	VIII
	IX	CALL NO	XI
	X	1-11-1-12	XV
	XI	1	IXXV

NOVEMBER.

Novembrem et Februarium ratio temporis per horas dierum fecit æquales.

Hora	I	Pedes	XXVII
Station and	II	110 11 1	XVII
J. A.	III		XIII
Street in the	IIII		X
1997	V	1 Martine	VIII
1.100	VI	- Martin	VII
TOTAL N	VII	1.4.1	VIII
1. 1. 1.	VIII		X
	IX	a state	XIII
	X		XVII
	Xl	La casta	XXVII

DECEMBER.

Decembrem Januario in horis caufa difpar adjunxit, cùm lineâ fimili ille augeatur, ifte decrefcat.—

		- CONTROL	
Hora	II	Pedes	XXIX
S. S. S.	II	K Malla	XIX
at the all	III		XV
	IIII		XII
Weigeston a	V	Till the	X
	VI	12-14	IX
	VII		X
	VIII	+	XII
	IX	CT Shirts	XV
States of	X	A SA MA	XIX
	XI		XXIX

TABLE

(103)

TABLE OF THE DAYS ON WHICH THE SUN ENTERS INTO THE DIFFERENT SIGNS OF THE ZODIAC.

			Roman	Greek	Conftan.	Ptolemy	Modern
Aries	γ	Kęios	March 17—18	March 19	March 17	March 16	March 20
Taurus	8	Ταυρος	April 17—20	April 19–20	April 18	April 17	April 19
Gemini	п	Διδυμος	May 19—20	May 21	May 20	May 18	May 21
Cancer	69	Καρκινος	June 18—19	June 22	June 15	June 18	June 21—22
Leo	ລ	Λεων	July 20	July 23	July 17	July 20	July 23
Virgo	项	Παρθενον	Auguft 20	Auguft 22—23	Auguft 17	Auguft 20	Auguft 23
Libra	4	Ζυγον	Septem. 19	Septem. 22	Septem. 20	Septem. 19	Septem. 23
Scorpio	m	Σκοgπιος	October 19	October 22	October 19	October 19	October 23
Sagitta- rius	1	Τοξοτης	Novem. 18	Novem. 21	Novem. 19	Novem. 18	Novem. 22
Capri- cornus	159	Αιγοκεφων	Decem. 17	Decem. 20	Decem. 18	Decem. 17	Decem. 22
Aqua- rius	=	τδεοχοος	January 16	January 18	January 23	January 16	January 19
Pifces	×	1χθυες	February 15	February 17	Feþruary 20	February 15	February 18

SUN ENTERS INTO

COM-

(104)

(105)

COMPARATIVE TABLE

OF THE RAINY DAYS IN A YEAR IN DIFFERENT COUNTRIES.

	I	II	111	IV	v ·	VI	VII	V111	1X	x
Number of rainy Days in	Greece	Italy	Incert.	Ægypt	Ægypt	Barbary	Italy	1755 Italy	1752 Syria	1753 Syria
each Month	Athens	Rome	Vide Petavii	Alexan.	Alexan. Shaw, &c.	Algier	Nice	Venice	Aleppo	Aleppo
Latit.	3 ^{8°} 5	41° 53	Uranolog. p. 92.	31° 11' Anc ^t .acc ^t .	31° 11′	36° 49'	43° 42'	45° 26'	35° 45	35° 45'
January	I	5	15	4	16	12	14	2	8	11
February	I	3	4	6	8	7	12	5	7	8
March	5	2	9	3		2	6	8	7	6
April	5	8	7 2	15	SY DA	5	5	I	6	10
May	2	7	2	13	08-04	and a	7	7	2	7
June		1	8	6	4.15	2 L L L	2	4	l'http://	I
July	1		I	5			4	7		y yle
Auguft	1.13	2	I	0		2	I	7		
Septem.	I	8	10	10		Mappin	4	10	I	2
October	2	8	2	4	d a linite	6	5	5	3	2
Novem.	2	8	7	9	104-8	6	9	8	8	3
December	2	2	3—ad diem XXIII	11	14	10	10	5	5	11
Total	22	53	69	86	38	48	79	69	47	61

COM-

Column 1. taken from the Greek calendar in the prefent Work.

Column 11. taken from the Roman calendar of Columella. Lib. XI. Cap. II.

Column 111. taken from an ancient calendar in Petavius's Uranologion.

Column IV. taken from an ancient Ægyptian calendar in Petavius's Uranologion.

Column v. and vI. from Shaw's Travels into the Eaft.

Column v11. from Smollet's Travels into Italy.

Column VIII. from the Saggio Meteorologico of the Abbè Toaldo, printed at Padua, 1770. Column 1x. and x. from Ruffel's account of Aleppo.

(106)

COMPARATIVE TABLE

OF THE RAINY DAYS IN A YEAR IN DIFFERENT COUNTRIES.

	XI	XII	XIII	xIV	xv	XVI	XVII	XVIII	XIX	xx	XXI
Number of rainy Days in	1745 Minorca	1746 Minorca	1747 Minorca	1783 G.Britain	1774	1775	1777	1779	1780	1786	1788
each Month	St. Philip's	St. Philip's	St. Philip's	London	Lond.	Lond.	Lond.	Lond.	Lond,	Lond.	Lond.
Latit,	4.0° 8′	40° 8′	40° 8'	51° 31'	1 12			-11	2714		.m.s.B
January	4	6	5	12	12	7	3	-6	10	16	3
Febr.	7	5	8	10	12	7	9		5	II	7
March	2	5	8	5	8	8	7	4	7	13	Amila
April	5	9	2	6	7	4	5	6	12	9	2
May	7	5	6	10	7	7	9	II	6	8	2
June	2	I	I	11	5	4	4	5	3	3	6
July	4	3	4	3	3	9	8	10	4	2	5
August	1100	4	7	8	2	9	I	8	3	13	8
Septem	. 11	13	14	9	7	7	10.5	6	13	10	3
Octobe	r 8	9	4	- 6	6	7	10	9	13	5	3
Novem	. 11	10	I.O.I	9	10	17	4	13	4	10	anial
Decem	. 8	5	8	5	9	3	3	14		10	2
Total	69	75	68	94	88	89	63	92	80	110	41

TABLE

Column XI, XII, XIII. from Cleghorn's account of the Difeafes of Minorca.

Column XI, XII, XIII, Hom Clegnoin's account of the Director of Minoreal Column XIV. from the Gentleman's Magazine for 1784. Column XV, XVI, XVII, XVIII, XIX. from the Philosophical Transactions. Column XX. from a Diary of the Weather during the year 1786, by a Gardener twenty miles East from London—London, printed for T. Booker, No. 56. New Bond Street. Column XXI. from the Philosophical Transactions, Vol. LXXIX. Part I. ad finem.


(107)

TABLE OF THE QUANTITY OF RAIN THAT FALLS IN SEVERAL PARTS OF ITALY, COMPARED WITH GREAT BRITAIN.

Rome	Naples	Sienna	Contraction of the second	1000
A DESCRIPTION OF A DESC		from 1756 to	Pifa	Leghorne
from 1732 to	ten years		I na	Legnorne
1740 incluf.	Obfervations	1760 incluf.	1.	Contraction of the second
* Inches	Inches	Inches	Inches	Inches
34	31.5	41.6	43.6	37. 11
Padua	Milan	Modena	Forno-Vola-	Padua
from 1725 to	from 1764 to	from 1715 to	ftro, for 1715	Medium
1730 incluf.	1766 incluf.	1724 incluf.	and 1716, at	quantity for
			a medium	45 years
LT Charles in the			yearly	
T 1				
Inches	Inches	Inches	Inches	Inches
37	43. I. $\frac{1}{2}$	50. 11	103.8.%	34. 467
London	London	London	London	London
1775	1777	1779	1780	1776
Inches	Inches	Inches	Inches	Inches
24.662	24.381	26.785	17.313	21.364
27.111	-1-3		-1- 5-5	3-4
Holme	Barrowby	Briftol	Briftol	Lyndon
near	near Leeds	1775	1777	Rutland
Manchefter	and the state of the	a har gran	There are a first and	1785
Average of 5	Average of 5	Inches	Inches	Inches
years.	years.	38. 597	23.169	27. 207
Inches	Inches	5 577		
31.90	27.50	FOR THE A		
5	-1-3-			

TABULA

* The number of Inches of Rain that fall annually, are fet down in this Table in the Compartment next under that which contains the name of the place.—The first nine obfervations are taken from Dr. Symonds's Account of the Climate of Italy, in the 4th Vol. of Mr. Arthur Young's Annals of Agriculture. The tenth is taken from the Saggio Meteorologico of Abbè Toaldo, printed at Padua, 1770. The remainder are all from the Philosophical Transactions. In the eleventh Compartment (for London 1775) two numbers are fet down, the first denotes the number of Inches that fell from Jan. 1, to the beginning of the next Year, the other denotes the quantity that fell from March 25, 1775, to March 25, 1776. The remainder of the observations at London in this Table are computed in the fame manner.



TABULA PLANTARUM.

45

IN PRISCIS SCRIPTORIBUS GRÆCIS

MAXIME REPERTARUM:

CUI

ADJICIUNTUR SYNONYMA

AR

ILLUSTRI CASPARO BAUHINO,


ET

CAROLO LINNÆO EDITA.

EA PORRO, QUÆ IN VULGARI USU,

LINGUA VERNACULA,

ACCIPIUNTUR,



TABULA PLANTARUM, &c.

Ar

Α ΒΛΗΧΡΗΣ. Vide Ηλιοτρο πιου. Αξροκαρπου. Vid. Αξροτονου.

AGgopor. Vid. Ogryavor.

- AGeoτονον.—Diofc. et Theophrafti. 1. Θηλυ. Abrotanum fæmina foliis
 - teretibus. C.B.P. 136. Santolina Chamæcyparifius. Anglice. Lavender-Cotton.
 - Alii putant effe Abrotanum latifolium arborefcens. C.B.P. 136. Artemifia arborefcens. Ang. Tree Wormwood.
 - Alii autem effe Abrotanum fœmineum, flore majore, foliis villofis et incanis. C.B.P. 137. Santolina rofmarinifolia. *Ang.* Rofemaryleaved Lavender-Cotton.
 - 2. Aggev. Abrotanum mas angustifolium majus. C.B.P. 136. Artemisia Abrotanum. Ang. Southern-Wood.

Αγαλλοχον. Diofc.

Agallochum officinarum. C.B.P. 393.—An Excæcaria Agallocha? Ang. Aloes Wood. АГ

Ayapinov. Diofc.

Agaricus, feu fungus laricis. C.B.P. 375.

Αγασυλλις. Diofc. et Galeni.

Arbor, quæ Gummi Ammoniacum producit, adhuc incerta.

Αγερατον. Diofc.

Ageratum foliis ferratis. C.B.P. 221. Achillæa Ageratum. Ang. Sweet Milfoil, *frve*, Maudlin. Sed quære?

Αγλαοφωτις. Æliani. Vid. Παιονια θηλεια. Αγνος. Diofc. et Theoph.

Vitex foliis angustioribus Cannabis modo difpositis. C.B.P. 475.

Vitex agnus Caftus. Ang. Chafte. Tree^a.

Αγεια. Theoph. Vid. Πεινος αγεια.

Αγριελαια, et κοτινος, et Αιθιοπικη ελαια.
Diofc. Αγριελαια. — Hippoc. Olea: fylveftris folio duro fubtus incano.
C.B.P. 472. Olea Europæa. Ang..
Common Olive^b.

Αγριοκαρδαμον. Diolc. Vid. Ιδερις. Αγριππος. Vid. Αγριελαια.

AYEWSIS ..

* Reperta à Whelero in Imbro, et à Tournefortio in Samo.

^b Hanc agreftem repperit Whelerus in Ifthmo Corinthi.

Ayewsis. Diofc.

Gramen caninum arvenfe. C.B.P.

1. Triticum repens. Ang. Common Wheat-Grafs, Dog's.Grafs, five, Couch Grafs.

Αγρωσις εν Παρνασσω. Diofc.

Gramen Parnafli albo fimplici flore. C.B.P. 309. Parnaflia paluftris. Ang. Grafs of Parnaflus.

Αγρωςις ποταμιος. Anonym.

Gramen aquaticum fluitans multiplici fpicâ. C.B.P. 3.

Festuca fluitans. Ang. Flote-Fescue. N.B. Vox Αγρωςις in Dioscoride interdum eandem habet fignificationem atque Αμπελος λευκη.

Ayxivos. Theoph. Vid. Dowig.

Ayxiver. Vid. Down herba.

Ayzoura. Diofcor.

- Ονοκλεια. Anchufa lutea major.
 C.B.P. 255. Onofma echioïdes. Ang. Echium-like, five, hairy Onofma. Sed q?
- 2. Αλκι Giadiov, vel, ονοχειλες. Anchufa puniceis floribus. C.B.P. 255. Anchufa tinctoria. Ang. Dyers Buglofs.

3. Eadem ac fecunda.

Adiavtov. Diofc. et Theoph.

 Μελαν.—Adiantum foliis Coriandri. C.B.P. 355. Adiantum Capillus Veneris. Ang. True Maidenhair.—Forfan fit Adiantum foliis longioribus pulverulentis, pediculo nigro. C.B.P. 355. Afplenium Adiantum nigrum. Ang. Black Maiden-hair. Sed q? 2. AEUNOV.-Ruta muraria. C.B.P.

356. Afplenium Ruta muraria.

Ang. White Maiden-hair. Sed q?

N.B. Τριχομανες interdum vocatur αδιαντον.

Αδραχνη. Vid. Ανδραχνη.

Adwuns. Hefych. Forfan Anemones fpecies. Salm. de Homonym: Hyles Iatricæ.

AsiGuov. Diofc. et Theoph.

- Mεγα.—Forfan fit Sedum majus arborefcens floribus candidis.
 C.B.P. 282. Sempervivum arboreum. Ang. Tree Sedum. Aut forfan Sedum majus vulgare. C.B.P. 283. Sempervivum tectorum. Ang. Houfe Leek?
- 2. Mazeov.—Sedum minus luteum ramulis reflexis. C.B.P. 282. Sedum reflexum. Ang. Yellow Stone Crop?
- 3. Ετερον. Sempervivum minus vermiculatum acre. C.B.P. 283. Sedum acre. Ang. Wall Stone Crop.

Αθεαγενη. Theoph. Vid. Κληματιτις. Αιγειρος. Theoph.

- Populus nigra. C.B.P. 429. Populus nigra. Ang. Black Poplar.
- Αιγιλωψ. (herba) Diofc. et Theoph. Feftuca utriculis lanugine flavefcentibus. C.B.P. 10. Avena fatua. Ang. Wild Oat, five, bearded Oat-Grafs.

Aιγιλωψ. (arbor) Vid. Δευς.

Aιγολεθgos. Orobanche radice dentata major. C.B.P. 88. Lathræa fquamaria: Ang. Tooth Wort. Sed q? Αιγυλις. Alyunis. Vid. Ayvos.

Αιγωνυχον. Diofc. Vid. Λιθοσπερμον. Αιθιοπις. Diofc.

- Æthiopis foliis finuofis. C.B.P. 241.
- Salvia Æthiopis. Ang. Æthiop Sage.
- Aupa. Diofc. et Theoph.
- .Gramen loliaceum fpicâ longiore. C.B.P. 9. Lolium temulentum. Ang. Annual Darnel.

Ananahis. Diofc.

- Erica erecta baccis candidis. C.B.P. 486. Empetrum album. Ang. White berry-bearing Heath. Sed q? Anazua. Diofc.
- Αιγυπτια.—Acacia foliis Scorpioïdis leguminofæ. C.B.P. 392. Mimofa Nilotica. Anglicè. Nilotic Egyptian Acacia, five, Gum Arabic Tree.
- Ποντικη.—Acacia trifolia. C.B.P. 392. Spartium fpinofum. Ang. Thorny South European Broom. Ακαλυφη. Diofc. vel Ακαληφη.
- 1. Urtica urens Pilulas ferens. C.B.P. 232. Urtica pilulifera. Ang. Roman Nettle.
- 2. Urtica urens maxima. C.B.P. 232. Urtica dioica. Ang. Greateft ftinging Nettle.

Anavba. Diofc.

- 1. AEURA. Carduus Sphærocephalus latifolius. C.B.P. 381. Echinops Sphærocephalus. Ang. Globe Thiftle.
- 2. AgaCann. Carduus tomentofus capitulo majore. C.B.P. 382. Car-

AK

- Αγφια. Acanthus aculeatus.
 C.B.P. 383. Acanthus fpinofus.
 Ang. Prickly Bear's-breech.
- Ακανθα, et Ακανθα Αιγυπζια. Hippoc. Ακανθος. Theoph.
- Acacia foliis Scorpioïdis leguminofæ. C.B.P. 392. Mimofa Nilotica. Ang. Nilotic Egyptian Acacia, five, Gum Arabic Tree. Uti Salmafius putat, Oenoplia fpinofa. C.B.P. 477. Rhamnus fpina Chrifti.

Ακανθα, five, Ερπακανθα. Diofc.

Acanthus fativus, vel mollis Virgilii.
C.B.P. 382. Acanthus mollis.
Ang. Smooth-leaved Bear's-breech.
Alii putant plantam ad quam refpicit Diofcorides effe Acanthum Diofcoridis, vel fativum Rauwolff.
Itin. 285. Acanthus Diofcoridis.
Ang. Bears-breech of Diofcorides.
Forfan hæc fit Ακανθος ύγφος Theoriti.

Anavba divas. Theoph. incert.

ARavbiov. Diofc.

Spina alba tomentofa latifolia fylveftris. C.B.P. 382. Onopordium Acanthium. Ang. Cotton, five, Woolly Thiftle.

Aravos. Theoph.

Carduus latifolius echinos obfoletæ purpuræ ferens. C.B.P. 380. Carduus Syriacus. Ang. Syrian Thiftle. Ut alii volunt, Chamæleon albus Matthioli, vel Carlina acaulos magno flore. C.B P. 380. Carlina acau-P lis. lis. Ang. White Chamæleon Thiftle. Anapva. Theoph.

Acarna major caule non foliofo. C.B.P. 379. Carduus Cafabonæ. Ut multiputant, herba quæ Anglicè dicitur, The Fifh Thiftle of Theophraftus. Forfitan fit Acarna major caule foliofo. C.B.P. 379. Cnicus Acarna. Clufius. Ang. Chamælon Thiftle of Salamanca.

Clinopodium arvense Ocymi facie. C.B.P. 225. Thymus Acinos. Ang. Wild Bafil.

Ακνησις. Vid. Σκιλλα.

AROVITOV. Diofc. et Theoph.

- 1. Παρδαλιαγχες. Aconitum pardalianches. C.B.P. 184. Ranunculus thora; vel fortaffe, Aconitum violaceum. C.B.P. 183. Aconitum Cammarum. Ang. Great violetcoloured Stirian Wolf's-bane.— Annon fit Doronicum radice Scorpii. C.B.P. 184. Doronicum pardalianches? Ang. Common Leopard's-bane. Forfan fit Doronicum radice dulci. C.B.P. 184 Arnica Scorpioïdes.
- 2. AURORTOVOV. Aconitum lycoctonum luteum. C.B.P. 183. Aconitum Lycoctonum. Ang. Yellow Wolf's-bane.

AROVOS. Vid. ARIVOS.

AROUTIAS. incert.

Ακοπος. Vid. Αναγυρις.

Axopva.

Nonnulli putant eandem effe atque

* Reperta in Cretâ à Tournefortio.

Anapra. Alii autem effe Cnicum fylvestremspinofiorem. C.B.P. 378. Carlina vulgaris. Ang. Wild Carline. Vid. C.B.P. 379. et Notas in Theophrastum p. 616.—

Anopos. Diolc. Angos. Theoph.

- Acorus verus, five Calamus aromaticus officinarum. C.B.P. 34. Acorus Calamus. Ang. Sweet Rufh, *five*, Calamus aromaticus.
- N.B. Matthiolus putat Axogov Diofcor. effe Acorum adulterinum. C.B.P. 34. Iris pfeudacorus. Ang. Yellow Iris. Quæ fit Axogos Theoph. dubium.

ARTH. Diofc. et Theoph.

1. Autn. Theoph. Antn devdquidns. Diofc. Sambucus fructu in umbellâ nigro. C.B.P. 456. Sambucus nigra. Ang. Common Elder.

2. Xapaianty. Diolc.

Sambucus humilis, five Ebulus. C.B.P. 456. Sambucus Ebulus. Ang. Dwarf Elder.

Aλθαια. Diofc. et Theoph.

- Althæa Diofcoridis, et Plinii.
 C.B.P. 315. Althæa officinalis.
 Ang. Marfh-Mallow.
- Bodæus a Stapel putat hanc effe Αλθαιαν Theoph.
- 2. Althæa Theophrafti flore luteo. C.B.P. 316. Sida Abutilon. Ang. Indian Mallow.

Alunos. Diolc. et forfan Theoph.

Halimus latifolius, five fruticofus. C.B.P. 120. Atriplex halimus. Ang. Sea Purflane-Tree^{*}.

ANE

Αλιξ. Diofc. Vid. Πυρος. Αλισμα. Diofc.

- Sanicula Alpina lutea. C.B.P. 242. Primula Auricula. Ang. Bear's Ear.
- Secundum alios, est Plantago aquatica stellata. C.B.P. 190. Alisma Damasonium. Ang. Star-headed Water-Plantain.

AAnea. Diofc.

Alcea vulgaris major. C.B.P. 316. Malva Alcea. Ang. Common Vervain Mallow. N.B. Αλισμα interdum ita vocatur.

AARiGiadiov. Vid. Exiov.

AARUOVION. Diofc.

 Покков. Alcyonium durum. C.B.P. 368. haud inter Species Plantar. Linnæi invenire queo.

2. Κουφον και πολυκενον.

- Favago Auftralis. C.B.P. 368. haud inter Spec. Plant. Linn. inv.
- 3. Μιλησιον. Alcyonium vermiculare. C.B.P. 368. Inter Spec. Linn. haud invenio.
- Εριοις οισυπεροις ομοιον. Diofc. Dubium reftat utrum fit Alcyonium molle. C.B.P. 368. An Alcyonium ftuppofum. C.B.P. 368. Cæfalpinus cenfet effe Burfam Marinam. C.B.P. 368. Sed horum neutrum in Linnæo invenio.

5. Ανοσμον και τραχυ.

Parùm conftat utrum referri debeat ad Alcyonium formâ fructus alicujus ficus. C.B.P. 368. An Alcyonium ingens, five rofam marinam. C.B.P. 368. Sed hæ omnes funt incertæ.

Alon. Diofc.

Aloe vulgaris. C.B.P. 286. Aloe perfoliata. Ang. Stem-embracing leaved Tree Aloe, *five*, Swordfhaped Aloe.

Aλσινη. Diofc.

Alfine media. C.B.P. 250. Alfine media. Ang. Common Chick-weed. Αλυπον. Diofc.

Alypum Monfpelienfium, feu Thymelæa foliis acutis capitulo Succifæ. C.B.P. 463. Globularia Alypum. Ang. Shrubby blue Daify. Sed q?

Αλυσσον. Galeni.

Alyffon verticillatum foliis profunde incifis. C.B.P. 232. Marrubium Alyffon. Ang. Plaited-leaved white Horehound.

Αλυσσον. Diofc.

Leucoium Alyfloïdes clypeatum majus. C.B.P. 201. Alyflum clypeatum. Ang. Target-podded Madwort.

Αλωπεκουρος. Theoph.

Gramen Alopecuroïdes fpicâ rotundiore. C.B.P. 4. Lagurus ovatus. Ang. Greater bastard Fox-tail Grafs.

Auaundis. Athenæi.

- Alni effigie lanato folio minor. C.B.P. 452. Mefpilus Amelanchier. Ang. Helvetian Alpine Medlar.
- Αμαρακος. Diofc. Vid. Παρθενιον.

P 2

Auap-

Auapanos. Theoph.

Afphodelus luteus, et flore, et radice.

- C.B.P. 28. Afphodelus luteus. Ang. Yellow Afphodel.
- Quidam putant effe Majoranam vulgarem. C.B.P. 224. Origanum Majorana. Ang. Sweet Marjoram. N.B. Σαμψυχος interdum ita vocatur.

Αμαφαντόν. Vid. Ελιχουσον.

Αμβροσια. Diosc.

Ambrofia maritima. C.B.P. 138. Ambrofia maritima. Ang. Sea Ambrofia, five, Oak of Cappadocia. Auu. Diofc.

Ammi parvum foliis fæniculi. C.B.P. 159. Sifon Ammi. Species herbæ quæ *Anglicè* dicitur, The baftard Stone Parfley.

Alii putant effe Cuminum femine rotundiore et minore. C.B.P. 146.
Pimpinella Anifum. Ang. Anife.
Vid. C.B.P. pag. 146. et 159. et Notas in Theoph. p. 753.

Αμπελοπρασου. Diofc. Vid. Πρασου. Αμπελοκαρπος. Diofc. Vid. Απαρινη. Αμπελος. Diofc.

- 1. Οινοφορος, Vitis vinifera. C.B.P. 299.Vitis vinifera. Ang.GrapeVine.
- Αγρια. Vitis fylvestris labrusca.
 C.B.P. 299. Vitis labrusca. Ang.
 Wild Vine, five, Claret Grape.
- Αμπελος λευκη. Diofc. αγφια. Theoph. Bryonia afpera, five alba, baccis rubris. C.B.P. 297. Bryonia alba. Ang. White Bryony.

Αμπελος μελας. Diofc.

Bryonia alba baccis nigris, C.B.P.

297. Bryonia alba. A Botanicis dicitur *Anglice*, A variety of White Bryony.

Αμπελος παρα Idns. Theoph.

- Vitis Idæa foliis oblongis crenatis fructu nigricante. C.B.P. 470. Vaccinium Myrtillus. Ang. Bilberry. Sed q? Vid. Notas in Theoph. p. 258.
- Αμυγδαλη, vel Αμυγδαλεα. Diofc. et. Theoph.

Amygdalus fativa. C.B.P. 441. Amygdalus communis. Ang. Common Almond Tree.

Auwuis. Diofc.

Rofa Hierichuntea vulgò dicta. C.B.P. 484. Anaftatica Hierichuntea. Ang. Rofe of Jericho. Αμωμον. Diofc.

Sifon, quod Amomum officinis noftris. C.B.P. 154. Sifon Amomum. Ang. Baftard Stone-Parfley.

Αναγαλλις. Diofc.

Θηλεια.—Anagallis cocruleo flore.
 C.B.P. 252. Anagallis Monelli.
 Ang. Blue Pimpernel.

2. Agenv. Anagallis phœniceo flore. C.B P. 252. Anagallis arvenfis. Ang. Blue Field-Pimpernel.

Avayuers, vel, Avayueos. Diofc.

Anagyris fœtida. C.B.P. 391. Anagyris fœtida. Ang. Stinking Bean Trefoil.

Αναδευδρομαλαχη. Galen. Vid. Μαλαχη κηπευτη.

Avappivov. Vid. AvTippivov.

Ανδραφαξις. Vid. Ατραφαξις.

Ardpa-

- Audeaxun. Theoph.
- Arbutus folio non ferrato. C.B.P. 460. Arbutus Andrachne. Ang.
 - Eaftern Strawberry Tree :.

Audeazun. Diofc.

- Portulaca latifolia feu fativa. C.B.P. 288. Portulaca oleracea. Ang. Purflane.
- Ανδραχνη αγρια. Diofc. Vid. Αειζωον ετερον. Sed q?

Avdpoor aunov. Diofc.

- Androfæmum maximum frutescens. C.B.P. 280. Hypericum Androfæmum. Ang. Tutsan St. John's Wort. Audgooranes: Diosc.
- Androface petræ innafcens, vel major. C.B.P. 367. Forfan, Agaricus Androfaceus. Ang. Black-stalked Agaric. Sed q?
- Forfan fit Cufcuta major.C.B.P.219. Cufcuta Europæa. Ang. Dodder. Ανδουαλα. Theoph.
- Sonchus afper laciniatus, et non laciniatus. C.B.P. 124. Sonchus oleraceus afper γ . Ang. Common Sow-Thiftle.
- Fortaffe fit Andryala lanata. Linnæi Sp. Pl. 1137. Ang. Downy Sow-Thiftle.

Avenwvy. Diofc

- 1. Αγρια. Anemone fyvestris alba major. C B.P. 176. Anemone fylvestris. Ang. White Wood Anemone.
- 2. Hµseos. Anemone Geranii Robertiani folio cærulea. C.B.P. 174.
- a Hanc Tournefortius repperit in Monte Idæo.

Anemone Appennina. Ang. Blue Appennine Anemone^b.

Ανεμωνη λειμωνια. Theoph.

- Anemone nemorofa folio majore. C.B.P. 176. Anemone nemorofa. Ang: Wood Anemone.
- Secundùm alios eft Tulipa præcox rubra. C.B.P. 57. Tulipa Gefneriana^b. Ang. A variety of the Tulip kind:

Aunbou. Diofc. et Theoph.

Anethum hortenfe. C.B.P. 147. Anethum graveolens. Ang. Dill.

Aunoov. Vid. Avioov.

- Ανθεμιον. Vid. Μελανθιον.
- Ανθεμις. Diofc. Ανθεμον. Theoph.
 - Chamæmelum vulgare. C.B.P. 135. Matricaria Chamomilla. Ang. Chamæmel.

Ανθερικος. Theoph. Vid. Ασφοδελος. Ανθυλλις. Diofc.

- Anthyllis maritima lentifolia?
 C.B.P. 282.
- 2. Chamæpitys lutea vulgaris, five folio trifido. C.B.P. 249. Teucrium Chamæpitys. Ang. Tree Germander, *five*, Ground-Pine.

Avioon. Diofe.

Anifum herbariis. C.B.P 159. Pimpinella Anifum. Ang. Anife.

Αντιθεσιον. Vid. Ξανθιον.

Αντιμηλον. Vid. Μανδραγορη.

AUTIQUIVON AUTIQUICON. Theoph.

Antirrhinum arvense minus. C.B.P.

212. Antirrhinum minus. Ang.

Leffer Corn Toad-flax. Sed q?

Avorvis-

b A Whelero reperta in Hymetto.

Avers. Diofc. et Theoph.

- Anonis fpinofa flore purpureo. C.B.P. 389. Ononis fpinofa. Ang. Common Reft-harrow.
- Nonnulli cenfent Anonin legitimam antiquorum effe Ononin antiquorum. Tournefort. Coroll. 28. Vernaculæ dicunt, The Reft-harrow of the ancients.

Arapun, Diofc. et Theoph.

Aparine vulgaris. C.B.P. 334. Galium Aparine. Ang. Ladies Bedftraw, *five*, Goofe Grafs.

N.B. Zavbiov ita vocatur.

Analy. Theoph.

Chondrilla cærulea altera. C.B.P. 130. Lactuca perennis.

 Aπιος. Diofc. et Theoph. (herba.)
 Tithymalus tuberofa pyriformi radice. C.B.P.292. Euphorbia Apios.
 Ang. Tuberous-rooted Spurge.

Aπιος. Diofc. et Theoph. (arbor.) Pyrus fativa. C.B.P. 439. Pyrus communis. Ang. Common Peartree.

Αποκυνον. Diofc.

Apocynum folio fubrotundo. C.B.P. 302. Cynanchum erectum. Ang. Erect Syrian Cynanchum, five, Dog's-bane. Sed q?

Apalis. Vid. Apaln.

Aganos. Theoph. Vid. Oxeos. Vid. Not. in Theoph. p. 919.

Apaxos. Theoph.

Vicia femine rotundo nigro. C.B.P. 345. Vicia fativa nigra. Ang. Common black Vetch.

Aganiova. Theoph.

- Viciæ fimilis fupra infraque terram fructum edens. C.B.P. 345. Lathyrus amphicarpos. Ang. Allfruit Chickling Vetch.
- Alii putant effe Manihot Indorum, five Yuccam foliis Cannabinis. C.B.P. 90. Iatropha Manihot. Ang. Caffada Plant.

Apyenwvn. Diofc.

- Argemone capitulo longiore. C.B.P. 172. Papaver Argemone. Ang. Bastard Wild-poppy.
- Alii putant effe Tanacetum Africanum feu florem Africanum majorem. C.B.P. 133. Tagetes patula. *Ang.* French Marigold.

Aqua. Theoph.

- Alni effigie lanato folio minor. C.B.P. 452. Cratægus Aria. Ang. White Beam-tree.
- Agis. Diofc. Vid. Exiov.

Apirapov Diofc.

- Arifarum latifolium majus. C.B.P. 196. Arum Arifarum. Ang. Friar's Cowl, *five*, Broad heart-leaved Italian Arum^{*}.
- Forfan fit Arifarum angustifolium. C.B.P. 196. Arum tenuifolium. Ang. Grass-leaved Arum.
- Aqusohoxia. Diofc. et Theoph. Aqusohoxiov. Hippoc.
- Στρογγυλη. Ariftolochia rotunda flore ex purpura nigro. C.B.P. 307. Ariftolochia rotunda. Ang. Roundleaved Birthwort, five, round-rooted Birthwort. N.B. Hæc eft Theoph. 2. Μακρα.

* Repertum à Whelero in Monte Hymetto.

- 2. Mazea. Aristolochia longa vera. C.B.P. 307. Aristolochia longa. Ang. Long-rooted Spanish Birthwort.
- 3. Κληματιτις. Ariftolochia clematitis recta. C.B.P. 307. Ariftolochia clematitis. Ang. Upright Auftrian Birthwort, five, Creeping Birthwort^{*}.

Lappa major. C.B.P. 198. Arctium Lappa. Ang. Greater Burdock.

Apertion. Diofc.

Lappa major montana capitulis tomentofis. C.B.P. 198. Arctium lappa β . Ang. A Variety of the greater Burdock.

AprevBos. Diofc. et Theoph.

- Μεγαλη. Juniperus vulgaris arbor. C.B.P. 488. Juniperus communis β. Ang. Common Juniper.
- 2. Minea. Juniperus vulgaris fruticofa. C.B.P. 488. Juniperus communis. Ang. A Variety of the common Juniper.
- Agnτοςαφυλος. Galen. Tournefortius credit Αgnτοςαφυλου Galeni effe Vaccinium Arctostaphylon. Ang. Madeira Whortle-berry. Vid. Ιδαια ειζα.

Apertoupos. Diofc. Vid. Apertiov.

Αρμαλα. Vid. Πηγανον αγριον.

Αρμηνιακη μηλεα. Diofc.

Mala armeniaca majora. C.B.P. 442. Prunus Armeniaca. Ang. Apricot-tree. AproyLworov. Diofc. et Theoph.

- I. Mingov. Plantago angustifolia major. C.B.P. 189. Plantago lanceolata. Ang. Lancet-leaved Plantain.
- 2. Μειζον. Plantago latifolia finuata. C.B.P. 189. Plantago major.

Agov. Diofc.

- Arum venis albis. C.B.P. 195. Arum maculatum. Ang. Wake Robin. Agov. Theoph.
- Arum maximum Ægyptium, quod vulgo Colocafia. C.B.P. 195. Arum Colocafia.— Ang.Egyptian Arum^b.

Agrepioia. Diofc. et Hippoc.

Artemifia vulgaris major. C.B P. 137. Artemifia vulgaris. Ang. Mugwort.

Αρτεμισια λεπτοφυλλα. Diofc.

Artemifia montana. C.B.P. 137: haud invenio in Linn. Sp. Pl.

Αρχεζωςις. Diofc. Vid. Αμπελος λευκη. Αρωνια. Vid. Μεσπιλος.

Arapov. Diofc.

Afarum. C.B.P. 197. Afarum Europæum. Vernaculæ dicunt, Afara bacca.

Ασκληπιας. Veter. Δαφνη ita vocatur. Ασκληπιας. Diofc.

Afclepias albo flore: et Gerard. C.B.P. 303. Afclepias Vincetoxicum. Ang. Swallow-wort with white Flowers. Sed q? Apocyno herbam effe cognatam putat. Cafp. Bauhin.

Ασκληπειον. Theoph.

Panax Afclepium femine foliofo. C.B.P.

* Reperta à Whelero in Hymetto, et Ishmo Corinthiaco.

Repertum in Cretâ à Tournefortio.

119

Apresov. Diofc.

C.B.P. 158. Thapfia Afclepium. Ang. Efculapius's All-heal. AGRUGOV. Diofc.

Hypericum vulgare. C.B.P. 279. Hypericum quadrangulum. Ang. Square-ftalked St. John's Wort, *frve*, St. Peter's Wort.—Secundum alios eft Afcyrum magno flore. C.B.P. 280. Hypericum Afcyrum. Ang. Great-flowering St. John's Wort^{*}.

Ασπαλαθος. Diofc.

- Ποξφυρίζων. Afpalathus cortice cinereo, ligno purpureo. C.B.P. 392. Ang. The Sweet Afpalathus of Diofcorides.
- 2. AEUROV. Afpalathus albicans torulo citreo. C.B.P. 392.—Sed horum neutrum inter Spec. Plantar. Linn. invenio.

Aσπαλαξ. Theoph. incert.

As παραγος. Diofc. et Galen.

- Afparagus fativa. C.B.P. 489. Afparagus officinalis altilis γ. Ang. Common Afparagus. Sed q.?
- Πετραιος. Afparagus foliis acutis. C.B.P. 490. Afparagus acutifolius. Ang. Acute-leaved Portugal Afparagus.
- 3. Ελειος. Afparagus maritimus, craffiore folio. C.B.P. 490. Afparagus officinalis maritimus α. Ang. A Variety of the Common Afparagus.

Ασπαραγος. Theoph.

Idem eft ac πετραιος. Aliis videtur effe Afparagus aculeatus alter, tribus aut quatuor fpinis ad eundem exortum. C.B.P. 490. Afparagus aphyllus. Ang. Prickly Afparagus. Vid. Not. in Theoph. p. 604. Aliis autem, Afparagus aculeatus fpinis horridis. C.B.P. 90. Afparagus albus. Ang. White Afpara-

Ασπληνον. Diofc.

gus.

Ceterach officinarum. C.B.P. 354. Afplenium Ceterach. Ang. Spleenwort.

Asegurnos. Theoph.

Idem ac Asne ATTIKOS.

Asne ATTINOS. Diofc.

- After Atticus cæruleus vulgaris. C.B.P. 267. After Amellus. Ang. Italian Star-wort^b.
- Aliis videtur effe After luteus foliolis ad florem rigidis. C.B.P. 266. Bupthalmum fpinofum.
- Alii autem credunt effe Orobum fylvaticum purpureum vernum. C.B.P. 351. Orobus vernus. Ang. Spring Vetch. Vid. Not. in Theoph. 919.

Aspayahos. Diofc.

Aftragalus Syriacus hirfutus. C.B.P.

351. Aftragalus Syriacus. Ang. Milk Vetch, five, Aftragalus⁶.

Ασφαλτιον. Vid. Τριφυλλον.

Aspoderos. Dioic. et Theoph.

Afphodelus albus ramofus mas. C.B.P.

- * Repertum à Whelero in Montibus, Olympo et Hymetto.
- b Repertus à Whelero in Hymetto Monte.
- « Repertus à Whelero in Monte Olympo, et propè Megaram.

C.B.P. 28. Afphodelus ramofus. Ang. White King's Spear^{*}. Sed q? Atgayevy. Theoph.

Clematitis fylvestris latifolia. C.B.P. 300. Clematis Vitalba. Ang. Vir-

gin's Bower, five, Traveller's Joy. Ατρακτυλις. Diofc. et Theoph.

- Cnicus fylvestris fpinofior. C.B.P. 378. Carlina vulgaris. Ang. Wild Carline?
- Aliis videtur effe Cnicus fylvestris hirfutior, five Carduus benedictus. C.B.P. 378. Centaurea benedicta. Ang. Centaury. Sed q?
- Bodæus a Stapel putat effe Atractylida luteam. C.B.P. 379. Carthamus lanatus. Ang. Woolly Carthamus. Vid. Not. in Theoph. p. 619. Ατραφαξις. Diofc. et Theoph.
 - Αγριον. Diofc. Atriplex fylvestris folio finuato candicante. C.B.P. 119. Chenopodium album. Ang. Common Orach.
- 2. Κηπευτον. Diofc. Atriplex hortenfis alba, feu pallide virens. C.B.P. 119. Atriplex hortenfis. Ang. Garden Orach.

Aquan, Diofc. et Galen.

Vix conftat utrum fit Vicia fativa vulgaris femine nigro. C.B.P. 344. Vicia fativa. Ang. Common Vetch. An Vicia lutea foliis Convolvuli minoris. C.B.P. 345. Lathyrus Aphaca. Ang. Yellow Vetch.

Aqann. Théoph.

Dens Leonis latiore folio. C.B.P.

* Repertus à Whelero in Hymetto.

126. Leontodon Taraxacum. Ang. Dandelion.

Aqaenn. Theoph.

Phylica elatior. C.B.P. 476. Rhamnus Alaternus. Ang. Blotched Alaternus.

Aqua. Theoph.

Caltha palustris flore fimplici. C.B.P. 276. Caltha palustris. Ang. Marth-Marygold. Vid. Not. in Theoph. p. 822.

AXIAAELOV. Diofc.

Tanacetum minus album flore Camphoræ. C.B.P. 132. Achillea nobilis. Ang. Noble Milfoil.

Axeas. Theoph.

Pyrus fylvestris. C.B.P. 439. Pyrus communis. Ang. Common Peartree.

AUNDION. Diofc. et Theoph.

- Abfinthium Ponticum, feu Romanum officinarum. C.B.P. 138. Artemifia Abfinthium. Ang. Common Wormwood.
- 2. Θαλασσιον. Abfinthium Seriphium Germanicum. C.B.P. 139. Artemifia maritima. Ang. Sea Wormwood.
- 3. Savtoviov. Abfinthium Santonicum Gallicum. C.B.P. 139. Ang. French Wormwood. Haud invenio in Linnæo.

B

BAΘΥΠΙΚΡΟΝ, Diofe, Vid. Αψινθιον. Q Βακ-

121

Banxapis. Diofc.

122

Horminum Sclarea dictum. C.B.P. 238. Slavia Sclarea. Ang. Clary?
Ut alii putant, eft Conyza major altera. C.B.P. 265. Baccharis Diofcoridis. Aliis autem placet effe Conyzam majorem vulgarem. C.B.P. 265. Conyza fquarrofa. Ang. Great common Fleabane. Aliqui credunt effe Afterem Atticum foliis circa florem mollibus. C.B.P. 266. Carpefium cernuum. Ang. Drooping Carpefium.

Βαλανος μυρεψικη. Diofc.

Glans unguentaria. C.B.P. 402. Guilandina Moringa. Ang. Bennut-tree.

Βαλλωτη. Diofc.

Marrubium nigrum fætidum. C.B.P.

230. Ballota nigra. Ang. Stinking Hore-hound.

Badrauov. Diofc. et Theoph.

Balfamum Syriacum Rutæ folio. C.B.P. 400.—Haud in Linnæo invenio.

Bapabpov. Vid. Bpabus.

Baros. Diofc. et Theoph.

- Οξθοφυης και υψος. Rubus vulgaris, five Rubus fructu nigro. C.B.P. 479. Rubus fruticofus. Ang. Bramble.
- 2. Χαμαιβατος. Rubus repens fructu cæfio. C.B.P. 479. Rubus cæfius. Ang. Dewberry.

κυνοσθατος. Theoph. Βατος Ιδαια.
 Diofc. Rubus Idæus fpinofus.
 C.B.P. 479. Rubus Idæus. Ang.
 Red Rafpberry.

Nonnulli putant Euroo Caror Theoph. eandem effe ac Diofcoridis. Not. in Theoph. 272.

Bateaxion. Diofc.

1. Φυλλα ομοια κοριω εχον. incert.

2. Exploor. Ranunculus paluftris apii folio lævis. C.B.P. 180. Ranunculus fceleratus. Ang. Round-leaved Water Crow-foot.

3. Incert.

4. Incert.

BETTOVINA. Diofc.

Betonica purpurea. C.B.P. 235. Betonica officinalis. Ang. Common Betony of the Shops.

Βησασα. Vid. Πηγανον αγριον. Βηχιον. Diofc.

Tuffilago vulgaris. C.B.P. 197.

Tuffilago farfara. Ang. Colts-foot, Bikiov. Galen. Vid. Aqakn.

Βληχνον. Vid. Πτερις.

Βληχων. Vid. Γληχων.

BAJTON. Diofc. et Theoph.

Blitum rubrum minus. C.B.P. 118. Amaranthus Blitum. Ang. Least Blite.

Box Givn. Theoph.

Bulbus monophyllus flore albo. Joan. Bauh. Hift. II. 622. Scilla unifolia.

Box Cos Veterum. Edudinos Diofc.

Arum maximum Ægyptium, quod vulgo Colocafia. C.B.P. 195. Arum Colocafia. Sed q?

Βολδος εμετικος. Diofc.

Hyacinthus stellaris bifolius Germanicus. C.B.P. 45. Scilla bifolia, Aut forfan, Narciflus juncifolius oblongo calice luteus major. C.B.P. 51. Narciflus Jonquilla. Ang. Jonquil. Vid. Notas in Theoph. p. 879.

Box Gos Epiopopos. Theoph.

Bulbus eriophorus. C.B.P. 47. haud in Linnæo invenio. Ang. Woolly Hyacinth.

Box Couradion. Theoph.

Narciffus fylveftris pallidus calyce luteo. C.B.P. 52. Narciffus pfeudo-Narciffus. Ang. Single Daffodill. Aut forfan Narciffus montanus alter flore fimbriato. C.B.P. 53. Narciffus bulbocodium. Ang. Hooppetticoat Narciffus.

Boleus. Diofc.

- Botrys ambrofiodes vulgaris. C.B.P.
 - 138. Chenopodum Botrys. Ang. Oak of Jerufalem.
- BouGarior. Diofc. Vid. Asne ATTINOS. Berrawoov. Diofc.
- Bugloffum latifolium, Borago.C.B.P.
- 256. Borago officinalis^{*}. Ang. Borage.
- Βεμελια. Theoph. Vid. Μελια υψηλη. Βουνιας. Diofc.

Napus fylveftris. C.B.P. 95. Braffica Napus. Ang. Wild Navew.

BERION. Diofc.

Bulbocaftanum majus folio Apii. C.B.P. 162. Bunium bulbocaftanum. Ang. Earth-nut, five, Pignut.

BOUTT LEUPON. Hippoc.

Bupleuron folio rigido. C.B.P. 278. Bupleurum rigidum. Ang. Stiffleaved Hare's Ear.

BP

- Secundum Plinium effe videtur Valeriana campeftris inodora major. C.B.P. 165. Valeriana locufta olitoria. Ang. Lamb Lettuce. Vid. Plin. Hift. Natur. I. 22.
- Benensis. Theoph, incert.
 - Nonnulli putant effe Bupleurum folio rigido. C.B.P. 278. Bupleurum rigidum. Ang. Stiff-leaved Hare's Ear. Vid. C.B.P. 278.

Boutomos. Theoph. incert.

Sparganium ramofum. C.B.P. 15. Sparganium erectum. Ang. Great Burweed.

Βουφθαλμον. Diofc.

- Buphthalmum lanuginofum foliis Millefolii. C.B.P. 135. Anacyclus Valentinus. Ang. Valentine Ana cyclus?
- Alii putant effe Helleborum nigrum tenuifolium Buphthalmi flore.
 C.B.P. 186. Adonis vernalis. Ang.
 Perennial Pheafant's Eye. Vid. Not. in Theoph. p. 834.

Bealula. Theoc.

Pruna magna dulcia atro-cærulea. C.B.P. 443. Prunus domeftica Damafcena. Ang. Damafcene Plumb-tree.

Beabus. Diofc.

2. Opioios.

* Repertum à Whelero in Monte Olympo.

^b Repertus à Whelero in Monte Parnafio, et Ishmo Corinthiaco.

Ομοιος κυπαρισσω. Sabina folio cuprefli. C.B.P. 487. Juniperus Sabina. Ang. Savine^{*}.

Q2

 Ομοιος μυφικη. Sabina folio Tamarifci Diofcoridis. C.B.P. 487. Juniperus Sabina β. Ang. Striped Savine.

Bestavien. Diofc.

Betonica purpurea. C.B.P. 235. Betonica officinalis. Ang. Common, five, Wood Betony. Sed q? Bouov. Diofc.

 Επι δενδρων. Muscus arboreus. Ufnea officinarum. C.B.P. 361. Lichen plicatus. Ang. Common hairy Liverwort.

 Θαλασσιον. Muſcus maritimus, five Corallina officinarum. C.B.P. 363.
 Annon eſt potius Muſcus Marinus Lactucæ folio? C.B.P. 364.
 Ulva Labyrinthiformis.

Βουωνια. Vid. Αμπελος λευκη.

Bewuros. Diofc. II. 116. Avena vulgaris feu alba. C.B.P. 23.

Avena fativa. Ang. Common Oat. Bewuos. Diofc. IV. 140.

Feftuca Avenacea fterilis elatior. C.B.P. 10. Bromus fterilis. Ang. Barren Brome Grafs, *five*, Wild Oat?

Γ

ΓΑΛΑΤΙΟΝ. Diofc. Vid. Γαλλιον. Γαλεοβδολον. Diofc. Vid. Γαλιοψις. Γαλιοψις. Diofc.

Lamium purpureum fætidum folio fubrotundo. C.B.P. 230. Lamium purpureum. Ang. Purple Archangel. Forfan fit Lamium folio oblongo luteum. C.B.P. 231. Galeopfis Galeobdolon. Ang. Yellow Nettlehemp.

Γαλλεφιου. Diofc. Vid. Γαλλιου.

Γαλλιου. Diofc.

Gallium luteum. C.B.P. 335. Gallium verum. Ang. Yellow Ladies Bed-ftraw.

TENTIANN. Diofc. . depend -

Gentiana major lutea. C.B.P. 187. Gentiana lutea. Ang. Yellow Gentian.

reparior. Diofc.

 Φυλλου εχου αυεμώνης. Forfan, Geranium tuberofum majus. C.B.P. 318. Geranium tuberofum. Ang. Tuberous Crane's-bill.

2. Φυλλα μαλαχης εμφερον. Geranium fclio malvæ rotundo. C.B.P. 318. Geranium rotundifolium. Ang. Round-leaved Crane's-bill.

Γηθυον. Theoph.

Cepa fectilis. C.B.P. 72. In Linn. deeft.

riggidiov. Diofc.

Gingidium folio fœniculi. C.B.P.
151. Artedia fquamata. Ang.
Spanish Pick-tooth. Aut forsan,
Gingidium folio chæreophylli.
C.B.P. 151. Daucus Gingidium.
Ang. Strange Chervil.
Γλαυξ. Diofc.

Glaux maritima. C.B.P. 215. Glaux maritima. Ang. Sea Milk-wort^{*}. Aut fortaffe Ciceri fylveftri minori affinis.

A Repertuses. W geleto in Mt.

² Reperta à Whelero in infulâ Zacyntho, hodie Zante.

affinis. C.B.P. 347. Aftragalus Glaux.

Pulegium latifolium. C.B.P. 222. Mentha pulegium. Ang. Pennyroyal. Γληχων αγρια. Diofc. Vid. Δικταμνος. Γλυκυρρίζα. Diofc.

Glycyrrhiza capite echinato. C.B.P. 352. Glycyrrhiza echinata. Ang. Prickly Liquorice.

Alii putant effe Glycyrrhizam filiquofam, vel Germanicam. C.B.P. 352. Glycyrrhiza glabra. Ang. Common Liquorice^{*}.

Gnaphalium vulgare majus. C.B.P. 263. Filago Germanica. Ang. Common Cud-weed.
Γογγυλη. Diofc. Γογγυλις. Theoph.
1. Αρεην. Rapa fativa rotunda. C.B.P. 89. Braffica Rapa. Ang. Turnip.
2. Θηλεια. Rapa fativa oblonga. C.B.P. 90. Braffica Rapa β. Anglice dici poteft, A Variety of the former.

ΔΑΜΑΣΟΝΙΟΝ. Vid. Αλισμα. Δαναη. Vid. Ιππογλωσσον. Δαυχος. Diofc. 1. Κρητιχος. Daucus foliis fœniculi tenuiffimis. C.B.P. 150. Sefeli ela-

Spina ambella Alas vidua. C.B.P.

Tempor. Vid. Epouerior.

tum. Ang. Lofty Hart-wort of Marfeilles. Sed quære?

A A

Alii cenfent effe Daucum Alpinum multifido longoque folio. C.B.P. 150. Athamanta Cretenfis. Ang. Cretan Spignel.

 2. Daucus montanus apii folio major, C.B.P. 150. Athamanta cervaria. Ang. Parfley-leaved Mountain Carrot.

3. Apium peregrinum foliis fubro -

tundis. C.B.P. 153. Pimpinella peregrina. Ang. Foreign Burnet Saxifrage.

Gollyphin arborn dealy the

Pastinaca tenuifolia fativa radice atro-rubente. C.B.P. 151. Daucus Carota. Ang. Carrot.

Δαυκος αγριος. Vid. Καυκαλις. Δαφνη. Diofc. et Theoph.

- 1. Λεπτοφυλλα. Diofc. et Theoph. Laurus vulgaris. C.B.P. 460. Laurus nobilis. Ang. Common Baytree.

 Πλατυτερα. Diolc. πλατυφυλλα. Theoph. Laurus latifolia. C.B.P. 460. Forfan Varietas prioris.

3. Aypre, Theoph. Laurus fylvestris corni sceminæ foliis subhirsutis. C.B.P. 461. Viburnum Tinus. Ang. Laurustinus.

Δαφνη Αλεξανδρεια. Diofc. Vid. Ιππογλωσσον.

Δαφνη Ιδαια. Theoph. Vid. Ιππογλωσσον.

Δαφνοειδες. Diolc.

In Creta repertus à Whelero

Lau

Reperta à Whelero in infulâ Corcyrâ.

Agurig. Theophy.

Laureola femper virens flore viridi.

C.B.P. 462. Daphne Laureola. Wood-Laurel, five, Spurge-Laurel.

N.B. KAnparis ita vocatur.

Δελφινιον. Diofc.

126

1. Confolida regalis hortenfis flore majore et fimplici. C.B.P. 142. Delphinium Ajacis. Ang. Upright Larkfpur?

2. Ετερον. Diofc. Confolida regalis arvenfis. C.B.P. 142. Delphinium Confolida. Ang. Wild branching Larkfpur?

Δενδρον εριοφορον. Theoph.

Goffypium arboreum caule lævi. C.B.P. 430. Goffypium arboreum. Ang. Cotton-tree^{*}?

Διαταμνος, vel Διαταμος. Diofc. et Theoph.

1. Kentikos. Dictamnus Creticus. C.B.P. 222. Origanum Dictamnus. Ang. Dittany of Crete^b.

 Υευδοδιαταμνος. Pfeudo-dictamnus verticillatus inodorus. C.B.P.
 222. Marrubium pfeudo-dictamnus. Ang. Baftard Dittany⁶?

3. Κρητικος ετερος. incert. Διος ανθος. Theoph. Vid. Λυχνις. Diofc. Διος βαλανος. Theoph. Vid. Καςανα. Διοσπορος. Vid. Λιθοσπερμον.

Διοσπυρος. Theoph.

S.B. J

Lotus Africana latifolia. C.B.P. 447. Diofpyros lotus. Ang. Baftard Lotus, *five*, Indian Date-Plumb. ΔP

Διφκαιον. Vid. Δαυκος. Διψακος. Diofc.

Dipfacus fativus. C.B.P. 385. Dipfacus fullonum. Ang. Fullers'

Teazle.

Δολιχος. Theoph. Vid. Σμιλαξ κηπαια. Δοναξ. Diofc. et Theoph.

Arundo fativa. C.B.P. 17. Arundo donax. Ang. Striped Portugal-Reed. Dopursuov. Diofc.

Jaceæ oleæ folio affinis. C.B.P. 272? Nomen Linnæanum deeft.

Apaln. Diofc.

Draba umbellata, vel Draba major capitulis donata. C.B.P. 109. Cochlearia Draba. Ang. Arabian Muftard.

N.B. Apalis ita vocatur.

Apanov Jiov. Diofc.

Dracunculus polyphyllus. C.B.P. 194. Arum Dracunculus. Ang. Common Dragon's Arum, five, Many-leaved Dragon.

Δρυσπτερις. Diofc.

Filix ramofa minor pinnulis dentatis. C.B.P. 358. Polypodium Dryopteris. Ang. Branching Polypody.

 $\Delta \rho v \pi i \varsigma$. Theoph.

Spina umbella foliis vidua. C.B.P. 388. Drypis fpinofa. Alii cenfent effe Kali fpinofum cochleatum. C.B.P. 289. Salfola Tragus. Ang. Prickly Salt-wort.

Agus.

² Reportum à Whelero in infulà Zacyntho, hodie Zante.

^b Repertus in Creta à Tournefortio.

« In Cretá repertus à Whelero.

Agus. Theoph.

- 1. Ημερις et αγρια. Quercus cum longo pediculo. C.B.P. 420. Quercus robur. Ang. English Oak.
 - 2. Αιγιλοψ. Quercus calyce echinato glande majore. C.B.P. 420. Quercus Ægilops. Ang. Spanish Oak^{*}.
 - Πλατυφυλλος. Quercus latifolia mas, quæ brevi pediculo eft. C.B.P. 419. Haud invenio inter Spec. Pl. Linn.
 - 4. Φηγος. Quercus parva, five Phagos Græcorum, et Efculus Plinii.
 C.B.P. 420. Quercus Efculus. Ang. South Europæan Oak.
 - 5. Αλιφλοιος. eadem ac αγρια. Vid. Johan. Bauhin Hift. Plant. Lib. VII.
 - 6. Η έ φυλλοβολεϊ. Quercus latifolia perpetuo virens, C.B.P. 420. An fit Quercus Suber. Ang. The Corktree?
 - N.B. Scholiastes in Theocritum quinque roboris genera facit.
 - Φηγος. 2. Κιμερις. 3. Ετυμοδους.
 Αλυφλος. 5. Αμυλος. Sed hæc vix fatis accurate defcribuntur. Vid. Theocrit. Idyll. IX. No. XX.

Apus Evalia. Theoph.

- Fucus maritimus, five Quercus maritima veficulas habens. C.B.P. 365. Fucus veficulofus. Ang. Common Fucus, five, Sea Oak.
 - · Reperta à Tournefortio in infulà Cæo, hodic Zea.
 - · Reperta propè Smyrnam à Whelero.
 - d' Reperta à Whelero in Monte Olympos.

E

EBENOE. Diofc. et Theoph.

- Ebenus Theveto in Indiæ Infula Palmobotere præftantiffima, et nigra. C.B.P. 448. Ebenus Cretica.
- Ang. Ebony of Crete^b.
- EGITROS. Galeni. Vid. Axbaia.
- Εκςομον. Vid. Ελλεβορος μελας.
- Exaia. Diofc. et Theoph.
 - Ημερος. Olea fativa. C.B.P. 472.
 Olea Europæa. Ang. Common Olive.
 - Ελαιαγνος. Theophrafti. Olea fylvestris folio molli incano. C.B.P. 472. Eleagnus angustifolia^e. Ang. Narrow-leaved wild Olive.
 - Secundum alios eft Salix Syriaca folio oleagineo argenteo. C.B.P. 474. Salix Egyptiaca. Ang Egyptian Willow.

ELasoreLivor. Diofc.

Apium palustre et Apium officinarum. C.B.P. 154. Apium graveolens. Ang. Smallage.

Ελαιοφυλλον. Vid. Φυλλον. Ελατη. Theoph.

1. Agenv. Abies conis furfum spectantibus, five mas. C.B.P. 505. Pinus

2. Θηλεια. Abies alba, five formina. C.B.P.

^b Repertus in Cretâ â Tournefortio;

picea. Ang. Silver Fir ".

C.B.P. 505. Pinus Abies. Ang. Elichryfum, feu Stæchas citrina angustifolia. C.B.P. 264. Gnapha-Spruce Fir. ELATAN. Diofc. ELATA nonnullorum. - lium Stæchas. Ang. Common Elatine folio acuminato flore cæru-Eternal Flower^{*}. CUS TODUE. A leo. C.B.P. 253. Antirrhinum N.B. Amapartov. Diole. ita vocatur. Elatine. Ang. Sharp pointed Flu-EXAsCopium. Vide Emimantis. ellin. EALEGODOG. Diofc. Aliis videtur effe Elatine folio fub-I. AEUROS. Helleborus albus flore rotundo. C.B.P. 253. Antirrhifubyiridi. C.B.P. 186. Veratrum album. Ang. White Hellebore. num fpurium. biv instal Ελαφοδοσκον. Diofc. 2. Mehas. Helleborus niger flore rofeo. C.B.P. 186. Helleborus niger". Pastinaca fativa latifolia. C.B.P. 155. Ang. Black Hellebore, Pastinaca fativa. Ang. Parsnep. EANEGopos Hippocratis fertur effe Ado-ELELIOPAROV. Diofc. Salvia major. C.B P. 237. Salvia ofnis vernalis. Vid. Difpenf. Brunfficinalis. Ang. Common Sage. vicenfe. an maint Interdum eandem fignificationem Ελξινη ή εχει φυλλα ομοια κισσω, ελατ-Tova de. Diofc. Lib. IV. Cap. 39. habet atque ELapoGoornov. ELEVION. Diofc. Convolvulus minor arvenfis. C.B.P. Helenium vulgare. C.B.P. 276. Inu-294. Convolvulus arvenfis. Ang. A fpecies of Bindweed^c. la helenium. Ang. Elecampane. ELEVION. Theoph. ExEun. Diofc. Lib. IV. Cap. 86. et Sampfuchus, five Marum Maftichen Theoph. redolens. C.B.P. 224. Thymus Parietaria officinarum. C.B.P. 121. Parietaria officinarum. Ang. Pel-Maftichina. Ang. Maftich Thyme? Ab aliis putatur effe Ciftus ledon litory of the Wall. foliis thymi. C.B.P. 467. Ciftus ELUMOS. Diofc. umbellatus, qui a Tournefortio in Panicum Germanicum, five paniculâ minore. C.B.P. 27. Panicum infula Zia repertus fuit. Italicum. Ang. Italian Panic. ELEVION ALYUTTION. DIOIC. Forfitan Chamæciftus vulgaris flore EMMETPON. Diofc. albo majore. C.B.P. 466. Ciftus Thymelæa foliis acutis capitulo Suc-Helianthemum. Ang. Dwarf Rockcifæ, five Alypum Monfpelienfium. C.B.P. 463. Globularia Alypum. rofe. Sed q? EXIZENDON. Diolc. EXELOXENDON. Theoph. Ang. Shrubby blue Daify. Sed q?

a Repertum à Whelero in infulà Cytherà, hodie Gerigo, et in Delo infulà, et Monte Olympo.

s Hæc à Tournefortio reperta est in infulâ Samo.

Ενθου

^{*} Repertus à Tournefortio propè Ancyram, hodiè Angora, et in Monte Olympo, ct à Bellonio in infulà Anticyra.

Evdouvirov. Theoph.

Chærophyllum fativum. C.B.P. 152. Scandix cerefolium. Ang. Garden Chervil.

Εξωνυχου. Vid. Λιθοσπερμου.

Eπιθυμον. Diofc.

Epithymum, five Culcuta minor. C.B.P. 219. Culcuta Europæa Epithymum β . Ang. Dodder.

Eminandion. Diofc.

Epimedium. C.B.P. 322. Epimedium Alpinum. Ang. Barren-wort.

Επιμηλις. Vid. Μεσπιλος.

Επιπακτις. Diofc.

Helleborine latifolia montana.C.B.P. 186. Serapias Helleborine latifolia. Ang. Baftard Hellebore?

EgeGivBos. Diofc.

- 1. Hµeqos, vel neuos. Cicer fativum. C.B.P. 347. Cicer arietinum. Ang. Garden Chiches.
- Αγριος. Cicer fylvestre foliis oblongis hispidis majus. C.B.P. 347. Aftragalus Cicer. Ang. Bladderpodded milk Vetch.

Epeinn. Diofc. et Theoph.

- Erica vulgaris glabra. C.B.P. 485. Erica vulgaris. Ang. Common Heath, five, Ling.
- Ερεχθρωσις. Hippoc. Vid. Αμπελος λευκη.

Ερινεος. Theoph. Vid. Συκη αγρια.

Equvos. Diofc.

Erini, feu Ocimi aquatici nomine a Matthiolo. C.B.P. 224. Campanula Erinus.

Ερμου βοτανιου. Vid. Δινοζωσις.

Εφπακανθα. Vid. Ακανθα. Εφπυλλον αγριον. Vid. Σισυμβριον. Εφπυλλος. Diofc. et Theoph.

- 1. Κηπευτος. Serpyllum vulgare minus. C.B.P. 220. Thymus Serpyllum. Ang. Mother of Thyme.
- Αγριος, vel Ζυγις. Serpyllum folio Thymi. C.B.P. 220. Thymus Zygis. Ang. Narrow-leaved upright Spanish Thyme.
- Ερυθροδανον, five Ερευθροδανον. Diofc. et Theoph.
 - 1. Ayquov. Rubia fylvestris aspera. C.B.P. 333. Rubia tinctorum. Ang. Madder.
 - Σπαφτον. Rubia tinctorum fativa.
 C.B.P. 333. Rubia tinctorum β.
 Anglice dici poteft, a Variety of the former.

Equornov. Diofc.

Eryfimum vulgare. C.B.P. 100. Eryfimum officinale. Ang. Common hedge-Muftard.

Epuripor. Theoph. et Galen.

- Eryfimum. C.B.P. 27. Polygonum Fagopyrum. Ang. Buck-wheat.
- Sunt qui credunt Equoripion Galeni et Theophrafti esse Myagrum siliquâ longâ. C.B.P. 109. Erysimum cheiranthoïdes. Ang. 'Treacle Worm-Seed.

Ερυσισκηπτον. Vid. Κυπειρος.

Eomeous. Theoph.

R

Ευζω-

Helperis hortenfis. C.B.P. 202. Helperis matronalis. Ang. Unfavoury Dames Violet?

Eulanov. Diofc. et Theoph.

Eruca latifolia alba fativa Diofcoridis. C.B.P. 98. Braffica Eruca. Ang. Rocket.

Eυζωμου αγφιου. Eruca fylveftris minor, luteo parvoque flore. C.B.P. 98. Sifymbrium fylveftre. Ang. Wild Marfh Rocket?

Eurouxias. Theoph.

Arundo farcta flava. C.B.P. 17. Apluda Zeugites.

Ευπατωριον. Diofc.

Eupatorium veterum, five Agrimonia. C.B.P. 321. Agrimonia Eupatoria. Ang. Agrimony.

Ευπεταλον. Diofc. Vid. Δαφνοειδες.

Eugoperov. Diole.

Euphorbium. C.B.P. 387. Euphorbia officinarum. Ang. Triangular Spurge.

Euwvuµoc. Theoph.

Euonymus vulgaris granis rubefcentibus. C.B.P. 428. Euonymus Europæus tenuifolius. Ang. Redfruited Spindle-tree.

Egymepov. Diofc.

Ephemerum Matthioli. C.B.P. 244. Lyfimachia Ephemerum.

Alii cenfent effe Digitalem luteam magno flore. C.B.P. 244. Digitalis lutea. Ang. Yellow Fox-Glove.

N.B. Κολχικον ita vocatur nonnunquam.

Exiov. Diofc.

Echium vulgare. C.B.P. 254. Echium vulgare. Ang. Common Viper's Buglofs.

7.

HΔ

ΖΑΛΕΙΑ. Vid. Ιππογλωσσον. Ζεια απλη. Diofc.

Zea briza dicta, vel monococcos Germanica. C.B.P. 21. Triticum monococcum. Ang. One-grain Wheat.

ZEIA SINONNOS Diosc. ZEIA Theoph. et Galen.

Zea dicoccos, vel major. C.B.P. 22. Triticum Spelta.

ZEQUA. Geopon. Vid. Kumeigos.

Zeuyitns. Theoph.

Arundo farcta flava. C.B.P. 17. Apluda Zeugites.

Ziggibeeis. Diofc.

Zingiber. C.B.P. 35. Amomum Zingiber. Ang. Ginger Plant. Ζιζανιον. Diofc.

Gramen loliaceum fpicâ longiore. C.B.P. 9. Lolium temulentum. Ang. Annual Darnel.

Ζυγια. Vid. Σφενδαμνος.

Zuyis. Diofc.

Serpyllum folio Thymi. C.B.P. 220. Thymus Zygis. Ang. Narrowleaved upright Thyme.

H

HΔΥΟΣΜΟΣ. Diofc. et Theoph. 1. Ημεξος. Mentha rotundifolia crif-

pa

130

pa fpicata. C.B.P. 227. Mentha fativa. Ang. Spear-Mint.

 Αγριος. Mentha fylvestris longiore folio. C.B.P. 227. Mentha fylvestris. Ang. Horse-Mint, five, Mentastrum.

Hourapov. Diofc,

Securidaca lutea major. C.B.P. 348. Coronilla fecuridaca. Ang. Greater yellow Hatchet Vetch.

HAIOTEOTION Diofc. et Theoph.

- Mεγα. Heliotropium majus Diofcoridis. C.B.P. 253. Heliotropium Europæum. Ang. The great Turnfole of Diofcorides.
- 2. Mingov. Heliotropium tricoccum. C.B.P. 253. Croton tinctorium. Ang. Dyer's Tallow-tree, five, baftard Ricinus.

Husponales. Theoph.

Narciflus maritimus. C.B.P. 54. Hemerocallis flava. Ang. Yellow Day-Lily.

Ημεροκαλλες. Diofc.

- Lilium rubrum Afphodeli radice. C.B.P. 80. Hemerocallis fulva. Ang. St. Bruno's Lily.
- Hμιονιον. Theoph. Vid. Ασπληνον. Sed quære?

HµIOVITIS. Diofc.

Hemionitis vulgaris. C.B.P. 353. Afplenium hemionitis. Ang. Moon-Fern, five potiùs, Mule's-Fern.

Ηρακλεια. Vid. Λιθοσπερμον.

Ηρανθεμον. Diofc. Vid. Ανθεμις.

Heryspor. Diofc. et Theoph.

Senecio minor vulgaris. C.B.P. 131. Senecio vulgaris. Ang. Common Groundfel.

Heuryvov. Diofc.

Eryngium vulgare. C.B.P. 386. Eryngium campeftre. Ang. Common Eryngo, *five*, Sea-holly^{*}.

Э

OAAIKTPON. Diofc.

Thalictrum majus filiquâ angulosâ, aut ftriatâ. C.B.P. 336. Thalictrum flavum. Ang. Meadow Ruefeathered Columbine, *five*, Meadow-Rue.

Θαψια. Diofc. et Theoph.

Thapfia fœniculi folio. C.B.P. 148. Sefeli Turbith. *Vernaculæ* dicunt, Wild Spignel, with the face of Giant-Fennel?

Θερμος. Diofc. et Galen.

- Ημερος. Lupinus fativus flore albo. C.B.P. 347. Lupinus albus. Ang. White Garden Lupine.
- Αγριος. Lupinus fylvestris flore cæruleo. C.BP. 348. Lupinus varius. Ang. Smaller blue Lupine.
- Θηλυκρανεια. Theoph.

R 2

Cornus fæmina. C.B.P. 447. Cornus fanguinea. Ang. Dog-wood, *five*, Dog-berry.

Θηλυ-

^a Heuryper à se repertum esse apud Marathona in Phocide disertissime testatur Tournesortius, qui tamen, cum ita scriberet, memoria lapsus est, cum in Phocide nullus sit locus, qui isto nomine appellatus suerit.

- D'

 Θηλυπηερις. Diolc.
 Filix ramofa major pinnulis obtufis non dentatis. C.B.P. 357. Pteris Aquilina. Ang. Brakes, five, female Fern.

P T

Ongelov. Theoph.

Rhei fpecies effe cenfetur. Vid. Halleri Bibliothecam. Vol. I. p. 561. Θλασπι. Doiofc.

- Thlafpi arvenfe filiquis latis.
 C.B.P. 105. Thlafpi arvenfe. Ang. Field Mithridate Muftard with broad Pods.
- Ετεφον. Raphanus rufticanus.
 C.B.P. 96. Cochlearia Armoracia.
 Ang. Horfe-Radifh.

Θραυπαλος. Theoph.

Sambucus aquatica flore fimplici. C.B.P. 456. Viburnum Opulus. Ang. Gueldre Rofe?

Θριδακινη. Galen. Vid. Θριδαξ αγρια. Θριδαξ. Diofc.

Ημερος. Lactuca fativa. C.B.P.
 122. Lactuca fativa. Ang. Common Lettuce.

 Αγρια. Lactuca fylveftris coftâ fpinosâ. C.B.P. 123. Lactuca Scariola. Ang. Endive.

Θευαλλις. Theoph.

Pimpinella fanguiforba minor hirfuta. C.B.P. 160. Poterium fanguiforba. Ang. Common Burnet. Sed q?

Oura, vel Ouov. Theoph.

Thuia Theophrafti. C.B.P. 488.

Thuia occidentalis. Ang. Common Arbor Vitæ.

Ουμαλος. Vid. Σμιλαξ arbor. Ουμβρα. Dioic. et Theoph.

1. Σπαρτη. Satureia hortenfis. C.B.P.

218. Satureia hortenfis. Ang. Garden, *five*, Summer Savoury.

2. Ayçuz. Satureia Cretica. C.B.P. 218. Satureia Thymbra.

Θυμελαια. Diofc.

Thymelæa foliis lini. C.B.P. 463. Daphne Gnidium. Ang. Spurge-Olive.

Aliqui cenfent effe Thymelæam foliis Polygalæ glabris. C.B.P. 463. Daphne Thymelæa.

Oumos. Diofc.

Thymus capitatus. C.B.P. 219. Satureia capitata.

Hoc eft germanum Thiamum apud Veteres^{*}.

Ouov. Hippoc.

Sabina folio Cypreffi. C.B.P. 487. Juniperus Sabina. Ang. Savine. Vid. Halleri Biblioth. Med. I. 561.

I

ΙΑΣΙΩΝΗ. Theoph. Vid. Ισοπυgov. Ιζερις. Diofc.

Iberis latiore folio. C.B.P. 97. Lepidium Iberis. Ang. Common broad-leaved Dittander.

Ιδισκος. Vid. Αλθαια.

Idaia.

^a Repertus à Whelero in Infulâ Corcyrâ, hodie Corfu, in Infulâ Cytherâ, hodie Cerigo, et in Monte Hymetto.

Ιδαια. Diolc. Vid. Ιππογλωσσου. Ιδαια είζα. Diolc.

Vitis Idæa foliis carnofis, et veluti punctatis; five Idæa radix Diofcoridis. C.B.P. 470. Arbutus Uva Urfi?

Ιερα βοτανη. Diofc.

Verbena communis cæruleo flore. C.B.P. 269. Verbena officinalis. Ang. Common Vervain.

IEPancov. Diofc.

- Mεγα. Hieracium majus erectum angustifolium caule lævi. C.B.P.
 127. Crepis Dioscoridis. Ang. Hawk-weed. Sed q?
- Mingov. Hieracium Chondrillæ folio glabro radice fuccisâ majus.
 C.B.P. 127. Leontodon Autumnale. Ang. Autumnal-flowering Meadow-Dandelion.

INMM. Theoph. incert.

IEia. Diofc. Vid. Xamailewr.

- IZia. Theoph. Vid. 1205.
- Ιξινη. Theoph. Vid. Χαμαιλεων.

IZos. Diosc.

- Vifcum baccis albis. C.B.P. 423. Vifcum album. Ang. Miffeltoe.
- Ιον. Diofc. Ιου ποςφυζου, μελα, μελανιου. Theoph.

Viola Martia purpurea flore fimplici odoro. C.B.P. 199. Viola odorata. Ang. Common Violet.

Iov. Theoph. Vid. AEURO10V.

Invov. Theoph. L. IV. c. ii. V. Not.

Lenticula paluftris. C.B.P. 362. Haud inter Spec. Plant. Linn. reperio. Laurus Alexandrina fructu pediculo infidente. C.B.P. 304. Rufcus Hippogloffum. Ang. Broadleaved Alexandrian Laurel.

I P

Ιπποσελινον. Theoph. Vid. Σμυρνιον. Ιππουρις. Diofc.

- 1. Equifetum paluftre longioribus fetis. C.B.P. 15. Equifetum fluviatile. Ang. River Horfe-tail?
- 2. Equifetum pratenfe longiffimis fetis. C.B.P. 16? Vix à priore differt.

Ιπποφαες. Diofc.

Hippophaës quibufdam, feu fpina purgatrix. C.B.P. 293. Forfan Hippophae Rhamnoïdes. Sed q? Alii cenfent effe Rhamnum catharticum folio oleæ. C.B.P. 478. Rhamnus oleoïdes. Sed q?

Ιπποφαιςον, Diolc.

Carduus stellatus foliis papaveris erratici. C.B.P. 387. Centaurea calcitrapa. Ang. Common Star-Thiftle?

Ieis. Diofc.

1. Ιλλυφικη. Iris Illyrica. C.B.P. 31. Haud inter Spec. Plantar. Linnæi hujus Synonymum reperio.

2. Manedoving incert.

3. AlGurn. Iris alba florentina. C.B.P. 31. Iris florentina. Ang. White flowered flower De Luce.

Ieis ayeia. Theoph.

Gladiolus fœtidus. C.B.P. 30. Iris fœtidiffima. Ang. Stinking Gladwin.

N.B. Εφημερον ita vocatur. Ισατις. Diofc.

1. Ifatis fativa, vel latifolia. C.B.P.

 I 13. Ifatis tinctoria. Ang. Woad.
 Αγρια. Ifatis fylveftris, vel anguftifolia. C.B.P. 113. Ifatis tincto-

ria β . Ang. A Variety of the former.

Ισοπυρον. Diofc.

Aquilegia fylvestris. C.B.P. 144. Aquilegia vulgaris. Ang. Common Columbine?

IToos. Theoph.

Groffularia fimplici acino, vel Spinofa fylveftris. C.B.P. 455. Ribes uva crifpa. Ang. Common Goofberry.

Ioxaupos. Theoph.

Gramen dactylon angustifolium spicis villosis. C.B.P. 8. Andropogon Ischæmum.

Ισχιας. Diofc. Vid. Aπιος (herba).

Iτεα. Diofc. et Theoph.

- 1. AEURN. Salix alba vulgaris arborefcens. C.B.P. 473. Salix alba. Ang. White Willow.
- Mελαινα. Salix folio amygdalino utrinque virente aurito. C.B.P. 473. Salix amygdalina. Ang. Almond-Ang. leaved Willow.
- 3. Elizan. Salix humilis capitulo fquamofo. C.B.P. 474. Salix helix. Ang. Rofe Willow, five, Yellow dwarf Willow.

Iquov. Theoph.

Afphodelus luteus et flore et radice.

* Reperta à Whelero in Monte Olympo.

C.B.P. 28. Afphodelus luteus. Ang. Yellow King's Spear? Idos. Vid. Kistos.

K

KAKAAIA. Diofc.

Cacalia tomentofa. C.B.P. 198. Tuffilago frigida. Ang. Frigid Colt's-foot.

Kantos. Diofc.

Cinara fpinofa, cujus pediculi efitan-

tur. C.B.P. 383. Cinara Cardunculus. Ang. Cardoon. Sed q?

Καλαμαγρωςις. Diofc.

Gramen arundinaceum fpicâ multiplici. C.B.P. 6. Feftuca elatior. Ang. Tall Fefcue.

Alii cenfent effe Gramen arundinaceum paniculâ molli fpadiceâ majus. C.B.P. 7. Arundo Calamogroftis. Ang. Woolly Reed-Grafs.

Καλαμινθη. Diofc. et Theoph.

- Ορεινοτερα. Calamintha incana Ocymi foliis. C.B.P. 228. Meliffa Cretica. Ang. Cretan Balm.
- Η γληχωνι εοικε. Calamintha pulegii odore, five Nepeta. C.B.P. 228. Meliffa Nepeta. Ang. Catmint-leaved Balm, five, field Calamint.

3. Η εοιπεν ηδυοσμω. Calamintha vulgaris. C.B.P. 228. Melifía Calamintha. Ang. Common Calamint^{*}.

Καλα-

Καλαμος αρωαμτικος. Diofc.

καλαμος ερυθρειος. Dionyf.

Calamus aromaticus Indicus. C.B.P. 17. Andropogon Nardus.

Καλαμος χαρακιας. Theoph.

Arundo vulgaris. C.B.P. 17. Arundo phragmites. Ang. Common Portugal Reed.

Καλαμος Συριγγιας. Diofc.

Arundo fcriptoria atro-rubens. C.B.P. 17.

Haud in Linnæo invenio.

Καλαμος νασος. Diofc.

Καλαμος τοξικος Theoph.

Arundo farcta maxima atro-rubens. C.B.P. 17. In Linnæi oper. haud invenio.

καλλιας. Diofc. Vid. Ανθεμις.

καλυξ. Vid. Αγχουσα.

κανναξις αγρια. Diofc.

Alcea Cannabina. C.B.P. 316. Althæa Cannabina. Ang. Hempleaved Marfh-Mallow.

κανναζις ήμερα. Diofc.

Cannabis fativa. C.B.P. 320. Cannabis fativa. Ang. Hemp.

Kanvos. Diofc.

- Fumaria officinarum, et Diofcoridis. C.B.P. 143. Fumaria officinalis. Ang. Common Fumitory. καππαφις. Diofc. et Theoph.
- Capparis fpinofa fructu minore, folio rotundo. C.B.P. 480. Capparis fpinofa. Ang. Prickly Caper-tree.

Καρδαμαντικη. Vid. 16ερις.

καρδαμις. Vid. καρδαμον.

Kapdaµov. Diosc. et Theoph.

Nasturtium hortense vulgatum. C.B.P. 103. Lepidium fativum. Ang. Common Garden Cress?

KA

Καεδαμωμον. Diolc.

- Grana Paradifi officinarum. C.B.P. 413. Amomum Grana Paradifi. Ang. Greater Cardamom.
- Alii (inter quos eft Cafparus Hoffmannus) cenfent effe Cardamomum fimpliciter in officinis dictum. C.B.P. 414. Amomum Cardamomum. Ang. Leffer Cardamom.

Kapos. Diofc.

- Cuminum pratenfe, Carvi officinarum. C.B.P. 158. Carum Carvi. Ang. Carraway.
- Καρυα Theoph. Καρυα βασιλικη Diofc. Καρυα Περσικη Auctorum.
- Nux juglans, five regia vulgaris. C.B.P. 417. Juglans regia. Ang. Walnut.
- Ut Johannes Bauhinus cenfet, Kaqua, vel Kaquov Theophrafti eft Corylus fativa, fructu albo minore, five vulgaris. C.B.P. 417. Corylus Avellana. Ang. Hazel-Nut.
- Καρυα Πουτικη, vel Λεπτοκαρυα Diofc. Ηρακλεωτικη Theoph.
 - Corylus fativa fructu albo minore, five vulgaris. C.B.P. 417. Corylus avellana. Ang. Hazel-Nut.

Kapuov EuGoinov, Theoph.

Caftanea fativa. C.B.P. 418. Fagus. Cafta 136

Castanea. Ang. Chesnut-tree.

Vide Notas à Bodæo à Stapel in Theophraftum. p. 525. Joh. Bauhinus cenfet effe Nucem juglandem, five regiam vulgarem. C.B.P. 417. Juglans regia. Ang. Walnut. Vide Joh. Bauhini Hift. Plant. L. III.

Karoia. Diofc. Theoph. et Galen.

Cinnamomum, five Cannella Malabarica et Javanenfis. C.B.P. 409. Laurus Caffia. Ang. Woody Caffia.

Kasava, vel Kasavera. Diofc.

Caftanea fativa. C.B.P. 418. Fagus Caftanea. Ang. Chefnut-tree.

Καταναγχη. Diofc.

Holofteum, five Leontopodium Creticum. C.B.P. 190. Plantago Cretica. Ang. Cretan Plantain. Sed q?

Secundum alios est Luteola herba falicis folio. C.B.P. 100. Refeda Luteola. Ang. Dyer's Weed, five, Crimfon Grafs Vetch.

Forfan est Catananche Græca Linnæi quæ in Infula Naxo à Tournefortio reperta fuit.

Kaunahis. Diofc. et Theoph.

Caucalis arvenfis echinata magno flore. C.B.P. 152. Caucalis grandiflora. Ang. Large flowering Baftard Parfley?

Καχλας. Vid. Βεφθαλμον.

Keavwoos. Theoph.

- Carduus vinearum repens folio Sonchi. C.B.P. 377. Serratula arvensis. Ang. Field Saw-wort.
- Κεανωθος ακανθα Theoph. L. IV. c. xi. Groffularia fimplici acino, vel fpinofa fylveftris. C.B.P. 455. Ribes uva crifpa. Ang. Goofberry-tree.

Keyxpog. Diofc. et Theoph.

Milium femine luteo, vel albo. C.B.P. 26. Panicum miliaceum. Ang. Millet.

Κεδρομηλα. Diofc. Vid. Μηλεα Μηδικη. Κεδρος. Diofc. et Theoph.

- Φοινικη. Cedrus folio Cuprefi major, fructu flavescente. C.B.P. 487. Juniperus Phœnicia. Ang. Phœnician Cedar^{*}.
- Aura. Cedrus folio Cupreffi media majoribus baccis. C.B.P. 487. Juniperus Lycia. Ang. Cyprefsleaved Cedar^{*}.
- Mεγαλη. Cupreffo fimilis arbor in Syriâ. C.B.P. 488. Haud invenio inter Species Plantarum Linnæi.
- 4. Συζιακη. Cedrus conifera foliis laricis. C.B.P. 490. Pinus Cedrus. Ang. Cedar of Lebanon.

Κεδρωςις. Vid. Αμπελος λευκη.

Kενταυριον μεγα. Diofc. et Theoph. Centaurium majus folio in lacinias plures divifo. C.B.P. 117. Centau-

rea Centaurium. Ang. Greater Centaury.

Κενταυ-

a Reperta in Infulâ Amorgo à Tournefortio.

^b Whelerus hanc repperit in Peloponneso propè Patras, et in Monte Hymetto, et in Isthmo Corinthi; Tournesortius in Infulâ Naxo.

Kevταυριον το μικρον και λιμναιον. Diofc. Centaurium minus. C.B.P. 278. Gentiana Centaurium. Ang. Leffer Centaury.

Keeavos. Theoph.

Cerafa fativa, rotunda, rubra et acida, quæ nobis Cerafa fativa. C.B.P. 449. Prunus Cerafus. Ang. Cherrytree .

Kepatia. Diosc.

Siliqua edulis. C.B.P. 402. Ceratonia filiqua. Ang. Carob-tree^b.

κερατωνια. Vid. κερατια.

Kepnis. Theoph.

- Populus tremula. C.B.P. 429. Populus tremula. Ang. Afpen-tree.
- Alii cenfent effe filiquam fylvestrem, rotundifoliam. C.B.P. 402. Cercis Siliquastrum. Arbor Judæ. Ang. Judas'-tree.

Kepwvia. Theoph.

Aliquando eandem fignificationem habet ac Kegaria. Aliqui tamen putant effe Caffiam fiftulam Alexandrinam. C.B.P. 403. Caffia fiftula.

Kespov. Diofc.

Betonica purpurea. C.B.P. 235. Betonica officinalis. Ang. Common Betony.

Kylaspos. Theoph.

Celastrus Theophrasti. C.B.P. 477. Hoc synonymum haud inter Spec. Plantar. Linnæi reperitur. Ang. Staff-tree.

Kymaia. Diofc.

KI

- Cerinthe, feu Cynogloffum montanum majus. C.B.P. 258. An fit Cynogloffum Appenninum? Forfan fit Cerinthe flore rubro purpurafcente. C.B.P. 258. Cerinthe major. Ang. Greater Honey-wort? KiGwgiov. Diofc. Vid. Kuaµos Aiyumtios. Kimi. Diofc.
- Ricinus vulgaris. C.B.P. 432. Ricinus communis. Ang. Palma-Chrifti Plant.
- Κιναμωμον. Diofc. Theoph. et Galen. Cinnamomum, five Canella Zeylanica. C.B.P. 408. Laurus Cinnamomum. Ang. Cinnamon-tree.

Kava. Diofc.

Species Graminis in Cilicià nafcentis; incert.

Kipnaia. Diofc.

- Piper Indicum vulgatiffimum.C.B.P. 102. Capficum annuum. Ang. Guinea Pepper?
- Alii putant Kienaiav Diofe. L. IV. Cap. 26. eandem effe ac Mardearoenv. Vid. C.B.P. 168.

KIOTION. Diofc.

- Cirfium maximum Afphodeli radice. C.B.P. 377. Forfan fit Carduus diffectus. Ang. Gentle Thiftle?
- N.B. Uti Hallero placet, Carduus eft caule crifpo. Joh. Bauhin. Hift. Plantarum, Vol. III. p. 9. Carduus crifpus. Ang. Thiftle upon S Thiftle.

Reperta agreftis à Tournefortio propè Cerafunta.-

^b Hanc Whelerus repperit in Monte Hymetto, et propè Megaram.

Thiftle. Vid. Halleri Bibliothec.		
Botan. Vol. I. p. 560.		
Κισσανθεμου. Vid. Κυκλαμινος.		
KITTOS. Diofc. KITTOS. Theoph.		
I. AEUROS. Hedera arborea. C.B.P.		
305. Hedera helix. Ang. Common		
Ivy.		
2. MELac. Hedera poëtica. C.B.P.		

- B.P. 2. Ma 305. Hedera helix β .
- 3. EXig. Hedera major sterilis. C.B.P. 305. Hedera helix γ .

Κισσοφυλον. Vid. Κυκλαμινος.

K1505, vel K10005. Diofc. et Theoph.

- 1. Appy. Ciftus mas folio rotundo hirfutifimo. C.B.P. 464. Ciftus pilofus. Ang. Hairy-leaved Rock-Rofe.
- 2. Onleia. Ciftus formina folio falviæ. C.B.P. 464. Ciftus falvifolius Ang. Sage-leaved Rock-Rofe.
- 3. Andov. Ciftus ladanifera Hispanica incana. C.B.P. 467. Ciftus ladaniferus. Ang. Gum-Ciftus Rock-Rofe^{*}.

Aliis videtur effe Ciftus ledon Cretenfe. C.B.P. 467. Ciftus Creticus.

KITPION. Vid. Mylea Mydiny.

Kizopeiov. Theoph. Vid. Sepis.

Kληθρα. Theoph.

Alnus rotundifolia glutinofa viridis. C.B.P. 428. Betula Alnus glutinofa a. Ang. Glutinous roundleaved Alder.

KAyna. Diofc. Vid. Πιτυουσα. Κληματις. Diofc.

Clematis Daphnoides minor. C.B.P.

301. Vinea minor. Ang. Small Periwinkle.

KN

KAnuatitis. Diofc.

Clematitis fylvestriś latifolia. C.B.P. 300. Clematitis Vitalba. Ang. Virgin's Bower.

KALGADIOV. Diofc. Vid. ENELVY.

Κλινοποδιον. Diofc.

Clinopodium Origano fimile. C.B.P. 224. Clinopodium vulgare. Ang. Great Wild Bafil?

KAUGaris. Theoph. Vid. EXENN.

KAUMEVOV. Diofc. et Theoph.

- Caltha vulgaris. C.B.P. 275. Calendula officinalis. Ang. Common Marygold.
- N.B. Ut alii cenfent, Lathyrus eft pedunculis bifloris cirrhis .polyphyllis ftipulis dentatis. 'Hort. Cliffort. 368. Lathyrus Clymenum. Vid. Theoph. p. 919. Not. KNEWPON. Theoph.
 - 1. AEUROV. Thymelææ affinis, facie externâ. C.B.P. 463. Daphne Cneorum. Ang. Narrow-leaved Daphne[°].

2. MELav. incert.

Κνικιου. Vid. Τριφυλλου.

KVIROS, vel KVIROS. Diofc. et Theoph.

1. Huseos. Diofc. et Theoph. Cnicus fativus, five Carthamus officinarum. C.B.P. 378. Carthamus tinctorius. Ang. Bastard Saffron.

2. Aypia. Cnicus fylvestris hirfutior. C.B.P. 378. Centaurea Benedicta. Ang. Bleffed, five, Holy Thiftle.

KoiE.

^a Reperta à Whelero in Montibus Olympo et Hymetto, et à Tournefortio in Monte Idâ.

^b Repertum à Whelero in Monte Hymetto.

Koig. Theoph.

- Lithofpermum arundinaceum.C.B.P.
 - 258. Coïx lacryma Jobi. Ang. Job's Tears.
- Kornos Baquen. Diofc. Vid. nouvos.
- Konnuunhea. Diofc. et Theoph.
 - Prunus. C.B.P. 443. Prunus domeftica. Ang. Plumb-tree.
- Sed de Kozzuµnλez Theophrafti non fatis liquet.
- Konnupilsa. Theoph. III. 16.
 - Cotinus. C.B.P. 415. Rhus Cotinus. Ang. Venice Sumach. Sed quære. Vide etiam Notas in Theophraftum. p. 246.
- N.B. Alii legunt Κοκκονηλεια. Vid. Joh. Bauhin. Hiftor. Plant. Vol. I. p. 494.
- Колокинва. Diofc. L. II. C. 162.
- Cucurbita major feffilis flore albo. C.B.P. 312. Haud invenio inter Linnæi Synonyma.
- Koλonuvθis. Diofc. et Theoph.
- Colocynthis fructu rotundo major. C.B.P. 313. Cucumis Colocynthis. Ang. Colocynth.

Κολουτεα περι την Ιδην. Theoph.

Berberis dumetorum. C.B.P. 454. Berberis vulgaris. Ang. Barberry?

Κολουτεα περι Λιπαραν. Theoph.

Colutea veficaria. C.B.P. 396. Colutea arborefcens. Ang. Bladder Sena.

N.B. Ab aliis putatur effe filiqua fylvestris rotundifolia. C.B.P. 402.

Cercis filiquastrum. Ang. Arbor Judæ Plant.

Kozxinov. Diofc.

Colchicum commune. C.B.P. 67. Colchicum Autumnale. Ang. Colchicum, five, Meadow Saffron.

Komapos. Theoph.

Arbutus folio ferrato. C.B.P. 460. Arbutus unedo. Ang. Strawberrytree^{*}.

Kovvagos. Athenæi.

Oenoplia non fpinofa. C.B.P. 477. Forfan Rhamni fpecies? Vid. Cluf.

Hift. Plant. rarior. p. 27.

- Koruća. Diofc. et Theoph.
 - Αξξην. Theoph. μειζων. Diolc. Conyza mas. C.B.P. 265. Erigeron vifcofum. Ang. Great fweet Flea-bane.
 - Θηλεια. Theoph. μικρα. Diofc. ConyzafæminaTheophrafti,minor Diofcoridis. C.B.P. 265. Erigeron graveolens. Ang. Small true Fleabane.
 - 3. Conyza media Afteris folio luteo, vel tertia Diofcoridis. C.B.P. 265. Inula dyfenterica. Ang. Middle Flea-bane.

Kopiov, vel Kopiavvov. Diofc.

Coriandrum majus. C.B.P. 158. Coriandrum fativum. Ang. Coriander.

Kopiov. Vid. Ymepinov.

Kopis. Diofc.

\$ 2

Coris lutea. C.B.P. 285. Hypericum Coris^b.

Kopno-

a Reperta à Whelero in Monte Pentelico.

^b Reperta à Whelero in Infulâ Zacyntho, hodie Zante, et in Monte Hymetto,

Kognogos. Diofc. et Theoph.	Kearayoz. Theoph.
Anagallis phœniceo flore. C.B.P.	Mefpilus apii folio non fpinofa,
252. Anagallis arvenfis. Ang. Blue	feu Sorbus torminalis. C.P.B. 454.
hardy Pimpernel?	Cratægus torminalis. Ang. Wild
N.B. Aliqui cenfent effe Speciem	Service-tree.
Mercurialis.	Κρανια. Diofe. Κρανεια. Theoph.
Kopvavov. Theoph. Vid. Kopiov.	Cornus fylvestris mas. C.B.P. 446.
Kogwvomos. Diofc. et Theoph.	Cornus mas. Ang. Cornelian Cher-
Coronopus hortenfis. C.B.P. 190.	no ry. europen a maximum al bor
Plantago Coronopus β . Ang.	Кратаюуочоч. Theoph. Vid. Пригос
Buck's-horn Plantain.	αγρια.
Kosos Agalinos. Diofe.	Κραταιογονον, vel κραταιονον. Diofc. κρα-
Coftus Arabicus. C.B.P. 36. Cof-	ταιος. Theoph.
tus Arabicus. Ang. Arabian Coftus.	Melampyrum luteum latifolium.
Kosos Irdinos. incert.	C.B.P. 234. Melampyrum pra-
Κοςος Συριακος. incert.	tenfe. Ang. Meadow Cow-Wheat.
Κοτινος. Theoph. Vid. Αγριελαια.	Kouly. Diofc.
Κοτυληδων. Diofc.	Hordeum polystichon vernum.
1. Cotyledon major. C.B.P. 284.	C.B.P. 22. Hordeum vulgare.
Cotyledon umbilicus. Ang. Navel-	Ang. Common Barley.
wort.	Κριθμον, vel Κριταμον. Diofc.
2. Ereçov. Cotyledon media foliis ob-	Crithmum, five fæniculum mariti-
longis ferratis. C.B.P. 285. Saxi-	mum minus. C.B.P. 288. Crith-
fraga Cotyledon. Ang. Pyramidal	mum maritimum. Ang. Samphire*.
Saxifrage.	Kervov. Theoph. Vid. Asignov.
Keauen. Diole.	Κρινον πορφυρον. Diofc.
1. Huegos. Braffica capitata alba.	Lilium purpureo-croceum majus.
C.B.P. 111. Braffica oleracea ca-	C.B.P. 76. Lilium bulbiferum.
pitata δ .	Ang. Great Orange-Lily.
2. Ayque. Braffica fylveftris Diofco-	Κρινον ποςφυζον. Theoph.
ridis. C.B.P. 112. Haud inter Sy-	Dens canis latiore rotundiore folio.

KP

Πρινος-

3. Θαλασσια. Soldanella, vel Braffica maritima major. C B.P. 295. Convolvulus Soldanella. Ang. Sea Bind-weed.

nonyma Linnæi invenio.

KP

140

K

K

K K

K

Кроко-

C.B.P. 87. Erythronium Dens ca-

nis. Ang. Common Dog's-tooth Violet. Aut forfan, Viola Canina.

Ang. Dog's Violet.

a Keiluss repertum à se in Infula Stenosa testatur Tournefortius. (Scribere, aut voluit Tournefortius, aut certè debuit, Skinofa, quæ meridiem versús è Naxo diftat circiter leucam unam.)

Kponodiaiov. Diofc.

- Carduus fphærocephalus latifolius vulgaris. C.B.P. 381. Echinops fphærocephalus. Ang. Globe Thiftle. Sed q? Ab aliis cenfetur effe Centaurea Crocodylium. Ang. Great-headed Centaury.
- Keonos. Diofc. et Theoph.
- Crocus fativus. C.B.P. 65. Crocus fativus. Ang. Saffron-Crocus^a. Sed q?
- Kpounuov. Diofc. et Theoph.
- Cepa vulgaris. C.B.P. 71. Allium Cepa. Ang. Onion.
- Κρομμυου Ασκαλονιου, vel Σητανιου. Theoph.
- Cepa sterilis. C.B.P. 72. Allium Afcalonicum. Ang. Scallion, five, Efcallion.
- Keotwv. Diofc. Vid. Kins.

Kuapos. Galen.

Vicia fativa vulgaris femine nigro. C.B.P. 344. Vicia fativa. Ang. Common Vetch. Sed q?

Kuamos. Diofc.

1. Ελληνικος. Faba. C.B.P. 338. Vicia Faba. Ang. Common Garden Bean.

2. Αιγυπβιος. idem ac Ελληνικος.

Κυαμος Αιγυπτιος. Theoph.

- Colocafia, five Faba Ægyptia Veterum. C.B.P. 196. Arum Colocafia. Ang. Greater Arum.
- Kuδωνια μηλεα. Diofc. Galen. et Theoph.

Malus cotonea fylveftris. C.B.P.

² Repertus à Whelero in Monte Parnaffo,

435. Pyrus Cydonia. Ang. Quincetree.

KURAAMINOS. Diofc. et Theoph.

- Omnes in Cafp. Bauhini Pinace referent ad Cyclamen Europæum, Ang. Autumnal Sow-bread^b.
- κυμβαλιον. Vid. Κοτυληδων.
- Kupawov. Diofc. et Theoph.
 - Ημερον. Cuminum femine longiore. C.B.P. 146. Cuminum Cyminum. Ang. Cummin. Sed q?
 - 2. Ayquov. Cuminum fylvestre capitulis globofis. C.B.P. 294. Lagoecia Cuminoïdes.
 - N.B. Κυμινον Αιθιοπικον, a Diofcoride recenfitum, quidam putant effe Cuminum femine rotundiore et minore. C.B.P. 146. Pimpinella Anifum. Ang. Anife.
- Κυναγχον. Vid. Αποκυνον.

Kuvia. Diofc. Vid. Kuvongauly.

Κυνογλωσσον. Diofc.

Cynogloffum majus vulgare. C.B P. 257. Cynogloffum officinale. Ang. Hound's Tongue.

Kuvonpauln. Diofc.

Cynocrambe Diofcoridis. C.B.P. 122. Theligonum Cynocrambe. Ang. Dog's Mercury.

N.B. Anonuvov aliquando ita vocatur.

κυνομορον. Vid. Αποκυνον.

кихоробох. Vid. Кихоо Сатоз.

Kuvoo Gatos. Diolc.

Rofa fylveftris vulgaris flore odorato incarnato. C.B.P. 483. Rofa canina. Ang. Dog-Rofe.

Kuvoy.

^b Repert. à Whelero in Monte Hymetto.

Kuvoy. Theoph.

- Pfyllium majus erectum. C.B.P. 191. Plantago Pfyllium. Ang. Flea-wort.
- Alii cenfent effe Pfyllium majus fupinum. C.B.P. 191. Plantago Cynops. Ang. Shrubby Plantain.

Κυπαρισσος. Diofc. et Theoph.

Cupreflus. C.B.P. 488. Cupreflus femper virens. Ang. Upright Cyprefs.

Kunzeipos. Diofc. et Theoph.

- Diofc. et Theoph. Cyperus odoratus radice longâ, five Cyperus officinalis. C.B.P. 14. Cyperus longus. Ang. Sweet Cyperus, vel, Englifh Galingale.
- 2. Ivdinos. Diofc. Cyperi genus ex Indiâ. C.B.P. 37. Curcuma rotunda. Ang. Round Turmeric.

Kυπρος. Diolc. Liguítrum Germanicum. C.B.P.

475. Ligustrum vulgare. Ang. Common Privet?

KUTIJOS. Diofc. et Theoph.

Barba Jovis linariæ folio, flore luteo parvo. Tournefort. Coroll. 44. Anthyllis hermania. Secundum alios eft Cytifus incanus filiquis falcatis. C.B.P. 389. Medicago arborea. Ang. Shrubby Moon Trefoil, vel, Tree Lucerne.

Kumanov. Theoph.

Nux moschata fructu rotundo. C.B.P. 407. Myristica officinalis. Ang. Nutmeg-tree. Vid. Joh. Bauhini Hift. Plantar. Lib. III. Sed q? Ab aliis cenfetur effe Caryophyllus aromaticus fructu oblongo. C.B.P. 410. Caryophyllus aromaticus. Ang. Clove-tree?

Kaveiov. Diofc. et Theoph.

Cicuta major. C.B.P. 160. Conium maculatum. Ang. Hemlock.

Λ

ΛΑΓΩΠΟΥΣ. Diofc.

Trifolum arvense humile spicatum, five Lagopus. C.B.P. 328. Trifolium arvense. Ang. Hare's-Foot Trefoil.

Λαγωπυçον. Hippoc. Vid. Λαγωπους, Ααθυρις. Diofc.

Lathyris major. C.B.P.293. Euphorbia Lathyris. Ang. Greater oppofite-leaved biennial Spurge.

Λαθυρος. Theoph.

Lathyrus fativus flore fructuque albo. C.B.P. 343. Lathyrus fativus. Ang. Cultivated Chichling Vetch. Aaraen. Theoph.

Cerafo affinis. C.B.P. 451. Prunus Mahaleb. Ang. Perfumed Cherry. Λαμψανη. Diofc.

Rapiftrum flore luteo. C.B.P. 95. Sinapis arvenfis. Ang. Field Muftard.

 Alii cenfent effe Rapistrum flore albo lineis nigris depicto. C.B.P. 95.
 Raphanus Raphanistrum. Ang.
 Bastard Radish.

Λαπα-

Aanabov. Diofc. et Theoph.

- 1. Οξυλαπαθου. Diofc. Lapathum folio acuto plano. C.B.P. 115. Rumex acutus. Ang. Sharp-pointed Dock.
- Κηπευτον. Diofc. Lapathum hortenfe folio oblongo. C.B.P. 114. Rumex patientia. Ang. Garden Patience.
- 3. Ayquor. Diofc. et Theoph. Acetofa rotundifolia hortenfis. C.B.P. 114. Rumex fcutatus. Ang. French Sorrel.
- 4. Οξαλις. Acetofa pratenfis. C.B.P. 114. Rumex acetofa. Ang. Meadow Sorrel. Sed q?
- 5. Ιππολαπαθον. Diofc. vel
- Λαπαθον ημερον. Theoph.
- Lapathum hortenfe latifolium. C.B.P. 115. Rumex Alpinus. Ang. Monk's Rhubarb.
- N.B. Alii cenfent effe Lapathum aquaticum folio cubitali. C.B.P. 116. Rumex aquaticus. Ang. Great Water Dock.

AEILLWVIOV. Diofc.

Limonium maritimum majus. C.B.P. 192. Statice Limonium. Ang. Common great Sea Lavender^{*}. Sed quære?

Λειμωδωρου. Theoph. Vid. Οξοδαγχη. Λειριου. Theoph.

Lilium album flore erecto, et vulgare. C.B.P. 76. Lilium candidum. Ang. Common white Lily.

- Λειριον ετερον, vel Ναρκισσος. Theoph. VI. 6.
 - Colchicum luteum majus. C.B.P. 69. Amaryllis lutea. Ang. Yellow Autumnal Lily. Clufius cenfet effe Narciffum Perficum. Clufii Rar. Plantar. Hift. 163.

AEIXAN. Diofc.

Lichen petræus latifolius, feu Hepatica fontana. C.B.P. 362. Marchantia polymorpha. *Ang*. Common Marchantia.

Aspeva. Theoph.

- Lenticula palustris quadrifolia. C.B.P. 362. Marsilea quadrifolia.
- Ang. Four-leaved Marfilea. Sed q? Λεοντικη. Diofc. Vid. Κακαλια.

Λεοντοπεταλον. Diofc.

Leontopetalon. C.B.P. 324. Leontice Leontopetalon. Ang. Decompound-leaved Leontice, vel, Lion's-Leaf^b.

Λεοντοποδιον. Diofc.

- Gnaphalium Alpinum, magno flore, folio oblongo. C.B.P. 264. Filago Leontopodium. Ang. Lion's-Foot. Λεπιδιον. Diofc.
 - Lepidium latifolium. C.B.P. 96. Lepidium latifolium. Ang. Broadleaved Pepper-Wort.

Λευκακανθα. Diofc.

- Carduus stellatus luteus, foliis cyani.
- C.B.P. 387. Centaurea Solftitialis. Ang. St. Barnaby's Thiftle.

N.B. Φαλαγγιον ita vocatur.

Λευκαν-

* Repertum à Whelero in Infulà Teno. Sed q?

Repertum à Whelero in Monte Hymetto.

Λευκανθεμον. Vid. Παρθενιον et Ανθεμις. officinalis. Ang. Common Rofe-Λευκανθον. Vid. Οινανθη. mary. Aryousikov. Galeni. Aryusikov. Diofc. AEURAG. Diofc. Fragariæ affinis fericea incana. Ligufticum, quod Sefeli officinarum. C.B.P. 162. Laferpitium Siler. C.B.P. 327. et Prodromi. L. VII. 15. Potentilla fubacaulis. Ang. Ang. Common Hart-wort. Nearly-stemless Cinquefoil. Λιθοσπερμον. Diofc. AEURN. Theoph. Litholpermum arundinaceum. Populus alba. C.B.P. 429. Populus C.B.P. 258. Coïx Lacryma Jobi. alba. Ang. White Poplar. Ang. Job's Tears. Alii cenfent effe Lithospermum majus erectum. AEUMOION. Theoph. Leucoium Culbofum vulgare. C.B.P. C.B.P. 258. Lithofpermum officinale. Ang. Gromwell. 55. Leucoium vernum. Ang. Great Λιμναιον. Vid. Κενταυριον μικρον. Spring Snow-drop. AEUROLOV. Diofc. Anvo Lusis. Diofc. Leucoium luteum vulgare. C.B.P. 1. Θηλεια. Mercurialis fpicata, vel fæmina. C.B.P. 121. 202. Cheiranthus Cheiri. Ang. Wall-Flower. 2. Appyv. Mercurialis tefticulata, five Albavoc. Diofc. mas. C.B.P. 121. Ambæ funt, Mercurialis annua. Ang. Spiked Arbor thurifera Theveto. C.B.P. 399. Haud inter Species Plantar. French Mercury, vel, Dog's Mer-Linnæi invenio. cury. AlCarwiris. Theoph. Awodeus. Vid. Xanaideus. 1. Aκαρπος. Libanotis minor apii ALVON. Diofc. Linum fativum. C.B.P. 214. Linum folio. C.B.P. 157. Athamanta Libanotis. Ang. Mountain Stone ufitatiffimum. Ang. Common Flax. Λινοσπαρτον. Theoph. Parfley. Gramen sparteum, particulà comosà. 2. Kapminos. Liguiticum vulgare. C.B.P. 157. Liguiticum Levifti-C.B.P. 5. Stipa tenaciffima. Ang. cum. Ang. Common Lovage. Most tenacious Spanish Feather-Grafs. AIGANWTIG. Diofc. L. III. C. 87. Kagminos. Libanotis ferulæ folio, fe-Λοβος. Vid. Σμιλαξ κηπαια. mine angulofo. C.B.P. 158. Ca-AOYXITIS. DIOIC. 1. Lonchitis afpera. C.B.P. 359. chrys Libanotis. Polypodium Lonchitis. Ang. Grea-ALGANWTIG. Diofc. L. III. C. 89. ter rough Spleen-wort. Rofmarinus hortenfis anguitiore folio. C.B.P. 217. Rofmarinus 2. ETEPa. Lonchitis minor. C.B.P. 359.

144

359. Ofmunda fpicans. Ang. Leffer rough Spleen-wort.

Aouqa. Vid. Apov.

Auyos. Vid. Ayvos.

AURION. Diofc.

Lycium buxi folio. C.B.P. 478. Lycium barbarum. Ang. Box-Thorn.

AUXOUIS. Diofc.

Lycopfis. C.B.P. 255. Echium Italicum. Ang. Italian, five, Wall Viper's Buglofs.

Λυρον. Vid. Αλισμα.

Λυσιμαχιον. Diofc.

Lyfimachia lutea major. C.B.P. 245. Lyfimachia vulgaris. Ang. Common yellow loofe Strife, *five*, Willow herb.

Αυτρον. Vid. Λυσιμαχιον.

Auxus. Theoph.

Lychnis hirfuta flore coccineo, major. C.B.P. 203. Lychnis Chalcedonica. Ang. Scarlet Lychnis.

Auxvis. Diofc.

Στεφανωματικη. Lychnis coronaria.
 C.B.P. 203. Agrostemma coronaria.
 ria. Ang. Rose Campion.

2. Ayera. eadem ac Theoph.

Awros. (herba) Diofc. et Theoph.

- 1. Hµsegos. Diofc. Lotus hortenfis odora. C.B.P. 331. Trifolium cæruleum. Ang. Blue Trefoil.
- 2. Ayeus. Diosc. Melilotus officinarum Germaniæ. C.B.P. 331. Trifolium officinale. Ang. Common Melilot. Sed q? Uti Salmasio pla-

cet, Arundo Saccharifera (C.B.P. 18. Saccharum officinarum. Ang. Sugar Cane) intelligitur per Λωτος αγφια. De Homonymis Hyles Iatricæ. p. 6.

3. Aryun los. Diolc. et Theoph.

- Nymphæa albo major. C.B.P. 193. Nymphæa lotus.
- Awros. (arbor) Diofc. et Theoph.

Lotus fructu cerafi. C.B.P. 447. Celtis auftralis. Ang. South Europæan ovate-leaved Nettle Tree.

Zizyphus rutila. Clufii Rar. Plant. Hift. pag. 28. Zizyphus fylveftris. Ang. Rhamnus Lotus.

M

MATTAAPIE. Theoph.

Incerta, fed Laferpitio affinis effe videtur.

Manee. Diofc.

Macer et Macir, Talifafar radicis Cortex. C.B.P. 408. Sed inter Spec. Plant. Linn. haud invenio. Μαλαβαθρον. Diofc.

Cadegi Indi, id eft folium Indum Arabibus. C.B.P. 410. incert.

Μαλακοκισσος. Geopon. incert.

Malaxn. Diofc. et Theoph.

 Κηπευτη. Malva rofea folio fubrotundo. C.B.P. 315. Alcea rofea. Ang. Common Holly-Hock.

т

2. Xep-

Λωτος. (arbor) Athenæi. L. XIV. fub finem.

 Σεφσαια. Diofc. et Theoph. Malva fylvestris folio rotundo. C.B.P. 314. Malva rotundifolia. Ang. Dwarf Mallow^{*}.

Μαλιναθαλλη. Theoph.

Cyperus rotundus esculentus angustifolius. C.B.P. 14. Cyperus esculentus.

Mardeayopos, vel Mardeayopn. Diofc.

1. Μελας και θριδακιας. Mandragora fructu pyri. C.B.P. 169.

 Λευκος και αρρην. Mandragora fructu rotundo. C.B.P. 169. Ambæ videntur effe Atropa Mandragora. Ang. Mandrake.

Mardeayoen. Theoph.

Solanum melanocerafus. C.B.P. 166. Atropa Belladonna. Ang. Deadly Night-Shade^b.

Mapalpov. Diofc.

- Fœniculum vulgare Germanicum. C.B.P. 147. Anethum fœniculum γ. Ang. Common Fennel.
- 2. Αγριον, vel Ιππομαραθρον. Fæniculum fylvestre. C.B.P. 147. Anethum fæniculum δ. Ang. Another Variety of the Fennel kind.
 - N.B. Alii putant effe Daucum montanum multifido brevique folio. C.B.P. 150. Sefeli Hippomarathrum. Ang. Horfe-Fennel.

Mapov. Diofc.

Majorana vulgaris. C.B.P. 224. Origanum Majorana. Ang. Sweet Marjoram.

- Reperta à Whelero in Infulâ Corcyrâ.

Μαχαιρωνιον. Diofc. Vid. Ξιφιον. Μελαμποδιον. Vid. Ελλεβορος μελας. Μελαμπυρον. Theoph.

Melampyrum purpurascente comâ.

C.B.P. 234. Melampyrum arvenfe. Ang. Cow-Wheat with purple Tops.

Μελανθεμον. Vid. Ανθεμις.

Μελανθιον. Diofc. et Theoph.

Nigella arvenfis cornuta. C.B.P. 145. Nigella arvenfis. Ang. Devil in a Bufh.

Μελανοσπερμον. Hippoc. Vid. Μελανθιον. Μελια. Diofc. et Theoph.

- τψηλος. Fraxinus excelfior. C.B.P. 416. Fraxinus excelfior. Ang. Common Afh-tree.
- 2. Ταπεινοτερα. Fraxinus humilior, five altera Theophrasti minore et tenuiore folio. C.B.P. 416. Fraxinus Ornus. Ang. Dwarf Europæan Ash-tree.

Μελιλωτος. Diofc. Vid. Λωτος ημερος.

Meλavoç, vel Meλavη. Diofc. et Theoph. Panicum Germanicum, five paniculâ minore. C.B.P. 27. Panicum Italicum. Ang. Italian Panic.

Μελι σιτων. Vid. Λωτος ημερος. Μελισσοφυλλον. Diofc.

Melifia hortenfis. C.B.P. 229. Meliffa officinalis. Ang. Common Balm. Μελιταινα. Theoc. Vid. Μελισσοφυλλον. Μελιτεια. Theoc. Vid. Μελισσοφυλλον. Μεσπιλος, vel Μεσπιλη. Diofc. et Theoph.

I. Apavia.

^b Reperta à Whelero propè Megaram, Sed q²

- 1. Apuvia. Diofc. Mefpilus apii folio laciniato. C.B.P. 453. Cratæ-Poppy. gus Azarolus. Ang. The Azarole, five, Neapolitan Medlar". 2. Επιμηλις. Diolc. Melpilus Germanica folio laurino non ferrato. C.B.P. 453. Melpilus Germanica. Ang. Common Medlar. Megnilos. Theoph. 1. Ανθηδων. Eadem ac Αρωνια. Diofc. 2. Σατανειος, vel Σιτανιος, eadem ac Emilynaus. Diofc. 3. Avenvorions. Melpilus apii folio, fylveftris, fpinofa, five Oxyacantha. Poppy[°]. C.B.P. 454. Cratægus Oxyacantha. Ang. Common Hawthorn. Mydany. Diofc. et Theoph. Trifolium filiquâ cornutâ, five Medica. C.B.P. 330. Medicago fativa. Ang. Lucerne, five, Snail Trefoil ". Mydiny unlea. Dioic. et Theoph. Malus medica. C.B.P. 435. Citrus medica. Ang. Citron. Mydiov. Diofc. five, Meu. Viola mariana laciniatis foliis peregrina. C.B.P. 94. Campanula Medium. Ang. Blue Canterbury Bell. Milos. Theoph. Mykov. Diofc. et Theoph. 1. Poias. Papaver erraticum majus. C.B.P. 171. Papaver Rhœas. Ang. Double red Poppy. Mopea. Diofc. 2. Κηπευτη. Papaver hortenfe femine albo. C.B.P. 170. Papaver fomni-* Reperta à Tournefortio propè Ancyram, hodiè Angora.
 - ^b Reperta à Whelero in Infulâ Salamine.
 - · Reperta à Whelero in Infulâ Tenedo, et in Monte Hymetto.

ferum. Ang. Double Carnation

- 3. Ayeia. Papaver hortenfe nigro femine. C.B.P. 170. Papaver fomniferum β . Ang. A Variety of the last mentioned.
- 4. Ayeiwreea. Papaver vulgare, cujus Capitula foraminibus hiant, femine incano. C.B.P. 170. Forfan, Papaver Rhœas.
- 5. KEpatitis. Papaver corniculatum luteum. C.B.P. 171. Chelidonium Glaucium. Ang. Yellow horned

6. Appwons. incert.

- Mηλεα. Diofc. et Theoph.
- Malus fylvestris. C.B.P. 433. Pyrus malus. Ang. Apple-tree.
- Μηλωθρος. Diolc. Vid. Αμπελος Λευκη.
- Μηνυανθες. Vid. Τριφυλλου.
- Μηου Αθαμαντικου. Diofc.
 - Meum foliis Anethi. C.B.P. 353. Athamanta Meum. Ang. Spignel,
- Μιλαξ. Vid. Σμιλαξ.
- Miraz. Hefych. Vid. Miros.
- Miliov. Hefych. Vid. Milos.
 - Taxus. C.B.P. 505. Taxus baccata. Ang. Common Yew-tree.

Miven. Vid. Houoguos.

Morus fructu nigro. C.B.P. 459. Morus nigra. Ang. Black Mulberry. Muaypov. Muaypov. Diofc.

148

Myagrum fativum. C.B.P. 109. Myagrum fativum. Ang. Gold of Pleafure.

Μυακανθα. Vid. Ασπαραγος πετραιος. Μυακανθος. Theoph.

Carduus stellatus foliis papaveris erratici. C.B.P. 387. Centaurea calcitrapa. Ang. Star Thistle.

Munns. Diofc. et Theoph.

Fungus in genere.

Μυος ωτα. Diofe.

Echium fcorpioïdes arvenfe. C.B.P. 254. Myofotis fcorpioïdes arvenfis.

Ang. Scorpion-grais.

N.B. Αλσινη ita vocatur.

- Mugian. Diofc. et Theoph.
 - Αγφια. Tamarix altera folio tenuiore, five Gallica. C.B.P. 484. Tamarix Gallica. Ang. French Tamarifc.
- Ημερος. Rhus myrtifolia Belgica.
 C.B.P. 414. Myrtus Gala. Ang. Sweet Gale.

Μυριοφυλλον. Diofc.

Millefolium aquaticum pennatum fpicatum. C.B.P. 141. Myriophyllum fpicatum. Ang. Spiked, *five*, feathered Water-Milfoil.

Alii cenfent effe Millefolium aquaticum umbellatum, Coriandri folio. C.B.P. 141. Phellandrium aquaticum β. Ang. Water-hemlock.
 Μυερα, vel Μυερις. Diofc.

Myrrhis major, vel Cicutaria odorata. C.B.P. 160. Scandix odorata, Ang. Sweet Cicely. Sed q? Mugourn. Diofc. Mugowos. Theoph.

I. Huspos. Diolc.

2. Μελαινα. Diofc.

3. AEURN. Diolc.

4. Openny. Diolc.

- Omnes nonnifi Varietates funt Myrti communis. Ang. Common Myrtle.
- 5. Αγφια. Diofc. Rufcus. C.B.P. 470. Rufcus aculeatus. Ang. Butcher's Broom.

Mupouvoeidns. Diofc.

Κληματιτις ita vocatur.

Mωλυ. Diofc.

Moly angustifolium umbellatum. C.B.P. 75. Allium fubhirfutum.

Ang. White flowering Garlick.

Madu. Theoph.

Moly latifolium liliflorum. C.B.P. 75. Allium magicum.

- Alii putant effe Moly latifolium luteum, odore allii, primum. C.B.P.
 75. Allium Moly. Ang. Yellow Moly.
- Nonnulli putant Μωλυ Diofc. et Theophrafti effe Ornithogalum majus fpicatum, flore albo. C.B.P. 70. Ornithogalum Narbonenfe.

Μωλυζα. Ηippoc.

Allium fativum radice fimplici. C.B.P. 74. Allium fativum. Ang. Common Garlick.

N

ΝΑΠΥ. Diofc. et Theoph. Vid. Σινηπι.

Napdog.

149

- Naçõos. Theoph. Naçõos rayyilis. Diofc.
- Nardus fpuria Narbonenfis. C.B.P. 13. Nardus Gangitis. Ang. Indian Nard.
- Ναρδος αγρια. Vid. Ασαρον et Φου.

Ναρδος Κελτικη. Diofc.

Nardus Celtica Diofcoridis. C.B.P. 165. Valeriana Celtica. Ang. Celtic Nard.

Napdos opeiny. Diofc.

Nardus montana radice olivari. C.B.P. 165. Valeriana tuberofa.

Ναρθηκυια. Theoph. Vid. Ναρθηξ.

Naponz. Diofc. et Theoph. item

Nagenniov. Theoph.

- Ferulago latiore folio. C.B.P. 148. Ferula ferulago. Ang. Broadleaved Giant Fennel. Sed q?
- Alii putant effe Ferulam, folio glauco, femine lato, oblongo. Bauhin. Hift. Plantar. Ferula glauca^{*}.

Ναρκη. Vid. Κενταυριον μεγα.

Nagrioros. Diofc. et Theoph.

- Narciffus albus, circulo croceo, vel luteo. C.B.P. 49. Narciffus poëticus. Ang. Common Narciffus.
- Nagrisoros. Theoph. Lib. VI. Cap. 6. Vid. Asigiov. eregov.

Νευρας. Vid. Ποτηριον.

NEUPOELOng. Vid. AELEWVLOV.

Nypion. Diofc.

Nerion floribus rubefcentibus.

C.B.P. 464. Nerium oleander. Ang. Rofe-Bay^b.

Nuppaia. Diofc. et Theoph.

- 1. Nymphæa alba major. C.B.P. 193. Nymphæa alba. *Ang*. White Water-Lily.
- Αλλη. Diofc. Nymphæa lutea major. C.B.P. 193. Nymphæa lutea. Ang. Yellow Water-Lily.

ZANGION. Diofc.

Lappa minor, five Xanthium Diofcoridis. C.D.P. 198. Xanthium ftrumarium. Ang. Leffer Burdock.

EIQION. Diofe.

Gladiolus utrinque floridus. C.B.P.
41. Gladiolus communis. Ang.
Corn-flag. Aliis videtur effe Iris
bulbofa latifolia caule donata.
C.B.P. 38. Iris Xiphium. Ang.
Bulbous-rooted Iris.

EUNOV. Diofc ..

Goffypium frutescens, femine albo. C.B.P. 403. Goffypium herbaceum. Ang. Herbaceous Cotton Plant.

Eupis. Diofc.

Gladiolus fœtidus. C.B.P. 30. Iris fœtidiffima. Ang. Stinking Gladwin.

OA,

a Hæc in Infulâ Skinofa à Tournefortio reperta eft.

Repettum à Whelero in Infulâ Imbro, et in Monte Hymetto...

0

OA, vel On, vel Oun. Diofc. Theoph. et Galen. I. Appny. Sorbus fylvestris, foliis domesticæ fimilis. C.B.P. 415. Sorbus aucuparia, Ang. Mountain Afh. Sed q? 2. On AEIa. Sorbus fativa. C.B.P. 415. Sorbus domeftica. Ang. True Service T'ree. Obovva. Diofc. Tanacetum, five Flos Africanus major, flore pleno. C.B.P. 132. Tagetes erecta. Ang. African Marygold. Owaven. Flos Vitis ita vocatur. Helych. Owaven. Diofc. Oenanthe apii folio. C.B.P. 162. Oenanthe pimpinelloïdes. Ang. Pimpinel-like Water Drop-wort. Sed q? Owaven. Theoph. Lilium convallium album. C.B.P. 304. Convallaria Maialis. Ang. Lily of the Valley. Οινοθερα. Vid. Οναγρα. Ouros. Theoph. Salix vulgaris rubens. C.B.P. 473. Salix pentandra. Ang. Sweet Willow. Sed q? OLOUA. Geop. Vid. ITEA. Oroseov. Diolc. Holofteum hirfutum albicans minus. C.B.P. 190. Plantago albicans. Ang. Hoary Plantain. Sed q?

Олокшитус. Ніррос.

- Cyperus rotundus esculentus angustifolius. C.B.P. 14. Cyperus esculentus. Sed q?
- Aliis videtur effe Cicutaria bulbofa. C.B.P. 161. Chærophyllum bulbofum.
- Orozowos. Theoph.

Juncus maximus, five Scirpus major. C.B.P. 12. Scirpus lacuftris.

 Alii putant effe Juncum acutum maritimum, capitulis rotundis.
 C.B.P. 11. Scirpus Holoschœnus.
 Ang. Round-headed Bulrush.

Olupa. Diofc.

Secale hybernum, vel majus. C.B.P. 23. Secale cereale hybernum. Ang. Common Rye.

Oµaµazıç. Athenæi.

Sebeftena Domestica. C.B.P. 446. Cordia Myxa.

Ομομηλις. Athenæi. Vid. Αμαμηλις. Ομφαλοκαφπος. Vid. Απαφινη.

Ovayea. Diofc.

Lyfimachia, Chamænerion dicta, latifolia. C.B.P. 245. Epilobium anguftifolium. Ang. Common French Willow, *five*, Rofebay Willow-herb.

OvoGouxis. Diofc.

Polygala vulgaris. C.B.P. 215. Polygala vulgaris β. Ang. White flowering Milk-wort. Aliis videtur effe Onobrychis foliis Viciæ, fructu echinato, major, C.B.P.350. Hedy-

\$ 50

Hedyfarum Onobrychis. Ang. St. Foin Grafs. Aliis præterea videtur effe Onobrychis fpicata, flore purpureo. C.B.P. 350. Aftragalus Onobrychis.

Ovoris. Diofc. Vid. Ovoruz.

Ovonuzos. Theoph.

Carduus fpinofiffimus latifolius fphærocephalus vulgaris. C.B.P. 385. Carduus nutans. Ang. Mufk. Thiftle.

Overpa. Diofc.

Anchusa lutea major. C.B.P. 197. Onosma echioïdes. Ang. Echiumlike erect fruited Onosma, vel, Stone Buglos.

Overis. Vid. Ovarpa.

Ovwors. Theoph. Vid. Avwors.

Οξαλις. Vid. Λαπαθον.

Ožva. Theoph.

Fagus. C.B.P. 419. Fagus fylvatica. Ang. Common Beechtree.

Οξυακανθα. Diofc.

- Oxyacantha Diofcoridis, five Spina acuta pyrifolia. C.B.P. 454. Mefpilus Pyracantha. Ang. Evergreen Thorn.
- A nonnullis putatur Berberis dumetorum. C.B.P. 454. Berberis vulgaris. Ang. Barberry-tree.
- Secundum alios eft Mefpilus apii folio, fylvestris, fpinofa, feu Oxyacantha. C.B.P. 454. Cratægus Oxyacantha. Ang. Hawthorn.

OP

Οξυακανθος. Theoph. Vid. Μεσπιλος ανθηνοειδης.

OEvanavoos. Galen.

Berberis dumetorum. C.B.P. 454. Berberis vulgaris. Ang. Barberrytree.

Ozunedoos. Theoph.

- Juniperus major baccâ rufescente. C.B.P. 489. Juniperus Oxycedrus.
- Ang. Greater Spanish Juniper.
- Οξυμυρσινη. Vid. Μυρσινη αγρια.

Οξυφυλλον. Vid. Τριφυλλον.

Ozuryowog. Diofc.

Juncus acutus capitulus Sorghi. C.B.P. 11. Scirpus mucronatus. Ang. Dagger'd Rufh-grafs.

Opeose Livor. Diofc.

- Apium montanum, folio ampliore. C.B.P. 153. Athamanta Oreofelinum.
- Alii putant effe Chærophyllum fativum. C.B.P. 152. Scandix cerefolium. Ang. Garden Chervil.

Operyavos. Diofc.

- 1. Ηραπλειωτικη. Origanum Heracleoticum. C.B.P. 223. Origanum Heracleoticum. Ang. Greek Origany, vel, Winter Marjoram^{*}.
- 2. Ountris. Origanum Onites. C.B.P. 223. Origanum Onites. Ang. Pot Marjoram.
- Αγφια. Origanum fylvestre. C.B.P.
 223. Origanum vulgare. Ang. Common Marjoram, five, Great. wild Basil.

4. Tea-

a Reperta à Whelero in Infulà Corcyrà.

4. Tearopropervaros. Tragoriganum ferpyllifolium^{*}. C.B.P. 223. Annon eft Thymus Serpyllum? Ang. Lemon Thyme, *five*, Mother of Thyme.

OP

Operyavos. Theoph.

Ι. Λευκη.

152

2. Μελαινα.

Ambæ forlan funt Ogiyavos aygia Diofcoridis.

Oppervov. Diofc.

- Ημεφον. Horminum fativum.
 C.B.P. 238. Salvia horminum.
 Ang. Red-topped Clary.
- 2. Αγριον. Horminum pratenfe, foliis ferratis. C.B.P. 238. Salvia pratenfis. Ang. Meadow Clary? Ορνιθογαλον. Diofc.
 - Ornithogalum umbellatum maximum. C.B.P. 69. Ornithogalum Arabicum. Ang. Arabian Star of Bethlehem.
 - Annon potius est Ornithogalum angustifolium majus floribus ex albo virescentibus? C.B.P. 70. Ornithogalum Pyrenaicum. Ang. Spiked Star of Bethlehem.

OeoGayzn. Diofc. et Theoph.

Orobanche major garyophyllum olens. C.B.P. 87. Orobanche major. Ang. Greater Strangle-weed, vel, Broom-rape.

apolog. Diofc. et Theoph.

Orobus, filiquis articulatis, femine majore. C.B.P. 346. Ervum Ervilia. Ang. Bitter Vetch. Opowr10v. Galen.

Antirrhinum arvense majus. C.B.P. 212. Antirrhinum Orontium. Ang. Least Snap-dragon.

Opula. Diofc. Opulov. Theoph.

- Oryza Indiæ orientali peculiaris. C.B.P. 24. Oryza fativa. Ang. Rice-plant.
- Oexis. Theoph. Kuvos Oexis. Diofc.
 - Cynoforchis latifolia hiante cucullo major. C.B.P. 80. Orchis militaris. Ang. Soldier, five, Man Orchis.
 - Σεραπιας. Orchis fucum referens major, foliolis fuperioribus candidis, et purpurafcentibus. C.B.P. 83. Ophrys infectifera. Ang. Fly,

vel, Bee Orchis. Sed q?

οσμας. Diolc. Vid. Croopa.

Oougus. Diole.

Linaria fcoparia. C.B.P. 212. Chenopodium Scoparia. Ang. Belvidere, *frve*, Summer-Cyprefs.

Aliis videtur effe Linaria vulgaris lutea, flore majore. C.B.P. 212. Antirrhinum Linaria. Sed q?

Oseus, vel Oseua. Theoph.

Oftrya ulmo fimilis, fructu racemofo, lupulo fimili. C.B.P. 427. Carpinus Oftrya. Ang. Hop Hornbeam. Secundum alios eft Oftrya ulmo fimilis, fructu in umbilicis foliaceis. C.B.P. 427. Carpinus Betulus. Ang. Common Hornbeam. Ουιγγον,

2 Repert. à Whelero in Infula Cythera, hodie Cerigo, et in Monte Hymetto.

153

OUIYYOV, vel OUITTOV. Theoph.

Rapum Americanum foliis Bryoniæ. C.B.P. 90. In Linn. deeft.

Οφιοςαφυλου. Vid. Αμπελος λευκη.

Oxun. Theoph. Vid. Axeas.

Oxeos. Theoph.

- 1. Hµssos. Pifum arvenfe. C.B.P. 342. Pifum arvenfe. Ang. Field Pea.
- Αγριος. Ochrus folio integro capreolos emittente. C.B.P. 343.
 Pifum Ochrus. Ang. Lord Anfon's Pea.

11

ΠΑΓΚΡΑΤΙΟΝ. Diofc. Vid. Σκιλλα. Παδος. Theoph.

Cerafus racemofa fylvestris fructu non eduli. C.B.P. 451. Prunus Padus. Ang. Common Bird Cherry.

Παιδερως. Paulaniæ.

Teucrium peregrinum folio finuofo. C.B.P. 247. Teucrium fruticans.

Ang. Tree Germander. Sed q? Παιονια. Diofc.

- Aggην. Pæonia folio nigricante fplendido, quæ mas. C.B.P. 323. Pæonia officinalis mafcula β. Ang. Common Pæony.
 - Θηλεια. Pæonia communis fœmina. C.B.P. 323. Pæonia officinalis fœminea. Ang. Female Pæony.
- Harloupos. Vid. Papros. Spec. 3".

Havanes Xeiguviov. Theoph.

Virga aurea major, vel Doria. C.B.P. 268. Senecio Doria. Ang. Sea Lavender-leaved oriental Groundfel. Sed q?

Παναξ. Theoph.

- 1. Συριακον. Panax pastinacæ folio. C.B.P. 156. Laserpitium Chironium.
- 2. Χειρωνειον. Vid. Πανακες fupra.
- 3. Hoansterov. Panax fphondylii folio.
- C.B.P. 157. Heracleum Panacis^{*}.
- 4. Ασκληπειον. incert. Vid. Notas in Theophrastum. p. 1072.

Παναξ λεπτοφυλλον. Theoph.

Centaurium minus. C.B.P. 278. Gentiana Centaurium. Ang. Leffer Centaury.

Пагаξ. Diofc.

- 1. Ηρακλειον. Panax coftinum. C.B.P. 156. Pastinaca Opoponax. Ang. Gum Parsnep.
- 2. Ασκληπειον. incert. Vid. C.B.P. 158.

3. XEIQUVEION. Vid. fupra.

- Παγκρατιον. Diofc. Vid. Σκιλλα.
- Παπυρος. Diofc. et Theoph.

Papyrus Nilotica, five Ægyptiaca. C.B.P. 19. Cyperus Papyrus. Ang. Egyptian Papyrus.

Παραλιος. Diofc. Vid. Μηκων κερατής. Παρθενιον. Diofc. III. 155

Matricaria vulgaris, feu, fativa. C.B.P. 133. Matricaria Parthenium. Ang. Feverfew.

U

Παρθε-

a Repertum à Whelero in Monte Olympo.

154

Παρθενιου. Diofc. IV. 191. Vid. Ano-Cw515. Παρθενιον λεπτοφυλλον. Ηippoc. Chamæmelum fætidum. C.B.P.134. Anthemis Cotula. Ang. Stinking May-weed. Παρονυχια. Diofc. maritima Anthyllis alfinefolia. C.B.P. 282. Polycarpon tetraphyllon. Πασπαλος. Galen. Vid. Κεγχρος. Πελενικον. Vid. Ηδυσαρον. Πενταπετον. Vid. Πενταφυλλον. Πενταφυλλον. Diofc. et Theoph. Quinquefolium majus repens. C.B.P. 325. Potentilla reptans. Ang. Common Cinquefoil. Πεντοβορου. Diofc. Vid. Παιονια. Πεπερι. Diofc. Galen. et Theoph. 1. MELav. Piper rotundum nigrum. C.B.P. 411. Piper nigrum. Ang. Black Pepper Plant. 2. Mangov. Piper longum orientale. C.B.P. 412. Piper longum. Ang. Long Pepper. 3. AEUROV. Idem ac MELAV. Πεπλιον. Diolc. Vid. Δαφνοειδες. Πεπλιον. Hippoc. Vid. Πεπλις. HETTAIS. Diolc. Peplis maritima folio obtufo. C.B.P. 293. Euphorbia Peplis. Ang. Small purple Sea Spurge. Πεπλος. Diofc. Peplus, five Efula rotunda. C.B.P. 292. Euphorbia Peplus. Ang. Petty Spurge. Πεπων. Diofc. et Theoph. Pepo oblongus. C.B.P. 311. Cu-

curbita Pepo. Ang. Pompion. Secundum alios IIE au Diofcoridis est Anguria Citrullus dicta. C.B.P. 312. Cucurbita Citrullus. Ang. Common Water Melon. Пербиноv. Theoph. Chrondrilla bulbofa. C.B.P. 130. Leontodon bulbofum. Ang. Bulbous Dandelion. Sed q? Περικλυμενον. Diofc. Periclymenum non perfoliatum Germanicum. C.B.P. 302. Lonicera Periclymenum. Ang. Dutch Honeyfuckle. Περισσον. Vid. Ιερα Βοτανη. Περισερεων. Vid. Ιερα Βοτανη. HEQUER. Diofc. et Theoph. Perfea. C.B.P. 441. Laurus Perfea. Ang. Avigato Pear. Sed q? Si nominatur cum Epitheto patriæ adjuncto, ut Περσεα Αιγυπτια; Laurus Perfea intelligi videtur: Sin Epitheton nullum additur, eandem fignificationem habere probabile eft ac Περσικην Μηλεαν. Vid. Notas in Theophraftum, p. 125, 126. Sed q? Περσια. Vid. Περσικη μηλεα. Vid. J. Bauh. Hift. Plant. L. II. Περσικη μηλεα. Theoph. Perlica molli carne, et vulgaris. C.B.P. 440. Amygdalus Perfica. Ang. Peach-tree. N.B. Johannes Bauhinus putat Theophraftum, L. II. intellexiffe, per Περσικην μηλεαν, Malum Medicam. C.B.P. 435. Citrum Medicam. Ang. Citron-tree.

Πετα-

Πετασιτης. Diofc.

- Petafites major, et vulgaris. C.B.P. 197. Tuffilago Petafites. Ang. Greater Common Butter-Bur.
- Πετροσελινον. Diofc.
- Apium Macedonicum. C.B.P. 154. Bubon Macedonicum. Ang. Macedonian Parfley.

Πευκεδανος. Diofc. et Theoph.

Peucedanum Germanicum. C.B.P. 149. Peucedanum officinale a. Ang. Hog's-Fennel, Sulphur-wort, vel, Hareftrong.

Πευκη. Theoph.

- 1. Ημερος. Pinus fativa. C.B.P. 491. Pinus pinea. Ang. Italian Stone Pine.
- Αγφια. 1. Ιδαια. Pinus fylveftris.
 C.B.P. 491. Pinus fylveftris. Ang.
 Wild Pine, five, Pinafter*. 11. Παφαλια. Pinus maritima altera. C.B.P.
 492. Pinus fylveftris β. Anglicè dici poteft, A Variety of the former.

Thyavov. Diofc. et Theoph.

- 1. Ορεινον και αγριον. Ruta fylveftris major. C.B.P. 336. Ruta graveolens. Ang. Rue^b.
- 2. Ημερον και κηπευτον. Ruta hortenfis latifolia. C.B.P. 336. Ang. A Variety of the former.

Timpis. Diosc.

Cichorium fylvestre, vel officinale. C.B.P. 125. Cichorum Intybus. Ang. Wild Succory. N.B. Alii putant effe Carduum stellatum foliis Papaveris erratici. C.B.P. 387. Centaurea calcitrapa. Ang. Star Thistle. Vid. Murray, Apparat. Medicamin. Vol. I. p. 99.

Πισος, vel Πισον. Theoph.

- Μεγα. Pifum majus quadratum.
 C.B.P. 342. Pifum fativum. Ang.
 Garden Pea.
- 2. Mingov. Pifum arvenfe. C.B.P. 342. Pifum arvenfe. Ang. Field Pea.

Пизаниа. Diofc. et Theoph.

Pistacia peregrina fructu racemoso. C.B.P. 401. Pistacia vera. Ang. Pistacia Nut-tree.

Πιτυανθες. Vid. Οξυακανθα.

Πιτυουσα. Diofc.

Tithymalus foliis brevibus aculeatis. C.B.P. 292. Euphorbia Pithyufa. N.B. Cafparus Bauhinus opinari videtur, effe Tithymalum foliis Pini. C.B.P. 292. Sed inter Species Linn. haud invenio.

Πιτυς. Theoph.

- Picea major prima, five Abies rubra. C.B.P. 493. Pinus Abies. Ang. Spruce Fir.
- Πιτυς κωνοφορος, vel φθειροφορος. Theoph. incert.

Πιτυς. Diofc. eadem ac Πευκή. Theoph. Πλατανος. Diofc. et Theoph.

Platanus. C.B.P. 431. Platanus orientalis. Ang. Eastern Planetree.

U 2

Ποα.

^a Reperta à Whelero in Hymetto Monte, et in Ifthmo Corinthiaco.

Repertum à Whelero in Monte Hymetto.

Ποα. Theoph.

156

Gramen pratenfe paniculatum majus, latiore folio. C.B.P. 2. Poa pratenfis. Ang. Great Meadow-Grafs.

Ποθος. Theoph.

- 1. Hyacinthus comofus major purpureus. C.B.P. 42. Hyacinthus comofus. Ang. Great Grape-Hyacinth.
- 2. ETEGOS. Lychnis hirfuta, flore coccineo, major. C.P.B. 203. Lychnis Chalcedonica. Ang. Scarlet Lychnis.
- 3. Deuvus. Clematis cærulea flore pleno. C.B.P. 300. Clematis Viticella. Ang. Virgin's Bower.

Πολεμωνιον. Diofc.

Lychnis fylv. quæ Been album vulgo. C.B.P. 205. Cucubalus Behen. IIohov. Diofc.

 Τευθριον. Polium montanum album. C.B.P. 221. Teucrium Polium. Ang. Poley Mountain. Sed guære?

 Polium angustifolium Creticum. C.B.P. 221. Polium Creticum^{*}.
 Πολυγαλα. Diofc.

Polygala major. C.B.P. 215. Polygala vulgaris. Ang. Common Milk-wort.

Πολυγαλον. Diofc.

Polygala major Maffiliotica. C.B.P. 349. Coronilla juncea. Ang. Rufhleaved jointed podded Colutea. Πολυγονατον. Diofc.

- Polygonatum latifolium vulgare. C.B.P. 303. Convallaria multiflora. Ang. True Solomon's Seal.
- N.B. Alii putant effe Polygonatum latifolium flore majore odoro. C.B.P. 303. Convallaria Polygonatum. Ang. Upright, vel, Sweet fcented Solomon's Seal.

Πολυγονοειδης. Vid. Κληματις. Πολυγονον. Diofc.

- 1. Aggev. Polygonum latifolium. C.B.P. 281. Polygonum aviculare. Ang. Knot Grafs.
- Θηλυ. Equifetum paluftre brevioribus foliis polyfpermon. C.B.P.
 15. Hippuris vulgaris. Ang. Female Horfe-tail.

Поликиприон. Diofc.

Calamintha arvenfis verticillata. C.B.P. 229. Mentha arvenfis. Ang. Field Mint.

Πολυποδιον. Diofc.

- Polypodium vulgare. C.B.P. 359. Polypodium vulgare. Ang. Common Polypody.
- Πολυρριζον. Diofc. Vid. Ελλεβορος μελας, et Πτερις.
- Πολυτριχον. Diofe. Vid. Αδιαντον. Πολυωνυμον. Diofe. Vid. Ελξινη.

Ποταμογειτων. Diofc.

Potamogeton rotundifolium. C.B.P. 193. Potamogeton natans. Ang. Broad-leaved Pond-weed.

Поту-

» Repertum à Whelero in Infulâ Corcyrâ, et in Monte Hymetto.

- Tragacanthæ affinis lanuginofa. C.B.P. 388. Aftragalus Tragacantha β . Ang. Goat's Thorn^{*}. Sed q?
- Πρασιον. Diofc. et Theoph.
 - 1. Marrubium Cardiaca dictum. C.B.P. 230. Leonurus Cardiaca. Ang. Mother-wort.
- 2. Marrubium album vulgare. Ang. Common Hore-hound.

Πρασον. Diofc.

- 1. Κεφαλωτον. Porrum commune capitatum. C.B.P. 72. Allium Porrum. Ang. Leek.
- Αμπελοπgaσov. Porrum fylveftre vinearum. C.B.P. 72. Porrum vineale. Ang. Crow Garlick.
- N.B. Fortaffe fit, Allium fphærico capite, folio latiore, feu Scorodoprafum alterum. C.B.P.74. Allium Ampeloprafum. Ang. Great round-headed Garlick.

Hewos. Diofc. et Theoph.

- 1. Ilex aculeata cocciglandifera. C.B.P. 425. Quercus coccifera^b. Ang. Holm Oak.
- 2. Ayea. Ilex aculeata baccifera folio finuato. C.B.P. 425. Forfan eadem ac prima.

Ποοκοκκιον. Vid. Μηλεα Αρμηνιακη. Προσωπις. Vid. Αρκειον.

Птариял. Diofc.

Dracunculus pratenfis ferrato folio. C.B.P. 98. Achillæa Ptarmica. Ang. Baftard Pellitory, five, Gooletongue.

Πτελεα. Diofc. et Theoph.

 Οξεοπτελεα. Ulmus montana.
 C.B.P. 427. Inter Spec. Linnæi. haud invenio.

2. Ulmus campeftris, et Theophrafti.

- C.B.P. 427. Ulmus campeftris. Ang. English Elm.
- Πτερις et Πτεριον. Diofc.

Filix non ramofa dentata. C.B.P.

358. Polypodium mas. Ang. Male Polypody.

Πτερις νυμφαια. Diofc. Vid. Θηλυπτερις. Πυθιωνα. Diofc.

Incert. forfan Tulipa in genere. Пикиокомои. Diofc.

Succifa glabra. C.B.P. 269. Scabiofa Succifa. Ang. Devil's Bit. Sed q?

Πυξακανθα. Vid. Λυκιον.

Πυξος. Theoph.

Buxus arborefcens. C.B.P. 471.

Buxus femper virens arborefcens. Ang. Box-tree.

Πυρεθρον, Diofc.

Pyrethrum flore bellidis. C.B.P.

148. Anthemis Pyrethrum. Ang. Pellitory of Spain.

Πυρον αγριον. Vid. Χελιδονιον μικρον. Πυρος. Diofc. et Theoph.

Triticum in genere. Species fecundum Theophrastum sunt,

I. Καγχυδίας, vel Καγχρυδίας.

2. Στλεγγυς.

3. AAE-

P.A. Vel Polo

Repertum à Whelero in Monte Parnasso, et a Tournefortio in Monte Idâ.
 Reperta à Whelero in Montibus Hymetto et Parnasso, et a Tournefortio in Infulâ Cretâ.

3. Are Eardperos.

Sed hæ diftinctiones quænam fuerint, haud fatis liquet.

Alia divifio eft hujufmodi.

 Διμαγιος. Hæc forfan Tritici fpecies fit in Moſcoviâ notiflima, et à Bodæo à Stapel in Notis in Theophraftum recognita, p. 934. Videtur effe Triticum Polonicum Linnæi Spec. Plant.

2. Teinenvos. Triticum æstivum. C.B.P. 21. Triticum æstivum. Ang. Summer-Wheat.

N.B. Hugos. Diofc. videtur effe Tguunvos.

Πυρος αχνη, vel αχνησος. Diofe. Vid. Χαμελαια.

P

PA, vel Pnov. Diofc.

Rhaponticum folio Lapathi majoris glabro. C.B.P. 116. Rheum Rhaponticum. Ang. Monk's Rhubarb^{*}.

Pauvos. Diofc. et Theoph.

I. AEURN. Rhamnus fpinis oblongis, flore candicante. C.B.P. 476. Sed inter Spec. Linn. non invenio.

 Mελαινα, Rhamnus tertius flore herbaceo, baccis nigris. C.B.P. 477. Rhamnus lycioïdes. Ang. Clufius's third Buckthorn with an herbaceous flower and black berries. Diofcoridis. Rhamnus folio fubrotundo, fructu compressio. C.B.P., 477. Rhamnus Paliurus. Ang. Christ's Thorn.

Papavis. Theoph.

1. Kopivoia. incert.

 Κλεωναια. Raphanus minor oblongus. C.B.P. 96. Raphanus fativus. Ang. Common Radifh.

3. Λειοθαλασσια. incert.

4. Βοιωτια, vel Θρακια. incert. Vid. Notas in Theoph. p. 768.

Papavis. Diofc.

1. Eadem ac Κλεωναια. Theoph.

Αγεια. Raphanus rufticanus.
 C.P. 96. Cochlearia Armoracia.
 Ang. Horfe Radifh.

Pagavos. Theoph.

- Ουλοφυλλος, vel Ου λειοφυλλος.
 Braffica alba crifpa. C.B.P. 111.
 Braffica oleracea Sabauda ε. Ang.
 Savoy Cabbage.
- 2. Λειοφυλλος. Braffica alba, vel viridis. C.B.P. 111. Braffica oleracea viridis β. Ang. Cole-wort.
- 3. Ayeus. Braffica arvenfis. C.B.P. 112. Haud in Linnæo reperio.
- N.B. Altera fpecies eft Theophrafti, L. VII. C. 4. quæ nullum aut vix ullum femen proferre dicitur. C. Bauhinus putat effe Brafficam caulifloram. C.B.P. 111. Braffica oleracea botrytis. *Ang.* The Cauliflower.

Podra erga. Diofc.

Rhodia radix. C.B.P. 286. Rhodiola

· Repert, à Whelero in Monte Hymetto.

diola rofea. Ang. Rofe-scented Rhodiola, sive, Rose-root.

Posodaquy. Diofc. Vid. Nypion.

Pododevdpov. Diofc. Vid. Nypiov.

Podov. Diofc. et Theoph.

- 1. Rofa rubra. C.B.P. 481. Rofa Gallica. Ang. Red, five, Officinal Rofe.
- Εκατον/αφυλλον. Rofa multiplex media. C.B.P. 482. Rofa centifolia. Ang. Hundred-leaved Rofe.

Podavia. Vid. Podov.

Poia. Diofc. Poa. Theoph.

Malus punica fativa. C.B.P. 438. Punica Granatus. Ang. Pomegranate-tree.

Poia anupyvos. incert.

Poos et Pous. Hippoc. et Theoph.

- Rhus folio Ulmi. C.B.P. 414. Rhus coriaria. Ang. Tanner's Sumach.
- N.B. Down & herba Dioscoridis ita vocatur.

Σ

SAMYTXOE, Diofc. et Theoph. Sampfuchus, five Marum Maftichen redolens. C.B.P. 224. Thymus Maftichina. Ang. Maftich Thyme.

Sage. Theoph.

Papyrus Syriaca, vel Siciliana. C.B.P. 19. Cyperus Papyrus. Ang. Egyptian Papyrus.

Σαεξιφαγον. Diolc.

Serpyllum vulgare minus. C.B.P. 220. Thymus Serpyllum. Ang. Mother of Thyme. Sed quære utrum hæc Vox legitima Diofcoridi adferibi queat.

Σατυριον τριφυλλον. Diofc.

Tulipa præcox lutea. C.B.P. 57. Tulipa Gefneriana. Ang. A Variety of the Tulip kind.

Σατυριον Ερυθρονιον. incert.

Σελινον. Diofc. et Theoph.

Apium hortenfe. C.B.P. 153. Apium petrofelinum. Ang. Parfley.

Σελινον αγριον. Vid. Βατραχιον.

Σερινη. Vid. Ναρδος Κελτικη.

Sepis. Diofc.

Intybus fativa latifolia. C.B.P. 125-Chichorium Endivia. Ang. Endive.

Σερις αγρια. Diofc.

Dens Leonis latiore folio. C.B.P. 126. Leontodon Taraxacum. Ang. Common Dandelion. Vid. Mentzelium.

Σεσελι. Diofc.

- Μασσαλεωτικον. Sefeli Maffilienfe fœniculi folio. C.B.P. 161. Sefeli tortuofum. Ang. Twifted Hartwort of Marfeilles.
- Αιθιοπικον. Sefeli Æthiopium Salicis folio. C.B.P. 161. Bupleurum fruticofum. Ang. Shrubby Hart-wort of Æthiopia.
- 3. Πελοποννησιακον. Sefeli montanum, cicutæ folio, glabrum. C.B.P. 161. Vix liquet an hæc fit Ligufticum Auftriacum. Ang. Auftrian Lovage. Aut forfan potius, Cicutaria latifolia fætida. C.B.P. 161. Ligufticum

ΣI ticum Peloponnefiacum. Ang. Pedoponnefian Lovage. 4. Kontinov. Sefeli Creticum minus. C.B.P. 161. Tordylium officinale. Ang. Hart-wort of Crete. Σευτλον. Vid. Τευτλον. Enwola. Theoph. Betula. C.B.P. 427. Betula alba. Ang. White Birch-tree. Σηρικα. Galen. Vid. Λωτος. Athenæi. Engaun, vel Engauor. Antiq. Sefamum veterum. C.B.P. 27. Sefamum orientale. Ang. Sefame, five, Oily Grain. Σησαμοειδες. Diofc. μικρον και μεγα. An eft Refeda Sefamoïdes? Ildy. Theoph. Interdum eandem habet fignificationem ac Poia, in aliis autem locis Cafparus Bauhinus putat fignificari Althæam paluftrem. C.B.P. 316. Hibifcum paluftrem. Ang. Marsh Althæa.

Lidnoitis. Diole.

1. Hearhsia. Sideritis hirfuta procumbens. C.B.P. 223. Sideritis hirfuta. Ang. Hairy Iron-wort.

2. Pimpinella fanguiforba minor hirfuta. C.B.P. 160. Poterium Sanguiferba. Ang. Common Burnet.

3. incert.

Eneug. Diofc. et Theoph.

1. Huegos. Cucumis fativus vulgaris. C.B.P. 310. Cucumis fativus. Ang. Common Cucumber.

2. Ayeros. Cucumis fylvestris alini-

nus dictus. C.B.P. 314. Momordica Elaterium. Ang. Spurtling Cucumber.

Σιλιγνις. Theoph.

Triticum filigineum. C.B.P. 21. Triticum hybernum. Ang. Winter Wheat.

EILUGON. Diofc.

Carduus albis maculis notatus vulgaris. C.B.P. 81. Carduus marianus. Ang. Milk Thiftle.

Σιλφιον. Dioic. et Theoph.

Laferpitium veterum. C.B.P. 156. LaterpitiumGallicum. Ang. French Laferwort. Forfan fit Ferula Afa fœtida. Ang. Ala fœtida Plant. $\Sigma_{i\nu\eta\pi i}$. Diofc. et Theoph.

Sinapi rapi folio. C.B.P. 19. Sinapis nigra. Ang. Black Muftard.

ELOV. Diofc.

Sion, five Apium palustre foliis oblongis. C.B.P. 154. Sium latifolium β . Ang. Water Parfnep with oblong Leaves.

Σισαρου. Diofc.

Sifarum Germanorum. C.B.P. 155. Sium Sifarum. Ang, Skirret.

SIJUMEPION. Diofc.

1. Mentha rotundifolia paluftris, five aquatica major. C.B.P. 227. Mentha aquatica. Ang. Water Mint.

2. Erepov. Nasturtium aquaticum fupinum. C.B.P. 104. Sifymbrium Nafturtium. Ang. Water Creffes. Alii cenfent effe Nasturtium Alpinum bellidis tolio minus. C.B.P.

Σ Κ	ΣК 161	
<page-header><text><text><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></text></text></page-header>	<page-header><page-header><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></text></page-header></page-header>	
 Reperta à Whelero in Infulâ Corcyrâ. Reperta à Whelero in Infulâ Tenedo, et in Monte Hymetto. 		

- ^b Reperta à Whelero in Infulâ Tenedo, et in Monte Hymetto.
 ^c Repertum à Whelero propè fluvium Caïcum.
 ^d Repert. à Whelero in Monte Hymetto.

nica. C.B.P. 352. Glycyrrhiza	124. Sonchus oleraceus a. Ang.
glabra. Ang. Common Liquorice.	A Variety of the former. Sed de
Σκυταλιον. Diofc. Vid. Κοτυληδων.	utrifque q?
Σμιλαξ. (arbor) Diofc.	Σπαργανιου. Diofc.
Taxus. C.B.P. 505. Taxus baccata.	Sparganium ramofum. C.B.P. 15.
Ang. Common Yew-tree.	Sparganium erectum. Ang. Great
Σμιλαξ. (herba) Diofc.	Bur-weed.
1. Teaxera. Smilax afpera, fructu	Σπαρτιον. Diofc.
rubente. C.B.P. 296. Smilax af-	Spartium arborescens seminibus lenti
pera. Ang. Rough Bind-weed.	fimilibus. C.B.P. 396. Spartium
2. Asia. Convolvulus major albus.	junceum. Ang. Spanish Broom".
C.B.P. 294. Convolvulus fepium.	Σπαρτον. Vid. Σπαρτιον.
Ang. Great Bind-weed.	Σπειραια. Theoph.
3. Κηπαια. Diofc. (L. II. C. 176.)	Frutex fpicatus foliis ferratis falig-
Smilax hortenfis, five Phafeolus	nis. C.B.P. 475. Spiræa falicifolia.
major. C.B.P. 339. Phafeolus	Ang. Willow-leaved Spiræa.
vulgaris. Ang. Scarlet-flowering	Σπλαχνον. Vid. Βρυον.
French-bean.	Σπληνιον. Diofc. Vid. Ασπληνον et Ημι-
Σμιλαξ. (arbor) Theoph.	OVITIC.
Ilex folio rotundo molli modicéque	Strodias. Theoph. Vid. Kornunnhea.
finuato, five Smilax Theophrafti.	Σταφισαγεια. Diofc.
C.B.P. 425. Forfitan Quercus	Staphifagria. C.B.P. 324. Delphi-
coccifera. Ang. The Kermes Oak.	nium Staphifagria. Ang. Staves.
Σμιλος. Vid. Μιλος.	acre, five, Palmated-leaved Istrian
Σμυενιον. Diofc.	Larkípur.
Hippofelinum Theophrasti, vel	Σταφυλη. Diofc.
Smyrnium Diofcoridis. C.B.P. 154.	Groffularia fimplici acino, five fpi-
Smyrnium Olufatrum. Ang. Alex-	nofa fylveftris. C.B.P. 455. Ribes-
anders*.	uva crifpa. Ang. Goofberry. De hâc
Doyxos, vel Doyxov. Diofc. et Theoph.	interpretatione, Vid. Mentzelium.
1. Αγριου και ακαυθωδες. Sonchus af-	Sed q?
per, laciniatus, et non laciniatus.	Σταφυλινος. Galen. et Diofc.
C.B.P. 124. Sonchus oleraceus y.	1. Ayguos. Pastinaca tenuifolia syl-
Ang. Sow Thiftle.	vestris. C.B.P. 151. Daucus Ca-

2. Τουφερον και εδωδιμον. Sonchus lævis laciniatus latifolius. C.B.P.

a Repertum à Whelero propè Smyrnam. b Repertum à Whelero in Infula Zacyntho, hodie Zante.

rota. Ang. Common Carrot. Sed q?

2. Kn TEU-

 κηπευτος. Pastinaca tenuifolia fativa, radice atrorubente. C.B.P. 151. Daucus Carota β. Ang. A Variety of the common Carrot. Σταχυς. Diosc.

Stachys major Germanica. C.B.P. 236. Stachys Germanica. Ang. Bafe Horehound^{*}. Aliis videtur effe Stachys minor Italica. C.B.P. 236. Sideritis Syriaca. Ang. Woollyftalked Bafe Horehound.

Στελεφουρος. Theoph.

Gramen typhoïdes maximum fpicâ longiffimâ. C.B.P. 4. Phleum pratenfe. Ang. Meadow Cat's-tail Grafs.

Στεφανη. Diofc. Vid. Ιππογλωσσον.

Στιχας. Diofc.

Stoechas purpurea. C.B.P. 216. Lavandula Stoechas. Ang. French Lavender^b, *five*, Caffidony.

EroiGn. Diofc. et Theoph.

Stæbe major foliis cichoraceis mollibus lanuginofis. C.B.P. 273. Centaurea Salmantica. Ang. Silver Knap-weed. Aliis videtur effe Poterio affinis foliis Pimpinellæ fpinofa. C.B.P. 388. Poterium fpinofum. Ang. Shrubby Burnet. Fortaffe fit Stæbe incana cyano fimilis tenuifolia. C.B.P. 273. Centaurea Stæbe[°].

Στρατιωτης ποταμιος. Diofc.

Lenticula paluítris Ægyptiaca.

- C.B.P. 362. Piftia Stratiotes. Ang. Water Houfeleek of Egypt.
- Στρατιωτης χιλιοφυλλος. Diofc.
 - Millefolium vulgare album. C.B.P. 140. Achillæa Millefolium. Ang. Yarrow, *five*, Milfoil.
- Alii autem cenfent effe Millefolium tomentofum luteum. C.B.P. 140. Achillæa tomentofa.
- Στρογγυλη. Vid. Γογγυλη.

Στρουθιον. Diofc.

Saponaria lychnidis folio flofculis albis. C.B.P. 206. Gypfophila Struthium.

Στρυχνος. Diofc. et Theoph.

- Κηπαιος. Diofc. Ημερος. Theoph. Solanum pomiferum fructu oblongo. Solanum Melongena. Ang. Egg-Plant.
- 2. Alizazaços. Diofc. Solanum veficarium. C.B.P. 166. Phyfalis Alkekengi. Ang. Winter Cherry.
- 3. Υπνωτικος. Diofc. et Theoph. Solanum fomniferum bacciferum.
 C.B.P. 166. Phyfalis fomnifera. Ang. Shrubby Winter Cherry.
- 4. Marinor. Diofc. et Theoph. Solanum fætidum pomo fpinofo oblongo. C.B.P. 168. Datura Stramonium. Ang. Thorn Apple. Ut nonnulli putant, Solanum eft melanocerafus. C.B.P. 166. Atropa Belladonna. Ang. Deadly Nightfhade. Aliis autem videtur effe Sox 2 lanum

Reperta à Whelero in Monte Hymetto.

Repert. à Whelero in Monte Parnaffo.
 Reperta à Tournefortio in Monte Idâ.

lanum pomo fpinoforotundo,longo flore.C.B.P. 168. Datura. Ang. Metel. Vid. Murray Appar. Med. 456. Στυραξ. Diofc.

Styrax folio mali cotonei. C.B.P.452. Styrax officinalis. Ang. Officinal Storax-tree.

Συζωμον. Diofc. et Theoph.

- 1. Eruca latifolia alba. C.B.P. 98. Braffica Eruca. Ang. Rocket, five, Muftard Cole-wort.
- Αγριον. Eruca fylveftris major lutea, caule afpero. C.B.P. 98. Braffica Erucaftrum. Ang. Wild Rocket.
- Συκαμινεα. Diofc. et Συκαμινος. Theoph. Vid. Μορεα.
- Durn. Diofc. et Galen.
 - Ημερος. Ficus communis. C.B.P. 457. Ficus Carica. Ang. Common Fig-tree.
 - Αγρια και ερινεος. Ficus fylvestris Dioscoridi. C.B.P. 457. Eadem forfan ac ημερος.

- 1. Αιγυπτια. incert.
- 2. Ivdian. Ficus Indica foliis mali cotonei fimilibus, fructu ficubus fimili in Goâ. C.B.P. 458. Ficus Indica. Ang. Indian Fig.
- Eν Κυπρω. Ficus folio Sycomori, fructum non in caudice gerens.
 C.B.P. 459. Haud reperio inter Spec. Linn.
- N.B. Πεπλος, et Χαμαισυκη Diofc. ita vocantur.

Συκη περι την Ιδην. Theoph.

Chamæcerafus Alpina, fructu rubro geminato duobus punctis notato.

C.B.P. 451. Lonicera Alpigena. Ang. Alpine Honeyfuckle

Συπομορον, vel Συπαμινον. Diofc.

Ficus folio Mori, fructum in caudice ferens. C.B.P. 459. Ficus Sycomorus. Ang. Mulberry-leaved Egyptian Fig-tree. Fortafsè eadem fit ac Συκη Αιγυπτια Theophrasti.

Συμφυτον. Diofc.

- Πετραιον. Symphytum confolida major. C.B.P. 259. Symphytum officinale. Ang. Greater Comfrey. Alii putant effeBrunellam majorem, folio non diffecto. C.B.P. 26. Prunella vulgaris. Ang. Self-heal. Forfan fit Symphytum petræum Cam. Epit. 699. Coris Monfpelienfis. Ang. Heath low Pine of Montepelier.
- Ετερον. Symphytum majus, tuberosâ radice. C.B.P. 259. Symphytum tuberofum. Ang. Tuberous-rooted Comfrey.

Συριγξ. Theoph.

Arundo fcriptoria atro-rubens. C.B.P. 17. Haud inter Species Plant. Linn. apparet.

Σφαγνον. Vid. Ελελισφακον.

Σφακελος. Theoph.

Salvia major. C.B.P. 237. Salvia officinalis. Ang. Green Sage. Sed q? Σφενδαμνος. Theoph.

1. Γλεινος. Acer campeftre et minus. C.B.P.

Συκη. Theoph.

165

C.B.P. 431. Acer campeftre. Ang. Common Maple.

 2. Ζυγια. Acer montanum flavum, five crifpum. C.B.P. 431. Forfan, Acer platanoïdes. Aliis videtur effe Oftrya ulmo fimilis, fructu in umbilicis foliaceis. C.B.P. 427. Carpinus betulus. Ang. Hornbeam. Not. in Theoph. pag. 183.

 κλώστεοχος. Acer montanum candidum. C.B.P. 430. Acer pfeudo-platanus. Ang. Sycamore. Nonnulli eandem effe putant ac Γλεινον.

Σφουδυλιου. Diofc.

Sphondylium hirfutum vulgare. C.B.P. 157. Heracleum Sphondylium. Ang. Cow-Parfnep*.

Σχινος. Athenæi.

Scilla esculenta. C.B.P. 73.

EXIVOS. Diofc.

Lentifcus vulgaris. C.B.P. 399. Piftacia lentifcus. Ang. Common Spanish Lentisk, five, Mastichtree^b.

Exerves. Diofc. L. I. 16.

Juncus odoratus, five aromaticus. C.B.P. 11. Andropogon Schænanthus. Ang. Sweet-feented Rufh, five, Camel's Hay.

Exervos. Diofc. L. IV. 52.

1. AEIA. Juncus lævis, paniculâ fparsâ, major. C.B.P. 12. Juncus effufus. Ang. Common Soft-Rush.

- 2. Ožvo Xouvos. Juncus acutus capitulis Sorghi. C.B.P. 11. Juncus acutus. Ang. Hard Sea-Rufh.
- Ολοσχοινος. Juncus maximus.
 C.B.P. 12. Scirpus lacuftris. Ang. Bull-Rufh. Alii cenfent effe Juncum acutum maritimum, capitulis rotundis. C.B.P. 11. Scirpus Holofchænus. Ang. Round-headed Bull-Rufh.

Syowog. Theophin order of soine

1. Οξυς και ακαρπος. eadem ac Οξυσχοινος Diofc.

2. Kapminos. incert.

3. Oroxonvos. eadem ac Diofcoridis.

T

TEAEDION. Diofc. vel THAEDION.

Telephium Diofcoridis. C.B.P. 287.
Ornithopus fcorpioïdes. Ang:
True Orpine of Diofcorides. Alii
putant effe Telephium vulgare.
C.B.P. 287. Sedum Telephium.
Ang. Orpine, five, Live-long.

Aliqui putant effe Sempervivum minus vermiculatum acre. C.B.P. 283. Sedum acre. Ang. Wall Stone Crop.

TEQUIVOOS. Diofc. et Theoph.

Terebinthus vulgaris. C.B.P. 400. Pistacia Terebinthus. Ang. Turpentine-tree[°].

TEQUIV-

- a Repertum à Tournefortio propè Heracleam.
- b Repertus à Whelero in Infulis Delo et Chio, (hodie Scio) et in Monte Hymetto.
- Repert. à Whelero in Inf. Chio, hodie Scio, et Monte Hymetto.

TEQUIVEOS BARTER. Theoph. Vid. IIIsaxia.

Τετραγονον. Hippoc. Vid. Ελλεβορος REUXOG.

Τετραγωνια. Theoph.

Euonymus vulgaris, granis rubentibus. C.B.P. 428. Euonymus Europæus tenuifolius. Ang. Narrowleaved Spindle-tree.

Τετραλιζ. Theoph.

Erica ex rubro nigricans fcoparia. C.B.P. 486. Erica tetralix. Ang. Crofs-leaved Heath.

Τετραπωγων. Vid. Τραγοπωγων.

Τευθρις. Vid. Πολιον.

TEURPION. Diofc.

Teucrium. C.B.P. 246. Teucrium flavum. Ang. Shrubby Germander. Forfan fit Chamædrys spuria major angustifolia. C.B.P. 248. Veronica Teucrium.

TEUTLOV. Diofc. TEUTLIOV. Theoph.

I. MELav. Beta rubra, radice rapæ. C.B.P. 118. Beta vulgaris rubra y. Ang. Red Beet.

2. AEUROV. Beta alba, vel pallescens. C.B.P. 118. Beta vulgaris rubra

Z. Ang. A Variety of the red Beet. Τευτριον. Diofc. Vid. Ερυθροδανον.

TEUXITIS. Vid. EXOLVOS.

Tylis. Diofc.

Fœnugræcum fativum. C.B.P. 348.

Trigonella Fœnum græcum. Ang. Fænugreek.

Tibuparoz. Diolc.

1. Αρεην, χαρακιας, αμυγδαλοειδης. Ti-

thymalus Characias amygdaloïdes. C.B.P. 290. Euphorbia amygdaloides. Ang. Woody Spurge.

- 2. Onlus. Tithymalus myrfinites latifolius. C.B.P. 290. Euphorbia myrfinites. Ang. Dwarf Spurge.
- 3. Παραλιος. Tithymalus maritimus. C.B.P. 291. Euphorbia paralias. Ang. Sea Spurge.
- 4. Ηλιοσκοπιος. Tithymalus heliofcopius. C.B.P. 291. Euphorbia Ang. Sun Spurge, helioicopia. five, Wart-wort.
- 5. Kumapioorac. Tithymalus cypariffias. C.B.P. 291. Euphorbia cyparifias. Ang. Cyprefs-leaved Spurge.
- 6. Devoewons. Tithymalus myrtifolius arboreus. C.B.P. 291. Euphorbia dendroides. Ang. Tree-like Italian Spurge.
- 7. IIλατυφυλλος. Tithymalus arvenfis latifolius Germanicus. C.B.P. 291. Euphorbia platyphylla. Ang. Broad-leaved Spurge.

Τιθυμαλλος. Theoph.

1. Παραλιος. eadem ac Diofcoridis.

2. Αρρην, Φυλλον ελαιωδες εχων. eadem ac prima Diofcoridis.

3. MUETITAS LEUROS. eadem ac fecunda Diofcoridis.

Tiquov. Theoph.

Colchium melino flore. C.B.P. 69. Τορδυλιον. Vid. Σεσελι Κρητικον.

Τραγακανθα. Diofc. et Theoph.

Tragacantha. C.B.P. 388. Aftragalus galus Tragacantha. Ang. Goat's Thorn^{*}.

Tearrow. Diofc.

- Pimpinella faxifraga minor.
 C.B.P. 160. Forfan Sefeli faxifragum.
- 2. Stœchadi ferratæ affinis. C.B.P. 216. Inter Spec. Linn. haud invenio.

Teayomwywv. Diofc. et Theoph.

- Tragopogon pratenfe luteum majus. C.B.P. 274. Tragopogon pratenfe, Ang. Meadow, Greater, Yellow Goat's Beard.
- Alii putant effe Tragopogon purpuro-cæruleum crocifolium.C.B.P. 275. Tragopogon crocifolium.
- Ang. Saffron-leaved purple Goat's-Beard.
- Teayos, vel Teayavos. Diolc.
- Kali fpinofum cochleatum. C.B.P. 289. Salfola Tragus.

Teayos. Hippoc.

Triticum filigineum. C.B.P. 21. Triticum hybernum. Ang. Winter Wheat.

TerGoros. Diofc. et Theoph.

- 1. Evudeos. Tribulus aquaticus. C.B.P. 194. Trapa natans.
- 2. Tribulus terreftris, ciceris folio, fructu aculeato. C.B.P. 350. Tribulus terreftris. Ang. Land Calthrop with a Chich-leaf and prickly Fruit.

Τριμηναιον σιτον. Diofc. et Theoph.

ticum æstivum. Ang. Summer. Wheat.

Teinohiov. Diofc.

Tripolium majus cæruleum. C.B.P. 266. After Tripolium. Ang. Sea Star-wort.

Τριφυλλον. Diofc.

Trifolium bitumen redolens. C.B.P. 327. Pforalea bituminofa, Ang. Three-leaved Pforalea.

N.B. Λωτος ημερος ita vocatur. Τριχομανες. Diofc.

Trichomanes, five Polytrichum officinarum. C.B.P. 356. Afplenium Trichomanes. Ang. Common Maiden-hair.

Tuqn. Diofc. et Theoph.

Typha palustris major. C.B.P. 20. Typha latifolia. Ang. Great Cat's Trefoil.

Τύφη ετερα. Theoph.

Triticum typhinum. C.B.P. 21. Triticum æftivum. Ang. Summer Wheat. Nonnulli putant effe Secale hybernum, vel majus. C.B.P. 23. Secale cereale hybernum. Ang. Common Rye.

N.B. Plures fcribunt hoc vocabulum Tign.

Y

TAKINOOZ. Diofc.

Hyacinthus comofus major purpureus. C.B.P. 42. Hyacinthus comofus. Ang GreatGrape Hyacinth. N.B. Δελ-

· Reperta à Whelero in Inf. Tenedo.

Triticum æftivum. C.B.P. 21. Tri-

N.B. Δελφινιον ετερου ita vocatur. Υδνου. Diofc.

Tubera. C.B.P. 376. Lycoperdon Tuber. Ang. Truffle.

γδροπεπερι. Diolc.

Perficaria urens, feu Hydropiper. C.B.P. 101. Polygonum Hydropiper. Ang. Water Pepper, five, Arfmart.

rookvapos. Diofc.

- 1. Hyofcyamus vulgaris. C.B.P. 169. Hyofcyamus niger. Ang. Black, *five*, Common Henbane.
- Hyofcyamus Creticus luteus major. C.B.P. 169. Hyofcyamus aureus. Ang. Yellow Spanish Henbane.
- Hyofcyamus albus major. C.B.P. 169. Hyofcyamus albus. Ang. White Henbane.

Υπερικον. Dioic.

Hypericum vulgare. C.B.P. 279. Hypericum perforatum. Ang. Common St. John's-wort.

Υπηκοον. Diolc.

Hypecoum. C.B.P. 173. Hypecoum procumbens.

Yarvov. Vid. Bevov.

Υποφεων. Vid. Υπηκοον.

Υσοβριον. Vid. Μαρον.

Υσσωπος. Diofc. et Hippoc.

Hyffopusrotundifolia fpicata. C.B P. 218. Hyffopus officinalis. Ang.
Common Hyffop. Salmafius putat effe Elichryfum Orientale.
C.B.P. 264. Gnaphalium Orientale. Teenster, Diol

ΦΑΚΟΕΙΔΕΣ. Diofe. Vid. Εμπετζον. Φακος. Diofe.

r. Pinpinella fazifiaga minor.

Lens vulgaris. C.B.P. 346. Ervum lens. Ang. Common Lentil.

Φακος δ επι των τελματων. Diofe.

Lenticula palustris quadrifolia. C.B.P. 362. Marsilea quadrifolia. Φαλαγγιου. Diosc.

Phalangium, parvo flore, ramofum.

C.B.P. 29. Anthericum ramofum. Ang. Branching Spider-wort. Sed q?

Φαλαγγιτιον. Vid. Φαλαγγιον. Φαλαρις. Diofc.

Phalaris major, femine albo. C.B.P. 28. Phalaris Canarienfis. Ang. Manured Canary Grafs. Sed q?
Φασγανον. Vid. Ξιφιον, et Ξανθιον.
Φασιολος. Diofc. Vid. Σμιλαξ κηπαια, et Ισοπυρον.

Φελλοδους. Theoph.

Arbor, cerro-fuguaro (quafi cerri fuber) in Etruriâ vocata. Vid. Matthioli Notas in Diofcoridem. p. 137. Ilex oblongo ferrato folio. C.B.P. 424. Quercus Ilex. Ang. Evergreen Oak.

Φελλος. Theoph.

Reperty a Warners in Inf. Concert

Suber latifolium, folio deciduo. C.B.P.424. Quercus Suber. Ang. Cork-tree.

Φεως. Vid. Στοιζη. Vid. Notas in Theophrafti Lib. IV. C. 11.

Dnyos.

Dnyos. Vid. Agus.

Φιλανθρωπος. Vid. Απαρινη.

Φιλεταιρον. Diolc. Vid. Πολεμωνιον, et

Φιλλυρεα. Diolc.

Phillyrea latifolia lævis. C.B.P. 476. Phillyrea latifolia. Ang. Broad-leaved Phillyrea.

Φιλυκη. Theoph.

Philyca elatior. C.B.P. 476. Rhamnus alaternus. Ang. Blotched Alaternus.

Diruga. Theoph.

- Aggην. Tilia montana, maximo folio. C.B.P. 426. Tilia Europæa β. Ang. Common Lime, five, Linden-tree.
- Θηλεια. Tilia fœmina, folio majore. C.B.P. 426. Tilia Europæa α. Ang. Another Variety of the Lime-tree.

Theor. Diolc.

- Sagitta aquatica minor angustifolia. C.B.P. 194. Sagittaria Sagittifolia. Ang. A species of Arrow-head. Φλεως. Theoph.
- Papyrus Syriaca, vel Siciliana. C.B.P. 19. Cyperus Papyrus. Ang. Egyp-

tian Papyrus.

Φλομος. Diofc.

 Λευκη. Ι. Θηλεια. Verbalcum fœmina, flore albo. C.B.P. 239. Forfan, Verbalcum Lychnitis. Ang. White Mullein. 11. Αξέην. Verbalcum mas, angustioribus foliis, floribus

- pallidis. C.B.P. 239. Verbafcum Lychnitis. Ang. A Variety of the former.
- Mελαινα. 1. Verbafcum fœmina, flore luteo, magno. C.B.P. 239. Verbafcum Phlomoïdes. 11. Αγρια. Verbafcum latis Salviæ foliis. C.B.P. 240. Phlomis fruticofa. Ang. Common Jerufalem Sage^{*}. 111. Λυχνιτις. Verbafcum angustis Salviæ foliis. C.B.P. 240. Phlomis Lychnitis.

Φλονιτις. Vid. Ονοσμα.

Φλοξ, vel Φλογιον. Theoph.

Viola tricolor hortenfis repens. C.B.P. 199. Viola tricolor β. Ang. Heart's-eafe, five, Panfy. Aliis videtur effe Adonis fylveftris flore phœniceo ejufque foliis longioribus. C.B.P. 178. Adonis æftivalis. Ang. Adonis Flower, five, Red-Maithes^b. Sed q?

Φοινιξ. (herba) Diofc.

- Gramen loliaceum, angustiore folio et spicâ. C.B.P. 9. Lolium perenne. Ang. Red, five, Perennial Darnel Grafs.
- Salmafius putat effe Gramen hordeaceum minus et vulgare. C.B.P.
 9. Hordeum murinum. Ang. Wall Barley.

Down E. (arbor) Diofc. et Theoph.

- Καρπιμος. Ι. Αρρην. ΙΙ. Θηλεια. Ambæ funt nonnifi Sexus differentes ejufdem Arboris, fcilicet, Palmæ Y majoris
- · Reperta in Cretá à Tournefortio.

* Reperta à Whelero in Monte Hymetto.

majoris. C.B.P. 506. Phœnix dactylifera. Ang. Date-bearingPalmtree.

- Χαμαιριφης. Theoph. Palma minor. C.B.P. 506. Chamærops humilis. Ang. Dwarf Palm.
- 3. Kuzaç. Theoph. Palma cujus fructus Cuci. C.B.P. 509. Cycas Circinalis. Ang. Sago Palm. Sed q?
- 4. Εν Κυπεώ. Palma humilis, longis latifque foliis. CB.P. 507. Mufa Paradifiaca. Sed q?

øz. Diofc.

- Φυλλα ελαφοζοσκε εχον. Valeriana fylvestris major. C.B.P. 164. Valeriana officinalis. Ang. Common Wild Valerian.
- 2. Φυλλα ιπποσελινε εχον. Valeriana hortenfis. C.B.P. 164. Valeriana Phu. Ang. White Garden Valerian.
- Φραγμιτης. Diofc.
 - Arundo vulgaris. C.B.P. 17. Arundo phragmitis. Ang. Common Portugal Reed.

OUROS Jalarow. Diofc. et Theoph.

- 1. Πλατυ. Muscus marinus, lactucæ folio. C.B.P. 364. Ulva Labyrinthiformis.
- 2. Φοινισσον. Mulcus maritimus, tenuiffimè diffectus, ruber. C.B.P. 363. Fucus Cartilagineus. Ang. Scarlet Fucus. Sed q? Forfan fit Fucus rubens. Ang. Red Fucus.
- 3. Kentuar. Alga cornu cervi divifura. C.B.P. 364. Lichen fuci-

formis. Sed q? De reliquis hujus generis vix liquet.

Φυλλακανθα. Theoph.

Carduus stellatus, foliis papaveris erratici. C.B.P. 187. Centaurea calcitrapa. Ang. Star Thistle. Φυλλιτις. Diofc.

Lingua cervina officinarum. C.B.P.

353. Afplenium Scolopendrium. Ang. Common Hart's Tongue.

Φυλλον. Diofc. et Theoph.

Phyllon fpicatum. C.B.P. 122. Mercurialis tomentofa. Ang. Downy-leaved Mercury.

Φυτευμα. Vid. Αντιρρινον.

Forfan fit Refedæ affinis Phyteuma. C.B.P. 100. Refeda Phyteuma.

X

ΧΑΛΚΑΣ. Diofc. Vid. Χουσανθεμον. Χαμαιακτη. Vid. Ακτη.

Χαμαιδαλανος. Diofc. Vid. Απιος. herba. Χαμαιδαφνη. Diofc.

Laureola, folio deciduo, flore purpureo. C.B.P. 462. Daphne Mezereum. Ang. Spurge-Olive. Xaµaidous. Diofc.

- Chamædrys minor repens. C.B.P. 248. Veronica Chamædrys. Ang. Wild Germander. Sed q?
- Aliis videtur effe Chamædrys minor repens. C.B.P. 248. Teucrium Chamædrys. Ang. Common Germander. N.B. Teuzguov ita appellatur.

Xajza:-

Χαμαιδρωψ. Vid. Χαμαιδρυς. Χαμαικισσος. Diofc.

Hedera terreftris vulgaris. C.B.P. 306. Glecoma hederacea. Ang. Ground Ivy. Sed q?

Xapacheven. Diolc.

Ciftus ledon foliis rorifmarini ferrugineis. C.B.P. 467. Ledum paluftre. Sed q?

Χαμαιλεων. Diofc. et Theoph.

- I. AEUROG. Carlina acaulos, magno flore albo. C.B.P. 380. Carlina acaulis. Ang. Carline Thiftle without Stalks and a large white Flower.
- Mελας. Chamæleon niger, umbellatus, flore cœruleo, hyacinthino.
 C.B.P. 180. Carthamus corymbofus.

Χαμαιμηλον. Diofc. Vid. Ανθεμις. Χαμαιπιτυς. Diofc.

- 1. Chamæpitys moschata, foliis ferratis. C.B.P. 249. Teucrium Iva. 2. incert.
- 3. Aggnv. Chamæpitys lutea vulgaris, five folio trifido. C.B.P. 249. Teucrium Chamæpitys. Ang.Common Ground Pine.

N.B. Υπερικον aliquando ita vocatur. Χαμαιριφης. Vid. Φοινιξ.

Xanawunn. Diofc.

Chamæfyce. C.B.P. 293. Euphorbia Chamæfyce.

Χαμελαια. Diofc.

Chamelæa tricoccos. C.B.P. 462. Daphne Alpina. Ang. Alpine Wood Laurel. Sed q? Xagravov. Vid. EavBiov.

Χειρωνιος αμπελος. Diofc. Vid. Αμπελος μελας.

XERidoviov. Diofc. et Theoph.

- Μεγα. Diofc. Χελιδονιον. Theoph. Chelidonium majusvulgare. C.B.P. 144. Chelidonium majus. Ang.
- Greater Celandine.
- Mingov. Diofc. Chelidonia rotundifolia minor. C.B.P. 309. Ranunculus ficaria. Ang. Pilewort. N.B. Αμπελος λευκη ita vocatur.

Χοιραδολεθρον. Vid. Ξανθιον..

Xovdeilan. Diosc.

- 1. Chondrilla junceaviscofa arvensis. C.B.P. 130. Chondrilla juncea. Ang. Clammy Gum-Succory.
- 2. Ereça. Chondrilla bulbofa. C.B.P. 130. Leontodon bulbofum.

Χρυσανθεμον. Diofc.

Chryfanthemum foliis Matricariæ. C.B.P. 134. Chryfanthemum coronarium. Ang. A fpecies of Corn Marygold. N.B. Exexpusor ita vocatur.

Χρυσοβαλανος. Galen.

Nux moschata fructu rotundo. C.B.P. 407. Myristica officinalis. Ang. Nutineg-tree:

Xeuroyovov. Diofc.

Leontopetalo affinis, foliis quernis. C.B.P. 324. Leontice Chryfogonum. Ang. Oaken-leaved black Turnep.

Xouronoun. Diofc:

Elichryfum orientale. C.B.P. 164. y. 2. Gna172

Gnaphalium orientale. Ang. Eaftern Eternal flower. N.B. Alils videtur effe Linaria, foliofo capitulo luteo, major et minor. C.B.P. 213. Chryfocoma Linofyris. Ang. German Goldy-locks. N.B. Ανθεμις ita vocatur nonnunquam. Χρυσολαχανον. Vid. Ατραφαξις.

Y

YETAOBOTNION. Diofc.

Eruca lutea latifolia, five Barbarea. C.B.P. 98. Eryfimum Barbarea. Ang. Common Winter Crefs? Ψευδοδιαταμνον. Diofc.

 Pfeudo-dictamnus verticillatus inodorus. C.B.P. 222. Marrubium pfeudo-dictamnus. Ang. Baftard Dittany.

Ψευδοκυπειρος. Diofc.

Gramen cyperoïdes, fpicâ pendulâ, breviore. C.B.P. 6. Carex pfeudo-Cyperus. Ang. Baftard Carex.

NAX modifies index of

Leoncostalo Stinis, Johns

Nouverseamy. Duric.

C.B.P. 407. Nyvillian officient

mann. Asg. Caken leeved balck

Elicitevitant orientale. C.B.P. 16:

Locature Charry

Ψιλωθφου. Vid. Αμπελος λευκη. Ψυλλιου. Diofc.

Píyllium Diofcoridis. C.B.P. 191. Plantago Afra.

Annon potius fit Pfyllium majus erectum? C.B.P. 191. Plantago pfyllium. Ang. Flea-wort. Ψυχοτροφον. Diofc. Vid. Κεςρον.

Ω

ΩKIMOEIΔEΣ. Diofc. incert.

Forfan fit Saponaria minor quibufdam. Johann. Bauhini Hift. III. p. 344. Lychnis, vel Ocymoïdes repens montanum. C.B.P. 206. Saponaria Ocymoïdes.

Ωκιμον. Diofc. et Theoph.

Ocimum latifolium maculatum, vel crifpum. C.B.P. 225. Ocimum Bafilicum. Ang. Sweet Bafil.

hve tobo trificio. C.S.P.

mon Ground Pine.

Kamerorphy. VIG. Course.

Wood baunci, Sed o

capazievizy. Dicte.

TABULA

bia Chamalyce.

Teacrom Chamepitys. Aug Com

L.B. Twopson aliquando ita vocerur.

Chamselveet-O.B.P. adent Eurinor.

Chamelrea tricoccos. C.B.P. & 62. Daphae Alpina Ang. Alpina

Ωκυμον. incert. Ωνωνις. Vid. Ανωνις.

52 N

TABULA ALTERA:

IN QUA,

PLANTÆ GRÆCIS COGNITÆ ITERUM RECENSENTUR:


CUM NOMINIBUS,

A CAROLO LINNÆO

ASSIGNATIS, PRÆFIXIS;

ET

SYNONYMIS GRÆCIS ADJUNCTIS.



TABULA ALTERA, &c.

AG

CANTHUS Diofcoridis. Vide Ακανθα, ή Ερπακανθα. Acanthus mollis. Ακανθα, ή Ερπακανθα. Acanthus fpinofus. Aravla ayera. Acer campeftre. Equivariantes. Sp. 1. Acer platanoides. Eperdanuos Lugia. Acer pleudo-platanus. Σφενδαμνος κλιvoteoxos. Achillæa Ageratum. Aynparov. Achillæa millefolium. Στρατιωτης XIλιοσυλλος. Achillæa nobilis. Axidatiov. Achillæa Ptarmica. Птариня. Achillæa tomentofa. Στρατιωτης Χιλιοφυλλος. Aconitum Cammarum. Axovitov wagδαλιαγχες. Aconitum lycoctonum. AROVITOV AU-KOKTOVOV. Acorus Calamus. Axopoç. Adiantum Capillus Veneris. Adiavtov MEXar. Adonis æftivalis. 420%. Agaricus Androfaceus. Avdeorazes. Agrimonia Eupatoria. Ευπατωριον.

AM

Agrostemma coronaria. Auxus 500a-VWHATINH. Alcea rolea. Μαλαχη κηπευτη. Alifma Damafonium. Aliopa. Allium Ampeloprafum. Пессоv. Sp. 2. Allium Afcalonicum. Kpoppuov. Allium Cepa. Keoppuov. Allium magicum. Malu. Allium Moly. Mwhu. Allium Porrum. Πρασον κεφαλωτον. Allium fativum. Mutu(a. Allium fativum. Exopodor nuceor. Allium fcorodoprafum. Exopodomparov. Allium fubhirfutum. Malu. Allium Victorialis. Exopodor ayeror. Aloe perfoliata. Alon. Alfine media. Alown. Althæa cannabina. Kavabis ayora. Althæa officinalis. Axbaia. Alyfum clypeatum. ALUTTON. Amaranthus Blitum. BAITOV. Amaryllis lutea. Asigiov ETEGOV. Ambrofia maritima. Aucooria. Amomum Cardamomum. Kapdaya-MOD.

Amo-

Amomum grana Paradifi. Kaedauw-	Arbutus Uva Urfi. Idaia eiza.
mov.	Arctium Lappa. Apertion.
Amomum Zingiber. Ziyyi Geois.	Aristolochia Clematitis. Apisodozia 22n-
Amygdalus communis. Aμυγδαλη.	ματιτις.
Amygdalus Perfica. Περσικη μηλεα.	Aristolochia longa. Αρισολοχια μακρα.
Anacyclus Valentinus. Beofaxuov.	Aristolochia rotunda. Apisodoxia seoy-
Anagallis arvenfis. Koenopos.	γυλη.
Anagallis Monelli. Avayarris. Sp. 1.	Arnica scorpioïdes. Anovirov wagdari-
Anagyris fætida. Avæyuers.	αγχες.
Anastatica Hierochuntea. Apupus.	Artedia íquamata. riggidiov.
Anchufa tinctoria. Αγχεσα αλειδια-	Artemisia Abrotonum. Αγροτονον αρρεν.
Sion.	Artemisia Absinthium. Auverov. Sp. 1.
Andropogon Ifchæmum. 10xaipos.	Artemisia maritima. Αψινθιον θαλασ-
Andropogon Nardus. Kalaµos.	TION.
Andropogon Schænanthus. Σχοινος.	Artemisia vulgaris. Aeremora. Sp. 1.
Anemone Appennina. Avencovn nuegos.	Arum Arifarum Auguran
Anemone nemorola. Ανεμωνη λειμωνια.	Arum Arifarum. Apio agov. Arum Colocafia. Box Gog.
AN AND A TAY NOW CAR, TARAGETERS AND AND A DESIGN A DESCRIPTION OF	
Anemone fylvestris. Avenuvn ayora.	Arum Colocafia. Kuauos Aiyumrios.
Anethum faniculum. Magalger.	Arum dracunculus. Aganov Tiov. Arum maculatum. Agov.
Anethum graveolens. Ανηθον. Anthemis Cotula. Παρθενιον λεπτοφυλ-	Arundo Calamagroftis. Karamayeu-
entered a factor of the second second	
λον. Anthemis Pyrethrum. Πυρεθρον.	54. Arundo donax. Δοναξ.
Anthericum ramolum. Φαλαγγιον.	
A TONDADA AND CONTRACT A FILLER A TONDAL TO FILLER A	Arundo phragmites. Kalapos Xaga-
Anthyllis hermania. Κυτισος. Antirrhinum Elatine. Ελατινη.	- I TANK I I I ALLIAN I A DEPAILING
the second s	Arundo phragmites. Ogaymiths.
Antirrhinum minus. Avriggivov.	Alarum Europæum. Aragov.
Antirrhinum Orontium. OgovTiov.	Afclepias Vincetoxicum. Aonanaias.
Antirrhinum fpurium. Exation.	Asparagus acutifolius. Ac παραγος we-
Antirrhinum linaria. Orugiç.	A (narrowne officinalis altilis
Apium graveolens. Elacorelivor.	Afparagus officinalis altilis. Ασπαρα-
Apium petrofelinum. Σελινον.	yos. Sp. I.
Apluda Zeugites. Zeugitas.	Asparagus officinalis maritimus. A-
Apluda Zeugites. Eurezias.	παραγος ελειος.
Aquilegia vulgaris. ITOTUGOV.	Asphodelus luteus. Apaganos.
Arbutus Andrachne. Avdgazvy.	Afphodelus luteus. Iquov.
Arbutus unedo. Kopagos.	Alphodelus ramolus. Asposetos.
	Afple-

Afplenium Adiantum nigrum. Adi-Cercis filiqualitrum. αντον μελαν. Afplenium Ceterach. Aom Annov. Afplenium Hemionitis. Huiovirig. Afplenium Ruta muraria. Adianton REUKOV. Afplenium Trichomanes. Terzomaves. Afplenium Scolopendrium. Φυλλιτις. After Amellus. Asepionos. After Tripolium. Termoliov. Aftragalus Cicer. Epelivoos ayous. Aftragalus Glaux. Frank. Aftragalus Onobrychis. OvoGeuxis. Aftragalus Syriacus. Aspayahos. Aftragalus Tragacantha. Потпеноv. Astragalus Tragacantha. Teayanavba. Athamanta cervaria. Acounos. Sp. 2. Athamanta Cretenfis. Daunos Kentinos. Athamanta Libanotis. AiGavaris axag-Tros . Athamanta Meum. Mnov AbapavTixov. Athamanta Oreofelinum. OgeoTEALVOV.

Atriplex halimus. Aluos. Atriplex hortenfis. Areaqažis un reutov. Atropa Belladonna. Στευχνον μανικον. Atropa Belladonna. Mardeayoen. Atropa Mandragora. Mardeayoen. Avena fatua. Aryinau. Avena fativa. Bewwos.

BALLOTA nigra. Ballwry. Berberis vulgaris. Κολουτεα ωερι την Ιόην. Berberis vulgaris. Oguanavba.

Berberis vulgaris. Oguanavoos. Beta vulgaris rubra. TEUTLOV. Betonica officinalis. BETOVIRA. Betonica officinalis. KESPOV. Betonica officinalis. BRETAVIRA. Betula alba. Enpuda. Betula Alnus. KAntea. Borago officinalis. BEYLWGGOV. Braffica Eruca. Eu Cupov. Braffica Erucastrum. Eu Comov ayour. Braffica Eruca. Eu Cupor. Sp. 1. Braffica Napus. Beriag. Braffica oleracea. Pagavos & Auoquilos. Braffica oleracea capitata. Keauly nus-605. Braffica oleracea Cotrytis. Papavos. Theoph. Spec. 3^{tia}. Braffica oleracea Sabauda. Papavos & λειοφυλλος. Braffica oleracea viridis B. Pagavos λειοφυλλος. Braffica Rapa. Γογγυλη. Bromus sterilis. Bewwos. Bryonia alba. Αμπελος λευκη. Bubon Macedonicum. Πετροσελινον. Bunium bulbocaftanum. Beviov. Bupleurum fruticofum. Σεσελι Αιθιο-

TIKOV. Bupleurum rigidum. BETTLEUPOV. Buxus fempervirens. IIv Eos.

CACHRYS Libanotis. AlGavieris. Calendula officinalis. KAUMEVOV. Caltha palustris. Aqua. \mathbf{Z}

Cam

CE

178

Campanula Erinus. Egwog. Campanula Medium. Mydiov. Cannabis fativa. Kauvalis nuega. Capparis spinofa. Kannapis. Capficum annuum. Kipkaia. Cardamine bellidifolia. SIGUN GOIOV ETEpov. Cardamine pratenfis. Σισυμοθριον ετερον. Carduus Cafabonæ. Anapva. Carduus crifpus. Kiegoiov. Carduus diffectus. Kipoiov. Carduus eriophorus. Anavba AgaCing. Carduus Marianus. SiluCov. Carduus nutans. Ovonugos. Carduus Syriacus. ARavos. Carex Pfeudo-Cyperus. YEUdoxumeleos. Carlina acaulis. Xapailewv. Carlina vulgaris. Axoova. Carlina vulgaris. ATQUETULIS. Carpinus betulus. Oseus. Carpinus Oftrya. Oseus. Carthamus corymbosus. Xauashewv. Carthamus tinctorius. KVIROS MILEDOS. Carum Carvi. Kapos. Caryophyllus aromaticus. Kupanov. Caucalis grandiflora. Kauralis. Celtis auftralis. Awros. (arbor.) Centaurea benedicta. KVIROS aypia. Centaurea calcitrapa. In ποφαιζον. Centaurea calcitrapa. Muanavoos. Centaurea calcitrapa. Пикрис. Centaurea calcitrapa. Φυλλακαυθα. Centaurea Centaurium. KENT CUPION. Centaurea Crocodylium. Keonodihiov. Centaurea Salmantica. EroiGn. Centaurea Solftitialis. AEUMARAVBA. Centaurea Stoebe. Stolly.

Ceratonia filiqua. KEpatia. Cercis filiquastrum. Kegnis. Cercis filiquastrum. Koxstea wees Asπαραυ. Cerinthe major. Knowbog. Chærophyllum bulbofum. Oλoxωνιτης. Chamærops humilis. Douvig. Sp. 2. Cheiranthus Cheiri. AEURO10V. Chelidonium glaucum. Mykwv KEpa-TITIS. Chelidonium majus. XELidoviov. Chenopodium album. Areapazis ayerov. Chenopodium Botrys. Botous. Chenopodium Scoparia. Orvers. Chondrilla juncea. Xovdeizzn. Chryfanthemum coronarium. Xevoav-BEMOV. Chrylocoma Linofyris. Oougus. Chryfocoma Linofyris. Xeuronoun. Cicer Arietinum. EpeGubos ayous. Cichorium Endivia. Sepis. Cichorium Intybus. Tixous. Cinara Cardunculus. Kantos. Cinara Scolymus. Exolupos. Ciftus Helianthemum. EXEVIOV ALYUT-TIOV. Ciftus ladaniferus. Kisos Andov. Ciftus pilofus. K1505 appnv. Ciftus falvitolius. K1505 Inhere.

Ciftus pilofus. Κιςος αρρην. Ciftus falvifolius. Κιςος Ͽηλεια. Citrus Medica. Μηδικη μηλεα. Clematis Vitalba. Ατραγενη. Clematis Vitalba. Κληματιτις. Clematis Viticella. Ποθος Φρυγιος. Clinopodium vulgare. Κλινοποδιον. Cnicus Acarna. Ακαρνα. Cochlearia Armoracia. Θλασπι ετερον. Coch-

Cochlearia Armoracia. Paqavis. Sp. 2. Cochlearia Draba. Apaly. Coix lacryma Jobi. Koiz. Coix lacryma Jobi. Aiboo meppeov. Colchicum Autumnale. Kolxinov. Colutea arborefcens. Kohstea wege Ai-Tapav. I to bre to be mis netion Conium maculatum. Kaveov. Convallaria Maialis. Owwww. Convallaria multiflora. Πολυγονατον. Convallaria Polygonatum. Πολυγονα-TOV. Convolvulus arvenfis. Ex Eum. Todard Convolvulus Soldanella. Keapen 9aλασσια. supportra helioficona. Convolvulus Scammonia. Σκαμμωνια. Convolvulus fepium. Spirat rea. Cordia Myxa. Opapažis. Coriandrum fativuni. Kopiov. Coris Monfpelienfium. Supputov. Sp. 1. Cornus mas. Koavera. Cornus fanguinea. On Auxpavera. Coronilla juncea. Πολυγαλου. Coronilla fecuridaca. Hour apov. Corylus avellana. Kaeva. Coftus Arabicus. Ko505. Cotyledon umbilicus. Korulydav. Sp. I. Cratægus Aria. Agiæ. Cratægus Aronia. Μεσπιλος Αρωνια. Cratægus Azarolus. Μεσπιλος Αρωνια. Cratægus Oxyacantha. Μεσπιλος ανθη-Sovoeions. Cratægus Oxyacantha. O Evanavba. Cratægus torminalis. Kearaiyos. Crepis Diofcoridis. IEpaniov MEYa. Crithmum maritimum. Keiguov. Crocus fativus. Keonos.

Croton tinctorium. HAiotgomiov Mingov. Cucumis Colocynthis. Korokuvbis. Cucumis fativus. Eixus nuepos. Cucurbita Citrullus. Πεπων. Cucurbita Pepo. Петач. Cuminum Cyminum. Kupawow. Curcuma rotunda. Kumenpos Ivdinos. Cupreflus femper-virens. Kunapioros. Cufcuta Europæa. Emilupov. Cycas Circinalis. Denue. Sp. 3. Drvp Cyclamen Europæum. Kuzhauwos. Cynanchum erectum. Amoxuvov. Cynogloffum Apenninum. Knewbos. Cynogiofium officinale. Kuvoy λωσσον. Cyperus esculentus. Olonwwiths. Cyperus esculentus. Malwabally. Cyperus longus. Kumeneog. Sp. 1. Сурегиз Раругиз. Патирос. . macus /2 Cyperus Papyrus. Zagi. Cyperus Papyrus. Φλεως.

D

Eleagenus anguittioha. Exais Exaisy-

DAPHNE Alpina. Χαμελαια. Daphne Cneorum. Κνεωρον λευκον. Daphne Gnidium. Θυμελαια. Daphne Laureola. Δαφνοειδες. Daphne Mezereum. Χαμαιδαφνη. Daphne Thymelæa. Θυμελαια. Datura Metel. Στρυχνος. Sp. 4. Datura Stramonium. Στρυχνος. Sp. 4. Daucus Carota. Δαυκος. Daucus Carota. Σταφυλινος. Daucus Gingidium. Γιγγιδιον. Delphinium Ajacis. Δελφινιον. Sp. 1. Z 2 180

Delphinium Confolida. Δελφινιον ετεgov. Delphinium Staphifagria. Σταφισαγρια. Digitalis lutea. Εφημερον. Diofpyrus lotus. Διοσπυρος. Dipfacus fullonum. Διψακος. Doronicum pardalianches. Ακονιτον

σαρδαλιαγχες. Drypis spinosa. Δρυπις.

E

EBENUS Cretica. EGevos Echinops fphærocephalus. Ακανθα λευκη. Echinops fphærocephalus. Kponoditiov. Echium Italicum. Auxoulis. Echium vulgare. Exiov. Eleagnus anguititolia. Elaia Elaiayvoc. Empetrum album. Ananahis. Epilobium angustifolium. Ovayea. Epimedium Alpinum. Emingdiov. Equifetum fluviatile. In Trepis. Sp. 1. Erica vulgaris. Epeixn. Erica tetralix. Terpaliz. Erigeron graveolens. Kovula Inhea. Erigeron viscolum. Kovu (a aponv. Ervum Ervilia. OpoGos. Ervum Lens. Danog. Eryngium campestre. Heury 100. Eryfimum Barbarea. YeudoCeviov. Erylimum cheiranthus. Epuoipov. Eryfimum officinale. Equorpor.

Erythronium dens Canis. Kowow wopφυρον. Euonymus Europæus tenuifolius. Ευωνυμος. Euonymus Europæus tenuifolius. Teτραγωνια. Euphorbia amygdaloïdes. Tilunallos. Sp. 1. Euphorbia Apios. Amios. Euphorbia Chamæfyce. Xaµaıounn. Euphorbia cyparifias. Τιθυμαλλος. Sp. 5. Euphorbia dendroides. Tibupallos. Sp. 6. Euphorbia heliofcopia. Tidumazzos. Sp. 4. Euphorbia Lathyris. Aabupus. Euphorbia myrfinites. Tilumallog. Sp. 2. Euphorbia officinarum. EupogGiov. Euphorbia paralias. Tiduparros. Sp. 3. Euphorbia Peplis. Πεπλις. Euphorbia Peplus. Πεπλος. Euphorbia Pithyufa. Πιτυεσα. Euphorbia platyphylla. Tidumazzos. Sp. 7. Europæa Epithymum. Emibuuov. Excæcaria Agallocha. Ayalloxov.

F

FAGUS Caftanea. Καςανα. Fagus Caftanea. Καρυον Ευδοϊκον. Fagus fylvatica. Οξυα. Ferula Affa fœtida. Σιλφιον. Ferula Ferulago. Ναρθηκιον.

Feftuca

Feftuca elatior. Καλαμαγρωςις. Feftuca fluitans. Αγρωςις ποταμιος. Ficus Carica. Συκη. Sp. I. Ficus Indica. Συκη Ινδικη. Ficus Sycomorus. Συκομορον. Filago Germanica. Γναφαλιον. Filago Leontopodium. Λεοντοποδιον. Fraxinus excelfior. Μελια υψηλη. Fraxinus ornus. Μελια ταπεινοτερα. Fucus Cartilagineus. Φυκος θαλασσιον. Fucus veficulofus. Δρυς εναλια. Fumaria officinalis. Καπνος.

G

GALEOPSIS Galeobdolon. rali-01/15. Gallium Aparine. Amaginn. Gallium verum. Γαλλιον. Gentiana Centaurium. KENT aupion Minpov. Gentiana Centaurium. Παναξ λεπτοφυλλον. Gentiana lutea. Ferriary. Geranium rotundifolium. Γερανιον φυλλα μαλαχης εμφερον. Geranium tuberofum. Γερανιον φυλλον εχου ανεμωνης. Gladiolus communis. Ξιφιον. Glaux maritima. Thank. Glecoma hederacea. Xanannovos. Globularia Alypum. Alumov. Globularia Alypum. Eunerpov. Glycyrrhiza echinata. Гликирри Са. Glycyrrhiza glabra. Snuthing piga. Gnaphalium Orientale. Xouronoun.

Gnaphalium Stoechas. Ελιχουσον. Goffypium arboreum. Δενδρου εριοφορον.

Goffypium herbaceum. Ξυλον. Guilandina Moringa. Βαλανος μυεεψικη. Gypfophila Struthium. Στεκθιον.

H

HEDERA helix. Κισσος. Hedyfarum Onobrychis. Ονοζουχις. Heliotropium Europæum. Ηλιοτροπιον μεγα.

Helleborus niger. Exhelogos μελας. Hemerocallis flava. Hueponales. Hemerocallis fulva. Husponalles. Heracleum Panacis. Пача Нранлноч. Heracleum Sphondylium. Epovouliov. Helperis matronalis. Eonepis. Hibifcus paluftris. I.dn. Hippuris vulgaris. Πολυγονου Αηλυ. Hordeum vulgare. Keibn. Hyacinthus comofus. ITobos. Sp. I. Hyacinthus comofus. Takivbog. Hyofcyamus albus. Toonuapos. Sp. 3. Hyoicyamus aureus. Yoonuapog. Sp. 2. Hyoscyamus niger. roonvanos. Sp. 1. Hypecoum procumbens. Ymneov. Hypericum Androfæmum. Avdeorainov. Hypericum Afcyrum. Arruger. Hypericum Coris. Kopis. Hypericum perforatum. Theoinov. Hypericum quadrangulum. ATRUEOV.

Hyffopus officinalis. Yoownog.

IATRO-

I

ΙΑΤ ROPHA Manihot. Αραπιδνα. Inula dyfenterica. Κονυζα. Sp. 3. Inula helenium. Ελενιον. Iris fætidiffima. Ιρις αγρια. Iris fætidiffima. Ξυρις. Iris florentina. Ιρις Λιζυπη. Iris Sifyrinchium. Σισυριγχιον. Iris Xiphium. Ξιφιον. Ifatis tinctoria. Ισατις. Sp. 1. Ixia bulbocodium. Σισυριγχιον.

J

JUGLANS regia. Καρυα. Juniperus regia. Καρυαν Ευδοϊκον. Juncus acutus. Σχοινος. Sp. 2. Juncus effufus. Σχοινος. Sp. 1. Juniperus communis. Αρκευθος μικρα, και μεγαλη. Juniperus Lycia. Κεδρος Λυκια. Juniperus Oxycedrus. Οξυκεδρος. Juniperus Phœnicea. Κεδρος Φοινικη. Juniperus Sabina. Βραθυς ομοιος κυπαρισσω. Juniperus Sabina β. Βραθυς ομοιος μυρικη. Juniperus Sabina. Θυον.

L

LACTUCA perennis. Απατη. Lactuca fativa. Θριδαξ ημέρος. Lagoëcia Cuminoïdes. Κυμινον αγριον. Lactuca Scariola. Θριδαξ αγρια. Lagurus ovatus. Αλωπεκερος. Laminum purpureum. Γαλιοψις. Laferpitium Chironium. Παναξ Συριακον.

Laferpitium Gallicum. Σιλφιον. Lalerpitum Siler. AIYESIKOV. Lathræa Iquamaria. Aryohebeos. Lathyrus amphicarpos. Aganidva. Lathyrus aphaca. Agann. Lathyrus Clymenum. KAUMEVOV. Lathyrus fativus. Aabupos. Lavandula Stoechas. ETIXas. Laurus Caffia. Karoia. Laurus Cinnamomum. Kawaµaµov. Laurus nobilis. Δαφνη λεπτοφυλλος. Laurus Persea. Περσεα. Ledum palustre. Xapaileunn. Leontice Chryfogonum. Xeuroyovov. Leontice Leontopetalon. AEOVTOTETa-Nov. Leontodon Autumnale. IEpaxiov Mixpor.

Lootodon bulbofum. Περδικιον. Leontodon bulbofum. Χονδριλλη. Leontodon Taraxacum. Αφακη. Leontodon Taraxacum. Σερις αγρια. Leonurus Cardiaca. Πρασιον. Lepidium Iberis. Ιζερις. Lepidium Iberis. Ιζερις. Lepidium Iatifolium. Λεπιδιον. Lepidium fativum. Καρδαμον. Leucoium vernum. Λευκοιον. Lichen plicatus. Βρυον επι δενδρων. Lichen fuciformis. Φυκος Θαλασσιον. Ligufticum Auftriacum. Σεσελι Πελοπουνησιακον.

Ligusticum Levisticum. Abaparta Ragmipos.

Liguf-

Liguiticum Pelopponefiacum. Σεσελι Πελοπονυησιακον.

Ligustrum vulgare. Kungos. Lilium bulbiferum. Kervov wogqugov. Lilium candidum. Aerorov. Linum ufitatiffimum. Awov. Lithospermum officinale. Ailoontequov. Lolium perenne. Douviz (herba.) Lolium temulentum. Auga. Lolium temulentum. Zi Caviov. Lonicera Alpigena. Sunn weel Thu Idnv. Lonicera periclymenum. Περικλυμενον. Lupinus albus. Θερμος ημερος. Lupinus varius. Osephos ayeros. Lycium barbarum. AURIOV. Lychnis Chalcedonica. Auxus. Lychnis Chalcedonica. Ποθος ετερος. Lycoperdon Tuber. Yovov. Lyfimachia Ephemerum. Epymeeov. Lyfimachia vulgaris. Auoipaxiov.

Μ

Μ A LVA Alcea. Αλχέα. Malva rotundifolia. Μαλαχη χέρσαια. Marchantia polymorpha. Λειχην. Marrubium Alyffon. Αλυσσον. Marrubium pfeudo-dictamnus. Δικταμνος ψευδοδικταμνος. Marrubium vulgare. Πρασιον. Sp. 2. Marfilea quadrifolia. Λεμνα. Marfilea quadrifolia. Δεμνα. Marfilea quadrifolia. Δεμνα. Marfilea quadrifolia. Δεμνα. Marfilea quadrifolia. Δυθεμις. Matricaria Chamomilla. Ανθεμις.

Matricaria Parthenium. Παρθενιον.

Medicago arborea. Kutioos. Medicago fativa. Mydiny. Melampyrum arvenfe. Meraumupov. Melampyrum pratenfe. Keata10y0vov. Melifía Calamintha. Καλαμινθη ή εοικεν Ηδυοσμω. Melifia Cretica. Καλαμινθη ορεινοτερα. Meliffa Nepeta. Καλαμινθη ή γληχωνο EOINE. Melista officinalis. Melioroquillov. Mentha aquatica. Stoupletov. Sp. 1. Mentha arvenfis. Πολυκνημον. Mentha pulegium. Гληχων. Mentha fativa. Houor pos nuepos. Mentha fylvestris. Houoguos ayeros. Mercurialis annua. Awo (w515. Mercurialis tomentofa. Φυλλον. Mefpilus Amelanchier. Auauntic. MefpilusGermanica. Μεσπιλος Επιμηλις. Melpilus Pyracantha. Οξυακανθα. Mimofa Nilotica. Ακανθα Αιγυπτια-

Ακακία Αιγυπτία. Momordica Elaterium. Σικυς αγριος. Morus nigra. Μορέα. Mufa paradifiaca. Φοινιξ. Sp. 4. Myagrum fativum. Μυαγρον. Myofotis fcorpioïdes. Μυος ωτα. Myriftica officinalis. Κωμακον. Myriftica officinalis. Κωμακον. Myriftica officinalis. Χρυσοζαλανος. Myriophyllum fpicatum. Μυριοφυλλον. Myrtus communis. Μυρσινη. Myrtus Gala. Μυρικη ημέρος.

N

NARCISSUS Bulbocodium. Boz-Cerestiov.

Narciffus

184

Narciffus poëticus. Ναρκισσος. Narciffus Pfeudo-Narciffus. Βολβεκωδιον. Nardus Gangitis. Ναρδος.

Nerium Oleander. Νηφιον. Nigella arvenfis. Μελανθιον. Nymphæa alba. Νυμφαια. Sp. I. Nymphæa lotus. Λωτος Αιγυπτιος. Nymphæa lutea. Νυμφαια ετερα.

0

OCYMUM Bafilicum. DRIMOV. Oenanthe pimpinelloides. Owavby. Olea Europæa. Αιθιοπικη Ελαια. Olea Europæa. Elaia nuepos. Ononis Antiquorum. Avwvis. Ononis spinola. Avwviç. Onopordium Acanthium. Anaveliov. Onofma echioides. Ayzera ovorhera. Onofma echioides. Ovorpa. Ophrys infectitera. Ogxis σεραπίας. Orchis militaris. Oexis. Sp. 1. Origanum Dictamnus. AIRTauvos Ken-TIKOS. Origanum heracleoticum. Opiyavos Ηρακλειωτικη. Origanum Majorana. Mapov. Origanum Onites. Opiyavos Ovntis. Origanum vulgare. Opiyavos aypia. Ornithogalum Arabicum. Opviloyaλov. Ornithopus fcorpioides. Tylequov. Orobanche major. OgoGayxy. Oryza lativa. Opula. Ofmunda spicans. Λογχιτις ετερα.

P

PÆONIA offic: fæminea. Παιονια Inhea. Pænia offic: mascula B. Παιονια αροην. Panicum Italicum. Exumos. Panicum Italicum. MELWOG. Panicum miliaceum. Keyx005. Papaver Argemone. Agyenwvn. Papaver Rhoeas. Mynur ayourepa. Papaver Rheeas. Mynuv Poias. Papaver fomniferum. Mnkwv KnnEUTn. Parietaria officinalis. ExEun. Diolc. IV. 86. Parnafia palustris. Ayewsis ev Парνασσω. Pastinaca Opoponax. Пача Неаκλαον. Pastinaca fativa. ExapoGoornov. Peucedanum officinale. ПEURE Davoy. Phellandrium aquaticum. Mupioqualov. Phœnix dactylifera. Douvig. Sp. 1. Phalaris Canarienfis. Dalapic. Phleum pratenfe. STEREPEpos. Phafeolus vulgaris. Σμιλαξ κηπαια. Phlomis fruticola. Oropos. Sp. 2. Phlomis lychnitis. Drouos. Sp. 3. Phillyrea latifolia. Φιλλυρεα. Phyfalis fomnifera. Ereuxvos. Sp. 3. Phyfalis Alkekengil Ergu Xvos. Sp. 2. Pimpinella Anifum. Autoov. Pimpinella peregrina. Dauxos. Sp. 3. Pinus Abies. ELarn Inhea. Pinus Abies. Πιτυς. Pinus Cedrus. KEdgos Eugiann. Pinus Pinus picea. Exarn appny. Rauna Pinus pinea. ПEURA MILEOOS. Pinus fylvestris. Πευκη αγρια. Pinus fylvestris β. Πευκη ταραλια. Piper nigrum. Πεπερι μελαν. Piper longum. Πεπερι μακρον. Pistacia vera. Писаниа. Pistacia lentifcus. Exwos. Pistacia terebinthus. TEQUIVOOS. Pistia Stratiotes. Steatiwing worapios. Pifum arvenfe. Oxeos nuegos. Pifum arvenfe. ПITOV MIRPOV. Pifum Ochrus. Oxeos ayeros. Pilum fativum. Πισον μεγα. Plantago Afra. YUNNIOV. Plantago albicans. OXEGIOV. Plantago Coronopus. Kopwvons. Plantago Cretica. Karavayxy. Plantago Cynops. Kuvoy. Plantago lanceolata. Αρνοίλωσσον μικρον. Plantago major. Aprogravov mercov. Plantago pfyllium. Kuvoy. Plantago pfyllium. YULLIOV. Platanus orientalis. Πλατανος. Poa pratenfis. noa. Polycarpon tetraphyllon. Παρωνυχια. Polygala vulgaris. OvoGeuxis. Polygala vulgaris. Πολυγαλα. Polygonum aviculare. Πολυγονον. Polygonum Fagopyrum. Equation. Polygonum Hydropiper. Theomemeet. Polypodium Dryopteris. Devonteeis. Polypodium Lonchitis. Aoyxitis. Polypodium mas. Птерис. Polypodium vulgare. Πολυποδιον. Populus alba. AEURM. Populus nigra. Aryegos.

Populus tremula. Kepris. Porrum vineale. Πρασον Αμπελοπρασον. Potamogeton natans. Потаноунтыч. Potentilla reptans. Πενταφυλλον. Potentilla fubacaulis. AEURas. Poterium fanguiforba. Ogvallis. Poterium fanguiforba. Elongitis. Sp. 2. Poterium spinosum. Stolly. Primula Auricula. ALIGUA. Prunella vulgaris. Συμφυτον. Sp. I. Prunus Armeniaca. Agunviann μηλεα. Prunus Cerafus. Kegaoog. Prunus domestica Damascena. Bea-Gura. Prunus domestica. Konnumplea. Prunus Mahaleb. Aakaby. Prunus Padus. Παδος. Pforalea bituminofa. Terqualor. Pteris Aquilina. On AUTTEPIS. Punica Granatus. Poice. Pyrus communis. Artios. Pyrus communis. Axeas. Pyrus Cydonia. Kubwia unlea. Pyrus Malus. Μηλεα.

Q

QUERCUS Ægilops. Δους Αιγιλωψ. Quercus Efculus. Δους Φηγος. Quercus coccifera. Πρινος. Quercus coccifera. Σμιλαξ (arbor.) Quercus coccifera. Σμιλαξ (arbor.) Quercus ilex. Φελλοδους. Quercus robur. Δους ημερος. Quercus robur. Δους ημερος. Quercus fuber. Δους αγοια. Quercus fuber. Φελλος. Quercus fuber. Δους. Sp. 6. A a RANUN-

R

RANUNCULUS ficaria. Χελιδονιον. Ranunculus sceleratus. Βατραχιον Σαρδοον.

Ranunculus thora. Ακονιτον σαςδαλιαγχες.

Raphanus Raphanistrum. Aauwarn. Raphanus fativus. Pagavis. Refeda luteola. Karavayzn. Refeda Phyteuma. Outeupa. Rhamnus Alaternus. Aquenn. Rhamnus Alaternus. Dirunn. Rhampus lotus. Awros. Rhamnus lycioides. Pauvos ushawa. Rhamnus oleoides. In moques. Rhamnus paliurus. Papros. Sp. 3. Rheum Rhaponticum. Pa. Rhodiola rosea. Podra piza. Rhus coriaria. Psc. Rhus Cotinus. Kornupylea. Ribes uva crispa. IToos. Ribes uva crifpa. Σταφυλη. Ribes uva crifpa. Κεανωθος ακανθα. Ricinus communis. Kiki. Rofa canina. Kuvoo Caroc. Rofa centifolia. Podov ERATONTOQUADON. Rofa Gallica. Podov. Rofmarinus officinalis. Al Cavaris. Rubia tinctorum. Equelos davor. Rubus Cafius. Batos Xaparbatos. Rubus fruticolus. Baros opboques nas UNOS EXAN. Rubus Idæus. Baros Kunor Caros. Rumex acetofa. Aanabov Ogalig. Rumex acutus. Λαπαθον Οξυλαπαθον.

Rumex Alpinus. Λαπαθον Ιππολαπαθον. Rumex aquaticus. Λαπαθον Ιππολαπαθον.

Rumex patientia. Λαπαθον κηπευτον. Rumex fcutatus. Λαπαθον αγριον. Rufcus aculeatus. Μυρσινη αγρια. Rufcus Hippogloffum. Ιππογλωσσον. Ruta graveolens. Πηγανον ορεινον.

S

SAGITTARIA fagittifolia. DAEON. Salix alba. ITER LEURN. Salix Ægyptiaca. Eraia Eraiaguos. Salix amygdalina. ITER MELAWA. Salix helix. ITEa ELINA. Salix pentandra. Ourog. Saliola Tragus. Apumic. Salfola Tragus. Teayos. Salvia Æthiopis. Automus. Salvia horminum. Oppervov Musper. Salvia officinalis. Exeris parev. Salvia officinalis. Equieros. Salvia pratentis. Opurvov ayorov. Salvia Sclarea. Banxapis. Sambucus Ebulus. ARTH Xanalarth. Sambucus nigra. ARTH devopuons. Santolina Chamæcypariffus. AG0070vov Inhu. Saponaria Ocymoides. Oximoeides. Satureia capitata. Oumos. Saturcia hortenfis. Our Goa onapry. Satureia thrinbra. Ouusea ayora. Saxifraga Cotyledon. Korulydwy ErEpov. Scabiofa Succifa. Пикнономон. Scandix

186

Scandix cerefolium. Everoren. Scandix cerefolium. Opeose Livov. Scandix odorata, Mugoz. Scandix Pecten. DRavduz. m mutatin Scilla maritima. Exidia Scilla unitolia. BoxGivn. Scirpus lacuftris. Oxog xowos. Scirpus holofchænus. 2201105. Sp. 3. Scirpus mucronatus. Oguo xonvos. Scirpus Olofcheenus. Oxooxonvos. Scolymus hispanicus. Exolupos. Scorpiurus fulcata. Exopriorioning. Secale Cereale. Oluga. Secale cereale hybernum. Tugn ετερα. Sedum acre. Aer Guov ETEPOV. Sedum Cepæa. Kymaia. Sedum reflexum. As (wor wingov. Sedum Telephrum. Tylegiov. Sempervivum arboreum. Aei wov μεγα. Sempervivum tectorum. Aei Luov meya. Senecio Doria. Πανακές Χειρωνίον. Senecio vulgaris. Heigepov. Serapias helleborine latifolia. Emi-Taktig. . Pulask Misteling Both Serratula arvenfis. KEavabos. Selamum orientale. Syraun. Seleli elatum. Δαυκος Κρητικος. Sefeli Hippomarathrum. Mapatpov αγριου. Sefeli faxifragum. Teaviov. Sefeli tortuolum. Σεσελι Μασσαλεωτικον. Sefeli Turbith. Oatra. Sida Abutilon. Algaia. Sp. 2. Sideritis hirluta. Sidneitis Heanheia.

Sideritis Syriaca. Staxus.

Sinapis arvenfis. Aauvary.

Sparganium erectum. Σπαργανιου. Spartium junceum. Σπαρτιου. Spartium fpinofum. Ακακια Πουτικη. Spiræa falicifolia. Σπειραια. Stachys Germanica. Σταχυς. Statice Limonium. Λειμωνιου. Stipa tenaciffima. Λινοσπαρτου.

Symphytum tuberofum. Συμφυτον. Sp. 2. Symphytum officinale. Συμφυτον. Sp. 1. **T**

TAGETES erecta. Οθοννα. Tagetes patula. Αργεμωνη. Tamarix Gallica. Μυρικη αγρια. Taxus baccata. Μιλος. A a 2

Taxus

Silymbrium Nasturtium. Sioupeloiov.

Sifymbrium fylveftre. Eugonov oyprov.

Solanum Melongena. Stevyvos. Sp. 1.

Sinapis nigra, Σινηπι. Sifon Ammi. Αμμι.

Silon Amomum. Auwuov.

Silon Amomum. Elow.

Sium latifolium. Siov.

Sium Sifarum. Sirapov.

Smilax afpera. Σμιλαξ τραχαα. Smyrnium olufatrum. Σμυρνιον.

Sonchus oleraceus. Aνδουαλα.

Sonchus oleraceus. Doyxos.

Sorbus aucuparia. On aponv.

Sorbus domestica. On byra.

Styrax officinalis. ErupaE.

Sparganium erectum. Beropos.

187

L'axus baccata.

Taxus baccata. Σμιλαξ (arbor.) Teucrium Chamæpitys. Avbunne. Teucrium Chamæpitys. Xaµaiπitus. Teucrium fruticans. Παιδερως. Teucrium Chamædrys. Xauaidous. Teucrium Iva. Xapainilus. Teucrium Polium. Πολιον. Teucrium Scordium. Exoposion. Thalictrum flavum. Oalurtoov. Thapfia Aiclepium. Aorannesov. Theligonum Cynocrambe. Kuvozpape 67. Thlafpi arvenfe. Θλασπι. Sp. 1. Thuia occidentalis. Oura. Thymus Acinos. ARIVOS. Thymus Mastichina. Exerior. Thymus Mastichina. Sauduxos, Thymus Serpyllum. Eemullos 27πευτος. Thymus Serpyllum. Opryavog. Sp. 4. Thymus Zygis. Ερπυλλος αγριος, η Ζυγις. Thymus Zygis. Zuyis. Tirlia Europæa. Diduga. Sp. ambæ. Tordylium officinale. SETEN: KONTINOV. Tragopogon crocifolium. Teayonwywv. Tragopogon pratenfe. Teayomwywv. Tribulus aquaticus. TerCoros. Sp. 1. Tribulus terrestris. TeiColog. Sp. 2. Trifolium arvense. Aaywmes. Trifolium cæruleum. Λωτος ημερος. Trifolium officinale. AwTos ayeros. Trigonella fœnum Græcum. Tylis. Triticum æftivum. Пиеос тенеплос. Triticum æftivum. Teiunvasov oirov. Triticum æftivum. Tugn Erepa. Triticum hybernum. Σιλιγνις.

VA

Triticum hybernum. Τραγος. Triticum Polonicum. Πυρος διμηνος. Triticum repens. Αγρωςις. Triticum monococcum. Ζεια απλη. Triticum Spelta. Ζεια δικοπκος. Tulipa Gefneriana. Ανεμωνη λειμωνια. Tulipa Gefneriana. Σατυριον τριφυλλον. Tulfilago Farfara. Βηχιον. Tuffilago Farfara. Βηχιον. Tuffilago frigida. Καπαλια. Tuffilago Petafites. Πετασιτης. Typha latifolia. Τυφη.

U

ULEX Europæus. Σκορπιος. Ulmus campeftris. Πτελεα. Ulva Labyrinthiformis. Βρυον θαλασσιον. Ulva Labyrinthiformis. Φυκος θαλασσιον. Urtica dioica. Ακαλυφη. Sp. 2. Urtica pilulifera. Ακαλυφη. Sp. 1.

V

VACCINIUM Myrtillus. Αμπελος. παρα Ιδης. Valeriana Celtica. Ναρδος Κελτικη. Valeriana locusta olitoria α. Βεπλευρον. Valeriana officinalis. Φε. Sp. 1. Valeriana Phu. Φε. Sp. 11. 2. Valeriana tuberosa. Ναρδος ορεινη.

Vera-

Veratrum album. Ελλεβορος λευκος. Verbafcum Lychnitis. Φλομος. Sp. 1. 2. Verbafcum Phlomoïdes. Φλομος. Sp. 11. 1.

Verbena officinalis. Ιερα βοτανη. Veronica Chamædrys. Χαμαιδρυς. Veronica Teucrium. Τευκριον. Viburnum Opulus. Θραυπαλος. Viburnum Tinus. Δαφνη αγρια. Vicia Faba. Κυαμος. Vicia fativa. Αφαχη. Vicia fativa. Κυαμος. Viola odorata. Ιον. Vifcum album. Ιξος. Vitex agnus-caftus. Αγνος. Vitis labrufca. Αμπελος αγρια. Vitis vinifera. Αμπελος οινοφορος.

X

XANTHIUM Strumarium. Eaveliov.

Z

ZIZYPHUS fylveftris. Awros (arbor.)

EDITIONES

EDITIONES LIBRORUM IN HOC OPUSCULO MAXIME USITATÆ.

A CALL STREET, STRE	To state esserement runspraction
TAUHIN, Cafpar, Pinax Theatr.	Linnæus. Genera, Plant. Holm.
Botan. c. Prodomo. Bafileæ.	1754. octavo.
1671. quarto.	Spec. Plant. Holm. 1762.
Bauhin. Johannes. Hiftor. Planta-	Contraction of the property of the state of
rum. Ebrodun. folio. 1650. Vol.	Mentzel. Index Plantarum Nominum
III.	AND AND AND TRADAD ACCESS OF THE PERCENCE A
Clufius Carolus. Hiftoria rarior.	multilinguis. Berolin. 1682. folio.
	Morand Joann. Baptift. Hiftoria Bo-
Plantarum. Antverpiæ. 1601.	tanica Practica. Mediolani. 1744. folio.
folio.	VILLE SELECTED A STOLE STOLE SECOND
Diofcorides. Saraceni, folio.	Murray Jo. Andreæ. Apparatus Me-
Matthioli, folio. 1560.	dicaminum. Gottingæ. ab A.D.
Venetiis.	1776. ad 1787. Vol. IV. fed adhuc
Du Cange. Glofs. med. et infimæ	imperfect.
Græcitat. folio. Vol. II. Lugdun.	Parkinfon John. Theatrum Botani-
1688.	cum. folio. Lond. 1640.
Galenus. Oper. Omnia. folio. Vol.	Raius Johannes. Hift. Plant. Lond.
IV. Venet. apud Juntas. 1565.	1686. folio. Vol. III.
Geoponica. Edit. a Needham. Can-	Synopfis Anglica.
tabrig. 1704. octavo.	Londin. 1724. octavo.
Hallerus. Enumeratio Plantarum	Rutty Johannes. Materia Medica.
Horti Regii Gottingæ. 1753.	quarto. Roterodam. 1775.
octavo.	Salmafius Claud. Homonym. Hyles
Stirpes Helveticæ. Bernæ.	Iatricæ ad Finem Plin. Exercit.
1768. folio. Vol. III.	Traject. ad Rhenum. 1689. folio.
Bibliotheca Botanica. Lond.	Vol. II.
1771. quarto. Vol. II.	Theophrastus. Hist. Plant. a Bodæo
Hippocrates. Opera Omnia Edit.	a Stapel. Edit. Amstelod. 1644.
· Vander Linden. Lugd. Batav. 1675.	folio.
octavo. Vol. II.	Tournefort Johannes Inftitut. rei her-
Hortus Kewenfis. Auct. Gul. Aiton	bariæ Edit. tertia Appendic. aucta
Lond. 1789. Vol. III. octavo.	ab Antonio de Juffieu. Lugduni
Linnæus Carolus. Philofoph. Bo-	juxta Exempl. Parifiis. 1719. Vol.
tanic. Holmiæ. 1751. octavo.	III. quarto.
	INDEX
and the second	

Verbafoum Lychnitis. 4A

INDEX

OF THE

NATURAL OCCURENCES

IN THE

ANCIENT GREEK CALENDAR.

AQ

the number part of the Oct

stills in the Morn Och at

A . EUS 2020 3313 . 4.

LATERNUS (blotched,) Fruit of, ripe Sept. 28. Alaternus (common) Fruit of ripe Oct. 28. Alaternus (common) leafs March 2. Alder, Fruit of, ripe Sept. 8. Alder leafs Feb. 11. Anemone (white wood,) flowers Feb. 14. Apple-tree, Fruit of, ripe Oct. 3. Apple-tree leafs March 22. Aquarius, Sun in, Jan. 18. Aquarius, half of, rifes Feb. 3. Aquila fets in the Morn. July 19. Aquila rifes Dec. 5, 6. Aquila rifes in the Morn. Dec. 16. Aquila fets in the Even. Dec. 26. 30. May 14.

Aquila rifes in the Evening, May 19. 27.

Arcturus rifes September 1. 5. 8. 10. 11.

Arcturus still visible Sept. 14.

AU

Arcturus fets in the Even. Oct. 26. Arcturus fets in the Morn. Oct. 29. May 20. June 2.

Arcturus rifes in the Even. February 28.

Aries begins to fet Sept. 22. Aries, Sun in, March 19. Aries ceafes to rife April 19.

Afphodel (Yellow) flowers May 10.

Alh-tree, Fruit of, ripe May 10.

Avigato Pear, Fruit of, ripe August 1. Auriga, large Star in, rifes Sept. 11. Autumn, beginning of, Sept. 5. 11. BAL-

B

BALSAM-bearing trees drained of their refinous Juices, July 24.
Bark of trees in general parts eafily from the trunk and branches, July 25.
Bay-tree leafs Feb. 11.
Beam-tree (white) Fruit of, ripe Nov. 5.
Beam-tree (white) leafs March 30.

Box-tree, Fruit of, ripe Oct. 30.

C

CANCER, Sun in, June 22. Cancer begins to rife June 22. Cancer fets July 18. Cancer ceases to let Jan. 15. Canis rifes in the Morn. July 16. Canis rifes July 18. Canis is feen rifing July 21. Canis appears July 23. Canis fets Nov. 27. Canis fets in the Morn. Dec. 2. Canis rifes in the Even. Dec. 6. Canis fets in the Even. April 20. 26. May 21, 22. Capra rifes Sept. 11. Capra rifes in the Even. Sept. 25. Capra fets entirely in the Even. Oct. 8. Capra fets in the Morn. Dec. 13. Capra rifes in the Morn. April 26. Capricorn, Sun in, Dec. 20. Capricorn begins to rife Jan. 3. Celandine (greater) flowers Feb. 21. Chefnut-tree, Fruit of, ripe Oct. 25. Chefnut-tree leafs March 2. Chrift's-Thorn, Fruit of, ripe Oct. 28. Chrift's-Thorn leafs March 2. Corn, time of fowing, Oct. 25. Cornel-tree leafs Jan. 1. Corona begins to fet in the Morn. July 7-Corona rifes Sept. 28. Corona rifes in the Morn. Oct. 2. Corona fets August. 1. Corona rifes in the Even. March 9. Crane departs Oct. 2. Crocus (Autumnal) flowers Oct. 25. Cyperus Papyrus leafs March 31.

ET

D

DAFFODIL (fingle) flowers Feb. 5. Dandelion leafs March 21. Delphin fets in the Morn. August. 9. Delphin rifes Dec. 21. Delphin fets in the Even. Jan. 15. 21, Delphin rifes in the Even. June 7. Dogberry, Fruit of, ripe Sept. 8. Dogberry leafs Feb. 1.

E

ELM inverts its leaves June 22. Elm in leaf Feb. 16. Equinox, vernal, March 19. 24. Equinox, autumnal, Sept. 22. Etefian winds blow July 18. Etefian winds ceafe August 8. Etefian winds still blow August 27. FIDIS

192

v'u F

Orign beingstorife FIDIS rifes in the Morn. April 26. Figs ripe Sept. 5. Salt and the stal month Fig-tree leafs March 2. 17. Fir-trees, Seeds of, ripe Sept. 5. Fir-tree, Fruit of, ripe Oct. 29. Fir (Silver) Fruit of, ripe Nov. 17. Fir-tree leafs March 19. Fir (Silver) flowers June 18. Flea-bane (Great fweet) flowers Sept. 14. Flea-bane (Small true) flowers Sept. 14. Flea-wort flowers March 21. Flower de luce (Bulbous-rooted) flowers Feb. 14. Fruits, Summer, Time of gathering, July 23. Fruits in general ripe Sept. 27.

G

Will. Island . Chiny

Perfetts tets

GEMINI, Sun in, May 21. Gemini begins to rife May 22. Grapes ripe Sept 5. Grapes gathered for Vintage Sept. 5. Green-finch feen June 22. Green-finch departs Sept. 5. Gypfophila Struthium flowers May 14.

H

HALCYON feen Oct. 25. Halcyon lays Dec. 24.

trin the Marth. Oct. 19.

Harvest begins May 10. Hawthorn, Fruit of, ripe Oct. 28. Hawthorn leafs March 2.

Hædi rife in the Even. Sept. 24. Honey-wort (Greater) flowers May 13.

Hyacinth (Great Grape) flowers Feb. 14.

Hyades rife in the Even. Oct. 13. May 20.

Hyades fet Nov. 17. 19.

Hyades fet in the Even. April 8, 10. Hyades rife in the Morn. May 25.

M

IVY leafs March 30.

Maple-tree labor Uarsh 17.

JUNIPER-tree, Fruit of, ripe Nov. 21.

L

LAND ploughed for Corn Sept. 29. Laurel (Narrow-leaved) flowers Sept. 22. Leaves of fome trees begin to fall Sept. 15. Leaves in general fall Oct. 25. Leo begins to rife July 21. Leo, Sun in, July 22, 23. Leo, half of, rifes August 23. Leo begins to fet Jan. 19. Libra, Sun in, Sept. 22. Libra begins to fet April 10. B b Lily Lily (Yellow autumnal) flowers Sept. 22. Lily (Common white) flowers Feb. 5.

Lihy (Control white) nowers 1 co. 3. Lihy of the Valley flowers Feb. 14. Lime-tree inverts its leaves June 22. Lime-tree, Fruit of, ripe Oct. 30. Lime-tree in leaf March 17. Lychnis (Scarlet) flowers May 10. Lyra fets in the Morn. 13. Oct. 31. Lyra fets August 8. Lyra rifes in the Morn. Oct. 3. Nov. 11.

Lyra rifes in the Even. April 14. 20.

M

MAR JORAM (Common) flowers June 22. Maple-tree leafs March 17. Maple-tree, Fruit of, ripe May 10. Milvus appears March 2. 10. 15. 18.

N

NARCISSUS (Common) flowers Feb. 5. Nightingale retires Sept. 5. Nightingale fings March 24.

0

OAK-tree, Fruit of, ripe Oct. 25. Oak (Holm) Fruit of, ripe Nov. 21. Oak, South Europæan, leafs March 17. Olive inverts its leaves June 22. Orion rifes in the Morn. July 2. Orion rifes entirely July 5. June 21. Orion beginstorife in the Even. Oct. 2. Orion begins to fet Nov. 9. 27. Orion fets in the Morn. Nov. 28. Orion rifes March 16. Orion begins to fet in the Even. March 30. Orion fets in the Even. April 19. Orion, Shoulder of, rifes June 13. Orion begins to rife June 18. Ornithian Winds blow March 2. 9.

P

PEAR-tree (Wild) Fruit of, ripe Sept. 8. Pear-tree (Common) Fruit of, ripe Nov. 11. Pegafus rifes August 8. Pegafus rifes in the Morn. March 2. Perfeus fets in the Even. after the Sun Jan. 6. Pine (Common) Fruit of, ripe Oct. 29. Pine leafs March 19. Pifcis auftralis rifes March 2. Pifcis borealis ceafes to fet March 18. Plants icarcely grow after July 26. Plants in vigour of flower March 22. Pleiades rife in the Even. Sep. 26. 29. Pleiades fet in the Morn. Oct. 25. Nov. 9. Pleiades fet Oct. 5. Nov. 6. Pleiades fet in the Even. March. 28. 30. April 5. Pleias

194

Scorpio fets entirely in the Morn.

Pleias rifes May 1, 10. Poplar (White) inverts its leaves June 22.

Poplar (White) leafs Feb. 16. Poplar (Black) leafs Feb. 16.

Q

Wainut-tree, Fruit of

W inter

QUAIL departs Sept. 8.

Weather at Sea, I R

RICE harveft Oct. 26. Role flowers March 2. Role-campion flowers May 10.

S

SAGITTA fets in the Morn. Sept. 1. Sagitta fets Sept. 5. Sagittarius, Sun in, Nov. 21. Sagittarius begins to rife Nov. 27. Sagittarius ceafes to rife Dec. 20. Scate-fifh breeds Oct. 26. Scorpio fets entirely in the Even. Oct. 8. Scorpio, Sun in, Oct. 22. Scorpio, front of, rifes Oct. 25. Scorpio, bright Star in, rifes Nov. 6. Scorpio begins to rife in the Morn. Nov. 8. Scorpio, Sting of, fets Nov. 30. Scorpio rifes in the Morn. Dec. 11. Scorpio, first Stars in, fet March 17. Scorpio begins to fet in the Morn. April 29.

May g. Scorpius begins to fet in the Even. Sept. 3. Shoots, fecond, of trees May 22. Solftice, Summer, June 22. Solftice, Winter, Dec. 23. Spica Virginis rifes Sept. 15. Spindle-tree (Narrow-leaved) Fruit of, ripe Nov. 11. Spindle-tree (Narrow-leaved) leafs March 30. Spring, Beginning of, March 21. Sprouting, last, of trees June 22. Staff-tree, Fruit of, ripe Nov. 21. Strawberry-tree flowers Sept. 26. Strawberry-tree (Eaftern) Fruit of, ripe Sept. 28. Succory flowers March 21. Suculæ fet in the Even. April. 16. Sumach (Venice) flowers Sept. 26. Summer, End of, August 13.

Summer, Beginning of, May 1. 10.

T

TAURUS, Tail of, fets Oct. 19.
Taurus, Head of, fets in the Morn. Oct. 30.
Taurus, Horns of, fet Nov. 18.
Taurus, Sun in, April 19, 20.

Taurus, Tail of, rifes April 20.

Taurus, Head of, rifes May 1.

- Taurus ceafes to rife May 20.
- Thiftle, (Spanish Golden,) flowers June 22.

Bb2

Tree .

Tree of Life, Fruit of, ripe Nov. 11. Tree of Life leafs March 30. Trees (Evergreen) lofe their leaves June 22. Trees in general in leaf April 19.

Turnfole (great) flowers June 22. Turpentine-tree leafs March 2. Turpentine-tree, Fruit of, ripe May 10.

V w-leaved) leafs

VINCULUM Pifcium rifes May 13. Vindemitor rifes Auguft 9. Vindemitor appears Sept. 1. Vintage begun Sept 15. Vintage going on, Sept 27. Violet (Bulbous) flowers Feb. 1. Violet (Dog-tooth) flowers Feb. 3. Violet (Common) flowers Feb. 14. Virgin's-bower flowers May 13. Virgo rifes Auguft 20. Virgo, Sun in, Auguft 23.

TAURUS, Tail of, feb OSt. io.

Taurus, Horns of, let Nov. 18. Taurus, Sun in, April 16, 20.

Taurus, Tail of, mer April 20.

Taurus, Head of, tiles May 1.

Taurus ceates to rite May ao.

Thirty (Simple Colden) flower

O. . 60.

Taurus, Head of, for in the Morn.

Virgo, Shoulders of, appear August 27. Virgo, Half of, rifes Sept. 8. Virgo ceases to rife Sept. 26.

W

WALL-flower flowers Feb. 3. Walnut-tree, Fruit of, ripe Sept. 8. Weather at Sea, T'empestuous, July 19. West Wind begins to blow Feb. 2. West Wind blows Feb. 3. Willow (Almond-leaved) leafs Feb. 16. Winter, Beginning of, Oct. 5. Winter, Middle of, Jan. 2.

SAGITTA In Man Monik Septer.

Y E W-tree, Fruit of, ripe Nov. 11. Yew-tree leafs March 30. Yew-tree flowers June 18.

Scorpho lets entired in the Even.

brought, bright Star in, this Nov. 6

Securito Security to the in the Morris

Scorpin rifes in the Morn. Dec. V.

Secondo Logins to let in the More

Scorpio, find Stars or, fet March

Scould, atthe (1) DE. 22.

Scorpio, front of, riles Oct. 2 c

Scorpio, Sting of, lets Nov. co.

I N D E X

OF THE

NATURAL OCCURRENCES

IN THE

ANCIENT ROMAN CALENDAR.

AQ

LDER buds Feb. 11. Almond-tree blows Jan. 3. 15. Dec. 20. Almonds fown Feb. 1. Oct. 29. Almond-tree, Fruit of, formed Mar. 1. ----- ripe July 15. Amaranth (Fox-tail) blows August 1. Andromeda rifes August 31. Apple-tree blows Feb. 11. Apples ripe August 8. Sept. 25. Nov. 9. Aquarius, Sun in, Jan. 16, 17, 18. 23. ----- rifes Jan. 18. Feb. 5. ----- fets July 25. Aquila fets Jan. 5. July 20. 23 .30. Dec. 29.

AU

Aquila rifes May 25. June 1. 3. July 27. Dec. 7. 20. Arctophylax rifes Feb. 11. ----- fets March 5. June 7. Arcturus rifes Feb. 11. 21. 23. 26. March 23. Sept. 5. 11, 12. 14, 15. 17. ----- fets May 13. 22. June 6, 7. Aug. 26. Oct. 29. 31. Nov. 2. Aries, Sun in, March 17, 18. 26. --- rifes March 23. ---- fets April 25. Sept. 21. Oct. 6. Argo rifes March 14. ---- fets Sept. 22. Ash-tree, Fruit of, ripe July 25. Afparagus fown April 1. Auriga sets Oct. 11.

Autumn,

Autumn, Beginning of, August 8. 11. 12. 20. Sept. 7. Autumnal shoots of Plants Sept. 5. Avigato Pear ripe August 1.

B

BARLEY fown Jan. 14. March 5. Sept. 24. Oct. 20. Nov. 8. Barley harvest June 1. Bay-tree buds Feb. 10. _____ fown Dec. 29. Beans in flower March 24. Bean harvest June 24. Beans fown Oct. 15. April 29. Bees begin to leave their hives March 22. April 8. ---- wander in fearch of food March 24. ---- breed and fwarm May 10. ---- fwarm June 28. ---- taken April 1. August 12. ---- confined to their hives Oct. 28. Birds, Singing, breed March 23. Broom-feeds fown March 1. Branches of trees laid March I.

C

 Canicula rifes July 17, 18, 19, 20. ----- fets Nov. 23. 25. Dec. 30. Canis rifes April 25. July 16. ---- fets April 28. 30. May 22. Nov. 22. Capella rifes May 1. 8. Sept. 9. 28. ----- fets May 21. Capra rifes April 9. May 25. ---- fets Dec. 23. Capricorn fets July 8. _____ Sun in, Dec. 17. Caffiope lets Oct. 30. Cattle turned into the Pastures Feb. 7. ---- foddered for want of Grafs May 17. ---- fed on Leaves June 1. Centaurus rifes Sept. 23. ---- ceafes to rife Oct. 25. Cepheus rifes July 9. Cherry-tree in flower Feb. 15. Chefnut buds Feb. 18. ----- fown Feb. 27. March 1. Chichlings fown Jan. 21. Chiron rifes May 3. Cork-tree, Fruit of, ripe Nov. 8. Corn harvest June 26. ---- over July 30. --- fown August 11. Oct. 5. Cornel-tree buds Feb. 8. ---- Fruit of, ripe June 25. Corona rifes March 8. Oct. 4, 5. 8. 13. ——— fets July 4, 5. Corvus, Anguis and Crater rife Feb. 14. Crab-tree, Fruit of, ripe Nov. 1. Cranes appear Nov. 11. DEL-

FI

D

DELPHIN rifes Jan. 1. 4. 9. June 8. 10. 13. 17. Dec. 27. ————————fets Jan. 8. 30. Feb. 3. August 13, 14. Dog-wood, Fruit of, ripe June 27.

E

EARTH cracked by heat July 6. 17. Elm buds Feb. 11.

Leaves of, begin to fall June 27.
Equinox, Vernal, Mar. 22, 23, 24, 25.
Autumnal, Sept. 24, 25, 26.
Etefian Winds blow June 27. July 20. 26. August 1.

------ ceafe August 27. 30. Sept. 16.

F

Fidis fets Feb. 1. 3. August 12. 20. —— rifes Nov. 16.

Field cleared of Cattle for Hay Jan. 13. Feb. 11.

Figs, first crop of, July 26.

Fig-trees inoculated August 31. Fir-tree shoots Feb. 8. Fir-tree, Spring fhoots of, at a ftand Feb. 22.

June 27.

Fir (Yellow flowering) flowers June 26.

Oct. 20. Flax fown Sept. 24. Flowers in full beauty April 28. Fænugreek fown Feb. 1.

Fruits, Winter, gathered Nov. 11.

G

GALLS, Oak, formed June 18.
Gardens put into order March 14.
Geefe lay Jan. 26.
Geefe fit March 1.
Gemini, Sun in, May 19, 20.
Grapes ripe August 26.
Grapes gathered Sept. 25.
Grafs burnt up May 17.
Green-finch feen June 26.
Ground ploughed in warm fituations March 22.
Ground drieft Sept. 17.
Gulls, Sea, lay Eggs May 9.

Η

HALCYON days Feb. 22. Dec. 24. Hay harveft May 13. 15. June 1. Hazel-nuts fown Feb. 27. Heat of the Weather begins June 13. Hemp

LE

200

Hemp fown Feb. 25, 26. Hens lay Jan. 1. Hens fit Jan. 13. Hædi rife April 25. Sept. 27. 29, 30. Oct. 6. Holly-tree buds Feb. 18. Honey, first feason for the collection of, by bees, April 22. ----- fecond feafon for the collection of, by bees May 15. ----- principally collected by bees about June 24. ----- taken June 29. ----- fecond feafon for taking Oct. 28. ----- Wild, taken Sept. 11. Hufbandry, Works of, begin Jan. 13. Hyades fet April 17. ----- rife May 2. 27.

K

KITE departs Sept. 5.

L

fodder August 8. ———— fall Oct. 25.

Lentils fown Nov. 2.

Leo fets Jan. 16. 24, 25. --- ceafes to fet Feb. 20. --- rifes July 29, 30. August 4. --- Sun in, July 17. 20. Lepus fets Nov. 22. Libra fets April 8. 10. 13. Libra, Sun in, Sept. 19, 20. Lily (Purple) blows Sept. 21. Linden-tree buds March 21. ----- Leaves of, begin to fall June 27.

Linfeed fown Oct. 1. Lucern fown or planted April 29. Lupines fown Feb. 12. Lyra rifes Jan. 5. May 5. ---- fets Jan. 23. Feb. 2. April 12.

M

Mulberries fown Feb. 13. Mushrooms gathered April 19.

N

NEPA fets March 15, 16. April 1. —— rifes Oct. 26.

Nut-tree

Nut-tree buds Feb. 11. Nuts ripe August 8. —— fown Feb. 27. March 1. Navigation commences March 10.

0

OAK-tree fhoots Feb. 8. ----- Spring fhoots of, at a ftand Feb. 22. ------ Summer Thoots of, June 27. Oak (South European) Fruit of, ripe August 8. Oil (in Olives) generated Sept. 5. Oil fresh (viride) expressed Oct. 30. Olive-tree pruned March 10, 11. ---- grafted, fown and pruned March 24, 25. ----- buds April 22. ----- leafing May 7. _____ Leaves of, begin to fall June 27. ------ flowers June 2. 28. inverts its leaves june 28. Olive harvest Dec. 1. Ophiuchus rifes June 20. ---- lets June 21. Origanum flowers June 21. Orion rifes March 9. 16. May 27. June 15, 16. 23. 26. ---- fets April 5. 29. May 11. June 3. 24. Nov. 1. Ornithian winds blow Feb. 20. 23. P

PANIC fown March 23.

Panic reaped Sept. 28. Peaches ripe July 26. Pea-fowl lay Feb. 13. Pear-tree blows Feb. 13. March 2. Pears ripe August 8. Nov. 9. Pear-trees fown Nov. 27. Peafe fown Sept. 29. Pegafus rifes March 7. ----- fets March 21. Pheafants lay March 31. Pine cones fown Feb. 27. March 1. 24. --- in flower June 10. --- cones ripe Oct. 20. Nov. 12. Pifces, Sun in, Feb. 16. 20. ---- fet Sept. 21. Pifcis Auftrinus fets March 3. Sept. 2. ---- Aquilonius rifes March 8. 15. ---- ceafes to rife March 13. ---- Aquilonius ceafes to fet Sept. 7. Pistacia-trees grafted March 24. ----- nuts fown April 1. Pleiades rife April 1, 2. 22, 23. May 7. 13. 16. June 10. Oct. 10. ----- fet April 1. 6. Oct. 20. 24. 28. Nov. 1, 2. 8. 11. Plumbs fown Jan. 3. Plumb-tree in blow Feb. 15. Plumbs ripe July 26. Pomegranates fown Feb. 28. Poplar buds Feb. 11. ----- white leaves of, begin to fall June 27. ---- inverts its leaves June 28. ---- in blow June 29. Procyon rifes July 13. 15. Prodromi (Winds) blow July 10, 11. 23. Cc QUIN-

202

Q

Peafe form 900° 201

Reality solar subgolf

ROSES in blow May 11. early in blow April 1.

S

SAGITTA rifes Feb. 22. ----- fets Aug. 25. Sagittarius fets Feb. 13. ----- Sun in, Nov. 18, 19. ------ fets Dec. 6. Scorpio, Sun in, Oct. 19. Scorpius rifes March 16. Dec. 6. 13. ----- fets April 1. May 6. Seas dangerous by Storms Sept. 14. Nov. II. --- fafe to fail on March 10. Seeds of fruit-trees fown Oct. 3. Services fown Jan. 3. Sefamum fown May 10. Sept. 26. Sheep fhorn June 24. Solftice, Summer, June 23, 24. 26. ----- Winter, Dec. 17. 24, 25. Spica Virginis rifes Sept. 16. 18. Spring, Beginning of, Jan. 19. Feb. 15. ----- half over April 21. 25. Stock-dove fits June 25.

Storks appear May 7. chud on the Suculæ fet April 12. 18. Nov. 21. 30. ---- rife April 30. May 2. 19, 20. Nov. 21. 2010000 nothegives Summer, Beginning of, April 21. May 7, 8, 9. 13. 19. ----- End of, July 23. Aug. 7. Summer fhoots of trees July 26. Swallows feen in an early Seafon. Jan. 27. ----- arrive Feb. 11. 20. 22, 23, Oak (South European) I ruit of. 22 ----- depart Sept. 5.2 florent enerated bept t Txpreifed Oct. 30. OFFIT (Part 40 Olive-free pruned March 10, 11, TAURUS, Sun in, April 17, 18. 20. ----- rifes May 14. --------- fets Oct. 22. Nov. 1. 20. Terga Leonis fets Feb. 2. Thorn buds Feb. 18. Thrush leaves Italy March 25. ----- comes to Italy Sept. 25. Thyene rifes June 15. fismed evilo Thyme plant flowers June 24. Turpentine-tree buds Feb. 18. --------- Fruit of, ripe July 25. Trees transplanted Nov. II. noin ---- pruned Nov. 5. di . 21 anul ---- fets April 5. 20. May 11.

VEGETATION, Beginning of, Feb. 8.

wn March 22.

June 3. 22. N.V. 1.

--- mostactive Mar.

21.

Vetches

Virgo ceafes to fet Oct. 4. Vetches cut for Summer fodder June 24.

----- fown Sept. 26. Nov. 2. Vindemitor rifes March 2. 5.8. Aug. 22. 26.

Vines planted Jan. 14.

--- grafted Feb. 23.

---- pruned March 1. May 7.

---- budding April 22.

---- leafing May 7.

----- in flower June 2. 24.

---- out of flower July 7.

—— burnt up July 30.

Vintage begun Sept. 8.

_____ going on Sept. 26. 28. Oct. 13.

Violet, White, blows Feb. 9. ----- Purple, blows Feb. 13. Mar.

22. ---- Flame-coloured, blows Feb. 15.

Virgo, Sun in, Aug. 17. 20.

----- rifes Aug. 30. Sept. 8. 11.

---- ceases to rile Sept. 28.

W

WALNUTS fown Feb. 27. Mar. 1. Weeds to be cleared away from fields Feb. 5. West wind blows Feb. 5, 6, 7, 8, Wheat harvest begins June 26. ---- over July 26. 30. ---- fown Sept. 26. Oct. 1. 13. 20. 23. 28. 30. Nov. 2. 25. Willows fown Feb. 10. Mar. 1. ----- buds Feb. 11. ----- inverts its leaves June 28. Winter, Middle of, Jan. 4. 10. 27. Winter, Middle Space between the Depth of, and the blowing of the West wind Jan. 12. ----- Depth of, ends Jan. 25. - End of, Feb. 6. - Beginning of, Oct. 23. Nov. 8, 9, 10, 11.

