Observations concerning the prevention and cure of the venereal diseases : with an appendix containing a list of the most approved medicines now used in the cure of this disorder / by W. Buchan.

Contributors

Buchan, William, 1729-1805. University of Glasgow. Library

Publication/Creation

London : T. Chapman, 1796.

Persistent URL

https://wellcomecollection.org/works/ru8kz6p5

Provider

University of Glasgow

License and attribution

This material has been provided by This material has been provided by The University of Glasgow Library. The original may be consulted at The University of Glasgow Library. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org









OBSERVATIONS

CONCERNING

THE PREVENTION AND CURE

OF THE

VENEREAL DISEASE.

OBSERVATIONS

CONCERNING

THE PREVENTION AND CURE

AHT TO

VENEREAL DISEASE.

OBSERVATIONS

CONCERNING .

THE PREVENTION AND CURE

OF THE

VENEREAL DISEASE.

INTENDED

To guard the Ignorant and Unwary against the baneful Effects of that insidious Malady.

WITH AN

APPENDIX,

Containing a List of the most approved Medicines now used in the Cure of this Disorder, also their Doses, Manner of Application, &c.

By W. BUCHAN, M. D.

FELLOW OF THE ROYAL COLLEGE OF PHYSICIANS, EDINBURGH; AND AUTHOR OF THE DOMESTIC MEDICINE.


Stultorum incurata pudor malus ulcera celat.

-HORATII EPIST. XVI.

LONDON:

PRINTED FOR T. CHAPMAN, FLEET STREET, AND MUDIE AND SONS, EDINBURGH,

1796.



CONTENTS.

Introduction I CHAP. I. 19 Of preventing the Venereal Difeafe 19 CHAP. II. 19 Of the Virulent Gonorthœa 37 Method of Cure 37 Of the Chordee 37 CHAP. II. 37 Chap. HI. 37 Confequences of the Virulent Gonorthœa 54 Of the Swelled Tefficle 63 Of Gleets 63 Of Warts and Excoriations 69 CHAP. IV. 10 Of the Lues Venerea, or Pox 70 Of the Treatment of Chancres 75 Of the Phymofis and Paraphymofis 82	Preliminary Obfervations	Page
CHAP. I. Of preventing the Venereal Difeafe 19 CHAP. II. Of the Virulent Gonorrhœa 37 Method of Cure 37 Of the Chordee 37 CHAP. II. ChAP. III. Confequences of the Virulent Gonorrhœa 54 Of the Swelled Tefficle 63 Of Gleets 63 Of Warts and Excoriations 69 CHAP. IV. Nfahe Lues Venerea, or Pox 70 Of the Treatment of Chancres 75 Of the Phymofis and Paraphymofis 82		-
Of preventing the Venereal Difeafe19CHAP. II.CHAP. II.Of the Virulent Gonorrhœa37Method of Cure42Of the Chordee52CHAP. III.Chafequences of the Virulent Gonorrhœa54Of the Swelled Tefticle63Of Gleets63Of Warts and Excoriations69CHAP. IV.Chap. IV.Of the Iues Venerea, or Pox70Of the Treatment of Chancres75Of the Phymofis and Paraphymofis82	where the state and the state of the state of the state of the	1
CHAP. II. Of the Virulent Gonorrhœa 37 Method of Cure 42 Of the Chordee 52 CHAP. III. CHAP. III. Confequences of the Virulent Gonorrhœa 54 Of the Swelled Tefticle 60 Of Gleets 63 Of Warts and Excoriations 69 CHAP. IV. CHAP. IV. Of the Lues Venerea, or Pox 70 Of the Treatment of Chancres 75 Of the Phymofis and Paraphymofis 82	metalements a second second second second	
Of the Virulent Gonorrhœa37Method of Cure42Of the Chordee52CHAP. III.Confequences of the Virulent Gonorrhœa54Of the Swelled Tefticle63Of Gleets63Of Warts and Excoriations69CHAP. IV.Of the Lues Venerea, or Pox7°Of the Treatment of Chancres75Of the Phymofis and Paraphymofis82	Of preventing the Venereal Disease	19
Method of Cure37Method of Cure42Of the Chordee52CHAP. III.Confequences of the Virulent Gonorrhœa54Of the Swelled Tefticle60Of Gleets63Of Warts and Excoriations69CHAP. IV.Of the Lues Venerea, or Pox7°Of the Treatment of Chancres75Of the Phymofis and Paraphymofis82	CHAP. II.	
Method of Cure37Method of Cure42Of the Chordee52CHAP. III.Confequences of the Virulent Gonorrhœa54Of the Swelled Tefticle60Of Gleets63Of Warts and Excoriations69CHAP. IV.Of the Lues Venerea, or Pox7°Of the Treatment of Chancres75Of the Phymofis and Paraphymofis82	Of the Virulent Gonorrhoez	
42Of the Chordee52CHAP. III.Confequences of the Virulent Gonorrhœa54Of the Swelled Tefticle60Of Gleets63Of Warts and Excoriations69CHAP. IV.Of the Lues Venerea, or Pox7°Of the Treatment of Chancres75Of the Phymofis and Paraphymofis82		
52 CHAP. III. Confequences of the Virulent Gonorrhœa 54 Of the Swelled Tefticle 60 Of Gleets 63 Of Warts and Excoriations 69 CHAP. IV. Of the Lues Venerea, or Pox 70 Of the Treatment of Chancres 75 Of the Phymofis and Paraphymofis 82	Take a start was a start and the set of the start	42
Confequences of the Virulent Gonorthœa54Of the Swelled Tefticle60Of Gleets63Of Warts and Excoriations69CHAP. IV.61Of the Lues Venerea, or Pox70Of the Treatment of Chancres75Of the Phymofis and Paraphymofis82	or the chordee	52
Of the Swelled Tefficle60Of Gleets63Of Warts and Excoriations69CHAP. IV.69CHAP. IV.70Of the Lues Venerea, or Pox70Of the Treatment of Chancres75Of the Phymofis and Paraphymofis82	service of the servic	
Of the Swelled Tefficle60Of Gleets63Of Warts and Excoriations69CHAP. IV.69CHAP. IV.70Of the Lues Venerea, or Pox70Of the Treatment of Chancres75Of the Phymofis and Paraphymofis82	Confequences of the Virulent Gonorrhœa	54
Of Gleets63Of Warts and Excoriations69CHAP. IV.69Of the Lues Venerea, or Pox70Of the Treatment of Chancres75Of the Phymofis and Paraphymofis82	Of the Swelled Tefticle	
Of Warts and Excoriations69CHAP. IV.Of the Lues Venerea, or Pox7°Of the Treatment of Chancres75Of the Phymofis and Paraphymofis82	Of Gleets	
CHAP. IV. Of the Lues Venerea, or Pox 7° Of the Treatment of Chancres 75 Of the Phymofis and Paraphymofis 82	Of Warts and Excoriations	
Of the Lues Venerea, or Pox7°Of the Treatment of Chancres75Of the Phymofis and Paraphymofis82	Stagular Elivices of Mercury on	09
Of the Treatment of Chancres 75 Of the Phymofis and Paraphymofis 82	CHAP. IV.	
Of the Treatment of Chancres 75 Of the Phymofis and Paraphymofis 82	Of the Lues Venerea, or Pox	70
Of the Phymofis and Paraphymofis 82	Of the Treatment of Chancres	1000
		and the second
CHAP		HAP.

.

CONTENTS.

CHAP. V.

	rage
Of the Instruments of Cure	94
Of the Proper Regimen under a Courfe	· creation
of Mercury	107
Of Buboes	III
Of Venereal Ulcers	122
Of Venereal Blotches, and other affecti-	Prelin
ons of the Skin	128
Of the Venereal Node	133
Of Excrefcences about the Seat	140
Effects of the Venereal Difease on the	the state of the s
Organs of Senfe	142
CHAP. VI. Danoistit	in in
GHAP. VI. CHAP.	
Of Infants, Mothers, and Nurfes	and the second
Chordee	Of the
Of fome Irregular Symptoms	161
Of Diseases which resemble the Lues Ve-	Confee
nerea solide l'officie	168
20	(D 30)
CHAP. VIII.	W 10
Some Singular Enects of Mercury on	
the Mouth, Bowels, &c.	190
Lucs Venerea, or Pox	Ofthe
CHAP. IX.	Of the
General Obfervations	202

CHAP.

tr.


CONTENTS.

CHAP. X.

CITALTAN	Page
Of Impotence	220
A Summary View of the most Important	197 4
Doctrines, &c.	229

APPENDIX.

Injections for the Cure of Gonorrhœa	237
Medicines used in the Cure of Lues Ve-	
nerea about the Seat	241
Of Preventives and all and the second second second	247



PRELIMINARY OBSERVATIONS.

THE following pages were written in profecution of my plan for rendering medicine more extensively beneficial to mankind. They treat of a difease which, at once, tends to poifon the springs of happines, and to debase the human race. To shew men how far it is in their own power, by due care and attention, to prevent its destructive influence, is the professed design of the ensuing treatife. How far I have succeeded in the execution of this design must be left for others to determine; but if these hints should in any measure conduce to put the young and unwary on their guard against the direful con-

fequences

fequences of this infidious malady, I fhall think my time and attention have been extremely well beftowed.

Many reasons have induced me to felect the Venereal Difease as the subject of a separate treatife. It is one of those complaints which, for the patient's peace and happinefs, he often finds it neceffary to conceal; and, fortunately for him, this, by due care, may generally be effected. Befides, other diseases are often removed by the. efforts of nature, or difappear of their own accord ; but in the lues venerea, nature cannot effect a cure. A good constitution is doubtless in favour of the patient, but no conftitution can conquer the virulence of this poifon. Whoever trufts to that will be difappointed. As a specific remedy is difcovered, its properties ought furely to be made known to the public. Since the powers of the Bark were underftood by all, every one can cure an ague ; yet this difease proves often more obstinate than a confirmed pox.

Unfortunately for those who labour under the venereal difease, its treatment has fallen into

ii

OBSERVATIONS.

into bad hands. Not only Quacks of all descriptions undertake to cure it; but every idle fellow who does not chufe to follow some useful employment, sets up for doctor, affumes fome well known name, and advertifes an infallible remedy for the venereal difeafe. The apothecary's man, or even the apothecary's man's man, often passes for an adept in curing this malady. Nor is it uncommon, for the fellow who brushed the furgeon's coat, or cleaned his shop, to step into his mafter's shoes, and sometimes into his chariot, by his pretended skill in curing the lues venerea. These nostrum-mongers not only fell the fame medicines to all their patients, however widely their fymptoms may differ ; but, unfortunately for them, the noftrum often does not contain a fingle grain of what we know to be abfolutely neceffary for their cure.

The credulity of mankind in regard to medicine, is truly aftonifhing. Even those who affect to be sceptical in other matters are the easy dupes of every pretender to a secret medicine: they will neglect the advice of the most skilful physician, and run after the 22 ignorant ignorant quack, becaufe he promifes them a fudden cure; but alas! this fudden cure, nine times out of ten, turns out to be no cure at all, and the difeafe is by this means trifled with, till it becomes altogether incurable.

The most frequent dupes to quackery are the young and unwary. They credit the contents of every puff that is put into their hands as they walk the ftreets, and fwallow with eagernefs the drugs it recommends. I would beg leave just to hint to fuch inexperienced youths, that the advertifing quack, is, ten to one, more ignorant of medicine than themfelves, that his fole aim is to take their money, and when he has got that, he cares no more for the patient. I am warranted to fay this from daily obfervation, and am forry to add, that too many, from woeful experience, know it to be true. So great however is the influence of quackery over the young mind, that I have feen one of those unfledged gentlemen, while I was writing a prefcription for him, take up a newspaper, and casting his eye on an advertisement, which promised to do in a few days what I had told him would require weeks, if not months, to complete, put my prefcription fcription in his pocket, and hafte away to the performers of quick cures.

No great fkill is neceffary to dry up a chancre, fo as to make it appear healed in a few days. This they call curing the pox; but, if ever the pox exifted, it cannot be cured in this manner. I know of numbers, however, who avow this as their common practice. Need any one be furprifed to find obftinate ulcers, and carious bones as the confequence? The practitioner, whofe fole object is to touch the patient's money, will patch him up, and get him off his hands, as foon as he can. Let all who wifh to preferve their conftitution, beware of fuch cures.

Some authors would perfuade us that, in whatever fhape the venereal difeafe appears, it never fails to do great injury to the conftitution. I grant that, in fome conftitutions, this may be true, but am inclined to think, that the mifchief done by the venereal difeafe, is often owing to wrong regimen, and improper treatment. The proportion of those who are able to obtain good advice, and observe a proper regimen, does not amount to one in a hundred. All the rest must put up with fuch fuch advice as they can obtain, and follow the beft regimen that their circumftances will permit. By far the greater part are obliged to follow their neceffary employments, however hurtful they may be, during the whole time they are taking medicine.

It is eafy to fay, that every man afflicted with the venereal difeafe, ought to have recourfe to the beft advice; but how is he to obtain it? The beft advice is not eafily purchafed. Befides, men afflicted with the venereal difeafe are often in fituations where no medical affiftance of any kind can be had. Thefe are the men for whom the following obfervations were thrown together. They are not defigned to fuperfede the phyfician, but, in fome meafure, to fupply his place where he cannot be had; and to prevent thofe who are not able to employ him, from becoming the prey of ignorance and avarice.

It is a juft obfervation, that there is a greater difference between a good phyfician and a bad one, than between a good phyfician and none. When I fay a bad one, I mean the felfcreated doctor, who, while he knows nothing, undertakes every thing. A man of common

OBSERVATIONS.

common underftanding, with the affiftance of books, will conduct his own cure better than many of thofe who make a trade of curing the lues venerea. Nor is it a matter of fmall importance for a man to know when he is properly treated. It is on the ignorance of the patient that the Charlatan prefumes. He knows there is no danger of detection while the patient is taught to dread, even the leaft dip, in medical knowledge.

A man should at least have as much information about this malady as to know when he has got it. Many have their pockets picked, by taking medicines for the difeafe, who never had it; while others are fuffered to linger under the complaint for years, being all the while told that they had it not. I lately faw a remarkable instance of the latter, in a young man, who applied to me to know whether or not he had the malady, as his medical attendant had told him it was no fuch thing. I never faw the lues more ftrongly marked, and advised him immediately to begin a course of mercury, which he did, but not being able to observe a strict regimen, it was ten months before he was well, though his mouth waskept fore during most of the time.

If

If men may fall into fuch hands, it is furely high time that they were taught, at least, to know the fymptoms of this too common malady. To talk of making all men phyficians, is the extreme of folly. Surely the man who writes a catechism does not intend to qualify his readers for becoming doctors in divinity ; yet fuch is the folly of men, or rather the prejudice of the faculty, that whoever attempts to throw a little light on the public mind, with regard to difeases, is immediately branded with the intention of making every man a phyfician. Would to God that phyficians were fo eafily made! To be a phyfician is the bufinefs of a man's life, and the candid will confess that, to the last, he has still much to learn.

It is often a difficult matter, in the cure of this difeafe, to perfuade patients to take mercury for a fufficient length of time. The wifh to be foon well is natural, but it is productive of much mifchief. The victims to quick cures are innumerable: yet men will run after thofe who promife them, though to their own deftruction. Few days pafs in which I do not fee inflances of the danger arifing from imperfect cures of the lues venerea;

OBSERVATIONS.

nerea ; and I have reafon to believe, that those which are not feen, nor regarded, are still more numerous.

Nor is the difficulty much lefs in getting men to take mercury in fufficient dofes. Mercury may be taken for any length of time, but if it is not administered in fuch quantities as to produce fufficient effects on the fyftem, it will not fubdue the poifon. This, however, is not an easy matter to estimate. The difference of constitutions is fuch, that two perfons can hardly be treated exactly in the fame way, and our conduct must be regulated chiefly by its effects on the fystem.

Much has been faid in favour of the alterative mode of administering mercury; and it were greatly to be wished, that it could be depended on for completing the cure; but with that view I dare not recommend it. No doubt it may fucceed in certain cases, but it is not to be trusted as a general mode of treatment. When the constitution is too irritable to bear even the flightest degree of falivation, the mercury may produce its effects taken as an alterative. It may likewise be proper after a liberal use of mercury, when it

ix

X

it is deemed neceffary to keep up the mercurial action on the fystem, to administer it in this manner.

It would be eafy to bring forward a number of cafes to prove the danger of trufting to the alterative method of cure; but the following fhall fuffice.

Some years ago a merchant from North America put himfelf under my care, for, what the London phyfician, to whom he firft applied, had treated as a cancer in the nofe. I fufpected the cafe to be venereal, and, from the patient's own account of the matter, there remained no doubt of it. Before he left America, he had taken mercury for above twelve months, and all the while the difeafe was preying upon the nofe, till it had eat away both the *alæ nafi*, as they are called, occafioned an amazing degree of pain, and rendered him a fhocking fpectacle.

On looking over his apothecary's bill, I could perceive that the gentleman had ufed a fufficient quantity of mercury to have performed a cure, provided it had been taken in a fourth part of the time. Indeed the event proved the truth of this obfervation. I put him

OBSERVATIONS.

him on a courfe of mercury and diet drink, confined him to the houfe, and in lefs than two months his nofe was perfectly healed, and continues fo to this day. The deformity, however, for which he has to thank his American doctor, must defeend with him to the grave.

About four months ago one of those unhappy females who often contract the lues venerea, but are feldom thoroughly cured, applied to me for a fore leg. The fore was a little above the ancle, had been long open, and shewed no disposition to heal. She faid fhe believed it was owing to an ill cured pox, and added that fhe had been taking mercury, as an alterative, for upwards of twelve months, without the smallest benefit. As I was entirely of her way of thinking, I advifed her to take the corrofive fublimate of mercury, in fuch dofes as to keep her mouth fore, for feveral weeks, and likewife to wafh the fore frequently with the folution of fublimate, as strong as she could easily bear it. I was agreeably furprifed to fee her come back within fix weeks, to return me thanks for the cure, with her leg perfectly healed, and

and in all other refpects well. I have been long in the habit of treating these fores, which I took to be venereal, with the sublimate, and have feldom been disappointed in its effects.

The next cafe that I shall mention is, that of a gentleman refident in London, who had every opportunity of taking the very best advice, yet followed the worst. He thought he could follow his bufinefs and take mercury at the fame time, with fafety and effect. This he tried for a feries of years, his nofe all the while fuffering a gradual diminution. This was imputed to fome other caufe, till at length, that organ totally difappeared. He, when too late, applied to an eminent practitioner in that line, who told him he had never taken the medicine properly; put him under a course of mercury; confined him to the houfe for fome months, and made a complete cure of him. He now enjoys the bleffing of perfect health, if health in fuch a mangled condition can be called a bleffing, or deemed worth the enjoying.

After a very liberal administration of mercury there will often remain some marks of the diforder. In this case, if the alterative method

OBSERVATIONS.

method is purfued, thefe will difappear, and this mode of treatment will get the credit of the cure, while it was wholly owing to the mercury previoufly administered. Whatever may happen in flight degrees of infection, or where the fystem has been previoufly impregnated with mercury, I would not advife any one who has got a confirmed pox to trust his cure folely to the alterative mode of adminiftering mercury; otherwife he may have caufe to regret the injuries done to his conftitution, when it is too late to repair them.*

* The eafe with which fome people treat thefe matters, where life is concerned, is to me aftonifhing. A young gentleman lately applied to me who was all over covered with venereal blotches. He had been treated on the alterative plan for a confiderable time, but without effect. I changed the mode of treatment, and he was cured in about two months. While under my care he met his old doctor, as he was pleafed to call him, and told him what I was doing. He faid I would make his mouth flink like the devil, fo that he could not go into genteel company. This is delicacy with a vengeance! A man, rather than have a fore mouth for a few weeks, is to be eat up with the lues venerea; yet there are men who fwallow thele doctrines, becaufe they coincide with their own wifhes.

Many

Many retard their cure, and fometimes even prevent it, by leaving off the mercury as foon as it affects the mouth, and taking opening medicines to carry it out of the body. In fact the mercury is too apt to run off by ftool, and never has its full effect on the fyftem when carried off too quickly, either by the bowels or the mouth. The great art in adminiftering mercury is to regulate the dofe in fuch a manner as to keep the fyftem fully faturated, without forcing it off by any of the outlets. This may generally be done by gradually increasing the dofe, till the mouth is fore, and then keeping it fo by fmaller dofes.

There is no difeafe where the patient is fo much inclined to impofe on the phyfician as in this. He will feldom tell the truth, and, perhapsnever the whole truth; but what is ftill worfe, he feldom implicitly follows the doctor's directions, with regard, either to regimen or medicines. It is indeed to be regreted that many patients cannot obferve a proper regimen; but it is always in their power to be honeft, and not impofe on the doctor by throwing one half of their medicines away, while he thinks they have taken the the whole. This, inftead of cheating the doctor, is cheating themfelves, and, if they are difappointed of a cure, they certainly deferve it. The danger of doing too much is not lefs than of doing too little. A patient, who wifhes for a fpeedy cure, will often take a double or treble dofe of the medicine preferibed to him. Such a man may efcape, but, by this conduct, he never fails to endanger his life.

Some patients think it is the bufinefs of the doctor to find out their diforders, without being told any thing about them. They treat phyficians as conjurors, and think they need no information. A patient, who wifhes for a cure, cannot be too open and explicit with his doctor. He fhould not only impart every circumftance he knows concerning his difeafe, but follow the doctor's directions, as far as it lies in his power.

Few things are more difficult than to afcertain the time when the patient is completely cured. It is more a matter of obfervation than of calculation. The quantity of mercury taken, the time the patient has ufed it, and the the preparation he took, muft all be confidered; but they will not afcertain the point. Even the difappearing of the fymptoms is fallacious, as they will fometimes return; efpecially where the patient's habit leans to the fcrofulous or fcorbutic. The fafeft method is always to continue the medicine for fome time after the fymptoms have difappeared; unlefs in cafes where the mercurial action has ceafed, or the patient's ftrength is exhaufted; when he muft be put on a courfe of tonic medicines, with nourifhing diet, and allowed the benefit of country air, and feabathing, if neceffary.

Many abfurd opinions ftill prevail concerning this difeafe, which lead to very improper practices. Such opinions generally die away as the public mind becomes more enlightened; but as that is by no means the cafe, with regard to medicine, we shall mention a few of them, only to shew how little foundation they have either in reason or common-fense.

One of the most absurd notions that ever entered the mind of man is, that a difease may be cured by communicating it to another. Yet in most countries this has been believed, and and is at prefent in this, with regard to the venereal diforder. We might as well fuppofe that one mad-dog, by biting another, would receive a cure; or, that the wretch expiring under the plague, would recover by communicating the difeafe to those around him.

It would be difficult to fay whether an attempt to obtain a cure by communicating the difeafe to another, is more wicked or abfurd. Certain it is, however, that under this impreffion, innocence is betrayed, and loathfome difeafes are diffeminated, without the poffibility of any advantage being derived from it. On this falfe idea infants are abufed, and the moft flagitious crimes perpetrated, to remove what will yield only to the proper antidote; and, what ftill tends to aggravate the crime, this antidote is known to all, and is fo eafily purchafed, that all may obtain it.

Nor is the idea of retaliation lefs wicked. Becaufe a worthlefs woman has communicated the difeafe to a diffipated man, is he entitled to tranfmit it to as many as he can ? The perfon who acts on this principle may as well alledge that, becaufe he has been robbed on the highway, he has a right to make reprifals, reprifals, by taking every man's money he meets. The law would tell him otherwife; and it is pity there fhould not be a law to punifh the unprincipled libertine, who makes it his boaft that, by way of retaliation, he has communicated the difeafe to as many women as he poffibly could.

This conduct is not only bafe, but criminal. The man who knowingly communicates a difeafe to another, which proves fatal, cannot, in my opinion, be confidered in any other light than that of a murderer. Nor is the crime much lefs where the conftitution is ruined. A perfon had better be killed at once, than left to drag out a life of pain and mifery, under the influence of a loathfome difeafe.

The man who ftops another on the highway, takes a trifle from him, and puts him in fear of his life, is hanged ; while the marauder on the public health efcapes with impunity, is looked upon as a man of gallantry, and makes fport of that which proves fatal to another. But fporting with difeafe is fporting with human life, a thing of the moft ferious nature, though too little regarded either

XX

ther by those who communicate this malady to others, or by many of those who pretend to cure it.

As regular tracts on this fubject abound, I have contented myfelf with throwing together fome loofe obfervations, chiefly by way of caution, without much attention to compofition or arrangement. Indeed the whole was the amusement of fome leifure hours in a coffee-house, where I thought my time might be worfe employed, than in furnishing fuch hints to my readers as I have often had caufe to wish my patients had been acquainted with. Though a flight degree of knowledge will not make a man a phyfician, it may teach him to know when he has occasion for one; and, what is of no lefs importance, it will inform him when he has fallen into bad hands : nor will any one queftion its utility, where no regular affiftance of any kind can be obtained.

Every attempt at theory has been carefully avoided, as it is apt to miflead the weak mind, and draw off the attention from facts, the knowledge of which is our furest guide in the cure of difeases. The speculative

phyfician

phyfician may amufe himfelf with plaufible theories, and even believe that he can cure all difeafes by his favourite fyftem; but, when he comes to real practice, he will find that his art can only be learned at the patient's bedfide. The knowledge of difeafes is acquired, like that of men, by obfervation. Reading, no doubt, has its ufe, but it will never make a phyfician, any more than it will an expert mechanic, or a complete feaman. I would rather truft myfelf in the hands of an experienced nurfe, than of a theoretical phyfician. I have known more inftances than one of a phyfician falling a facrifice to his own theory.

Although my motive in publifhing the following Tract is to leffen the fum of human evils; yet I lay my account with all the obloquy and abufe that the faculty, and their emiffaries, can beftow on me. I have experienced a liberal fhare of it already, and this attempt is not likely to leffen their malice, or conciliate their efteem. It is a real misfortune to an author, to anticipate the age in which he lives. All who cannot, or who dare not, think for themfelves, are fure to be his enemies : while the fordid part, who think think their trade in danger, allow him no quarter. Little do thefe malevolent fpirits know, that their conduct is the direct way to eftablifh what they wifh to fupprefs. Ufeful works will force their way in fpite of all oppofition, and are often aided by it.

The man who attempts any thing out of the common road, has not only the ignorant and interefted to contend with, but has all the prejudices of paft ages to overcome. Men are tenacious of eftablifhed opinions, and quit with reluctance the paths in which they have been accuftomed to tread. The moft abfurd cuftoms gain a fanction from time, and it is deemed a kind of facrilege to attempt to overturn them. In this predicament ftands medicine at prefent; and the author, who endeavours to free it from trammels, and extend its utility, is fure to create an hoft of foes.

In other branches of fcience men confider themfelves as entitled to have an opinion. But whoever has dared to think for himfelf, in matters relating to health, and was not of the faculty, has been looked upon as an intruder, and held up to ridicule. Even in di-

4

vinity,

vinity fome excellent books have been written by laymen; but phyfic is ftill engroffed by the faculty, and has fucceeded accordingly. While the fcience is confined to a fet of men who live by it as a trade, it never will be on a liberal footing. The little arts ufed to difguife and conceal it, only render it fufpicious, and, inftead of gaining refpect to its profeffors, ferve to hold them up to contempt. While phyficians affect myftery, they are fair game for men of wit, and their art will continue to be the ftanding butt of ridicule and burlefque.

To bring medicine out of the fchools, to lay open its hidden treafures, and to teach men how to make a proper use of them, have been referved for the present age. Something indeed has been done, but much still remains undone, and, in all probability, many years will elapse before mankind in general become acquainted with the extensive utility of the medical art. Legislators have not availed themselves of its use, because they did not know it; and those who should have taught them have taken away the key of knowledge.

xxii

ledge.* Profeffional men have been afraid to deviate from the paths of their predeceffors, left they fhould draw cenfure upon themfelves, and incur the hatred and refentment of their cotemporaries.

Those who have attempted to extend the benefits of medicine to mankind, have been few in number, and ill requited for their labour. This, however, shall not discourage me from endeavouring to render medicine more extensively useful. While I entertain a full perfuasion, that men may derive many and folid benefits from a more general acquaintance with medicine, I shall never cease to give them all the information in my power, both with regard to the prevention and cure of difeases. I know the consequence will be fresh torrents of abuse from the faculty, but I am prepared for the worft they can do. While the reft of mankind are on my fide, I can laugh at the malice, and defpife the refentment of the faculty.

After the death of my worthy friend and collegiate, the late Dr. John Gregory of

* A code of laws for the prefervation of health, properly digefted, and duly executed, would be of more ufo to mankind than all the efforts of the faculty.

Edinburgh,

Edinburgh, I confidered myfelf, Dr. Tiffot excepted, as the fole labourer in this vineyard. Dr. Gregory often told me that he and I entertained the fame fentiments with regard to the emancipation of medicine, and that we ought to ftand by and fupport one another. But alas he fell! to the lofs of medicine and of mankind, and I was left to combat the whole phalanx of phyfic. This was my opinion till a late publication undeceived me, and proved that liberality of fentiment, even in phyfic, is not confined to any particular fpot of the Globe.

That my old School-fellow Dr. Rufh of Philadelphia has the fame liberal fentiments concerning medicine as I entertain, is evident from his late publication on the epidemical fever which committed fuch ravages in that city. In this treatife, the doctor not only fhews his liberality of thinking in medical matters, but alfo his benevolent wifnes for the whole human race. In proof of this I fhall take the liberty of making a few extracts from a work intitled "An Account of the bilious remitting Yellow Fever, as it appeared in the City of Philadelphia, in the Year 1793, by BENJAMIN RUSH, M. D. "The hiftory of the yellow fever in the Weft-Indies proves the advantage of trufting patients to their own judgement. Dr. Lind has remarked that a greater number of failors, who had no phyficians, recovered from the fever, than of thofe who had the beft medical affiftance. The freih air of the deck of a fhip, a purge of falt water, and the free ufe of cold water, probably triumphed over the juleps of the phyficians.

" By committing the care of this and other pestilential diseases to the people, all these circumstances which prevented the univerfal fuccefs of purging and bleeding in our late epidemic, will have no operation. The fever will be mild in most cases, for all will prepare themfelves to receive it by a vegetable diet, and by moderate evacuations. The remedies will be used the moment the difease is felt, or even feen, and the contagion generated by it, will be feeble, and propagated only to a small distance from such patients. There will then be no difputes among the Phyficians, about the nature of the difeafe, to diffract the public mind, as they will feldom be confulted in it.

' They have narrow conceptions, not only of the divine goodnefs, but of the gradual progrefs of knowledge, who fuppole that all peftilential difeafes, fhall not, like the fmall pox, fooner or later, ceafe to be the fcourge and terror of mankind.

. For a long while air, water, and even the light of the fun, were dealt out by phyficians to their patients with a sparing hand. They possessed for feveral centuries the same monopoly over many artificial remedies. But a new order of things is rifing in medicine, as well as in government. Air, water, and light, are taken without the advice of a phyfician, and Bark and Laudanum are now prescribed every where by nurses and miftreffes of families, with fafety and advantage. Human reason cannot be stationary on these fubjects. The time must, and will come, when, in addition to the above remedies, the general use of Calomel, Jalap, and the lancet, shall be confidered among the most effential articles of the knowledge and rights of men.

• It is no more neceffary that a patient fhould be ignorant of the medicine he takes to be cured by it, than that the bufinefs of government

xxvi

government fhould be conducted with fecrecy in order to infure obedience to juft laws. Much lefs is it neceffary that the means of life fhould be prefcribed in a dead language, or dictated with the folemn pomp of a Necromancer. The effects of impoflure in every thing are like the artificial health produced by the ufe of ardent fpirits. Its vigor is temporary, and is always followed by mifery and death.

• There are many things which are now familiar to women and children, which were known a century ago only to a few men who lived in clofets, and were diftinguished by the name of Philosophers.

• We teach a hundred things in our fchools lefs ufeful, and many things more difficult, than the knowledge that would be neceffary to cure a yellow fever or the plague.

' I would as foon believe that Ratifia was intended by the author of nature, to be the only drink of man, inftead of water, as believe that the knowledge of what relates to the health and lives of a whole city, or nation, fhould be confined to one, and that a fmall or priviledged order of men. But what have phyficians? What have univerfities

PRELIMINARY

XXVIII

fities or medical focieties done, after the labours and fludies of many centuries towards leffening the mortality of peftilential fevers? They have either copied or contradicted each other in all their publications. Plagues and malignant fevers are ftill leagued with war and famine in their ravages upon human life.

' Botallus in France, and Sydenham in England, it is true, long ago used the proper remedies for those diforders with universal fuccefs, but they were unable to introduce them into general practice. The reafon is obvious. They recommended them in their writings only to phyficians. At the expence of an immense load of obloquy, I have addreffed my publications to the people. The appeal, though hazardous, in the prefent state of general knowledge in medicine, has fucceeded. The citizens of Philadelphia are delivered from their fears of copious evacuations, of cold air, and cold water, and above all of a fore mouth from mercury, in the cure of the yellow fever, and the pride and formalities of medicine, as far as they relate to this difease, are now as completely discarded, in our city, as the deceptions of witchcraft were, above a century ago.

Wha

What Dr. Rush thinks a bold measure, at this time, I undertook above thirty years ago, and have ever fince been the butt of medical malice. The period is not yet arrived when medical publications may be addreffed to the people with impunity. The fame spirit of perfecution has been excited against Dr. Rush beyond the Atlantic ocean, which I have experienced on this fide of it. In all probability some ages will elapse before physicians can be convinced that their art will never be truly honourable, nor extensively useful, till its doctrines are laid open, and candidly fubmitted to the examination of all men. While difguife of any kind is practifed, quackery will prevail, and medicine will be little better than a piece of mummery.

There is not a greater miftake than to fuppofe that diffufing medical knowledge encourages quackery. Quackery is founded on ignorance. The man who writes a medical prefeription, couched in myftical characters and in an unknown tongue, countenances quackery, the very exiftence of which depends on difguife. If the faculty wifh to fupprefs thefe pefts of fociety, the advertifung quacks, they muft lay afide all manner of difguife

PRELIMINARY

guife, and act like honeft men. While quacks, and ignorant retainers to phyfic, engrofs the largeft fhare of the practice, medicine will not be a bleffing to mankind. But this will always be the cafe till men become fo enlightened, in medicine, as to be able to diffinguifh between the real phyfician and the mere pretender.

As my former publication has been garbled and ferved up in a variety of forms, I make no doubt but this will fhare the fame fate. It is my duty therefore to inform the public that no medical book, bearing my name, except this, and the domeftic medicine, printed by Mr. Strahan of London, is genuine. This caution is the more neceffary, as the fize, type, paper, title, and matter of my book have been fo clofely imitated, that whole fpurious editions have been fold.

Men have been emboldened to commit thefe frauds, from a perfuation that I was dead. A report to this purpofe was circulated, by the faculty, foon after the publication of my book; no doubt with a view to hurt my practice. It had a tendency however to promote the fale of the book*, and

* The works of dead authors are generally more effected than those of the living.

XXX

OBSERVATIONS.

has been to me a perpetual fource of amufement. I have feldom gone into mixed company without hearing many things which never could have reached the ears of an author fupposed to be alive. This will enable me to tell the faculty many things they little think I know; and, by-and-by, I shall tender them fome whofefome ADVICE, without a fee. At present I shall content myself with giving them one hint, which is, to adhere a little more closely to truth. The mifrepresentations which have been circulated concerning the Domestic Medicine, and its author, would fill a folio volume; and, what to fome will appear furprifing, it confifts with his knowledge, that, by these misrepresentations, even Royal Ears have been abufed.

I am forry to obferve, that of all those who have attempted to imitate my book, no one has been fo fortunate as to improve upon it. This, however, I confider as very practicable. It was a juvenile performance, and is, in many things, defective. These defects I have, from time to time, endeavoured to fupply, as the frequent editions afforded me opportunities. But, as the book is now become

too

too bulky to admit of any farther additions, they must appear in a separate volume*.

As medical treafures of immenfe value ftill lie concealed from the public eye, it is my fupreme wifh to bring them to light, for the benefit of my fellow men. Should I live to accomplifh this important purpofe, I hope it will be thought that I have not lived altogether in vain. If mankind is benefitted, my end is anfwered. The faculty may then vent their fpleen in what manner they pleafe. Their cenfure will always conftitute my higheft praife.

* I intend, as foon as leifure will permit, to publifh a fecond volume of the Domeftic Medicine, by way of Appendix. This, befide many new articles, will contain the practical obfervations of above thirty years, which have elapfed fince the first part was written. When that is completed, I hope it will render the work not altogether unworthy of the favourable reception with which it has been honoured by the public.

THE venereal difeafe has for many years proved the feourge of Europe. When and how it was introduced into this part of the globe, are queftions of very little importance. To check its progrefs however, and prevent the ravages it makes on the human fpecies, are objects of the first confideration. These ravages are more extensive than is generally imagined. Though few die under the difeafe, yet its effects prove fatal to many. Numberlefs conftitutions are inevitably ruined, even before the patient is aware of his danger, or the proper steps have been taken to prevent it.

Nor do these fufferings affect the guilty alone; the innocent are often involved in them: Even the infant unborn is punished for the vices of its parents, Society

itfelf

itfelf is a fufferer. Inftead of a robuft and healthy race, men become weak and puny; are eaten up with the fcrophula and other difeafes, till at length, become unfit for fuftaining the common functions of life, they dwindle off the face of the earth.

It has long been my opinion that much of the mischief occasioned by the venereal difeafe might be prevented; and that whoever effects this purpose will be one of the greatest benefactors to fociety. This important purpose can only be effected by teaching men how to avoid the malady; and, when they have been fo unfortunate as to catch the infection, to point out the means by which its bad consequences may generally be obviated. And here I will venture to fay, that if men were taught to do what is in their own power, and had refolution to put it in practice, there would feldom be occafion for the phyfician, and little reafon to dread the confequences of the venereal infection.

While

3

While men are kept in the dark, and told that they are not to use their own understanding, in matters that concern their health, they will be the dupes of defigning knaves; and a difease, the most tractable in its nature, and almost the only one for which we possefs a specific remedy, will be fuffered to commit its ravages on the human race, and to embitter the most delicious draught that Heaven has bestowed for the folace of human life.

In the first edition of my Domestic Medicine the venereal difease was not inferted. The reasons which, at that time, induced me to leave it out were of a delicate nature. Though time and experience have long convinced me that they were groundless; yet there are not a few who have expressed a wish to see this difeafe treated of at more length, and in a separate volume. With this wish I am inclined, on many accounts, to comply. Several circumftances attending this diforder, which do not apply to any other, render it highly neceffary that every one B 2

fhould

thould be acquainted both with its fymptoms and method of cure.

The venereal difeafe arifes from the gratification of the ftrongeft paffion which Nature has implanted in the human breaft; a paffion which has often acquired its full ftrength before reafon has affumed her throne, and which not unfrequently fets reafon, even in the full plenitude of her power, at defiance. Nature never intended that the propagation of the fpecies fhould be left to the cool dictates of reafon.

Though the power of this paffion is acknowledged by all, yet, in moft countries, a degree of turpitude, unlefs under certain circumftances, is annexed to its gratification. This lays the foundation of concealment, which too often, both in a moral and medical view, produces tragical confequences. Shame, fear, or falfe modefty, have induced many a young man to conceal his fituation, till the difeafe has become incurable, which, if taken in the firft ftage, would not have occafioned the fmalleft degree of danger, or done the leaft injury to his conflitution. What

hud 1

What pity that a young man, the hopes of his country, and the darling of his parents, fhould be fnatched from all the profpects and enjoyments of life, by the folly of one unguarded moment, and by a difeafe which is not, in its own nature, fatal; and which never proves fo, unlefs from neglect or improper treatment ! Yet thefe diftreffing fcenes occur every day, while the afflicted parents often remain in ignorance with regard to the real caufe of their misfortune.

When the unhappy fufferer by this difeafe perceives his fituation, the fame inclination to conceal it, too often induces him to apply to thofe pefts of fociety, the advertifing quacks, who, while they promife a fudden and fecret cure, generally difappoint him. Every man converfant in the cure of this difeafe will readily own, that the moft deplorable cafes he meets with are thofe which have been under the care of quacks; till the patient, convinced of their ignorance, had recourfe to proper advice.

5

The quack not only holds out the lures of expedition and concealment, but of cheapnefs. To fome patients this is a matter of great importance: In this expectation, however, they are fure to be difappointed. When the quack finds that the patient's pocket will hold out no longer, he generally difmiffes him, telling him he is cured, or leaving him to find a remedy where he can. No doubt the most ignorant pretender may fometimes fucceed; but as untoward circumftances will frequently occur, it is fafer to be in the hands of one who knows how to treat them, than of him who practifes at random, and treats every cafe alike.

We daily fee a pill, a powder, or a drop advertised, to cure the venereal difeafe. It would be equally proper to advertife a pill or drop to cure all difeafes. The different fymptoms of the venereal diforder require as different a method of treatment as any two difeafes whatever. Indeed, properly speaking, it is two difeases; or, at leaft, appears under two fuch different forms, I

forms, as to require a totally different mode of treatment. Whoever advertifes any one noftrum for the cure of this difeafe, evidently knows nothing about it: The different forms under which it appears, not only require different medicines, but even the fymptoms, at different periods of the fame fpecies, differ widely from one another, and are not to be treated in the fame manner.

The whole art of medicine confifts in diferimination. Any man may know drugs, but few know how to apply them. When a man tells us that mercury will cure the venereal difeafe, he informs us of nothing, unlefs he points out the fymptoms in which mercury is proper, and alfo the manner in which it ought to be adminiftered. Mercury adminiftered at random, which I fear is too often the cafe, muft do more mifchief than good.

One great misfortune attending those who are afflicted with this malady is the neceffity of difguise. In many fituations of life a man may be ruined by its being known that he laboured under the vene-

real

7

8

real difeafe. The peace of many a family has been broken by the miftake of an unguarded moment, when all the injury might have been repaired, and the matter kept an abfolute fecret, had the unfortunate perfon known how eafy a thing it is to remove this malady on its first appearance. Were any apology neceffary for extending the knowledge of this difeafe, the above would be more than fufficient.

In all difeafes it is of importance, as foon as poffible, to know the nature and tendency of the complaint: But in none more fo than in the venereal. This dreadful malady, which, in its advanced ftages, commits fuch ravages on the human fyftem, as to deftroy even its moft folid parts, may be difarmed of all its virulence by fome gentle applications on its first appearance. To negligence, or to trifling with the first fymptoms, we owe all the mifchief arifing from the venereal difeafe.

Other difeafes often attack men unawares; but this is feldom the cafe with the the venereal difeafe. It is generally the effect of an overt act, of which the patient muft have been confcious, and has confequently reafon to expect it. Thus warned, he is prepared to meet the diforder in its most early shape, and to use such means for preventing its further progrefs, as will be pointed out in the fequel.

A truly diffrefsful fituation frequently occurs, which makes an acquaintance with the early fymptoms of this diforder neceffary. It may be communicated in a variety of ways, and is often caught by nurfes, and by married women, whofe hufbands lead diffolute lives, but who either want honefty or refolution to warn them of their danger. The deplorable fituation to which fuch innocent perfons are often reduced, before they are apprifed of their danger, makes fuch communications as this highly neceffary.

Though in nineteen out of twenty cafes, where this difeafe occurs, the patient may be his own phyfician ; yet, from peculiarity of conflitution, or fome unknown

known cause, fymptoms of an untoward kind will fometimes appear, which may render it neceffary to take advice. These fituations will be marked, and I would advise the patient always to apply to a man of character and skill in his profeffion, but never truft himfelf in the hands of a quack. It will be faid, why not apply to a man of skill from the beginning? When this is in the patient's power, it ought to be done; but in many fituations men of skill are not to be found, and where they are, it is not always in the patient's power to obtain their affistance. It is chiefly for men fo fituated that the following pages are composed. They are not intended to fuperfede the phyfician, but to fhow the patient what is in his own power in fituations where better affistance cannot be obtained.

It is acknowledged on all hands that the venereal difeafe is lefs fatal than it was formerly. This does not feem to arife from any change in the nature of the diforder. Cafes every day occur, where

where it difplays all the virulence it ever poffeffed, and the miferable victims to its rage die in a condition too horrid to be named. Thank Heaven, however, thefe are few; and, if proper attention were paid to the firft fymptoms of the difeafe, they would be ftill lefs numerous: Indeed I am inclined to think they would hardly exift. During a long practice I have not known one patient die where due attention had been paid to the diforder from its commencement.

There is no difeafe which exhibits fuch ftriking proofs of the advantages of diffufing medical knowledge as this. When men were totally ignorant with regard to the nature and fymptoms of this difeafe, they confidered it as a plague, and gave themfelves up for loft whenever they were afflicted with it: Their friends and relations abandoned them, and they were not only denied all medical affiftance, but often left to perifh for want of the neceffaries of life.

It was held in fuch difgrace, that whole families, where it was fuppofed to be hereditary,

32

ditary, were defpifed, and all connexions with them avoided. Individuals were not allowed to come into company, nor would any one eat, drink, or fleep with them. People were even afraid to live under the fame roof with the patient, left they fhould catch the infection. Nor was this all; a degree of moral turpitude was annexed to this malady, which rendered the unhappy fufferer an object of religious abhorrence.

While fuch opinions prevailed concerning this difeafe, the confequences may be eafily inferred. The unhappy patient would conceal his fituation with all poffible care, and would fuffer every thing rather than become an object of difgrace and ridicule. I have actually heard people fay, that rather than it fhould be known they had this malady they would lofe their lives. While fuch fentiments as thefe prevailed, it is no wonder the difeafe fhould often have proved mortal.

In a fever or rheumatifm, even when occafioned by the patient's imprudence, dence, he is efteemed an object of compaffion, and meets with general commiferation: While the unhappy fufferer under the venereal difeafe is feldom pitied; nay, fome are even fo cruel as to think he fhould be fuffered to perifh without affiftance. Widely different is the language of humanity, which bids us do all we can to relieve our fellow-creatures in diftrefs, from whatever caufe it may arife.

People now, who are able to pay for it, generally apply for affiftance on the first appearance of the difease, and seldom allow it to proceed till it becomes incurable. Unhappily, however, this defcription of people is not numerous. For one that is able to obtain proper advice, ten have either no advice at all, or, what is worfe than none, bad advice. What was formerly called the gentleman's difeafe is now equally common among the lowest ranks of fociety. It is here the poifon lurks, which, I fear, will never be eradicated. Though gentlemen feldom fuffer the difease to remain uncured ; yet, when

when the infection has been caught, perhaps in its most virulent form, by an artificer, a common fervant, or a day labourer, it is more than an equal chance against his ever obtaining a radical cure.

There is one clafs of fociety among whom this difeafe may be faid to have its ftrong hold: I mean that defcription of females commonly called *women of the town*. However these unhappy perfons were brought into this fituation, they are certainly entitled to our pity, especially when, to all their other misfortunes, this loathfome and cruel difease is added.

Very few of this class of patients ever get thoroughly well. They generally apply to the most ignorant retainers to the medical art, and even to these they never do justice. They feldom take the medicines prescribed to them, and, when they do, they are unable to observe a proper regimen. Their necessities oblige them to go out in all weathers, and their dissolute mode of living is such as to counteract the operation even of the best-laid plan for

14

15

for effecting their cure, and to defeat the endeavours of the ableft phyfician.

Though unable to pay for advice, they have much in their own power, both with respect to the prevention and cure of the diforder. By a thorough attention to cleanlinefs they may often avoid the infection; and, by observing the directions contained in the following pages, they will be able to prevent the difease from going fo far as to endanger the conftitution. It is not very material whether a difease is eradicated, or rendered fo mild as not to endanger life or injure the health. It is my fixed opinion that those two fcourges of mankind, the great and the small pox, might both be difarmed of their malignity, fo far as to be no longer the dread and terror of the human race. If this is in the power of medicine, who will dare to fay that the art is not of the greatest importance to fociety?

In a former work I have endeavoured to fhow that the fmall pox may be rendered almost harmless by inoculation; and,

1G

and, in the following pages, I fhall attempt to prove that the venereal difeafe may be difarmed of all its fting, by a due attention to its first fymptoms. When I have done fo, I fhall allow the Faculty to cenfure my conduct as much as they pleafe, and fhall truft to those who reap the beness to vindicate their author.

If the venereal difeafe has become milder than it formerly was, this change is not owing to the fkill of the Faculty, but to the general knowledge diffufed among mankind, concerning this, as well as other difeafes. Though almost ashamed to own it, I am old enough to remember a method of treating this difeafe taught in the universities, which to an apothecary's apprentice, of the prefent times, would appear triffing.

The progrefs made in the knowledge and cure of this difeafe, fince the publication of the Domestic Medicine, is a fufficient apology for treating it here at more length; especially as the opportunities I have

have lately had of feeing the diforder, under every form, have been far more numerous than during the early period of my practice. My knowledge of the difeafe then, was chiefly taken from books. I fhall now do little more than tranfcribe my own obfervations, adding, from other authors, fuch as have not occurred to myfelf. I fhall not wantonly reject the fentiments of other writers; neither fhall I implicitly adopt them, unlefs where I have reafon to think they are well founded.

I am forry to fay that the conduct of one clafs of the faculty, who claim a kind of exclusive right to the treatment of the venereal difease, is a strong inducement to me to make mankind in general more acquainted with it. The delicate situation in which some persons who have received the infection, are placed, puts it in the power of those whom they entrust with their cure, to make very extravagant demands, as they know few people would chuse to liti-

gate

17

gate a claim of this nature. I am far from faying that this is the conduct of furgeons in general; but that fome are guilty of it I well know; and I cannot help confidering it as the most infamous species of imposition that can be practifed on any man.

It is far from my intention to write a complete treatife on the venereal difeafe. This has been very fully accomplifhed by others; neither would it fuit the nature of my performance, which only aims at exhibiting fuch a view of that malady as will enable any perfon of common fenfe to know when he has caught the infection; and, at the fame time, to fuggeft the proper means for preventing its progrefs, or removing it in the early ftages.

HOLLON SCEO

18

CHAP I.

A Cathorne 1

OF PREVENTING THE VENEREAL DISEASE.

TO prevent difeafes must be of more importance than to cure them. Little attention, however, has been paid to this branch of the medical art, especially with regard to the venereal difease. Here the prophylaxis has been generally left to quacks, who, by puffing their pretended antidotes, have amassed fortunes, while credulous men, by trufting to their lies, have been tricked out of their money and their lives. I have known a dignified nostrum-monger infist that a gentleman had not the lues, merely because he had used his lotion according

C 2

to

OF PREVENTING

20

to the printed directions. In this opinion he perfifted till the patient had nearly loft his life*.

Men feldom give themfelves any trouble about a difeafe till they have it. They think it is foon enough to apply the remedy when they feel the diforder. Hence the bufinefs of prevention is neglected, and authors complain that little can be done to effect this purpofe; while the fact is, that the proper means are feldom ufed.

That both the clap and pox may be often prevented, by due attention to cleanlines alone, does not admit of a

* Some years ago I was requefted to act as umpire between a furgeon and his patient. The furgeon infifted that the patient was poxed, while the other denied it, and refufed to take the proper medicines. I, at firft fight, declared the difeafe to be a confirmed pox; on which the gentleman produced a letter from a titled quack, defiring him to make himfelf eafy, for that he could not poffibly be poxed, if he had made ufe of his wafh according to the printed directions. I told him I knew nothing of the wafh, but was certain that no wafh, if ufed according to his directions, would ever prevent the infection from taking place, and that his fituation exhibited an evident proof of it.

THE VENEREAL DISEASE.

doubt: and even where the pocky infection has been communicated, its baneful effects on the fyftem may be obviated by the timely and proper application of mercury.

I do not mean to quibble about names, but I maintain that a man who has a chancre only, cannot with propriety be faid to be poxed. If the difease can be stopped in this state, which, in most cafes it may, furely the pox is to all intents and purposes prevented; or what is nearly equivalent to prevention, the difease is rendered fo mild as to be inoffenfive to the fystem. When a difease cannot be eradicated, which I am convinced is the cafe, both with regard to the great and fmall pox, our bufinefs furely is to render it as mild as poffible; and thank Heaven, it is now in the power of medicine, to difarm these herculean maladies fo as to render their influence on the human conftitution very inconfiderable.

21

The

OF PREVENTING

22

The bufiness of prevention arranges itself under the three following heads; namely, the moral, political and medical means of obviating this malady.

To the first of these, as far as my recollection goes, very little attention has been paid; the second, unless in some small states, has been wholly neglected; and the third, as has been already obferved, is generally less in the hands of quacks.

A young man of good morals is certainly lefs apt to fall into thofe fnares which, too often, lead to deftruction, than one who has never been warned of his danger, but is left to follow the bent of his own inclinations. No faying is more true than, " that the wicked fhall not live half his days."—I have feldom known a young man, whofe morals had been neglected, who did not dafh into every vice as foon as he was capable of it, and whofe life was not, by that means contracted. If parents knew how peceffary a moral education is for prolonging

THE VENEREAL DISEASE.

longing the lives of their offspring, they would, perhaps, pay more attention to it, than when they confider it as merely fubfervient to their happines in a future flate.

An attention to health, which ought to be a primary object in the education of children, is feldom confidered as even a fecondary one; while trifling accomplifhments, of little importance in the purfuits of life, generally engrofs the attention both of mafter and fcholar. I am happy, however, to find that an attempt has lately been made by Dr. Fauft, a German phyfician, to imprefs the minds both of teachers and their pupils, with an idea of the importance of health; and that this attempt has met with the warmeft approbation of his ferene highnefs the Prince of Wirzburg.

Young men are prodigal of life. They throw it wantonly away at the very time it is most worth preferving; nor do they know the value of health till it is lost. Many a painful hour might be prevented

23

OF PREVENTING

24

prevented by a few cautions duly impreffed on the young mind. Early impreffions are feldom eradicated. They generally form the conduct, and become the rules of life. Were a young man taught to believe that the paths of pleafure lead to deftruction; that if he purfues them, he will never arrive at mature age, but fall the early victim of loathfome difeafe; he would fhun pleafure more than the gates of hell. The genuine confequences of vice need only to be painted in their true colours, in order to make it an object of horror to the youthful mind.

Young men ought not only to be taught to fhun the allurements of vice; but, if they fhould be fo unfortunate as to contract the venereal difeafe, by no means to conceal it. Candor is a virtue, and, as the poet fays, the firft fault is eafieft to avow. The complicated mifchief arifing from concealment of this malady is only known to those who have an opportunity of feeing it in every fhape and form under which it appears. A young

THE VENEREAL DISEASE.

young man ought certainly to ftand in awe of parents and guardians; but by no means to be fo over-awed as to lofe his life rather than difclofe his fituation. This, however, is no uncommon thing.

Though the beft guardian of virtue is a good moral education; yet a young man who has had every advantage of this kind may go wrong; he will feldom however perfift in error; whereas a youth, void of principle will, not only run headlong into vice and folly, but will feldom flop till he has ruined both his fortune and conftitution.

As example has more influence than precept, it might be of ufe to young men were they occafionally taken to places where the unhappy fufferers, under the venereal difeafe, are congregated. They would there fee the wretched condition to which thoughtlefs youth may be reduced by the act of one unguarded moment. I have known the first mistake made by a young man, in this way, cost him his life; and have feen others, who, from a fingle unhappy connection, were rendered

OF PREVENTING

rendered incapable, ever after, of enjoying connubial happinefs.

Though parents, tutors, and guardians, were to use every endeavour to keep youth from the fnares laid for them by bad women ; yet, owing to the want of police in most great cities, they would find their efforts frequently frustrated. It is there the corruption of youth is almost unavoidable; and their destruction, alas! is but too often the confequence.

Much might be done towards leffening the ravages of this baneful malady by the exertions of the public magiftrate. But to affect this purpofe would require more fkill and attention than one magiftrate in a hundred is equal to. Undue interference in thefe matters does mifchief, and to put them under proper regulations would require the most confummate wifdom. This, however, is no reason why lewd women should be fuffered to prowl about in the public streets without the least reftraint.

Were men to be feen at the corner of every ftreet in a great city, armed with fwords

26

THE VENEREAL DISEASE.

fwords and bludgeons to put every one in fear of his life, who would not comply with their demands; the public mind would be quickly roufed, and proper meafures taken to suppress them; yet the danger is nearly equal from those unhappy females who lie in wait to enfnare the unwary youth as he paffes along. The young man must have uncommon resolution indeed, who car. always refift these temptations; yet by yielding, in a fingle instance, he may be undone. One step leads on to another, till the unhappy youth, immured in vice, finds it impossible to retreat. It fignifies very little, if a man is robbed of his health or property, whether it is done under the influence of fear or love.

Nor is youth alone in danger; even age and experience are not always fufficient protections against the allurements of beauty, and folicitation. Numbers, who would not go in quest of an amour, are not able to refift the temptation when thrown in their way with all its embellishments, efpecially after the focial humour has been excited by wine and agreeable company.

27

It

OF PREVENTING

It is then the proftituted beauty becomes dangerous, and the health, happines and peace of families are facrificed.

Even the delicacy of modeft women is hurt by the number of common proflitutes which they daily fee in the open flreets ; and their example must have an unfavourable influence on the younger part of the fex.

I fhall be told there are laws in this country, for punifhing fuch women. True; but are any meafures taken to prevent the evil? the means ufed to fupprefs them are at once cruel and ineffectual. There is no want of good laws in this country for punifhing crimes; but there are few, or none for preventing them. Preventing crimes, like preventing difeafes, would be of infinitely more importance than punifhing the criminal.

Were it my province here to dip into affairs of police, I fhould think it an eafy matter to fuggest a plan by which the public ftreets of great cities might be freed from those women, who, by night and by day, infest them, without laying any unnecessary

28

THE VENEREAL DISEASE.

20

of

neceffary or improper reftraints on the intercourfe between the fex, dictated by nature and reafon. Indeed all undue reftraints on that intercourfe do mifchief. They lead to the commiffion of unnatural crimes, and to the formation of connexions which prove injurious to the deareft interefts of fociety.

Proper laws for the prefervation of health, do not exift in any country with which I am acquainted; but it does not from hence follow that they are not of great importance. Even those laws which are made for the protection of property are not, in my opinion, more neceffary, for the happiness of fociety, than those which relate to health; though every man thinks he can take care of the latter, but wishes the former to be secured by penal statutes.

With the legiflators of ancient flates health feems to have been a primary object of confideration : nor do we think it would derogate from the honour of modern legiflators were they to follow the example. Mofes, who was certainly one

3

OF PREVENTING

of the most antient legislators of whom we have any account, has evidently employed a great part of his excellent code of laws, in laying down rules both for the prevention and cure of difeases.

I know the wafhings, feparations, and purifications enjoined by Mofes, are fuppofed to be religious inftitutions, and to have a reference to inward purity. Be that as it may, they were certainly well calculated to preferve health in that country, and among the people for whom they were intended. Indeed I know no country where cleanlinefs can be difpenfed with, or is not neceffary to the prefervation of health.

Nor is Mofes fingular in this. Many of the laws of antient Egypt related to health, and, as we are told, that he was inftructed in all the learning of that country, there is little doubt that he availed himfelf of this information in framing his code of laws, many of which are fo excellent as to have been adopted by the moft enlightened European nations.

As impure connexions, however, will take place in fpite of all precautions that can

30.

THE VENEREAL DISEASE.

can be given, we shall next proceed to point out fome of the medical preparations which have been recommended by way of preventives.

Preventives, as might naturally be fuppoled, confift chiefly of walhes varioufly prepared, and compoled of detergent ingredients. Here however I muft begleave to premife that all */pecifie* walhes are impolitions on the public. They not only polfels no fpecific virtues for the prevention of the difeale; but they divert the attention from the main object, which is walhing, by holding up the idea of their being polfelfed of fome peculiar qualities calculated to counteract the poifon, and prevent its taking effect.

Much may be done by washing, if properly performed. We have been told it fometimes fails; it would be wonderful indeed if this should never happen. The wonder is, that it happens so feldom, confidering the circumstances under which it is generally performed. What other peoples patients do I do not know; but most of mine tell me that when they caught the

OF PREVENTING

32

the diforder they were fo concerned in liquor as not to be capable of paying proper attention to the bufinefs of washing.

Another caufe of failure is the propenfity moft people have to defpife every thing they know, or that is plain and fimple. Give them any difguifed noftrum, and they will ufe it ; but they have no faith in the virtues of plain water, and, if they have not fome fecret walk at hand, the bufinefs is neglected. Even when patients have what they efteem proper walkes by them, they are feldom properly ufed. Immerfion alone is deemed fufficient; but no lotion, let its powers be what they may, can prevent the venereal difeafe by fimple immerfion.

Such is the effect of washing alone, that a gentleman told me he had tried to communicate the difease to a lady, with a view to ascertain a point of jealous, but could not effect it. This he attributed folely to her extraordinary attention to cleanlines. I have known men who for many years had lived freely, with regard to the sex, yet never caught the venereal infection, owing to their strict attention to ablution.

In

THE VENEREAL DISEASE.

33

In all cafes cleanlinefs is a virtue; but, in the commerce between the fexes, it is indifpenfable, and thofe who neglect it are little better than beafts. There is a merit in practifing this virtue, even from the fear of difeafe; but, to a perfon thoroughly clean, this ftimulus will not be neceffary. If any virtue prove its own reward, it is cleanlinefs.

Nor would I have the modeft matronlefs attentive to it than the impure. Men often apply to me who think themfelves injured by their wives. They have inflammations, and often flight excoriation of the parts, which would never happen if their wives were fufficiently attentive, even to the use of cold water.

As a great number of different wafhes have been recommended for preventing infection, I fhall infert a few of them, premifing, at the fame time, that all their virtues amount to little more than thofe of plain water properly applied; or water impregnated with fuch ingredients as may render it more detergent, or cleanfing, as foap lees, and fuch-like.

OF PREVENTING

Some recommend water that has been impregnated with the virtues of quicklime; while others prefer the cauftic alkali, or even the cauftic volatile alkali, properly diluted. Thefe, we have reafon to believe, are the active ingredients in moft of the wafhes commonly kept as fecrets, and fold at a high price to enhance their value. We have no objection to their being ufed, provided the acfive ingredients are fo diluted as not to hurt or excoriate the parts.

Many ufe Goulard's extract of lead as a wafh: It is not fo much a detergent as a dryer; and, though it makes a good injection in the gonorrhœa, we cannot infer from hence that it is proper as a preventive lotion. It may be ufed of different degrees of ftrength. What I commonly employ, both externally and internally, confifts of a tea-fpoonful of the extract to a tea-cupful* of common water. The corrofive fublimate of mercury, diffolved in water, has been recommended

* A tea-cup is supposed to contain about four ounces.

as

THE VENEREAL DISEASE.

35

as a proper preventive wafh. It may no doubt be ufed, but requires great caution, otherwife it will corrode the parts. Two or three grains to a tea-cupful of water is as much as can be ufed with fafety. The fublimate is doubtlefs a powerful remedy in the lues; but how far its fpecific virtues may operate as a wafh, I cannot fay, as I never made trial of it in this way.

Even the crude mercury is by fome ufed as a wafh: It muft be well triturated with honey and turpentine, and afterwards mixed with a quantity of water fufficient to dilute it. It is a clumfy preparation. If mercury is to be ufed for this purpofe, we would recommend the fublimate.

I am inclined to think that a folution of foap, or a little of the fhaving powder, made into a lather, would anfwer this purpofe as well, if not better than any other wafh whatever. It muft, however, be ufed immediately, and applied properly. People often blame the wafh when

the

36 OF PREVENTING THE VENEREAL DISEASE.

the fault is their own. No wash will fucceed unless it is applied early, and with due care.

I know a number of gentlemen, who, inftead of trufting to any particular wafh, make ufe of whatever liquor is at hand, as beer, wine, punch, negus, brandy and water, rum and water, &c. Indeed fome recommend brandy alone in preference to any thing elfe. I have reafon to believe it is a good wafh, but cannot think it the worfe for being diluted with water, efpecially with warm water, if at hand; but it ought rather to be ufed cold than time loft by waiting till it is made warm. Any liquor may be fufficiently warmed by holding it for a fhort time in the mouth.

The peris third on bearing

CHAP.

[37]

CHAP. II.

The very nam

OF THE VIRULENT GONORRHEA, OR CLAP.

T is not my intention to enter into a critical inquiry concerning the diffinction between fyphilis and gonorrhœa. It would only tend to embarrafs and bewilder my readers. My aim is to mark the fymptoms peculiar to each, and to point out the method of cure. It is not material to know whether the gonorrhœa ever produces the pox; or if the pocky matter can excite gonorrhœa; fo long as we know that each is attended with fymptoms peculiar to itfelf, and that they require a totally different method of treatment.

38 OF THE VIRULENT GONORRHEA,

Many who pretend to cure the venereal difeafe, treat every fymptom in the fame way. The very name with them implies the ufe of mercury, which they throw into the fyftem, with a liberal hand, upon all occafions. I have feen conftitutions totally ruined by the ufe of mercury, where there was not occafion for a fingle grain. Indeed mercury generally does mifchief in a gonorrhœa; but feldom any good.

The term gonorrhœa is improper: It fignifies a difcharge of femen. Whereas the true gonorrhæa virulenta is only a difcharge of mucus from the urethra, without any feminal evacuation whatever. When this difcharge is accompanied with a fenfation of heat, and fome degree of pain in paffing water, which the patient has frequently an inclination to void, there is little reafon to doubt that he labours under the gonorrhœa virulenta.

It is impoffible to afcertain the precife period, after impure coition, at which the running will appear. Sometimes it takes place

OR CLAP.

place in a few hours; at other times it requires feveral days; and in fome cafes the difcharge does not appear for feveral weeks. This variety, however, does not feem to have any confiderable influence either on the duration or virulence of the difeafe. In most cafes the running makes its appearance from the third or fourth, to the feventh or eighth day.

The appearance of the difcharge varies in different patients. It is generally thin, and of a yellow colour, with a greenifh caft; though fometimes it is white, and nearly of the confiftence of purulent matter. In fome cafes the difcharge is brown, and in others bloody, owing to the erofion of the veffels in the urethra. In common cafes the difcharge from the urethra and heat of urine are the only fymptoms which occur: Though fometimes thefe are accompanied with painful and involuntary erections, uneafinefs of the tefticles, and of the abdominal vifcera.

Though in a gonorrhœa fome degree of uneafinefs is generally felt along the D4 whole

39

40 OF THE VIRULENT GONORRHCEA,

whole courfe of the urethra; yet the pain is commonly feated about an inch from the point of the penis. In fome cafes indeed the difeafe fpreads backwards, fo as to extend over the whole length of the urethra, and even to the bladder itfelf. Nor are the proftate glands and internal coat of the bladder alone affected. Sometimes the pains ftretch from the fe parts along the ureters, even to the kidneys.

It is impoffible, at the beginning, to fay precifely in what manner any cafe of gonorrhœa will terminate. Symptoms of the mildeft kind will occafionally fucceed to a violent difcharge; while, in other cafes, the contrary takes place. It is generally fuppofed that the difeafe will prove mild, and of fhort duration, when the running is white or yellow; and that, when it is at firft green, or tinged with blood, the running will prove obflinate: But though this may be generally true, it is by no means univerfally fo.

It is reckoned a favourable fymptom in gonorrhœa when the difcharge becomes 3 thick and ropy. Though this is unqueftionably one of the moft favourable occurrences in every clap, yet it is by no means a certain proof that the difcharge will foon terminate. In certain conftitutions the running will prove obftinate, even where the fymptoms are all favourable.

When the running does not foon become ropy, but continues thin, and of a pale colour, there is reafon to fear that it will terminate in a gleet. This, though by no means a dangerous fymptom, is one of the most unpleafant that attends the venereal difease, and in many cases proves very obstinate.

There is a kind of fpurious gonorrhœa, commonly called gonorrhœa fimplex, which in many refpects refembles the real one. Married people are often alarmed at the appearance of this complaint, and medical men, who are not fufficiently acquainted with this diforder, may do much mifchief. No man fhould declare any running from the urethra, in either fex,

41

42 OF THE VIRULENT GONORRHCEA;

to be venereal from the appearance only. In this cafe his opinion must be guided by circumstances, otherwife he will be apt to go wrong.

A married man has applied to me feveral times, thinking himfelf injured, at the fame time affuring me that he had not been guilty of any deviation from his wife, whom I knew to be an amiable and virtuous woman. I only advifed him to wafh the parts with Goulard's extract and water; and occafionally to throw up a little of it diluted, as directed in the gonorrhœa. This was all that I ever found neceffary to remove the complaint, which generally difappeared in a few days.

METHOD OF CURE.

It has already been observed that mercury is not neceffary for the cure of a clap. Some people imagine that as soon as the infection is caught the fystem is tainted; but this is by no means the cafe: The clap is, at first, perfectly a local difease. eafe, and may be cured by local applications. Thefe are generally of the aftringent kind, and may be varied in a variety of ways. Many people are afraid to ufe aftringent medicines, left they fhould drive the difeafe into the habit; but this is owing to their want of experience. I have ufed aftringent injections in the cure of clap for many years, and cannot fairly fay I ever faw any difagreeable confequences that could juftly be imputed to them; unlefs in fuch cafes as will be afterwards pointed out.

As foon as the running appears, and there is no inflammation, firicture, or fwelling of the parts to forbid it, my practice is immediately to use an aftringent injection. Of these there is great variety. What I prefer is the white vitriol diffolved in water: This may be used in various proportions, from half a dram of vitriol to a whole dram, to the pint of water: But, for the conveniency of my patients, I generally give it in the following manner:

That

44 OF THE VIRULENT GONORRHCEA,

That they may not have any trouble in preparing the medicine, I diffolve an ounce of white vitriol in four ounces of water, and defire the patient to put a tea-fpoonful of it to a common fized tea-cupful of water. Of this he is to throw up two or three fmall fyringe-fuls, five or fix times a day, keeping in the injection for fome time, by grafping the fore-part of the penis with his hand. This operation is eafier performed than deferibed, and can be better done by the patient himfelf than by any one elfe.

The above quantity is feldom all neceffary: Indeed the half is generally fufficient; but it is better to have fome to fpare than to have too little, as the injecting ought always to be continued for fome time after the running has ftopped. I have known this quantity, not only cure the patient, but alfo feveral of his acquaintance; and, as it will keep for a length of time, it may be carried to fea, or on a journey of any length. Several patients have

OR CLAP.

have told me, that, after curing themfelves, on a voyage to America, they had enough left, out of the above quantity, to cure one or two of their neighbours.

If the injection occasion great pain, I order it to be weakened, by adding fome water to it, fo as to lower it to the patient's feelings. If the running does not ftop in a few days, I defire him to make it ftronger, by adding a little more of the folution, till it is as ftrong as he can bear. In this way the medicine can always be adapted to the patient's feelings, and to the exigencies of the cafe.

The preparation of lead, which commonly goes by the name of Goulard's Extract, may be ufed in the fame manner as the folution of vitriol, and will have nearly the fame effects. Where the one does not fucceed to my wifh, I commonly try the other; but am more partial to the vitriol, as I think lead ought always to be applied with caution to interior furfaces.

As one or other of these injections, made stronger or weaker according to circumstances,

46 OF THE VIRULENT GONORRHEA,

cumftances, generally fucceeds, I feldom find occafion for any of a different nature; but, that patients may have it in their power to make a choice, I have fubjoined various forms of injection at the end of the book.

This injection generally cures a clap in a few days, provided no untoward fymptoms appear. I make it a rule, however, to keep the body gently open during the use of the injection. This may be done various ways, but gentle purgatives are the beft. What I generally use, for this purpose, is a cooling, opening powder, composed of cream of tartar and gum arabic, in powder, each an ounce; jalap in powder, two drams: These are to be mixed, and a tea-spoonful taken at bedtime in a cup of gruel or any other weak drink. Should this have no effect, another tea-fpoonful may be taken in the morning, and a third at noon, if found neceffary to keep the body open. If a tea-spoonful of the powder gives more than one motion, it will be fufficient to use it every second or third day.

The patient's body is not only to be kept open, but he ought to avoid all food and drink of a heating or flimulating nature. He is likewife to avoid violent exercife, and every thing that may heat or inflame the parts, as hard drinking, running, wreftling, riding, and fuch-like. Cold is alfo to be guarded againft, efpecially exposure to wet, fitting in damp places, fleeping in damp beds, keeping on wet clothes, and the like.

Sometimes untoward fymptoms will occur, in fpite of all our care; but thefe would be lefs frequent were due attention paid to the patient's diet, and the other articles mentioned above. It is to be regretted that patients have not this always in their power; and when they have, they are often very negligent.

Though injections will be found by far the moft agreeable, fafe, and expeditious method of cure; yet they are not to be indiferiminately used in all cafes, and in every ftage of the gonorrhœa. By not diffinguishing between those cafes where

48 OF THE VIRULENT GONORRHCEA,

where injections may or may not be used, much mischief is done, and the practice brought into diferedit.

There are particular habits of body where injections do hurt; fuch as the highly inflammatory, or perfons of a very irritable nerve. In fuch habits injections are either not to be ufed at all, or to be begun in a very diluted ftate, and gradually increased in firength till they produce their effect. If any fymptoms of inflammation or fwelling appear, they are immediately to be difcontinued.

While the inflammation is confined to the lower part of the urethra, and does not extend upwards toward the root of the penis, or neck of the bladder, it is fafe to inject; but when the inflammation extends upwards, and feems to threaten the proftate glands, the bladder, and parts adjacent, injections would prove hurtful.

In the first stage of gonorrhœa the difcharge proceeds from a part of the urethra not above an inch, or at most an inch and a half, from the point of the penis. While

OR CLAP.

While this is the cafe, even though a confiderable heat of urine *, and fome degree of chordee takes place, injections may be ufed with great advantage; and thefe fymptoms, inftead of being aggravated, will by their means be alleviated.

What is called the inflammatory diathefis is fo ftrong in fome patients, that I have feen a large tumour rife in the groin merely from the application of cold water externally to the parts of generation, during the progrefs of a gonorrhœa, which was fo gentle, that the patient miftook it for a gleet, and took this method of removing it.

The true criterion with regard to injecting is the flate of the inflammation. When this runs high, with great tenfion, pain, and fwelling of the parts, it would be wrong to inject. Indeed, when this

* Ardor urina, or heat of urine, as it is ufually called, is an improper name for a fymptom which depends, not on the heat of the urine, but the tendernefs of that part of the urethra where the inflammation is feated, and over which the urine paffes.

SVSER

49

50 OF THE VIRULENT GONORRHOEA,

is the cafe, the running ought rather to be encouraged than checked, and the patient put upon a cool and diluting regimen, affifted by bleeding and other evacuations.

When the inflammation is confiderable, it fometimes terminates in fuppuration, a circumftance by all means to be guarded againft; as it not only proves highly diftreffing to the patient, but is frequently deftructive to the parts of generation. In this cafe every effort is to be made to ward off the impending danger, by leffening the inflammation.

To check the progress of inflammation, befides the means already mentioned, I would recommend poultices, made with the fugar of lead, or Goulard's extract, to be conftantly applied to the parts, and bleeding with leeches. This, which has been my practice for many years, now begins to become general. In almost every local inflammation, leeches may be applied with advantage, but in none with greater benefit than those of the genitals. I have

OR CLAP.

I have often been a witnefs of their good effects in fuch cafes, and would recommend a re-application of them as often as the fymptoms may render it neceffary; or, till the inflammation is abated.

The gonorrhœa in women differs fo little from the fame difeafe in men, both in its fymptoms and method of cure, that it hardly merits particular notice. The fymptoms, however, are milder in women than in men; and, from fome of the moft diftreffing, they are wholly exempted: But the feat of the difeafe being nearer the bladder in women, that organ is more liable to inflammation than in the other fex; nor do they fuffer lefs from what is called the heat of urine.

As women are fubject to other difcharges, which have a great refemblance to the gonorrhœa, it is more difficult to afcertain the exiftence of the difeafe in them than in men. It may, however, be known from the heat of urine, which rarely occurs except in gonorrhœa, and likewife from the colour and confiftence

E 2

Crection.

51

of

OF THE CHORDEE.

of the difcharge, which is thinner and more pale in the *fluor albus* than in the gonorrhœa.

The difcharge is to be removed in the fame manner, and by the fame means, as in men: And, if the inflammation runs high, the fame cooling medicines will be neceffary; likewife bleeding and gentle purges. It is fortunate that the fame aftringent injections which are used for the gonorrhœa are equally proper in the whites. The only circumflance that can forbid their use is a high degree of inflammation, especially when the inflammation extends to the coats of the bladder, which may be known by the pain affecting that very fensible organ in a high degree.

OF THE CHORDEE.

A painful fymptom which often attends the virulent gonorrhœa, is called a chordee. This is peculiarly troublefome in the night, or when the patient has an crection.

32

OF THE CHORDEE.

53

crection. In habits liable to inflammation, or where the pain is violent, bleeding and other evacuations are neceffary. Some recommend emollient injections, with laudanum, and rubbing the parts with mercurial ointment.

I generally order the parts to be frequently rubbed with camphorated oil, or fome emollient ointment; and the patient to take from thirty to forty drops of laudanum in a draught, at bed-time. As this fymptom is connected with inflammation, the patient ought to live fparingly, and to avoid the fight of fuch objects as may excite lafcivious ideas,

E 3

CONCERNING STORE STUDIES DISTURNED

oll contaion are, obffructions in the

ins live. Of their the

tion, or where the pain is violent, blobd-

CHAP. III.

CONSEQUENCES OF THE VIRULENT GONORRHEA.

pres and the patient

A LTHOUGH gonorrhœa virulenta is only a local difeafe, and does not feem to affect the fyftem; yet it often occafions fymptoms which prove both tedious and troublefome: Symptoms which, though not always dangerous, are very vexatious, and fometimes continue during the patient's life. Of thefe the most common are, obstructions in the urethra, fwellings of the testicles, and of the lymphatic veffels, gleets and feminal weakneffes, warts, excoriations, and other affections of the glans and prepuce.

TRIPINE.

[55]

Of all the fymptoms fubfequent to a virulent gonorrhæa, the most painful and dangerous are strictures of the urethra, or urinary paffage. These not only endanger, but often destroy life; and, when the patient falls into unskilful hands, he may be deprived of his virility. When thefe fymptoms do not yield to bleeding, cooling purges, emollient fomentations, and the use of bougies, the affistance of an able furgeon should, if possible, be procured. He will generally find occafion for all his skill in removing these untoward affections, which, notwithstanding the most skilful treatment, will sometimes occur.

Obstructions in the urethra may be occafioned by spasmodic affections of the part, tumours in the substance of the urethra and neighbouring parts; fleshy excressences; carruncles, &c. In all these affections the patient is to expect relief chiefly from the proper use of bou-

E 4

gies.

gies. Though a degree of science might feem necessary for the proper management of bougies, I have always found patients, with a very little instruction, able to make a proper use of them, without any trouble or danger to themfelves. Indeed, if a patient does not know how to introduce a bougie himfelf, it will often be of no use to him. A man may be feized with an obstruction of urine on a journey, or in many fituations where he can neither procure a bougie, nor find a perfon to introduce it. Patients have often told me that they must have lost their lives on a journey, if they had not carried bougies along with them, and known how to use them. Indeed every perfon fubject to obstructions of urine ought to carry bougies in his pocket.

It is not here neceffary to give any inftructions concerning the making of bougies, as they can always be had ready made, of a fuperior conftruction to any that men, not practifed in the art, can pretend to make themfelves. They ought, however,

57

however, to be made with care. Should a bougie break in the urethra, it might be attended with very ferious confequences. Nor is care lefs neceffary in introducing them, otherwife much mifchief may be done by wounding and irritating the tender parts about the neck of the bladder.

In using bougies it will be proper always to begin with a small one, and gradually to use them of a larger fize, as the urethra becomes dilated, and is accustomed to bear them. They ought also to be gently introduced, avoiding force as much as possible, and humouring the passage for as not to give pain or fetch blood.

A knowledge of the force that may be neceffary in paffing a bougie cannot be acquired but by practice. Indeed the whole art of furgery is, in a great meafure, acquired in this way. A man will learn more from feeing the operation once performed, or from having it done upon himfelf, than from twenty pages of defcription.

The time that a bougie should remain in the urethra must be regulated by the patient's

patient's feelings. Few people at first can bear to keep them in above half an hour; but, by custom, they come to be able to let them continue for feveral hours, and fome fleep with them in all night. Walking and other exercise, while a bougie is in the urethra, ought to be avoided, as it is apt to hurt and inflame the parts.

Another mode of regulating the time for keeping a bougie in the urethra is the intention for which it is ufed. If it is introduced only with a view to draw off the water, there is no occasion for its remaining in, as the urine generally follows as foon as it is withdrawn. When the intention is to remove carruncles or ftrictures, it ought to be kept in for feveral hours, or all night, if the patient can bear it.

In using a bougie great care should be taken to prevent its slipping into the bladder, otherwise a painful and dangerous operation would be necessary for extracting it. This may always be prevented by bending about half an inch of the thicker end

end of the bougie, and tying a piece of narrow tape or pack-thread round it, of a fufficient length to prevent its getting into the bladder; or, if it fhould flip in, to draw it out again.

A bougie ought always to be tried before it is introduced, by bending it the whole length with the finger, fo as to be fatisfied that it is elaftic and tough at every part. Whether they had been improperly formed, or kept till they were rotten, I do not know; but I have feen bougies, when attempted to be bent, fnap like a bit of glass. The best way to have them genuine is to apply to a perfon of character who makes them himfelf, and to pay the best prices, as they are fold at very different rates; but cheap articles of this kind are never to be trufted. Indeed, in every thing belonging to medicine, whatever is fold low, is generally doubtful. macory appearance, and the

command with a lentition as it the terti-

imagine

che ville movine of rolling about

AO stally abates. . This leads people to

59

-[60]

OF THE SWELLED TESTICLE.

A fwelling of the tefficle is not peculiar to the gonorrhœa. I have feen it where no fuch difeafe ever had exifted: But as it frequently occurs during the progrefs of this difeafe; and is a very troublefome fymptom, we fhall mark its progrefs, and point out the most likely means for leffening the pain, and removing the diforder.

Sometimes both tefficles fwell; but it more frequently happens only to one; though occafionally they are affected in turns. The first attack is very painful, but afterwards the pain is inconfiderable. The fwelling at first is chiefly confined to one part of the tefficle; afterwards, however, and fometimes in a very flort space, it affects the whole. In the progress of the difease the tefficle becomes hard, the fkin which covers it puts on an inflammatory appearance, and the pain is accompanied with a fensation as if the tefficle was moving or rolling about.

When the tefficle fwells, the running generally abates. This leads people to imagine

OF THE SWELLED TESTICLE.

63

imagine that the fwelling is occafioned by the matter falling on the tefficle; but it evidently proceeds from a transfer of the inflammation from the one part to the other, arifing from fympathy, or from irritation. Whatever is the caufe, it ought to be removed with all poffible fpeed, as it has many difagreeable confequences, fome of which continue for life, and even tend to deftroy the power of procreation.

As the confequences arifing from an inflamed tefficle are dangerous in proportion to the degree of inflammation that takes place, our great aim muft be to keep the inflammation as much under as poffible. This will be beft effected by keeping the body gently open, applying anodynes and repellents to the parts affected, using opiates internally and leeches externally.

It has been already obferved that in all local inflammations one of the beft remedies is bleeding. In full habits blood may be taken from the arm; but it will have a better effect if taken from the part, or as near to it as poffible. This may be 5 done

OF THE SWELLED TESTICLE.

62

done by applying leeches to the ferotum. I fhall be told that, as the bite of a leech cannot reach the tefticle, it will be of no ufe: But reafoning is of little weight againft daily obfervation. Long experience has taught me the benefits of this practice; and I will venture to fay, it is both the fafeft and beft remedy for the inflamed tefticle, with which we are yet acquainted.

What first led me to try this practice was the cafe of an officer of the army, who had the misfortune to get a fwelled testicle, a few days before he was obliged to embark with his regiment for the West Indies. Something was to be done immediately: I ordered as many leeches as conveniently could to be applied to the fcrotum, and to be renewed occasionally, as circumstances might require. By this means the fwelling and inflammation had fo far fubfided, in three or four days, that he was able to attend to his duty.

When the bleeding is properly conducted, there will be little occasion for any other medicine. It will be neceffary, however,

to

3

COLC

OF GLEE'TS.

to keep the body gently open, by fuch things as are recommended in the gonorrhœa. When the pain is very intenfe, from twenty-five to thirty, or thirty-five drops of laudanum may be taken in a little of the patient's drink, twice a day, or oftener, if neceffary to eafe the pain.

Repellent applications are recommended, and may have their ufe. Some apply cloths dipped in brandy, others ufe a mixture of Goulard's extract and water, a tea-fpoonful to a tea-cupful, or fo: While many prefer poultices, made with the extract or fugar of lead. I think a poultice of oat-meal, or of rye-meal and vinegar, equal to any of them,

nisted of to OF GLEETS.

the inflorminitory finte inf the differe has

In the gonorrhœa a difcharge from the urethra will, in fome cafes, continue after the fymptoms of inflammation have difappeared. This is commonly known by the name of a *gleet*, and often proves very obftinate. While the difcharge is capable of communicating the infection,

it

it cannot properly be called a gleet; but it is difficult to determine the precife time when this takes place: Some fuppofe, when the difcharge becomes transparent and vifcid, like mucus, that it ceafes to be infectious, while others affirm, that, notwithftanding these appearances, the infection may ftill remain.

While the inflammation which produced the running continues, there is reafon to fufpect that the infection is not fubdued, and that the matter then difcharged is equally capable of communicating the difeafe as at the beginning. Till therefore the difcharge becomes clear and tranfparent, and the pain which accompanied the inflammatory flate of the difeafe has entirely ceafed, we can never be certain that the gonorrhœa is radically cured.

Sometimes the difcharge will entirely difappear, and the patient think himfelf well, when, from irregularity, violent exertions, riding on horfeback, too early commerce with women, or fuch-like, the running will break out again, with every every mark of a fresh infection: But when the patient has no reason to fufpect that he has caught the difease anew, he has no occasion to be uneasy at this appearance; as it will soon cease on a re-application of the medicines which stopped it before.

When people find that this difcharge does not communicate infection, they are apt to be indifferent, and to let it run on without ufing any means to put a ftop to it. This, however, is wrong, as a long continuance of the running, not only weakens the fyftem, but lays the foundation of fome affections of the urethra and neighbouring parts, which may prove very troublefome and obftinate.

This complaint furnishes a ftrong argument in favour of aftringent injections, as it is often the confequence of a longcontinued gonorrhœa. Indeed the best method of cure, in its most obstinate state, is by injections. Aftringents taken by the mouth have, no doubt, their use; but the most efficacious medicines, after all, are F those

those which belong to the class of astringent injections.

Though aftringents taken internally are ufeful, yet they are not folely to be relied upon. Among thefe we reckon the bark and fteel, either taken feparately or conjunctly. They may be ufed in the following manner :

Take Huxham's tincture of the bark, three ounces.

Tincture of steel two drams. Mix, and take a tea-spoonful in a glass of red wine, three or four times a day.

Or, if the patient prefers a pill-

Take filings of steel prepared, one dram. Extract of Peruvian bark, two drams.

Oil of caraway feeds, twenty-five drops

Let there be made into thirty pills, one of which may be taken three or four times a day.

External aftringents have likewife their ufe, which, by the bye, ought rather to be called tonics. The principal of thefe is the cold bath; but what I chiefly recommend is fea-bathing. This is not on-

ly

67

ly more fafe than the fresh-water bath, as the patient is not fo apt to take cold; but as obstinate venereal complaints are often accompanied with a scrophulous taint, it may prove doubly useful.

We have few better tonics than the Tunbridge waters. As they prove beneficial to women afflicted with the whites, we may conclude that they would be of ufe in gleets. They ought, however, to be drunk with caution, as they prove heating, if taken in large quantities. Those who drink them ought likewise to live regularly. I have known much mischief done by using these waters, and, at the same time, making free with wine.

The flimulating aftringent balfams are likewife recommended in the gleet; as the balfam of Capaiba, the Canada balfam, &c. From twenty to thirty drops of either of thefe may be taken on a bit of fugar four or five times a day. But what I have found to anfwer flill better than the balfams is the tincture of Catechu. A tea-fpoonful of it may be taken in a glafs of red wine three or four times a day.

When

F 2

When tonics and injections fail, fometimes bougies will fucceed. They anfwer nearly the fame purpofe as ftimulating injections, and are more fafe. Bougies composed of the most fimple ingredients will often effect the purpose of exciting a fufficient degree of inflammation : But, if they should fail, they are easily rendered more active by dipping them in oil of turpentine, in a thin liniment of wax and oil, with a small proportion of red precipitate, or in common basilicon, reduced with oil of turpentine, to the confistence of a liniment.

There is reafon to believe that the most efficacious medicine for this complaint is the cold bath; but few patients have refolution to perfist in the ufe of it for a fufficient length of time. I have been told by a gentleman who had been afflicted with a gleet for above twenty years, that he had often put a ftop to it, for fome time, by bathing in cold water; but that not having fufficient refolution to perfist in it, the complaint had always returned. This gentleman, though

OF WARTS AND EXCORIATIONS.

60

though very diffipated, had, at the time I faw him, a wife and fome healthy children; which fhews that the difeafe does not prevent procreation.

OF WARTS AND EXCORIATIONS.

Warts fometimes affect the glans and prepuce on the termination of a gonorrhœa. They are more troublefome than dangerous, and may generally be removed by the application of cauftics: Of thefe the most gentle are first to be tried, and, if they fail, recourfe must be had to the more active. I have often cut them off with a pair of fharp fciffars.

When excoriations happen, they only require the application of fome aftringent wafh. Bathing the parts frequently with a folution of white vitriol, or a mixture of Goulard's extract in water, of the fame ftrength as that recommended in the gonorrhœa, will anfwer every purpofe.

F 3

[79.] TRAW 10

CHAP. IV.

OF THE LUES VENEREA, OR POX.

THIS dreadful diforder, which makes fuch havock of the human fpecies, when neglected, is generally fo gentle at its first appearance, and fo very tractable, that there is no difease where the practitioner gets fo much money and credit for doing fo little: But that little must be done in due time, otherwise the difease acquires a force, which the most skilful physician is not always able to overcome,

The lues venerea is generally introduced into the fyftem by means of a chancre. If this is properly treated, the difeafe feldom proceeds any farther; but, where it is neglected, it will produce the pox,

OF THE LUES VENEREA.

pox, and a train of dreadful confequences. If all these confequences can be prevented by a proper treatment of the chancre, on its first appearance, it will amount to nearly the same as eradicating the lues venerea altogether. How far this is practicable will appear from the following observations.

For the laft twenty years, I do not think one day has paffed on which I have not feen the venereal difeafe, in one fhape or other; yet during all that period I do not recollect one inftance of a patient, who applied to me, on the first appearance of a chancre, becoming poxed. Though a chancre is the origin of, and will feldom fail to produce a pox, if fuffered to take its courfe; yet it cannot with propriety be called a pox, any more than the perfon who has been inoculated for the fmall pox, can be faid to labour under that difeafe before it appears on the habit.

Though chancres are not confined to any particular part of the body; yet they

F 4

generally

OF THE LUES VENEREA,

72

generally appear on the glans or prepuce, and frequently on the frenum which joins the two together. Sometimes I have feen them on the back of the penis, and even on the fcrotum and pubis. When chancres appear on other parts, as the fingers, lips, &c. the infection has not been received in the common way, but by means of a wound, or by fome of the fofter parts coming into contact with a venereal ulcer.

The period at which chancres appear, after impure connexion, is uncertain. They generally make their appearance in a few days; though fometimes weeks elapfe before the patient is informed, by a chancre, that he has received the infection. This may depend on the irritability of the parts to which the poifon is applied, on the degree of acrimony with which the matter is endued, or on the quantity lodged on the part.

Though chancres affume different appearances, a perfon accuftomed to look at them will feldom be deceived. To others a defi-

OR POX.

definition would be of little ufe. Every perfon muft know when he has been in danger of catching the infection. If, in a few days after a fufpicious connexion, he perceives a fmall fpeck of a pale reddifh colour on the parts where chancres commonly appear; and if this fpeck gradually becomes a fmall boil, which afterwards burfts into an ulcer; he has reafon to believe that the infection has taken place, and that he has been inoculated * for the greater pox.

Sometimes there is only one chancre, but they more frequently come in clufters, and often run into one another, fo as to cover almost the whole prepuce, and

* There is a wonderful fimilarity in the progrefs of the infection in the lues venerea and inoculated fmall pox. If a fmall quantity of matter taken from a puffule on the point of a lancet is introduced under the cuticle, in two or three days a fmall fpeck of a reddifh colour appears, which gradually becomes a pock. The matter of this pock, taken up the lymphatics, and carried into the fyf. tem, communicates the difeafe,

OF THE LUES VENEREA.

74

give the appearance of a foul fpreading ulcer. Thefe ulcers generally have callous edges, and difcharge a thin ichor. In this, however, as well as in their fize, they differ widely from one another. The most certain criterion of a venereal ulcer is, that, instead of healing like another fore, it fpreads and grows worfe, unlefs where mercury is administered. If under the use of this medicine the fore shows a disposition to heal, there is little reason to doubt of its being venereal.

Though chancres, under proper treatment, foon put on a healing appearance; yet, in fome cafes, owing perhaps to the patient's conftitution, or the peculiar virulence of the matter, they will fpread, become phagedenic ulcers, and deftroy, not only the glans, but even the whole penis. As this never happened to any patient who had been under my care, from the commencement of the difeafe, I am inclined to think it is owing either to improper treatment or neglect.

Some

OF THE TREATMENT OF CHANCRES. 75

Some authors think that these corroding chancres are owing to the peculiar acrimony of the matter by which the infection was communicated; but to me this matter appears doubtful. I have found these chancres, even where they had deftroyed a part of the penis, yield to a proper treatment as readily as any other. That the matter which produces the lues may posses different degrees of acrimony, I will not pretend to deny; but that this will not account fairly for its effects on different habits, is presumable from what happens in other difeafes. Twenty patients inoculated for the fmall pox with matter taken from the fame perfon, shall each of them have the difease in a different degree, and to fome one of them it shall prove fatal.

OF THE TREATMENT OF CHANCRES.

The first caution which I shall give concerning chancres, is, to keep them easy, and

OF THE TREATMENT

76

and free from all irritation. The cure of a chancre may be greatly retarded by walking, riding, or violent exercise of any kind. These not only tend to fret the fore, but to increase the inflammation, and promote the absorption of the virus, to diffuse it more quickly over the fystem, and to render the disease both more dangerous and difficult of cure.

The next caution concerns the patient's mode of living. There is no occasion for ftarving a patient during the cure of a chancre; but fome reftraint should be put upon his appetite. No perfon should indulge in wine and a luxurious diet, during a courfe of mercury; otherwife he will not only retard the cure, but endanger a hemorrhage, by keeping up too great a plethora, or fulness of the veffels.

An important rule with regard to the treatment of chancres is, to keep them clean. This alone would go far to prevent all the mifchief done by what are called corroding chancres. The difcharge from

OF CHANCRES.

from a wound acts as a kind of balfam, and promotes the cure; whereas the matter thrown out by a chancre is generally of an acrid nature, and corrodes the parts with which it comes into contact. The more frequently therefore this matter is removed the better.

I have often found the penis fo corroded by these eating chancres as to be almost destroyed. In fuch cafes I order the fores to be washed feveral times a day with milk and water a little warm, applied by means of a fyringe; and, when washed, to be filled with dry lint. After the lint has flayed in for fome hours, and has become moift by abforbing the matter, I order it to be taken out, the fores again washed, and the lint to be applied as before. By this treatment, and the use of mercury, I have always been able to ftop the progrefs of any corroding chancre that came under my care, and I have reafon to think it always might be done.

To a patient who has got a chancre my first advice is, to keep it clean. This he

77

can

OF THE TREATMENT

78

can eafily do by means of a fyringe, ortaking water in his mouth, and holding it ill the chill is off, then pouring, or fpouting it, on the fore with as much force as he can bear. The part may afterwards be dried by preffing it gently with a foft rag. I never apply any healing falve to a chancre; it will always heal of itfelf, provided a fufficient quantity of mercury is thrown into the fyftem. Should it be healed by any other means, the confequences might be dangerous.

When the chancres are dried up fuddenly, there is always reafon to dread fome bad confequences. Inflead of fkinning over the chancre, and making the patient believe he is cured, a practice but too common, I generally endeavour to keep it open, efpecially when it feems difpofed to heal quickly. I think it is fafer practice not to ufe any efcharotics, as they tend to heal the chancres too foon, and to excite buboes. When the chancres feem difpofed to fpread, I generally order them to be fprinkled with calomel, which is one way of throwing mercury into the fystem.

On the very first appearance of the chancre I begin to throw in the mercury in whatever form is most agreeable to the patient. If he prefers a pill, I order him to take two grains of calcined mercury, made into a pill with crumb of bread, evening and morning. If his mouth is not fore, in a few days, he may taketwo pills at night and one in the morning; and, if these do not excite some degree of falivation, two may be taken morning and evening.

I feldom find more than four grains in the day neceffary to make the mouth fore, and, after it has been made fore, one grain or two a day will generally be fufficient to keep it fo. I fay keep it fo; for whatever boafting quacks may pretend, if the mercury does not make the mouth fore, and if the forenefs is not kept up for fome time, the cure is not to be depended on.

Should the pills gripe or run off by ftool, it will be neceffary to correct them by adding the quarter of a grain of opium

I

to

OF THE TREATMENT

80

to each pill. If the bowels are fo tender as not to retain them even when corrected, the mercurial ointment must be used in their stead. It is fortunate for those who cannot take mercury by the mouth, or whose bowels will not bear it, that it can be administered by the skin, with equal, if not greater effect.

The patient may begin with a dram * of the ointment every day, which is to be rubbed into the inner fide of the thigh with a warm hand before the fire. Should the fkin become inflamed and tender, the part must be changed; and, if the patient is not able to rub it in fufficiently himfelf, he must employ fome other perfon to do it for him. If the ointment is pure, it will almost entirely disappear; but, if the mercury is adulterated, it will leave a quantity of black ftuff on the fkin that will not disappear by any degree of friction. The quantity of ointment may be gradually increased to two drams a day: One half to be used at night, and the other in the morning.

*In the apothecaries ounce there are eight drams.

OF CHANCRES.

It is impoffible to afcertain beforehand the exact quantity of ointment that will be neceffary to perform a cure. It ought, however, to be continued till the fymptoms difappear, and for fome time longer, as it is better to go a little beyond the mark than to leave any remains of the diforder in the fyftem. It is feldom we can truft to fewer than thirty or forty drams; and, in many cafes, double that number will be neceffary, before the fymptoms difappear.

Though the mouth ought to be kept tender for fome time, it is not the fore mouth that cures the difeafe; that is only a mark of the fyftem's being impregnated with the medicine. Under thefe circumftances, if the fymptoms difappear, we have reafon to conclude that the patient is cured; but, for the greater fecurity, the medicines ought always to be perfifted in for fome time longer.

Though a chancre will generally produce a pox; yet, if the preceding courfe is duly perfifted in, this will feldom be the

G

cafe ;

OF THE PHYMOSIS

82

cafe; at leaft I have feen few inftances of its having happened. I muft therefore conclude, that when a pox is the confequence of a chancre, it is, generally fpeaking, either the fault of the patient, or of his phyfician; as this dreadful malady may in moft cafes be prevented by proper medicines, duly perfifted in, during, what I call, the chancred ftate. Improper treatment, or neglect, during this period of the difeafe, does moft of the mifchief.

OF THE PHYMOSIS AND PARAPHYMOSIS.

When the forefkin is fo contracted, that the glans cannot be uncovered, the difeafe is called a phymofis; and, when the contraction is formed behind the glans, fo as the fkin cannot be brought forward, it goes by the name of a paraphymofis: Though, generally fpeaking, thefe fymptoms accompany a venereal taint, yet they may both exift where there is no infection of that kind; but, when this is the cafe, they are not fo dangerous.

I have

AND PARAPHYMOSIS.

I have feen the phymofis in fuch a degree, where there was not the leaft fymptom of infection, that it was neceffary to lay open the prepuce, to enable the patient to pafs his urine. This patient had fymptoms of the gravel, and fuch a continual itching in the point of his penis, that he could not refrain from rubbing it. This feemed to be the caufe of the contraction, which was fo great, that he could not pafs one drop of water without ufing a knitting-needle to remove the fœculent matter that ftopped up the paffage.

Thefe parts are fo differently formed, in different men, that fome may be faid to have a natural phymofis; while others have the reverfe. I have feen the forefkin fo long, that above three inches of it were amputated, in order to difcover the glans: In others, the glans never is covered, but remains expofed during life. Neither of thefe is attended with any confiderable degree of inconvenience, unlefs in a difeafed ftate. When inflammation occurs, in fuch a conftruction of

83

the

OF THE PHYMOSIS

the parts, ftrictures are more likely to be formed, and are likewife with more difficulty removed, than in patients where the prepuce moves eafily over the glans.

There is a fpecies of phymofis, owing to conftruction, which I have found it neceffary to remove, though not accompanied with any difeafe: I mean, where the frenum adheres to the glans from the bottom to the top. This not only impedes the bufinefs of generation, but, when difeafe takes place, it proves highly inconvenient, as the fimple operation of feparating it from the glans cannot then be performed, on account of the inflammation and fwelling: Nor can the glans be completely uncovered while this adhefion remains.

Cafes of paraphymofis likewife occur without infection. A feeble old man had drawn back the prepuce behind the glans, and not being able to return it, was fuffered to remain in this fituation for above a week, though daily vifited by a country furgeon. Notwithftanding a confiderable

AND PARAPHYMOSIS.

ble degree of inflammation and fwelling had taken place, I was able to remove the complaint, without an incifion, in lefs than a quarter of an hour. Had the ftricture continued much longer, a mortification muft have enfued; yet the patient was never apprized of his danger *.

I have known fome young men bring on a violent paraphymofis, by acting on a wrong principle. One who had pulled back the fkin, and kept it there till it could not be returned without making incifions on both fides, faid he did it on purpofe, to keep the glans cool. In this cafe, though the ftricture was removed, yet the glans was never completely covered, and the forefkin remained thickened, which,

* Boys frequently bring on a diforder fimilar to this by flipping rings over the glans: Not being able to bring them back, a violent inflammation enfues, which cannot be removed, unlefs the ring is cut or broken, a thing not eafily effected when it is deep funk in the flefh. The boy, either from fear or fhame, is generally deterred from making his fituation known till the cafe becomes extremely dangerous.

G 3

85

in

OF THE PHYMOSIS

in all probability, will be the cafe during the patient's life.

Though every method is to be used to keep the glans clean by injections, and cool by fomentations, poultices, &c.; yet no attempt should be made to draw the skin forcibly back, till the inflammation has abated; otherwise, in all probability, a stricture will be formed behind the glans, which will be more dangerous and difficult to remove than the former.

A phymofis frequently occurs in gonorrhœa; but the moft dangerous is that which arifes from a chancre concealed under the prepuce. This, if neglected, will not only keep up the inflammation and thickening of the prepuce, but will corrode the glans, and even the body of the penis, fo as totally to deftroy the powers of generation, and of connubial happinefs.

As a phymofis from a venereal caufe is always accompanied with inflammation, our great aim must be to remove that, or to prevent its running too high. To effect

AND PARAPHYMOSIS.

fect these important purposes, the patient ought to avoid all violent exertions, to live temperate, or rather low, to bleed, and use cooling purges, with emollient applications to the parts affected. The genitals should be sufferended in a proper bandage, and the penis frequently soaked in warm milk and water: The glans ought likewise to be cleaned, by throwing up some warm milk and water with a syringe between it and the prepuce several times a day.

Where thefe things are duly perfifted in, the inflammation may generally be kept under, and in time removed; but, if neglected, and the inflammation fuffered to run on, much mifchief may enfue. Moft of the cafes which have come under my eye, where the penis was materially injured, belonged to this clafs, and the injury had been occafioned either by the improper conduct of the patient, or the inattention of thofe who had the care of him.

G 4

A man

87.

OF THE PHYMOSIS

A man of an inflammatory habit, and very irregular in his mode of living, while afflicted with a virulent gonorrhœa, went to a feaft in the country, where fome athletic games were celebrated: He excelled in running, wreftling, and playing at football. Not contented with coming off conqueror at all of thefe, he muft likewife be the hero of the bottle, to accomplifh which he fat up all night, and, according to the vulgar phrafe, laid all his companions under the table. The confequence was a violent inflammation, which did great injury to the parts, and had nearly coft him his life.

For the confequences of fuch conduct, men have themfelves only to blame: But fometimes the Faculty are in fault. A few days ago I attended an operation, which evinced the danger of fuffering chancres to be concealed under the prepuce. A young man who had been eight months under the care of a furgeon, and, during all that time, had been fwallowing mercury cury for the cure of a phymofis, was fo far from getting better, that he grew daily worfe. Night and day he was racked with extreme pain, till at length, worn down to a fhadow, he was advifed to apply to me.

Convinced that his pain was occafioned by chancres lurking under the glans, I defired a furgeon to lay open the prepuce to the very bottom of the glans, when all that appeared of this part of the penis was about the fize of a common pea. The patient, in lefs than a fortnight, without taking one grain of mercury, was perfectly well. Had this operation not been performed, the young man muft have been totally deprived of his virility, and probably of his life. This is not the only time I have feen the operation attended with equal fuccefs.

Whenever a patient finds a phymofis prove obftinate, and is tortured with pain, he has reafon to fufpect that fome bad work is going on under the prepuce. It is then time to take further advice; and,

if

OF THE PHYMOSIS

if an incifion is recommended by a man of experience and obfervation, it ought to be performed without delay. I am no friend to operations where they can be avoided; but in fuch cafes delays are dangerous.

I am inclined to think, if due attention were paid to fomentations, poultices, emollient injections, &cc. incifions would feldom be neceffary; but people are very apt to neglect things that are in their own power, and truft to medicine, which they think poffeffes a fpecific virtue to remove this complaint, under whatever form it may appear. This, however, is a great miftake: The parts of generation are often deftroyed where immenfe quantities of mercury have been taken.

If, after all endeavours, the prepuce cannot be drawn back, and if livid-coloured fpots fhould appear on the outfide, the forefkin fhould be immediately cut afunder, and the ulcers laid open. Many people think the very name of an incifion implies mutilation; in this cafe, how-

AND PARAPHYMOSIS,

however, mutilation feldom takes place, but from the neglect of incifions.

The paraphymofis, during the flate of inflammation, muft be in all refpects treated as the phymofis. The prepuce muft, if poffible, be brought over the glans, by pulling it forward with the hand, and, at the fame time, compreffing the glans, and pufhing it backwards with the fingers. This operation will be greatly affifted by the ufe of fome oil or foft liniment.

To leffen the inflammation, low diet, bleeding, foft poultices, and emollient fomentations, are to be used in the fame manner as for the phymofis. In both cafes I have always experienced the greatest advantage from the application of leeches: Nor do I recollect to have feen any bad confequences from them.

Should all attempts to bring the forefkin over the glans fail, and there is danger of a mortification taking place, it will be neceffary to make incifions quite through the folds of the prepuce, in order to prevent a ftrangulation and confequent

OF THE PHYMOSIS

quent mortification of the part. In fome cafes of ftrangulation, the glans abfolutely drops off, and the patient is cured by an effort of nature without an operation.

I am inclined to think that moft, if not all, the baneful confequences arifing from the paraphymofis, might be prevented, by a fufficient attention to the difeafe in its first stages. Were the patient careful to avoid cold, hard drinking, and violent exertions, during the inflammatory state, he would feldom have occasion to regret the mangling and maiming which may afterwards be necessary to fave his life.

I have dwelt the longer on these fymptoms because they are rather flightly passed over by most writers on this subject; and likewise because I have seen more mischief occasioned by neglecting them, than any other symptoms of the venereal difease. These occur in the early stages of the diforder, and the *novus* in venereal practice states them to run on till they become not only more than a match for

for his skill, but sometimes sufficiently formidable even to the most experienced veteran of the Faculty.

It is neceffary to obferve, that where fymptoms of fyphilis prevail, which is generally the cafe both in the phymofis and paraphymofis, it will be proper to administer mercury in the fame manner as is recommended under the treatment of Chancre.

enty, is entitled as that modificition or has

minute stall is signed to don only bridd

more be trais valied as tracific when

and the set of a set of a surface of the want of a

a son si anno A Liberthiningha vinco

[94]

CHAP. V.

OF THE INSTRUMENTS OF CURE.

ANY medicines have been recommended in the cure of lues venerea, fome of which have been deemed fpecifics; but none of them, except mercury, is entitled to that appellation, or has ftood the teft of time. This medicine may be truly called a fpecific. When duly administered in the lues venerea, it will be found almost infallible. When mercury fails in making a cure, it is either owing to its being badly prepared, or improperly administered. A cure is not to be expected from the use of mercury, after the parts neceffary for carrying on the functions of life have been destroyed. These cannot be restored by mercury, and the

95

the patient muft die. I have been confulted for a man the half of whofe face was eaten away by the pox, and part of the brain laid bare. No one would blame mercury if it did not fucceed in fuch a cafe.

When, by repeated poxes, the conftitution has been deftroyed, and the powers of life exhaufted, mercury cannot be expected to reftore them; but while there is a conftitution to work upon, this medicine will do wonders. I have known it fucceed even where a confumption, arifing from a venereal taint, had made great progrefs; and Mr. Bell fays, he has feen the afthma, rheumatifm, epilepfy, and lunacy itfelf, when induced by the venereal taint, yield to mercury.

It is now a common practice to adminifter mercury as an alterative. This manner of taking mercury muft meet the wifnes of moft patients; but, to ufe an old faying, there is reafon to fear "it is flutting the door while the thief remains in the houfe." It is a pleafant thing

thing for a man to hear that he may go about his business, may eat and drink what he pleafes, go abroad in all weathers, and be radically cured of a confirmed pox.

The delicate beau, who would not for the world have his breath fmell, will grafp at a method of cure without affecting the mouth. Such a method may fucceed now and then, but I would not advife any one to truft to it. Till the mouth is affected we can never be certain that the mercury has entered the fystem; and, unlefs the fystem is faturated, the effects are feldom permanent.

I do not mean to recommend the old and juftly exploded practice of exhibiting mercury, so as to raise a violent falivation. This was productive of many bad confequences, and is by no means neceffary. All the purpofes of mercury may be anfwered in a much milder way: I mean, by a gentle falivation; or a moderate degree of foreness of the mouth, being kept up for a confiderable length of time.

If man could keep a medium he would be perfect; but this is not in his nature: He flies from one extreme to another, and is equally wrong in both. This has been ftrictly the cafe with regard to the exhibition of mercury. Many conflictutions were ruined by pufhing it too far; and now effects equally hurtful are produced, from its being too fparingly adminiftered. We are therefore to follow amiddle courfe, and, if poffible, to avoid the bad confequences arifing from either of the extremes.

All attempts to afcertain the precife mode of operation of mercury, in the cure of lues venerea, have hitherto proved abortive: Nor would it be of much importance were it known. To eftablish the character of a medicine, it is fufficient to know, that, exhibited in a given quantity for a certain length of time, it will remove a diforder, which, without it, would prove deftructive to the patient.

There is no ftandard by which we can fix the exact quantity of mercury necef-

H

fary

fary for effecting a cure. The difference of conftitutions is fuch, that what will cure in one cafe will not be fufficient in another; befides, there are many other circumftances, as age, fex, climate, conftitution, fituation in life, and fuch like, that muft be taken into confideration in the adminiftration of mercury.

Mercury is, notwithftanding, the moft certain medicine with which we are acquainted. Even the bark is not fo fure to fucceed in intermitting fevers as mercury in the cure of the venereal difeafe: But the fuccefs of both depends on the mode of exhibition. Bark may be taken for a twelvemonth without curing an ague; yet, the fame quantity taken in the courfe of one month will remove the difeafe.

The fame rule holds with regard to mercury: Its effects cannot be effimated by the quantity given, without attending to the time in which it was adminiftered. Indeed this rule applies to most medicines. If the patient begins with fmall doses, even

even of poifons, he may ufe them till they lofe their effect, fo as hardly to have any influence on the conflitution.

Mercury, as a mineral, or taken in its crude flate, is almost inert: If it acts at all as a medicine, in this flate, its action depends chiefly on its weight and fluidity. Its virtues as a medicine must therefore depend on the modes of preparing it. These, indeed, are manifold; but, as my practice is confined to a very few, I shall only take notice of those, and shall add a few observations relative to the modes of preparing, and of administering them in the different flages of the diforder.

The preparations of mercury chiefly employed by me are, the ointment, the calcined mercury, the mild muriated mercury, the calomel, and the corrofive fublimate: But, as I do not mean to inftruct my readers in the chymical proceffes for preparing medicines, but to recommend those already prepared; all I have to obferve is, that they should be careful to purchase them from men of reputation,

as

as no art affords more opportunities of fophiftication than chymiftry.

Even the crude mercury is feldom to be obtained pure. It posses the power of diffolving other metals, and keeping them suspended; for which reason it ought always to be purified before it is prepared into any form of medicine: But, fuppofing the mercury to be pure, even the most fimple preparation of it is apt to be improperly made. Both the common pill and the ointment are prepared merely by trituration ; but, as their whole virtue depends on the complete feparation of the globules, unlefs the trituration is continued for a very confiderable length of time, the medicine is good for nothing*.

Though the mercurial ointment poffesses many advantages over any other

* I am convinced that no mode of preparing mercury is preferable to fimple trituration; but, to feparate the particles of this mineral fufficiently by trituration, efpecially in a dry form, would require more labour than I fear any chymift will be difpofed to beftow upon it.

prepa-

preparation of mercury; yet the mode of applying it is fo troublefome and difagreeable, that most patients with to avoid it. No other mode of application however has yet been thought of, which effectually answers the fame purpose. For this reason we must continue the use of the ointment, till time or observation shall difcover a better mode of throwing mercury into the fystem.

One of the greateft inconveniences attending the administration of mercury is the effect it often has on the stomach and bowels. The bowels of many patients are quite unable to bear the mercury in such quantity as is neceffary to cure the difeafe. Indeed, when mercury runs off by stool, it is very apt to disappoint the expectations of the physician; and the quantity of opium neceffary to correct this tendency, is often so great as to render the patient stupid and uncomfortable. Mercury will, no doubt, sometimes affect the bowels, even when used externally; but this is not near so apt to happen

H 3

as

as when the medicine is taken by the mouth.

Though the mercurial ointment has many advantages, and will fucceed in most common cases; yet, in obstinate venereal affections, I never trust to it alone. I have feen nodes of long ftanding yield to the calcined mercury, after an immense quantity of the ointment had been applied without any apparent benefit. A patient who had loft a great part of the genitalia told me, that, by the advice of an eminent phyfician, he had used above fixty drams of mercurial ointment, without any benefit; yet this gentleman was perfectly cured by the corrofive fublimate, accompanied with the Lifbon diet drink, in lefs than fix weeks, and continues well to this day. I had reafon, however, to fuspect, that he had not done justice to the ointment, being a diffipated man and a very irregular liver.

Though the corrofive fublimate poffesses great powers as a medicine, it is not

not fo much in ufe as formerly. The tafte is highly difgufting, and it is rather hurtful to the ftomach and bowels. Where thefe effects can be obviated, it is an excellent medicine, particularly in venereal affections of the fkin. The beft way to prevent its hurting the ftomach or bowels is, to accompany its ufe with fome foft decoction made of farinaceous fubftances, as the decoction of farfaparilla, or what is called the Lifbon diet drink.

The most common preparation of mercury now in use, for the cure of the venereal diseafe, is calomel. Though inferior to the calcined, or the muriated mercury, yet, in common cases, it feldom fails to perform a cure. Being perfectly infipid, it excites no nausea, and may be given, even to infants, with great fastery. As it is a cheap medicine, there is less danger of its being adulterated than those which are ten times the value. It does not however follow, that calomel is never adulterated, though it might be im-H 4 prudent

prudent here to mention the modes in which it is done.

I know no venereal taint that will not yield to one or other of thefe preparations, when applied in due time: But there are fome auxiliaries, which, though they will not cure the difeafe, may neverthelefs be of ufe, as either aiding the operation of the grand fpecific, or preventing its doing injury to the ftomach and bowels. The chief of thefe are, antimony, guiacum, farfaparilla, mezereon, and opium.

Guiacum has been highly extolled for the cure of lues venerea; but, fince the powers of mercury were better known, it has loft much of its reputation, and is now ufed chiefly as an ingredient in the Lifbon diet drink. Some pretend to have had experience of its good effects in ulcers and blotches of the fkin; but never having ufed it alone, I cannot vouch for its effects; nor would I advife any one to truft to it for a cure, unlefs when accompanied with mercury.

Sarfa-

Sarfaparilla has alfo been faid to have cured the venereal difeafe. It is given in powder, extract, and decoction. The laft of thefe is the most common form in which it is administered, and is generally found to answer the best. I will not affert that it has any confiderable effect on the cure of lues venerea; but I think it is friendly to the stomach and bowels; and some think it proves ferviceable where mercury is found to have too great a tendency to run off by the mouth.

Of mezereon I can fay little, never having ufed it but in combination with the two former articles. It is, however, an active, pungent medicine; and, when combined with things of a milder nature, may no doubt have its ufe. The root and bark are both employed, efpecially the latter, which is by far the moft active part*. It is generally fuppofed to be an ingredient in Velno's Syrup; but this

• A decoction of the bark is faid to have proved fuccefsful in the cure of ulcers in the throat.

being fold as a noftrum, I can fay nothing about it. It is likewife believed to have entered into the composition of Dr. Kennedy's Decoction, which is now fuppofed to have been nearly the fame as the Lifbon diet drink: To which, judging from its effects, I should think a little mercury, under fome form, had been added.

In a decoction which I have long ufed, as an accompaniment to mercury, all thefe ingredients are combined, and I think form a better medicine than can be extracted from any one of them feparately. I have occafionally ufed antimony in the crude ftate; but, as this gives the decoction a very dirty appearance, of late I have added to each quart of the decoction a tea-fpoonful of the antimonial wine, more or lefs, as the patient's ftomach could bear.

Opium has likewife been recommended as an aid to mercury, in the cure of lues venerea, and fome have gone fo far as to fay, that it poffeffes powers as an antifyphilitic. I have not, however, been able to

OF THE PROPER REGIMEN, &c. 107

to difcover them : All the ufe I have ever found in opium was from its fedative quality, in preventing the mercury from running off by the bowels. When the bowels are too irritable to retain mercury, it will not cure the difeafe. In this cafe opium may act as an auxiliary, by detaining the mercury in the fyftem.

OF THE PROPER REGIMEN DURING A COURSE OF MERCURY.

... When that is the cafe

The fuccefs of mercury is often fruftrated by an improper regimen. Few men have fufficient refolution to break off their former habits of living, while under a courfe of mercury. They will take the medicine, but cannot refrain from their ufual luxuries. I have often feen the cure protracted to twice the ufual time, when no other reafon could be affigned but the patient's luxurious manner of living.

108 OF THE PROPER REGIMEN DURING

As any one ftimulus may counteract another, why may not the ftimulus of wine counteract that of mercury? I do not mean that a patient under a courfe of mercury is to live too low: Neither do I approve of very copious evacuations prior to the patient's entering on fuch a courfe; nor indeed of any at all, provided the patient is not of a full or inflammatory habit. When that is the cafe, bleeding and purging may be neceffary, as well as other evacuations. As far as my recollection goes, I think the cure of lues venerea goes on more flowly in fat than in lean patients.

Though the patient is not to be flarved under a courfe of mercury, yet there are fome things that will difagree with the ftomach, and ought therefore not to be ufed: For example, all raw vegetables, and whatever is apt to turn four or rancid on the ftomach, ought to be avoided. When the mercury is rubbed in, thefe cautions are lefs neceffary; but at all times crude, acid vegetables, ufed freely,

A COURSE OF MERCURY.

freely, are injurious to the ftomach and bowels.

Few things are more injurious to a patient under a course of mercury than exposure to cold. In a mild climate I should think there was no occasion for any confinement, under a course of mercury; but with us, who have all the feafons in a few days, and often even in one day, this is a matter of the greatest importance. Patients get well under every kind of treatment, but circumstances of a very untoward nature are often occafioned by cold. I am fully convinced that one half of the medicine generally ufed for curing the lues venerea would fucceed, were patients confined to the house during a course of mercury*.

* I am fufficiently aware that many patients cannot keep the houfe while they are using mercury for curing the *lues venerea*; but these patients must lay their account with many inconveniences, and those fometimes of a very ferious nature. Indeed most of the bad confequences imputed to mercury, are, in my opinion, owing to taking cold. Some speculative writers have thought otherwife; but a long series of observation has convinced me that fluxes, fevers, and even madness, may be produced by cold under a course of mercury.

It

OF THE PROPER REGIMEN, &cc.

It has already been observed that one of the most disagreeable effects of mercury is its tendency to run off by the bowels. No doubt this may be, in fome measure, corrected by opium; but as few patients like to take that drug, I would again beg leave to recommend a due attention to warmth. While a fufficient degree of perspiration is kept up, mercury will feldom fall on the bowels. No fooner, however, is this evacuation checked, than the bowels are affected. All the patient's food and drink ought to be a little warm, and rather of eafy digeftion. When I recommend warmth, I do not mean that the patient is to be kept in a profuse fweat. This, instead of promoting, would retard the cure, and weaken the patient to no purpofe.

Few things are of more importance, during a courfe of mercury, than to regulate the patient's clothing. If linen is worn next the fkin, it is not only cold and chilly; but, when moiftened by the perfpiraton, it becomes damp; and the moifture is taken up by the abforbent veffels

IIT

fels which open on the fkin. It would be a good rule, if every perfon labouring under lues venerea were to wear flannel next the fkin during the whole time of the cure.

It is not only neceffary, during a courfe of mercury, to avoid every thing that is highly ftimulating, as hot fpices, highfeafoned difhes, and fuch-like; but alfo all violent exertions of bodily ftrength, as running, wreftling, hard riding, &c.: Nor is tranquillity of mind lefs neceffary. All the bodily functions may be difordered by violent paffions; and when that is the cafe, the moft powerful medicines will not have their proper effects on the fyftem,

OF BUBOES.

Buboes may arife from different caufes; but we mean only to treat of the venereal bubo: This is generally feated in the I groin,

OF BUBOES,

groin, and is attended with fwelling, pain, and inflammation of the part. The true fyphilitic bubo is commonly preceded by a chancre on the glans or prepuce, though a chancre is not neceffary to the production of a bubo: It is fometimes, though feldom, the first fymptom after impure coition. The bubo is generally fingle, though fometimes both groins are at once affected.

There is no occasion to deferibe the whole abforbent fystem to explain the theory of buboes. It is fufficient to fay, that every part of the body, both external and internal, is replenished with abforbent vessels, whose open mouths take up more or less of every fluid that is applied to them. These vessels carry the venereal poison into the system, and ferve likewise to convey its antidote.

Whether the bubo arifes from an immediate abforption, without any previous local eruption, or from an abforption from chancres, or a virulent gonorrhœa, the fymptoms are nearly the fame. Some, indeed,

OF BUBOE9.

indeed, fuppofe that the bubo may arife from the poifon being conveyed from the mafs of blood, when univerfally tainted with the infection ; but this opinion is by no means well founded. From whatever caufe buboes proceed, they commonly hold the following progrefs ;

A fmall hard tumour is felt in one or both groins, accompanied with fome degree of pain, though not acute ; this tumour gradually increases, till it has arrived at maturity. When matter begins to be formed, the bubo becomes very painful, and fometimes excites a flight degree of fever, which fubfides when the fuppuration of the bubo is completed. The fize of buboes at the time of their fuppuration is very different; fome of them are not larger than a walnut, while others exceed the bulk of an hen's egg. The fuppuration of the bubo will be quick, if it is attended with much pain ; but, if not accompanied with great pain, its progrefs will be flow.

Bu-

Buboes, in their first stage, may generally be difperfed ; by which much trouble, pain, and inconvenience to the patient, will be prevented. But this method of treatment is, by fome, believed to be dangerous: They suppose that a bubo is an effort of nature to carry off what they call the morbific matter of the difeafe; and that, by difcuffing it, the venereal poifon is repelled, and thrown into the fystem. On this supposition, it was formerly deemed good practice always to promote fuppuration, and bring the bubo to discharge matter as soon as possible. But this practice is not founded on found reafoning, and is by the more enlightened practitioners rejected.

In fome of the moft obftinate venereal cafes which have fallen under my obfervation, the buboes have fuppurated, and fometimes in fucceffion; but I could never perceive that the fuppuration tended to promote the cure, or to render mercury lefs neceffary. Befides, the fores occafioned by the breaking or lay-

tig

laying open of the buboes, prove often extremely troublefome and difficult of cure. For thefe reafons, I always, in the first instance, attempt the dispersion of a bubo.

To effect this purpofe, evacuants are in the first place to be used; as bleeding, purging, vomiting, &c. I have known one brisk purge carry off a bubo *, and local bleeding has often had the fame effect. This may be done by cupping or leeches : I generally prefer the latter. The fores, indeed, occasioned by the bite, are fometimes flow in healing; but this is a flight inconvenience, when compared to the advantages derived from the bleeding. In full and inflammatory habits, the patient may lose blood from the

• When a bubo difappears in a few days, the quack imputes it to his great fkill; and when it proves obfinate, which will happen under the beft treatment, the phyfician is blamed, when he is not in fault. Random cures often eftablifh the reputation of medicines which poffefs no real virtues, and fill the pockets of pretenders to phyfic, who are totally ignorant of that feience.

12

arm :

arm ; but, in general, local bleeding fucceeds better. Blood taken from or near the part affected, will relieve the patient more, while it weakens him lefs, than a much greater quantity taken from the general mafs.

Some local applications ought to accompany the bleeding and purging, which are to be repeated according to circumftances. I generally ufe repellent poultices, made with Goulard's extract, or the fugar of lead; though fome prefer the following ointment, as being lefs troublefome:

Take of mercurial ointment, one ounce;

Goulard's extract, fifty drops;

Powder of opium, one feruple: Mix them together according to art.

A little of this ointment may be rubbed on and near to the part affected, feveral times a day.

While these attempts are making to difperfe the bubo, the patient must use an abstemious regimen, avoiding all strong and

and fermented liquors; also food of a heating or ftimulating nature. The body must be kept gently open, and all violent exertions are to be avoided, as riding, running, wreftling, and fuch-like. This rule is of more importance than is generally imagined, as mulcular motion of every kind tends to increase inflammation.

During thefe attempts to difperfe the bubo, the use of mercury is not to be omitted : It may be administered nearly in the fame manner as for the chancre; only that, in this cafe, some prefer the ointment to every other preparation of mercury. Their reafon for giving it the preference is, that it can be applied near to the parts affected, and in fuch a manner as to be taken up by those lymphatic veffels which carry it immediately to the difeafed glands *.

If

117

* The quantity of mercury necessary for the refolution of a bubo will be in proportion to its obstinacy; but eare must be taken not to hurt the constitution. Mr. Hunter recommends half a dram of mercurial ointment, made with equal parts of quickfilver and hog's-lard, to be

118

If the means used for difperfing the bubo fhould not fucceed, and the inflammatory fymptoms run high, fo that the fuppuration feems unavoidable, they fhould be difcontinued, and proper medicines applied for promoting the fuppuration. For this purpofe, emollient fomentations and ripening poultices are proper: Thefe may be foftened with fweet oil or fresh butter, and applied to the bubo evening and morning. If it is found neceffary to haften the fuppuration, raw onions may be bruifed, and mixed with the poultice.

To promote the fuppuration, the patient may indulge in a more nourifhing diet, and drink a moderate quantity of wine. If the pain is very great, to alle-

be used every night. If the mouth is not affected in fix or eight days, and the gland does not readily refolve, two feruples, or a dram, may be applied every night; and if there be no amendment, more must be rubbed in : In short, if the reduction proves obstinate, the mercury must be pushed as far as can be done, without raising a violent falivation.

viate the irritation and procure reft, he may take from half a grain to a grain of opium in a pill at bed-time. This will likewife tend to haften the formation of matter, and to fhorten the inflammatory ftage.

When the bubo has arrived at maturity, and matter is formed, the common practice is to open the abfcefs with a lancet, or by means of cauftic; but it often happens, when the bubo is opened by thefe methods, that it is not perfectly ripe; but when nature is left to make the opening in her own way, it always happens when it ought, and generally heals much fooner, and with lefs inconvenience, than when opened either by incifion or cauftic.

As foon as the abfcefs is broken, the patient ought gently to prefs out the matter, endeavouring, at the fame time, to enlarge the orifice. If the difcharge is thick, and the fuppuration has not been tedious, there will be every reafon to expect that the abfcefs will foon heal; I 4 but

OF BUBOES,

but if the fore difcharges a thin, fharp ichor of a greenifh colour, and its lips are ragged, and of a loofe, flabby appearance, the cure will prove both tedious and troublefome.

After fqueezing out the matter, a little of any digeflive ointment may be applied to the fore, on a bit of lint or foft rag, and the whole covered with a foft poultice. This may be renewed twice a day, preffing out the matter very gently, before it is applied. The fore ought to be kept clean by wafhing it, every time the poultice is renewed, with milk and water a little warm. The time that may be neceffary for healing the bubo cannot be afcertained, as it depends entirely on the patient's conflitution.

It fometimes happens, after feveral weeks trial of the above method of treatment, that the fores grow worfe, and the patient's health and ftrength decline. In this cafe it will be neceffary to difcontinue the mercury, and to put the patient on a light and nourifhing diet, with an allowance

ance of three or four glaffes of found red port wine in the courfe of the day. The bark muft alfo be taken in as large quantities as the ftomach will bear it.

I have feen a patient fo much weakened by the ufe of mercury, that he was not able to walk, or even to ftand; yet, by going into the country, living on a light nourifhing diet, and drinking the decoction of farfaparilla, with equal parts of new milk, he got well in a few weeks. If any fymptoms of the diforder remain after this courfe, it will be neceffary to refume the ufe of the grand fpecific, mercury, as foon as the patient is able to bear it.

Though mifchief is no doubt done by pufhing the mercury too far, yet I am fully perfuaded that ten times more proceeds from leaving it off too foon. The patient tires of taking medicine, and the doctor, willing to indulge him, gives him permiffion to defift before the bufinefs is completed. Of this, I am forry to fay, one meets with too many proofs to queftion the fact.

A venereal ulcer may appear on any part of the body, and is a fure fign that the poifon has pervaded and infected every part of the fystem. These ulcers are ufually preceded by blotches, which appear first about the roots of the hair, or on the forehead, where they go by the name of a corona veneris. They gradually fpread all over the body, and are attended with itching and fome degree of pain. A venereal ulcer, though not very painful, quickly becomes deep, and even reaches the bone, which it renders foul. It discharges a thin, fœtid, corrosive matter ; and cannot be cured, but by a complete and well-conducted course of mercury.

It is of importance to diffinguish the venereal from the common ulcer, as mistakes in this matter may have ferious confequences, both with regard to the character of patients, and the method of cure.

cure. If the patient has reafon to fufpect that the ulcer may be venereal; if its margin is hard, the furrounding fkin preternaturally red, and the bottom covered with a white flough; there is ground to believe it is venereal. But the most certain conclusion may be drawn from the use of mercury: If the ulcer either appears, or grows worfe during the use of mercury, it is probably not venereal; but if it gets better under a proper course of mercury, there is little doubt of its belonging to that class.

Though a chancre, which is a venereal ulcer, generally appears on the genitals, yet those ulcers which proceed from a contaminated state of the whole fystem feldom affect the parts of generation. Indeed, there is no part of the furface of the body where they occur fo feldom. This clearly proves, what we have before afferted, that the chancre is a local affection, and affords no proof that the fystem is contaminated. Almost every chan-

324

chancre may be traced to a local application of the venereal poifon; and when the poifon can be arrefted in its progrefs, the fyftem will not be generally affected.

Though venereal ulcers are often preceded by blotches, yet this is not always the cafe: Sometimes they come without any previous eruption; and at other times a number of fmall pimples rife upon the fkin, previous to the appearance of an ulcer. Nor is it uncommon for a flight degree of itchinefs only to be felt on the part, before the ulcer is perceived.

Venereal ulcers are generally pretty tractable, and heal almoft as foon as other fores, unlefs there is fome fault in the patient's conftitution. When this is the cafe, they often prove very obftinate; and fometimes even bid defiance to the great antidote mercury. The habits, where venereal ulcers prove most obftinate, are, the fcrofulous, and perfons deeply affected with the fcurvy. As both thefe habits are very common in this coun-

country, it is no wonder that venereal complaints fhould fo often prove tedious and difficult to cure.

There feems to be fome affinity between the pox and fcrofula, that has not yet been defined: Where the fyftem is deeply affected by the latter, the former will always be found obftinate. I have known even a bubo, in fuch a habit, continue for years before it could be cured, notwithftanding the liberal ufe of mercury; and fometimes ulcers, which feem to rife from a venereal taint, and will not yield to mercury, may be cured by fea bathing, which is almoft a fpecific in fcrofula.

Venereal ulcers often affect the throat Sometimes an ulcer in this part is the first fymptom of the difease; and, being mistaken for a common fore throat, it is often improperly treated. The ulcer generally makes its appearance on the glands called *amygdalæ*, from their refemblance to almonds, with an eryfipelatous or reddisculture of the parts adjacent, and a buffy

buffy colour at the bottom. It is not, however, confined to these glands, but fometimes attacks the *uvula*, tonfils, roof of the mouth, and other adjacent parts.

It is of the greateft importance to be early acquainted with the nature of thefe ulcers, as they often fpread rapidly; and, if not checked by mercury, they will corrode the parts on which they fix, and deftroy the organs of deglutition. Where there is the leaft reafon to fufpect that ulcers of the throat may proceed from a venereal taint, the patient ought immediately to have recourfe to the beft advice.

The first step towards the cure of an ulcer in the throat is, to ascertain its cause. One often meets with ulcerous throats in married women, which have been under the care of the family apothecary for many months, without any progress having been made towards a cure; the attendant either not suffecting the real cause of the complaint, or not daring to inquire into it. The husband, who takes care to

127

the

to get cured himfelf, and leaves his wife to find out her diforder, and to get cured as fhe can, is at once cruel and unjuft.

A venereal ulcer fometimes affects the womb. This too is apt to be miftaken, and treated as a cancer. As it cannot be examined, like the fore throat, the beft and fafeft way is to confiderit as venereal, and to treat it accordingly. If it fhould not yield to mercury and its accompaniments, the caufe becomes doubtful. I would then recommend fea bathing, or the waters of BAREGES, as most likely to perform a cure.

In whatever part of the body a venereal ulcer appears, its cure muft be attempted by mercury. Where this fails, there is reafon to fufpect either that the ulcer is not truly venereal, or that it has affumed a different character, and requires a different mode of treatment. In this cafe, the patient's ftrength muft be reftored by nourifhing diet and generous wines. The ufe of tonic medicines, as

the bark and steel, will likewife be proper; and above all, we would recommend cold fea bathing.

A variety of ointments, &c. have been recommended in the cure of venereal ulcers, but we lay no great ftrefs upon them. The chief bufinefs is to keep the fore clean, and to throw in the antidote as freely as the patient's conflictution will bear it. A lift of the most approved medicines for local application will, however, be given in the Appendix, with directions for using them.

OF VENEREAL BLOTCHES, AND OTHER AFFECTIONS OF THE SKIN.

tes nertrong a concernance

It has been obferved, that venereal ulcers are often preceded by blotches. They, as well as the ulcer, prove that the fyftem is contaminated, and that the poifon has diffufed itfelf through the whole frame. There is no part of the body exempt from

129

from their attack, though they appear more frequently on fome parts than on others. Some ingenious attempts have been made to account for this; but they are more fpecious than folid.

Though blotches are fometimes a primary fymptom, yet I have more frequently found them a fecondary one, and generally the effect of cold, when the body was charged with mercury, and the difeafe not totally fubdued. The eruptions, in this cafe, have a very unfeemly appearance; but there is reafon to believe, if the difeafe were not thrown upon the fkin, that the confequences might be worfe.

A few years ago, a patient of mine, who had for fome time been under a courfe of mercury, refufed to take it any longer, becaufe it made his mouth fore, and was attended with other inconveniences: Contrary to my advice, he went down to the fea-fide ; and, as it was the feafon for bathing, like many others, without any precaution, he plunged K head.

headlong into the water, and fwam about for his amufement. How often this was repeated I do not know; but, on his return to town, he came to me with a face fo covered with blotches, as hardly to refemble the human figure. As thefe had every mark of venereal blotches, I was induced to put him under a fresh course of mercury, and to continue it till they difappeared.

At prefent I have a gentleman under my care, who, during the fevere froft of laft winter *, was taking mercury. I could not perfuade him to keep the houfe : He not only went abroad, but was very irregular in his manner of living. The confequence was, an univerfal eruption, or blotches all over, but particularly on the face. They are now going off by the ufe of mercury; but at one time they exhibited the appearance of a confluent fmall pox, a little after the turn, fo exactly, that any one, at firft fight, would

* 1794-5.

have

111

have fuppofed the patient was just recovering from that loathfome difease. From this refemblance I am inclined to think the difease took its name.

Venereal blotches are not attended with much pain; they excite, however, an itchinefs, which makes the patient reftlefs and uneafy. They often attack the points of the fingers, efpecially under the nails, and, when fuffered to proceed, a feparation takes place, and the nails as well as the cuticle fall off: Indeed, whatever feparates the cuticle will take off the nails. When they attack the parts covered with hair, they not only prevent its growth, but frequently it falls off.

There are other cuticular eruptions, as the herpes, &c. which may be miftaken for the venereal, by people not accuftomed to fee thefe things. Herpetic eruptions generally appear in a circular form, from whence they get the name of ringworms. They are broader than the venereal blotches. Befides, the herpes is more local than venereal eruptions, which often K2.

cover the greater part of the body. But they are best known from the circumstances of the case, and the patient's manner of life.

Thefe, like other venereal affections, generally yield to a proper courfe of mercury; though fometimes it is found neceffary to call in the aid of antimony. This may either be done by administering Plummer's pill, or by adding fuch a quantity of the antimonial wine, or of crude antimony, to the Lisbon diet drink, as will be directed in the Appendix.

Some have fuppofed, and not without reafon, that the corrofive fublimate, in affections of the fkin, is preferable to the other preparations of mercury. In obftinate cafes, where the other mercurial medicines have failed, it has often, in my practice, fucceeded: Indeed, I have feldom known it to fail. It ought, however, to be administered with care; and it will be more fafe, if accompanied with the decoction of farfaparilla.

nan venerest ernptions, which often

20702

Some

OF THE VENEREAL NODE.

Some recommend mercurial ointment, or lotions, to be applied externally; but I am no friend either to wet or greafy applications to the fkin. When the eruptions are hot or uneafy, I treat them in the fame manner as the eryfipelas, by fprinkling them with fine flour or hairpowder. Should the eruption, however, prove very obftinate, an appropriated ointment may be applied, as directed in the Appendix.

OF THE VENEREAL NODE.

In the ordy flage of the distant we

who follows and an work and and the

he could delaas perintena renevant

The venereal virus, when fuffered to remain in the fyftem, faftens at laft on the bones; and, what is very remarkable, it commonly feizes on the moft folid parts of the bones, and where they are moft thinly covered with flefth, as the fhin-bones, the bones of the head, of the arm, &c. Nor is it lefs worthy of remark, that wherever

К3

it

\$33

34 OF THE VENEREAL NODE.

it fixes there it remains, and is never known to leave the part till it is destroyed, or the poifon conquered.

The true node, which is a hard tumour rifing on a bone affected with the venereal virus, does not appear at an early period of the difeafe; but, in cafes where patients are exposed to cold, or in damp fituations, fwellings of the mufcles, ligaments, and tendons, will appear foon after the infection has been received into the fystem. These however are not to be confidered as genuine venereal nodes.

In the early ftage of the difeafe, a venereal node occafions little pain, and is, for that reafon, often neglected : But as the tumour increafes, fo does the pain, till it fometimes becomes quite excruciating. I had a patient, who was fo tormented with a node, that he ufed to get out of bed, almost every night, and fit for hours together with his leg immerfed in a pail of cold water. In fuch eafes, fome recommend an incifion to be made

OF THE VENEREAL NODE.

made as deep as the bone for the whole length of the node; but few patients will fubmit to this operation, and I have always fucceeded without it.

Sometimes thefe pains are miltaken for the rheumatifm, but they may eafily be diftinguifhed: The rheumatifm generally affects the joints, while the node rifes in the middle of the bone. Befides, the rheumatifm often changes its place, and even fhifts from one joint to another; but the node, as has been already obferved, is permanent.

The cure of nodes evinces the wonderful powers of mercury as a medicine. That it fhould be able to purfue the enemy into his laft retreat, and, when he has feized on the moft folid parts of the fyftem, which he is fure, if neglected, to deftroy; I fay, that, in this cafe, a few grains of mercury fhould diflodge the foe, and reftore the patient to perfect health and foundnefs, is a thing fcarcely credible.—Yet it is fo certain, that I do not recollect ever to have feen mercury

K 4

fail

fail in the cure of a node; and, even where the bones have become carious and have exfoliated, the patient has received a complete cure, and has not only enjoyed perfect health himfelf, but been able to tranfmit a found conftitution to his progeny.

In the cure of nodes, it is of the greateft importance to apply the antidote as foon as poffible : Delay not only renders a greater quantity of mercury neceffary, but endangers the bone. I do not recollect to have feen a bone become carious, or an operation neceffary, where the mercury had been applied in due time and quantity.

The miftake is generally made in this way: The patient puts himfelf under what he thinks proper care; the fymptoms difappear, and he is declared to be cured. Some months, and fometimes years, afterwards, a flight pain is felt, and perhaps fome degree of fwelling appears on the fhin-bone: This is fuppofed to be rheumatic, and is of courfe neglected, till

\$36

till the poifon has rendered the bone foul, and perhaps carious.

Every perfon who has had the lues venerea, ought to be on his guard with respect to the appearance of nodes; and, if he feels pain, or perceives any fwelling on those parts of the bone where nodes are known torife, he ought to have immediate recourse to the antidote. Some, in this cafe, prefer the ointment, and even rub it on the part affected; but this I confider as bad practice. The ointment will have the fame effect if rubbed on the found parts, and the friction is apt to hurt the difeased one. The ointment, however, in this cafe, is not my favourite remedy; at least I never trust to it alone. I have feen great quantities of the ointment used for the difcuffion of a node, with little or no apparent benefit; where pills, made of the calcined mercury, effected a complete cure. In nodes of long ftanding, more mercury will be neceffary, than in any other fyphilitic affection.

137

As the true node is never an early fymptom, there is reafon to fufpect that it is owing either to improper treatment or. neglect .- A married gentleman, either to fave his money or appearances, put himfelf under the care of an apothecary in the environs of London, who, after fome months attendance, told him he was cured. Some time after, he came to me, with a large node on one of his legs, for which I put him under a course of mercury. He had fent his wife into the country, to live with her friends, till he should get well ; but unfortunately she had carried the infection along with her. Finding herfelf unwell, fhe applied to a country apothecary, who, being a mere goffip, blabbed the matter among her friends: They took the alarm, abused the husband, and had very near effected a feparation. I advifed him to bring her up to town, and put her under the fame course of medicine as himfelf. In a few months they were both well, and have fince had feveral fine children.

Any

138

Any man may have a misfortune, or be off his guard at one time or another. When this happens, and he has reafon to think, or even to fufpect, that he has injured his partner, he ought immediately to acquaint her with his fituation, and to take the fame advice for her as for himfelf; otherwife he may have reafon to repent of his conduct as long as he lives. She will impute all her future complaints to this difeafe, and will never believe that the has been thoroughly cured.

When the matter of the venereal difeafe falls upon the tendons, mufcles, or ligaments, fo as to produce tumours, which have a refemblance to nodes, we muft depend entirely on mercury for the cure; and, if ulcers fhould appear, they muft be treated in the fame manner as other venereal ulcers.

the out of there is out of

the caolo is famored by c

[140]

OF EXCRESCENCES ABOUT THE SEAT.

We have already taken notice of those warty excressences which occur in gonorrhœa, and of their proper method of treatment: They are always local, and require only topical applications. But the fleshy excressences, which appear about the feat, generally mark a confirmed lues. They show that the whole system is contaminated, and will only yield to a complete course of mercury.

Sometimes thefe excrefcences appear along with the blotches in other parts of the body: Nor do they unfrequently fall into ulcers which difcharge a very offenfive matter. Thefe ulcers are not always fuperficial: They often run to a confiderable depth, and I have once and again feen them degenerate into fiftulous fores.

These excressences may be cut off with a knife, or eaten away by caustic; but, unless the cause is removed by a mer-

EXCRESCENCES ABOUT THE SEAT. 141

mercurial courfe, duly perfifted in, they will return with as much virulence as before. If once fubdued by a proper courle of mercury, they are feldom known to appear again on the fame parts. But it does not follow, when the excrefcences difappear, that the poifon is eradicated : The difease will often break out again with great virulence. When this happens, recourse must again be had to the grand fpecific. Whatever aid may be derived from other medicines, they are only to be confidered as auxiliaries. In this way they may have their use ; but whoever trufts to them for a radical cure, in a confirmed lues, will be miferably difappointed.

When the furfaces of these excresses difcharge matter, fome employ aftringent lotions to heal them, left the matter should be abforbed, and diffused over the system. I am no great friend to repellents in any cafe; they are apt to deceive the patient, and to make him believe he is cured, when the cafe is otherwise. But to cleanlines

142 EFFECTS OF THE VENEREAL DISEASE

linefs I can have no objection. It has already been recommended in the treatment of venereal ulcers; and when thefe excrefcences difcharge matter, it fhould be frequently washed off with a piece of fpunge dipped in milk and water, and dry lint applied to abforb it. When finuous ulcers appear, they should be cleaned by injecting the milk and water with a fyringe.

EFFECTS OF THE VENEREAL DISEASE ON THE EYES AND EARS.

All the organs of fenfe are liable to be affected by the venereal difeafe, but particularly the eyes and ears. Some of the moft obftinate inflammations of the eyes that I have met with, arofe from a venereal taint. A repelled gonorrhæa is by fome fuppofed to be the caufe of this fpecies of opthalmia. But the moft dangerous affection of the eyes is that which proceeds from a confirmed lues. This,

ON THE EYES AND EARS.

This, though not attended with much pain or inflammation, frequently ends in total blindnefs.

When an inflammation of the eyes fucceeds to a fudden ftoppage of the difcharge in a gonorrhæa, means fhould be ufed to reftore the running. This may be done by ftimulating injections frequently thrown up the urethra by means of a fyringe. The manner of preparing and ufing these injections, as well as ftimulating bougies, will be taken notice of in the Appendix.

The treatment of this is nearly the fame as the common opthalmia. The inflammatory fymptoms muft be taken off by bleeding, purging, and other evacuations. If leeches are ufed, they muft be applied as near to the eyes as can be done with fafety. The fame obfervation applies to bliftering-plafters. Slips of bliftering-plafter may be applied on the temples, or behind the ears, and kept tunning by converting them into iffues. 3 I have

143

144 EFFECTS OF THE VENEREAL DISEASE

I have known fome people, who were apt to have their eyes inflamed, reap great benefit from wearing threads of worfted, fmeared with the iffue ointment, behind the ears.

What is called the chronic opthalmia is often a fymptom of the pox, and can only be cured by mercury. In this cafe, mercury must not only be given in as large quantities as the patient can bear, but must be continued for a confiderable length of time-fome fay, for eleven or twelve weeks; but this must be regulated by its effects, as well as the nature of the difease; for the lues venerea induces different diforders of the eyes, any of which may end in blindnefs. Sometimes the patient is affected with a gutta ferena; at other times with a cataract; and not unfrequently, with what is worfe than either, a fuffusion of the humours, or an opacity of the cornea. A cataract may be extracted, and fometimes mercury will cure a gutta ferena; but when the humours

ON THE EYES AND EARS.

moursbecome confused, or the cornea loses its transparency, very little is to be done.

Befides throwing mercury into the fyftem in general, fome local applications are recommended. When the eye-lids are affected, they may be frequently anointed with the mercurial ointment; or, what is more active, with an ointment composed of three or four parts of hogs-lard to one of the *unguentum citrinum* of the common dispensatories. This may be made stronger or weaker, as the parts can bear it. Some recommend bathing the eyes five or fix times a day, with a weak folution of the corrosive fublimate: This must likewise be adapted to the patient's feelings.

There is one affection of the eye, which, though truly venereal, is fometimes miftaken for a *fiftula lacrymalis*. It is feated in the interior angle of the eye, and is attended with an almost conftant discharge of tears, which keep trickling down the cheek. These tears are prevented from finding their way into the L nose

146 EFFECTS OF THE VENEREAL DISEASE

nofe through the lacrymal fac, by the viscid matter that closes up what are called the puncta lacrymalia. This matter may be fqueezed out, by preffing the part with the finger.

I had a patient fome time ago, who had long laboured under this complaint : He was attended by a fea-furgeon of no great experience, who had not the leaft fuspicion of what was the real cause of his patient's diforder, and propofed curing him by the operation for the fiftula lacrymalis. As I took it to be a venereal fymptom, I advised him to try a course of mercury, by which the complaint was entirely removed. If I remember right, Mr. Bell mentions this as a new cafe. Indeed I have feldom met with it in practice, and do not recollect to have feen it in any book except his own.

The ears, as well as the eyes, are fometimes the feat of the venereal difeafe; and, in some instances, it destroys the fense of hearing altogether. When the external parts of the ear only are affected, it is not fo E

ON THE EYES AND EARS.

147

fo dangerous; though, in fome inflances, the external paffage is fo fluffed up with a dry, fcurfy matter, as to obftruct the hearing. But the greateft danger arifes from the venereal difeafe fixing on the bones. When this is the cafe, a difcharge of ill-coloured matter enfues, which is followed by an exfoliation of the bones, and a total lofs of hearing.

It is obferved, that no fymptom of the venereal difeafe proves more obftinate than deafnefs. External affections of the ear may be removed by a courfe of mercury; and fo may deafnefs, occafioned by an ulceration or fwelling of the euftachian tube, where it opens into the throat; but when the difeafe has fixed upon the membrane or bones of the ear, no advantage is to be expected from mercury, or any other medicine with which we are acquainted. The virus, however, may be totally removed from the conftitution by the ufe of mercury, though the local fymptom of deafnefs ftill remain.

[148]

CHAP. VI.

OF INFANTS, MOTHERS, AND NURSES.

SOME speculative writers have afferted that a child cannot bring the venereal difease into the world with it, unless it contracts it in the birth : I am forry to fay, however, that proofs of the contrary are too numerous to admit of a doubt*. A man must have had little prac-

* We have frequently had occasion to mark the refemblance between the great and fmall pox, efpecially with refpect to the mode in which the infection may be communicated. But we have the most unequivocal proofs of pregnant women communicating the fmall pox to the infant in the womb. Children have not only been born marked with the fmall pox, but with puscules on the fkin ;—thefe puscules have come to maturity ; matter has been

practice, who has not feen children born with fymptoms of the lues venerea, which could not be contracted in the birth. Fortunately, indeed, when an infant comes into the world, with the most unequivocal fymptoms of this difease on its body, it can be cured. The great so body, it can be cured. The great so adults is and, what is very remarkable, the former often bear it better than the latter.

An infant born with the venereal difeafe is commonly very delicate. Its flefh is foft, and its joints are feeble. But the most certain marks of the difease appear on the skin, which is generally covered with blotches, refembling those of the venereal kind in adults. Sometimes, in-

been taken from them for inoculation, which has produced the genuine fmall pox; and thefe again have produced others, &c. No theory can fet afide facts: They are flubborn things; and will force their way, in fpite of the most ingenious reasoning. No argument can be brought against a mother's infecting a *fatus in utero* with the *lues venerea*, that does not apply with equal force against her communicating the fmall pox.

L3

deed,

deed, the child appears as if it had been flayed, or had the cuticle taken off with fcalding water : In this cafe, the fingers and toes feem as if the nails had been taken off along with the fcarf-fkin.

Occafionally the difeafe does not appear till fome days after the birth, when the fymptoms are fomewhat different from the above ; although, in general, there is a refemblance. The eruptions are at firft local, but afterwards, if not prevented by mercury, they fpread fo as to cover a great part of the body ; nor are inftances wanting, where they difcharge a thin ichor of a very acrimonious nature.

When the difeafe does not appear till fome time after the birth, its firft fymptoms are generally perceived about the feat and parts adjacent. Thefe are covered with irregular blotches, of a reddifh caft, rifing fomewhat above the furface of the fkin, and covered with moifture: Though, in other parts of the body, the eruption has a crufty appearance,

ance, and often falls off in dry fcales. On the forehead, eye-lids, &c. it generally affumes the form of fcabby excrefcences.

For curing the venereal difeafe in infants, fome recommend giving mercury to the mother or nurse : As the mother generally has occasion for medicine as well as the child, there can be no impropriety in this practice; but we would not advise any one to truft to it alone for completing the cure. The infant ought to take mercury at the fame time with the mother, regard being had to the difference of age and constitution. It is worthy of remark, however, that an infant will require more mercury to affect its mouth, in proportion to its apparent ftrength, than an adult. Indeed I have. always found, in exhibiting mercury for the hydrocephalus, that it was difficult to excite a falivation by any quantity that one could venture to give to a child.

The fkin of an infant is fo tender, that it can hardly bear friction with the mer-

L.4

curial ointment; otherwife this mode of application would be a relief to the ftomach and bowels. But as the dofe is very fmall, and the tafte can be difguifed by fugar, there is no difficulty in administering the mercury internally. The fourth part of a grain of calomel, or of calcined mercury, may be rubbed with a fmall quantity of fugar, and given in a little pap three or four times a day.

Some give as much of the common mercurial pill, as contains the fourth part of a grain of mercury, four times a day. Others prefer the mercurius alkalifatus, which they administer in the dofe of half a grain. Whichever of these is given, it must be duly perfisted in, otherwife no benefit is to be expected. After the child has taken mercury four or five weeks, it may be difcontinued for five or fix days, but not longer, as the action of the mercury should never be fuffered entirely to ceafe during the whole time of the cure. How long that may be must depend on circumftances; but the medicine should not

not be difcontinued when the fymptoms difappear, otherwife they will return. If the conftitution will bear it, the mercury may be administered, with occasional intermiss, for two or three months.

Every perfon possessed of humanity will agree with me in thinking, that a mother, who brings an infant into the world infected with the venereal difeafe, ought to fuckle it herfelf: It is a cruel thing to communicate this difeafe to an innocent nurse, who, in all probability, will give it to her husband, by which means the contagion will be transmitted to a family who may never get free from it. Though people in genteel life generally get cured of this malady, it is not the cafe with the lower claffes of mankind; they can feldom obtain good advice; and when they do, they are not in a condition to follow it.

When the mother cannot fuckle the child, which, I admit, is fometimes the cafe, it ought to be brought up by the hand. Though I by no means approve of

of this mode of nurfing, yet the life of an infant is, in no cafe, to be put in competition with that of the mother of a family. I fay *life*; for the cafes are by no means uncommon, where the fuckling an infected child has proved fatal to the nurfe, and deftructive to her whole family.

It is common for genteel families to have a nurfe examined by a phyfician before they employ her to fuckle a child. There can be no harm in this; but it is more neceffary that the infant fhould be examined before the nurfe undertakes the tender office of giving it the breaft. Indeed, I think, every nurfe, before fhe engages to fuckle the child of a ftranger, efpecially in a great city, ought to have a certificate under the hand of a fkilful phyfician, that it is clean.

Though I do not know a more iniquitous act, than wilfully to communicate an infectious diforder to an innocent family; yet I fulpect, in fuch a cafe, that our law gives no redrefs; and, if it did,

did, what compensation can be made for ruining the conftitutions of a whole family? Nor does the evil ftop here: I have known the infection from one child communicated to feveral families. Some children have two or three nurses, and give it to them all; while they, in their turn, give it to others, and sometimes to their own. So there is no faying where the mischief may end.

Some people think that all the mifchief may be prevented by giving medicine to the nurfe, without letting her know for what it is intended. I never knew this fucceed. A nurfe will never do juffice to medicine, if fhe thinks fhe ails nothing, and does not know for what purpofe it is given; and, if fhe is told, it is ten to one if fhe continues to fuckle the child any longer. Indeed, it is more than probable, that, by fretting and vexation, fhe will lofe her milk, or turn it into a poifon; fo that the poor infant, inftead of one enemy, has two to combat.

On these and other confiderations, I would advise, where there are figns of infection, and the mother cannot give fuck, that the infant should always be brought up by the hand. Some recommend this method of nurfing till the child is cured, and then to give it the breaft. But to this plan there are feveral objections. Few children will fuck after they have been two or three months without the breaft; befides, it is almost impossible to afcertain the time when the infant is completely cured. Many nurses have been infected by giving the breaft to children, after the doctor had announced them clean.

But in thefe matters guilt does not attach to parents alone; nurfes are often to blame: Nor can parents be too careful in inveftigating the characters of thofe women whom they employ to fuckle their offspring. An innocent woman may communicate the infection by not knowing fhe is injured; but when a woman, who has reafon to fufpect that fhe has re-

received the infection, conceals it, and undertakes to fuckle a found child, I hardly know any punifhment too fevere for her. This, however, to my knowledge, is no uncommon practice.

Married people, or people about to be married, cannot be too cautious in their conduct respecting this diforder. What a dreadful inheritance is the lues venerea. to transmit to posterity ! yet many men are wonderfully inattentive to this matter. I have often been applied to for a quick cure, as the party was going to be married. In this I always refufed to be concerned; knowing that the patient would either take the medicine too quickly, or leave it off too foon; both of which might have ferious confequences. But there are abundance of undertakers for this difeafe in London, who will make no fcruple of promifing a complete cure in three days.

No doubt, an apparent cure may be performed in three days; but woe be to him who trufts to it. It is an eafy matter

to

to dry up a fore; but, if the poifon has been taken into the fyftem, it is only *fhutting the door while the thief is in the houfe.* It would be difficult to afcertain the extent of the mifchief done by pretenders to quick cures: Indeed, when the fyftem is infected, the thing is impoffible. Nor is it eafy to fettle the precife time at which the poifon has, or has not, entered the fyftem.

As the pox generally proceeds from a local affection, fome truft for a cure to burning out the part with cauftic. It may fometimes fucceed, but the rifk is too great. Should the poifon have entered the fyftem, this painful operation will be of no ufe; the infection will fhow itfelf in one fhape or another, and the cure will be more difficult than if it had been taken in time. Even in pregnant women the antidote is not to be neglected; otherwife the mother and child will both be fufferers.

When it is neceffary to give mercury to pregnant women, it ought always to be

be done with caution; fhould it run off by the bowels, there will be danger of an abortion. I have known one draftic purge caufe an abortion, and coft the woman her life; indeed, when an abortion is occafioned by violent means of any kind, the mother's life is in danger. Mercury ought therefore always to be adminiftered to pregnant women in form of ointment. This mode of application will effectually cure the difeafe, without endangering the life of the mother or fœtus.

One common confequence of venereal infection lurking in the habit, is abortion. This fhould make breeding women very careful to avoid the contagion, and when they have the misfortune to catch it, no means fhould be left uneffayed to get thoroughly cured. By frequent abortions, women not only lofe their progeny, but ruin their health. A woman is more hurt by one abortion, than by bringing feveral children to the full time: Befides, every abortion paves the way to another, till

till at length the conftitution is ruined. I hardly recollect one inftance of a woman who had had this misfortune often, that was not broken down by fome particular difeafe, or laboured under a train of nervous affections, which were more than fufficient to render life completely miferable.

Abortions from this caufe generally happen about the fixth or feventh month; and we have reafon to believe they are more numerous than is commonly imagined. Mr. Bell, of Edinburgh, considers the lues as one of the most frequent causes of abortion; and adds, that a well-conducted course of mercury will feldom fail to prevent it. The mode of administering mercury to pregnant women has already been pointed out. The course, however, must be continued for a confiderable length of time; otherwife the fuccefs will be doubtful. In this difeafe nothing is done, while any thing is left undone.

[161]

CHAP. VII.

OF SOME IRREGULAR SYMPTOMS.

THOUGH few difeafes are better underftood, or have had their fymptoms more accurately defcribed, than the lues venerea; yet it fometimes appears in fuch a queftionable fhape, that the most experienced practitioner may mistake it for fome other malady. This indeed feldom happens, unless where the difease has lodged long in the conflitution, or has affumed a character different from its real one.

It is of great importance to know when a difeafe proceeds from a latent venereal taint; as, in fuch cafe, no medicine except mercury, can be depended on for a cure. One often fees fymptoms where

M

mer-

mercury would feem to be highly improper, yet they will not yield to any other medicine. When the real caufe of thefe fymptoms is not fufpected, the patient is fuffered to linger out a miferable exiftence till he dies.

In dubiis suspice luem-in doubtful cafes fuspect a pox-was a maxim with the great Dr. Boerhaave, and ought to be fo with every practitioner in phyfic, especially in a great town. When fymptoms appear, for which an obvious cause cannot be affigned, the physician ought to make the firsteft inquiry concerning the patient's character and manner of life; particularly, if at any time he has had the venereal difeafe? what were its fymptoms; and how were they treated, &c.? If he has reafon to fuspect a lurking lues, the specific must be adminiftered in fuch manner as is best fuited to the patient's conflitution.

When doubtful fymptoms appear, it will fometimes be difficult to fay whether they proceed from the remedy, or the dif-

difeafe. The only way in which this can be afcertained, is to try if the fymptoms will yield to mercury. If they grow worfe under the ufe of this medicine, it ought to be difcontinued; but when a cough, hectic fever, or other dangerous fymptoms, feem, in any meafure, to give way to mercury, it ought certainly to be continued till they difappear.

Affections of the fkin, which pafs for fcorbutic, are not unfrequently of the venereal kind; as the dry fcurfy chaps on the feet and palms of the hands, the thickening of the fkin in feveral parts of the body, &c. All thefe require the ufe of mercury both externally and internally. The beft external application is the unguentum citrinum, or yellow ointment, which muft be reduced by hog'slard, as directed in the Appendix. I know no better medicine for internal ufe, than pills made of calcined mercury.

Sores, which affume a cancerous appearance, are fometimes occafioned by the venereal poifon lurking in the habit;

M-2

and

and fome are of opinion, that it will produce the real cancer. Be this as it may, thefe fores require the ufe of mercury; nor will fores of a venereal kind yield to any other medicine. Sometimes, indeed, external applications are neceffary; nor can the fores be healed without the ufe of cauftics and efcharotics of the moft active kind.

Pains which refemble the rheumatic, are often occafioned by a venereal taint lurking in the habit; and fome think thofe fharp, flying pains, which affect the jaws, neck, and parts adjacent, arife from the fame caufe. When thefe pains are excruciating, it will be neceffary to administer opiates along with mercury for their relief. Some, in this cafe, recommend Dover's powder, which is far from being an improper medicine. It acts both as an anodyne and fudorific.

It has been alleged, that fevers of the intermittent kind have fometimes been induced by the venereal poifon lurking in the habit. I can only fay, that thefe have

have not occurred in my practice; nor do I think it follows, that a fever was excited by the venereal poifon becaufe it is cured by mercury. If, however, there is ground to fufpect that the intermittent fever proceeds from this caufe, the antidote ought certainly to be adminiftered.

Whether intermittents occur or not, there is no doubt that fever is often excited by the venereal poifon. The fever which occurs in the early periods of the difeafe is fymptomatic, and generally goes off with the buboes, and other fymptoms, that gave rife to it. But the fever which comes on in the advanced periods, without any apparent caufe, yet owes its exiftence to the venereal infection, is of an obflinate nature, and fometimes will not yield to any medicine.

This fever is generally accompanied with a quick pulfe, lofs of appetite, decay of ftrength, wafting of the flefh, colliquative fweats, and other fymptoms of a confumption : Nor are anxiety, reftleffnefs,

M 3

alles

and

and extreme irritability, uncommon fymptoms. Even here, where there is reafon to fufpect that the fever arifes from the venereal contagion, the fpecific must be administered. It should, however, be given with the greatest caution, and discontinued if the fymptoms grow worse, or the patient is unable to bear it.

What is called the alterative courfe muft here be ftrictly obferved, beginning with the very fmalleft dofes, as half a grain, and enlarging them by degrees. If the fever abates by the ufe of mercury, and the fweats, &c. grow better, it ought of courfe to be continued. It may be affifted either by the Lifbon dietdrink, or the farfaparilla in powder, a teafpoonful of which may be taken in a little of the patient's drink four or five times a day.

The patient's diet in this cafe must be light, but rather of a nourishing nature. Some recommend a milk diet; but, when the powers of digestion are weak, milk seldom agrees with the stomach. To affes'

affes' milk, however, I have no objection. This feldom difagrees even with the weakeft ftomach, and has the double advantage of ferving both for food and medicine. It may be taken from a gill, evening and morning, to a pint, or a pint and a half in the day.

When the venereal difeafe has fo far changed its nature, as to refift the powers of mercury in every fhape in which it can be administered, I would advise the patient to discontinue its use for some time, to go into the country, take gentle exercise in the open air, and change his low diet for one that is generous and invigorating. This may be affisted by taking, three or four times a day, a teaspoonful of Huxham's tincture of the bark in a glass of generous wine.

When the patient has fufficiently recovered his ftrength and fpirits, if there is any reafon to fufpect that the poifon ftill lurks in the conftitution, recourfe must be had to mercury for its expulsion. But as this is a very difficult question to re-M4 folve,

167

168 OF DISEASES WHICH RESEMBLE

folve, I would advife the patient, in this, and every doubtful cafe, to take the opinion of an able and experienced practitioner.

OF DISEASES WHICH RESEMBLE THE LUES VENEREA.

It is of great importance to be able to diffinguifh the venereal difeafe from others which bear a refemblance to it. Where due attention is not paid to this, great errors may be committed in practice. The medicines neceffary for the cure of lues venerea will often do mifchief when administered in cafes which, though they may refemble the venereal, yet do not belong to that clafs.

Nor is the danger lefs, when, in cafes truly venereal, the fpecific is omitted. I have often occafion to fee patients, who had been told that their difeafe was not venereal, and had been neglected or tampered with, till, their fituation was truly dedeplorable. It is certainly true, that many who pretend to cure this difeafe, do not know all the forms under which it appears in different patients. Thefe indeed are various, and will fometimes deceive even the most experienced practitioner.

A difeafe can only be known from its fymptoms, and even thefe will fometimes miflead an inattentive obferver. It is the aggregate of fymptoms which conftitutes the difeafe, and not any fingle one. There is hardly one fymptom of the venereal difeafe, which may not exift where the infection had never been received : But where all the leading fymptoms are found, and the circumftances of the cafe concur to prove it is venereal, we may almoft arrive at a certainty.

There are certain modifications, however, of the venereal difeafe, which, though they differ in fome fymptoms, are fo fimilar in their effects on the fyftem, that they require nearly the fame method of treatment. Thefe, in different

170 OF DISEASES WHICH RESEMBLE

ferent countries, are known by different names; as the Yaws in the Weft Indies, Mal Anglois in Canada, and in North Britain, Sivvens or Sibbens. As this diforder has never come under my infpection, in any fhape, I fhall here infert Mr. Bell's account of it, who fays he has had many opportunities of feeing it, and I believe him to be a man of candour and obfervation.

" He fays it never appears in the form of a gonorrhœa, and feldom at first in any form on the genitals, owing to the manner in which it is most frequently communicated. The infection being for the most part received by eating or drinking out of the fame utenfils with those labouring under the difeafe, it often appears at first in the throat, or fome part of the mouth. In the mouth the fores have the usual appearances of venereal ulcers. This is likewife the cafe in the throat when the difease has been of some duration; but at first, and often for the space of feveral weeks, although the patient com-

THE LUES VENEREA.

complains of a good deal of uneafinefs in fwallowing, and a conftant hoarfenefs, there is nothing perceived upon infpection but a degree of tendernefs, accompanied with an eryfipelatous rednefs of the amygdalæ, uvula, and velum pendulum palati. If not prevented, however, by the use of mercury, ulcers at last form upon these parts, and commonly spread more quickly than venereal ulcers ufually do in other parts of the body; infomuch, that the uvula and amygdalæ will fometimes be entirely deftroyed in the course of a few days, and a degree of hoarfenefs and lofs of voice produced, from which the patient never afterwards recovers.

"It is particularly apt to affect the internal parts of the nofe; and when the fores penetrate to the offa fpongiofa, thefe foon become carious, and come away in fmall pieces along with the matter, which is always exceedingly foetid. When not prevented by mercury, the ulcers fpread to the hard bones of the nofe, and from thefe

thefe to the bones of the cheeks. In this manner the whole face becomes ulcerated; for when thefe bones are affected, the contiguous foft parts likewife become foon difeafed. It is not uncommon for thefe ulcers to attack the eyelids.

"When the infection is not received by the mouth, the difease appears in a variety of forms in different parts of the furface of the body. When the virus has entered the fystem, the parts upon which it first commonly breaks out are the genitals, the parts contiguous to the anus, the anterior parts of the thighs and legs, the under part of the abdomen, the breaft, arms, fingers and toes, and hairy fcalp. It does not fo readily fix upon the fleihy parts of the legs or thighs, or on the back. In fome, the parts become covered with an infinite number of fmall pustules; and, as they are itchy, the difease is at first often mistaken for the itch. This happens the more readily, from its prevailing almost entirely among the common people; who, from want of cleanlinefs,

linefs, frequently labour under itch; and fo much is fibbens confined to this fet of people, that, excepting children, who are more particularly exposed to receive infection from fervants, those in the higher ranks of life are fcarcely ever attacked with it; at least, few instances of their being fo have fallen within my observation.

"This eruption, however, foon affumes appearances, which fufficiently diftinguifh it from itch; the fkin, upon which it is feated, becomes thickened, and fomewhat elivated, and acquires the characteriftic mark of venereal blotches, a peculiar copper-coloured appearance.

"The late Dr. Gilchrift, of Dumfries, in a paper upon this fubject in the Phyfical and Literary Effays of Edinburgh, remarks, 'that thefe fcabby eruptions are 'often met with on the fcalp, forehead, 'infide of the thighs, groins, and parts contiguous. Inflammation and excref-'cences about the fundament are fre-'quent; and it fometimes appears in the 'form

⁶ form of a herpes exedens, healing in ⁶ one part, and breaking out in another.⁹ ⁽⁶⁾ Some have fmall tubercles, or hard elivated knots, upon the face, arms, and breaft, fomewhat refembling fmall pox at the height, but of a red or copper colour, and accompanied with a painful degree of heat. If mercury is given early, thefe tumours gradually fubfide, otherwife they become large, and difcharge a fœtid, vifcid matter, which forms into crufts or flakes, and, on their falling off, the parts beneath are red, tender, and in fome cafes in a flate of ulceration.

" Inftead of this more numerous eruption, fome are attacked with fmall inflammatory boils, which do not readily fuppurate, but remain for a confiderable time hard, and of a copper-colour, and at laft difcharge a thin, bloody ichor. Thefe at firft refemble the common anthrax, or carbuncle, but foon after burfting, they affume all the appearances of the true venereal ulcer.

THE LUES VENEREA.

" But the most characteristic symptom of this variety of fyphilis, is a foft fpongy excrefcence, in fize and colour refembling a common rafp, which is apt to appear on all fuch parts as either become ulcerated, or that are attacked with any kind of eruption; fivvin or fibben being in many parts of the Highlands the name of a wild rafp; and this being a very frequent fymptom of the difease, is the caufe of its being diftinguished by this appellation. In fome inftances this fpongy substance rifes to a confiderable height; nor can it be kept down by any of the common escharotics; for, although entirely removed, if the virus of the difeafe be not eradicated by the use of a full course of mercury, it soon returns to a greater extent than before; but as mercury is commonly given as foon as this fymptom becomes evidently marked, the excrescence is feldom fo much elivated as it otherwife would be.

" These fungous productions are occasionally met with in every part of the

3

body;

body; but they are particularly apt to form on fuch parts as have become tender, whether from previous eruption, or from the cuticle having feparated and come off from the fkin beneath; a circumftance which fometimes takes place in this difeafe, and when to any confiderable extent, always with much inconvenience and diffrefs.

" In the treatife which I have mentioned, Dr. Gilchrift obferves, that this difeafe does not attack the large and folid bones, and very rarely any of the others. I have, however, feen feveral inftances of the contrary, in which both the bones of the legs and arms have been affected; and it is by no means uncommon to find this difease fix upon the bones of the head. I have feen it indeed in every part of the body, and in every form under which lues venerea ufually appears, except in chancres on the genitals. I have feen it produce fores refembling chancres on the lips, and on the nipples of nurfes; and where an infection has been

THE LUES VENEREA.

been of long duration, I have known ulcers form upon the penis; but I have not known an inftance of its producing chancres either in men or women from coition; owing, I imagine, to all who are attacked with ulcers upon these parts from this cause, avoiding venereal intercourfes, which they very univerfally do, till a cure is obtained by a courfe of mercury. But although fibbens is not ufually met with in the form of chancres upon the penis; this, as well as other parts of the genitals, are particularly apt to be attacked with fuch ulcers as appear from the virus having entered the conftitution. In different inftances I have known the whole penis and fcrotum deftroyed with it; but this has commonly happened from the patient having neglected too long to call for medical affiftance, or from mercury being given in too fmall quantities.

"These ulcers, like the usual form of venereal ulcers proceeding from the con-

N

177

ftitu-

stitutional form of the difease, do not commonly produce buboes. This, however, is not univerfal; for buboes fometimes take place in fibbens, not only from the primary ulcers of the difeafe, as I have in more than one inftance perceived in the arm-pit, from fores produced upon the nipple in nurfing an infected child, but alfo from those which appear upon the penis and other parts of the genitals, from the virus having entered the fyftem; and the appearance of buboes produced by fibbens, whether in their fwelled or ulcerated states, is in every refpect the fame with that of the ordinary form of venereal bubo.

"Syphilis, in whatever way the infection is communicated, is readily tranfmitted, as I have already had occafion to fee, from parents to the foetus in utero, and this is particularly apt to happen in fibbens. Sibbens, therefore, proves a frequent caufe of abortions, although in fome inflances children are born with it at

THE LUES VENEREA.

at the full time, and in a few it breaks out in the course of the first month after delivery.

" In the treatment of fibbens, as of every variety of lues venerea, mercury is the only remedy upon which we can place dependance. Sarfaparilla, guaiacum, and mezereon, have occafionally proved useful; but we trust to mercury alone for a radical cure. The observations we have already had occasion to offer on the employment of mercury, apply with equal propriety to the treatment of every fymptom of fibbens. It is therefore unneceffary to confider the fubject farther at present; but, while we refer for this purpose to different parts of the preceding pages, I think it right to obferve, that a greater quantity of mercury is inmost instances required for the cure of fibbens, than we usually find to be neceffary in the ordinary form of the difeafe. Relief is obtained with perhaps equal eafe, and a ftop may be put to the farther progrefs of the difeafe, by the fame

N 2

fame quantity that we employ for the common fymptoms of pox; but it is more apt to return if the medicine be not given in larger quantities, and continued for a confiderable time after every appearance of infection is removed. When the difeafe has been of long duration, mercury ought to be continued for feven or eight weeks after every fymptom has difappeared.

"A practitioner of experience and obfervation, and who had many opportunities of feeing every fymptom of fibbens, informed me, that mercurius fublimatus corrofivus frequently proves fuccefsful in the cure of the more inveterate fymptoms of the difeafe, when the milder preparations of mercury fail. He gave it in the form of drops : Sixteen grains were diffolved in an ounce of water, with the addition of eight grains of crude fal ammoniac; and of this ten drops were given three or four times a-day.

"When ulcers in the throat and other parts do not readily yield to the use of mermercury, we have recourfe to cauftic and efcharotics, and they prove equally ufeful here, as in every variety of fore proceeding from lues venerea. In various inftances they have been rendered clean, and brought into a healing condition, by fumigating with cinnabar, when they had previoufly refifted every other remedy.

" The public, however, are equally interested in the prevention of this difease as in the cure of it; particularly in those districts where it has long prevailed; and with proper attention there is much reafon to fuppofe that it might foon be eradicated. In fome parts of Scotland this has already indeed been accomplished; and the means by which it has been done are fimple, and eafily practifed. They confift entirely in a due attention to cleanlinefs, and in preventing nurfes and other fervants from being employed, where there is the least reason to imagine that they are infected. In the choice of a nurse, this is a point of the utmost im-

N 3

port-

portance; for in fibbens, as in every form of fyphilis, I have had many proofs of the difeafe being communicated by the milk 'alone; and as this is almost the only way by which it has found access to families of rank, they are particularly interested in preventing it.

" The chief difficulty which occurs to the prevention of this difeafe, proceeds from those who ought most anxioufly to wifh for it. The infected are fo much afraid of a difcovery being to injure their reputation, that they do all in their power to conceal it; by which they are often prevented from taking mercury in that complete manner by which alone a cure can be accomplished. I know, however, that this anxiety for concealment may be removed; and, with proper attention, that those poor people, who otherwife would fall victims to the baneful effects of the difease, may be eafily induced to apply for medical affistance. The clergy have this fo much in their power, that through their interference

THE LUES VENEREA.

ference the fibbens might foon be eradicated. In one parish this was actually done. The difease had spread to such an alarming height, that above three-fourths of the inhabitants were infected, and many of the more delicate, particularly young children and females, died under it. This had gone on for many years, when, by the exertions of the clergyman of the parish, it was entirely removed in the course of a short time. He went perfonally to every individual of his parifh, and convinced them of the propriety of applying for medical affiftance immediately on the difeafe breaking out, which they agreed to the more readily, from their being fenfible that all of them had got the difeafe in the most innocent manner. In this way it was foon carried off, and by due attention to cleanlinefs, and avoiding all kind of intercourse with those whom they suspected to labour under it, the difeafe has now for a confiderable time been entirely fubdued. This has in fome degree, indeed, been the N4

the cafe in every diffrict of Scotland where fibbens ever prevailed. In fome fituations it has been nearly eradicated, and in none is it now fo frequent as it was fome years ago. There is much caufe therefore to hope, that by the fuperior attention to cleanlinefs, which of late years has prevailed among our common people, it will foon become everywhere unknown.

" If the difeafe, as it prevails in Canada, is the fame with the fibbens in Scotland; and from all that I have heard of it, there is no caufe to doubt of its being fo; the fame method of cure will prove effectual, and the fame means of prevention muft be obferved."

I have inferted this article at full length, becaufe it throws confiderable light on the nature of the venereal poifon, and the means of preventing its progrefs. Another reafon is, that the fibbens prevails chiefly among a clafs of people, who, from their circumftances and fituation, are either deprived of all

THE LUES VENEREA.

regular medical advice, or are obliged to put up with that of the very worft kind.

Mr. Bell feems to think, that this fpecies of the venereal difeafe might be eradicated by due attention to cleanlinefs. I am entirely of his opinion; but do not fee why the advantages of fuperior cleanlinefs fhould be confined to one fpecies of the venereal difeafe. I have already recommended it as the beft preventive in every fhape under which that diforder appears, and think a due regard to it would go a great length towards extirpating the contagion altogether.

The fame author obferves, that the clergy might be of great ufe in eradicating this malady, in which I likewife cordially agree with him; but do not fee why their ufefulnefs fhould be confined to the extirpation of one diforder. It confifts with my knowledge, that the Itch, and other difeafes arifing from neglect of cleanlinefs, may be extirpated in any parifh by the exertions of the clergyman.

gyman. Of this I have feen inftances, and therefore know it to be practicable.

But there is another difeafe which proves more fatal to mankind than the lues venerea, that it is in the power of the clergy almost wholly to difarm of its fting-I mean the fmall-pox. The clergy alone have it in their power to render inoculation universal, which would fave the lives of many thousands of innocent babes, who annually perifh in this country by the ravages of that baneful malady. Some of the clergy, to their immortal honour, have effected this in their own parishes; and it is to be hoped that many others will follow fo noble an example. Though I think a clergyman cannot be better employed than in preferving the health and lives of those under his care; yet I do not mean to overload him fo much as to recommend the drudgery of attending the fick: This might be both difagreeable and dangerous: But the paftor of a parish has, generally

THE LUES VENEREA.

nerally fpeaking, great influence over his flock, and may almost induce them to do what he pleafes, merely by giving them good and wholefome advice.

It is observed, that the fibbens prevails chiefly among the lower class of people; but these people can feldom afford to have any good advice; for this reafon the clergyman, who is always a man of reading and knowledge, ought to give them fuch inftructions as will enable them to be their own physicians. The most ignorant peafant of that country where the fibbens prevails, knows how to cure the itch; but I will venture to fay, that the one is as eafily cured as the other. People are alarmed at the name of mercury, and think it requires to be administered with the greatest skill and attention. No doubt, mischief is done by administering mercury at random; but with common care and prudence, this will not be the cafe.

People of more zeal than knowledge are apt to think that those who fuffer by the

the venereal difeafe deferve no commiferation, and ought not to be pitied nor relieved. Though this is an illiberal idea, yet it may have fome foundation where guilt is connected with punifhment. But this can never apply to patients afflicted with fibbens. Their complaints do not proceed from any illicit commerce, but are generally the effect of that intercourfe in families, which must fubfift among children, fervants, and nurfes, and which renders the choice of both the latter an object of confiderable importance.

Some doubt if the fibbens is the fame difeafe as the lues venerea, as they do not, in all their fymptoms, exactly agree; be this as it may, their effects on the fyftem are fo fimilar, that we may venture to recommend the fame mode of treatment, and have reafon to believe it will feldom fail to accomplifh a cure.

The different forms that this difeafe affumes, give reafon to fufpect that the poifon has exifted much longer among man-

THE LUES VENEREA.

mankind than is generally imagined. At its first appearance in Europe, it bore a greater refemblance to the fibbens than to the lues as it now shows itself. If we can believe the first writers on the fubject, this was the cafe. If it has changed once, it may change again; and, as the inhabitants of Europe live in a much more elegant manner, and are more attentive to cleanlinefs, than at the time this diforder first appeared, we have reafon to hope that it will become milder. The change of living has almost banished the leprofy; and why may it not have the fame effect on the lues? These two diseases do not differ so effentially from one another as fome may imagine. The use of mercury in curing the leprofy, led to its application in the lues venerea.

CHAP. VIII.

SOME SINGULAR EFFECTS OF MER-CURY ON THE MOUTH, BOWELS,&c.

THE effects of mercury vary fo much in different patients, arifing either from a peculiarity of conftitution, or fome morbid affection of the fyftem, that, previous to the administration of this medicine, particular inquiry ought always to be made concerning the patient's habit of body, manner of life, &c.; otherwife fome very unpleafant circumftances may occur in the progress of the cure.

A quantity of mercury that will not have the leaft effect on one patient, will throw another into a violent falivation, and even endanger his life. There is no rule by which we can judge, before-hand, of

SOME EFFECTS OF MERCURY, &c.

of the effects that mercury will produce on any individual. The fafeft method, therefore, as has already been obferved, is to begin with fmall dofes, and to increafe them gradually as circumftances may fuggeft. A phyfician, in many cafes, muft feel his way; and this is not more neceffary on any occafion than in the exhibition of mercury.

It has been obferved, that those who have their mouths fooneft affected with the mercury are easieft cured. This is certainly true; but it is also true that fome will receive a complete cure, where little or no falivation is excited. To effect this purpose, however, the fystem must be fully impregnated with the mercury; and its use should be continued for some weeks after all the symptoms disppear. This ought to be an invariable rule *.

Though

* An attention to this rule cannot be inculcated too often. I am at this moment called upon by a young gentleman, who, in a few days, intended to fail for the Weft Indies. About four months ago he applied to a furgeon, of fome celebrity in this line of practice, for the cure

SOME EFFECTS OF MERCURY

Though the lues venerea proves most obstinate in perfons of a fcrofulous habit; yet the administration of mercury is more difficult where the patient is affected with a deep fcurvy. I have met with feveral cafes where it was almost impossible to cure the difease without endangering the

cure of a common chancre, who advised him to wash it frequently with Goulard's Extract, and rub in the mercurial ointment. In three weeks the fymptoms difappeared, and he was confidered as cured. He had occafion to go a pretty long journey into the country; but before he reached the end of it, he was feized with a fore throat, and blotches appeared in feveral parts of his body. A practitioner of phyfic, in the town to which he went, advifed him to go through a course of mercury. To this he agreed, and, during its use, the fymptoms again difappeared. But, on his return to London, the blotches appeared again, and he complained of his throat being fore. Though, first and last, he has taken medicine for about seven weeks, yet it is evident he is not cured, and I have advifed him to go through a fresh course of mercury, accompanied with the decoction of farfaparilla. This gentleman is convinced if he had gone to fea after he was difmiffed by his first attendant as cured, that he would have loft his life; and I am convinced if he had married, which was likely to have happened, that he would have injured his wife, and had a rotten progeny, if any .- Such are the bleffings of hafty cures !

202

patient's

ON THE MOUTH AND BOWELS, &c. 193

patient's life by an exceffive falivation. I would therefore advife those who have been long at fea, and on their return have had the misfortune to contract this malady, to be extremely cautious how they use mercury; otherwise they may have cause to repent of their rashness.

I faw a remarkable inftance of this fome years ago, in a young man who belonged to the fleet, but was at that time on his way to his friends in the country, having been difmiffed from an hofpital as incurable. When I faw him he was almost in the agonies of death. His countenance was pale as ashes, his pulse feeble, and his voice faultering. But the most remarkable fymptom was a continual dripping of blood from every outlet of the body. Though I fay blood, it hardly deferved that name, for it was fo thin as just to be perceivable upon a white cloth. I did not learn how long this difcharge had continued; but it had reduced him from a remarkably fine young man, by all accounts, to a mere skeleton. I tried

to

194 SOME EFFECTS OF MERCURY

to throw in aftringents and cordials, but in vain. The powers of life were too far exhausted for medicine to take any effect.

All I could learn of this young man was, that he had been long at fea; that on his return to England he had the misfortune to be injured, and had been fent to an hofpital. I neither know how he was treated, nor how long he had been ill; but from feveral cafes which have fince fallen under my obfervation, I am convinced that he owed his premature death to the improper ufe of mercury. Of this the following cafe will leave little room to doubt.

A young failor, who had made four voyages, in fucceffion, to the Eaft Indies, and who was too complete a tar to pay any attention to his health, was, foon after his atrival from the fourth voyage, fo unlucky as to get injured. He concealed his fituation from his uncle, who was his guardian, till he was completely poxed. I was then confulted, and found it neceffary to put him immediately under

ON THE MOUTH AND BOWELS, &c. 195

der a courfe of mercury; but, not being aware of the ftate of his body, I had well nigh loft my patient. Before he had taken half the quantity of mercury neceffary to cure his diforder, he was feized with fuch a violent difcharge of faliva, mixed with blood, as required all my fkill and exertions to check. It run in a continued ftream from his mouth, fo as to fill feveral wafh-hand bafins in the courfe of a day.

By the application of opiates and aftringent medicines this difcharge was got the better of, but not before the patient's life was in imminent danger; and I am convinced, if it had happened at fea, or in any fituation where he could not have had proper nurfing, and every kind of medical affiftance, he muft have loft his life. He was indeed an irregular patient, and could not be induced to keep himfelf warm, even when the falivation was at the higheft; but I imputed the exceffive difcharge chiefly to the effect of mercury

02

on

SOME EFFECTS OF MERCURY

196

on a habit deeply tainted with the fea fcurvy.

When, from the patient's manner of life, or other circumftances, there is reafon to fufpect a lurking fcurvy, every method fhould be taken to remove it, previoufly to his entering on a courfe of mercury. This may be effected by a vegetable diet, and the ufe of antifcorbutic medicines duly perfifted in. It will, however, be neceffary in fuch cafes to adminifter those preparations of mercury which are least apt to affect the mouth, and to give them in very fmall doses.

Some with this view recommend the Plummer's Pill, which, being a combination of mercury and fulphur, is rendered very mild in its operation. But I prefer the corrofive fublimate in fmall quantities, which, while it is lefs apt to run off by the falivary glands than the others, is one of the moft active preparations of mercury, and feldom fails to remove the lues when properly adminiftered.

When

ON THE MOUTH AND BOWELS, &c. 197

When mercury runs too much to the mouth, it is common to have recourfe to purgatives ; but thefe will feldom be found to anfwer the expectations of the practitioner. They weaken the patient, already too much exhaufted, and feldom put a ftop to the difcharge. I would therefore, in preference to thefe, recommend opiates, and aftringent medicines, to be applied to the parts affected in form of wafhes, gargles, &c.

Though opium may be employed as a gargle, it will be of more fervice taken inwardly. A fufficient dofe of this foothing cordial feldom fails to take off the irritation and pain, fo diftreffing in a profufe falivation, and to procure reft, fo much wifhed for by the patient. A pill, containing from half a grain to a grain of opium, may be given evening and morning, or oftener, if the pain and reftleffnefs make it neceffary.

Washes may be made of an infusion of red rose leaves, tormentil root, willow bark, Peruvian bark, oak bark, galls, or

any

SOME EFFECTS OF MERCURY

any other aftringent vegetable. But what I generally employ is powdered borax rubbed up with honey, and held in the mouth; or it may be made into a wafh by diffolving it in boiling water, and afterwards adding the honey. An ounce of borax and two ounces of honey to a pint of water is the ufual proportion.

It has been common to administer fulphur to check a falivation; but this idea has originated in theory more than from practice. Though fulphur combined with mercury leffens its activity, it does not follow that it will have the fame effect when taken into the fystem. I am inclined to think, if it has any effect at all, it is owing to its purgative quality, and not to its action upon the mercury.

A variety of medicines, combined with mercury, have been recommended to prevent its affecting the mouth; but as thefe only tend to leffen its activity, the fame purpofe may be anfwered by diminifhing the dofe. Where due attention is

ON THE MOUTH AND BOWELS, &c. 199

is paid to this, and the patient is kept fufficiently warm, there will feldom be reafon to fear his being thrown into an exceffive falivation, unlefs his conftitution is peculiarly irritable, has been broken down by repeated falivations, or is deeply affected with the fcurvy.

When the faliva is mixed with blood, as in the cafe related above, and the difcharge is very copious, the patient's ftrength muft be fupported with red wine and light nourifhing diet; and he may take frequently from twenty to thirty drops of the oil of turpentine in a glafs of cold water. In difcharges of blood from any part of the body I have found this to be an excellent medicine.

Mercury fometimes occafions a difcharge of blood from the bowels, as well as from the mouth. This fymptom is not without danger, and ought, as foon as poffible, to be removed. The patient's diet ought chiefly to confift of mild farinaceous fubftances, as flower boiled in milk, rice boiled or baked, animal jellies,

04

and

200 SOME EFFECTS OF MERCURY

and fuch like. Opium may be given as recommended above, with the addition of from five to ten grains of gum kino to every grain of the opium. If the kino is not at hand, a tea-fpoonful of the tincture of Catechu may be taken, in any liquid, three or four times a day, and a clyfter of thin ftarch, with a tea-fpoonful of laudanum in it, may be thrown up every night at bed-time, or oftener if it is found neceffary.

Few things tend more to injure the conflitution under a courfe of mercury than profule fweating. On the old plan of administering mercury it was impoffible to avoid this. The patient was shut up in a small apartment; his bed was placed by the fide of a large fire, and often between two fires; while every method was taken to prevent, even the smallest particle of fresh air from having access to him. Profuse swill never affect the patient, if he is kept in a proper temperature. His apartment ought to be large, and he may go from one room

ON THE MOUTH AND BOWELS, &c. 201

to another, unlefs the weather be uncommonly fevere, or his conftitution very delicate. The moft likely way to avoid taking cold is to keep the body in an even temperature, and never fuffer it to be too much heated. In fhort, the fafeft way is, to avoid all extremes.

Should the patient, however, be feized with profuse fweats, he must not only be kept cool, but put on a nourishing diet, with a moderate allowance of wine, and take two tea-spoonfuls of Huxham's tincture of the bark in a glass of red port, three times a day. This medicine will be improved, by adding to every ounce of the tincture, a dram of the acid elixir of vitriol.

Mercury fometimes, though rarely, runs to the kidneys. When this happens, the patient muft be kept warm, to promote the perfpiration; and he may take fuch aftringent medicines as have been already recommended in exceffive difcharges from the bowels or mouth.

[202]

CHAP. IX.

GENERAL OBSERVATIONS.

PATIENTS who have been afflicted with the venereal difeafe, although they have received a complete cure, are apt to be alarmed at every trifling fymptom which they think bears any refemblance to that malady. Under this impreffion I have known fome go through a complete courfe of mercury for a pimple on the nofe; and others ruin their conftitutions, by fwallowing drugs, fold by advertifing quacks as infallible remedies for a difeafe under which they did not labour.

It is the misfortune of hypochondriacs to be continually haunted by one difeafe or another. If a perfon of this defcription has the misfortune to get poxed, he feldom lofes fight of it, or leaves off taking medicine

medicine till his conftitution is deftroyed. A young man belonging to this clafs, after a flight infection, kept teafing me for above a twelvemonth, from a perfuafion that his nofe was daily growing thicker. At laft I refufed to fee him, when he went to a quack, who indulged him in his whim, till he drained him of his laft guinea, and then difmiffed him for a fool.

Women are still more apt to be alarmed in this fituation than men. Many of them believe that a perfon once thoroughly infected, can never be radically cured. Under this perfuasion they impute every ach, pain, or pimple, to the venereal poifon lurking in the fyftem, and lead both themfelves and hufbands most miserable lives. Humanity should induce medical men to do every thing in their power to eradicate these hurtful notions. But this is, to my knowledge, not an eafy tafk. The lady whofe cafe was mentioned in a former chapter, made herfelf and hufband both fo unhappy, notwith-

notwithstanding all I could fay to her, that I advised her at last to go to the late Mr. John Hunter, and take his opinion of her case. He told her she was perfectly well. But even this did not fully fatisfy her, till she brought forth at a birth, two of the most healthy babes I ever faw.

Women, however, are more apt to have relics of this difeafe lurk about them than men. Their conflitutions are not fo able to undergo a thorough course of mercury; neither have they fo much refolution as men, to perfift in its use for a fufficient length of time. It is here the female patient generally miffes her cure. A few days ago a man brought his wife to me to fee if I thought her perfectly cured. On afking fome questions, I told him I had every reason to believe she was well; but, according to my cuftom, faid she had better continue to take medicine for a few weeks longer, that no ground of fuspicion might remain. At this fhe began to cry; faid fhe had been taking I

taking mercury for above three years, and defired to know when fhe fhould have done taking it. On inquiry, I found what fhe faid was true, but that fhe had never perfifted in its ufe above three or four weeks at one time; but as foon as her mouth grew a little fore, fhe left it off, and when the fymptoms reappeared returned to its ufe again.

I told her fhe might keep taking mercury for twenty years in that way, and not be cured : That the only certain way to get cured was by perfifting in the ufe of the fpecific, not only till all the fymptoms disappeared, but for several weeks after. It is here the quack fails; and the hafty cure turns out to be no cure at all. Nor are the Faculty themfelves always fufficiently aware of this trap. The idea of a quick cure is very foothing; and when the patient fays, Why should I take me-. dicine after I am well? the phyfician often fuffers him to go from under his care too foon. If the smallest spark is left, it will kindle up into a flame. Here it may be truly

truly faid, "A LITTLE LEAVEN LEAVEN" ETH THE WHOLE LUMP."

When the patient's conduct, or any doubtful fymptoms, give the leaft ground to fufpect that the poifon ftill lurks in the fyftem, the beft plan, both for the fatiffaction of the phyfician and the fafety of the patient, is to put him through a complete courfe of mercury, taking care at the fame time that his conflitution receives no injury. What will greatly tend to prevent the conflitution from being hurt by the mercury, and likewife promote its beneficial effects on the fyftem, will be a liberal ufe of the decoction of farfaparilla, or Lifbon dietdrink.

The venereal difeafe has, by fome, been fuppofed to induce a variety of other complaints; while others deny that this ever happens. The truth is, that this, like other maladies which weaken the conflitution, certainly predifpofes it to difeafe. But it doth not follow, that the lues venerea will produce the fmall pox,

Or

or any other difeafe that originates from a fpecific infection. The fmall pox or meafles do not engender the rickets or fcrofula; yet every practitioner knows that the latter often fucceed to the former, efpecially if they are of the malignant, or what are called the bad kind.

When the venereal difeafe feems to induce other maladies, there is generally reafon to fufpect that there has exifted in the conflictution a predifpolition to fuch diforder, and that the venereal taint, by weakening the conflictution, might act as a predifpoling caufe, in exciting the other malady. Every one knows that people afflicted with the fcrofula are more liable to difeafes of the lungs than those who have no tendency that way; and that if fymptoms of a confumption appear in fuch perfons, they feldom recover.

Mr. Bell, of Edinburgh, mentions a number of cafes, and fays he is in poffeffion of many more, where the fymptoms were occafioned by the venereal poifon lurking in the fyftem, though the difeafe affumed

affumed an appearance very different from that of the fyphilis. In all the cafes however which he mentions, fymptoms of a fufpicious nature, fooner or later, feem to have made their appearance, as blotches on the fkin, obftinate fores, or ill-conditioned ulcers, fwelling of the joints, tumours, with a fluctuation of matter in them, &c. When fuch fymptoms as thefe appear, and no adequate caufe can be affigned for them, there is certainly ground to fufpect a lurking lues venerea.

In cafes where no fufpicious fymptoms appear, but which do not yield to the ufual methods of treatment, the ftricteft inquiry ought to be made concerning the patient's former manner of life; and if it is found that he has ever been unfortunate in the venereal line, and has received, what is called an expeditious cure, there will be reafon to fufpect a lurking lues as the caufe of his diforder, and the cure muft be conducted accordingly.

208

It

It feems to be a queftion, whether or no a fpecific poifon introduced into the fyftem can produce any other difeafe, except that from which the poifon is taken. It is not my intention to go into difficult difquifitions on obfcure fubjects; but I am inclined to think that a fpecific poifon may induce morbid affections very different, in their appearance, from the difeafe which gave rife to them. I have more than once feen affections of the fkin follow the inoculation of the fmall pox, which no one, unacquainted with the circumftances, would have fuppofed to have any connexion with that difeafe.

Any one converfant in the bufinefs of inoculation, muft know that an eryfipelatous inflamm ation often fucceeds to that operation, and goes regularly off before the fmall pox make their appearance. Nay, I have known the meafles make their appearance about the time when the fmall pox were expected, go through their courfe, and the fmall pox feem to wait till they had done fo, and then appear. I do

I do not fay the matter of the fmall pox actually produced the meafles, but it would feem to have predifpofed the body to that difeafe.

It is well known that nurfes who attend patients in the fmall pox are often much difordered by it, efpecially if they fleep in the fame bed with them. I have once or twice feen a putrid fever which feemed to me to have been occafioned by the nurfes lying night and day, for three weeks, in bed with children, who died of a very bad kind of fmall pox. This conduct alfo hurts the patient.

A medical man of my acquaintance, in taking matter to inoculate a number of children for the fmall pox, happened to cut his finger with a lancet covered with the matter. He wrapped it up, and thought no more of it, till about eight or nine days after, when he began to feel an unufual fenfation, or rather an irritation, about his heart, which he could not account for. Some degree of ficknefs and naufea enfued, and he was feized with a fainting

fainting fit. On recovering from this he had fome warm drink, and was put to bed. Next morning a rafh appeared all over him, that had fome refemblance to the meafles; but he thinks it kept out rather longer than the meafles ufually do.

Though one would not venture to affert that this rafh was occafioned by the pocky matter abforbed from the wound, yet fo many circumftances concurred to make the gentleman think fo, that, to this day, he cannot be perfuaded to the contrary. This gentleman had the fmall pox in the natural way, when young, but has no recollection of having had the meafles.

Whether or not a fpecific poifon taken into the fyftem, at a time when it is not difpofed to take on the difeafe, will produce another, or induce any morbid affection whatever ? are queftions that we fhall leave to the difcuffion of future phyfiologifts.

Mr. Bell is of opinion, that where the poifon of the fyphilis exifts in the fyftem,

P 2

but

.211

but not in fufficient force to flow itfelf by the ufual and more obvious fymptoms of the difease, it may, notwithstanding, in various inftances be capable of exciting a great deal of derangement, and even many difeafes which otherwife might not take place, and that it will more efpecially be apt to produce those difeases to which the conftitution is predifpofed, or those to which the patient is rendered liable by exposure to particular occasional caufes. The difeafes induced by the venereal poifon, of which he gives inftances, are pthifis, afthma, rheumatifm, dropfy, head-ach, epilepfy, and madnefs.

Difeafes fucceeding to the lues venerea are not always occafioned by the poifon lurking in the fyftem; they are fometimes the effect of the means ufed to expel that poifon. Medicines poffeffed of fuch active powers as most preparations of mercury are, cannot be thrown into the ftomach in large dofes, for any confiderable length of time, without materially affect-

affecting that organ fo neceffary to the existence of every animal.

Mercury will occafionally hurt the flomach and bowels, even when it is adminiftered with the greateft care and attention, and it muft be ftill more pernicious where thefe are neglected. We may venture to affert, that not one in a hundred of thofe who take mercury have it in their power to obferve a proper regimen.

All active flimulants frequently applied to the organs of digeflion deftroy their power; hence the wine-bibber, and flill more the dram-drinker, generally lofes his appetite, and falls the early victim of indigeflion. Few flimulants are more active than many of the preparations of mercury; indeed, fome of them are fo acrid as to be juftly ranked among poifons. Such edge-tools as thefe can feldom be long ufed with impunity. I have known few people who had taken great quantities of mercury free from complaints of the flomach or bowels.

P 3

The

214

The lungs, as well as the ftomach, are often hurt by means of mercury. The number of young men who die every year in London of confumptions, brought on by the improper use of mercury, is a fufficient proof of the baneful effects of that mineral on the lungs. But it is not the direct effect of mercury on the lungs that does the mischief; it is owing to the uncertainty of our climate, and to the neceffity many patients are under of exposing themselves to all weathers, even when the body is fully charged with mercury.

The effects of mercury on the nervous fyftem are more direct; I have often feen paralytic affections brought on by the imprudent ufe of mercury, by which, even young men, have been rendered lame and miferable for life. But the flow and lefs perceptible effects of mercury are more frequent and likewife more hurtful; by them the beft conflitution may be undermined, and the moft robuft man reduced to an abfolute invalid, fhivering at a breeze,

215

a breeze, and dragging out a wretched existence under a load of nervous maladies, for which medicine knows no cure.

To obviate the ill effects of mercury on the ftomach and bowels, it will be proper always to ufe the milder preparations, where they will fucceed, in preference to the more acrid and ftimulating. Where the more active preparations are found neceffary, they ought to be adminiftered in fmall dofes; and when they excite fever, or occafion great pain in the firft paffages, they fhould be difcontinued for fome time, and their ufe refumed after thefe affections are removed.

Few things are better calculated to prevent mercury from hurting the ftomach and bowels, than the proper use of Peruvian bark : It may either be taken in substance, tincture, or infusion, and ought to be alternated with the mercury in such a manner, as to prevent that mineral from tearing those tender and delicate organs to pieces. The way in which

P 4

I com-

216

I commonly give it, is in the dofe of two tea-fpoonfuls of the compound tincture in a glafs of the Tunbridge or Pyrmont water, three or four times a day; or it may be taken in common water or wine.

For affections of the nerves occafioned by mercury, we would recommend, befides tonic medicines, the cold bath, provided there is no particular weaknefs of the breaft or bowels to forbid its ufe. Whenever cold bathing is recommended, it is always to be underftood that we give the preference to falt water, where it can be obtained. Indeed in all cafes of nervous debility, where the patient is able to bear the fhock, fea bathing is the beft medicine with which we are yet acquainted.

Though it must be acknowledged that mercury frequently hurts the conftitution, yet it is often blamed where it is not in fault. People who have had occasion to take mercury, are apt to impute all the aches and pains they feel asterwards,

wards, to this medicine lying in the body: I remember fince the fame prejudice prevailed with refpect to bark, and believe them both to be equally unfounded. Some, indeed, are weak enough to imagine that the mercury lies in the bones, and never leaves them while the patient lives. This opinion the late Mr. John Hunter has taken fome pains to refute: He fays, the mercury never enters the bones; and no man ever had more opportunities of inveftigating that matter than himfelf.

That mercury muft either kill or cure, is another vulgar error which does confiderable mifchief. Men are afraid to take a medicine that may terminate their exiftence, and chufe rather to endure a lingering difeafe, than rifk a fudden death. By this groundlefs prejudice many have been deterred from taking mercury when it was the only medicine that could be of any fervice to them. This prejudice, however, dies apace--Moft people now know

know that mercury, when properly administered, is both a safe and an efficacious medicine.

Many affect to decry the powers of mercury while they are making fortunes by ufing it. This is a fhameful practice and a dangerous one; mercury fhould never be concealed from the patient. This conduct, which even phyficians too often affect, has fometimes ferious confequences. I have known it more than once prove fatal. A medicine which, to be ufed with fafety, requires a particular regimen, fhould never be concealed; and the practitioner who does fo, whatever his motives may be, muft excufe me for faying, that he fports with his patient's life.

Though fome inconveniences may attend the administration of mercury, yet I know no medicine of equal value. It is useful in a great variety of diforders befides the lues venerea; and here every Tiro knows, that nothing can be

be done without it. From the infant of a week old to the veteran of fourfcore, it may be given with fafety and advantage; nor do I conceive how any man, at this day, could practife phyfic if he were deprived of its ufe.

without and the

putation of incoscine, and forme weak

ieft whom they meither love as cheem.

W. or the golf svereed libering to

[220]

be done without it. From the infant of a week old to the reteran of four-CHAP. X.

OF IMPOTENCE, OCCASIONED BY THE VENEREAL DISEASE, &c.

THERE is no idea more depressing to the human mind than that of not being able to propagate the fpecies. I have known men actually criminate themfelves rather than lie under the imputation of impotence, and fome will even rifk the peace of their families to prove that the fault is not on their fide; yet numbers hazard the lofs of virility for a moment's gratification, with an object whom they neither love nor efteem.

Were the most avowed libertine to contemplate the victims of illicit love, as they are often feen by the Faculty, he would stand appalled at the view, and shrink from the transient enjoyment, which

which too often entails debility and loathfome difeafe on its votaries, and difqualifies them for ever from exercifing the functions of manhood.

That impotence may proceed from debility there can be little doubt, and that this is often induced by excefs of venery, few will be difpofed to deny; but, as far as my obfervation goes, debility is more frequently the effect of another vice incident to youth, which, while it is lefs natural, proves more deftructive in its confequence than even excefs of venery. Men feldom go far wrong while they follow nature, but every deviation from her laws is pregnant with danger.

That the generative powers may be injured by obftinate gleets, or what is called feminal weaknefs, is highly probable; but I have known men who, for more than twenty years, had laboured under this malady, yet had large families of feemingly healthychildren. This, however, holds out no encouragement to others; what will not impair the generative faculties of one

222

one man may totally deftroy those of another, and even tend to cut short his life.

Not only the powers, but even the parts of generation, are frequently deftroyed by the venereal difeafe. When this misfortune happens, they cannot be reftored by medicine. In curing the venereal diforder mercury will do wonders, but it cannot reftore a loft part : Such lofs, indeed, would feldom happen, if this medicine were properly applied in due time.

In moft of the cafes that have come under my eye, where the powers of procreation had been deftroyed by difeafe, there had either been total neglect or very improper treatment. Some years ago a feafaring-man called on me, on his return from a long voyage, to afk my opinion of his cafe. He had few fymptoms of the venereal difeafe, and thefe were eafily cured; but his penis and fcrotum formed only one mafs, and had coalefced in fuch a manner as to appear to me to

be infeparable. I advifed him to confult Mr. Pott and fome other able furgeons; which he did; and their opinion was, that nothing could be done.

The flory he told me was, that when he left England he had a running, for which he had taken fome medicine, and had carried as much out with him as was thought neceffary for his cure. What use he made of it I do not know; but underftood that during his voyage to North America he encountered much hard weather, and was exposed to great cold and fatigue; that on his return to Europe, he landed in Spain, where he was advifed to apply to a furgeon for fome obstructions in the urinary paffages. This furgeon, instead of having recourse to the use of bougies and other mild methods for removing the obstruction, laid open the urethra, and then left the fresh wound and fcrotum to grow together.

The only comment I shall make upon this case is, to point out the danger of going

224

going to fea with the venereal difeafe uncured. Had this gentleman flaid at home, or been fo fortunate as to fall into fkilful hands abroad, in all probability he would not have been deprived of his powers of procreation : What he did, however, is done every day, and, we have reafon to fear, too often with fimilar confequences. Surgeons are often too free with the knife; it fhould never be ufed but in cafes of abfolute neceffity, and then only by fkilful hands. I have often heard of the penis being amputated, but never met with a cafe where this operation, or that mentioned above, was neceffary.

I have indeed known the penis very nearly deftroyed by erofion; but when the fores were kept thoroughly clean, and the mercury thrown in in fufficient quantities, the erofion of the penis was ftopped, and what remained, though fometimes not above an inch, became perfectly found, and, for any thing I know, remained fo during the patient's life.

Inftances

225

Inftances of impotence occur where the perfon never was afflicted with the venereal difeafe, and where it is very difficult to affign any caufe for the decay of those parts deftined for the propagation of the fpecies. The late Mr. John Hunter mentions feveral cafes where the tefficles had gradually wafted away, without any apparent caufe. This generally began in one of the tefficles, and after that was deftroyed, it feized the other, which melted away in the fame manner, without affecting the health of the patient, or admitting of any relief from medicine.

The fame author mentions the cafe of a very young gentleman, one of whofe tefticles wafted entirely away after a Gonorrhæa, which was attended both with a fwelled tefticle and bubo. This evidently proceeded from the venereal affection,

The ingenious author mentioned above, gives feveral examples of impotence from affections of the mind; and it must be

acknow-

acknowledged, that the mind has much to do in this bufinefs. Fear, shame, anxiety, diflike of the object, and many other affections of the mind, will take away the venereal appetite, and produce a temporary impotence. I was once confulted in a cafe of fuppofed impotence, by a healthy-looking gentleman, who, to fulfil the dying request of his brother, married his widow. I had fufficient reason to believe that this gentleman's impotency, as he was pleafed to call it, did not proceed from want of power, but want of love to the object. As the cafe was delicate, all I could do was to advise him to perfift in his endeavours to make the lady happy, and to affure him, that I had no doubt but time would accomplifh his wifhes.

Impotence arifing from natural defects, or the deftruction of the parts by difeafe, feldom admits of any affiftance from medicine. When it proceeds from debility, occafioned by exceffive evacuations, the ufe afe of tonics, as the Peruvian bark and fteel are indicated, and they may be administered in various forms with advantage. The chalybeate waters, as those of Tunbridge, Pyrmont, &c. will likewife prove beneficial; but what we would chiefly recommend is the cold bath, especially bathing in falt water.

When the fyftem is exceffively irritable, and the conftitution is wafted by involuntary emifsions, during the night, I would recommend opium; from half a grain to a whole grain may be taken at bed time. If this has not the defired effect, the dofe may be increafed to a grain and a half, or two grains. Its ufe ought to be accompanied with tonics, and corroborating medicines.

For the cure of unnatural pollutions, I always recommend matrimony. This, with regular living, and the ufe of the cold bath, feldom proves unfuccefsful. But when I recommend matrimony, I would advife every man to marry the

Q 2

woman

woman he loves. When this is not the cafe, fatiety and difguft will fucceed, and the unhappyhufband, in the vigour of life, may, by miftake, impute his want of ardour for the connubial enjoyments to impotency.

disa 1 or add a begroupped " Hart

When the fifteen is excellence insita-

a libler of your nines sight dot nints at

berd sime. If this has not the defined

anticidating thederines.

r the cure of unectural politions,

and the second and the factor of the second se

consecution of their proves the day is and

5.00072

checkelly hathing to tall water.

[229]

A SUMMARY VIEW of the most important Doctrines contained in the preceding Pages.

I. Few things would have a more direct tendency to render the venereal difeafe lefs frequent than a ftrictly moral education.

II. It would be of great importance, not only in the prevention of this, but of many other difeafes, to impreis the young mind with a due fenfe of the value of health.

III. Though a good conflictution ought to be the first object in the education of youth, it is generally made the last, and is often totally difregarded.

IV. A young man should be taught that all his prospects in life depend upon health, and that every view of happiness vanishes with the loss of this valuable treasure.

V. The importance of cleanlinefs ought likewife to be strongly impressed on the young mind. This, though not ranked among the cardinal virtues, is nearly allied to them.

VI. Nor ought less attention to be paid to fobriety. Men are most apt to go astray,

when

when least able to conduct themselves, so as to avoid danger.

VII. A vegetable diet, an open body, and the free use of diluting liquors, will often carry off a gonorrhœa without the use of medicine.

VIII. Where the above regimen does not fucceed, recourfe may be had to aftringent injections, taking care, during their ufe, tokeep down the inflammatory fymptoms by cooling purges and diluting diet.

IX. Obstructions of the urinary passages are generally relieved by the use of bougees. If properly made, they may be applied by any person of common understanding.

X. A buboe will generally be relieved by emollient fomentations, foft poultices, and bleeding with leeches.

XI. A fwelled tefficle requires nearly the fame method of treatment, unlefs where the intention is to difcufs both, in which cafe repellents ought to be ufed.

XII. A gleet ufually yields to aftringent injections, tonic medicines, and the cold bath. When these do not succeed, recourse must be had to stimulating injections, such as are recommended in the Appendix. XIII.

XIII. A chordee requires diluents and the use of opium.

XIV. Warts and excreffences require the application of mild cauftics and efcarotics, as the powder of Savin, &c.

XV. The pox is generally introduced by means of a chancre, which, if properly treated, will feldom infect the fystem.

XVI. The only method to prevent a chancre from communicating the poifon to the fyftem, is the timely and proper use of mercury.

XVII. Chancres ought never to be haftily dried up, but rather kept open, till the poifon is extinguished by mercury.

XVIII. The mouth fhould be made fore with mercury, and kept fo for fome time; but it never ought to be given in fuch quantities as to excite a violent falivation.

XIX. A chancre, concealed under the prepuce, is often productive of much mifchief. When it cannot be kept clean, it ought to be laid open.

XX. A chancre, when laid open, will often heal in a few days without the use of mercury, though it would not before under its use.

24

XXI. The glans, if poffible, fhould be uncovered every day, and the chancres washed with milk and water a little warm.

XXII. Exposure to cold, and improper regimen, under a mecurial course, tend greatly to retard the cure, and often endanger the patient's life.

XXIII. As the fuppuration of buboes does not feem to accelerate the cure of the venereal difeafe, it is proper always to difcufs them when it can be done.

XXIV. Venereal ulcers and blotches cannot be cured without mercury, which must be applied according to the urgency of the fymptoms.

XXV. When venereal fores grow worfe under the ufe of mercury *, it must be difcontinued

* A case at present under my care shews the propriety of this rule in the strongest point of light. A young gentleman, in a provincial city, had been seventeen weeks under a course of mercury for chancres on the glans and prepuce. He was reduced so low that his life was despaired of; and he was thought unable to bear a journey to town. He was, however, brought up by short stages, and I was consulted. My advice was to leave off the tinued, and the patient put on a course of bark and restorative diet.

XXVI. When the venereal virus faftens on the bones, and produces nodes, &c., it may ftill be removed by perfifting, for a fufficient length of time, in the use of some active preparation of mercury.

XXVII. When the venereal difeafe affects the organs of fenfe, as the eyes, ears, &c. it cannot be removed without the use of mercury.

XXVIII. When children are born with fymptoms of the venereal difeafe upon them, they may be cured by the proper application of mercury, both to the infant and nurfe.

XXIX. Difeafes which refemble the lues venerea, as the fivvins or fibbins, &c., may be cured by mercury applied in the fame manner as for the lues.

the use of mercury, to take a tea-spoonfull of the compound tincture of Peruvian bark four times a day, to drink daily a wine bottle of the Lisbon diet-drink, to take nourishing diet, and to drink a few glasses of generous wine every day. The consequence is, that in less than six weeks his appetite, health, and spirits are restored, and his sores, which have only been kept clean, are nearly all healed.

A SUMMARY VIEW, &c.

XXX. Opium is of great fervice in appealing many of the most urgent fymptoms of lues venerea, as well as in making mercury fit more easily on the stomach.

XXXI. When a nurfe gives the difeafe to an infant, or the infant to the nurfe, both may be cured by the proper application of mercury.

XXXII. Perfons about to be married, ought to be very circumfpect with regard to their fituation, otherwife they may tranfmit this baneful difeafe to their progeny.

XXXIII. Women labouring under the venereal difeafe, are very liable to have abortions, to prevent which mercury is the proper medicine.

XXXIV. In conftitutions deeply affected with the fcurvy, mercury ought to be adminiftered with the greatest caution. Where that is not attended to, fome very untoward fymptoms may enfue.

XXXV. In fcrofulous habits the lues always proves obstinate, and requires more mercury than in constitutions free from that taint.

XXXVI. Mercury may be given for any length of time without curing the lues, if it is

. 6 . .

is not given in fuch a way as thoroughly to impregnate the fystem.

XXXVII. Complaints fucceeding to the venereal difeafe are not always owing to that malady, but to the means ufed to expell it.

XXXVIII. That mercury lies in the bones, is denied by Mr. John Hunter, and is, I believe, a vulgar error.

XXXIX. That mercury hurts the flomach and bowels, when improperly ufed, is, I am afraid, often too true.


XL. When impotency is the effect of the lues venerea, it is generally owing, either to the ignorance of the practitioner, or the irregularity of the patient.

XLI. The greatest circumspection is necessary in the choice of a wet-nurse in, and near, great towns.

XLII. There is reafon to believe that complaints of the womb, which pafs for cancers, are often venereal.

XLIII. A woman may have her health ruined by giving fuck to an infant born of diffipated parents.

XLIV. The fibbens, as well as the lues, may be communicated to the foetus.



THE different forms and preparations of medicine, referred to in the preceding pages, are here brought together, fo as to appear in a narrower point of view. Several others, not mentioned, are alfo added, that the patient may have an opportunity of felecting fuch as he thinks beft fuited to his cafe. Some prefcriptions, inferted in the body of the book, are again brought forward here, either that they may appear at more length, or be inferted under the refpective heads to which they belong, as Injections, Decoctions, &c.

Phyficians ftill perfifting in the practice of writing their prefcriptions in Latin, affords a ftrong proof of the difficulty with which old cuftoms are left off. Thofe who write books in plain Englifh, ftill give their prefcriptions in an unknown tongue; as if a fcrap of Latin could operate like a talifman, or have the power of a charm. This conduct is not only ridiculous, it is dangerous. The perfons employed in making up medical prefcriptions, are, generally fpeaking, very idle, and very ignorant. By this I do not mean to throw any reflection on apothecaries. I fee no reafon

fon why an apothecary may not be as learned a man as a phyfician; but I know this, that a man may go to his fhop a hundred times before he finds him there. The apothecary generally acts as a phyfician, and leaves the fhop to the care of his boy.

Did patients know who compose the draughts they fwallow, they would take them with fear and trembling. I feldom give a medicine without feeing it made up, and never to a venereal patient; because I know that here the cure depends folely on the quality of the medicine, and not on the patient's imagination. Were phyficians in general to follow this plan, their art would prove more beneficial to mankind. The doctor would not be the tool of the apothecary, nor the patient the dupe of both. While the apothecary can recommend the phyfician, the infamous trade of cramming patients with drugs will be carried on, to the difgrace of medicine, and the deftruction of mankind.

INJECTIONS FOR THE CURE OF GONORRHEA.

I. Take of vitriolated zinc, commonly called white vitriol, half a dram : Diffolve it in a pint of water.

\$38

In

In the early ftage of a gonorrhœa, we know of no better injection than this. If ufed fufficiently often, not lefs than five or fix times a day, it will generally remove the difeafe very fpeedily. It is not, however, fo proper, in the more advanced periods of the complaint. A flight degree of pain ought to follow its ufe; but if it produces much, it fhould be diluted with water. Five or fix drops of Goulard's extract, added to a teacupful of this folution, renders it more fedative, and confequently a better medicine, where there is great irritation, or the parts are inflamed.

II. Take fugar of lead, half a dram: Diffolve in half a pint of water.

III. Take extract of lead, thirty drops: Mix with half a pint of water.

When there is great pain and irritation, it is fometimes neceffary to use opiate injections.

IV. Diffolve a dram of purified opium in half a pint of water: Or, add to the fame quantity of water, half an ounce of the tincture of opium.

When the difcharge appears to be continued from relaxation, or flaccidity of the veffels, the following injection will be found ufeful:

V. Take balfam of capivi, half an ounce: Rub with the yolk of an egg, and, by degrees, add half a pint of rofe water.

A ftimulant injection, for discharges of long continuance, and gleets :

VI.

VI. Take muriated mercury, commonly called corrofive fublimate, one grain: Diffolve in half a pint of rofe water.

The powers of this medicine may be heightened or diminiscreated, by lessening or increasing the quantity of water in which it is diffolved. But the above proportion is as strong as most patients are able to bear.

VII. Take of acetated copper, or verdegreafe, two drams : Diffolve in volatile alkali, one ounce.

This is an excellent form of injection; but fome care is requifite in the application of it. From twelve to twenty drops may be put into half a pint of water.

Where internal aftringents are required, the following will be found useful:

VIII. Tincture of Catechu, or compound tincture of the Peruvian bark : Of either of thefe, a tea-fpoonful may be taken in a glafs of wine, three or four times a day. Should the patient prefer pills, I know of none better than those made of equal parts of prepared iron, and extract of bark, with a fufficient quantity of oil of carrui. One may be taken three or four times a day.

When it is neceffary to keep the body open and cool, which is always the cafe in a virulent gonorrhœa, efpecially during the ufe of injections, I would recommend the electuary mentioned in the Domestic Medicine, But what I chiefly use now, with that intention, is the following powder: IX.

241

IX. Take powdered gum arabic, and cream of tartar, each an ounce and a half; jalap, in powder, two drams: Mix them, and give a tea-fpoonful in any liquid, as often as is found neceffary to keep the body gently open.

When the pain and irritation in paffing water is very great, the patient will find relief from drinking plentifully of linfeed tea. It may be infufed with liquorice root, and drank a little warm.

A very common and troublefome fymptom of the gonorrhœa, is a chordee. This the following pill commonly relieves, probably by taking off the general tendency to fpafm :

X. Take powdered opium, one grain; powdered antimony, four grains; crumbs of bread, as much as will make them into a pill: To be taken at bed-time.

MEDICINES USED IN THE CURE OF THE LUES VENEREA.

Mercury, the only fpecific * hitherto difcovered for the cure of this difeafe, is ad-

* We every day hear that the lues venerea has been cured by medicines that did not contain a single grain of mercury. There is reason, however, to suspect that these cures are, like those of the bite of a mad dog, only performed where the infection had never been communicated. Among the medicines puffed off, at present, for curing the lues venerea, is Velno's Vegetable Syrup: I have seen sufficient proofs of the inefficacy of this medicine, to be able to declare, that it will not cure the lues venerea.

ministered

APPENDIN,

ministered both externally and internally. The former, which is by far the fafest and the best, when it can be administered with conveniency, confists in the application of the specific in form of ointment to some parts of the furface of the body; or in form of vapour, to the whole of it at once. For internal use a vanisty of preparations have been devised, of which some of the most approved shall be here intertid.

XI. Of the ftrong mercurial ointment, from half a dram to a dram, may be rubbed every evening on the inner fide of the leg or thigh, for half an hour, or till it is abforbed. The frictions mult be continued till the mouth becomes, fore, and even for fome time after the fymptoms of the diforder have difapt peared. The part into which the mercury is rubbed, fhould be wafted with foap and water, and carefully dried, each time, before the friction is commenced.

XII. Where elegance is an object, an ointment without colour may be made, by rubbing two drams of the white precipitate, or of calomel, with an ounce of hog's lard, and ufing it as the former.

When mercury is taken internally, it is ufually given in form of pill. The beft way feems to be, to take the whole quantity, for the day, at bed time; it then paffes along with the food, and feems to diffurb the bowels lefs than when taken at different times through the day.

я

minifiered

The common mercurial pill of both the London and Edinburgh difpenfatories are made of the crude mercury, or quickfilver, comminuted or rubbed up with various ingredients, as conferve of rofes, &c. and given from three to four or five ordinary fized pills in the courfe of the day. Some practitioners prefer these pills to every other preparation of mercury; but what I more frequently ufe, are pills made of one or other of the following preparations of mercury, and corrected with opium as circumftances may require.

XIII. Take of calomel, properly prepared, one dram; conferve of hips, or roles, a fufficient quantity: Make into forty pills. Two or three may be taken at bed-time. Should they gripe, ten grains of opium may be added to the mafs when prepared.

XIV. Take of mild muriated mercury, one dram; aromatic confection, or confection of opium, a fufficient quantity to form a mass of proper confistence for pills: To be divided as above, and taken in the same manner. There is not any preparation of mercury, that I have tried, seems to posses more active antivenereal powers, or to difturb the constitution less than this.

XV. Take of calcined mercury, half a dram; powdered opium, ten grains; extract of liquorice, a fufficient quantity: Divide into twenty-four pills. Take one at bed-time. Few conflictions will bear more than two. R 2 This This was the favourite preparation of the late celebrated John Hunter.

The following composition, which is well known by the name of Plummer's Pill, is reckoned peculiarly useful in venereal affections of the skin, as well as cutaneous complaints arising from other causes.

XVI. Take of calomel, and the golden fulphur of antimony, each one dram; extract of liquorice, enough to form a mafs for pills: Divide into forty-eight pills. Two may be taken at night, and one next morning, increafing the dofe according to circumftances.

When the more active preparations of mercury are deemed neceffary, the corrofive fublimate may be used in the following manner:

XVII. Take of muriated mercury, or corrofive fublimate, ten grains : Diffolve in a pint of proof fpirits. Of this folution, two or three table-fpoonfuls may be taken daily. It ought never to be given on an empty ftomach.

Some administer the sublimate in form of pill; but as it is apt to hurt the bowels, when taken in this way, I always give it in solution.

As decoctions of various kinds have been fuppofed to affift in the cure of lues venerea, or, at leaft, to prevent the mercury from hurting the flomach and bowels, fome of the most approved forms are fubjoined :

XVIII. Take of farfaparilla, bruifed, three ounces; infuse by the fire, in three pints of water,

water, for twelve hours; then gently boil away to about one half: A little fliced liquorice-root may be added, just before the boiling is finished.

This fimple decoction feems to act chiefly by affording a mild nourifhment. Even in that point of view it is of great use during a mercurial courfe. The whole quantity here mentioned may be used in the course of a day, and it should be prepared fresh daily.

The decoction of guaiacum may be made as follows :

XIX. Take of guaiacum raspings, fix ounces; shavings of fassafras, four ounces: Boil in fix quarts of water to four, adding, towards the end, an ounce of sliced liquoricetoot.

Two pints of this decoction may be used daily. By fome, guaiacum is fupposed to affift greatly in the cure of lues venerea. The superior effects of mercury, however, have, in a great measure, caused it to be laid afide. In some peculiar constitutions, indeed, it seems to affist the powers of mercury.

The decoction of mezereon may be made as follows :

XX. Take bark of mezereon-root, one ounce: Boil it in three quarts of water to two, adding, towards the end, a little liquorice.

This is a warm ftimulating medicine, of which from a pint to a quart may be taken daily.

For

APPENDINA

are many forms; ithe most common is as under: 100 flug, bobbs od yam toor solor

XXI. Take of farfaparilla, find a guild White and ared fainders, seach three ounces; and mezereon-root, tob each half an ounce; of wall shows have Wood of rhodium, and faffafras, each one ounce; how bounder of blood if bus ob Grude antimony *, two ounces : ob sill

Mix and infufe the whole in four quarts of boiling water, for twenty-four hours; then boil to half the quantity, and firain. Of this, from half a pint to a quart may be ufed daily.

When the mouth is much affected, and very painful, from a violent falivation, the following waft may be used with advantage : XXII. Take of borax, one ounce: Diffolve it in a pint of boiling water, and add two ounces of honey.

The mouth may be frequently washed with this a little warm.

To remove those warts which fometimes remain after gonorrhœa, I have generally found one of the following fucceed :

XXIII. Take of corrolive fublimate, and crude fal armoniac, each half an ounce: Diffolve in four ounces of water.

* The antimony ought to be made into what is called a Nodule, or tied in a bag, otherwise the decoction will be of a disagreeable colour, and look dirty. The

APPEMDIX.

The waits to be be be defined by touched with this, it is a shift of more bus, shift if is XXIV. Take of powdered favin, two drams; red precipitate, and corrofive fublimate, of each one dram, in the All of this powder may be applied frequently to the warts drive beaution in the of this powder may be applied frequently to the warts drive beaution in the of the ballicon doint of the following may be used to a it or beaution wing may be used to be affiliated and a XXIV. Taked of ballicon doint ment, two ouncest; red precipitate, two drams: Mix them are as a man or beaution of the fol-

Mix them.

XXVII. Ointment of muriated mercury, commonly called *unguentum citrinum*, mixed with three or four times its weight of hog's lard, generally anfwers this purpole very well.

OF PREVENTIVES.

It has been already obferved, that the fafeft preventive, and the most to be depended on, is a folution of foap properly ufed.

Spirits are preferred by fome, and all kinds of fpirits anfwer equally well.

The following forms have been thought useful as preventive lotions :

XXVIII. Take of corrolive fublimate, one dram : Mix gradually, by rubbing in a mortar,

tar, with two pints of fresh-made lim wat-Let it subfide, and pour off the clear liquor for use. Keep it in a bottle carefully stopped.

XXIX. Fresh-prepared lime water.

XXX. A few drops of cauftic alkali, or soap lies, mixed with common water.

This fhould always be applied to the tongue before it is ufed, to determine its ftrength, which is known by its removing the moifture, without occasioning pain. This form is the most convenient, as a quantity, fufficient to ferve for a confiderable time, may be carried in the pocket, and ufed occafionally.

ind, generally anised this purpole very

the plowing forms have been thered

of prints andwer equality 1. the

