

Statistical tables of the Royal Infirmary of Edinburgh / compiled by John Hughes Bennett, M.D.

Contributors

Bennett, John Hughes, 1812-1875.
Royal Infirmary of Edinburgh.
University of Glasgow. Library

Publication/Creation

Edinburgh : [Peter Brown, Printer], 1846.

Persistent URL

<https://wellcomecollection.org/works/acffntwh>

Provider

University of Glasgow

License and attribution

This material has been provided by This material has been provided by The University of Glasgow Library. The original may be consulted at The University of Glasgow Library. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>





3

STATISTICAL TABLES
OF THE
ROYAL
INFIRMARY OF EDINBURGH:

FIFTH SERIES,

FROM 1ST OCTOBER 1844 TO 30TH SEPTEMBER 1845;

BEING AN

APPENDIX TO THE REPORT OF THE MANAGERS FOR THE YEAR 1845.

COMPILED BY

JOHN HUGHES BENNETT, M.D.,

PATHOLOGIST AND KEEPER OF STATISTICS TO THE ROYAL INFIRMARY.

EDINBURGH:
PETER BROWN, PRINTER, 19, ST JAMES' SQUARE.

MDCCCXLVI.

In the present series I have included several Tables referring to individual Diseases, not only for the present year, but for the fifteen months embraced by the former Report. By so doing, most of the subjects treated of by my predecessors are completed up to October 1st 1845.

J. H. B.

TABLE I.

GENERAL STATEMENT of CASES treated in the ROYAL INFIRMARY between the 1st of October 1844 and the 1st of October 1845.

Cases remaining on the 1st of October 1844,	283
... Admitted between the 1st of October 1844 and 1st of	
October 1845,	3252
Of these were dismissed—Cured,	2047
... Relieved,	578
Not Relieved or Irregular,	284
Died,	369
Total Dismissals,	3278
Remaining under treatment 1st October 1845,	257
Total under treatment during the year,	3535

TABLE II.

PATIENTS treated in the ROYAL INFIRMARY between the 1st of OCTOBER 1844 and the 1st of OCTOBER 1845, arranged according to their DISEASES.

DISEASES.	Total Males and Females.	MALES.				FEMALES.				Mortality per Cent.	
		Total Males.	Cured.	Relieved.	No Change or other Grounds.	Total Females.	Cured.	Relieved.	No Change or other Grounds.		
					Died.				Died.	Males.	Fem.
FEVER—	615	287	248	..	1	38	328	290	..	32	
Febriculae . . .	64	32	31	..	1	1	32	31	..	12	
Intermittent . . .	4	3	1	2	1	1	..	63	
Total Fevers . . .	683	322	290	2	1	39	361	322	1	38	..
OF NERVOUS SYST.—										13.2	11.5
Cephalalgia . . .	14	4	3	1	10	7	2	1	..
Vertigo . . .	5	5	1	3	1	12
Meningitis . . .	11	6	2	1	..	3	5	5	..
Encephalitis . . .	11	9	..	3	2	4	2	1	23
Delirium Tremens . .	38	29	16	..	1	12	9	6	..	2	15
Hydrocephalus . . .	2	2	12
Apoplexy . . .	7	5	5	2	2	6
Insanity—Monomania	18	13	5	1	7	..	5	2	1	2	..
Mania . . .	8	3	1	2	5	1	4	..	20
Dementia . . .	2	1	1	1	1	1	9
Amentia . . .	2	2	1	1	40
Puerperal Mania . .	4	4	3	..	1	..
Epilepsy . . .	14	8	1	3	3	1	6	..	3	3	..
Spinal Irritation . .	5	5	4	..	1	..
Disease of Spinal Chord	2	2	1	..	1	14
Tetanus . . .	3	1	1	2	2
Hysteria . . .	20	20	12	5	3	..
Chorea . . .	1	1	1	3
Neuralgia . . .	26	8	5	2	1	..	18	10	6	2	..
Paralysis, kind not stated	16	14	3	6	4	1	2	1	43
Hemiplegia . . .	10	7	1	3	1	2	3	1	26
Paraplegia . . .	13	9	1	3	3	2	4	2	65
Partial Paralysis . .	2	1	1	1	32
Anæsthesia . . .	1	1	1	26
Total of Nervous System	235	129	43	30	25	31	106	47	23	18	18
OF RESPIRATORY ORGANS—										24.03	16.9
Laryngitis, Acute . .	5	5	3
Chronic . . .	3	1	1	2	12	25
Tracheitis . . .	1	1	1	5
Catarrh . . .	18	13	10	2	1	..	5	4	1	..	19
Bronchitis, Acute . .	101	54	40	8	1	5	47	29	9	1	..
Chronic . . .	37	26	8	14	2	2	11	4	4	..	37
Emphysema . . .	5	5	3	..	2	32
Asthma . . .	4	3	1	2	1	..	1	..	27
Pleuritis . . .	28	15	5	5	3	..	2	12	1	..	38
Pleurodynia . . .	10	2	2	8	8	17
Pneumonia . . .	50	42	26	4	..	12	8	7	..	1	26
Phthisis Pulmonalis .	130	87	..	32	13	42	43	..	18	6	19
Hæmoptysis . . .	8	4	3	..	1	..	4	3	1	..	45
Asphyxia . . .	1	1	1	1
Total Respiratory Organs	401	254	99	67	23	65	147	70	35	7	35
OF ORGANS OF CIRCULATION—										25.9	23.9
Disease of Heart . .	71	54	1	34	6	13	17	2	6	1	8
Angina Pectoris . .	1	1	..	1
Aneurism, Internal .	8	8	..	2	2	4	51
External . . .	1	1	..	1	36
Varicose Veins . . .	7	2	2	2	5	3	2	..	19
Phlebitis . . .	2	2	2	1	1	30
Phlegmasia Dolens .	1	1	65
Epistaxis . . .	1	1	1	26
Total Organs of Circulation	92	68	5	38	8	17	24	7	8	1	8

* In the daily Register the following distinctions are embraced under the head of "On other Grounds":—Dismissed—Irregular—Improper—By Desire—Incurable.

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY
between the 1st of October 1844 and the 1st of October 1845,
arranged according to their DISEASES,—*Continued.*

DISEASES.	Total Males and Females.		MALES.				FEMALES.				Average Residence in Hospital.		Mortality per Cent.	
	Total Males.	Total Females.	Cured.		Relieved.		Total Females.	Cured.		Rel'e'ed.		Days.	Males.	Fem.
			No Change or other Grounds.	Died.	No Change or other Grounds.	Died.		No Change or other Grounds.	Died.	No Change or other Grounds.	Died.			
OF ORGANS OF DIGESTION—														
Tonsillitis, Acute .	13	6	6	7	5	1	1	9
Chronic .	3	1	1	2	1	11
Ulcerated Throat .	19	8	5	1	2	..	11	5	5	1	29
Dysphagia . .	1	1	93
Gastralgia . .	5	2	1	1	3	3	22
Gastritis . .	2	2	1	1	11
Disease of Stomach .	8	2	2	2	86
Vomiting . .	2	2	1	1	6	28
Dyspepsia . .	65	26	11	11	4	..	39	30	6	21
Hæmatemesis . .	4	4	3	1	27
Gastro-Enteritis . .	2	2	1	1	19
Enteritis . .	3	1	1	2	2	43
Ileus . .	1	1	1	1	42
Dysentery . .	7	5	3	2	2	1	38
Constipation . .	5	4	4	1	1	1	7
Diarrhoea . .	18	12	9	2	1	6	5	24
Cholera . .	2	2	2	20
Malæna . .	1	1	1	11
Colic . .	4	3	3	1	1	12
Colica Pictonum . .	1	1	1	6
Hernia . .	9	5	3	1	1	..	3	1	18
Peritonitis . .	8	1	1	7	4	1	41
Puerperal Peritonitis .	1	1	3
Hepatitis . .	4	2	2	3	2	1	1	37
Organic Disease of Liver .	11	3	2	1	1	..	5	8	1	3	49
Jaundice . .	11	6	2	1	1	..	2	5	5	..	2	2	..	37
Disease of Spleen . .	1	1	1	15
Total Organs of Digestion	210	98	55	19	10	14	112	70	20	6	16	..	14.3	14.2
OF URINARY ORGANS—														
Nephritis . .	4	4	2	..	1	1	20
Bright's Disease . .	33	24	3	13	2	6	9	1	4	1	3	49
Disease of kidney, kind not stated . .	13	8	2	3	..	3	5	1	3	..	1	35
Disease of Bladder . .	11	9	3	3	1	2	2	2	46
Calculus Vesicæ . .	3	2	2	1	1	38
Urethritis . .	2	2	2	16
Stricture of Urethra .	16	16	8	7	1	26
Retention of Urine .	2	1	1	1	1	13
Incontinence of Urine .	3	1	..	1	2	2	14
Extravasation of Urine .	1	1	1	9
Hæmaturia . .	1	1	1	81
Total of Urinary Organs	89	69	24	27	6	12	20	8	7	1	4	..	17.3	20.

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY between the 1st of October 1844 and the 1st of October 1845, arranged according to their DISEASES,—*Continued.*

DISEASES.	Total Males and Females,		MALES.				FEMALES.				Mortality per Cent.	
			Total Males,		Cured.	Relieved.	Total Females,		Cured.	Relieved.		
	Total	Males	Total	Males	No Change or other Grounds.	Died.	Total	Males	No Change or other Grounds.	Died.	Average Residence in Hospital. Days.	Males. Fem.
OF GENITAL ORGANS—												
Gonorrhœa . . .	11	7	4	1	2	..	4	..	2	1	..	28
Spermatorrhœa . . .	1	1	11
Primary Syphilis . . .	30	21	12	4	5	..	9	..	5	23
Secondary Syphilis . . .	22	10	3	4	3	..	12	..	7	3	..	25
Phymosis . . .	7	7	7	21
Paraphymosis . . .	2	2	2
Orchitis . . .	4	4	3	1	13
Fungus of Testis . . .	7	7	5	..	1	1	35
Chronic Enlargement of Testis . . .	4	4	2	..	2	13
Hydrocele . . .	23	23	18	3	2	27
Varicocele . . .	1	1	..	1	22
Hæmatocele . . .	1	1	1	40
Inflammation of Labia . . .	1	1	11
Leucorrhœa . . .	8	8	..	7	27
Vesico-vaginal Fistula . . .	2	2	12
Diseases of Uterus . . .	11	11	..	7	3	..	24
Tumours of Uterus . . .	11	11	..	2	3	3	45
Diseases of Ovary . . .	7	7	1	5	36
Amenorrhœa . . .	22	22	15	3	3	3	35
Menorrhagia . . .	5	5	1	17
Dysmenorrhœa . . .	1	1	1	12
Total of Genital Organs	181	88	57	14	16	1	93	52	14	20	7	..
OF THE INTEGUMENTARY SYSTEM, INCLUDING FEBRILE ERUPTIONS—												
Exanthemata												
Urticaria . . .	1	1	1	3
Rubeola . . .	9	3	1	1	6	6	6	16
Scarlatina . . .	0	2	1	8	8	8	13
Erysipelas . . .	44	28	23	3	..	2	16	14	2	18
Vesiculæ												
Eczema . . .	6	2	..	2	4	3	1	60
Scabies . . .	12	9	6	..	3	..	3	2	1	1	..	21
Herpes . . .	3	1	1	..	2	1	1	35
Bullæ												
Rupia . . .	2	2	1	1	37
Pustulæ												
Impetigo . . .	4	2	1	1	9	..	1	1	..	51
Ecthyma . . .	8	5	4	1	3	..	1	2	..	22
Acne . . .	1	1	..	1	40
Porrigo . . .	12	7	2	3	2	..	5	4	1	43
Favosa . . .	5	3	3	1	2	1	1	43
Variola . . .	51	28	22	..	1	5	23	23	28
Papulae												
Lichen . . .	2	2	2	16
Squamæ												
Psoriasis . . .	11	4	3	1	7	3	1	3	..	36
Lepra . . .	7	3	1	..	2	..	4	1	3	48
Purpura . . .	5	3	1	2	2	2	17
Lupus . . .	7	3	2	1	4	4	54
Furunculus . . .	2	1	1	1	1	22
Carbuncle . . .	1	1	1	1	1	30
Paronychia . . .	3	2	2	1	1	25
Total of Integ. System	206	113	78	13	9	13	93	74	10	7	2	..

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY
between the 1st of October 1844 and the 1st of October 1845, arranged
according to their DISEASES,—*Continued.*

DISEASES.	Total Males and Females.		MALES.			FEMALES.			Mortality per Cent.		
	Total Males.	Total Females.	Total Males.	Cured.	Relieved.	Total Females.	Cured.	Relieved.	Average Residence in Hospital, Days.	Males.	Fem.
					No Change or other Grounds.				No Change or other Grounds.	Died.	
OF THE EYE—											
Conjunctivitis . . .	20	11	8	3	..	9	6	3	..	32	
Corneitis . . .	9	2	1	1	..	1	4	2	..	24	
Staphylooma . . .	2	1	..	3	33	
Leucoma . . .	3	3	50	
Iritis . . .	10	5	4	1	..	1	1	3	..	35	
Cataract . . .	2	1	..	1	72	
Amaurosis . . .	11	9	1	1	..	7	..	1	..	44	
Total of Eye . . .	57	32	15	9	8	..	25	13	9	1	..
OF THE EAR—	1	1	..	1	14	
Deafness . . .	3	3	1	2	17	
Total of Ear . . .	4	4	1	3	
OF NOSE and MOUTH—										7	
Polypus Nasi . . .	4	2	1	..	1	..	2	1	..	36	
Hare Lip . . .	4	2	2	2	
Total of Nose and Mouth	8	4	3	..	1	..	4	3	
OF THE LOCOMOTIVE ORGANS—											
Arthrodynia . . .	8	4	1	2	1	..	4	3	1	24	
Synovitis . . .	9	5	5	4	3	..	26	
Hydrops Articuli . . .	3	3	2	1	1	..	1	28	
Of Shoulder Joint . . .	4	2	1	1	21	
Elbow Joint . . .	11	7	5	1	1	2	..	60	
Wrist Joint . . .	3	2	1	1	1	1	..	29	
Hip Joint . . .	14	8	4	..	4	..	6	3	..	31	
Knee Joint . . .	23	14	6	4	4	..	9	6	2	53	
Ankle Joint . . .	13	11	5	2	4	..	2	2	..	40	
Spine . . .	1	1	..	1	68	
Bursae . . .	8	2	2	6	6	..	14	
Periostitis . . .	24	16	9	5	2	..	8	6	2	27	
Caries . . .	14	9	4	2	3	..	5	2	..	29	
Necrosis . . .	18	13	7	4	2	..	5	3	1	40	
Curvature of Spine . . .	3	1	1	..	2	20	
Spina Ventosa . . .	1	1	1	8	
Of Bone, kind not stated	7	5	3	2	2	1	..	51	
Contraction of Extremities . . .	2	1	1	1	..	1	5	
Whitlow . . .	4	3	3	1	1	..	8	
Club Feet . . .	5	4	4	1	1	..	12	
Ruptured Tendo Achilles	1	1	1	..	18	
Tot. of Locomotive Organs	176	112	64	26	21	1	64	40	11	7	6
..										..	0.59
OF RECTUM AND ANUS—											9.3
Hæmorrhoids . . .	13	8	7	1	5	5	16
Fistula in Ano . . .	17	15	14	1	2	2	16
Fissure of Rectum . . .	3	1	1	2	1	37
Prolapsus Ani . . .	1	1	..	1	38
Condylomata of Anus . . .	6	5	2	1	2	..	1	1	31
Malformation of Anus . . .	1	1	1	12
Total of Rectum and Anus	41	31	24	4	3	..	10	9	..	1	..
..									
TUMOURS—											
Non Malignant, kind not stated . . .	25	13	10	1	2	..	12	9	2	1	..
Erectile Tumours . . .	5	1	1	4	3	..	1	..
Malignant, kind not stated . . .	8	3	3	..	5	2	..	2	1
Fungus Hamatodes . . .	4	3	1	2	1	1	..
Scirrhous . . .	19	16	11	1	3	1	3	1	..	1	1
Total of Tumours . . .	61	36	52	2	9	3	25	15	2	6	2
..										..	8.3
											8.

* This Patient was admitted as a case of Amaurosis, but the more immediate cause of death is not known.

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY
between the 1st of October 1844 and the 1st of October 1845, arranged
according to their DISEASES,—*Continued.*

DISEASES.	Total Males and Females.		MALES.				FEMALES.				Mortality per Cent.	
	Total	Males	Total	Cured.	Relieved.	No Change, or other Grounds.	Total	Cured.	Believed.	No Change, or other Grounds.	Died.	Average Residence in Hospital Days.
	Males.	Fem.	Males.				Females.					
ABSCESSES—	61	43	36	3	3	1	18	14	3	1	..	29
Ulcers of the Leg	97	36	32	2	2	..	61	56	3	1	1	35
other parts	30	14	10	3	16	7	6	3	..	30
Varicose Ulcers	3	1	1	2	1	1	32
Sinuses	5	4	2	1	1	..	1	1	14
Total Abscesses and Ulcers	196	98	81	9	7	1	98	79	13	5	1	..
GANGRENE—	4	3	3	1	1	35
EXTERNAL INJURIES—												
Fractures of Cranium	5	5	2	3	10
.. Nose	1	1	1
.. Clavicle	2	2	1	1	5
.. Jaw	4	3	2	1	1	..	1	27
.. Humerus	10	7	7	3	2	..	1	..	38
.. Fore-arm	4	2	2	2	2	45
.. Hand	1	1	1	21
.. Ribs	9	8	7	1	1	..	1	..	2	15
.. Femur	20	15	11	1	..	3	5	2	..	1	..	47
.. Patella	2	1	..	1	1	1	61
.. Leg	23	20	18	1	..	1	3	2	..	1	..	46
.. Tibia	10	8	4	1	..	3	2	1	..	1	..	39
.. Fibula	13	9	7	2	4	4	29
Dislocation of Clavicle	3	3	1	1	15
.. Shoulder	1	1	1	2
.. Radius and Ulna	1	1	1	4
.. Hip Joint	2	2	2	13
.. Ankle	1	1	1	58
Injuries of the Head	25	22	16	1	1	4	3	2	1	18
Face	4	3	2	1	1	1	16
.. Upper Extremities	43	39	24	5	1	..	13	11	1	1	..	15
.. Chest	10	10	10	10
.. Back and Inferior Extremities	41	27	21	2	4	..	14	10	4	17
Injuries of Spine	7	7	6	1	16
Gunshot Wounds	1	1	1	1
Wounds—various	16	11	8	1	2	..	5	5	14
Burns and Scalds	40	23	20	1	..	2	17	11	2	..	4	38
Cut Throat	1	1	1	14
Total External Injuries	300	223	175	20	10	18	77	55	10	4	8	..
MISCELLANEOUS—												
Lumbago	9	9	8	1	13
Sciatica	20	13	4	7	2	..	7	5	1	29
Acute Rheumatism	62	33	20	13	29	22	6	..	1	29
Chronic	83	55	33	17	5	..	28	19	9	25
Oedema	4	4	4	32
Ascites	6	1	1	..	5	..	2	1	..	41
Anasarca	13	7	4	2	1	..	6	3	1	..	2	20
Marasmus	1	1	1	7
Scorbutus	1	1	1	137
Scrofulous Diseases	10	7	3	2	1	1	3	2	1	72
Diabetes	5	4	4	..	1	..	1	80
Debility	7	4	1	3	3	2	..	1	..	14
Vermes	2	2	1	..	1	..	13
Poisoning	7	1	1	6	4	..	1	1	27
Ptyalism	2	1	1	1	1	25
Bronchocele	1	1	1	5
Intoxication	6	5	4	..	1	..	1	1	6
Not specified	33	23	6	5	12	..	10	2	..	7	1	19
Total Miscellaneous	272	169	90	50	27	2	103	63	21	13	6	..
											1.02	6.02

TABLE III.

GENERAL ABSTRACT EXHIBITING THE NUMBERS ADMITTED LABOURING UNDER EACH CLASS OF DISEASES, WITH THE RESULTS, AND MORTALITY PER CENT.

TABLE IV.

ADMISSIONS of FEVER PATIENTS in each Month during the Year ending 30th September 1845, with the Sex and Mortality per cent. during each Month.

Date.	Total.	Males.	Females.	Died.		Mortality per Cent.	
				Males.	Fem.	Males.	Females
1844. October . . .	108	53	55	4	5	7.5	9.09
... November . . .	89	35	54	3	7	8.5	12.9
... December . . .	55	29	26	6	8	20.6	30.7
1845. January . . .	51	21	30	2	2	9.5	6.6
... February . . .	49	22	27	2	4	6.8	14.8
... March . . .	32	15	17	1	1	6.6	5.8
... April . . .	23	11	12	1	3	9.9	25.
... May . . .	25	9	16	1	2	11.1	12.5
... June . . .	35	22	13	6	1	27.2	7.6
... July . . .	35	19	16	4	3	21.05	18.3
... August* . . .	19	10	9	2	...	20.	...
... September† . . .	9	7	2	3	...	42.8	...
Total . . .	530	253	277	35	36	13.12	11.5

* The cases of Febricula are excluded from this Table.

† The numbers represented under these months include those only who were discharged up to October. The others are embraced in the number then remaining in the house.

TABLE V.

DEATHS occurring in FEVER classified according to Age in Septennial periods.

Age.	Males.	Females.
7 to 14	1	1
14 ... 21	5	8
21 ... 28	9	6
28 ... 35	2	3
35 ... 42	7	7
42 ... 49	4	4
49 ... 56	4	4
56 ... 73	3	2
73 ... 80
80 ... 87	...	1
	35	36

In relation to this Table it becomes necessary to take into consideration that there were 194 Male Fever cases below the age of 30, and only 10 above that of 50. Of the Females there were 193 below 30, and 11 above 50.

TABLE VI.

Shewing the Mortality per cent. of FEVER CASES for the last
Six Years.

Date.	Total.	Males.	Females.	DIED.		Mortality per Cent.	
				Males.	Females.	Males.	Females.
From 1st July 1839 to 1st Oct. 1841	2194	1019	1175	153	148	15.1	12.59
... 1st Oct. 1841 to 1st Oct. 1842	851	421	430	68	47	16.15	10.93
... 1st Oct. 1842 to 1st July 1843	822	406	416	35	21	8.61	5.07
... 1st July 1843 to 1st Oct. 1844	4645	2286	2359	189	172	8.27	7.29
... 1st Oct. 1844 to 1st Oct. 1845	683	322	361	39	38	13.12	11.5
	9195	4454	4761	484	426		

TABLE VII.

MISSION of PATIENTS with SMALL POX, and the Number of Deaths
in each Month, contrasted with a similar Table made from the returns of the
preceding Year.

Months.	1844-5.						1843-4.					
	Total Cases.	Males.	Fem	Deaths.		Mortality per Cent.	Total Cases.	Males.	Fem.	Deaths.		Mortality per Cent.
				Males.	Fem.					Males.	Fem.	
October
November	.	1	1	2	2	2
December	.	1	1	1	1	1	...	1	...
January	.	2	1	1	1	...	1	...	1
February	.	3	2	1
March	.	2	1	1
April	.	10	5	5	2	...	1	...	1
May	.	5	...	5	2	1	1
June	.	9	3	6	2	...	2
July	.	10	7	3	1	...	2	1	1
August	.	5	5	...	1	...	1	...	1
September	.	3	2	1	1	...	1	...	1	...
Total	.	51	28	23	5	...	17.8	13	5	8	1	1
											20.	12.5

TABLE VIII.

uses of SMALL POX Admitted during the Year 1844-5, arranged according to the Ages of the Patients, contrasted with a similar Table made from the returns of the Year 1843-4.

TABLE IX.

Shewing the Number of PHTHISICAL PATIENTS admitted each Month, from July 1843 to October 1845, classified according to Sex.

Months.		Males.	Fem.	Total.	Months.		Males.	Fem.	Total.
1843.	July .	5	4	9	1844.	September .	2	2	4
...	August .	6	1	7	...	October .	5	2	7
...	September .	1	2	3	...	November .	6	6	12
...	October .	3	4	7	...	December .	5	1	6
...	November .	5	1	6	1845.	January .	6	4	10
...	December .	6	1	7	...	February .	8	5	13
1844.	January .	8	2	10	...	March .	6	2	8
...	February .	3	6	9	...	April .	10	2	12
...	March .	6	3	9	...	May .	10	7	17
...	April .	7	6	13	...	June .	8	2	10
...	May .	9	6	15	...	July .	6	2	8
...	June .	11	7	18	...	August .	4	3	7
...	July .	7	3	10	...	September .	2	1	3
...	August .	2	4	6	...	October

TABLE X.

Exhibiting the Number of PATIENTS admitted with PHTHISIS PULMONALIS from July 1843 to October 1845, arranged according to their Ages, with the Average Mortality per cent.

Ages.	Total.	Males.	Cured.	Relieved.	Other Grounds.	Died.	Females.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per Cent	
												(Males.)	(Females.)
From 10 to 15	3	2		1	1	...	1	...	1
... 15 ... 20	21	15		9	1	5	6	...	2	...	4	33.33	66.66
... 20 ... 30	108	64	1	23	13	27	44	...	17	7	20	42.18	45.45
... 30 ... 40	58	40	...	16	7	17	18	...	8	1	9	42.5	50.
... 40 ... 50	46	28	...	9	5	15	18	...	7	2	9	50.	50.
... 50 ... 60	7	5	5	2	...	1	...	1	100.	50.
... 60 ... 70	3	3	2	1	33.33	...
	246	157	1	58	29	69	89	...	36	10	43		

Total Mortality per cent. of Males,	43.95
... Females,	48.31
... Males and Females,	45.52

TABLE XI.

Shewing the Number of PATIENTS admitted with PNEUMONIA from July 1843 to October 1845, classified according to the Months of Admission, with the Results and Mortality per cent.

Months.	Total.	Males.	Cured.	Relieved.	Other Grounds.	Died.	Females.	Cured.	Relieved.	Other Grounds.	Died.
October .	4	3	2	1	1	1
November .	8	6	3	3	2	1	1
December .	9	7	5	1	...	1	2	1	1
January .	9	8	7	1	1	1
February .	5	2	...	1	1	...	3	3
March .	6	6	5	1
April .	6	5	2	2	...	1	1	1
May .	6	5	3	2	1	1
June .	7	6	5	1	1	1
July .	8	6	3	3	2	2
August .	10	7	1	6	3	1	2
September .	3	3	1	2
	81	64	37	6	1	20	17	13	4

Mortality per cent. of Males, 31.25
 Females, 23.52
 Males and Females, 29.61

TABLE XII.

Shewing the Number of PATIENTS admitted with GRANULAR DISEASE of KIDNEY, from July 1843 to October 1845, arranged according to the Months of Admission, with the Results and Mortality per cent.

Months.	Total.	Males.	Cured.	Relieved.	Other Grounds.	Died.	Females.	Cured.	Relieved.	Other Grounds.	Died.
October .	4	3	1	1	...	1	1	1
November .	3	3	...	3
December .	4	3	1	2	1	1
January .	13	8	3	2	1	2	5	...	3	2	...
February .	3	3	1	2
March .	9	4	...	2	1	1	5	...	4	...	1
April .	8	7	1	2	1	3	1	1
May .	5	3	...	2	...	1	2	...	1	...	1
June .	1	1	...	1
July .	7	5	1	3	...	1	2	2
August .	6	3	...	1	2	...	3	2	1
September .	3	1	1	2	2
	66	44	8	17	5	14	22	2	9	2	9

Mortality per cent. of Males, 31.81
 Females, 40.90
 Males and Females, 34.84

TABLE XIII.

Shewing the Number of Cases of MORBUS CORDIS admitted during the last 27 Months, classified according to Septennial Periods, with the Mortality per cent.

Ages.	Total.	Males.	Cured.	Relieved.	On other Grounds.	Died.	Females.	Cured.	Relieved.	On other Grounds.	Died.	Mortality per cent.
7 to 14 .	1	1	1	100.
14 ... 21 .	19	13	...	8	1	4	6	4	1	1	...	21.
21 ... 28 .	21	14	...	7	2	5	7	...	2	1	4	42.8
28 ... 35 .	17	13	1	8	3	1	4	...	2	...	2	16.8
35 ... 42 .	21	12	...	7	2	3	9	1	2	1	5	38.2
42 ... 49 .	18	13	1	6	1	5	5	...	2	1	2	38.8
49 ... 56 .	20	14	...	8	1	5	6	1	5	50.
56 ... 63 .	21	15	...	6	2	7	6	...	4	...	2	42.8
63 ... 70 .	7	5	...	2	1	2	2	...	1	...	1	42.8
70 ... 77 .	12	6	...	2	1	3	6	...	4	...	2	41.6
77 ... 84 .	1	1	1	100.
	158	107	2	54	14	37	51	5	18	5	23	

Total Mortality per cent. Males, 34.6
 Females, 45.0
 Males and Females, 37.9







