

Statistical tables of the Royal Infirmary of Edinburgh / compiled by John Hughes Bennett, M.D.

Contributors

Bennett, John Hughes, 1812-1875.
Royal Infirmary of Edinburgh.
University of Glasgow. Library

Publication/Creation

Edinburgh : [Printed by Neill and Company], 1848.

Persistent URL

<https://wellcomecollection.org/works/fk3e3erq>

Provider

University of Glasgow


License and attribution

This material has been provided by This material has been provided by The University of Glasgow Library. The original may be consulted at The University of Glasgow Library. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>





(1)
STATISTICAL TABLES
OF THE
ROYAL INFIRMARY
OF
EDINBURGH:


SEVENTH SERIES,
FROM 1st OCTOBER 1846 TO 1st OCTOBER 1847;

BEING AN
APPENDIX TO THE REPORT OF THE MANAGERS
FOR THE YEAR 1847.

COMPILED BY
JOHN HUGHES BENNETT, M.D.,
PATHOLOGIST AND KEEPER OF STATISTICS TO THE ROYAL INFIRMARY.

EDINBURGH:
PRINTED BY NEILL AND COMPANY.

MDCCCXLVIII.



Digitized by the Internet Archive
in 2015

<https://archive.org/details/b21474606>

TABLE I.

GENERAL STATEMENT of CASES treated in the ROYAL INFIRMARY between the 1st of October 1846 and the 1st of October 1847.

	Fever Cases.	Other Cases.	Total.
Remaining from last Report,	44	226	270
Admitted between 1st Oct. 1846 and 1st Oct. 1847, 4248		3187	7435
In Hospital during the year,	4292	3413	7705
Remaining in Hospital at 1st Oct. 1847, .	512	190	702
Discharged or Dying before 1st Oct. 1847, .	3780	3223	7003

Of these there left Hospital cured, . . .	5141
... left Hospital relieved, . . .	516
... left Hospital on other grounds, . . .	302
... died in Hospital,	1044

7003

TABLE II.

PATIENTS treated in the ROYAL INFIRMARY between the 1st October 1846 and the 1st October 1847; arranged according to their DISEASES.

DISEASES.	Totals.	MALES.					FEMALES.					Average Residence in Hospital. Days.	Mortality per Cent.	
		Total Males.	Cured.	Relieved.	On other Grounds.	Died.	Total Females.	Cured.	Relieved.	On other Grounds.	Died.		Males.	Females.
FEVERS—Synocha, Syno- chus, and Typhus . . .	3633	2196	1861	335	1437	1291	146	31		
Dothinenteritis . . .	35	24	10	14	11	6	5	39		
Gastric Fever . . .	4	1	1	3	3	27		
Intermittent Fever . . .	5	5	4	1	22		
Febricula . . .	103	49	49	54	54	15		
Total Fevers . . .	3780	2275	1924	351	1505	1354	151		15.42	10.03
OF NERVOUS SYSTEM—														
Amentia . . .	1	1	1	3		
Anæsthesia . . .	1	1	1	6		
Apoplexy . . .	15	12	1	11	3	3	3		
Cephalalgia . . .	18	13	8	2	3	...	5	3	2	14		
Chorea . . .	4	1	...	1	3	1	2	28		
Delirium Tremens . . .	70	61	38	23	9	7	2	15		
Epilepsy . . .	18	14	...	8	5	1	4	...	3	1	...	12		
Hemicrania . . .	4	3	3	1	1	45		
Hydrocephalus . . .	2	2	2	9		
Hypochondriasis . . .	4	4	2	1	1	11		
Hysteria . . .	24	24	9	15	37		
Insanity . . .	2	1	1	...	1	...	1	11		
Mania . . .	12	7	1	...	5	1	5	2	3	12		
Melancholia . . .	3	1	1	...	2	...	1	1	...	15		
Meningitis . . .	4	2	2	...	2	2	15		
Monomania . . .	1	1	1	...	1		
Morbus Cerebri . . .	14	9	2	2	...	5	5	1	...	2	2	18		
Myelitis . . .	1	1	1	53		
Neuralgia . . .	9	4	2	1	1	...	5	5	15		
Paralysis—kind not stated	11	8	3	2	3	...	3	1	1	1	...	32		
Hemiplegia . . .	13	9	1	3	3	2	4	2	1	...	1	34		
Paraplegia . . .	15	13	5	2	4	2	2	1	1	36		
Paralysis generalis . . .	1	1	1	9		
Paralysis partialis . . .	5	3	3	...	2	1	...	1	...	28		
Phrenitis . . .	1	1	1	6		
Pseudo-tetanus . . .	1	1	1	6		
Spinal Chord, Disease of	2	2	1	...	1	18		
Spinal Irritation . . .	15	15	11	4	41		
Tetanus . . .	5	5	5	12		
Vertigo . . .	2	2	1	1	12		
Total of Nervous System	278	181	68	23	36	54	97	45	30	8	14		29.83	14.53
OF ORGANS OF RE- SPIRATION—														
Aphonia . . .	1	1	1	39		
Asthma . . .	5	4	...	3	1	...	1	...	1	13		
Bronchitis . . .	218	183	78	25	9	21	85	51	14	2	18	23		
Catarrh . . .	5	3	3	2	2	6		
Emphysema . . .	21	11	...	5	1	5	10	...	1	2	7	20		
Glottis Contracted . . .	1	1	...	1		
Hæmoptysis . . .	3	2	1	1	1	...	1	30		
Laryngitis Acutus . . .	5	1	1	4	3	1	19		
Laryngitis Chronicus . . .	7	2	1	1	5	4	1	39		
Pertussis . . .	4	1	1	3	...	2	1	...	19		
Phthisis Pulmonalis . . .	145	97	3	34	9	51	48	2	12	6	28	47		
Pleuritis . . .	57	50	32	2	6	10	7	6	1	21		
Pleurodynia . . .	30	21	18	3	9	6	2	1	...	10		
Pneumonia . . .	93	68	36	4	...	28	25	11	...	1	13	21		
Pulmonum Gangræna . . .	2	1	1	1	1	9		
Pulmonum Œdema . . .	1	1	1	8		
Total Respiratory Organs	598	396	173	77	28	118	202	85	35	13	69		29.79	34.15

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY between the 1st October 1846 and the 1st October 1847; arranged according to their DISEASES—*continued*.

DISEASES.	MALES.						FEMALES.					Average Residence in Hospital. Days.	Mortality per Cent.	
	Totals.	Total Males.	Cured.	Relieved.	On other Grounds.	Died.	Total Females.	Cured.	Relieved.	On other Grounds.	Died.		Males.	Females.
OF ORGANS OF CIRCULATION—														
Aneurisma Externum	1	1	1	32		
Aneurisma Internum	3	1	...	1	2	1	1	24		
Cardiac Dropsy	1	1	1	47		
Lymphatics, Inflamed	1	1	1	20		
Morbus Cordis	101	72	1	37	10	24	29	...	17	1	11	27		
Pericarditis	6	3	2	1	3	2	...	1	...	33		
Phlebitis	4	1	1	3	3	42		
Venæ Varicosæ	2	1	...	1	1	1	16		
Total Organs of Circulation	119	79	5	39	10	25	40	8	17	3	12		31·64 30·00	
OF THE DIGESTIVE ORGANS—														
Cholera	1	1	1	3		
Colica	5	3	3	2	2	15		
Constipatio	7	2	1	1	5	5	10		
Cynanche Tonsillaris	24	8	7	...	1	...	16	13	1	2	...	17		
Diarrhoea	81	64	55	...	1	8	17	8	3	1	5	14		
Dysenteria	30	22	15	...	1	6	8	2	6	23		
Dyspepsia	87	43	14	18	11	...	34	15	15	4	...	27		
Dysphagia	1	1	1	15		
Enteritis	3	3	1	1	...	1	28		
Gastralgia	2	2	2	31		
Gastro-enteritis	2	2	1	1	14		
Glossitis	1	1	1	15		
Hepatis Morbus	19	15	3	2	...	10	4	1	1	...	2	24		
Hepatitis	4	2	2	2	2	25		
Hernia	10	4	4	6	3	2	...	1	20		
Hernial Sac, abscess in	1	1	1	27		
Icterus	6	6	2	...	1	3	10		
Ileus	2	2	2	11		
Mesenteric Gland Disease	5	3	...	2	...	1	2	...	1	1	...	13		
Œsophagus Strictured	3	3	1	1	1	18		
Parotitis	1	1	1	42		
Parulis	1	1	1	12		
Peritonitis	11	5	2	1	1	1	6	4	1	...	1	57		
Spleen Disease	2	2	...	1	1	24		
Stomach Disease	7	5	2	3	2	1	1	15		
Ulcerated Stomach	1	1	13		
Ulcerated Throat	13	8	3	3	2	...	5	3	...	1	1	19		
Ulcers perforating Cæcum	1	1	1	15		
Vermes	1	1	1	29		
Vomiting	2	1	1	1	...	1	100		
Total of the Digestive Organs	324	206	119	30	20	37	118	63	25	10	20		17·96 16·94	
OF URINARY ORGANS—														
Bright's Disease	68	47	4	20	4	19	21	1	5	...	15	35		
Diabetes Mellitus	2	1	1	...	1	1	...	66		
Dysuria	1	1	1	42		
Extravasation of Urine	2	2	2	5		
Fistula in Perineo	1	1	...	1	24		
Incontinence of Urine	3	3	...	1	2	...	17		
Kidney Disease,—not specified	8	6	3	2	...	1	2	...	1	1	...	38		
Nephritis	4	1	1	3	...	1	...	2	33		
Retention of Urine	3	3	2	1	15		
Rupture of Bladder	1	1	1	1		
Rupture of Urethra	1	1	...	1	4		
Stricture of Urethra	16	16	8	4	1	3	18		
Vesicæ Calculus	12	12	8	4	33		
Vesicæ Catarrhus	3	3	1	2	19		
Vesicæ Morbus	2	2	1	1	25		
Total of Urinary Organs	127	96	28	30	7	31	31	1	8	4	18		32·30 60·00	

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY between the 1st October 1846 and the 1st October 1847; arranged according to their DISEASES—*continued*.

DISEASES.	Totals.	MALES.					FEMALES.					Average Residence in Hospital. Days.	Mortality per Cent.	
		Males.	Cured.	Relieved.	On other Grounds.	Died.	Total Females.	Cured.	Relieved.	On other Grounds.	Died.		Males.	Females.
OF GENITAL ORGANS—														
Cirsocele	1	1	1	27		
Dropsy of Spermatic Chord	1	1	1	4		
Gonorrhœa	9	8	6	1	1	...	1	1	...	22		
Hæmatocele	2	2	2	29		
Hydrocele	14	14	11	1	1	1	22		
Leucorrhœa	5	5	2	3	12		
Orchitis	3	3	2	1	6		
Ovarii Morbus	2	2	2	...	42		
Penis Carcinoma	2	2	1	1	42		
Penis Phagedæna	1	1	1	31		
Phymosis	4	4	4	17		
Primary Syphilis	13	8	6	...	2	...	5	1	1	3	...	30		
Scroti Morbus	4	4	2	...	1	1	16		
Spermatic Abscess	1	1	1	33		
Testis Fungus	3	3	3	32		
Testis Sinus	1	1	1	3		
Tumour of Vagina	1	1	1	...	46		
Vesico-vaginal Fistula	1	1	1	60		
Uterine Disease	13	13	6	4	2	1	39		
Amenorrhœa	12	12	3	7	2	...	33		
Chlorosis	6	6	3	...	26		
Dysmenorrhœa	1	1	...	1	11		
Menorrhagia	4	4	4	14		
Total of Genital Organs .	104	53	42	3	5	3	51	16	19	14	2		5.66	3.92
OF THE INTEGUMENTARY SYSTEM, INCLUDING FEBRILE ERUPTIONS—														
Exanthemata—Erysipelas	94	54	40	...	2	12	40	34	...	1	5	27		
" Erythema	4	4	4	14		
" Erythema Nodosum	1	1	1	25		
" Rubeola	30	19	14	...	1	4	11	11	17		
" Scarlatina	9	4	4	5	5	25		
Bullæ—Rupia	1	1	1	14		
Maculæ—Nævus	1	1	...	1	44		
" Purpura	2	2	1	1	12		
Papulæ—Lichen	1	1	...	1	7		
Pustulæ—Acne	1	1	1	9		
" Ecthyma	2	1	1	1	...	1	36		
" Impetigo	1	1	...	1	46		
" Porrigo	1	1	...	1	13		
" Porrigo Favosa	2	2	...	1	1	53		
" Variola	58	30	28	2	28	25	...	3	...	27		
Squamæ—Ichthyosis	1	1	1		
" Lepra	3	1	1	2	1	1	33		
" Psoriasis	6	2	1	1	4	1	3	50		
Tuberculæ—Lupus	2	2	1	1	43		
" Verruca	1	1	1	31		
Vesiculæ—Eczema	6	3	2	...	1	...	3	2	1	15		
" Scabies	8	6	3	2	1	...	2	1	1	23		
Anthrax	2	2	1	1	20		
Cellulitis	1	1	1	45		
Furunculus	1	1	1	18		
Skin Disease, not named	1	1	1	15		
Total of Integ. System .	240	137	102	8	6	21	103	86	8	1	8		15.40	7.76

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY between the 1st October 1846 and the 1st October 1847 ; arranged according to their DISEASES—*continued.*

DISEASES.	Totals.	MALES.					FEMALES.					Average Residence in Hospital. Days.	Mortality per Cent.	
		Total Males.	Cured.	Relieved.	On other Grounds.	Died.	Total Females.	Cured.	Relieved.	On other Grounds.	Died.		Males.	Females.
OF THE EYE—														
Amaurosis	4	3	...	2	1	...	1	1	16		
Cataract	2	1	1	...	1	1	18		
Corneitis	1	1	1	36		
Epiphora	1	1	1	5		
Glaucoma	1	1	1	56		
Iritis	13	11	10	...	1	...	2	2	30		
Ophthalmia	16	12	6	2	4	...	4	3	1	31		
Sclerotitis	3	2	2	1	1	16		
Strabismus	1	1	1	7		
Ulcer of Cornea	2	2	1	1	90		
Other Eye Diseases	7	5	2	1	2	...	2	1	...	1	...	45		
Total Eye Diseases	51	39	23	6	10	...	12	10	1	1	...			
OF THE EAR—														
Deafness	1	1	1	6		
Hæmorrhage	1	1	...	1	133		
Otitis	1	1	1	13		
Otorrhœa	1	1	...	1	12		
Total Ear Diseases	4	1	1	...	3	1	2			
OF THE NOSE AND MOUTH—														
Nasal Polypus	2	1	1	...	1	1	10		
Nervous Affection of Nostril	1	1	...	1	14		
Phagedænic Ulcer of Nose	1	1	1	53		
Bleeding Ulcer of Mouth	1	1	...	1	10		
Hare Lip	2	1	1	1	1	32		
Ulcers and Tumours of Lip	13	13	13	8		
Not Specified	4	3	2	...	1	...	1	...	1	27		
Total of the Nose and Mouth	24	21	17	2	2	...	3	2	1			
OF THE LOCOMOTIVE ORGANS—														
Atrophy of Arm	1	1	1	18		
Atrophy of Deltoid	2	1	1	...	1	1	...	18		
Caries	19	17	11	1	2	3	2	...	1	1	...	29		
Club Foot	2	2	2	45		
Contraction from Burn	2	1	1	...	1	...	1	28		
Curvature of Spine	2	1	...	1	1	...	1	70		
Disease of Ankle-joint	11	7	4	...	3	...	4	2	...	1	1	60		
" Bursæ	4	4	3	...	1	...	16		
" Elbow-joint	14	8	5	1	...	2	6	3	2	...	1	29		
" Bones of Foot	5	4	2	2	1	1	...	71		
" Hip-joint	15	8	4	2	1	1	7	...	3	4	...	36		
" Knee-joint	24	13	9	3	...	1	11	5	2	3	1	45		
" Nail	1	1	1	10		
" Shoulder-joint	3	1	1	...	2	1	1	11		
" Spine	6	5	...	2	2	1	1	1	38		
" Wrist-joint	4	2	2	...	2	1	1	50		
Exostosis	1	1	1	8		
Hydrops Articulæ	1	1	1	25		
Necrosis	25	18	13	2	2	1	7	6	...	1	...	68		
Ostitis	1	1	1	49		
Periostitis	10	5	2	3	5	3	1	1	...	43		
Phagedæna and Gangrene	7	6	3	3	1	1	14		
Synovitis and Bursitis	19	7	4	3	12	9	2	1	...	32		
Whitlow	1	1	1	13		
Total of Locomotive Organs	180	110	63	20	15	12	70	35	14	16	5		10.20	7.14

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY between the 1st October 1846 and the 1st October 1847; arranged according to their DISEASES—*continued.*

DISEASES.	Totals.	MALES.					FEMALES.					Average Residence in Hospital. Days.	Mortality per Cent.	
		Total Males.	Cured.	Relieved.	On other Grounds.	Died.	Total Females.	Cured.	Relieved.	On other Grounds.	Died.		Males.	Females.
OF RECTUM AND ANUS—														
Condylomata	4	3	2	...	1	...	1	1	11		
Fissura Ani	2	2	2	17		
Fistula in Ano	19	17	15	...	2	...	2	2	20		
Hæmorrhoids	10	5	3	1	1	...	5	3	...	2	...	12		
Prolapsus Ani	1	1	...	1	4		
Scirrhus of Rectum . .	1	1	1	...	16		
Stricture of Rectum . .	2	2	2	18		
Total of Rectum and Anus	39	30	24	2	4	...	9	6	...	3	...			
TUMOURS—														
Abdominal Tumours . .	6	2	1	...	1	...	4	1	1	1	1	10		
Bronchocele	2	1	...	1	1	1	22		
Bubo	10	9	8	...	1	...	1	1	20		
Cancer	3	1	1	...	2	1	1	26		
Fibrous Polypus . . .	1	1	1	24		
Fungus Hæmatodes . .	1	1	1	51		
Medullary Sarcoma . .	2	2	1	1	41		
Scirrhus	4	4	1	...	2	1	26		
Tumour in Pharynx . .	1	1	1	5		
Tumours of Mamma . .	5	5	4	...	1	...	23		
Tumours of other parts	21	10	5	3	1	1	11	7	1	3	...	18		
Total Tumours . . .	56	28	16	4	6	2	28	14	2	8	4		7·14	14·28
ULCERS AND ABSCESES—														
Lumbar Abscess . . .	8	6	1	1	2	2	2	1	1	99		
Pelvic Abscess	4	4	3	...	1	...	43		
Other Abscesses . . .	28	18	14	...	4	...	10	6	2	2	...	45		
Sinuses	14	11	5	2	2	2	3	1	...	2	...	15		
Ulcers of Leg	92	49	39	3	6	1	43	32	5	4	2	41		
Ulcers of other parts .	12	8	5	1	2	...	4	4	31		
Total Ulcers and Abscesses	158	92	64	7	16	5	66	46	7	10	3		5·43	4·54
EXTERNAL INJURIES—														
Dislocation of Ankle .	3	2	2	1	1	30		
" Femur	3	3	1	...	1	1	12		
" Humerus . . .	5	4	2	...	2	...	1	1	12		
Fracture of Clavicle .	7	6	6	1	1	13		
" Cranium . . .	7	6	5	1	1	1	25		
" Femur	22	18	12	6	4	4	36		
" Femur at neck	5	3	2	...	1	...	2	2	60		
" Fibula	13	9	9	4	4	26		
" Fore-arm . . .	6	5	5	1	1	19		
" Humerus . . .	21	19	16	2	...	1	2	1	1	35		
" Leg	21	19	14	...	1	4	2	2	46		
" Olecranon . .	2	1	1	1	1	12		
" Pelvis	2	2	1	1	26		
" Ribs	9	7	6	1	2	1	...	1	...	14		
" Scapula	1	1	1	3		
" Super. Maxilla	1	1	1	7		
" Tibia	12	9	8	1	3	3	37		
Injury of Abdomen . .	2	2	2	12		
" Chest	5	5	2	1	...	2	15		
" Cornea	2	2	1	...	1	6		
" Eyelid (Sting)	1	1	...	1	16		
" Face	4	3	2	1	1	1	40		
" Head	21	17	13	...	1	3	4	4	13		
" Inferior Extre-														
mities	39	31	22	1	1	7	8	6	1	...	1	13		
" Pelvis	1	1	1	60		
" Spine	4	4	3	...	1	28		
" Superior Extre-														
mities	10	10	8	...	1	1	16		
Carried forward, . . .	229	191	144	6	10	31	38	32	1	1	4			

TABLE II.—PATIENTS treated in the ROYAL INFIRMARY
between the 1st October 1846 and the 1st October 1847 ; arranged
according to their DISEASES—*continued.*

DISEASES.	Totals.	MALES.					FEMALES.					Average Residence in Hospital. Days.	Mortality per Cent.	
		Total Males.	Cured.	Relieved.	On other Grounds.	Died.	Total Females.	Cured.	Relieved.	On other Grounds.	Died.		Males.	Females.
EXTERNAL INJURIES—														
Brought forward	229	191	144	6	10	31	38	32	1	1	4			
Burns and Scalds	50	26	18	...	5	3	24	12	1	1	10	44		
Compression of Brain	2	2	2	5		
Concussion of Brain	6	5	5	1	1	...	4		
Concussion of Retina	1	1	...	1	25		
Congestion of Brain (from suspension)	1	1	1	15		
Contusions	9	7	7	2	2	15		
Cut-throat	3	2	2	1	1	4		
Foreign Body in Tra- chea	2	1	1	1	1	15		
Sprains	3	3	1	1	1	16		
Wounds	30	24	18	1	1	4	6	5	1	20		
Total External Injuries	336	263	194	9	17	43	73	53	2	3	15		16·34	20·54
MISCELLANEOUS—														
Anæmia	1	1	1	62		
Anasarca	10	8	5	1	1	1	2	1	1	16		
Ascites	5	3	1	2	2	2	29		
Debilitas	10	6	3	1	...	2	4	2	2	19		
Inebrietas	21	11	11	10	10	2		
Lumbago	4	4	3	...	1	10		
Mercurialism	5	3	2	...	1	...	2	1	1	13		
Poisoning	11	5	5	6	6	7		
Œdema	2	2	2	20		
Rheumatism	156	103	66	34	3	...	52	34	13	4	1	23		
Sciatica	9	8	1	6	1	...	1	1	27		
Scorbutus	231	222	195	13	7	7	9	9	31		
Scrofula	14	12	6	5	...	1	2	1	1	26		
Secondary Syphilis	17	13	7	4	2	...	4	1	3	27		
Moribund	2	2	2		
None, and not stated	88	48	42	2	1	3	40	36	...	4		
Total Miscellaneous	585	450	349	66	17	18	135	105	19	8	3		3·10	2·27

TABLE III.

GENERAL ABSTRACT, EXHIBITING THE NUMBERS TREATED UNDER EACH CLASS OF DISEASES; WITH THE RESULTS, AND MORTALITY PER CENT.

DISEASES.	Total Males and Females.	MALES.					FEMALES.					Mortality per Cent.	
		Total Males.	Cured.	Relieved.	Other Grounds.	Died.	Total Females.	Cured.	Relieved.	Other Grounds.	Died.	Males.	Females.
Fevers	3780	2275	1924	351	1505	1354	151	15.42	10.03
Of Nervous System . . .	278	181	68	23	36	54	97	45	30	8	14	29.83	14.53
Organs of Respiration . .	598	396	173	77	28	118	202	85	35	13	69	29.79	34.15
Organs of Circulation . .	119	79	5	39	10	25	40	8	17	3	12	31.64	30.00
Organs of Digestion . .	324	206	119	30	20	37	118	63	25	10	20	17.96	16.94
Urinary Organs	127	96	28	30	7	31	31	1	8	4	18	32.30	60.00
Genital Organs	104	53	42	3	5	3	51	16	19	14	2	5.66	3.92
Integumentary System . .	240	137	102	8	6	21	103	86	8	1	8	15.40	7.76
Eye	51	39	23	6	10	...	12	10	1	1
Ear	4	1	1	...	3	1	2
Nose and Mouth	24	21	17	2	2	...	3	2	1
Locomotive Organs . . .	180	110	63	20	15	12	70	35	14	16	5	10.90	7.14
Rectum and Anus	39	30	24	2	4	...	9	6	...	3
Tumours	56	28	16	4	6	2	28	14	2	8	4	7.14	14.28
Ulcers and Abscesses . .	158	92	64	7	16	5	66	46	7	10	3	5.43	4.54
External Injuries	336	263	194	9	17	43	73	53	2	3	15	16.34	20.54
Miscellaneous	585	450	349	66	17	18	135	105	19	8	3	3.10	2.27
Total	7003	4457	3211	326	200	720	2546	1930	190	102	324		

TABLE IV.

FEVER CASES (except Febriculæ) treated during the Hospital Year 1846-7, arranged according to Date of Admission, with the Mortality per Cent. for either Sex.

Date.	Total.	Males.	Fem.	DIED.		Mortality per Cent.	
				Males.	Fem.	Males.	Females.
1846. October*	99	53	46	9	7	16.98	15.21
... November	61	39	22	7	4	17.94	18.18
... December	74	46	28	14	1	30.43	3.57
1847. January	66	33	33	2	6	6.06	18.18
... February	83	52	31	11	5	21.15	16.12
... March	175	115	60	17	7	14.78	11.66
... April	274	183	91	30	15	16.39	16.48
... May	435	259	176	45	18	17.37	10.22
... June	752	441	311	75	24	17.00	7.77
... July†	751	432	319	65	29	15.04	9.09
... August	679	419	260	52	26	12.41	10.00
... September	228	154	74	24	9	15.58	12.16
Total	3677	2226	1451	351	151	15.76	10.40

* The October numbers in this and the following similar Tables, are augmented by the Cases left in Hospital at the period of last Report.

† The admissions in July, August, and September, were respectively 762, 743, and 666; but the Table includes only those dismissed or dying before October last.

TABLE V.

DEATHS occurring in the above Cases of FEVER, classified according to the Age of the Patients, in Septennial Periods.

Age.	Males.	Females.
1 to 7	7	6
8 ... 14	13	9
15 ... 21	52	17
22 ... 28	97	27
29 ... 35	55	22
36 ... 42	45	25
43 ... 49	28	17
50 ... 56	27	13
57 ... 63	13	8
64 ... 70	3	2
71 ... 77	2	2
Ages not known	9	3
	351	151

TABLE VI.

Shewing the MORTALITY PER CENT. in FEVER CASES for the last Eight Years.

Date.	Total.	Males.	Fem.	DIED.		Mortality per Cent.	
				Males.	Fem.	Males.	Fem.
From July 1, 1839 to Oct. 1, 1841	2194	1019	1175	153	148	15.1	12.59
... Oct. 1, 1841 to Oct. 1, 1842	851	421	430	68	47	16.15	10.93
... Oct. 1, 1842 to July 1, 1843	822	406	416	35	21	8.61	5.07
... July 1, 1843 to Oct. 1, 1844	4645	2286	2359	189	172	8.27	7.29
... Oct. 1, 1844 to Oct. 1, 1845	683	322	361	39	38	13.12	11.5
... Oct. 1, 1845 to Oct. 1, 1846	693	381	312	54	36	14.12	11.53
... Oct. 1, 1846 to Oct. 1, 1847	3780	2275	1505	351	151	15.42	10.03
Total, . . .	13,668	7110	6558	889	613	12.50	9.19

TABLE VII.

Cases of SMALLPOX, arranged according to Date of Admission ; with the Deaths, and the Total Mortality per Cent.

Date.	Total.	Males.	Fem.	DIED.		Mortality per Cent.	
				Males.	Fem.	Males.	Fem.
1846. October .	1	...	1		
... November		
... December		
1847. January .	4	1	3		
... February	2	1	1		
... March .	9	6	3	1	...		
... April .	11	8	3	1	...		
... May .	13	7	6	...	1		
... June .	3	...	3	...	1		
... July .	6	1	5		
... August .	7	5	2	...	1		
... September	2	1	1		
Total, . .	58	30	28	2	3	6.66	10.71

TABLE VIII.

The above Cases of SMALLPOX, arranged according to the Age of the Patients.

Age.	Total.	Males.	Fem.	DIED.		Mortality per Cent.	Average.
				Males.	Fem.		
From 1 to 5	10	5	5	1	2	30.00	1 in 3
... 6 to 10	5	2	3
... 11 to 20	28	13	15	1	...	3.57	1 in 28
... 21 to 30	11	8	3	...	1	9.09	1 in 11
... 31 to 40	4	2	2
Total,	58	30	28	2	3	8.62	1 in 12

TABLE IX.

Cases of PHTHISIS PULMONALIS, arranged according to Sex,
and Date of Admission.

Date.	Males.	Females.	Total.
1846. October . .	19	8	27
... November . .	8	4	12
... December . .	6	4	10
1847. January . .	11	5	16
... February . .	4	7	11
... March . .	12	3	15
... April . .	14	4	18
... May . .	7	4	11
... June . .	7	5	12
... July . .	4	2	6
... August . .	5	2	7
... September
Total . .	97	48	145

TABLE X.

The above Cases of PHTHISIS PULMONALIS, arranged according to
the Age of the Patients; with the Results, and the Mortality per
Cent.

Age.	Total.	Males.	Cured.	Relieved.	On other Grounds.	Died.	Females.	Cured.	Relieved.	On other Grounds.	Died.	Mortality per cent.	
												Males.	Females.
From 1 to 5	1	1	1	...	100·00
... 6 ... 10	2	1	...	1	1	1	...	100·00
... 11 ... 20	32	20	...	5	2	13	12	1	5	1	5	65·00	41·66
... 21 ... 30	63	43	2	17	1	23	20	1	4	5	10	53·48	50·00
... 31 ... 40	22	16	...	3	4	9	6	...	1	...	5	56·25	83·33
... 41 ... 50	14	7	...	2	1	4	7	...	2	...	5	57·14	71·43
... 51 ... 60	6	6	1	3	1	1	16·66	...
... 61 ... 70	3	2	...	2	1	1	...	100·00
... 71 ... 80	1	1	1	100·00	...
Age not known	1	1	...	1
Total . .	145	97	3	34	9	51	48	2	12	6	28		

Total Mortality per cent. of Males, . . . 52·57
 Females, . . . 58·33
 Males and Females, . 54·48

TABLE XI.

Cases of PNEUMONIA, arranged according to the Date of Admission ;
with the Results, and the Mortality per Cent.

Date.	Total.	Males.	Cured.	Relieved.	On other Grounds.	Died.	Females.	Cured.	Relieved.	On other Grounds.	Died.
1846. October .	13	7	7	6	3	3
... November	13	11	4	2	...	5	2	1	1
... December	6	4	3	1	2	2
1847. January .	12	11	9	2	1	1
... February .	6	4	1	3	2	2
... March .	12	9	1	1	...	7	3	1	2
... April .	12	7	3	1	...	3	5	3	2
... May .	6	3	3	3	1	2
... June .	4	4	1	3
... July .	3	3	1	2
... August .	3	3	2	1
... September	3	2	1	1	1	1
	93	68	36	4	...	28	25	11	...	1	13

Mortality per cent. of Males, 41·17
 Females, 52·00
 Males and Females, . . 44·08

TABLE XII.

Cases of BRIGHT'S DISEASE, arranged according to Date of
Admission ; with the Results, and the Mortality per Cent.

Date.	Total.	Males.	Cured.	Relieved.	On other Grounds.	Died.	Females.	Cured.	Relieved.	On other Grounds.	Died.
1846. October .	6	3	...	1	...	2	3	...	1	...	2
... November	5	3	1	2	2	2
... December	5	3	2	1	2	...	1	...	1
1847. January .	13	9	...	5	...	4	4	...	2	...	2
... February .	4	3	...	3	1	1
... March .	8	6	...	4	...	2	2	2
... April .	7	2	...	1	...	1	5	1	1	...	3
... May .	5	3	...	1	1	1	2	2
... June .	6	6	...	2	1	3
... July .	4	4	...	1	1	2
... August .	4	4	1	3
... September	1	1	1
Total .	68	47	4	20	4	19	21	1	5	...	15

Mortality per cent. of Males, 40·42
 Females, 71·42
 Males and Females, . . 50·00

TABLE XIII.

Cases of MORBUS CORDIS, arranged according to Date of Admission,
with the Results.

Date.	Total.	Males.	Cured.	Relieved.	On other Grounds.	Died.	Females.	Cured.	Relieved.	On other Grounds.	Died.
1846. October .	16	14	...	7	2	5	2	...	1	...	1
... November	9	4	..	3	1	...	5	...	4	...	1
... December	12	9	...	6	1	2	3	...	2	...	1
1847. January .	10	8	...	4	...	4	2	...	2
... February .	9	5	...	2	...	3	4	...	2	...	2
... March . .	8	6	...	3	1	2	2	...	1	...	1
... April . .	5	5	...	5
... May . .	8	7	...	4	1	2	1	...	1
... June . .	11	6	...	1	3	2	5	...	2	...	3
... July . .	7	4	1	3	3	...	1	1	1
... August .	2	2	...	2
... September	4	2	1	1	2	...	1	...	1
Total, . .	101	72	1	37	10	24	29	...	17	1	11

TABLE XIV.

The above Cases of MORBUS CORDIS, classified according to the Age
of the Patients, in Septennial Periods; with the Results, and the
Mortality per Cent.

Age.	Total.	Males.	Cured.	Relieved.	On other Grounds.	Died.	Females.	Cured.	Relieved.	On other Grounds.	Died.	Mortality per cent.	
												Males.	Females.
From 7 to 14	3	1	...	1	2	...	2
... 15 ... 21	10	7	...	5	2	...	3	...	3
... 22 ... 28	13	9	...	4	1	4	4	1	3	44·44	75·00
... 29 ... 35	19	11	...	7	2	2	8	...	5	...	3	18·18	37·50
... 36 ... 42	14	12	1	5	2	4	2	...	1	...	1	33·33	50·00
... 43 ... 49	15	11	...	7	1	3	4	...	3	...	1	27·27	25·00
... 50 ... 56	4	4	1	3	75·00	...
... 57 ... 63	17	12	...	5	...	7	5	...	3	...	2	58·33	40·00
... 64 ... 70	3	2	...	2	1	1	...	100·00
Aged 80 .	1	1	1	100·00	...
Age not known	2	2	...	1	1
Total .	101	72	1	37	10	24	29	...	17	1	11		

Total Mortality per cent. of Males, . . . 33·80
 Females, . . . 36·66
 Males and Females, 34·65

TABLE XV.

Cases of SCURVY, and SCURVY with FEVER, arranged according to Date of Admission, with the Results.

Date.	Total.	Males.	Cured.	Relieved.	On other Grounds.	Died.	Females.	Cured.	WITH FEVER.			
									Total Males.	Total Females.	Died Males.	Died Females.
1846. October
... November
... December
1847. January .	2	2	2
... February .	14	12	12	2	2
... March . .	34	34	31	1	2	2
... April . .	89	87	78	6	3	...	2	2	4
... May . .	60	57	50	3	1	3	3	3	14	3	3	...
... June . .	23	21	14	3	1	3	2	2	5	...	2	...
... July . .	4	4	4	3	1	...	1
... August .	3	3	3	2
... September	2	2	1	1
Total, . .	231	222	195	13	7	7	9	9	30	4	5	1

TABLE XVI.

SURGICAL OPERATIONS employed in the Treatment of Cases included in this Report.*

CASES.	OPERATIONS.					DEATHS.	CASES.	OPERATIONS.				DEATHS.
	Amputation.	Excision of Bones and Joints.	Excision of Soft Parts.	Special Operation.	Lithotomy.			Amputation.	Excision of Soft Parts.	Special Operation.	Tracheotomy.	
Aneurism	1	Fissura Ani	1
Bronchocele	1	Fistula in Ano	1
Calculus Vesicæ	10	3	Foreign Body in Larynx	1	...
Carcinoma of Lip	8	Fracture of Bones of Foot	1
... Penis . .	2	1	... Elbow-joint (comp.)	1
Cirsocele	1 Humerus (comp.)	1
Club-foot	2 Tibia and Fibula (comp.)	1
Disease of Ankle-joint	5	1	Fungus Testis	1
... Elbow-joint	...	3	Hare-lip	2
... Femur . .	1	Hæmatocele	1
... Foot and Toes	8	Hernia	8
... Hand and Fingers	4	Hydrocele	5	...	1
... Humerus . .	1	Injury of Hand . .	4	1
... Knee-joint .	4	1	... Foot . . .	4	2
... Leg . . .	2 Leg . . .	1	1
... Mamma	5	Laryngitis	5	2
... Superior Maxilla	...	1	Nasal Polypi	1
... Wrist . . .	1	Stricture of Rectum	1
Epiphora	1	Various Tumours	6	1
Total	4	10	...	Total . . .	41	20	32	6	14

* This Table is composed from the Returns given to the Statistician, without professing to comprise all the Operations performed in the House.



