## Statistical tables of the Royal Infirmary of Edinburgh.

### **Contributors**

Royal Infirmary of Edinburgh. University of Glasgow. Library

## **Publication/Creation**

Edinburgh: [Printed by Robert Hardie & Co.], 1849.

## **Persistent URL**

https://wellcomecollection.org/works/xjzecu2d

## **Provider**

University of Glasgow

## License and attribution

This material has been provided by This material has been provided by The University of Glasgow Library. The original may be consulted at The University of Glasgow Library. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org





OF

# THE ROYAL INFIRMARY OF EDINBURGH.

SIXTH SERIES:

FROM 1st OCTOBER 1847 TO 1st OCTOBER 1848;

BEING AN

APPENDIX TO THE REPORT OF THE MANAGERS FOR THE YEAR 1848.

EDINBURGH:

PRINTED BY ROBERT HARDIE & CO. 20. FREDERICK STREET.

# INDEX.

lable I.	GENERAL STATEMENT of Cases treated in the Royal Infirmary, Edinburgh, between the 1st of October 1847 and the 1st of October 1848, . pag	7e 3
II.	The same Cases, arranged according to the Diseases; with the Results, .	4-8
	General Abstract, exhibiting the Numbers treated under each class of Diseases; with the Results, and Mortality per cent.	9
IV.	Number of Fever Patients admitted in each Month during the Year ending 30th September 1848; with the Sex, and Monthly Mortality per Cent.	10
v.	Table showing the Mortality per Cent. in Fever Cases for the last Nine Years,	ib.
VI.	Number of Patients admitted with SMALL Pox; with the Deaths in each Month, and Total Mortality per Cent	11
VII.	Cases of SMALL Pox admitted during the Year, arranged according to the Ages of the Patients,	ib.
VIII.	Table showing the Number of Phthisical Patients admitted each Month from October 1847 to October 1848, classified according to Sex, .	ib.
IX.	The same Cases arranged according to the Age of the Patients; with the Results, and the Mortality per Cent	12
X.	Cases of PNEUMONIA, arranged according to the Date of Admission; with the Results, and Mortality per Cent.	ib.
XI.	Cases of Bright's Disease, arranged according to the Date of Admission; with the Results, and Mortality per Cent.	13
XII.	Cases of Morbus Cordis, arranged according to the Date of Admission; with the Results,	ib.
XIII.	The same Cases Classified according to the Age of the Patients in Septennial Periods; with the Results, and Mortality per Cent.	14

## TABLE I.

GENERAL STATEMENT of CASES treated in the ROYAL INFIRMARY, EDINBURGH, between the 1st of October 1847 and the 1st of October 1848.

Total Cases treated to a termination during the year,			7446
Of these were dismissed—Cured,		5562	
Relieved,		452	
Not Relieved, Irregular, or from other causes,		257	
Died,		1175	
		-	7446

## TABLE II.

CASES treated to a Termination between the 1st of October 1847 and the 1st of October 1848; arranged according to the DISEASES.

DISEASES.	Total Males and Females	Total.												
FEVER—	-		Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Average Residence.	Morta per C	ent.
FEVER-	1001			R	-	D			R	-		Days.	Males.	Females
Febricula Intermittent Dothinenteritis .	4694 101 21 3	2991 57 20 2	2478 57 20		20	493	1703 44 1 1	1471 44 1 1		3	229	26 7 17 28		
Total Fevers,	4819	3070	2555	***	20	495	1749	1517		3	229		16:12	13.09
OF NERVOUS SYSTEM— Apoplexia Cephalalgia Chorea Delirium Tremens Dementia Epilepsy Hypochondriasis Hysteria Insanity Mania Melancholia Morbus Cerebri Myelitis Neuralgia Paralysis: kind not state Hemiplegia Paraplegia Partial Spinal Irritation Vertigo	9 5 3 40 1 14 3 15 1 6 3 10 1	5 3 1 33 1 8 1 1 4 1 7 4 10 7 9 4 4	1 20 4 1 2 1 1 1 3	2 1 2 1 4 1 7 4 4 4 1	1	5	4 2 2 7 6 2 15 2 2 3 1 1 5 2 2 3 1 1 1 10	1 2 6 1 6 2 1 2 1 4	2	1 1 2 1 2 1	1	15 13 8 14 21 18 17 24 63 19 21 11 57 34 36 32 49 95 24 9		THE STATE OF THE S
Vertigo Total of Nervous System,	171	103	34	27	12	30	68	23	30	9	6		29.12	8:82
OF ORGANS OF RESPIRATION— Asthma Bronchitis Catarrhus Epidemicus Emphysema Empyema Hæmoptysis Hydrothorax Laryngitis Pertussis Phthisis Pulmonalis Pleuritis Pleurodynia Pneumonia Pleuro-Pneumonia Pulmonum Gangræna	4 143 17 15 3 2 2 2 11 1 80 51	78 12 14 2 1 2 4 4 1 56 38 4 66 14	47 12 2 1 1 2 1 21 3 34 8	1	ï	26 10 29 5	7 24 13 1 22 2	5  1 7 1 11 1	3 10    5 1	1  1  2 	16 5  9 1	17 22 12 16 50 16 37 15 50 20 14 24 28 31		
Total Respiratory Organs	440	298	132	47	20	94	147	78	21	9	39		32.08	26.53
OF ORGANS OF CIRCU LATION— Angina Pectoris Aneurisma Internum Cardiac Dropsy Epistaxis Morbus Cordis Pericarditis Venæ Varicosæ	2 7	45	1 1 1 1 2 1	1 1 1 24	4	5 19			6		9 2	39 5 31 15	25.45	60-00

TABLE II.—CASES treated to a Termination between the 1st of October 1847 and the 1st of October 1848; arranged according to the DISEASES,—Continued.

	es.		M.	ALE	s.			FE	MAI	ES.		ge nce.		
DISEASES.	Total Males and Females	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Average Residence.	per	Cent.
OF THE DIGESTIVE ORGANS— Cardialgia Colica Constipatio Constipatio Cynanche Tonsillaris Diarrhœa Dysenteria Dyspepsia Gastralgia Gastralgia Gastritis Glossitis Hæmatemesis Hepatis Morbus Hernia Hepatitis Icterus Marasmus Parotitis Parulis Peritonitis Peritonitis Spleen Disease Stomach Disease Stomach Disease Tympanitis Ulcerated Throat Vomiting	2 5 4 28 28 40 36 1 1 1 4 18 5 3 4 1 15 1 6 4 1 8 2	1 4 3 9 23 288 25 1 2 11 4 3 2 3 6 6 3 1 5 2	1 2 2 8 8 18 177 17 2 1 1 2 1 1 2 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1	1 1 1 1 1 1 5 2 2 2 2	1 1 2 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 18 5 7 7 7 1 2 2 1 2 1 5 1 3	1 1 1 1  3     	 1       	  5  1  4     	11 10 32 15 18 27 28 7 41 16 29 32 16 30 14 1 9 3 17 12 15 48 6 23 24		
Vermes	1	1	1									18	10.10	
Total Organs of Digestion,	223	143	83	21	11	28	80	56	7	4	13	***	19.58	16.25
OF URINARY ORGANS— Bladder, Rupture of . "Stone in . "Inflammation of . "Disease of — not	1 10 1	1 10 	4		2	1 4	 ï		 ï			2 37 10		
specified .  Bright's Disease .  Diabetes Insipidus .  Mellitus .  Fistula in Perinaco .  Hæmaturia .  Kidney—Disease not spe-	3 25 1 3 1	3 18 1 2 1 1	  1	6  1 	2 3 1 	1 9  1 	"7 "1 …		"2 "1 …	··· 2 ··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	8	19 34 29 78 54 41		
cified Nephralgia Nephritis Urethra, Bleeding from Stricture of Urine, Incontinence of Retention of Urinary Irritation	7 2 2 2 2 17 1 8 7	3 2 2 2 17 1 8 7	2 2 8 	1  6 1 1 4	  2  3	2  2  1  2	4		1	1	2	17 9 16 5 20 21 10 23		
Total of Urinary Organs,	92	79	21	20	15	23	13	***	5	3	5		29.11	38:46
OF GENITAL ORGANS—Balanitis Gonorrhœa Hæmatocele Hydrocele Hydro-Sarcocele Labia, Warts of Leucomrhœa Ovarian Dropsy Penis, Cancer of "Phag, Ulcer of "Warts of Phymosis Paraphymosis	1 22 5 8 4 8 7 1 1 3 2 8 3	1 10 5 8 4   1 3 2 8 3	1 6 3 5   1 3 2 6 3	2 1 1 4 2 2	2 1 1 	1	12    8 7 1  	9	3	3		36 19 43 12 24 46 23 33 11 23 21 20 15		
Scrotum, Disease of .	2	2	2									29		
Carry forward,	75	47	32	10	4	1	28	17	5	6				

TABLE II.—CASES treated to a Termination between the 1st of October 1847 and the 1st of October 1848; arranged according to the DISEASES, —Continued.

	10 m		M	ALE	S.		1	FEI	MAI	ES.	-	i e		
DISEASES.	Total Males and Females	Total	Cured.	Relieved.	Other Grounds.	d.	al	Cured.	Relieved.	Other Grounds.	d.	Average Residence.		tality Cent.
	To	Tot	Cun	Rel	Out	Died.	Total,	Cun	Rel	Oro	Died.	Days.	Males.	Females
OF GENITAL ORGANS— continued—Bt. forward, Syphilis, Primary . "Secondary . Testis, Cancer of .	75 141 20 1	47 15 12 1	32 6 3	10 5 4	4 3 5 1	1 1	28 126 8	17 97 4	5 7 3	6 21 1		32 39 4		
" Chronic Enlarge- ment of . " Fungus of .	3 5	3 5	1 4	2 1								31 35		
" Disease of—not specified . Uterus, Schirrus of	5	5	3	2					 1	2		11 41		
", Cancer of . ", Disease of — not specified .  Amenorrhoa	6 26						6 26	2 10	1 4 15		2	17 50 25		
Chlorosis Menorrhagia	9 3						9 3	3	5	1	ï 	23 28		
Total of Genital Organs,	300	88	49	24	13	2	212	135	41	32	4		2.27	1.88
OF THE INTEGUMENTARY SYSTEM, INCLUDING FEBRILE ERUPTIONS—	04		05				10	20			0	90		
Exanthemata—Erysipelas , Erythema , Rubeola , Scarlatina	84 4 4 30	44  14 1	35		 	9 2	40 4 4 16	32 4 4 15			8	22 15 13 22 11	The state of the s	
, Urticaria	1 2 1 1		1				2 1 1	2  1	ï			12 59 5		
Pustulæ—Eethyma . , Porrigo , Sycosis . , Variola	3 4 3 46	3 2 3 16	3 1 2 14	1 1			2  30		2			23 60 41 26		
Squamæ—Psoriasis . Tuberculæ—Lupus Vesiculæ—Eczema .	11 8 13	5 5 7	3 3	4 2 4			6 3 6	4 3 4	2  2			51 73 29		
", Herpes	3 1	2 2 1	2 2  1				1 1 1	1 1 1				30 18 20		
Cellulitis	2 2 2 1	1	1		ï :		1 1	ï			 1	11 49 23		
Total of Integ, System, &c.	228	108	81	12	2	13	120	97	7		16		12:03	13.33
OF THE EYE—	5 3	4 3	2	2	2		1		1			28 19		
Cataract , Chemosis , Corneitis	1 8 5	8 5	1 7 5		1							6 19 21		
Ectropion	2 1 1 11	2  1 11	1 9		1 1 2		ï 	ï				6 10 24 31		
Iritis	10 5 1 5	5 3 1 3	5 3 3	··· 1			5 2 2	3 2 2	2			19 21 6 23		
Total Eye Diseases,	58	47	36	3	8		11	8	3					
OF THE EAR— Ulceration of Ear Disease not specified	1 1	1 1			1	 1						7 6		
Total Ear Diseases,	2	2			1	1	l				***		50/	

TABLE II.—CASES treated to a Termination between the 1st of October 1847 and the 1st of October 1848; arranged according to the DISEASES, —Continued.

	es;	1	M	ALI	es.		T	FE	MAI	LES.		l e e		
DISEASES.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Reliered.	Other Grounds.	Died.	Average Residence.		tality Cent.
	T a	70	Ca	Re	00	Di	120	20	Re	00	Dia	Days.	Males.	Females
OF THE NOSE AND MOUTH— Nasal Polypus Disease of Upper Jaw of Lower Jaw Hare Lip Cancer of Lip Cancer of Mouth Ulcers & Tumours of Lips	2 1 2 3 3 1 4	1 2 2 3 1 3	1  1 2 3  3		 1  1 		1 1 1	1 1 1 1				7 34 42 25 12 16 17		
Total of Nose and Mouth,	16	12	10		2		4	4						
OF THE LOCOMOTIVE ORGANS— Caries and Necrosis Club Foot Disease of Ankle Joint Hip Joi	36 2 12 3 5 12 30 4 2 2 2 2 2 2 1 10 3 3 2 8 12 12 3 3 12 12 12 12 12 12 12 12 12 12 12 12 12	29 1 10 3 4 9 16 3 2 1  3 1 1 1 9 6 3 3 1 1 2 1 1 2 1 1 2 1 3 1 2 1 1 2 1 2	15 1 3 1 4 4 1 5 2 2 2 3 5 2 2 13 1	4 2 5 1 1 1 1 2 1	4 2 1 5 2	6 1 4	7 1 2 1 3 14 1 1 1 2 2 2 1 3 4 4 15 1	1 2 8 1 2 2 1 2 2 1 2 2	3	1	3	51 7 67 34 19 43 49 34 36 33 50 49 61 34 30 37 21 6 47 14		
Total of Locomotive Organs,	174	116	58	23	17	18	58	36	8	7	7		15:51	12:06
OF RECTUM & ANUS— Artificial Anus Condylomata Cancer of Rectum Fissura Ani Fistula in Ano Hæmorrhoids Imperforate Anus Warts of Anus	1 1 1 23 7 1	1 1 21 6 	 1  17 4  1	1 2	4	 1 	 1  2 1 1	 2 1 1	11 :: :: ::	 i		97 7 5 82 18 9 20		
Total of Rectum and Anus,	36	31	23	3	4	1	5	4		1			3-22	
TUMOURS— Abdominal Tumours Cancer Tumour of Cheek Tumours of Mamma Tumours of Neck Tumour of Scalp Tumour of Side Tumours of other parts	3 3 1 7 2 1 1 5	2 2 1  1  3	 1  1  3	2	 1  	· · · · · · · · · · · · · · · · · · ·	1 1 7 1 1 1 2	 1  4 1  1 2	1  1  	 2  	  i	18 27 10 31 28 8 7 15		
Total Tumours, .	23	9	5	2	1	1	14	9	2	2	1		11:11	7.14
ULCERS & ABSCESSES— Abscesses Sinuses Ulcers of Leg Ulcers of other parts	29 6 57 14	22 6 28 5	12  15 5	4 2 6	1 1 6 	5 3 1	7 29 9	5  19 7	5 2	4	2 1	31 14 39 27		
Total Ulcers and Abscesses,	106	61	32	12	8	9	45	31	7	4	3		14.75	6.66

TABLE II.—CASES treated to a Termination between the 1st of October 1847 and the 1st of October 1848; arranged according to the DISEASES,—Continued.

EXTERNAL INJURIES— Dislocation of Ankle  " " Clavicle " " Femur " " Humerus Fracture of Cranium " " Femur " " Fore-arm " " Frontal Bone " " Humerus " " Leg " " Metacarpus " " Metacarpus " " Metacarpus " " Redius " " Patella " " Pelvis " " Radius " " Ribs " " Scapula " " Sup, Maxilla " " Tibia " " Lina	Total Males	1 2 2 5 2 19 16 6 11 33 2 2 1 2 2 2 3 4 2	70 2 1 5 13 13 4 1 1 7 23 2 2 1 1 1 1 2 2 2	1		.: : : 2 5 1 .: : 2 10	Total. :: 282 :: 1	.: .: Cured.	: : : : : : : Relieved.	: : : : : : Grounds		Pays. 1 3 16 7 7 32 41 21 23 21 23	per (	ality Cent.
EXTERNAL INJURIES— Dislocation of Ankle  " " Clavicle " " Femur " " Humerus  Fracture of Cranium .  " " Femur . " " Fibula . " " Fore-arm " " Frontal Bone " " Humerus " " Leg . " " Metacarpus " " Metacarpus " " Metacarpus " " Patella . " " Pelvis . " " Radius . " " Ribs . " " Scapula " " Sup. Maxilla " " Tibia .	1 2 5 6 2 26 24 8 1 12 39 2 2 1 2 3 3 4 2 3 3	1 2 2 5 2 19 16 6 1 11 33 2 2 1 2 2 2 2 3 4	2 1 5 13 13 14 1 7 23 2 2 1 1 1 2 2	 i   ii 	1	 2 5 1 	3 1 7 8 2 1	 3 1  5 6 2		  	   2 1	1 3 16 7 32 41 21 23	Males.	Females
Dislocation of Ankle  " " Clavicle " " Femur " " Humerus  Fracture of Cranium . " " Femur . " " Fibula " " Fore-arm " " Frontal Bone " " Humerus " " Leg " " Metacarpus " " Metatarsus " " Nose " " Patella . " " Pelvis " " Radius . " " Ribs . " " Scapula " " Sup. Maxilla " " Tibia " " Ulpa	2 5 6 2 26 24 8 1 12 39 2 2 1 2 2 3 3 4 2 3 3 4 2 3 3 4 4 2 3 3 4 4 2 3 3 4 4 4 2 3 3 4 4 4 3 3 4 4 4 4	2 5 2 19 16 6 1 11 33 2 2 1 2 2 2 3 4	2 1 5  13 13 4 1 7 23 2 2 1 1 1 1 2 2	"i"		 2 5 1  2	3 1  7 8 2  1	3 1  5 6 2		::: ::: :::	 2 1	3 16 7 32 41 21 23		
Injury of Ankle .	1 1 6	30 1  6	4 1 23  6		···· ··· ··· ··· ··· ··· ··· ··· ··· ·	 1  1 6 1 	6 1 4 1	5  1  4 		i	i :: : : : : : : : : : : : : : : : : :	83 35 49 23 15 13 36 22 19 16 5 21 49 15 9		
" " Arm " " Back " " Chest " " Eye " " Foot " " Hand " " Head " " Knee " " Leg " " Nose " " PoplitealArtery " " Side " " Spine Burns and Scalds Compression of Brain Contusions Cut Throat Gunshot Wounds Sprains Wounds	6 13 1 7 19 7 32 6 19 3 1 5 2 44 2 3 15 59	6 13 1 6 19 6 22 3 18 3 1 3 2 4  3 9 35	6 9  5 16 3 12 2 14 3  16 1 16 1 4  2 7	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2	1 2 7 4 1 5 1 11	1 10 3 1 2 2 21 2 24		1		··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	21 1 26 16 13 18 23 29 16 24 10 33 39 2 4 22 11 12 17	10.00	14:95
Total External Injuries,	433	326	229	13	19	65	107	79	8	4	16		19.90	14.30
MİSCELLANEOUS— Ancemia Anasarca Ascites Debilitas Inebrietas Lumbago Mercurialism Ædema Podagra Poisoning Rheumatism Sciatica Scrofula Scorbutus Moribund None, and not stated	1 7 23 6 13 4 1 14 2 14 122 6 5 6 5 21	1 4 16 3 8 4  8 2 6 6 8 3 4 6 3 3 4 1 6 1 6 1 6 1 6 1 6 1 8	6 7 2 3 35 6 4	1 3 3 3 1 1  25 3 2	1 1 4	1 6 2 3 4 2 3 2	3 7 3 5  1 6  8 54 3 1  2 7	3 3  5  5  7 86   3	3 2 2 1 1 144 2 2 2 24	1 1 1  1  3 1 	1 1 1	61 3 28 67 32 55	15:33	7:00

TABLE III.

# GENERAL ABSTBACT, EXHIBITING THE NUMBERS TREATED UNDER EACH CLASS OF DISEASES; WITH THE RESULTS, AND MORTALITY PER CENT.

Total, .	" Miscellaneous	External Injuries	Illoers and Abscesses	Tumours	Rectum and Anus .	Locomotive Organs .	" Nose and Mouth .	" Ear	" Eye · · ·	" Integumentary System	" Genital Organs	" Urinary Organs .	" Organs of Digestion .	" Organs of Circulation	Organs of Respiration	Of Nervous System .	Fevers		DISEASES.	
7446	250	433	106	23	36	174	16	12	58	228	300	92	223	75	440	171	4819	Females.	Males	Total
4693	150	326	61	9	31	116	12	2	47	108	88	79	148	55	298	108	3070	Total Males.		
3423	71	229	32	57	23	58	10		36	81	49	21	88	4	132	34	2555	Cured.		
281	47	100	12	20	00	23			00	12	24	20	21	27	47	27		Relieved		MALES.
172	9	19	00	1	4	17	2	-	00	2	13	15	11	10	20	12	20	Cured. Relieved Grounds		
817	23	65	9	-	1	18		1	.:.	13	2	200	28	14	94	30	495	Died		
2758	100	107	45	14	5	58	4		TT	120	212	18	80	20	147	68	1749	Females.		
2139	62	79	31	9	4	36	4		ox	97	135	::	56	::	78	23	1517	Cured.		1
171	24	8	7	2		00	.:.		0	0 -	41	0	7	00	21	30	:	Relieved		FEMALES.
85	7	4	4	2	1	7	.:	***		::	32	000	4		9	8	co	Relieved Grounds	Cutton	S.
358	7	16	00	1		7	r:			OT	10	0	13	12	39	6	229	Died		
17.44	15.33	19.93	14.75	11:11	27.8	TG.GT	4 2 24	00	E0.	1400	12.2	TT.RZ	86.8T	20.40	80.78	Z9.12	16.12	Males.		Mortality
13.00	7.00	14.95	6.66	7.14	-	12.00	40.00			00 OT	10.00	00.00	CZ.01	00.00	26.93	28.8	13.09	Females.		Mortality per Cent.

## TABLE IV.

Admissions of FEVER PATIENTS in each Month during the Year ending 30th September 1848; with the Sex, and Mortality per cent. during each Month.

DATE.	Total Males			D	ED.	Mortality	per Cent
	and Females.	Males.	Females.	Males.	Females.	Males.	Females
1847, October .	685	428	257	73	29	17.05	11.28
" November .	631	396	235	95	35	24.00	14.89
" December .	567	360	207	63	28	17:50	13.52
1848, January .	580	362	218	60	32	16 57	14.68
" February .	420	250	170	49	26	19.60	15.29
" March	393	241-	152	25	20	10.37	13.15
" April .	263	159	104	27	13	17.00	12.50
" May	225	138	87	23	15	16.16	17.24
" June	154	102	52	13	4	12.74	7.69
" July	144	77	67	13	8	17.00	12.00
" August* .	85	44	41	10	2	22.72	4.87
" September+.	35	15	20	8	1	53.33	5.10
Total,	4182	2572	1610	459	213	17.84	13.22

<sup>\*</sup> The cases of Febricula are excluded from this Table.

Showing the MORTALITY PER CENT. in FEVER CASES for the last Nine Years.

DATE.	Total Males			DI	ED.		tality Cent.
DAIL	Females	Males.	Females.	Males.	Females.	Males.	Females
From 1st July 1839 to 1st Oct. 1841	2194	1019	1175	153	148	15.1	12.59
1st Oct. 1841 to 1st Oct. 1842		421	430	68	47	16.15	10.93
", 1st Oct. 1842 to 1st July 1848		406	416	35	21	8.61	5.04
", 1st July 1843 to 1st Oct. 1844		2286	2359	189	172	8.27	7.29
", 1st Oct. 1844 to 1st Oct. 1845		322	361	39	38	12.11	10.52
", 1st Oct. 1845 to 1st Oct. 1846		381	312	54	36	14.17	11.53
", 1st Oct. 1846 to 1st Oct. 1847	3780	2275	1505	351	151	15.42	10.03
,, 1st Oct. 1847 to 1st Oct. 1848	100000000000000000000000000000000000000	3070	1749	495	229	16.12	13.09
Total,	18,487	10,180	8307	1384	842	13.58	10.13

<sup>+</sup> The admissions in July, August, and September, include only those dismissed or dying before October last.

## TABLE VI.

Admission of Patients with SMALL POX; with the Number of Deaths in each Month, and Total Mortality per cent.

D.ED	Total Males			DI	ED.	Mortality	per Cent.
DATE.	and Females.	Males.	Females.	Males.	Females.	Males.	Females.
1847, October .	7	3	4		2		
" November .	6	1	5	1			
" December .	3	1	2	***			
1848, January .	3	2	1				7 - 191
" February .	1		1				1000
" March	4 3	1	3	1	1		1000
" April .	3	1	2	***	1		10000
" May	10	3	7				100
" June							
" July	5	2	3		1		1 3 /M.
" August .	5	1	4	***	1		
" September .	1		1				
Total,	48	15	33	2	6		

## TABLE VII.

Cases of SMALL POX admitted during the Year 1847-1848, arranged according to the Ages of the Patients.

AGE.	Total Males		- Break	DI	ED.	Mort	ality.
AGE.	and Females.	Males.	Females.	Males.	Females.	P Cent.	Average.
From 1 to 5 .	4	2	2	1			
" 5 to 10 .	8	1	7		2		
" 10 to 20 .	11	3	8		2		
" 20 to 30 .	14	5	9	1			
,, 30 to 40 .	9	4	5		1		
" 40 to 50 .	1		1	***	1		
" 50 to 60 .	1		1				
Total,	48	15	33	2	6		

## TABLE VIII.

Showing the Number of PHTHISICAL PATIENTS admitted each Month from October 1847 to October 1848, Classified according to Sex.

	1847, Oct.	Nov.	Dec.	1848, Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept	Total.
Males, . Females,	3 1	8 3	7 3	3 3	1	8 3	3 2	9	4	5	2	1 1	54 21
Total,	4	11	10	6	2	11	5	12	5	5	2	2	75

## TABLE IX.

The above Cases of PHTHISIS PULMONALIS arranged according to the Age of the Patients; with the Results, and Mortality per cent.

	-	es les.		1	IALE	s.			FI	MAL	ES.		1	
	AGE.	al Males Females.	al.	ed.	Relieved.	Other Grounds.	d.	II.	ed.	Relieved.	Other Grounds.	1		tality Cent.
		Total and F	Total.	Cured.	Reli	Other	Died.	Total.	Cured	Reli	Other	Died.	Males.	Females.
From		1	1		1									
"	10 to 15													
"	15 to 20	12	7		1	2	4	5		1	1	3	57.14	60.00
"	20 to 30	33	26		8	6	12	7	1	2		4	46.15	57.14
22	30 to 40	19	13		8	1	4	6				6	30.76	100.00
,,,	40 to 50	6	4			1	3	2				2	75.00	100.00
,,	50 to 60	3	2			1	1	1		1			50.00	
"	60 to 70	1	1				1						100.00	
	Total,	75	54		18	11	25	21	1	4	1	15		

Total	Mortality	per cent	Males, .			46.29
	***		Females,			71.42
		24.0	Males and	Fema	ales,	53.33

## TABLE X.

Cases of PNEUMONIA, arranged according to the Date of Admission; with the Results, and Mortality per cent.

	es.		M	IALES	3.			FE	MAL	ES.	
DATE.	Total Males and Females	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.
1847, October ,, November ,, December 1848, January ,, February ,, March ,, April ,, May ,, June ,, July ,	5 13 11 7 12 13 7 10 8 5	4 11 6 5 10 6 4 9 7	3 .:. 1 3 6 1 2 8 5 3	"i "i "i   1		1 10 5 1 4 5 2  1	1 2 5 2 7 3 1 1	1 2 1 2 3 1 1	··· i i i ··· ·· ·· ·· ·· ·· ·· ·· ·· ··		1 1 3 3 2 1
" August " September	9	6 3	5 2			1	3	2			1
Total	103	75	39	4		32	28	13	2		13

Mortality	per cent	.—Males,			42.66
		Females,			46.42
		Males and	Fema	les.	43.68

## TABLE XI.

Cases of BRIGHT'S DISEASE, arranged according to Date of Admission; with the Results, and the Mortality per Cent.

	es.		)	IALE	s.			FF	MAL	ES.	
Date.	Total Males and Females.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds,	Died.
1847, October											
,, November	1						1		1		
, December	2	1				1	1			1	
1848, January	2	2		2							
" February	4	3		1		2	1				1
" March .	5	3		1		2	2		2		
" April .	3	2		1	***	1	1		1		
" May	2	1				1	1				1
,, June .											
" July	1	1			***	1					
,, August	3	1				1	2	1000		1	1
" September											
Total	23	14		5		9	9		4	2	3

Mortality per cent.—Males, . . . 64·28 ... ... Females, . . . 33·33 ... ... Males and Females, 52·17

## TABLE XII.

Cases of MORBUS CORDIS, arranged according to Date of Admission; with the Results.

	les.	1	N	IALE	s.			FF	EMAL	ES.	
Date.	Total Males and Females.	Total.	Cured	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.
1847, October  "November "December 1848, January "February "March "April "May "June "July "August "September	6 3 1 3 7 14 4 2 5 5 5 5	4 3 1 3 3 12 3 2 3 4 3	···· ii ii ··· ··· ·· ·· ·· ·· ·· ·· ··	3 1  3 2 7 2 1 1 1 2	 1  1  1 2	1 2  4 1 1 1 1 1	2   4 2 1  2 1 2		1 1 1 1 1		1  3 1 1 2
Total	55	41	1	23	5	12	14		5		- 9

## TABLE XIII.

Cases of MORBUS CORDIS arranged according to the Age of the Patients in Septennial Periods; with the Results, and the Mortality per Cent.

		68		M	IALES	3.			FE	MAL	ES,		25	
	Age.	il Males Females	al.	ed.	Relieved.	Other Grounds.	d.	ıl.	ed.	Relieved.	Other Grounds.	1.		Cent.
		Total and F	Total.	Cured	Reli	Other	Died.	Total.	Cured.	Rell	Other	Died.	Males.	Females.
From	14 to 21	6	5		3		2	1		1			40.00	
	21 28	5	3	2		1		2	***	1		1		50.00
	28 35	7	- 7		2	2	3			***		222	42.85	***
	35 42	10	6		4		2	4		1		3	33.33	75.00
***	42 49	9	7		3	2	2	2		1		1	28.57	50.00
***	49 56	5	4		3	****	1	1				1	25.00	100.00
	56 63	8	5		4		1	3		1		2	20.00	66.66
	63 70	1	1	1										
	70 77	4	3		2		1	1				1	33.33	100.00
1.33	Total	55	41	3	21	5	12	14		5		9		

Total	Mortality	per cent	-Males,			29.26
			Females,			64.28
			Males and	Fem	ales,	38.18



