

Common sense, or, the Abernethian code of health and longevity : founded on the principles and practice of John Abernethy.

Contributors

Abernethy, John, 1764-1831.
University of Glasgow. Library

Publication/Creation

London : Printed for the Booksellers, 1830.

Persistent URL

<https://wellcomecollection.org/works/c2s4gux8>

Provider

University of Glasgow


License and attribution


This material has been provided by This material has been provided by The University of Glasgow Library. The original may be consulted at The University of Glasgow Library. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>





Digitized by the Internet Archive
in 2015

<https://archive.org/details/b21484119>

COMMON SENSE;
OR, THE
ABERNETHIAN CODE
OF
Health and Longevity;

FOUNDED ON THE PRINCIPLES AND PRACTICE OF
JOHN ABERNETHY, ESQ. F.R.S.
Senior Surgeon to Bartholomew's Hospital.

WITH EXTRACTS
FROM HUNTER, CORNARO, &c., &c.
LIKEWISE AN
INTRODUCTORY VIEW OF THE LIVING FUNCTIONS
OF THE
ANIMAL ECONOMY.

“ Fools, not to know that half exceeds the whole,
Nor the great blessings of a frugal board.”

HESIOD.

London:

PRINTED FOR THE BOOKSELLERS.

1830.

COMMON SENSE;

OR, THE

ABERNETHIAN CODE

Health and Longevity;

FOUNDED ON THE PRINCIPLES AND PRACTICE OF

JOHN ABERNETHY, ESQ. F.R.S.

Senior Surgeon to Bartholomew's Hospital.

WITH EXTRACTS

Entered at Stationer's Hall.

ALBANY AN

INTRODUCTORY VIEW OF THE LIVING FUNCTIONS

OF THE

ANIMAL ECONOMY.

"Fools, not to know that half exceeds the whole,
Nor the great blessings of a frugal board."

Hasan.

London:

T. R. DRURY, PRINTER,
11, KING-STREET, SNOW-HILL, LONDON.

CONTENTS.

TO THE READER.

It is a remarkable fact that there are hardly any diseases less understood than those which are most frequently presented to us, and generally known under the vague denominations of bilious, nervous, and stomach complaints; which seems the more extraordinary, since there is none of greater importance, whether we take into consideration their variety, consequences, or the influence they have over the whole animal system. And it is most certain that they are the forerunner of numerous other diseases which too often prove fatal to the patient, and which but for so little attention at the commencement of the complaint might have been prevented. Though these remarks may seem rather extraneous in this place, yet as the forementioned complaints have such a powerful influence over the health, it is necessary to draw the attention of the reader to notice them particularly, as being more or less the effect of intemperance in eating or drinking; and the learned Mr. Abernethy lays it down as an infallible rule, first to study well your *diet and exercise*, and the *complaints will take care of themselves*.

CONTENTS.

	Page
Principal Functions of the Stomach	5
Digestion.....	6
Remarks on Ditto.....	7
Faulty Digestion	8
Causes of Ditto	10
Order of Digestive Process.....	11
Circumstances attending it.....	ib.
Leading Sympathies of the Stomach, affecting Digestive Process.	12
Deductions on the Importance of the Stomach, in regard to	
Health and Longevity	13
Case of Cornaro.....	14
—— Cardinal de Senlis.....	ib.
—— John Wesley	15
—— Sir John Sinclair	ib.
Remarkable Instances of Longevity.....	16
Comparative Statement of Longevity in different classes of So-	
ciety	17
Conclusive Remarks on the Digestive System.....	18
The Abernethian Creed, or 73rd Page	ib.
Summary of the Subject.....	23

PRINCIPAL FUNCTIONS

OF THE

SYSTEM.

GENERATION of the blood in man, and in all animals, is the grand design for which the preparatory organs are arranged, and the transmission of this living fluid through its various channels, for special purposes, constitutes the entire economy of the system. From the blood every part of the body is originally produced: this is done while in the womb, by means of the circulation in the mother; and it is only after birth, when the lungs are expanded, as an essential and primary function to the circulation of the blood, that man depends for the continuance of existence and health on its powers during the remainder of life.*

In order to a complete and healthy formation of the blood, three important functions must be always regularly and correctly carried on.

First, The functions of the digestive organs to prepare and assimilate healthy nourishment.

Secondly, The functions of the bowels and their appendages, to separate and carry off the useless part received; and

Thirdly, The functions of the pulmonary system, or the lungs, to inhale that essential matter which gives colour and vitality to the blood, thereby completing it; and to remove also that matter again in its effete state, after the expenditure of its vital principle.

Though there are these three important functions necessary to the proper regulation of the blood, yet only the two first come directly

* The redness of the blood is of great use towards the knowledge of diseases; many inflammations are known by it, when on the skin, and even the kind of inflammation is distinguished by the kind of redness; also putrid diseases are distinguished when the blood is extravasated. The quantity in the face is a sign of health or disease.

under our own management, the latter being under the influence of atmospheric agency, depend on circumstances that are too much beyond our controul. Such being the case, it is here only requisite to trace the nature of the digestive and expulsive organs, and from them alone, draw the necessary conclusions that tend to the preservation of health, the cure of disease, and the extension of life, or in other words, the means of attaining longevity, without which there is no power of enjoyment.

The principal organ is the stomach;* without which no animal

* The vital importance of the stomach to life, may be judged from the following facts:—simple organized animals as have no visible brain, nerves, lungs, heart, or blood-vessels, and even vegetables, contract and re-act on impressions being made on any part of them; and when cut into pieces, each part becomes a living individual. They separate the elements of dead matter which re-unite within them in various and specific proportions, and extend their fibres; they propagate their kinds whose particles and fibres are arranged into specific forms, as all consolidated fluids are; they have a preserving and resisting power called *vis. conservatrix*, and *medicatrix naturæ*; become deranged in their functions and structure by excess, defect, or peculiarity of impression; recover from various morbid states; regenerate lost substance; cease at length to answer impressions, and spontaneously separate into their elements, which form new combinations in nature.

Cold-blooded animals, whose circulation is languid, and respiration occasional, live and move for several hours without brain, heart, or lungs: the heart of a young hot-blooded animal, continues its motions for some time after its connections with the brain is cut off; in consumption there is sometimes scarcely a vestige of lungs left; some persons have the power of suspending the action of the heart, and it is sometimes suspended without the will, while the other functions continue entire.

After decollation, it is said, a viper traversed several walks in a garden; an ostrich continued running in a circular course leading to an accustomed place of refuge; and a cock impulsively continued its motion towards some grain that had been just presented to it; a turtle, whose strength, considering its massy shell, must be very great, lives for months without the head. In dropsy of the head, nothing has been found but the membranes; some have lost a considerable part of the brain and recovered; all the involuntary motions, and even the use of the limbs, have continued a day or two after the spinal marrow has been divided; the involuntary ones continue when the senses and brain are locked up in sleep, lethargy, and apoplexy, and in the suspended action of the heart and lungs in syncope. In mania the vigour is often increased and the sensibility diminished, while the contrary is generally observed in indigestion, gout and nervous diseases, in which the intellect is often unimpaired. The contractility lasts much longer if an animal be killed by destroying its brain than otherwise; death, occasioned by an over-exertion of

can exist, and life has remained in the perfect animals, independently of almost every other organ. Placed at the middle, the stomach is felt to be the centre of every impression on any part of the body or mind, and the seat of muscular exertion and fatigue. It is the receptacle of food, poison, and medicine, the effects of which are felt in every part. It is most subject to disorders, most accessible to remedies, regulating and regulated by the motions and sensations of the whole system, and accommodating itself so as to keep all the parts in balance. In most cases, it is the first organ that feels, and the last that fails. It seems to be the centre of power and motion, from which the vital principle, whatever that is, is determined into the different parts, and expended upon them. In sleep, the sensibility of this organ is lessened, and the temperature of the body also, two degrees. This is found by long-fasting in sleep; the slow operation of medicine, and the suspension of stools. The fits of nervous diseases, generally attack in sleep, shewing a change in the state of the stomach. Temperature of the surface particularly affects the stomach, and young animals and maniacs being as it were all stomach, bear remarkably the effects of changes of temperature.

The stomach thus characterised, is situated at the end of the gullet, and receives whatever is taken into the mouth, after it has undergone, if solid, the action of the jaws or the process of mastication, and has been mixed with the salivary and other secretions that are elicited in its descent, all necessary principles by their admixture: then entering the stomach, in this admixed state, it becomes further blended with the gastric liquor, or animalising fluid, the grand solvent to the whole; and the changes it here undergoes, are the effect equally of heat, of mechanical action and chemical agency—all exerted for its preparation into that nourishment which contains the principles that united, tend to form the red fluid we term blood, the basis of every part, whatever form it assumes, in the fabric of the body.

The stomach, then, from its great and essential functions of preparation, possesses both extensive powers, and also universal sympathy through the human body;* for no part of the human body can in general be very considerably disordered without occasioning a correspondent derangement in the whole system. This consent of the

the muscles, by the electric, carbonic, or azotic fluids, or by the poison of a viper, prevents the muscles from becoming rigid, and disposes to a much quicker putrefaction; and the life in vegetables, particularly in their seeds, in a chick before incubation, and in the hibernating animals, as in the swallow, mountain-rat, and dormouse, resists the tendency to putrefaction and freezing.

* A blow, or the wind caused by the passing of a cannon ball over the stomach, kills without leaving any mark, and if any of its nerves even be cut, or itself wounded, the aliment remains undigested: the operation of an emetic proves also this extensive sympathy, by exciting a general agitation of the whole system, and from this violence the relief of many diseases.

whole constitution with its parts manifests itself in particular instances, by a greater disturbance of the functions of some organs than of those of others; and from this circumstance diseases have denied the appellations by which they are commonly distinguished.

The state of the tongue or mouth should always be attended to, as marking the state of the stomach, according to which, the sensations of taste are various, and the saliva and mucus vary in quantity, consistence, taste, smell, and color; even the state of mind or character seems connected with it; vigorous and ferocious animals being generally carnivorous, with muscular vigor in proportion to their voracity. But the healthy state of the organ is marked, at all times, by a regular return of appetite after every meal which is taken in moderation, and by its easy digestion or solution, without any symptoms showing the process retarded, partially suspended, or the principles of nourishment received improperly evolved: wherever the latter takes place, the blood is but imperfectly supplied with the essential properties it is meant to convey to the different organs, and preventing the latter exercising their peculiar duties or offices in the economy of health.

During ordinary hunger the power of the stomach over the muscles is diminished, which causes weakness, also a diminished action of the heart and arteries, particularly at their extremities; and this esurient state, like that of other appetites, goes off, is apt to change into the loathing or sick state, then returns, becoming irresistible, enabling the stomach to dissolve leather and other indigestible matters, and produces excessive thirst, delirium, and other symptoms. In this state at the sight of food the mouth fills with water, and on taking some the esurient or hungry state with its symptoms is removed, the organs of the stomach recover their strength, and resumes their different functions.

Whenever, also, the nervous energy and general powers of the constitution have been weakened and disordered by any violent disease, as fever, small-pox, measles, hooping-cough, &c. the digestive organs, are frequently affected in consequence, and such affection becomes the cause of many secondary diseases.

Symptoms of Faulty Digestion.

The symptoms of faulty digestion are either such as immediately arise from the undigested food itself; or from the state of the stomach and bowels which causes the disease, and the irritation of their nerves, occasioned by the undigested food, or their own vitiated secretions. For the process of digestion is the great function of the stomach, though this process may often become impaired or in fault, and the symptoms of faulty digestion appear first in that part of the body which is naturally the weakest; hence, often the distance of it from

the original seat of the disease ; and likewise the complication of symptoms which mark this primary foundation and source of ailment.

One of the first marks of vitiated digestion, is lowness of spirits, or a peculiar languor and lassitude that sickens at exertion, and proves any thing but what are termed good spirits, followed by want of rest, or disordered sleep, and the person awakes in the morning with a sense of weariness and fatigue, instead of being refreshed ; likewise a loss of appetite, then ensues, and nature no longer employs her protecting monitor, in the sensation of hunger, when the organ is thus out of order, or in a torpid state.

To these primary, or leading symptoms, may be added a dry hot skin, occasioning, by the retention of saline matter in the blood, an offensive breath ; the tongue also is foul, and in the morning appears covered with a crust, conveying to the person's own sense, a bad and disagreeable taste : with these symptoms are joined, also, a heavy, dull countenance, a sallow look, and sympathetic pain of the head.

Symptoms of a Faulty State of the Bowels..

When the bowels partake of this faulty state, the alvine discharge begins to deviate from the healthy appearance : it sometimes contains uncombined bile, sometimes it chiefly consists of bile ; its colour at other times is too light, more frequently too dark ; and occasionally, at length, almost black ; at different times it assumes various hues, sometimes inclining to green, sometimes to blue, and sometimes it is mixed with, and now and then almost wholly consists of, undigested bits of food. When there is much straining, it often contains mucus in distinct masses, and not unfrequently substances resembling bits of membrane. It frequently separates from the canal with more difficulty than usual, and leaves²² feeling of the bowels not having been completely emptied : and likewise in derangement of the digestive process, this matter varies in colour from perfectly white to black—the former proclaiming a deficiency of bile, and the latter a fault in the liver and large intestines. In this state, there prevails flatulence, irruetation, and extrication of gaseous matter, which is never known in health ; and hence arise various uneasy symptoms in the stomach and alimentary tube. The urine also deviates from the healthy state. In its most healthy state, it is perfectly transparent when passed, and remains so after it cools, its colour being more or less deep in proportion to the degree in which its contents are diluted. It is, however, liable to some deviations from this state under circumstances which can hardly be said to affect the general health.*

* How often bath weakness, spasms, pains and aches, stitches, depravations and deprivations of sense and motion, and uneasy feel-

Causes of Indigestion.

The causes of indigestion are, all the superfluous luxuries consequent on civilisation, and whatever draws us from a life of nature, or a condition of simplicity in diet, and all its attendant auxiliaries. Of these may be enumerated:

First, All stimulants, as spirits, wines, and the too free use of purgative medicines.

Secondly, All liquids in excess, especially when taken warm, for they weaken the tone of the organ, and dilute the gastric juice, lessening its solvent powers: this is the case with strong tea, punch and other dilutions; but,

Thirdly, If this is the case with excess of liquids, that of solids is still more pernicious, for gluttony in over-distending the stomach, prevents a full secretion of bile.

So the pleasures of the table, whenever enjoyed beyond moderation, are purchased at the expense of health. Even the quality of what we take requires equal attention to avoid injury or doing wrong, as well as the quantity, and the more the food is deprived of the nourishing principle, the more unfit is it for the purposes of aliment. Whatever are the state of digestibility of some substances, it should be laid down as a maxim, that no food should be submitted to the powers of the stomach without due mastication: for the want of proper and minute divisibility will render all food, whatever its nature, less digestible than it otherwise would be.

The process of mastication properly conducted should reduce the aliment into a soft mass, and mix it with an albuminous fluid, collected in the passages through which it passes; but even when all this is done, in order to shew the mutual sympathy that influences the whole system, digestion is often interrupted by disorders of different parts, or affections of the mind.

This process of digestion, at the time it takes place, seems to be

ings of body and mind, been occasioned by a little air pent up, and its expulsion instantly relieve? What disease is free from some affection of the stomach or canal, and what fever does it not mark in its beginning, its progress, remission, crisis, and cure? The diseases of children are acknowledged to be mostly from the stomach and bowels, and they are known to be cured of alarming symptoms by a puke, a glyster, or a purge. A person feels weak, loses colour and spirits, has head-ache, giddiness, and shivering, and the pre-disposed suffer fits of their diseases, without suspecting, as there is no sickness, want of appetite, costiveness, or affection of the stomach, that they proceed from it, till a natural vomiting or looseness, an emetic or cathartic relieve the complaints. Fits, as of asthma, chin-cough, hysteria, and gout, are generally preceded by some affection of the canal, and diminish or go off by the expulsion of air or other matter.

the centre of fluction: nature here concentrates her powers for this great and primary object,—the formation of nourishment,—and suspends, as it were, for a time, her attention to other parts, till this is prepared: thus as a proof of her attention, and of the *general influence* which seems to take place in the completion of this process.

The fever of digestion is consciously felt in a slight sense of cold shivering, with a quicker and more contracted pulse, and as the process advances, the skin or spasm of the surface relaxes, and the insensible perspiration augments, like the febrile paroxysm that marks the efforts of nature aroused by the influence of disease. Of this daily progress of symptoms, after meals, persons of weak and irritable habits are particularly sensible.*

Stimulants and vinous liquids should be regarded as medicine: for being suitable to the feelings of the stomach, are in many cases very useful; yet they are very liable quickly to pass into a state of acetous fermentation, and to promote that change in the vegetable food contained in a disordered stomach, and thus produce a strong and injurious acid.

Order of the Digestive Process.

Digestion, both in animals and vegetables, is an essential, primary, or preparatory process to the system of each, and as the food in the animal system passes down into the stomach, the salivæ supplies it with the principle of oxygen, while the gullet pushes it on by its peristaltic motion, like the intestines, into the organ; here it becomes blended with the gastric juice,† and also with other agents, and here the chyme or crude mass of nourishment is formed, the food being for this purpose subjected equally to a vital, mechanical, and chemical action. The first is evident from the process being influenced by passions of the mind, the second from the mastication and shifting of it, so as to change the site of its surfaces, and the third from the several fluids with which it is mixed, while, in order to give greater

* The effects of food, as in every thing else, being relative to the state of the stomach, what is light to one is heavy to another; and a cordial, or even a light drink in some states occasions vomiting. After a heavy meal the stomach is depressed, and loses its power over the other parts of the system, often inducing alarming symptoms, which are frequently relieved by a puke, or by spirits or aromatics, increasing the power of the stomach.

† Such is the power of the gastric fluid that it is capable, even out of the body, of converting the food into such a mass as that into which it is changed in the stomach, and that it will even corrode the stomach itself, when deprived of the vital principle by which it is enabled to resist its action.

force and active powers to the organ, it is supplied with a larger proportion of blood vessels than any other in the body. It is, however, in the intestinal canal, and duodenum that the real chyle or nourishment is perfected, and this part of the animal structure is more or less complicated in its form, according to the nature of the food from which the chyle is prepared: the more indigestible the food of the animal is, the more complex is its form, as in all the carnivorous tribe; while in the herbivorous it is found clearly more simple; but in man it observes a certain medium between the two, as living equally on animal and vegetable food. As the chyle is perfected in the canal, so the separation also takes place here between it and the excrement or feculent matter, the one being absorbed and the other passing on in order to its discharge: this separation is effected by the joint mixture of the bile and pancreatic juice, part of these liquors attaching itself to the chyle and the other mixing with the excrement, and stimulating its expulsion. The chyle thus separated is then absorbed from the internal surface of the intestines, and passes on by vessels to its proper reservoir, where the complete animalisation, by its mixing with the blood, takes place.

Whatever the nature or form of the food, the product or chyle is always the same, being a white homogeneous fluid, which is equally the produce of animal food and strong liquors in a northern climate, where the constitution is obliged so vigorously to support itself against the action of cold, or of vegetables and watery liquids in the enervating tropical regions.

Leading Sympathies of the Stomach.

From what has been shewn in the abovementioned statements, digestion is a paramount function in the economy, and on this account the organ performing it has a strong connexion and sympathy with the other leading ones that possess prominent duties in conducting the preservation and continuance of animal life.

The first of these sympathetic organs is the lungs, whose office is to regenerate the blood, the great source of vitality; and the other is the liver, which regenerates the blood, and afterwards continues its aid in this process in a manner we cannot explain; but for this purpose it seems peculiarly organised with two distinct sets of vessels, in the same manner as the lungs. Indeed, such is the effect of sympathy, that some kinds of matter affect different parts of the same organ, and the sensation is propagated to a greater or less distance without any probability of absorption. So an irritation in the lungs is often felt at the epiglottis; in the liver, at the shoulder; in the kidney, at the testicle and thigh; in the bladder, at the end of the glans penis; in the colon, at the navel; in every part of the system at the stomach; and in the stomach, at every part of the system.

How often, after death, are morbid states of brain, lungs, and heart, in vain looked for, while the cause of all the symptoms is either invisible or found in the stomach, which had not apparently suffered.

Animal Processes.

Though however very minute and complex the parts of the animal structure may seem, the whole presents a beautiful picture of nice but simple arrangement: all the processes of which are designed for two great objects—the renovation and depuration of the body, in order to its preservation and well being. The processes of renovation in the animal economy may be reduced to three:—

First, The process of digestion, or preparation of nourishment.

Second, The process of animalisation, or conversion of it into blood; and

Third, The process of regeneration, or restoration of this blood to its pristine condition, when deprived of any of its principles in its passage through the circulation.

And in the same manner, in order to a full perfection of the whole animal fabric, three other processes are employed to depurate the system when renovated by the former, viz.

1. By the intestines, to carry off from the body what is noxious and effete in the preparatory process.
2. By the kidneys, to deprive the system of saline impurities circulating in the blood, and derived from the same source; and the
3. By the skin, acting for the same purpose, the one by mutual sympathy with the other: thus, in cold weather, the kidneys are the active depurating organ, while, in warm, the skin takes the lead.

Deductions on the Importance of the Primary Organs, particularly the Stomach.

After the foregoing explanations, in which the primary organs are to be looked to in the proper exercise of their functions, as the foundation and leading apparatus of the whole, for continuing the welfare of the machine, and especially the stomach, we will notice the following.

1. In no case can life exist without the stomach.
2. All matters for the support of life must pass through it.

3. It possesses a universal sympathy with every part, for the aid and help of the whole.*

Among the very numerous instances which might be noticed of the benefits and blessings resulting from temperance, we will state the case of the celebrated Venetian nobleman Cornaro, to shew what the proper regulation of these functions will do in the attainment of health and longevity.

Cornaro in his younger days had contracted infirmities by intemperance and dissipation, and indulging his too great propensity to anger. At the age of forty-five finding the powers of his constitution to be rapidly declining, he consulted two of the most eminent physicians in Italy, who attributed his complaints of indigestion, general lassitude, and occasional gout, to his mode of living, and told him he must make his choice, either of temperance or death. Regarding long life as the greatest blessing mortals can enjoy, and greatly dreading death, he adopted the former; he commenced a vigorous war against his passions, and, after some efforts, gained a complete victory. Virtue then triumphed, and crowned him with the blessing of Heaven and the esteem of his friends. He selected his articles of diet, allowing himself only 12 ounces of food daily, and abstained from all savory sauces and spirituous liquors; he became so great an advocate for temperance, that he was satisfied that what he left at a meal did him more good than what he consumed. He took care not to expose himself to sudden vicissitudes in the atmosphere, he abstained from violent exercise and late hours, and selected places for his residence the air of which was salubrious. By this means he preserved his health, and was vigorous to his last days; his mind did not decay, for at the age of ninety-odd he wrote several pieces on temperance. He never had need of spectacles, neither did he lose his hearing, and he preserved his voice so clear and harmonious, that in his last year he sung with as much strength and delight as he did at the age of twenty-five years.

Though the above is one of the many instances of the happy effects of a well regulated plan, there are others who, without any of those rigid regulations, deserve more implicit imitation. The Cardinal de Senlis, under a less restricted plan, lived a hundred years—an equal

* Thus it may be said, that while every part continues under the dominion of the stomach, no mechanical or chemical change of a morbid nature can take place in the solids or fluids of the system; and from the natural accommodation between the stomach and other parts constantly tending to a level, and forming an equally, though sometimes slenderly, balanced constitution, morbid impressions are often resisted, local complaints arising in the course of disease become tolerable, and changes and extremes of the ordinary impressions, which are all felt at the stomach, can be borne in a remarkable degree; but when the balance between the stomach and other parts, by means of internal or external impressions, or evacuations, is diminished or lost, as in an ill or broken constitution, a slight change in ordinary, morbid, or salutary impressions, is felt.

age to Cornaro; and his maxim had been, in the previous years of his life, to live with the caution of an old man when young, so that when advanced in life, he was still, in constitution, a youth.

The celebrated John Wesley is another instance, who, with a natural weak and infirm habit, was able to undergo much bodily and mental exertion, for a long life, and to possess the *mens sana in corpore sano*, solely by adhering to certain rules he had laid down.

In more modern times, Sir John Sinclair regained his health by a similar plan, though without any of those rigid regulations which mark the plan of Cornaro. It is observed of Sir John Sinclair, — “though naturally possessed of a sound constitution, untainted by any hereditary disease, yet, about the year 1791, he fell into a weak and enervated state; found himself unequal to manage his private concerns, of prosecuting useful enquiries, or of applying his mind to political pursuits, with his former zeal and energy; he saw, also, many of his contemporaries die at an early period, before their constitutions had, apparently, suffered much decay. By reflecting on these circumstances, and a number of others, with which the subject is connected, he came to a conclusion, that more die from their own faults than from actual disease; and that life might, accordingly, be prolonged, and health enjoyed with satisfaction, by a proper and regulated conduct with each individual, in regard to the various circumstances connected with the continuance or support of life: accordingly, by laying down a proper plan of proceeding for himself, he not only recovered his own health, but was enabled, by his advice to others, to extend the benefit. These circumstances led him to publish his celebrated work, entitled, “A Code of Longevity,” where he brings forward, among other examples of his precepts, the celebrated physician Galen, who, by a certain plan strictly adhered to, reached the age of one hundred and forty years.

These cases then offer abundant proof how a proper and restricted mode of proceeding, in diet and regimen, even in a weak constitution, will ensure a healthy longevity, for Cornaro lived to above one hundred years. It is at the same time to be observed, that nature alone, often does that for the individual which the above system is so well calculated to effect, without any of the restrictions now insisted on; but even in these cases of what may be termed *natural* longevity, it has never happened but where the primary parts of the machine, the stomach and bowels, have originally been, in their fabric, the strongest parts of the body. These remarkable instances have chiefly occurred in cold climates, and amongst the lower orders of society; and the most remarkable examples of it that occur in medical history are as follows.

Remarkable Instances of Longevity.

Isabel Walker, a Scotch woman, died at 112, without much severity of regimen; but she was distinguished by a placidity of temper, and possessed that happy medium state of habit, neither lean nor corpulent, favourable to long life.

Peter Garden, a Scotchman, died aged 131; his stature was tall, and his employment agriculture, which he continued to his death, with a remarkable appearance of freshness and youth.

John Taylor, a Scotch miner, lived to 132; he always used tobacco, and his teeth continued sound to the last.

Gylloul Macrain, a native of the island of Toura, in the Hebrides, died, after keeping 100 Christmas masses.

Lawrence, a native of the Shetland Islands, married at the age of 100, and died at 140.

Mary West, a native of Kent, in a humble station of life, who at the age of 106, after passing a life of the greatest frugality and regularity, enjoyed the full use of all her faculties, and was enabled to work for her maintenance.

Kentigern, or St. Mungo, Bishop of Glasgow, lived to the age of 185, as certified on his monument..

Catherine, Countess of Desmond, who died in the reign of James the First, was 140; and thrice, in the course of her life, she renewed her teeth.

Thomas Parr, a native of Shropshire, was buried in the Abbey of Westminster, at the age of 152.

Henry Jenkins, of Northallerton, Yorkshire, lived to the age of 169, being first a labourer, and afterwards a fisherman.

Sarah Rouen, 164, and John Rouen, her husband, 172, were married 147 years, both natives of the Directory of Carsoueber.

Petratsch Zorten, a native of Hungary, and a cow-herd, lived to 185.

The greater proportion of these persons were natives of Scotland; though it is remarked that the most numerous instances of longevity are to be met with in Norway and Russia; out of 6229 persons in Norway, 63 had lived to a hundred; and out of 726,278 in Russia, 216 attained one hundred years, 220 above it, and four one hundred and thirty. In the list of longevity, enumerated above, all these persons were of a low situation of life, except the Countess of Desmond; and the diet of all of them seems to have been moderate, and in some instances abstemious. Parr's maxims of health were, to keep your head cool by temperance, your feet warm by exercise; to rise early, and go soon to bed; and if you are inclined to get fat, to keep your eyes open and your mouth shut, or, be moderate in your sleep and diet.

The diet of Jenkins is said to have been coarse and sour; and in the north of England, distinguished for long-lived people, it is much the same, consisting of salted meat and sour leavened hot bread.

Zorten's diet consisted entirely of milk and cakes, with a glass of brandy; and, being of the Greek church, he was, to the last, a strict observer of all their fasts.

Comparative Statement of Longevity.

To these facts, we may add, in comparing the different classes of society with respect to longevity, that the profession of a gardener is the most healthy; next to it husbandmen are also healthy, but from their great exertions and exposure to every weather, they are soon worn out, and generally old men before fifty. Manufacturers are neither healthy nor long lived; miners, who are much below ground, are generally healthy, and often long lived. Soldiers, unless cut off by the casualties of war, are long lived, as well as sailors, who are generally healthy; and this is proved by the records both of Chelsea and Greenwich Hospitals. Persons engaged in commerce, if not too speculative, and their minds racked with anxiety, are generally long lived. The voluptuous both in town and country, are commonly cut off in their prime. Dancing-masters are long lived, from their constant exercises; singers, on the contrary, are short lived. The learned professions, at the farthest, seldom exceed the age of eighty. In addition to these remarks it may be observed, that married men, compared with bachelors, are long lived, for the life of a bachelor is generally short and uncomfortable. In respect to the sexes, women are generally longer lived than men; and mothers longer than single women.

On this solid foundation, then,—the healthy action of the stomach and bowels, is the present code of longevity built, which no speculative reasoning can overturn, and which every practical fact tends to confirm and enforce. The means of carrying it into effect are simple and clear, neither wrapt in mystery nor needing disguise to recommend them; and along with the regulation of these primary functions, they require only the auxiliaries of diet and exercise, under such controul, as to render the plan successful.

Method of counteracting Indigestion, or of preserving a healthy state.

All the preceding symptoms of indigestion proclaim weakness in the primary part or the stomach, and the consequence of this weakness, here is, that the sympathetic organs, or the liver and intestines, unavoidably partake of the same state. Wherever weakness occurs, in any organ or part, its functions become retarded; hence accumulation follows, and congestions are formed that clog the wheels of the machine. The first and leading point then is, to remove this disposition to disease; and for this purpose the bowels must first be unloaded of their contents, and the energy of the liver, next excited, to perform actively its peculiar secretion; when this is once effected, being the fundamental indication, then the second, or relief of the organ itself, comes to be the remaining object in view, which consists in restoring to the stomach its energy, or healthy tone; and these two indications must go hand in hand, in order to give and continue effectual relief.

Such are the principles of the Abernethian system, thus shortly explained; and whatever form of medicine is adopted to execute these views, it can only act properly, by answering the two objects pointed out. To this system Mr. Abernethy was led by his observations on the hospital practice. He saw there that local disease, or affection of a part, induced a general derangement of the body and interruption of health; and in the same manner he saw that a general derangement as completely influenced this state of local disease. Reflecting on these facts, he was led to believe, that if the primary organs of digestion and expulsion are kept in a healthy condition, the health of the whole machine must be regulated by them, and follow their healthy condition, as links of the same chain. The plan of medicine to do this is clearly simple, and can never fail of success, when assisted at the same time by a proper attention to diet and exercise.

In confirmation of the first, or the powerful effect of diet, the celebrated instance of Cornaro has been already stated, and in addition to that case we shall here insert Mr. Abernethy's rules on the subject, which he strongly and constantly recommends to the perusal of every patient that consults him, as taken from the celebrated seventy-third page of his work.

The Abernethian Creed.

"The method of treatment," he observes, "which I have adopted is simple, and founded on the opinions I have formed of the nature of the disease, and on physiological views of the functions of the

affected organs. Believing the disordered parts to be in a state of weakness and of irritability, my object has been, to diminish the former and allay the latter. Believing also that the secretions into the stomach and bowels, upon the healthy state of which the due performance of their functions depends, were, in consequence of such disorder, either deficient in quantity or depraved in quality, I have endeavoured to excite, by means of medicine, a more copious and healthy secretion.

"In conformity to these views of the subject, the patients have been recommended to be particularly attentive to their diet. The food should be nutritious, and easy of digestion; strong, plain broths, animal food of loose texture, milk, eggs, and farinaceous vegetables, are the articles which appear most advisable. But, as custom and inclination have so great an effect in regulating the action of the stomach, I have contented myself with recommending patients not to eat any thing which it was probable that they could not digest. It seems reasonable to suppose, that if the food be properly digested, it will not irritate the intestinal canal; but that if digestion fails, the animal and vegetable matters will undergo chemical changes in their passage through the long tract of intestines, and thereby maintain a state of irritation in those organs. I have urged patients not to oppress the powers of the stomach by too great a quantity of food, nor to take a second meal, until time has been allowed for the digestion of the first, and for the recovery of the powers of the stomach. Whilst I have thus advised patients to eat moderately and not too frequently, I have also cautioned them not to let the stomach become irritable by too long abstinence.*

"The quantity of food should be proportioned to the powers of the stomach. If it receives more than it can digest it consequently becomes disordered, and the exertion of digesting a single meal, after its excitement and efforts have ceased, is productive of languor, sinking, and inquietude, which ought to be calmed by medicine, and

• Many instances could be related of persons who were much emaciated, some of whom were of considerable stature, becoming muscular and fat upon four ounces of the most nourishing and easily digestible food, taken three times a day. A patient lately gave me the following account of his own proceeding, with respect to diet. He said, "When thou toldest me to weigh my food, I did not tell thee that I was in the habit of weighing myself, and that I had lost 14lbs. weight per month, for many months before I saw thee. By following thine advice I have got rid of what thou didst consider as a very formidable local malady; and upon thy allowance of food I have regained my flesh, and feel as competent to exertion as formerly, though I am not, indeed, so fat as I used to be. I own to thee, that as I got better, I thought thy allowance was very scanty, and being strongly tempted to take more food, I did so; but I continued in the practice of weighing myself, and found that I regularly lost weight upon an increased quantity of food; wherefore I returned to that which was prescribed to me."

not by food, for a second meal cannot be digested in this state of the stomach. Moderation in diet not only insures the complete digestion of the aliment, but it prevents the blood vessels from being overloaded and kept in a state of action exhausting to their strength. When any of the important organs are in a state of nervous irritation and disorder of function, and there should happen to be a plethoric state of the blood vessels at the same time, those vascular actions are likely to ensue, which may produce an alteration of their structure, and irremediable disease.

“The function of digestion will not, however, go on well, even where these circumstances have been attended to, if the stomach be deprived of a stimulus to which it has been long accustomed. Uneasy sensations will be experienced, denoting, if I may so express it, a discontented state of this organ, and a want of the expected stimulus. It is on this account injurious wholly to restrain those patients from the use of wine who have been in the habit of taking it. A tea-cup full of liquid with breakfast, and a glass or two of wine with dinner may be allowed if it seems necessary to the digestion of the food.

“Even our food must be considered as exerting a medicinal influence in disorders of the stomach, when that organ is irritable. A vegetable diet and abstinence from fermented liquors may tend to tranquillise it.* On the contrary, when it is weak as well as irritable, that aliment which is most readily digested is to be preferred, and cordials are sometimes beneficial. The effects of food and medicine can never be considered as resulting from their operation on the stomach solely, but from their conjoint influence upon the nervous system in general. Irritability of the stomach may arise from that of the brain, and unstimulating diet may tend to tranquillise the latter organ, and thereby alleviate the disorder of the former. On the contrary, a more generous diet may, by exciting the nervous system, produce that degree of energy in its actions, which invigorates the stomach, and tranquillises its disorder. It may further be observed in some cases, that the kind of medicines or diet which is serviceable to the stomach, may aggravate the nervous disorder; and, on the contrary, that those means which seem to tranquillise nervous irritation tend to diminish the powers of the stomach.

“A regular diurnal evacuation of the bowels is absolutely necessary, since the detention of the *fæces* must prove irritating and oppressive to these organs. Purging medicines sometimes relieve unpleasant sensations; but they do not in general produce even this effect; and all active purges seem to increase the disorder. It is natural to suppose, that strong stimuli will aggravate the unhealthy condition of weak and irritable parts.

“It is difficult, in many cases, to regulate the actions of the bowels either by diet or medicine. They are costive for a time, and then fits of purging come on. The former state must be obviated, in

* Bread is the most nourishing of vegetable substances; milk, egg, jelly, and meat, of animal substances; and the meals may be composed of equal parts of bread and of these kinds of animal matter.

order to prevent the latter. Medicines which excite a healthy action of the bowels in one person, are either inert or too active in another. Doses, which would have no effect in a state of health, become purgative in this disorder; a circumstance which shews that the bowels are irritable. There are some rare instances of the contrary, in which it is exceedingly difficult to excite the actions and secretions of these viscera. The object which I had in view, in all cases, is to excite the peristaltic action of the bowels, without irritating them, so as to induce them to pour forth and evacuate their own fluids. The administration of purgative medicines in very small doses, at regular intervals, is in many cases the best mode of effecting this purpose.

"At the same time I have not been inattentive to the error in the biliary secretion, which exists in the greater number of these cases. The relief, which arises from the increase or correction of the biliary secretion, in the majority of these cases, shews how much the liver is concerned in causing or aggravating the symptoms in these diseases.

"I have generally explained to the patients the objects which I had in view, in correcting disorders of the digestive organs, by saying that there are three things which I consider as right and necessary to the cure of disorder. First, that the stomach should thoroughly digest all the food that is put into it. The patient perceiving the necessity of obtaining this end, becomes attentive to his diet, and observes the effect which the quantity and quality of his food and medicines have upon his feelings, and the apparent powers of his stomach. Secondly, that the residue of the food should be daily discharged from the bowels: here too, the patient apprised of the design, notes what kind and dose of purgative medicine best effect the intention; and whether it answers better if taken at once or at intervals. Thirdly, that the secretion of bile should be right, both with respect to quantity and quality.

"In investigating the treatment of these disorders, it is necessary to ascertain, not only what medicine is beneficial, but also what change it produces in the circumstances of the disorder. The administration of a medicine may in one case be succeeded by a discharge of bile, and a striking relief from long continued and distressful feelings; yet the same medicine may be given in many other instances, without the same consequence.

"Whenever circumstances would permit, I have recommended the patients to take as much exercise as they could, short of producing fatigue; to live much in the open air; and, if possible, not to suffer their minds to be agitated by anxiety, or fatigued by exertion. The advantages of exercise in nervous disorders, upon which those of the digestive organs so greatly depend, appear to me very striking. It were to be wished that we had some index to denote the strength and irritability of the nervous system, serving as the pulse does with regard to the sanguiferous organs. Perhaps the strength, agility, and indefatigability of the muscles may be regarded as the surest evidence of energy of nervous power and bodily vigour. If this were granted, however, it would follow, that many persons possessing great nervous power, have nevertheless great nervous irritability. Many people who are extremely irritable and hypochondriacal, and are constantly obliged to take medicines to regulate their bowels whilst they lead

an inactive life, no longer suffer from nervous irritation, or require aperient medicines, when they use exercise to a degree that would be excessive in ordinary constitutions. The inference which I draw from cases of this description is, that nervous tranquillity is restored in consequence of the superfluous energy being exhausted by its proper channels—the muscles. When, on the contrary, the nervous system is weak and irritable, exercise seems equally beneficial; but caution is here requisite as to the degree in which it should be taken. A weak and irritable patient may not be able to walk more than half a mile without nearly fainting with fatigue on the first day of the experiment; but by persevering in the effort, he will be able to undergo considerable muscular exertion without weariness. Does not this imply a considerable increase of bodily strength, and is not the acquisition of strength the chief desideratum in the cure of many disorders? The nervous irritability also, when dependent on weakness alone, will proportionately diminish with its cause. In the latter case the nervous energy seems to be augmented in consequence of our increasing the demand for it. I am induced to make these observations from a belief that exercise is not employed as a medical agent to the extent that its efficacy seems to deserve. Attention to diet, air, exercise, and mental tranquillity, are more decidedly beneficial than medicines. Surgeons in London meet with frequent and convincing instances of the efficacy of pure air. Patients under the irritation of a local disease, who scarcely eat or sleep in town, recover their appetite, digestion, and sleep, so suddenly on their removal into the country, as to leave no room for doubting, that the change of air has produced this beneficial alteration in their health.

“I would prescribe to my patients the following rules: They should rise early when their powers have been refreshed by sleep, and actively exercise themselves in the open air till they felt a slight degree of fatigue; they should rest one hour, then breakfast, and rest three hours, in order that the energies of the constitution should be concentrated in the work of digestion; then take active exercise again for two hours, rest one; then taking their dinner they should rest for three hours, exercise two, rest one, and take their third slight meal. I do not allow the state of the weather to be urged as an objection to the prosecution of measures so essential to health, since it is in the power of every one to protect themselves from cold by clothing, and the exercise may be taken in a chamber with the windows thrown open, by walking actively backwards and forwards as sailors do on ship-board. I also caution patients against sleeping too much; waking from sleep indicates that the bodily powers are refreshed: many persons upon first awaking feel alert and disposed to rise, when upon taking a second sleep they become lethargic, can scarcely be awakened, and feel oppressed and indisposed to exertion for some time after they have arisen. When the disorders which have been the subject of this paper, have been long continued, they do not admit of a speedy cure.”

The foregoing are the dictates of Mr. Abernethy, to which he refers his patients, and without entering into any unnecessary details, shall merely observe, that his peculiarities, though they may not

always appear pleasant, will like an unpalatable drug, which is received with disgust at first, from the truths they convey, gain their full influence on the mind of every invalid in the end, for according to two well known proverbs :

“ That he who has a mind to eat a great deal, must eat but little.

“ That what we leave, after making a hearty meal, does us more good than what we have eaten.”

So in conclusion we may justly observe of the Abernethian Code of Health and Longevity, that its principles may be confined in a nut-shell ; and consists of the following three grand points :

1. The Due and Proper Regulation of the Stomach and Bowels, by the use of mild Aperient Medicine.
2. Moderation in Diet, to co-operate with this, both in quantity and quality.
3. Exercise and Air proportioned to the Constitution and circumstances of the Individual.

This is the true system of Health and Longevity, and life is prolonged by a proper attention to these rules, except when *gradual decay* or *unforeseen casualties* happens, which no precaution can guard against. And in conclusion shall quote a remark of Sir William Temples on drinking : “ *The first glass for myself, the second for my friend, the third for good humour, and the fourth for mine enemies.*”

FINIS.

always appear pleasant, will like an unpalatable drug, which is received with disgust at first, from the truth they convey, gain their full influence on the mind of every individual in the end, for according to two well known proverbs:

"That he who has a mind to eat a great deal, must eat but little."
 "That what we leave, after making a hearty meal, does us more good than what we have eaten."

So in conclusion we may justly observe of the Athernetian Code of Health and Longevity, that its principles may be confined in a nutshell; and consists of the following three grand points:

1. The Due and Proper Regulation of the Stomach and Bowels, by the use of mild Athernet Medicine.
2. Moderation in Diet, to co-operate with this, both in quantity and quality.
3. Exercise and Air proportioned to the Constitution and circumstances of the Individual.

This is the true system of Health and Longevity, and life is prolonged by a proper attention to these rules, except when gradual decay or unforeseen casualties happen, which no precaution can guard against. And in conclusion shall quote a remark of Sir William Temple on drinking: "The first glass for myself, the second for my friend, the third for good humour, and the fourth for mine enemies."



