An essay on the theory of the production of animal heat and on its application in the treatment of cutaneous eruptions, inflammations, and some other diseases / By Edward Rigby.

Contributors

Rigby, Edward, 1747-1821. University of Leeds. Library

Publication/Creation

London: Printed for J. Johnson, 1785.

Persistent URL

https://wellcomecollection.org/works/f27wbh3t

Provider

Leeds University Archive

License and attribution

This material has been provided by This material has been provided by The University of Leeds Library. The original may be consulted at The University of Leeds Library. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org AN

E S S A Y

ON THE

THEORY

OF THE

PRODUCTION OF ANIMAL HEAT,

AND ON ITS APPLICATION IN THE TREATMENT OF

CUTANEOUS ERUPTIONS, INFLAMMATIONS,

AND

SOME OTHER DISEASES.

By EDWARD RIGBY,

Member of the Corporation of Surgeons in London.

Minimè in dubium revocari potest theoriam Caloris Animalium nobilissimi esse usus in Medicina rectè intelligenda et ritè facienda.

MARTINE DE ANIMALIUM CALORE.

LONDON:

Printed for Joseph Johnson, No. 72, St. Paul's Church Yard.

MDCCLXXXV.

NA

f A

THEORY

BF THE

PRODUCTION OF ANIMAL HEAT,

CULTAMEOUS ERUPTIONS, ENGLAMMATION

SOME OTHER PISE NEWS

By . H D W A R, D R & C R T.

Adalant in stable of the second delegation of small of a second delegation of the second delegat

ICHBON:

Prised for Journa (astrona, No. 71, Tanl's Charas

PREFACE.

of all others, the most calculated to derive improvement from the application of the principles of natural philosophy; as those laws of the animal economy which admit an explanation from them must, obviously, be most perfectly understood, and those rules of medical practice which are derived from such a knowledge must, unquestionably, be the best founded.

The present age has been peculiarly distinguished by its inquiries into the works of nature and by its great attainments in natural philosophy, and the art of medicine, in its several branches, has already A 2 profited

profited by this circumstance: But as this source of improvement has been hitherto much neglected by medical persons, the advantages derived from it are, as yet, but limited, and much, therefore, remains to be done before the practice of physic can acquire that degree of persection which it is, probably, capable of.

The nature of the engagements of medical men, and more especially of those who are much employed in their profession, is, however, very unfavourable to pursuits which require many experiments, and necessarily take up much time; and for this reason it, probably, is, that medical men have not been much distinguished by their philosophical writings. On the other hand,

hand, those who have gone far in philosophical attainments, and have even been distinguished by considerable discoveries in those branches of philosophy which bear a near relation to chemistry and medicine, for want of that variety of facts respecting the economy of nature, and those changes in the animal system brought on by difeases, which occur alone to those persons who are immediately engaged in the practice of physic, have been little able to apply them to purposes of real utility. It, therefore, still remains for medical men to make this application; and, though their own philosophical attainments may be very limited, they may, from being pofsessed of the most genuine facts respecting fpecting diseases, perhaps be able to do it with some advantage.

The first remark, I should hope, will, in some measure, apologize for the imperfection of the philosophical part of the following Essay; as I trust the application I have endeavoured to make of the principles of philosophy in the diseases which are the subjects of the medical part of it, will be some proof of the second.

In confidering some of the obvious facts respecting the existence of heat in the animal body, and its tendency to escape by the surface, it became necessary to premise some theory of its production, and not being satisfied with any of those which

which were formerly adopted, or even of those which have been lately suggested, I have given one which appears to me less exceptionable, as being, in my opinion, more conformable to the known laws of nature and philosophy, and from which, many of the facts and phænomena respecting the economy of animal life, may, I think, more simply and clearly be explained.

I HAVE not thought it requisite to mention any of the arguments, which, I think, might easily be adduced against the several theories before alluded to, as the mere disproving them would tend but little to confirm the present; and as, should the present be considered as a rational

a rational one, it would require no support from such a circumstance.

I AM, however, but little anxious to establish the philosophical part of the following fystem, if the medical part of it be admitted to be agreeable to truth and just reasoning: Should this be the case, and should it further appear that I have fuggested the least improvement in the mode of treating any of the diseases which are the subjects of it, though I may acquire no reputation as a philosopher, I doubt not but it will be allowed that, as a furgeon, I have not been uselessly employed.

Norwich, April 18, 1785.

E. R.

CONTENTS.

SECTION I. Page Theory of Animal Heat	ge I
SECTION II. General Theory of Cutaneous Eruptions. 7.	4
SECTION III. The Small Pox 86	5
SECTION IV. The Miliary Eruption 98	3
SECTION V. The Measles 106	

CONTENTS.	
SECTION VI.	D
The Scarlatina	116
SECTION VII.	
The Erysipelas	119
SECTION VIII.	
Elephantiasis	127
SECTION IX. The Tinea Capitis	130
SECTION X.	
Febrile Rashes	142
SECTION XI.	
The Anthrax	149
SECTION XII.	
The Phlegmon	160
7hc	Burns

CONTENTS.

SECTION	XIII.	Page	
Burns and Scalds	-	170	
SECTION	XIV.		
Spreading Ulcers attended w	ith an ex	tra-	
ordinary Sense of Heat.			
SECTION	XV.		
Hernia Humoralis	-	- 203	
HEXX WOL			
SECTION	XVI.		
Hernia Intestinalis	-	- 207	
SECTION	XVII		
Opthalmia	4	211	
SECTION	XVII	I.	
Gout	-	224	
SECTION	XIX.	The same	
Local Eruptions and Excori			
Little Li repriores and Lincore		Morti-	

CONTENTS.

SECTION XX.

		Page
Mortifications of the Extremities.	1	241

SECTION XXI.

Scurvy. - - 253

SECTION XXII.

Obesity. - 293

SECTION XXIII.

CONCLUSION. - 309

AN

E S S A Y

ONTHE

THEORY OF THE PRODUCTION OF

ANIMAL HEAT, &c.

SECTION I.

Theory of Animal Heat.

A Constant supply of pure atmospheric air is not more necessary for the support of animal life than is a due degree of heat; and, as in the use which all animals make of these two important materials a considerable quantity must necessarily be consumed, it cannot be doubted but the author of nature has provided fresh

fresh and ample sources of both, to answer all the demands of animal life.

It is well known, that air is received into the lungs of all animals, and it has been one of the great improvements of modern philosophy to investigate the various sources from which air proper for animal respiration is derived; and the experiments of Dr. Priestley and others have shewn, upon how large a scale the operations for this purpose are constantly carrying on in different parts of nature; but how animals acquire heat, and what are the sources from which fresh supplies of this ingredient are obtained, has not yet been so satisfactorily explained by philosophers.

It is very evident that the common, fensible, and external sources of heat are very inadequate to this purpose; and as it must therefore be produced independent of any communication from without, the immediate

internal one.

As the heat of all living animal bodies confiderably exceeds that of the usually furrounding atmosphere, it is obvious, so far from any heat being derived from it, (as that which contains the fmaller quantity cannot, according to the great law of heat, communicate to that which has the larger quantity,) that, on the contrary, the body must communicate heat to the external air; and if we confider the great difference subfifting between the temperature of the human body, and that of the atmosphere even in our climate, it is clear that a very large portion of heat must be always escaping from the body, and of courfe, such a quantity must be lost as to require the constant reproduction of a confiderable quantity in the body, to maintain the due proportion between them.

THERE are but two ways in which animals receive into their bodies what is necessary for their vital support; the one is by the lungs, and, as before observed, is the common atmospheric air; and the other is by the stomach, and is food of various kinds.

The modern philosophical doctrine of latent heat has shewn, that, over and above the sensible heat found in all bodies, they contain much of the matter of heat in a concealed and fixed state, and which is not separated from them but by their decomposition, or the disunion of their component parts: and there can be no doubt, therefore, but the different articles of food, which may be all comprehended under vegetable and animal substances, contain a considerable quantity of the matter of heat in this combined state, and that they give it out when undergoing decomposition; and if we advert

to what passes in the stomach, and recollect that the great office of that organ is to digest, or, in other words, to decompound the food, we may easily suppose that this operation is attended with the production of heat.

THE experiments of Sir John Pringle and Dr. Macbride, upon the dissolution of different articles of food, and which were made expressly with a design of imitating the process of digestion in the animal stomach, all prove, that this operation is attended with the peculiar intestine motion characteristic of fermentation, and confirm the propriety of the modern chemical definition of that process, namely, that it is "an intestine motion as sing spontaneously" among the insensible parts of a body, pro"ducing a new disposition, and a different "combination of those parts *."

THERE

^{*} There is, obviously, an awkwardness, not to say absurdity, in the terms of this definition of fermentation,

THERE can be no need of new facts to prove the existence of heat in a combined state in the substances at present under confideration, or the fenfible production of it when they undergo a decomposition, or a new arrangement of their component parts. Fermentation and putrefaction are the means by which this change is produced, and every one who has at all attended to these processes; cannot be ignorant how great a quantity of heat is produced by them. The vegetation of feeds, which is likewife a decomposition, by which a new arrangement is produced, the body in this instance assuming a new form that is obvious to our fenses, is attended with the same production of heat:

and insensible: but as it is the definition of so celebrated a chemist as Macquer, and has been adopted by Dr. Macbride and others, and more especially as it is sufficiently clear respecting the fact I allude to, as brought about by that process, namely, the production of a new disposition, and a different combination of the parts of a body, I have not judged it necessary to reject it.

What is the common operation of malting barley, but the exciting a quick vegetation of the grain? and is not the heat produced by this process so great as to require the skill of the workman to keep it within proper limits?

THE decomposition of bodies does not, however, take place but under some peculiar circumstances. The perfect and fixed state of a body depends upon the exact and proportionate combination of its feveral ingredients, and their feparation cannot take place without the balance between the feveral parts being destroyed: thus, supposing water and the matter of heat to be two of the principal ingredients which enter into the composition of a grain of barley, if a fuperabundance of these be given it, the exact proportion between them and the other materials forming the body, will be taken away, the perfect cohesion of the several parts which depended upon that proportion will cease,

and each individual part be rendered liable to be acted upon by the furrounding medium, to which it was before infenfible. Thus we may fee, why wetting the barley and exposing the grain to a warmer air produces the operation of malting; why the gardener, in preparing his hot beds, throws the dung into heaps, and waters it to promote a quick putrefaction and the confequent generation of heat; why vernal funs and vernal showers call into life the vegetable world, and why the various kinds of food, when admitted into the stomach should, when affisted by heat and moisture, and the peculiar action of that organ, undergo the most perfect decomposition; and why the matter of heat which probably forms a very confiderable part of them, should be there separated, and rendered capable of diffusing itself through every part of the body for the fupport of life. The addition of moisture alone without heat, will, also, in like manner, produce the decomposition of the grain; but

but it will not, in this case, be by the vegetative, but by the putrefactive process, as every farmer knows, that grain of all sorts in very wet weather, if cold at the same time, will not grow but rot in the ground.

THE sense of superior heat which is, obviously, felt in the region of the stomach, is a proof that if that be not the feat of the immediate source of all animal heat, at least that a considerable quantity originates there, and strongly confirms the before-going remark, that heat is excited during the decomposition of our food. And if we trace the food through all its changes, and confider that it undergoes feveral new arrangements in its progrefs through the different parts of the body, we may possibly be led to suppose, that the heat produced by the first decompofition of the food in the stomach is not all which it brings with it into the animal; for, as all bodies which assume a

new arrangement of their component parts are rendered capable of retaining more or lefs heat in a concealed flate, and as confequently every fuch change must be productive of sensible heat or cold, by the new body absorbing or letting out the matter of heat, as in the familiar instances of the conversion of vapour into water, water into ice, and vice versa, and as the production of heat must answer a vital purpose more than that of cold would do, it is no improbable conjecture to imagine, that every such change occasions heat.

An idea which very much agrees with this theory of the production of animal heat in the stomach, and of the escape of it when the different kinds of food undergo decomposition, was entertained by Dr. Franklin many years ago, and probably long before the present doctrine of latent heat engaged the attention of chemists; for he says, "I have been inclined to think "that

that the fluid fire, as well as the fluid " air, is attracted by plants in their " growth, and becomes confolidated with " the other materials of which they are " formed, and makes a part of their fub-" stance: that when they come to be di-" gested, and to suffer in the vessels a kind " of fermentation, part of the fire, as well " as part of the air recovers its fluid, ac-"tive state again, and diffuses itself in " the body, digesting and separating it: " that the fire so re-produced by digefse tion and separation continually leaving " the body, its place is supplied by fresh " quantities arising from the continual " feparation; that whatever quickens the "motion of the fluids in an animal, " quickens the separation and reproduces "more of the fire, as exercise; that all "the fire emitted by wood and other " combustibles, when burning, existed in "them before in a folid state, being only "discovered when separating; that some " fossils, as sulphur, sea coal, &c. con-C 2 " tain

"in short, what escapes, and is dissipated in the burning of bodies, besides water and earth, is generally the air and fire that before made parts of the solid *."

IT may, indeed, be objected to the above doctrine, that one kind of food, and which in cold climates forms the greatest part of human food, and on which fome animals live wholly, does not, under the common circumstances of decomposition, emit any heat; it being the opinion of many chemists, that when the putrefaction of animal substance takes place, even with the greatest rapidity, and the largest possible quantity of phlogiston is set at liberty, that not the least degree of fensible heat accompanies its escape: it must, I believe, be admitted, that under the ordinary circumstances in which this process is carried on, that no heat is fenfibly excited; but as there can

^{*} Last edition of his Letters, page 346.

be no doubt but the matter of heat exists in all animal as well as vegetable fubstances, as the one is not less inflammable than the other, it must be equally certain that this matter is fet at liberty when they undergo a perfect decomposition; but, probably, in the moment of its escape from animal fubstances it immediately enters into some new combination, by which it is again concealed from our fenses; and it appears to me very probable, that the peculiar, and perhaps more perfect method in which the decomposition of food is carried on in the stomach, and the particular circumstances under which the efcape of heat from it is there effected, prevents fuch a combination taking place, as in the common circumstances of putrefaction renders it infensible.

I BELIEVE it is pretty generally supposed, that inflammable air is a combination of phlogiston and the matter of heat; and admitting this to be true, there can be no doubt of the existence of heat in animal substance, as it appears from some late experiments

experiments of Dr. Priestley (one of which I will subjoin) that this air may be obtained from such substances: "On the "17th of August I exposed in the sun, in a large retort of rain water, 3 dwts. "6 grains of roasted beef, the neck of the retort being plunged in water nine inches deep, in a jar that nearly sitted it; and moreover closed it with a cork, in which was a very small perforation, fo as to give it as little communication with the external air as possible. On the 9th of September I took from it two-thirds of an ounce measure of air, all instammable *."

And, as a farther objection, it may, perhaps, be observed, that the natural food of infants, in whose bodies a greater degree of animal heat is known to be produced than in adults, does not appear to undergo that decomposition and those changes which have before been considered

^{*} Experiments and observations relating to natural philosophy, &c. vol. v. page 56.

as necessary to the production of heat, This will, however, I am perfuaded, be found, upon enquiry, not to be true; as milk is certainly capable of the fermentatory process; every one knows how soon, when exposed to the common temperature of the atmosphere, it will become four, to do which, it is plain it must go through the preceding stages of fermentation; and as we are told from very good authority *, that fome northern nations have a method of obtaining a vinous and inebriating liquor from milk, the fermentatory process which produces this, must very much refemble that of the vegetable and farinaceous substances, the decomposition of which is, as before observed, well known to be attended with the production of much heat.

If it be true, then, that the generation of heat for the use of the animal is carried on in the stomach and alimentary canal, and that the immediate source of it is the food, there can be no doubt but many of

^{*} Macbride.

the common facts in the animal economy will be accounted for by this theory: and in the first place we should expect to find a confent between the organ in which the heat is first set at liberty, and the surface of the skin where it passes off from the body; and as the reproduction of it should bear a proportion to the waste of it, that the fense of hunger, which is the feeling by which all animals are prompted to supply the stomach with new materials for its production, should be more or less urgent, as a smaller or greater quantity of heat escapes by the surface; and that, therefore, under those circumstances, in which the difference between the heat of the human body and the furrounding atmosphere is so small that the heat passes off most slowly, and there is consequently the least occasion for a quick supply of it, that the fense of hunger should be most feeble, and the quantity of food taken be fmallest; and that under circumstances the reverse of these, the sense of hunger should be strongest, and the quantity of food should be greatest: it is natural to suppose, that

that where the atmosphere is hottest, the former should take place, and where the air is coldest, that the latter should happen. Accordingly, it is well known, that the inhabitants of cold climates eat a larger quantity, and of a more substantial food, than the inhabitants of warmer climates; that the appetite in most people is keener in winter than in fummer, and in those persons whose employments expose them constantly to the open air and exercise, than in those who are sedentary and live chiefly in warm rooms; and from the same cause we may easily understand, what is likewise a well known fact, that the evil of unsatisfied hunger is dreadfully aggravated by exposure to cold. "Dum novo " reficimur & turgemus alimento, blando " perfundimur calore; aerifque frigidi in-" jurias facilius longè saturi toleramus, " quam esurientes & inaniti "."

As in the production of all other animal matters, a due proportion is, in a

^{*} Martine de animalium Calore, pag. 225.

state of soundness, always observed between the fecretion and the excretion, there can be no doubt but a perfect state of health requires that an equal balance should subfist between the waste and supply of animal heat; and that if either the furface be unable to carry off what has been generated within, or if more be carried off than the internal organ can supply, a state of disease must, in either case, be induced; and, agreeable to these premises, it is notorious, that if the quantity of food received into the stomach be too fmall, or if the powers of the stomach be unable to digest it, that paleness, feebleness, and coldness come on, and the body shrinks; and it is equally obvious, that when the fituation of persons prevents the due escape of heat from the surface, and yet from indulging the appetite, a larger quantity of food is taken than is necessary, that a superabundance of heat must be produced, which occasions in such perfons a disposition to grow fat, and renders them particularly liable to diseases of the inflammatory

inflammatory kind, the truth of which every one's observation must confirm.

THE circumstance of the increase of bulk of persons in the situation just described being owing solely to an accumulation of the fat, or cellular substance, is, perhaps, more worthy of notice, and more immediately connected with the foregoing theory than may, at first, be imagined. Little as the nature of the matter of heat and of the principle called phlogiston can be known, from the impossibility of investigating them, being both fubstances of which our senses can take but little cognizance, except in observing the difference which is produced in various bodies by their presence or their abfence; yet, there can be no doubt that if not nearly allied, that they are, for the most part, found united in the same body, and that their escape is at the same time, as is evident from the different operations of combustion and putrefaction,

the matter of heat excited, being usually attendant on, and probably, in proportion to the quantity of phlogiston set at liberty; and, as the fubstances termed inflammable are known to contain the largest quantity of phlogiston, and the most inflammable of these are oily, fat, and unctuous bodies, may we not suppose, that fuch contain the greatest quantity of the matter of heat; and, therefore, may we not fairly prefume, that the remarkable increase of the fat and unctuous parts of the body, which takes place in persons who are constantly receiving into their bodies more of the matter of heat than can effect an escape by the surface, is principally owing to a deposition of the matter of heat in those substances. And from the foregoing confideration, perhaps, it may appear to be not unlikely, that when the matter of heat is extricated from the food in the stomach, and is at liberty to diffuse itself through the animal, that it is disposed of in two different ways; probably, part of of the animal body in a combined state, forming an organic part of the animal compound, and contributing, in the young subject, to the increase of its growth, and in the adult, to the preservation and constant renovation of that bulk of matter which it has attained by maturity, and the remainder, being the superabundance, passes through the animal body in a sensible state, and is carried off from the surface by the surrounding atmosphere.

Those who are conversant with anatomy well know how much the cellular substance contributes to the bulk of animals, even in those which cannot be called fat, and in those parts of the body which are called muscular; the diffection and maceration of muscles having proved that they consist of an infinite number of fibres united by this cellular substance, and that each fibre, as far as can be traced by the eye, even assisted by glasses,

glasses, consists of still smaller sibres united by the same connecting substance,

It may, however, appear extraordinary, that a matter which is so subtile, and seems to occupy so small a space as to elude our senses, should contribute so much to the production and increase of so bulky a material as animal fat; but this will not appear surprising, if we recollect what form the principal ingredients in the most dense and compact kinds of matter; chemical experiments, which have lately been much affisted by the application of the burning lens, having proved, that the most solid piece of oak consists of nothing but air, water, the matter of heat, and phlogiston.

As the principle of inflammability is certainly contained in all animal and vegetable substances as well as the matter of heat, and as they both make their escape when these substances are undergoing decomposition, there can be no doubt but this principle

principle is also admitted into the animal system, for some vital purpose; constituting, perhaps, in conjunction with the matter of heat, the whole of our nutriment, and as there must be a constant production of this, as well as of the matter of heat, in the stomachs of animals, from the food received into them, there must, obviously, be some outlet by which the superabundant quantity may pass off.

The nature of the air thrown out of the lungs, evidently proves, that the principal part of that which has passed the circulation sinds an exit thence; for however, one might expect, that the principle of inflammability would accompany the matter of heat in its escape from the surface of the body, it has been proved by some experiments of Dr. Priestley, that what passes from the skin in a state of health, and in the ordinary temperature of the body, does not render the air foul, and consequently does not impart to it

any phlogiston. It is, at the same time, well known, that inflammable air is contained in the lower intestines, and frequently passes from them per slatum. This is, probably, immediately produced from the seces in the intestines, and as it has been before observed, that the production of heat usually accompanies the escape of phlogiston, it serves to prove, that in the very last stage of decomposition which the food undergoes, in its passage through the body, that one of the purposes intended by its introduction, namely the generation of heat, is still continued.

I FIND in Dr. Priestley's last volume of Observations on different Kinds of Air, &c. that he is led, by some experiments made on alimentary substances, to suppose that phlogiston alone is the principle of nutrition. He says, page 64, "The ex"periments recited in this and the fol"lowing section were entered upon chief"ly to discover the principle of nutrition
"in

"in vegetable and animal substances, and they seem to lead us to suppose, that this principle is phlogiston, or the principle of inflammability, in such a state as to be capable of becoming, by putre-

" faction, a true inflammable air.

"In the putrefactive process the phlogiston is merely evolved, and not again
combined with any thing except what
may be necessary to its assuming the
form of inflammable air; but in nutrition it is immediately held in solution
by the gastric juice and in the chyle
formed by it."

Ir it be true, then, as before observed, that phlogiston becomes inflammable air by the combination of the matter of heat, we may easily account for the absorption of that heat which is separated in the common putrefactive process of animal substance, and in consequence of which, it is concealed from our senses. And, if it be

also true, as Dr. Priestley imagines, that when the dissolution of the same sub-stance takes place in the stomach under the process of digestion, that the phlogiston is not combined with heat, but is immediately taken up by the gastric juice, we may further understand, why the matter of heat is generated under these circumstances in a sensible state, and is, therefore, at liberty to be dissusded through the body, as before intimated.

But, as phlogiston and the matter of heat are certainly both equally extricable from vegetable, as well as animal substances, when they undergo putrefaction, it may seem strange, that the matter of heat should not, in this instance, as well as in that of animal substance, unite with the phlogiston, and be concealed in the new compound of instance air.

THE only conjecture I can give for such a difference in operations, which, in all other

other respects, are, apparently, so similar, is, that, probably, these two materials do not, in the instance of vegetable putrefaction, separate at the same time; the matter of heat being, possibly, so loosely combined with the vegetable substance, that it is set at liberty, and totally dissipated before the phlogiston is disengaged,

And, that the matter of heat is but loofely retained in vegetables, is evident from its being eafily separated from them in the lowest temperatures, by the sole addition of moisture; it is well known, that stable dung, if not dry, will heat and rot in the most severe frosts, and that what the gardeners call long muck, will, if thrown in a heap and watered, undergo the necessary process for the hot bed in the coldest seasons; whereas animal substance, if kept ever so wet, will resist putrefaction for a long while, even when the atmosphere is in temperature some degrees above the freezing point.

It may be remarked, too, that putrefaction in vegetables is a flow process, and is not compleated until a long while after the escape of the heat from them, while in animal substance, though the concurrence of considerable heat as well as moisture is required to induce putrefaction, yet, when once the process is began, it goes on very rapidly; all the materials of which it is composed, being, probably, set at liberty at the same time, and, therefore, more quickly dissipated.

Were the decomposition of vegetable matter to take place equally rapidly, probably, the same union of the matter of heat and phlogiston would be produced; and this, indeed, seems to be the case in combustion, though under the circumstances in which this operation is commonly carried on, it is obvious, that the inflammable air, which is produced by this union, cannot be preserved: This appears, however, to have been compleatly effected in Dr.

Priestley's

Priestley's late extraordinary experiment on charcoal, with the burning lens, the decomposition of the vegetable matter being, in this instance, so quickly obtained, that the component parts of the body were set at liberty at the same time, and were, moreover, under circumstances in which the new compound of inslammable air, resulting from it, was rendered obvious and preserved.

ADMITTING, then, these premises, the difference, as respecting the sensible production of heat, observable between the process of putrefaction in animal and in vegetable substance, will be easily understood, and the objection to the present theory, which arises from the generally received opinion of there being no heat generated in the decomposition of animal substance, and which has been before taken notice of, will be fully obviated.

IT is well known, that nothing more immediately tends to lessen the heat of the animal system than evacuation by the bowels, and on this principle, is doubt-lessly founded the universal practice of purging in inflammatory complaints.

Ir these means were found useful only in inflammations of the bowels themfelves, this cooling effect might be supposed to be derived from the mere removal of what excited heat in them, by its bulk, in preternaturally distending the part, or by its acrimony, in irritating it. But experience has sufficiently proved, that unloading the bowels removes the general heat of the whole habit, and that inflammations of parts very remote from the intestines are relieved by the general diminution of heat, brought on by such means.

THERE can be, therefore, no doubt, from this circumstance, that the generation of heat is most moderate when the stomach and bowels are the least filled; and

and if so, it surely furnishes another argument of the probability of the original source of it being in the aliment received into the stomach.

THAT much of the heat which is generated in the living animal body is confitantly endeavouring to escape by the surface, is evident from a variety of facts.

THE universal custom of the inhabitants of all countries in which the temperature of the atmosphere is in the smallest degree lower than human heat, making use of apparel, and this being thicker or thinner in proportion to the respective differences of feafons and climates, is certainly a proof of this, as being evidently intended to prevent fuch an escape of heat from the body as would be unpleafant and injurious. The same thing may be obferved of the natural cloathing of different animals; in warm climates their coats are short, smooth, and lie close to the skin. but in the northern regions their covering confifts of a rarer substance, as wool,

fur, &c. and in birds this circumstance is peculiarly striking; as they pass freely through the air, and are constantly exposed, in the higher regions, to currents of cold air, their natural heat would pass off much too quickly if they were not covered with a fubstance which conducts heat very flowly, which feathers are well known to do; and in those birds which live in the water, which conducts heat much quicker than air, their covering is still more rare than common feathers; the down upon the breast and under the bellies of those birds, which in cold climates live principally in the water, being, perhaps, the flowest conductors of heat in nature; modern luxury, having, on this principle, fet fo great a value on the down of the Eider Duck, and its use in retaining heat in the part to which it is applied, being well known in fits of the gout, to which cases, on account of its extraordinary lightness, it is particularly well adapted, as the parts affected are usually so exquisitely tender, as to fuffer pain from the contact of whatever has weight, or occasions pressure.

THE flow conducting power of this down, being evidently owing to its very rare texture, it is obvious, that to retain this quality it should remain perfectly dry, as the finest plumage will, when wet, very foon collapse together, and form a body capable of carrying off heat, perhaps, very quickly. To guard against this circumstance, nature has furnished water fowls with a peculiar kind of oil, and has given them the power of occafionally opening the receptacle where it is deposited, and of spreading a sufficient quantity of it over their outermost feathers, by which they are effectually protected from the contact of the water, and their texture is preserved uninjured *.

IT

^{* &}quot;LEST the feathers should spoil by their violent attrition against the air, or imbibe the moissure of the atmosphere, the animal is furnished with a gland behind, containing a proper quantity of oil, which can be pressed out by the bird's bill, and laid smoothly over every feather that wants to be dressed for the forceasion.

IT may be likewise observed, that even in the same animals, a difference, respecting the heat-conducting power of their covering, takes place under different exposures; that in summer it is less calculated to retain their heat than in winter, and when protected by the external cold,

" occasion. This gland is situated on the rump, and " furnished with an opening, or excretory duct; about " which grows a fmall tuft of feathers, fomewhat like "a painter's pencil. When, therefore, the feathers " are shattered or rumpled, the bird turning its head " backwards, with the bill catches hold of the gland, " and preffing it, forces out the oily substance, with "which it anoints the disjointed parts of the feathers, " and drawing them out with great affiduity, recom-" poses them, and places them in due order; by which "they unite more closely together. Such poultry, "however, as live for the most part under cover, are " not furnished with so large a stock of this fluid, as those birds that reside in the open air. The feathers " of an hen, for instance, are pervious to every shower; " on the contrary, fwans, geefe, ducks, and all fuch " as nature has directed to live upon the water, have " their feathers dreffed with oil from the very first day " of their leaving the shell." - Goldsmith's History of the Earth and Animated Nature, vol. v. page 4.

by living within doors, than when exposed to it when living in the open air. The horse may be considered as a very familiar instance of the truth of this remark, for every one knows how long and rough the coats of those are which winter abroad, and how short and smooth are the coats of those which are kept in warm stables; and that it is a common practice with those who have the care of horses, to cover them with woollen cloths, to make their skins fine; and that, consequently, in the former fituation, it being of fo-loose and rare a texture, it must carry off heat very flowly; and in the latter, for the contrary reason, that it must carry it off much faster.

It may be remarked, that all animals, when the heat is passing off from them in an inconvenient degree, endeavour to check it by lessening the Turface of their bodies, which is exposed to the surrounding medium; thus we see, why dogs,

cats, &c. when lying on the ground, and not in a warm fituation, draw their limbs close to them, and endeavour to acquire fuch a posture of the whole body, as shall bring all the parts as much in contact as possible, and shall make their whole figure as small as it can be; and why, when in a contrary fituation, as near a fire, or exposed to the warm rays of the sun, they ftretch out their limbs, and extend their whole furface as much as possible: and we all know, that we ourselves, when naked, or when entering a cold bed, do exactly the same thing; and in bed, we continue fuch a posture until such a quantity of heat has been accumulated, and confined by the bed cloaths, as to remove the fenfation of cold, when, like the before-mentioned animals, we stretch forth our limbs, and acquire our accustomed posture.

THE peculiar glow which follows cold bathing, and which is observed by persons soon

foon after coming into a warm room, when the body has been, for some time before, exposed to a very cold air, may, likewise, be accounted for on the same principles of the internal production of animal heat, and its tendency to the furface; for, as during the exposure to the cold, in both cases, the heat must have escaped very fast, and the supply have been proportionably quick, the waste being suddenly checked by the warm air being a bad conductor of the heat, there must, obvioufly, be an accumulation on the furface, and a greater fense of heat than before, for a while, until the balance between the waste and the supply be again more regularly restored.

THE effects produced by fanning, when persons are very hot, and its being suddenly left off, though lately accounted for, on the principle of a celebrated theory of spasm, may, I think, in a clearer and more simple manner be understood on the principles

principles of the foregoing doctrine: when the furface is so loaded with heat, and the air which is in immediate contact with it, has already taken up so much that it is either unable to carry off any more, or performs this office so slowly, as to be unequal to the removal of the quantity which is constantly arriving at the furface, the driving away fuch air by the fan, and permitting other air to approach, which not being fo loaded, is able to carry off the heat more quickly, the skin must certainly be cocled; but if this operation be fuddenly stopped, and the air again become stationary, the return of heat will take place, and for a little while, perhaps, in an increased degree, (as is usually obferved,) because, whilst the heat had a free exit from without, the internal heat more readily found its way to the furface; and the fanning, which was the cause of the more free exit, being fuddenly stopped, a greater accumulation, for a little while, takes place on the skin, as was observed under

under fimilar circumstances after cold bathing, &c. and it appears, then, very evident, that the operation of fanning promotes the escape of heat from the surface, on the same principle as the use of the bellows promotes the combustion of burning bodies, the one removing the air which is become too much loaded with the matter of heat, and the other that which is saturated with phlogiston.

THAT the heat from within arrives quickest at the surface of those parts from whence the greatest escape of heat is continually going on, is evident, from those parts, which are constantly exposed, not feeling colder than those which are covered; thus, except in very severe cold, the hands and face experience no greater sense of cold than the other parts of the body which are continually covered. From which it would seem, that nature endeavours to maintain a due equilibrium between the waste and supply of every part;

and from this it may, also, be concluded, that if other parts of the body were as much exposed as the face and hands, that they would, but for a little while, experience any material inconvenience from the greater escape of heat which would be thus produced, and that, therefore, probably the use of such thick cloathing as we are accustomed to, or perhaps of any apparel at all, except in very cold climates and seasons, is principally necessary from habit alone.

EVERY one who has paid attention to the temperature of the atmosphere by means of the thermometer, must have observed, how frequently our feelings, respecting heat and cold, disagree with the indications of them, as expressed by that instrument; as it often happens, that when experiencing a very considerable degree of cold, we are surprised to find the mercury at a moderate temperature; and this may be observed usually to happen in windy weather, weather, and when the air is particularly loaded with wet particles.

This is to be accounted for on no other principle than that of the constant production of heat within the animal, and of its tendency to pass off by the surface: for the thermometer very foon acquiring the temperature of the air, becomes at once stationary, varying only with the real changes which take place in the atmofphere; whereas, the constant succession of heat which there is in the living animal, prevents its acquiring the temperature of the air, and it cannot, therefore, like the mercury, descend to its _temperature, and then become stationary; and as the fense of cold felt by us, must, consequently, be owing to the constant efcape of heat which is thus promoted, the degree of cold must, obviously, be in proportion to the celerity with which the air is enabled to carry the heat off.

AIR in motion, though precisely of the fame temperature as when still, will carry off most heat from the body in a given time; because the portion of air in immediate contact with the body, does not remain long enough near it to be warmed to a degree that can much lessen its conducting power, but being immediately removed, its place is supplied by other portions, which are, likewise, in their turns driven away, and are again succeeded by others; by which means the body is constantly surrounded with air of the coldest temperature the state of the atmosphere admits of, and which is, confequently, the most able to rob the surface of heat: whereas, when the air is still, the reverse of this must happen; for if the portion of air remain for some time in contact with the warm body, it must soon acquire some of its warmth, and by approaching nearer its temperature, become proportionably less able to carry off heat from it than it did at first.

Moist air is, likewise, a better conductor of heat, than when dry, because, water, though of the same temperature with air, is well known to carry it off more quickly than air will do.

IF, therefore, when these two causes unite, as is the case in moist and windy weather, we may easily understand why the heat from animals should be carried off more quickly, and the animals should experience a greater sense of cold than when the air is still and dry, though the thermometer should, in both cases, stand at the same point.

THE matter of heat finds, moreover, other outlets to escape by, besides the surface of the body; as a considerable quantity must, evidently, pass off from the lungs in breathing, and from the bladder and intestines, with the urine and seces: indeed, the quantity which is carried off with the air from the lungs, is found, by

experience, to be much greater than one would, at first, imagine, " for we know " that the heat contained in one breath of " air, will, if properly managed, raife " Fahrenheit's thermometer ten degrees *." And nature feems to have taken advantage of this circumstance, when an extraordinary quantity of heat is fuddenly excited in those animals, which are but little able to carry off fuch superabundancies: thus, dogs, who are feldom relieved by fweating, and sheep, whose cloathing is so particularly unfavourable to the carrying off an unufual quantity of heat, always breathefast when much heated; they open their mouths, likewife, very wide, that the whole furface of the fauces may be exposed, and move the tongue remarkably quickly, to agitate the air in contact with it.

THE degree of heat lost by the two other causes must, obviously, depend upon the quantity of those evacuations; it is

tity much, evidently, pals off from the

^{*} See Critical Review for January, 1782, page 6. evident,

evident, however, from the circumstance of their carrying off any, that, independent of the generation of heat being lessened by emptying the bowels, as has been before remarked, the body is, likewise, cooled by these evacuations by the mere removal of sensible heat.

INDEPENDENT of the causes which generate heat in animal bodies, there are, undoubtedly, many which contribute to the fudden excitation of it: the principal and most powerful of these are exercise and a free motion of the different parts of the body; and this may be accounted for, by supposing that the decomposition of the food in the stomach is accelerated thereby, or at least that the diffussion of the heat which is there produced, is by these means hastened. We should then expect to find that those persons, who by working hard all day, promote a quick decomposition of their food, and by being constantly expofed to the cold air, and being thinly clad,

clad, fuffer the heat which has been thus produced to escape fast, should have the best appetites, but that they should seldom grow fat; and for this reason it certainly may be accounted for, why the poor labourer, whose fituation is precisely that just described, though he should always return from his work with a keen appetite, and should be able to satisfy it with full meals of the most substantial food, and should, in every respect, enjoy the most perfect health, yet that he should seldom, like his wealthy and indolent neighbour, become fleek and corpulent; the exercife and constant exposure to cold producing the same effects as habitual abstinence. It may be remarked, I believe, as a very fingular circumstance, and as a striking proof of the foregoing observation, that there are very few instances of poor countrymen who live by daily labour, and are, for the most part, in the open air, being fat. And hence we see the propriety of air and exercise being

being recommended to invalids and convalescents, ss the surest means of procuring good appetites; and why cold bathing should be particularly conducive to this purpose.

THAT the application of cold to the furface of the body, and particularly in cold bathing, is a powerful means of exciting the appetite, has been often observed by medical writers; and this circumstance has lately been accounted for, by supposing, that there is a peculiar confent between the muscular fibres of the stomach, and the muscular fibres of the extreme vessels on the surface of the body *; and that as the surface is stimulated by the tonic and aftringent power of cold, the nerves of the stomach are, by the confent of parts, exposed to the same influence, and the appetite is prompted by the stimulus thus communicated from with-

^{*} Cullen's First Lines of the Practice of Physic, vol. i. page 40.

out: but, furely, the explanation of this fact will be more fimple, and more intelligible on the present theory. That immersion in cold water tends to carry off a much greater quantity of heat than would otherwise escape, must be very certain, and it must, therefore, evidently produce a more than usual necessity for the reproduction of this material; and as it is admitted that the sense of hunger, or a defire of supplying the stomach with food is the most obvious and general effect produced by cold bathing, it would feem very reasonable to suppose this organ to be principally concerned in the reproduction of it; and this is rendered still more probable, by the fact noticed in the preceding paragraph, and which proves, I think, incontestibly, that a waste of the matter of heat is a waste of nutriment, and confequently prevents those persons from growing fat, who are liable to a more than usual degree of it; and for this reason it also is, that those who go

too frequently into the cold bath, or stay in it too long, usually shrink; which circumstance must frequently have been obferved in boys, who, from being fond of swimming, go very often into the water, and stay a long while in it.

This admits of still further probability, from its being, likewise, a fact, that the retention of heat is a retention of nutriment, and, therefore, renders a supply of food less requisite. This has been before remarked generally, and will appear yet more evident by the following facts, and which I adduce as particularly contrasted to the foregoing ones, which tend to prove that the waste of heat is a waste of nourishment.

THE employment of those artificers who work near large fires, and in places heated by furnaces, as blacksmiths, forgemen, &c. is certainly more laborious than

that of the husbandman; and consequently, as far as depends upon exercise, the decomposition of their food, and the generation of heat must be carried on as quickly in them as in the husbandman; but as they live constantly in a warm atmosphere, the heat so generated cannot so easily pass off, and which, therefore, according to the preceding theory, occasioning an accumulation of it, will be manifest in the increase of their sat: accordingly, it is not unusual to find such persons corpulent, and from the same circumstance, it probably is, that cooks are fat almost to a proverb *.

THE

* There are, undoubtedly, many workmen, whose situations are, in many respects, similar to those above described, who are, nevertheless, very thin and pale; there being circumstances which attend some employments of this kind, which necessarily injure the health and waste the body. In some, the labour and heat are so violent as to produce excessive sweats, as is the case with the workmen in glass houses, founderies, &c. and in smelting ores, and fusing some metals, it is well known, that arsenical and other noxious mineral particles are frequently taken into the habit, and very mischievous effects

THE common theory of the waste of animal fat, is, that it is rendered fluid by exercise and motion, and in this state is absorbed by the blood, from whence it passes off by the common outlets with the other excretions. Were this true, there would, obviously, be a greater waste of this substance in these artificers than in husbandmen, as on this principle, not only their extraordinay labour, but the very warmth of their fituation would contribute to the diffolution of the fat; but whilst the contrary to this so often happens, it is furely more reasonable to suppose, as above, that the prevention of fat is owing to the matter of heat being eafily carried off by exposure to cold when it is first generated, by which it is hindered from being deposited, and producing an increase of the bulk.

effects are produced by them. But these, however true they may be, prove nothing against the above general remark.

IT must be, likewise, evident, that lying in bed, and being covered with thick cloaths, tends to retain heat, and confequently, that much less of the matter of heat must, at this time, escape, than under the ordinary circumstances of exposure. Those persons, who from accidents are obliged to be confined to bed for a confiderable length of time, and those who, from indulgence, habituate themselves much to their beds, well know that the appetite is lessened by it; and every one's experience tells him, that the fense of hunger is much less induced during those hours of abstinence which pass in bed, than in the same number during the day.

It may, perhaps, seem a ludicrous remark, but I cannot help thinking, that the prevalence of corpulency among Dutchmen, is, in some measure, owing to the retention of heat; for though they certainly are not a slothful people, yet they

they are remarkable for being more warmly clad than any other nation.

FEW animals of equal bulk are capable of supporting life upon so small a quantity of food as sheep; as it is well known, that they will live, and even thrive in very barren pastures; and there are many instances of their remaining several weeks under deep fnows without perishing: there can be no difficulty in explaining this, if the foregoing general principle be admitted, as it may, obviously, be attributed to their being covered with a cloathing of fuch great rarity as wool, and moreover, to the fnow being fo fimilar in its texture, as to be likewise a flow conductor of heat. And, for the same reafon, it probably is, that sheep suffer so much more injury from an excess of rich food, than most other animals do, and especially in warmer climates: As the heat produced by a superfluous quantity of aliment cannot make its escape, they

very soon grow fat; and if still continuing the same rich food, they become subject to the various diseases of repletion, to cutaneous eruptions, &c *.

A CIRCUMSTANCE of the same nature. may be also observed in birds, whose covering, like that of the sheep, is particularly well calculated to retain their heat, and therefore is, as has been before obferved, well adapted to their unufually exposed fituation. During the time of the incubation of the female, it is well known, that the smaller birds will remain a very long time without food: for, under these circumstances, not being exposed to such a waste of heat, as when passing swiftly and frequently through the higher and more cold regions of air in flying, a much fmaller quantity than usual must confequently pass off, the necessity for an immediate supply become less urgent, and

^{*} Buffon's Natural History, English translation, vol. iii. page 468.

the fense of hunger, probably, be proportionably diminished.

THAT motion should produce an increase of heat in animals, may however, perhaps, be accounted for on another principle, than its exciting a quicker action in the organs which decompose the food, or in those which diffuse it through the body; for if we admit the conjecture before made, that the matter of heat is deposited in a latent state in the animal. fubstance itself, and most largely in the fat and cellular parts, it is not more unreasonable to suppose, that motion and exercife should call it forth on the principle of attrition, than that pressure and friction should call it forth from metallic and vegetable substances, for if it may be excited from iron by the strokes of the hammer, and from two sticks by rubbing them against each other, there can be no reason to suppose, that it should not be called forth by the fame means from animal fubstances,

stances, which, probably, whilst in a living state, retain it more loosely.

THE foft, moist, and greafy texture of animal substance would, yet, seem to be very unfavourable to that closeness of contact, which in the attrition of harder bodies, probably, contributes much to the excitation of heat. I cannot more properly or more fully obviate this objection than in the words of Dr. Martine. "Cum li-" quores omnes, & præsertim pingues, " qualis est animalium sanguis, inter cor-" pora dura intercepti eorum attritum " quasi obtundant suffocentque, & calo-" rem alias ex attritu oriundum multum "imminuant; prout vel infimæ fortis "hominibus notum est experimentis ro-" tarum super axes, vel axium super ful-" cra in mille machinarum speciebus cir-" cumactarum; exinde ansam forte arri-" pias irridendi productionem caloris a " mutuo liquidorum & folidorum attritu " in corpore animato. Quum præsertim " habeamus

"habeamus Villisium asserentem liquida utut plurimum concussa & agitata haud"quaquam intepescere. Sed hypotheseos
"amore abreptus fallabatur Villisius, nos-

que, si illi totos nos considamus in er-

" rorem abripiet. A quo simplicis rusti-

" carum experimenti ope prompte libera-

" bimur. Lactis quippe cremorem, li-

' quorem certe satis inertem, & impense

" oleosum jugi agitatione, conquassatione,

" atque in continentis dolii parietes attritu

" ad fensum tepescere norunt mulierculæ,

" dum butyri a reliqua lactis parte sepa-

" rationem moliuntur. Idemque certiore

" nota apud Albinum comprobatum video;

"quum thermometrum tunc temporis

" lacti jam ebutyrato immissum majorem

s' caloris gradum evidenter commonstret.

" Hoc quidem ex mutatione quadam cre-

" mori inducta, & quasi chemico sieri pro-

" cessu forte arbitraberis. Ast, solicite

" facto periculo, ipsam simplicem aquam

" vehementer agitatam, fluidum in ther-

" mometro paullulum elevasse ipse obser-

" vasse mihi visus sum; nisi adquisitum

- " calorem alii cuidam ignotæ & latenti
- " caussæ ortum suum debuisse pertinax ni-
- " mis adftruere volueris *."

THAT heat may be locally excited by these means, must, however, be known to every one, for the rubbing the hands together, will, certainly, call it forth without the rest of the body being moved, or without any other part being warmed by it; and, furely, this fact alone renders it very probable, that it is produced on the foregoing principle: and, if this be admitted, it obviously leads to another conjecture, namely, that the adipose parts of animals are not only useful as the general connecting medium of the other parts of the body, and by their foftness, smoothness, and compressibility, as being well adapted to facilitate the various motions and flexions of the different parts, but that they serve the purpose of a magazine, in which the matter of heat is deposited, and from whence it may be occasionally

^{*} De animalium Calore, page 152.

called forth, for the use of the animal; and this supposition is not a little strengthened by feveral well known facts.

IT has been observed, that fat persons are less affected by exposure to cold than thin people are; the vulgar faying, of their fat keeping them warm, (at least if understood as furnishing them with warmth,) being, perhaps, more philosophical and true, than is commonly imagined; it is, however, undoubtedly true, that fat people are sooner affected by those circumstances which prevent the usual efcape of heat from the furface, than thin people are, and that the accumulation of heat produced by those means, are more intolerable to them; and, it is equally true, that thin people are the most impatient of cold; old people, in whom, it is well known, this fubstance is so much diminished, require, and probably for this very reason, to be kept much warmer than young people; and it would feem, too, that,

that, in those persons, who from a general morbid state of the system, or from any particular disease in the stomach, are unable to take in, or digest the usual and necessary quantity of food, and consequently cannot derive the requisite supply of heat from this source, it is obtained from the adipose parts, these being the parts which are known to sustain the greatest injury under such circumstances.

I CANNOT help conjecturing, that what has been usually termed by medical writers, insensible perspiration, is, in some degree, the mere escape of the matter of heat; and, from what has before been observed, on the agreement between the generation of heat in the stomach, and the loss of it by the surface, we may well understand why, in those curious experiments which have been made, by accurately weighing the quantity of food admitted into the stomach, and the quantity which passes from the body by the com-

mon emunctories, to ascertain the proportion they bear to each other, it has ever been found, that, in a state of health, the latter always falls very much short of the former; and which, therefore, proves that there is some other unknown outlet, and which has thence been called insensible perspiration.

The calculations of the celebrated Sanctorius on this subject (which were, indeed, made in a warmer climate than that of England, as he lived in Italy,) prove, that if eight parts be admitted into the stomach as food, only three parts pass off by the bladder and intestines, and that, consequently, sive parts make their escape by the other insensible outlet; a very great quantity indeed, the diminution of which, whatever be the nature of it, must necessarily produce a derangement in the animal occonomy.

Should this conjecture have any truth in it, into what a practical error has the idea of this unknown and infensible matter, being perspiration, led medical people? for it is well known, that warm air and thick cloathing are usually recommended to prevent the suppression of infensible perspiration, whereas, the escape of the matter of heat from the body is certainly promoted by the surrounding air being colder than itself, and by any other substance being in contact with it, being good conductors of heat.

THAT the escape of heat alone should effect any difference in the weight of the animal body, as is here supposed, must, however, appear very extraordinary; as we have no proof of the presence of the matter of heat adding to the weight of bodies.

INEXPLICABLE as it may be, there certainly seems, in some instances, to be a difference

a difference in the weight of the component parts of a body, when under combination, and when separated, at least, when weighed under the common circumstances of the atmosphere; and, perhaps, the prefent circumstance of the diminution of weight, by the escape of heat from the animal body, may be of this nature. The weight of the piece of charcoal, which was the subject of Dr. Priestley's extraordinary experiment with the burning lens, whatever it was, certainly appears to have exceeded the weight of the materials produced by its decomposition: this operation was carried on under circumstances in which none of its parts could be diffipated, except the light and heat, these alone being able to permeate the glass receiver; what remained was pure inflammable air, the weight of which, I need not observe, must have been much less than that of the charcoal.

THERE may, yet, be some fallacy in this, as, very possibly, inflammable air, light as it is, would, if weighed in vacuo, be equal in weight to the portion of charcoal which produces it; its extraordinary levity, when weighed in common air, being, perhaps, owing solely to its very great rarity*: thus, if the charcoal, which produces it, could be extended to such a degree as to equal the rarity of inflammable air, it would, probably, have equal levity; and if, on the contrary, inflammable air could be reduced to the density of common air, it would, probably, weigh as much; or, if still further, to the density

^{*} The obvious difficulty, if not impossibility, of ascertaining this by the air pump, or any other instrument, with perfect accuracy, must, for the present, at least, leave it a matter of conjecture; and, for the same reasons, probably, other philosophical paradoxes must still remain such. The increase of the weight of metals by calcination, which admits of no satisfactory explanation on the present principles of chemistry, might, perhaps, be accounted for, could the metal and calx be weighed in a perfect vacuum.

of charcoal, it would be as heavy as charcoal. And, possibly, it may be owing to the same circumstance, namely, its extraordinary rarity, that the matter of heat, when separated from the body with which it was originally combined, should seem to have no fensible weight: thus it cannot, furely, be unreasonable to suppose, that the matter of heat, which forms fo material a part of some bodies, as coals, fulphur, &c. should contribute, when under combination, to their weight; and yet, when fet at liberty by combustion, it is so extremely rare and unconfinable, as not possibly to be the subject of any experiment to ascertain its weight, and, therefore, it has generally been supposed to have none.

THE principles into which the common articles of food, both animal and vegetable, are refolved by chemical analysis, are earth, water, air, phlogiston, and the matter of heat. The chief part of the earthy

and watery particles pass off in the fœces and urine; but these, according to the experiments of Sanctorius, form but an inconfiderable part of the weight of the food admitted into the stomach. Some water, also, and, probably, more than is commonly imagined, evaporates from the furface of the mouth, fauces, and lungs in breathing, and fome air, certainly escapes by eructation, &c. and I have no doubt, moreover, but that some moisture does efcape infenfibly from the skin, though I am perfuaded it is much less than is commonly supposed, as I cannot help thinking, that what is deposited there, is principally defigned for the purpose of preferving the requifite foftness and smoothness of the surface, rather than to serve as the means of carrying off fomething from the habit *. But all these together are

^{*} Were infensible perspiration equal to what Sanctorius has supposed it, it must, surely, be obvious to the sight in the form of vapor, as it passes from the skin, when

are infufficient to account for the weight of food received, and we must, therefore, have recourse to the only two other materials which are known to pass off from the fystem, and which are phlogiston and the matter of heat; (for I would take no notice of what is lost by sensible sweating, as that is, evidently, only an occasional discharge, and moreover, was not noticed in the calculations of Sanctorius) by which it appears, if the premises be admitted, that the matter of heat and phlogiston, little as they feem to contribute to the weight of bodies, must, in this instance, by their escape, be supposed to contribute fomething to the diminution of the weight of the animal body.

when the temperature of the air is so cold as to be incapable of retaining it in perfect solution; and which is so evident in breathing, even when the thermometer is upwards of 50. The surface of the skin, when brought in contact with a cold and smooth body, as a looking-glass, will, indeed, leave a mark of moisture, but even this is very inconsiderable, unless the skin be in a state of sensible perspiration.

IT is worth observing, how carefully nature has guarded against the inconveniencies which the temporary and occasional fuperabundances of heat, which, under certain circumstances, necessarily take place, must produce; when so large a quantity of heat is fuddenly excited, that the furrounding medium cannot take it away fufficiently fast, or when, though the formation of heat be but in the ordinary degree, the temperature of the air is fuch, as not to be able to remove it in the usual manner, an accumulation must take place at the surface, and such a sense of heat be immediately felt on the skin, as to become painful, and if not foon relieved, to be injurious: in this case, provided the body be in health, there comes on a perspiration, which covering the furface with moisture, affords an opportunity for the heat to pass off by a new law, for evaporation at this time taking place, a quantity of heat is immediately absorbed by the vapor, and carried off in a latent state, by which means, the superabundant heat

heat finds an escape, and the inconveniences occasioned by it are obviated.

WITHOUT this happy provision of nature to carry off occasional superabundances of heat, it is obvious, that in hot climates it would frequently be insupportable; and accordingly it is observed, that in such climates those persons enjoy the most persect health, and are able to endure the highest temperatures, who are most prone to sweating; and that particularly among those poor negroes who are compelled to personn hard and daily labour, those who are not constantly relieved by plentiful sweating, soon fall a facrifice to the accumulated heat produced under those circumstances.

On the same principle, how obviously does it appear, that the burning heat of a fever sit must be relieved by sweating, and that a state of perspiration must be salutary in all instammatory diseases.

So great is the relief obtained by fweating in cases of extraordinary heat, that, probably, it contributes to the letting off the matter of heat by other means than the mere evaporation of the moisture which forms on the skin; it is evident, that fweating very much wastes the animal fat, and by that means, according to what has been before observed, one source of heat is diminished, and, perhaps, what passes off at this time is, in part, this very substance itself in a liquified state; and if so, the very change from a folid to a fluid must be attended with the absorption of heat, as it is well known, that those bodies which undergo changes from a solid to a fluid state are capable of retaining more heat in a latent state when fluid than when folid, as water contains more than ice, and vapor more than water. And I find, that I am not fingular in this opinion, of the fat itself being sometimes liquified, and discharged through the pores of the skin; as Dr. Alexander, in his experimental

experimental essays, more than once mentions the same idea; for he says, "when "we view attentively the sweat of very hard labourers, and of those who work at surnaces, &c. and consider every circumstance attending it, we shall genemically sind that it is colliquative, and "consists chiefly of the serous parts of the "blood, but also of the fat melted down "and excreted with them." Page 203. And in the same page he again says, "in "very profuse sweats, a considerable part "of the fat is melted down and evacuated."

If this be the case, we cannot but remark the peculiar simplicity with which nature relieves herself under these circumstances, the evil of accumulated heat becoming itself the cause by which the superabundance is removed: and hence we see, that a degree of heat, beyond what is usual to the skin, must take place before perspiration can be induced.

will, however, I floode hope,

VARIOUS other facts relative to the economy of animal life, might, I doubt not, be adduced as further illustrative of the foregoing theory; and in pursuing the fubject, much matter would, probably, arife, not a little interesting to a philofophic mind, as it must necessarily open to the enquirer a new field of natural knowledge, perhaps, not less rich with materials, than those which have been lately fo fuccessfully traversed by modern philosophers. The short, and very imperfect sketch here given of the subject, will, however, I should hope, be sufficient to shew the probability of the system, and serve, at least, to introduce the following observations on the treatment of cutaneous eruptions and diseases of the furface: and if we admit this system, we must admire the wonderful simplicity with which nature carries on the important work of the production of heat in animals, and her great wisdom, in not

only having provided fuch ample stores of this valuable material, in different parts of the creation, but in having fo perfectly fecured it from waste until it should be called for by the occasion which immediately demands it; for, were the matter of heat contained in feeds destined for future plants, or in other vegetable fubstances intended for the use of animals, so loosely combined with them, as to be fenfible to the common laws of heat, it is evident, that the matter would be diffipated as foon as the respective bodies were surrounded by media, colder than those in which they were originally formed, and, consequently, would be expended before, in one case, the great purpose of vegetation, and in the other, the no less important work of animalization could be effected,

SECTION II.

General Theory of Cutaneous Eruptions, &c.

THETHER the philosophical reader will admit the preceding theory of the production of animal heat to be probable or not, the foregoing facts are certainly sufficient to prove, that a considerable quantity of heat is constantly generated in the animal body, and that some of it has a constant tendency to pass off by the surface; that the regular escape of this matter depends upon such various circumstances, that it must be liable to occasional interruptions; and that in consequence of these interruptions, the surface of the skin must be sometimes over-charged with heat.

CUTANEOUS ERUPTIONS, &c. 75

THE effect of this accumulation of heat from within, if we may be allowed to confider the fact fimply, must be precisely the same as if an extraordinary quantity of heat were to be applied to the skin from without; and which is well known to be as follows: a small degree of heat, and which is not long continued, excites only an increased sensibility in the part; if a larger quantity, or if longer continued, it occasions a sense of burning, the part becomes red, is inflamed, and tumefied, perhaps, by the fimple expansive power of heat; and if still more be applied, the circulation in the cutis is obstructed, and a decomposition takes place, which is attended either with the vefication or exulceration of the part.

THAT there are various diseases which affect the skin exactly in the way just described, the causes of which cannot be the application of heat from without, must, I think, be admitted by every person who

has

has paid the least attention to cutaneous affections, and from their great fimilarity to those which are produced by the action of external heat, afford a fair presumption, that they are produced by a real accumulation of the fame matter, and which, confequently, must have its source from and which is not long continued, nidtiw

WHAT renders this still more probable, is, that those subjects in whom the greatest quantity of heat is known to be generated, are most liable to cutaneous diseases, as is, in both respects, the case with infants; and that those parts of them whose situation is the least favourable for the escape of heat, are the first and most principally affected: it is obvious, that the matter of heat is most likely to be retained behind the ears, under the axillæ, &c. as thefe parts are almost constantly in a state of contact, and it is well known, that these are particularly subject to excoriations and pustulary eruptions.

I CANNOT

CUTANEOUS ERUPTIONS, &c. 77

I CANNOT help, therefore, thinking, that most of those eruptions and inflammations on the skin, which occur when a patient is in other respects in good health, are owing merely to the matter of heat accumulated on the part, in confequence of its being obstructed in its usual endeavour to pass off; and in support of this opinion, I will adduce two fimple instances of such local eruptions being, incontestibly, produced by fuch an accumulation: in the one case being occasioned by the matter of heat being hindered from making its escape as usual; and in the other, by fuch an extraordinary quantity being excited on the part as cannot pass off in the ordinary way.

It is well known, that poultices, which, from their loofe and rare texture, are evidently very bad conductors of heat, if long continued to a part, rarely fail to produce pimples; and that friction, even of the most gentle kind, will, if long continued,

or often repeated on a part, produce the fame; and an instance of the latter, as occurring in medical practice, may be obferved in those patients who have been for fome time using mercurial frictions, especially if the ointment be absorbed so slowly as to require a long continued rubbing on the skin; the pustules on the part produced by this cause, being, sometimes, so troublesome as to make it necessary that the patient should frequently change the part on which the friction is made, and even in some cases, as to require the difcontinuance of it for some time: and we all know, how much fooner these causes, when united, will produce the foregoing effects. The uneafiness which some people experience when riding in warm weather, is certainly produced by an extraordinary degree of heat being excited on the part by pressure and friction, and by the due escape of it being prevented by the substances in contact being bad conductors of heat.

If, then, this simple view of the substance be admitted as a just one, we cannot be at a loss how to treat such diseases, the very nature of them pointing out those substances which have the property of carrying off the matter of heat most readily, as the most likely to afford relief in them.

The similarity between topical inflammation, and the effects of external heat applied to the skin, and the real existence of an extraordinary degree of the matter of heat in the former, have long ago been remarked by physicians, and are particularly noticed by the celebrated commentator on Boerhaave, who has the following apposite observations on this subject *.

"But that there is a greater quantity of ifire in the inflamed part is demonstrated by thermometers, and the effects being quite similar to those which arise from

^{*} Van Swieten's Commentaries, vol. iii. page 284.

" the application of elemental fire to the " body. For when a healthy person ap-" plies the back of his hand to a fire, he " begins to perceive a greater heat, then " the part will become red: and if he " applies it still nearer to the fire, the " pain will be violently increased, the " cuticle will be raifed into blifters, and " at length the skin itself will be burnt " up into an eschar by the increased ac-"tion of the fire; which eschar being " absolutely a dead or foreign substance, " must be separated from the living parts " by a suppuration: but the ill conse-" quences of an inflammation are altogether "the same with these, and arise in like " order. For a flight heat, redness, and "tumour, attended with pain, form an "inflammation at the back of the hand, " all which fymptoms have increased in " proportion to the disorder itself: but " from a violent inflammation tending to " a gangrene, the cuticle is also raised into si blifters, and gangrenous eschars are " formed,

CUTANEOUS ERUPTIONS, &c. 8i " formed, which must be likewise sepa-" rated from the living parts by fuppura-"tion; and if the inflammation still con-" tinues increasing in violence, all the " parts appear black, even to the bone, " in the same manner as if they were " burnt by the fire, and then the part is " faid to be mortified or sphacelated. "Hence, also, Hippocrates calls an ar-" dent fever by the name of fire (To TUP) " because, in that disorder there is often " fo great a heat felt in the vital organs, " as if there were a real fire; from whence " death often enfues very fuddenly. And "in the most ardent fever, the plague, " when the malignity of the distemper is " translated to some particular part of the "body, it is observed to be burnt up in " fuch a manner as if it was actually oc-" casioned by fire; as is evident in the " pestilential carbuncles; which are, af-" terwards, separated and thrown off by " a suppuration all round them, and this " perfectly in the same manner as is usual

M

" when

"when any part of the body has been burnt by a red hot iron. Thus the wife ancients did, by observations only of the effects of an inflammation, denominate it justly from fire, fince both the cause and the effect of each are alike; and the modern observations concerning the nature of fire, are a strong confirmation of all that has been here faid."

The inflammation which spreads round the puncture of inoculation, is, perhaps, of all others, the most intense; but as it is usually but of short duration, and, as when there are but sew pustules in the other parts of the body, its continuance is rather desired than not, means are seldom used to lessen it. I have, however, sometimes seen it so great as to destroy the integuments and cellular substance to a considerable extent and depth. When threatening such effects as these, the keeping the part constantly wet with cold water

water, relieves it sooner than any other application; and this method, which I first learned from Mr. Sutton, the celebrated inoculator of the small pox, and the bold and successful introducer of the cool regimen in that disease, is a decisive proof of the relief obtained in inflammations by the simple removal of the matter of heat.

ADOPTING, therefore, this general idea, that cutaneous eruptions and inflammations are produced by accumulations of heat on the furface, and that they indicate the necessity of a more speedy removal of the matter of heat than the part requires at another time, I shall endeavour to enquire, whether the same doctrine be not applicable to the following important diseases, and whether, as in all of them, the surface most particularly suffers, it is not reasonable to attribute them to similar accumulations, and to suppose, there-

fore, that they may, all, in some degree, be relieved by the use of those means which have a tendency to prevent such accumulations of heat being formed on the surface, or to affist in a more speedy removal of them, when once collected.

THE diseases I allude to are the following:

The Small Pox.

The Miliary Eruption.

The Measles.

The Scarlatina.

The Eryfipelas.

The Elephantiasis.

The Tinea Capitis.

Febrile Rashes.

The Anthrax.

The Phlegmon.

Burns and Scalds.

Spreading Ulcers, attended with an extraordinary fense of heat.

The Hernia Humoralis.

The

CUTANEOUS ERUPTIONS, &c. 85

The Hernia Intestinalis.

A I' is the necutiar nature

Opthalmia.

The Gout.

And those kinds of local eruptions and excoriations which cannot be included in any of the above.

the solution a product a provider kind to

city of hear, which, by a cowerful sitters

SECTION

SECTION III.

The Small Pox.

HAT is the peculiar nature of the virus of the small pox, and whether we shall ever be able to understand the nature of this, and of the other species of contagion, it is not at present necessary to consider: it is, however, evident, that its introduction into the fystem never fails to produce a peculiar kind of ferment in it, and that the effect of this is the generation of an extraordinary quantity of heat, which, by a powerful effort of nature, is immediately determined to the furface, and in proportion to the quantity which arrives there, or that is prevented from paffing off, the skin suffers the usual injury from such cause, as an increased sensibility in the part, redness, tumefaction, and suppuration.

THIS

This view of the disease, simple as it is, I am perfuaded is a very natural and obvious one, and is, in the fullest manner, proved to be a just one, by the method which modern practice has adopted of treating it; for however the original introduction of fuch a method may have been owing to that kind of happy chance, which in many instances of human improvements has brought about the most useful discoveries, and however little, therefore, the principle of it might, at that time, have been reasoned upon, there can be no doubt but the falutary effects which experience has found to be produced by it, depend totally upon its favouring that escape of the matter of heat which the difease so immediately indicates to be necessary, and an endeavour to carry off which, feems to constitute its very nature.

THE extraordinary success which has attended the exposure of patients in the eruptive

eruptive stage of this disease to the cold air, and of their regimen, for some time before the fermentation excited by the introduction of the variolous matter takes place, being such as affords the most moderate generation of heat, are the most striking illustrations of the foregoing general doctrine, and particularly prove, that this disease consists principally in a superabundance of heat suddenly excited.

The very painful and feverish state of this disease which precedes the eruption, is, probably, owing to the peculiar fermenting process brought on by the admission of the virus into the habit, and, perhaps, the general sense of heat within, the pain in the head and back, the uneasiness and nausea at the stomach, and the increased velocity of the blood, are all symptoms of the intestine motion of such a process; and thence it may, likewise, seem not extraordinary, that when this is sinished, and the heat which is generated from

from such an operation is set at liberty, and finds its way to the furface, that the foregoing fymptoms should immediately be alleviated; and further, that if the heat should find a very ready iffue, and be in a great measure diffipated, that the danger of the disease should be over: and that if, on the other hand, when the heat arrives at the furface, it should be prevented from passing off, or if the quantity of it be fo great that the quickest conductors of heat should be insufficient to its removal, that it must accumulate there, and, in proportion to its quantum, produce upon the skin all the effects of such an accumulation of heat, as have before been enumerated.

This disease may, therefore, be well considered as consisting of three distinct stages; the first is that which is called the eruptive sever, and which appears to be occasioned by the peculiar ferment just mentioned; the second, which is properly

perly termed the eruption, and which appears, evidently, to be owing to an extraordinary quantity of heat being thrown on the furface; and the third may be confidered as the effect of that injury which the part has fustained by such an overcharge of heat, and consists in the pustulary suppuration of the skin.

IT is thence obvious, that the danger of this disease arises principally from the quantity of heat which has been excited in the first stage, and from the degree of obstruction which it finds in endeavouring to pass off in the second; and that, therefore, the regulation of these two stages is the most within our power; the object of the first being to render the habit able to endure, with the least injury, the derangement which the whole fystem suffers from this peculiar kind of stimulus being introduced, and by diminishing, as much as possible, the generation of that heat which is the effect of it; and both which, as before

fore observed, are most likely to be accomplished by unloading the stomach and bowels of fuch materials as give out much of the matter of heat, and by admitting fuch food only as affords the most moderate quantity of it in its decomposition; and the object of the fecond being to favour the escape of heat from the surface; which is obtained by thin cloathing, exposure to cold air, &c. The first of these having been, by experience, found as instrumental in lessening the violence of the disease as the fecond, I wish the reader particularly to advert to it, as this feems to depend very much upon the restraining the generation of animal heat at that time, by diminishing the quantity of the materials which are supposed to produce it; for I cannot help thinking, that the use of preparatory medicines which are given previous to the communication of this disease by inoculation, depends more upon their power of emptying the bowels as purges, than N 2 upon

upon any specific antivariolous quality inherent in mercury, antimony, &c.

WHEN the third stage of this disease has taken place, the mischief, perhaps, is, in a great measure, irreparable; and all that art can do, is to conduct the patient through it as well as circumstances will admit of; for if the furface have fuffered fo much from the degree of heat accumulated upon it, that suppuration must take place, the object of medicine must be to prevent, if possible, the still more unfavourable termination of gangrene: The fituation of an unhappy patient under these circumstances being, perhaps, very fimilar to that which would take place if the skin had been injured to the same degree by artificial heat from without; and every one knows the hazard which would arise from such an affection of the skin, even from that cause, if extended over so large a furface.

Much, however, as the danger of the fmall pox feems to depend upon the quantity of heat excited in the first stage of the disease, and much as its virulence is diminished by the heat being carried off freely in the fecond, yet there can be no doubt, but fomething, in which the variolous poison resides, is deposited on the skin with the matter of heat; as it is well known, that the matter which is formed by the suppuration of the part, and even the clear lymph, called ichor, which (like the water of a common blifter,) is found when the pustule is a mere veficle, have the power of communicating the distemper; yet even this, little as we can reason upon its nature, is certainly fo proportioned to the quantity of heat excited at the time of its production, that it cannot, feparately, be confidered as an object of medical attention; and were it even supposed, that the heat was not generated within the body, and determined to the furface, but that

that it was immediately excited on the fkin by the acrimony of the variolous matter deposited there, the same endeavour to carry it off by exposure, &c. would be equally indicated.

The small pox is a disease so well known, and the method of treating it with the cool regimen is at present so universal, that every practitioner must have had sufficient experience of the facts on which the foregoing remarks are sounded; but as it may serve to strengthen what I have advanced on the subject of heat, as applied to the treatment of this disease; I shall insert the following transcripts on this subject from Cullen's First Lines of the Practice of Physic.

"THE circumstance of the skin, which feems to determine the variolous matter to stick in it, is a certain state of inflammation, depending much upon the beat of it: Thus we have many in-

" stances of parts of the body, from being " more beated, having a greater number " of puftules than other parts. In the " present practice of inoculation, in "which few pustules are produced, "much feems to be owing to the care "that is taken to keep the skin cool. Parts "covered with plasters, especially with "those of a stimulant kind, have more " pustules than other parts. Farther, " certain circumstances, such as adult "age, and full living, determining to a " phlogistic diathesis, seem to produce a " greater number of pustules *." And further, on the subject of inoculation, the same author says, "That it is neces-" fary both before and after inoculation, "to avoid external heat, either from " fun, artificial fires, warm chambers, " much cloathing, or being much in bed; " and on the contrary, that it is right

^{*} Page 143, vol. ii. 4th edition.

"to expose the person to a free and cool air +."

THE method of treating the small pox, which the above theory of the difease so obvioufly points out, being fuch as modern practice has already fo fuccessfully adopted, what has been faid on the fubject must be considered rather as illustrative of the preceding doctrine of heat, than as tending to recommend a new mode of practice: but as the above theory, perhaps, more fully explains the principle upon which such a practice is falutary, it may possibly be thought right in some cases to extend the degree of its application, and when the circumstances attendant on the eruption indicate fuch an accumulation of heat on the skin, as must be peculiarly hazardous, to attempt its diffipation by the application of more powerful conductors to the furface than

have hitherto been made use of; for if the temperature of the air be such as to render it unable to carry it off sufficiently fast, it would not seem improper to make use of water, which is known to conduct heat more quickly, or even to profit by the still more active heat-conducting power of evaporation, in the use of a more volatile sluid; provided the texture of the skin be not in any degree broken, so as to expose it to the danger of being stimulated by it.

SECTION IV.

The Miliary Eruption.

THE miliary eruption is another very remarkable instance of the effect of an accumulation of heat on the surface; for though considered for a long time as a critical evacuation of febrile matter, and constituting a peculiar disease, modern practitioners, I believe, are unanimous in attributing it solely to the skin having suffered a long continued and preternatural degree of heat and sweating.

That these eruptions are produced by the before mentioned causes, may be presumed from their infrequency in severs of the most malignant kind, and even among puerperal women, (who have heretofore been supposed to be so peculiarly liable to them,) since the cool regimen has been generally adopted in practice;

practice; from their being sometimes produced by those causes, when the patient is totally free from sever, and moreover from their being sometimes merely local, as must have been observed, not infrequently, where a part has been a long time kept warm and moist by poultices.

In the course of my practice, and which, more particularly in puerperal cases, has not been inconsiderable, I have never once seen the miliary sever; but I have several times observed a plentiful crop of the miliary eruption surround the semale breast, when, on account of a suppuration, it has been necessary to keep it poulticed for any length of time; and I have sometimes seen them on the chests of children, in very hot weather, though they have been in perfect health, from their having sweated profusely, and having had rather too thick cloathing upon them.

Were it necessary, in further proof of these eruptions being produced by heat and O 2 sweating,

fweating, to produce the authority of medical writers on the subject, I have no doubt but the most ample testimony might be obtained from the modern ones: the following, however, being so strikingly apposite to the subject, appear to be sully sufficient for my purpose. Dr. Shebbeare, who wrote before the cool regimen was generally made use of, and who was well known to be no friend to it, speaking of the miliary eruption, says, "Increased sweating, and long continued heat often exhibit that phænomenon, where no sickness attends."—Practice of Physic, Vol. II. Page 144.

In Mr. White's excellent Treatife on the Management of Lying in Women, the nature of the miliary fever is fully described, and the most satisfactory proofs are given of the eruption being produced by a mere overcharge of heat; he says, "I have often seen "miliary eruptions at different periods and under different circumstances, but I cannot, upon the strictest enquiry, find, that a "miliary

"miliary eruption was ever produced with"out a fweat." And further, "I have
"often observed that the miliary eruptions
"come out first, and there is the greatest
"quantity of them in those parts which
"are the closest covered, especially if co"vered with flannel."—Page 44. Second
Edition.

Dr. Gregory, in his Practice of Physic, fays, "It is found in all kinds of fevers, "especially where a bot regimen has been used, and where profuse and long continued fweatings have been the consequence. "Many people have it when they sweat, "though they have no fever.—Page 92. Sect. CLXXII.

And Dr. Cullen, in his First Lines of the Practice of Physic, delivers an opinion on this subject perfectly similar to the foregoing; for he says, Page 108. Sect. DCLXXXVII.

"That it is very probable, that, in the mi"liary fever, the morbific matter is not a substifting

" fubfifting contagion communicated to the

" blood, and thence, in consequence of fe-

" ver and affimilation, thrown out upon the

" furface of the body, but a matter occa-

" fionally produced in the skin itself by

" fweating." And Page 111. Section

DCLXXXIX. " It appears fo clearly to

" me that this eruption is always a sympto-

" matic and factitious affection, that I am

" persuaded it may be, in most cases, pre-

" vented merely by avoiding fweats."

And further. Page 113. Sect. DCXC.

"We are persuaded, therefore, that the prac-

" tice which formerly prevailed, in the case of

" miliary eruptions, of covering up the body

" close, and both by external means and in-

" ternal remedies, encouraging the fweat-

" ings which accompany this eruption, was

" highly pernicious and commonly fatal."

This eruption appears, therefore, most unquestionably, to arise from an extraordinary degree of heat being collected on the surface, under

under the peculiar circumstance of considerable fweating accompanying it; for in all the cases of miliary eruption before alluded to, it feems, in none of them, to have been excited without the latter having been an attendant upon it .- This may, probably, at the first view appear a paradox, as sweating has been before confidered, and is by experience well known, to be a very powerful agent in removing heat from the skin; but as this must obviously arise from the evaporation of the fluid deposited by sweating, if a profuse sweat be induced under circumstances which very little favor its evaporation, it is not unlikely but the heat of the skin will not only be but in a small degree lessened, but that it, possibly, may sometimes be increased by it; and as evaporation cannot take place to any extent, if the external air have no access to the skin, and which must be the case when the body is closely surrounded with flannels and thick bed-cloaths, it may, perhaps, in some measure, be accounted

counted for why this phænomenon should be produced by the joint causes of accumulated heat and sweating, when the skin is thus closely covered and cautiously guarded against the contact of the outward air.

If we admit the foregoing conjecture, we may further learn that not only profuse sweats, which, under these circumstances, are excited on the principle of carrying off morbisic matter, are generally prejudicial, but even the more moderate ones, which are induced with the intention of relieving the surface on the principle of diminishing its heat, must, in a great measure fail of their purpose, if the eyaporation of the moisture be not promoted by a due admission of the external air.

It can scarce be necessary to add, that allowing the cause of miliary eruptions to be such as has been recited, the cool regimen must be the only sure method of preventing them; and that when, from a contrary prac-

tice having been pursued, they have taken place, it must be equally manifest that the usual means of letting off heat from the skin, by occasional exposure to cool air and by thin cloathing, may not only be safely adopted, but that they must be the most likely to obviate the ill effects of them, and to prevent the production of any more.

SECTION V.

The Measles.

THIS disease, like the small pox, depends upon a specific contagion communicated to the blood, by the peculiar operation of which, on the system, fever and an extraordinary degree of heat are excited; the latter of which being determined to the furface, produces an accumulation of heat there, and occasions an eruption, which constitutes a principal part of the disease. It differs, however, from the fmall pox in this, that the Ikin does not feem to receive all the virulence of the distemper, as the lungs, and the mucous membranes of the throat, nostrils, &c. are more particularly affected by it; and for this reason, perhaps, it is, that the symptoms which occur before the eruption, are not fo much relieved by its appearance as in the finall pox.

IT is evident, however, that the furface is very much overcharged with heat, which undoubtedly has the fame tendency to pass off, as in other similar accumulations; and if we may be permitted to judge, from its analogy to the small pox, in this respect, and the great use with which the letting off the heat has been attended in that disease, we may surely expect some advantage from the same means being adopted in this, with this obvious difference only, that as exposure to cold is supposed to aggravate pulmonary affections which arise from inflammation, such means should be more cautiously exhibited.

On this account there is, perhaps, no way in which the escape of heat from the surface, could, in this disease, be promoted more advantageously, and with less inconvenience to the pneumonic symptoms, as by moderate sweating; but as nature seldom affords such a relief in the eruptive stage of this and similar eruptions, we may presume,

that the common means for this purpose, such as the neutral medicines, tepid, diluent drinks, &c. will not easily produce it; and if they would, that probably their operation would be too slow, where the effect is so immediately necessary; and as this reluctance of the skin to perspiration is, at this time, probably, owing to its being parched and corrugated by the heat accumulated on it, no means seem so likely to excite it as the tepid bath, or the application of slannels wrung out of warm water; both which are well known frequently to have induced it when the usual internal methods have failed.

THE warm bath, if at a moderate temperature, would feem, however, to deferve the preference in this case; as, independent of its tendency to promote sweating by relaxing the skin, and rendering its pores more pervious to the perspirable shuid, it certainly has a tendency to relieve the surface in the first instance, by its power, as water, of conducting heat, and which is found by thermometrical experiments

experiments to be so considerable, even when at a temperature much higher than that of the surrounding air, provided it be lower than that of the body which is immersed in it, that it will still deprive it of heat faster than the air would do at a much lower temperature.

THOUGH the heat on the furface would, in all probability, be confiderably diminished by this method of practice, and though the nature of the disease is, obviously, such as to give us room to expect relief from fuch a diminution of heat, yet I can hardly suppose that the medical practitioner would be induced, from what has been faid, at once, to adopt fuch a practice, unless some proofs, from experience, could be given of its falutary tendency. Perfuaded, however, as I may myfelf be of. the good effects which would probably attend the immersion of the whole body in a bath moderately tepid, at the time of the eruption of the measles, and more especially, fatisfied as I am, that it could do no harm, I would

I would yet advise, at first, as an experiment, to put the feet and legs only into warm water: It is well known that this partial use of the bath frequently induces a general and sufficient perspiration; and surely the practice of putting the feet into warm water is, at this time, so common at the beginning of most inflammatory severs, that no one can consider its proposed use in the measles as likely to be injurious; and should it be found by experience to lessen the heat on the surface, and to alleviate the febrile symptoms, there is no doubt but the practice would soon be carried to a greater extent, by immersing the whole body in the tepid bath.

From what was observed in the preceding section on the subject of sweating, it is obvious that when the above, or any similar means, are used to promote perspiration, with a view to the lessening the heat on the surface, that it will be peculiarly requisite to guard against the patient being in too warm an atmosphere, or being too much covered with

bed-cloaths or thick apparel, and more especially, because in this case the want of perspiration cannot be occasioned by a deficiency of heat on the skin.

In contagious diseases, attended with eruption, though the nature of the poison, the principle on which it affects the system, and the mode by which it passes off are totally concealed from us, yet medical practitioners seem to have adopted an idea of the quantum of virus bearing a proportion to the visible eruption; and that, as that appears to be the only sensible outlet by which it escapes from the constitution, the diminution of it, when once it has made its appearance, would seem to check the escape of morbid matter.

THERE is evidently a seeming propriety in this mode of reasoning; and we cannot, therefore, wonder that the treatment of cutaneous diseases has hitherto been so much directed to promote that which was considered as the visible outlet of the distemper.

Nothing

Nothing less than the experience of repeated facts could have proved the absurdity of a mode of reasoning seemingly so proper. In the small pox this has actually taken place, and, as far as relates to that single disease, it has had its full influence on practice.

ONE would have expected that the application of these important sacts would have been extended, in some degree, to the treatment of the other cutaneous diseases which so much resemble the small pox: but there is evidently a reluctance in medical persons to admit such an analogy between them as would influence the practice: and we find, therefore, that one of the latest and most distinguished medical writers* distrusts the analogy between the small pox and the measles, and even apprehends that exposure to cold might check the escape of the disease, and throw it back into the system.

* Dr. Cullen.

I CANNOT

I CANNOT account for this otherwise than by supposing that the principle, or, if I may be allowed the expression, the theory of these facts has not been sufficiently understood; for I have before observed, that though the good effects of exposure to cold in the small pox have been sufficiently ascertained by experiment, yet the reason for it has been but little attended to.

tion of the latter; or, to place the

The use of certain medicines, and the exposure to cold, have been supposed to act specifically in the extinction of the virus of the small pox; and whilst the matter rests here, it follows clearly, that unless the virus of the measles be admitted to be very similar to that of the small pox, there is no more reason to expect that the same means should be specifics in the removal of the former, because they are in the latter, than that it is reasonable to expect that mercury should subdue the cancerous virus because it is known to be a specific in the venereal.

Q

But

Bur if we admit the probability of the conjecture, which obviously arises from the confideration of the foregoing theory of heat, and of the before mentioned facts relative to the small pox, namely, that the quantum of the eruption bears a near relation to the degree of heat excited in the fystem, and retained on the furface, and that the removal of the former is in proportion to the diminution of the latter; or, to place the subject in a still more simple point of view, that the disease is not fo much in proportion to the quantity or individual nature of the poison admitted, as to the state and disposition of the body, respecting the generation of heat, and to the fituation of the patient, as favourable or unfavourable to the escape of it from the surface, we may, furely, from the clearest analogical reafoning, infer, that in any other disease, the nature of whose contagion is ever so different to that of the small pox, if its introduction into the fystem occasion the excitation of an extraordinary degree of heat, and a cutaneous eruption in consequence of its accumulating on the

the furface, that those means which tend to repress the generation of it in the first instance, and to favor its escape in the second, must be equally salutary in the one disease as in the other; and for the same plain reason which would direct the use of the very same means to extinguish a fire, whatever was the peculiar nature of the inflammable body which first kindled it.

This further view of the subject, I think, then, still more strongly shews the propriety of the cool regimen in the measles; and, probably, did not the pulmonary symptoms which usually attend it, forbid its application to such an extent as in the small pox, (though, possibly, future practice may prove that our apprehensions from exposure to cold, are, even in this respect, ill sounded), and if, as in the small pox, the disease could be anticipated, so as to allow of the habit being prepared to receive the contagion, it might be rendered equally mild and free from hazard.

SECTION VI.

The Scarlatina.

THOUGH the scarlet sever is, in many instances, accompanied with a fore throat,
and some other symptoms which may require a peculiar mode of medical treatment,
yet the principal symptom of this disease indicating an extraordinary determination of
heat to the surface, seems particularly to require the liberal use of those means which
favor its escape.

THE tumefaction, and fiery appearance of the skin, the sense of intolerable heat, which patients in this disease never fail to complain of on this part, and the evident injury which the cutis sustains, are decisive proofs of an accumulation of heat upon it. This disease is more frequent and more violent in children than in adults, perhaps because the natural heat of their bodies exceeding that of grown up persons, disposes them more readily to receive the contagion, and admits of a greater excitation of heat from its introduction.

PATIENTS laboring under this disease are seldom known to sweat; and if we admit Dr. Alexander's theory of sweating, we may reasonably suppose that, in this case, it is prevented by the surface being heated beyond the sweating point.

IT follows then, I think, pretty clearly, from these premises, that the most obvious mode of relief in this disease, must be to assist in carrying off that superabundance of heat from the surface, which, under the ordinary circumstances attendant on the treatment of it, namely, warm rooms and thick bed-cloaths, nature seems unable to effect; and I have, therefore, scarce any doubt, but thin

thin cloathing, exposure to cool air, and, perhaps, the temperate bath, would be very useful, if applied in the early stage of it.

IT is, I believe, a constant practice to unload the stomach and bowels at the first attack of the complaint; and this is evidently right, both on the principle of the foregoing theory, as removing one fource of the generation of heat, and as having been, by experience, ever found falutary at the beginning of all febrile complaints. But when this fever is attended with the fore throat, and the eruption is particularly great, it has been observed that patients seldom bear the continuance of fuch an evacuation.— The reason, perhaps, is, that when the heat is exceffive, unless it finds a ready escape when it first arrives at the surface, that its mischievous effects are very soon felt; and the future treatment must be directed to prevent (as was observed with regard to the finall pox) the termination in putrefaction or gangrene, SECTION

SECTION VII.

The Erysipelas.

THAT the erysipelas is a disease of the skin, attended with a peculiar degree of heat, is evident from its very name.—Ignis sacer, and St. Anthony's fire, both sufficiently express this idea; and there is no doubt but these, and similar names, were originally made use of as descriptive of the patient's sense of the part affected.

THE mode of treatment which, in the earliest ages of medicine, was adopted in this disease, was, likewise, on the principle of removing the fire from the part. Cooling applications, and even cold water itself having been

been recommended by Hippocrates and Galen; and the testimony of the earliest writers prove that such applications seldom failed to remove this disease when applied at the beginning of it, having obviously afforded a very ready outlet to the matter of heat as it arrived at the surface.

This practice prevailed for some time, untill an idea was conceived that, in most cases of this disease, and more especially when it was fituated on fome peculiar parts of the body, it was an effort of nature to throw off morbid matter, and that, therefore, the fupposed repelling principle of cold applications, by throwing it back into the fystem, might be hazardous: and this was the more readily believed from observing, that, if left to itself, it usually terminated in a slight suppuration; by means of which it was imagined the diseased matter was carried off; and for this reason it became the practice to keep the part warmer, and to use oily applications, poultices,

poultices, &c. as most conducive to digestion.—Those applications have again given way to saturnine lotions, and even the use of dry farinaceous powders, both which are the remedies of the present day, from a supposition that greafy unguents soon acquire acrimony, and tend to make the erysipelas spread and exulcerate.

SATURNINE lotions, I believe, have been found very useful in these and similar eruptions, but I cannot help thinking that the good effects which have been attributed to this medicine, have been more owing to the watery menstruum in which it is usually exhibited, than to any salutary quality in the lead itself; for though this metal is said to possess a sedative, repellent, and astringent property, and though much ingenious reasoning has been made use of to account for its action as a topic on those principles, yet I believe it remains to be proved whether it possesses these qualities to a degree that could

be much felt in the usual mode of its application; and if it did, I much doubt whether they would be falutary in the present disease.

THE principal use of lotions and cold applications in these cases, appears to me to have been simply derived from their power of carrying off heat; and the reason why warm and greasy applications, poultices, &c. have been injurious, seems to have been because they retarded the requisite escape of it.

THAT poultices are very bad conductors of heat has before been remarked, but this does not feem to be the case with oil; indeed when of a temperature much lower than that of the part to which it is applied, it is a tolerable good conductor of heat, and therefore, for a while, must cool the part, as is found by experience; but when it has acquired the same temperature, it loses this power, as it cannot, like water under the

fame circumstances, continue it by evaporation; as this does not take place, with this study, as any temperature which can be acquired by the human body, and consequently, from that time, it must serve to retain the heat upon the surface. It is, moreover, when exposed, for some time, even to a moderate degree of warmth, disposed to acquire rancidity; and, in that state, it must, evilently, tend, by its acrimony, to excite heat in the part; more especially when the texture of the skin has been previously broken by the disease.

THE nature of the disease, and the observations derived from experience, clearly, then, point out the principle on which it admits of the most relief; for though there may be concomitant symptoms which may require the use of peculiar internal medicines, yet, as far as relates to the mere external disease, I cannot but consider it as an extraordinary accumulation of heat; and that R 2 whatever

whatever is the peculiar cause which excites it, that the injury which the skin suftains is merely on this principle. It follows, then, as in the small pox, that the time for relieving the surface most is, obviously, when the disease first appears upon the skin, by favoring the escape of the heat as soon as it arrives there; I have no doubt, therefore, but by exposure to cool air, and by frequent washing with any liquid which is a good conductor of heat, (and coid water is perhaps as good as any) that the disease would always be very much diminished, and in some cases be totally removed.

An objection of no small weight, however, arises to the exposure to air in the more advanced stages of this disease, when the texture of the skin is broken and digestion takes place; for the access of air to a part under these circumstances must quicken its decomposition, upon the principles of chemistry, and consequently tend to increase the ulceration: and accordingly, since this subject ject engaged my attention, I have observed, that though patients complain immediately of an increased sense of burning, when the part is covered by any rare substance, as slannel, lint, &c. yet they do not fail to experience a sense of smart not less intolerable, if the part be totally exposed to the air; and which cannot, in the latter case, be owing to the coldness of the air, as a piece of linen moistened with cold water immediately alleviates both sensations,

The effect of air upon wounds has not, I think, been fufficiently attended to in the practice of furgery, and yet I am convinced it is of the utmost consequence; as I have no doubt but the healing of wounds would be much accelerated by exposing them less frequently to its influence, than is commonly done.

For this reason, therefore, I would recommend, as the best topical application in the the eryfipelas, to cover the part with linen rags moistened with water, and to add a fresh supply of moisture as they become dry, without taking them off; by which means the heat which arrives at the surface will find a ready escape, and the part will, at the same time, be protected from the injurious contact of the surrounding air.

SECTION

SECTION VIII.

The Elephantiasis.

ONE of the reasons which induced me, when I first began to consider this subject, to believe that cutaneous diseases were produced by an accumulation of heat, was, that these diseases are most frequent and most virulent in warm countries; and the elephantiasis, may, I think, be instanced as a striking proof of this.

GRIEVOUS as this disease is in our own temperate climate, it is well known, from the accounts of travellers, and the most authentic medical histories, that it is beyond description intolerable in hot countries.

THE

The practice which has been found most useful in the treatment of this disease, and which attains to a much greater extent in warm countries than with us, is frequent bathing; and I think this may be accounted for on the principle of its carrying off heat from the surface; and if so, it is a further proof of the nature of this complaint, and should, therefore, I think, lead to a more frequent use of the bath than is at present practised with us, and even to keep those parts of the body which are more particularly diseased, constantly wet by the application of linen rags moistened with water.

IT may not be improper, in this place, to remark, the universal custom of frequent bathing in warm climates; the inhabitants of these countries being prompted to it not only by personal inclination, the force of acquired habit and general example, but, in some places, even by the most positive ordinances of religion. THE Levitical law of the Jews seems particularly calculated to guard against the ill effects of uncleanness; by which general name, among many other distempers to which the human body is subject, the various kinds of cutaneous eruptions are particularly distinguished; and for the prevention and cure of which, repeated washings and bathings are enjoined by the Priests.

THAT these means have been found salutary in such complaints, may be presumed from the universality and long continuance of these practices in those countries where such diseases are most frequent; and therefore, whether it be admitted that these effects are produced by a superabundant heat being carried off by these means, or not, (though the preceding theory renders this very probable,) the fact itself is surely sufficient to recommend the use of the same means in all similar affections.

SECTION IX.

The Tinea Capitis.

However abfurd many of the popular names of diseases may be, yet where they express either the sensation of the patient, or any peculiarity in the appearance of them, they, perhaps, deserve some attention, and may, possibly, in some instances, serve to explain the nature of them.—The name by which the tinea capitis is known among the lower orders of people, at least in this part of the kingdom, is the * scald bead; from

* This word, as commonly pronounced, has the meaning which I have here given it, and I have no doubt but

from which, I think, we may fairly infer, either that the patient experiences a fense of extraordinary heat on the part, or that the pustules and ulcerations which constitute the disease, resemble those which are produced on the skin by external burning.

THAT a degree of heat, not much exceeding that which is natural, should soon produce inconvenience on the head, is not to be wondered at, when it is considered that this part has a natural covering which is badly calculated to carry off superabundances of heat: and on this principle, namely, the removal of what retards the escape of heat, I should imagine it is, that where the disease is not of long standing, a cure is often obtained merely by cutting off the hair.

but such is the vulgar acceptation of it; but it may, perhaps, in strict propriety of language, be considered as the adjective of the old English word scall, a scale or scab, particularly as applied to a leprous eruption. In this sense it is used in scripture.—See Leviticus, Chap. xiii.

IT is well known, that this complaint is most frequent among the children of poor people, and particularly among those who are uncleanly. That children should be the most subject to it, is probable, from a circumstance that I have repeatedly had occafion to remark before, namely, that their natural heat much exceeds that of grown up persons; and that a want of cleanliness respecting the heads of children should be productive of this complaint, by lessening the natural escape of heat from it, is very probable, from those children being so little liable to it whose heads are regularly combed, and frequently washed; as these most obviously tend to promote its escape. Even the mere temporary separation of the hair by combing, and the removal of dirt and powder which may have been collected amongst it, is well known, by grown up persons, to render the head cool and comfortable, and that a neglect of it occasions heat and disagreeable itching; and when long continued, and the heat is still more

more retained upon the part by artificial additions of hair, and by the accumulation of powder and pomatum, cutaneous eruptions, not much unlike the tinea itself, are not unfrequently produced. The late preposterous mode of covering the female head with enormous cushions of wool and hair, and of dressing the hair with such an excessive quantity of powder and pomatum, unless frequently taken off, and the hair well combed, must, I am persuaded, on the principle of its favoring the accumulation of heat, have, in many cases, produced such a complaint; and more than one or two instances of such have actually come under my notice,

The difficulty of curing this difease, when neglected in its early stage, and when it has spread over a considerable part of the head, must be well known to all practitioners who have had many opportunities of seeing it: this has given rise to many different methods of treating it, and to an endless variety of applications,

applications, all which, in their turns, have proved inefficacious; and as some of them are attended with circumstances little short of cruelty, it would be a most important improvement in the medical art, to be able to cure them with more certainty, and with less painful methods.

The experience I have had in treating this disease according to the method which is obviously suggested, by considering it as owing to an extraordinary degree of heat being retained on the part, is, as yet, confined to two cases; and however improper it would be to draw a general opinion from them, yet, as far as they go, they are striking proofs of the good effects of keeping the part constantly under circumstances which savor the escape of heat; and by persevering in which, the cures appear to have been obtained.

CASE

CASE I.

IN the fummer of 1784, a young lady, about eight years of age, in all other respects in good health, had been for some time past subject to slight eruptions on the head, and at the back of the neck, in that part which is covered with hair: about the close of the fummer it increased very much, and in a little time a thick greafy crust, three or four inches in diameter, was formed on the crown of the head; the appearance of it was particularly foul, and the finell offensive, as a fætid discharge was constantly oozing from the infide of the scab, which being soon inspissated, added constantly to its thickness and extent: round the edges of the principal crust were many smaller ones; and which were fpreading and enlarging like the other.

THE hair was immediately removed for fome distance round the part affected; a mercurial unguent was made use of, and several doses

doses of an alterative purging medicine were given internally, but the disease evidently gained ground.

THE subject of heat, at this time, particularly engaging my attention, it occurred to me, that this complaint might, possibly, be in some measure produced by an accumulation of it; at least, whatever was the cause of it, it appeared very probable that the large and increasing seab which covered the diseased surface, retarded the cure, on the principle of its preventing the natural escape of heat, it being, evidently, of fuch a loofe texture, as to be a very flow conductor of it. I resolved, therefore, immediately to try whether keeping the part constantly moist with wet rags would not relieve it, by favoring the escape of heat from it; but as whilst the thick crust was interposed between the furface of the head and the wet rag, its influence could but be felt in a very small degree; I previously removed the scab, by an ointment

ointment flightly impregnated with a decoction of cantharides, it being composed of the Unguentum Epispasticum of the Edinburgh dispensatory, and two parts of axungia; and the surface being now perfectly exposed, and in a state of digestion, I immediately applied a piece of linen cloth, foaked in water, not quite fo cold as the air was: the difagreeable fmell was immediately removed by this, and the child appeared more comfortable. I recommended the rags to be constantly wetted as they became dry, but to be removed very feldom, that the air might not be brought too often in contact with it. For a while the part looked much better, and feemed disposed to heal, but it not being kept so constantly wet as I could have wished, from an apprehension that the plan was attended with some danger of giving the child cold, the scabs again formed, and I was a fecond time under the necessity of removing them by means of the stimulat-

ing ointment; after which I prevailed upon the mother to confent to its being more frequently wetted, and which being accordingly done, the good effects of it became manifest in a few days, as the difcharge of matter was totally suppressed; and though there was fomething like a crust formed by the thickening of that which exuded the first two or three days after the ointment was used, yet it was perfectly dry, and fcaled off by degrees, though flowly, leaving the furface of the head, in the course of some weeks, perfectly cicatrized; after which I still thought it right to continue the wet rags; and when the skin appeared to be whole, I even made the water, in which the linen was moistened, more volatile, by the addition of a little rectified spirit of wines nother danger as their

tended with fome danger of giving the

abild cold, the feabs again formed, and

removing them by means of the dimulat-

A S'SA Doond time under the necellity of

THE relief obtained by this method was the sale fal CAA SaEn all sign som neve

IN November 1784, I was defired to fee a young gentleman, about fix years of age, who, though in other respects remarkably healthy, had an eruption of this kind on the head. It began in October, and was at this time very fimilar to that in the last recited case, but more extensive, as it nearly covered the whole head, and abbituos

plication of acrid and frimulating ointments.

THE hair was immediately removed, and the fame mild epispastic ointment, as used in the last case, was applied; and when the scabs were removed, the whole furface was kept constantly moist with a weak faturnine water, (fimple water not being used, because I had reason to believe that an application fo unufual, and in appearance so unlike a medicine, would not have been used to the degree I was defirous while; whereas the ufe of it in thefe c(fo

was obviously merely to remove the feabs,

that

THE relief obtained by this method was even more striking than in the last case, and the cure was perfected in a shorter time; though I cannot help thinking that the sea-son of the year, it becoming very cold at this time, had some share in effecting it.

on the head. It began in October, and

IT has, I know, long been the practice in obstinate cases of this kind to produce a confiderable digestion on the part by the application of acrid and stimulating ointments, and I am aware, therefore, that the medical reader may fay that these cures were posfibly effected upon that principle: there is, however, I am perfuaded, a very material difference between that method and the above; for in those cases in which it has been thought right to irritate the furface, the applications for that purpose have been usually continued for some time, and a state of digestion and discharge kept up all the while; whereas the use of it in these cases was obviously merely to remove the scabs, that

that the wet rag might come into more immediate contact with the part affected, and which, could it have been effected with as little trouble and as little pain to the patient by mechanical means, would, I am fatiffied, have answered the purpose equally as well; and so far from the cure having been promoted by the discharge having been kept up, it appears very probable that it was obtained by the suppression of it, the wet rags carrying off that degree of heat, which, perhaps, was the fole cause of a fresh accumulation of it. od vom Anida I doldw

nearly silled to the miliary cruption, and as, being probably produced by the fame causes, requiring a fimilar mode of treatment,) are afually of fo floor a date, and, attended with fuch mild fymptoms, as not often to be the fubicet or medical atten-.noif

NosoLogists have indeed, attempted to divide them into different species, but

that the wet rag might come into more im-

mediate contact with the part affected, and

which, could it have been effected with as

SECTION X. mon shift

by mechanical means, would, I am fatif.

Febrile Rashes.

FEBRILE rashes, (in which, however, I mean not to include those eruptions and efflorescences which take place in the advanced stage of some acute severs, and which, I think, may be considered as nearly allied to the miliary eruption, and as, being probably produced by the same causes, requiring a similar mode of treatment,) are usually of so short a date, and attended with such mild symptoms, as not often to be the subject of medical attention.

Nosologists have, indeed, attempted to divide them into different species, but this

this can scarce, upon any occasion, answer a useful purpose; and for the slight notice which I shall take of them, and which is more to exemplify the preceding general theory of heat, than to recommend any new mode of treating them, must be absolutely unnecessary.

I CANNOT help confidering them all as produced by fimilar causes, which excite in the habit a temporary increase of animal heat, and which, tending to the surface, and not immediately effecting its escape, produces the red spots termed rashes: it is obvious, therefore, that, I suppose, they bear some analogy to the more important eruptions of the small pox and the measles; and this I am the more readily led to believe, because these rashes are frequently epidemic, if not absolutely contagious.

IF they be produced by any kind of virus, it is evident, from the flight indispofition which precedes the eruption, that the habit fuffers very little from its introduction; and probably the degree of heat excited is for that reason proportionably fmall: I believe, however, there is another reason which operates in rendering the eruption generally fo mild. Patients in this disease, from not being previously indisposed, seldom suffer the disadvantage of having been confined within doors, and kept warmer than usual for a day or two before the eruption makes its appearance; which, in the natural small pox and the measles, certainly must often favor the accumulation of heat; and are therefore, perhaps, at the time of its appearance, in a fituation very favorable to its paffing

It is well known, that these eruptions will frequently totally disappear by exposure

fure to cold, which feems to agree with the foregoing conjecture, and in my opinion, to prove, in a striking manner, that they are produced by a heated surface. This circumstance has, however, been usually considered as attended with danger; and perhaps, as the only hazardous symptom belonging to the complaint, an idea having been conceived that the disease is by this means repelled, and that the morbid matter, which was before disposed to have made its escape by the skin, is thus returned into the system.

This notion of the repulsion of morbific matter, in cutaneous diseases, I am persuaded, is totally sounded in error, and has been productive of much mismanagement; and, I fear, is still an obstacle to the use of those means which the nature of them, if generally considered as the effects of an accumulation of heat, so obviously indicates.

I HAVE never yet heard of any real bad consequences which have followed the sudden disappearance of these eruptions, much less have I ever seen any, and I cannot help thinking, therefore, that they have existed only in the apprehensions of the patients and their attendants; and as experience has fo fully proved, that even in the small pox, where the disease is so much more virulent, that the greatest diminution of the eruption, by exposure to cold, may take place without any possible injury, it may furely be inferred, that nothing is driven back into the fystem, but that the disease is, by this means, actually carried off and diffipated.

During the eruptive stage of the inoculated small pox, I have sometimes sound my patients much alarmed at the appearance of an universal efflorescence on the skin, and which, if the surface of the skin were not at the same time perfectly smooth and totally free from prominencies, might easily be mistaken

mistaken for a true variolous eruption. If the patients be kept cool, this seldom lasts longer than twelve, eighteen, or twentyfour hours, and if exposed to a considerable degree of cold, it will usually disappear much sooner,

In the yery fevere weather of last December I inoculated feveral healthy children at the same time: they lived in the country, and had been accustomed to be much in the open air. On the fecond day of the eruptive fever, when feveral puftules had appeared in all of them, one child was fuddenly feized with this kind of rash, and the parents, much alarmed at the circumstance, fent for me. I found the child near a large fire, and covered with an unufual quantity of cloaths; its face, arms and body were as univerfally covered, and with an efflorescence of as deep a color as I had ever feen. The ground was covered with fnow, and the thermometer was at 24 deg.; but, notwithstanding this, I directed some of the cloaths

to be immediately taken off, and the child was at once brought into the open air, in which it remained several minutes: the skin was very soon of a much paler complexion, and by continuing to keep the patient much cooler than it had before been, the whole disappeared soon after I left it, there remaining but ten pustules of the small pox, and the child having no other complaint afterwards.

The object of the medical treatment of these rashes appears, therefore, as in the other diseases before enumerated, to be the savoring the escape of heat from the surface; and though the complaint is usually so mild that it will be seldom necessary to expose patients to a great degree of cold for that purpose, yet I have no doubt but that the contrary extreme, of keeping them very warm, will tend to increase the degree and duration of it, and that if any circumstance ever makes this eruption deserve the name of a disease, it is this improper method of treating it.

SECTION

SECTION XI.

The Anthrax.

ANTHRAX, or Carbuncle, in the most literal sense of the word, expresses either the state or effect of burning, and is, therefore, particularly adapted to the peculiar siery tumor which constitutes this disease.

It has been confidered by medical writers as of two distinct kinds, the malignant and non-malignant, the inflammatory and the putrid; but though perhaps each of them may, in some instances, partake of both these kinds, there being, usually, in the earliest stage of the malignant, symptoms of true inflammation, and in the latter stages of the

the inflammatory, where it has been of long continuance, and the inflammation been very confiderable, there often coming on a malignant appearance of the part affected, and the patient's general fymptoms requiring fuch medicines as are exhibited in putrid difeases, yet that state of it, which most obviously bears a relation to the foregoing system of heat, must undoubtedly be the inflammatory; and it is this state of it which I shall at present alone take notice of.

WITHOUT adverting, therefore, to the peculiar cause in the habit, which may excite so great and so local an accumulation of heat, and which it would be, perhaps, very difficult, if not impossible, to investigate, the sact, namely, that the anthrax is immediately produced by an extraordinary accumulation of heat, appears evident from the peculiar sense of burning in the part which the patient always complains of; from the highly inslamed appearance of the tumor; from the actual heat which may be selt on it when

prefits either the flage of effect of burnings

when the hand is applied to it; and from the integuments and cellular substance being destroyed in a manner so much resembling the effects of burning from external sire.

fat people are most subject to the true inflammatory carbuncle, and that it usually
makes its appearance on those parts of the
body where the adipose substance is most
abundant, as on the lower part of the back,
on the podex, and on the under surface of
the thighs; and the reader may remember,
that I considered that substance as the part in
which the greatest quantity of concealed heat
probably resides; these parts, especially in
persons who are much sedentary, being also
usually so circumstanced as not to favor the
escape of heat.

In confidering the treatment of this com-

The waste of the cellular substance, much beyond the limits of the tumor, which is so often experienced in this disease, is like-wise, perhaps, another effect of the neighbouring

bouring heat; for the fat feems to be really melted down by it, and discharged in a fluid state, even when what is termed a suppuration has not taken place.

THAT this tumor is owing to a real accumulation of heat, is further highly probable, from a fwelling very much refembling it being fometimes produced by an external cause, which evidently excites an extraordinary quantity of heat; namely, long continued riding on horseback in warm weather. It has before been observed, that heat, in this instance, is generated by attrition, and that it accumulates in consequence of the part on which it is excited being in a situation which does not admit of an adequate escape of it.

In confidering the treatment of this complaint, I think there can be little doubt, from the foregoing view of the nature of it, but it ought to be principally directed to the diminution of heat on the part, by the topical application

application of fuch fubstances as are good conductors of it, and by the internal use of fuch medicines as tend to leffen the generation of it within. Enough has been already faid on the comparative heat-conducting powers of poultices, and watery lotions, to convince us that the latter must have a preference as a topic in all cases where the quick escape of heat is requisite; and I make no hefitation, therefore, in the strongest terms to recommend their use in the present complaint, in the manner which has been before mentioned, namely, by wet linen cloth constantly kept upon the part; and I have no doubt, but if applied very early in the disease, and persevered in for some time, that the pain will be much mitigated, the heat diminished, and the general danger of the case be much lessened by it. The cooling effects of evacuations, and particularly by purging, whether produced, as I have before conjectured, on the principle of their removing what would furnish more matter of heat or not, are fufficiently known, by experience,

experience, to render their use obviously proper in all cases of considerable inflammation, and there can be no doubt therefore of the propriety of them in such cases as these.

I AM the more earnest in urging the use of this plan, even to a confiderable extent, at the beginning of this complaint, because I am perfuaded an idea of the strong tendency there is in the anthrax to assume a malignant disposition, has too much deterred practitioners from that use of the cooling regimen, in the first and truly inflammatory stage of it, which is otherwise so obviously indicated; and which, fo far from doing any injury, can perhaps alone prevent those very symptoms of malignancy which, it must be acknowledged, so often come on in the more advanced state of the disease, but which are evidently, at least as far as relates to the local disease, in a great measure produced by the high degree of inflammation which has previously occurred; and particularly because I have lately experienced the most happy effects of such a mode

mode of treatment in a case of this kind, where the appearance of the tumor was at first very threatening, and where the gross and plethoric habit of the patient rendered him a very unfit subject for such a disease.

CASE.

THE subject of this case was a gentleman about forty years of age; he was corpulent, and, as before observed, of a full habit, but he was by no means an unhealthy man, nor had he ever been intemperate.

HAVING, for some weeks before, been teazed with many small pustulary eruptions on the podex and the thick part of the thigh, and which had been attributed to riding on horseback, the weather having been very hot, a swelling, which was truly carbuncular, fixed on the lower part of the glutæus muscle. The tumor itself was but small, but it had the true characteristic X 2 purple

purple colour, and the most prominent part of it terminated in a pimple, or puftule, which foon broke, and discharged a small quantity of a thin bloody ichor. The inflammation which furrounded it, and which formed, as it were, the base of the tumor, extended, however, more than half way down the thigh, and covered a confiderable portion of that fide of the podex, and the teguments, almost as far as the limits of the inflammation, were extremely hard, and to the touch felt unufually hot. With fuch a degree of inflammation, and fituated in fuch a part, it may easily be supposed the patient felt intolerable pain, but the sensation of which he most complained, was that of excessive heat.

WHEN I first saw him, the tumor had been formed two or three days; the inflammation, however, had been trisling until the preceding day, but had increased rapidly during the night: He had, notwithstanding this,

this, very little fever, his pulse were but in a small degree quickened, and he was evidently no otherwise indisposed than from being in great pain, and from having had a night without sleep.

Though the complaint obviously appeared to be local, I thought it right to bleed him largely, to give him a purge immediately, and to direct him to eat very sparingly; and as I found him sitting in a very aukward posture, I desired him to go to bed, to lie in the easiest posture he could find, and with but sew cloaths upon him; and I further directed that the part should be constantly kept well moistened with the aqua saturnina.

WHEN I saw him in the evening, I found the medicine had purged him considerably, and that he evidently felt the part cooled by the lotion; but the appearance of it was but little altered. I found, however, the next morning,

that he got some refreshing sleep in the night, and the part was evidently less inflamed: I still thought it right to bleed him again, and directed another purge to be taken the following morning, and that the part should be still kept moistened with the lotion. I was surprised to find him so very much better the next day: the inflammation was now diminishing every hour, and before the end of the week there was scarce a vestige of it; there was, however; a separation in the tumor itself, and a small ragged slough came away, leaving a wound which healed without any difficulty.

I have never, in my practice, seen an inflammation which was at first so very formidable in its appearance, and which threatened so large a destruction of the teguments and cellular substance, subside so rapidly; and I think there can be no doubt but this happy termination was produced by the prompt

prompt and powerful means which were used to lessen the general heat, and that the watery lotion, externally applied, had no small share in effecting it, by diminishing the accumulation of heat in the part itself,

SECTION XII.

The Phlegmon.

THE phlegmon, or boil, being an inflammatory swelling so exactly resembling the first and inflammatory stage of the anthrax, as just described, it cannot be necessary to consider it separately, the same general method of treatment recommended in the latter, especially in what relates to topical application, being so immediately applicable to the former.

Though not perhaps strictly connected with the subject of this section, as expressed in its title, I am yet led, from the experience of a recent case, to observe that this mode

mode of treatment is beneficial, even when applied to suppurating tumors; it evidently tending greatly to diminish the general pain of suppuration, and lessening the quantity of matter generated by it.

Medical practitioners feem to be strongly possessed with an idea that suppurations are usually efforts of nature to throw off something morbid from the habit, seeming, as one would imagine, to suppose that the matter deposited in abscesses contains the diseased principle, and which, therefore, must be evacuated externally. Hence it has been conceived that there is always hazard in endeavouring to discuss tumors which threaten suppuration; and hence the universal custom of the early use of cataplasms in such cases, which are well known to promote it.

I AM by no means satisfied that this idea is just, even as a general consideration; and that there are particular tumors which it is not only proper, but perfectly fafe, to difcuss, I think must be admitted by every furgeon who has seen much practice.

THE swellings which sometimes form under the arch of the lower jaw, and on the fide of the neck of young people, and which are usually enlarged glands, are evidently of this kind; for, independent of the peculiar cause which may excite them, their fituation, the injury which the neighbouring parts fuffer if they suppurate, and the scars which are usually left, if too large openings be made into them, or if the air have too frequent access to the wounds, render it so very desireable a circumstance to prevent their suppuration, (more especially as it is well known that the smallest marks of a cicatrix in fuch parts give a fuspicion of a scrophulous taint in the constitution), that, admitting there were a possibility by it of throwing back into the blood fomething which would be noxious to the fystem, I will venture to say, that there

there are few persons who would not prefer the discussion to the suppuration of them.

Whatever may be the cause which occasions the obstruction and enlargement of these glands, it is evident that the principal symptom is the production of an unusual degree of heat; and that an extraordinary degree of heat should occasion the destruction of such soft, cellular and glandular substances, and produce such a solution of their parts as seems to take place in suppuration, may certainly very easily be conceived. I cannot help, therefore, thinking, if it be in our power to prevent such an extraordinary degree of heat accumulating, that much of the mischief of such cases may be obviated,

C A S E,

IN January 1785 I was confulted for a little boy, about five years of age, who had a very large and hard tumor under the jaw.

It had been of feveral weeks standing, and at this time put on the appearance of an approaching suppuration; and which, from the pain complained of, and extent of the swelling, threatened to be very considerable.

THE part had been hitherto kept very warm, and the most obvious application which the common practice of surgery suggested, was an emollient cataplasm; and which, as I considered the suppuration as inevitable, I immediately recommended. Adverting, however, to the subject of heat, which had lately much occupied my mind, I was not without apprehension that the pain and inflammation would be unnecessarily increased by it, I resolved, should it prove so, to discontinue its application.

THESE symptoms were, as I feared, much aggravated by the poultice being upon the part even for a few hours; the child became much more uneasy than it had

had before been, and the whole tumor was more inflamed and tender. These, however, being effects usually expected under fuch circumstances, and the suppuration being evidently, by fuch means, promoted, there are few furgeons who would have confidered them otherwise than as proper; but as the tumor was unufually large, and threatened an excessive suppuration; as the latter feemed likely to be increased by retaining the heat on the part; and as I had already had several striking instances, though in cases not exactly similar to this, of pain and inflammation being much diminished by encouraging the escape of heat from the part affected, I discontinued the poultice, directed the whole fwelling to be frequently wetted, and to be kept constantly exposed.

THE pain, inflammation and redness of the tumor, and more especially of its edges, on which they were before spreading, were evidently alleviated by this treatment; and though

though in a few days I could distinguish a fluctuation, and the teguments in that part of the swelling, where the sluctuation was most perceptible, became every day thinner, yet the child complained of but little pain, except when the part was touched.

It was my intention, when the skin was very thin, to have made a small puncture into the most prominent and dependent part of the tumor, but nature performed this office full as well, for in about a fortnight after my first seeing it, it broke in a part very advantageous for the discharge; and though the opening was small, a considerable quantity of a foul fanious matter came away. I now directed the whole to be covered with a moist rag, and the wound to be carefully guarded from the air,

A DISCHARGE of the same kind continued for a few days, after which the wound healed up so perfectly, and with so smooth a surface, that not the least scar remained; the hardness hardness and inflammation of the adjoining parts went, likewise, away, so entirely, that at the time of writing this, which is not three weeks since the tumor broke, there is no other vestige of what had so lately been so formidable a swelling, but a slight discoloration of the skin, and which is every day becoming less.

HAD this been treated in the usual way, with thick and warm poultices, I am perfuaded that the patient would have had much more pain whilst the matter was forming, and that the suppuration would have been much more extensive: Had the abscess, moreover, been opened largely, with a view to the discharging all the matter at once, and to the preventing any cavity remaining; had lint been pressed into the wound to prevent its union before it was imagined the matter had been fufficiently discharged; or had warm applications been used, or even common poultices continued, with the defign of promoting a compleat digestion,

mended by many practitioners, (but all which, as ferving to stimulate parts in so very sensible a state, must evidently have excited fresh heat and inflammation in them,)

I have no doubt but the cure would have been protracted to a very tedious length, the injury sustained by the part have been very considerable, and the cicatrix probably large and irregular.

The practical inference which, I think, may fairly be deduced from the event of this case, is, that poultices, and such coverings as prevent the escape of heat, are not only less necessary to the suppuration of tumors than is commonly supposed, but by increasing the heat in parts in which usually too great a degree of inflammation already exists, that they aggravate the pain of suppuration, and increase its ill effects; and on the other hand, admitting the propriety of ever endeavouring totally to prevent, or in any degree to lessen a suppuration, that these purposes

purposes are most likely to be obtained by freely promoting the escape of heat from the parts affected.

THERE is, however, one quality in poultices which must be acknowledged to be well adapted to cases of this kind, and which, probably, alone occasioned their introduction into the practice of furgery; I mean their foftness and greafiness, which, obviously, must tend to relax the surface of the skin, and dispose it to give way more easily when it begins to be stretched by the fluid under it: but even this purpose might, probably, be equally as well effected by the skin being kept constantly moist with watery lotions, or at least by being occasionally lubricated with vion an enteronlinary quantity of he slio

montiled of the remaining for force time in

furgote any, of the effects of burning, and

i debolges at the Zusad end SECTION perhaps, form france that I frould

SECTION XIII.

Burns and Scalds.

I NEED not observe that burns and scalds are the effects of external heat, and though, in common language, the one means the effects of the application of a boiling fluid, and the other of a burning body in a more solid form, yet in both cases the injury sustained is evidently in consequence of the part receiving an extraordinary quantity of heat.

Well knowing how univerfally the common idea of fire remaining for some time in a part which has been burnt, is exploded, it may, perhaps, seem strange that I should suppose any of the effects of burning, and more especially that any of those which are not the immediate effects of fuch accidents, should be produced by a continuance of heat in the part affected. by external fire, that it will be unab

THAT a præternatural degree of heat is excited in every part which has received any confiderable injury, even though the cause in the first instance, bear no relation to heat, is well known, from the tenfion and inflammation which come on in the neighbourhood of all wounds, bruises, &c. in a certain time after the accident; but this, though it must operate in the same way to excite heat in a part which has fuffered from burning, as well as from any other cause, is not the principle on which I confider it as alone produced in the present case; for I cannot help thinking that an extraordinary degree of heat really remains in the part after burning, and that it certainly tends to increase the injury done to the part in the first instance. the circumfance which I have just menAs heat is constantly generating in the animal body, and constantly tending to pass off by the surface, it is obvious, that if the surface be heated to an extraordinary degree by external fire, that it will be unable to carry off that which arrives at the surface from within so readily, as it does in the natural state of the skin; and that, therefore, under these circumstances, unless some means be used, which render the skin able to carry off a more than usual quantity of heat, that it must evidently accumulate there, and produce all the inconveniences of such an overcharge.

It has been faid, that the supposition of heat remaining in any part of the human body which has been burnt, is shewn to be absurd, by its being evident to our senses that none remains in a stick that is half burnt, and that is removed from the fire which made it burn originally; but surely the circumstance which I have just mentioned of the constant generation of heat within

within the animal, must, at once, render the comparison between a living animal and a piece of wood inadmissible; as in the latter there can be no such internal production of heat, and there can be nothing, therefore, to prevent the immediate dissipation of that heat which is left after the actual burning has ceased.

other firmlar vegetable foldenods; bruiled

But, independent of the foregoing conjecture, it may be prefumed that an extraordinary quantity of heat remains in a burnt part, from the obvious fense of heat which is experienced after the burning substance which first communicated the heat is removed, and from its being felt immediately, and consequently long before it could have been excited on the common principle of inflammation, in a part which has received an injury, and which is known to be more remote; and from the relief which the part affected feels, when put into a situation which savors the escape of heat from it.

now pretty generally applied in fuch cafes;

Most of the popular remedies for burns have plainly been adopted on the principle of cooling the part; and many of them are well known, in a very furprising manner, to lessen the pain which immediately follows the accident, and to prevent the usual confequences of burning, fuch as bliftering, ulceration, &c. Scraped potatoes, and many other fimilar vegetable substances, bruised and made use of whilst cold and moist, are very common applications for this purpose among poor people; and it is well known, that some artificers, whose employments expose them to frequent accidents of this kind, find the quickest relief from moistening the part immediately with spirit of wine, the volatility of which makes it very foon evaporate, and consequently enables it to carry off a confiderable quantity of heat from the part. Turn ed of nword et deidw bas gruint

THE faturnine water has been found for useful in recent burns, that I believe it is now pretty generally applied in such cases; and

mone; and from the relief; which the part

and the reader may, probably, have heard that it was the principal remedy made use of in the hospital at Chester, a sew years ago, when so many persons were burnt at the same time by an unfortunate explosion of gunpowder, and that its effects in alleviating the pain in the first instance, and in expediting the cure, were very striking.

THESE, and similar facts, which must be well known to most people, of themselves sufficiently shew the principle on which these various applications afford relief, and surnish, I think, more than a presumptive proof that an extraordinary degree of heat exists in parts which have been burned.

I HAVE lately had a very fingular instance of the good effects of treating a recent burn upon the plan of carrying off heat from the part.

to find that not only the blifters, but two. E. A. A. P. were critically healed within five

CASE.

A young gentleman playing with gunpowder, which he held in his hand, it took fire, and his hand being near his face, both parts suffered considerably from the explofion. The cuticle was raifed on nearly one half of the face, the infide of the hand and fingers were much bliftered, and feveral fmall eschars were formed on both parts. I immediately discharged the ichor which was gathered in the blifters by fmall punctures, so that the surface underneath was not exposed to the air, and the whole was well foaked in a weak and cold faturnine folution; linen cloths wetted with the same were applied to the parts, and moistened on the outfide as they became dry: the pain and heat which at first were considerable, so large a furface having fuffered, foon abated, and the fame method being purfued, I was aftonished to find that not only the blifters, but even the efchars were entirely healed within five days

days from the accident; and which, as a very fmall degree of digestion took place, may be almost considered as effected by the first intention. The as bear arend to sales

I AM fully perfuaded that this rapid cure was produced by the applications I used having so much favored the escape of heat from the part; for I think I have before observed that I consider the use of the saturnine lotion, in fuch cases as these, merely as fo much water, it being on this principle alone that I used it in this instance; and at the same time I have no doubt, though the patient was in perfect health, and had a found constitution, that if the parts had been dreffed with plafters spread thick with ointment, especially if it had been of the digestive kind, and had been kept very warm by much external covering, that the digestion would have been very confiderable, and the cure, probably, protracted to some weeks.

178 BURNS AND SCALDS.

From what has been faid, I think myfelf fully authorized strongly to recommend
a similar mode of treatment in all recent
cases of burns; and as oils, ointments and
other unctuous applications, which have
been heretofore so much used in these cases,
are evidently slow conductors of heat, I
think the practice of surgery would be benesited by laying these aside in such cases,
or at least by confining their use alone to
such in which a considerable digestion must
unavoidably take place.

SECTION XIV.

Spreading Ulcers, attended with an extraordinary Sense of Heat.

THOSE who have been much conversant with the practice of surgery, must sometimes have met with a peculiar kind of superficial ulcer, which is extremely sensible, is described by the patient as singularly hot, and, being much disposed to spread, is very difficult to heal.

MEDICAL writers and practitioners have usually confidered such ulcers as arising from some morbid disposition in the system, and from having experienced the little advantage which is derived from the various A a 2 topical

topical applications, have agreed that the treatment of them should be principally directed to the correcting the disease in the habit by alteratives, diet, &c. but necesfary as this may be, I am perfuaded that one fymptom, and which has been scarce at all attended to, may be greatly relieved by an external application; and by the removal of which the disposition to spread will be lessened, and the healing promoted. This fymptom is the extraordinary degree of heat which is felt in the part, and which, however difficult it may be to account for its presence in such ulcers, certainly contributes in no small degree to the extreme senfibility of the part, and to the increase of the ulceration.

THE nature of the disease, and the topical application, which seems to be indicated by the before mentioned symptom, will, however, be best understood by the following narrative of a very extraordinary case of this kind, which lately occurred to me.

CASE.

CASE.

P—, a woman between 50 and 60 years of age, of a tender and rather unhealthy constitution, in the spring of the year 1783 had reason to believe she had received the venereal infection; she had the common symptoms of a gonorrhæa, attended, however, with rather more than usual virulence.

But little time was lost before means were used for the removal of it, which, in the course of a few weeks, seemed to be essications, as the symptoms gradually subsided; and in about six weeks she thought herself perfectly well.

ABOUT three weeks from this time, there appeared, however, a small pimple upon the upper part of the thigh, and exactly upon that part of it which touches the skin of the lower

lower part of the abdomen, unless the whole figure be extended, and consequently is in close contact with it when sitting, or when the legs are drawn upwards. The pimple was much inslamed, and exquisitely tender, and very soon broke; it discharged a small quantity of thin offensive matter, and the small ulcer which remained had a very soul appearance, and in a very sew days became more extended.

UNDER the circumstances of my patient, I could not but suspect that this was produced by the venereal virus, and that it was more in the habit than the former symptoms led me to imagine; I had recourse, therefore, immediately to mercurial frictions in the usual mode, and the wound was likewise dressed with the unguentum corruleum fortius.

THAT the mercury was fufficiently abforbed, and entered into the circulation, was evident, from a flight ptyalism being soon induced by the use of it; but, notwithstanding this, this, the ulcer continued very foul, and spread considerably; it became, likewise, more tender, felt remarkably hot, and, from the very aukward situation of it, every change of posture was attended with great pain.

I THOUGHT it right, however, to perfevere in the use of the mercurial ointment, regulating the quantity used so as to prevent an excessive spitting, and I now joined to it the decoction of the woods, of which she took liberally every day, her diet being at the same time of the mildest and least stimulating kind, and consisting principally of broths and milk; the utmost attention was also paid to keep the part clean, and which, though I did not dress it myself, I was fully convinced of from the patient herself and her attendant being singularly neat and cleanly.

This plan was purfued more than four months, in which time many ounces of the ointment were rubbed in, but the ulcer still continued to spread, and the tenderness of the part to the touch and sense of heat in it were much increased; but no other symptoms whatever of a venereal affection were present during the whole time.

The mercury, in the form in which it had been so long administered, appearing not likely to be of the least use, I tried the internal use of the corrosive sublimate, still continuing the use of the alterative decoction, and observing the same kind of diet; and as the ulcer was now of very considerable extent, and the sense of burning in it was almost intolerable, I tried a great variety of applications to the part, including the softest liniments, and the most cooling lotions, but none of them abated the sense of heat little longer than the moment of their being applied,

THE corrofive sublimate was taken about three months, and she became able to take very considerable doses of it, but without the least efficacy as to the ulcer. I then tried

one grain of calomel, night and morning, and as this purged her a good deal, I joined half a grain of opium to it, and which I confidered but as a small dose, as, on account of the very bad nights she otherwise had, she had been in the habit of taking from twenty to thirty drops of tinctura thebaica every evening, and I believe the calomel was continued at least another month; after which, as the complaint still gained ground, I despaired of her obtaining any relief from the use of mercury. As the uleer had made a more rapid progress than ever within the last week, and looked particularly foul, I now thought it right to give her the cortex, and to direct her food to be rather more fubstantial and nutritive: and this plan was purfued to a confiderable extent more than two months, as she took between two and three ounces of the medicine in substance every week; but still she was so unfortunate as to find not the least advantage from it.

IT was now about a year fince the complaint first began; and the ulcer extended at this time almost across the thigh, communicating with the inguen above, and being near two inches in extent downwards, fo that the whole of it was little less than the fize of a hand of the common dimensions; the burning heat in it was likewise become so excessive, and the least change of posture attended with fuch excruciating pain, that she was obliged to be kept constantly in bed, and in fuch a posture as to prevent the thigh from touching the body as much as possible. The very foul appearance of the wound, the thin and offenfive discharge which came from it, and the unfavourable alteration which had evidently taken place in her health within the last month, seemed to confirm an idea which I had some time before formed of the nature of the disease, namely, that it was cancerous. Expecting, therefore, no specific relief, if I may use such an expression, I confined her to the fole use of anodynes, and

to fuch applications to the part as feemed to keep it cleanest, and to increase the pain the least: for it must be observed, that at this time almost every application excited pain; the ceratum album, and even the softest and mildest liniments made it uneasy, and dry lint was almost intolerable to her; they all, and particularly the lint, seeming to excite an increased degree of heat.

Some of her friends hearing that I sufpected it was cancerous, and that there appeared very little probability of the disease being subdued, prevailed upon her to consult a physician.

UNDER this gentleman's care, she again took mercury in several different forms, and some new topical applications were used, among which were the tincture of myrrh, and the mel rosaceum; but still, though once or twice the wound assumed, for a while, a more favourable aspect, she was disappointed in their effects, and she again relinquished B b 2 their

their use. Thinking her health was best when she took the cortex, she wished to have recourse to it once more, and she therefore again took it untill she was again weary of it.

In this wretched state, sometimes taking medicines, and for a short time thinking they did or were to do her some service, and then again despairing of the efficacy of any, she dragged on a very miserable existence for more than a year and a half; at the end of which time the ulcer was still spreading, and the general symptoms of it more aggravated.

THERE being no prospect of her obtaining a cure, the poor creature, with wonderful patience, reconciled herself to her unhappy situation, and seemed to wish for nothing more than some application which
could in some degree mitigate the smart and
intolerable heat which were constantly in
the part.

THE subject of heat, at this time, somewhat engaging my attention, I was particularly led to confider this fymptom of burning, and which had all along appeared to me rather extraordinary; and recollecting that every application which tended to retain heat in the part, particularly dry lint, which is obviously a very flow conductor of it, very much aggravated this fymptom, I became convinced, that what she complained of was not a mere fensation produced by the acrimonious state of the surface, but that it was the effect of a superabundance of heat really existing in the part; and though I could give no reason for its being constantly excited there, yet, whilst its existence seemed to be certain, it appeared reasonable to attempt the removal of it by the most obvious means. The uneafiness which she likewise felt when the part was exposed to the air, and the progressive manner in which the ulcer had been increasing since the first appearance of it, proved that a gradual decomposition of the part was going on, and which

which chemists well know is much affisted by the free access of the external air.

THERE appeared, therefore, to be two important objects to attend to, the carrying off the heat from the part, and the preventing the furrounding air from coming in contact with it; and both these purposes seemed very obviously to be attainable by keeping a piece of wet and cold linen cloth constantly upon the part: and in order that the experiment might be made in the simplest manner, and that, if successful, the effects of it might not be attributed to any medicinal quality belonging to the application, I refolved to make use of plain water; and for the same reason, I desired that she might take no other internal medicine than her occafional anodyne; especially as she had relinquished the use of all medicines except the anodyne for fome time past.

IT was not a cold season of the year, and I, therefore, thought she might use the water as it was drawn from a neighbouring well, and the immediately applied a folded piece of rag well wetted with it over the whole furface of the ulcer; the fensation was at once agreeable to her, and I gave her reason to expect that it would continue fo untill it became dry and warm, when I defired it might be again moistened without being removed. This was accordingly done with great exactness; and as it really became more uneafy when it was dryer, it was kept constantly moist with a sponge, and within four and twenty hours from the first application, the heat and fmart were manifestly abated: the same method was persevered in, and as I wished the wound to be opened very feldom, I did not see it till three or four days after, when I was really surprised to find that not only its aspect was much improved, but that even the edges began to heal.

THE pain and sense of heat were now so much relieved, that she had no longer occafion for the anodyne; she soon, too, experienced that favourable change of her general health which was so likely to take place when she was relieved from such a constant source of irritation as an habitual state of pain may be well supposed to have been; and the progress of the cure, from the use of the same means only, was so rapid, that the ulcer was perfectly cicatrized in less than three weeks: it then was so complete both with respect to the part itself and the whole system, that there has not been even the most trisling excoriation upon the cicatrix ever since, nor any appearance of a similar nature in any other part of the body.

So great, so quick, and so happy an effect, from a cause apparently so simple and trisling, must, I doubt not, seem very extraordinary; and yet, perhaps, the history of diseases will not furnish an instance in which the effect of a medicine more immediately, and more certainly, sollowed its application: there can remain, therefore, no possible

possible doubt of the agency of the cold water in producing the cure, nor, I should imagine, can there be any room to suppose that it was not in consequence of its property of abforbing heat; for I can conceive no other property which water possesses, to have any influence in fuch a case as this, unless it be said that it might, as a mere lotion, remove the impure and acrid discharge from the furface of the wound; but this, obviously, could not be effected whilst it was fuffered to remain fo long upon the ulcer, as it is evident that nothing could be washed away unless the water itself, which came in immediate contact with the part, was frequently removed.

Though it would be improper to draw too general a conclusion from the event of a single case, yet, as far as this goes, it certainly shews, in a very striking manner, how great a share the mere presence of an extraordinary quantity of heat has in contributing to the malignant and painful state of such contributions.

from being fiftisfied in this refred.

wounds as have been just described; and though the cause, whatever it be, which in the first instance excites such a superabundance of heat, may properly be considered as the primary cause of the disease, yet, it appears, from the event of this case, that the ill effects of it may be obviated, and the complaint itself subdued, merely by removing the accumulated heat.

FROM the foregoing description of this peculiar ulcer, the reader may probably be at a loss whether to consider it as originating in the venereal or cancerous virus.

came in immediate contact with the part,

from the furface of the wound;

I ACKNOWLEDGE that I am myself far from being satisfied in this respect. The circumstance of a recent infection made it at first highly probable that it was venereal, but the total absence of every other symptom of the same disease, its resisting every form of those medicines which are considered as specifics in that disease, and which, when the complaint is ascertained to be really venereal,

if continued so long as they were in the present case, perhaps, never fail to effect a a cure; the peculiar and increasing disposition in the ulcer to spread, and the very soul and morbid aspect which it assumed in the latter part of the time, gave it very much the appearance of a true cancer; and had it terminated in the destruction of the patient, as it very much threatened to do, I think there is no doubt but I should have considered it as such.

I would not, however, wish to be understood that I infer from this, that the same means which were so singularly successful in this case, would be equally so in a true cancerous uicer; yet I should certainly make no hesitation to use the same method in an ulcer that was most evidently so, if it were attended with the same symptom of extraordinary heat.

THE history of physic will not, perhaps, afford a single instance of such a cure as the

above obtained by means precifely the same; but I cannot help thinking, that among the legendary tales of early superstition, some have been related which were produced by means very much resembling them, but which, so far from having been attributed to causes so simple and natural, were supposed to have been owing to the sacred influence of a presiding Saint.

It is well known what reputation for extraordinary cures the fainted wells and holy springs acquired in the early and middle ages of Christianity, and that there was scarce a district in which there was not at least one which had been fanctified by its vicinity to the residence of some distinguished religious character, and to which the credulous multitude continually slocked to obtain cures for their various complaints, either by drinking the water, or by bathing in the consecrated stream; and in such great estimation were some of them held, that the water became a subject of merchandize, and, conveyed

conveyed in bottles, was fold to very distant places.

IT can scarce be supposed, even in those ages of credulity, that these springs could preserve their reputation (even with all the artifices of those who were interested in their popularity) for any great length of time, unless some cures were really performed by them: fome of them might, indeed, possess real medicinal virtues in consequence of mineral impregnations, and from all of them might be derived the obvious advantages of cold bathing; but as the number of those which were truly mineral ones could not be large, and as but few complaints could be relieved by the mere cold bath, it is probable that there was some other cause for some of the cures.

THE diseases for which these waters were most frequently had recourse to, were external wounds, inflamed eyes, foul ulcers, and cutaneous eruptions: and if the foregoing account

account

account of the morbid effects of accumulations of heat on the furface be in any degree probable, the reader will find no difficulty in accounting for the falutary effects of bathing in those of the eruptive kind: but it may not, perhaps, be so easy to account for those cures which were obtained at a distance from the springs, where the quantity of water must have been insufficient for any other purposes than that of drinking, or of washing diseased parts of a limited extent. under which description no external diseases can fo properly come as wounds and ulcers; and yet, when used in this way, it is probable there must have been some cases in which they were found falutary, either originally to have established their reputation and the sale of them, or afterwards to have kept it up: a very few fuccessful ones would, indeed, have been fufficient to have answered this purpose, as the monks, to whom those springs usually belonged, as appendages to monasteries, well knew how to fend forth reports concerning them, in a way the most likely to engage

the attention, and excite the admiration of the public, and by the great influence which they had over the minds of all ranks of people, could not only magnify the cures really performed, but give reasons sufficiently satisfactory, in those days, as being of a religious nature, for the failure of the rest.

IF we suppose it probable, therefore, that any wounds or ulcers were ever healed by the topical application of these waters, it follows, pretty evidently, that the cures must have been effected upon the foregoing principle; and I am led to think that such really have happened, not only from the foregoing general considerations, and from the preceding history of the ulcer under my care, but am somewhat confirmed in it by the recollection of circumstances which amount almost to positive testimony.

THERE is a well in a village in the neighbourhood of Norwich, which being dedicated to a Saint in times of Romish superstition, stition, very soon acquired a reputation for curing diseases, and for many years was reforted to by all the good Catholics in the neighbourhood. It happened, from some extraordinary chance, that its medical reputation was revived so lately as about twenty years ago, and it was again, for a while, reforted to by multitudes of the lower ranks of people.

I RESIDED at that time in Norwich, and though, from being but a very young apprentice to a furgeon, it cannot be supposed that I knew much of medicine, it was likely that my connection with the profeffion should at least lead me to pay some attention to a subject which furnished such general matter for conversation; and the gentleman, under whom I was, having the care of a great number of poor, I had daily opportunities of hearing from them the many and various wonders performed by this water; many idle stories of pretended cures were talked of, which, though they for a while - moising

while gained credit among the multitude, were too abfurd to be listened to by those who were less ignorant; yet, notwithstanding this, I well remember several instances of patients, who had previously been under our care for fore legs, having affured me their wounds had healed by the mere application of rags dipped in this water.

laye been greater, and the reputation of the

THAT wounds in a healing state should not be prevented from healing by the application of clean water, is not at all strange; and it may thence be imagined, that most of those which did heal, whilst under the use of this water, would have done so equally as foon without it, and I doubt not but all fuch cases were so considered at that time; yet, from the striking event of the above related case, I cannot help thinking that some of the cures were in consequence of the water itself; and I further suspect, that, had the use of these, and the other celebrated waters before alluded to, been under the direction of persons who could have known that the

too frequent exposure of wounds to the air very much retards their healing, and that the good effects of the application of water, depends, probably, in a great measure, upon the part being kept constantly moist with it, and could, therefore, have purfued the fame method which is related in the preceding history, the number of cures would have been greater, and the reputation of the waters have continued longer: but, instead of being used in the most proper way, it may be supposed in a process, the good effect of which was to be produced by a miracle, that very little nicety was observed in doing it, and as poor and ignorant people were the most usual subjects of it, that it labored under the disadvantage of the greatest mismanagement. vo wallish adv mont

cafe, I cannot belp thinking that forme of the cures were in conference of the water ittelf; and I further furgett, that, had the

ed to, been under the direction SECTION

SECTION XV.

Hernia Humoralis.

I HAVE no doubt but the preceding method of diffipating heat by topical applications, may, likewise, be advantageously made use of in the hernia humoralis; which is well known to be a symptom of the venereal gonorrhæa, and consists of a swelling and inflammation of the testicles, attended with pain and peculiar sensibility to the touch.

From the nature and appearance of this complaint, it is very probable that this uneafiness is in a great measure occasioned by an extraordinary degree of heat being excited in the part, and it is obviously on this

Dd 2

account

204 HERNIA HUMORALIS.

account that relief is to be expected from fuch a mode of treatment as favors its escape.

Modern practice has, indeed, for some time past adopted the use of applications of this fort in the hernia humoralis, as the faturnine lotion, brandy and water, &c. and experience has fully proved their efficacy; but their falutary effects have been attributed merely to the aftringency and stimulancy of fuch topics. Thus Dr. Aikin, in his ingenious Observations on the external Use of Lead, and on other Topical Medicines, strongly reprobates the indifcriminate use of emollient poultices in the very case under consideration, and fays, that the faturnine water, if made strong, and applied cold, will be much more useful: and that he once had a very striking instance of the efficacy of common astringent and stimulant applications in the same complaint. He fays, " A person suddenly " attacked in the morning with a fwelled " testicle, was obliged, on account of neceffary

"ceffary business, to walk about all that day. I applied a folded handkerchief, well foaked with rum, to the part, retained by another tied round the body.

This was wetted twice or thrice during the day, and at night I found, notwithflanding his exercise, that the bulk was greatly reduced, and the pain and sensibility diminished. This application, with the addition of vinegar, was continued some days longer, and the part perfectly recovered without any confinement to the patient *."

IT is evident that these applications are precisely the same as those which I should have recommended in the same case on the preceding principle of removing heat; and I have no doubt but the relief which was obtained in the present instance, was in consequence of the heat sinding a more

ready escape from the part under such a treatment than it otherwise would have done, and more especially if it had been surrounded with so bad a conducting substance as a thick poultice.

the day, and at night I found, notwin-

" greatly reduced, and the pain and fend-

to your station of vinegar, was cent

tenned forms stays insured and the part

finances to the patient ".".

Little evident that their applications are

precifely the fame as those which I should

base recommended in the fame cafe on ring base section

t save no contre but the relich which was

outsined in cite prefent initance, was in

contiequence et the best induig a more

2007

the state of the s

the cart, than is commonly imagined and

experience frems very fufficiently to have

proved the much of this markly as the

this, as well as in the lath recited inflances

have chyidufly this very tendency; the applica-

cation of cold lotions, waster Sec. havings.

SECTION XVI.

for fome timespall been substituted in the room of wenn poultices; abut it has, in this

Hernia Intestinalis.

feels of fuch applications have been in con-

fequence of their poffering an aftringent

A SIMILAR mode of treating the intellinal hernia offers itself on the same principle, as it appears very probable that the diminution of the bulk of the part, which in this case is the obstacle to its reduction, will be promoted by carrying off the extraordinary degree of heat which is excited under such circumstances, and which, perhaps, in this case, as well as in all other inflammatory swellings, has a greater share in producing the expansion of the

208 HERNIA INTESTINALIS.

the part, than is commonly imagined: and experience feems very fufficiently to have proved the truth of this remark; as the modern practice of furgery has already, in this, as well as in the last recited instance, very fuccessfully made use of means which have obviously this very tendency; the application of cold lotions, water, &c. having, for some time past been substituted in the room of warm poultices; but it has, in this case also, been supposed, that the good effects of fuch applications have been in confequence of their possessing an astringent and stimulating quality. In the same pamphlet from which I took the extract in the preceding fection, Dr. Aikin has obferved, that " the obstacle to the reduc-" tion of the contents of the intestinal her-" nia, is the increased bulk which they " have acquired by stricture, making them " incapable of returning through the same " passage at which they escaped. This is " to be removed by fuch remedies as cause " the vessels to contract, thereby diminish-

HERNIA INTESTINALIS. 209

" ing the bulk of the folids, and repelling

" the fluids, and not by fuch as expand the

" folids and make them more yielding to

" the impulse of the fluids. The former

" action belongs to cold, astringents and stimu-

" lants; the latter to heat and emollients."

And he further illustrates this in the following case: " A boy having thrust his penis

" through the ring of a key, it immedi-

" ately fwelled in fuch a manner that he

" could not get it off again, and alarming

" fymptoms foon came on; but the cure

" was performed by dipping the part in

" cold water *."

THESE remarks, and this instance of the good effects of the application of cold water, agree perfectly with the foregoing general theory, by which, I think, its operation may be accounted for more simply, and more satisfactorily, than by the supposition of its stimulancy and astringency; both

210 HERNIA INTESTINALIS.

which qualities, if exercised on an inflamed part, unaccompanied with a quality which had the power of carrying off heat, would, I fear, aggravate rather than alleviate the complaint: and for this reason, I doubt not, but vinegar, brandy, and rectified spirit, the latter of which are confidered as the most powerful stimulants, could they be applied in a way in which their disposition to evaporate would be repressed, and at the same time their stimulating power be felt, that they would not produce the falutary effects they are now well known to occasion; and in the present case, in which the part is not denuded of the skin, their application can act upon no other principle than the absorption of heat, which takes place during their evaporation, for unless the cutis be removed, and the more fensible parts which lie underneath be exposed to their immediate influence, their stimulating power cannot be felt.d diminiancy and advingency; b. 19

SECTION XVII.

of fruit in an induned ove appear

Opthalmia.

THE delicate structure of that most valuable organ which is the subject of this complaint, would naturally lead us to be particularly cautious in admitting new methods of treating the various diseases to which it is subject, the soundation of most of which is well known to be long continued and neglected inflammations; I believe, therefore, though the nature of this so obviously points it out as the peculiar object of the general treatment hitherto recommended in all local inflammations, I should have

avoided noticing it in this place, had not experience, in a great measure proved that those applications which tend to carry off heat may be used with the utmost safety.

THE presence of an extraordinary quantity of heat in an inflamed eye appears to me so evident, from the general symptoms of the disease, and the endeavouring to remove it, therefore, is so obviously proper, that I shall confine myself principally to the consideration of those facts and circumstances which lead me to suppose that the common means for that purpose may be made use of without any hazard.

The very fluid with which nature constantly moistens the globe of the eye, I am
persuaded, is useful upon the principle of
carrying off that redundant heat which is
excited by the frequent motion of the palpebræ: for though this fluid may be generally considered as preventing the common
effects of friction, in the manner other lubricating

bricating liquors are known to do, yet it will be found, upon reflection, that the obvious necessity there must be for its being perfectly transparent, does not admit of its being so unctuous, and mucilaginous, as would be requisite for that purpose: being, therefore, thinner and more watery, it is, consequently, more volatile, and by its ready disposition to evaporate, it is, evidently, enabled to carry off that heat which it cannot prevent being excited.

ONE of the most popular remedies for inflamed eyes is cold spring water, and its application in the early stage of such an inflammation has frequently been known to carry it off without any other means being made use of.

BRANDY and water; which, having more volatility than water alone, must be a still more cooling application, is another collyrium of no small reputation in many families; and I know many persons who have been

been subject to frequent inflammations from accidental causes, who are persuaded that the constant use of this not only renders their eyes less subject to be inflamed, but when they are so that it very much tends to carry it off.

thinness and more watery, it is confectu

toler problem bloom in the home water.

THE pulp of a rotten apple, which is a moist and cold application, is, likewise, frequently made use of in this disease, and if there be not many instances known of its being very beneficial, there have been enow to prove its being perfectly harmless.

THE aqua saturnina has, for some years past, been prescribed by medical practitioners in the opthalmia; and though it is usually applied cold, I have never heard of any inconveniences from its application, and should imagine if it had not been often found of real use, that it would not have supported its reputation in cases of this kind so long as it has done.

I CANNOT help thinking, that even the electric aura, emitted from a blunt wooden point, and which has lately been successfully applied in this disease, acts merely by carrying off the heat from the part as a stream of common air. I have myself had frequent opportunities of making this experiment, and have always found that it mitigated the pain during the time of its application, and that the patients never failed to remark that it gave a fenfation of coolness particularly grateful to the eye under those circumstances; and I remember one patient who had a very painful inflammation, and found fuch an alleviation of the pain from its application, that she called upon me three or four times in the day to have it thrown into the eye, but the relief it imparted, though always very great at the time, was but of short duration, seldom lasting more than a quarter of an hour after she left the house. If we admit that the relief which the eye obtains under this application be derived from its favoring the escape of heat with which the part is so evidently overloaded, it will be no difficult matter to understand that a quick succession of cool air applied immediately to the eye should have this effect, as its operation must be precisely the same as that of the san and the bellows, as already explained in pages 37, 38, and 39, of the first section.

AND this conjecture is the more probable, as those who have often tried this experiment, must, as well as myself, have found, that when the eye is brought too near the point from whence the aura issues it never fails to make the patient complain, and that, on this account, it is necessary that the eye should be at a considerable distance from it, during the operation.

As a convincing proof that the electric breeze acts upon this principle, the fame agreeable fensation, and the same good effects may be produced by throwing air into the eye through a common blow-pipe, though

ted, though always very great at the

though in an inferior degree; and this evidently cannot be owing to any difference in the quality of the air, but to the stream being more perfectly divided, and, as it were, radiated when driven by the electric fluid, than it can be when blown through a tube. In fact this is precifely the same thing as an old popular method of treating this disease, which consisted in placing the eye, for fome time, near and opposite to the key-hole of a door; and which, I am informed, is still practifed in some places, especially in the north of England. Popular methods of treating diseases have, perhaps, originated in the experience of their usefulness in more instances than is commonly imagined; and supposing this to have been the case with regard to the present method, there can be little doubt but it was falutary on the very principle just mentioned, the admission of a stream of air into the eye being evidently the whole of the operation.

Ff

I KNOW

I know very well that the principle upon which all these applications, and particularly that of electricity, are supposed to act, is that of aftringency and stimulancy; and I am aware that there are some kinds of inflammations, and other diseases of the eye, in which fuch powers are likely to be useful, by giving tone to the lax vessels, and enabling them more perfectly to propel the contained fluids; and these are the cases in which the vitriolic lotions have been fo falutary: but I am authorised, from the most positive experience, to say that these applications are useful even during the most painful and highly inflammatory state of the eye, in which it is pretty certain that stimulating applications must be injurious; and I have had a recent instance in which the constant use of cold milk and water feemed peculiarly beneficial.

C A S E.

A GENTLEMAN, who, in two preceding instances, had a very painful and long continued inflammation in both eyes, was a few months ago seized with the same complaint even in an increased degree, as both eyes were excessively inflamed, and attended with exquisite pain.

In the former attacks he was bled repeatedly, underwent other very copious evacuations, took anodynes, and various warm and foft applications were used to the eyes, as the fotus anodinus of the London dispensatory, emollient poultices, &c. but notwithstanding this the complaint was in both cases of several weeks duration.

In the present instance I immediately, as before, took away ten ounces of blood, and ordered a purging draught to be taken the F f 2 following

following morning; but instead of the warm fomentation and poultice, defired that he would keep rags moistened with cold milk and water constantly to the eyes. No other means whatever were used but these, and in twenty-four hours, from my first seeing him, the pain was so much mitigated, and the inflammation abated, that I judged the sole continuance of the cold milk and water would be sufficient for the cure, and which was compleatly effected in three or four days.

It is difficult to compare the degrees of complaints, even when very similar in their symptoms; and there are, doubtlessly, so many hidden circumstances which may hasten or protract a cure, that it is impossible to say that this disease was so precisely resembling the two former attacks of it, that had the same method of treatment been made use of, it would have been of as long

prefumption, from the very great difference in the duration of the one and the other, and the apparent fimilarity in the diseases, that in the latter the use of a different topical application had some share in facilitating the cure, more especially as the obvious tendency of the cold lotion was to carry off what, if not the principal cause of the most urgent symptom, must at least have very much aggravated it.

The reader will probably remark that cold water was not in this case used simply, and that the addition of milk to it, might, by its emollient quality, have contributed to the relief which was derived from it. The reason for my joining the milk to it, was the same that influenced me in a former instance, namely, my apprehension that cold water alone would have appeared so unmedical, not to say hazardous an application, in so very painful a state of the eye, that it would probably

probably not have been used to that degree in which it appeared to me to be likely to answer the purpose of carrying off the heat; and I was at the same time well satisfied, that, being cold and so much diluted, any emollient quality which might reside in the unctuous part of the milk could not be felt.

From what has been faid, then, I think the liberal use of those applications which tend to carry off heat, may be recommended in inflammations of the eye, and, perhaps, those which are most calculated to produce this effect are wet linen cloths applied to the eyes and kept constantly moist, and the electric aura: and from the peculiarly grateful sensation which is the effect of the latter, I should imagine that heat is most quickly removed by it, and that, therefore, were the operation repeated more frequently, and the eye exposed to its influence much longer at a time than is generally practised, I should be disposed

posed to give the preference to it; excepting, however, in those peculiar cases in which any alceration may have taken place, in which it is obvious, on the principle which has before been repeatedly mentioned, that the throwing in so large a quantity of air might be prejudicial.

SECTION.

SECTION XVIII.

throwing in fo large a quantity of

Gout.

THE nature of this disease is so little understood, that sew of the systematic writers on medicine have attempted a theory of it.

It is evident, however, from the patients who are the peculiar subjects of it, and the circumstances which are well known very often to induce the paroxysms, that an inflammatory diathesis is one of the predisposing causes of it.

IT has been before remarked, that full and high living with regard to diet, indolence, lence, fedentariness, living chiefly in a warm atmosphere, and other habits of luxury, injure the system by the generation and retention of a preternatural degree of heat, and that these causes contribute very much to produce the gout, experience has very sufficiently proved.

THE disease, moreover, if considered as a local affection of the joints, is likewise a true inflammation; the tumefaction, redness, extreme tenderness, sense of burning, &c. being all symptoms obviously indicating a superabundant heat.

SETTING afide, therefore, the prejudices in favour of keeping the affected part warm, which cuftom has established, the propriety of cooling applications would seem as evident in the present instance as in most of those other diseases which have before been recited.

I AM, however, aware, that the idea of repelling gouty matter would in this case be particularly urged as an objection to the use of those topics which tend to carry off heat; thick flannels, and such other substances as prevent its escape being supposed to unload the part of this matter by favoring perspiration.

THAT the fweat of gouty persons, and more especially of the parts immediately as-fected by the disease, is charged with something very unusual must be admitted; but I believe that it has not yet been proved whether the matter which is thus separated, be the cause or the effect of the disease; whether it be deposited in consequence of the extraordinary heat excited and retained on the part, or whether the heat and pain be the effects of this matter endeavouring to pass the skin.

ADMITTING the latter to be the fact, the heat is, at all events, but a symptom; and I cannot

I cannot conceive it likely that the difease should pass off more favorably by the aggravation of fuch a fymptom. There can be no doubt but an accumulation of heat long continued upon a part must be injurious to it, and it appears to me by no means improbable, that the peculiar rigidity of those joints which have endured many fits is principally owing to this fingle circumstance. It may be easily supposed that the skin, by being repeatedly exposed to the influence of an extraordinary degree of heat, may become fo thickened, and its furface be fo corrugated and hardened as to be fcarce permeable to the perspiratory fluid, and if it be imagined, as above, that the gouty matter usually finds an iffue by fweating, it must appear obvious that its escape must by this means be retarded, all future paroxyfms be aggravated, and the parts themselves be consequently afterwards liable to fustain more injury.

THAT a certain degree of heat above the natural temperature of the skin is requisite to G g 2 induce

induce perspiration has been before observed, but a degree sufficient for this purpose will probably be always excited by the pain alone without any artificial means to increase it: and as an excessive degree of it is supposed to defeat this intention, I rather think that those who have experienced this complaint will be ready to acknowledge that the pain is usually such as to be likely to excite a quantity requiring rather to be reduced than to be increased, even to attain the true sweating point.

The means univerfally recommended as preventative of this complaint, and which experience has fully proved to be equal to this purpose, are likewise evidently such as prevent the immoderate generation of heat, and allow of its due escape; as abstinence, exercise, exposure to cold, &c. and surely this affords a presumption that favoring the diffipation of heat from the part affected would, even during the paroxysms, be salutary.

I AM still more confirmed in this idea from some remarks which occur in a paper on this subject in the fixth volume of the London Medical Observations and Inquiries. The * writer of the observations is at the same time the subject of the case which gave rise to them, and is also a medical man.

courty limbs thought be kept cool in this

AFTER reciting some circumstances respecting his health and the nature of his constitution from his youth, and mentioning that he had for some years before been frequently attacked with the gout, he says, "On my passage to Jamaica in December 1770, the gout came into one of my feet a few days before our arrival in that "island. I wrapped it up as I had usually done in England, with slannel and oilfkin. I soon suffered excruciating pain; "which induced me to lay aside most of

". In the fpring of 1772, I had a long

^{*} Mr. Alexander Small, late furgeon to the ordnance in the island of Minorca.

- " my wrappers, and my pain foon abated.
- " On my arrival at Kingston, in Jamaica,
- " my friend Dr. Nasmyth, a most ingenious
- " and experienced physician there, advised
- " me to lay afide all my wrappers, and to
- " keep a cotton stocking only on my foot;
- " for experience has taught us, faid he, that
- " gouty limbs should be kept cool in this
- " country. I experienced the benefit of
- " following this advice; for the gout foon
- " went off. bear and and the second
- " I HAD a return of the gout in March
- " following, on my passage to New York;
- " and though the weather was cold and
- " stormy, I practised the Jamaica cool co-
- " vering. I continued to do the same when
- " ashore at New York, though the weather
- " was frosty.
- " In the spring of 1772, I had a long
- " and fevere fit in London; but neglected
- " to follow a practice I had received fo

much

- " much benefit from in Jamaica. I suffered
- " feverely; and I believe for this neglect."

FURTHER, in mentioning the circumftances attending a future fit, he fays,

"During this fit, the gout, at times, vifited

"all my limbs. The pain was less and

"continued a shorter time in my hands and

"elbows than in my feet and knees. Was

"this owing to my hands and elbows being

"more exposed to the cool air than the

"lower extremities, by being oftener from

"under the bed-cloaths, on account of

"their being employed in necessary offices

"as soon as they became in the least use
"ful? My right hand suffered less than

"the lest; perhaps by its having been more

"exposed to the cold."

And in some subsequent sits, he adds, "In these attacks, I applied no covering by "night or day, but what I usually wore. "The only indulgence I now treat the gout "with in this respect, is not to have any "tight

- " tight binding on the gouty part. If in
- " the foot, I wear a large shoe; if in the
- " knee, I do not garter; and if in the hand,
- " I put on a larger glove in the day. I have
- " exposed a gouty hand to a pretty severe
- " cold without being fensible of any incon-
- " venience from fo doing. The inflamma-
- " tion went on as regularly, and I thought
- " with less pain, than if carefully wrapped
- ec up.
- "An ingenious friend of mine, an accu-
- " rate observer of every circumstance which
- " can throw light on any fubject, to whom
- " I had mentioned my treatment of the
- " gout, favored me with the following ac-
- " count, speaking of himself.
- "ONE night, whilst my foot gave me
- " more gouty pain, after it was covered in
- " bed, than before, I put it out of bed,
- " naked; and perceiving it was easier then,
- " I let it remain longer uncovered than I at
- " first intended; till at length I fell fast

" afleep,

" afleep, and it remained in that fituation " till morning. The pain did not return, " and I grew well. Next winter, having a " fecond attack, I repeated the experiment; " not with the like immediate fuccess in " diminishing the pain of the gout; but " constantly with the effect of lessening the " pain, so that it permitted me to sleep every " night. I should mention, that it was " another person who gave me the first inti-" mation of this practice. He being in " the old opinion, that the gout is to be " drawn out by transpiration, and having " heard me fay that perspiration is carried " on more copiously when the body is " naked than when it is clothed, put his " foot out of bed, when pained with the " gout, to increase that discharge, and found " ease by it."

This account, which contains the experience of three different persons in the gout, is very strong testimony in favor of the H h exposure

exposure to cold; and if added to the foregoing general reasoning upon the subject,
will, I think, fully justify the recommending
such a mode of treatment, especially in the
first attacks of the disease; and which usually
occur before the constitution is much impaired, and consequently when the parts can
have suffered no injury from prior affections
of the complaint.

The apprehension of the retrocession of gouty matter by a deviation from the usual mode of treating the disease, is, perhaps, but in a sew instances well founded; for though the possibility of such a circumstance is admitted by all medical persons, and is constantly the subject of conversation of gouty patients, yet I cannot help thinking that it occurs much less frequently than is commonly supposed; and that when it does take place, that it happens either in those who are much advanced in years, in whom the system has lost much of its natural energy, or in whom the parts which the disease

jured by former repeated affections of it, that they are unable to sustain future fits.

And if it be ever admitted, agreeable to the commonly received opinion, that a certain degree of inflammation of the part is necessary for the safe termination of the paroxysms, it may easily be supposed, that in young, vigorous, and plethoric habits, this will usually be sufficient without any means being used to prevent the escape of heat from it, which, if ever requisite, must, obviously, be only in those subjects in whom, from the before mentioned causes of age, debility, &c. the powers of nature are languid, and the excitation of heat is proportionably small.

SECTION XIX,

Local Eruptions and Excoriations.

BY these I mean those eruptions and excoriations to which young children are particularly subject, and which usually make their appearance behind the ears, under the axillæ, at the back of the necks of those who are very fat, between the nates, &c.

It has before been remarked that these parts, being very unfavorably situated for the escape of heat, must, necessarily, be more subject to occasional accumulations

of it than the other parts of the body; and it may be further observed, from the circumstance of the contact of those parts to one another, that they must suffer, even from common motion, a more than ordinary excitation of heat, on the principle of friction.

THAT these parts should, therefore, suffer injury from the extraordinary degree of heat produced by the operations of these two causes, is not to be wondered at; and that this injury should consist in the suppuration and partial destruction of the skin, is very probable, from what has before been observed on the effects of similar accumulations of heat on the surface: and in the present instance it seems particularly reasonable to suppose the eruption is produced by such a circumstance, because it is truly a local affection unaccompanied with any other disease, the healthiest children being as subject to it as the most sickly.

thod of treating these complaints, as, admitting the nature of them to be such as is above supposed, it should, obviously, consist in the use of such applications as tend to carry off heat; and it follows, therefore, that frequent washing with the most simple lotions, or even cold water, must be the most likely to answer this purpose, and, consequently, promises to be much more useful than the various greasy applications and thick-spread plasters which are at present so often made use of, but which, from the nature of them, must tend rather to retain than to dissipate heat.

The necessity of frequently washing children, and particularly in those parts which are the most likely to be affected by these excoriations, cannot but be known to every good nurse; and experience has proved how much a careful attention to this circumstance tends to prevent their taking place; all which the more strongly confirms the foregoing

foregoing conjecture concerning the cause of these eruptions, and proves the general propriety of children being kept constantly cool.

Abbitunce, maft, talky, occasion on imm

IN the preceding sections I have endeavoured to shew some of the effects of an accumulation of heat on the surface of the skin, in producing cutaneous eruptions and inflammations; and it is evident that in these instances I have considered the matter of heat as acting in a sensible state.

It cannot be doubted but the contrary extreme of an extraordinary diminution of this principle, must, likewise, be productive of injury, and, possibly, the parts which immediately suffer such a privation of heat, may experience morbid affections not less important than any of those which have been recited; and the various degrees of mortifications appear to be of this kind.

At the same time I cannot help further conjecturing that the desiciency, or superabundance of the matter of heat, considered not merely as existing in a sensible state, but as organically combined with the animal substance, must, also, occasion an important, and probably a morbid difference in the whole system, or in particular parts of the body; and there are two diseases which strike me as peculiar instances of such a difference, the one appearing to be in a great measure, if not totally, the effect of a deficiency, and the other of a redundance of that material; and these are the scurvy and obesity.

I SHALL, therefore, in the following fections exhibit such facts and circumstances as lead me to these several conjectures, and endeavor to deduce such inferences from them, as may, perhaps, not be without their use in practice.

SECTION XX.

office are content to

Mortifications of the Extremities.

THINK there can be no doubt but the cause of this disease is the very reverse of those which have been considered as producing the complaints which have been already adduced, for so far from there being an overcharge of heat in sphacelated parts, it is evident that there is a desiciency of it. There are, indeed, some local mortifications which are certainly the effect of an extraordinary degree of heat for a while excited in the part, and which, like the application of a similar cause from without, occasions the destruction of the part immediately under its influence, but in these the habit suffers no

I i

morbid

morbid affection, and the diseased part soon separates from the sound, which heals as a common wound. But the kind of mortifications which I allude to are those which come on in the extremities of elderly persons, and which are evidently owing to a gradual diminution of the vital principle in the whole system, these parts, in consequence of which, receiving a supply of heat unequal to their support.

THAT mortifications of this kind are proximately occasioned by a want of natural heat in the part, may be presumed from the extreme parts of the body being the first to experience a deficiency of heat when the general source is diminished, and the circulation becomes languid; which may easily be understood if the blood be considered as the chief vehicle of heat to the different parts of the body; and we recollect that the streams of this warm fluid are smaller in those parts than elsewhere, and as being more remote from the source have, probably, a

proportionately less quantity of heat: and this is also probable from their being frequently induced by external causes which deprive those parts of their wonted and necessary quantum of heat, as exposure to cold, &c.

INDEED this is so obvious, and the common method of treating fuch complaints is fo immediately directed to supply the part with a due degree of heat, both by exciting the general production of it in the system by warm internal cordials and substantial nutritive food, and by endeavoring to call it forth in the part itself by the most stimulating topics; that I should have thought it unneceffary even to have mentioned this disease as connected with the general subject of these pages, were it not to take notice of a practice constantly adopted in the treatment of it, which, though, I believe, originally defigned to warm the part, must produce the contrary effect, and consequently be in-

jurious: I mean the indifcriminate use of vinous spirits as a topical application.

From its being univerfally known that rectified spirits are easily inflammable, that they excite heat when taken into the stomach, and give a fensation of smart and burning when applied to any part of the body which is deprived of the skin, as in recent wounds, &c. they have been generally confidered as hot, and have been fupposed therefore to communicate heat to all bodies in contact with them; but the truth, probably, is, that in those cases in which heat is really produced by their application, it is not derived from the spirit but is called forth from the part itself in contact with it, in consequence of its acrid and stimulating power, in the same manner as aromatic and other stimulating substances excite inflammation and heat: and even this power is too inconfiderable to be felt, unless the fenfibility of the part to which it is applied be increased

increased by the removal of the cutis; as every one knows that the finger may remain any length of time in ardent spirits without becoming warmer.

THE washing such parts with spirit of wine, therefore, when the skin is unbroken, must appear, even from this view of the subject, to be attended with no advantage; but were this the only reason for its discontinuance, it might still remain in use, and hold its place amidst the multitude of other medicines, which, though they do no good, have, at least, the negative merit of doing no harm.

A LITTLE reflection will, however, convince us that this is not a mere negative application, for its great readiness to evaporate gives it a power of robbing the part of that very principle which it was intended to communicate. The doctrine of evaporation, as productive of cold, is, at this time, too well understood, and the fact too fully ascertained

246 MORTIFICATIONS OF

afcertained by experiment, to leave any doubt but it must act in this way, and that its effect in rendering the part colder must be so considerable as to be materially injurious in such cases as these.

It may, perhaps, however, be urged that fome of the spirit will be absorbed, and that if admitted into the system in this way it may still excite heat; but its volatility is probably too great to suffer it to remain long enough on the part to have much of it ababsorbed, and as absorption is an operation of nature, perhaps, requiring considerable vital power, it is not likely that it should be carried on to any considerable extent in the languid and feeble state of a morbid limb.

WE may conclude, then, without hesitation, that the application of spirit to a sphacelated part can alone be useful when some degree of separation has taken place, or when scarifications have been made through its substance so as to expose the more sensible parts underneath to its immediate influence, and as the common practice of bathing the whole limb, which in such cases is frequently ædematous and cold, with it, is evidently injurious, that it would be much more likely to answer the purpose of warming and invigorating the limb to rub it frequently, to apply warm and greafy poultices to the part most particularly affected, and to keep the whole wrapped up in thick and dry flannel.

My practice has lately furnished me with a very fingular instance of the good effects of preventing the escape of heat from a sphacelated limb, and which shews at the fame time the very near connection there is between the powers of life and animal heat.

IN December 1784, I visited a lady about 63 years of age, who had been ill more than a fortnight

a fortnight of a highly putrid fever. For fix or feven days before I faw her, a livid discoloration of the lower arm as far as the elbow had taken place; a gangrene of confiderable extent had likewise formed on the lower part of the back, another on each hip, and the toes of one foot were blueish. The tongue being also remarkably foul and dark-colored, the pulse scarce perceptible, and every limb incessantly in motion, from the twitchings of the tendons, indicated the dreadfully morbid and seeble state of the whole system, and threatened a near approaching dissolution.

THE apprehension that she had been for some days actually in a dying state, had prevented the requisite attention to these sphacelated parts, and through a peculiar inadvertence, the whole arm had been almost constantly exposed on the outside of the bed.

WHEN I first saw her, the limb in question was much swollen, and felt to the touch

touch extremely cold; its appearance from the extremities of the fingers to the elbow was of a deeply livid color, there were feveral vefications on the upper furface of the hand, and the pulse was totally imperceptible.

THOUGH the deplorable state of my patient afforded scarce a possibility that the most powerful means could be of any material use, yet it did not, in my opinion, justify the total neglect of those which her case so obviously indicated, and which I therefore recommended to be had immediate recourfe to. I shall, however, confine myself merely to the treatment of the diseased arm.

I ORDERED it to be well fomented, to be wiped dry, and then wrapped up in fine flannel feveral times folded, and not to be opened until I saw her again, and which was in about fix hours after. The limb had in this time acquired confiderable warmth, and the discoloration towards the elbow was

Kk

much

much less livid. It was therefore again well fomented and wrapped in the same flannels, in which state it was left more than twelve hours, namely, till the next morning. The discoloration of the upper part was now totally gone, it was livid a very little way above the wrift, and the whole limb was perfectly warm. The fame means were still used for several days, at the end of which the discoloration was confined to the thumb, the extremities of the fingers, and to one fide of the hand; and the back of the hand had nearly acquired its natural color. At this time, also, the swelling of the arm being perfectly subsided, I could distinctly feel the pulfation of the artery.

On account of the vesications on the the thumb and hand, I now directed those parts to be surrounded with a thick warm poultice, but somented, as usual, before the application of it. This method was therefore continued, and the appearance of the

the sphacelated parts became daily more favourable; but notwithstanding this she expired on the fixth day from my seeing her.

SHE had taken no cortex before I faw her, and during the time of my attendance I was unable to give her more than two half pints of a strong decoction of it. Much pains were, however, taken to get down nourishment, and with which she took a tolerable quantity of red wine; all which, certainly, as far as they operated, tended to give vigor to the fystem, of which, doubtlessly, the fphacelated limb participated: but the cause of the favourable alteration which took place in it so soon after my first seeing her, and what principally effected the general change in the limb afterwards, I am perfuaded, was the mere prevention of the further escape of heat from it, and the consequent gradual accumulation of that small quantity which still remained in it.

252 MORTIFICATIONS, &c.

THE vital principle being by these simple means so much restored in the limb, not-withstanding the near approach of the patient's death, and the consequent extreme seebleness of that principle, is a very striking sact, and strongly indicates the importance of a greater attention to this circumstance, in similar affections, than is usually paid by medical practitioners.

SECTION XXI,

Scurvy.

nary disease, which have been given by medical writers, and the accounts of its occurrence in different ages, seasons, and climates, all agree so remarkably in the circumstances which dispose to it, and these circumstances so directly tending (according to the preceding theory of the production of animal heat, and of its escape by the surface,) both to lessen the generation of heat within the body, and to promote its escape by the surface, that I cannot help considering the primary cause of it to be a deficiency of the matter of heat in the system.

THE

THE two principal causes which I allude to as producing the scurvy, are, long continued exposure to cold, and living a long time upon bad and not easily digested food; the latter affording too small a supply of animal heat, and the former too quickly carrying off that which is generated; and which appears still more probable, as either of these causes singly, if operating to a considerable extent, will produce this malady.

THE season of the year in which the scurvy is most rife is well known to be the winter, and those countries are the most subject to it which are the least under the sun's influence.

DR. Lind, whose elaborate treatise on this disease contains a large collection of very important facts respecting it, and which, therefore, whether his theory of it be true or false, must always be very valuable, says, "The ships which are annually employed in the whale sishery, are, of all others, "the

- " the best fitted out, both as to the variety
- " and quality of their food; the voyage is
- " short, and the seamen kept much in ac-
- " tion; fo that bad water and decayed pro-
- " visions can scarcely fall to their share.
- "Yet it is notoriously known that there is
- " no part of the world where ships crews
- " are so liable to the scurvy, as in the polar
- " circle. Those who are seized at their first
- " entrance into the cold, find an increase of
- " their fymptoms when got into the ice.
- " The attack of the malady is here more
- " fudden, and its progress more rapid, than
- " any where else. The patient has seldom
- " any cure or alleviation till the weather
- " foftens *."

THE same author, in another publication +, observes, "The sailors in winter, "and especially such of them as visit the

^{*} Page 214.

[†] Essay on the most effectual Means of preserving the Health of Seamen. Page 24.

"Greenland seas, to be remarkable for a "voracious appetite, and a strong digestion "of hard salted meats, and the coarsest "fare:" and I think this circumstance very strongly supports the conjecture, that an extraordinary waste of animal heat excites in the stomach a more than usual appetite for food, on the principle of producing a proportionate supply of it under such circumstances, and that, particularly in this instance, it may be considered as a happy effort of nature to guard against a disease which a designation of this important principle seems to occasion.

This complaint will, in like manner, be induced in fituations where the cold is not intense, if persons live for a considerable time on bad provisions; such a degree of it, as is produced merely by a moist atmosphere, even in a warm climate, being sufficient to bring it on. Sailors in long voyages are precisely in this situation, living for a long while on hard, dry, and salted meat, which, obviously, must

must be of difficult digestion, and from which, consequently, the matter of heat cannot be extricated in fuch abundance, as if this process in the stomach were more eafily and more perfectly effected. Dr. Lind fays, " It is observable, that in warm cli-" mates, the crews of ships at sea are liable " to this malady, when the hot weather, by " which the fibres of the body are much " relaxed, is fucceeded by great and inceffant rains usual in those latitudes. The " disease is there, likewise, much owing to " the great length of those southern voy-" ages. But otherwise it is not near so fre-" quent a calamity as, in cold climates; " the bad effects of moisture being ren-" dered much more pernicious when combined with cold. A cold and moist con-" stitution of the atmosphere, together with wet lodgings, damp beds, cloaths, " and other inconveniences which poor se people necessarily suffer in such seasons,

" is the most frequent and strongest dif-

" posing cause to it *."

IT having been observed, that a moist state of the atmosphere always aggravates the difease, whether primarily produced by living on bad provisions, or to being in a cold climate, the best writers have supposed the proximate cause of the disease to be a suppressed perspiration occasioned by such moisture in the air; and much ingenious and plaufible reasoning has been made use of to account for it on this principle, from a supposition that many foul and gross particles are retained in the fystem, which would have been carried off by perspiration, and which, by their peculiar noxious qualities, corrupt the habit, and bring on the various symptoms of the scurvy. But I conceive the ill effects of moisture in in-

ducing

^{*} Treatise on the Scurvy. Page 229.

ducing or increasing this disease, to be solely produced by its power of promoting cold; a moist air of the same, or even a higher temperature than a dry air having been before observed to carry off heat from the animal body much more quickly.

Previous indisposition by fever, diarrhæa, hæmorrhage, and other diseases which waste the body and reduce the animal strength, have always been observed to act, likewise, as occasional causes of the scurvy; patients under fuch circumstances being foonest affected by those causes which have been before mentioned as more immediately producing the disease. Nor does this seem at all repugnant to the preceding theory, as it cannot be doubted but fuch causes greatly diminish animal heat, and, consequently, render the patient less able to endure the further diminution of heat occasioned by an inadequate supply of it within, or the too great waste of it externally.

In all the melancholy accounts which have been recorded of this dreadful disease, as making its appearance among the crews of ships in long voyages, among the wretched inhabitants of befieged towns, among foldiers encamped in cold climates in the winter time, or among those unhappy persons who have been obliged to pass the winter within the frigid zone, it is observed always to have been most severe with those who have been most exposed to the inclemency of the weather, who have been the most thinly clad, and who have lived upon the most ordinary food; those only escaping who have had opportunities of keeping themselves warm, and who have lived upon a better diet. And hence we may well understand why the disease should, in the same place, so differently affect not only a few individuals (in whom some accidental constitutional circumstances might possibly occasion a difference), but even whole bodies and focieties. When towns have been invested, and the troops which have defended them

them have been composed of regiments belonging to different nations, some of which have been better cloathed, fed, and accomodated, than others, it has often happened, though they have all necessarily lived contiguously, and have had constant intercourse, that, while some whole regiments have been severely attacked by the disease, others have had it but in a slight degree, and others have totally escaped it*. And it is, also, notorious, from numberless instances, that on board ships, whilst the disease is making the greatest havoc among the seamen, that the officers are frequently totally free from it.

MANY of the symptoms of the scurvy indicate, likewise, an extraordinary waste of nutriment, and a deficiency of animal heat; "a great wasting of the animal substance, "an increased appetite for food, a pale and

^{*} SEE Dr. Lind's Account of the Scurvy, as it ap peared at the Siege of Breda. Page 339.

⁺ DR. Mac Bride's Experimental Essays. Page 176.

" livid complexion of the skin, and a ge" neral loss of strength," having been noticed among its symptoms by the earliest
writers on this disease §.

THE broken texture of the blood, and the want of firmness and tenacity in the fleshy and more solid parts, which are marks so peculiarly characteristic of this disease, may, also, I think, be accounted for on the same principle of a deficiency of the matter of heat, confidered as one of the materials in the animal compound. If the adipose parts be considered as the general connecting medium and bond of union of animal fubstance, and which anatomical diffection feems to render highly probable; and if, according to a former conjecture*, this substance be, in any degree, proportioned to the quantity of the matter of heat generated and deposited in the system, it follows, that,

[§] Woodall.

^{*} Section I. Pages 19, 20, 21.

when a deficiency of this material obtains to a confiderable degree, it must be manifest in the waste of the adipose substance, the confequence of which, must, obviously, be a want of that firmness and cohesion of the parts, which its presence so much contributes to produce. The loofe texture of the blood may, perhaps, be, also, explained upon the same principle, as it appears to me very probable, that its tenacity is much owing to a proper quantity of unctuous matter constituting a part of it. And even setting aside this conjecture respecting the adipose fubstance as proportioned to the matter of heat deposited in the system, this fact of the want of tenacity in the animal substance when affected by this disease, may still be explained equally fimply, as it is evident that the deficiency or privation of any one of the materials requisite for a perfect animal compound, must produce a tendency to the decomposition of the whole, the most obvious mark of which must necessarily be a diminished cohesion of the other several parts.

IT was remarked in the preceding feetion, that the degree of the vital principle depended much on the presence of the matter of heat, and a very striking instance of this was adduced in the case of the sphacelated limb. The peculiar livid appearance of parts in such a state, and which, from the circumstances of the before mentioned history, may well be confidered as preternaturally deprived of the matter of heat, must be well known to furgeons very much to resemble a scorbutic affection; and even in cases where the rest of the system is in perfect foundness, such a local affection, and which may not improperly be termed a local fcurvy, is often produced by mere exposure to cold. Part of the winter employment of the husbandry of Norfolk exposes the servants of farmers to frequent and very severe cold, and is attended, at the same time, with too little exercise to excite any warmth in their bodies; I mean in pulling turnips, &c. The injurious effect of this kind of work in fevere winters is evident on the

the hands and feet of those who are engaged in it, and especially in the former, as being more exposed to the air, and most frequently in contact with the cold bodies. These parts soon become livid and swollen, acquire a peculiar rigidity, and lose their sensibility, the skin frequently breaks, and very ill conditioned sores, which discharge a thin bloody lymph, and which are difficult to heal, are the consequences. I need not observe, that the chilblain, which is a disease of those parts which are the most remote from the source of heat, and is peculiar to winter time and cold weather, agrees, also, very much with this description.

It cannot but be acknowledged that these appearances very much resemble a true scurvy, and were the whole system affected in the same way, there is no doubt but they would be considered as such.

But though it is evident that the fole cause of this affection is a long continued

M m diminution

diminution of heat in the parts, yet a diffinction must be made between this effect of cold, and the more fudden effects of extreme cold in cases of frozen limbs; in the latter cases, probably, the injury being owing to a fudden and total stop being put to the circulation in the part, and which, if not foon and fufficiently restored, occasions its death, or, to use a more technical term, a mortification; whereas, in the present case, as well as in the true fourvy, the difease appears rather to be owing to a gradual and continued diminution of heat in the part, effecting, perhaps, chiefly a loss of that heat which should become an organic part of the animal compound, in an absolute state, and inducing, in consequence of such a deficiency, a chemical difference in the constituent parts of the substance: for if, in the common economy of animal life, a certain portion of that heat which is generated within the body, be deposited in the animal substance and combined with it, as one of the material parts necessary for its perfection

tion as an animal compound, it follows, if this be prevented taking place in any particular part or in the whole body, by such a quantity of heat being constantly carried off as shall not leave a sufficiency for this purpose, that an injury must be suffered by such a privation; and that the injury should be of the nature just described, many of the preceding sacts seem to render very probable.

THE causes, symptoms, and appearances, of this disease, which have been mentioned, I think may be considered as sufficiently agreeing with the preceding theory; it remains to enquire whether the means which have been experienced to cure the disease support the same general conjecture.

THE old medical adage of contraria contrariis medentur is perhaps in no disease more strikingly exemplified than in the seurvy. As the too small generation of heat, by living too long upon food which affords an inadequate supply of it, and the too great wafte of it by a long continued exposure to cold, so evidently produce this complaint, fo the use of food, which, from being eafily digestible, more quickly, and to a greater degree, imparts this important material to the fystem, and the living in situations less exposed to the waste of it, never fail to cure it; the former, however, being more instrumental in its removal than the latter, and of the former fresh vegetables being the most falutary.

THAT the use of good food should be most efficacious in the cure of the scurvy, is perfectly agreeable to the preceding theory of the production of animal heat, as according to that, the restoration of the balance of heat, as an organic part in the system, can be alone obtained from this fource. Expofure to cold may, indeed, as is the fact, be as instrumental in the production of the fcurvy & A

agencing with the preceding theory, it to

feurvy as bad food, as the too great waste of heat must, obviously, as soon produce a deficiency as the too little supply of it; but when once the deficiency has taken place, and this disease is its consequence, the regeneration of it can, evidently, be alone derived from a due supply of proper food.

It has been before remarked that the feparation of heat from the different articles of food, most probably takes place during their decomposition in the stomach: It cannot be doubted but some kinds of food more readily undergo this process than others; and the texture of green vegetables being more loose and less tenacious than that of any other article of food, it may easily be imagined that they will most readily, quickly, and perfectly, undergo the digestive process.

VARIOUS theories have been conceived by different writers to account for this falutary effect of vegetable food; with some it has been attributed to "a saponaceous, attenuating and resolving virtue in vegetables*," (terms, which, as applied to the cure of the present disease, I confess, convey no idea to me,) and modern chemists profiting by the more compleat analysis they have been able to make of vegetable substances, have discovered other principles in them, to which they have ascribed their extraordinary effects.

DR. Macbride supposes that the fixed air which escapes during the decomposition of vegetables has the greatest share in promoting the cure of the scurvy; and this he is the more disposed to believe, from a persuasion of its being the principal connecting medium and bond of union in those substances which contain it; and for this reason he recommends the use of malt and other saccharine sarinacea, sugar, melasses, spruce beer, and all other substances which in fermentation afford a liberal supply of this material.

^{*} DR. Lind, Page 250.

I AM, however, much doubtful of this falutary quality refiding in fixed air, feeing no reason why the good effects of vegetable food should be ascribed to this alone of all the principles set at liberty by its decomposition; nor why the cementing principle, upon which Dr. Macbride seems to lay such great stress, should belong to this, rather than to any other of the constituent parts of a vegetable body; as it appears to me very probable that the separation of any one of them will alike destroy the union of the whole.

It is, yet, clearly evident, from the many accounts of cures in the scurvy being effected by such small quantities of vegetables, as cannot be supposed to afford an adequate supply of nutriment, that they must be considered in some other light than as mere food.

From what was before observed of their loose texture, I rather think that their salutariness

tariness depends, in a great measure, upon their readiness to undergo the fermentatory process, and whilst they are undergoing that process, upon their power of communicating the same disposition to the other articles of food, with which they mix in the stomach; acting upon them, probably, as an exciting ferment, in some such way as the addition of yeast to dough and wort promotes their respective fermentations.

The experiments of Dr. Macbride* feem not a little to confirm this conjecture, as they, evidently, tend to prove that the decomposition of animal substance is much assisted by the mixture of vegetable. And even Dr. Lind seems to have been aware of this power in vegetables, "being of opi-"nion, for several reasons, that the sermen-"tative quality of vegetables, is somehow necessary to the perfection of animal digestion †."

^{*} Experimental Essays. Page 35

⁺ Treatise on the Scurvy. Page 253.

IF, then, these premises be admitted, the use of vegetable sood will be found to be ultimately derived from its power of promoting the digestive process; the impersection of which, as preventing the adequate generation of animal heat, I have considered as powerfully contributing to this disease, and which, I think, may be considered as strongly supported by this circumstance.

THE mode of treating this disease, as fuggested by the preceding general theory of its cause, is sufficiently obvious, and, indeed, has already been adopted with fuch fuccefs as manifestly to prove the propriety of it. At the same time it shews, in the strongest manner, the importance of an attention to the circumstances which seem so instrumental in producing it, in our endeavours to prevent it; and that this is really practicable much oftener than has hitherto been imagined, not only appears probable, from reasoning upon the foregoing premises, but, I think, has been fatisfactorily afcertained by Nn experiment

experiment in the peculiar healthiness and almost total exemption from the scurvy, of the crews in the late celebrated circumnavigations of the globe; and which appear to have been produced by a strict attention having been paid to diet, cloathing, exercise, ventilation, and cleanliness; the two first contributing to prevent a deficiency of the matter of heat, and the others obviously tending to prevent the other occasional causes of this disease from general indisposition.

The prophylaxis of this disease being so peculiarly important, it may be worth while more particularly to consider these several means of its prevention, as agreeing with the preceding theory, and as attainable in the common circumstances and situations most liable to it; I mean in long sea voyages.

Food, as it is good or bad, though so materially concerned in causing or preventing the scurvy, is, unfortunately, in long voyages,

voyages, of a nature ill adapted to afford an adequate supply of heat and nutriment. The very means which are necessarily used to preserve it for a considerable length of time, (and which must, obviously, be such as enable it to resist the common process of its decomposition by putrefaction,) most evidently hindering it from undergoing the digestive process in the stomach so readily and perfectly as it would otherwise do.

The means which give animal substance the power of resisting putrefaction, commonly made use of, are the impregnating it with salt, and the depriving it of all moisture. The first, probably, acting as a coat or covering to it, and as, being enabled, when dissolved, to fill up every interstice, compleatly sheathing and defending it from the contact of the surrounding air, which is well known to be necessary to the process of putrefaction, and the second evidently excluding the other principle which very much promotes it.

IF, then, there be no other means of preserving animal substance but what will render it difficult to digest*, this inconvenience must be submitted to in very long voyages; and our next enquiry must be whether

* An ingenious friend of mine, to whom I have often been obliged for philosophical information, has suggested to me the possibility of preserving animal substance, upon a principle very different to any yet made use of; namely, by keeping it suspended in instammable air. He has made this experiment at different times, and with different kinds of meat, and has found them remain perfectly sweet for several months, and even during the summer's temperature.

THE chemical principle on which this is effected, must, evidently, be the same as that which prevents the combustion of bodies when surrounded with air which is already saturated with the material which escapes during that process. Air capable of absorbing phlogiston is, in like manner, requisite for the putrefactive process of animal substance; and, if the air in contact with it be (as is the case with inflammable air) incapable of receiving this principle, the process must, obviously, cease.

THERE can be no doubt, therefore, both from theory and experiment, but animal substance may be preserved under these circumstances, and I mention it as certainly a very striking fact; at the same time, on account of the great

ther any other kind of food taken at the same time will not promote its more ready solution.

IT

great expence of the materials from which inflammable air is produced, from the trouble attending the process of making it, and from the great difficulty there would be in providing vessels sufficiently large, and at the same time sufficiently air-tight to preserve it in, it is much to be doubted whether it could be practicable on so large a scale as would be necessary to make it useful for the present purpose.

IT were, however, to be wished, that some further experiments of this kind were made at sea, by which would be known whether any different effects would be produced by the variations of climates, and whether inflammable air, when under the different circumstances of being more expanded in a hot atmosphere, and being condensed in colder ones, would still, in an equal degree, preserve its power of preventing the putrefaction of these substances.

OTHER experiments might also be made to preserve animal substance on the mere principle of preventing the access of the external air. I am told that an Italian author mentions his having preserved meat a long while by keeping it compleatly immersed in oil; and I think other modes of excluding the air might be made use of. In climates which are not very warm, pieces of animal slesh might be compleatly covered with mutton suet, or bees wax, and even in the warmest, they might be further co-

It has already been suggested, that vegetables have this valuable property, but it will be in vain that they possess this quality, if it be confined to fresh vegetables, which it, evidently, must be as impossible to procure in long voyages as fresh animal food. Vegetable substance is, however, found under a greater variety of forms than animal substance; and under some of those forms it ad-

wered with pitch or refin or some such-like composition; and if any other substance which did not communicate a disagreeable taste were interposed between the meat and this covering, as lard or suet, I see no reason why the meat so kept should be either unpleasant or unwhole-some.

Among the captains of ships there must certainly be many who are very intelligent men, and who must be easily convinced of the usefulness of such experiments; and the sea surgeons must, also, be particularly excited, even by the nature of their office, to pay attention to them. I would, therefore, strongly recommend these and such-like trials to be made; and as experiments, in appearance even trisling, sometimes lead to important discoveries, and as those which I have mentioned, whilst made upon a small scale, cannot be attended with much trouble or expence, I should hope some persons will at least be induced to attempt them.

mits of longer and more perfect preservation than animal substance. Some fruits, most seeds, and many roots, are of this kind; as are also some of the vegetable preparations, as malt, sugar, treacle, conserves, &c. and though all these, probably, fall far short of fresh green vegetables in their readiness to digest, yet they certainly undergo that process much more easily than hard and salted animal food.

marked, that green vegetables contain lefs

The supposed efficacy of fixed air in preventing and curing the scurvy, as suggested by Dr. Macbride, has already been noticed; and though I am not disposed to attribute the salutariness of vegetables to this principle, yet, I confess, I should prefer the use of those which most readily give out fixed air, this being a proof that they most easily undergo the fermentatory process, and that, consequently, the change in them requisite for digestion in the stomach is duly effected.

WERE fixed air, merely as such, so useful in the cure of the scurvy as has been imagined, it might be obtained from other fubstances as abundantly as from vegetables, and which there could be no difficulty in preserving in the longest voyages; but I believe there are no proofs of its efficacy, unless when immediately derived from vegetables, and even unless extricated from them in the stomach: it may, moreover, be remarked, that green vegetables contain lefs fixed air than the farinaceous feeds, and faccharine juices of plants, as fugar, &c. and yet it cannot be denied but the former are much more antiscorbutic than the latter.

THE reason why such a medicinal virtue has been attributed to fixed air has, however, probably, been merely because this principle is fo abundant in vegetables, and is, perhaps, the first to be obvious in their decomposition; and for a similar reason, the various kinds of acids have been confidered as antiscorbutic, because some vegetable juices, as that

that of lemons and other fruits, have been found so; and this has given rise to the use of vitriol, &c. but I believe experience has sufficiently proved their inefficacy both in preventing and curing the disease*, and that these different juices of fruits have not been useful as acids, but simply as vegetable juices capable of undergoing the fermentatory change in the stomach.

From what has been faid on the subject of animal and vegetable food, it may be inferred that animal meat which is hard, dry, and salted, and which, consequently, strongly resists every process of decomposition, must, as not affording an adequate supply of heat and nourishment, be very improper to live upon for a considerable length of time; and that all vegetables and vegetable preparations, as more readily undergoing the necessary process in the stomach, and as being supposed, likewise, even to assist the digestion of the other food, must, at all times,

^{*} DR. Lind's Treatise on the Scurvy. Page 157.

be falutary; and that, therefore, such quantities of the various kinds of the latter as can be procured, and will admit of preservation, should be provided for long voyages, that they may not only form a considerable part of the food which is daily made use of, but even, if possible, admit the diminution of the present allowance of salted meat.

The custom of dram drinking, so prevalent among common sailors, and which is certainly encouraged by the ship's allowance of spirits as a part of the crew's provision, is, I am persuaded, in the highest degree pernicious, and, I doubt not, has a great share in bringing on the scurvy. As the appetite for food is evidently lessened, and the powers of digestion impaired by the use of spirituous liquors, they must be particularly injurious under circumstances which require a more than usual supply of aliment, and the most vigorous exertions of the digestive faculties.

I BELIEVE it is usual in the navy, when the small beer is exhausted, or become unfit for drinking, to allow a certain quantity of rum, brandy, or gin, instead of it, as a common beverage; and as the small beer can be brewed only on shore, and a warmer climate or season soon renders it unfit for use, it is clear that in some voyages the sailors must be chiefly supplied with spirits during the whole of them. It is much to be wished that this were otherwise: Spruce beer, which may fo conveniently be made in all climates and feafons, would certainly be a much better substitute for small beer; or if the peculiar taste of the spruce be such as to prevent the failors from relishing it as a common drink, I fee no reason why the fpruce may not be wholly omitted, and the beer be made with the treacle only. The antiscorbutic quality of this beer appears to me to be chiefly derived from the vegetable matter of the treacle; and it is very evident that it is from the fermentation of this only that the vinous state of this liquor is pro-002 . duced;

duced; and to those who think the antifcorbutic virtue resides in the fixed air, I may add that this principle is likewife folely derived from the treacle: the addition of spruce, at least of its extract, or essence, as it is improperly called, (I speak in the common language of chemistry) and which, probably, is much the same as common tar, perhaps having no other effect upon it than to impart to it a peculiar flavor, and possibly to make it keep a little longer than it would otherwise do. Were it boiled with hops it would probably keep as long as when made with the spruce, its taste would certainly much more resemble malt liquor, and I can see no reason why it should not be as falutary as common fmall beer. Indeed, according to chemical analysis, it must very much refemble malt beer; in both liquors, the material inducing that fermentatory process which produces beer, being the saccharine juice of a vegetable, differing perhaps only in the uneffential circumstance of the peculiar flavor of the vegetable which produced

duced it, the one being derived from the fugar-cane, and the other from barley.

But admitting that the before mentioned custom of the navy has so habituated sailors to the use of spirits that they will not totally forego it, they certainly ought not to be indulged with it in a raw state: if they must have it, a moderate quantity of it might be mixed with the treacle beer. This would certainly be as palatable and equally as wholesome as a liquor recommended by Dr. Lind, and much used among the Russians, under the name of ashbetten*, and which consists of small beer, gin, treacle, and vinegar,

THE use of sweet wort, malt meal, malt rob, &c. being all obviously proper on the general principles of the foregoing remarks, need not be particularly noticed.

^{*} DR. Lind's Essay on the most essectual Way of preferving the Health of Seamen. Page 14.

IT appearing, therefore, that an attention to food is important, as its object is the keeping up the due internal generation of heat, the next circumstance of consequence is to prevent the too free escape of it externally.

In the first section of this essay it has been shewn that the matter of heat is constantly escaping from all animals, and that this is more or less as the surrounding medium or other substances in contact with the body are quick or slow conductors of it.

THE different conducting power of the atmosphere depends upon its degree of heat as relative to that of animal bodies, and to its degree of moisture; and as these vary according to seasons and climates, it is obviously not in our power to regulate them. Happily, however, there are means by which the undue escape of heat from the body may be prevented even in the coldest climates; I mean by external covering.

THERE

THERE are many circumstances which have been mentioned in the course of the preceding pages which feem strongly to prove that the effects of exposure to cold very much refemble those which are produced by the office of the stomach being imperfectly performed (both which, as we have before remarked, agreeing in the circumstance of diminishing the general heat of the fystem), and which, likewise, shew that when a more than usual quantity of heat escapes externally, the endeavor to promote the internal supply is increased; in the voyages to the frigid regions of the north, this effort is fingularly manifest in the voracious appetites of the failors; as appears from a quotation already made from Dr. Lind*.

This happy effort of nature to make up the loss of heat occasioned by extraordinary

^{*} Essay on the most effectual Means of preserving the Health of Seamen. Page 14. And the Bishop of Bergen's History of Norway. Vol. II. page 271.

exposure to cold, and which, doubtlessly, in many instances prevents the attack of the security, or lessens its virulence, should certainly lead us to imitate the same endeavor in the other circumstances which may induce the disease; and when the nature of the food on which sailors must live for a considerable length of time is unavoidably such, that the supply of heat from it is necessarily less than usual, to prevent the too great waste of it externally by a more than ordinary covering.

In this view the article of cloathing appears peculiarly important in our endeavors to guard against the scurvy, and I am persuaded that an attention to it will be found more instrumental in preventing the disease than is commonly imagined.

Good cloathing, indeed, so obviously tends to promote the comfort and general health of persons who are exposed to inclemencies of weather, that it cannot have been overlooked

overlooked by those who have paid any attention to the subject; and it has, likewise, already been recommended in the very light I now confider it; I mean as necessary to prevent the attack of the fcurvy in cold and exposed fituations. In Dr. Macbride's Effay on the Scurvy, published with his other ingenious Experimental Essays on Medical and Philosophical Subjects, he appears so fully convinced that the disease would be often prevented, and always lessened in its malignity if the failors were better cloathed than they usually are; that he urges an immediate attention to this from those who superintend the naval affairs of this kingdom with a degree of earnestness and even enthusiasm that proves his strong regard for the interests of humanity, and reflects the highest credit on his benevolence*.

It is, indeed, much to be lamented, that, of the two means which appear to be so instrumental in preventing this disease, this

* Page 175, 176, &c.

should

fhould be fo much neglected; more especially as of the two it is, perhaps, that only which is totally within our power. In some voyages, it is evident that it will be absolutely impracticable to have the food fuch as is quite proper, but there can poffibly, in no fituation, be any impediment to the use of cloathing, nor any difficulty in adapting the proper kind to the necessity there may be for it. Every one knows, and must in this climate have experienced the great power which all woollen materials of a rare and loofe texture, as flannels, &c. have in preferving the warmth of the body: and there can be no doubt, therefore, but in the coldest seasons and situations, a requisite quantity of fuch covering will retain fo much heat in the body as to render it infenfible to the furrounding medium. Even when the excitation of heat is unaffifted by motion and exercise, as in the perfect stillness of sleep, if the body be but properly covered, no one experiences cold in the feverest weather.

It can scarce be necessary to add, that, on the same principle of preventing the undue escape of heat, moist cloaths, damp beds, &c. must be particularly avoided; and that the use of sires in moist weather, in all parts of ships which can admit of them, must be equally proper.

The other articles which have been mentioned as demanding attention in our endeavors to prevent the scurvy, are exercise, pure air, and cleanliness. Though the effects of these may be considered as only generally conducive to health, and not as immediately respecting the present disease; yet as previous indisposition even from complaints which bear no relation to the scurvy, renders patients more liable to be affected by it, and very much aggravates the disease when existing, there can be no doubt of the propriety of a strict attention to these several circumstances in the present instance.

THE methods necessary for these purposes are so obvious, and have been so repeatedly mentioned by different medical writers, and particularly by Dr. Lind, that it cannot in this place be necessary to relate them, the mere recommendation of them as evidently proper, from the foregoing reasons, being, I trust, fully sufficient for my purpose.

SECTION

SECTION XXII.

Obesity.

If a superabundance of fat were in no instance injurious to health, and, therefore, never merited the name of a disease, the inconveniences derived from it are, yet, such as to make the removal of it a very desirable circumstance, and it has, therefore, not unfrequently, been the subject of medical attention.

THERE is a certain age at which the body is peculiarly disposed to acquire bulk by an increase of the cellular substance, and this is usually soon after the adult growth is obtained; which disposition commonly continues untill the subject passes mature age, beyond which period, and dur-

ing old age, there is observed a great diminution of this substance, in consequence of which, the interstices of the muscles being no longer filled up, and the external integuments distended, the plumpness of the skin peculiar to youth and manhood ceases, the figure of the muscles becomes more apparent, and deep lines and wrinkles are produced.

But this gradual increase and diminution of the adipose substance depends, probably, upon some general law which affects animal growth and decay, and as it therefore obtains universally to a certain degree, it cannot be the subject of the present enquiry; that which is meant being, obviously, a deviation from such a general law, and the degree of fat being in this case preternatural.

THERE is, however, certainly, a very great difference to be observed in persons respecting the quantity of their fat, though their general mode of living, and the nature of their

their employments be much alike; and which would feem to prove that there is a much greater natural and constitutional disposition in some persons to grow fat than in others, or, perhaps, that the circumstances which are conducive to this effect are not sufficiently understood.

IT was observed in the first section of this essay, that an excess of food, inactivity of the body, and living much in a warm atmosphere disposed to fatness, and I need not add that I considered the latter as not a little conducive to it.

THE means which have been hitherto used with a view to the removal of obesity, are exercise, abstinence, and an increase of the common evacuations, by purging and sweating, and particularly the latter when a sudden reduction has been aimed at.

THE tendency of all these to produce this effect must be obvious, and the moderate

use of the two first, namely, abstinence and exercise, can, in no instance, be injurious, but the latter, as being evidently contrary to nature, must, if long persevered in, be attended with hazard. It would be, therefore, of no small importance in our endeavors to prevent extraordinary accumulations of fat, or to reduce superabundances, to be able to succeed by the use of those means only which are persectly safe.

A QUANTITY of nutriment, (whatever be its peculiar nature) admitted into the fyftem, more than is sufficient for animal support, must, in all cases, be considered as the principal cause of preternatural fatness; and this may be produced either by intemperance respecting the quantity of food eaten, by a more than usual disposition in the organs of digestion to convert the food into nutriment, or by circumstances which render the waste of nutriment unequal to the supply. Where the first is the case, temperance alone, as regulating the quantity eaten, is plainly indicated,

cated, and perhaps will be alone sufficient; but where a requisite degree of abstinence will not be submitted to, or where the same disposition to become fat subsists, though the quantity of food admitted be but moderate, the superabundant nutriment must be carried off by some outlet.

The many facts which have been mentioned in the course of the preceding pages, in which the waste of nutriment seems to be produced by exposure to cold, and in which the retention of heat, in like manner, appears to produce a retention of nutriment, I think are fully sufficient to make us suppose that the surface of the skin, by affording an escape to the matter of heat, may become no inconsiderable agent in the prevention of fat; and that, therefore, frequent exposure to cold air, thin cloathing, and the cold bath habitually made use of, would contribute more to the removal of this complaint than has hitherto been imagined.

EXERCISE also, as more particularly tending to set at liberty the heat in the different parts of the body, and to allow of its more ready determination to the surface, must, if the surface be sufficiently exposed, greatly affist the escape of the matter of heat.

EXAMPLES of these circumstances, as tending to prevent an accumulation of fat, have already been cited in the instances of husbandmen, whose daily employments are laborious, who usually work in the open air, and who are for the most part thinly clad: and I think the same may be still more strongly exemplified in the case of animals.

It has been before remarked, how happily (as respecting the retention or removal of heat from the body) nature has adapted the cloathing of different animals to their respective situations; those which live in warm climates having smooth skins with short hair, and which, therefore, sufficiently savor the escape of heat from them, whilst those which which live in cold countries have long, rough, and shaggy coats, or are cloathed with wool or furs, which obviously tend to prevent that loss of heat which would otherwise in their situations be excessive:

In some animals much fat, as adding to their weight and bulk, would be particularly inconvenient, and interfere with the obvious purposes for which their species were intended; and in these nature seems to have guarded against such a superabundance principally by this very circumstance; their thin cloathing allowing the ready escape of heat from them. The greyhound may be instanced as a striking proof of this remark; being intended for fwift running, much fat would certainly be inconvenient to it; and the great exercise these dogs use, constantly setting at liberty the heat within their bodies, and their thin coverings admitting its ready escape from the surface, seem to prevent its being accumulated and depofited in the cellular fubstance.

IF, then, with these different coverings which different animals have, they should be made to change their fituations; if those with coats which are calculated to restrain the escape of heat were to be removed to a warmer climate, and those with coverings which admit of its free escape should go to a colder country, it should be expected, according to the foregoing conjecture, that the former would become fat, and that the latter would thrink; and I believe a little observation will prove this to be really the case. England, though a temperate climate, is, when compared with others, both a warm and a cold one; to the inhabitants of the north of Europe, it is obviously a warm country, and to those who have always lived in the fouthern parts of it, it is equally a cold one. The rough-coated dogs of the north, namely, the Newfoundland, Siberian, Pomeranian, and the other smaller dogs called shock dogs, are remarkable for foon becoming fat here, and more especially the latter, as from their smaller fize they are more more domesticated: on the other hand, the Italian greyhound, and the Turkish dogs, which have coats remarkably short, appear to be constantly cold, even in our rooms, and in the summer time, and I need not add that they are singularly thin and bare.

These observations are, however, evidently confined to mere individuals of animals; as if a species be long continued and propagated in a climate colder or warmer than that in which they were aboriginal, they experience in time that change of cloathing which their change of situation makes so requisite.

In Buffon's admirable natural history of this animal, this circumstance is repeatedly noticed. The Irish greyhound, which he considers as the origin of all the varieties of the same species, when in its wild state in the northern and mountainous parts of that island, had a very long, shaggy and rough coat; the same animal transported to the southern

fouthern parts of Britain, naturalized to a warmer climate, and more domesticated, produced the English greyhound with a short coat; and in the warmer country of Italy, the still more delicately cloathed animal of the same name. Even the eastern dogs, which are totally without covering, and the long coated Iceland dogs, are supposed by the same author to constitute one and the same species; the present great difference between them having been produced by the latter having cast their hair when removed to the warm regions of Guinea and India; as dogs of all kinds do when in very warm climates *.

IF, then, these facts respecting animals be considered as bearing any analogy to the human species, and we may be permitted to apply them on the present occasion, as they very much favor the foregoing general conjecture that a retention of the matter of heat is a

^{*} Buffon's Natural History, English Translation. Vol. IV. page 22.

principal cause of animal fat, there can be no doubt of the propriety of allowing the free escape of heat from the surface on the principle of preventing and reducing redundances of that substance, and more especially as this would seem to be putting in practice what nature herself does on similar occasions.

As exercise, and a free exposure of the body to cool air, can in very sew circumstances be either impracticable or improper, and as their tendency has ever been found conducive to general health, they certainly, if capable of producing the effects we have supposed, must be much preferable to evacuations by purging and sweating. It must, however, be observed at the same time, that their effects, if equally certain, must, obviously, be more gradual and slow than the other evacuations, and that they must, therefore, not only be persevered in much longer, but even with those who are very prone to become

become fat, that they should become har bitual.

THERE are some employments among men, which, (as in the case of the animals before remarked) render an increase of the bulk and weight of the persons engaged in them particularly inconvenient; that of riding jockies is most evidently so; and yet, if the preceding theory of the generation of fat should prove true, the means which are commonly used by these people to prevent their becoming fat must be badly calculated to promote the purpose intended, and at the same time cannot but be injurious to their health.

It is usual with the jockies at Newmarket, for some time previous to riding, if they are over-weighted, to wear an extraordinary quantity of cloaths, and some of them who find themselves growing fat, constantly wear six or eight stannel waistcoats, obviously with the intention of inducing a continued state of perspiration; and if this be not produced by this additional apparel, they expose themselves at the same time to violent exercise to bring it on, and make use of all other means in their power to excite it.

deeds very proper subjects for such an ex-

THERE can be no doubt but if a confiderable perspiration be produced, and for a long while kept up by these means, it must occasion a waste of the animal substance, and the persons must shrink; but this must, evidently be an unhealthy practice, as a state of extraordinary sweating is, undoubtedly, a state of disease, and must considerably impair the natural strength; and the pale and sickly countenances of the persons who are the subjects of these experiments, sufficiently indicate the injured state of the system.

As without a great degree of perspiration, it is, therefore, very probable that the above practice of warm cloathing tends rather to promote an increase of fat than to prevent

it, and as with it, though the intention of reducing the fat should be obtained, the practice must be injurious to health, I think the opposite method of a free exposure to cold, would be well worth trying. The fituations of these persons render them, indeed, very proper subjects for such an experiment; and as, if it answered the purpose, the practice would be so much more healthy than that at present made use of, I cannot help strongly recommending it to them: and, with this view, I would advise the constant use of the thinnest apparel, the being very much in the open air, even in the coldeft feafons, the occasional use of the bath, and, except in very fevere weather, to remain in the water rather longer than is usual. I need scarce add, that habitual temperance and constant exercise must still be requisite.

I know of no objection that can be offered to fuch a practice as this, except that
the exposure to cold to the extent which
would

As without a creat degree of parlpitation,

would probably be requisite for the above purpose, may appear uncomfortable in some seasons of the year; but even this would be very little so in reality, as setting aside the sudden exposures of parts before kept very warm, the internal heat probably arrives at the surface so proportionately to its external escape, that those who habituate themselves to much cold feel as little of it as those who carefully guard against it; the sace has already been instanced, in confirmation of this remark, as not experiencing, though always uncovered, a greater sense of cold than the other parts of the body.

AFTER all, I am ready to acknowledge that it would be, perhaps, a very difficult matter to prove, by actual experiment, that the free escape of heat does really prevent the accumulation of the adipose substance, or that it is capable of reducing superabundances already formed: as to do it with sufficient accuracy would require a long perseverance in trials not less irksome than those R r 2 related

related by Sanctorius; and I should imagine that there are few persons, who, like Sanctorius, could so patiently submit to them. But, as from the general consideration of the foregoing facts, the practice which I have recommended in cases of obesity appears at least to be, in some degree, likely to produce the effects I have supposed, and, (to repeat a remark already made more than once) as the general tendency of it, independent of the immediate object for which I have recommended it, must be salutary, I think I may, with propriety, advise an attention to it by medical practitioners.

want with the left that the think the

SECTION

SECTION XXIII.

CONCLUSION.

THAT the matter of heat, when more than ordinarily accumulated on the furface, has a great share in producing many cutaneous diseases, is, I trust, rendered very probable by the foregoing observations, and is, perhaps, absolutely proved in the instances which have been related of the good effects of those topical applications which tend, in such cases, to carry it off more quickly than can be effected under the ordinary circumstances of the skin.

THERE can, I think, be no doubt, like-wise, of its agency in producing some other diseases, and, as its operation appears, therefore, to be so powerful and so extensive, it surely deserves much greater attention from those who practice the art of medicine than seems hitherto to have been paid to it.

It may, however, appear somewhat extraordinary that cutaneous eruptions, exhibiting such various appearances as those which have been described, should all be produced by the same general cause; as were the simple accumulation of heat the sole cause of them, one would expect the effect of it, in all of them, to be nearly alike.

I can easily conceive that a very different apparent effect may be produced from heat, by a difference in the immediate application of it, by its being gradually excited on a part, or being more suddenly raised, as also by the greater or less degree of its application:

more

more especially as such differences may be observed even in injuries from external fire; the effect of a burning substance applied to the body in a solid or in a liquid form is so different in its appearance, as to have the respective injuries occasioned by them distinguished by different names, as scalds and burns; the first most usually producing vesications on the part, and the latter commonly occasioning eschars.

I have yet no doubt but the difference observed in those eruptions arises in some measure from causes which exist prior to, and are independent of the accumulation of heat, the latter itself being even an effect of the various primary causes of the disease. In some, probably, the heat is immediately excited on the part by the deposit of some acrid virus in the skin itself; in others, perhaps, an extraordinary degree of heat is generated within by the admission of some specific morbid principle into the system, and the heat accumulates on the surface merely by such

fuch a quantity arriving there in its common tendency to pass off by the skin, as cannot be carried off sufficiently fast under the usual circumstances of the patient; and in fome it has already been observed to be owing to an artificial retention and accumulation of it, from the mismanagement of some difeases, as in the use of the hot regimen in fevers, and the improper methods of endeavoring to excite extraordinary fweating. But though these different circumstances may account for the different appearances of these eruptions, yet the principal injury fustained, by the skin is still the immediate effect of heat, and the most obvious source of relief must be derived from a diminution of this the various primary causes of the lairstam

AT the same time, though I am strongly persuaded of the importance of an attention to this circumstance in the treatment of the before mentioned diseases, yet experience alone must establish the general propriety of the mode which I have recommended, and future

future observations, founded upon repeated experiments, must suggest peculiar variations in the different affections to which the general doctrine appears to be applicable.

The preceding remarks being folely confined to the topical treatment of cutaneous diseases, I wish it to be further understood that they are not intended to interfere with any other method which may be indicated by concomitant symptoms, and more especially that the local applications which I have recommended should not supersede the use of internal and alterative medicines in those cases in which the primary cause is, obviously, a morbid disposition of the habit.

It may not, in this place, be improper, as being nearly connected with the treatment of feveral of the preceding cutaneous affections, more particularly to confider a circumstance which has one or twice before been slightly adverted to; I mean the exposure of wounds to the external air.

THE destruction of the teguments and contiguous parts by ulceration and digestion may certainly be considered as a kind of decomposition of such parts, during which something is set at liberty which is absorbed by the atmospheric air: There can be little doubt, according to the present principles of chemistry, but this is phlogiston, and that the affinity which the surrounding air has to this material disposes it to take up the phlogiston in this instance, in the same manner as it receives it from the blood in the lungs during respiration, and from other animal and vegetable substances during putresaction.

THE free access of the external air, must, therefore, obviously tend, on common chemical principles, to promote this decomposition; and that it is so in fact is evident from several positive and many negative proofs.

THE bad effects of admitting air into cavities has long been observed by surgeons; thus thus the making openings into joints, and large incisions into tumors of the ganglion kind, the hydrocele, &c. is well known often to bring on very formidable symptoms; and in scrophulous abscesses the free access of air sometimes produces the most dreadful ravages, the part, from its peculiarly morbid state, being more than usually unable to ressist the destructive quality of the air.

In suppurations of the semale breast after lying in, it was a long time the practice to make large openings into the part, and to dilate every sinus which could be discovered by the probe; but the cures under such treatment were frequently protracted to a most intolerable length of time; the breast, during the whole of it, suffering a great waste of substance; and it has since been found by experience that, when suffered to break naturally, or when opened by mere puncture, so that the air is kept out, the cure is accomplished much sooner, more easily, and with much less injury to the part.

When a wound of a tolerably regular figure is made with a sharp instrument, and the fides of it are brought at once into immediate contact, fo that the external air has no access to it, it will heal very expeditioufly, and without the usual and painful progressive circumstances of inflammation, digestion, &c. and wounds cured in this wayare faid to be healed by the first intention. Every furgeon must have had repeated experience of large wounds healing on this principle; and the operation for the harelip, and the late much improved method of dreffing stumps after amputation, as fuggested by Mr. Alanson, are the most decifive proofs of it. I may also add, as a similar fact, (several instances of which have lately come to my knowledge) that the wound made in the operation for the bubonocele, if kept properly covered, will, in the same manner, heal by the first intention.

In wounds of the scalp and forehead, the difference observed between those which are exposed,

Thefe

exposed, and those from which the air is excluded, is particularly worth noticing in this place. If a piece of lint, or common adhesive plaster be immediately applied to such wounds, even of a considerable extent, and be not removed for several days, they will unite in a short time without discharge, and with a small proportionate cicatrix; but if exposed much at first, and frequently opened afterwards, a very considerable suppuration usually comes on, a great loss of substance takes place, they are very slow in healing, and a large scar is the consequence*.

This circumstance has likewise been found so true in the instance of wounds in compound

* The female breast, those glands which are the usual seats of serophulous affections, and the scalp, particularly that part of it which covers the os frontis, seem to be more affected by the contact of the air than the other parts of the body. Is it not probable that the two former being of a looser texture, and less compact than muscular substance, they more slightly retain that principle for which the air has so strong an affinity, and that, therefore, they more easily undergo decomposition?

compound fractures, that, I believe, it is at present an universal practice with surgeons to open them very seldom after the first dressing.

EVEN wounds, in which there has been fuch a loss of substance sustained, and the

These parts being also more hollow and cavernous than other parts, the air is enabled to penetrate further into them, it touches at more points, and is longer retained by them.

In wounds of the scalp, likewise, though the part is muscular, yet I am of opinion that a cause similar to the foregoing produces this effect. This part being composed of muscles which are thin and delicate, and being intended to move quickly, frequently, and in various directions, on the bony cranium underneath, a confiderable quantity of the membrana adipofa is interpofed between them and the cranium; the texture of which, being loofe and cellular, admits the air more readily, and is more eafily affected by it; and, agreeably to this conjecture, it may be observed, that in these cases, the mischief occafioned by the access of the air extends, often, a considerable way under the fcalp, and much beyond the limits of the original injury. All which should certainly lead us to be particularly attentive to the exclusion of the air in wounds of those parts.

figure is fo irregular that the edges cannot be brought into contact, if left to nature, will often heal on the same principle: The blood, which on such occasions covers the wound, if not wiped away, soon coagulates and dries upon its surface, and such a crust is formed thereby as totally excludes the external air; and it is, I am persuaded, for this reason that very large wounds on animals so frequently heal without any application from art.

COURT plaster, and gold beater's skin, have the reputation of healing fresh wounds; and it may very easily be conceived that they should do it, on the same principle of keeping out the air.

THE disadvantage of dressing wounds too frequently has been remarked by surgeons many years ago, but this was supposed to arise as much from the mere wiping away the pus on the surface, which was said to be a natural balsam, and to possess a healing quality,

quality, as from there being something noxious in the air *.

I REMEMBER, a few years ago, that much advantage was expected from the use of long continued pressure on wounds, some instances having, at that time, occurred, of foul ulcers, which had refifted the common applications, having healed by fuch treatment: But even in these I have no doubt but the exclusion of the external air alone effected the cures; and I cannot help conjecturing, therefore, that had this been generally fo understood at that time, the practice would have continued; but from an idea that the pressure alone was beneficial, it was carried to an improper degree, fuch thick compresses, made more heavy by the addition of lead, and tightly bound down by rollers, being made use of, as were very foon found injurious, and put a stop to a

^{*} Belloste's Hospital Surgeon. Chapters X, and XI.

practice

practice which, more moderately applied, would, probably, have continued useful.

THE impressions left on the face by the variolous pustules, and which are evidently deeper than on any other part of the skin, are, probably, owing to the same circumstance. The face being more exposed than the rest of the body, the air has certainly freer access to it; and it may, therefore, be easily supposed that the decomposition of the part, first began by the heat accumulated on it, will there be more extensive than elsewhere*.

From the various instances enumerated, there can remain no doubt but the external air,

* An attention to this circumstance might, possibly, prevent or lessen the scars, which, in this disease, sometimes, so greatly deform the sace, especially is means could be used to prevent the contact of the air without increasing the heat of the part. Gold beater's skin, or some such thin membranous substance, seems to be the most calculated for this purpose; were the sace perfectly covered with this, the air would certainly be sufficiently.

T t excluded

air, if freely and frequently admitted to wounds, will very much retard their healing, and in cases in which there is a morbid disposition of the parts, and a tendency to a decomposition has taken place, that it will promote their further destruction.

IT becomes, therefore, of the utmost consequence to attend to this circumstance in the application of the preceding doctrine; for I am well aware that cases may happen in which, from an inattention to this circumstance, such an injury may be produced by the air coming into too frequent contact

excluded from it, and if kept constantly moist by milk and water, or any mild lotion, the inconvenience from its becoming stiff, and the injury from its heating the part, would be prevented. Greafy liniments, and even plasters thinly spread, would seem, also, to answer this purpose; but I should object to all applications of this kind, from a persuasion that they have a tendency to increase the heat of the part.

I OFFER the whole, however, merely as a practical hint, and if it be admitted that the general principle is right, perhaps other persons may suggest more convenient and more proper methods of applying it. with the part, as more than to counterbalance the advantage derived from that escape of heat which may still be effected by exposure; and that, therefore, from not duly considering this principle, the failure of the case may be unjustly attributed to the cold produced by this new mode of treatment; and more especially as the apprehension of danger from cold is a very popular fear.

The cases in which this may happen, it is obvious, however, can only be those in which the skin has been previously divided, and some digestion or exulceration already taken place; and the reader may recollect, that in these very cases I have, for this reason, recommended the use of wet linen rags to be constantly kept on the part.

THERE is yet another circumstance which it may be necessary to mention before I entirely quit the subject; and this is the difference between phlogiston and the matter of heat.

To those who are conversant with the late discoveries respecting these principles, and the various experiments which have been made by philosophers since they have been the subjects of general investigation, this distinction is sufficiently obvious; but the similarity between the words fire and phlogiston, or principle of inflammability, and the relation which they bear to one another, has led many persons, unacquainted with chemistry, to contound them.

It would, indeed, be very difficult to give a precise and truly philosophical defininition of phlogiston, but this is scarce necessary in the present instance, it being only required to shew that these are different substances, and which may be done by mentioning some of the facts which prove their separation from bodies at different times and under different circumstances, and of others which prove the different effects of the combination of each with other substances.

In all the bodies in which phlogiston is found, it exists as a necessary ingredient or component part, and is not separated but by the body undergoing some chemical change. The matter of heat exists, likewise, in bodies in the same manner, but besides this, it is constantly sound loosely united with bodies, and has a tendency to change its situation by the contact of others containing less of it, that which contains the most giving over to that which has the least untill an equal quantity be distributed through each; and this is effected without either of the bodies undergoing any chemical change.

It may be observed, however, that the matter of heat, as a component part, certainly exists in all bodies containing phlogiston, and the former usually escapes when the latter is set at liberty, as appears from the operations of combustion and putrefaction.

RESPECTING the living animal body, it has been shewn that phlogiston is separated from

from the blood in the lungs, during respiration, and enters into a combination with the atmospheric air received into them by that operation; and this is evidently effected on the principle of chemical attraction, the phlogiston having a greater affinity for the air than it had for the blood, and, accordingly, quitting the latter, and uniting with the former. On the contrary, the matter of heat, I mean that which is fenfible,. having the before mentioned tendency to pass over from that body which has a larger portion of it, to others which have a smaller, is constantly escaping from the surface of the body, and the other outlets to all furrounding bodies, which are of a lower temperature, and without the body, which parts with the heat, or those which receive it, undergoing any chemical change.

THE matter of heat subsists, likewise, in bodies which have none of the principle of inflammability: in pure water, which, I believe, has not yet been proved to contain

any *, it certainly constitutes one of its component parts; without it, its fluid form would be lost; and it is known that vapor requires a larger quantity of it as an ingredient than water: the various changes which this body undergoes from vapor to water, water to ice, and vice versa, being so many chemical processes in which the matter of heat is received or parted with.

* THE theory which has lately been given to the world by Mr. Cavendish*, is, I acknowledge, directly opposite to this affertion. It is, however, with great reluctance that we should receive new theories, even though proposed by philosophers so justly eminent as the author of the preceding hypothesis, when they are supported only by one species of philosophical evidence. The supposition that water is compounded of pure air and phlogifton, rests folely upon a fingle experiment, or rather upon a fynthetic process, which is not confirmed by any fact bearing even the least resemblance of a true analysis. When either inflammable or pure air can be procured from water, in fuch a way as not to admit the possibility of a supposition that they proceed from fome third body, then, and, I conceive, not before, the theory may be confidered as established.

^{*} Philosophical Transactions, vol. LXXIV. for year 1784.

THE union of phlogiston with the calces of metals is well known to restore all their metallic properties; whereas the addition of heat without phlogiston, I believe, will produce no chemical change upon them *.

ANOTHER, and perhaps the most striking distinction between these substances may be shewn in the effects produced by their respective combinations with atmospheric air; the union of one of them only with it

* The experiments of Scheele * would, indeed, feem to prove that the calces of metals may be revivified by the application of heat alone; and this certainly agrees perfectly with his theory, which supposes the matter of heat to be a compound of empyreal air and phlogiston. There are, however, so many circumstances remaining to be proved, and so many possibilities of mistake in the experiments alluded to; they are so different, likewise, in the language they speak, from many well known and established facts, that much labor must be used, and much new experience be acquired, before we can regard this hypothesis even as probable.

^{*} Chemical Observations and Experiments on Air and Fire. English Translation.

rendering it unfit for the support of animal life. Air is certainly not rendered unfit for this purpose merely by being heated; for, provided it be not heated to a degree which will prevent the necessary escape of heat generated in the animal, (and the late experiments of Dr. Blagden, in heated rooms, prove that a very high temperature will not prevent this,) it will be still capable of receiving phlogiston, and, consequently, be equally fit for respiration; whereas air which is faturated with phlogiston, though its temperature, with respect to heat, be ever so low, being unable to receive any more of this principle, must, consequently, be unfit for breathing.

HEATED air and phlogisticated air are, therefore, very different things, and, consequently, cold air (I use the word in a relative sense,) and dephlogisticated air must, also, be very different.

I HAVE been led into these remarks, because, when Dr. Priestley's celebrated dis-U u covery covery of dephlogisticated air was first made known, the very difference, which I have endeavoured to explain, was really confounded, and, under the idea that dephlogisticated air was air deprived of the principle of heat, it was imagined that, when applied to any part overloaded with heat, it would very readily absorb the superabundant quantity; and I well remember to have heard of a case of inverted uterus, much talked of at that time, in which the reduction of the part, which was much swelled and inflamed, was said to have been effected in consequence of the liberal application of this air.

That air, though dephlogisticated, may be of a temperature so much below the heat of a diseased part as to become a ready conductor of the heat from it, is very easy to conceive, and it might, therefore, upon this principle, have really been useful in the instance recited: it is, however, at the same time obvious, that any other application equally cold, or that could have conducted heat

heat with equal celerity, would have anfwered the fame purpose; and as, supposing
the part to have been ulcerated, it is evident,
on the principle lately recited, that even
common air would have tended to increase
the ulceration, dephlogisticated air, as having a greater proportionate power of absorbing phlogiston, would have been still more
disposed to promote the destruction of the
part, and, consequently, under such circumstances, have been a very pernicious application.

THESE distinctions, between the matter of heat and phlogiston, being premised, and the requisite caution respecting the access of air to parts in a state of ulceration being observed, I should hope that the practical application of the foregoing general principles respecting the escape of heat can in no instance be attended with hazard, and, when from further experience, and the observations of different practitioners, the subject shall be more fully investigated and understood, that it will prove a real improve-

ment in the medical treatment not only of those diseases which have, in the foregoing pages, being particularly recited, but in all others which may arise from similar affections.

THE END.

ERRATA.

Page 12, line 21, dele that.

16, 21, dele that.

18, 11, for agreeable, read agreeably.

44, 10, for superabundancies, read superabundances.

11, for who, read which.

163, 6 and 7, for the production of an unusual degree of heat, read an unusual degree of heat produced.

Lately published by the AUTHOR of the preceding Essay.

An ESSAY on the UTERINE HÆMORRHAGE, which precedes the Delivery of the FULL GROWN FORTUS. Illustrated with Cases.—The Third Edition.

Also, an ESSAY on the Use of the RED PERUVIAN
BARK in the Cure of Intermittents.