Salivation exploded, or, A practical essay on the venereal disease : fully demonstrating the inefficacy of salivation and recommending an approved succedaneum : illustrated with some remarkable cases ... : to which is subjoined a dissertation on gleets ... : herein are described, not only the most eligible medicines for the cure of venereal disease, but the most powerful to prevent it also / by Charles Swift.

#### Contributors

Swift, Charles. University of Leeds. Library

#### **Publication/Creation**

London : Printed for S. Bladon ... R. Faulder ... P. Brett ..., 1782.

#### **Persistent URL**

https://wellcomecollection.org/works/c4d5kc2m

#### Provider

Leeds University Archive

#### License and attribution

This material has been provided by This material has been provided by The University of Leeds Library. The original may be consulted at The University of Leeds Library. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

# SALIVATION EXPLODED:

O.R, A

# PRACTICAL ESSAY

ONTHE

# VENEREAL DISEASE,

FULLY DEMONSTRATING THE

Inefficacy of SALIVATION, and recommending an approved Succedaneum.

#### ILLUSTRATED

With fome remarkable CASES, which had withfood Three, Four, or Five Salivations, and were afterwards cured, by that fafe, eafy and certain Method, the Alterative One, of which a particular Account is given, and the Medicines ufed therein.

### TO WHICH IS SUBJOINED,

A Differtation on Gleets and Weakneffes, Seminal as well as Venereal, in both Sexes; with the Remedies beft adapted to each.

Herein are defcribed, not only the most eligible Medicines for the Cure of the Venereal Difease, but the most powerful Ones to prevent it also.

# By CHARLES SWIFT, SURGEON.


Opprime dum nova funt, fubiti mala femina morbi, a mora dat vires. Ovin.

THE THIRD EDITION.

#### LONDON:

rinted for S. BLADON, No. 13, Pater-Nofter Row; R. FAULDER, New-Bond Street; P. BRETT, Opposite St. Clement's Church, Strand.

> M DCC LXXXII. [ Price Two Shillings. ]



# ADVERTISEMENT.

Notwithstanding the number and variety of publications upon the present subject, the Author flatters himself that his observations (the result of much experience) will not be unacceptable to the Faculty; especially the junior part of it, to whose perusal this Essay is particularly recommended.

Common cafes, or fuch as daily occur, and are not attended with any unufual fymptoms, are purpofely omitted; and to avoid prolixity, a few only of the other kind are inferted, they being thought fufficient to elucidate the fubject.

Recent cases are likewise pretermitted, in order to obviate the idea of relapses, which even the most impartial reader might otherwise bave suggested.

Parliament Street, June 26th, 1780.

are not attended with any unufual frapionis, we partafly amitted ; and to avoid brolivity; a Digitized by the Internet Archive in 2015

IDFERTISEMENT.

the relate of nineb experience) will not be whe-

recordic to the Faculty; checidly the junior

are of sit, to robole provide this tiday is par-

Common cafes, or facts as daily eccur, and

Recent, cafes and likeverife pretermitted, in

order to obviate the idea of relabliss subjude

even the may impurcial reader might experinge

Vestichfanding the mounty and variety of

publications when the prefent fubject, the

harters himfelf that his objervations

https://archive.org/details/b21513697

# PRACTICAL ESSAY

A

## VENEREAL DISEASE, &c.

HE Venereal Difeafe, beyond all others, having by its peculiar virulence and frequent attacks upon the human body, made the most alarming depredations therein, no temporal subject, I presume, ought sooner to claim our attention, than the thorough inveftigation and fpeedy fubjection of fo formidable an enemy .- Many and various have been the opinions of the learned, relative to the time and place of its first appearance-this circumstance has afforded an ample field for difputation to both ancients and moderns; of whom fome the most eminent, at different periods, have very ingenioufly and candidly treated upon the fubject : notwithstanding which, the matter is yet doubtful and likely to remain fo. A knowledge of the precise origin of the disease must however appear of but little importance, when put in competition with that of the most effectual remedy for the radical cure of B it. it. I shall therefore leave such controversies to those who are fonder of, or may be better qualified to adjust them than myfelf, and reft contented with recommending the most rational and easy method of removing so loathsome a difease. This mode of cure is the most gentle and efficacious, as will appear in the following pages: it will shand the test of the strictest ferutiny, being founded on the broad basis of long experience and uninterrupted fuccess. In support of this affertion, I shall produce fome very remarkable cases, selected from many hundreds, where the usual or general modes of cure had proved abortive.

It has been frequently obferved, that the knowledge of a difeafe is half its cure; in no inftance can I fuppofe this adage to have been more fully verified than in the Venereal Difeafe; which, Proteus like, appears in fo many different forms, that very often it will require no fmall fhare of judgment and experience to diftinguifh it from fome other diftemper, whofe fymptoms it may refemble in many refpects, or with which it may in reality reality be combined. This being the cafe, we must not wonder at the many errors daily committed by the ignorant, or inexperienced in the profession. win bns ... ac

- Almost innumerable have been the instances of reputed rheumatisms, nervous head-achs, wandering gouts, fcurvies, declines, confumptions, &c. &c. which, upon a minute investigation, have been proved to be venereal. A happy circumftance, when this difcovery is made early enough to fave the patient from an untimely grave; but alas ! how frequently does the reverfe happen ?

This melancholy observation is particularly corroborated in the great number of atrophies, or confumptions, by which the inhabitants of this island are many of them supposed to be destroyed. This fatality has generally been afcribed to the climate, but I am firmly persuaded, that, upon a strict and impartial enquiry, many other causes may be affigned ; and amongst them, Venus will be found to have had no fmall share. I am induced to be B 2 of

of this opinion from the many inflances that have fallen under my own immediate infpection, where patients, after having been pronounced to be in the laft ftages of a confumption, and given over as loft, have been perfectly reftored by the ufe of anti-venereals. A circumftance of fuch importance, moft certainly merits the attention of every medical practitioner. Should this admonition take the defired effect, I fhall experience the greateft fatisfaction in having rendered fuch an effential fervice to the community.

In the following fheets it will evidently appear, that the Venereal Difeafe, in every flate or flage, from the mildeft to the moft inveterate, may be perfectly, eafily, and fafely cured, without falivation : and that the patient, although labouring under a confirmed pox, will not be confined within doors a fingle day during the whole time he may be taking fuch medicines as will effect a radical cure. I fhall likewife demonstrate that gleets of every denomination are curable, provided the origin of each be duly inveftigated, and in confequence thereof, a fuitable remedy remedy not only applied, but regularly perfevered in for a length of time, proportionable to the caufe : to the want of that perfeverance, in my opinion, may often be afcribed the want of fuccefs in the general treatment of gleets : for I do not recollect (amongft the great number and variety of my patients for feveral years paft) three cafes which did not give way, or were not cured, by properly and ftrictly perfifting in the ufe of injections or bougies, and fome internal alteratives.

To prove not only the inexpediency, but the inefficacy of falivation in venereal maladies, I fhall produce feveral cafes, in which its effects were merely palliative; in other words, afforded only a temporary relief, although repeated even to a fourth or fifth time; after which the fame patients (notwithftanding the violent flock, and manifeft injury their conftitutions had thereby fuftained) were perfectly and radically cured by that eafy gentle method, which I mean to recommend, namely, the alterative one.

FOR

For argument fake only, suppose we admit that falivation is efficient and might be depended upon ; what man in his fenfes but would give the preference to the method here proposed ? When he confiders how extremely difgusting and painful the process of falivation is univerfally allowed to be, the confequent confinement indispensably necessary therein, and the many other difagreeables that generally or frequently fucceed it; fuch as destruction of teeth and gums, and the fætid or ftinking breath thereby occafioned : the great relaxation of the falivary glands, or an erofion of their excretory ducts, producing a copious troublefome flow of faliva, perhaps for the remainder of life; together with the derangement of the whole frame, in fuch a degree as feldom to be got the better of, even by those who may have been originally poffeffed of the best stamina, or ftrongest constitutions.

ALL these circumstances duly confidered, it is rather surprising that falivation has not long fince been universally exploded; the only assignable reason must be the want of a proper fucfuccedaneum; that, however, very happily for mankind, can no longer be pleaded in excufe, as the alterative method is daily gaining ground from the following very cogent reafons, viz. the operation of proper alteratives being fo extremely mild and gentle as to admit of being fafely administered at any time or feafon, to perfons of all ages, and of each fex: to pregnant women almost the whole time of gestation, even to the last month, from which happy circumstance, the foetus and its mother both receive a cure at the fame time.

Two other very material advantages are to be derived from the use of alteratives, first, the certainty of cure, even in the worst, the most inveterate cases, where many repeated falivations have proved ineffectual; fecondly, not the least confinement being requisite throughout the whole course; which to the mercantile part of the world is a circumfance of no little importance: The patient being able to transact business as well in the open air as elsewhere, and there being no other restriction or alteration respecting his diet, diet, than the omiffion of acids, he will not be under any apprehension of a discovery taking place in the family.

ANOTHER particular in favour of these medicines, is, that contrary to the effects of most others, they will encrease the a petite, and thereby accelerate the cure, during the performance of which, the patient's food cannot be of too nutritious a nature, infomuch that meat may be allowed twice or thrice per day, in preference to gruels, ptysans, or flops of any kind.

THE only difadvantage that attends the alterative method, is this; patients being at large the whole time, and capable of purfuing either bufinefs or pleafure, fome are apt to prefer the latter, and very frequently not only neglect taking the medicine, but commit various exceffes, and fometimes contract fresh infections, while we are endeavouring to remove the old one. Indeed, fome have been frank enough to confeis, that a fpecies of economy had given rife to these irregularities; from a fupposition that no additional expence expence would be incurred, they thought it therefore the propereft time to gratify fuch inclinations: not confidering that violent exertions of the parts affected muft certainly procraftinate the cure, fhould they even be fortunate enough to efcape an increase of the venereal virus.

SALIVATION has none of these obstacles to combat with: for when once a man has completely immerfed himfelf into that delightful state, it will feldom, if ever happen, that he will, fo circumstanced, be posseffed of either ability or inclination to deviate from. the most rigid injunctions that may be imposed by his doctors, medicinal or divine. In fupport of this opinion, nothing more will be neceffary than a recital of fome few of the concomitant fymptoms or conftant attendants on a perfect falivation; namely, a tumefaction of the head, face and throat, to a great degree, with much pain and inflammation therein: thus, the tongue frequently becomes too large for the mouth, which by this time is excoriated and extremely tender, together with the gums, tonfils, and all the neighneighbouring parts: in fine, the whole mouth and its appendages becomes one foul ulcer, from which iffues a ftench that may be better conceived than defcribed, accompanied with a ptyalifm or fpitting, in quantity from two to fix pints in the twenty-four hours; which agreeable procefs is to be continued fome weeks, and in the courfe of a few months, perhaps, repeated again and again.

THE fame advantage as the foregoing, has the old method of curing claps by mercurials and draftic purges, which were generally repeated every two or three days for a confiderable length of time, till the difcharge put on a more benign afpect; or the patience, or ftrength of the patient being exhausted, occasioned a difcontinuance thereof.

FROM these premises we must readily infer, that a perfon thus constantly haraffed by strong rough medicines, could have little reliss of inclination to transgress the laws of sobriety.

Con-

Confideratis confiderandis, every impartial man most certainly will prefer the alterative mode of cure, to that by falivation.

[ II ]

HAVING premifed thus much, now let us turn our thoughts to the most eligible means of obtaining a radical cure for this prevalent difeafe; it having often with great truth been observed, that as nothing can be done with greater facility, than to cavil or find fault, therefore no merit will be derived from fuch a procedure, unlefs at the fame time it shall be accompanied with fome plan or fcheme more likely to effect the purpofe in question. To obviate this reflection, I fhall not only propofe fuch a remedy as will be most likely to answer, but shall also produce, in support of it, fome cafes which (from the peculiar fuccefs attending them) will go near to call in question the veracity of the man who records them: be that as it may, fuch an idea shall not prevent my giving a faithful relation of them. Before, however, we enter upon that part of the business, I shall make fome obfervations on the means by which those events took place.

C 2 .

VERY

VERY numerous and different are the prefcriptions which at various periods have been recommended, as fully competent to fubdue the venereal poifon; amongst the great variety offered for this falutary purpole, many were diametrically opposite to each other, advocates however were not wanting to extol their manifold virtues: on these occasions, both the vegetable and mineral kingdoms were thoroughly ranfacked and attentively examined, and many of their properties afcertained by a feries of ingenious experiments: and even at the prefent period, we are fometimes under the necessity of having recourse to both, in the reduction of fo powerful an opponent as the venereal difeafe. Be it remembered however, that vegetables alone, when properly prepared, will effect a cure in many cafes, although in others it must be acknowledged that minerals will likewife be required. The gums will fome of them be found of fingular use, particularly camphor, in every stage of the difease, from a gonorrhœa to a confirmed lues; in the former it will greatly contribute to alleviate the heat of urine, as well as correct the virulence; and

111

in the latter it ought never to be omitted, for feveral reafons; in the firft place, it is a moft powerful alterative; in the next, it ftrengthens the nerves, exhilerates the fpirits, and when joined with minerals, fortifies the ftomach and bowels againft any of their difagreeable or pernicious effects. It diffufes a general warmth throughout the body, and greatly affifts in conducting other medicines towards the cuticular and renal glands.

As to the choice of alterative medicines beft adapted to the cure of the venereal difeafe, I believe none will be found more efficacious than a composition of the following, viz. camphor, antimony and fulphur: in fome cafes it may be neceffary to add both mercury and opium. These must be affisted with decoctions of the woods<sup>\*</sup> in quantities fufficient to attenuate and faturate the whole mass of contaminated juices. Any particular recipe or prescription of the above, would be

\* Guaiacum, farfaparilla, china, faffafras, fantalum glycyrrhiza, &c.

of very little use, as not only the doses, but the quantity of each ingredient must fo frequently be either increased or diminished agreeable to the variation of fymptoms and circumstances ; which sometimes require even the omiflion of one or more of those ingredients. The age, fex, temperament or conflitution of the patient, as well as the degree of infection, must render it indifpensably neceffary to make the alterations above mentioned. Another material circumstance frequently occurs, namely, the addition of other acrimonious humours; to which, particular attention must be paid, or we shall not fucceed in our endeavours to remove the venereal one. From hence it must evidently appear, that no particular recipe can be invariably relied upon, in this or any other difeafe.

THE fymptoms of a virulent gonorrhœa (commonly termed a clap) are too well known to require any defcription in this place: let us therefore confider upon the means most eligible for its removal. The cure may be easily and speedily effected, if undertaken when the first symptoms are perceived; ceived; particularly that gentle irritation, or trickling fenfation in the urinary paffage, which fo frequently precedes the difcharge: the difeafe, when taken at this ftage, may be very fafely removed in the fpace of two days, by applying medicine immediately to the part affected; this cannot be conveniently done in any other form than that of an injection, which fhould be composed of fome gentle detergent that will ftop the further progrefs of the venereal virus, by preventing its abforption. Chancres may likewife be almost as speedily removed, provided the remedy be applied at their very first appearance.

SHOULD this precaution be omitted, the acrid matter will corrode the parts, and produce ulcerations; confequently a longer time will be required to effect a cure; and it may be neceffary to administer internals to prevent a flow of humours to the part which might retard the cure, if not entirely fruftrate our intentions.

# [ 16 ]

IF the complaint be not removed in the early ftages, it will foon become confirmed; and then due regard must be paid to the patient's habit of body, mode of living, &c.

IT is with me a matter of furprife, that injections have not been in more general practice; as nothing certainly can be more rational, than to apply the remedy to the part affected. The advantages of the reverfe, attending the use of them, must evidently arife from the ingredients of which they are composed : no man fure can be so prejudiced as to declare that his objection is merely to that particular mode of conveying a medicine: to speak impartially; if crude, corrofive, indigested ulcers in every other part of the body require topical applications, why, in the name of common fenfe, fhould they be neglected or omitted in parts naturally fo very delicate and fenfible, as the organs of generation are incontestably allowed to be? Neglects of this kind are frequently productive of the most difagreeable confequences; they may, independent of the injuries from abforption, give rife to gleets and obstructions

# [ 17 ]

obstructions in the urethra, which if not attended to, may terminate fatally.

THE ftillicidium, or running, is very uncertain as to the time of its appearance; fometimes it will happen in fix hours after the embrace, at others, twice as many weeks have elapfed before it has been perceived; thefe, I muft acknowledge, are not very common cafes, but fuch as have really fallen under my infpection, as will be feen in the fequel: in general however, it appears in lefs than ten days. Chancres likewife vary as much in this particular.

In the treatment of a confirmed clap, a great deal will depend upon its being fimple or compound; in other words, whether it originated from a perfon who had only a gonorrhœa, or who at the fame time was poxed likewife. In the latter cafe, powerful internals will be abfolutely neceflary; in the former, a cure may frequently be accomplifhed by injection only.

D

CLAPS

CLAPS and Chancres are often contracted at the fame time, but do not always make their first appearance together; I have feen instances even where fome weeks have intervened.

As the composition of injection, like that of every other remedy, must vary according to circumstances, I shall decline giving any particular recipe; one general ingredient however I will venture to recommend, namely, Armenian bole, which from its abforbent and other good qualities will prove highly beneficial both in correcting the venereal acrimony, and defending the found parts of the urethra therefrom.

In the cure of claps, fome practitioners have attended too much to the colour of the difcharge, others to the confiftence of it; both are fallacious, particularly the former; as it will fometimes be of a deep yellow, even to the laft day, efpecially in bilious habits : frequently it is equally high coloured in old gleets of feven or ten years ftanding, where the party has been entirely free from infection tion all that time, as in fome cafes has been fufficiently manifefted by the healthy ftate of wives and children. A difcharge of fimilar colour and confiftence is often to be found attending the fluor albus, as it is called. From hence will follow the indifpenfable neceffity of examining further, than juft the ftate of the running: the beft criterion will be the afpect of the urethral orifice, and the fenfations throughout that tube.

MANY families have been rendered unhappy from the length of time this difeafe fometimes requires to make its first appearance : for a man, after performing a kind of quarantine of three weeks or a month, and no fymptom of infection having fhewn itfelf during that time, would naturally conclude himfelf entirely free from it, and proceed accordingly; but how great his aftonishment, as well as chagrin, to difcover (perhaps a month or two afterwards) the most indifputable figns of his being infected : feveral inftances of this kind have fallen under my infpection, fome of which, I must confefs, I should not have credited, had not D 2 they

they been accompanied with proofs not to be contefted. From this we may infer, that although the virus very often makes the most rapid progress, at other times its operations are as fluggiss: this may arise from the degree of infection, or the patient's habit of body, or from both.

## CASE I.

A MERCHANT in the city of London, four years fince, applied to me in confequence of great heat in making urine, painful erections, and a difcharge of matter from the urethra, fo acrid, as to threaten a phymofis, it having already excoriated the greatest part of the glans penis. Thus fituated, he defired to know if I did not call his diforder a clap; to which I replied in the affirmative, and that it was not of the mildeft kind : " Then fir, faid he, I shall mention a circumstance, that I think will furprize you, which is, that not a fingle fymptom of the difeafe appeared until two months and three days after it was contracted :" upon this account he deemed it not venereal, I affured him however that it was fo, and colud

could be removed only by treating it as fuch. My patient was not of a bad habit of body, nor had his blood been previoufly heated by intemperance, the chordee was notwithstanding fo troublefome, that I expected to have been obliged to use opiates, which I am very feldom under the neceffity of doing ; injections generally answering the purpose, by fpeedily removing the inflammation and its. confequences : my only objection to opium in thefe cafes, is, the conflipation which moftly attends the use of it; although I am not an advocate for the old method by cathartics, yet I would not be understood to recommend abfolutely the reverfe; which must indubitably tend to increase, rather than alleviate fymptoms arifing from inflammation. It will be found fully fufficient, that the inteftinal evacuations be the fame as at the time of perfect health .- Now to return to my patient; he was much alarmed at the high degree of pain and inflammation, which however was confiderably leffened in the fpace of two days, by means of injection and internal alteratives; three weeks continuance of which perfectly cured him, without any confinement

OF

or alteration in his ufual mode of living, except abftinence from acids and fpirituous liquors.

[ 22 ]

## CASE II.

A GENTLEMAN of Dorfetshire, in the month of February, 1778, came to town on purpose to be under my care; his fymptoms at that time were a difcharge of yellow matter from the urethra, chancres on the glans penis, a large bubo in the left groin, and a imaller one in the right. Upon my enquiring into particulars, he folemnly declared that he had not the leaft reason to think himfelf infected, till upwards of nine weeks after coition, when he was attacked with a trickling fenfation in the urethra, which was followed by a running and heat of urine; chancres foon afterwards appeared, and were fucceeded in a fhort time by tumefaction of the inguinal glands, which thereupon became extremely painful. He was at first attended by a furgeon in his own neighbourhood, who bled him very freely, gave ftrong mercurial purges repeatedly, and ordered

dered him to dilute plentifully with barley water, &c. Fomentations and cataplasms were applied to the buboes till fuppuration took place, when he proposed to discharge their contents by means of cauftic or incifion, but the patient not confenting to either, immediately left the country, and foon after applied to me, requefting that I would remove them without opening or fuffering them to break, as he had the greateft averfion to fores of every kind, and much dreaded all chirurgical operations: I told him, that confidering the very forward flate in which the buboes at that time were, (the fluctuation of matter being readily felt upon the flighteft preffure) I could make no other promife, than to exert my best abilities in endeavouring to effect what he fo ardently defired; obferving likewife, that I frequently had been fortunate enough to render those painful operations unnecessary by the use of internal medicines alone; which, in my opinion, are the only ones that can fafely be relied upon.

As to the repelling of buboes (in the vulgar phrafe, putting them back) I never make the

the least hesitation of attempting to effect it, for this obvious reason, that a bubo is not a critical abfcefs, of which I am well convinced from daily experience, notwithstanding the general received opinion to the contrary; I have feen many inftances where buboes have been carefully brought forward to the moft perfect fuppuration, liberally opened, and a copious difcharge very industrioufly encouraged for the fpace of four, five, or fix months; notwithstanding which the parties have remained completely poxed; as the nocturnal pains, foul ulcers, and eruptions fufficiently manifested a few months afterwards, when they became my patients, and were radically cured by the alterative method in half that time. This being a fact not to be controverted, why should suppuration be encouraged, as it must be attended with great pain, filthinefs and inconvenience? And after all, not being critical, a regular course of medicines will be indifpenfably neceffary: the cicatrix or fcar is likewife a circumftance not the most agreeable, especially to the fair fex. -----Without apologizing for this digreffion, I will haften to my Dorfetshire friend. Entertaining

at in

· [ 24 ]

tertaining these sentiments, I immediately fat about the difcuffion of his Buboes; for which purpose alteratives were administered internally, and detergent injections and dreffings applied to the urethra and the chancres on the penis: by these means the fymptoms gradually abated, and at the end of a month he thought himfelf cured; but I advifed a continuance of the medicines three or four weeks longer, on account of the high degree of virulence we had had to encounter with: he readily confented to perfevere in the use of them, having already experienced fuch falutary effects; and to fhew that he did not think the decoction at all naufeous, he generally drank it at meals in lieu of any other liquor. Thus, in lefs than two months, without being confined to the houfe a fingle day during the whole courfe, he was perfectly re-eftablished in health, and has remained well ever fince. He was highly pleafed at the removal of the buboes without opening, and very generoufly rewarded my fervices.

[ 25-]

E

CASE

# CASE III.

[ 26 ]

In the month of July, 1777, a gentleman requefted my advice upon the following fymptoms; an unufual (though not painful) fenfation in the urethra, a discharge therefrom very fmall in quantity, and of colour fo light as fearce to tinge his linen. I was of opinion that thefe fymptoms were the harbingers or fore-runners of a clap; but he ftrongly infifted that his diforder could be nothing more than weaknefs, or a ftrain, as he had had no venereal connection for eleven weeks previous to this indifposition. I informed him, that should the cure of his difease be undertaken in this early stage, I believed it might be removed in lefs than a week, if he would strictly adhere to my instructions, but as he feemed fo firmly perfuaded that his diforder was not infectious, I advifed him to wait only a fhort time, and he would then be perfectly fenfible of the real nature and tendency of it. Three days only had elapfed, before he paid me a fecond vifit, when I found my prognoffick fufficiently verified; the urethra urethra and glans penis being highly inflamed, great heat in making water, fome pain in erection, and a difcharge of yellow matter iffuing from the urinary canal: he was by this time fully convinced of his error, and requefted that I would relieve him as expeditioufly as poffible ---I told him that his delay of three days would procraftinate the cure more than a week, and in the prefent flate of the difeafe I judged that it would at leaft require a fortnight, fhould even his temperance and regularity not be called in queftion. However, by the use of injection and a few alterative pills, he was perfectly cured in thirteen days.

## CASE IV.

A GENTLEMAN in Weftminfter fent for me two years fince, to give an opinion upon a ftillicidium, or difcharge from the urethra, which had firft made its appearance two days before I faw him; he was quite at a lofs to account for it, not having copulated for upwards of two months prior to that period. I enquired whether he felt any irritation or  $E_2$  trickling

trickling in the urinary paffage, he answered in the affirmative, upon which I pronounced the cafe to be venereal, although the running was perfectly clear, and the parts entirely free from any external inflammation. My patient, however, feemed to think that I had formed an erroneous opinion; I therefore defired him to defer using medicine of any kind for a day or two, in which time I made no doubt of an alteration in his fentiments. The next morning I was again fent for, and informed, that the parts did not look quite fo cool as on the preceding day, and that his urine felt rather warmer than ufual, thefe fymptoms he attributed to fome things he had ate or drank the day before.

I REPLIED, that in twenty-four hours I was fully perfuaded he would affign another caufe. Before breakfaft the next day, he fent for me again, and faid that he no longer entertained the leaft doubt of the difeafe being infectious, having lately perceived fome fymptoms of an approaching chordee; the running was now become yellow, the parts were were inflamed externally as well as within, and he could not make urine without fome degree of pain. I prepared for him a cooling injection, of which he ufed a fyringeful night and morning, and as he was very fubject to the gout, I administered no othor medicines internally, than decoctions of the woods and camphor, by which means, in the fpace of feventeen days, the cure was very eafily completed.

## CASE V.

A GENTLEMAN in the county of Kent, put himfelf under my care on the ninth day of December, 1779; he had enjoyed a very good flate of health for fome years, till within three days of his application to me, when he difcovered a yellow running from the urethra, attended with a heat of urine, and an inflammation of the glans penis and præputium. There was likewife a fmall chancre on the frænum. After ocular demonstration, I affured him that his difeafe was venereal, my patient was not of a different opinion (having been frequently infected before) but he

he expressed great astonishment at its being fo; from the circumstance of not having had any venereal intercourse fince the fifth day of the preceding September, and having been entirely free of every fymptom of the difeafe till the fixth day of December; an interval of thirteen weeks and upwards from the time of contracting the difeafe, to that of its appearance. Upon my interrogating him very closely as to the commencement of this affair, his anfwer was, that he could have no intereft in deceiving me, and that it was impoffible he fhould have been miftaken, having a memorandum in his pocket-book of fome particular occurrences of that day, relative to this bufinefs, which with him reduced the matter to an abfolute certainty. I observed, that probably fometime fubfequent to that period he might have been too free in his libations to Bacchus, and be thereby deprived of recollecting his last engagement with Venus. This fuppofition he obviated, by declaring upon his honour that he had not been inebriated for feveral months paft, on the contrary, he had rather lived abstemioufly than otherwife. This gentleman's health 311 3400 was

was perfectly re-established in three weeks, by the use of internal alterants and external detergents.

+ Rettes after L' Cetta boar

THE foregoing cafes having been felected from many fimilar ones, to fhew what great length of time the venereal difeafe fometimes requires to manifest itself; let us now advert to others diametrically the reverse in point of time.

## CASE VI.

A MERCHANT in the city, who feveral years ago had been my patient, confulted me in January laft; he complained of an irritation in the urethra, and fome heat in the glans penis, which appeared rather inflamed externally. He informed me, that his laft connexion had been only on the preceding evening, at about eleven o'clock, and antecedent to that, he had not committed an act of venery for more than five months, during which time his health had been remarkably good. At fix o'clock that morning he was awakened by a fharp pain in the yard, which foon abated, but

but did not entirely go off, a difagreeable heat and irritation still remaining. From the fymptoms coming on fo early as within feven hours after the embrace, he could not believe his complaint to be venereal, but fuppofed that it arofe from friction, and the bad wine he had that night drank; I therefore declined to prefcribe any medicines, but advifed that he should live after his usual manner, and think no more of the difeafe till it might become more worthy of his attention ; which happened two nights afterward, by the pain he experienced from a chordee; there was likewife a yellow running from the urethra, accompanied with a heat of urine ; his doubts by this time being perfectly removed, he immediately entered upon the use of injection and pills, by which he obtained a cure in lefs than three weeks.

#### CASE VII.

A NAVAL officer in the month of March, 1778, was attacked with an unufual warmth in the urinary paffage, in lefs than fix hours after coition, and it gradually increased for three

## [ 33 ]

three days, when a copious running came on, attended with a fmarting of urine : in this ftage of the difeafe, he placed himfelf under my care, informing me that he was lately returned from a long voyage, and for feveral months paft had not had an opportunity of getting the infection, he could therefore be very certain as to the date of his diforder, having been entirely free from venereal complaints for two years before. In effecting this gentleman's cure, near a month was required, by reafon of the high degree of fcurvy with which he was at that time infected.

#### CASE VIII.

A GENTLEMAN in the county of Effex, about fix months fince, paid me a vifit on the following account; having taken a night's lodging with a lady of his acquaintance, the very next morning at breakfast he felt fome uncafine in the urethra, which in the course of a few hours increased, and at the end of five days terminated in the fymptoms of both clap and pox, viz. a discharge of viru-F

lent matter from the urethra, with heat of urine, &c. and three chancres externally; two on the præputium, and one on the glans penis. He was not much furprised at the early appearance of the difeafe, as with him it generally happened fo; he neglected however to use medicine of any kind, till it had arrived at the flate above-mentioned, when, he became my patient; and without further delay began upon a course of alteratives and detergents, which effected his cure in lefs than a month.

LAW ON DOLDW :

To the peculiarities of conftitution; as well as degrees of infection, must be attributed the different periods in which particular difeafes make their appearance. This circumstance may depend on the disproportion of one or more of the ingredients or materials which compose the human body. Some men are naturally fo irritable and inflammable both in body and mind, as instantly to take fire like tinder or touchwood, from the fmalleft fpark; while others of cold phlegmatic habits, are (as is to be expected) quite the reverse. 10334

CASE

#### E 35 J

#### GASEA IX.

Four years fince, a Gentleman in the county of Northampton, made a journey to town, to confult me upon what he called a weaknefs of a particular kind, as it was accompanied with great inflammation; I immediately fufpected what the cafe was, and upon examination, found it to be a most virulent clap, with an incipient phymofis; he complained likewife of a chordee. I was much furprised when he told me that his apothecary had not deemed it venereal, but treated it as arifing merely from relaxation, giving large dofes of Peruvian bark and elixir of vitriol. My patient faid that the only reason why his diforder had not been judged infectious was, that it did not discover itfelf till more than fix weeks after coition; from which circumftance the apothecary had declared, that it could not poffibly be venereal. By the use of detersive injections and alterative pills, he returned home in perfect health at the expiration of about three weeks.

Fz

CASE

# [ 36 ]

# CASE X.

In the month of December, 1778, a tradefman in Westminster commenced my patient, in confequence of a virulent gonorrhœa which he had contracted more than a month before his application to me, and of which he gave the following account; that in fix hours after copulation, he perceived an unufual fenfation in the yard, a kind of trickling or itching in the urinary canal, which for upwards of three weeks had been a little troublesome, but by no means painful, until the 26th day, when a clear colourless difcharge iffued from the urethra, which now began to be much inflamed, and felt very fore whenever the urine paffed through it; on the 28th day, the running was quite yellow and rather copious; and upon the twentyninth he was attacked with a chordee, which induced him to be under my care the next morning; he faid he fhould certainly have applied fooner, but the inconvenience he experienced previous to the 26th day was fo trifling, that he had not entertained the leaft

leaft idea of his complaint being venereal; it was however entirely removed in fifteen days, by the fame means as were used in fome of the preceding cafes.

[ 37 ]

## CASE XI.

A GENTLEMAN in the county of Surry, fent for me in the month of August, 1778, I found him labouring under a confirmed pox, of which the following were his fymptoms, a violent head-ach, nocturnal pains in the fhin bones, with nodes thereon, a large foul ulcer in his throat, upon the left tonfil, a heat in the urethra, and an obstruction therein: upon my requefting to know every particular relative to the rife and progrefs of the difeafe; he informed me, that it was contracted about ten months before, and one thing appeared very strange to him, namely, his knowing himfelf to be infected in lefs than twelve hours after the connection, from a very troublefome irritation in the urinary paffage, which feized him about that time, and for fome days encreafed, notwithstanding his immediate application to a furgeon, who ordered almond [ 38 ]-

almond emulfions, with nitre, manna and falts ;and to dilute freely with barley water, in. which gum arabic had been diffolved, partial warm baths and venefection were not omitted; in the course of a week or ten days, mercurial ointment was used very liberally for at least a month, with brifk purges at intervals. The running, he faid, was very plentiful for the fpace of five or fix weeks; he then took balfamics for three weeks, and was thought to be cured ; however, in about feven or eight weeks afterwards, he perceived his health to be gradually on the decline, a diminution of appetite, ftrength and fpirits, and fleep interrupted by wandering pains in his head and limbs :--- nodes foon after formed on the fhins and an ulcer in the throat. On the appearance of these fymptons, another furgeon was employed, who administered large quantities of the fublimate folution for a confiderable time, when finding that the difease did not give way, he put himself under my care, and was perfectly cured in two months, by the alteratives recommended in the 13th page, and a few bougies to remove the urethral obstructions.

BE

BE it obferved, that no injections had been ufed in this gentleman's cafe; to which circumftance, in my opinion, may be attributed the want of fuecefs, for had a proper detergent one been applied in the beginning, the venereal matter would not have been abforbed, and confequently the pox with its difagreeable attendants been thereby prevented.

# CASE XII.

A GENTLEMAN in Weftminfter, eighteen months fince, confulted me in confequence of a boil (as he termed it) feated amongft the hair on the pubes very near the penis. This ulcer had refifted every application his furgeon had made to it for three or four weeks. From the hard edges and other appearances, I pronounced it to be a chancre; this my patient did not at that time credit, however, not long after he altered his opinion upon the appearance of a bubo in the left groin, which in a few days became very painful, when he paid me a fecond vifit, and requefted to have it repelled: that was performed, and a cure effected effected by an alterative course in about thirty days.

#### CASE XIII.

In the month of November, 1778, a gentleman in the county of Middlefex labouring under a confirmed lues venerea, applied to me for its cure; the fymptoms at that time were, a fmall node on the right thin bone, an ulcer in the nofe, nocturnal pains, and a copper coloured eruption overfpreading a great part of his body. He informed me, that, till within the last twelve months, he had never experienced a fingle fymptom of the venereal difeafe, and that his prefent afflictions, if they were venereal, must arife from a clap contracted a year before, which denoted a high degree of malignity, the inflammation being very confiderable and of long duration, attended with heat of urine, chordee, &c. the running he faid was copious, and continued upwards of five weeks, in which time he had been purged every three or four days, had rubbed in a large quantity of mercurial ointment, and after-

afterwards taken electaries and pills in abundance: in confequence of this procefs the fymptoms had difappeared, and at the end of two months his cure was pronounced. Some few months after, however, he perceived his health to be gradually on the decline, without being able to affign the real caufe, not having the leaft fufpicion of venereal matter; his appetite and ftrength daily decreafed, his fleeps were fhort, interrupted, and afforded little or no refreshment, and at length colliquative fweats enfued: thus circumftanced, he confulted a phyfician, who, judging his cafe to be a confumption, put him under a course of afs's milk, &c. &c. for a confiderable time, but growing every day worfe and worfe, he was ordered a change of air, and removed into another county. Finding however no greater relief from the alteration of air, than he had before experienced from medicine; he began to defpair, and most earneftly wished for his diffulution. Fortunately, an old acquaintance from town called to fee him, and upon hearing fome of his fymptoms strongly urged him to become my patient, he accordingly did fo, and was perfectly G

# [ 42 ]

fectly cured in the fpace of three months, merely by the ufe of alteratives.

hanpionic had difamporiry, and at the end

# -top so leve months after, however, he port

A GIRL on the town applied to me upon the tenth of November, 1778, and faid fhe fupposed it would be necessary for her to undergo a thorough repair, not having been free from infection for a confiderable time; her fymptoms then were, an ulcer in the throat, a foul eruption on the abdomen, a brace of fmall buboes, and a great difcharge of acrid matter from the pudendum. As fhe was extremely anxious to have the buboes difperfed, I told her that no time should be loft, and confequently advised the immediate use of medicine; the replied, that it must be deferred till next day, as her mistrefs expected much company that evening, and had engaged her to one gentleman in particular, with whom fhe was to fleep that night, his name having been entered in the book for that purpose fome days fince; and for which he had paid the ufual retaining fee .--- I was not furprifed at this account, fimilar ones having occurred before, felly

before, and particularly this inftance; a friend of mine, an officer in the army, made application to a lady Abbefs to know on what night a particular nymph would be difengaged; after infpecting her ledger, the informed him that the lady was disposed of for twenty-two nights, and if he pleafed fhe would take down his name for the twentythird, upon paying the ufual compliment .----But to return to my patient; fhe called upon me again the next day, and without any further delay entered upon a course of alteratives, by means of which her health was perfectly re-eftablished in less than seven weeks. She was under great apprehenfions left the buboes should suppurate and occasion fcars, but was foon made eafy on that head, as they difperfed very kindly in a few days, the other fymptoms gradually difappeared, and in little more than three weeks the thought herfelf well, it was therefore with fome difficulty that the could be perfuaded to continue the medicines a fhort time longer, in order to confirm the cure.

CASE

[ 44 ]

# CASE XV.

A MECHANIC in Westminster, being employed in the house of a nobleman, became acquainted with the lady's woman, and after many entreaties, perfuaded her to grant him the last favour; in the space of a fortnight however, he was fully convinced of the impropriety of the connection, being at that time obliged to commence my patient, on account of a large chancre feated on the anterior part of the fcrotum; it was the most malign that ever came under my inspection, being in fize equal to a fhilling, and had the appearance of an eschar, produced by some potential cautery; the edges were hard and thick, and the fcrotum around it much inflamed. The urethra, and every other part of the penis had entirely escaped the infection; from which circumstance he did not suspect the nature of his complaint, till the inguinal glands enlarged and became painful. Proper externals and a course of anti-venereals effected a cure in thirty-two days.

ÇASE

#### [ 45 ]

#### CASE XVI.

ABOUT two years ago, a Lady applied to me in confequence of a fore throat, which had for fome weeks been extremely troublesome, notwithstanding the variety of gargarisms, &c. that had been used in expectt ion of its removal. Upon infpecting her throat, I pronounced the ulceration there to be venereal, and was confirmed in that opinion, when the informed me, that her reft of late had been greatly difturbed by nocturnal head-achs; the however was at the fame time entirely at a lofs to account for these fymptoms, the pudendum having never been difeafed. The infection, I faid, had in this cafe most probably been conveyed by the tongue, and therefore I defired to know whether the had kiffed columbatim; to which the anfwered in the affirmative, and jocofely obferyed, that fuch confequences might be added to the many other cogent reasons for keeping that member within its proper limits. She then entered upon a course of alterants, and was cured in about five weeks

The infection may be communicated likewife by contaminated femen, without injuring the pudendum in its paffage to the uterus, from whence its poifonous particles may be abforbed, and by means of the lymphatics conveyed to the blood, and thereby to every part of the body.

### C A S E XVII.

A GENTLEMAN in the vicinity of London, about five years fince, confulted me upon the ill-ftate of health which himfelf and lady at that time laboured under. He informed me of his having led a very irregular life for fome years previous to matrimony, that he had been frequently difeafed, and recollected having had chancres a few weeks before his marriage, which being removed by mercurial ointment and cathartics, at length he was supposed to be cured, and foon after entered into the holy state: in about five months his wife was thought to be pregnant from the fuppression of the menstrual evacuation, and the family felicitated themfelves thereupon ; but the other concomitant fymptoms not attending 3HI

# [ 47 ]]

tending in proper time, the parties were greatly disappointed, and particularly fo, to find that in lieu thereof, the lady's health as well as that of her hufband, was evidently on the decline. A flow fever, want of appetite, ftrength and spirits foon after succeeded, together with that of fleep in the night, being generally drowfy in the day time. Medicines of various kinds had been administered without producing the defired effect; the gentleman had an eruption upon his breaft<sup>1</sup> and other parts of the body, which was encouraged by the faculty, in expectation of its being critical; they were however, greatly mistaken, as none of the other symptoms difappeared in confequence of it. The lady ftill continued in a very languid ftate, notwithstanding the number and variety of medical prefcriptions. In this unhappy fituation they remained for fome weeks, when an old bottle companion paid the gentleman a vifit, and observing fome of the eruption on his forehead, faid, " I'll be d-m--d if you've not got a corona veneris, your cafe has been most egregiously mistaken ; pray lose no more time, and give me leave to fend my furgeon to

to you;" he acquiefced, and I waited upon him the next morning, when I found that his difeafe was most evidently venereal from many other symptoms, as well as the eruption, which was of the true copper colour.

UPON examining the lady, her fkin in fome places appeared rather discoloured, (as if nature was labouring to throw off part of the noxious humour that way, but wanted ftrength to effect it) and the had likewife every fymptom of a pocky hectick. The difease had been communicated to her entirely by the contaminated femen of the man, without its having done the least injury to the vagina, or any other part of the pudendum. After having made the neceffary enquiries, I recommended a course of alteratives to both man and wife, by the use of which, in less than two months they were perfectly cured, as appears at this time by the healthiness of their offspring. The lady became pregnant about two months after leaving off the medicines, and has borne feveral children fince.

Had

Had this gentleman adopted the falutary plan purfued by fome of our modern debauchees, prior to entering into the connubial ftate, all the foregoing difagreeables would have been prevented. This prudent plan or meafure, is nothing more than going through a fhort courfe of alteratives ; which in many inflances muft be highly neceffary, particularly after a feries of irregularities, and a variety of infections, which through neglect or improper treatment, may be productive of great mifchief in future.

[ 49 ]

THE inefficacy of a first or second falivation occurring so very frequently, I do not think those cases worthy of infertion here, I shall therefore immediately proceed to the relation of such as have withstood three, four or five repetitions of that foul process.

# C A S E XVIII.

In the year 1775, a Gentleman in the city of London put himfelf under my care, on account of a confirmed pox, with which he had been infected fome years, notwithstand-H ing

ing three falivations, and long courfes of the folution of corrofive fublimate and farfaparilla decoctions .- He gave the following particulars of his cafe ; that he contracted the infection in the year 1769, which at that time manifested itself in a clap and chancres; his furgeon administered medicines for eight or nine weeks, and then difinified him as cured. In the course of a few months a foul eruption overspread his body, and ulcers formed in his throat; he again applied to the furgeon, who advised falivation, and foon after put him in a course of fpitting for some weeks, and then pronounced his cure to be tadical. In lefs than fix months the difeafe re-appeared, but with much greater malignity than before : the ulcer in the throat broke out afresh, with the addition of two in the nofe, which foon fwelled to fuch a degree, as to obstruct in some measure the fight of the left eye, and he was deprived of reft by nocturnal pains. Thus circumstanced, he employed another furgeon, who also falivated him; the fpitting he faid was continued above three weeks longer than in the preceding falivation, after which he was affured by his medical

medical friend, that the difeafe was perfectly removed. Business some months afterwards required his taking a journey into the North, where he was alarmed with the return of fome of his former fymptoms, nocturnal pains, &c. During his refidence in the country, he took a great deal of mercury in various forms and preparations for feveral weeks; which proving to be merely palliative, he returned to town and confulted another furgeon, who recommended a third falivation ; this he did not very readily agree to, having experienced its inefficacy twice before. However, being informed that it was the dernier refource, and at the fame time entertaining a very high opinion of the abilities and integrity of his furgeon, he at length confented to be falivated a third time; when a copious fpitting was continued for a confiderable time, as long as it could with any degree of either fafety or propriety be purfued.

HE was attended likewife by a phyfician, who, with the furgeon, declared that the difeafe was entirely vanquifhed, and that nothing more was neceffary than pure air and nutri-H 2 tious

tious diet to recruit his strength, and finally complete the cure. Indeed they were, he faid, quite politive as to the fuccels of this last falivation, the fymptoms having given way fo readily, and the process in every refpect been fo fatisfactorily conducted throughout. The patient acquiefced in the prognoffic, and without further delay removed into the country for the benefit of air, &c. This pleafing delution lafted not many months, for he had the mortification to perceive that some of the symptoms of his old diforder were gradually coming forward again; he thereupon confulted his phyfician once more, by whofe direction he took fublimate folution and farfaparilla for fome months; these medicines afforded him only a temporary relief, and were not attended with better fuccefs than the three falivations which had preceded them, as evidently appeared not many months after by a return of the difeafe. His patience as well as conftitution was by this time nearly exhausted; infomuch that he frequently declared, no one should ever perfuade him to make any further trial of medicine, it having fo repeatedly proved fallacious.

[ 52 ]

lacious. The difeafe however becoming almost infupportable, he was prevailed upon to make one effort more for its removal: in confequence of which he became my patient at the time above-mentioned, when he had feveral foul ulcers on the back, two in his nofe, one on the cheek, and another behind the right ear; his head was almost covered with fcabs, as was likewife the fcrotum : from all these iffued fuch nauseous effluvia, that his nearest relations and friends could not remain in the fame room with him long at a time. Pains in his head and limbs prevented him from fleeping, except towards morning or in the day. His appetite, ftrength and fpirits were fo much reduced, that he defpaired of relief from any thing but a total diffolution. After having attentively given ear to this melancholy detail of repeated difappointments, and examined the ulcers, &c. and made the proper enquiries relative to his former habit of body, or natural temperament previous to the difeafe, I declared as my opinion, that he might be cured by alteratives, if of the most powerful kind, and regularly perfevered in for fome weeks. He affented affented, though not without first observing, that by this time he had entirely loft all faith in medicine. I prepared for him ftrong decoctions of the woods, and likewife alterative pills, and defired him to take them in fuch dofes, and as repeatedly as the ftrength of his ftomach would admit of. Relying folely on the effects of internals, I applied no other dreffing to the ulcers than dry lint throughout the whole time. I recommended diet of the most nutritious kind, and that it should be taken in fmall quantities, frequently repeated, by reafon of the very weak state to which the difease and reiterated falivations had reduced him. In little better than a week, the nocturnal pains entirely left him the fcabs foon after fell off, and the ulcers were in good condition; his appetite and fpirits daily increased, infomuch that he thought himfelf well in lefs than a month, the ulcers being all healed, and every fymptom of the difease having by that time disappeared .- Notwithstanding which, I judged it necessary to continue the medicines a month longer, to prevent a relapse. My patient had no objection to perfevere in the use of them for any length

length of time, having already experienced fuch falutary effects ; which, with great pleafure he contrasted to those of the methods he had formerly purfued; inftead of being confined to his chamber, and undergoing one of the greatest punishments (as he expressed it) in the power of the faculty to inflict, namely, that naufeous process a falivation, he had enjoyed moderate exercise in the open air every day the whole time he was under cure, and experienced an increase of appetite, strength and fpirits in proportion to the time of using the medicines; and as a proof of their not being unpleafant, he conftantly drank the apozem at meals, and at other times when thirsty. Thus was he radically cured in the fpace of two months, having never experienced any return of the complaint, as he not long fince informed me.

#### CASE XIX.

THREE years fince, a Merchant in Weffminister employed me to extricate him from the following difagreeables; nodes on the shins, an ulcer in the throat, nocturnal pains, and

and a feabby eruption on his body, which from its stench was extremely offensive. He was much emaciated, and had little or no appetite. I defired to be informed of particulars, the date of the difeafe, in what manner it first appeared, and what methods had been ufed for its removal. To which he replied, that in the year 1772 he caught the infection, which made its first appearance in a bubo on the right groin, and was not preceded by either chancre or clap, nor had he ever been infected before. The tumor increafed very fast and was extremely painful, his furgeon encouraged fuppuration, and when that was complete, opened it by cauffic. The difcharge continued upwards of three months, during which time he rubbed in large quantities of mercurial ointment, and was purged at intervals to prevent a fore mouth; and at the end of about fourteen weeks his cure was pronounced. In a few months however, the difeafe returned; ulcers having formed in the throat, accompanied with nocturnal pains in his head and limbs, for which he underwent a falivation, and was again supposed to have received a cure; but in lefs than fix months months he was obliged to apply once more to his furgeon, the difease having re-appeared with the addition of a node on the left fhinbone; he was falivated a fecond time, and was faid to be perfectly cured. After fome months the difeafe again appeared, when he employed another furgeon who perfuaded him to make trial of falivation for the third time, which affording only a temporary relief, he confulted a phyfician, by whofe direction he took medicines for feveral months, until the difeafe was thought to be removed; being reduced by this process to a very languid state, country air and afs's milk was recommended, but they had not the defired effect; for foon after the difcontinuance of anti-venereals, he gradually relapfed into his former fituation. His medical friends being again confulted, they strongly urged the necessity of a fourth falivation, as the only probable means of fucceeding; by this time he entertained no very high opinion of falivation, but being almost worn out with pain and disappointment, he agreed to it with this provifo, that it should be carried to fuch a degree, as to terminate in the perfect re-establishment of his health, or in

Т

in the grand cure of all mortal complaints. To humour him they acquiefced in the propofal, and he was falivated for the fourth time; the fpitting they affured him was continued as long, and to as great a degree as his ftrength poffibly could admit of; and every circumfance confidered, they had not the leaft reafon to doubt but a radical cure would be the confequence. This defirable prediction however, was by no means verified, as evidently appeared in the courfe of a few months, the difeafe returning with feemingly accumulated virulence, which he observed to be the cafe after each of the preceding falivations. Having finished the narrative, he defired to be informed whether I could render him any fervice, which he was induced to believe might happen, from fome accounts he had lately heard of my having affected cures after the failure of repeated falivations. I told him that I had been fuccefsful in that line, and notwithstanding the obstinacy of his difeafe, I entertained fome hopes of relieving him. After fome further conversation, he defired me to administer what I thought proper, and that he would ftrictly observe my directions

directions in every refpect. Accordingly, I recommended a courfe of alteratives; and at the fame time the most nutritious diet, with moderate exercise in the open air, to be frequently repeated, proportionably to his encrease of strength. Within the first fortnight I fent him three times to a bagnio, in order both to cleanse the string and promote perspiration. By these means he obtained a perfect cure in the space of ten weeks, and has remained healthy ever fince.

#### CASE XX.

A GENTLEMAN in the county of Cornwall, four years ago, put himfelf under my care, his cafe was a confirmed pox, under which he had laboured near eight years, the fymptoms at times having been palliated by five falivations, and a variety of medicines. Upon my requefting to be informed of every particular relative to his complaint, he told me, that being a man of few words, he never dealt in long narrations, of which his cafe would prove one if given in detail; he fhould therefore mention a few of the moft material 12 circumftances, circumstances, and wrap them up in very fmall compass. He faid, "That about eight years before, he contracted a small chancre on the penis near the frænum, which his furgeon healed in a few days by the use of mercurials both externally and internally. A fhort time after, a bubo formed in the groin ; it fuppurated, was opened by cauftic, and, after discharging some weeks, healed; he took medicines fix or eight weeks, and was faid to be cured. In the course of a few months he was vifited by an ulcer in the throat, nodes, and nocturnal pains. In fine, the inveteracy of his difease was fuch, that, from the time above-mentioned, to that in which he was speaking, it had withstood five falivations, and great quantities of different medicines administered between each of them: and (as he expressed it) had he not had the constitution of a horfe, the difeafe or the methods used for its removal, must in that length of time have deftroyed him; but thanks to heaven, his stamina were naturally of the ftrongeft kind. He was now quite emaciated and worn down with nocturna pains in his head, limbs, &c. There were three

three nodes on his ribs, and a large ulcer on the head, from whence feveral pieces of bone had exfoliated, and many more were for loofe as to require extraction foon after he became my patient; this opening had been made by a cauftic for the purpose of difcharging a large collection of matter. Thefe were his fymptoms at the time he made application to me; and notwithstanding the meafures hitherto adopted had fucceeded no better than as mere palliatives, I defpaired not of removing the difeafe; having fo frequently experienced the powerful effects of alterants in the most confirmed cafes, where many repeated falivations had proved abortive. This gentleman acquired a radical cure in three months by the use of alteratives : had the exfoliations been completed fooner, I should not have given him the medicines fo long.

#### C A S E XXI.

In the year 1777, a Gentleman from the county of York, came up to town to be under my care. He had been afflicted with a venereal complaint almost ever fince his birth, by

by means of an infected nurfe, whole foul milk to gradually affected him, that fome weeks elapfed before his parents were able to account for his declining state of health; happily however, the caufe was difcovered, and a check put to the rapid progress of the difease, by means of anti-venereals. The growth however of the child was much impeded, as the medicines though continued a long time had only palliated the fymptoms, and faved the life of the patient. When he confulted me, his age did not exceed twenty years, he carried but little flesh, and was low in stature, although his parents were the reverfe. Foul eruptions frequently infefted many parts of his body, and fometimes afforded a temporary relief from the achs and pains which he generally at other times experienced. His eyes were extremely weak, and often fo much affected by this acrid humour, as to be threatened with a lofs of fight. The infection having been thus deeply rooted in the conflitution, and in a manner interwoven with it from his infancy, I entertained very flender hopes of totally eradicating it; this opinion I communicated to my patient, who,

who, neverthelefs, entered very chearfully upon a courfe of my medicines, which fome of his acquaintance had frequently given him a very favourable account of. In the fpace of three weeks he acquired a good appetite; the cutaneous eruptions gradually gave way, as did likewife the pains in his limbs, &c. he daily improved in ftrength and fpirits, and at the end of three months appeared to be in high health, and was grown fat. By my advice he continued the medicines three months longer, and was then perfectly cured.

LET this, amongst many other fimilar instances, ferve as a caution to parents how they entrust their infant offspring to mercenaries. Other acrid humours may often be derived from the fame unhappy fource.

#### C A S E XXII.

A TRADESMAN in Westminster, about two years and a half fince, became my patient, together with his wife and child, who, at that time, were all infected with the venereal difeafe : the man had a copper-coloured eruption on his body, and an ulcer in the throat ; the the woman a bubo in the right groin, and nocturnal pains; and the child a venereal eruption which overfpread the greatest part of its body. This complicated fcene of diftrefs took its rife from the hufband, who informed me, that nine or ten months before; he had made an imprudent connection; twelve days after which, a fmall ulceration (a common excoriation he supposed it to be, though in reality chanore") made its appearance on the glans penis, near the frænum; not fulpecting it to be venereal, he applied a piece of dry lint or cotton, which healed it in a few days. On examining the part, I found, that notwithstanding it had skinned over so readily, there yet remained a fmall collofity, from which all this mifchief had originated. In the course of a few months he had reason to suspect himself to be infected, and a fhort time after the mortification to find that he had communicated the difeafe to his wife, from whofe milk it was conveyed to the child alfo. An enlargement

[ 64 ]

\* By the patient's account not much larger than a pin's head.

of the inguinal gland was the first venereal fymptom that attacked the woman, none of the neighbouring parts having been at all affected; we may therefore conclude, that the received the infection from the contaminated femen of the man. The family furgeon and apothecary having for fome time administered medicines without the defired effect; I was thereupon called in, and found the parties in the fituation as above defcribed. The child at this time was not more than twelve months old, confequently very little fuccefs could be expected from the application of medicine immediately to the infant itfelf, for, let the preparation be ever fo palatable to the tafte, or gentle in its effects, a fufficient quantity would not be taken to eradicate a difeafe of this kind. Therefore, I defired the mother to continue fuckling her child, that the remedy might be conveyed to it through the fame channel that had communicated the difeafe; for this purpofe, I immediately put her under a course of alteratives, of which the could only take fmall dofes on account of the infant, whereby the cure was protracted to near four months, at which period I K had

[ 65 ]

had the fatisfaction of feeing both mother and child perfectly freed from this loathfome difeafe. The man's health was re-eftablished in half the time that had been requisite for the cure of his wife and child, by reason of his taking the medicines in their full doses.

I COULD mention feveral cafes fimilar to the foregoing ones, was I not of opinion, that they will elucidate the fubject as well as ten times the number.

N.B. IN the treatment of chancres, their callofity fhould be removed as expeditioufly as poffible, to prevent the ill effects of abforption which will otherwife enfue.

Excoriations on the glans penis and præputium of men, and on the labia pudendi, vagina, &c. of women, have very frequently been treated in the most erroneous manner; fome that were truly venereal, have been totally neglected, whilst others that arose from very different causes, have been so carefully attended to, as almost to endanger the life of the patient; by the application of strong mercurials,

# [ 67 ]

curials, draftic purges, &c. Nor are inftances wanting, of perfons having been falivated on the like occasion.

#### PROPHYLACTICS.

HAVING treated hitherto on curatives only, let us now beftow a few thoughts upon preventives. The doctrine of prevention, altho' it may not be coeval with the difeafe, is neverthelefs of confiderable antiquity : for the accomplifhment of fo defirable a purpofe, a great variety of methods have been propofed; many of them are to the higheft degree abfurd, and a few only that bear even the femblance of probability, particularly amongft thofe recommended by the ancients.

DURING my attendance at the lectures of medical profeffors feveral years fince, I have frequently been much entertained at the ingenuity with which this fubject has been handled. One of these gentlemen has strongly contended, that a mucilaginous or oleaginous application is the only topical one that can be depended upon; and in support of this opinion,

ex-

expatiated on the power of emollient, and unctuous remedies in correcting or counteracting the most acrid and corrosive substances, by blunting their spicula, and sheathing the acuteangles, &c. thereof. Another professor perhaps equally learned, and probably, not inferior to the former in experience, infifts, that a ftrong alkali is the only thing which can affect this grand defideratum, and for this reafon, that in order to expel the venereal virus as expeditioufly as poffible, nothing will be fo likely to answer that purpose, as a medicine of this kind, which immediately ftimulates the glands to fuch a degree, as to produce a very copious fecretion of their fluids, and thereby diflodge the enemy without either impediment or delay. With equal plaufibility, acids have been recommended by fome, and fpirits by others; not confidering that the pain, &c. arifing therefrom, would frequently injure as much, and perhaps fometimes more, than the difeafe which they were intended to guard against.

VERY numerous have been the advocates for mercurial preparations whilft feveral have given the preference to those of lead, Every man man of experience, however, must acknowledge that theories in general (how fpecious foever they may appear) are, the major part of them, extremely defective, when put to the teft. I have myfelf feen a number of various experiments made on the prefent fubject; indeed, the line of practice in which for many years I have been materially engaged, has enabled me to profecute an enquiry of this kind to as great an extent as most men; and after all, I am perfuaded that very gentle ftimulants\* will answer the purpose more effectually than applications of any other fort : I am led to be of fuch an opinion from the very great fuccefs that has attended this mode of prefervation for feyeral years paft; those of my patients who have made the proper and timely use of a composition of this kind, have not been infected, I believe, once in fifty times upon an average : which, confidering all circumstances, is as much as can reafonably be expected. Were I to affert that any medicine or preparation is infallible, I

\* A weak folution of metallic falts.

fhould

fhould pay no great compliment to the underftanding of my readers, by advancing fo palpable a falfehood; fuffice it to obferve, that fome of my friends entertain the higheft opinion of this composition, from the great and repeated rifks they have ran for many months fucceffively, without receiving the least injury; notwithstanding their fometimes copulating with fuch as they knew to be infected at the time of action.

To guard against the infection, fome practitioners have thought it fufficient to advise the application of unctuous or other fubstances to the glans penis, in order to obstruct or close up the absorbent vessels or pores thereof, being of opinion, that the enemy always gets admission that way: in opposition to such doctrine, be it remembered, that chancres frequently fix upon other parts of the penis, and fometimes attack the scrotum and its vicinities, from which buboes have ensued, as appears in fome of the foregoing cases.

GLEETS.

Buad

## GLEETS.

[ 71 ]

OF gleets iffuing from the urethra, there are two fpecies upon which I propole making fome obfervations; namely, the venereal gleet, and the feminal one. The former is the difcharge which fucceeds a clap; in other words, the running that continues after the removal of infection; this difeafe arifes from the urethral ulcerations not having been healed in proper time, which may be occafioned by various means; for inftance, by too frequent repetitions of flrong cathartics; by unctuous applications long continued; by acrimonious humours; in fine, by any thing that relaxes to too great a degree, or for too long a continuance.

THE cure is often protracted by the irregularity of the patient, who fometimes is kind enough to impute it to the mifmanagement of his furgeon; and on the other hand, it may fo happen, as to be really the cafe.

Some of the reafons affigned for the difficulty culty of curing ulcers on the legs, will hold good in those of the urethra: the fituation of both affording a depending orifice, or drain to the humours, which confequently will very readily flow down thereto; and when Nature has been accustomed for a length of time to any particular evacuation, and the outlet thereof, the flux of humours will there be very confiderable, and the task of diverting them to any other channel will be proportionably difficult.

ANOTHER difagreeable circumftance attending ulcerations of the urethra, is, the frequent flows of urine over them, which at times being highly acrimonious, muft interrupt the digeftion of the ulcers; and a part of it lodging in them, may corrode in fome degree, unlefs prevented by proper topical applications, which cannot here be conveyed in a more fuitable form than that of injection. And even after the ulcers are healed, it will generally be found expedient to continue injection a week or ten days longer, to confirm the parts, and defend them from the urinous falts, which (fhould this precaution be omitted) ted) are fometimes fo acrid as to abrade the new fkin, and make the fores difcharge afrefh. The fame thing may happen hen the urine is loaded with coarfe gravel or ftones, which will foon deftroy the tender cicatrix ; and if neglected but for a few days, a fluxion of humours to the part may enfue, and mult confequently retard the cure:

So high an opinion do I entertain of injections, that I will venture to affirm, that almost every gleet (unaccompanied with caruncles, or callous edges of those ulcers from whence it proceeds) may be cured by injection, provided the redundant acrimony (if there happened to be any) shall have been previously corrected. Innumerable almost are the inflances which might be produced in support of this opinion; a few only of the most remarkable ones will be here introduced to elucidate that point.

GLEETS, attended with great obstructions in the urethra, occasioned by carnofities, caruncles, callosities, funguses, &c. (call them by what names you please) will generally require mediated bougies to remove them before we can ex-L pect pect a radical cure of the gleet. They will likewife be neceffary in the removal of ftrictures, and the callous edges of old obstinate ulcers in this part.

As to the composition of bougies, great care must be had that nothing corrofive or very ftimulating be introduced therein; on the contrary, it must confist of the mildest digeftives; and when formed into bougies, must have a very even polished furface, and be of fuch temper or confiftence as readily to adapt themfelves to the curvatures, &c. of the urethra, and yet at the fame time be endued with fufficient ftrength to make the neceffary preffure. The foregoing caution relative to the composition of bougies, cannot be too. much inculcated, when we confider the delicate texture of the urethra and its extreme irritability : no two parts of the body, I prefume, bearing greater analogy in point of fenfibility, than the urethra to the eye.

IN the management of bougies, more attention is neceffary than people in general imagine; for inftance, if too large a one be introduced

## troduced, or too much force used, either an hæmorrhage (that very much alarms the patient, though in other respects not prejudicial) or an inflammation ensues, which must retard the cure, should it produce no other disagreeable effect.

[ 75 ]

THE differition of these parts ought to be made very gradually for the reasons above affigned, as well as to avoid the pain that must otherwise be occasioned. If the end of the bougie be fuffered to press against the neck of the bladder, it generally stimulates to such a degree, as to produce a strangury.

A LIGATURE of fome kind fhould always be affixed to a bougie, previous to, or immediately after its introduction, both to prevent it from flipping into the bladder, and to retain it exactly in the proper fituation.

How long each bougie may be worn, will depend upon the irritation it occafions; it must not remain in the urethra after it becomes painful, for reasons very obvious. When the urethra has been habituated to L 2 them, them, they may be retained the whole night, provided fleep be not thereby prevented, or much interrupted.

Antecedent to a courfe of bougies, it will frequently be neceflary to prepare the parts with a cooling injection, and to repeat it during the ufe of them, as foon as the leaft fymptom of inflammation makes its appearance. Gentle aperients at this time may likewife be ferviceable, fuch as lenitive electary, fulphur, magnefia, &c. Moderate exercise, and a total abstinence from acids and strong liquors must also be enjoined.

As to the length of time which may be proper to continue the use of bougies, that must depend upon the degree of obstruction in the passage, and the irritability thereof, together with the patient's habit of body, and many other circumstances.

-GE 28V/

IT will not I believe be difputed, that there may be the abufe, as well as proper use of bougies, for should they be continued long after the disappearance of discharge, a fresh running

# [ 77 ]

running will be produced, by the very means employed to remove the old one; they are not, however, to be left off abruptly; it must be done gradatim, lest the cicatrix should exceed its due bounds, and thereby lessen the diameter of the urethra.

MEN fometimes want patience under a courfe of bougie; but the time may be greatly fhortened by the affiftance of proper injections. Many inftances indeed have occurred, where injection has performed a cure after bougie, and every other remedy has proved ineffectual. Such improvement has of late been made in this refpect, that I do not find it neceffary to use half the number of bougies which I formerly did, cures now being effected in fo much lefs time.

## CASE XXIII.

In the month of March, 1777, I was applied to by a gentleman of fortune in the county of Derby, who had laboured under a venereal gleet for more than fix years; in the course of which time he had employed several

several of the faculty in his own neighbourhood, and had made journies to town for the opinions and prefcriptions of fome eminent ones in the metropolis, in confequence whereof, he had used a variety of medicines both external and internal, which afforded him only a temporary relief; the difcharge generally returning in ten days or a fortnight afterwards. The difease commenced, he faid, in the year 1770, when he contracted a clap, for the cure of which, his furgeon had purged him pretty brifkly, and used a confiderable quantity of mercurial ointment, until the infection was fuppofed to be removed ; then, balfamics, aftringents, &c. &c. were adminiftered; and he afterwards used the cold bath for feveral weeks fucceffively. All thefe expedients however proved merely palliative, as the complaint conftantly returned foon after their discontinuance. The discharge was copious and of a deep yellow colour; I defired permission to examine the urethra with a bougie, he readily affented, but obferved that bougies would be of no fervice to him, having used them upwards of eleven months without any good effect; I informed him

[ 78 7

him that I did not propose his wearing them, unless there should be a very material obftruction in the passage; which upon examination not being the case, I recommended alteratives and an aftringent injection, the former to be continued three weeks or a month, and the latter, double that time with moderate exercise, and a strict abstinence from acids of every kind : and at the same time to keep his body folutive with fulphur or magnesia alba. By these means he was radically cured in the space of two months, and has remained well ever since, as he perfonally informed me in the month of January, 1780.

## C A S E XXIV.

About two years fince, a Gentleman in Westminster applied to me for the removal of a gleet, which had troubled him twelve years; during that time, he had at intervals taken a great deal of medicine, and of various kinds. One remarkable circumstance attending this case, was, that notwithstanding the very long continuance of the running, no carnofities carnefities or obftructions of any fort had formed in the urethra, which I afcertained by the introduction of a bougie, previous to delivering any opinion upon it; when finding the paffage perfectly clear, I told my patient that his complaint in all probability might be removed without much difficulty, provided he would live temperately, and adhere ftrictly to the rules I fhould preferibe; namely, to avoid acids, ftrong liquors, and violent exercife; and regularly to ufe every night and morning a fyringeful of injection. Thefe he did; and was perfectly cured in the courfe of three months.

#### C A S E XXV.

A NOBLE LORD, in the month of May, 1778, fent for me, on account of a gleet attended with a fmall obftruction in the urethra : he informed me that his diforder was of four years ftanding, and had refifted every means prefcribed for its removal ; that he had taken a variety of medicines, been once falivated and had ufed bougies. The difcharge was thin, yellow, and copious, unaccompanied with with either pain or inflammation. As his Lordfhip was of a good habit of body, I did not prefcribe any internal remedies, but trufted wholly to injection, which in the fpace of fix weeks effected a radical cure.

f 81 7

N. B. THE fame regimen was observed as in the preceding cafe, and the injection was used three times each day.

## C A S E XXVI.

A STATIONER in Weftminster, three years ago, applied to me, in confequence of a gleet with a fmall caruncle in the urinary canal, which complaint he had laboured under upwards of five years, and during that time had used various medicines, but they had all proved ineffectual: he was however, perfectly cured in lefs than two months, merely by the use of injection.

## C A S E XXVII.

I was confulted about two years fince by a Coal-merchant in the county of Middlefex, M who who had then contracted a virulent gonorrhæa, in addition to an old gleet with which he had been troubled for fome years He expressed much concern at this accident, imagining that the gleet would be a great impediment to the cure of the gonorrhæa; but I foon made him eafy on that head, by observing, that probably both complaints would be removed at the fame time, as I had very frequently been fortunate enough to cure clap and gleet both together : and indeed it fo happened in this cafe, at the end of five weeks, by means of injection and an alterative apozem.

## C A S E XXVIII.

About feventeen months ago, an Irifh Peer became my patient; his cafe was a venereal gleet, with which he had been afflicted many years : bougies as well as internal medicines had been repeatedly ufed without fuccefs. Upon examination I found a fmall carnofity in the urethra, from which iffued a moderate quantity of yellow matter. I propofed injection, but he at first objected to it, alledging

alledging his having tried it without effect; not confidering (as I observed to him) that the composition of injections was as likely to vary as that of any other remedy. I likewife related to him fome inftances wherein that mode of cure had been particularly fuccefsful after every other had proved the reverfe. He thereupon agreed to put it once more to the teft, but was obliged to defer it for a few weeks on account of a long journey he was the next day to fet out upon. In the courfe of a month his lord hip returned, and then informed me that my attendance was doubly neceffary to him ; having, on the journey, added a clap to the old diforder. The running was plentiful, and accompanied with a heat of urine and chordee.

I IMMEDIATELY recommended the use of injection and a few alterative pills, which, with a proper regimen, perfectly cured him of both clap and gleet in the space of thirtytwo days.

FROM the number of cafes that I have feen fimilar to the preceding ones, where a M 2 fresh fresh infection has been engrafted upon an old gleet, and the little difficulty generally experienced in removing both together, I am led to believe, that in many inftances, the flimulus produced by the venereal virus, has frequently contributed to accelerate the cure of the gleet; and particularly fo, when it fixes immediately upon the old ulcer; whose callous edges may thus be removed more speedily perhaps than by any other means.

A VERY striking instance of this kind will be found in the subsequent case :

#### C A S E XXIX.

Four years fince, a Linen-draper in the City, after having ineffectually employed feveral gentlemen of the faculty for the removal of a venereal gleet which had troubled him eight years, made application to me for the fame purpofe. I examined the urethra with a bougie, and found very little obftruction therein; I then enquired into the different methods of cure that had been adopted by his other furgeons, to which he replied, that that after going through feveral mercurial courfes, taking a great quantity of balfamics, and using a variety of aftringents internally as well as topically, bougies were at last recommended; and notwithstanding the uninterrupted application of them for fome months, and the ftricteft regimen at the fame time being obferved, the difeafe still maintained its ground. Upon further enquiry, I found that my patient was a very temperate man, and rather of a cold phlegmatic habit; I therefore judged that an alteration in his mode of living might be of use, and accordingly prefcribed half a pint of good port wine to be taken every day after dinner, and twice or thrice that quantity after fupper. I likewife ordered an injection to be used night and morning, and a few internal alteratives. This plan was purfued for a fortnight or three weeks without producing any very material alteration in the difease; his spirits and appetite however were greatly benefited, infomuch, that in the course of a week or ten days longer perfeverance therein, he was induced once more to pay his devoirs at the fhrine of Venus, and there again became a burnt offering, having then

[ 85 ]

then acquired both clap and chancres. His reward for ftealing fire (if it may be deemed a theft) differed widely from that which Prometheus experienced : for to his great joy and furprife, the old inveterate gleet was radically cured by the means used to remove the gonorrhæa and chancres, in the courfe of twenty-nine days.

IT may be asked, whether no fuccedaneum can be invented to answer the purpose as well as venereal matter? To which I should only give this answer, let future experiments and observations afcertain that point. It may likewife be fuggefted, that the fuppofed advantages accruing from this fresh infection, do not absolutely arise therefrom, but from the medicines used in confequence of it, which may fo correct the latent acrimony of the blood and juices, as to effect a cure merely by that circumftance. My reply to this will be, that I have administered the fame kind of medicines, and for a longer time in fome of these cases, previous to the new infection. It may then perhaps be faid, that they were not continued long enough : be it fo ; or at this rate we might go on ad infinitum, and never put a period to our

our fuppolitions; we will therefore leave to practice inflead of theory, the determination of this matter.

[ 87 ]

CALAS E XXX. 9 STOR

trought, and therefore requimended the imm

I was confulted a few years ago by the Captain of a marching regiment, who had been afflicted many years with obstructions in the urethra-they were particularly diffreffing to him during the late war, occafioning repeated fuppreffions of urine, which at length became fo frequent, as to oblige him to carry a fmall catheter or a bougie generally in his pocket ; unluckily, however, he was unprovided in that respect once upon a forced march, when being attacked with a total fuppreffion of urine, and having no affistance at hand, he was under the necessity of taking a fmall twig from a tree, and after properly fhaping, forced it through the obstructions into the bladder, made a pallage for the urine, and thereby faved his life, which had often been in the most imminent danger from the hounds by the mis of fame caufe.

Aling michions Thu

AT the time he applied to me, the urethra. was fo much obstructed with caruncles, that I found great difficulty in paffing the smallest bougie, and therefore recommended the immediate application of them : his anfwer was, " That if no other means were used, he was very certain no cure would be obtained, having worn bougies at times for fome years paft;" I replied, " That internal remedies were likewife indifpenfably neceffary in his cafe, by reafon of the very high degree of fcurvy with which he was most evidently infected; his body being almost covered with pustules, boils and fcabs, the rankeft of the kind that I had ever seen. Very powerful antifcorbutics were therefore liberally administered during the whole course of bougie, in order to correct that acrimony, which would otherwife have much impeded, if not entirely prevented the formation of a proper cicatrix. The difcharge from the urethra was very plentiful for the first three weeks, and from its sharpness sometimes inflamed the glans penis and præputium, as well as the urinary duct, but was kept within bounds by the use of emollient and cooling injections. Thus, was the urethra entirely

81000

entirely cleared of obstructions, the body of its acrimonious humour, and in less than four months the patient's health perfectly re-established.

T 80 7

# CASE XXXI.

A MEMBER of the House of Commons about a year ago sent for me, on account of an obstruction in the urethra, which had troubled him fome years, and of late produced a frequent inclination to make urine, though it could flow now only in a very fmall ftream, and with much difficulty, from the encreafed fize of the carnofity. The obftruction was fo great, that it would not admit the smallest bougie to pass it; I therefore contented myfelf with introducing one up to the caruncle, upon which it made a gentle preffure, being properly fixed with a ligature : I gave directions for its being retained in the fame polition as long as pollible, that the bougie might gradually either infinuate itfelf through this fleshy substance, or else flip past it. My patient perfevered in the method I had proposed for the space of near eleven hours N

hours, when he had the fatisfaction of perceiving that the obstruction gave way to the bougie. A small hæmorrhage enfued, which in a few minutes ceafed of itfelf-foon afterwards he attempted to make urine, but at first found the paflage more obstructed than usual; however, upon straining, he forced out fomething, which he imagined was coagulated blood, but on examination it proved to be the carnofity itfelf----in fhape and fize it nearly refembled a pea, and was composed of a tough membranous fubstance,---the basis of it was very fmall, as will be readily conceived from its being fo eafily feparated. The unufual frequency of making water immediately ceafed upon the removal of the excrefcence, which without doubt had fo ftimulated the parts as to be the occasion of it; upon the fame principle I prefume as any extraneous body would have done. Aftringent injections now became neceffary to procure a firm cicatrix; bougies were likewife frequently introduced to preferve the natural diameter of the urethra in that particular part; and, in order to confirm the cure, thefe applications were continued about a week or ten days.

# [ 9<sup>1</sup>] CASE XXXII.

A TRADESMAN in Westminster, was for feveral weeks incommoded with a frequent defire to void urine, which at length encreafed to fuch a degree as to prevent his attendance on bufinefs : thus circumstanced, he became my patient. Upon enquiry, I found that he had not been fubject to either gravel or ftone, nor was there any reafon to fufpect that infection had given rife to the complaint. I then proposed to examine the urethra with a bougie, but was prevented by a wart just within the orifice; that excretcence I removed with fciffors, and deftroyed its roots with an efcharotic. The patient informed me next day that he no longer felt any irritation at the neck of his bladder, nor had any inclination to urine oftener than he ufually did before the diforder took place. The parts foon healed; and he has been free from ftrangury ever fince.

HERE we may obferve, that a difeafe at one end of the urethra, will produce a difagree-N 2 able able fenfation at the other. It frequently, happens that a ftone in the bladder, when it preffes in a particular direction, will create fuch an itching at the glans penis and præputium, that the patient cannot refrain from rubbing and pulling those parts.

EXCRESCENCES in the urethra fometimes affect very materially the feminal ducts, as will appear in fome of the following cafes.

IT often occurs, even in claps, that the patient thinks his difeafe feated in one part of the urethra, when it happens to be in another: indeed, we cannot wonder at the many inftances of very great fympathy in thefe parts, when we confider their exquisite fenfibility.

### C A S E XXXIII.

A GENTLEMAN in the county of Norfolk, had many years laboured under a difficulty of making urine, occafioned by excretcences in the urethra, the confequence of a long continued gleet. He had had frequent fuppreffions

[ 93 ] fions of urine after violent exercife, hard drinking, or excelles of any kind; this he deemed merely a temporary inconvenience, it having generally been foon removed by the introduction of a catheter or a bougie : which circumstance rendered him negligent as to the making of proper application for a radical cure. However, he at last fuffered very feverely for his inattention, as will appear in the fequel. In the month of June, 1777, being very much heated with exercise and high living, he was attacked by his old complaint, (the fuppression of urine) and recourse was immediately had to the former expedients, but the inflammation and obstruction were to great, that no inftrument could

be paffed into the bladder --- his furgeon endeavoured to relieve him by the ufual means, fuch as bleeding, warm bathing, terebinthinate and other clyfters, anodynes, &c. but they proved ineffectual. After the suppression had continued upwards of thirty hours, he determined to come up to town, though at the diftance of more than one hundred miles. The anxiety and pain that he experienced during the journey, may be better

better imagined than defcribed. On his arrival in town he immediately fent for me: but, half an hour before I faw him, the urine had forced its way through the perinæum, a part of which, and of the adjoining fcrotum, I found in a mortified ftate. The mortification extended at leaft fix inches in circumference.

FROM the pale emaciated afpect of my patient, I could not expect any great affistance from his conftitution, which by his own account had been much impaired by a long fucceffion of irregularities. His age did not exceed forty years ; in the laft ten of which, he had been frequently attacked with fevere fits of the gout. All these circumstances confidered, I could not form the most favourable prognofis; however, I was particularly careful, that my opinion should not be couched in fuch terms as might deprefs his fpirits, being fully aware of the bad confequences that frequently enfue from the mind's influence upon the body, efpecially in putrid complaints. Having in these cases no time to lofe, I immediately proceeded to fcarify the parts as deeply as the nature of them would

would admit of, or as circumftances required. After fluping the wound extremely well with a fpirituous fomentation, I applied warm digeftives, and over them (inftead of cataplasm of any kind) fost rags moistened with camphorated spirits, and ordered the nurse to dip a sponge in the same every half hour, and squeeze it over the dreffings and the neighbouring parts, in order to prevent as much as possible the mortification from extending itself any further. The dreffings were often renewed, on account of the urine's flowing fo frequently through the wound.

As internal antifeptics were likewife indifpenfably neceffary, I prefcribed an electary of Peruvian bark and Virginian fnake-root, to be taken as often and in as large dofes as his ftomach would bear, and that it fhould be wafhed down with camphorated julep or good Port wine, of both which I allowed him to take very freely. His liquors were moft of them acidulated with elixir of vitriol, to which was added the aromatic tincture, to prevent its offending the ftomach, and at the fame time render it more cardiac. There

There were likewife prepared for him ftrong rich foups, and what is called beef-tea, of which he drank plentifully. Opiates were administered the first twelve days, and at fuitable intervals, clyfters to keep his bowels in a proper state. By these means the progrefs of the mortification was foon impeded, and in a fhort time entirely stopped. The floughs began to feparate in the courfe of twelve days, when I thought it adviseable to attempt regaining the natural paffage for the urine, the whole of which conftantly flowed through the wound ever fince it had first made an outlet that way. The caruncles in the urethra made fo much refiftance, that four days elapfed before the fmalleft bougie could be paffed through them ; but as foon as that point was gained, a bougie was constantly kept in the urethra both night and day. The urine by this method foon recovered the natural channel, and in lefs than a fortnight, not a drop of it passed through the wound, which now digested well, and in a few days incarned, and foon after cicatrifed as kindly as could have been expected. By continuing the bougies fix weeks longer, the urethra Datiente

urethra was entirely cleared of all its obftructions, and the parts firmly healed. Soon afterwards, my patient returned to the country in high fpirits, and in a much better flate of health than he had been for many preceding months.

1 07 1

## SEMINAL GLEET.

HAVING hitherto made little or no mention of the feminal gleet, I will now offer a few obfervations upon the origin of that difeafe, and produce fome particular cafes, both to illustrate the fubject, and recommend a method of cure that has frequently fucceeded after every other had proved ineffectual.

THAT feminal gleets or weakneffes (call them by which name you pleafe) are of all others, the most difficult to cure, I prefume, will not be controverted by any experienced practitioner; this difficulty will be encreased in proportion to the immediate cause of the difease, and the contingencies that may attend is, the habit of body, mode of living, climate, profession or occupation, &c. of the optient. patient. The difeafe may arife from those excrefcences in the urethra, which we term caruncles, carnofities, &cc. and it is fometimes occasioned by the destruction of that natural caruncle, the *caput gallinaginis urethræ*. It originates likewise from an acrimonious state of the blood and juices. Sometimes it is produced by a general relaxation of the whole frame, from whatever cause some foever that may take its rife, whether from a feries of debaucheries, excessive venery, felfpollution, &ce. &c.

In fome of the foregoing cafes, I have demonftrated that an excretcence in the urethra will ftimulate the bladder (though at the diftance of fome inches) to fuch a degree as to bring on a frequent inclination to evacuate its contents: and when that ftimulus happens to fix upon the feminal ducts, the refervoirs, or the tefficies themfelves, fimilar effects mult naturally be expected. After the feminals have been thus ftimulated for a length of time, their retentive faculties mult indubitably become fo much impaired and weakened, as to admit of very frequent and involuntary involuntary emiffions. The fame confequences may also be expected, when the blood is much impregnated with acrimony of any kind, and a confiderable share of it falls upon any particular organ (a gland for instance, or its excretory duct) the irritation thereby produced must excite an unnatural fecretion, as well as expulsion of that particular fluid, and will at the fame time alter the quality of it. A long continued repetition of this ftimulus gradually relaxes the mouths of the excretory ducts, together with their valves or fphincters, those natural obstacles to involuntary evacuations; in fine, they entirely lofe their original powers of retention, and the fluid is frequently discharging itself, almost as soon as secerned ; or upon the least exertion in making urine or going to ftool, fuppofing the feminal veffels to have been thus vifited by the acrimonious humour.

#### C A S E XXXIV.

AN Officer in the Navy, after having laboured under a feminal gleet for fix years and upwards, put himfelf under my care about O 2 two

two years and a half fince. His fpirits. ftrength, appetite, &c. were greatly reduced, infomuch, that he was threatened with a total loss of virility. After interrogating him as to the caufe of his difeafe, I examined the urethra with a bougie, and found it perfectly free from obstruction : I then inspected the colour and confiftence of the difcharge, and foon perceived that it had loft its natural texture, and feemed to abound with acrimony, which upon further enquiry proved to be fcorbutic. He informed me that he had been much afflicted with the fcurvy for fome years previous to the appearance of his prefent complaint. Having now investigated the cause of the difease, I had but little difficulty, to apprehend in performing the cure of it; as my patient, from his appearance, as well as promifes, perfuaded me, that nothing on his part would be wanting for the completion of it. I had not formed a wrong conjecture ; for with the greatest regularity and attention he persevered in a course of antifcorbutics, which in a few months entirely removed his gleet, and at the fame time perfectly re-eftablifhed his health in every other refpect.

CASE

## C A S E XXXV.

[ 101 ]

A GENTLEMAN in the county of Middlefex, applied to me two years ago, on account of a feminal gleet, to which at times he had been for fome years fubject, though at intervals entirely free from it; his vigour therefore was not very much impaired thereby, but as the returns of the complaint, had of late been more frequent than usual, he began to be very apprehenfive of confequences. Upon examination, I found that the caufe of this gleet might be truly deemed arthritic ; it was indeed fufficiently evident from the appearance of the difcharge, and the patient's own account of his cafe. The femen was loaded with a cretaceous matter, fimilar to the chalk stones produced by the gout; in proof of which he informed me that he had been afflicted with the gout many years, chalk stones had appeared on his feet, but that no more of them had formed after the cretaceous matter found its way to the fpermatic veffels, and (as he very rationally fuppofed,) discharged itself with the semen ever since that period, Being perfectly fenfible that the difeafe originated from the gout, I recommended patience, and a refignation to his fate. This prefcription not fatisfying him, I promifed to confider further upon his cafe, and exert my beft abilities to ferve him. After a little reflexion, there occurred to my memory the cafe of a gentleman, who fome years fince employed me to cure him of the venereal difeafe, and as he was greatly afflicted with the gout, requefted very earneftly that I would not give him the leaft particle of mercury ; I acquiefced therewith, and in the courfe of a few weeks removed his complaint, merely by the ufe of vegetables.

Sometime afterwards he informed me, that thefe medicines had fo purified his blood and juices, that the gout had not vifited him fo frequently as ufual, and the paroxyfms were much milder and of fhorter duration than they formerly had been. He has therefore taken the medicine fince that time as an antiarthritic. The recollection of this circumftance induced me to administer remedies of a fimilar kind for the cure of this arthritic gleet; and I had foon the fatisfaction of perceiving ceiving that the difcharge gradually decreafed, and was lefs and lefs impregnated with the chalk, 'till it entirely difappeared, which happened in about two months: I advifed neverthelefs a continuance of the medicines fometime longer in order to prevent a relapfe. The medicines ufed upon this occasion were, diuretics and diaphoretics, in the composition of which, camphor was no inconfiderable ingredient.

BEFORE we difinifs the fubject, it may not be improper to mention fome other diforders, to which the organs of generation are liable, from this arthritic acrimony. I have been informed from very good authority, of priapifms originating from the fame fource; one in particular, of a gentleman in the county of Surry, which is faid to have continued an incredible length of time. Inftances I have myfelf feen, where the gout has produced tumefactions of the tefticles, to as high a degree as those in venereal cases, and which, like them, have been removed by difcutient fomentations, and emollient cataplasms, affisted with powerful fudorifics tifics internally. In these cases opiates likewife may repeatedly be administered to very great advantage.

[ I04 ]

#### C A S E XXXVI.

ABour eighteen months fince, I was confulted by an eminent Artift in the vicinity of London, who had for many years been troubled with a gleet and obstructions in the urinary paffage, occasioned by a clap which was contracted eleven years before. There had been, ever fince that period, a difcharge of yellowish matter that might be faid to ebb and flow, being very copious at one time, and quite the reverse at others; excess of any kind, never failed to encreafe it very confiderably. Within the laft three years he perceived the urethra to be materially obstructed, and from that time a new fymptom made its appearance, namely, a mixture of femen with the old running; in proportion to the encreafe of the caruncles, the feminal difcharge became more plentiful, infomuch, that during the last four or five months, he very feldom made urine or went to flool, without a confi=

a confiderable quantity of feed being evacuated at the fame time. He informed me of his having taken large quantities of the most bracing and ftrengthening medicines, but with no other effect, than a temporary palliation of the fymptoms. The long continuation of the . difease, added to a close attention to bufiness, made terrible havock with his conflitution, reduced him almost to a skeleton, and relaxed his nerves to fuch a degree, as to render life burthenfome in the extreme. The excrefcences had fo choaked up the urethra, that the smallest bougie could not be paffed without great difficulty. I began his cure, by attempting to remove these obstructions, being fully convinced that no medicine could be of use till that was effected. I advised him to wear a bougie both night and day, and for as many hours together as the parts would admit of, without occasioning pain or lofs of reft. His bowels were at the fame time kept in proper order by the use of gentle aperients : to which circumstance it will always be found indifpenfably neceffary to attend in every complaint of this nature, both in order to prevent inflammation, and to obviate

viate any material exertion in the evacuation of the fæces. His diet was of the moft nutritious kind, but as he at firft had little or no appetite, I gave him ftrong decoctions of the woods, which foon procured one, and at the fame time corrected any latent acrimonious humours : after which, corroborants and reftoratives were administered with the greateft fuccefs. By these means, at the expiration of four months, he was fo far recovered as to imagine himself cured; the medicines however were continued feven or eight weeks longer, by which time his health was perfectly re-eftablished.

#### C A S E XXXVII.

ALMOST fimilar to the preceding cafe, was that of a Gentleman in the County of Cambridge, who had been afflicted for feveral years with a feminal gleet, and had taken a great quantity of medicines of different kinds, without receiving any material benefit—a circumftance not to be wondered at, when we confider that the caufe of the difeafe had not hitherto been underftood, no attention having been

been paid to a caruncle in the urethra, which at last encreased fo much, as almost entirely to prevent the paffing of his urine; upon this account it was that he made application to me, having long before given up all expectation of removing the feminal gleet, every effort for that purpose having fo repeatedly proved abortive. Luckily however, the ftoppage of urine obliged him to have recourfe to the only method that could poffibly remedy his old diforder. By using bougies, the urethra was cleared of obstruction in the course of a few weeks, in confequence of which, the feminal difcharge gradually abated, and with the affiftance of fome internal bracers, a radical cure was effected in lefs than five months.

#### CASE XXXVIII.

A GENTLEMAN in the weftern Part of England, became my patient three years fince, in confequence of a feminal weaknefs or gleet, which had been his companion for thirteen years, and was at length very near putting a period to his exiftence, notwithftanding a  $P_2$  long long continued use of the most powerful roftoratives both in medicine and diet, which had been prescribed for him by several very eminent practitioners.

HE had taken astringents, balfamics, ftrengtheners and bracers of almost every kind, large quantities of bark, steel, ginfang, &c. &c. nor was the cold bath omitted, which in the beginning, he faid, afforded a temporary relief, but after a few months use entirely loft its effect. The difease had rendered him fo weak, as to be fcarce able to walk or fland upright, and his fpirits were likewife proportionably depreffed. He informed me, that his prefent complaints took their rife from a clap contracted upwards of thirteen years fince, that it was not attended with much pain or inflammation, nor were any of the fymtoms fuch, as indicated any high degree of virulence; his furgeon, however, had fupplied him very liberally with mercurials and draftic purges, and had continued them fome weeks, by which means his appetite, strength, &c. were much impaired, and a gleet enfued, which from a venereal,

venereal, degenerated into a feminal one. Frequent nocturnal emiffions of femen interrupted his fleep, and a difcharge of the fame kind generally happened whenever he made urine or went to ftool. After having given this account, he requefted to have my opinion upon his cafe. My answer was; that from the long continuance of the venereal gleet, I fuspected fome excrepence had formed in the urethra, and should that be the case, I doubted not of rendering him very effential fervice. He replied, " That he did not imagine there could be any material obstruction in the paffage, as his urine flowed almost as well as ever; but that it did not pafs quite fo freely, which he attributed wholly to the debility of the parts. However, upon examination with a bougie, I found a caruncle about four inches up the urethra, which, in that place, diminished its diameter nearly one-third part; the reft of the canal was perfectly free from either ftricture or any other obstruction : this difcovery gave my patient much pleafure, and at the fame time great furprife, that fuch a fubstance should have formed without his perceiving it; that was a circumstance, I told him,

him, which frequently occurred, and might be very eafily accounted for, by only reflecting upon the very flow, gradual progrefs of thefe carnofities; in the prefent inftance above twelve years had elapfed during the formation of a very fmall one. I then advifed him to enter upon the use of bougies; and that they should remain in the urethra as many hours as possible, both night and day, provided neither pain nor inflammation enfued, to prevent which, as well as too great efforts in discharging the fæces; his body was kept rather in a laxative ftate than otherwife, by taking occafionally flos fulphuris, magnefia alba, or electarium lenitivum. In the courfe of a week he was able to wear the bougies twelve hours in the twenty-four; by which means a copious discharge of matter was produced, and in proportion to that, did the caruncle decreafe, and the feminal evacuation abate. In lefs than a month the carnofity was removed, and with it the ftimulus which had operated fo powerfully upon the fpermatic veffels, &c. At this time I thought corroborative medicines would take the defired effect, I accordingly administered them in as large

1.

large dofes, and as repeatedly as his ftomach would bear, his diet was likewife of the moft nutritious kind, and as fimple as poffible, all high feafoned fauces, &c. being ftudioufly avoided, together with fpirituous liquors, and vegetable acids. By the above method this gentleman was reftored to perfect health in the fpace of eight months; he married foon after, and has got an heir to his eftate.

In these cases I always recommend animal food, or a meat diet in preference to any other; and when the ftomach is too weak to admit of it in substance, strong soups or broths must be extracted from it, and taken very liberally. After meals, a glafs or two of good old Madeira or Mountain wine may be drank, and will generally prove beneficial. Moderate exercife will likewife be useful, but great care must be had that it never amounts to fatigue. The patient should be thinly clad both night and day; rife early, and go to bed the fame. In fine, the fame regimen may be observed in these complaints as is generally recommended in those termed nervous.

AND

ALL excrescences or carnofities in the urethra have not a venereal origin, that, in common with every other glandulous membrane, may certainly produce them from fome other caufes; among which, coarfe gravel and fmall rough or sharp stones passing through this tube may fometimes occasion them. An instance of this kind I remember to have feen in a Kentish farmer, who applied to me on account of obstructions in the urethra, which could not be fuppofed to arife from any venere ' caufe, as he folemnly declared, that he had ... ver been fo infected. He had however frequently voided gravel and ftones with his urine; which, I make not the leaft doubt, gave rife to the excreicences, from having wounded the membrane, which afterwards healed, but not without producing these fungi.

THE glandulous membrane that lines the nofe, we know will fometimes fend forth excrefcences named polypi, independent of any venereal matter whatever.

BEFORE

# [ 113 ]

BEFORE we close our observations upon gleets and weaknesses, let us turn our thoughts upon those which are peculiar to the fair fex.

THE leucorrhæa, fluor albus, or the difeafe vulgarly termed the whites, though often with very great impropriety, the discharge being at times as high-coloured as that produced by the venereal virus itfelf. This gleet is the caufe of many diforders, and as frequently the confequence of others. It fometimes arifes merely from a cacochymia, at others from a profluvium menfium, bad labours, miscarriages, a general relaxation, immoderate venery, acrimonious humours, &c. When this difcharge is very copious and of long duration, it produces many very difagreeable (if not fatal) effects : it may give rife to the whole tribe of what are called nervous complaints, hysterics, &c. and may fometimes occasion an atrophy or confumption.

It is to be lamented, that they are most fubject to this diforder, who apparently are the least able to fustain it, namely, those of Q the

# [ 114 ]

the most delicate frames and constitutions. A fedentary mode of living, improper diet, too much cloathing, bed-warming and tea-drinking, contribute greatly to encrease, if not to produce, this difease : the use of strong liquors (I am afraid) may fometimes be added to the catalogue of causes.

FROM a defire of becoming more delicate, many good conftitutions have been greatly injured, (if not entirely ruined) by the too frequent repetition of phlebotomy and ftrong cathartics.

THE pudenda of each fex being generally very much benefitted by cold bathing, why, in the name of common fenfe, is it not more frequently practifed ? Women, in particular, would derive infinite advantage from wafhing thefe parts regularly night and morning with cold water, except at the time of menfruation; as I believe that few things would tend more to prevent the difeafe in queftion than thefe ablutions, if properly purfued. An immerfion of the whole body would certainly be preferable to a partial bath, but as the former

18

is not always practicable, and is generally attended with great trouble and inconvenience, we must content ourfelves with the latter, provided it be diligently perfisted in.

CERTAIN fects are ftrictly enjoined to make frequent ablutions, as a ceremony or duty incumbent on the profeffors of fuch religions : a cuftom, however, of this kind, (if viewed only in a temporal light) muft be highly beneficial to fociety.

CAN any good reafon be affigned, why the external parts of generation fhould not be as often wafhed as our faces, they muft certainly require it as frequently, although feldom expofed to view? Courtefans (for more reafons than one) are the ftricteft obfervers of this falutary cuftom.

THE great difficulty attending the cure of the fluor albus, may in fome degree be afcribed to the very lax texture and depending fituation of the parts fubject to this difcharge.

22

In the cure of female gleets, we must administer fuch alteratives as will remove any latent acrimony, and at the fame time recommend the most nutritious diet, together with a proper regulation of the other non-naturals. After the blood and juices shall have been fufficiently purified by the means abovementioned; then may balfamics and aftringents be used to great advantage. Be it remembered . alfo, that we must not rely folely upon internals, for it will generally be found neceflary to use topical applications at the fame time, viz. lotions and injections, which must be composed of the most powerful aftringents. The cold bath will likewife be of ferv ce, where unfound vifcera or very great tendernefs of lungs do not prohibit the ufe of it. The alteratives recommended in the former part of this Effay, will, upon trial, be allowed the most efficacious ones in the prefent complaint. Opiates, in many stages of the difeafe, may likewife be administered to very great advantage, provided they be fo corrected, as to obviate any material conftipation of body.

OF

OF all the non-naturals, a due regulation of the paffions muft be very frictly attended to; nay, it will be found indifpenfably neceffary, as without it no cure will ever be obtained; indeed, it will generally prove one grand effential in the cure of many female complaints.

. THAT the vagina uteri, and its vicinities are very liable to great defluctions is sufficiently evident from the difease just now mentioned, which in general does not make its appearance before the age of puberty: fome females however, even in the infant state, experience fo great a flow of humours as to produce a difcharge, in colour, not unlike the gonorrhæal one, and frequently acrimonious enough, to occasion much inflammation, pain, and tumefaction in these parts. Several inftances of this kind have fallen under my inspection, and upon enquiry, I have generally found that the complaint arofe from either a scorbutic or a scrophulous humour. Emollient fomentations and cataplasms, affifted with gentle purgatives, and mild alterants, will foon abate the fymptoms, which generally difappear in the course of a few days;

days; especially if the discharge has been rather copious in the beginning.

To prevent a relapfe, it will be neceffary to keep the inteffines in a laxative flate, which may be eafily effected by the use of lac fulphuris, or magnefia alba; the preference however must be given to the former, as it will at the fame time prove no infignificant alterative.

THE most obstinate cases are such as derive their origin from a leprous humour, one of these I remember to have seen; it was attended with a very high degree of inflammation, and required venæsection, opiates and cathartics, together with the most powerful internal alteratives, and external emollients. A composition of camphor, antimony and fulphur, was in this case extremely useful; the cure indeed might with justice be wholly as foribed to it; every other medicine having proved ineffectual.

THE cure of gleets and weakneffes in either fex, will generally require a confiderable time, but

### [ 118 ]

but if the methods I have recommended be put in practice, and properly purfued, I am firmly perfuaded that they will very feldom fail of fuccefs.

FINIS.

