Practical observations on venereal complaints, or, A plain, easy, safe and certain method of cure without endangering the constitution with mercury : an efficacious mode of curing gleets, seminal or venereal and every other malady of the urinary passage.

Contributors

Neale, Henry St. John. University of Leeds. Library

Publication/Creation

London : G. Burnett, 1786.

Persistent URL

https://wellcomecollection.org/works/tpdj7h8v

Provider

Leeds University Archive

License and attribution

This material has been provided by This material has been provided by The University of Leeds Library. The original may be consulted at The University of Leeds Library. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

PRACTICAL OBSERVATIONS,

O N

VENEREAL COMPLAINTS,

Or, a plain, eafy, fafe, and certain

METHOD OF CURE.

Without endangering the CONSTITUTION with MERCURY.

An efficacious Mode of CURING GLEETS, Seminal or Venereal; and every other MALADY of the Urinary Paffage; with a new Remedy, confirmed by long Practice and Experience.

TO WHICH ARE 'ADDED,

SELECT CASES,

Confirming the Succefs and reftorative Power of the Medicine recommended, in weak, relaxed, and broken Conflications, warranted by the most respectable Characters.

ALSO

Plain RULES how to diffinguish Venereat Symptoms from those often mistaken for such by the Patient.

By Mr. NEALE, SURGEON, Late of his Majeffy's Fifth Regiment of Infantry, and Surgeon in London.

> Experiendo didici, Experimentis cognovi.

Ita prorfus exiftimo-in quam fententiam quum pedibus iretur, cœteri tribuni militum nihil contradicere

LIV. V. IX.


The THIRD EDITION.

LONDON:

Printed for G.BURNETT, No. 184, near Arundel-fireet, Strand; J. WALKER, Pater-noffer-Row, and R. FAUL-DER, Bond-fireet.

M,DCC,LXXXVI.

[Price TWO SHILLINGS.]



INTRODUCTION.

HE venereal difeafe, which, according to historians of the most undoubted credit, is a native of fome of the American islands, especially Hispaniola, was brought into Spain near the end of the fifteenth century, and thence carried into Naples, during the war between Ferdinand of Aragon, and the French, by fome Spanish troops, who had contracted it in the aforefaid island; for these and the French foldiers having had different times communication with the fame women, according as the fame towns alternately fell into the hands of the two contending parties, this filthy difease first **fpread** A

fpread itfelf over the two armies, thence made its way into Italy, and has fince infected most part of the inhabitable world ; and I very well remember, that a certain English merchant, who had refided many years in Muscovy, affured me, that the venereal difeafe was hardly known in that country before the reign of the late Czar, Peter the Great, because till that time, the traffic carried on by the Muscovites did not require much communication, or dealing with foreigners; but after that Emperor had taken the refolution of vifiting other parts of Europe, and had fent many of his fubjects abroad to learn trades and manufactures, those carried back with them the dire effects of their amours into their native country, which raged there with the greater feverity, as inflammations and ulcers are the more difficult to be cured in cold climates. Hence in process of time, the mutual intercourse of different nations became more frequent by wars, trade, and other causes, this contagious malady at length was fpread far and wide. No diftemper in medical hiftory has appeared with fuch a variety

a variety

a variety of symptoms, from the earliest accounts of it to the prefent time. Little mention was formerly made of the gonorrhœa, or clap, now usually the first and most frequent symptom attending the infection, and other venereal maladies which attack mankind, and in treating of which I beg leave to offer these few pages to the public, founded on long practice and experience. But if in the early ages of this distemper, mankind were not troubled with this more recent complaint, the patients were certainly much worse off, when blindness, and obstinate inflammation of the eyes, foul stains, and blotches of the fkin, pains, and rottennefs of the bones, violent head-achs, and falling off of the hair, were among the first of the terrible fymptoms brought on in confequence of this almost universal disease; these, now, however, but very rarely happen from the beginning, fince the appearance of the clap.

Whilft the newly imported venom was quickly diffufed all over Europe, the most rational furgeons took this malady under their most ferious confideration, and in A 2 confequence confequence of the improvements now made in the method of its cure, there is a remarkable mitigation of all the fymptoms; and the venereal difeafe at prefent, even the most confirmed kind, is of little or no confequence, provided the fufferer be cautious to put himfelf under the care of an experienced furgeon, of abilities and integrity, who makes it his chief ftudy to exert himfelf towards re-eftablishing the health of his patient, devoid of any other confideration.

The application of mercurial ointment by friction, is faid to have been first made use of by a surgeon at *Montpellier*; but I cannot learn that the fame practitioner gave mercury internally. When this remedy was first discovered, it was exhibited in such quantities, with close confinement, reftriction of regimen, and the patients rolled up in flannels, for several months together; that though the disease might be conquered, two-thirds of the unfortunate sufferers generally died afterwards of *pocky confumptions*; and this, I am forry to fay, is still too much the fashion fashion; hence we may readily account for the number of confumptive and emaciated figures to be seen every day in the streets of our metropolis.

I have for these many years almost liberated my patients, in the worst of poxes, and I find that fresh air, and a little exercise, instead of doing any hurt, conduces surprisingly towards forwarding the cure. The medicine I make use of is of the gentle alterative kind, and never endangers their catching cold.

When the pox is hereditary transmitted, the degree of virulence with which the child will be infected, must be extremely different, when we confider the following circumstances; children begot by parents actually poxed, should have this difease in the highest degree of infection, as not only the very principles of life, but those of nutrition also, are entirely contaminated; if the parents have not acquired this difease till some time after the conception, the child will be still less infected, and I have seen some instances where where children have been born under fuch circumftances *undifeased*; the ease of effecting a cure in those different cases, will depend on the degree of virulence.

When this malady is acquired by coition, there are many circumftances which contribute to men and women's receiving the infection in an high degree of virulence; this may be particularly observed in young people, who contract the difeafe in their first effays; the impetuosity and warmth of their paffion, with the abforbent state of the parts of generation, makes them extremely liable to the malignity of the diforder; and more fo, if the party who communicates it has a virulent running. shankers, ulcers, &c. in the state of inflammation; this gives to the virus a superior degree of activity. In fuch cafes, the malady foon becomes developed, with every degree of virulence, and foon makes a quick progrefs. But it is not fo with old veterans in amours, or in those that are of frigid conftitutions; we often find fuch efcape, when the female is actually difeafed; in this I am perfectly well convinced, from the many inftances that have fallen within

my notice, of men and women's cobatiting together, where the latter was evidently infected, and the former, notwithftanding frequent connection, continued free from every fymptom of the venereal difeafe. Hence, from repeated experience, it appears, that there are fome particular habits of body, and difpofitions in the parts of generation, which, under the fame circumftances, are more readily infected than others.

The advocates for exciting a falivation in the cure of poxes, think that a copious fpitting is essentially necessary ; faying, it critically depurates and expels the venereal poifon from the mais of blood ; but when fuch opinions are brought to the teft of experience, it will be found that they are egregioully miftaken; few conflitutions will bear, with impunity, to be under the influence of mercury for two or three months together; nor can we in general, without imminent danger of debilitating the texture of the veffels, breaking down the healthy crafts of the blood, introduce it in fuch quantity as fome gentlemen so familiarly speak of, as necessary

to

(vii)

(viii)

to effect a cure; and I am convinced, from repeated experience, that when the fystem is overcharged with mercury, it often proves an *unfurmountable obstacle* to the healing of venereal ulcers. By persisting in a violent course of mercurials, many patients have lost their lives, or had their constitutions irreparably impaired; and we frequently find when mercury is left off,* and the patient has recovered his flesh and strength those fores heal of themselves with but little furgical attention.

As I am well convinced of the many dangerous confequences proceeding from giving mercury imprudently to patients, fhall lay hold of this opportunity of recommending to my readers, in the *ftrongeft terms*, upon no account whatfoever to fuffer themfelves to be loaded with mercury; to caufe the leaft difcharge of faliva by the mouth, as the worft fpecies of poxes are to be cured by a more gentle, eafy, mild, and expeditious method, without doing the leaft detriment to the conflitution.

• Vide Cafe VIII. of Capt. Mathew. London, Jan. 9, 1785.

Practical Observations, &e.

SECTION I.

T H E difeafe, which makes the fubject of the following tract, is one in which mankind are on many accounts much interested, very few of either fex, rank, or condition of life, being exempt from it; the rich, the poor, the lazy, and the laborious, are equally liable to it; and from its being improperly treated, it produces certain inconveniences to all who are afflicted. Obstructions in the urinary passage are not unfrequently the confequence, as fometimes to render the life of the patient miserable, and put it

B

to

to the hazard, obliging him ever after to have recourse to the bougie, to prevent the callofities formed in the urinary canal, from clofing up the paffage, by which the emiffion of both the urine and feed would be prevented; which might at first have been guarded against, if the clap, or the difeafe of the urinary paffage, with which the fufferer was afflicted previous to his obstruction, had been properly treated; or, in other words, if a proper application had been made to the urinary canal, when it was in a state of inflammation, proceeding from clappy matter, all the evil confequences might have been avoided.

Let it be confidered, that moft complaints of the urinary paffage proceed from ill-managed claps, when the unfortunate patient gets into the hands of the ignorant, who make him fwallow a quantity of mercury, &c. which might, with as much propriety, be given to a patient, who, with a good habit of body, had a fcratch of a pin, or fome other fharp inftrument, upon his hand, or finger, fo as to caufe inflammation, pain, &c. a poultice a poultice applied will be found to be the beft remedy, and will foon perform a cure without the help of any other medicine. If fuch an application could be made to the infide of the urinary paffage, I am well affured, it would cure a clap with as much fpeed and fuccefs as the other.

A gonorrhœa, or clap, is a local difeafe, confined to the urinary paffage only; it is that fpecies of venereal, where the blood and juices are not affected; the glands of the urinary paffage become inflamed, by the virus lodging on them, and exciting them, by irritation, to a greater fecretion of mucus, which, from the inflammation they are affected with, becomes purulent; hence I am inclined to think, that the virulent running of a clap, is nothing more than an increafed fecretion of the mucus, which is naturally fecreted by the glands of the urethra.

On diffecting those that died actually clapped, the difease appeared to me, to confist in an abrasion of the natural mucus of the *uretbra*, the whole length of which B_2 feemed feemed more or lefs inflamed, red, and highly excoriated, the lacunæ of the mucus glands enlarged, from their being inflamed, and flightly ulcerated," After this difcovery, I began to turn my thoughts towards making experiments on the different preparations thrown up into the part affected, with a view to act immediately on the inflamed urinary paffage, having no longer any doubt of the difeafe being local. I was well convinced, that if an injection could be difcovered, poffeffed of a quality to remove this inflammation, the cure would be foon performed; I had every opportunity for this purpofe, having feldom lefs than between fifty and fixty men clapped, and I accordingly put my intention into execution.

Every kind of mercurial injection had been tried, to difcover which had the moft

* This I particularly observed on the diffection of two men of the 16th regiment of light dragoons, in the month of January, 1777, at Brunswick, in the Jersies, North America; one was a corporal, the other private; the latter was shot on a patrolling party by the enemy, and had been under my care about a week; the former was killed by a fall from his horse, on the fourth day after he applied to me. most favourable effect; the common one, prepared of calomel and mucilage of gum arabic, feems to have the preference; but this is far from answering the purpose we wish, for in subjects where the inflammation runs high, calomel thrown up will certainly increase it, irritating the excoriated parts, and causing the heat of urine to be intolerable.

(5)

I turned my thoughts towards the vegetable kingdom, in hopes to find a preparation superior, which I luckily hit upon; and its effects upon the inflamed and difeased passage were so speedy, as aftonished both me and the patients.* At this time I had feveral whofe claps were fo inflammatory, as to occasion them, from the excruciating pain, to difturb their comrades, particularly when paffing of urine; and, on using this injection about twenty-four hours, they were relieved from their torment; and continuing to use it frequently, for the space of three days, they were perfectly well; all the

* This is the Plantain Water prepared by Diftillation. the medicine that was administered inwardly, was an infusion of senna and cream of tartar, to keep their bowels free. Finding the success of my injection, I soon changed my mode of practice, which before had indeed been entirely erroneous to a sault, though I will venture to say, it was the method in general made use of by the leading men of the profession.

I now faw the abfurdity, and great impropriety, of giving mercury in ever fo fmall quantity, in the gonorrhœa, which was, and I am afraid is ftill, too much the practice in the prefent day; and there the number of gleets, and variety of complaints of the urinary paffage, which I have met with in this metropolis, fince my retirement from the army, and commencement of private practice.

Strong draftick purges are highly improper in every complaint of the urinary paffage, as well as the diforder occafioned by them in the bowels; they are deflructive to the tone of the canal and glands of of the urethra, caufing *irritation*, and not unfrequently a great debility ever after; by the ufe of fuch medicines, together with mercury, it is not difficult to account for the obstinate gleets, and other maladies of the urinary passage, which every now and then attack mankind, and require nice judgment to conquer.

It is aftonishing, that the unfortunate would fuffer themfelves to be fo feverely punished, when by a fimple application to the part affected, and the bowels kept gently free, by whatever the patient himfelf pleases, he obtains a found and speedy cure in a few days at farthest; this time is meant in the worst species of clap. I am happy to inform the public, that I have discovered such a remedy, and it is perfectly innocent in quality, prepared from the Plantain Root, proving highly friendly to the constitution, and I pledge myself to the world for its certainty and efficacy.

We need not be furprised at fuch numbers being afflicted with gleets, and obftructions structions in the passage, when it is confidered the mode that was made use of to cure their claps. Let the reader obferve, there never was a gleet, that has not been more or lefs preceded by a clap; and according to the means made use of to cure it, will the glands in the urinary paffage be affected; or, in other words, the fufferer will be more or lefs troubled with a gleet, or weaknefs, and will be more or less liable to fungus, or callosities forming in the canal. There would be little occasion for bougies, was this disease treated properly at its beginning; and the state of the passage of urine attended to.

Upon confidering the old mode of practice, handed down to us by fome of the moft respectable authors of the profession, it is not much to be wondered at fo few furgeons differing from those learned men, who carried every thing before them in their day. Our English Hypocrates, the great Sydenham, as well as Wiseman, the first furgeon of his time, lays it down

25

as a rule, that as the venereal venom is of a very inflammatory nature, the principal intention in its cure should be evacuation. In a clap, he fays, recourfe must be had to strong draftic purges, which ought to be perfifted in for a long time; the first fourteen days of the difease, he purged his patients every day, then every fecond day, and towards the latter end twice a week; and should the cure go on but flowly, he accounts a mercurial vomit to be given extremely effectual; when his patients rejected purgatives by the mouth, he ordered clyfters; and he closes the cure with balfam of Mecca, or turpentine.

They thought injections did much more mischief than good, hence it is no wonder that so many fell victims to this preposterous mode of treatment, few constitutions being able to endure it, and it is very evident that every constitution must be more or less injured by it.

I have been often led to imagine, that Sydenham, when treating of the clap, wrote more from theory than practice;

for

for otherwife, the many ill-confequences that muft attend fuch a mode of practice would have foon convinced this fagacious phyfician of his error, and the ingenious candour that fo ftrongly characterifes this great man, would have induced him, for the good of mankind, publicly to confefs it.

The mode of cure laid down by Wifeman and Sydenham, were for a long time, with no material variation, followed throughout Europe by practitioners, till the time that the celebrated Aftruck gave to the world a most complete treatife of the venereal difease.

This ingenious author, confidering a clap as an inflammatory complaint, orders copious bleeding immediately on its firft appearance, large quantities of emulfions, &c. to be drank to obtund the acrimony of the urine, and a cooling injection to be thrown into the paffage; after the heat and pain are abated, he overthrows every thing he was doing before, by ordering his patients ftrong purges of fcamony, jalap, and calomel.

Hence

Hence it must be obvious to every understanding, that throwing fuch strong medicines into the stomach, can do no manner of good to a difease situated in the urinary canal, but it most certainly must do a great deal of mischief, by disordering the bowels, and relaxing the excretory glands, running the sufferer into the hazard of having obstinate gleets, and obstructions of the urethra.

By the use of the preparation which I have already recommended, every perfon afflicted with either gleet or clap, may cure themselves with expedition and fafety.

It is an unfortunate circumftance for the progrefs of phyfic in general, and really not fingular in regard to this difeafe, that practitioners who have adopted a mode of treatment, that may in the courfe of their practice prove generally fuccefsful, become fo prejudiced in its favour as to give it the preference to the exclusion of all others.

2 2

At the fame time, 1 am not ignorant what oppofition all new discoveries must meet with, from many prevalent propenfities in human nature. The minds of men grown old in any way of thinking, are like heavy bodies on the furface of the earth, which by long lying have funk into the ground, and formed to themfelves a bed, from which they cannot be eafily removed, even with very great ftrength; there is a kind of vis inertiæ of foul as well as body. Novelty, though it be true and convincing to them, may yet be difpleafing; because it puts them in mind of their having been wrong all their lives, and there are other reasons which weigh and effect the fame purpofe.

It is well known, that very important difcoveries, like rich mines, have lain long unattended to, flighted, or mifunderftood, and yet have been afterwards univerfally adopted, and brought into philofophy and ufe.

Notwithstanding these confiderations, those few pages are published to the world, world, refpecting my remedy, with its fafe, convenient, and fpeedy effects of healing the urinary paffage, and of curing the most obstinate gleets of ever fo long standing, without the use of bougie; it has a wonderful effect of removing obstructions in the urethra, where bougies have failed, and of giving vigour and strength to the emissions of both the urine and feed.

The true reason of all the difficulties which attend the cure of claps and gleets, and the fometimes apparent impoffibility of curing fome of the latter, is entirely owing to the erroneous mode of treatment, the primary caufe of which was, getting into the hands of the ignorant; the confequence of which is, the difeafed glands of the urethra become more and more infected, and the virus in time forms small ulcers in the paffage. A fimilar complaint would happen to a fmall wound on any part of the body, attended with inflammation, if the patient had ever fo powerful medicines administered internally, and no attention paid to poultice, and properly drefs the fore, it would in time form

form a cavity, get callous edges with fungus flefh, form an ulcer, and become an object of fingular attention to both furgeon and patient. Long experience has enabled me to affert this, proved by practice, and not fupported by theory only, which, I am of opinion, should never be depended upon, for the treatment of difeafes incident to the human body .---When we confider how few opportunities prefent themfelves, of demonstratively afcertaining the actual flate of the urinary paffage in a clap or in a gleet, &c. a point which can only be obtained by diffection, it is not in the least furprizing that practitioners differ fo very much in opinion about the mode of treating them, as well as to the existence of some of those obstacles I have mentioned. The feveral affections of the urinary paffage, to which mankind are fubject, and which arife in confequence of ill-managed claps, and not unfrequently oppose the free evacuation of the urine, &c. may be diftinguished as follow : carnofities, or caruncles; constrictions in different parts of the urethra, from the callus marks of former ulcers; enlargement of the glands, that

(15)

that feparate the mucus, generally attended with a varicous flate of the veffels; fungus ulcers, feated about the ducts of the proftate gland, with an enlargement of the fame, and glands of the urethra.

Of the variety of complaints to which those are exposed, who have had long continued ill-cured claps, there is not one more to be dreaded than an habitual ftranguary; the great danger of an entire ftoppage of urine, which attends this difease; * the frequent defire the fufferer feels, and the painful endeavours he is obliged to exert in order to expel his urine, render life as precarious, as it must be miferable.

It rarely happens, that those complaints immediately succeed a clap; it more frequently occurs, that the patient feels no prefling symptoms for some months, or even years, after he has been to all appearance perfectly cured; and there are very few so attentive as to take notice of, or be any way alarmed, even though they should

Vide Cafe IX,

fhould not urine in as full a ftream as they were ufed to do; fo that the difeafe is of fome time ftanding before the patient finds any inconvenience from it, or applies for advice, which he generally does not, until from the progrefs of this complaint, he perceives that he is both a longer time, more frequently folicited, and obliged to ufe greater efforts in making water.

That all these inconveniences arise from long continued, injudiciously treated claps, is proved almost every day, by those conversant in this kind of business; and I am well aware, the afflicted, on reflection, must be of this opinion; and repent, when it is too late, their misfortunes, in the improper mode that was made use of to cure them.

When the clappy matter fixes, as I have faid before, on the fine membrane of the urethra, it excites a general inflammation throughout its whole tragit, the mucus glands become enlarged, and fecrete a preternatural quantity of mucus, which is poured into the paffage by the (17) the lacuna, and becomes purulent, from the state of inflammation, and excoria-

the ftate of inflammation, and excoriation, or fuperficial ulceration, with which the paffage is affected; but when this inflammation is fubdued by the application of my injection, the mucus glands leffen to their natural fize; the running becomes vifcus and ropy, and foon totally difappears. The fame fuccefs attends the ufe of this injection in gleets of the moft obftinate kind, of ever fo long ftanding, by its powerful effects on the urinary canal; by the balfamic quality with which it is endowed, it heals firmly any fores that may be in the urethra, and gives vigour and ftrength to the genital parts.

On the contrary, when the difeafe in the urinary paffage is imprudently managed, the mucus glands will become enlarged, with a difpofition readily to become more fo, and be farther productive of a derangement in the freedom of circulation, in the fpongy fubftance of the urethra, at different places; hence habitual maladies will infallibly fucceed. Stranguries, particularly those that appear fo immediately after a clap, are caufed by an injudicious mode of treatment, and the premature ftoppage of the venereal running, notwithstanding the patient has no other complaint of the infection, yet there is a ftrong prefumption that he is not perfectly clear of it.

If he should have no gleety purulent running appear, either before or after making water, or foreness along the urethra, there is little reason to suspect the passage to have ulcers.

Caruncles and fungus are often met with, and prove difagreeable obftacles to the efforts of both urine and femen, and enlargement of the glands becomes ftill more frequent.

When we wish to ascertain the state of the urinary passage, it is adviseable to introduce a bougie smeared with oil; if there are enlargements of any moment, they will be sensible to the touch; but if we find none, and that the patient, notwithstanding, cannot expel the last drop of his urine completely, but that in dribble dribbles from him; if in coition the femen is not ejected with a proper degree of force, but runs off gradually on the penis becoming flaccid, there is a ftrong prefumption that the great gland, called the proftate, at the neck of the bladder of urine, is affected, or otherwife enlarged, and that the excretoria of the veficulæ feminalis, or bladder of femen, is affected likewife.

To afcertain this, the finger fhould be introduced *in ano*, and those different circumstances will plainly point out the feat of the malady; in such cases I found the extract of hemlock do wonders, and often perform cures, when my injection was made use of at the same time.

There is no difeafe that requires more experience for a furgeon to become mafter of, than the one now in queftion, and a very firict attention to overcome; great difcernment is required in order to enable the practitioner to judge whether the complaint is merely local, and the patient D_2 free free of the venereal virus, and to what kind of obstacle we are to impute it.

(20)

It is but feldom a patient puts himfelf under the furgeon's direction, immediately on perceiving a diminution of the ftream of his urine; he feldom applies for advice, until the frequent calls to make water, with painful efforts in expelling of it, are troublefome, or a retention of urine from any irregularity, and not unfrequently inflammation and fuppuration in perineo.*

Practitioners, for the various obftructions in the urinary paffage, have unanimoufly recourfe to bougies in a number of forms, but most of them are liable to one objection, which is, that except where the obstacles are such as oppose but a flight resistance, they do not posses a fufficient degree of elastic firmness, to prevent their losing their form; when we attempt to introduce them beyond any confiderable obstacle they bend, and if force

* Vide Cafe XVII.

force is used any way through the firicture, upon extraction the end appears broken and twifted, like a cotk-forew, which is of great disadvantage, as it excites much pain without doing any kind of good.

To obviate the confequences of fuch defects, I have for thefe many years paft, formed the bougies I ufe, on cat-gut, of a proportionable thicknefs, which anfwers every intention, having a proper degree of firmnefs and flexibility, without any danger either of their breaking or becoming twifted, and their introduction is attended with no pain whatfoever.

Bougies are frequently made use of in this metropolis, for complaints in the urinary passage, with great impropriety; feveral cases of this kind having lately come under my care, particularly that of a field officer, who had a gleet for three years and upwards, and for the cure of which he had put himself under the care of a very eminent furgeon; he had taken a large quantity of astringents, and wore bougies

bougies every now and then, for ten months, but all without the wished-for effect. Sometimes, he faid, it would diminish a little, and at others, return with redoubled violence, and frequently, intolerable pain of the urinary paffage; this I readily inferred, was occafioned from the irritation by the frequent use of the bougie. He at length was recommended by a friend of mine, to confult me; I, without hefitation, advised laying it afide, and to try my injection, which performed a found cure in the fpace of three weeks; at the end of which, the urinary paffage was perfectly healed, and all the medicine he took, during this time, was a little rhubarb to keep his bowels free.

When the inflammation is violent in the parts engaged in a fresh clap, which by the bye, is more frequent in young subjects, who are caught in their first effays, than in old veterans in amours, who, in general, have not a third part of the pain, I advise but little variation in my patient's diet; he is to be very exact in in the frequent use of my injection, till his fymptoms are abated, which it generally does in a few days; and as the cure feldom exceeds a week at farthest, he is to avoid using violent exercise during that time; when the inflammation is abated, the injection used three or four times a day will be sufficient.

Experience will convince the moft cautious furgeon, of the expediency of this method of cure, in preference of what hitherto has been ufed, as it cuts fhort the former fuppofed neceffity of long continued purging, and giving mercury, to the great detriment of the conflitution.

As it is a circumftance of the utmoft confequence to diftinguish, sometimes, fresh claps from gleets, particularly if the judgment of the practitioner employed is doubtful; for if the first is mistaken for the last, and is neglected, or treated according to his mode of practice, any wife like it, the sufferer runs great hazard of of getting a confirmed pox;* on which account, I shall conclude my observations on the difeases of the urinary canal, previously giving my readers such marks of distinction between a recent clap and a gleet, as will enable them, in some meafure, to judge for themselves.

The gonorrhæa, or clap, is malignant and inflammatory. A gleet most frequently arifes from relaxation, and bodily weaknefs; itching, inflammation, and heat of urine, are the forerunners of the discharge in a clap. The orifice of the urinary canal is prominent, and often painful, and the fufferer is attacked with a frequent inclination to make water. In a gleet, pains of the loins are not unfrequent, and lofs of ftrength attends the discharge; if any pain or heat of urine follow, it is in much lefs degree, and only after long continuance of the difcharge, which turning fharp and acrimonious, excoriates the furrounding parts. In a clap the discharge fuddenly appears; but in a gleet it comes on more flowly, and

and may be produced by irregularities, too frequent coition, &c. or whatever weakens the bodily powers. In a clap the difcharge is lefs in quantity, and of a deeper dye, and not attended with the fame fymptoms of debility. Gleets are more or lefs in quantity after taking cold, or ufing much exercife.

the man and wate, are co

E SECTION

(26)

sell may be produced by inter daring

SECTION II.

ivenproms of debility. Queens

a deeper dye, and not attended with

) EMARKS founded upon experience. I are the furest and fafest pilots to truth in every profession; and which, when applied to the cure of maladies incident to the human body, are certainly more likely to fucceed, than pompous and plaufible theories, however refined. As the practice of medicine originally commenced without theory, it is the opinion of some of the most learned of the science, that it might subfift as well without it. Who had any fhare in giving hints, or directing the wild Indian to a .remedy for his disease? He cures himfelf by the wild vegetables of the field,* and

* Those fagacious people were the discoverers of the powerful antidote against the bite of a rattlefnake, which till then was always mortal, but now

is

and as relief is the only thing he regards, or cares for, he never enquires into the caufe. Hence practice, built upon fimple knowledge, fupplies the place of fpeculation, and teaches the unlettered tribe to place a value on their difcoveries according to the relief it procures them.

The rude and uncultivated Africans, who are fubject to the most terrible species of the venereal difeafe, known by the name of yaws, a malady very frequent among the black nations, whofe fagacity in the mode of its cure, is not to be equalled by any other people on earth; for, as if directed by inftinct, when covered over with running fores, they fly to the vegetable kingdom for relief, and by drinking a decoction prepared from the root of a certain plant, a native of both Africa and the West-India islands, they foon cure themselves of this loathfome distemper. Mercury has been found to fail in the cure of it,* of which I was an E_2 eye

is of little confequence, provided the remedy is at hand; which is the juice of the plaintain and horehound, equal parts, taken inwardly, and a catapla(m of the leaves bruifed, and applied to the wound.

* Vide Cafe IV.

eye witnefs; and at laft recourfe muft be had to this valuable medicine of their own, which in a fhort time conquers this loathfome diftemper; it acts moft powerfully by infenfible perfpiration and urine, gently opening the bowels, thereby ridding the blood of a malady, which otherwife would foon deftroy the miferrable fufferer.

Man's body is admirably contrived, and made to prevent evils; fo no lefs art and caution hath been ufed to get rid of them, when they do happen. When by any misfortune wounds or hurts do befal, or when by our own neglect we pull down difeafes and mifchiefs upon ourfelves, what emunctories,* what admirable paffages

* One of nature's moft conftant methods here is, by the glands, and the fecretions made by them; here are grounds to admire the contrivance of our blood, which, on fome occafions, fo foon as any thing deftructive to the conflitution of it comes into it, immediately by an inteffine commotion, endeavoureth to thruft it forth, and is not only freed from the new gueff, but fometimes what likewife may have lain lurking therein for a great while.

And

fages are difperfed throughout the body, what incomparable methods doth nature take, what vigorous efforts is fhe enabled to make to difcharge the peccant humours, to correct the morbific matter, and, in a word, to fet all things right again ?

The

And from hence it comes to país, that most part of medicines, when duly administered, are not only fent out of the body themfelves, but likewife great quantities of morbific matter.

Hippocrates, Lib. de Alimentis, takes notice of the fagacity of nature, in finding out methods and paffages for the difcharging things offenfive to the body.

Valfalva difcovered fome paffages into the region of the ear drum, of mighty ufe (among others) to make difcharges of bruifes, impofthumes, or any purulent or morbific matter from the brain, and parts of the head. Of which he gives two examples, one, a perfon, who from a blow on his head had difmal pains therein, grew speechles, and lay under an absolute fuppreffion and decay of his strength, but found certain relief, whenever he had a flux of blood, or purulent matter out of his ear, which, after his death, Valfalva difcovered was through those paffages.

The other was an apoplectical cafe, wherein he found a large quantity of extravafated blood, making way from the ventricles of the brain, through those fame paffages. Vide Valfal. de aur human, C. 2, 14, and C. 5, 8. The body is fo contrived, as to be well enough fecured againft the mutations in the air, and the leffer errors we daily run upon, did we not in our exceffes of eating, drinking, thinking, loving, or fome other folly, let in the enemy, or lay violent hands upon ourfelves. Nor is the body fitted not only to prevent, but alfo to cure, or mitigate difeafes, when by thefe follies brought upon us. In moft wounds, if kept clean, and from the air, the flefh will glew together with its own native balm. Broken bones are cemented with the callus which themfelves help to make.

There are many inftances of diftempers of our bodies being highly ferviceable to the difcharge of malignant humours,* and preventing greater evils. No lefs kind than admirable, is the contrivance of man's body, that even its difeafes fhould many times be its cure; that when the

* For the blood in a fever, if well-governed, like wine upon the fret, dischargeth itself of all heterogeneous mixtures; whereby that which threatens death, tends often, in conclusion, to the prolonging of life. (31)

the enemy lies lurking within to deftroy us, there should be such a reluctancy, and all nature excited with its utmost vigour to expel him thence. To which purpose even pain itself is of great and excellent use, not only in giving us notice of the presence of the enemy, but by exciting us to use our utmost diligence and skill, to root out so troubless and destructive a companion.

What can poffibly be better contrived for animal motion and life, than the quick circulation of the blood and fluids, which run out of fight in the capillary veffels, and very minute ducts, without impediment (except in some diseases) being all directed to their peculiar glands and channels, for the different fecretions, fenfible and infenfible; whereof the laft is far the greatest in quantity and effects; as to health and fickness, acute diftempers frequently arifing from a diminution of transpiration, through the cutaneous chimnies, and from chronical ones from an augmentation; whereas obstructions in the liver, pancreas, and other glands, may only cause a schirras, a jaundice, an ague, a dropfy,

a dropfy, or other flow difeafes. So an increase of their secretions may accompany the general colliquations, as in fluxes, hectic sweats and coughs, diabetes, and other confumptions.

It is aftonishing, the wife contrivance there is to preferve these due fecretions from the blood, (on which life fo much depends) by frequent attritions and comminutions of the fluids, in their paffage through the heart, the lungs, and the whole fystem of the muscles ! What meanders and contortions of veffels in the organs of feparation ? And what a concourse of elastic bodies from the air, to fupply the fprings and continual motions of fome parts, not only in fleep and reft, but in long violent exercises of the mufcles, whofe force drives the fluid round in a wonderful rapid circulation through the minutest tubes, affisted by the conftant pabulum of the atmosphere, and their own elastic fibres, which impres that velocity on the fluids !

The air hath alfo a very great share in all the digestions of the solid and fluid parts. parts. For when the fystem of air comes to be corrupted with poifonous acrimonious steams, what havock is made in all the operations of living creatures? The parts gangrene and mortify under blotches, and other tokens; and indeed the whole animal œconomy is ruined; of fo great importance is the air to all parts of it.

Having already confidered the local venereal affections, with the eafy mode by which they may be removed, when the patients get into proper hands, I fhall now relate to my readers the fafe, and expeditious method of curing every fpecies of pox, without a day's confinement, reftraint of diet, or endangering the conftitution with mercury, by the improper use of which thousands are fent, either sooner or later, from this great metropolis to their untimely graves.

Without entering into any prolix detail of the various opinions of the preparations made use of to re-establish the health of the sufferer, I will only offer what I have found, on attentive observation, the most effectual method of cur-

F

ing

(34) ing this disease, under different loathsome

circumstances. This medicine is the Montpellier Apozem, endowed with the most powerful alterative quality; the fuperior degree of penetrability (if I may be allowed the expression) which this medicine poffeffes, above all mercurials; and its action being chiefly determined to the furface, may be the reason why it is found fo powerful a refource in all venereal cafes, when falivation has failed.* It is judicioufly obferved by an ingenious phyfician, that this medicine will fpeedily reestablish the health of patients labouring under pocky fymptoms, and who are afflicted at the fame time with a hawking cough, who have a hufky dry breaft, and whole nervous fystem is excellively irritable, or who are fubject to any hemorrhage; for it is well known, that fuch will not bear mercury, and which will inevitably deftroy them, even although it be ever fo prudently administered. It is to be drank to the quantity of a pint or two a day, and generally eradicates the: moft

Vide Cafe X.

most confirmed infection, in a few weeks; an extract is also prepared from it, for the convenience of those who travel, which may be either taken in the form of a pill. or diffolved in a glass of capillaire and water, or any liquid the patient prefers; it has the fame effect as the Apozem; it may be had by application to me, either perfonally, or by letter, and fent to any part of the world.

There are no poxes, in general, harder to cure than those attended with venereal warts; I have feen cafes of this kind refift every mode of treatment, particularly repeated mercurial frictions; which when too long persevered in, have terminated in a fatal rapid hectic*. I found that the Montpellier Apozem bids fairer for removing them, than any other mode of treatment I have seen practised; beside, the patient has this comfort, that bis mouth is never affected, nor the breath never tainted, nor the gums and teeth injured, all which evils are occasioned by mercury, as all those who have been for F 2 any

Vide Cafe V.

any time under the influence of that planet must allow.

In venereal enlargements of the bones, and cutaneous eruptions, which we often find elude the force of mercury, this Apozem frequently effects a cure.

It is a general received opinion among practitioners, that in cafes where the venereal virus is combined with a fcorbutic habit of body, mercury is not only rendered_very precarious, but its administration extremely dangerous. In fuch cafes the Apozem speedily and effectually cures both. Mercury is by all allowed dangerous in universal weakness of the body; and where the patient is in the leaft confumptive, he might fink under a falivary discharge; or, where the blood veffels, from their decay, lofe their vibrating power, and cannot fufficiently re-act upon the circulating fluids; in this cafe mercury diffused throughout the blood, will not only prove ineffectual, but further inflame, break down, and deftroy the parts already diseased. When this distemper is complicated with the gout or rheumatism,

(36)

tifm, the exhibition of mercury is highly improper, those diforders are aggravated by its use; whereas the Apozem effects a cure with fafety, by correcting the blood, and evacuating the putrid humours by the discharges of insensible perspiration, urine, and stool.

The dangerous effects of mercury are very clearly pointed out by Dr. Robinfon, an ingenious phyfician, who has wrote an excellent treatife on the venereal difeafe; and has laid down a number of cafes where it was found highly prejudicial, and frequently fatal to the patients; hence all candid judges will give the preference to the mode of cure by this alterative medicine, which is gentle and mild in its effects, being much more fafe, as well as more certain, in totally eradicating every fpecies of the venereal difeafe, and repairing the injuries done to the conftitution, by the improper ufe of mercury.

A proper

A proper Distinction between Venereal Symptoms, and those often mistaken for such by the afflicted.

A S nothing can fo much impair health as a ftate of conftant fulpence and uneafinefs of mind, the following diffinguishing marks, felected from the observations of the learned Dr. Aftruc, who is justly allowed the best author on the venereal difease, are laid down for the satisfaction and information of my readers.

The propriety of fuch obfervations will be readily allowed, when it is told, that it will enable the patient in fome meafure to judge for himfelf; hence it is evident, that not unfrequently from the want of them, the timorous have often been drove to defpair, and forced into the hands of the ignorant, who might turn fuch unneceffary fears to their illicit gain. On this occafion, I have thought proper to quote the authority of the above author, rather than deliver opinions of my own.

"No wonder that pocky fymptoms are fo often doubtful and mistaken by the patient, patient, for those of other diseafes, fince men of judgment and extensive knowledge in the medical profession, sometimes find it difficult to know the real difference; and it is chiefly from repeated experience, that we are enabled to diffinguish them more truly.

"The nature of the figns are two-fold, viz. either fuch as are demonstrative and certain, because they are peculiar to the venereal difease only; or such as are equivocal and uncertain, because they are common to other diforders.

"The demonstrative figns of infection in women are, frequent abortion, or the fickly constitution of children, born at their full time, viz. fuch as scrophulous, ricketty, hectic, and emaciated; especially if these diforders happen in most, or all the children of the same family.

"When local venereal fymptoms, fuch as fhankers, excrescences, warts, or buboes, appear either spontaneously at first, or after an apparent cure break out afresh, without connection with a faspected female, male, they are certain figns of the ftrongest infection.

(40)

" All eruptive diforders of the fkin, when they happen without a manifeft caufe, and obftinately refift the force of common medicines, are fufpicious figns of a venereal taint; but fuch cutaneous affections ought to be diftinguished from other difeases of the fkin, which are critical and not venereal; or from yellow or livid fcorbutic spots, which most abound where the other marks of a confirmed fcurvy appear.

"Ulcers of the throat, nofe, palate, and gums, with rottennefs, or caries of the adjacent bones, are often obferved in an inveterate pox; but there is need of caution to avoid confounding them with fuch as are fcorbutic, which are nearly related to them in fituation, malignancy and difficulty of cure, but very different in other refpects. For inftance, venereal ulcers firft attack the tonfels, glands, and throat, then the gums, but more rarely and flowly; on the contrary, fcorbutic ulcers firft attack attack the gums, and afterwards the throat and tonfils.

"Venereal ulcers frequently feize on the nofe, with a rottenness of the subjacent bones; but scorbutic ulcers feldom or never.

"Venereal ulcers corrode and form cavities; fcorbutic ones shoot out spongy excressences, or proud flesh.

"Likewife, venereal ulcers are joined with other figns of the venereal difeafe; and fcorbutic ones with those of fcurvy; except in the fcorbutic pox, where the fymptoms are complicated and uncertain.

"Care should also be taken, not to mistake venereal pains for those which are scorbutic, rheumatic, or gouty; the former are generally increased by heat of the bed, and are therefore called nocturnal.

"Venereal pains are chiefly confined to the folid, or middle part of the bones of the legs, and arms; fcorbutic or rheu-G matic matic ones ufually invade the joints and membranous parts of the body. The firft are not relieved by common remedies, and only yield to a venereal treatment; the laft are mitigated by the ufe of flannel, or warm weather; they often go off and return by irregular periods, and frequently are produced by manifeft caufes, fuch as intemperance, catching cold, or living too long on falt, or indigeftible provifion.

"If a deep feated, violent pain has occupied the fame part for a confiderable time, obftinately refifting all remedies; or if the patient for feveral evenings fucceffively, has been feized with chillinefs, or flight fhivering fit, fucceeded by feverifh heat, and fweats towards the morning, they are figns of a latent pox, particularly where there are other corresponding fymptoms.

"Tumours of the glands do fometimes happen from causes which are not venereal; particularly from scrophulous humours, or a ricketty disposition; there is, notwithnotwithstanding, need of great caution to distinguish them truly.

(43)

"The equivocal, or more remote and uncertain figns of infection, are inflammation of the eyes, head-ach, hiffing noife in the ears, with thicknefs of hearing, giddinefs of the head, and wafting of the body, with univerfal weaknefs, and a flow intermitting fever.

" If after fhankers fuddenly dried up, a buboe repelled, or gonorrhœa reftrained, by art, or accident, the fame complaint breaks out again, without any frefh caufe, then it is evident the patient is poxed; fo it is probable there is latent infection; or if he is fubject to a falling off of the hair, ulcers in the throat, or nofe, pains in the bones, or mufcles, an atrophy, or wafting of the body, and flow intermitting fever."

G 2

CASE

CASEI.

(44)

PETERBOROUGH, March 1776.

A robuft man, aged twenty-two, was three months in the hofpital at Leeds in Yorkshire, for a swelled testicle, subsequent to a clap; the furgeons having ufed the common methods in fuch cafes in vain, and in putting on a schirrhous aspect, condemned it for amputation, to which the young man would not confent, but defired to be discharged, and having no mode of subfifting, he enlisted with a recruiting party of the 70th regiment, who were then in town; but when the ferjeant brought him to the furgeon, on examining the tefficle, he would not pais him. He then left Leeds and came to Peterborough, where he had fome relations, and enlifted into the 16th regiment of light dragoons quartered there; as I then was affiftant furgeon to this corps, he was brought to me for examination; his testicle was of a prodigious fize, not having it fuspended, it occasioned a violent pain in his back, and from the long journey which he had taken on foot all the

the way, he was rendered weak, languid, and feverish. It felt hard and insensible to the touch, the spermatic chord was confiderably enlarged; my opinion was, that I did not think him a fit perfon for a foldier, and in consequence, he was dismified by the non-commissioned officer. Major-General Harcourt, who then was Lieutenant-Colonel of the regiment, feeing him in a little time after with the ferjeant in the fireet, and taking notice of his being a well made man, was forry to hear I had not paffed him, and accordingly fent for me, to know if I thought it was poffible to cure him; I could give the General but small hopes, indeed, for the tefticle had every appearance of a confirmed schirrhous; as he was a defirable recruit, the General expressed a strong defire for me to take him into the regimental hofpital, ordering him daily pay as a foldier.

On putting a few queftions to hi., he gave me to underftand, that about eighteen months before he had a running from the penis, for which he applied to a country practitioner, whose care he had been under three months; the first month

of

of which he used to take a powder every third morning, which worked fourteen or fifteen times by ftool, and the intermediate days he took two or three pills at night; that those contained mercury I had no doubt, as he told me his mouth became very fore, and fome of his teeth were loofe, his running still continued, and when his mouth got well, he was ordered to bathe every day in a cold fpring; this flopped the running, and in about another month the epididimy became hard and painful, and by degrees the body of the tefficle became alfo hard, enlarged, and increased, till it arrived at the prefent ftate. 1 , besbeit, angold lienta un

I began by administering to him a powerful alterative preparation, compounded of antimony; between whiles, he took the extract of hemlock, and I applied a cataplaim prepared of the fame, to the difeafed tefficle; in the courfe of twenty-nine days, it was aftonishing the good effects of this treatment, as the tefticle now changed from that hard infenfible feel, to be foster and fensible to the touch; in about three weeks more I could plainly diftinguish the epididimy, and in the space of ten weeks from the commencement of taking his medicines, it was reduced nearly the fize of his other, being changed from a highly difeased state, to a perfect found one in every respect, which before had been condemned for amputation; he was now discharged the hospital to learn his exercise, when he afterwards went to America with the regiment, and was shot in an action with the enemy at *Prince Town*.

CASE II.

PETERBOROUGH, April 1776.

A young gentleman, aged twenty-three, an officer of dragoons, applied to me for a running from the penis, which, he faid, had been more or lefs upon him, fince March 1774, at which time he had been clapped, and was under the care of a country practitioner, from whom he had taken mercury till his tongue was fwelled, and his mouth intolerably painful, with a violent fpitting; when the effects of the mercury abated, his running ftill continued till the prefent time; being convinced

vinced there was no virus in the difcharge, I put him under a course of bracing medicines, which were continued two months, with little or no benefit; I then tried a bougie, with various applications to the urethra, but all feemed to do no good, his gleet still continued. At this time we were on our paffage to New-York, and advised bathing every morning in the falt water, by plunging into a cafk filled on deck, for that purpose; from this he received fome benefit, but a little after our arrival at New-York, it returned again with the ufual violence, and continued till February 1777, which was the time I discovered the injection, which I have already spoken of, by the use of which for twenty days, he got perfectly well.

CASE III.

LAT. 41, 50, July 1776.

In my paffage with the troops to America, a boat came along fide from a tranfport, one morning, with a meffage from an officer of the army, requefting me to go and fee him, that he was very ill in his bed. When I arrived on board the tranfport transport in which he was, I found him with his head leaning over the fide of his bed, and the faliva running from his mouth in an entire full ftream; his tongue was fwelled to fuch a degree, as to extend his cheeks; he could fwallow nothing, and was totally deprived of his fpeech. I immediately perceived it was the effects of mercury, and defired his fervant to get pen, ink, and paper, to write fome account of his cafe, and what mode had been used by him to get into that condition. He gave me to understand, that having applied to a furgeon of eminence in London, for the cure of fome eruptions, which had many years affected his breaft, he gave him three boxes of pills, with directions to take one or two every night, not doubting but they would perfectly cure him in the course of the paffage, of which he had only taken fix, till all at once he was feized in the manner I faw him. I fent him an emollient application for his mouth, and proper medicines to take, in order to carry the mercury out of the fystem as foon as possible. The fourth day he was enabled to speak to me, and to swallow some H nourishment ;

(49)

nourifhment; it was thirty days before his mouth was healed. He was now emaciated, and melted down to a fkeleton, and feized with a cough and intermitting fever. Notwithftanding all this fevere difcipline, the fpots on his breaft ftill remained; they were of the copper coloured kind, with the fkin peeling off now and then. When we arrived at New-York, he put himfelf under my care; and by a courfe of the Alterative Apozem, for nine weeks, was reftored to perfect health; is now in London, and has never had the fmalleft return.

CASE IV.

NEW-YORK, Aug. 1778.

An English merchant, who had lately arrived from Martinico, where he had been a prisoner some time with the French, employed me to attend him for a few pustulor and leprous eruptions, in different parts of his body. He had a simall abcess in each arm-pit, and some fmall warts about the anus; his genital parts were quite free from any symptom whatever; his hands and feet were confiderably

derably swollen, with large fistures, from whence iffued a very flinking ichorous matter. I opened the abceffes in his armpits, and put him immediately under a courfe of mercurials, which was continued three weeks; but inftead of gaining ground on the diforder, he got worfe, the eruptions became now running fores, did not feem in the least disposed to heal up, but vented a vast deal of stinking fanious matter; nay, even new ones broke out under each arm-pit, and a large tumour formed on his rump, which foon discharged the same kind of virulent matter. His body became now covered with fcales, which grew fo hard and ftiff, that he could fcarce bend a limb or finger; a number of ulcers broke out in his thighs and buttocks, from whence flowed great quantities of purulent and fomewhat bloody matter. A very large tumor was also risen in his right breast, and foon after on the left, voiding prodigious quantities of the fame kind of matter. It was observable in this gentleman's cafe, that wherever any of these ulcers appeared, they ran only under the skin, being entirely seated in, and feed-

H 2

ing

ing on the adipose membrane (which confirms the opinion of the Professor Boerhaave, about the feat of the venereal difeafe) the muscles and tendons underneath appeared as fair and florid, as in the most healthy constitution. I was really quite confounded at this dreadful face of things, and ferioufly bethought me, what farther method could be taken against so terrible an enemy. I did not hefitate to pronounce it the worft species of pox, called the yaws, which he had contracted from fome of the Negro wenches, when he was a prifoner. I had recourse to a warm emollient bath, in which his whole body was immerged, after which he was well anointed with an emollient liniment; this was done for feven days fucceffively. I found there was nothing to be done by mercury in any form, and therefore determined to run it off by insensible perspiration; for this purpose he drank, by my direction, a quart of the Montpellier Apozem a day, at the fame time keeping up a most plentiful dilution, attempting withal, to detach the scaly cuticle, by continued emollient baths. By this means, the scales came

(52)

came off apace, just in the manner usual in the confluent fmall-pox, only much larger, feveral being above four or five inches over. In about a week's time this coat of mail was pretty well cleared off, and his breath, from being the most horribly nauseous I ever smelt, became as fweet as that of an infant; he was, in confequence, exceedingly emaciated, wherefore I ordered him a plentiful nourishing diet, but withal to keep to his Alterative Apozem, of which he drank three pints every twenty-four hours. He now began daily to gather ftrength and fpirits; in the space of ten weeks, from his first putting himself under my care, his health was perfectly re-established, and he is at prefent in the city of London.

CASE V.

NEW-YORK, Dec. 1778.

A young gentleman of fortune, a native of Jamaica, aged about twenty-four, during his refidence at New-York, got poxed; his fymptoms were an ulcer in the left tonfel, and two or three fhankers

on the nut of the penis, for the cure of which, he put himfelf under the care of a furgeon of deferved reputation in that city, who recommended him to confine himfelf to his chamber, and to rub in the mercurial unction every night; this was continued for thirty-five days, till he fpit between three and four pints a day; the shankers were by this time healed up, and his throat almost well. On the thirty-ninth day he was feized with a violent purging, accompanied with great pain in his bowels, and violent ftraining when at ftool. His furgeon being alarmed, defired I would accompany him on his visit. I found him in great agony, almost constantly on his close-stool; we agreed to give him an opiate immediately, and an emollient clyfter, in which fome opium was diffolved every hour; after having three, he was much eafier, and went to fleep. The next day the violence of his pain was much abated, but his purging still continued; about the third day he passed the mucus, that lines the intestines, more or less, in every stool; the opiates were continued, but with little or no effect. At this time, what food he

(54)

he fwallowed, paffed off by ftool, with little or no change. He remained in this miferable ftate for upwards of ten days, when he was entirely emaciated, and nature quite exhaufted, at length changed, the flux ftopped, and he began to acquire ftrength by very flow degrees. He was

ftrength by very flow degrees. He was now feized with a hawking cough, and had every appearance of having a pocky confumption. I was now ordered to join the army, and could make no farther remarks on his cafe; but in twelve months after I was informed, that he died fhortly after his arrival at Montego Bay, in Jamaica, where he went to his eftate.

CASE VI.

NEW-YORK, May 1779.

An officer of diftinguished rank in the army, who had great dependence on a celebrated preventive, fent for me one morning, having a pain in both tefficles, and the glands of both his groins enlarged. I had no doubt, after examining, that it was venereal; but to this I could hardly perfuade him, he attributed it to violent exercise he had taken the preceding day, and

and he added, the caution he took after the act, by steeping the nut of his penis in the fpecific, he was fure faved him from being infected, if used any time within eight hours. I was aftonished at his faith, and could not help obferving, that it had at last completely deceived him. In two or three days more he was of my way of thinking, the fwelling in his groins enlarged, and became very painful, his tefticles also inflamed very much. I had them immediately fuspended, and applied an emollient cataplasm, and took away a large quantity of blood; there was neither running nor shanker, but the inflammation was the most obstinate I had ever feen before, attacking both tefticles, each of which was fwelled to the fize of a large cocoa-nut; it was four weeks before I could conquer it, during which time one of his buboes difperfed, the other came to suppuration, and discharged prodigioufly. When his fever and inflammation of the tefficles abated, his appetite became voracious, eating double the quantity he was ever known to do before, when in perfect health. By perfifting in the use of the Alterative Apozem, in the **fpace**

fpace of fix weeks his buboe was completely healed, without the leaft fcar, and his tefticles of their natural fize; he looked now full as well as before he was taken ill, having a fair and florid countenance, with his health perfectly reftored.

CASE VII.

CHATHAM BARRACKS, May 1780. A non-commissioned officer, aged 26, got clapped, and being afraid of its coming to the knowledge of his wife, for the greater privacy, applied to a furgeon in Rochefter to be cured; in taking his medicines about a fortnight, his foreskin fwelled and inflamed; he, however, did his duty, and kept attending his doctor, who was puzzled what to do; at last his phymofis got to fuch a pitch, as to bind the orifice of the urinary passage, and impede the discharge of his urine. All this time the clappy matter had infinuated itself between the glans, or nut of the penis, and the forefkin, and had made terrible havock. He was now in a high fever, and unable to get up; his wife

I

then

then came, requefting I would go to fee her hufband, who, she faid, was taken very ill in the night. On afking him a few queftions, I foon discovered the cause of his fever, and defired that he might be brought to the hospital. When he arrived, I made an incifion of the foreskin, upwards of two inches, laying bare the glans, which was no fooner done, than the major part of it floughed entirely away, being completely mortified; by a course of antisceptic and alterative medicines, with proper dreffings to the part, he was perfectly well in the space of thirty-one days, except the mutilation of his penis, the nut of which was now pointed, and not much thicker than a fmall wooden fcewer.

CASE VIII.

CHATHAM BARRACKS, May 1780. The furgeon of the garrison requested I might accompany him, to see a noncommissioned officer of the 54th regiment, who had a buboe in the right groin, laid open by caustick, about five weeks before; it had made the most astonishing

(58)

aftonifhing havock on the furrounding parts, I had ever feen; the mufcles of the thigh were laid bare about fix inches, and it extended upwards far above Fallopius ligament; it had a very unfavourable afpect, large portions of the mufcles and tendons, floughing away at every dreffing, till at length the great artery was almost naked; he had been falivated, and at this time was fpitting near two pints a day; he had a hectic fever on him, and every fign of a pocky confumption, and in about three weeks after this died.

CASE IX.

NEW-YORK, August 1778.

A robuft man, aged forty-two, mate of a fhip belonging to Briftol, had been afflicted with a gleet for four years and upwards, in confequence of an ill-cured clap, during which time he had applied to many of the faculty for relief, fome of whom, to ufe his own words, patched him for a few days, and fometimes weeks, but as foon as he performed the venereal act, it as conftantly returned.

I 2

On his arrival at New-York, he put himfelf under the care of an apothecary of that city, who gave him pills made up of rofin and balfam of capiva, in very large quantities; the fifteenth day of taking thefe, he was feized all at once with a fuppreffion of urine, accompanied with violent pain about his bladder, and a high fever. His captain fent for me to come and fee him, I found him in moft excruciating pain; he had paffed no urine for eighty-fix hours, and he was deprived, in a great meafure, of the intellectual faculty.

I immediately took a large quantity of blood away, ordered a clyfter to be thrown up, and got him, as foon as poffible, into a hot bath, where I drew off his urine; he was now, as he expressed himfelf, in another world, having by these means had relief, felt easy, and comfortable, took an opiate, and went to fleep. His urine, however, did not come away in a ftream for near a month afterwards; the tone of the bladder and the neighbouring parts being so destroyed, by the irritating medicines that had been made use of. After

After this he put himfelf under my care for his gleet, which was the most copious I had ever feen. I recommended him to use my injection five or fix times a day, keeping his bowels at the fame time gently open, caufing little or no alteration in his diet. About ten days after the gleety matter changed to be quite thick and ropy, and in ten days more it entirely difappeared. His ship remained at New-York three months after this, during which time he had frequent connections with the fair, but not the least return of his gleet; fince my return to England, I have feen a particular friend of his, who affures me, he never had the leaft return of it, but remains in perfect health.

The following cafe is related in the patient's own words, agreeable to the letter which he did the favour to fend me, after his recovery; and which, by his particular requeft, was published in most of the public papers.

S E

(62)

SIR,

As it appears to me a duty incumbent on every individual, who receives benefit from his fellow-creature, and particularly where the invaluable bleffing, health, is concerned, not only to return that perfon thanks by whofe fkill fuch benefit has been derived, but alfo to acknowledge it in a public manner, for the good of those unfortunate perfons, who may labour under a malady fimilar to mine; you have my permiffion to make what ufe you pleafe of the following:

About ten months ago, I contracted a venereal complaint, at Kingfton in Jamaica, which did not make its appearance upon me, till I had been four weeks at fea, in my paffage home; and having no furgeon on board, unfortunately got no affiftance, any farther than what a fmall medicine box afforded, agreeable to the written directions. It was twelve weeks before we made the English Channel, during during which time the difease had made rapid progress; I was all over covered with fpots and blotches, my fkin peeling off on the least touch; my right testicle was fwelled to fix times its natural fize, exceeding hard to the touch, and an abcefs formed in the urinary paffage, between the fcrotum and fundament, which preffing upon the paffage, ftopped the free discharge of my urine. I applied immediately on my arrival in London, by direction of a captain in the army, who was my paffenger, to an eminent furgeon in the West end of the town, noted for his skill in venereal complaints, who advifed me to confine myfelf to my chamber, and I accordingly took a lodging near him, for the better convenience of his attendance. I was soon put under a course of mercury, and a spitting excited, to upwards of two quarts a day; this was continued, less or more, for feven weeks, during which time my fymptoms did not at all abate, as was expected, but only the spots partly disappeared; my testicle still continued its usual hardness, though free from much pain, and still of an uncommon fize. The abcess formed

in my urinary paffage, became now a running fiftulas ulcer, through which my urine passed when I made water. I was now feized with a hawking cough and low continual fever, with total loss of appetite, my gums, mouth, and teeth, in horrid condition, when my friend, Lieut. Maigill, of the Queen's American Rangers, calling to fee me, advifed me to fend for you, which I immediately did, when you positively gave it as your opinion, that if I did not leave off mercury, I should be foon a dead man, and that another mode of treatment must be adopted, having had too much mercury already. My first furgeon proposed to have my tefticle taken off, to which you objected, and I accordingly put myfelf under your care.

It is above my abilities, Sir, to express my gratitude to you, for your fingular skill and attention towards me, in such a deplorable state, as I was now become a nuisance to all about me, and apparently in a deep consumption. I was removed, by your order, to an airy situation in Tottenham-Court-Road: When I began

to

to drink the Montpellier Apozem, to the quantity of a quart a day; by your order I rode out in a carriage, as often as the weather was pleafant, which, with the addition of no other medicine, and the dreffings and applications to the urethra, and tefticle, I obtained in the fpace of eight weeks a complete cure, being happily relieved from all my fymptoms. My urine, which before paffed through the fiftula in my urethra, came now the natural way, the fore being completely. healed, and my tefticle, (which the first gentleman faid was become schirrous) was now of its natural fize; my cough and fever left me; my appetite became good, and I daily after gathered ftrength, contrary to the expectation of my friends, acquaintance, and all who knew my cafe.

(65)

I remain, Sir, your ever obliged, and obedient fervant, JAMES MATTHEW, Master of the ship Mary, in the Jamaica trade.

K

Wellclofe-Square, March 10, 1784. To Mr: NEALE, Surgeon, late of the fifth Reg: of Foot, No. 9, Old Compton-freet, Sobo.

CASE

CASE XI.

(66)

LONDON, March 1783.

A captain in a regiment of infantry, being about to change his condition, and fearful of any lurking venereal infection, applied to me, to know whether or not the difease would make its appearance in the course of a month, in case the last female with whom he had connection. had infected him. He added, that he thought himfelf very lucky to efcape; for he had learned, that one or two of his acquaintances were injured, and had reafon to fuspect they had caught it from the fame perfon. There was an unufual itching about his fcrotum, but that, he continued, could be nothing, as he fuppofed it arofe from heat; I defired to fee it, when I discovered several spots, the cuticle, or outer skin, in many places, broke, with a flight degree of inflammation; this, he faid, his nails had occafioned; however, as it had the real criterion of being venereal, and determined always to do my duty, as well for my own credit, as my patients welfare, I did not hefitate to tell him it was the pox. There

There being nothing the matter with the penis, he was of a different way of thinking, and went away to his quarters, about twelve miles in the country. Falling in company with a practitioner there, he related his complaint, who gave his opinion, that it certainly arofe from the heat in walking, and was no more than common. The doctor gave him fome goulard to wash it with, which he made no doubt would soon cure him; after using it about a week, the fcrotum got hard and inflamed, with a large running, and fpreading fore, and a number of fealy eruptions. The captain was now alarmed, and the doctor candidly told him, he had better apply to a furgeon, who had experience in those kind of complaints. The captain returned to me again on the twelfth day from my first seeing him; his fcrotum was now in a flate of violent inflammation, and the eruptions running a purulent matter. His testicles were not in the least affected, the disease being fixed in the skin only; by emollient applications to the parts, with the Alterative Apozem, that gentle mode, as is my cuftom in all pocky fymptoms, he was K 2 perfectly

(67)

perfectly well in twenty-nine days, during which time he looked as fat and ruddy as ever, and in a little time after entered into matrimony.

CASE XII.

LONDON, May 1783.

Being in company with a gentleman going to the city, he requested I would Rep into a woollen draper's shop, till he fettled some business with the master, who I perceived behind the counter, afflicted with a violent cough and spitting of phlegm. On his expressing a wish to his acquaintance, with whom I was in company, to be cured of his cough, he instantly introduced me. I could not help fmiling, little thinking to be employed on the occafion; I looked narrowly at him, and perceived he had that afpect which is fo well known to all practitioners, who are much accustomed to venereal practice; he was about twentyfour years of age, and of a delicate conftitution.

He

He observed, that besides his cough, which was fo very troublesome, he had been afflicted with the fcurvy for fome years; opening his breaft, and shewing me a number of fpots, which gave him vast uneafiness, for the cure of which, he observed, he had tried all the quack medicines in vain. Now and then, he faid, a few spots broke out on his head, but this he attributed to the hair-dreffer's comb. When I examined minutely into the flate of his health previous to this, as well as the appearance of his prefent fymptoms, I candidly told him, that he must not be surprised to hear me assure him, it was a confirmed venereal complaint; and that I had no doubt, but his cough was occafioned by the pocky matter falling on his lungs, which might terminate in a confumption, and deftroy him, if proper methods were not foon pursued. He was much amazed at first, till, after a little reflection, he readily confented to comply with any mode I should prescribe for his cure, and accordingly put himfelf under my care. He had a burning fever on him every night, as regularly as the night came, little or no ap-

petite,

petite, and every appearance of being hectic. As there was no time to be loft, he began the next day to drink the Montpellier Apozem; I gave nothing barely for his cough, being convinced that, as well as his fever, was fymptomatical, and would abate as the virus became more and more deftroyed. In this it turned out as I expected, for in a fortnight the fever entirely left him, and he began to come to his appetite. In twenty-one days more his cough abated, and from a pale, fallow, plumbane countenance, his complexion became perfectly clear, and he began to have colour in his cheeks. He now expressed a defire to drink two quarts of the Apozem a day instead of one, by the use of which alone, in the space of nine weeks, he was perfectly freed from all his fymptoms, his health perfectly reestablished, and happily faved from an untimely grave.

CASE XIII.

LONDON, April 1784.

A gentleman picked up a girl in the ftreet, went into an hotel, and lay with her; her; in about three weeks after, he had feveral fhankers on the nut of his penis, the forefkin became inflamed, with a terrible phymofis; I attended him, and in a fhort time he got well. Before the diforder appeared, he had frequent connections with his wife, who never had the leaft complaint in confequence.

CASE XIV.

LONDON, April 1784, An officer of the royal navy applied to me, for advice in a running from the urinary passage, which, he faid, was brought on by a firain, and that he was well convinced it could not proceed from any venereal caufe, depending on the foundness of the subject with whom he cohabited. Upon examining the orifice of the urinary passage, and the colour of the discharge, I told him, that instead of a strain, I had not the least doubt but that he was clapped, and would undertake to ferve him on no other terms. He replied, that as his girl had nothing of the kind, it was impossible, and thus went away in furprize. In about a month

month afterwards, he fent for me to his lodgings, where I found him in bed, fcarcely able to get up, having a large buboe in each groin, enlarged to fuch a degree, as to fill up the cavity, and the fluctuation of matter was very eafily felt with the finger.

He told me, that he now repented his not having taken my advice, and unfortunately had applied to a medical gentleman in the country, where he had been for a few days, and who differed widely in opinion with me, affuring him it was a gleet, and wondered that any furgeon could make fo egregious a mistake. This doctor accordingly gave him a bracing electuary, and fome drops; at the fame time recommending to him, in the ftrongeft terms, to bathe his thighs and buttocks in a tub of cold water, every morning. This treatment in about a fortnight flopped the discharge, and the glands of the groins became then painful and enlarged, till at length he was unable to walk. In two days after this I made a fmall opening in each of them, and they discharged a prodigious quantity of

of matter. The next day he got up, and, with the help of his crutches, limped about; I then put him under a courfe of the Alterative Apozem, and in thirty-one days the buboes were completely healed, the marks fcarcely to be obferved; during the whole time, he lived as ufual, and took fresh air, and exercise.

CASE XV.

London, June 1784. A member of parliament did me the honour to confult me, in a cafe of running from the urethra, which had troubled him, more or less, for two years and upwards. On enquiry, I found he had taken mercury for the cure of a clap preceding his gleet, and also ftrong purges; he gave me to understand it had afflicted him ever fince. Before I was confulted, bracing medicines, bougies, and cold bathing had been tried, but all to no purpose. As he was obliged to go down to Devonshire, upon business of importance, I packed up a few bottles of my injection, that he might carry with him to apply in the usual way. In five weeks

weeks after, he was fo obliging as to favour me with a letter, informing me, that he was completely braced up, without the leaft difcharge whatfoever; and his urine, which before dribbled in confequence of the lax and debilitated ftate of the parts, came now in a ftrong and full ftream.

(74)

CASE XVI.

London, July 1784.

A field officer called on me, defiring I would visit a courtezan, who, he faid, was exceeding ill in bed; that the had already employed a practitioner for a confiderable time paft, without receiving any benefit. I found her in a high fever, and in violent pain, with a great discharge of faliva from her mouth, in confequence of the mercury he had taken; upon examining farther, I found a remarkable large abcefs on the right labia,* completely suppurated; I did not hesitate to make a fmall opening into it, which discharged a prodigious quantity of matter. This gave her instant relief, and when I visited her

* The right fide of the genital parts,

her the next day, fhe was up, and walking about her chamber; I perceived a fmall ulcer on her left tonfel, for which I put her under a courfe of the Montpellier Apozem, by the ufe of which, and proper applications to the parts affected, her health was perfectly reftored in twentyone days.

CASE XVII.

LONDON, Sept. 1784.

An officer of a provincial regiment, aged 46, who had been clapped about feven years ago, unattended with any particular circumstance, about the fixth year after began to make urine with difficulty, and in a much finaller fream than ufual. He informed me, that he had been purged very much by the medicines his furgeon had given him, and his mouth made exceeding fore for upwards of fix weeks, and that it was upwards of two years before the running (which in confequence of maltreatment became a gleet) ftopped. In September he had a small abcess formed in perinæo,* and another on one fide of the L 2

The fpace between the tefticles and fundament.

the anus; the former burfted of itfelf before he applied, and the latter I opened with the lancet. In three or four days after this, his urine dripped away through the one in his urinary paffage; and on the fifth day after I was aftonished, on removing the dreffings, to find near an inch and half of the urethra like a honeycomb, all round the first mentioned fistula, making in all fix more holes, each of which communicated with the urinary paffage, through which most of his urine paffed, very little coming the natural way. The under part of the fcrotum, perineum, and one fide of the anus, were extremely enlarged and callous; I immediately applied a fuppurative bougie, which was continued for fome time; by which I procured an abundant difcharge, and the firstures were now fo far removed, as to admit the introduction of a catheter, when I introduced one invented by the ingenious Monf. Pettit, which I covered with the bougie plaister. This procured every advantage that could arife from drawing off the urine in the natural way, and to prevent it from dripping through

through the holes, or fiftulas in the paffage. It was furprizing to think how foon the enlargements began to fubfide, and the callofities to be melted down. 1 however took the precaution during this treatment, to put him on a flight course of alteratives, and the most effectual I ever tried, is the Montpellier Apozem, of which he drank about a wine quart aday; he now makes water in a full ftream, and the enlargement and callofities are entirely vanished; and at this time there appears only the fmalleft oofing out of one of the fiftula, and I have every probability that he will shortly be perfectly well.

(77)

C A S E XVIII.

LONDON, Nov. 1784. A mafter coach-maker applied to m in a cafe of a fore throat, for which he had been under the care of an apothecary fix weeks, who had bled, bliftered, purged, and loaded him with draughts, to ufe his own words, as much as would fill a barrel, but all to no purpofe. On examining his throat, I found the uvula* floughy and ulcerated; but before this, his voice was a fufficient criterion for me to be convinced of his being poxed. I could give him but fmall hopes of faving the uvula, the difeafe had made fo great a progrefs, and large portions of it floughed away every now and then in the gargle. At this time a venus' crown broke out on his forehead, and his breath became fo intolerably fetid, or ftinking, that few could bear to fit any time in his chamber, and it really was a punifhment to be near him.

I recommended him to drink as much of the Montpellier Apozem as he could with eafe, in the courfe of the day, and he accordingly made it his common drink, both with his meals and when thirfty, by this mode he confumed three quarts a day, for ten days fucceffively, when the malady was overtaken and checked. In another week his breath became perfectly fweet, but the uvula was entirely deftroyed, without the leaft veftige of it remaining.

A portion of the palate of the mouth.

ing. The Apozem was continued for three weeks longer to a quart a day, which made fix weeks from his first putting himfelf under my care, at the end of which his throat was perfectly healed, and the eruptions on his forehead entirely gone, his health re-established in every respect, except his voice, which was quite altered, in consequence of the unfortunate loss of the uvula.

(79)

CASE XIX.

LONDON, Nov. 1784.

A gentleman employed me to attend a favourite courtezan, who had a venereal complaint, and at the fame time far advanced in her pregnancy; her fymptoms were, an ulcer on the left tonfel, and feveral fhankers below. She began to drink a quart of the Montpellier Apozem a-day, which was continued regularly for twentyone days; afterwards a pint a-day for ten days more, at the end of which time, being in all thirty-one days, her complaints totally vanifhed; during this time no alteration was made either in her diet, or ufual exercife. About a month after, fhe fhe was brought to bed of as fine and healthy a looking boy, as I ever faw, quite free from fpot or blemish, and has every appearance of thriving well.

CASE XX.

LONDON, Nov. 1784.

The mafter of a fhip in the New-York trade, applied to me in a cafe of an enlargement of his right tefficle, which had been coming, he informed me, for two years paft; he had been under the influence of mercury for two months before he left America, but the tefficle was not decreafed in confequence.

His bladder had in a great meafure loft its natural tone, and his urine came frequently away involuntary; he was fiftytwo years of age, and had previous to this enjoyed a good ftate of health. The ftream of his urine diminished, he faid, for the laft year remarkably, became forked, and at last fo feeble that it dribbled away. There was not the least obstruction in his urinary passage, as appeared when I introduced the bougie, and the (81)

the *prostate gland felt found to the touch. The tefficle was hard and infenfible, and a fluctuation of water was conspicuous, rendering it a complicated complaint. When I represented to him the neceffity of drawing off the water previous to any attempt towards a cure, he readily confented. When I introduced a small trochar, and drew off a pint of water, I was enabled to examine the tefficle more minutely, and alfo to give him encouragement. He foon began to drink the Montpellier Apozem a quart a-day, from which he found fo much benefit, that at his own request, it was increased to two a-day, which he continued forty-five days, at which period the bladder, &c. had acquired fo much tone, as to enable him to make water in a full stream, and his tefticle became foft and fenfible, very nearly the fize of the other. The abforbents appear now to do their duty, his health is re-established, and I have every probability of his continuing fo.

M CASE

• A gland at the neck of the bladder, very subject to be difeafed by this malady.

CASE XXI.

(82)

London, 1784.

A gentleman from Northumberland, that had been under the hands of a phyfician in town, famous for his knowledge in this difeafe, and had taken his leave as perfectly cured of a gonorrhœa ; about a month after the running returned with uncommon degrees of virulence, he thought it time to wait on his doctor again, who by his electuaries and turpentine (on which last, he faid, he almost dieted) he became eafy for a few months, and returned to the country, when the discharge again made its appearance. Being a married man, it made him very unhappy in his mind, and he kept corresponding with his physician for a confiderable time, to little purpose ; till defpairing of his gleet, a worthy friend of mine, a Member of the most Honorable House of Commons, did me the honor to recommend me to him. He took postchaife and determined to come to London, travelling upwards of two hundred and fixty miles; I advised the Alterative Apozem

Apozem in fmall dozes, together with the frequent use of the injection, he became in twenty-one days as perfectly well as ever he was in his life; but still fearing relapses, which he had been used to, he defired to continue the course a little longer, which was done about a fortnight, and so confirmed his cure, that he continues now as free from that gleet, as if never afflicted with it.

CASE XXII.

London, 1784.

A gentleman, aged thirty-three, after a clap ill-managed by a country apothecary, who, it appeared, had actually falivated him, by the copious exhibition of mercury; whether his defign was to ftimulate the glands to that degree or not, I will not pretend to fay ; however, the cafe proved too much for him, and his patient was fo relaxed, that it was above his abilities to ftop his gleet, notwithstanding many months trial. When he applied to me, he had not only a most abundant gleety discharge from the urinary passage, but his femen discharged it-M 3 felf felf involuntarily when at ftool; he was likewife troubled with a clammy humor, that iffued from his fcrotum, and the inner parts of his thighs. This gentleman was perfectly reftored to his priftine health, by taking the bark, and making frequent use of my injection, washing the parts outwardly affected, as well as throwing it into the urinary passage.

C A S E XXIII.

London, 1784.

A gentleman having got rid of all fymptoms attending a gonorrhœa, which he had been afflicted with, and had continued in good health in every refpect, was afterwards perplexed with a whitifh foulnefs, that gathered between the forefkin and the nut of the penis, which by detergents, aftringents, and other applications, for near two years, he could not get rid off. It was generally, he obferved, most troublesome to him fpring and fall, and was of that nature, that if not daily washed, and kept clean, it would gather again; and if not removed, would

in

in time make angry, inflame, and excoriate both the nut and prepuce. This put him under several apprehensions, whether this might not proceed from his former gonorrhæa, and having made application to me, I told him my opinion, and believed it to be more a sharpness of the humors, than any venereal taint. In this it turned out as I expected, for it was only a gleeting humor, of the fame nature as gleets that iffue through the paffage of the yard; only the one oozes from the glands, or nut of the penis, and the other from the glands in the urethra, or paffage of the yard. I ordered him the most gentle alteratives, and to wash the parts, and inject very frequently with the injection, which had the good effect I expected, and never have occasion to doubt of; so that this gentleman was perfectly cured, to his no fmall joy, after an utter despair of ever being so, or ever being capable of the marriage-bed, by reason of the tenderness, as well as debilitation of those muscular and nervous parts, neceffarily employed in the act of generation.

CASE

CASE XXIV.

(86)

LONDON, 1784.

A gentleman of no fmall figure in this town, aged about forty-three years, was all on a fudden taken with pains in his limbs, which, his phyficians faid, was the rheumatism; they directed what they thought neceffary, and in a great measure released him from his pains ; upon which enfued fcurvy fpots (as was termed) or breaking out all over him, to remove which they fent him to Bath ; where upon drinking the waters, all to appearance vanished, and the gentleman returned home, to his thinking, in a perfect ftate of health. A month or two after, his breaking out appeared again all over him; his face not being free made him very unhappy; upon applying again to one of his phyficians, he told him, it was the fcurvy, and prefcribed for him accordingly, but it was to little purpose. The patient at length calling to mind an old venereal taint, he had a ftrong fuspicion it proceeded from thence, though he

he had been married ten years, and his lady, to all appearance, as well as any one in the world. Upon this thought, and hearing me spoke of in company he was with at a coffee-house, the next day came to my house, and told me the whole story. Upon viewing his spots, I told him they were certainly venereal, and gave him the Montpellier Apozem, recommended for old venereal remains. which he took but for three weeks, and it perfectly cured him; it is now four months fince, and I dare affirm, he will never have cause to complain of his old difaster. He was fo well pleafed, that by all means his lady must go into the fame course, who, by his persuasion, (not knowing for what reason, or from whom) did so for about a fortnight, under the notion only of fweetening her blood, and by way of prevention, but truly for the fake alfo of being fecured.

(87)

C A S E XXV.

London, 1784.

An artist in the city, having had connection with a foul woman, got a shanker

on

on the nut of the penis, with which he ran to a furgeon, to have fomething to heal it, making no more of it than a fcratch of a pin; the furgeon alfo called it a trifle, which could be fkinned over in a few days; and in this he was as good as his word. The patient returned home well pleafed, took the fame freedom with his wife as usual, thinking all the danger over; a while after the man was afflicted with violent pains; his wife complained of a fore eye, and all this was fuppofed to be from catching cold, as it is commonly called, and as fuch treated by the apothecary to the family; but he having no fuccefs, a phyfician was called, who termed it a Rheumatifm in the man, and the King's Evil in the woman ; but his efforts, for a confiderable time, made but small abatement. At length, the hufband fufpecting the cause, and hearing of a celebrated diet drink that is published, between them they took thirty pounds worth of it, but to as little purpose as before. By this time, both their throats were full of ulcers; the man, in fhort, loft his uvula, and the bones of his palate and nofe were affected; the woman loft

lost the fight of one eye, and indeed, they were both rendered miserable objects, at the time I was recommended to them.

I immediately prefcribed the Montpellier Apozem, to the quantity of a quart a-day, to each, and made proper applications to the throat and nofe of the man; the woman had alfo a tumor formed in her neck, which by the medicines was difcuffed. In the fpace of thirty-fix days they were both *retrieved*, the difeafe overtaken and deftroyed, but not without Venus's fcars, which can never be remedied, lofs of fubftance not being to be repaired.

That the venereal infection is communicated frequently by the mouth, as well as by the parts of generation, is a certain fact, as inftances of this has often occured to me in the course of practice. We fometimes find a shanker attack the mouth of both young and old, without ever performing the venereal act; and this shanker will be attended with violent pain, and N sympto-

fymptomatick fever, as happens not unfrequently with a shanker on the nut of the penis; this mutual accord, confent, and sympathy of the members of our body, there is no reafon to doubt, is made by the commerce of the nerves,* and their artificial politions and curious ramifications throughout the whole body, which is incomparable. To give a description of the nerves from their origin in the brain, the cerebellum, and spine, and so through every part of the body, would be tedious, and perhaps infipid to my readers; one inftance may fuffice for a fample of the whole, and that shall be, the great fympathy occasioned by the fifth pair of nerves, which I choose to instance, rather than the par vagum, or any

* Galen well observes, that the nerves ministring to motion, are hard and firm, to be less subject to in jury; but those ministring to sense are soft and tender; and that for this reason it is, that sour of the five fenses are lodged so near the brain, viz. partly to partake of the brain's softness and tenderness, and partly for the sake of the strong guard of the scale. Vide Galen de us Part. Lib. 8. Cap. 5, 6.

any other of the nerves; because, although we may have lefs variety of noble contrivance, and art, than in that pair, yet we shall find enough for our purpose, and which may be difpatched in fewer words. Now this fifth conjugation of nerves is branched to the ball, the mufcles, and glands of the eye; to the ear, to the jaws, the gums, and teeth; to the muscles of the lips,* to the tonfils, the palate, the tongue, and the parts of the mouth; to the præcordia; alfo, in fome measure, by inosculating with one of its nerves; and laftly, to the muscles of the face, particularly the cheeks, whole fanguiferous vessels it twifts about.

From hence it comes to pass, that there is a great confent and fympathy between all parts of the human body; a gustable thing seen or smelt, excites the N 2 appetite

* Doctor Willis gives the reason, Cur mutua amasiorum oscula labiis impressa, tum præcoadia, tum genitalia, afficiendo, amorem ac libidinam, tam facile irritant, to be from the consent of those parts, by the branches of the fifth pair. Vide Nerv. Deser. Cap. 22.

(91)

appetite, and affects the glands, and parts of the mouth; that a thing feen or heard that is fhameful, affects the cheeks with modeft blufhes; but, on the contrary, if it pleafes and tickles the fancy, then it affects the breaft and mufcles of the mouth and face with laughter; but a thing caufing fadnefs and melancholy, doth accordingly exert itfelf upon the breaft; and demonstrates itfelf by caufing the glands of the eyes to emit tears,* and the mufcles of the face to put on the forrowful afpect of crying.

Hence alfo, that torvous look produced by anger and hatred, and that gay, and pleafing countenance accompanying love and hope.

In

* Tears ferve not only to moiften the eye, to clean and brighten the cornea, and to express grief, but also to alleviate it, according to that of Ulyffes to Andromache, in Senecas Troas. v. 762.

Tempus moramque dabimus, arbitrio tuo implere Lachrymis, fletus ærumnas levat. In fhort, it is by means of this communication of the nerves, that whatever affects the foul, is demonstrated (whether we will or no) by a confentaneous difpofition of the breast within, and fuitable configuration of the muscles without. By which means (as Pliny faith+) the face of man alone is the index of forrow, or joy, of pity, or feverity.

(93)

+ Plin. Nat. Hift. Lib. II, C. 37.

CASE XXV.

CASE XXV.

(94)

London, July, 1785.

L. S. Efq. A gentleman of fingular worth, fortune, and fashion, had been afflicted for a confiderable time with an ulcer at the neck of his bladder, and another near the orifice of the urinary pasfage; there was a confiderable degree of stricture, and whenever he used frequent coition there was an ozing of matter from the urinary canal: being on a visit in town and having been a little intemperate, the ulcers discharged large quantities of matter, without occasioning any pain in the urinary pass of mater, the urinary pass of the was much alarmed, and employed Mr. Tomkins, Surgeon, to attend him for this complaint.

Mr. T. taking it for granted that it was a fresh clap he had caught, began to administer small quantities of mercury, and gave an injection to be thrown into the passage; paffage; this was continued for between three and four weeks, but inftead of gaining ground Mr. S. got worfe and worfe, and began to be much alarmed, more efpecially as he was now feized with cold night fweats, and violent irritation about his bladder, his reft entirely difcompofed, with a total lofs of appetite and fymptomatic fever.

In this fituation Mr. S. fent for me, having previoufly told Mr. Tomkins that he intended putting himself under my care. On the 29th day of July, I vifited him in Buckingham-street, York-Buildings, where I found him in the condition already described ; he was reclining upon a couch, and really unable to get up to fpeak to me in an erect pofture : at first, I was obliged to give him an opiate to compose him, as he was of an irritable temperament. My injection I advifed to begin immediately, and the next day he commenced the extract, both of which agreed with him perfectly well. It

It is unneceffary to give the detail during my attendance on this gentleman, let it fuffice to fay that he mended daily under my care; on the 20th of August he was perfectly freed from every fymptom, and on the 24th he went to Southampton to spend the summer. On the 5th of December following, he did me the favour to call on me, previous to his going to his home in the country, and I was happy to hear that he has continued in perfect health ever since, being freed from all his complaints: he is so obliging as to permit me to give a reference to any gentleman requesting it.

CASE XXVI.

London, Sept. 1785.

SAMUEL C----K, Efq. was recommended to confult me, by Thomas Sandford, Efq. of Ingatestone, Effex; this gentleman had been afflicted with an ulcer near the neck of his bladder for near four

four years; there was a constant discharge, more or lefs, of matter, which iffued from it through the urinary canal, whenever he happened to drink hard, or live intemperate; the neck of his bladder was feized with inflammation, and a stoppage of urine was generally the confequence, fo that his life was three or four times put to the hazard, and his urine during this time, was always obliged to be drawn off by a catheter, or the artificial tube, made for that purpose. This was an alarming fituation to be in, and his mind was made very unhappy. In September 1785, he confulted me in this unfortunate fituation, which I found was entirely occafioned from an ill-cured clap : he was very much emaciated, with a very fallow countenance, his ftomach impaired and relaxed to an amazing degree; he had been under the care of all the country practitioners in his neighbourhood, as well as fome of the Doctors of this metropolis, but in vain, for notwithstanding the bougies and various internal medicines, his symptoms still continued more or less violent.

(97)

violent. On the 10th day of the last mentioned month, he commenced taking the Montpellier extract, and began the use of the vegetable injection, which he had not used a week till he found himfelf quite a different man; the irritation about the bladder abated, and the ulcer discharged a milder matter, the night fweats, which he was fubject to, entirely left him, and his rest became much more composed; in a word, on the 29th of November following, he did me the favour to inform me by letter, that he found himfelf reftored to perfect health, being entirely freed from all those alarming and dangerous fymptoms; and he is fo obliging as to permit me to give a reference to any gentleman that may require it.

CASE,

(99)

ÇASE XXVII.

London, September, 1785.

J. B. W. Efq. of Woolwich, a young gentleman about twenty-three years of age, had been afflicted with the tabes dorfales, or a feminal weaknefs, for near three years; it had reduced him to a very weak flate, and had brought on various other difagreeable fymptoms in confequence.

On the 10th of September he applied to me, though with little expectations on his part of a cure; having been already under the care of fome of the profession, eminent for their abilities. The remedy which I ordered him, agreed with him fo well that in the space of a fortnight he was happy to inform me that he had found great benessit. He attended me regularly in town, every two or three days after the first week, during which he remained in my neighbourhood.

I shall

(100)

I shall not take up any more of my reader's time in this case, but briefly inform him, that by the 28th of November he was restored to perfect health, acquiring his natural complexion, and had got into flesh, which before was fallow and emaciated. I am permitted to give a reference whenever called upon by a gentleman.

APPENDIX,

APPENDIX.

PARTICULAR Directions for taking the Montpellier Extract will be given along with it, but it will alfo be neceffary for the patient to obferve the following general rules. The Extract ufually keeps the body gently open, procuring two motions each day, but this effect will vary according to the ftate of the bowels, and ftrength of the patient's conftitution, therefore in very coftive habits, it may be neceffary occafionally to increase the quantity.

It being foft, balmy and reftorative, it agrees with every ftomach, and requires no no confinement; the patient may use moderate exercise, and go abroad in his usual manner, but ought to attend to the following regimen. He should avoid acids, and things falt or high seasoned; fat meats, hogs flesh, and sour vegetables are at this time prejudicial; dry food, white meats roasted, such as veal, rabbits, fowls, &c. are preferable. He should abstain from the immoderate use of liquors, especially those of the season in the season, at meals, drink sparingly of any of the light wines

Such was the method obferved in administring this medicine at Paris and Montpellier, by the ingenious Monsieur Plank and Monsieur Petit, where it succeeded in the most deplorable cases of the venereal difease, and other chronic diforders, arising from impure humours or a distempered blood, after all other medicines had proved ineffectual.

diluted with water.

The venereal poifon is generally imagined to be of an acid, corrofive, and fixed nature, pature, but this cannot be affirmed with certainty, that these qualities actually refide in it, because we can only judge of the nature of this poison by the effects it produces.

I prefume it will evidently appear, from a general review of the number of authors who have written on this difeafe, that it is not attended with those malignant and dreadful fymptoms, as at its first introduction into Europe. This I think may be juftly attributed to the progress that has been made in the knowledge and proper method of its cure; by which the activity of the virus being generally leffened, the difeafe is not communicated with that degree of virulence; but notwithstanding its fymptoms do not make that rapid and fatal progress, they did a century ago, yet they are fully fufficient to curtail life by flow but fure degrees.

The nature of venereal poifon being fuch as to communicate acrimony, and difpofe the blood to a vifcid or ropy ftate, ftate, the cure will be fooneft brought about by fuch things as blunt the acrimony, thin the blood, and evacuate the offending matter by perfpiration, urine, and ftool.

The venereal poifon is deemed corrofive from the ftrong tendency obferved in venereal ulcers to fpread and eat deeper, the blood therefore being altered from its found flate, by the acrimony of this poifon, all the fluids feparated from it will become vitiated and unfit for the purpofes of life; the folids will not only be robbed of their due fupply of nourifhment, but alfo fuffer from the fharpnefs of the juices, irritating, and at laft coroding the veffels in which they circulate.

By the faline deterging quality of the Montpellier Apozem, it diffolves the coagulated lymph, and powerfully opens the obftructed glands; whilft by its foft balfamic parts, it becomes friendly to the conftitution, defending the folids, and fheathing

fheathing the acrimony of the fharp juices, which fret and irritate their tender fibres. This medicine being possessed of all the above properties, is directly fuited to anfwer every intention of cure ; being composed of faline penetrating fubtle parts, with a foft reftorative balfam, readily mixing with the animal fluids, and with them eafily conveyed to every part of the body; it occafions no tumult in the blood, but goes the whole length of the circulation, and fearching to the extremities of the finest strainers, subdues and evacuates the venereal poison, or other offending humou:s. In this manner the Montpellier Apozem purifies the blood, and gradually changes it from a diffempered to a found state. Thus it effects a radical cure without difordering the patient, or leaving him in that languid, death-like condition, which unavoidably follows a courfe of mercurials. This remedy becomes highly reftorative, by giving balfam to the vital fluid, and for the fame account it will repair injuries done to the constitution, by the baneful mineral mercury.

(106)

mercury. I have known many get into flesh during its use, who before were thin and emaciated, as in Cases fourth and enth.

I would from long practice and experience recommend this medicine, in conflitutions where the patient is inclined to inward decay, for fuch is a very improper fubject for to use mercury; even after falivation has proved in vain, and left the fufferer hectic or confumptive, or any eruptions on the fkin, headach, or wandering pains.

Those whose strength is impaired by the bane of youthful vigour (Self P—) will find effectual and permanent relief from this remedy, there are many compounds fold in this Metropolis, commonly called restoratives, which are generally prepared with Spanish flies, or such heating stimulating ingredients, which can only produce a temporary effect, by stimulating the urinary passage, and will confequently leave the afflicted more debilitated debilitated afterwards, by laying an additional strength on parts which were much too weak before.

(107)

No medicine, properly fpeaking, can be confidered truly reftorative, but fuch as has a power to foften the fharp thin blood, and reftore that fine balmy lymph, which nourifhes the body, and invigorates the whole vital flame.

Imbecility in men, and barrennefs in women, may be often removed by the Montpellier remedy, as I have had occafion to obferve in feveral inftances. This prolific effect in the former was probably brought about by its rendering the blood richer and more balmy, and by which a greater quantity of femen was fecreted; and in the latter by repairing the female conflitution, and reftoring the menfes to their natural quantity, and regular periods, without both which women do not ufually become pregnant.

1 have

I have lately had fome female patients, who from a bad state of the blood, and irregularities peculiar to their fex, were debilitated and relaxed, (a remarkable instance of this occurred in the cafe of Mrs. D. of Dean-street, Soho) she had been afflicted for years with the fluor albus, and the might with propriety be faid to have remained barren, or being with child, conftantly mifcarried about the fourth month. April 20th, being then pregnant, and in this languishing condition, having long laboured under ill health, and was of a delicate frame and a valetudinary babit of body. She had at this time also a troublesome cough, and her spittle was now and then tinged with blood : her physician had ordered repeated bleeding, and kept her on low diet, indeed she was reduced to the last extreme of weaknefs, and the began to take the Apozem with fo much relief, that her strength, spirits, and appetite increafed every day, and the was happily delivered at her full time of a ftrong male child ;

child : this lady has been fo kind as to allow me the liberty of making a reference.

In particular cafes of nervous diforders arifing from a venereal taint, fcrophulous or fcorbutic humours, the ufe of this medicine will be found equally falutary, by eradicating the feeds of thofe latent difeafes, for fo long as they remain in the blood, and poifon the fanguineous fluid, or that vital fource from which all the parts of the body are fupplied with nourifhment, fo conftant will the nervous fyftem remain weak, languid, and infirm.

Doctor Morton, a very celebrated phyfician, in his Book upon Confumptions, and I am of opinion the beft that ever was written on that fubject, diftinguifhes this fatal malady into two kinds, viz. the original and the fymptomatic confumptions, the first, he fays, arifes from fome defect in the natural structure of the body, where medicines can do but little fervice; fervice; the last from the effect of other distempers, which particular species of confumption can only be cured when those are taken away. Of this kind are the venereal confumption, the fcrophulous confumption, and the fcorbutic confumption, where the blood is tainted with the leven of these diseases. Stupor and giddiness of the head, confusion of ideas, and lofs of memory, attended with fluggishness, low spirits, and flow fever, often proceed from the venereal poifon; fometimes from an immoderate use of mercury, or from a scrophulous or scorbutic cause, which all rob the blood of its nourishing balfam, and risking the danger of a confumption.

Every fpecies of confumption, arifing from those causes, this medicine will relieve or cure when duly administered, for being constantly and for a considerable time admitted into the blood, it will by degrees correct its morbid quality, and by its active attenuating falt, dissolved in a fost balmy liquor, will fo dilute and less leffen the cohefion of the animal fluids, that the venereal poifon, fcorbutic of fcrophulous acrimony, will be readily feperated from the found juices, and washed out of the body by the feveral difcharges of perspiration, urine, and stool.

Whoever mistrusts the efficacy of this remedy, from its want of that ponderous quality with which mercury and other minerals are endued, will pleafe to attend to a very common experiment, which will entirely overthrow that objection; for inftance, the bones of animals, which have for fome time eaten their food with a mixture of madder root, do by fuch means acquire a very florid red colour, even in their most solid compact parts; this circumstance is mentioned particularly by that defervedly great man, and first Anatomist of the age, professor Monro, of Edinburgh, who fpeaking of the veffels of the bones, relates the following circumstance :

" The

" The clearest demonstration of the in-" timate distribution of these small arte-" ries, is to observe the effects of fuch " a tinging fubstance, as can retain its " colour when swallowed, digested " and mixed with the blood of any liv-" ing animal; and at the fame time has " particles fmall enough to be convey-" ed into the veffels of the bones, fuch " is Rubia Tinctorum, Madder Root :* " for we fee the gradual advances that " this tincture makes from the peri-" ofteum into the more internal parts " of the bones; and how univerfally the " distribution of liquors is made, the " whole bony fubftance being tinged.".

From hence it will appear evident that all the parts of the body, even the very bones, abound with veffels infinitely fmall, which admit of circulation, for human bones, as well as those of any other animal,

Philof. Tranf. No. 442, Art. 8. No. 443, Art.
2. No. 457, Art. 4. Memb. de Acad. des Sciences, 1739. mal would be dyed red in the fame manner, provided madder was to be mixed with our food, as they are pervious to the fubtle particles of medicine, which act not at all by their gravity, but rather by a specific quality, which with the animal fluids is conftantly propelled by the heart, and by degrees transmitted to the affected part, fo that let the difeafe be ever fo inveterate, and the patient infected even to the bones, as in Cafes fourth and twenty-fifth, provided he will conform to fome rules, and continue the Apozem for a sufficient time, he may in the end, with certainty, depend upon an absolute cure.

Mercurials, when judicioufly given, may cure the pox in robuft habits, yet there are many conflitutions which have fuffered fo much, from the long continuance of the difeafe, and improper ufe of this mineral, that they are unable any longer to withftand the force of fevere remedies, and would unavoidably fink under a falivation, which, with a long Q courfe courfe of abstinence, during the progrefs of it, would bring on fuch a waste of body, as never to be repaired ; fo that many patients, though perhaps cured of the difease, would languish out their days, and and at last die of a consumption. This I have often seen with much concern, efpecially in delicate constitutions.

Almost every person, from his own experience, may know the inconvenience attending a fimple sprain in any part of the body, and how long it is before the affected part regains its former ftrength; the fame cause, though in a lefs degree, will also account for the exceffive weaknefs that fo often follows the immoderate use of mercury; for in both cases the nature of the injury is the fame, viz. the application of a greater force to the folids than their natural ftructure can bear ; only in the first, the effect is instantaneoufly produced in a particular part, with the sense of pain; but in the last is univerfal, brought about by degrees fo flow and

and infenfible, as not to give fuch manifeft marks of approaching danger.

Indigeftion and dejection of fpirits, are likewife diforders more immediately arifing from relaxation than any other caufe; as is evident, by the means which relieve them; for whatever braces the fibres, and increases muscular motion, feldom fails of restoring the appetite and spirits.

It very rarely happens, that a new method of cure in any difeafe gives univerfal fatisfaction, for there never are wanting fome men of fo inviduous a turn of mind, that their principal pleafure confifts in decrying the productions of others, as if what they ftrip their neighbours of, was to be added to their own characters.

Old venereal complaints, when combined with fcorbutic or fcrophula, caufes a lentor in the capillary blood veffels, and as this fizy blood is gradually pushed forwards, by the force of the circulation into the veins, it there becomes putrid, Q_2 and

(116)

and impregnates the reft of the mafs with a malignant quality, which is communicated both to the internal and external parts of the body.

Confirmed poxes I call all those which are accompanied with some fort of poison : now of whatever nature this happens to be, it not only infects and corrupts the blood, but more particularly feizes on the fubtle nervous liquor, which is called the animal spirits; hence it is, that these poxes act with greater rapidity and violence, and are much more difficult to cure than the other forts.

But there is one circumftance common to all poxes, that Nature endeavours to conquer the difeafe by fome ftruggle or other, and by which notice is given that the enemy is at hand, as Nature withes always to throw forth from the body whatever is prejudicial to life.

Now, whereas the word Nature is made use of by physicians in the cure of all diseafes,

feafes, I will here, once for all, plainly declare my fentiments of what we ought to understand by that word. That there is fomething within us that perceives, thinks, and reasons, is manifest beyond contradiction; and yet the nature of that fomething cannot be fully and perfectly comprehended in this life. Wherefore I shall refign the disquisition of this point to those who while they know too little of. and care lefs for things falling under their fenses, take great pleasure of investigating those things which human reason is incapable of conceiving. However, thus far the foundeft philosophers agree concerning it, that it is fomewhat incorporeal.

For how can fluggifh matter, which is of itfelf void of all motion, be the fource and firft caufe of thought, the moft excellent of all motions ? Wherefore, it is evident fufficiently, that this firft mover within us is a fpirit of fome kind or other, entirely different and feparable from terreftrial reftrial matter, and yet most intimately united with our body.

To me it feems probable, that this active principle is not of the fame fort in all; that the all-wife Creator has endowed man with one fort, and brutes with another; that the former fo far partakes of a divine nature, as to be able to exift and think after its separation from the body; but that the latter is of fuch an inferior order, as to perifh with the body. The former was by the ancients called Animus, and the latter Anima; * and they believed that they were both engendered in our species; but this I take to be an erroneous position; for as their anima fuffices for the functions of life in brutes, fo our animus stands not in need of fuch an affistant. Now this matter, if I am not mistaken, stands thus : fuch is the composition of our fabrick, that when any thing pernicious has got footing within the

* Mundi principio indulsit communis conditor illis Tantam animam, nobis animum quoque.

JUV. SAT. XV. 148.

(119)

the body, the governing mind gives fuch an impulse to those instruments of motion, the animal spirits, as to raise those commotions in the blood and humours, which may relieve the whole frame from the danger in which it is involved. Indeed those very motions which are commonly called natural and vital, as those of the heart, lungs, and inteffines, which perfevere through the whole courfe of life, even when the will cannot be concerned in them; as they have their beginning from the mind, fo they are perpetually under its direction. I could eafily bring many arguments in confirmation of thefe fentiments, but they would be fuperfluous in this place; befides, I am happily anticipated by the late learned Dr. Porterfield, a fellow of the Royal College of Edinburgh, in his curious differtation on this subject.

From philofophy I return to medicine. The fagacious Dr. Sydenham was fo far of this opinion, as to affert, that a difeafe is nothing elfe but an effort of nature ture to throw off the morbific matter, for the health of the patient. * And Hippocrates, in his ufual manner, laconically expressed the fame thing thus: Nature is the curer of difeases. Now this I have observed more particularly in pestilential difeases, in which the violence of the distemper breaks forth on the skin in the form of puscules, carbuncles, and buboes, all which are the very venom of the difease, as the common experiment of giving the states.

That malignity appears in fuch various forms, according to the different nature of the infection, that its characteristic figns have given various appellations to the lues venerea; it is always a difficult tafk, and fometimes a needlefs one to inveftigate the true caufes of things; but as my reader may perhaps expect, that I fhould account for the above mentioned differences

* Vid. Observation Medic. circa morborum accertorum Historiam, at the beginning.

(120)

differences in this difeafe, I fhall fay, that the principal reafons of those differences which have occurred to me upon mature confideration, are the almost infinite variety of temperaments in various individuals; for fuch is the power of temperaments of body, that they descend to those of the same blood, by a fort of hereditary right; whence some difeases are found to be familiar and fatal to certain families.

While the nerves of the animal machine continue juftly modulated or braced, according to the regular ftandard of Nature, the mind will perceive itfelf perfectly at eafe, and free from all manner of pain and uneafinefs.

But fome perhaps may afk, how fhall we know when this animal machine is exactly braced and modulated, agreeable to the exact ftandard of *Nature's laws*? and what are the mechanical powers on which that modulation depends? to which I anfwer, that the mind perceiving itfelf per-R fectly fectly at eafe, will be the cleareft indication, that the feveral undulating fibres are acceding neareft to the balance of Nature; for it is impoffible that any organ of the reafoning inftrument can be out of tune, but that the mind will perceive it, fo that upon those grounds we have a standard to go by, or a director to inform us, whenever this system of matter and motion is any way affected, and not only fo, but this thinking being is capable of pointing out the very part it perceives primarily affected, which so the greatest affurance, that a difease fubfist in the body.

Indeed the harmony of the human fabric is fo furprizingly contrived, that the mind and body shall equally fuffer under all the various circumstances of life; fo that if the bodily organs be faint, weary, or any ways disconcerted in their springs, the mind perceives their affection and is affected with the change. Now the queftion is, whether the means made use of for the recovery of the patient labouring under under any difeafe, acts upon the body or mind ? and from all obfervations, it moft certainly appears to act upon the bodily organs, for, by raifing the contraction of the arteries, we at the fame time increafe the circulation of the blood, raife the beating of the pulfe, the motion of the heart, and quicken the fecretion of the animal fluids, whereby all the fenfes are revived, the faculties and the foul itfelf cleared by their fine, foft, undulating motions, that the fibres, thus braced or affifted, ftrike upon the paffions.

Indeed the kind and benificent author of our nature has implanted in every human individual a principle of reafon, whereby he might difcover the laws of Nature, as far as they concern his conduct of life; and as difeafes are one of the greateft evils he can guard againft, fo is it the bufinefs of the phyfician to difcover truly and certainly, on what caufes they are grounded, what matter they confift of, the principal organs in which they are lodged, and how they may fafely R 2 be be eradicated without the least detriment to the body; and whatever has hitherto been accounted the effential definition of a phyfician, I will venture to fpeak it in one word, that he is best deferving of that character, who best knows how to cure difeafes, and remove the obstructions that embarrafs and overturn the motions of the animal oeconomy.

It is impossible that he can know abfolutely and properly how to cure a difeafe unless he understands their symptoms, caufes, the principles on which they depend; the progress they make, and the alterations and changes they infer upon the conftitution of animal bodies; and as all the alterations, fymptoms, and phænomena, have their dependence entirely on the changes that happen in those external, obvious, fensible qualities of heat, cold, dry and moisture, are dependent on the motions of the folids and fluids, and alterable from their different degrees of impulse; so it follows that all diseases must necessarily arise from the solids

lids and fluids being rendered in their motions, above or beneath the balance of Nature; fo in like manner will the different degrees of diseases always attended with different degrees he of these motions, which will infer different changes in these external obvious fenfible qualities, in proportion as the motions are increased or remitted; fo will it follow that the peculiar fymptoms indicating the height or feverity of any disease, will be discoverable from the intenfeness of their external, obvious, fensible qualities; hence the contorfions that often involuntarily affect the muscles of the countenance in divers nervous difeases. When it happens to fall out that these external obvious sensible qualities should retreat inwardly upon the habit; even here the pulse will difcover that retreat, for it is impossible that the qualities of heat, cold, &c. can retreat, but that the motion will accompany them, or that the motions can retreat, unless there be obstructions formed inwardly upon the habit : or that obftructions

(126)

Aructions can be formed upon any of the internal organs, but that the beating of the heart must be enforced; or that the beating of the heart can be enforced, without the variation of the pulse, because the beating of the pulse has an immediate dependence upon the artery that goes to the heart; fo that in this very cafe, which feems most remote from an intuitive knowledge, the pulse will inform us not only of this retreat, but of the degrees of motion that attend it. Thus it appears that we have the fureft grounds to go upon, even in the most perplexing cases, and even when the external habit changes its temperature.

Thefe external, obvious, vifible, or fenfible qualities of heat, cold, &c. therefore are of the fame confequence to a phyfician, that the fea chart or compafs is to the mariner, and as the latter informs the failor of the courfe he is to fteer, fo the former directs the phyfician to cleareft indications, not only to difcover discover the most abstruse causes, but also to administer a cure in the most stubborn and perplexing diseases.

And thus we arrive at the higheft degree of certainty, in judging of the internal motions, and their different degrees, from the external, obvious, fenfible qualities; for their qualities always depend on the internal motions, and are certain indications to what height and degree thefe inward motions arrive.

Human understanding indeed may be mistaken in judging of objects, not properly applied to their view, or placed in an improper medium, or at too great a distance; but what every one in health feels and sees, he certainly knows to be a perception; and if I see and feel the habit of the body hot and dry, it is as evident a demonstration to me as any mathematical problem whatever, that it is endued with those properties I call hot and dry; and consequently that the internal nal motions of the folids are forcibly imprefied on the fluids, the fecretions of the juices accelerated, and the blood greatly divided, which are all properties abfolutely neceffary to make the habit hot and dry.

These changes in the external, fenfible qualities, upon a change in the internal motions of animal bodies, therefore, give us an intuitive knowledge of the nature, cause, and symptoms of difeases; which, as Mr. Locke very well obferves, is the highest kind of evidence our state and condition is capable of; and which arises from our perceptions themselves; than which we cannot have any greater certainty, that things are what they are.

The criterion, therefore, by which we judge, when all the motions of the animal fibres are regular, that is when the body is in a ftate of perfect health, is difcoverable from the natural power of of our perception, which depends on the natural courfe of the humours, on the natural fecretions of the juices, and on the natural contractions of the folids; for it is impoffible that any particular fecretion can be vitiated, but that there will be pain and uneafinefs, or that there can be pain or uneafinefs in any organ, but that the mind will perceive it. This perception arifes from the neceffary connexion, confent, and agreement, that all those fine fprings and fibres, that compose the animal machine, hath with the mind and its faculties.

The perception of pain is an idea quite different from the perception of danger; the former always arifes from real caufes, and is a certain perception in the mind, depending on the internal fymptoms of the bodily organs; but the knowledge of danger is to be calculated from the circumfances of the parts affected, that depend on a chain of confequences out of the reach of the S patient patient to comprehend, fo that in all cafes of difeases we ought to diffinguish between the perceptions and the knowledge that accompany those perceptions. The perceptions are always real apprehenfions, from an intuitive view that the mind has of the degrees of pain and uneafinefs that at any time affect it, through an irregular impression of the corporeal organs; he, therefore, may certainly perceive his pains and uneafineffes to be what they are, without perceiving the danger that 'attends those imprefiions, and which has nothing to do with those degrees of perception. In a word, every perception of pain is a certain indication that the body is affected; but every consequence drawn from the degrees of that perception, is no certain indication of danger, but must be judged of from the visible circumstances of the parts affected, and from the known phaenomena incident to affect the several parts under this difease.

Iam

(130)

I am not at all furprized at the frequent complaints we hear abroad, of many people losing their fight and hearing, when fome gentlemen are for ready to refolve the defects of those noble organs into whim and fancy, by which means their diforders are fuffered to gain ground, and affect the patient with an irrecoverable blindness and deafness.

- These motes which now and then affect the eyes of some people, are nothing less than corpuscles of the fluids attracting each other, which, as they pass before the retina, `darken the atmosphere in certain points; which points appear to the patient as if they were real motes.

The caufe of these phænomena arises from the crystaline humour being too grossly secreted, which demands the immediate application of some proper remedy, that may divide, attenuate, and resolve the obstructions of those fibres that secrete this humour; and for this S 2 purpose purpose the Montpellier diet drink is a sovereign remedy.

I have known some gentlemen in treating their patients, labouring under pains of the back, limbs, and fides, and various other fymptoms, expressed by the fufferers; I fay, when their phyficians perceived the difease untractable, and not eafily yielding to the force of medicines; are very ready to charge it upon fpleen and vapours, or what is generally termed hypochondriac, or, according to their acceptation of these words, whim and fancy; and having been rallied out of a real difeafe by an ignorant pretender, fell a facrifice in confequence, changing one world for another, a change that very few of us are willing to make, fo long as we can conveniently refide in this.

From the foregoing arguments and reafonings upon this fubject, it clearly appears, that to be in health, and perceive it is the fame thing; and that it is impoffible that any man can be in health and

(132)

and not perceive it, and that there is a neceffary infeparable connexion between the existence of health, and the perception of that existence; from which whoever deviates, has a demonstration as evident as the nature of the thing will admit, that his constitution is starting from its natural standard.

Indeed I fhall not deny, as I have already obferved, but that the mind may fometimes be miftaken, in judging of the degrees as well as danger of a difeafe; but ftill the caufe of that wrong judgment muft arife from fome difaffection in the glands of the brain, the immediate inftrument of regular thinking; ftill there muft be fome real diforder in the bodily organs, fome real foundation for complaint, ftill the fprings, wheels, and pullies of the conflitution, muft by fome means or other be difconcerted, or elfe the mind can never receive the imprefilon of a difeafe.

FINIS.

