

The medical and chirurgical pharmacopoeia for the use of hospitals,dispensaries, etc.

Contributors

Reece, Richard, 1775-1831.
University of Leeds. Library

Publication/Creation

London : W. Bulgin, 1801.

Persistent URL

<https://wellcomecollection.org/works/caykph72>

Provider

Leeds University Archive

License and attribution

This material has been provided by This material has been provided by The University of Leeds Library. The original may be consulted at The University of Leeds Library. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.




Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

4

THE

MEDICAL & CHIRURGICAL

Pharmacopoeia,



BY RICHARD REECE,

CHEPSTOW.


WILLIAM & CHRISTOPHER

WARRINGTON


BY RICHARD KEENE

CHESTER


THE
 MEDICAL & CHIRURGICAL
Pharmacopoeia,
 FOR
 THE USE OF
 HOSPITALS, DISPENSARIES, &c.



BY RICHARD REECE,
 Member of the Royal College of Surgeons, in London, and the Medical
 Society of St. Bartholomew's Hospital, and late Domestic Surgeon and
 Apothecary to the General Infirmary, at Hereford.



SECOND EDITION.



PRINTED AND SOLD BY W. BULGIN,
No. 3, WINE-STREET;
 SOLD ALSO BY WEST AND HUGHES, PATERNOSTER-ROW,
 LONDON; BELL AND BRADFUTE, EDINBURGH;
 S. HAZARD, BATH; AND ALL OTHER
 BOOKSELLERS.

1801.

THE
MEDICAL & CHIRURGICAL

Pharmacopoeia

FOR


THE USE OF

HOSPITALS, DISPENSARIES, &c.

BY RICHARD REEVE,

Member of the Royal College of Physicians in London, and of the Medical
Society of St. Bartholomew's Hospital, and the Double Dispensary and
Apothecary to the General Infirmary, at Liverpool.

SECOND EDITION.



PRINTED AND SOLD BY W. BULGIN,
No. 8, WINE STREET,

SOLE ALSO BY WELT AND HUGHES, WATERMOSEY-ROD,
LONDON; BELL AND BRADSHAW, COVENTRY;
J. HARRIS, BATH; AND ALL OTHER
BOOKSELLERS.

1861.

TO

MARK WOOD, Esq. M. P.

PIERCEFIELD, MONMOUTHSHIRE,

COLONEL AND LATE CHIEF ENGINEER,

Bengal,

THIS WORK IS

VERY RESPECTFULLY DEDICATED,

BY HIS

Much obliged and

Most obedient humble Servant,

THE AUTHOR.

CHEPSTOW, Nov. 1800.

MARX WOOD, Esq., M. D.

BRISTOL, MASSACHUSETTS

COLONY AND EAST OCEAN ENGINEER

Author

THIS WORK IS

VERY RESPECTFULLY DEDICATED

BY HIS

Modest Son and

Most Obedient Pupil

THE AUTHOR

CHURCH, N. B.

TO THE
PHYSICIANS & SURGEONS
OF THE DIFFERENT
CHARITABLE INSTITUTIONS

FOR THE RELIEF OF THE DISEASED POOR IN
GREAT-BRITAIN,

THIS WORK IS DEDICATED
WITH MUCH HUMILITY AND RESPECT,


BY THEIR

Very obedient,

And humble Servant,

RICH. REECE.

CHEPSTOW, August, 1800.



Preface.

NO country or climate has ever seen affluence scatter its comforts upon the distressed and indigent with an exertion so liberal, honorable, and truly its own, as Great Britain, during the space of the last five years. Whole parishes, in town and country, however narrow the sphere of their charities has been, from the general pressure of the times, have come forward with their chearful sacrifices to vie in the pre-eminence of doing good. It was a wise and beneficent spirit that directed such amiable instincts to the patronage of institutions which might, at all seasons, afford to disease a consolatory refuge in time of need; and we may with some triumph exult in the conviction, that the medical profession of our own country know their nature better than to uphold such establishments from any principle of mercenary gratification. In most other States, I believe this eulogium cannot so truly and judiciously apply to that rank of its Members. The opinion, however, is by no means singular, that an opening may still be left in the improvement of their economy. In
the

PREFACE.

the humble hope, therefore, of giving rise to a plan which may retrench in Infirmaries, the scale of general expenditure, without, at the same time, withholding any succour for the relief of individual malady, the following little treatise has been drawn up to meet the public eye. It is requested that the medical profession will not consider the intention of the author as originating from any desire of *prescribing* to their judgment or censuring the prevailing system, but only as a hint, if the alteration should be deemed expedient or necessary, on which gentlemen of more enlarged practice and superior talent may improve. It has been at times thought convenient to depart from some of the usual names for the sake of a more distinctive perspicuity. In order to swell as little as possible the contents and price of the book, brevity has been uniformly adhered to wherever it could be done with effect, and the few stray notes which run through the volume, are only such as appear to the author indispensable.



THE
MEDICAL & CHIRURGICAL
Pharmacopoeia.

A
AQUÆ SIMPLICES, *vide* ESSENTIÆ.

B
B O L I.

BOLUS ANTIMONIALIS.

R. Pulv. antimonialis P. L. gr. viij.
Conf. Cynosbati, q. f.

BOL. ANTIMON. ANODYN.

R. Pulv. antimon. P. L. gr. viij.
Ext. Papaveris albi gr. vj. misce.

The antimonial Powder, of the London Pharmacopœia, is similar in Preparation to the celebrated expensive Fever Powder of Dr. James, and equally safe and effectual.

BOL. ANTIM. TART.

R. Antimon. tart. gr. $\frac{3}{4}$
Ext. Papav. alb. gr. vj. m.

This is the most certain Sudorific of the antimonial Preparations.

BOL. ANODYN.

R. Ext. Papav. alb. gr. x.

BOL. DIGITALIS.

R. Pulv. fol. Digitalis, gr. ij.
Elect. opiat. drach. fs. m.
Vide Tinct. Digitalis.

BOL. OPIATUS.

R. Elect. opiat. drach. fs.

BOL. SCILLÆ.

R. Pulv. Scillæ. gr. iv.
Elect. opiat. drach. fs. m.

C

CATAPLASMATA.

—

CATAPLASM. ACETATUM.

R. Furfur. opt. (Pollard) lib. iv.

Pulv. Lini lib. fs.

Aceti Vini alb. lib. ifs. m.

CATAPL. ALUMINIS.

R. Albugin. Oviorum gallinac.

Aluminis q. s.

CATAPL. ANODYN.

R. Furfur. opt. lib. iv.

Pulv. Lini lib. j.

Decoct. Papav. alb. fort. lib. ifs.

CATAPL. CICUTÆ.

R. Furfur. opt. lib. iij.

Pulv. Lini lib. fs.

Suc. Cicutæ recent. vel

Tinct. Cicutæ q. s.

CATAPL.

CATAPL. CARBONIC.

R. Pulv. Carbon. lib. fs.
 Furfur. opt. lib. iij.
 Pulv. Lini unc. xij.
 Ol. Lini unc. iv.
 Aq. bullient. lib. ifs. m.

CATAPL. EFFERVESC.

R. Inf. Brasii lib. j.
 Furfur. opt. lib. iv.
 Spumæ Cerev. unc. iv. m. s. a.

CATAPL. FURFURIS.

R. Furfur. opt. lib. viij.
 Sem. Lini Pulv. lib. ij.
 Ol. Sem. Napi s. unc. iij.
 Aq. bullient. lib. iij. m. s. a.

This is recommended as a cheap Substitute for
 Bread or Oatmeal Poultice.

CATAPL. SINAPEOS.

R. Sem. Sinap. triti
 Furfur. opt. āā lib. ij.
 Pulv. Sem. Lini unc. vj.
 Acet. Vini. alb. quant. fatis fit.

CATAPL.

CATAPL. TEREBINTH.

R. Terebinth. vulg. unc. iij.
 Cepæ contuf. unc. vj.
 Furfur. optim. lib. iv.
 Pulv. Sem. Lini unc. xij.
 Aq. fontan. q. s.

 CERATA, *vide* UNGUENTA.

 CONFECTIONES, *vide* ELECTUARIA.

 COLLYRIA.

COLLYRIUM ALUMINIS.

R. Aluminis drach. j.
 Inf. Flor. Balauft. lib. jfs. m.

COLLYR. AMMON. ACET.

R. Solut. Ammon. acet.
 Aquæ puræ, aa unc. iv. m.

COLLYR.

COLLYR. CALOMEL. OPIAT.

- R. Calomel. Præp. scrup. j.
 Mucil. G. Arabic. unc. j.
 Opii purific. scrup. j.
 Aquæ Calcis, unc. iij.
 — puræ unc. iv. m.

COLLYR. CERUSSÆ ACETATÆ.

- R. Cerussæ acet. scrup. j.
 Aceti Vini albi, unc. fs.
 Aquæ puræ unc. vij. m.

COLLYR. CERUSSÆ OPIAT.

- R. Cerussæ acet. scrup. j.
 Acet. Vini albi unc. fs.
 Opii purific. scrup. j.
 Aquæ puræ unc. vij. m.

COLLYR. CERUSSÆ ACET. CAMPHOR.

- R. Cerussæ acet. scrup. j.
 Mist. Camphoræ lib. fs. m.

COLLYR. CUPRI VITRIOL.

- R. Cupri vitriol. gr. iij.
 Acid. muriat. drach. fs.
 Aquæ puræ unc. vij. m.

COLLYR.

COLLYR. HYDRARG. MURIAT.

- R. Hydrarg. muriat. gr. ij.
 Acid. muriat. gut. x.
 Aquæ puræ unc. viij.
 Tinct. Opii drach. ij. m.

COLLYR. ZINCI VITRIOL.

- R. Zinci vitriol. scrup. j.
 Acid. sulphur. dilut. gut. x.
 Aquæ puræ lib. fs. m.

CREMOR. LITHARG. ACET.

- R. Cremor. Lactis lib. j.
 Aq. Litharg. acet. unc. ij. m.

 CONSERVÆ.

In the making of Conserves, the common white Sugar may be used in lieu of double refined.

 D

DECOCTA.

 DECOCT. ALTHÆÆ.

- R. Rad. Althææ fic. incis. unc. iij.
 Coque Aquæ puræ lib. iv. ad lib. iij.

DECOCT.

DECOCT. HELLEB. ALB.

- R. Rad. Helleb. alb. cont. unc. ij.
 Coque Aquæ puræ lib. iij. ad lib. ij.
 Dein adde Ammon. muriat. drach. iij.

This Decoction has been very successfully employed as a Lotion for the Cure of Tinea Capitis, Lepra, and Itch. It is exempt from the great Objections to the sulphuric and mercurial Preparations, and equally effectual.

DECOCT. HORDEI.

- R. HORD. contuf. lib. fs.
 Coque Aquæ puræ lb. viij. ad lib. vj.

DECOCT. QUERCUS.

- R. Cort. Querc. cont. unc. ifs.
 Coque Aquæ puræ lib. iifs. ad lib. ij.

DECOCT. QUERC. COMP.

- R. Cort. Quere. cont. unc. j.
 — Salic. fragil. cont. unc. ij.
 Coque Aquæ puræ lib. iv. ad lib. iij.

The bitter of the Willow Bark, conjoined with the astringency of the Oak, forms a tonic Medicine,

cine, which experience warrants me in asserting to be equal in efficacy to the Cinchona. It has been retained on the stomach after the Peruvian bark has been rejected. In Intermittents it has uniformly answered as well, and in all cases where the use of a tonic is indicated, it may with equal advantage be employed, a fact that may be turned to a very considerable decrease of expence in the medical department of Hospitals, &c.

DECOCT. RUBIÆ TINCT.

R. Rad. Rubiæ Tinct. cont. lib. fs.
 Coque Aquæ puræ lib. iii. ad lib. ij.
 Cap. unc. iv. ter. die.

In Amenorrhœa, particularly in scrophulous Habits, this Decoction has been productive of salutary Effects. *Dr. Osborne found it serviceable in correcting the scrophulous Diathesis.

DECOCT. TUSSILAGINIS.

R. Fol. Tussilag. ficcat. unc. iv.
 Rad. Glycyrrhizæ unc. fs.
 Coque Aquæ puræ lib. ij. ad lib. ifs.

* Noticed in his Lectures on Midwifery.

DECOCT. ULMI.

R. Cort. Ulmi inter. contus. lib. fs.

Coque Aquæ puræ lib. viij. ad lib. v.

This affords a good Vehicle for the exhibition of antimonial Wine, or Solution of muriated Quicksilver, in cutaneous Affections. It is not perhaps inferior to the expensive Root, Sarsaparilla.

DECOCT. ULMI COMP.

R. Cort. Ulmi inter. cont. unc. iij.

— Rad. Mezerei cont. unc. j.

Coque Aquæ fontan. lib. iv. ad lib. iij.

Cola et adde Cort. Rad. Saffafr. cont.
unc. j. infunde per Horas quatuor.

DECOCT. UVÆ URSI.

R. Fol. Uvæ Ursi unc. iv.

Coque Aquæ fontan. lib. iij. ad lib. ijfs.

E

*ELECTUARIA.**ELECTUARIUM CRYST. TART.*

- R. Cryſtal. tartari pulv. unc. iij.
 Pulv. Jalapii drach. ij.
 — Fol. Sennæ unc. fs.
 — Pimento unc. fs.
 Theriac. com. q. s. ut f. Elect.

ELECT. E CRETA AROMAT.

- R. Cretæ præpar. lib. j.
 Pulv. Gran. Parad. unc. fs.
 — Caffiæ lign. unc. ij.
 — Canellæ albæ unc. j.
 — Pimento unc. ij.
 — Rad. Zedoar. flav.
 — Curcum. aa unc. fs.
 Syr. Cort. aurant. q. s. ut f. Elect.

ELECT. OPIATUM.

- R. Pulv. Opii drach. iij.
 — Cafs. Lign.
 — Zinziber. alb.
 — Sem. Carui aa unc. j.
 Syr. Cort. aurant. unc. x. m.

Thirty-six Grains of this Electuary contain one
 of Opium.

ELECT.

ELECT. QUERCUS.

R. Pulv. Cort. Quercus unc. j.
 — Aluminis drach. j.
 — Cafs. Lign. drach. ij.
 Syr. Cort. aurant. q. s.

ELECT. QUERCUS COMP.

R. Pulv. Cort. Querc. comp. unc. ij.
 Rubig. Ferri præp. unc. fs.
 Conf. Cort. aurant. unc. iij.
 Syr. ————— q. s.

ELECT. QUERCUS BALSAM.

R. Pulv. Cort. Querc. comp. unc. ij.
 — Refin. flav. unc. fs.
 Balsam. Copaivæ drach. ij.
 Mucil. G. Arabic. unc. j.
 Syr. Cort. aurant. q. s.

ELECT. ^E STANNO GRANUL.

R. Stanni granulati unc. vj.
 Conf. Abfinth. unc. iij. m.

ELECT. ^E STANNO PULV.

R. Pulv. Stanni unc. iij.
 Conf. Abfinth. unc. iv. m.

ELECT.

ELECT. E STANNO PULV. COMP.

- R. Pulv. Stanni unc. vj.
 — Sem. Santon. unc. ij.
 — Fol. Tanaceti unc. j.
 Conf. Abfinth. lib. fs.
 Syr. Cort. aurant. q. s.

ELECT. SULPHURIS.

- R. Flor. Sulphuris unc. iij.
 Pulv. Cryst. tartari unc. j.
 — Salis Nitri drach. ij.
 Theriac com. unc. vj. m.

ELIXIR ALOES.

- R. Gum. Myrrhæ,
 Aloes hepat. aa lib. fs.
 Rad. Zedoar. flav. unc. ij.
 Sp. vinos. tenuis lib. viij. m.

ELIX. VITRIOL. ACID.

Vide Acid. Sulphur. dilut.

EMPLAS-

EMPLASTRA.

EMPL. CANTHARID.

- R. Ceræ flav.
 Resin flavæ.
 Adep. Ovil. præp. aa lib. iij.
 Aceti Vini alb. fort. lib. j.
 Cantharid. Pulv. lib. j. m.

EMPL. EX EUPHORBIO.

- R. Pulv. G. Euphorb. unc. iij.
 Resinæ flav. unc. iv.
 Terebinth. vulg. unc. ij.
 Empl. Litharg. lib. iifs. m. s. a.

This Plaster is a cheaper and better suppurative than the Empl. Litharg. cum Gum.

EMPL. LITHARGYRI.

- R. Litharg. pulv. lib. v.
 Ol. Sem. Napi s. lib. viij.

EMPL. HYOSCYAMI.

- R. Ceræ flav. lib. j.
 Ol. Sem. Napi s. lib. fs.
 Gum. Ammon. com. unc. j.
 Pulv. fol. Hyoscyami lib. j. m. s. a.

EMPL.

EMPL. E MINIO.

- R. Minii lib. v.
Ol. Sem. Napi s. lib. viij.

EMPL. RESINÆ.


- R. Empl. Lithargyri lib. iv.
Resinæ flav. lib. j. m.

EMPL. SAPONIS.

- R. Saponis alb. lib. j.
Empl. Lithargyri lib. vj. m.

EMPL. THURIS.

- R. Thuris lib. j.
Colcoth. vitriol. lib. fs.
Empl. Litharg. lib. iv. m.

*EMULSIONES.*

EMULS. AMYGDALÆ.

- R. Amygd. Valent. decort. unc. ij.
Sacchar. alb. unc. fs.
Aquæ puræ lib. iv. m, s. a.


EMULS.

EMULS. AMYGD. COMP.

- R. Amygd. Valent. decort. unc. j.
 Pulv. G. Arabic. unc. fs.
 Aquæ puræ lib. ij.

EMULS. CAMPHORÆ.

- R. G. Camphoræ drach. j.
 Amygd. Valent. decort. unc. fs.
 Sacch. alb. unc. fs.
 Aquæ fontan. lib. j. m.

*ENEMATA.*

ENEMA AVENÆ.

- R. Decoct. farinæ Avenæ bene colat. lib. j.

ENEM. AVENÆ COMP.

- R. Enem. Avenæ unc. xij.
 Salis marin. unc. iij.
 Ol. Sem. Lini unc. j. m.

ENEMA FCETIDUM.

- R. Afafætidæ drach. ij. solve
 Enem. Avenæ unc. xij.

ENEMA NATR. VITRIOL.

- R. Natr. vitriol. unc. ij. solve
 Enem. Avenæ unc. xij.
 Syr. e Spin. Cerv. unc. j.

ENEMA OPIATUM.

- R. Opii purif. gr. v. solve
 Enem. Avenæ lib. fs.

ENEMA QUERCUS.

- R. Decoct. Quercus unc. x.
 Aluminis drach. fs. m.

ENEMA TEREBINTHINAT.

- R. Ol. Terebinth. drach. j.
 Ol. Sem. Napi s. unc. j.
 Enem. Avenæ unc. x. m.

 ESSENTIÆ.

By the Intervention of rectified Spirit essential Oils are rendered miscible with Water, and this extemporaneous Method of impregnating Water with an essential Oil, is cheaper and more con-

venient to the Apothecary than distilling the Herb ;
besides, simple distilled Waters do not retain their
Flavour in perfection many Months.

ESSENTIA ANISI.

R. Ol. Anisi drach. iſs.
Sp. vinos. rectific. unc. ij. m.

ESSENT. CARUI.

R. Ol. Carui drach. ij.
Sp. vinos. rectific. unc. ij.

ESSENT. CASSIÆ LIGN.

R. Ol. Cassiæ Lignæ drach. j.
Sp. vinos. rectific. unc. ij.

ESSENT. MENTHÆ PIPERIT.

R. Ol. Menthæ piper. drach. j.
Sp. vinos. rectific. unc. ij. m.

ESSENT. MENTHÆ SATIV.

R. Ol. Menthæ sativ. drach. iſs.
Sp. vinos. rectific. unc. ij. m.

ESSENT. PULEGII.

R. Ol. Pulegii drach. iſs.
Sp. vinos. rectific. unc. ij. m.

EXTRACTA.

EXTRACTA.

The Extracts should be made by the House Apothecary, or under his immediate Inspection.

EXT. QUERCUS.

R. Cort. Quercus contus. lib. vj.
Aquæ fontan. cong. iij.

EXT. QUERCUS COMP.

R Cort. Quercus lib. ij.
Salic. fragil. lib. iv.
Aquæ fontan. cong. iij.

EXT. SALICIS FRAGIL.

R. Cort. Salic. fragil. lib. vj.
Aquæ fontan. cong. iij.

To be made according to the Directions given in the Edinburgh new Dispensatory for the Ext. Cinchonæ.

F

FOTUS.

—

FOTUS ABSINTHII.

R. Herb. Absinth. lib. ij. infunde
 Aquæ bullient. lib. xij.

FOT. QUERCUS.

R. Cort. Quercus lib. fs.
 Coque Aquæ fontan. lib. xij. ad lib. x.
 Cola et adde Alum. unc. ij.

==

G

GARGARISMATA.

—

GARGARISMA ACID. MURIAT.

R. Acid. muriat. drach. ifs.
 Aquæ puræ lib. fs. m.

GARG. ACIDI NITROS.

R. Acidi nitros. drach. j.
 Aquæ puræ lib. fs. m.

GARG.

GARG. BALAUST.

- R. Flor. Balauft. unc. fs. infunde
 Aquæ bullient. lib. j. cola et adde
 Acid. sulphuric. dilut. drach. j.

GARG. HYDRARG. MURIAT.

- R. Hydrarg. muriat. gr. v.
 Acid. muriat. drach. fs.
 Mucil. Sem. Cydon. unc. ij.
 Mellis Rosæ unc. j.
 Aquæ puræ lib. fs. m.

GARG. NITRI.

- R. Kali nitrat. drach. ifs.
 Mucil. G. Arabic. unc. ij.
 Aquæ puræ unc. vj.

GARG. QUERCUS.

- R. Decoct. Querc. lib. fs.
 Aluminis drach. j. m.

GARG. SALVIÆ.

- R. Inf. Herb. Salviæ lib. j.
 Mellis unc. j.
 Aceti vini albi unc. iv. m.

GARG.

GARG. SALVIÆ. COMP.

- R. Gum. Myrrhæ drach. j. solve
 Inf. Salviæ lib. j. dein adde
 Oxym. Ærugin. unc. fs.
 Aceti vini albi unc. iv.
 Mellis unc. fs. m.

 H

HAUSTUS.

 HAUST. ACETO-ALKALIZ. EFFERVESC.

- R. Kali præpar. gr. x.
 Aquæ puræ unc. j. m.
- R. Aceti vini albi. drach. iij.
 Syrup. drach. j.
 Effent. Cassiæ lign. gut. iv.
 Aquæ puræ unc. j. m.

Solutione Kali prius sumpta, Mist. ex aceto
 illico porrigenda est.

HAUST. ANTIMON. TART.

- R. Antimon. tart. gr. ij.
 Aquæ fontan. ^{bulbantes} unc. ij. m. Haust. emet.

HAUST.

HAUST. ANTIMON. TART. COMP.

R. Antim. tart. gr. j.

Pulv. Ipecacuanhæ scrup. j.

Aquæ fontan. unc. ij. m. Haust. emet.

HAUST. ANTIM. TART. SCILLIT.

R. Antimon. tart. gr. ij.

Tinct. Scillæ acet. drach. ij.

Aquæ puræ unc. ifs. m. Haust. emetic.

HAUST. QUER. COMP. EFFERV.

R. Kali præp. gr. x.

Decoët. Querc. comp. unc. j. m.

R. Aceti vini albi drach. iiij.

Decoët. Querc. c. unc. j.

Effent. Carui gut. v. m.

HAUST. CUPRI VITRIOL.

R. Cupri vitriolat. gr. iiij.

Aquæ puræ unc. ifs. m. Haust. emet.

HAUST. ZINCI VITRIOL.

R. Zinci vitriol. gr. vj.

Aquæ fontan. unc. ifs. m. Haust. emet.

INFUSA.

INFUSUM AGRIMONIÆ.

- R. Herbæ Agrimon. sic. unc. fs.
 Aquæ bullient. lib. j. infunde per Horam
 et infuso elutriato adde
 Syr. Papav. errat. unc. j.
 Cap. Cochl. iij. larg. quater Die.

INF. BALAUST.

- R. Flor. Balauft. unc. fs.
 Aquæ bullient. lib. j. infunde per Horas
 quatuor, cola et adde
 Acid. Sulphur. dilut. drach. j.
 Cap. Cochl. iij larg. ter Die.

INF. DIGITALIS.

- R. Fol. Digitalis sic. drach. ij.
 Aquæ bullient. unc. xij. infunde per
 Horas quatuor, effunde et adde
 Effent. Carui gutt. xx.
 Cap. Cochl. ij. larg. bis Die.

INF. GENTIANÆ COMP.

- R. Rad. Gentianæ incis. drach. ij.
 Canellæ albæ contus. drach. iij.
 Aquæ bullient. lib. j. infunde per Horas
 quatuor.

INF.

INF. QUERCUS COMP.


R. Cort. Quercus unc. fs.
 — Salicis frag. unc. j.
 Aquæ bullientis lib. j. infunde
 per Horas sex.

INF. RAPHANI COMP.

R. Rad. Raphani rust. incis.
 Sem. Sinap. contus. āā unc. ij.
 Aquæ bullient. lib. ij. stent simul in Loco
 calido et Vase clauso ad Horas xij.
 cola et adde
 Aquæ Ammonix drach. vj.

INF. SPIGELIÆ.

R. Rad. Spigeliæ unc. j.
 Aquæ bullient. lib. j. infunde per Horas
 quatuor, cola et adde
 Solut. Ferri vitriol. vinos. unc. ij.
 Cap. Cyath. vinos. j. omn. mane.



I

INJECTIONES.



INJECT. ALUMINIS.

R. Aluminis drach. j. solve
 Aquæ fontan. lib. j.

INJECT. CALOMELAM.

- R. Calomel. præpar. drach. j.
 Mucil. Sem. Cydon. unc. ij.
 Aquæ Calcis
 — puræ aa unc. iij. m.

INJECT. CANTHARID.

- R. Cantharid. cont. drach. j.
 Aquæ bullient. unc. xij. infunde per
 Horas quatuor.

INJECT. CUPRI VITR. TEN.

- R. Cupri vitriol. gr. iij.
 Aquæ fontan. lib. fs.

INJECT. CUPRI VITR. FORT.

- R. Cupri Vitriol. drach. j.
 Aquæ puræ lib. fs.

INJECT. HYDRARG. MURIAT.

- R. Hydrarg. muriat. gr. ij.
 Opii purif. scrup. j.
 Aquæ puræ lib. fs.
 Mucil. Sem. Cydon. unc. ij. m.

INJECT.

INJECT. QUERCUS.

R. Decoct. Quercus lib. fs.
Aluminis drach. j. m.


To be injected in the Vagina, or other Parts
affected with preternatural Discharges from Laxity.

INJECT. ZINCI. VITRIOL.

R. Zinci vitriol. scrup. j. solve
Aquæ fontan. lib. fs.

INJECT. ZINCI VITR. OPIAT.

R. Zinci vitr. scrup. j.
Opii purific. gr. x.
Aquæ fontan. lib. fs. m.



L

LINCTUS TEREBINTH.

R. Ol. Terebinth. unc. ij.

Mellis lib. fs. m.

LOTIONES.

—

LOTIO AMMON. MURIAT.

R. Ammon. muriat. unc. fs.

Aceti vini alb. unc. iv.

Aquæ puræ unc. xij. m.

LOTIO AQUO-ACETATA.

R. Aceti vini alb.

Aquæ puræ aa lib. j. m.

White Wine Vinegar thus diluted with Water, answers every Purpose of the compound Water of acetated Litharge, without producing any of its bad Effects, as Colic, Palsy and Spasms, from the absorption of the Lead.

==

LINIMENTA.

—

LINIMENT. AMMONIÆ.

R. Aquæ Ammon. unc. j.

Ol. Sem. Napi unc. ij. m.

LIN.

LIN. AMMON. FORT.

- R. Aquæ Ammoniacæ unc. j.
 Ol. Sem. Napi unc. ifs.
 ——Terebinth. drach. ij. m.

LIN. LINI.


- R. Aquæ Calcis
 Ol. Lini aa lib. fs.

LIN. SAPONIS.

- R. Sapon. mollis lib. fs.
 Ol. Terebinth. unc. ifs.
 Sp. vinosi tenuis. lib. iij. m.

LIN. SAPONIS OPIAT.

- R. Lin. Saponis lib. ij.
 Tinct. Opii unc. ij. m.



M

MISTURÆ.

ACID. SULPHUR. DILUT.

- R. Acidi sulphur. unc. iv.
 Aquæ puræ lib. j. m.

To be substituted for the acid Elixir of Vitriol.

MIST.

MIST. ACETO-ALKALIZAT.

- R. Aceti Vini alb. unc. vj.
 Kali præpar. drach. iij.
 Effent. Pulegii gut. xv.
 Aquæ puræ lib. j. m.
 Cap. Cochl. iv. larg. quater in Die.

MIST. ACETO-ALKALIZ. CUM QUERCU.

- R. Aceti Vini alb. lib. fs.
 Kali præpar. unc. fs.
 Effent. Pulegii drach. fs.
 Decoct. Querc. comp. lib. j. m.
 Cap. Cochl. iv. larg. quater terve Die:

MIST. ANTIMON. TART.

- R. Mist. Antim. tart. gr. ij. solve
 Aquæ puræ unc. vj.
 Mucil. G. Arabic. unc. ij.
 Syrupi unc. fs. m.
 Cap. Cochl. ij. larg. omni tertia Hora.

Pneumonia, Synocha, Hepatitis, Rheumatism.

MIST.

MIST. ANTIMON. TART. ANOD.

R. Mist. Antimon. tart. unc. viij.

Ext. Papav. alb. drach. j. m.

Cap. Cochl. ij. larg. omni tertia Hora.

Pneumonia, Phthisis pulmon. Hepatitis, Synocha,
Pertussis, Catarrh.

MIST. ALLII.

R. Asafœtid. drach. j. solve

Aquæ puræ unc. v.

Oxym. ex Allio unc. iij.

Essent. Anisi drach. fs. m.

Cap. Cochl. ij. larg. ter vel quater in
Die.

Asthma, Pertussis, Dyspnœa.

MIST. CAMPHORÆ.

R. Camphoræ drach. ij.

Sp. vinos. rectific. gut. L.

Sacch. alb. unc. j.

Muc. G. Arabic. unc. iij.

Aquæ bullientis lib. vj. m. s. a.

The Gum Arabic is here employed as an inter-
medium of Union between the Camphor and
Water. This Mixture is much stronger than that
of

of the London Pharmacopœia, notwithstanding only one third of the Camphor is used, the whole being suspended by means of the Mucilage.

MIST. CAMPHORÆ COMP.

R. Mist. Camphoræ unc. v.
 Solut. Ammon. acetat. unc. iij.
 Cap. Cochl. iij. larg. ter Die.

MIST. CRETÆ.

R. Cretæ præpar. drach. iij.
 Pulv. G. Arabic. drach. j.
 Aquæ puræ unc. vj.
 Eff. Cassiæ lign. gut. xx.
 Syrupi unc. fs. m.

MIST. CRETÆ OPIAT.

R. Mist. Cretæ unc. vij.
 Elect. opiat. drach. ij. m.

MIST. CRETÆ OPIAT. COMP.

R. Mist. Cretæ opiat. unc. vij.
 Tinct. Ipecac. vinos. drach. ij.
 — Catechu unc. fs. m.
 Cap. Cochl. ij. larg. omni tertia Hora.
 Diarrhœa, Dysenteria.

MIST.

MIST. CICUTÆ.

R. Tinct. Cicutæ unc. iij.
 Zinci vitriol. scrup. j.
 Syrup. Papav. alb. unc. fs.
 Aquæ puræ unc. iv.
 Effent. Carui gut. xx. m.
 Cap. Cochl. ij. larg. ter vel quater
 in Die.

Epilepsia, Chorea, Hysteria, Asthma, Pertuffis,
 Tetanus.

MIST. CICUTÆ ANTIM.

R. Tinct. Cicutæ unc. iij.
 Solut. Antim. tart. vinos. drach. iij.
 Syr. Papav. alb. unc. fs.
 Aquæ puræ unc. iv.
 Effent. Pulegii gut. xx. m.
 Cap. Cochl. ij larg. quater in Die.

Pertuffis, Phthisis Pulmonalis, Pneumonia.

MIST. DIGITALIS.

R. Tinct. Digitalis drach. fs.
 Mucil. G. Arabic. unc. ij.
 Solut. Antim. tart. drach. j.
 Syrup. Papav. alb. unc. fs.
 Aquæ puræ unc. v.
 Effent. Anisi gut. xxx. m.
 Cap. Cochl. ij. larg. ter vel quater in Die.

MIST. DIGITALIS COMP.

- R. Tinct. Digitalis drach. fs.
 — Scillæ acet. unc. j.
 Mucil. G. Arabic. unc. ij.
 Syr. Papav. alb. unc. vj.
 Aquæ puræ unc. v.
 Effent. Anisi drach. fs. m.

MIST. FCÆTIDA.

- R. G. Afæctida. drach. j. solve
 Aquæ fontan. unc. vj.
 — Ammonia unc. fs.
 Effent. Pulegii gut. xxx. m.

MIST. FCÆTID. COMP.

- R. G. Afæctid. drach. j. solve
 Aquæ fontan. unc. vj.
 Oxym. Scillæ unc. j.
 Effent. Anisi gut. L. m.

Cap. Cochl. ij larg. quater Die.

Asthma, Pertussis, Dyspnœa.

MIST. FCÆTID. COMP. ANOD.

- R. Mist. fœtid. comp. unc. viij.
 Ext. Papav. alb. drach. j. m.
 Cap. Cochl. larg. quater Die.

MIST.

MIST. GUIAC.

R. G. Guiac. pulv. drach. ij.

Mucil. G. Arabic. unc. j.

Aquæ fontan. unc. vj.

Syrupi unc. fs.

Effent. Pulegii gut. xx.

Aquæ Ammon. unc. fs. m.

MIST. GUAIIAC. CAMPHORAT.

R. Gum. Guaiac. pulv. drach. ij.

Mucil. G. Arabic. unc. j.

Mist. Camphoræ unc. vj. m.

MIST. JUNIPERI COMP.

R. Bac. Juniperi contus. unc. ij.

Sem. Fœnicul. dulc. cont. unc. fs.

Infunde Aquæ bullient. unc. xij. cola et

Adde Oxym. Scillæ unc. j.

Sp. Juniperi comp. unc. ij.

Cap. Cyath. vinos. quater in Die.

MIST. NATR. VITRIOL.

R. Rad. Zingil. alb. contus. unc. fs.

Infundæ Aquæ bullient. lib. iij. cola et

Adde Natr. vitriol. unc. vj.

Syr. e Spina cervin. unc. iv.

Cap. Cyath. vinos. pro re nata.

MIST.

MIST. QUERCUS.

- R. Decoct. Quercus unc. xij.
 Aluminis drach. ij.
 Elect. opiat. unc. fs. m.
 Cap. Cochl. ij. larg. ter Die.

MIST. QUERCUS COMP.

- R. Decoct. Quercus comp. unc. vij.
 Tinct. Cort. aurant. unc. j. m.

MIST. QUERCUS COMP. BALS.

- R. Decoct. Quercus comp. unc. vj.
 Bals. Copaiv. drach. ij.
 Mucil. G. Arabic. unc. j.
 Tinct. Cort. aurant. unc. j. m.
 Cap. Cochl. iij larg. ter in Die.

Leucorrhœa, Blennorrhœa, Diabetes.

MIST. QUERCUS COMP. GUAIAAC.

- R. Decoct. Querc. comp. unc. vj.
 G. Guaiac. pulv. drach. ij.
 Mucil. G. Arabic. unc. j.
 Aquæ Ammoniæ drach. iij. m.

MIST.

MIST. QUERC. COMP. NATR.


R. Decoct. Querc. comp. unc. vj.
 Natr. præpar. drach. iij.
 Effent. Carui drach. fs. m.

MIST. QUERC. COMP. SULPHUR.

R. Decoct. Querc. comp. lib. j.
 Acid. sulphur. dilut. drach. ij.
 Effent. Carui gut. XL. m.

MIST. QUERC. COMP. VOLAT.

R. Decoct. Querc. comp. unc. vij.
 Aquæ Ammoniæ drach. iij. m.



O

OXYMEL.



R. Aceti Vini alb. lib. vij.
 Mellis lib. x. m.

OXYM. ÆRUGINIS.

R. Ærug. Æris unc. ij.
 Acet. Vini alb. lib. j.
 Mellis unc. xx. m.

OXYM. EX ALLIO.

- R. Rad. Allii incis. unc. iij.
 Sem. Anisi cont. unc. fs.
 Mellis unc. xx.
 Aceti Vini albi lib. j. m.

OXYM. EX ALLIO COMP.

- R. Rad. Allii contus. unc. iij.
 — Enulæ camp. cont. unc. j.
 — Irid. flor. cont. unc. fs.
 Sem. Anisi cont. unc. fs.
 Acet. vini albi lib. j.
 Mellis unc. xx.

OXYM. SCILLÆ.

- R. Tinct. Scillæ acet. lib. ij.
 Mellis lib. iij. m.

P

PILULÆ.

PILUL. EX ALLIO.

- R. Rad. Allii
 Saponis Cast. aa unc. vj.
 Pulv. Zingib. alb. unc. fs.
 — Glycyrr. q. s. form. Mas.
 Cap. scrup. j. bis Die.

PILUL.

PILUL. EX ALLIO COMP.

- R. Afafœtid. unc. j.
 Rad. Allii unc. iij.
 Saponis Cast. unc. ij.
 Pulv. Zinzib. unc. fs. m.
 Cap. gr. xv. ter Die.

PILUL. EX ALOE AROMAT.

- R. Aloes Hepat. unc. iij.
 G. Guaiac. unc. ij.
 Ol. Carui drach. j.
 Syr. e Spin. Cerv. q. s.

PILUL. COLOCYNTH. COMP.

- R. Aloes Hepat. unc. iij.
 Pulv. Colocynth. unc. ij.
 G. Gambog. unc. fs.
 Ol. Carui drach. ifs.
 Syrup. e Spin. Cerv. q. s.

PILUL. CERUSSÆ ACET.

- R. Cerussæ acetat. scrup. j.
 Ext. Papav. alb. drach. ifs. m. et Pilul.
 xxiv. divid. cap. j. ter Die.

PILUL. CUPRI AMMON.

- R. Cupri Ammon. scrup j.
 Ext. Papav. alb. drach. j. m. et Pil. xxx.
 Cap. j. vel ij. bis ter Die.

PILUL. FCETID.

- R. G. Afafœtid. unc. iv.
 Ol. Cornu Cerv. drach. fs.
 Syr. simpl. q. s.

PILUL. FCETID. COMP.

- R. G. Afafœtid.
 — Galban.
 — Myrrhæ
 — Sagapen. āā unc. ij.
 Ol. Succini drach. ij.
 Syrup. q. s.

PILUL. GENTIAN. ALOET.

- R. Ext. Gentian. unc. iij.
 Ferri vitriol. drach. vj.
 G. Myrrhæ indic. unc. ij.
 Aloes Hepat. unc. j.
 Kali præpar. unc. fs.
 Ol. Carui drach. ifs.
 Syrup q. s.

PILUL. HYDRARGYRI.

R. Hydrarg. unc. vj.
 Mellis lib. fs.
 Farinæ tritic. q. s. form. Mas. et Pilul.
 1440 divid. Cap. ij. bis Die.

Each Pill will contain two Grains of Mercury,
 which will vary in Strength according to the de-
 gree of Triture it has been subjected to.

PILUL. HYDRARG. CAMPH.

R. Hydrarg. unc. fs.
 Pulv. Rhei Indic. unc. ifs.
 Camphoræ unc. j.
 Mellis q. s. In Pilul. 480 divid.
 Cap. iij. ter Die.—Blennorrhagia.

PILUL. HYDRARG. OPIAT.

R. Hydrarg. unc. ij.
 Mellis unc. iij.
 Opii unc. fs. m. s. a. et Pilul. 480 divid.

Each Pill will contain two Grains of Mercury,
 and half a Grain of Opium.

Dr. Cullen, Mr. Hunter, and Mr. Bell, assert that Opium is a great auxiliary to Mercury, in the Cure of Syphilis, probably by restraining its purgative Tendency.

PIL. HYDRARG. TEREBINTH.

R. Hydrarg. unc. j.
Terebinth. venet. unc. ij.
Pulv. Resinæ flav. q. s.

PILUL. NATR. PRÆPAR.

R. Natr. præpar. unc. fs.
Sapon. Castil. drach. vj.
Ol. Juniperi q. s.
Cap. scrup. j. bis Die.

When the Alkaline mephitic Water disagrees with the Patient, by producing Dizziness and Flatulency, this Formula is recommended as a good Substitute.

PILUL. OPII.

R. Opii unc. fs.
Pulv. Rhei Indic. unc. iij.
Syrup. q. s.
Cap. gr. x. pro re nata.

PILUL.

PILUL. QUERCUS COMP.

- R. Ext. Quercus drach. ij.
 Pulv. G. Olibani drach. j.
 Syr. Zinzib. q. s.
 Cap. gr. xv. bis vel ter Die.

Blennorrhœa, Leucorrhœa, Diabetes.

PILUL. SCILLÆ.

- R. Rad. Scillæ recent. unc. iij.
 G. Ammon. unc. ifs.
 Pulv. Zinzib. alb. unc. j.
 Saponis Cast. unc. ij.

PILUL. SCILLÆ ANOD.

- R. Pilul. Scillæ drach. ij.
 Ext. Papav. alb. drach. fs. m.
 Cap. gr. xv. ter Die.

PILUL. SCILLÆ CUM GAMBOG.

- R. Pil. Scillæ drach. ij.
 G. Gambog. drach. fs. m.
 Cap. gr. x. bis Die.
 Hydrothorax, Ascites, Anasarca.

PILUL. ZINC. VITRIOL.

- R. Zinci vitr. scrup. j.
 Pulv. Rhei Ind. drach. fs.
 Ext. Gentianæ drach j. m.
 Cap. gr. x. bis ter Die.

Hysteria, Epilepsia, Leucorrhœa, et Blennorrhœa.

 PULVERES.

PULV. ALUMINIS COMP.

- R. Aluminis unc. j.
 Extr. Quercus ficcat. unc. iij.
 Pulv. Cassiæ lignæ unc. j. m.
 Cap. gr. xv. bis vel ter Die.

PULV. AROMATICUS.

- R. Cassiæ lignæ unc. ij.
 Gran. parad. unc. fs.
 Rad. Zinzib. —
 Canellæ albæ aa unc. j. m.

PULV.

PULV. ASARI.

- R. Fol. Afari unc. ij.
 Rad. Helleb. alb. drach. ij. m.

PULV. ASARI COMP.

- R. Pulv. Afari unc. j.
 Hydrarg. vitriol. drach. j. m.

PULV. JALAPII COMP.

- R. Pulv. Jalapii drach. vj.
 — Gum. Gambog. scrup. ij.
 — Zinzib. alb.
 Calomel. præpar. āā drach. ifs. m.
 Cap. scrup. j. pro re nata.

PULV. NITROSUS.

- R. Salis Nitri unc. j.
 G. Arabic.
 Sacchar. alb. āā unc. iv. m.

PULV. NITROSUS CAMPH.

- R. Pulv. Nitros. unc. iv.
 G. Camphoræ drach. ifs. m.
 Cap. drach. fs. ad drach. j. ter Die.

PULV. SABINÆ.

R. Fol. Sabinæ sic. unc. j.
Ærug. Æris unc. fs. m.

PULV. QUERCUS COMP.

R. Cort. Quercus lib. j.
— Salicis frag. lib. ij. m.

PULV. TANACETI COMP.

R. Fol. Tanaceti
Sem. Santonic. āā unc. ifs.
Ferri vitriol. unc. fs. m.
Cap. drach. fs. pro re nata.

This Powder is a powerful anthelmintic.

PULV. VITRI COMP.

R. Vitri levigati unc. j.
Aluminis ust. drach. fs. m.

SOLU-

S

*SOLUTIONES.**SOLUT. AMMONIÆ ACETAT.*

R. Ammoniæ præpar. unc. iv.

Aceti Vini alb. q. s.

The medicinal Virtues of the acetic Acid are much impaired by Distillation, and frequently impregnated with Verdigris, from the Use of Copper Vessels, hence pure white Wine Vinegar is entitled to the Preference.

SOLUT. ARSENICI.

R. Arsenic. alb. pulv.

Kali præpar. aa drach. j.

Aquæ puræ lib. j. m. s. a.

Cap. gut. xij. bis vel ter Die.

In intermittent and remittent Fevers, carcinomatous, phagedænic, and strumous Ulcers.

SOLUT. ANTIM. TART. VINOS.

R. Antim. tart. drach. j.

Vin. Uvæ passæ lib. j. m.

SOLUT.

SOLUT. CRYSTALL. TARTARI.

R. Cryft. tartar. unc. fs. solve

Aquæ puræ unc. x.

Sp. Juniperi drach. iij. bis Die summend.

This Solution has not answered so well in hydroptic Cafes, as Purgatives of the more Draftic Kind.

SOLUT. CUPRI VITRIOL.

R. Cupri vitriol. drach. j.

Aquæ fontan. lib. j.

Sp. Cinnam. lib. fs. m.

Cap. Cochl. j. larg. ter Die.

Menorrhagia, Leucorrhœa.

SOLUT. FERRI VITR. VINOS.

R. Ferri vitriolat. unc. fs.

Vini Uvæ passæ lib. ij. m.

SOLUT. HYDRARG. MURIAT.

R. Hydrarg. muriati. gr. xxiv.

Acid. muriat. drach. j.

Aquæ puræ unc. ijfs.

Tinct. Lavendul. comp. unc. fs. m.

Cap. gut. xxx. bis Die ex Cyatho

Decoct. Ulmi comp.

SOLUT.

SOLUT. HYDRARG. NITRAT.

R. Hydrarg. purif. unc. j.
 Acid. nitros. unc. iij. m. s. a.

To be applied by means of an armed Probe,
 to sinous and fungous Ulcers.

SOLUT. NATR. CARBONICATA.

R. Natr. præpar. unc. iij.
 Aquæ fontan. lib. vj. solve et saturetur
 Solutio acido carbonico.

SYRUPUS.

R. Sacchari albi lib. ij.
 ——— fufci lib. iv.
 Aquæ puræ lib. v. coque fimul ad lib. x.

SYR. CORT. AURANT.

R. Cort. aurant. contus. unc. vj. infunde
 Aquæ bullient. lib. iv. per Horas duo-
 decem, dein cola et adde
 Sacchari albi
 ——— fufci aa lib. iij.

SYR. PAPA V. ALB.

R. Ext. Papav. alb. drach. x. solve
Syrup. lib. j.

The Extract of the white Poppy, to procure a soporific Effect, should be given from fifteen Grains to a Scruple. It does not like Opium, check Expectoration, or constipate the Bowels, which render it a preferable Anodyne in pulmonic Affections.

SYR. SPINÆ CERV.

R. Suc. Spinæ Cervin. depurat. lib. xij.
Rad. Zinzib. cont. unc. ij.
Theriac. com. lib. xij.

SYR. ZINZIBERIS.

R. Rad. Zinzib. cont. unc. iv. coque
Aquæ puræ lib. v. ad lib. iv. dein cola
et adde
Sacch. alb. lib. iv.
— fufci lib. iij.

T

TINCTURÆ.

TINCT. AROMATICA.

- R. Caffiæ lign. unc. iij.
 Gran. parad. unc. j.
 Rad. Zinzib. drach. vj.
 Sp. vinos. tenuis lib. vj.

TINCT. ASAFŒTIDA.

- R. Afafœtid. unc. iv.
 Sp. vinos. rectif.
 ——— tenuis. aa lib. j.

TINCT. CANTHARID.

- R. Cantharid. cont. unc. fs.
 Rad. Anchusiæ drach. ij.
 Sp. vinos. ten. lib. iij.

TINCT. CATECHU.

- R. Catechu unc. iij.
 Caffiæ lign. unc. ij.
 Sp. vinos. ten. lib. ij. m.

TINCT. CICUTÆ.

R. Suc. Cicutæ recent. lib. x.

Sp. vinos. rectific. lib. ij. m.

Cap. drach. ij. ad unc. fs. bis Die.

The subtile volatile Matter, in which the active Properties of the Hemlock reside, is dissipated by the Heat it is necessarily exposed to for making the Extract, inspissating the Juice, or even exsiccating the Herb, which may account for the great Diversity of Opinions maintained by professional Gentlemen on the Efficacy of this potent Herb. The expressed Juice, by the Addition of rectified Spirit, will keep good in a cool Situation from Season to Season. Thus administered, it has been serviceable in Scrophula, Mania, Epilepsia, Pertussis, Phthisis Pulmonalis Scrophulosa; and if it does not succeed in dispersing Schirrus, it will certainly procrastinate Ulceration.—The Herb should be gathered from a humid Soil when beginning to blow.

TINCT. CORT. AURANT.

R. Cort. Aurant. unc. iij.

Sp. vinos. ten. lib. ij.

TINCT.

TINCT. DIGITALIS.

R. Fol. Digitalis ficcat. unc. j.
 Sp. vinos. ten. lib. j.
 Cap. drach. fs. ad drach. j.

Small Doses of the Fox Glove have a wonderful Effect in retarding the Velocity of the Circulation, hence it becomes a most valuable Medicine in phthifical Affections; in Hæmorrhagic, as Hæmoptoe, epistaxis, Menorrhagia; in inflammatory, particularly Pneumonic, Phrenitis, and other Diseases attended with a morbid Irritation of the vascular System. In hydropic Cases this Tincture should be given to the Extent of drach. j. before its diuretic and cathartic Properties will appear.

TINCT. GENTIANÆ.

R. Rad. Gentian. cont. unc. iv.
 Cort. aurant. unc. ij.
 Gran. Parad. drach. vj.
 Aquæ fervent. lib. iij.
 Sp. vinos. rectific. lib. j.

TINCT. IPECACUANHÆ.

R. Rad. Ipecacuanhæ cont. unc. ij.
 Vin. Uvæ passæ lib. ij.

TINCT.

TINCT. LAVEND. COMP.

- R. Flor. Lavend. unc. vj.
 Cassiæ lignæ
 Pimento aa unc. ifs.
 Rad. Anchusiæ drach. x.
 Sp. vinos. ten. lib. vj.

TINCT. MYRRHÆ.

- R. G. Myrrhæ unc. vj.
 Sp. vinos. rectific. lib. iij.
 Aquæ puræ lib. j.

TINCT. MYRRHÆ COMP.

- R. Gum. Myrrhæ unc. ij.
 Aloes hepatic. unc. j.
 Sp. vinos. ten. lib. ij.

TINCT. OPII.

- R. Opii purif. unc. v.
 Aquæ puræ lib. iij.
 Sp. vinos. rectific. lib. j.

TINCT. OPII CAMPH.

- R. Opii purif. drach. ij.
 Camphoræ scrup. iv.
 Ol. Anisi drach. ij.
 Sp. vinos. ten. lib. iv.

TINCT.

TINCT. QUERCUS.

R. Cort. Quercus unc. iv.
 — Salic. frag. lib. fs.
 Sp. vinos. ten. lib. xij.

TINCT. QUERC. COMP.

R. Cort. Querc. unc. j.
 — Salic frag. unc. ij.
 — aurant. unc. ij.
 Rad. Serpent. V. unc. fs.
 Sp. vinos. ten. lib. iv.

TINCT. QUERCUS VOLAT.

R. Cort. Querc. unc. j.
 — Salicis frag. unc. ij.
 — Aquæ Ammoniaë lib. ijfs.
 Sp. vinos. rectific. lib. fs. m.

TINCT. RHEI.

R. Rad. Rhei Ind. unc. ij.
 Gran. Parad. drach. ij.
 Sp. vinos. ten. lib. ij.

TINCT. SCILLÆ ACETAT.

R. Rad. Scillæ sic. lib. j.
 Aceti Vini alb. cong. j.

TINCT. SENNÆ.

R. Fol. Sennæ unc. iv.

Sem. Carui unc. j.


Sp. vinos. ten. lib. ij.

TINCT. VALERIANÆ VOLAT.

R. Rad. Valerian. unc. iv.

Aquæ Ammoniacæ lib. iſs.

Sp. vinos. rect. lib. ſs. m.



U

UNGUENTA.



• UNG. CALAMINARIS.

R. Lap. Calam. præp. lib. iiij.

Empl. e Minio lib. ij.

Axung. Porcin. præp. lib. x.

This is a cheap and useful Ointment for external Dressings.

UNG. CANTHARID.

R. Pulv. Cantharid. unc. ij.

Ung. Resinæ flav. lib. j. m.

UNG.

UNG. ELEMI.

- R. G. Elemi lib. j.
 Sevi ovilli præp. lib. ij.
 Ol. Sem. Napi lib. j.
 Terebinth. vulg. lib. fs. m.

UNG. HYDRARG.

- R. Hydrarg. purif.
 Axung. Porcin. $\bar{a}a$ lib. iij.

UNG. HYDRARG. NITRAT.

- R. Hydrarg. præp. unc. ij.
 Acid. nitros. unc. iv.
 Axung. Porcin. præp. lib. fs.
 Ol. Sem. Napi lib. ifs.

UNG. LITHARG. ACET.

- R. Empl. Litharg. lib. ij.
 Acet. Vini alb. lib. j.
 Ol. Sem. Napi lib. iij.

UNG. NITROSUM.

- R. Acid. nitros. unc. j.
 Axung. Porcin. lib. ij.

x
 UNG.

UNG. PICIS.

R. Picis commun.

Adep. ovil. præp. āā lib. iij.

UNG. RESINÆ FLAVÆ.

R. Resinæ flav.

Ceræ flav.

Picis Burgund. āā lib. vj.

Ol. Sem. Napi lib. xv.

UNG. RESINÆ NIGRÆ.

R. Ceræ flav.

Resinæ nigræ

Picis com. aa lib. iij.

Ol. Sem. Napi lib. iij.

UNG. SABINÆ.

R. Herb. Sabinæ cont. lib. j.

Axung. Porcin. lib. v.

Axungia liquefacta incoque sabinam.

UNG. SULPHURIS.

R. Sulphur. viv. lib. iij.

Pulv. Helleb. alb. unc. xij.

Ol. Origani unc. fs.

Axung. Porcin. lib. vij. m.

UNG.


UNG. VITRIOLAT.

R. Axung. Porcin. lib. ij.

Acid. vitriol. unc. ij. m.

Tinea Capitis, Lepra, Scabies.






Index Succedan.

- ACET. SCILLÆ, vide Tinct. Scillæ acet.
ARGENT. NITRAT. v. Solut. Hydrarg. nitr.
AQUA AMMON. ACET. v. Sol. Ammon. acetat.
—— HORDEAT. v. Decoct. Hordei.
—— MEPHITIC. ALK. v. Sol. Nat. carb. Pilul. Natr
præp.
—— VEGITO-MINER. v. Lot. Aquo-acet.
AQUÆ SIMPLIC. v. Effentiæ.
CATAPL. EMOLLIENS. v. Catapl. Furfur.
—— SUPPURANS. v. —— Terebinth.
CERAT. EPULOTIC. v. Ung. Calam.
—— SATURN. v. Ung. Litharg. acet.
CONF. CARDIAC. v. Elect. e Creta arom.
—— DEMOCRAT. v. —— opiat.
DECOCT. CORT. PERUV. v. Decoct. Querc. c.
—— SARSAPARILLÆ, v. Decoct. Ulmi.
———————— Comp. v. Decoct. Ulmi comp.
—————————— cum MEZEREO. v. Decoct.
Ulmi comp.
ELECT. LENITIV. v. Elect. Cryst. Tart.
—— ASTRING. v. —— Querc.
—— CORT. P. cum FERRO, v. Elect. Querc. comp.
ELIX. VITRIOL. ACID. v. Acid. sulphuric. dilut.
EMPL. LITHARG. cum GUM. v. Emp. Euphorb.
ENEMA ex AMYLO, v. Enema Avenæ.
EXT. CICUTÆ, v. Tinct. Cicutæ.
—— CORT. P. v. Ext. Querc. comp.
FOTUS ASTRINGENS. v. Fetus Querc.
—— EMOLLIENS. v. —— Absinthii.

- GARGARIS. ASTRING. } v. Garg. Quercus.
 ————— } v. ——— Balauft.
- COMMUN. v. ——— Nitri.
- INFUSUM DIGITAL. v. Tinct. Digitalis.
- ROSÆ, v. Inf. Flor. Balauft.
- STIMULANS, v. ——— Raphani comp.
 Injeet. Argil. vitr.
- INJECT. ASTRING. } v. ——— Cupri vitr.
 ————— } v. ——— Zinci vitr.
 ————— } v. ——— Querc.
- STUMUL. v. ——— Cantharid.
- LIN. VOLAT. CAMPH. v. Lin. Volat. fort.
- LOTIO ANTIPSORIC. v. Decoct. Helleb. alb.
- MISTURA ANTISPASMOD. } v. Mist. Cicutæ C.
 ————— } v. ——— fœtid. C.
- ASTHMATIC, v. Mist. ex Allio fœtid.
- CATHARTIC. v. ——— e Natr. vitr.
- CORT. PERUV. v. ——— Querc. comp.
- DIAPHORETIC. v. ——— Antim. Tart.
- DIURETIC. v. ——— Juniper comp.
- SALINA, v. ——— Aceto-alkaliz.
- OXYMEL PECTORAL. v. Oxym. ex Allio comp.
- PILUL. AROMAT. v. Pil. Aloes aromat.
- ECPHRACT. v. Gentian. Aloet.
- Gummos. v. Fœtid. comp.
- PULV. ANTHELMINT. } v. Pulv. Tanaceti comp.
 ————— } v. ——— Jalapii comp.
- BASILICUS, v. Pulv. Jalapii comp.
- CICUTÆ, v. Tinct. Cicutæ.
- CORT. PERUV. v. Pulv. Querc. comp.
- DIGITALIS, v. Tinct. Digitalis.
- FEBRIFUG. (Doct. James's) v. Bolus antimon.
- E SCAMMONIO cum CALOM. v. Pulv. Jalap. c.
- STERNUTAR. v. Pulv. Afari.
- SUDORIF. } v. Bol. antim. anod.
 ————— } v. Milt. antim. anod.
- SPECIES AROMAT. v. Pulv. Aromat.

- SPIRIT. MINDERERI, v. Sol. Ammon. acetata.
 SUC. CICUTÆ INSPISS. v. Tinct. Cicutæ.
 TINCT. CŒRULEA, v. Solut. Cupri vitr.
 _____ CORT. PERUV. v. Tinct. Quercus.
 _____ COMP. v., Tinct. Querc. comp.
 _____ VOLAT. v. _____ volat.
 _____ CINNAM. COMP. } v. Tinct. aromat.
 _____ CARDAM. COMP. }
 VINUM ANTIMON. v. Sol. ant. tart. vinos.
 _____ FERRI, v. Sol. Ferri vitr. vinos.
 _____ IPECAC. v. Tinct. Ipecac.
 UNGUENT. ANTIPSORIC. } Ung. sulphur.
 } v. _____ vitriol.





Index

MORBORUM, CURATIONUM, &c.

A

ABSCESS, vide Apoftema.

ALBUGO, vide Leucoma.

AMENORRHŒA.—Cap. Pil. Gentian. aloet. Decoct. Rubiæ
Tinct. Mist. Cort. Querc. cum Tinct. Cantharid.
Elect. Querc. comp.
Applic. Electricit.

AMAUROSIS (Atonica).—Cap. Solut. Hydrarg. muriat.
Pilul. Hydrarg.

Applic. Emp. Canthar. tempor. et nuchæ.
Electricit. —P ulv. Afari comp. Naribus.

———— (Compressiois.)—Cap. Mist. Natron. vitr.
Mist. Antim. tart.

Applic. Empl. Canthar. nuchæ et tempor. Nari-
bus Pulv. Afari comp. Temporibus Hirudines
vel arteriot.

ANASARCA, v. Hydrops.

ANGINA, v. Cynanche.

ANI PROLAPSUS, v. Exania.

APHTHA.—Applic. Gargar. Salviæ comp.

Garg. Balauft. Garg. acid. mur. Oxym.
Ærugin.

———— (Syphilit.)—Applic. Garg. Hydrarg. mur. Garg.
acid. nitros.

Cap. Vide Syphilis.

ASCITES.—Vide Hydrops.

ASCARIDES.—Pulv. Tanacetii comp. Pulv. Jalapii comp.
Inf. Spigeliae. Inf. Gent. comp.
Enema foetid.

ASTHMA.—Mist. ex Allio foetid. Mist. foetid. comp. Mist.
foetid. comp. anod. Pil. ex Allio. Pil. Scillae
anod. Mist. Cicutæ. Haust. Zinci vitriol. Tinct.
Digitalis. Haust. antim. tart. scillit. Oxym. ex
Allio comp.

APOSTEMA.—Applic.—Fot. Absinth. Catapl. Terebinth.
Empl. Euphorb. Lin. Ammon. fort. Calx cum
Kali puro.

Cap. Mist. Quercus comp. vitr. Pil. Opiat.

B

BLENNORRHAGIA.—Cap.—Pulv. Nitros. comp. Pilul.
Hydrarg. camphor. Emuls. Amygd. gummos.
Emuls. Camphoræ. Mist. Natron. vitr. Elect.
Cryst. tart. Pulv. nitros. camph.

Applic.—Inject. Zinci vitr. Inject. Zinci vitr. anod.
Inject. Calomel. Inject. Hydrarg. muriat.

BLENNORRHOEA.—Cap.—Mist. Querc. c. Balsam. Pil.
Querc. comp. Elect. Querc. balsam. Ol. Tere-
binth. Tinct. Cantharid.
Applic.—Inject. Cupri vitr. Inject. arg. Vitriol.
Inject. Querc.

BRONCHOCELE.—Cap.—Tinct. Cicutæ. Natron. præpar.
Applic.—Lotio Ammon. mur. Empl. Ammon.
cum Cicuta. Catapl. Cicutæ. Electricit. Ligatura
ad arter. thyroid. super.

BUBO.—Inunct. Ung. Hydrarg. fort. Catap. Aceti. Empl.
Cicutæ cum Hydrarg. Mist. Natron. vitr. vide
Syphilis.

- C
- CALCULI** (Renal).—Pilul. Natron. præpar. Solut. Natr. carbon. Mist. Junip. comp. Aq. Kali puri Decoct. Althææ.
- CARDIALGIA**.—Mist. Cort. Querc. volat. Infus. Gentian. cum Kali præpar.—Vide Dyspepsia.
- CARDITIS**.—Cap.—Bol. Antim. anod. Mist. Natron. vitr. Tinct. Digitalis. Mist. Aceto-alkali. Haust. Salin. efferv. Applic.—Empl. Cantharid. Sternø Venæsectio.
- CATARRHUS**.—Cap.—Mist. Antim. tart. Mist. Antim. tart. anod. Mist. Natron. vitr. Mist. Camphoræ comp. Sol. Ammon. acetat.
- CHANCRE**.—Applic.—Ung. Hydrarg. nitrat. Ung. Hydrarg. fort. Aq. Calcis cum Hydrarg. muriat. Sol. Hydrarg. nitr. Cap.—Vide Syphilis.
- CARCINOMA**.—Cap.—Tinct. Cicutæ. Solut. Arsenic. Applic.—Cataplasma. Cicutæ. Pulv. Arsenic. c. Catapl. carbonic.
- CHLOROSIS**.—Vide Amenorrhœa.
- CHOLERA MORBUS**.—Elect. opiat. Haust. Salin. efferv. cum Tinct. Opii. Enema opiatum.
- CHORDEE**.—Cap.—Pilul. Opii camphor.—Vide Blennorrhagia.
- COLIC**. (Spasmodic).—Cap.—Mist. Natr. vitr. cum Olio Ricini. Pulv. Jalapii comp. Pilul. opiat. Mist. Camphoræ. Mist. fœtid. anod. Enema opiat. Enema Terebinth. Applic.—(Abdom.)—Fot. Absinth. Lin. Ammon. fort. Empl. Cantharid.

- COMBUSTURA.—Applic.—Liniment. Lini. Solut. Opii.
Aq. fugid. Nix. Glacies.
Cap.—Mist. Natron. vitr. — Bol. Antim. anod.
Pil. opiat. Mist. Aceto-alkaliz.
- CONVULSIO.—Cap.—Hauft. Zinci. vitr. Mist. Cicutæ.
Mist. fœtid. Elect. e Stanno. Pulv. Jalap. c.
- CONDYLOMA.—Applic.—Solut. Hydrarg. nitr. Cerat.
Sabinæ.—Ligaturâ.
Cap.—Elect. Cryst. tart.
- CONTUSIO.—Appl.—Lotio Aquo-acetat. Catapl. Aceti.
Liniment. Saponis. Sol. Ammon. acetat. Hirudin.
Cap.—Mist. Natron. vitr. Bol. Antimon. Anodyn.
Mist. Aceto-alkal. cum Tinct. Opii. Tinct. Digitalis.
- CORYZA.—Vide Catarrhus.
- CHOREA.—Cap.—Hauft. Zinchi vitriol. Mist. Cicutæ.
Pilul. e Cupro anod. Mist. Cort. Querc. volat.
Mist. fœtid. Elect. e Stanno pulv. Elect. e Stanno
gran. Pil. Hydrarg. opiat.
Applic.—Electricit. Aq. frigid.
- CYNANCHE.—Cap.—Bol. Antimon. anod. Solut. antim.
tart. vinos. Mist. Natr. vitr. Mist. Camphoræ
comp. Mist. Aceto-alkaliz. Tinct. Digitalis. Am-
mon. acetat.
Applic. part. affect.—Lin. Ammon. fort. Empl.
Cantharid. Catapl. aceti. Gargar. Balaustin.
Garg. nitros.
- MALIGNA.—Cap.—Hauft. Querc. efferves.
Mist. Camphoræ cum Pulv. Querc. comp. Mist.
Camphoræ comp. Hauft. Aceto-alkaliz. efferves.
Mist. Querc. comp. vitr. Pil. Opiat. Vin. rubr.
Applic.—Gargar. acid. muriat. Garg. Balauft.
Lin. Volat. fort.

CYSTIRRHŒA.—Cap.—Decoct. Uvæ urfi.—Pil. opiat.
Mist. Camphoræ cum Pulv. Querc. comp. Pilul.
Natr. præp. Mist. Querc. comp. Balsam. Decoct.
Althææ. Decoct. Hordei.
Applic.—Inject. Amyli opiat.

D

DIABETES.—Cap.—Mist. Querc. comp. Balsam. Mist.
Querc. comp. Pil. Querc. comp. Pulv. Querc.
comp. Inf. Raphani comp. Tinct. Cantharid.
Applic.—Aq. frigid.

DIARRHŒA.—Pulv. Ipecac. Mist. Cretæ. Mist. Cretæ
opiat. Mist. Cretæ opiat. comp. Elect. e Creta.
aromat. Elect. opiat. Pulv. Aluminis comp.
Enema opiat. Enema Querc. Mist. Querc.
Tinct. Catechu.

DYSENTERIA.—Tinct. Ipecac. Mist. Cretæ anod. Mist.
Cretæ anod. comp. Solut. antim. tart. vinos.
Elect. e Creta aromatic. Enema opiat.

DYSPEPSIA.—Haust. Zinci vitriol. Mist. Querc. volat.
Mist. Querc. comp. Mist. Querc. comp. vitr.
Inf. Gentian. comp. Elect. Querc. comp. Pilul.
Gentian. comp. Mist. Querc. comp. cum Natron.

DYSURIA.—Emuls. Amygd. Emuls. Amydg. gummos.
Emuls. Camphoræ. Mist. Natr. vitr. Pil. opiat.
Decoct. Uvæ Urfi. Pulv. Nitros. Venæsectio.
Inject. Zinci vitr. anod.

E

ECCHYMOSIS.—Applic.—Lotio Aquo-acet. Catapl. Aceti.
Lin. Saponis. Hirudines. Electricit.
Cap.—Mist. Natr. vitriol. Mist. Aceto-alkaliz.
Mist. Camphor. comp. Sol. Ammon. acetat.

ENURESIS.—Cap.—Mist. Querc. Mist. Querc. comp.
 cum Tinct. Canthar. Mist. Querc. comp. Balsam.
 Sp. Terebinth. Electricit. Querc. comp.
 Applic.—Empl. Cantharid. Sacro et Peritonez.
 Inject. Querc. et Pessus Vaginæ. Electricit. Aqua
 frigid.

EPHRIDOSIS (Hætic.)—Cap.—Decoct. Cort. Querc. comp.
 Vitriol. Solut. Arsenic.
 Applic. Corpori.—Decoct. Querc. frigid.

EPILEPSIA.—Mist. Cicutæ. Pilul. e Cupro ammon. Pilul.
 Zinci vitr. Elect. e Stanno. Pulv. Querc. comp.
 Mist. camphorat. Pulv. Tanaceti comp.

EPISTAXIS.—Cap.—Tinct. Digitalis. Mist. Natron. vitriol.
 Pulv. nitros.
 Applic.—Inject. Argil. vitriol. Inject. Cupr. vitr.
 cum. Linteo. Venæsectio.

ERYSIPILAS.—Cap.—Haust. Antim. tart. Bol. Antim.
 Mist. Natron. vitriol. Mist. Aceto-alkaliz. Sol.
 Ammon. acet. Mist. Camp. comp. Acid. Sulph.
 dilut. Applic.—Farinæ aven.

EXANIA.—Applic.—Inject. Aluminis. Inject. Querc.
 Aqua frigid. Electricit.
 Cap.—Mist. Querc. comp. Elect. Querc. comp.

EXFOLIATIO (Promot.)—Applic.—Acet. Vini alb. Ol.
 Terebinth. Catapl. Terebinth. Fot. Absinthii.
 Cap.—Mist. Querc. comp. volat. Elect. Querc.
 comp.

F

FLUOR ALBUS, vide Leucorrhœa.

FRACTURÆ.—Applic.—Catapl. Aceti. Catapl. Furfuris.
 Lotio Aqua-acetata. Empl. Saponis.
 Cap.—Mist. Natron. vitr. Mist. Aceto-alkaliz.
 Pil. opiat. Sol. Ammon. acetat.

FUNGI.—Applic.—Solut. Hydrarg. nitrat. Cuprum vitriol.
Alum. calc.

FISTULA.—Applic.—Inject. Cantharid. Solut. Hydrarg.
nitr. Inject. Cupri. vitr.

G

GASTRODINIA.—Vide Dyspepsia.

GONORRHŒA VIRULENT.—Vide Blennorrhagia.

GUTTA SERENA.—Vide Amaurosis.

H

HÆMOPTYSIS (Plethoric.)—Cap.—Mist. Natron. vitriol.
Bol. Antim. anod. Tinct. Digitalis.

Applic.—Empl. Canthar. sterno. Aq. frigid. Ve-
næsectio.

————— (Pthifica.)—Cap. Tinct. Digital. Pilul. Ce-
rullæ acet.

HÆMATURIA.—Cap.—Mist. Ol. Riccini. Bol. Antim.
anod. Emuls. Amygd. gummos. Decoct. Alth:
Decoct. Hordei. Mist. Querc. Bals. Venæsectio.

HÆMIPLÉGIA.—Vide Paralyfis.

HERNIA HUMERALIS.—Cap. Pulv. Jalapii comp. Mist.
Natr. vitr. Solut. Antim. tart. Haust. Antim.
tartar.

Applic.—Lotio Aquo-acetat. Catapl. Aceti. Hi-
rudinis. Venæsectio.

HÆMORRHOIS.—Cap.—Elect. Sulphur. Elect. Cryst tart.
Applic.—Fot. Querc. Ung. Hydrarg.

HEPATITIS (Acut.)—Cap.—Pulv. Jalapii comp. Bolus
Antim. Anod.—Mist. tart. Antim. Mist. Cam-
phor. Tinct. Digitalis.

Applic.—Lateri dextro empl. Cantharid. Venæ-
sectio.

————— (Chronic.)—Cap.—Pilul. Hydrarg. cum Tinct.
Cicutæ. Mist. Nitros.

HYDARTHURUS.—Appl.—Empl. Ammon. cum Cicuta.
Empl. Cantharid. Ung. Sabinæ. Calx cum Kali
puro. Electricit. Ung. Hydrarg. fort.

Cap.—Tinct. Cicutæ cum Decoct. Quercus comp.
Decoct. Tussilag. Pilul. Hydrarg.

HYDROCELE.—Electricit. Injct. Cupri vitr. post ope-
rat. paracent. Calx cum Kali puro.

HYDROPS.—Tinct. Digitalis. Pil. Scillæ cum Gamb.
Pulv. Jalapii comp. Mist. Juniper. Bol. Scillæ.
Bol. Digitalis. Inf. Digitalis. Haust. Antim. tart.
scillit. Mist. Cort. Querc. comp. Inf. Gent. Sol.
Cryst. tart.

Appl.—Electricit. Empl. Cantharid. Scarrificat.
Lin. Volat. fort. Paracentesis. Fascia lanulæ.

HYPOSTAPHILE.—Gargar. Querc. comp. Garg. Alumin.
Garg. Balauft. Electricit. Inf. Raphani comp.

HYSTEROPTOSIS.—Appl.—Pessus. Injctio. Querc. comp.
Injct. Aluminis. Aq. frig. Electric.

Cap.—Mist. Querc. comp. cum Tinct. Canth.
Mist. Querc. comp. Bals

HYSTERIA.—Haust. Zinci vitr. Mist. Fœtid. Mist. Querc.
volat. Mist. Cicutæ. Pil. fœtid. Elect. Querc.
comp. Sol. Ferri vitr. vinos.

I

ICTERUS.—Pulv. Jalapii comp. Pil. Colocyn. comp.
Sol. tart. Antim. vinos. Bol. Antim. tart. Extr.
Papav. alb. Æther.

INDIGESTIO.—Vide Dyspepsia.

INCONTINENTIA URINÆ.—Vide Enuresis.

ISCHURIA.—Emuls. Amygd. gummos. Emuls. Camphoræ.
Pulv. Jalapii comp. Enema Terebinth. Fot. Ab-
sinthii. Catheter.

L

LEPRA.—Cap.—Solut. tart. Antim. vinos. cum Solut. Hy-
drarg. muriat. ex Cyatho. Decoct. Ulmi comp.
Mist. Querc. comp. sulph. Acid. sulphur. dilut.
Pil. Hydrarg.

App.—Decoct. Helleb. alb. Ung. nitros. Ung.
vitriol. Ung. Picis. Ung. Hydrarg. Lotio Hy-
drarg. Lotio Hydrarg. mur. Ung. Hydrarg. nitr.

LEUCOMA.—Collyr. Cupri vitr. Collyr. Hydrarg. muriat.
Pulv. Vitri. comp.

LEUCORRHŒA.—Cap.—Mist. Querc. comp. Balsam.
Elect. Querc. comp. Bals. Tinct. Cantharid. cum
Mist. Querc. comp. Pil. Querc. comp.

Applic.—Inject. Quercus. Inject. Arg. vitr. Aq.
frigid.

LUMBAGO.—Cap.—Mist. Guaiac. camph. Bol. Antim.
tart. Mist. Camphoræ. Solut. Antim. tart. vinos.
Extr. Papav. alb.

Applic.—Lin. Ammon. fort. Empl. Cantharid.
Electricit.

M

MENORRHAGIA.—Cap.—Inf. Balauft. Mist. Querc. vitr.
 Tinct. Digitalis. Solut. Cupri. vitr. Pulv. Argil.
 vitr. comp.
 Applic.—Acet. Vini alb. Aq. frigid. Injeēt. Querc.
 Enema Querc.

N

NEPHRITIS.—Cap.—Mist. Ol. Ricini. Bol. Antim. Mist.
 Antim. tartar. Decoēt. Althææ. Emuls. Amygd.
 gummos. Decoēt. Hordei.

Applic. Lin. volat. fort. Calx cum Kali puro.
NODUS.—Applic.—Ung. Hydr. fort.
 Cap.—Vide Syphilis.

O

ODONTALGIA.—Applic.—Solut. Hydrarg. nitr. Acid.
 vitr. Tinct. Opii. Pil. Opii camph. Tinct. Can-
 tharid. Ol. Origani.

OPISTHOTONOS.—Vide Tetanus.

OPHTHALMIA.—Cap.—Pulv. Jalapii comp. Mist. Natron.
 vitr. Mist. Aceto-alkaliz. Pilul. Hydrarg. Solut.
 Hydrarg. muriat.

Applic.—Collyr. Cerussæ acetat. anod. Collyr.
 Cerussæ acet. camph. Collyr. Cupri vitr. Crem.
 Litharg. acetat. Tinct. Opii. Empl. Canthar.
 Nuchæ. Hirudin. Arteriot. tempor. Aura Elec-
 tricita.

OTORRHOEA.—Injeēt. Zinci vitr. anod. Empl. Canthar.

P

- PALPITATIO.**—Tinct. Digitalis. Tinct. Cicutæ. Mist. Cicutæ. Mist. Fœtid.
- PARALYSIS.**—Cap.—Inf. Raphani comp.
 Appl.—Empl. Canthar. Electricit. Lin. Volat. fort. Calx cum Kali puro. Ung. Hydrarg.
- PARONYCHIA.**—Applic.—Sp. Camphoræ. Lin. Saponis. Catapl. Aceti. Fot. Absinth. Hirudin.
 Cap.—Pulv. Jalapii. Pil. Opiat.
- PERNIO.**—Applic.—Lin. Sapon. Lin. Ammon. fort. Catapl. Aceti. Catapl. Papav. a. Nix. Glacies.
 Cap.—Pulv. Jalapii comp.
- PERICARDITIS.**—Vide Pneumonia.
- PERIPNEUMONIA.**—Vide Pneumonia.
- PERITONITIS.**—Cap.—Mist. Natron. vitr. Solut. Antim. tart. vinos. Bolus Antimon. Mist. Antim. tart. Tinct. Digitalis.
 Applic. Abdom.—Empl. Cantharid. larg. Ung. Sabinæ. Fot. Absinth. Aq. frig.
- PERTUSSIS.**—Cap.—Mist. Cicutæ. Haust. Zinci vitr. Mist. Fœtid. comp. anodyn. Oxym. ex Allio comp. Mist. Fœtid. comp. Mist. Digital. anodyn. Applic.—Empl. Cantharid. Sterno.
- PHLEGMONE.**—(Dispergere.)—Applic. Lotio Aquo-acet. Ammon. acet. Catapl. Aceti. Aura Electricit.
 Cap.—Mist. Natron. vitr. Pulv. Jalapii comp.
 —————(Suppurare.)—Vide Apostema.
- PHRENITIS.**—Cap.—Mist. Natron. vitriol. Bol. An m. tart. Tinct. Digitalis. Solut. Antim. tartar.
 Applic.—Empl. Canthar. Capit. & Nuchæ. Venesect. Jugul. arteriot. temp. Hirud. temp. Catapl. Sinap. Pedib.

PRIAPISMUS.—Cap.—Pil. Opiat. cum Mist. Camphoræ.

Applic.—Mist. Camphoræ.

Vide Blennorrhagia.

PROLAPSUS ANI, vide Exania.

————— UTERI, vide Hyfteroptosis.

————— UVULÆ, vide Hypostaphile.

PSORA.—Applic.—Decoct. Helleb. alb. Ung. vitr. Ung. sulphur.

Cap.—Elect. sulphur, Acid. vitr. dilut.

PHTHISIS PULMONALIS.—Cap.—Tinct. Cicutæ. Tinct.

Digitalis. Mist. Fœtid. comp. Mist. Fœtid. comp.

anod. Pil. Scillæ anodyn. Mist. Antim, tart.

anod. Extr. Papav. alb. Extr. Hyoscyam. Mist.

Digitalis. Mist. Digital. anodyn.

Applic.—Empl. Episp. Sterno,

PLEURITIS, vide Pneumonia.

PNEUMONIA.—Cap.—Mist. Antim. tart. Mist. Antim.

tart. anodyn. Mist. Natron. vitr. Mist. Camph.

comp. Tinct. Digitalis. Mist. Digitalis.

Applic.—Empl. Cantharid. sterno vel lateri. Ve-

næsectio.

R

RACHITIS.—Cap.—Mist. Querc. comp. volat. Elect. Querc.

comp. Inf. Gentian. Solut. Ferri vitriol. vinos.

Phosp. Calcis.

Applic.—Aq. frigid.

RHEUMATISMUS ACUTUS.—Cap.—Mist. Natron. vitr.

Bol. Antim. Anodyn. Mist. Camp. comp. Solut.

Antim. tart. vinos. Mist. Aquo-acet.

Applic.—Lin. Ammon.

RHEUMATISMUS CHRONIC.—Cap.—Mist. Guaiac. vol.
Mist. Guaiac. camph. Bol. Antim. anod. Inf.
Raphani comp. Linct. Terebinth. Elect. Sul-
phuris.

Applic.—Lin. Volat. fort. Nix. Electricit. Empl.
Cantharid. Fot. Absinth. Empl. ex Euphorbio.

S

SARCOCELE.—Cap.—Tinct. Cicutæ cum Pil. Hydrarg.
Applic.—Catapl. Cicutæ. Electricit.

SCABIES, vide Pfora.

SCIATICA.—Cap.—Mist. Camphoræ comp. Solut. Antim.
tart. Bol. Antim. anod. Mist. Guaiac. camph.
Applic.—Lin. Volat. fort. Empl. Cantharid.
Empl. Euphorb. Electricit. Fot. Absinth.

SCHIRRUS.—Cap.—Tinct. Cicutæ. Pil. Hydrarg.
Applic.—Catapl. Cicutæ. Empl. Ammon. cum
Cicuta. Lotio. Ammon. mur.

SCROPHULA.—Cap.—Tinct. Cicutæ cum Mist. Cort. Querc.
comp. Mist. Querc. comp. Natr. Decoct. Tussilag.
Decoct. Rub. Tinct. Muriat. Calcis.

SINGULTUS.—Cap.—Mist. Fœtid. Haust. Zinc. vitr.
Æther.—Electricit.

SPHACELUS.—Cap.—Haust. Querc. efferves. Pulv.
Querc. comp. cum Mist. Camph. Pil. Opiat.
Mist. Querc. comp. volat. cum Tinctura Opii.
Applic.—Catapl. Carbon. Catapl. efferves. Ung.
Resin. flav. Ung. Elemi. Fot. Absinth. Fot.
Quercus.

STRUMA.—Applic.—Ung. Hydrarg. nitr. Ung. Nitros.
Solut. Hydrarg. nitr.

Cap.—Vide Scrophula.

SUPPRESSIO URINÆ, vide Ischuria.

SYNCOPE.—Cap.—Mist. Fœtid. volat.

Applic.—Aq. Frigid. Corpori. Aq. Ammoniacæ
naribus et temporibus.

SYNOCHA.—Cap.—Haust. Antim. tartar. Mist. Aceto-
alkaliz. Haust. Aceto-alkaliz. efferv. Mist. Natr.
vitr. Bolus Antimon. Tinct. Digitalis. Mist.
Camphoræ comp. Sol. Ammon. acet. Venæsectio.

SYNOCHUS.—Cap.—Haust. Antim. tartar. Mist. Camph.
comp. Haust. Querc. efferves. Pulv. Querc.
comp. cum Mist. Camph. Solut. Natr. Carbon.
Pil. opiat. Vin. rubr.

Applic.—Aq. Frig. Corpori.

SYPHILIS.—Cap.—Pilul. Hydrarg. opiat. Mist. Nitros.
Tinct. Cicutæ. Decoct. Ulmi comp.

T

TENIA.—Cap.—Elect. e Stanno granul. Elect. e Stanno
pulv. Pulv. Jalap. comp. Inf. Gentian. Mist.
Querc. volat.

TERES.—Pulv. Jalap. comp. Pulv. Tanaceti comp. Inf.
Spigeliæ. Mist. Querc. volat.

TETANUS.—Cap.—Extr. Opii. Haust. Zinci vitr. Mist.
Cicutæ. Pil. Hydrarg. opiat.

Applic.—Aq. calid. Inunct. Ung. Hydrarg.

TINEA CAPITIS.—Applic.—Ung. Picis. Ung. Nitros.
Ung. Vitriol. Decoct. Helleb. alb. Ung. Hy-
drarg. mit. Solut. Zinci vitr.

Cap.—Pulv. Jalap. comp. Solut. Hydrarg. mur.
cum Solut. Antim. tart. vinos. ex Haust. Decoct
Ulmi. Acid. sulphur. dilut.

TRISMUS, vide Tetanus.

TUSSIS, vide Catarrhus.

TYPHUS.—Cap. Haust. Querc. efferv. Mist. Camphoræ
cum Pulv. Querc. comp. Mist. Querc. comp.
vitr. Solut. Natron. carbonic. Pilul. opiat.
Vinum rubr.

Applic.—Aq. frigid. cum Aceto.

V

VERRUCCA.—Applic.—Solut. Hydrarg. nitr.

VOMITUS.—Cap.—Inf. Agrimon. Haust. Aceto-alkaliz.
efferv. Pil. opiat. Elect. opiat.

U

ULCUS.—Applic.—Catapl. Furfur. Catapl. carbon. Catapl.
Papav. alb. Ung. Elemi. Ung. Refinæ flav. Fot.
Absinthii. Ung. nitros. Ung. Hydrarg. nitr.
Cap.—Pil. Hydrarg. opiat. Mist. Cort. Querc.
vitr. Pil. opiat.

————— SINOS.—Solut. Hydrarg. nitr. Injeçt. Cupri
vitr. Injeçt. Canthar.

————— SCROPHULOS.—Applic.—Ung. Hydrarg. nitr.
Ung. nitr. Sol. Hydrarg. nitr. Catapl. Cicutæ.
Cap.—Vide Scrophula.

————— SYPHILITIC.—Applic.—Catapl. Cicutæ. Ung.
Hydrarg. nitr. Ung. Hydrarg. fort. cum Ung.
Refinæ flav. Ung. nitros.
Cap.—Vide Syphilis.

————— CARCINOMAT.—Vide Carcinoma.


————— VESICA URINAR.—Vide Cystirrhœa.

UTERI SCHIRRUS.—Vide Schirrus.

UTERI PROLAPSUS.—Vide Hysteroptosis.
 ——— HÆMORRHAGIA.—Vide Menorrhagia.
 UVULÆ PROLAPSUS.—Vide Hypostaphile.
 URETHRITIS (Venerea).—Vide Blennorrhagia.



[W. Bulgin, Printer, Bristol.]



Langley

Clifton

Law

2