

Pharmacopoeia of the Leeds Infirmary.

Contributors

Leeds General Infirmary.
University of Leeds. Library

Publication/Creation

Leeds : [publisher not identified], 1891.

Persistent URL

<https://wellcomecollection.org/works/t78vfx9u>

Provider

Leeds University Archive

License and attribution

This material has been provided by This material has been provided by The University of Leeds Library. The original may be consulted at The University of Leeds Library. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

PHARMACOPŒIA
OF THE
LEEDS INFIRMARY,
1891.

Hutchinson

Ac. Chy. fr 10

dry Comb. bed 10

Hydro. Chy. fr 10

Adapt. B. 7

~~Amphib.~~

Ac. Chy. 2 1/2

dry Comb. D. 2 1/2

dry Am. d. 20


Amphib. 2 1/2

Adapt. B. 2 1/2

Carbonaceous part

The rest
any

... ..



S.C.I.
P.H.A.

PHARMACOPŒIA

OF THE

LEEDS INFIRMARY.

1891.

LEEDS, 1891.

Intertrigo =

on P. Tals

87 parts

Salept 100 3 parts

Wheat 100 10 parts

100

790819

PRINTED BY
GOODALL AND SUDDICK, LEEDS.

DIETARY TABLE.

	MILK DIET.	PLAIN DIET.	ORDINARY DIET.	FULL DIET.
FEMALES MALES	3 pints Milk 4 pints Milk			
BREAKFAST ...		Buttered Bread 1 pint Tea	Buttered Bread 1 pint Tea	Buttered Bread 1 pint Tea
LUNCH—10 a.m.		1 pint Broth		
DINNER		Rice Pudding	4 oz. Boiled Beef, Roast Beef or Roast Mutton, 8 oz. Potatoes, Rice or Bread Pudding.	5oz. Boiled Beef, Roast Beef or Roast Mutton 8oz. Potatoes $\frac{1}{2}$ pint Broth Rice or Bread Pud- ding.
TEA		Buttered Bread 1 pint Tea	Buttered Bread 1 pint Tea	Buttered Bread 1 pint Tea
SUPPER		1 pint Rice Milk or Gruel $\frac{1}{2}$ pint of Rice Milk or Gruel during the night	1 pint Rice Milk or Gruel $\frac{1}{2}$ pint of Rice Milk or Gruel during the night	1 pint Rice Milk or Gruel $\frac{1}{2}$ pint of Rice Milk or Gruel during the night

HALF THESE QUANTITIES FOR CHILDREN.

W. H. Galloway

PHARMACOPŒIA.

ENEMA.

I. ENEMA TEREBINTHINÆ.

R. Ol. Terebinthinæ ʒ ℥.
Vitellum ovi
Adde Aquam ad ʒ xii.

GARGARISMATA.

2. GARGARISMA ALUMINIS.

R. Aluminis ʒ i.
Aquæ ʒ vi.

3. GARGARISMA ACIDI HYDROCHLORICI.

R. Acidi Hydrochlorici diluti ʒ i.
Mellis ʒ ℥.
Aquam ad. ʒ viii.

4. GARGARISMA POTASSII CHLORATIS.

R.	Potassii Chloratis	3 ii.
	Aquæ..	3̄ viii.

GUTTÆ.

The following are for Ophthalmic Use.

5. GUTTÆ ATROPINÆ.

R.	Atropinæ Sulphatis	gr. ii.
	Aquæ	3̄ i.

6. GUTTÆ ATROPINÆ FORTIS.

R.	Atropinæ Sulphatis	gr. iv.
	Aquæ	3̄ i.

7. GUTTÆ ATROPINÆ CUM ACIDO
CARBOLICO.

R.	Guttarum Atropinarum	..	3̄ i.
	Acidi Carbolici	℥ i.

8. GUTTÆ ARGENTI NITRATIS.

R.	Argentii Nitratis	gr. ii.
	Aquæ Destillatæ	3̄ i.

9. GUTTÆ ARGENTI NITRATIS CUM
MORPHINA.

R.	Argentī Nitratī	gr. iv.
	Morphinæ Acetatis	gr. iv.
	Aquæ Destillatæ	℥ i.

10. GUTTÆ CARBOLICÆ CUM ZINCO.

R.	Glycerini Acidi Carbolici		℥ ii.
	Zinci Sulphatis	gr. vi.
	Aquam ad.	℥ i.

For Aural use.

11. GUTTÆ ESERINI.

R.	Eserini Sulphatis	gr. ii.
	Aquæ	℥ i.

12. GUTTÆ IODOFORMI.

R.	Iodoformi	gr. xxx.
	Sp. Vini Rect.	℥ i.

For Aural use.

13. GUTTÆ PLUMBI.

R.	Liq. Plumbi diacetatis	..	℥ xx.
	Glycerini	℥ i.
	Aquam	℥ i.

14. GUTTÆ TEREBINTHINÆ.

R.	Olei Terebinthinæ	℥ xx.
	Olei Olivæ	ʒ i.

For Aural use.

15. GUTTÆ VINI OPII

R.	Vini Opii	ʒ i.
	Aquæ	ʒ iii.

16. GUTTÆ ZINCI.

R.	Zinci Sulphatis	gr. i.
	Aquæ	ʒ i.

HAUSTUS.

17. HAUSTUS FILICIS MARIS.

R.	Extracti Filicis Liquidi	..	ʒ i.
	Syrupi	
	Mucilaginis aa.	ʒ ℥.

INSUFFLATIONES (SNUFFS).

18. INSUFFLATIO BISMUTHI.

R.	Bismuthi Oxochloridi	..	q.s.
----	----------------------	----	------

Mild Astringent.

19. INSUFFLATIO GUMMI RUBRI.

R. Gummi Rubri Partes i.
 Pulveris Amyli. „ ii.

Stimulant and astringent.

20. INSUFFLATIO IODOFORMI.

R. Iodoformi
 Pulveris Amyli. partes æquales

Antiseptic.

21. INSUFFLATIO ZINCI SOZOIODOLATIS.

R. Zinci Sozoiodolatis part 1
 Pulv. Tale. „ 4

Antiseptic and astringent.

LINCTUS.

22. LINCTUS MORPHIÆ.

R. Liquoris Morphicæ hydro-
 chloratis ℥ iii.
 Chloroformi ℥ i.
 Mucilaginis ℥ xv.
 Aquæ. ℥ xv.
 Glycerini ʒ ss.

LINIMENTUM.

23. LIN. AMMONIÆ BENZOATUM.

R.	Liquoris Ammoniaë	℥	iv.
	Linimenti Saponis Co. . . .	℥	v.
	Tincturaë Opii	℥	i.
	Spiritus Camphoræ	℥	i.
	Tr. Benzoini Compositæ . .	℥	i.

LOTIONES.

24. LOTIO ACIDI NITRICI.

R.	Acidi Nitrici Puri	℥	xx.
	Aquæ	0	i.

25. LOTIO ACIDI CARBOLICI.

R.	Acidi Carbolici	℥	ss.
	Aquæ	0	i.

26. LOTIO ACIDI HYDROCYANICI.

R.	Acid Hydrocyanici dil. . . .	℥	iii ss.
	Liq. Plumbi Diacetatis . . .	℥	vii.
	Glycerini	℥	ii.
	Aquam ad.	0	i.

Substit

27. LOTIO ALUMINIS.

R.	Aluminis	3 ii.
	Aquæ	0 i.

28. LOTIO BORACICA.

R.	Boracis	3 i.
	Aquam q. s.	pro solutione.	

29. LOTIO CALAMINÆ.

R.	Pulv. Calaminæ	3 ss.
	Pulv. Zinci Oxidi	3 ii.
	Glycerini	3 ii.
	Aquam ad.	3 vi.

30. LOTIO EVAPORANS.

R.	Liquoris Plumbi	3 iſs.
	Spiritus Vini Methylati	3 i.
	Aquam ad.	0 i.

31. LOTIO PLUMBI CUM OPIO.

R.	Liquoris Plumbi subacet-		
	atis	3 ii.
	Extracti Opii	3 ſs.
	Aquam ad	0 i.

32. LOTIO RUBRA.

R.	Zinci Sulphatis.	gr. xi.
	Tincturæ Lavandulæ Co.	ʒ ʒ.
	Aquam ad.	0 i.

33. LOTIO SODÆ CHLORINATÆ.

R.	Liquoris Sodæ Chlorinatæ	ʒ ʒ.
	Aquæ	0 i.

34. LOTIO SAPONIS ALKALINA.

R.	Saponis Mollis	
	Sp. Vini Methylati partes	
	equales	

The following are for Nasal use.

To be snuffed up into the nose from the hollow of the hand, or gently injected with a small syringe. They should be used at a temperature of about 100° Fahr.

35. LOTIO ALKALINA.

R.	Sodii Bicarbonatis	gr. xii.
	Acid Carbolici	gr. i. ʒ.
	Aquæ	ʒ i.

36. LOTIO ALKALINA COMPOSITA.

R. Sodii Bicarbonatis
 Sodii Chloridi
 Boracis
 Sacchari albi aa gr. vii. Aquæ $\bar{3}$ iv.

37. LOTIO AMMONII CHLORIDI.

R. Ammonii Chloridi gr. vi.
 Aluminis gr. vi.
 Aquæ $\bar{3}$ i.

Astringent.

38. LOTIO SODII SOZOIODOLATIS.

R. Sodii Sozoiodolatis gr. 120
 Aquæ $\bar{3}$ i.

Antiseptic and Astringent.

39. LOTIO ZINCI SULPHATIS.

R. Zinci Sulphatis gr. vi.
 Acidi Carbolici.. .. gr. i℥.
 Aquæ $\bar{3}$ i.

Astringent.

The following are for Ophthalmic use.

40. LOTIO ALUMINIS DIL.

R. Aluminis gr. iii.
 Aquæ $\frac{3}{5}$ i.

41. LOTIO BORACICA DIL.

R. Acidi Borici gr v.
 Aquæ Laurocerasi 3 i.
 Aquam ad. $\frac{3}{5}$ i.

42. LOTIO BELLADONNÆ.

R. Extracti Belladonnæ gr. vi.
 Aquæ $\frac{3}{5}$ i.

43. LOTIO CUPRI SULPHATIS.

R. Cupri Sulphatis gr. i.
 Aquæ $\frac{3}{5}$ i.

44. LOTIO HYDRARGYRI PERCHLORIDI.

R. Hydrargyri Perchloridi gr. $\frac{1}{8}$.
 Tinct. Cocci ℥ iii. in 384
 Aquæ $\frac{3}{5}$ i.

45. LOTIO ZINCI SULPHATIS.

R. Zinci Sulphatis. gr. iii.
 Aquæ $\frac{3}{5}$ i.

MISTURÆ.

46. MISTURA ACIDI CUM NUCE VOMICA.

R. Acidi Nitro-Hydrochlorici

dil. ℥ xv.

Spt. Chloroformi ℥ xv.

Tinct. Nucis Vomicae . . . ℥ xv.

Glycerini ʒ ʒ.

Aquam ad. ʒ i.

47. MISTURA ACIDI GALLICI.

R. Acidi Gallici gr. x.

Acidi Sulphurici dil. . . . ℥ xx.

Tinct. Opii ℥ v.

Tinct. Digitalis ℥ v.

Syrupi Simpl. ʒ i.

Aquam ad. ʒ i.

48. MISTURA ACIDI SULPHURICI CUM OPIO.

R. Acidi Sulphurici diluti . . ℥ x.

Tr. Opii ℥ v.

Syr. Rhoeados ʒ ʒ.

Aquam ad. ʒ i.

49. MISTURA ACIDI TONICA.

R. Acidi Nitro-hydrochlorici dil. ℥ xv.
 Decocti Cinchonæ ℥ i.

50. MISTURA ALBA.

R. Magnesii Sulphatis gr. lx.
 Magnesii Carbonatis gr. iii.
 Aquæ Menthæ Piperitæ ℥ i.

51. MISTURA AMMONIÆ.

R. Ammonii Carbonatis gr. iv.
 Theriacæ ℥ xx.
 Tr. Lavand. Co. ℥ xx.
 Aquam Menth. Pip. ad. ℥ i.

52. MISTURA ACIDI NITRICI Co.

R. Acidi Nitrici diluti ℥ xv.
 Tincturæ Camphoris Co. ℥ xx.
 Acidi Hydrocyanici dil. ℥ iii.
 Glycerini ʒ ℥
 Spiritus Chloroformi ℥ xx.
 Infusum Cascariellæ ad. ℥ i.

53. MISTURA AMMONIÆ CUM SENEGA.

R.	Ammonii Carbonatis	..	gr. v.
	Vini Ipecacuanhæ	..	℥ xv.
	Infusum Senegæ	.. ad.	℥ i.

54. MISTURA ÆTHERIS Co.

R.	Ammonii Carbonatis	..	gr. v.
	Sp. Ætheris	℥ x.
	Aquæ Chloroformi	℥ i.

55. MISTURA AROMATICA INFANTILIS.

R.	Sodii Carbonatis	gr. viii.
	Spiritus Ammoniaë Aromatici	℥	v.
	Syrupi Zingiberis	℥ ss.
	Aquam Cinnamoni	.. ad.	℥ ii.

56. MISTURA ARSENICALIS.

R.	Liquoris Arsenicalis..	..	℥ v.
	Sacchari Usti	q. s.
	Aquæ	℥ i.

57. MISTURA ARSENICALIS CUM FERRO.

R.	Liquoris Arsenici Hydrochloratis	℥ v.
	Misturæ Ferri Perchloridi		̄ i.

58. MISTURA BISMUTHI Co.

R.	Bismuthi Subnitratris	..	gr. xii.
	Sodii Bicarbonatis	gr. x.
	Mucilaginis Acaciæ	̄ i.
	Aquæ Menthæ Piperitæ	..	̄ i.

59. MISTURA BUCHU.

R.	Potassii Bicarbonatis	..	gr. xv.
	Tincturæ Hyoscyami	..	̄ ℥
	Infusi Buchu	̄ i.

60. MISTURA CASCARILLÆ Co.

R.	Tincturæ Scillæ	̄ ss.
	Tincturæ Camphoris Co.	..	℥ xv.
	Infusum Cascarillæ	.. ad.	̄ i.

61. MISTURA CINCHONÆ CUM ACIDO.

R.	Acidi Sulphurici Diluti	℥ x.
	Decocti Cinchonæ	℥ i.

62. MISTURA COPAIBÆ.

R.	Balsami Copaibæ	℥ xx.
	Mucilaginis	℥ i.
	Liquoris Potassæ	℥ x.
	Spiritus Ætheris Nitrosi.	℥ ss.
	Tincturæ Cubebæ	℥ ss.
	Aquam Camphoris	..	ad.	℥ i.

63. MISTURA CUBEÆ.

R.	Olei Cubebæ	℥ v.
	Liquoris Potassæ	℥ x.
	Pulveris Acaciæ	℥ ss.
	Aquam	ad. ℥ i.

64. MISTURA CRETÆ CUM OPIO.

R.	Cretæ Præparatæ	gr. xx.
	Tr. Opii	℥ x.
	Aq. Menth. Pip.	℥ i.

65. MISTURA DIGITALIS.

R.	Tincturæ Digitalis	℥ x.
	Spiritus Ætheris	℥ xv.
	Spiritus Chloroformi	℥ x.
	Aquam Camphoris ad.	̄ i.

66. MISTURA ERGOTÆ

R.	Extracti Ergotæ Liquidi	ʒ ʒ.
	Aquam Carui ad	̄ i.

67. MISTURA FERRI APERIENS.

R.	Ferri Sulphatis	gr. ii.
	Magnesii Sulphatis	ʒ i. 6 3/4
	Spiritus Chloroformi	℥ xv.
	Aquæ Menthæ piperitæ	̄ i.

68. MISTURA FERRI CITRATIS.

R.	Ferri et Ammoniaë Citratis	gr. x.
	Aquæ	̄ i.

69. MISTURA FERRI ET QUININÆ
CITRATIS.

R.	Ferri et Quininæ Citratis	gr. v.
	Aquæ	̄ i.

Rj Am: Benzoin.

de Bor fr V. } Wash
sach m frii } Bot.
ay per. } Ed. 5.
19.

MISTURÆ.

70. MISTURA FERRI PERCHLORIDI.
R. Liquoris Ferri Perchloridi ℥ xv.
Glycerini ʒ i.
Aquam ad. ʒ i.

71. MISTURA FERRI TONICA.
R. Acidi Nitrici diluti ℥ x.
Liquoris Ferri Perchloridi ℥ x.
Infusum Quassiae ad. ʒ i.

72. MISTURA FERRI CUM ERGOTA.
R. Extracti Ergotæ Liquidi. ʒ ss.
Misturæ Ferri Perchloridi ʒ i.

73. MISTURA HYDRARGYRI BINIODIDI.
R. Potassii Iodidi gr. v.
Liq. Hydrargyri Perchloridi ʒ ℥.
Aquam ad. ʒ i.

74. MISTURA HYOSCYAMI CUM CUBEBE.
R. Potassii Bicarbonatis gr. xv.)
Tinct. Hyoscyami ℥ x.)
Ol. Cubebis ℥ vi.)
Mucilaginis ʒ i.)
Aquam Camphoris ad. ʒ i.)

Mist

For Acetone in Cystos

75. MISTURA LIQUORIS POTASSÆ.

R.	Liquoris Potassæ	℥ x.
	Syrupi Papaveris Albi	℥ xx.
	Syrupi Rhei	℥ xxx.
	Spiritus Ætheris Nitrosi	℥ xx.
	Aquam ad	ʒ i.

76. MISTURA OLEI RICINI.

R.	Olei Ricini	ʒ i.
	Tincturæ Rhei	ʒ i.
	Mucilaginis Acaciæ	ʒ i.
	Aquam Pimentæ ad	ʒ i.

77. MISTURA POTASSÆ.

R.	Potassii Sulphatis	gr. xx.
	Liquoris Potassæ	℥ x.
	Aquæ Menthæ piperitæ	ʒ i.

78. MISTURA POTASSII BICARBONATIS.

R.	Potassii Bicarbonatis	gr. xx.
	Spiritus Ætheris Nitrosi	ʒ ʒ.
	Aquæ Anethi	ʒ i.

79. MISTURA POTASSII BROMIDI.

R. Potassii Bromidi gr. x.
 Aquæ ʒ i.

80. MISTURA POTASSII CHLORATIS.

R. Potassii Chloratis gr. x.
 Acidi Hydrochlorici puri . . ℥ ii.
 Misce, dein adde Aquæ . . ʒ i.

81. MISTURA POTASSII IODIDI.

R. Potassii Iodidi gr. v.
 Aquæ ʒ i.

82. MISTURA QUININÆ SULPHATIS.

R. Quininæ Sulphatis gr. i.
 Acidi Sulphurici diluti . . ℥ iii.
 Aquam ad ʒ i.

83. MISTURA RHEI Co.

R. Pulveris Rhei gr. v.
 Pulveris Calumbæ gr. x.
 Sodii Bicarbonatis gr. x.
 Acidi Carbolici gr. i.
 Aquam Menthæ Piperitæ ad ʒ i.

84. MISTURA SALINA.

R. Liquoris Ammonii Acetatis ʒ ii.
 Tincturæ Lavandulæ Co... ℥ ss.
 Aquam ad

85. MISTURA SALINA EFFERVESCENS.

R. (1) Sodii Bicarbonatis . . gr. xviii.
 Aquæ ʒ i.
 (2) Acidi Tartarici gr. x.
 Aquæ ʒ ℥.

86. MISTURA SCILLÆ.

R. Syrupi Scillæ ℥ xx.
 Syrupi Papaveris Alb. . . ℥ xx.
 Tincturæ Camphoris Co. . . ℥ xx.
 Spiritus Ætheris Nitrosi . . ℥ xx.
 Aquam ad ʒ i.

87. MISTURA SODII CARBONATIS.

R. Sodii Bicarbonatis gr. xx.
 Spiritus Ammoniaë Aromatici ℥ x.
 Syrupi Papaveris Albi . . ℥ x.
 Tincturæ Zingiberis. . . . ℥ v.
 Aquam ad. ʒ i.

88. MISTURA SODÆ CUM GENTIANA.

R. Sodii Bicarbonatis gr. xv.
 Infusi Gentianæ Co. $\frac{3}{4}$ i.

89. MISTURA TEREBINTHINÆ.

R. Olei Terebinthinæ ℥ xv.
 Mucilaginis ʒ i.
 Liquoris Potassæ ℥ x.
 Aquam Menthæ Piperitæ ad $\frac{3}{4}$ i.

NEBULÆ.

(SPRAY APPLICATIONS FOR THROAT AND
 NOSE.)

90. NEBULA FERRI PERCHLORIDI.

R. Ferri Perchloridi gr. iii.
 Aquæ $\frac{3}{4}$ i.

Astringent.

91. NEBULA ACIDI CARBOLICI.

R. Acidi Carbolici gr. iii.
 Aquæ $\frac{3}{4}$ i.

Antiseptic.

92. NEBULA ZINCI CHLORIDI.

Rx.	Zinci Chloridi	gr. ii.
	Aquæ	℥ i.

Astringent.

93. NEBULA IODI ET ACIDI TANNICI.

Rx.	Tincturæ Iodi	℥ iii.
	Glycerini Acidi Tannici	..	℥ iv.
	Aquæ.. ad	℥ i.

Astringent.

94. NEBULA ALKALINA.

Rx.	Sodii Bicarbonatis	gr. xv.
	Acidi Carbolici..	gr. iv.
	Boracis	gr. xv.
	Glycerini	℥ i.
	Aquam ad.	℥ i.

Detergent and stimulant.

PILULÆ.

95. PILULA ALOES ET FERRI ET NUCIS
VOMICÆ.

R.	Ferri Sulphatis.	gr. ii.
	Extracti Aloes Aquosi	gr. i.
	Extracti Nucis Vomicae	gr. $\frac{1}{4}$.
	Extractum Hyoseyami ad.	gr. v.

96. PILULA ALOES CUM NUCE VOMICA.

R.	Extracti Aloes Aquosi	gr. ii.
	Extracti Nucis Vomicae	gr. $\frac{1}{4}$.
	Pulveris Myrrhæ	gr. ii.
	Pulveris Saponis	q.s. ut ft. pil.

97. PILULA APERIENS.

R.	Pilulæ Hydrargyri	gr. i.
	Extracti Colocynthis Co.	gr. iſſ.
	Extracti Hyoseyami.	gr. iſſ.

98. PILULA "BLAUDII."

R.	Ferri Sulphatis	gr. iiſſ.
	Potassii Carbonatis	gr. iſſ.
	Sacchari	gr. i.
	Tragacanthi	gr. $\frac{1}{6}$.

For Cough in Bronchitis or
Pul Codii 50gr 1/2 h. s. s. better than
opium

26 PILULÆ.

99. PILULA CANABIS INDICÆ.

R. Extracti Canabis Indicæ gr. 1/3.
Ferri Sulphatis gr. ii.
Extracti Aloes Aquosi gr. 1 1/2.

For drawing matter
following directions in my
book

also send out
strongly advised

100. PILULA COLOCYNTHIDIS c. CALOMEL.

R. Pilulæ Colocynthidis Co gr. iv.
Hydrargyri Subchloridi gr. i.

PILULA ERGOTINI.

R. Ergotini gr. ss.
Extracti Lupuli gr. ii.

memorize
five at the
period:
+
Bromide
in between
= meal die
= exercise

101. PILULA HYDRARGYRI ET CONII.

R. Pilulæ Hydrargyri
Extracti Colocynthidis Co.
Extracti Conii aa gr. iſs.



102. PIL. HYD. c. OPIO.

R. Pil. Hydrargyri gr. iiſs.
Pulveris Opii gr. 1/4.

1/4 Nunc Trag: 8.
 1/4 Lyncur 3ii
 ac. Hcu. dil. ~xx
 R. Solu 3j
 Ode Scill 3iv
 R. Solu 3i
 Codici p 3!

103. ~~Pilula~~ PILULA HYDRARGYRI ET SCILLÆ ET
 DIGITALIS.

R. Pulveris Scillæ. gr. i.
 Pulveris Digitalis gr. i.
 Pilulæ Hydrarg. gr. i.

104. PILULA PODOPHYLLI.

R. Podophylli gr. $\frac{1}{3}$.
 Pulveris Rhei gr. ii.
 Extracti Hyoseyami gr. ii.

105. PILULA RHEI c. HYDRARGYRO.

R. Pilulæ Rhei Co. $\bar{3}$ ii.
 Pilulæ Hydrargyri $\bar{3}$ i.
 gr. v. pro dosi.

106. PILULA ACIDI CARBOLICI COMP.

R. Acidi Carbolici.
 Guiaci resinæ aa. gr. gr. i.
 Pulveris Rhei gr. ii.

PULVERES.

107. Pulvis Alterativus.

Rx.	Pulveris Hydrargyri c. Creta	gr. i.
	Pulveris Cinnamomi Co. . .	gr. i.
	Pulveris Rhei	gr. ii.
	Magnesii Carbonatis . .	gr. ii.

PULVIS THERMARUM CAROLINENSIVM.

108. (Carlsbad Salt.)

Rx.	Sodii Chloridi	̄ i.
	Sodii Bicarbonatis	̄ ii.
	Sodii Sulphatis.	̄ iv.
	Dose	̄ i. to ̄ ii.

SOLUTIONES.

109. SOLUTIO IODI FORTISSIMA.

Rx.	Iodi	
	Potassii Iodidi	
	Spiritus Vini Rect. partes equales.	

110. IODIZED PHENOL.

Rx.	Iodi	gr. lx.
	Acidi Carbolici	̄ i.

111. SYRUPUS SARZÆ.

R. Radicis Sarzæ lb. iii.

Boil in three successive quantities of water, two gallons each, till reduced to one. Then add 8 lbs. sugar to the three gallons.

UNGUENTA.

112. UNGUENTUM BORICUM.

R. Acid Borici Partes iv.
 Paraffini Mollis „ xv.
 Paraffini Duri „ v.

113. UNGUENTUM CALAMINÆ.

R. Cerae Flavæ lb. x.
 Olei Olivæ Cong. iii.
 Pulveris Calaminæ lb. xii.

114. UNGUENTUM DIACHYLI (HEBRA).

R. Olei Olivæ ʒ xv.
 Lithargyri ʒ iii. ʒ iv.

Boil together.

115. UNGUENTUM IODOFORMI.

R. Iodoformi gr. xx.
 Paraffini Mollis ʒ i.

116. UNGUENTUM CRETÆ Co.

Formerly "Unguentum Neutralizatum."

R.	Emplastri Plumbi	lb. iſs.
	Olei Olivæ	0 i.
	Cretæ Præparatæ	̄ x.
	Acidi Acetici	̄ viii.

Melt the plaster in the oil with a gentle heat, then add the chalk previously neutralized by the Acetic Acid, and stir till cold.

117. UNG. OLEI CADINI C. SULPHURE
("Wilkinson's Ointment.")

R.	Sulphuris Sublim.	
	Oleo Cadini aa.	gr. ccxl.
	Saponis Mollis	
	Adipis aa.	̄ i.
	Cretæ Præparatæ	3 iiss.

118. UNGUENTUM SULPHURIS Co.

R.	Sulphuris	gr. xxx.
	Hydrargyri Ammoniati	gr. v.
	Creasoti	℥ v.
	Adipis	̄ i.

The following are for Ophthalmic use.

119. UNGUENTUM ATROPINÆ.

R. Atropinæ Sulphatis gr. iv.
 Lanolini $\frac{3}{4}$ i.
 Ol. Olivæ q. s.

120. UNGUENTUM HYDRARGYRI OXIDI
 FLAVI CUM ATROPINA.

R. Atropinæ Sulphatis gr. ii.
 Unguenti Hydrargyri
 Oxidi Flavi $\frac{3}{4}$ i.

121. UNGUENTUM FLAVUM.

R. Hydrargyri Oxidi Flavi . . gr. xvi.
 Lanolini $\frac{3}{4}$ i.
 Ol. Olivæ q. s.

122. UNGUENTUM FLAVUM FORTE.

R. Hydrarg. Oxidi Flavi . . gr. xxxii.
 Lanolini $\frac{3}{4}$ i.
 Ol. Olivæ q. s.

123. UNGUENTUM FLAVUM DILUTUM.

R. Hydrarg. Oxidi Flavi . . gr. viii.
 Lanolini $\frac{3}{4}$ i.
 Ol. Olivæ q. s.

124. UNGUENTUM HYDRARGYRI CUM
 BELLADONNA.

R. Unguenti Hydrargyri
 Extracti Belladonnæ, partes equales.

PASTÆ.

These are used as the bases of ointments.

125. PASTA GELATINI.

R. Gelatini
 Aquæ aa. $\frac{3}{5}$ ss.
 Acidi Salicylici gr. ii.

Melt the Gelatine and Water and add the Salicylic Acid.

126. PASTA ZINCI OXIDI (Lassar's Paste).

R. Zinci Oxidi
 Pulv. Amyli aa. gr. cxxv.
 Acid Salicylici gr. ix.
 Lanolini $\frac{3}{5}$ ss.

PIGMENTA.

To be applied to the throat, &c., with a brush.

127. PIGMENTUM CUPRI SULPHATIS.

R. Cupri Sulphatis Gr. xx. ad Glycerini $\frac{3}{4}$ i.

128. PIGMENTUM ZINCI CHLORIDI.

R. Zinci Chloridi Gr. xxx. ad Glycerini \bar{z} i.

129. PIGMENTUM FERRI PERCHLORIDI.

R. Ferri Perchlor. Gr. lx. ad Glycerini \bar{z} i.

VAPORES.

(STEAM INHALATIONS.)

A teaspoonful to be put into a pint of water at 140° Fahr. and the vapour inhaled.

130. VAPOR BENZOINI.

R. Tincturæ Benzoini Co. . . . 3 i.

Sedative.

131. VAPOR CALAMI AROMATICI.

R. Olei Calami Aromatici . . . ℥ xvi.

Magnesiæ Carbonatis levis gr. viii.

Aquam ad. \bar{z} iii.

Strong Stimulant.

132. VAPOR ACIDI CARBOLICI.

R. Acidi Carbolici gr. clx.
 Spiritum Vini Rect ad $\bar{3}$ i.

Stimulant and antiseptic.

133. VAPOR CUBEBAE.

R. Olei Cubebae $\bar{3}$ ii.
 Magnesiæ Carbonatis levis $\bar{3}$ i.
 Aquam ad $\bar{5}$ iii.

Astringent in cases where secretion is profuse.

134. VAPOR IODI.

R. Tr. Iodi η clx.
 Aq. ad. $\bar{5}$ i.


Stimulant.

135. VAPOR PUMILIONIS CUM MENTHOL.

R. Olei Pumilionis $\bar{3}$ i.
 Menthol gr. v.

3 to 5 drops to be used.

Strong Stimulant.



257403

1893

1893

Myanmar



