Statistical tables of the patients under treatment in the wards of St. Bartholomew's Hospital during 1863 / by George N. Edwards and Alfred Willett.

#### **Contributors**

Edwards, George N., 1830-1868. St. Bartholomew's Hospital Willett, Alfred. Royal College of Physicians of Edinburgh

### **Publication/Creation**

London: J.E. Adlard, 1864.

### **Persistent URL**

https://wellcomecollection.org/works/s2bhye5j

#### **Provider**

Royal College of Physicians Edinburgh

### License and attribution

This material has been provided by This material has been provided by the Royal College of Physicians of Edinburgh. The original may be consulted at the Royal College of Physicians of Edinburgh. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

## STATISTICAL TABLES

OF THE

### PATIENTS UNDER TREATMENT

IN THE WARDS OF

## ST. BARTHOLOMEW'S HOSPITAL

DURING 1863.

BY

GEORGE N. EDWARDS, M.D. CANTAB., F.R.C.P., ASSISTANT-PHYSICIAN AND MEDICAL REGISTRAR TO THE HOSPITAL;

AND

ALFRED WILLETT, F.R.C.S., SURGICAL REGISTRAR TO THE HOSPITAL.

LONDON:

PRINTED BY J. E. ADLARD, BARTHOLOMEW CLOSE. 1864.

## STATISTICAL TABLES

ENTIRATE UNDER TREATMENT

ST. BARTHOLOMEWS HOSPITAL

DURING 1863.

MARKET WILLIAM STREET

It has been considered advisable to make several alterations in the arrangement of the Tables in the Report for 1863, in consequence of the division of the work of registration since the appointment of a Surgical Registrar. The Summary and other Tables relating to the whole number of Patients in the Hospital have therefore, with a General Nosology, been placed at the commencement, and are followed by separate Tables for the Patients treated in the Medical and Surgical Wards respectively, and in these the names of such diseases only as actually occurred are printed, retaining the order and number prefixed to them in the General Nosology, thus rendering them more easy for reference. Some additional Tables will also be found.

ST. BARTHOLOMEW'S HOSPITAL; March, 1864.

Note.—In the following tables the cases have, as far as possible, been placed under the primary diseases, as anasarca after scarlatina under scarlatina, strumous diseases under scrofula; but in a few instances, as those of pyæmia and tetanus, this rule has been departed from. The diagnosis is in every case taken from that of the medical officer in charge of the patient. The patients remaining in the Hospital on January 1st, 1864, have not been classified in a separate table, their cases being incomplete, and such table being intended to form part of the Annual Report for 1864.

# GENERAL STATEMENT OF THE PATIENTS UNDER TREATMENT DURING 1863.

Patients remaining,	January 1st 1863							
ratients remaining,	Medical Wards				187			
	Surgical Wards	***		***	294		481	
	Surgical wards	***	***	***	201	***	101	
Admitted during the	e vear							
Admitted during the	Medical Wards				2105			
	Surgical Wards				3356	14	5461	5942
	Surgical Wards	***	***		0000	***	0101	0012
Discharged, cured a	nd relieved							
Discharged, edited a	Medical Wards				1543			
	Surgical Wards				2906		4449	
	Edigical Wards		***	***				
Discharged unreliev	red							
	Medical Wards				96			
N. I.	Surgical Wards				52		148	
Discharged for othe	r than medical reas	ons						
	Medical Wards				113			
	Surgical Wards				123		236	
Died								
	Medical Wards				322			
	Surgical Wards				235		557	5390
	. 01							-
Re	emaining in Hospit	al Janu	uary 1s	t, 1864				552
				1				

Died within 24 hours of admission into the Hospital:

In Medical Wards, 40; or 12:42 per cent.

In Surgical Wards-

From disease, 14; or 6.96 per cent. From accident, 40; or 17.04 per cent.

Patients brought in dead	 	26
Number of beds in Hospital	 	650

# STATEMENT OF DISEASE OCCURRING WITHIN THE HOSPITAL IN PATIENTS ADMITTED FOR OTHER DISEASES.

Measles		Medical	Wards	 1		Total	1
Scarlatina		Medical	"	 3			
		Surgical	"	 8			11
Typhus		Medical	"	 11			11
Typhoid		Surgical	,,	 1			1
Erysipelas		Medical	"	 3			
		Surgical	"	 35			38
Cellular Inflam	mation	Surgical	"	 32			32
Pyæmia		Surgical	"	 14		18	14
Rheumatism		Medical	,,	 1			
		Surgical	"	 1			2
Phagedæna		Surgical	"	 7			7
Gangrene		Surgical	"	 3	***		3
Tetanus		Surgical	,,	 1			1
Delirium Trem	ens	Surgical	,,	 15			15

In the general tables all these patients are placed under the primary diseases for which they were admitted into the Hospital.

### DISEASES.

#### ORDER I.

- 1. Smallpox.
- 2. Chicken-pox.
- 3. Measles.
- 4. Scarlatina.
- 5. Diphtheria.
- 6. Quinsy.
- 7. Croup.
- 8. Continued Fever.
  - (a) Typhus. (b) Typhoid.

  - (c) Relapsing.
  - (d) Remittent.
- (e) Febricula.
- 9. Hooping-cough.
- 10. Diarrhœa.
- 11. Dysentery.
- 12. Cholera.
- 13. Catarrh.
- 14. Influenza.
- 15. Ague.
- 16. Erysipelas.
- 17. Erythema.
- Pyæmia.
   Hospital Gangrene.
- 20. Metria.
- 21. Rheumatism.
- 22. Glanders.
- 23. Malignant Pustule.
- 24. Syphilis-
  - (a) Primary.
  - (b) Secondary. (c) Inherited.
- 25. Gonorrhœa, including Bubo and Phymosis.
- 26. Purpura.
- 27. Scurvy.
- 28. Thrush.
- 29. Purulent Ophthalmia.
- 30. Rickets.
- 31. Bronchocele.
- 32. Worms.
- 33. Hydatids.

#### ORDER II.

- 1. Gout.
- 2. Dropsy.
- 3. Anæmia.
- 4. Cancer-(a) Of External Organs.
- (b) Of Internal Organs.
- 5. Melanosis.
- 6. Lupus.
- 7. Fungus Hæmatodes
- 8. Polypus. 9. Tumours.
- 10. Mortification.
- 11. Phagedæna.
- 12. Bed-sores.
- 13. Fistula.
- 14. Scrofula.
- 15. Psoas Abscess incl. Pelvic.
- 16. Tabes Mesenterica.
- 17. Tubercular Peritonitis.
- 18. Phthisis.
- 19. Hydrocephalus.

#### ORDER III.

- 1. Meningitis.
- 2. Encephalitis.

- 3. Myelitis.
- 4. Apoplexy.
- Paralysis.
- (a) Hemiplegia.
- (b) Paraplegia. 6. Paralysis Agitans.
- 7. Chorea.
- 8. Epilepsy.
- 9. Tetanus.
- 10. Hysteria.
- 11. Convulsions.
- 12. Insanity.
- 13. Laryngismus Stridulus.
- 14. Neuralgia.
- 15. Neuroma.
- 16. Disease of Brain.
- 17. Delirium Tremens.
- 18. Disease of Spinal Cord.
- 19. Conjunctivitis.
- 20. Amaurosis.
- 21. Cataract.
- 22. Iritis.
- 23. Corneitis.
- 24. Disease of Eye.
- 25. Disease of Ear.

### ORDER IV.

- 1. Carditis.
- 2. Pericarditis.
- 3. Endocarditis, including Valvular Disease.
- 4. Hypertrophy of Heart.
- 5. Fatty Degeneration of Heart.
- Disease of Heart.
- 7. Aneurism of Aorta.
- Do, of other Arteries. 9. Angina Pectoris.
- 10. Arteritis.
- 11. Disease of Arteries.
- 12. Phlebitis.
- 13. Disease of Veins.
- 14. Nævus.

#### ORDER V.

- 1. Epistaxis.
- 2. Hæmoptysis.
- 3. Larvngitis.
- 4. Œdema of Glottis.
- 5. Bronchitis.
- 6. Pleurisy-
  - (a) Hydrothorax. (b) Empyema.
- 7. Congestion of Lungs.
- 8. Pneumonia. 9. Pleuro-pneumonia.
- 10. Asthma. 11. Emphysema.

12. Disease of Lungs.

### ORDER VI.

- 1. Stricture of Œsophagus.
- 2. Teething.
- 3. Stomatitis-
  - (a) Glossitis.
- 4. Gastritis.
- 5. Enteritis. 6. Colonitis.

- 7. Peritonitis.
- Constipation (Ileus).
- 9. Intussusception.
- 10. Stricture of Intestines.
- 11. Ulceration of Intestines.
- 12. Perforation of Intestines.
- 13. Hernia-

  - (a) Femoral (b) Inguinal
  - (c) Otherwise.
- 14. Dyspepsia.
- 15. Pyrosis.
- 16. Chronic Vomiting.
- 17. Hæmatemesis.
- 18. Melæna.
- 19. Hæmorrhoids.
- 20. Disease of Stomach.
- 21. Disease of Pancreas.
- 22. Disease of Spleen. 23. Disease of Liver.
- 24. Jaundice.
- 25. Hepatitis.
- 26. Cirrhosis. 27. Gallstones.
- 28. Ascites.
- 29. Colic.
- 30. Lead Poisoning.

### ORDER VII.

- 1. Nephritis. 2. Albuminuria.
- 3. Ischuria.
- 4. Diuresis.
- 5. Diabetes.
- 6. Disease of Kidneys.
- 7. Hæmaturia.
- 8. Stone. 9. Gravel.
- 10. Cystitis.
- 11. Disease of Prostate Gland.
- 12. Stricture of Urethra.
- 13. Extravasation of Urine. 14. Incontinence of Urine.

### ORDER VIII.

- 1. Varicocele.
- 2. Orchitis.
- 3. Hydrocele.
- 4. Hæmatocele.
- 5. Disease of Testicle. 6. Disease of Male Generative
- Organs.
- 7. Metritis.
- 8. Ovarian Dropsy.
- 9. Ovarian Tumour. 10. Disease of Ovaries.
- 11. Uterine Tumour.
- Uterine Polypus.
   Recto-vesical Fistula.
- 14. Vesico-vaginal Fistula.
- 15. Recto-vaginal Fistula. 16. Disord, of Menstruation.
- 17. Disease of Uterus. 18. Disease of Female Genera
  - tive Organs.

### ORDER IX.

- 1. Synovitis.
- 2. Periostitis.
- 3. Exostosis.
- 4. Caries.
- 5. Necrosis.
- 6. Disease of Bone.
- 7. Curvature of Spine.
- 8. Disease of Joints. 9. Muscular Atrophy.

- 3. Abscess.
  - (a) Chronic.
- Ulcer.
- 5. Disease of Skin.
- 6. Roseola.
- 8. Eczema.
- 9. Herpes.
- 10. Lepra.
- 12. Scabies.
- 13. Pemphigus.
- 14. Rupia.
- 16. Impetigo.
- 19. Lichen.
- 20. Prurigo.
- 22. Pityriasis,
- 25. Whitlow.
- 26. Erythema Nodosum.

- ORDBR XI.
- 2. Privation.
- 3. Neglect.
- Cold. 4.
- Old Age.
- 9. Poison.
- 10. Violence and Injury-

  - (b) Contusions.
  - (d) Gunshot Wounds.
  - (g) Concussions.
  - (h) Fractures-
  - (k) Dislocations-Simple.
- 11. Suffocation.

### ORDER X.

- 1. Carbuncle.
- 2. Boil.
- 7. Urticaria.
- 11. Porrigo.
- 15. Ecthyma.
- 17. Acne.
- 18. Mentagra.
- 21. Psoriasis.
- 23. Ichthyosis.
- 24. Phlegmon.
- 27. Gangrena Senilis.
- 1. Intemperance.
- 5. Malformations. 6. Deafness.
- 8. Debility.
  - (a) Burns and Scalds.
  - (c) Sprains.
  - (e) Lacerations of Limbs. (f) Wounds.
  - Simple. Compound.
- Compound.
- 12. Drowning.
- 13. Suicide.

Male Patients.		Female Patients.	In General Wards.	In Venereal Wards.
Artists, Musicians, &c	11	Ballet Girls	_ 1	3
Bakers	18	Bookfolders	13	The state of the s
Bargemen	30	Boxmakers	10	Non-Real Property lies
Bookbinders	12	Brush-drawers	0	-
Brass-finishers, &c	24	Charwomen	F.C.	
Brewers' Servants	28	Domestic (married)	500	38
Bricklayers	56	Flower-makers	10	1
Butchers	40	French-polishers	0	î
Cab-drivers	50	Governesses	17	OF THE PARTY OF
Carmen	86	Lead-workers	0	- DE (8)
Carpenters and workers in Wood	199	Launducasca	00	3
C'	11	Hawkers	00	1
G-11	13	N 11	1 257	16
0.1	13	Numan (Hamital)	0.4	10
01 1 1 77 1 0 1	2		10	- Contraction
C11-	58	0	1	277.70
C I T and an employer	28		0	
	3	Paper-stainers Prostitutes	0	900
Dyers		Prostitutes		266
Drovers	9	Servants Shopwomen		28
Engineers	32	Shopwomen		
Firemen	1	Weaveresses		
Fishmongers	7	Of no occupation	65	5
French-polishers	12			
Gardeners	20	AND		
Gas Workers	15			
Grooms and Ostlers	36			
Hawkers	67			Section 1997
Hairdressers	10			
Hatters	5			
Hospital Servants	2			
Labourers	488			10000
Lead Workers	15			200
Lithographers, &c	3			And the same
Masons	17			
Mechanics not otherwise noted	191			
Medical	8			MELICEN
Miners	1			
Painters	40	Y count	1 10	
Panon stainers	4			
Dolloomon	14			
Dontona	113			A STATE OF
Dotmon	29			arao las
D	67			EL HE IN
D '1' /-	2			10000
Cailona	65			
0	19			
Shoomakana	70			
				the law beauty
Shopmen	84			
Smiths and Ironworkers	51			
Soldiers	15			
Solicitor	1		English and Land	
Stockbroker	1	IV America		
Sweeps	10			To the same
Tailors	32			
Teachers	4			
Typefounders	6			
Veterinary-surgeons	6			
Waiters and Male Servants	39			
Watchmen	5			
Weavers	8	and the second s		4
		"		

MEDICAL REPORT.

TABLE I.

### PATIENTS REMAINING IN HOSPITAL, JANUARY 1st, 1863.

Г			der ears.	5-	10.	10-	-15.	15-	-25.	25-	-35.	35-	45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abo	we 85	To	tal.	77
	DISEASES.	M.	1	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	м.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	γ.	Grand Total.
-		-	-	-	-	-	-	-	-	-	-	-		-	_	-	-	-	-	-	-	-	-	-		-
	ORDER I.																									
1.	Smallpox																									
3.	Chicken-pox Measles					-																				
4.	Scarlatina	1	1	2	2		1	2	1															5	5	10
6.	Diphtheria																								1.	
7.	Croup			1																				1		1
8.	Continued Fever					1																		1		1
	Croup Continued Fever  (a) Typhus  (b) Typhoid	1						1		1	1													2	1	3
	(a) Remittent																									
9	(e) Febricula Hooping-cough							1	2			1	1			•••								2	3	5
10.	Diarrhœa													1										1		1
11.	Dysentery									1														1		1
13.	CholeraCatarrh																			1				5		
14.	Influenza					4																1				
15.	Ague											1												1		1 2
17.	Erythema								-										***						-	-
18.	Pyæmia																									
21.	Metria	200			1	1	100	9	12	4	2	4	2	less!	12.0	83.8			1.00		1/8			18	17	35
24.	Syphilis—						187	3								9000						1000		10	*	00
26	(b) Secondary							1	1	1														2	1	3
27.	Scurvy																									
32.	Worms																									
33.	Hydatids								1																1	1
										-															1	
	ORDER II.																									
1.	Gout					,						1				1								2		2
2.	Gout								1															1	1	2
4.	Anæmia								1									1						1	1	2
	(b) Of Int. Organs																	1								
9.	Tumours											1												1		1
14.	Scrofula				1																				1	1
	Psoas Abscess, incl.												- 1				- 1		1							
17	Pelvic Tubercular Peritonitis			•••								2												2		2
18.	Phthisis					2	1	1	3	3				3										9	4	13
19.	Hydrocephalus					. 1																4				
-		-		- 1		- 1	-	- 1		,	-	-	-		-	- 1	_'					,	'			

	DISEASES.	Une 5 Ye		5—	10.	10-	15.	15-	25.	25-	-35.	35-	45.	45—	-55.	55—	65.	65—	75.	75—	85.	Abov	e 85.	Tot	al.	tal.
	DIGERGES.	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	M.	F.	М.	F .	М.	F.	М.	F.	М.	F.	M.	F.	Grana Total.
											70												1			
	ORDER III.																									
1.	Meningitis						=																			
2.	Encephalitis																			2						
5.	Paralysis												1				,	1	,					1	3	4
6	(b) Paraplegia	0.00							- 1	1		- 11		3										5	1	6
7.	Paralysis Agitans Chorea			1	2		2																	1	4	5
10.	Epilepsy								1							:::				1000			100000		1	1
12.	Convulsions																	-								
16.	Neuralgia										1	1			1									1	2	3
17.	Delirium Tremens									1				2										3		3
	ORDER IV.									1		1 4											T. o	ten!		
2.	Pericarditis Endocarditis, incl. Val-						1																		1	1
1	vular Disease Hypertrophy of Heart												1												1	1
6.	Disease of Heart					1					1													1	1	2
7.	Aneurism of Aorta																									
	ORDER V.																									
1.	Epistaxis						-																			
3.	Laryngitis						1	1			1	3	2	2	1	2								9	5	14
6.	Pleurisy										1														1	1
	(b) Empyema					···		1																1 3		1 5
9.	Pleuro-pneumonia							1	2.00															4		4
111.	Emphysema							1	***								•••							,		1
																								-		
	ORDER VI.							1																		
4.	Stomatitis							***			1		•••				•••			•••					1	1
5.	Enteritis																					-				
	Peritonitis Constipation (Ileus)										1														1	1
11.	Ulceration of Intestines	5																					Jit I	100		
	tines	1					100					4			,					1	1000				1	1
16.	Chronic Vomiting		1	1		1		1		-		-		1	1	-		-		-			123			
18.	Hæmatemesis Melæna	-																			min	0		7	100	
22.	Disease of Stomach Disease of Spleen	1						1															1	19799		
24.	Disease of Liver Jaundice										1														1	1
25. 26.	Hepatitis																		-		1			1		1
28.	Ascites	-																			-					1
	Lead Poisoning									1														1		1

	Une 5 Ye		5—	10.	10-	-15.	15-	25.	25-	35.	35-	-45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abor	e 85.	То	tal.	and tal.
DISEASES.	M.	F.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	м.	F.	M.	F.	М.	F.	M.	F.	M.	F.	Gram
ORDER VII.  2. Albuminuria 5. Diabetes 6. Discase of Kidneys 7. Hæmaturia							2	ï	2					1			:::				::	:::	4	1	5 1
ORDER VIII.  4. Hæmatocele												1												1	1
10. Disease of Ovaries 11. Uterine Tumour 12. Uterine Polypus 16. Disord.of Menstruation 17. Disease of Uterus, &c.								1		1 2		5		2										2 9	2 9
ORDER IX.  2. Periostitis																									
ORDER X.  3. Abscess 5. Disease of Skin 6. Roseola 8. Eczema 9. Herpes 12. Scabies 20. Prurigo 21. Psoriasis								1																1	
ORDER XI.  1. Intemperance 2. Privation 8. Debility 9. Poison																							1		5
Diseases not classed					1				1			1	1				1						4	1	5
TOTAL	3	1	4	7	5	5	30	31	20	16	17	18	15	6	3	1	4	1					101	86	187

### TABLE II.

### PATIENTS ADMITTED DURING 1863.

		Une 5 Ye		5—	10.	10-	-15.	15-	-25.	25-	-35.	35-	45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abov	e 85.	To	al.	Grand Total.
	DISEASES.	М.	F.	М.	F.	М.	F.	M.	F.	M.	F.	М.	F.	M.	F.	М.	¥.	M.	F.	M.	F.	M.	F.	M.	F.	Gra
	ORDER I.														7											
1.	Smallpox					1		2	1															3	1	4
3	Measles							";		1			***		***		***	***	***		***	***		2	***	-
4	Measles	2	14	20	10	10	10	10	15									***		***			***	47	60	107
																							***	3	1	100
6.	Quinsy	-		1			3	3	4	li	2		1											5	10	15
7.	Croup	4	6	î	6																			5	12	17
8.	Continued Fever				2	2	1	2	2		2			1		1								6	7	13
	(a) Typhus				1	3	2	15	7	4	4	5	2	3	3				1					30	20	50
	Quinsy Croup Continued Fever (a) Typhus (b) Typhoid (d) Remittent			2	2	7	2	8	9	6	5													23	18	41
	(d) Remittent			1											***									1		1
	(d) Remittent (e) Febricula			3	2	3	1	10	15	5	7	1	4											22	29	51
9.	Hooping-cough Diarrhœa Dysentery	1	2	1																				2 2	2	4
10.	Diarrhœa		1						1	1	2	1	3		1										8	10
11.	Dysentery									1		1		3		1	1						***	6	1	3
12.	Cholera		***								1														1	
13.	Catarrh		1										1											•••	2	2
14.	Influenza								1						1		1								3	3
15.	Ague													2										2		200
16.	Erysipelas			1			2	2	8	2	7	3	3	6		2	1	2						18	21	39
11/.	Erythema				•••	1			2		3				1							***		1	0	2
20	Pyæmia									1	1		***								***				9	2
21	Metria Rheumatism					19	20	75	65	40	28	97	16	14			3	9	1					176	150	326
24.	Syphilis — (b) Secondary																							10	200	12
26	Purpura					"		"	1	1	1	";												2	3	5
27	Purpura Scurvy	***	***	***			1		1		***		-			1	***				***			ĩ		1
32.	Worms						ï		1		1					1									3	3
33.	Worms								3																3	3
																										11
	ORDER II.																									1
1.	Gout											2		5										7		1
1 2.	Dropsy			1						2		2	1	1		1	2							7	3	11
3.	Anæmia								5		2		1				1								9	
4.	Cancer—																				1000					
	(b) Of Int. Organs									2	3	2	9	2	6	1	5	1	1					8	24	3:
	Tumours										1		1		1										3	33
	Bed-sores											1												1	2	
	Scrofula				1			1			1													1	2	200
15.	Psoas Abscess, incl.																									749
1	Pelvic							1		***			1											1	1	17
17.	Tubercular Peritonitis			1		1			1	1		***	***	7.0							•••			3	1	12
	Phthisis			3	1	2	2	21	19	20	25	16	7	10	1	3								75	55	13
19.	Hydrocephalus	1		1	1	***				***	***	••••	***		***				***	***	***		***	2	1	

3	Un 5 Ye	der cars.	5-	10.	10-	-15.	15-	-25.	25-	-35.	35-	-45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abov	e 85.	Tot	al.	Grand Total.
DISEASES.	М.	F.	М.	F.	M.	F.	М.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	Y.	M.	F.	М.	F.	J.G.
ORDER III.  1. Meningitis 2. Encephalitis 4. Apoplexy 5. Paralysis (a) Hemiplegia (b) Paraplegia 6. Paralysis Agitans 7. Chorea 8. Epilepsy 10. Hysteria 11. Convulsions 12. Insanity 14. Neuralgia 16. Disease of Brain 17. Delirium Tremens	 1	  i	 2 	6 2	1  2 4 	7 4	2  2 3 1	1 2 1  7 3 8 	1 1  7	3 4 4 2	2 2  4 	3 2 3	6 3 1  3	1 1 1 	3 2 2	4		1 2 1					5 1 5  13 8 1 6 24 1 1 2 8 8 9	1 4 7 14 8 1 200 18 12 1 1 6 6 2 	16 2 26 42 13
ORDER IV.  2. Pericarditis					2		1 4		3	1  8 1	3 :: 6 3	 5 1	1  6	 6	2 2	2	 i	 1					9 1 24 7	8  32 2	17 1 56 9
ORDER V.  1. Epistaxis 2. Hæmoptysis 3. Laryngitis 5. Bronchitis 6. Pleurisy (a) Hydrothorax (b) Empyema 8. Pneumonia 9. Pleuro-pneumonia 11. Emphysema	4	1 2	6 1	2	1 2	1 1 3	5 1 4  9 5	8 1 7 1	7 2 1 1 10 10	5 1 3	10 1 1 1 6 1	6 1 1 2 1	9 4 3	6	1 3	4	2	2					 16 3 45 5 10 2 35 21 21	2 6 1 35 3 1 1 24 3	2 22 4 80 8 11 3 59 24 2
Order VI.  3. Stomatitis		1			1 2 2		2 7  1 1    1 	3 2 2 1 1 1 3 1	1 1 1 1 1 2	1 1 2 1 1 4 4	3 1	1 1		1   1  1	  1	···  1  ··  1		1					1 2 1 5 12 1 1 4 2 2 1 3 1 2 1 7 4	1 2 2 2 7 5 5 1 1 3 3 2 4 4 2 2 1 1 3 3 9 3 3 2 1	11 33 44 11 122 177 44 66 33 11 11 66 10 55 11

		Jnder Years		5—10	0.	10-	15.	15-	25.	25-	-35.	35-	45.	45-	-55.	55-	-65.	65-	75.	75-	-85.	Above	e 85.	Tot	al.	in in
DISEASES.	м	F	. 1	f.   1	2	M.	F.	M.	F.	М.	F.	м.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М. [	F.	Grand
ORDER VII.  2. Albuminuria 5. Diabetes 6. Disease of Kidn 8. Hæmaturia  ORDER VIII.  4. Hæmatocele 7. Hysteritis 8. Ovarian Dropsy 9. Ovarian Tumour 10. Disease of Ovar 11. Uterine Tumour 12. Uterine Polypus 16. Disord.of Menstr 17. Disease of Uteri	eys					2	1	6	2 1 4 1 1 1	6 2 1	3	6 1	7 4 5 1 3	7 1	4	6	1				1			33 4 1	18 1 1 12 6 6 111 1 5 9 16 126	51 4 1 1 12 6 6 11 1 5 9
ORDER IX.  2. Periostitis  ORDER X.  3. Abscess 5. Disease of Skin 6. Roseola 8. Eczema 9. Herpes 12. Scabies 20. Prurigo 21. Psoriasis						1		1	1		2 1 1			 1										2  1 	1 2 1 2  1 1	1 2 1 1 1 1
ORDER XI.  1. Intemperance . 2. Privation 8. Debility 9. Poison Diseases not classed		2 .	1 35	2 2 62	 2  1	1  2  69	 4 1 2 80	1 2 4 231	291	5  3  1	4	3	6			1   46	39	1	16	:: -				10  10 13 12	6 2 17 14 14 14	16 2 27 27 27 26
													Re	mair	ning	Jan	uary	1st,	186 Tot					107 997	111	

33.

15, 15

### TABLE III.

### PATIENTS DISCHARGED CURED AND RELIEVED DURING 1863.

	Dieniena		der ears.	5-	10.	10-	-15.	15-	-25.	25-	-35.	35-	-45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abo	ve 85	То	tal.	Grand Total.
	DISEASES.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	-G-
	ORDER I.																									
1.	Smallpox																									
2.	Chicken-pox							***		1				***	•••									1		1 1
3.	Measles	1	11	1.0	10		10	11	17	***					***										55	94
	Diphtheria				10	0	10	11	1		-										***	100			33	3
G	Oninger	1000	1	- 1				3	4	1	- 9		- 1	1000	148.00	1333	12.00						***	2 5	10	
7.	Croup	1	5	î	3		ď			1															8	
8.	Continued Fever				2	3	1	2	2		2			1		1					17.20	7401111		7	7	14
	(a) Typhus	1			1	3	2	19	7	2	4	2	1	2	2									29	17	46
	Croup			2	2	7	2	9	8	5	6										10000		1000	23	18	
	(a) Remittent			- 1					***		2.00			***				444		***	1000	V/7/7/	10000	1		1
	(e) Febricula			3	2	3	1	10	16	5	7	2	5											23	31	
9.	Hooping-cough		2																						7	2
10.	Diarrhœa		1									1		1	1									3	7	10
11.	Dysentery									2		1		2		1	1							6	1	7
12.	Cholera																									
13.	Catarrn		1					***	***			••••	1			•••					***				2	2
																									3	3
16.	Ague	**		1	•••	***			10			1 2		2										3	22	3 40
17	Erysipeias	***		1			2	2	10	2	2	0	3	0		2		2						18	22	40
18	Pyæmia				•••	1			-		0	***			1					***	***			1	0	1
20.	Metria								1	800	1				000						2				0	9
21.	Metria	****		3	8	13	19	83	75	40	30	30	17	14	7	9	3	9	1					187	161	348
24.	Syphilis—		-	3	0	10	13	00	"	40	30	50	1/	1.4	1	-	"	-	-			***		107	101	010
	(b) Secondary	330	133	100		333	2.5	6	2	4	1	333	0.0	333		100						- 23		10	3	13
26.	Purpura					1			1			1	1											2	2	4
27.	Scurvy															1								1		1
B2.	Worms						1		11		1														3	3
33.	Hydatids								2																2	2
1		199																							-	
	ORDER II.																									
1.	Gout	250		1.2	1			1	100		1300	3		5		1						200		0		9
2.	Gout					***			1	2	***	. "	1	0		1	2	***						3	4	7
3.	Anæmia								6		2		î					1						1	0	10
4.	Cancer-												1						***			***			. 1	
	(b) Of Int. Organs									1	1	1	3	1	2		2							3	8	11
9.	Tumours		1000								1	1			1									1	2	3
12.	Bed-sores											1												1		1
14.	Scrofula				2																				2	2
15.	Psoas Abscess, incl.																								-	
	Pelvic							1				2	1					***						3	1	4
17.	Tubercular Peritonitis																							San I		
18.	Phthisis			2	1	2	2	7	5	11	12	9	4	1									277	32	24	56
19.	Hydrocephalus																									
	the state of the s			-									1		1				- 1							

DISEASES.	Uno 5 Ye		5	-10.	10-	15.	15—	25.	25—	35.	35—	15.	45—5	5.	55—(	65.	65-7	5.	75—	85.	Above	c 85.	Tot	al.	Grana Total
	М.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	М.	F.	М.	F.	M.	F.	М.	F.	M.	F.	M.	F.	36
Order III.  1. Meningitis 2. Encephalitis 4. Apoplexy 5. Paralysis (a) Hemiplegia (b) Paraplegia 6. Paralysis Agitans 7. Chorea 8. Epilepsy 10. Hysteria 11. Convulsions 12. Insanity 14. Neuralgia 16. Disease of Brain 17. Delirium Tremens	 1		3	8 2	2 4	8 2	2  1 2 1	1  7 3 9  2	1 5 1	1  3 2  2	2 2  4  1 2	1	2 2	1	3	ī		1 1					11 9 2 6 21 1 1 8 2 9	77 100 33 11 233 155 111 66 22	12 3 29 36 12 1
ORDER IV.  2. Pericarditis 3. Endocarditis, incl. Valvular Disease 4. Hypertrophy of Heart 6. Disease of Heart 7. Aneurism of Aorta  Order V.			1:		2		2		1	1 3 1	:::32	1 2 1		1			The second second						3 1 10 3	100 2	7 1 20 5
1. Epistaxis		4	1	3 5 1 1 1	3 3	2 1	5 1 3 1 9 6	6	5  2 2 1  9 13	1 4 2 3	7 1 1 1 2	6 1 1 1	3  4  1  3	6	1 4 1		2	i					14 3 33 5 8 2 25 23	18	4 60 9 8 2 43 26
ORDER VI.  3. Stomatitis 4. Gastritis 5. Enteritis 6. Colonitis 7. Peritonitis 8. Constipation (Ileus) 11. Ulceration of Intestine 12. Perforation of Intestine	s						1 1	2		1 1		  1		1								:::	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 11 2  4 6	2 2 2 3 1 1 5 5 17
tines  14. Dyspepsia			ï				1	1 1 1	2	2 1	1		1 1 1	 1		1							3 1 2	2	7 4 5 2 2 4 7 4
28. Ascites 29. Colic				1 .		1	1		. 1		1						1						4	1	5 8

Barrier	Un 5 Ye		5—	10.	10-	15.	15-	-25.	25-	-35.	35-	45.	45-	55.	55-	-65.	65-	-75.	75-	-85.	Abov	ve 85.	То	tal.	and
DISEASES.	М.	F.	М.	F.	М.	F.	M.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	Grand Total.
ORDER VII.  2. Albuminuria 5. Diabetes					1		3		5	2	2	2	5	4	5	1							21	9	30
5. Diabetes								100																	1
ORDER VIII.  4. Hæmatocele								1 1		2 4		3 2 2		3		``i				1				2 12 5 7 7 10 102	5 7 7 10
ORDER IX.  2. Periostitis  ORDER X.										1														1	1
3. Abscess 5. Disease of Skin 6. Roseola 8. Eczema						1		1																1 2	2 2
9. Herpes 2. Scabies 0. Prurigo 1. Psoriasis								i		1														1 1	1 1
ORDER XI.  1. Intemperance 2. Privation 8. Debility 9. Poison Diseases not classed	2	1			1 2	1			5 2	2 5 3 2	2			1  1	1 1		1	 1			***		10 10 9	6 1 21 13	112
TOTAL	-	-	48		-		-		144	-	_		85	46	-	21	_	7		2		-:-	727		1543

### TABLE IV.

### PATIENTS DISCHARGED UNRELIEVED DURING 1863.

	Diebiene	Un 5 Ye	der ars.	5-	10.	10-	-15.	15-	-25.	25-	-35.	35-	45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abor	re 85.	То	tal.	and tal.
	DISEASES.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.	M.	F.	Grand Total.
9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 20. 21. 24. 26. 27. 32.	Order I.  Smallpox Chicken-pox Measles Scarlatina Diphtheria Quinsy Croup Continued Fever (a) Typhus (b) Typhoid (d) Remittent (e) Febricula Hooping-cough Diarrhœa Dysentery Cholera Catarrh Influenza Ague Erysipelas Erythema Pyæmia Metria Rheumatism Syphilis— (b) Secondary Purpura Scurvy Worms Hydatids									2														2 2	1	3 2 2
1. 2. 3. 4. 9. 12. 14. 15.	Order II.  Gout									1				1	.: 3									3	1 10	13

The second second	Ur 5 Y	nder ears.	5-	-10.	10-	-15.	15-	-25.	25-	<b>—35</b> .	35-	-45.	45	-55.	55	-65.	65-	<b>—</b> 75.	75	85	Abo	ove 85	Т	otal.	al.
DISEASES.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	Grand Total.
ORDER III.																									
Encephalitis Apoplexy Paralysis (a) Hemiplegia (b) Paraplegia					1				.,	.,			.,	1		2		1					1	4	
Paralysis Agitans Chorea Epilepsy Hysteria						2	1					ï											1	3	1 3
Convulsions Insanity Neuralgia Disease of Brain														33										1 2	1 2
ORDER IV.																									
Pericarditis		9900	200		0.00	100		- 57				1					200	191			1		2	3	3 4
Order V.																									
Epistaxis										1	2		1										3	1	4
(b) Empyema Pneumonia Pleuro-pneumonia Emphysema																									
ORDER VI.																									
Gastritis Enteritis Colonitis Peritonitis Constipation (Ileus) Ulceration of Intestines Perforation of Intes-																									
tines		- 1		- 1		- 1		- 1		- 1				- 1						- 1				1	1
Disease of Stomach Disease of Spleen Disease of Liver													S												
Jaundice Hepatitis Cirrhosis Ascites Colic Lead Poisoning										2		1				***								3	3

	Un 5 Ye	der	5	10.	10-	-15.	15	-25.	25-	-35.	35-	45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abov	e 85.	To	al.	Grand Total.
DISEASES.	м.	F.	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	Y.	M.	F.	To
ORDER VII.  2. Albuminuria 5. Diabetes 6. Disease of Kidneys 8. Hæmaturia							2		1		2		1										6	0 1 1 1 2	6
ORDER VIII.  4. Hæmatocele												2												3 2 2 11	3 2 2 11
ORDER IX.  2. Periostitis  ORDER X.  3. Abscess										1												N. W.			9
5. Disease of Skin 6. Roseola 8. Eczema 9. Herpes 12. Scabies 20. Prurigo 21. Psoriasis													ı										1		1
ORDER XI.  1. Intemperance 2. Privation 8. Debility 9. Poison  Diseases not classed																							THE REAL PROPERTY.		
TOTAL			1		2	2	6	13	9	16	7	16	9	6	3	5		1	-	-			37	59	96

### TABLE V.

### PATIENTS DISCHARGED FOR OTHER THAN MEDICAL REASONS DURING 1863.

			der ears.	5-	10.	10-	-15.	15-	-25.	25-	-35.	35-	<b>-45</b> .	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abo	ve 85.	To	tal.	Grand Total.
	DISEASES.	М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	M.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	Gra
	ORDER I.																				I				=0	
	A CONTRACTOR OF THE PARTY OF TH																					9		199	mh	13
1.	Smallpox Chicken-pox					1		2	1															3	1	4
3.	Measles	260							118						Sin							-	198	dans		1 1
4.	Scarlatina											1							10					9 10		
6.	Quinsy																									
7.	Croup																									
8.	Continued Fever (a) Typhus																							010		
	(b) Typhoid																							- 1		
	(d) Remittent																					-	•			
9.	(e) Febricula Hooping-cough					***		1	1		***	•••	***						•••		***			1	1	2
10.	Diarrhœa								1																1	1
11.	Dysentery				100			000		1000																
13.	Cholera																								100	
14.	Influenza				1																	Н		- 18	med	
15.	Ague																							mil		
17.	Erysipelas						118																			
18.	Pyæmia																									
20.	Metria							١,				١,				,										
24.	Rheumatism		***					1	2	2	***	1	••••		2	1	•••		•••	***	***	•••	•••	9	4	9
	(b) Secondary												1911													10
26.	Purpura																		3					- 1		
32.	Scurvy																									
33.	Hydatids																							skilly	1100	
																								2186		
	ORDER II.																						6			
	Dropey								1			,														,
3.	Dropsy									•••		1			•••			***	***	•••				1	***	1
	Cancer—			1		1						- 1	1	1						1	1		411			
0	(b) Of Int. Organs Tumours										•••	1												1	***	1
12.	Bed-sores					1				-				1							1		59.		-	
14.	Scrofula							1			1													1	1	2
15.	Psoas Abscess, incl. Pelvic							1	1				1								1					
17.	Tubercular Peritonitis					1																		1		1
18.	Tubercular Peritonitis Phthisis								2	2		2	1											4	3	7
19.	Hydrocephalus			1	1																			1	1	2
	, arocopianto	"		1	1																			1	1	-

		nder ears.	5-	-10.	10-	-15.	15-	_25.	25	-35	. 35	-45	. 45	-55	. 55	-65.	65-	-75	75	<b>-</b> 85.	Ab	ove 85	Т	otal.	g;
DISEASES.	М.		М.	F.	М.	F.	М.	F.	М.	F.	М	F.	М.	F.	M.	F.	М.	F.	M.	F.	M	. F.	M.	F.	Grana Total.
	T																				1				
ORDER III.																									
1. Meningitis																									
Encephalitis     Apoplexy     Paralysis																						H		100	
(a) Hemiplegia (b) Paraplegia									1														1		1
6. Paralysis Agitans	.1					1																		1	1
7. Chorea										2											1		3	1 2	4 2
11. Convulsions		1																						1	1 2
14. Neuralgia 16. Disease of Brain																									
17. Delirium Tremens																							-	118	-
ORDER IV.																							-		
2. Pericarditis																								1	
3. Endocarditis, incl. Val- vular Disease				1		1			,														,	0	
4. Hypertrophy of Heart 6. Disease of Heart													1										3	1	3
7. Aneurism of Aorta									1										0.000				1		1
																						1111			
ORDER V.									-															or land	
1. Epistaxis							1																1		1
3. Laryngitis	1															1							1	1	2
(a) Hydrothorax (b) Empyema																									
8. Pneumonia 9. Pleuro-pneumonia											1												1		1
11. Emphysema																									
																				1					-11
ORDER VI.																									-00
3. Stomatitis										1														1	1
6. Colonitis																									
8. Constipation (Ileus) 11. Ulceration of Intestines									1														1		1
12. Perforation of Intes- tines																									
14. Dyspepsia																									
17. Hæmatemesis 18. Melæna																									
20. Disease of Stomach 22. Disease of Spleen 23. Disease of Liver						:::		ï			:::	:::		1						:::				1	1
24. Jaundice										1	-													1	1
26. Cirrhosis													,										1		1
29. Colic			***	***							1												1		1
30. Lead Poisoning		"							1														1	"	1

		der ears.	5—	10.	10-	-15.	15-	-25.	25-	-35.	35-	<b>-4</b> 5.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abo	re 85.	To	otal.	and tal.
DISEASES.	М.	F.	М.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	Grand Total
ORDER VII.  2. Albuminuria 5. Diabetes 6. Disease of Kidneys 7. Hæmaturia				::	1					1			ï									***	1 1	1	2 1
4. Hæmatocele 7. Metritis 8. Ovarian Dropsy 9. Ovarian Tumour 10. Disease of Ovaries 11. Uterine Tumour 12. Uterine Polypus 16. Disord.of Menstruation 17. Disease of Uterus, &c.																								2 6 20	2 6 20
ORDER IX.  2. Periostitis  ORDER X.																									
3. Abscess 5. Disease of Skin 6. Roseola 8. Eczema 9. Herpes 12. Scabies 20. Prurigo										1														1	1
21. Psoriasis ORDER XI.  1. Intemperance								1						***							***		•••	1	1
2. Privation 8. Debility 9. Poison Diseases not classed											1												1 2 9		1 2 16
TOTAL	3	2	3	2	3	2	10	13	14	20	12	14	5	8	1	1							50	63	113

### TABLE VI.

### DEATHS DURING 1863.

	Une 5 Ye		5—	10.	10-	-15.	15-	25.	25-	-35.	35-	45.	45-	55.	55—	65.	65-	75.	75-	-85.	Abov	e 85.	Tot	al.	Grand Total.
DISEASES.	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	M.	F.	М.	F.	M.	¥.	М.	F.	M.	F.	M.	F.	M.	F.	Gr
Order I.												14													
1. Smallpox																				1			44		- 1
3. Measles	4	1000			2			2															13	10	23
5. Diphtheria																				***			1		1
7. Croup 8. Continued Fever	3	1	1	3									•••	m									4	4	8
(a) Typhus (b) Typhoid							1	···	3 2	1	3			1				1					9 2	4	13
(d) Remittent (e) Febricula																							100	PASSES OF THE PA	
9. Hooping-cough 10. Diarrhœa	1		1																				2		2
11. Dysentery			-										1										1	1	1
13. Catarrh						18.0%					-		-										***		
15. Ague 16. Erysipelas																,								,	
17. Erythema. 18. Pyæmia																							,	10	
20. Metria 21. Rheumatism <sup>®</sup>		1	1								1													,	
24. Syphilis — (b) Secondary	1	1	1				7					***												ou le	
26. Purpura 27. Scurvy						1																		1	1
32. Worms 33. Hydatids	1							1																1	١,
	1		1		-					***													***		
ORDER II.		18																							
1. Gout			1								١,		,				,						4		1
3. Auæmia		1	1	1	-	1				***	1		1			***	1								
(b) Of Int. Organs 9. Tumours			-		1							2		1		2	1	1					1	6	3
12. Bed-sores		1	1							***		1				***	***		***	***		***	20.00	1	
15. Psoas Abscess, incl. Pelvic										1										-					1
17. Tubercular Peritonitis 18. Phthisis							15	1 7	1 9	11	6												2 41	1 23	64
19. Hydrocephalus	1		1									4	8										1	23	1

<sup>\*</sup> Death from Pericarditis as a complication of Rhenmatism.

Dientene	5 Ye		5-	10.	10-	15.	15—	25.	25-	-35.	35-	45.	45-	-55.	55-	65.	65-	75.	75-	-85.	Abov	e 85.	To	tal.	ina tal.
DISEASES.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	Grana Total.
ORDER III.															4										
1. Meningitis			1		1	1	1		2														5	1	
Encephalitis     Apoplexy							1						2	1	2	3	1						5	4	
5. Paralysis																2	1	1					1	3	
(b) Paraplegia 6. Paralysis Agitans								1		1		1	1	1				1					1	5	
7. Chorea 8. Epilepsy								,					,							200			1	1	
0. Hysteria				***	***	***	***	1	***				1		***										
1. Convulsions																									
4. Neuralgia 6. Disease of Brain								1	1		2			1	2								5	2	
7. Delirium Tremens											2		1	***									3		
									2								19				6-1				
ORDER IV.																						1			
2. Pericarditis						1																		1	
<ol> <li>Endocarditis, incl. Val- vular Disease</li> </ol>						1		1	1		2												3	2	
4. Hypertrophy of Heart 6. Disease of Heart	180	100		180					2		7 73	3	10.3	133	2	1	1						11	19	3
7. Aneurism of Aorta											1				- 0								3		
																						10			
ORDER V.																									
1. Epistaxis '																									
2. Hæmoptysis								•••	***			•••					1						1		
5. Bronchitis			1	1			1	2	5	1	4	2	6	1		3		1					17	11	2
(a) Hydrothorax (b) Empyema							1	1				1	1						,				2	1	
8. Pneumonia		1		1			1	2			3		3	3	3								12		2
9. Pleuro-pneumonia 11. Emphysema											1						1						2		
			1		12																				
ORDER VI.																									
3. Stomatitis							1												N.			-		1270	
4. Gastritis			,																				,		
6. Colonitis 7. Peritonitis		100														1 3				1					
8. Constipation (Ileus)				100		1000	2					100										***	1		
11. Ulceration of Intestines 12. Perforation of Intes-			1									20						1					1	1	
tines							1					1											1	1	
16. Chronic Vomiting 17. Hæmatemesis							8		1			1													
18. Melæna 20. Disease of Stomach													1										1		
22. Disease of Spleen															1										
23. Disease of Liver 24. Jaundice				100																				2	
25. Hepatitis 26. Cirrhosis			-								";	1												1	
28. Ascites														1										1	
30. Lead Poisoning														1 8	1				1						

	Un 5 Ye	der ears.	5-1	10.	10-	-15.	15-	25.	25-	35.	35—	45.	45—	55.	55-	65.	65—	75.	75-	-85.	Abov	e 85.	Tot	al.	Grand Total.
DISEASES.	M.	F.	M.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	96
ORDER VII.  2. Albuminuria 5. Diabetes 6. Disease of Kidneys 8. Hæmaturia							3	1	2 1 			5											9 1	9 1 1	18 2 1
ORDER VIII.  4. Hæmatocele												1 1		2										1 1 1 1 2 2 2	1 1 1 1 2 2
2. Periostitis																									
ORDER XI.  1. Intemperance 2. Privation 8. Debility 9. Poison Diseases not classed				1		1										133								1	1
Total	10	7	15	8	5	7	29	32	34	24	32	26	31	19	14	13	7	9	-				177	145	325

TABLE VII.

### SHOWING THE WHOLE NUMBER OF CASES UNDER TREATMENT, WITH THE RESULTS.

DISEASES.	Bemaining, January 1st, 1863.	Admitted during 1863.	Total patients under treatment.	Discharged cared and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	of pat	residence ients in l, in days.	Per-centage of deaths to number of patients of each disease.	Per-centage of deaths to mortality from all causes.
A Shaken as I all the											
ORDER I.											
1. Smallpox		4	4			4		2	1		
2. Chicken-pox		1 3	1	1			***	15 21	48		
3. Measles	10	107	117	94			23	32	31	19-66	7:14
5. Diphtheria		4	4	3			1	12	28	25.	0.31
6. Quinsy		15	15	15				18	27		0.40
7. Croup 8. Continued Fever	1	17	18	10			8	21 30	15	44.44	2.48
(a) Typhus	9	50	59	46			13	40	42	22.03	4.04
(b) Typhoid	3	41	44	41			3	46	43	6.82	0.93
(d) Remittent		1	1	1				19		No. of Contract of	
(e) Febricula	5	51	56 4	54		2	2	19	28 11	50.	0.62
10. Diarrhœa	ï	10	11	10		ï		25	23	50	002
11. Dysentery	1	7	8	7			1	38	53	12.50	0.31
12. Cholera		1	1				1		1	100-	0.31
13. Catarrh		3	2 3	3					38		
15. Ague	1	2	3	3				49			5.0
16. Erysipelas	2	39	41	40			1	29	40	2.44	0.31
17. Erythema		7 2	7	7				24	53	100-	0.00
18. Pyæmia		2	2 2	2	***		2	1	5 16	100-	0.62
21. Rheumatism†	35	326	361	348	3	9	1	40	51	0.28	0.31
24. Syphilis—						-	100				
(b) Secondary	3	12	15 5	13	2			48 25	95 38	20.	0.31
26. Purpura		1	1	1			1	55		20.	0.31
32. Worms		3	3	3					23		
33. Hydatids	1	3	4	2	1		-1		66	25.	0.31
termorphia il litterio							1111111				
ORDER II.		7				1	3777				
						1			-		
1. Gout	2 2	10	9	9 7				66	20	22.22	104
2. Dropsy	2	9	11	10	1	1	4	31 30	39 52	33.33	1.24
4. Cancer—	-	1									
(b) Of Internal Organs		32	32	11	13	1	7	46	50	3.12	2.17
9. Tumours	1	3	1	3			1	79 93	55	25.	0.31
14. Scrofula	ï	3	4	2	***	2		55	44		-
15. Psoas Abscess, including Pelvic	2	2	4	4				220	48		
17. Tubercular Peritonitis	12	120	142			1	3	52	23	4.00	0.1-
18. Phthisis	13	130	143	56	16	7 2	64	38 28	46 29	4·89 33·33	2·17 0·31
		1			***	-		-0	20	00 00	001

<sup>\* 60</sup> cases of dropsy after scarlatina are placed under this heading, of which 3 proved fatal. † 339 cases of acute, 20 of chronic rheumatism.

DISEASES.	Remaining, January 1st, 1863.	Admitted during 1863.	Total patients under treatment.	Discharged cured and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	of pat	residence ients in , in days.	Per-centage of deaths to number of patients of each disease.	Per-centage of deaths to mortality from all causes.
Order III.  1. Meningitis 2. Encephalitis 4. Apoplexy 5. Paralysis (a) Hemiplegia (b) Paraplegia 6. Paralysis Agitans 7. Chorea 8. Epilepsy 10. Hysteria 11. Convulsions 12. Insanity 14. Neuralgia 16. Disease of Brain 17. Delirium Tremens		6 1 9 7 27 16 2 26 42 13 2 3 14 10 9	6 1 9 7 31 22 3 31 45 14 2 3 14 13 12	7 21 12 3 29 36 12 1 14 4 9			6 1 9 4 6 2 7 3	10 3 2  51 67 32 48 18 12 2 35 48 50 19	8 3 69 51 77 19 51 42 23 11 4 41 27	100· 100· 100· 12·90 27·27 4·44	1·86 0·31 2·79 1·24 1·86 1·24
ORDER IV.  2. Pericarditis 3. Endocarditis, incl. Valvular Disease 4. Hypertrophy of Heart 6. Disease of Heart 7. Aneurism of Aorta ORDER V.	1 1  2 	17 1 56 9	1 18 1 58 9	7 1 20 5	 3  4 	 3  4 1	1 5  30 3	23 35 32 46	62 48  34 51	100· 27·77 51·72 33·33	0·31 1·55 9·32 0·93
1. Epistaxis 2. Hæmoptysis 3. Laryngitis 5. Bronchitis 6. Pleurisy (a) Hydrothorax (b) Empyema 8. Pneumonia 9. Pleuro-pneumonia 11. Emphysema	 14 1  1 5 4	2 22 4 80 8 11 3 59 24 2	2 22 4 94 9 11 4 64 28 3	2 20 4 60 9 8 2 43 26 3	4  	1  2   1 	1  28  3 2 20 2	28 27 31 24 47 33 26 45 37	15 31 39 33 34 40 48 37 62	4·55 29·79 27·27 50· 31·25 7·14	0·31 8·70 0·93 0·62 6·21 0·62
ORDER VI.  3. Stomatitis 4. Gastritis 5. Enteritis 6. Colonitis 7. Peritonitis 8. Constipation (Ileus) 11. Ulceration of Intestines 12. Perforation of Intestines 14. Dyspepsia 16. Chronic Vomiting. 17. Hæmatemesis 18. Melæna 20. Disease of Stomach. 22. Disease of Spleen 23. Disease of Liver 24. Jaundice 25. Hepatitis 26. Cirrhosis 28. Ascites 29. Colic 30. Lead Poisoning	1	1 3 4 1 12 17 2 2 7 4 6 3 1 1 1 6 10 5 1 9 5 8	2 3 4 1 12 18 2 2 8 4 6 3 1 1 6 11 5 9 5 9	2 2 3 1 5 17  7 4 5 2  4 7 4  7 5 8		 1  1    1 1  1  1		15 43 58 5 23 7 9 25 45 30 10 37 222 38 158 49 4 31	32 25 49  22 27 2 3 21 26 57 38 296 56 37 70 53 	25· 58·33 100· 100· 33·33 30· 50· 10·10	0·31 2·17 0·62 0·62 0·31 0·31 0·31

				-			_					-
DISEASES.		Remaining, January 1st, 1863.	Admitted during 1863.	Total patients under treatment.	Discharged cured and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	Mean residence of patients in hospital, in days.  Male. Female.		Per-centage of deaths to number of patients of each disease.	Per-centage of deaths to mortality from all causes.
6.	ORDER VII.  Albuminuria Diabetes Disease of Kidneys Hæmaturia	5 1 	51 4 1	56 5 1	30 2  1	6	2 1 	18 2 1	41 25  35	30 57 118	32·14 40· 100·	5·59 0·62 0·31
7. 8. 9. 10. 11. 12. 16.	ORDER VIII.  Hæmatocele Metritis Ovarian Dropsy Ovarian Tumour Disease of Ovaries Uterine Tumour Uterine Polypus Disorders of Menstruation Disease of Uterus, &c.*		1 12 6 11 1 5 9 16 126	2 12 6 11 1 5 9 18 135	2 12 5 7  7 10 102	 3  2  2 11	   2  6 20	 1 1 1 1 2  2		25 27 27 30 35 14 26 31 31	16.66 9.09 100. 20. 22.22	0·31 0·31 0·31 0·31 0·62 0·64
2.	ORDER IX. Periostitis	· m·	1	1	1					28		
5. 6. 8. 9. 12. 20.	Abscess Disease of Skin Roseola Eczema Herpes Scabies Prurigo Psoriasis	    	4 1 2 1 1 1 1	4 1 2 1 1 1 1 1	2  2  1 1 	2  1  1 	"i   "i		58  26  25	42 4 22  47 89  50		The state of the s
8. 9.	ORDER XI.  Intemperance Privation Debility Poison  seases not classed	 5  5	16 2 27 27 27	16 2 32 27 31	16 1 31 22		 1 2	 3 	2 30 24 6	2  43 5	50· 11·11	0·31 1·86
	Total	187	1887	2074	1543	96	113	322	= 1			

Remaining January 1st, 1864...... 218.

<sup>\*</sup> Under this head are included 58 patients, who were admitted for the application of leeches, and who only remained one day in the hospital.

SURGICAL REPORT.

### TABLE I.

### PATIENTS REMAINING, JANUARY 1st, 1863.

DISEASES.		der ears.	5—10.		10—15.		15-25.		25—35.		35—45.		45—55.		55-65.		65—75.		75—85.		Above 8		85 Total.		Grand Total.
		F.	М.	F.	М.	F.	M.	F.	M.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	ToT
ORDER I.																									
i. Quinsyi.									1														1		
(a) Simple									1		1	10-73		19 7	1	5							8	3	1
(b) Phlegmonous (c) Cellulitis ( dif-							***		1		***	***	•••	•••		***		•••	•••		***		1		
fuse)																									
. Pyæmia—																									
(a) Acute				***							***	1				***						•••	***	1	
Cambrilla.							6	11	3														0	11	2
(a) Primary (b) Secondary							2	7	4		1	3											9 7	10	1
(c) Innerited					1	1								•••					***				1	1	
and Phymosis							2	9	1	1		2	1										4	12	1
. Scurvy																		9							
ORDER II.																									
. Cancer—													1												
(a) Of External Organs								1				1	2	2		1	1						3	5	
. Lupus	100											•		Ī											
. Polypus					1			2		1													1	3	
(a) Primary								7																	
(b) Secondary									^	***			***									***		***	
Phagedæna																									
3. Fistula	1		1		1		 1		1	1	1												3	1	,
For Abscess, includ-															••••			40			1984		0	2	1
ing Pelvic							1		1														2		
								4					1												
ORDER III.				1						1															
9. Tetanus																									
1. Neuralgia																			14		001				
B. Disease of Spinal			l						1	***													1		
		1		10000																					

		Uno 5 Ye	der ars.	5-	10.	10-	-15.	15-	25.	25-	-35.	35-	<b>-4</b> 5.	45-	-55.	55-	-65.	65-	<b>-</b> 75.	75-	-85.	Abo	ve 85.	To	tal.	al.
	DISEASES.	M.	F.	M.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F .	M.	F.	M.	F.	M.	F.	M.	F.	Gra
19. 20. 21. 22. 23. 24.	DER III—continued.  Conjunctivitis Amaurosis			1	1	::		1	1									1						2 1	2	1
	ORDER IV.																									
11.	Aneurism of Aorta Disease of Arteries Phlebitis		1																					***	1	
	Phlebitis									2							1							2	1	3
	ORDER V. EpistaxisLaryngitis																									
3. 10. 11.	Order VI.  Strict. of Œsophagus Stomatitis																									
13.	(a) Femoral												1	1	1					100			***	ï	2	2
19.	Hæmorrhoids						***			1									***					1		1
7.	Hæmaturia	1		1						1														3		3
11.	Disease of Prost, Gland Strict, of Urethra incl. Retention of Urine																							5	-	5
	Extravasation of Urine, including Urinary Abscess																									
	ORDER VIII.								75			-											715			
3. 4. 5. 9.	Orchitis																							2		2
	ORDER IX.						,	,															311	1	7	8
2.	Synovitis								5	1												***		1		1

		der ears.	5-	-10.	10-	-15.	15-	-25.	25-	-35.	35-	<b>-4</b> 5.	45-	-55.	55-	<b>-65.</b>	65-	<b>-75</b> .	75-	-85.	Abo	re 85	T	otal.	nd al.
DISEASES.	M.	F.	М.	F.	M.	F.	М.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Grand Total.
ORDER IX—continued.  4. Caries 5. Necrosis 6. Disease of Bone 7. Curvature of Spine 8. Disease of Joints (a) Disease of Glands (b) Ditto of Bursæ, Ganglia, &c						1	1 1	1 1	2	1	1	 1	 1											1 2 2 2 1 7	2 6 2 4 16
Order X.  1. Carbuncle 3. Abscess			1	1	 1	1	6			2 1	2	3 1 1	3 1	2				1						9 7 2	1 14 19 3 1
5. Malformations	1	1	4	4			1	4															6	9	15
). Violence and Injury—  (a) Burn and Scald .  (b) Contusious  (c) Sprains  (d) Gunshot Wounds	1	1	1	1		1	1				1												4 2	4	3 8
(e) Lacer. of Limbs . (f) Wounds		1			3				2		1		2			1							8	2	10
(g) Concussion of Brain and Cord (h) Fractures—					1	1	1		1		2						1						7	1	8
(h) Fractures— Simple Compound, Ununited and Mal-union of		1			2		1		5 2	1	5		7	2	3	3	2			*			25 2	7	32 2
(k) Dislocations— Simple Compound 5. Suicide (Cut Throat) .							1		1		1		1				1						5		5
iseases not classed										2		4				1							***	7	7
Total	-	-	18	7			36		41	-	20	19	22	- 8	6	7	8	1	-				168	126	294
														1		-1		-1							_

#### TABLE II.

### PATIENTS ADMITTED DURING 1863.

	Diepage	Une 5 Ye		5-	10.	10-	15.	15-	25.	25-	35.	35-	45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abov	e 85.	Tot	al.	Grand
	DISEASES.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Gra
	ORDER I.														-9	7										
	Quinsy Ervsipelas—		1			2	1	3	4	2	1		2				1							8	9	1
0.	(a) Simple	2	1	1	2	1		4	6	5	4	6	4	4		3								28	23	5
	(b) Phlegmonous							16	1	1	1	;;;		::		6								1	2	3
	(c) Cellulitis (difuse) (d) Elephantiasis			1 2	1	1	2	16	. 6	10	1	14	10	15	3		2	3		2	200		20000		31	10
8.	Pyæmia—			1			"			***	1				***			***		****					-	
	(a) Acute											1				,								1		
	(b) Chronic			1										1										2		
4.	Syphilis— (a) Primary			1			100	31	58	18	16	3	1								200			55	75	12
	(a) Primary (b) Secondary			1				18	61	29	38	10	14	5	3									62		17
	(c) Inherited	1 .			2	2	2		2														100000	3	6	
5.	Gonorrhœa, incl. Bubo			1				0.	100														4			
7	and Phymosis Scurvy			1		1		1 21	128	0	14			***							***			27	142	16
	Scury			1		1		1							***									-		
4.	ORDER II.																								(0)	
	(a) Of Ext. Organ:			1		1																- 20				
	Of Breast			1							1		9		6	1	2		1					1	19	2
	Other situation	1.		i					1	1	1	2	9	2	6	i	1	1	i					7	7	1
	Growths-	1		1																				100		
	Epithelial			1						2		4		6		4	1	3		1				19	4	2
6	Other forms	1		1		1		1	i		1		1				1	i							4	
8.	Polypus	1					1	1	1														10000	1	2	- 3
	Polypus Tumours							1		4				2	5		2							19	41	6
0.	(a) Primary (b) Secondary	-		1	1	-		1				1							,					,	,	
	(b) Secondary	1	1	1	1 1	1		1			1	1	1	i	***	2	***	***	1	10000				4	3	- 8
1.	Phagedæna				1	1		1					- 5.	l										1		
10	Pad cares															1			1					1	1	3
3.	Fistula	1 .				1		8	7	6	2 2	1	1000		1						2000			8	7	1
14.	Psoas Abscess, includ	1	9	1		1	1	1 8	1	10	2	1		1					***					30	18	*
100	ing Pelvic			1	1	1	1	4	1	1	4		1	1					100		-			8	8	1
	ORDER III.																									
9						1	2									1			1					3		3
14.	ORDER III.  Tetanus  Neuralgia  Disease of Spinal Core			1		1.				1 1	1					1	 1							3	2	1

Displace	Une 5 Ye		5-	10.	10-	-15.	15-	-25.	25-	-35.	35-	45.	45-	-55.	55-	-65.	65-	<b>-75</b> .	75-	-85.	Abor	re 85.	То	tal.	Grand Total.
DISEASES.	M.	F.	M.	F.	M.	F.	M.	F.	M.	Y.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	To
RDER III—continued.								N.																	
Conjunctivitis Amaurosis Cataract Iritis Corneitis Disease of Eye	1			2	5	1	2		7		3		2										20	3	23
Amaurosis									2	1	1			1									3	2	5 6
2 Iritis							1	1	3	5	2	3	1	1	1								8	10	18
2. Corneitis						2	2	1	2	2	1	1	1	1									6	7	13
Disease of Ear							1				2	***							***				3		3
Discuse of Lat							_ ^										***						-		-
ORDER IV.																									
Aneurism of Aorta Disease of Arteries Phlebitis Disease of Veins														1										1	1
Disease of Arteries									1		1 2		1										2 3		6
Disease of Veins								2	2	6	1	6		3		1				***			3	17	20
(a) Rupture of do. Nævus												1	2			1							2	2	4
Nævus	2	12																					2	12	14
ORDER V.							11.		2									2							
Enistaxis						1	1	1	1	1	1		1										4	2	6
Epistaxis								1											***	***				1	1
ORDER VI.																									
Strict. of Esophagus .															1	1							1	1	2
Stomatitis		4		1					-::															5	5
1. Stricture of Rectum									1	ï		***				1	***	1					1	2	3
. Ulceration of do										1		1												2	2
Hernia—									,	,		7				,	9	9					3	10	22
(a) Femoral (b) Inguinal		***					1	***	3	1	3		4	9	5	1	4	- 2	2	***	1		23	19	24
(c) Otherwise											1	3		1	1	1	1						3	5	8
Hæmorrhoids								5	2	2	2	1	3										7	8	15
ORDER VII.				B																					
Hæmaturia									1				1		1		-	-					3		3
Hæmaturia Stone Cystitis Disease of Prost Clark	5		1		1				1		1		1				1						11		11
Disease of Prost Claud	1	1	1						1	1	1	1			1								5	3	8
Disease of Prost. Gland Strict. of Urethra incl.				100				100						2		•••	1		4		1		0	***	6
Retention of Urine					1	1	2		12		19		6		4		1						45	1	46
1 Extravasation of Urine including Urinary														3		1				19	1				
Abscess	1		2		2		1		4		7		5		2		1		1				26		26
1 Incontinence of Urine								1																1	1
ORDER VIII.														1											
Orchitis							2		1														3		3
Hydrocele							1		3		3		2		1								10		10
Disease of Testicle	100								***	***		1111											4		4
Ovarian Tumour								1													1000			1	1
1 Disease of Female Or- gans (External)						18.3										300		- 1						0	0
Sans (Disternar)		1			***	1			***	3		1		1	****	1				***		***	***	0	0
ORDER IX.																									
Synovitis	2	2	2	2	4	3	11	16	15	7	6	5	4	2	1	2							45	39	84
Periostitis							2	3	2	1	2			1	î								7	5	12
Exostosis				1			1	2	1														2	3	5
	_		_																				-		

	Une 5 Ye		5-	-10.	10-	-15.	15-	-25.	25-	-35.	35-	-45.	45-	-55.	55-	65.	65-	-75.	75-	-85.	Abov	e 85.	То	tal.	Grand Total.
DISEASES.	M.	F.	M.	F.	М.	F.	М.	F.	М	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	Gre
ORDER IX—continued.  4. Caries	1  i		1 1	1	5 2	4	9 3 4	9 3	13 1  7 7	6 1	8 3	1  4 1	 6 1	4	3	1							7 38 1  35 20	29 6	26
ORDER X.  1. Carbuncle	3	1	1 2	1	3	5	12	1 6 1 1 1  3	1 8 2 	1 7 2 1 1	i i 	12 1 1 	1	8  7  1	6  4 1  	 3  5  	2	5		1			21 78 4 53 7 1 1 	4 62 2 51 4 6 1 1 4 3	6
Order XI.  5. Malformations	38 9 1  1 11 11 3 	166 11 33 55 99 11	122 199 88 66 188 4	5 5  8 1 8 1	5 15 5  3 15 8 22 11	6 4 1 3 3 3 2 1	6 35 9 25 9 1	4 8 7 1 6 3 2 1 1	29 11 2 39 17 53 15	6 7 3 3 7 1 6 1	6 20 14  1 21 8	8		4 4 2 4	9 2  14	2 4 1  4 1 8 1	 5  5 1 5 1	3	3	1 ]  2  7 	  1	 1	66	21 49 46 17  1 48 14 72 6	193 63 2 14 199 81
13. Suicide (Cut Throat)  Diseases not classed	111	1		1 53	2 147	71	2	12 455	5	4	2	1 1 1	3 202	2 94	117	1 58	50	1 32	1 18	13	3	2	15 1793	-	38
						_		-								-							182 1975	152 1381	-

### TABLE III.

### PATIENTS DISCHARGED CURED AND RELIEVED DURING 1863.

	Diepagne		nder ears.	5-	-10.	10-	-15.	15-	-25.	25-	-35.	35—	15.	45-5	5. 5	5-65.	65-	-75.	75-	<b>-85</b> .	Abo	ove 85	To	tal.	par
B'	DISEASES.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F. 1	M. I	. M	. F.	M.	F.	М.	F.	M.	F.	М.	F.	Grap
	ORDER I.																								
6. Q	Quinsy		1			2	1	3	4	3	1		2			. 1							8	10	1
	(a) Simple	2	1	1	1	1	1	6			4	7	4	6	4	4 3	3						35	24	
	(b) Phlegmonous		1						1 6	9	7												2	1	
	(c) Cellulitis(diffuse)			2	1	1	2	16	6			14		15	2								65	29	!
g p	(d) Elephantiasis										1	***	4											2	13
0. 1			28	1								1	1										1		
	(a) Acute (b) Chronic			1		***						1		1 "					***				2		
1. S	yphilis—										- 1			1	1"	1 "							~		
	(a) Primary							35	57	18	14	3	1	1	. 1	2							59	72	13
	(0) Secondary							15	53	32	33	12	17	5	3								64	106	17
	(c) Inherited	1			1	3	2		2														4	5	
). G	onorrhœa, incl. Bubo																								
	and Phymosis							20 1	124	7	12		2	1						_			28	138	16
. 50	curvy							1															1		
							- 1		- 1		- 1		1		1							- 1			
	ORDER II.												1												
. Ca	ancer—								-		-				1		-1	-		- 1					
100	(a) Of Ext. Organs								- 1		- 1				1			- 1	- 1	- 1					
1	Tumours-						- 1		- 1											- 1					
	Of Breast										1		8	. 6	1	1		1					1	17	1
	Of Breast Other situation		1						1	7	1									_	-		1	4	
(	Growths-					***		2.8.1	**	4	41					1							1	- 1	
			- 1		- 1									13				- 1			"	"		1	
	Epithelial									1		4	1		3	1	2		1				15	2	
T	Epithelial Other forms				-					1		4	1		3	1	2		1				15	2	
. Lu	Epithelial Other forms								 i	1	1	4	1 :		3	1 1 1	2		1				15	2 1 4	
Lu Po	Epithelial Other forms								 i	1	1	4	1 :		3	1 1 1	2		1				15  2 1	2 1 4 2 4 2	
. Po	Epithelial Other forms  pus lypus umours								 i	1	1	4	1 :		3	1 1 1	2		1				15	2 1 4 2 42	
. Po	Epithelial Other forms  pus lypus umours ortification—								 i	1	1	4	1 :		3	1 1 1	2		1				15  2 1	2 1 4 2 42	
. Tu	Epithelial Other forms  pus lypus mours (a) Primary (b) Secondary	···	  1				1 2	1 1 1 1	 1 1 13	1 3	1	3 1	1		3	1 1 1  2	2		1				15  2 1	2 1 4 2 42	
. Tu	Epithelial Other forms  pus lypus mours (a) Primary (b) Secondary	···	  1				1 2	1 1 1 1	 1 1 13	1 3	1	3 1	1		3	1 1 1  2	2		1				15  2 1	2 1 4 2 42	58
. Po . Tu . Mo	Epithelial Other forms  pus  lypus  mours  ortification—  (a) Primary  (b) Secondary  agedæna  d-sores	 1	 1	4		2	 1 2	1 1 1	 1 1 13	1 3	1	3 1	1		3	1 1 1  2	2		1				15  2 1 16	2	58
Po Tu Mo	Epithelial Other forms  pus lypus ortification— (a) Primary (b) Secondary agedæna d-sores	 1	 1	4		2	 1 2	1 1 1	 1 1 13	1 3	1	3 1	1		3	1 1 1  2	2		1				15  2 1 16 4 1 1 12	2 5	58
Po Tu Mo	Epithelial Other forms  pus lypus ortification— (a) Primary (b) Secondary agedæna d-sores	 1	 1	4		2	 1 2	1 1 1	 1 1 13	1 3	1	3 1	1		3	1 1 1  2	2		1				15  2 1 16	2	58
Ph. Be. Fis. Sci. Psc	Epithelial Other forms  pus  lypus  mours ortification— (a) Primary (b) Secondary agedæna ad-sores stula rofula oas Abscess, includ-	 1	 1	4		2	 1 2	1 1 1	 1 1 13	1 3	1	3 1		5	3	1 1 1  2	2		1				15  2 1 16 4 1 1 12 29	2 5	58 6 1 1 17 45
Ph. Be. Fis. Sci. Psc	Epithelial	 1	 1	4		2	 1 2	1 1 1	 1 1 13	1 3	1	3 1	1	5	3	1 1 1  2	2		1				15  2 1 16 4 1 1 12	2 5	58 6 1 1 17 45
. Po . Tu . Mo . Ph . Be . Fis . Sci . Pso	Epithelial	1 1 3	 1	4		2	 1 2	1 1 1	 1 1 13	1 3	1	3 1		5	3	1 1 1  2	2		1				15  2 1 16 4 1 1 12 29	2 5	550
. Po . Tu . Mo . Be . Fis . Sci . Pso	Epithelial	1 1 3	 1	4		2	 1 2	1 1 1	 1 1 13	1 3	1	3 1		5	3	1 1 1  2	2		1				15  2 1 16 4 1 1 12 29	2 5	58
Ph. Bec. Fis. Sci. Pso	Epithelial Other forms  pus  lypus  mours  ortification—  (a) Primary (b) Secondary  agedæna  d-sores  stula  rofula  oas Abscess, including Pelvic  Order III.	1 1 3	 1	4		2	 1 2	1 1 1	 1 1 13	1 3	1	3 1		5	3	1 1 1  2	2		1				15  2 1 16 4 1 1 12 29	2 5	58 6 1 1 17 45
. Po . Tu . Mo . Ph . Be . Fis . Scr . Pso	Epithelial	1 1	1 1 2	4		2	 1 2	1 1 1	 1 1 13	1 3	1	3 1 1		5	3	1 1 1  2	2		1				15  2 1 16 4 1 1 12 29	2 5	58 6 1 1 17 45

	Und 5 Yea		5—	10.	10-	-15.	15-	25.	25-	-35.	35-	-45.	45-	-55.	55-0	55.	65-	75.	75-	-85,	Abor	re 85.	To	tal.	nd 1).
DISEASES.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	M.	F.	Grand Total,
																								100	
ORDER III-continued.																									
19. Conjunctivitis	1		1	3	5	1	2	1	6	1	3		2			i							20	5	25
21. Cataract	0.00		1000		1000	300	1000	100			11000	100	10000	1.30	3	11	9	100		3.3			5	2	7
22. Iritis		***	***			2	1	1	2	2	1	1	1	1			***	***					8 5	10	18 12
23. Corneitis 24. Disease of Eye 25. Disease of Ear						100	1			100	2					- 1							3		3
20. Disease of Eat					***	***	1	1				***				***	***		***				1	1	2
ORDER IV.										un			-5												
7. Aneurism of Aorta						200			1		١,														
11. Disease of Arteries 12. Phlebitis								1	2	1	î			1		1								5	7
(a) Rupture of do.		***		***	***			2	4	6	1 2	6		3		1							5 2	18	23
14. Nævus	2	12		***																			2	12	14
Order V.																				1					
																			1			1	7	010	
1. Epistaxis		***				1	1	1			1		1										4	2	6
ORDER VI.																							- Se	130	
																							38	bD.	
1. Strict. of Œsophagus 3. Stomatitis		4							***			***	***	***	1	1							1	1	2
(4) 010001110	0.00	0.00		221			A Company					No.	1 1			- 1	0.202	0.000					1		1
10. Stricture of Rectum										1		1											1	1 2	2
(a) Femoral			111						1	4		6											Paris I		
(0) ingumat	444						. 1		9		- 3		4	1972	4		9	-	1				1 17	14	15
(c) Otherwise 19. Hæmorrhoids				***				5	3	2	1 2	1	1 3										2 8	2	4 16
																								0	10
ORDER VII.																									
7. Hæmaturia	6		2	***	1	***			1 2				1		1								3		3
10. Cystitis		1	1			***	227		1	1	1	1	200		1								13 4	3	13
12. Strict. of Urethra incl.		***		***				- 1									1		4				- 5		5
Retention of Urine 13. Extravasation of Urine,					1	1	2		14		17		6		4		1						45	1	46
including Urinary																							-	111	
Abscess	1		2		2		1		1		4		2		1		1		0.00				16		16
															"		"		***	***			***	1	1
ORDER VIII.													1												
2. Orchitis	***						1 9		1 2														2		2
4. Hæmatocele 5. Disease of Testicle											2		1										10	:::	10
9. Ovarian Tumour	1	***	•	***	1		3		1														6		6
18, Disease of Female Organs (External)		1				1				1		1		1										5	5
ORDER IX.																					***			3	
1. Synovitis	0	0	0	0	4		10																1		
2, Periostitis			2	2		3	12 2	20	15	7	6 2	5	4	2	1	2							46	43	89
3. Exostosis				1				2															8	3	13
THE PARTY NAMED IN COLUMN TWO IS NOT THE OWNER.	-	-	-			-			-		-					1		1							

ī				der	Ī .	10	10-	15	1,5	0.5	0.	07	9.5	47	1,5		T	0=	10=	75	75-	07	Ī.,	- 67	7	4-1	
١	DI	SEASES.	5 Ye				_			_	_	-					_			-			_		_	tal.	Grand Total.
١			М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	Y.	М.	F.	
1	ORDER I	X—continued.																									
	5. Necros 6. Diseas 7. Curva 8. Diseas (a)	sis	1		3 1 4 1	1	7	2 5	1 3 4	3	6 7	4	7 3	3	 4 1	 4 1	3	 1	 1	3					8 35 2 35 20 15	4 14 2 2 30 5	12 49 2 4 65 25
		RDER X.																									
1 1 1 2	(a) 4. Ulcer. 5. Diseas 8. Eczem 2. Scabie 13. Pempl 8. Erythe 11. Psoria	chronic	1	1	3	2	3	5			1 8 2 	1 9 2 2	1 18  1 	11 14 2 1	1	9	4 1 	3 6 1 1	2	1 1					22 77 4 59 6 2 2 	4 70 1 57 4 8 1 1 4 3	26 147 5 116 10 10 3 1 4 4
		DER XI.								3.5															1050		
	(a) (b) (c) (c) (d) (e) (f)	rmations	17 9 1 	5	17	3 6	5 14 5  2	5 2 1	6  5	4 10	6 28 12 2	4 6 4	7 19 10	4 10 3		4 6	7 1	3	6	4	1	 1			37 54 137 40 2 9 158	25 47 22  1 44	79 184 62 2 10 202
-		Brain and Cord Fractures— Simple	13				23		10 24					13		11		9	2 5	2		3		1	71 226	13 65	84 291
-		Compound Ununited and Mal-union of Dislocations— Simple Compound te (Cut Throat) .	3	1	3	1	11	1	3		7 1 1		9 5 1 1		2 1		1 2	1	1						58 20 3 6	3 2	63 23 3 8
ı		ot classed		,			2			3	4	5	2	4	2			2			1				11	16	27
-	To	TAL	92	56	121	48	151	72	335	448	106	208	285	168	191	89	103	52	40	20	13	5	1	2	1738	1168	2906
1		100		-	_	-	-	-	-	_	-		-	-		-	-	-			-			-			

### TABLE IV.

## PATIENTS DISCHARGED UNRELIEVED DURING 1863.

Γ	DISEASES.	Un 5 Ye	der ears	5-	10.	10-	-15.	15-	-25.	25-	-35.	35-	45.	45-	-55.	55	<b>-65</b> .	65	<b>—</b> 75.	75	<b>—</b> 85.	Abo	we 85	Т	otal.	Grand Total.
	DISEASES.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M	F.	M	F.	M.	F.	M.	F.	M.	F.	Gr
18. 24. 25.	Order I.  Quinsy																							22		2 2
6. 8. 9. 10. 11. 12. 13. 14.	ORDER II.  Cancer—  (a) Of Ext, Organs Tumours— Of Breast Other situation Growths— Epithelial Other forms Lupus Polypus Tumours Mortification— (a) Primary (b) Secondary Phagedæna Bed-sores Fistula Scrofula Psoas Abscess, including Pelvic Order III.										·i		1	2	1	1		1						2 4 3 2	3 1 1 2 2	3 3 5 2 4 2
14.	Tetanus Neuralgia Disease of Spinal Cord									1														1		1

Γ		Ur 5 Y	der ears.	5-	-10.	10-	-15.	15-	-25.	25-	-35.	35-	-45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abov	ve 85	To	otal.	ad.
	DISEASES.	M.	F.	M.	F.	М.	F.	M.	Y.	М.	Y.	М.	F.	M.	F.	М.	F.	Grand Total.								
19. 20. 21. 22. 23. 24.	Conjunctivitis Amaurosis Cataract Iritis Corneitis Disease of Eye Disease of Ear						***			1		•••								***				1	2	2 2 1
12. 13. 14.	ORDER IV.  Aneurism of Aorta Disease of Arteries Phlebitis Disease of Veins (a) Rupture of do. Nævus  ORDER V.														1										1	1
1. 3. 10. 11. 13.	Epistaxis Laryngitis  ORDER VI.  Strict. of Œsophagus . Stomatitis (a) Glossitis Stricture of Rectum Ulceration of do Hernia— (a) Femoral (b) Inguinal (c) Otherwise Hæmorrhoids																									
7. 1 8. 3 10. 6 11. 1 12. 3	ORDER VII. Hæmaturia													1										1		1
3. I 4. I 5. I 9. ( 18. I	ORDER VIII.  Orchitis									- 1															1	1
3. I	Periostitis Exostosis				L																L					

					_	-	_	_			_		_	_											
DISEASES.	5 Ye	der ars.	5-	10.	10-	-15.	15-	-25.	25-	-35.	35-	-45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abov	re 85.	To	tal.	Grand Total.
DISEASES.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	96
ORDER IX—continued.  4. Caries																							1 1 4		1 2 4
ORDER X.  1. Carbuncle							***		•••			1		•••										1	1
5. Malformations				2																			1		9
Compound 13. Suicide (Cut Throat) Diseases not classed												1												1	1
TOTAL	4	2	2	4	1	2	4	1	5	3	-	4	7	5	2	2							29	23	52

## TABLE V.

## PATIENTS DISCHARGED FOR OTHER THAN MEDICAL REASONS DURING 1863.

Г		Une 5 Ye		5-	10.	10-	-15.	15-	-25.	25-	-35.	35-	-45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abo	ve 85	To	tal.	al.
	DISEASES.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	М.	F.	M.	F.	Gram
	ORDER I.																									
16.	Quinsy Erysipelas— (a) Simple (b) Phlegmonous (c) Cellulitis(diffuse) (d) Elephantiasis																	4						ning som		
	Pyæmia— (a) Acute (b) Chronic Syphilis— (a) Primary							2	10	2 1	2													4	12	
25.	(c) Inherited Gonorrhæa, incl. Bubo					•••	•••	5	13	1																23
27.	and Phymosis							2	14								***							2	13	17
4.	ORDER II.  Cancer—  (a) Of Ext. Organs Tumours— Of Breast Other situation																									
6.	Growths— Epithelial Other forms Lupus							:::		1								:::						1		1 1
9.	Polypus Tumours Mortification— (a) Primary (b) Secondary Phagedæna									1	1	1												2	1	3
12. 13. 14.	Bed-sores Fistula Scrofula Psoas Abscess, including Pelvic			1			1	1																2	1	3
14.	ORDER III. Tetanus Neuralgia Disease of Spinal Cord																						200	-10		Paris N

		Un 5 Y	nder ears.	5-	-10,	10-	-15.	15-	-25.	25-	<b>-</b> 35.	35	<b>—</b> 45.	45-	-55.	55-	<b>-65</b> .	65-	<b>—</b> 75.	75	-85.	Abo	ve 85.	Т	otal.	W
	DISEASES.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	Grand Total,
19. 20. 21. 22. 23. 24. 25.	Conjunctivitis																									
11. 12. 13.	Disease of Arteries Phlebitis Disease of Veins (a) Rupture of do. Nævus							3																		
1. 3.	ORDER V.  Epistaxis  Laryngitis  ORDER VI.																						.1			
3. 10. 11. 13.	Strict. of Œsophagus Stomatitis									1							1							1	1	2
8. 10. 11. 12.	ORDER VII.  Hæmaturia Stone		***		***							2												2		2
	ORDER VIII.																						1			
4. 5. 9.	Orchitis					***				1	***	***			***									1	2	1 1 2
4.	Order IX. Synovitis Periostitis Exostosis								1														-		2	2

	Un 5 Ye		5-	10.	10-	-15.	15-	-25.	25-	-35.	35-	-45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abor	re 85.	To	tal.	
DISEASES.		F.	_		_		_		_				_			_	М.		_		_			F.	Gran
	-	-		-	-	-		*	-	-	-	*		*	-	-		-	-	-	-	-	-		
ORDER IX—continued.  4. Caries																	1							2	3
ORDER X.  1. Carbuncle													1			- 1						- 1	2 2	1	3
ORDER XI.  5. Malformations	3	4				 1	2			1	``i											***	3 5 3 3	4 2 1 1 1	3 9 5 1 3
Compound  13. Suicide (Cut Throat)  Diseases not classed				1			2	9	1	1				1									3	12	15
TOTAL	5	4	3	1		2	18	47	13	14	5	1	3	1	1	3	1	1					49	74	123

#### TABLE VI.

## DEATHS DURING 1863.

	Und 5 Yes		5—	10.	10-	15.	15—	25.	25-	-35.	35-	45.	45-	-55.	55-	-65.	65-	75.	75-	- 85.	Abov	e 85	Tot	al.	Grand
DISEASES.	М.	Y.	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	Gra
ORDER I.																									
ONDEN A																									ı
Quinsy																									ı
5. Erysipelas—				1					1									1					1	9	
(a) Simple (b) Phlegmonous	***	***		1						1				.2.					***					ī	1
(c) Cellulitis (diffuse)			1						1					1	1	1	1		1				4	2	
(d) Elephantiasis						200		100			199					35		30.0	13					1.00	ı
3. Pyæmia—																									ı
(a) Acute												1												1	ı
(b) Chronic																									ı
4. Syphilis—									١,													10	,		
(a) Primary	• • • • •	***						2															1	2	1
(b) Secondary		***						-	***					***				***	•••				***	-	1
(c) Inherited 5. Gonorrhæa, incl. Bubo																						- 0		500	ı
and Phymosis			1																						ı
7. Scurvy			1								-														ı
			1	1 3	1																	-	-	7 10	ı
			1																					1	ı
ORDER II.					1																			100	ı
			1																						ı
4. Cancer—																									ı
(a) Of Ext. Organs																									
Tumours—			1									,				1							100	9	
Of Breast Other situation								";			ï			"			1						4	2	
Growths-			1								1		***	1	1 -		1	****					- 4	~	
Epithelial		1	1																				100	179	
Other forms												1	1										1	1	
6. Lupus									-					100	1000	100		1951			1000			12	
8. Polypus																									
9. Tumours					2							1											2	1	
0. Mortification-																									
(a) Primary		***						***		***				***		***		1					ï	1	
(b) Secondary					***									***	1								1	1	
1. Phagedæna 2. Bed-sores			1			***		***						***		***		1			***	***		1	
3. Fistula			1		*1						1	1	15.5	18		1							1	1	
3. Fistula 4. Scrofula			1				2		1	1	1												5	1	
5. Psoas Abscess, includ-		1000						1					10000			1000		1000				STEP ST		1	
5. Psoas Abscess, includ- ing Pelvic					1	1	2	1		2				***									3	4	
												Service Control													
ORDER III.			1		2	1					8				1								3		
								10.0	200	224	***		200				***	2.53		110		2.5	-		
9. Tetanus			***	***		1					18				0									277700	
ORDER III.  9. Tetanus			1														1						1		

DICTIONS		der cars.	5-	10.	10-	-15.	15-	-25.	25-	-35.	35-	-45.	45-	-55.	55—	65.	65-	75.	75-	-85.	Abov	e 85	То	tal.	Grand Total.
DISEASES.	M.	F.	M.	F.	М.	F.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	ToT
ORDER III—continued.  19. Conjunctivitis  20. Amaurosis  21. Cataract  22. Iritis  23. Corneitis																									
24. Disease of Eye 25. Disease of Ear  ORDER IV.  7. Aneurism of Aorta												1												1	1
11. Disease of Arteries 12. Phlebitis	). ).																								
1. Epistaxis																									
1. Strict. of Œsophagu 3. Stomatitis																		1						1 1 7	1 1 9
(a) Femoral (b) Inguinal (c) Otherwise 19. Hæmorrhoids									1	1		ï	1	1	1	ì	2		"i		1		7 1	3	8 4
7. Hæmaturia 8. Stone 10. Cystitis 11. Disease of Prost. Gla 12. Strict. of Urethra in Retention of Uri	nd		-												1						1		1		1
13. Extravasation of Urincluding Urincluding Urincluding Abscess	ne										2		3	***	ï										7
ORDER VIII.  2. Orchitis								. 1					***			- 111								1	1
18. Disease of Female (gans (External)  ORDER IX.  1. Synovitis				00														HISTORY CONTRACTOR						1	1
2. Periostitis			1						١,														1		1

		Un 5 Ye	der ars.	5	10.	10-	-15.	15-	25.	25-	-35.	35-	-45.	45-	-55.	55-	-65.	65-	-75.	75-	-85.	Abov	e 85.	Tot	al.	Grand Total.
	DISEASES.	M.	F.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.	M.	F.	M.	F.	PE
4. 5. 6. 7.	Caries								1	2	1 1	1	2	1										3 1 4	1  4 1	4 1 8 1
3. 4. 5. 8. 12. 13. 18.	Order X.  Carbuncle Abscess (a) Chronic Ulcer Disease of Skin Eczema Scabies Pemphigus Erythema Nodosum Psoriasis Gangrena Senilis	···· ··· i						"i	1										ïi		``i			5  1 1	 1 2 	5 1 3 1
	ORDER XI.  Malformations  Violence and Injury—  (a) Burn and Scald .  (b) Contusions  (c) Sprains	9	8	4	3			1		1	1			1							- 1			1 16 6	19	1 35 7
	(d) Gunshot Wounds (e) Lacer, of Limbs. (f) Wounds (g) Concussion of Brain and Cord (h) Fractures— Simple	1	2									1 5		6		1 4		1			1			4 3 3	 1 2 13	
	Compound Ununited and Mal-union of (k) Dislocations— Simple Compound Suicide (Cut Throat) .											1		2		2								3	2	14 3 2
	TOTAL	13	12	7	7	9	4	12	10	21	10	20	12	23	7	17	8	16	12	5	8	2		145	90	235

TABLE VII.

# SHOWING THE WHOLE NUMBER OF CASES UNDER TREATMENT, WITH THE RESULTS.

DISEASES.	Remaining, January 1st, 1863.	Admitted during 1863.	Total patients under treatment.	Discharged cured and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	of pat	residence sents in l, in days.	Per-centage of deaths to number of patients of each discuse.	Per-centage of deaths to mortality from all causes.
Order I.											
6. Quinsy	1	17	18	18				24	7		
16. Erysipelas—  (a) Simple  (b) Phlegmonous  (c) Cellulitis (diffuse)  (d) Elephantiasis  18. Pyæmia —	11 1 	51 3 100 2	62 4 100 2	59 3 94 2			3 1 6 	22  33 	30  44 36	4·83 25· 6·	1·28 ·42 2·56
(a) Acute (b) Chronic	1	3	4	3			1	10		25.	42.42
(a) Primary (b) Secondary (c) Inherited 25. Gonorrhæa, incl. Bubo and Phymosis 27. Scurvy	20 17 2 16	130 178 9 169 1	150 195 11 185 1	131 170 9 166 1	 2 2 	16 23  17 	3 2	31 33 34 26 20	33 42 53 47	2· 1·02	1.28
ORDER II.											
4. Cancer—  (a) Of External Organs  6. Lupus  8. Polypus  9 Tumours	8	58 6 3 60	66 6 3 64	41 6 3 58	13	2 3	10  3	48 76 28 34	31 107 20 25	15·15 4·69	4.28
10. Mortification— (a) Primary (b) Secondary	1	9	10	6			4	62	26	40.	1.71
11. Phagedæna 12. Bed-sores 13. Fistula 14. Scrofula 15. Psoas Abscess, including Pelvic	 4 10 2	1 2 14 48 16	1 2 18 58 18	1 1 17 45 9	 4 2	 3 	1 1 6 7	18  27 115 85	30 27 96 50	50. 5.55 10.34 38.83	·42 ·42 2·56 2 99
ORDER III.											
9. Tetanus. 14. Neuralgia 18. Disease of Spinal Cord 19. Conjunctivitis 20. Amaurosis. 21. Cataract 22. Iritis 23. Corneitis	 1 4  1	3 3 10 23 5 6 18 13	3 3 11 27 5 7 18 13	3 9 25 4 7 18 12	 1 2 1 		3 1	4  65 26  73 29 34	51 37 8 31 17 66	9.69	1.28

. DISEASES.	Remaining, January 1st, 1863.	Admitted during 1863.	patients under treatment.	Discharged cured and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	of pati	esidence ients in , in days.	Per-centage of deaths to number of patients of each disease.	Per-centage of deaths to mortality from all causes.
	Janus	Adm	Total 1	Disch	Di	Dischar than m		Male.	Female.	Per-cent to num of each	Per-cent to mor causes.
ORDER III-continued.	MEN	1110	DE UNI	HEAD	TO .	man	UMS	HOL	W ATH	T ON	WOB
24. Disease of Eye		3 2	3 2	3 2				24 8	38		
ORDER IV.  7. Aneurism of Aorta	1  1 3 	1 2 6 20 4	2 2 7 23 4	 2 7 23 	1  		1	22 42 43 	68  39 25 	50.	-42
Order V.	***								лапаС		
Epistaxis     Laryngitis		6	6	6				11	14 32	745	10 a
Order VI.  1. Stricture of Esophagus 3. Stomatitis	   2 1 	2 5 3 3 2 2 22 24 8 15	2 5 3 3 2 2 4 25 8 16	2 4 1 2 2 2 15 17 4 16		 2 	1  1  9 8 4	39    2 17 4 35	61 17  29  22 4 5 35	20· 33·33 37·5 32· 50·	·42 ·42 ·42 ·43 3·85 3·42 1·71
Order VII.  7. Hæmaturia 8. Stone	5	3 11 8 6 46 26 1	3 14 9 6 51 26 1	3 13 7 5 46 16 1	 1   1		 1 1 1 5 7 	44 38 30 17 41 	24	7·14 12·50 16·66 2·81 26·92	·42 ·42 ·42 ·42 2·14 2·99
2. Orchitis 3. Hydrocele 4. Hæmatocele 5. Disease of Testicle 9. Ovarian Tumour 18. Disease of Female Organs (External) Order IX.	1  2 	3 10 3 4 1 8	3 11 3 6 1 8	2 10 3 6  5	   1	1 1   2	  	16 29 27 30 	   10 18	100-	-42
1. Synovitis 2. Periostitis 3. Exostosis 4. Caries	8 1  2	84 12 5 11	92 13 5 13	89 13 4 12	  ï	2	1  1 	40 50 29 75	54 38 23 41	1·08 20·	·42 ·42

DISEASES.	Remaining, January 1st, 1863.	Admitted during 1863.	Total patients under treatment.	Discharged cured and relieved.	Discharged unrelieved.	Discharged for other than medical reasons.	Died.	of pat	residence ients in , in days.	Per-centage of deaths to number of patients of each disease.	Per-centage of deaths to mortality from all causes.
ORDER IX—continued.  5. Necrosis 6. Disease of Bone 7. Curvature of Spine 8. Disease of Joints	6 2 4 16	50 1 2 64	56 3 6 80	49 2 4 65	 2 4	3 3	4 1  8	75 49  64	68 34 50 117	57·14 33·33	1·71 ·42 3·42
(a) Disease of Glands	1 14	25 140	26 154	26 147			2	27 31	22 28	3.25	2.14
(a) Chronic	19  3 1	6 104 11 7 2 1	6 123 11 10 3 1	5 116 10 10 3 1	"i	3	5 1 3 1 	35 48 119 26 4	31 34 23 25 15 37	16·66 2·48 9·09	·42 1·28 ·42
21. Psoriasis	 .nfa	3 1	4 4 1	4 4		  	ï	34 23	19	100-	•42
5. Malformations  10. Violence and Injury—  (a) Burn and Scald  (b) Contusions  (c) Sprains  (d) Gunshot Wounds  (e) Laceration of Limbs	8 3 	61 115 193 63 2 14	76 123 196 63 2 14	63 79 184 62 2 10	9	9 5 1	35 7 	63 23   14	75 18   20	1:33 28:45 3:57	14-97 2-99
(f) Wounds (g) Concussion of Brain and Cord (h) Fractures— Simple	10 8 32 2	199 81 301 76	209 89 333 78	202 84 291 63	1	3  1 1	4 52 40 14	26 11 42 89	19 12 37 80	1:91 5:61 12:01 17:94	1·71 22·23 17·12 5·98
of	ï	19 3 10	24 3 11	23 3 8	1	8-0  8-86	 3	51 11	12  14	27:27	1.28
Total	294	38	3316	2906	52	123	235	8		4:46	- 63

Remaining January 1st, 1864...... 334.

VI srcs0 ...

38-46 76-47 33-53

10 11 11-11 15-58 10-08 FG

Of Est. Organ: 14 60 66 Of Int. Organ: 50 30 32

(b) Of Int. Organi.

TABLE SHOWING THE WHOLE NUMBER OF CASES UNDER TREATMENT, WIT THE AVERAGE MORTALITY FOR EACH DISEASE, DURING THE YEARS 186 1862, AND 1863 RESPECTIVELY.

	1000										ZL see	20	
DISEASES.		ses un eatmer		Per-cer	atage of d	eaths.	DISEASES.		ses une eatmer		Per-ce	ntage of d	leaths
	1861	1862	1863	1861	1862	1863		1861	1862	1863	1861	1862	186
ORDER I.  1. Smallpox 2. Chicken-pox 3. Measles 4. Scarlatina	3  1 73	3  11 90	4 1 3 117	24.65	27·27 25·55	19-66	7. Fungus Hæmatodes 8. Polypus 9. Tumours 10. Mortification 11. Phagedæna 12. Bed-sores	3 1	 6 72  3	3 68 10 1	100·  4·11 33·33 100· 100·	4·17 	5·8 5·7 40·
5. Diphtheria		7 26 16 45 166 68	33 18 14 59 44	28·50 3·26 44· 17·31 5·88 16·95	71·43 50· 29·99 18·67 7·35	25· 44·44 22·03 6·82		2	18 36 12 4  153 3	18 62 22  4 143 3	5·55 68·88 100· 44·71	33·33 25·  49·67 66·66	5-3 9-6 31-8 75- 4-8 33-3
(e) Febricula  9. Hooping-cough  10. Diarrhœa  11. Dysentery  12. Cholera  13. Catarrh	63 11 31 11  6	54 9 17 6  2	56 4 11 8 1 2	36·36 12·90 9·01	44·44 5·88 33·33	50· 12·50 100·	ORDER III.  1. Meningitis	3	9 3	6 1	87·50 66·66	66·66 66·66	
14. Influenza 15. Ague 16. Erysipelas 17. Erythema 18. Pyæmia 19. Hospital Gangrene	5 109 14 10	2 5 114 14 13 16	3 3 210 7 6 	8·26 90· 	6·14 46·15 12·50	5·24 50·	Ayoplexy     Apoplexy     Paralysis     (a) Hemiplegia     (b) Paraplegia     Colorea Agitans	10 15 40 21 2	14  46 21	9 7 31 22 3	100· 10. 19·05	100· 19·57 9·52	100· 12·9 27·9
20. Metria	267	293 2 150 138	2 361  150 210	0.75	50-	0·28 2· 0·95	7. Chorea 8. Epilepsy	36 3 15 8 1	24 65 2 25 4 2	31 45 3 14 2 3	4·17 5·55 66·66 12·50	6·15 100· 25·	4°- 100°
(c) Inherited 25. Gonorrhæa, incl. Bubo and Phymosis 26. Purpura 27. Scurvy 28. Thrush	375 19 11	276 8 3	11 185 5 2	26-31	25.	20.	14. Neuralgia 15. Neuroma 16. Disease of Brain 17. Delirium Tremens 18. Disease of Spinal Cord 19. Conjunctivitis	23 13 17	25 9 13 2 10	14 13 12 11 27	38·46 23·53	11·11 15·38 100·	53° 25° 9°
29. Purulent Ophthalmia . 30. Rickets		1 1 2	3 4			25.	20. Amaurosis 21. Cataract. 22. Iritis 23. Corneitis 24. Disease of Eye 25. Disease of Ear	5	9 13 13	5 7 18 13 3 2		EAST TO SERVICE STATE OF THE S	
ORDER II.  1. Gout	13	14 17 13	9 12 11	9·01 38·46 11·11	76·47 15·38	33-33	ORDER IV.  1. Carditis		5	1		80-	100-
(a) Of Ext. Organs (b) Of Int. Organs 5. Melanosis 6. Lupus	50	69 39 1	66 32 6	16-22 46·	13·04 38·46	15·15 3·12	3. Endocarditis, incl. Valvular Disease		13 2	18	20.		27-1

ľ	DISEASES.		ses une		Per-o	centage of	deaths.	DISEASES.		ases un reatme		Per-c	entage of	deaths.
	DISEASES.	1861	1862	1863	1861	1862	1863	DISEASES.	186	1 1862	1863	1861	1862	1863
	ORDER IV-continued.							ORDER VII.						
	6. Disease of Heart 7. Aneurism of Aorta	7	54 8	58 11	56-92 28-57			2. Albuminuria	70	1 63	56	41.43	100· 52·38	32.14
1	8. Do. of other Arteries 9. Angina Pectoris 0. Arteritis		4	2				3. Ischuria 4. Diuresis 5. Diabetes	3 9	5	5	22-22	40-	40-
1	Disease of Arteries     Phlebitis     Disease of Veins	2 16	12 12	7 27		8.33		6. Disease of Kidneys 7. Hæmaturia	17	9 15	1 4 14	42·86 11·76		17:14
ľ	4. Nævus	4	5	14				9. Gravel 10. Cystitis 11. Disease of Prost. Gland 12. Stricture of Urethra	16	10 3 60	9 6 51	12·50 60· 4·08	40· 33·33 8·33	12:50 16:66 2:81
	ORDER V.	,,		0				13. Extravasation of Urine 14. Incontinence of Urine.	49		26			26.92
ı	2. Hæmoptysis 3. Laryngitis 4. Œdema of Glottis	11 20 11 1	5 9 7 2	8 22 5	15· 9·01 100·	14·29 100·	4.55	ORDER VIII.						
п		127 13 6	105 10 6	94 9 11	22·88 15·38 16·66	30-48	29.79	1. Varicocele	13 13	20	3 11			
	(b) Empyema 7. Congestion of Lungs 8. Pneumonia	105	67	4 64	25· 32·38	57·14 31·34	50· 31·25	Hæmatocele     Disease of Testicle     Disease of Male Gene-	17	8	5			
1	9. Pleuro-pneumonia 0. Asthma 1. Emphysema	2	26	28 3	12·50 50· 75·	23.08	7.14	rative Organs 7. Metritis 8. Ovarian Dropsy	5	9 5	12 6	40.	40.	16.66
1	2. Disease of Lungs							9. Ovarian Tumour 10. Disease of Ovaries 11. Uterine Tumour	9 2 16	6 1 5	12 5	22-22	20.	8·33 100· 20·
	ORDER VI.	0			27.50			12. Uterine Polypus 13. Recto-vesical Fistula 14. Vesico-vaginal Fistula 15. Recto-vaginal Fistula	3	5 3	9			22-22
	Strict. of Œsophagus     Teething     Stomatitis	8 9	4 16	7 3	37·50 22·22	31-25	14.38	16. Disord of Menstruation 17. Disease of Uterus, &c. 18. Disease of Female Gene-	21 83	3 14 95	18 135	1.20	1.05	1.48
	4. Gastritis 5. Enteritis 6. Colonitis	2 7 2	2 6 3	3 4 1	14.29	30-	25.	rative Organs			8			
	7. Peritonitis	9 19 1	10 11	12 18	77·77	70.	58 33	ORDER IX.  1. Synovitis	16	30	92			1.08
11	O. Stricture of Intestines. O. Ulceration of Intestines O. Perforation of Intes-	7 4	4 4	3 4	42-86	75· 100·	33·3 50·	2. Periostitis	5	7 16	14 5			20-
13	tines	29	Contract of the	24	34.48	49.18	37.5	5. Necrosis	37 23 21	44 19 12	56 3 6	5.41	2.27	57·14 33·33
14	(b) Inguinal (c) Otherwise Dyspepsia	31 1 15	46 7 19	25 8 8	9.68	8.70	32· 50·	8. Disease of Joints 2 (a) Diseased Glands and Bursæ		210	80	4.78	3.38	2.5
17	. Pyrosis . Chronic Vomiting . Hæmatemesis . Melæna	6 5 2	4 10 3	4 6 3		10-	33-33	9. Muscular Atrophy ORDER X.	1					
19 20 21	. Hæmorrhoids	12		16		100-	00 00		32	25	26	3.12	8.	
22 23 24	Disease of Spleen Disease of Liver Jaundice	3 14 15	2 4 17	1 6 11	42·86 6·66	25· 23·53	33-33	3. Abscess			58 6 23	1·29  1·17	1·62  1·44	3·16 16·66 2·48
26 27	. Hepatitis	3	4		66-66	25.	20° 50°	5. Disease of Skin 6. Roseola 7. Urticaria	19		12 2			8.33
29	. Colic	c	16	9 5 9	64.71	31.25	10.10	8. Eczema	27 1 1	16 2 1	11			
_		_										-		

DISEASES.		ses un reatmer		Per-co	ntage of	deaths.	DISEASES.		ses un reatmer		Per-ce	ntage of	leaths.
	1861	1862	1863	1861	1862	1863		1861	1862	1863	1861	1862	186
Order X—continued.  11. Porrigo 12. Scabies 13. Pemphigus 14. Rupia 15. Ecthyma 16. Impetigo 17. Acne 18. Mentagra 19. Lichen 20. Prurigo 21. Psoriasis 22. Pityriasis 22. Pityriasis 23. Ichthyosis 24. Phlegmon 25. Whitlow 26. Erythema Nodosum 27. Gangrena Senilis  Order XI.  1. Intemperance 2. Privation 3. Neglect 4. Cold	1 1 1 1 1 1 1 3	3 2 1 2 3 3	1 5 4 1 1 16 2	66.66	33-33	100-	5. Malformations 6. Deafness 7. Old Age	 59 34 313 121  1 127 305 24 20  10	41 1 41 30 431 149  1 4 154 259 44 15  4 4 62	76 32 27 123 196 63 2 14 209 89 3333 78 24 3 11	6·75 26·45	2·44 100· 6·66 6·73 26·17 50· 2·60 0·77 38·63	1:3 11:1 29:2 3:5 5:6 12:0 17:5

tage of Deaths. Per-cen-66.66 100-100-100-13.04 8.08 37.5 25. -01 :: 3 :07 -12 Died. M. -940 \* 9: 27 Recovered. 01 4 01 10 10 :0230 1111 8 17 61 7 : : : 5 : 5 6 23523 24 77 99 Total. 299 60 00 44 64 22 2 2 3 2 3 20 8 4 33 Grand -01: :028 91 12 104:100 Total. M. 010401 96253 37 37 83 227 Above 85. E. 1111 :- :: : : 7 11111 M. 1111 11111 1111 : : : 75-85. : 07 : 1111 : - : - : -E. ŧ M. --: 9 1111 ŧ ::::" : : 65-75. 1111 - : :01 : C4 : 9 E. :- :: M. 1::: 10 : :::-: :07 - : 55-65. si. :- :: : ::-0 00 - : : : : M. ::0-::--67 :- :: 17 45-55. ď. :- :: -:::: ::-0 01 01 6 M. : : 40 :-01: : 2 5 **\*** : : : : 31 35-45. :- : : -0 14 ri. 1111 M. :-:-::-01 01:01-3 3 42 25-35. 9 œ. 01 : 1111 --::-:::" :01-M. 2000 : :01 10 8 8 53 15 - 25. 03 = 1111 : 11111 1111 M. 1111 63 0101 : :-- :-2 100 25 10-15. 1 1111 17 ::: : :- : : : 03 01 : : : M. 99 22 -::-0 : :0 : 09 : 00 5-10. pi, -::: : : : : : 01 ::00 : H. ::--: :2: : 18 1111 Under 5 Years. 1111 ď. : :::-: : :10 M. :04 : : : = -:::-: :- : : : Humerus
Radius and Ulna
Bones of Hand Pelvis Femur, Neck Patella Tibia and Fibula, or Tibia Dorsal ..... Bones of Face Sternum Ribs Clavicle ..... alone ..... Base .... Spine, Cervical Fibula alone..... Shaft ..... Coccyx ..... Lumbar Bones of Foot ..... Sacrum and SIMPLE FRACTURES-DISEASES. ...

SUB-TABLE (FRACTURES AND DISLOCATIONS).

1.5		1					_	-	-	-		_			
Per-cen-	Deaths.		-08	20.	100- 33-33 100-	23.	18-91								
Died.	F.		:	:	111	-	-								
Ä	M.		4	-		10	13		1						
Recovered.	5		-	:	64 : : :	01	10	T			7 : : 67 -	4			
Recor	M.		:	1	8 :01 ::	3	25	01 01	4		e 8 9 1 ±4	15		- 61	63
	snO roT		70	63	35	3 4	74	01 01	4		F00000	19		63	60
Total.	F.		-	:	64 : : : :	e :	9	1::	1		- : :0-	4		11	1
To	M.		4	63	83.1	3 23	89	01 01	4		900 : 4	15		1 2	60
e 85.	F.		:	:	1111	11	1:	1::	1		11111	1:		11	1
Above	M.		11	:	1111	::	:	1::	1:		11111	1:		1:	1
85.	Э.		:	:	1111	::	:	1	:		11111	1:		::	1
72	M.		:	:	::::	::	:	1::	:		11111	:		11	:
-75.	5.		:	:	::::	::	:	::	:		11111	:		11	:
65	M.		1	:	::::	: :	-	::	:		11111	1:		::	:
-65.	E.		i	:	1111	- :	-	::	:	9	:::	63		11	:
55	M.		-	:	- i- i	١ :	52	- :	1		-::::	1		::	
-55.	F.		i	:	1111	::	:	::	1		-::::	-		::	1
45	M.		-	:	- 1- 14	• :	00	- :	-		-::::	1		::	1
35—45.	b:		:	:	1111	::	:	::	:		11111	:		::	:
35	M.		1	-	4 :	- 0	12	::	:		61 - 1 - 1	4		:-	-
35.	F.		:	:	1111	1:	1	::	:		11111	:		11	1
25	M.		-	-	r :::4	101	15	::	:		214 : : 62	9		- :	-
15—25.	F.		:	:	-:::	::	1	::	:		:::-:	-		::	:
15-	M.		:	1	· :::0	1 :	6	:-	-		:::	61		::	:
10-15.	E.		:	:	11117	1	-	11	:		11111	1		11	:
10	M.		:	:	2:::	:	Ξ	::	:		11111	1		- :	-
5-10.	2		-	:	11111	:	-	::	:		11111	:		::	:
2	M.		1	:	::°	:	4	:-	-		::-::	-		11	:
Under 5 Years.	E.		:	:	- : : : :	:	-	::	:		11111	:		::	:
Un 5 Y	M.		:	•	٠٠ : : : :	:	00	::	:		11111	:	1	::	:
DISEASES.		Compound Fractures-	Skull, Vault	Humerus. Radius and Ulna.	Bones of Hand Pelvis Femur Patella Tibia or Fibula	Bones of Foot	TOTAL	Ununited Fractures Mal-union of do	TOTAL	DISLOCATIONS, SIMPLE-	At Shoulder Joint ", Elbow ", ", Hip ", Of Patella At Ankle Joint.	TOTAL	Dislocations, Com-	Of Digits, Carpal	TOTAL

Continued.

_	_							•						
Died.		F.	4-6			-		21 - 4				4.01		
-		M.	:	:05		:		4-01	eo :	61	-	8 7	13	4.60
Recovered		F.	22 6 4	111	120	13	60 :	60 61 60	11	4	-	64 :	:	٠º :
Reco		M.	35 16 5	60 : :	401	1- 01	70 -1	16 55	11		9	1- :	00 01	10 10
	asni sto'	_	62 24 11	4 9 8	15 5 2	212	10	100 20 14	65 H	2.1	00	21	- 11	14 6
Total.		F.	26 7 6		1 3 1	14 ::	4 :1	33		ю :	-	9 ::	11	٥ :
To		M.	36	8000	401	1-01	96 :	69 17	63 :	2 ~	10	15 ::	13 23	6.9
ve 85.		F.	111	111	111	11	111	:::	11	1.1	in in	11	11	11
Above		M.	111	111	111	11	111	111	11	11	1		1-1	11
-85.		F.	111	111	111	11	111	: :-	11	1 1 1	1	11	11	11
75		M.	:-:	:::	111	11	:::	64 : :	::	1.1	:	11	111	11
-75.		F.	:	111	: : :	⊢ :	- : :	111	11	::	:	- 12	11	11
65-		M.	60.4	111	111	11	- : :	e-:	11	::	:	11	11	11
-65.		E.	2 - 1	111	111	01 :	111	64 → :	11	11	:	14	1:1	::
55		M.	421	111	111	01 :	01	1 2 6	11	::	:	- :	- :	- :
-55.		F.	401	: :-	- ; ;	64 :	:::	2	11	11	:	1.1	11	111
45		M.	126	- 62 :	111	::	- : :	5 4 2	- :	11	-	- :	ıo :	
-45.		F.	4	- : :	- : :	- :	- :-	10 : 5	::	11		11	11	7 :
35		M.	P 60 01	01	111	- :	:::	44 4 1	111	11	61	eo :	4-	01 01
-35.		F.	2 - 1	111	2 :-	ea :	- : :	7 :-	:-	11	:	. 11	11	11
25-		M.	15.8	:01.01	7 11	64 ;	-::	0 8 8	::	- :	61	ω :	60 H	2 -
.23.		F.	8-1-1	:- :	900 :	٠o :	111	9 : :	11	60	1	11	11	60 :
13-		M.	9 ::	: :01	0101 ;	61 61	:-:	16	11	11	61	::	::	24
10.		F.		111	- : :			27 → :	11	1 :	-	1.1	::	- :
IN		M.	- 63 :	::-	: :-	11	:-:	- :-	61 :	11	1	i i	::	- :
10.		E.	64 : :	111	111	11	1411	<b>-</b> ; ;	-11	11		7:	::	111
-		M.	-::	- : :	-::	- 11	111	64 : :	1:	7 ::	1	64 :	11	1:
	rears.	F.	-::	111	111	11	1::	111	::	61 :	1	60 :	11	
1	5 IC	M.	64 : :	111	:::	11	- : :	:-:	11	:-	:	1 2	: :	:-
Traval.	DISEASES.		Erysipelas—Admissions     Do. occurring in Hospital     Do. do. after Operations	Pyæmia—Admissions     Do. occurring in Hospital     Do. do. after Operations	Dhagadæna—Admissions     Do. occurring in Hospital     Do. do. after Operations	Sloughing—Admissions     Do. occurring in Hospital     Do. do. after Operations	Gangrene—Admissions     Do. occurring in Hospital     Do. do. after Operations	Diffuse Cellulitis—Admissions     Do. occurring in Hospital     Do. do. after Operations	Tetanus—Admissions     Do. occurring in Hospital     Do. do. after Operations	Fever, including Scarlatina— 2. Do. occurring in Hospital 3. Do. do. after Operations	Acute Rheumatism—occurring in Hospital     Do. do. after Operations	G. Gdema Glottidis, Croup, Bron- chitis, Pleurisy, Pneumonia     —occurring in Hospital      Do. do. after Operations	Delirium Tremens—occurring     in Hospital     Do. do. after Operations	3. Hæmorrhage after Operations, recurring Do. Secondary
-	-						- 64 67	- 04 03	- 64 63	04.07		,	20	

# CAUSES OF DEATH IN SIXTY-EIGHT CASES OF DISEASE AND NINETY OF INJURY, EXCLUSIVE OF OPERATIONS.

No. of Case.	Se	х.	Age.	Nature of Disease or Injury.	Cause of Death.
1		F.	From 55 to 65	Erysipelas, Idiopathic	Exhaustion.
î		F.	" 5 to 10	Erysipelas, Traumatic	Inflam. of Membranes of Brain
1		F.	" 25 to 35	" Phlegmonous	Exhaustion.
î	M.		" 25 to 35	Cellulitis, Idiopathic	Pyæmia, Acute.
î		F.	" 55 to 65		Exhaustion.
1	M.		" 75 to 85	" "	Exhaustion.
1		F.	" 45 to 55	", Traumatic	Secondary Gangrene.
î	M.		" 55 to 65		Delirium Tremens.
1	M.		" 65 to 75	33 33	Exhaustion (Asthenia).
1		F.	" 65 to 75	Gangrene, Primary	Continuation of Disease.
1		F.	05 40 95	G	
1	M.		,, 65 to 75	" Secondary " Senile	" "
1	M.		" 10 to 15	Tetanus, Traumatic	" "
î	M.		" 25 to 35	Abscess	Rheumatic Fever, Endocarditi
1	M.		" 35 to 45		Pyamia, Acute.
î	M.		" 35 to 45	"	Exhaustion.
1	M.		" 45 to 55		
1	M.		" 65 to 75	"	Laryngitis, Orthopnœa.
î		F.	" 25 to 35	", Chronic	Pyæmia, Chronic.
î		F.	" 10 to 15	Dagge	Exhaustion.
2	M.	F.	" 15 to 25	"	
1	M.		" 10 to 15	" Pelvic	"
2		F.	" 15 to 25		
1		F.	" 65 to 75	Ulcer "	Apoplexy.
î		F.	" 75 to 85		
1		F.	,, 65 to 75	Bed-sore	Exhaustion.
1	M.		,, 55 to 65	Cancer (Villous) of Bladder	Continuation of Disease.
1	M.		" 65 to 75	" (Medullary) of Os Inno-	
	1000000		"	" minatum	
1		F.	" 35 to 45	" (Scirrhous) of Rectum	"
1	M.		" 55 to 65	" (Scirrhous) of Penis	" "
1		F.	" 45 to 55	", (Scirrhous) of Pylorus	" "
2	M.	F.	" 25 to 35	Struma, Disease of Joints	Phthisis.
1		F.	" 15 to 25	Primary Syphilis	Scarlatina.
1		F.	" 15 to 25	,, ,,	Erysipelas.
1	M.		" 25 to 35	" "	Degeneration of Kidneys, Uran
1		F.	" 15 to 25	Secondary "	Syphilitic Cachexia.
1		F.	" 15 to 25	Slonghing Illeer	Secondary Hæmorrhage.
1	M.		Under 5.	Skin Affection	Purpura.
1	M.		From 45 to 55	Gland Affection	Delirium Tremens.
		F.	" 75 to 85	Bunion	Cellulitis (Diffuse).
1 1 2	M.		" 5 to 10	Necrosis, Acute	Pyæmia, Acute.
2	M.	F.	" 25 to 35	Necrosis	Phthisis.
1		F.	" 10 to 15	Joints (Knee), Acute Synovitis,	Phthisis.
	1 15			Rheumatic	Fu # 90 5- 90 5
1		F.	" 15 to 25	" (do.) Chronic Disease	,,
1		F.	" 35 to 45	" (Minor)	Pneumonia.
1	M.		" 65 to 75	Spinal Cord, Serous Effusion	Paraplegia, Coma.
1		F.	" 5 to 10		

	lo. of Case.	Se	x.	Age.	Nature of Disease or Injury.	Cause of Death.
	1 1 1	 M.	F. F.	From 65 to 75 ,, 35 to 45 ,, 75 to 85	Rectum, Stricture of Hernia, Reducible ,, Strangulated Taxis	Bed-sore, Exhaustion. Phthisis. Hæmorrhage into Intestine, Peri-
	1	М. М.		" 25 to 35 " 25 to 35	Urethra, Stricture of	tonitis. Uræmia. Extravasation, Pelvic Cellulitis, Peritonitis.
STATE OF	1 1 1	M. M. M.		,, 35 to 45 ,, 35 to 45 ,, 65 to 75	" " "	, Pyæmia, Chronic. Peritonitis.
	1 1 1	M. M. M.		,, 35 to 45 ,, 35 to 45 ,, 25 to 35	" Extravasation of Urine	Uræmia. Peritonitis. Recurrent Hæmorrhage.
	2 1 1 1	M. M. M.		,, 45 to 55 ,, 45 to 55 ,, 55 to 65 Over 85.	" " " Prostate, Enlargement of	Exhaustion. Uræmia. Erysipelas. Continuation of Disease.
	1 13 5	M. M. 6. M. 2.	F. 7. F. 3.	From 55 to 65 Under 5 From 5 to 10	Cystitis. Burn and Scald	Uremia. Collapse.
	1 2 2		F. F. F.	,, 15 to 25 ,, 45 to 55 ,, 55 to 65	"	"
ı	1 4 2 1	M. 3. M.	F. F. 1. F. F.	,, 45 to 55 Under 5 From 5 to 10 ,, 5 to 10	)) )) ))	Exhaustion. Pneumonia.  Irritative Fever.
ı	1 1 1 1	 М. М.	F	", 25 to 35 ", 15 to 25 ", 25 to 35	"	Tetanus. Delirium, Traumatic. , Tremens.
ı	1 1 1 1	M. M.	F.	", 55 to 65 Under 5 From 15 to 25	Contusion (Abdomen)	Laceration of Intestine, Collapse.
١	1 1 1	M. M. M.		,, 55 to 65 ,, 10 to 15 ,, 15 to 25	" " " " " "	", Liver. ",
ı	1 1 1 1	M. M. M.		,, 25 to 35 ,, 65 to 75 ,, 15 to 25 ,, 35 to 45	Laceration of Limb	Cardiac Disease, Syncope.
ı	1 3 1	M. M. 1. M.	F. 2.	", 55 to 65 Under 5 From 35 to 45	Concussion of Brain	" "
1	1	M	F.	" 25 to 35 " 5 to 10	" Spinal Cord Fractured Skull, Vault	Inflammation of Membranes of Brain
-	1 1 1	M. M. M.		,, 10 to 15 Under 5 From 15 to 25	" "	"
	1 2 7	M. M. M.	F.	,, 35 to 45 ,, 45 to 55 ,, 55 to 65 ,, 35 to 45	" " Base	Collapse.  Inflam. of Membranes of Brain.
-	1 1 1	M. M.		" 55 to 65 " 15 to 25 " 35 to 45	Fractured Ribs	Coma. Emphysema, Asphyxia.
The state of the s	1	M. M.		" 25 to 35 } " 45 to 55 }	" "	Delirium Tremens.

No. of Case.	ex.	Age.	Nature of Disease or Injury.	Cause of Death.
1 M. 1 1 M. 1 M. 1 M. 1 M. 1 M. 1 M.	F. F. F F F F. F. F. F. F	From 35 to 45  ,, 55 to 65 ,, 75 to 85 Under 5  From 5 to 10 ,, 25 to 35 ,, 35 to 45 ,, 35 to 45 ,, 35 to 45 ,, 75 to 85 ,, 55 to 65 ,, 65 to 75 ,, 75 to 85 ,, 55 to 65 ,, 65 to 75 ,, 5 to 10 ,, 45 to 55 ,, 35 to 45 ,, 45 to 55 ,, 55 to 65 ,, 65 to 75 ,, 5 to 10 ,, 45 to 55 ,, 35 to 45 ,, 45 to 55 ,, 65 to 75	Fractured Ribs  " Pelvis " Long Bones of Extremities " " Fractured Long Bones of Extremities  " " "  Fractured Femur Humerus Wound of Forearm, Right " " " " " " " " " " " Pelvis " Pelvis " Long Bones of Extremities "	Coma. Typhoid Fever. Delirium Tremens.  Phthisis. Collapse. Cellulitis (Sloughing), Forearm Secondary Hæmorrhage. Senile Gangrene, Erysipelas. Erysipelas. Bed-sore.

## SUB TABLE-COMPLICATIONS.

Complication.	Male.	Female.	Diseases or Injury.
Erysipelas	1		Ulcer of Leg.
, I		1	Strumous Abscess.
		1	Inflamed Glands.
		1	Suppurating Bursa.
	3		Necrosis.
	1		Contused Wound.
	7 2	1	Scalp wounds, 1 of Membranes of Brain. Wounds, 1 ditto
	î		Fract. Maxilla Supr.
		1	" Ribs.
	1		" Femur.
	2	1	" Tibia. 1 died, (after Senile Gangrene.)
		2 3	Amputations.
	1	3	Excisions of Tumours. 2 died.
		1	Removal of Bone, (living.)
	1	1	" of Sequestra.
Pyæmia	1		Diffuse cellulitis. Fatal.
Lyamia	î		Abscess. Fatal.
4		1	Chronic Abscess. Fatal.
	1		Stricture of Urethra and Extravasation of Urine. Fatal.
	1		Comp. Fract. Humerus. Fatal.
	1		" " Tibia. Fatal.
	2 2	3	Amputations. All fatal.
	2	1	Excisions of Tumours. All fatal.
Phagedæna	2		Suppurating Bubo.
I magediena		2	Syphilitic Sores.
		2 1	Excoriation from Gonorrhœa.
	1		Removal of Sequestra.
		1	Excision of Tumour—Integument from.
Canamana	0		Lacerations.
Gangrene	2	ï	Amputation. Fatal.
			Amputation. Patat.
Diffuse Cellular In-			
flammation (in-		Service of the leaves	
cluding suppura-	.03	200677	
tion and slough-			
ing of Cellular			N
Tissue)	1		Necrosis. Otorrhœa.
	7	1	Scalp Wounds.
	3	1	Wounds.
	3		Simple Fractures.
	2	1	Comp. Fractures. Two fatal.
	2 4		Amputations.
	1	3 2 1	Herniotomy. Two fatal.
	TO THE RESERVE OF THE PARTY OF	- 1	Excision of portion of Bone. Fatal.
		1	and the same of th
	1 1	1 	Plastic Operation. Ligature of Arteries. 9 fatal.

## Continued.

Complication.	Male. Fem	ale. Disease or Injury.
Tetanus		Burn. Fatal.
Fevers (all forms)		Primy. Syph. Fatal.
,		2 Sec. Syph.
	2 .	
	1 .	. Lithotomy.
Acute Rheumatism	1 .	Abscess. Fatal.
Acute Itheumatism	î .	Ct. : to CTI -tl
	0	Fractures.
	2 .	. Gonorrhœa.
		1 Synovitis.
	1 .	. Cystitis.
Inflammations of		Chapte of Late (West - 1972)
Respiratory Or-		
gans	1 .	Erysipelas. Fatal.
		Diffuse Cellulitis.
		Abscess. Fatal. Burn and Scald. 6 fatal.
	7	Cut Throat Fatal
	2	Wound
	2	2 Fract. (ribs). 2 fatal.
		2 Excision of Tumours.
		Operation for Harelip.
D 11 1 m	,	Disease of Gland. Fatal.
Delirium Tremens	7	Russ Estal
	1	Congresion
	0	Simple Fractures. 2 fatal.
	4	Compound Fractures. 1 Fatal.
	0	Amputations.
Hæmorrhage, after		nive to Dannis auddinostil 1
Operations.	1	Primary Amputations.
Recurrent	4	4 Amputations for Disease. 1 fatal.
	2 1	Lithotomy
	2	1 Excision of Tumours.
Secondary	1	Sec. Amputation. Fatal.
becondary	2	Amputation for Disease. 1 fatal.
	1	Excision of portion of Tongue.
	7	Tracheotomy. Fatal.
	1	Ligature of Artery (for Wound).

					_							
ied.	E.		::	11	::	:	::		60 :	::	!!	:
	M.					:			٠:	11	11	:
fot	Di.		and the second	::	11	:	the state of the same			!!	::	:
Reli										!!		:
ieved	A					:				::	: :	:
												:
Re-	-											10
-	M			2000								=
TAL.	F.											10
T <sub>o</sub>	M.				10000		1000			1		=
and ove.	4				3 10							:
75 da	M.			::		:						:
1	E.			::		:				10000		:
-	M.											
1	F.		7.45	100		150		10.00		10000		-
-	M						1000000					÷
1	F.	1 1 1		0.0								-
-						7.1						61
100	-					64				10.1	1000	63
					200	-		- : :				
100	-	100	01 01			-	- 2		01 01		10000	-
-			- : :			-	- 11		-:			4
30				170		6.0	:-	11	1 6	11	11	4
-					1:	-	11	11	7.7	:-	:-	-
8					<b>-</b> :	77	- 62	111	64 :		11	-
-			11	11	11	-	- 11	11		:- '	- :	-
15	-		11	- :	11	6	111		- :	11	11	:
-			:-	::	11	-	11	- 11	64 :	11	::	-
10			::	::	:-	9	11	:-	eo :		::	:
-	7			::	::	1	11		11		::	- :
10	M.		11	:-	::	1	111	11	- :	<b>-</b> ::	::	:
ler ars.	F.		11	::	111	1	11					=
Unc 5 Ye	M.		11	::	11	-	!!		1:	1 1	11	:
OPERATIONS.	The second secon	AMPUTATIONS.	rimary :— Hip Joint Thigh Leg	Foot Toes Shoulder Joint		Fingers.	Hip Joint. Thigh Leg Foot			Foot Toes Shoulder Joint	Fore-arm Hand	Fingers
	5 Years. 5— 10— 15— 20— 30— 40— 50— 60— 65— 70	Under 5 Vears. 5 10 15 20 80 80 40 50 60 65 70 75 and Total. Covered Relieved Reliev	OPERATIONS.         Under 5 Years.         5-         10-         15-         20-         40-         50-         60-         65-         70-         75 and above.         Total.         Relieved	Under 5 Years. 5— 10— 15— 20— 30— 40— 50— 60— 65— 70— 75 and Toral. Covered Relieved Relieved Relieved Relieved Died Relieved Relieved Relieved Died Relieved Relieve	OPERATIONS.         Under Sales         5- Years.         5- No. Be.         10- 15- 30- 30- 40- 50- 60- 65- 70- 350- 30- 65- 70- 350- 65- 70- 350- 350- 65- 70- 350- 350- 350- 350- 350- 350- 350- 35	OPERATIONS.         Upder 5 Years.         5—         10—         15—         20—         40—         50—         60—         65—         70—         75 and 1 Total.         Redieved Relieved Reli	OPERATIONS.         5 Years.         5 - 10- 15- 30- 30- 40- 50- 60- 65- 70- 3bove.         50- 60- 65- 70- 3bove.         70- 3bove. 3bove. 3bove.         70- 3bove. 3bove	OPERATIONS.         5 Years.         5 Lunder         5 Lunder         5 Lunder         5 Lunder         5 Lunder         5 Lunder         6 Lunder         6 Lunder         6 Lunder         6 Lunder         6 Lunder         6 Lunder         70 Lunder         70 Lunder         70 Lunder         70 Lunder         70 Lunder         8 Lunder	OPERATIONS.         Under 5 - 10 - 15 - 20 - 30 - 40 - 50 - 60 - 60 - 70 - 15 - 30 - 40 - 15 - 10 - 15 - 10 - 15 - 10 - 15 - 10 - 15 - 10 - 15 - 10 - 15 - 10 - 15 - 10 - 15 - 10 - 15 - 10 - 15 - 10 - 10	AMPUTATIONS.  AM	OPERATIONS.         Department of property of the control of the	OPERATIONS.         Supplies         6-1         10-1

SURGICAL OPERATIONS PERFORMED (continued).

	Toral. Toral. Covered.	F. M. F. M. F. M.		1 10 1 2	1 1 2 10 2 10 3 10	9 2		2		Ze:::0:21721 1 1	
ERIODS.	- 65- 70-	F. M. F. M.		1		:					
QUINQUENNIAL PERIODS	-09 -09	F. M. F. M.		5	113		1	1 1		2 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
SEX IN QUID	30- 40-	M. F. M.		1 3	7 17	:	1 1	1			1 1
AGE AND	15- 20-	M. F M. F.				-	1				-
	6- 10-	M. F. M. F.				1	:				-
	Under 5 Years.	M. F.				4	1	2	q		
The state of the s	OPERATIONS.		HERNIA.	Inguinal :—Radical Cure Herniotomy—Opening Sac. Without opening.	Herniotomy—Opening Sac Without opening Umbilical Hernia:—Opening Without opening	Гітнотомт	Гітнотатт	Urethrotomy :—For Calculus For Stricture	EXCISION AND REMOVAL OF TUMOURS AND GROWTHS.	r Tu r Tu r Tu r Tu r Tu dula dula dula dula dula is rtosi ine rrs rtosi ine rrs rtosi ine rrs rtosi ine rrs rtosi ine re rtosi ine re rtosi ine re rtosi in in in in in in in in in in in in in	", Upper Extremity ", Lower Extremity

1			-				
-	- :-						
-	11	1 13	60			- : :	"
-			7				
	11						
					1		
13						11 1	
01	11	64	1 1		: :	1111	
	- :	01 :01	-		-		1000
- 1	01 =	1 - 12		6 : 4 -		60	0 :50 00 00 :00
N		-	: :		=		
314		64 : 60	61	- : 61 -		: : 04	1001 : 100
	2	12 12	eo :	2 - 7 -	- =	H 63 :	0 10 10 00 17 1
-3	111	1 11	79 79 79			111	
-3	No.		-				
10		1 11		1111			
13			1 1 1				
- 10	11	1 11	1 1 1		1 1	11 1	
-		1111					
-							
		1 11				11 1	
13			: : :				
	111	1 1 1	1 1 1			11 1	11-1-11111
- 1							
	1-				. 60		
	1	1 11					2 1 1 1 1 1 1 1
1 13						11 1	
			1 1 1		63	:- :	7   7
	111						THE THE THE TAXABLE
		: :00			63	-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
-	-	11110					PER PERSONAL PROPERTY AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AD
	4.5	7	. 7	11117			
400	-		- : :	- : : :	- 63	- :	1 1 1 1 1 1 1 1 1
		- 24	7 1 1			1111	
101	-	Э :н	: : :	111111	-		::-::0 ::::4 :
	-				-		
100	111	1 1 1	: : :		:	11 1	
		1 17		17, 1 7		-	
		1 11	-				111111111111111111111111111111111111111
- 1		: :01	- : :	7 : 0		11 1	
: 1		1 11	1 1 1	61		::-	N I
1							
		1 111	; ;		:	111	-
111				and			
	Trunk Upper Extremity Lower Extremity Upper	Removal of Sequestra:—From Head From Trunk ,, Upper Extremities ,, Lower Extremities	Tracheotomy  Laryngotomy  Esophagotomy  Abdominal Section:—Ovariotomy  Gastrotomy  Cæsarean Section	REPARATORY OPERATIONS.  Cicatrices and Contractions (from Burns and other Injuries)  Deformities from Disease  Deformities, Congenital:—Hare Lip. Others Cleft or Defective Palate	Paracentesis. Abdominal Hydrocele and Hematocele. Ovarian	Thoracic Vesical Cephalic Spina Bifida Evacuation of Cysts and Tumours	Sections of Soft Parts.  Perineal Section—Urethral Fistula Hæmorhoids Partial Excision of Organs Phimosis Congenital) Extraction of Loose Cartilages Balls and other Foreign Bodies Balls and other Foreign Bodies Textraction Rectun Others Trenoromy Myoromy Neurotomy
				Ling.	111		Bod
		d.	ye.	N.S.	111	T. C.	Ts.
		Неа	ton	rio Fron		MO	A C C
	44	B s s	ario	s (fr	818	Tu	4 P 8 8 2 9 4 P
	Trunk Upper Extremity Lower Extremity Jpper	Lower  F Sequestra:—From H  Trunk  Upper Extremities  Lower Extremities	ó	REPARATORY OPERATIONS. and Contractions (from B juries) s from Disease s, from Lipuries s, Congenital:—Hare Lip. s efective Palate	Paracentesis. Hematocele.	N Q Z	Sections or Sort Parts. ction—Urethral for Rupture of Peri ds lision of Organs. Congenital) of Loose Cartilages Balls and other Foreign ivision of Stricture:—Uret m
-	xtr	xtrem		ARATORY Contractices) om Disease "Injuries Congenital:-	CEN	· · · · · · · · · · · · ·	Ruhr Ruhr Ruhr Gan gan do o Verice
Frank Trunk	ker H	fra Ext Ext	TON	onti onti Diss (nju	RA mat	YST	S S S S S S S S S S S S S S S S S S S
444	Trumk Upper Lower	nk nk er	ry.	nd Conries) from J	PA Hei	0 4	n of n of coos
		Seg Upp	DOM'S C SI TOM TOM	and urie fro fro	pu	0 7	Section—Uret for hoids  Congenital)  n of Loose Ca Balls and Division of St um  x
::	" " Joints,	". Lowe From Trunk ". Upper	NA Sare	REPARA catrices and Co other Injuries) eformities from In formities, Conge Others	nal le a	fida	Sec Sec Sec CC (C On C On C On C On C On C On C On
-	Join J	Fro	Cass Cass	R trices a her Injournities remitties Others	min	acic al: alic Bi	al E osis
		tem	TRACHEOTOMY  LARYNGOTOMY  ESOPHAGOTOMY  ABDOMINAL SECTION:—Ovariotomy  Gastrotomy  Cæsarean Section	Gicatrices and Contraction other Injuries) Deformities from Disease Deformities, Congenital: Others. Cleft or Defective Palate	Abdominal Hydrocele a Ovarian	Thoracic Vesical Cephalic Spina Bifida Evacuation of Cysts and Tumours	Sections of Soft Parts  Perineal Section—Urethral Fistula Hæmorhods Partial Excision of Organs Phimosis Congenital) Extraction of Loose Cartilages  " (Congenital) Extraction of Loose Cartilages Others Trenoromy Myoromy Neuroromy Neuroromy
	-	2 1	-154	0 0 0 0	4HO	E > O S M	NA E PER P
							r

SURGICAL OPERATIONS PERFORMED (continued).

				AGE	g AND	D SEX	X IN	QUINQUENNIAL PERIODS	QUE	NNIA	L PE	RIOD	oi.							RES	RESULTS	ıń.		
OPERATIONS.	Under 5 Years.	1	10	15-	30	1	80-	40	25	-09	8	-59	1	70-	75 and above.		TOTAL.	Re- covered.	_	Relieved	-	Not Relieved.	Died.	
	M. F. M.	2.	MF.	M. F	F. M.	F.	M. F.	M.	F. M.	E.	M. F.	. M.	124	M. F.	M.	F.	M. F.	M.	F. 3	M. F.	M.	F.	M.	E.
REMOVAL OF PARTS BY LIGATURE.																								
Nævi Hæmorrhoids Tongue	1 10			1				1	-		-	-		:	:	:	1 10	-	01		:	i	:	
Other parts Removal of Parts by Ecraseur			1						- 69	-			- 1	:		:	1 3	:	63		-		:	
LIGATURE OF ARTERIES.									Miles I										_				-	
For Aneurism  For Hæmorrhage  For other Diseases and Injuries		:		04		_	60	4	- 1	-		-		- 1	-	-	10 4	10	63	-:	-	:	:	-
OBLITERATION OF VEINS BY ISSUES  " BY LIGATURE				11	-	7 :	11	11		!!	11		11	11	11	11	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- :				7 :	11	11
OPHTHALMIC OPERATIONS.						- 10																10000		
Extraction of Lens Dislocation ,, Keratonyxis Artificial Pupil				1111				:::-			₹ ; ; ;		-:::		1111	1111	4:11	63 : : : E	00	- :	1111	1111	1111	1111
Excision of Eye Other Operations on Eye			:	:		-		- 1	- 1		-:		:	- :	:	:	1	1	-	-	- !	- 1	-	- 1
REPUCTION OF DISLOCATIONS (OLD)			11	11			11	11	- :	- :	11	11	- ; ;	11	11	11	1 1				; ;	- :	11	11
	22 18 3	20 8	25 11	27	15 45	5 27	45 23	33	28 28	18	13	3 6	4	2	22	2 23	271 158	216	126	6	5	9	43	23
			Males Females	ales							271													
				Ope Diff	Do. Ferent	twice operati	Operation once repeated Do. twice do. Different operation			62-1	429													
				1		1	1	1			1		1											0

TABLE II.-MORTALITY FROM SURGICAL OPERATIONS.

		TOTAL DEATHS.	. F.		67	:	111	11	69	
		L Q	M.			-	999		7	
		75-	F.		11	:		11	:	
			N.		11	:	::	1-1	:	
		70-	F.		-	1	!!	11	:	
		7.	M.		11	:	::	11	1	
		1	F.		11	:	::	::		
		65-	M.		1.		::	: :	:	
	ODS	1	F.		11	:	::	11	:	
	PERI	-09	M.		::	:	:-	::	:	
	IAL	1	F.		::	:	11	::	:	
	ENN	50-	M.		::	:	11	: :	:	
	NQUI	1	F.			-	111-	111	01	
	AGE AND SEX IN QUINQUENNIAL PERIODS.	40-	M.		-:	:	57	<b>-</b> :	-	
	NI Z	1	F.			1	1-1	11	-	
	SEX	30	M.	100	::	:	11	::	67	
	AND		F.		11	1	11	::	:	
	IGE	20-	M.		- :	:		::	01	
		1	F.			:	11	11	:	1
		15-	M.		11	-	11	11	-	
		1	F.		11	:	11	11	:	
		10	M.		11	:	11	:-	:	
1			F.		11	:	11		- ;	
		20	M.		411	:	11	11	:	
	-	ler ars.	F.		11	:	11	::	- 1	
	-	Under 5 Years	M.		11	:	11	::	.:	
		OPERATIONS.	Control of the Contro	AMPUTATIONS.	Primary:— Hip Joint Thigh Leg Foot Toes Shoulder Joint	: : : :		Shoulder Joint Arm Fore-arm Hand Finger	For Disease :— Hip Joint. Thigh Leg Foot	Toes Shoulder Joint Arm Pore arm Hand Finger

TABLE II.-MORTALITY FROM SURGICAL OPERATIONS (continued).

	TOTAL DEATHS.	F.		14 :	9	6.3	:				67 -	:			: :	:	-	1	
	Tor	M.		10.11	63	-	1				: :	C4				-	:	6.3	
		F.		111	-	:	:	-			111	:			1:	:	:	:	
	75	M.	\$	- :	:	1	:	-			::	1			::	:	:	:	
	1	F.		::	-		;	j			::	:			::	:	:	:	
	-02	M.		:-	:	:	:				::	:			::	:	:	:	
	Ĭ	F.		111	-	-	:	-			-	:			1:	:	:	:	
	65	M.	1	- :	-	-	:	-			1 :	:			11	. :	:	:	
si si	-09	ъ.		::	:	1	:				1:	:			11	:	:	:	
TOD	9	M.		- :	-	1	-	-			11	- :			11	:	:	:	
PEI	-09	F.		11	C-3	-	:				- :	1			::	:	:	:	
NIAL	10	M.		- :	:		:					:			::	:	:	:	
UEN	40-	F.			-	:	:				:-	:			11	:	-	:	
QUINQUENNIAL PERIODS	4	M.		::	1	:	:				1:	:			11	1	:	1	
IN QI	30-	F.		- :	:	-	:	-			::	:			11	3	1	:	
SEX, I	60	M.		-:	:	:	-				11	:				:	1	-	
D SI	20-	E.		11	:	:	:	-			111	:			!!!	1	:	:	
E AND	61	M.		- : :	:	:	:	-			11	-			::	-	:	1	
AGE	15-	F.	-	11	:	:	:				::	:			11	:	:	:	
		M.		11	:	-	:					:			11	:	1	-	
	10-	Ε.		11	:	1	1				::	:			::	:	1	:	
		M.		11	:	1	:				111	-			11		1	- 19	
	2	F.		::	:	-	:				111	:			11	:	:	1	
		M.		- ::	:	-	:				11	:			111	-	:	1	-
	Under 5 Years.	F.			:		:	- 1			111	:			11	:	:	:	
-	2.0	M.		111	1		-	-	-		11	- :			11	-	1	-	
	OPERATIONS.		HERNIA.	Inguinal :- Radical Cure Herniotomy-Opening Sac. Without opening	Herniotomy—Opening Sac	Umbilical:—Opening Sac Without opening	LITHOTOMY (Nature of Operation)	<b>Lithotrity</b>	<b>Urbthrotomy</b>	Excision of Tumours.	Cancer of Breast Other Tumours of Breast	Cancer of Lip.	EXCISION (including TREPHINING) OF BONES AND JOINTS.	1. For Disease:		2. For Injury : Head Trunk Union Personnia	" Lower Extremity	Тваснеотому	Laryngotomy

		-	:	:	:	-			-	21
	:	: 0	0	63	-				:	43
	:	:	:	;	:				:	-
	:	:	::	:	:				:	-
	:	:	:	:	:	70 A	T Co	000	1	63
	:	:	:						:	-
	:	:	:	:	:	[0]			:	65
	:	:	:	. :	:				1	4
	:	:	:	:	:				:	:
	:	:	:	:	1				j-	4
	:	:	:	:	:				:	4
	:	:	22	:	:				:	63
	:	:	:	:	:				:	2
	:	:	_	:	:				:	7
	:	_	:	:	:				:	4
L	:	-	1	. :	-					00
	-	:	:	- 1	:				1	-
L	:	13	:	1	:				:	7
L	:	:	:	:	:	13/4			:	:
L	- :	-	:						:	60
	:	:	:		:				:	1
-		:		1					:	63
	:	1	:	:	:				:	
-		-	1		:				0 1	_
-		-	:	-	:		55.0	958		2
-		-	:	3:	-	11	-	-	:	
SECTIONS OF SOFT PARTS.	Abdominal Section	Cæsarean Section	Others	REPARATORY OPERATIONS (Nature of Operation)	PARACENTESIS (Nature of Operation)	REMOVAL OF PARTS by Ligature by Ecraseur	LIGATURE OF ARTERIES for Angurism	For other Diseases or Injuries	OTHER OPERATIONS ATTENDED WITH FATAL RESULTS	Total

No. of Cases.	Sex.		Age.	Operation.	Cause of Death.		
1	M.		20-30	Primary Amputation, Thigh	Recurrent Hæmorrhage. Collapse. 2nd day.		
1	M.		40-50	" " " "	Acute Pyemia. 19th day.		
1	M. M.		65—70	" " Leg " Forearm	Recurrent Hamorrhage. Collapse. 3rd day.		
1 *	M.		10—15 20—30	Secondary Amputation, Thigh	Chronic Pyæmia. 58th day. Collapse 4 hours. (Amputation for Secondary		
	M.		20-50	Secondary Empheation, Inigh	Hæmorrhage.)		
1	M.		40-50	27 27 27	Chronic Pyæmia. 28th day.		
1	M.		40-50	" " "	Phlebitis. 6th day.		
2	M.		∫20-30 L	Lea	Epilepsy. {28th day.		
			140-505	" " " Leg	(19th day.		
1	M. M.		60-70	"	Grangrene. Exhaustion. 8th day.		
1 1	M.		40—50 10—15	" " Arm	Secondary Hæmorrhage, Purpura. 13th day.		
1	M.		10—15	,, ,, Forearm Finger	Collapse. 3 hours. Continuation of Disease (Tetanus).		
1	M.		15-20	Amputation for Disease, Thigh	Acute Pyamia. 12th day.		
			[20-30]	Patention for Discuss, Tingi	( 90th day		
2	М.		[30-40]	" "	Chronic Pyæmia. 55th day.		
1	M.		20-30	" " "	Jaundice. Suppression of Urine. 30th day.		
1	M.		30-40	27 27 27	Embolism. 20th day.		
2	M.		{30-40}	" " "	Diarrhœa. {14th day.		
1		F.	140—50 f 30—40		Bedsore. Exhaustion.		
1		F.	40-50	" "	Gangrene. 3rd day.		
1		F.	40-50	)) )) )) )) )) )) )) )) )) )) )) )) ))	Collapse. 7th day.		
1	M.			/	(8th day.		
2	M.	F.	70—75 over 75	Herniotomy	Exhaustion. 14th day.		
		L.		"	( Female, 28th day.		
1	M.	T2	30-40)		Paritanitie Male, 3rd day, 5th day.		
2 1	M.	F. F.	50—60 65—70	"	Peritonitis. Female, 3rd day, 3rd day.		
1		F.	40-50)				
2	M.	F.	60-65		(Sloughing of Intestine (result of long strangulation). 2 on 1st day; 2 on 2nd day; 1		
3	M.2	F.	65-70)	**	on 4th day: 1 on 7th day.		
1		F.	30-40		Sloughing about Wound {4th day. 12th day.		
1	35	F.	50-60	"	Sloughing about Would 12th day.		
1 1	M.	F.	65-70	"	Bronchitis. 1st day.		
1		F.	$30-40 \\ 50-60$		(Continuation of Symptoms. 1 on 1st day;		
1		F.	70-75	33	1 on 3rd day; 1 on 7th day. (No post- mortem Exam.)		
1	M.	12.5	55-60	Lithotomy	Cystitis (acute). 4th day.		
1		F.	40-50	Excision of Tumours	Erysipelas. Acute Pyæmia. 21st day.		
1 1		F.	50-60	" "	Erysipelas. Pleuro-pneumonia. 15th day.		
*1	M.	F.	65-70	" T- · · ·	Bronchitis. 5th day.		
1	M.		20—30 10—15	" Exostosis Ligature of Tumour	Secondary Hæmorrhage. (Second. Amputation.)		
î	M.		20-30	Excision and Trephining of Bone.	Recurrent Hæmorrhage. Collapse. 3rd day.		
				Ditto of Skull	Continued Hæmorrhage. Laceration of Brain. 1st day.		
1	M.		30-40	Clavicle	Acute Pymia 19th day		
1	M.		30-40	" Inferior Maxilla (part)	Acute Pyæmia. 17th day.		
1	M. M.			Tracheotomy	Secondary Hamorrhage. 7th day. Asphyxia.		
1	M.	F.	5—10 5—10	"	Bronchitis, (Diphtheritic.)		
	Mr.		30-40	27	Asphyxia.		
1 1 1 1	M.	F.		Ovariotomy	Exhaustion. 6th day. Peritonitis. 3rd day.		
1		F.	30-40	Cæsarean Šection	Collapse. 12 hours.		
1 1	7-		under 5	Plastic. Hare-lip	Croop. 8th day.		
1 1	М.		10-15	" Cæcal Fistulæ	Cellulitis (sloughing). 6th day.		
1	M.	F.	30-40	Paracentesis Thoracis	Bronchitis.		
1	M.	E.	70—75 50—60	Ligature of Radial Artery Division of Nerve	Cellulitis (suppuration.) Exhaustion. 17th day.		
			00-00	Division of Nerve	Continuation of Disease (Tetanus).		
		-					