

Statistical tables of the Royal Infirmary of Edinburgh : Being an appendix to the report of the managers for the year 1865.

Contributors

Royal Infirmary of Edinburgh.
Royal College of Physicians of Edinburgh

Publication/Creation

Edinburgh : printed by John Greig and Son, [1866?]

Persistent URL

<https://wellcomecollection.org/works/wyzsgwqb>

Provider

Royal College of Physicians Edinburgh

License and attribution

This material has been provided by This material has been provided by the Royal College of Physicians of Edinburgh. The original may be consulted at the Royal College of Physicians of Edinburgh. where the originals may be consulted.

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

STATISTICAL TABLES

OF THE

ROYAL INFIRMARY OF EDINBURGH.

BEING AN

APPENDIX TO THE REPORT OF THE MANAGERS
FOR THE YEAR 1865.

EDINBURGH:

PRINTED BY JOHN GREIG & SON,
OLD PHYSIC GARDENS.

STATISTICAL TABLES

OF THE

UNITED STATES

R40030

CONTENTS.

	PAGE
GENERAL STATEMENT of the PATIENTS who were discharged from, or died in, the HOSPITAL, from 1st October 1864 to 1st October 1865,	5
The Cases treated to a termination arranged according to the Class of Disease and the Sex of the Patients—shewing the number of cases, the results of treatment, and the mortality per cent. in each Sex,	6
The same Cases arranged according to the Class of Disease and the Age of the Patients—shewing the number of Cases and Mortality at the different periods of life specified,	7
Enumeration of the particular diseases treated, the Number of Cases male and female under each form of disease, the results of treatment, and duration of residence,	8
Tables relative to the Mortality in the Cases of Continued and Eruptive Fevers treated in the present and preceding years,	22
Monthly Admissions of Cases of Continued and Eruptive Fevers in year to 1st October 1865,	25
The principal Operations performed on Patients treated to a termination during the year, arranged according to the Sex of the Patients—shewing the result in each Sex, and the duration of residence after operation, . .	26
The same Cases arranged according to the Age of the Patients,	32

ERRATUM.

For Carbuncle at Orifice of Urethra, page 12, read Caruncle.

GENERAL STATEMENT of PATIENTS who were discharged from, or
died in, the Hospital during the Year, from 1st October 1864 to 1st
October 1865 :—

Total number of Patients who were discharged or died during the year, 4,533.

Of these—were discharged Cured, . . .	2,731
„ „ Relieved, . . .	867
„ „ On Other Grounds, . . .	443
Died in the Hospital, . . .	492
	4,533

CASES treated to a termination, arranged according to the CLASS of DISEASE and the SEX of the PATIENTS.

DISEASES & INJURIES.	Males and Females.				Males.				Females.				Mortality per cent.		
	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Males.	Females.	Total Cases.
Fevers, Continued, .	612	534	...	...	78	332	285	...	...	47	280	249	...	...	12.74
Do. Intermittent, .	3	...	2	...	1	3	...	2	...	1	...	...	...	...	...
Do. Eruptive, .	133	125	...	...	8	50	46	...	...	4	83	79	8	4.81	6.01
Of Nervous System, .	318	117	102	69	30	206	88	53	45	20	112	29	9.70	8.92	9.43
Of Organs of Respiration,	502	177	168	56	101	325	112	112	35	66	177	65	20.30	19.77	20.11
Of Organs of Digestion,	363	215	59	38	51	230	124	37	32	37	133	91	16.08	10.52	14.04
Of Organs of Circulation,	165	15	62	32	56	105	7	29	27	42	60	8	40.	23.33	33.93
Of Genito-Urinary Organs,	617	316	181	74	46	283	154	75	29	25	334	162	8.83	6.28	7.45
Of Integumentary System,	214	143	44	15	12	142	96	30	11	5	72	47	3.52	9.72	5.60
Of Locomotive Organs,	344	187	70	61	26	226	122	48	37	19	118	65	8.40	5.93	7.55
Of the Eye and appendages,	167	110	31	26	...	103	67	19	17	...	64	43	...	...	...
Of the Ear, Nose, & Mouth,	69	42	7	12	8	39	24	2	8	5	30	18	12.82	10.	11.59
Ulcers and Abscesses, .	181	134	23	16	8	98	67	14	12	5	83	67	5.10	3.61	4.41
Tumours, .	96	63	8	20	5	25	15	3	6	1	71	48	4.	5.63	5.20
External Injuries, .	481	387	28	7	59	353	278	22	7	46	128	109	13.03	10.15	12.26
Miscellaneous, .	286	166	82	35	3	168	99	48	20	1	118	67	.59	1.69	1.04
TOTAL,*	4551	2731	867	461	492	2688	1584	494	286	324	1863	1147	12.05	9.01	10.81

* Including eleven cases of Typhus, and seven of Smallpox, which occurred in Patients under treatment for other diseases—most generally Enteric Fever.

CASES treated to a termination, arranged according to the CLASS of DISEASE and the AGE of the PATIENTS.

DISEASES & INJURIES.	Total Cases.	0 to 5		5 to 10		10 to 15		15 to 20		20 to 30		30 to 40		40 to 50		50 to 60		60 to 70		70 to 80		80 to 90		Total Deaths.
		Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	
Fevers, Continued.	612	6	1	38	...	96	2	102	7	151	15	98	13	73	16	35	18	12	6	...	...	1	...	78
Do. Intermittent, . . .	3	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	1	...	...	...	...	...	...	1
Do. Eruptive, . . .	133	6	4	9	...	...	...	33	...	66	2	5	...	4	2	1	...	...	...	...	...	...	...	8
Of Nervous System, . . .	318	1	...	1	...	14	2	33	3	65	8	82	6	68	5	35	1	17	3	2	2	...	...	30
Of Organs of Respiration,	502	8	6	4	...	15	1	49	9	166	28	125	32	80	17	41	7	13	1	1	...	...	...	101
Of Organs of Digestion, .	363	2	2	3	1	8	...	24	...	108	5	81	15	61	14	44	5	27	7	5	2	...	...	51
Of Organs of Circulation,	165	4	...	1	...	4	1	15	1	40	7	32	12	36	19	13	6	16	8	3	1	...	...	56
Of Genito-Urinary Organs,	617	5	...	3	2	4	...	87	1	194	8	155	16	97	10	37	4	30	5	5	...	...	...	46
Of Integumentary System,	214	1	...	9	...	19	...	23	...	61	1	29	1	27	2	23	4	13	2	2	...	...	...	12
Of Locomotive Organs, .	344	22	1	33	2	44	2	70	4	89	7	36	4	21	2	19	2	9	2	1	...	...	...	26
Of the Eye and appendages,	167	1	...	...	...	11	...	29	...	48	...	23	...	21	...	14	...	17	...	3	...	...	...	...
Of the Ear, Nose, and Mouth,	69	8	2	6	...	5	...	3	1	8	1	4	1	11	1	11	1	6	...	7	1	...	...	8
Tumours, . . .	96	...	...	2	...	4	...	6	1	14	...	23	1	23	1	15	...	7	2	2	...	...	...	5
Ulcers and Abscesses, . .	181	...	...	3	...	9	...	22	...	40	1	34	3	34	1	22	3	9	...	8	...	...	...	8
External Injuries, . . .	481	5	1	27	2	44	6	46	4	124	14	101	12	64	10	36	3	21	5	12	2	1	...	59
Miscellaneous, . . .	286	1	...	2	...	5	...	41	...	85	...	63	1	44	2	31	...	10	...	4	...	...	...	3
TOTAL,	4551	70	17	141	7	291	14	583	31	1261	97	891	117	664	102	378	55	207	41	62	10	3	1	492
Mortality per cent.		24.28		4.96		4.81		5.31		7.77		13.13		15.36		14.55		19.80		16.12		33.33		10.81

STATEMENT of CASES Treated to a Termination in the ROYAL
INFIRMARY, from 1st October 1864 to 1st October 1865.

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
FEVERS, CONTINUED—												
Typhus,	447	232	187	...	...	45	215	187	...	...	28	26
Enteric Fever,	77	42	40	...	...	2	35	32	...	...	3	48
Simple Continued Fever,	88	58	58	...	...	...	30	30	...	...	...	14
TOTAL,	612	332	285	...	...	47	280	249	...	...	31	...
FEVER, INTERMITTENT,	3	3	...	2	...	1	...	...	...	...	...	...
FEVERS, ERUPTIVE—												
Measles,	25	5	5	...	...	...	20	20	...	...	...	16
Scarlet Fever,	53	15	14	...	...	1	38	38	...	...	...	32
Smallpox,	55	30	27	...	...	3	25	21	...	...	4	35
TOTAL,	133	50	46	...	...	4	83	79	...	...	4	...
NERVOUS SYSTEM—												
Meningitis—Simple, .	1	1	1	...	...	...	...	...	...	...	...	25
„ Tubercular,	6	...	...	...	...	...	6	...	...	...	6	7
Brain—Softening of, .	4	4	...	1	1	2	...	...	...	...	...	15
„ Tubercular disease of,	2	1	...	...	...	1	1	...	...	...	1	15
„ Cancer of,	1	1	...	...	...	1	...	...	...	...	...	5
„ Tumour of,	1	1	...	...	...	1	...	...	...	...	...	11
„ Disease not specified,	4	4	...	2	2	...	...	...	...	...	...	31
Apoplexy,	10	10	2	2	...	6	...	...	...	...	...	9
Hemiplegia,	14	12	3	4	4	1	2	1	...	1	...	28
Paralysis—Facial, . . .	4	4	...	3	1	...	...	...	...	...	...	49
„ Partial, of Limbs, . .	9	7	1	3	3	...	2	1	1	...	...	42
Paraplegia,	16	13	...	4	7	2	3	1	2	...	...	48
Carry forward,	72	58	7	19	18	14	14	3	3	1	7	...

Fevers, Continued.—A list of the localities from which all the Fever cases admitted during the year were brought, is given in the General Report, to which these Tables constitute an Appendix.

As regards the native places of Patients, it may be here observed that of 338 Patients over 15 years of age treated for Typhus,—the form of Fever which prevailed most throughout the year, 256 were natives of Scotland, 72 of Ireland, and the remaining 10 were from England and foreign places; the per-centage of Scotch and Irish being 75.7 of the former, and 21.3 of the latter.

Typhus.—According to the Table the mortality per cent. was, in Males, 19.39; in Females, 13.02; and in Males together with Females, 16.33. But of the Males 13, and of the Females 3, were brought to the Hospital in a moribund or hopeless condition, and died within forty-eight hours after their admission. Setting aside these cases, the mortality per cent. stands for Males, 14.61; for Females, 11.79; for both Males and Females, 13.22.

Enteric Fever.—Of the Patients who died, one had fatal hæmorrhage from the bowels, another perforation of bowel, a third Intersusception, Peritonitis, and Gangrene of bowel.

Smallpox.—Three of the Patients who died were children; one eighteen months, another two, and a third three years of age.

Paraplegia.—In the case of the female cured, the Paralysis was consequent on Parturition.

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
NERVOUS SYSTEM—												
Brought forward, . . .	72	58	7	19	18	14	14	3	3	1	7	...
Epilepsy,	17	13	2	8	3	...	4	...	1	3	...	32
Convulsions,	14	6	1	4	1	...	8	3	4	1	...	18
Hysteria,	27	1	...	1	...	...	26	...	22	4	...	24
Chorea,	10	3	...	1	2	...	7	4	2	1	...	45
Dystaxia,	1	1	...	1	...	...	...	...	...	...	...	254
Neuralgia,	62	34	15	14	5	...	28	9	16	3	...	21
Hypochondriasis, . . .	17	9	3	4	2	...	8	5	1	2	...	15
Amentia,	2	2	...	...	2	...	...	...	...	...	...	5
Mania,	17	11	1	...	10	...	6	...	...	6	...	...
Puerperal Mania, . . .	4	...	...	...	...	...	4	...	...	2	2	23
Delirium Tremens, . .	73	66	59	...	1	6	7	5	...	1	1	...
Obscure Nervous Affections,	2	2	...	1	1	...	...	...	...	...	...	8
TOTAL,	318	206	88	53	45	20	112	29	49	24	10	...
ORGANS OF RESPIRATION												
Coryza,	1	...	...	...	...	...	1	1	...	...	...	2
Catarrh,	2	1	1	...	...	...	1	1	...	...	...	6
Influenza,	3	1	1	...	...	...	2	2	...	...	...	12
Laryngitis,	14	5	3	...	1	1	9	4	3	...	2	24
Croup,	7	2	...	...	...	2	5	1	...	...	4	3
Oedema Glottidis, . .	2	1	1	...	...	...	1	1	...	...	...	33
Aphonia,	1	1	1	...	...	...	...	...	...	...	...	15
Bronchitis, Acute & Chronic,	129	80	43	24	5	8	49	25	13	5	6	24
Emphysema of Lungs,	18	15	...	9	...	6	3	...	3	...	...	31
Asthma,	3	...	...	...	...	...	3	1	2	...	...	19
Pleurisy—Acute, . . .	46	34	21	11	1	1	12	11	1	...	...	19
„ Chronic,	10	9	3	6	...	...	1	...	1	...	...	36
Empyema,	1	...	...	...	...	...	1	...	1	...	...	113
Pneumonia—Acute, . .	36	29	26	...	...	3	7	7	...	...	...	21
„ Chronic,	2	1	...	...	...	1	1	...	1	...	...	43
Pleuro-Pneumonia, . .	7	3	2	1	...	...	4	2	...	...	2	24
Broncho-Pneumonia, .	5	4	3	...	...	1	1	1	...	...	...	20
Gangrene of Lung, . .	4	1	...	...	...	1	3	1	...	...	2	16
Hæmoptysis,	8	5	3	2	...	...	3	2	1	...	...	32
Phthisis—Tubercular,	190	126	...	56	28	42	64	...	29	16	19	39
„ Miners,	1	1	...	1	...	...	...	...	...	...	...	5
„ Grinders,	1	1	...	1	...	...	...	...	...	...	...	36
Pleurodynia,	10	4	4	...	...	...	6	5	1	...	...	9
Contraction of Chest from } Pleurisy, }	1	1	...	1	...	...	...	...	...	...	...	20
TOTAL,	502	325	112	112	35	66	177	65	56	21	35	...
ORGANS OF DIGESTION <i>and Contiguous Parts—</i>												
Uvula, Ulceration of,	1	...	...	...	...	...	1	1	...	...	...	6
Carry forward, . . .	1	...	...	...	...	...	1	1	...	...	...	6

Puerperal Mania.—One of these Patients died on the day she was admitted, another on the day after admission.

Laryngitis.—The Patients who died had Tubercular disease of the lungs.

Pleurisy, Acute.—In the case which terminated fatally, both sides of the chest were affected. The patient died a few hours after admission.

Pneumonia, Chronic.—In both fatal cases Tuberculosis.

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
ORGANS OF DIGESTION												
and Contiguous Parts—												
Brought forward,	1	...	...	...	...	...	1	1	...	...	...	...
Tonsils—Inflammation of,	29	9	9	...	...	...	20	20	...	...	...	13
„ Enlargement of,	3	2	2	...	...	...	1	1	...	...	...	3
„ Malign. Disease of,	1	1	...	...	1	...	...	...	...	...	...	10
Throat & Fauces—Inflam. of,	1	1	...	1	...	...	...	...	...	...	...	47
„ Ulceration of,	6	1	1	...	...	...	5	3	2	...	...	25
Diphtheria,	4	2	1	...	...	1	2	...	...	...	2	5
Oesophagus—Stricture of,	5	3	...	...	3	...	2	...	2	...	...	31
„ Malign. disease of,	3	2	...	...	1	1	1	...	...	1	...	51
Dyspepsia,	69	34	20	12	2	...	35	23	11	1	...	22
Do. Sarcinous,	3	3	3	...	...	...	...	...	...	...	...	43
Stomach—Inflammation of,	4	3	3	...	...	...	1	1	...	...	...	18
„ Ulceration of,	7	7	3	...	1	3	...	...	...	...	...	28
„ Cancer of,	8	6	...	1	1	4	2	...	...	1	1	33
„ Hæmorrhage from,	2	...	...	...	...	...	2	1	1	...	...	42
Pylorus—Schirrus of,	1	1	...	...	1	...	...	...	...	...	...	6
Liver—Congestion of,	6	5	3	1	1	...	1	...	1	...	...	24
„ Enlargement of,	8	5	...	2	3	...	3	...	2	...	1	38
„ Inflammation of,	1	1	...	1	...	...	...	...	...	...	...	10
„ Abscess in,	2	2	...	...	...	2	...	...	...	...	...	22
„ Cirrhosis of,	9	9	...	2	1	6	...	...	...	...	...	38
„ Acute Atrophy of,	1	...	...	...	...	...	1	...	...	...	1	1
„ Fatty degeneration of,	2	2	...	...	...	2	...	...	...	...	...	11
„ Waxy degeneration of	2	1	...	...	...	1	1	...	...	...	1	36
„ Cancer of,	1	1	...	...	...	1	...	...	...	...	...	56
Jaundice,	7	4	1	1	1	1	3	2	...	...	1	13
Spleen—Enlargement of,	1	1	...	...	1	...	...	...	...	...	...	37
Enteritis,	1	1	1	...	...	...	...	...	...	...	...	25
Hæmorrhage from Bowels,	2	1	...	...	1	...	1	1	...	...	...	23
Cancerous disease of do.	1	1	...	...	...	1	...	...	...	...	...	107
Diarrhœa,	25	15	12	1	1	1	10	8	1	...	1	14
Dysentery,	9	9	4	3	...	2	...	...	...	...	...	42
Cholera (British),	1	1	1	...	...	...	...	...	...	...	...	8
Colic,	7	1	1	...	...	...	6	6	...	...	...	13
Constipation,	7	5	5	...	...	...	2	2	...	...	...	8
Obstruction of Bowels,	1	1	1	...	...	...	...	...	...	...	...	4
Tape Worm,	4	4	2	1	1	...	...	...	...	...	...	8
Ascarides,	1	1	1	...	...	...	...	...	...	...	...	5
Mesenteric Disease,	1	...	...	...	...	...	1	...	1	...	...	26
Peritoneum—Inflam. of,	6	3	2	...	...	1	3	2	...	...	1	53
„ Tubercular disease of,	1	1	...	...	...	1	...	...	...	...	...	34
„ Dropsy of,	6	2	...	2	...	...	4	3	...	...	1	41
Abdominal Abscess,	1	1	...	...	...	1	...	...	...	...	...	6
Do. Tumours, nat. uncertain,	4	4	...	2	2	...	...	...	...	...	...	40
Hernia—Umbilical,	1	...	...	...	...	...	1	...	...	1	...	7
„ Inguinal,	12	12	2	4	2	4	...	...	...	...	...	14
Carry forward,	278	169	78	34	24	33	109	74	21	4	10	...

Diphtheria.—Of the Patients who died, one was an infant eighteen months old, another was three, and the third eight years of age.

Jaundice.—The duct obstructed by gall stones in one of the fatal cases; the immediate cause of death in the other was Pneumonia.

Diarrhœa.—Both the patients who died were aged persons labouring under Chronic Diarrhœa.

Hernia.—For cases operated on see Table of Operations; of the patients in whom the Hernia was reduced by taxis, one with Inguinal Hernia died of Peritonitis.

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
ORGANS OF DIGESTION and Contiguous Parts—												
Brought forward,	278	169	78	34	24	33	109	74	21	4	10	...
Hernia—Femoral, .	9	2	2	...	...	...	7	3	...	...	4	15
Rectum—Stricture of,	2	1	...	...	...	1	1	...	...	1	...	22
„ Malign. disease of,	6	5	1	1	2	1	1	...	1	...	...	25
Anus—Prolapsus of, .	1	1	...	...	...	1	...	...	...	...	...	22
„ Fissures and excor. of,	6	3	3	...	...	...	3	3	...	...	...	11
„ Tumours at verge of,	1	1	1	...	...	...	...	...	...	...	...	10
Hæmorrhoids, .	18	13	11	...	1	1	5	5	...	...	...	12
Ischio-Rectal Abscess.	3	2	1	...	1	...	1	1	...	...	...	9
Fistula in Ano, .	39	33	27	2	4	...	6	5	...	1	...	17
TOTAL, .	363	230	124	37	32	37	133	91	22	6	14	...
ORGANS OF CIRCULATION & disordered states of Blood—												
Plethora,	2	1	...	1	...	...	1	...	1	...	...	16
Anæmia,	7	...	...	...	...	...	7	2	5	...	...	25
Chlorosis,	5	...	...	...	...	...	5	...	5	...	...	24
Leucocythæmia, . .	2	2	...	1	1	...	...	...	...	...	...	35
Pyæmia,	2	2	...	...	...	2	...	...	...	...	...	17
Pericardium—Inflam. of,	6	3	2	...	1	...	3	1	...	...	2	23
Heart—Structural dis. of,	102	68	...	22	17	29	34	...	19	4	11	30
Angina Pectoris, .	3	1	...	...	1	...	2	...	2	...	...	26
Arteries—Atheroma of,	3	3	...	1	1	1	...	...	...	...	...	8
Aneurism of—												
„ Thoracic Aorta, .	13	12	...	3	4	5	1	...	...	...	1	51
„ Abdominal do., .	2	2	...	...	...	2	...	...	...	...	...	46
„ Subclavian Artery,	1	1	...	...	...	1	...	...	...	...	...	27
„ Carotid do. .	1	1	...	...	...	1	...	...	...	...	...	40
„ Axillary do. .	1	1	...	...	...	1	...	...	...	...	...	17
„ Femoral do. .	1	1	1	...	...	...	...	...	...	...	...	75
„ Popliteal do. .	1	1	1	...	...	...	...	...	...	...	...	54
„ Popliteal do., diffused,	1	1	...	...	1	...	...	...	...	...	...	14
Erectile Tumours, .	3	1	1	...	...	...	2	2	...	...	...	22
Nævi,	5	3	1	1	1	...	2	...	1	1	...	21
Phlebitis,	3	1	1	...	...	...	2	2	...	...	...	25
Phlegmasia Dolens, .	1	...	...	...	...	...	1	1	...	...	...	59
TOTAL, .	165	105	7	29	27	42	60	8	33	5	14	...
GENITO-URINARY ORGANS & Contiguous Parts—												
Kidneys—Inflammation of,	12	6	2	2	1	1	6	4	1	...	1	40
„ Cancer of, . . .	1	...	...	...	...	...	1	...	...	...	1	80
„ Chron. dis. not specified,	8	6	...	2	2	2	2	...	1	...	1	39
„ Hydatid Tumour of,	1	...	...	...	...	...	1	...	1	...	...	20
Bright's Disease, . .	40	23	5	10	2	6	17	1	7	4	5	39
Albuminuria, . . .	9	3	...	3	...	...	6	4	1	1	...	22
Carry forward, .	71	38	7	17	5	9	33	9	11	5	8	...

Rectum, Malign. Disease of.—Diseased portion excised in the patient discharged cured.

Prolapsus Ani—This patient died of Pyæmia.

Hæmorrhoids.—See Table of Operations.

Aneurisms.—For cases operated on, see Table of Operations.

Kidney, Hydatid Tumour of.—Contents discharged by Urethra, apparently with complete relief.

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
GENITO-URINARY ORGANS & Contiguous Parts—												
Brought forward,	71	38	7	17	5	9	33	9	11	5	8	...
Oxaluria,	7	6	...	6	...	...	1	...	1	...	...	25
Hæmaturia,	2	2	2	...	...	...	...	...	...	...	...	39
Diabetes Mellitus,	15	12	...	8	3	1	3	...	1	2	...	101
Diuresis,	4	2	...	2	...	...	2	2	...	...	...	41
Addison's Disease,	1	1	...	1	...	...	...	...	...	...	...	58
Bladder—Irritability of,	9	4	...	3	1	...	5	3	2	...	...	23
„ Paralysis of,	1	...	...	...	...	...	1	...	...	1	...	16
„ Acute Inflam. of,	1	...	...	...	...	...	1	1	...	...	...	21
„ Chronic do.,	8	4	...	3	...	1	4	...	4	...	...	72
„ Cancer of,	2	2	...	...	...	2	...	...	...	...	...	33
„ Calculus in,	9	9	8	1	...	...	...	...	...	...	...	45
„ Fasciculated,	1	1	...	...	1	...	...	...	...	...	...	2
Prostate—Enlargement of,	7	7	...	4	2	1	...	...	...	...	...	26
„ Abscess of,	1	1	...	1	...	...	...	...	...	...	...	12
„ Cancer of,	1	1	...	...	...	1	...	...	...	...	...	49
Gonorrhœa,	14	9	8	1	...	...	5	4	1	...	...	36
Gonorrhœal Warts,	4	1	1	...	...	...	3	1	2	...	...	22
Urethra—Stricture of,	43	43	27	8	4	4	...	...	...	...	...	30
„ Carcinoma of,	1	...	...	...	...	...	1	...	...	1	...	7
„ Contract. of orifice of,	1	1	1	...	...	...	...	...	...	...	...	18
„ Carbuncle at orifice of,	4	...	...	...	...	...	4	4	...	...	...	22
„ Calculus in,	1	1	1	...	...	...	...	...	...	...	...	18
Phymosis,	9	9	8	...	...	1	...	...	...	...	...	14
Paraphymosis,	8	8	8	...	...	...	...	...	...	...	...	17
Epididymis—Inflam. of,	1	1	1	...	...	...	...	...	...	...	...	10
Testicle—Inflammation of,	6	6	6	...	...	...	...	...	...	...	...	21
„ Simple Enlargement of,	5	5	2	2	1	...	...	...	...	...	...	20
„ Scrofulous do. do.,	5	5	4	1	...	...	...	...	...	...	...	53
„ Malignant disease of,	2	2	2	...	...	...	...	...	...	...	...	62
Spermatorrhœa,	1	1	...	...	1	...	...	...	...	...	...	34
Hydrocele,	21	21	18	1	2	...	...	...	...	...	...	23
Hæmatocele,	5	5	4	...	...	1	...	...	...	...	...	34
Spermatocele,	1	1	1	...	...	...	...	...	...	...	...	23
Tunica Vaginalis—												
„ Malign. disease of,	1	1	...	...	1	...	...	...	...	...	...	62
Scrotum—Abscess of	1	1	1	...	...	...	...	...	...	...	...	30
„ Cancer of,	1	1	1	...	...	...	...	...	...	...	...	54
Perineal Abscess,	4	4	4	...	...	...	...	...	...	...	...	15
Do. Fistula,	5	5	...	4	1	...	...	...	...	...	...	35
Ovary—Inflammation of,	2	...	...	...	...	...	2	...	2	...	...	20
„ Chronic Enlargemt. of,	2	...	...	...	...	...	2	...	...	2	...	21
„ Dropsy of,	9	...	...	...	...	...	9	1	4	1	3	48
Uterus—Prolapsus of,	4	...	...	...	...	...	4	...	4	...	...	54
„ Anteversion of,	1	...	...	...	...	...	1	...	1	...	...	30
„ Retroversion of,	3	...	...	...	...	...	3	...	2	1	...	35
„ Adhesions of,	1	...	...	...	...	...	1	...	1	...	...	43
„ Contraction of Os,	1	...	...	...	...	...	1	...	1	...	...	14
Carry forward,	307	221	115	63	22	21	86	25	37	13	11	...

Prostate, Enlargement of.—In fatal case Albuminuria, the patient died of head affection.
Phymosis.—Cause of death in fatal case, Diphtheria.

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
GENITO-URINARY OR GANS & Contiguous Parts—												
Brought forward,	307	221	115	63	22	21	86	25	37	13	11	...
Uterus—Inflam. of, Chron.,	4	...	...	...	...	...	4	...	4	...	...	39
„ Cancer of, . . .	13	...	...	...	...	...	13	...	2	9	2	27
„ Polypus of, . . .	5	...	...	...	...	...	5	3	1	1	...	48
„ Fibroid Tumours of,	10	...	...	...	...	...	10	2	2	4	2	34
„ Induration of Cervix of,	1	...	...	...	...	...	1	...	1	...	...	24
„ Ulceration of Cervix of,	7	...	...	...	...	...	7	3	3	1	...	42
„ Cauliflower excr. of do.,	2	...	...	...	...	...	2	...	2	...	...	27
Hydatid Mole, . . .	1	...	...	...	...	...	1	...	1	...	...	21
Amenorrhœa, . . .	5	...	...	...	...	...	5	2	2	1	...	31
Dysmenorrhœa, . . .	5	...	...	...	...	...	5	1	4	...	...	27
Menorrhagia, . . .	19	...	...	...	...	...	19	16	3	...	...	33
Menstruation—Vicarious,	1	...	...	...	...	...	1	...	1	...	...	43
Vagina—Cysts in, . .	2	...	...	...	...	...	2	2	...	...	...	19
„ Cancer of, . . .	1	...	...	...	...	...	1	...	...	1	...	10
Leucorrhœa, . . .	16	...	...	...	...	...	16	7	5	4	...	23
Vesico-Uterine Fistula,	4	...	...	...	...	...	4	1	2	1	...	56
Vesico-Vaginal do.,	3	...	...	...	...	...	3	2	1	...	...	73
Recto-Vaginal do.,	1	...	...	...	...	...	1	...	...	...	1	103
Nymphæ & Clitoris, Cancer of	1	...	...	...	...	...	1	...	...	1	...	170
Labia—Adhesion of, .	1	...	...	...	...	...	1	1	...	...	...	7
Perineum—Imperforate,	1	...	...	...	...	...	1	...	1	...	...	16
„ Ruptured, . . .	1	...	...	...	...	...	1	1	...	...	...	22
Coccygodynia, . . .	3	...	...	...	...	...	3	3	...	...	...	68
Perinephritic—Abscess,	1	...	...	...	...	...	1	1	...	...	...	24
Do. Tumour, . . .	1	...	...	...	...	...	1	1	...	...	...	17
Phantom Tumour, . .	1	...	...	...	...	...	1	...	1	...	...	31
Pelvic—Cellulitis, . .	8	...	...	...	...	...	8	7	1	...	...	41
„ Abscess, . . .	7	1	...	...	...	1	6	3	...	...	3	30
„ Hæmatocele, . . .	3	...	...	...	...	...	3	1	2	...	...	27
„ Cysts, . . .	2	...	...	...	...	...	2	1	...	...	1	29
„ Tumrs. of uncertn. char.,	2	...	...	...	...	...	2	...	1	1	...	35
SYPHILIS—												
Chancres—Indurated, .	12	1	1	...	...	...	11	8	2	1	...	42
„ Soft, . . .	18	5	5	...	...	...	13	10	2	1	...	21
„ Indurated and Soft,	1	...	...	...	...	...	1	1	...	...	...	50
„ Phagedenic & Sloughing,	5	1	1	...	...	...	4	4	...	...	...	39
„ Character not specified,	20	12	12	...	...	...	8	7	...	1	...	34
Bubo, . . .	6	4	2	...	2	...	2	2	...	...	...	47
Eruptions—Papular, .	1	1	...	1	...	...	...	...	...	...	...	12
„ Squamous, . . .	8	4	3	1	...	...	4	1	2	1	...	30
„ Vesicular, . . .	4	2	1	1	...	...	2	2	...	...	...	29
„ Pustular, . . .	4	1	...	1	...	...	3	3	...	...	...	25
„ Tubercular, . . .	3	2	2	...	...	...	1	1	...	...	...	64
Condylomata, . . .	35	3	2	...	1	...	32	25	6	1	...	28
Warts—Syphilitic, . .	3	...	...	...	...	...	3	...	2	1	...	42
Carry forward, . . .	559	258	144	67	25	22	301	147	91	43	20	...

Syphilis.—The cases which exhibited more than one form of Syphilitic disease are entered in the Table only under the head of the particular affection which predominated in each case at the time of admission.

In the Returns Condylomata are noted as occurring in combination with one or several of the other local affections above-mentioned, in 14 cases, sore throat in 15, and cutaneous eruptions in 12 cases.

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
GENITO-URINARY ORGANS & Contiguous Parts—												
Brought forward,	559	258	144	67	25	22	301	147	91	43	20	...
Sore Throat, . . .	6	...	...	...	...	...	6	4	2	...	...	7
Do. Mercurial, . . .	1	1	1	...	...	...	...	...	...	...	...	22
Iritis, . . .	3	1	1	...	...	...	2	2	...	...	...	40
Periostitis, . . .	9	8	5	2	1	...	1	1	...	...	...	30
Ulceration—of Nose & Mouth	3	1	...	...	1	...	2	2	...	...	...	23
„ of Tongue and Throat,	3	1	1	...	...	...	2	1	1	...	...	35
„ of Super. Extremity,	1	...	...	...	...	...	1	...	1	...	...	78
„ of Inferior Extremity,	7	1	1	...	...	...	6	2	3	1	...	33
Caries and Necrosis—												
„ of Bones of Face, . .	2	...	...	...	...	...	2	...	2	...	...	29
„ of Tibia, . . .	3	3	...	1	1	1	...	...	...	...	...	30
Laryngitis, . . .	5	...	...	...	...	...	5	1	3	...	1	17
Sarcocoele, . . .	1	1	1	...	...	...	...	...	...	...	...	28
Syphilitic dis.—of Kidney,	2	1	...	...	...	1	1	...	...	1	...	8
Do. of Liver and Kidney,	2	2	...	1	...	1	...	...	...	...	...	56
Local Affections not specifi.	8	5	...	4	1	...	3	...	3	...	...	40
Congenital Syphilis, . .	2	...	...	...	...	...	2	2	...	...	...	18
TOTAL, . . .	617	283	154	75	29	25	334	162	106	45	21	...
INTEGUMENTARY SYSTEM—												
Erythema, . . .	2	1	...	...	...	1	1	1	...	...	...	18
Do. Nodosum, . . .	1	...	...	...	...	...	1	1	...	...	...	24
Roseola, . . .	1	1	...	...	1	...	...	...	...	...	...	5
Urticaria, . . .	1	1	1	...	...	...	...	...	...	...	...	20
Eczema—Simplex, . . .	32	18	11	6	1	...	14	11	3	...	...	38
„ Rubrum, . . .	1	1	...	1	...	...	...	...	...	...	...	42
„ Impetigenodes, . . .	3	2	1	...	1	...	1	...	...	...	1	43
Herpes, . . .	1	1	1	...	...	...	...	...	...	...	...	9
Do. Zoster, . . .	3	1	1	...	...	...	2	2	...	...	...	11
Scabies, . . .	29	25	23	1	1	...	4	4	...	...	...	17
Pemphigus, . . .	3	1	...	1	...	...	2	2	...	...	...	63
Impetigo, . . .	6	3	2	1	...	...	3	1	2	...	...	29
Ecthyma, . . .	7	7	4	3	...	...	...	...	...	...	...	26
Acne—Rosacea, . . .	1	1	...	1	...	...	...	...	...	...	...	7
Lichen, . . .	2	1	1	...	...	...	1	1	...	...	...	22
Prurigo, . . .	3	3	1	1	1	...	...	...	...	...	...	39
Psoriasis, . . .	16	12	5	5	2	...	4	1	3	...	...	53
Icthyosis, . . .	1	1	1	...	...	...	...	...	...	...	...	54
Lupus, . . .	8	4	2	2	...	...	4	...	3	1	...	57
Do. Exedens, . . .	1	1	1	...	...	...	...	...	...	...	...	93
Favus, . . .	12	8	3	4	1	...	4	1	3	...	...	108
Sycosis, . . .	4	4	2	1	1	...	...	...	...	...	...	15
Chloasma, . . .	1	...	...	...	...	...	1	...	...	1	...	98
Horny Growth—on Temple,	1	1	1	...	...	...	...	...	...	...	...	5
Onychia, . . .	3	2	2	...	...	...	1	1	...	...	...	13
Ingrowing of Nails, . .	1	1	1	...	...	...	...	...	...	...	...	21
Carry forward, . . .	144	101	64	27	9	1	43	26	14	2	1	...

Erythema.—Consequent on a slight scratch on finger in fatal case—cause of death Pyæmia.
Eczema Impetigenodes.—Cause of death in fatal case, Erysipelas of Scalp.

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
INTEGUMENTARY SYSTEM—Brought forward,	144	101	64	27	9	1	43	26	14	2	1	...
Whitlow,	13	8	5	3	...	...	5	5	...	...	...	20
Boils,	1	1	1	...	...	...	...	...	...	...	...	36
Carbuncle,	9	8	7	...	...	1	1	...	...	...	1	25
Erysipelas,	44	22	18	...	2	2	22	16	...	2	4	25
Phlegmonous do.,	3	2	1	...	...	1	1	...	...	...	1	26
TOTAL,	214	142	96	30	11	5	72	47	14	4	7	...
LOCOMOTIVE ORGANS, & OSSEOUS SYSTEM—												
Bursæ, Inflammation of,	21	8	6	2	...	...	13	10	1	1	1	32
Ganglion,	1	...	...	...	...	...	1	1	...	...	...	54
Bones—												
Inflammation of Periosteum,	14	8	4	3	...	1	6	6	...	...	...	27
Abscess of do.,	2	2	1	1	...	...	...	...	...	...	...	46
Caries—of Facial Bones,	1	...	...	...	...	...	1	...	1	...	...	38
„ of Mastoid Bone,	1	1	...	1	...	...	...	...	...	...	...	36
„ of Ulna,	1	...	...	...	...	...	1	...	1	...	...	22
„ of Carpus,	1	...	...	...	...	...	1	...	...	...	1	22
„ of Sacrum,	1	...	...	...	...	...	1	...	1	...	...	52
„ of Trochanter Major,	1	1	...	...	1	...	...	...	...	...	...	5
„ of Tarsus,	1	1	1	...	...	...	...	...	...	...	...	82
Necrosis—of Frontal Bone,	1	1	...	...	1	...	...	...	...	...	...	5
„ of Mastoid Bone,	1	1	...	1	...	...	...	...	...	...	...	13
„ of Sternum,	1	1	...	1	...	...	...	...	...	...	...	14
„ of Scapula,	2	2	2	...	...	...	...	...	...	...	...	17
„ of Humerus—head of,	2	1	1	...	...	...	1	1	...	...	...	88
„ of Do.—shaft of,	8	5	4	...	1	...	3	3	...	...	...	54
„ of Radius,	2	2	2	...	...	...	...	...	...	...	...	53
„ of Do. and Ulna,	2	1	1	...	...	...	1	...	1	...	...	76
„ of Phalanges of Fingers,	3	2	2	...	...	...	1	1	...	...	...	36
„ of Sacrum,	1	...	...	...	...	...	1	...	1	...	...	47
„ of Ischium,	1	1	1	...	...	...	...	...	...	...	...	22
„ of Trochanter Major,	1	1	...	1	...	...	...	...	...	...	...	81
„ of Femur,	7	5	4	...	...	1	2	2	...	...	...	78
„ of Tibia,	13	7	6	1	...	...	6	4	2	...	...	57
„ of Fibula,	3	3	3	...	...	...	...	...	...	...	...	35
„ of Os Calcis,	1	1	1	...	...	...	...	...	...	...	...	32
„ of Phalanges of Toes,	2	1	1	...	...	...	1	...	...	1	...	67
„ of Stumps,	3	3	3	...	...	...	...	...	...	...	...	13
Exostosis—of Great Toe,	2	1	1	...	...	...	1	1	...	...	...	19
„ of Clavicle,	1	1	...	1	...	...	...	...	...	...	...	...
Abscess—in Head of Ulna,	1	...	...	...	...	...	1	1	...	...	...	61
„ in Head of Tibia,	1	...	...	...	...	...	1	1	...	...	...	205
Tuberc. depos. in Hd. of do.,	1	1	1	...	...	...	...	...	...	...	...	57
Malignt. disease—of Femur,	1	...	...	...	...	...	1	1	...	...	...	109
„ of Tibia,	1	1	...	...	1	...	...	...	...	...	...	2
„ of Fibula,	1	1	...	...	1	...	...	...	...	...	...	2
„ of Hand,	1	1	...	...	...	1	...	...	...	...	...	18
Spine—												
Disease—of Atlas & Occip.,	1	1	...	1	...	...	...	...	...	...	...	23
Carry forward,	110	66	45	13	5	3	44	32	8	2	2	...

Bursæ, Inflammation.—Bursa excised in fatal case—cause of death Pyæmia.

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
LOCOMOTIVE ORGANS & OSSEOUS SYSTEM—												
Brought forward,	110	66	45	13	5	3	44	32	8	2	2	...
Disease—of Cervical Verteb.	2	2	...	2	...	...	...	...	...	...	...	27
„ of Dorsal & Lumb. Vert.	5	4	...	1	2	1	1	...	...	1	...	30
Acute Curvature of Spine,	10	5	...	3	2	...	5	...	1	4	...	49
Lateral Curvature of do.,	2	1	...	1	...	...	1	...	...	1	...	16
Nervous Affections of Do.,	3	3	...	1	2	...	...	...	...	...	...	26
Spina Bifida, . . .	1	...	...	...	...	...	1	...	...	...	1	15
Joints—												
Synov. Memb., Inflam. of,	26	17	11	4	2	...	9	4	3	1	1	37
Disease—of Shoulder Jnt.,	10	8	2	3	2	1	2	...	1	1	...	43
„ of Elbow Joint, .	22	15	8	2	2	3	7	5	2	...	...	72
„ of Wrist do., .	9	8	2	3	1	2	1	...	...	1	...	45
„ of Do., Malignant,	1	1	1	...	...	...	...	...	...	...	...	34
„ of Fingers, . .	3	1	1	...	...	...	2	2	...	...	...	22
„ of Hip Joint, . .	24	17	6	4	5	2	7	...	2	4	1	55
„ of Knee do., . .	35	19	12	...	5	2	16	9	1	4	2	74
„ of Ankle do., . .	20	17	7	3	4	3	3	...	...	3	...	43
„ of Tarsal & Metatarsl. do.,	6	5	4	...	...	1	1	1	...	...	...	82
„ of Toes, . . .	3	2	2	...	...	...	1	1	...	...	...	20
Nervous Affection of Joints,	3	...	...	...	...	...	3	2	1	...	...	29
Mov. Cartilages in Knee Jnt.,	1	1	1	...	...	...	...	...	...	...	...	17
Anchylolysis—of Elbow Joint,	1	...	...	...	...	...	1	...	1	...	...	20
„ of Knee Joint, .	2	2	...	2	...	...	...	...	...	...	...	29
Contraction—of Elbow Jnt.,	3	2	1	1	...	...	1	...	1	...	...	46
„ of Knee Joint, .	3	3	1	...	2	...	...	...	...	...	...	31
„ of Fingers, . .	4	2	1	...	1	...	2	2	...	...	...	17
„ of Do. Congenital,	1	1	1	...	...	...	...	...	...	...	...	63
Webbed Fingers, .	1	1	...	1	...	...	...	...	...	...	...	5
Talipes—Equinus, .	8	6	6	...	...	...	2	2	...	...	...	20
„ Varus, . . .	8	5	5	...	...	...	3	2	...	1	...	17
„ Equino—Varus, .	2	...	...	...	...	...	2	1	1	...	...	50
„ Valgus, . . .	1	1	...	1	...	...	...	...	...	...	...	38
Atrophy—of Deltoid, .	2	1	...	...	1	...	1	...	...	1	...	50
Gangrene of Feet, .	5	4	...	3	...	1	1	1	...	...	...	41
Painful Stumps, . .	6	5	4	...	1	...	1	1	...	...	...	20
Neuroma of Stump, .	1	1	1	...	...	...	...	...	...	...	...	14
TOTAL, .	344	226	122	48	37	19	118	65	22	24	7	...
THE EYE—Diseases and Injuries—												
Eyelids—Nævus of, .	1	...	...	...	...	...	1	1	...	...	...	5
„ Inversion of, . .	2	...	...	...	...	...	2	2	...	...	...	10
„ Rodent Ulcer of, .	1	1	...	...	1	...	...	...	...	...	...	51
Tarsi—Inflammation of,	1	...	...	...	...	...	1	1	...	...	...	11
Canaliculi—Obstruction of,	1	...	...	...	...	...	1	1	...	...	...	4
Nasalduct—Obstruction of,	2	1	1	...	...	...	1	1	...	...	...	7
Conjunctiva—												
„ Simple Inflam. of,	2	...	...	...	...	...	2	2	...	...	...	51
„ Catarrhal Inflam. of,	7	3	3	...	...	...	4	4	...	...	...	12
„ Purulent do., . .	2	2	2	...	...	...	...	...	...	...	...	46
Carry forward, . .	19	7	6	...	1	...	12	12	...	...	...	...

Synovial Membrane, Inflammation of.—In the fatal case, the cause of death was Tubercular Meningitis.

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
THE EYE— <i>Diseases and Injuries</i> —Brought forward,	19	7	6	...	1	...	12	12	...	...	...	...
Conjunctiva—												
„ Granular State of,	4	2	...	1	1	...	2	2	...	...	...	19
Cornea—Simple Inflam. of,	21	7	6	1	...	...	14	7	5	2	...	42
„ Strumous do.,	7	4	4	...	...	...	3	3	...	...	...	65
„ Ulceration of,	18	10	7	1	2	...	8	7	...	1	...	16
„ Abscess of,	9	9	5	1	3	...	...	...	...	...	...	19
„ Opacity of,	3	2	...	2	...	...	1	...	1	...	...	38
„ Staphyloma of,	3	3	2	1	...	...	...	...	...	...	...	15
Anterior Chamber—												
„ Effusion of Blood into,	1	1	...	1	...	...	...	...	...	...	...	32
„ Effusion of Pus into,	5	3	2	1	...	...	2	1	...	1	...	20
Iris—Inflam. of,	5	3	2	1	...	...	2	2	...	...	...	25
„ Occlusion of pupil of,	4	3	3	...	...	...	1	...	1	...	...	31
Choroid and Iris—Inflam. of,	2	...	...	...	...	...	2	...	1	1	...	58
Rheumatic Ophthalmia,	1	1	1	...	...	...	...	...	...	...	...	5
Capsule—Opacity of,	1	1	...	1	...	...	...	...	...	...	...	55
Lens—Dislocation of,	1	1	1	...	...	...	...	...	...	...	...	55
Cataract—Spontaneous,	27	21	13	1	7	...	6	3	1	2	...	35
Do. Traumatic,	5	4	2	1	1	...	1	...	1	...	...	10
Retina—Anæmia of,	1	1	...	...	1	...	...	...	...	...	...	3
„ Hyperæmia of,	1	1	1	...	...	...	...	...	...	...	...	27
Optic Nerve—Atrophy of,	1	...	...	...	...	...	1	...	1	...	...	25
Amaurosis,	1	1	1	...	...	...	...	...	...	...	...	17
Strabismus,	2	...	...	...	...	...	2	2	...	...	...	36
Ptosis,	1	1	...	1	...	...	...	...	...	...	...	47
Malign. Tumour in Orbit,	1	1	...	...	1	...	...	...	...	...	...	7
Evulsion of Eyeball,	1	1	...	1	...	...	...	...	...	...	...	30
Contusion of do.,	1	...	...	...	...	...	1	...	1	...	...	21
Do., and rupt. of Cornea,	4	1	1	...	...	...	3	1	...	2	...	...
Do., and burn of do.,	1	1	...	1	...	...	...	...	...	...	...	8
Wounds—of Cornea,	4	3	3	...	...	...	1	1	...	...	...	28
„ of Sclerotic, penetrating	1	1	...	1	...	...	...	...	...	...	...	27
„ of Eyelids, lacerated,	1	...	...	...	...	...	1	1	...	...	...	26
Foreign Body—in Cornea,	1	...	...	...	...	...	1	1	...	...	...	8
Traumatic Ophthalmia,	9	9	7	2	...	...	...	...	...	...	...	38
TOTAL,	167	103	67	19	17	...	64	43	12	9	...	...
THE EAR, NOSE, AND MOUTH—												
Meatus of Ear—Polypus of,	1	1	1	...	...	...	...	...	...	...	...	7
Tympanum—Inflam. of,	1	...	...	...	...	...	1	...	1	...	...	66
Internal Ear—Inflam. of,	2	1	...	...	...	1	1	...	...	...	1	3
Deafness,	1	...	...	...	...	...	1	...	1	...	...	11
Nose—Periosteal Abscess of,	1	...	...	...	...	...	1	1	...	...	...	16
„ Polypus in,	4	3	3	...	...	...	1	1	...	...	...	9
„ Hæmorrhage from,	2	...	...	...	...	...	2	2	...	...	...	8
Lips—Epithelioma of,	17	15	13	...	1	1	2	2	...	...	...	14
„ Cancer of,	2	2	2	...	...	...	...	...	...	...	...	42
Hare Lip,	6	3	3	...	...	...	3	2	...	...	1	18
Do., and Cleft Palate,	4	2	1	...	...	1	2	2	...	...	...	17
Fissure of Hard Palate,	1	1	...	1	...	...	...	...	...	...	...	20
Carry forward,	42	28	23	1	1	3	14	10	2	...	2	...

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued*.

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
THE EAR, NOSE, AND MOUTH—Brot. forward,	42	28	23	1	1	3	14	10	2	...	2	...
Ulceration of Palate, .	1	...	...	...	...	...	1	...	1	...	...	104
Epulis,	3	...	...	...	...	...	3	3	...	...	...	14
Gum Boil,	1	...	...	...	...	...	1	1	...	...	...	3
Cancrum Oris,	1	...	...	...	...	...	1	...	1	...	...	25
Tongue—Cancer of, . .	6	1	...	...	1	...	5	2	...	2	1	26
Upr. Jaw—Cystic Tumr. of,	1	...	...	...	...	...	1	1	...	...	...	15
,, Malignant disease of,	5	2	...	...	2	...	3	1	...	2	...	25
Lower Jaw—Necrosis of,	2	1	...	1	...	...	1	...	1	...	...	10
,, Tumours of,	3	3	1	...	...	2	...	...	...	...	...	19
,, Malignant disease of,	4	4	...	...	4	...	...	...	...	...	...	11
TOTAL,	69	39	24	2	8	5	30	18	5	4	3	...
TUMOURS — <i>additional to those included in preceding lists—</i>												
Of Breast—												
,, Adenoid,	1	...	...	...	...	...	1	1	...	...	...	32
,, Cystic,	2	...	...	...	...	...	2	2	...	...	...	52
,, Cystic Sarcomatous,	1	...	...	...	...	...	1	1	...	...	...	27
,, Fibrous,	2	...	...	...	...	...	2	2	...	...	...	34
,, Fibro-Cystic, . . .	1	...	...	...	...	...	1	1	...	...	...	17
,, Schirrous,	26	...	...	...	...	...	26	17	...	6	3	33
,, Medullary,	1	...	...	...	...	...	1	...	...	1	...	7
Of other parts—												
,, Encysted—of Scalp,	3	2	2	...	...	...	1	1	...	...	...	23
,, Adenoid—of Cheek,	1	...	...	...	...	...	1	1	...	...	...	12
,, Cystic—of Face, . .	3	2	2	...	...	...	1	1	...	...	...	12
,, Do. of Neck,	6	2	2	...	...	...	4	4	...	...	...	22
,, Do. of Side,	1	...	...	...	...	...	1	1	...	...	...	21
,, Parotid Tumours, . .	3	1	1	...	...	...	2	2	...	...	...	38
,, Fatty of—Neck & Back,	3	...	...	...	...	...	3	3	...	...	...	21
,, Do. on Arm & Shoulder,	6	3	3	...	...	...	3	3	...	...	...	17
,, Do. under Mamma,	2	...	...	...	...	...	2	2	...	...	...	28
,, Do. on other parts,	2	...	...	...	...	...	2	1	...	1	...	6
,, Fibrous—on Neck,	2	1	1	...	...	...	1	1	...	...	...	29
,, Recur. Fibrous—on do.,	1	...	...	...	...	...	1	1	...	...	...	50
,, Epitheliomat.—of Face,	2	1	1	...	...	...	1	1	...	...	...	18
,, Painful Subcut—												
of Thigh, }	1	1	1	...	...	...	...	...	...	...	...	7
,, Malignant—of Face,	2	2	1	...	1	...	...	...	...	...	...	54
,, Do.—of Parotid, . .	1	...	...	...	...	...	1	...	...	1	...	21
,, Do. of Neck,	3	2	...	...	2	...	1	...	...	1	...	7
,, Do. of Arm & Shoulder,	3	1	...	...	...	1	2	...	...	1	1	31
,, Do. of Axilla—Medul.,	1	...	...	...	...	...	1	...	1	...	...	19
,, Do. of Groin,	2	1	...	...	1	...	1	...	...	1	...	9
,, Do. of Foot,	1	...	...	...	...	...	1	1	...	...	...	62
Enlarg.—of Submaxil. Gland	1	1	...	...	1	...	...	...	...	...	...	3
,, of Cervical Glands,	6	5	1	3	1	...	1	1	...	...	...	17
Bronchocele,	6	...	...	...	...	...	6	...	4	2	...	...
TOTAL,	96	25	15	3	6	1	71	48	5	14	4	...

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
ULCER AND ABSCESS—												
Ulcers—Indolent, Irrit., &c.	85	42	33	5	4	...	43	36	4	2	1	31
„ Varicose, . . .	13	7	7	...	...	...	6	5	1	...	...	27
„ Phagedenic & Sloughing,	6	2	...	1	...	1	4	4	...	...	...	49
„ Mercurial, . . .	1	...	...	...	...	...	1	1	...	...	...	20
„ Strumous, . . .	5	3	3	...	...	...	2	...	2	...	...	94
„ Cancerous—of Face,	5	4	...	1	3	...	1	...	...	1	...	30
„ Do. of Thigh, . . .	1	1	...	1	...	...	...	...	...	...	...	57
„ Do. of Leg, . . .	1	1	...	...	...	1	...	...	...	...	...	8
Abscesses—Mammary,	11	...	...	...	...	...	11	8	2	...	1	22
„ Axillary, . . .	3	3	3	...	...	...	...	...	...	...	...	44
„ Lumbar, . . .	6	6	1	1	2	2	...	...	...	...	...	33
„ Psoas, . . .	1	1	...	1	...	...	...	...	...	...	...	4
„ of Scalp, . . .	3	1	1	...	...	...	2	2	...	...	...	12
„ of Face and Neck,	6	3	2	...	1	...	3	2	...	1	...	18
„ of Superior Extremities,	6	3	2	...	1	...	3	3	...	...	...	19
„ of Inferior do., . .	23	16	13	2	...	1	7	6	...	...	1	28
Sinuses, . . .	4	4	1	2	1	...	...	...	...	...	...	11
Bed Sores, . . .	1	1	1	...	...	...	...	...	...	...	...	37
TOTAL, . . .	181	98	67	14	12	5	83	67	9	4	3	...
EXTERNAL INJURIES—												
Concussion of Brain, . .	11	10	8	...	1	1	1	1	...	...	...	10
Compres. of Do. after Injury,	1	1	...	...	...	1	...	...	...	...	...	10
Concussion of Spine, . .	5	2	1	1	...	...	3	2	1	...	...	8
Concussion—General, . .	8	6	5	...	1	...	2	1	1	...	...	11
Fractures—of Skull, . .	2	2	1	...	...	1	...	...	...	...	...	15
„ of Do., with Depression,	1	1	...	...	...	1	...	...	...	...	...	18
„ of Base of Skull, . .	2	...	...	...	...	...	2	1	...	...	1	15
„ of Cervical Vertebrae,	2	2	...	...	...	2	...	...	...	...	...	5
„ of Dorsal & Lumbar do.,	3	3	1	...	...	2	...	...	...	...	...	51
„ of Lower Jaw, . . .	1	1	1	...	...	...	...	...	...	...	...	5
„ of Do. Comp. & Comm.,	1	1	...	...	...	1	...	...	...	...	...	10
„ of Ribs, . . .	10	4	4	...	...	...	6	6	...	...	...	17
„ of Crest of Ilium, . .	4	2	1	...	...	1	2	2	...	...	...	28
„ of Sacrum, . . .	1	1	1	...	...	...	...	...	...	...	...	26
„ of Pelvis, . . .	3	3	...	...	...	3	...	...	...	...	...	1
„ of Acromion, . . .	2	1	...	1	...	...	1	1	...	...	...	29
„ of Clavicle, . . .	5	3	2	1	...	...	2	2	...	...	...	24
„ of Neck of Humerus,	1	...	...	...	...	...	1	1	...	...	...	32
„ of Shaft of do., . .	2	1	1	...	...	...	1	1	...	...	...	46
„ of Do. Compound,	1	1	1	...	...	...	...	...	...	...	...	46
„ of Do. Comp. & Comm.,	4	4	2	...	...	2	...	...	...	...	...	25
„ of Do. thro' Condyles,	2	2	1	1	...	...	...	...	...	...	...	28
„ of Radius, . . .	2	...	...	...	...	...	2	1	1	...	...	22
„ of Ulna, . . .	2	2	2	...	...	...	...	...	...	...	...	21
„ of Radius and Ulna,	2	...	...	...	...	...	2	2	...	...	...	32
„ of Do. Comp. & Comm.,	2	1	1	...	...	...	1	...	...	...	1	17
„ of Bones of Hand, . .	14	10	9	...	1	...	4	3	...	...	...	25
„ of Neck of Femur, . .	4	2	1	1	...	...	2	2	...	...	...	60
„ of Do. Intracapsular,	2	1	...	1	...	...	1	1	...	...	...	37
„ of Shaft of Femur, . .	22	15	13	...	1	1	7	6	1	...	...	67
„ of Do. Compound,	2	2	...	1	...	...	...	...	...	...	...	62
„ of Do. thro' Condyles,	1	1	1	...	...	...	...	...	...	...	...	73
Carry forward, . . .	125	85	57	7	4	17	40	33	4	...	3	...

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
EXTERNAL INJURIES—												
Brought forward,	125	85	57	7	4	17	40	33	4	...	3	...
Fractures—of Patella, .	3	3	3	...	...	...	...	...	...	...	...	37
„ of Tibia, .	20	15	14	...	...	1	5	5	...	...	...	41
„ of Do. Compound,	3	2	2	...	...	...	1	1	...	...	...	95
„ of Internal Malleolus,	1	1	1	...	...	...	...	...	...	...	...	17
„ of Fibula, .	27	24	23	1	...	...	3	3	...	...	...	33
„ of Tibia and Fibula,	22	16	16	...	...	...	6	6	...	...	...	34
„ of Do. Comminuted,	6	6	6	...	...	...	...	...	...	...	...	62
„ of Do. Compound,	9	8	4	...	...	4	1	1	...	...	...	70
„ of Do. Comp. & Comm.,	10	10	...	1	...	9	...	...	...	...	...	20
„ of Bones of Foot,	9	7	6	...	...	1	2	2	...	...	...	22
Ununited Fract.—of Femur,	1	1	...	...	1	...	...	...	...	...	...	7
„ of Tibia, .	1	...	...	...	...	...	1	1	...	...	...	22
„ of Fibula, .	1	1	1	...	...	...	...	...	...	...	...	50
Dislocation—of Clavicle,	2	2	2	...	...	...	...	...	...	...	...	4
„ of Shoulder, .	6	4	4	...	...	...	2	2	...	...	...	16
„ of Elbow, .	2	2	2	...	...	...	...	...	...	...	...	53
„ of Fingers—Compound,	1	1	1	...	...	...	...	...	...	...	...	22
„ of Hip Joint,	2	2	2	...	...	...	...	...	...	...	...	48
„ of Ankle do—Comp.,	1	...	...	...	...	...	1	...	...	...	1	30
„ of Toes—Compound,	2	2	2	...	...	...	...	...	...	...	...	57
Contusions—of Head,	5	3	3	...	...	...	2	2	...	...	...	15
„ of Chest, .	4	3	3	...	...	...	1	1	...	...	...	6
„ of Back and Loins,	7	7	6	1	...	...	...	...	...	...	...	7
„ of Pelvis, .	2	1	1	...	...	...	1	1	...	...	...	11
„ of Superior Extremities,	15	12	11	1	...	...	3	2	1	...	...	13
„ of Inferior do., .	27	21	17	2	1	1	6	6	...	...	...	17
Sprains—of Spine, .	2	2	2	...	...	...	...	...	...	...	...	20
„ of Knee, .	1	...	...	...	...	...	1	1	...	...	...	7
„ of Ankle, .	17	12	10	2	...	...	5	5	...	...	...	21
Strain—of Muscles of Leg,	1	1	1	...	...	...	...	...	...	...	...	29
Rupture—of Ligam. Patella,	1	1	1	...	...	...	...	...	...	...	...	36
Wounds—of Scalp, .	34	19	17	2	...	...	15	14	...	...	1	15
„ of Face, .	7	6	4	1	...	1	1	...	...	...	1	6
„ of Throat—Suicidal,	3	3	...	...	...	3	...	...	...	...	...	14
„ of Thorax—Penetrating	1	1	1	...	...	...	...	...	...	...	...	14
„ of Abdomen, .	3	3	3	...	...	...	...	...	...	...	...	16
„ of Knee Joint, .	2	2	1	...	...	1	...	...	...	...	...	35
„ of Foot, .	7	6	6	...	...	...	1	1	...	...	...	28
„ of Wrist, .	1	1	1	...	...	...	...	...	...	...	...	12
„ of Hand—Cont. & Lacer.	11	6	5	1	...	...	5	5	...	...	...	23
„ of Perineum. .	1	1	...	...	...	1	...	...	...	...	...	2
„ of Do. and Urethra,	1	1	...	...	...	1	...	...	...	...	...	11
„ of Vagina, .	1	...	...	...	...	...	1	1	...	...	...	26
„ of Labia—Lacerated,	2	...	...	...	...	...	2	2	...	...	...	6
„ of Radial Artery, .	1	1	1	...	...	...	...	...	...	...	...	21
„ of other parts, .	23	21	19	1	...	1	2	2	...	...	...	34
Wounds—Gunshot of Hand,	5	5	3	...	1	1	...	...	...	...	...	14
„ Poisoned of Finger,	1	1	1	...	...	...	...	...	...	...	...	56
Bite—by Dog, .	1	...	...	...	...	...	1	1	...	...	...	17
Foreign Body—in Foot,	1	1	...	1	...	...	...	...	...	...	...	41
Burns—of Head and Face,	5	3	2	...	...	1	2	1	1	...	...	20
„ of Back and Loins,	4	2	2	...	...	...	2	2	...	...	...	111
„ of Abdomen, .	1	1	...	...	...	1	...	...	...	...	...	2
Carry forward, .	452	339	267	21	7	44	113	101	6	...	6	...

CASES Treated to a Termination in the Royal Infirmary, from
1st October 1864 to 1st October 1865—*continued.*

DISEASES.	Total Males and Females.	Males.					Females.					Mean Residence in Days.
		Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	
EXTERNAL INJURIES—												
Brought forward,	452	339	267	21	7	44	113	101	6	...	6	...
Burns—of Supr. Extremities,	1	...	...	...	...	...	1	1	...	...	...	17
„ of Inferior do.,	15	10	7	1	...	2	5	5	...	...	...	43
„ of other parts,	2	2	2	...	...	...	...	...	...	...	...	12
„ Extensive over Body,	7	...	...	...	...	...	7	...	...	...	7	2
Injuries by Gunpowder—												
„ of Face and Hands,	1	1	1	...	...	...	...	...	...	...	...	78
Injury by Sulphuric Acid—												
„ of Foot,	1	...	...	...	...	...	1	1	...	...	...	26
Chilblains—of Hands,	1	...	...	...	...	...	1	1	...	...	...	2
Frost-bite of Feet,	1	1	1	...	...	...	...	...	...	...	...	26
TOTAL, .	481	353	278	22	7	46	128	109	6	...	13	...
MISCELLANEOUS—												
Scrofula,	9	5	...	5	...	...	4	...	4	...	...	39
Scurvy,	1	1	1	...	...	...	...	...	...	...	...	28
Gout,	2	2	1	1	...	...	...	...	...	...	...	58
Rheumatism—Acute,	73	37	26	11	...	...	36	27	8	...	1	34
Do. Chronic, . . .	68	40	15	20	5	...	28	7	15	6	...	31
Lumbago,	8	7	5	1	1	...	1	1	...	...	...	14
Anasarca,	12	7	5	2	...	...	5	4	...	...	1	20
General Debility, .	16	9	3	6	...	...	7	3	4	...	...	29
Pregnancy—Disorders of,	6	...	...	...	...	...	6	2	3	1	...	14
Poisoning—by Opium,	5	2	2	...	...	...	3	3	...	...	...	5
Do. by Belladonna Berries,	1	1	1	...	...	...	...	...	...	...	...	2
Do. by Ol. Pini, .	1	1	...	1	...	...	...	...	...	...	...	11
Intoxication, . . .	58	41	40	1	...	...	17	17	...	...	...	4
Submersion, . . .	3	...	...	...	...	...	3	3	...	...	...	12
Disease Feign. or not Ascertain.	23	15	...	...	14	1	8	...	...	8	...	1
TOTAL, .	286	168	99	48	20	1	118	67	34	15	2	...

CONTINUED FEVER—Number of Cases and Mortality at
different Ages.

AGES.	Males.					Females.					Males and Females.					
	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Under 5 years.	5	4	...	...	1	1	1	...	...	...	6	5	...	...	1	16.66
From 5 to 10	18	18	...	...	...	20	20	...	...	...	38	38	...	...	...	...
„ 10 to 15	60	58	...	...	2	36	36	...	...	...	96	94	...	...	2	2.08
„ 15 to 20	54	50	...	...	4	48	45	...	...	3	102	95	...	...	7	6.86
„ 20 to 30	82	74	...	...	8	69	62	...	...	7	151	136	...	...	15	9.93
„ 30 to 40	48	39	...	...	9	50	46	...	...	4	98	85	...	...	13	13.26
„ 40 to 50	37	26	...	...	11	36	31	...	...	5	73	57	...	...	16	21.91
„ 50 to 60	23	12	...	...	11	12	5	...	...	7	35	17	...	...	18	51.42
„ 60 to 70	4	3	...	...	1	8	3	...	...	5	12	6	...	...	6	...
„ 70 to 80	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
„ 80 to 90	1	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...
TOTAL	332	285	...	...	47	280	249	...	...	31	612	534	...	...	78	12.74

TYPHUS—Number of Cases and Mortality at different Ages.

AGES.	Males.					Females.					Males and Females.					
	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Under 5 years.	5	4	...	...	1	1	1	...	...	...	6	5	...	...	1	16.66
From 5 to 10	13	13	...	...	...	19	19	...	...	...	32	32	...	...	...	...
„ 10 to 15	44	42	...	...	2	27	27	...	...	...	71	69	...	...	2	2.81
„ 15 to 20	36	34	...	...	2	29	27	...	...	2	65	61	...	...	4	6.15
„ 20 to 30	49	41	...	...	8	51	46	...	...	5	100	87	...	...	13	13.00
„ 30 to 40	36	27	...	...	9	38	34	...	...	4	74	61	...	...	13	17.56
„ 40 to 50	28	17	...	...	11	31	26	...	...	5	59	43	...	...	16	27.11
„ 50 to 60	19	8	...	...	11	11	4	...	...	7	30	12	...	...	18	60.00
„ 60 to 70	2	1	...	...	1	8	3	...	...	5	10	4	...	...	6	60.00
„ 70 to 80	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
TOTAL	232	187	...	...	45	215	187	...	...	28	447	374	...	...	73	16.33

ENTERIC FEVER—Number of Cases and Mortality at different Ages.

AGES.	Males.					Females.					Males and Females.					
	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Under 5 years.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
From 5 to 10	1	1	...	...	...	1	1	...	...	...	2	2	...	...	...	...
" 10 to 15	6	6	...	...	...	6	6	...	...	...	12	12	...	...	...	...
" 15 to 20	10	8	...	...	2	9	8	...	...	1	19	16	...	...	3	...
" 20 to 30	17	17	...	...	...	10	8	...	...	2	27	25	...	...	2	...
" 30 to 40	3	3	...	...	...	7	7	...	...	...	10	10	...	...	...	...
" 40 to 50	3	3	...	...	...	1	1	...	...	...	4	4	...	...	...	...
" 50 to 60	...	...	...	...	...	1	1	...	...	...	1	1	...	...	...	...
" 60 to 70	1	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...
" 70 to 80	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
" 80 to 90	1	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...
TOTAL, .	42	40	...	...	2	35	32	...	...	3	77	72	...	...	5	6.49

ENTERIC FEVER—Mortality in the Cases treated during the last five years.

YEARS.	Males.					Females.					Males and Females.					
	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Year to Oct. 1. 1861,	26	23	...	...	3	9	7	...	...	2	35	30	...	...	5	...
" Oct. 1. 1862,	42	39	...	...	3	37	31	...	...	6	79	70	...	...	9	...
" Oct. 1. 1863,	42	37	...	...	5	25	19	...	...	6	67	56	...	...	11	...
" Oct. 1. 1864,	75	70	...	...	5	65	57	...	...	8	140	127	...	...	13	...
" Oct. 1. 1865,	42	40	...	...	2	35	32	...	...	3	77	72	...	...	5	...
TOTAL, .	227	209	...	...	18	171	146	...	...	25	398	355	...	...	43	10.80

TYPHUS—Mortality in the Cases treated during the last five years.

YEARS.	Males.					Females.					Males and Females.					
	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Year to Oct. 1. 1861,	31	23	...	...	8	19	16	...	...	3	50	39	...	...	11	...
" Oct. 1. 1862,	9	7	...	...	2	5	3	...	...	2	14	10	...	...	4	...
" Oct. 1. 1863,	44	29	...	...	15	30	28	...	...	2	74	57	...	...	17	...
" Oct. 1. 1864,	116	104	...	...	12	96	88	...	...	8	212	192	...	...	20	...
" Oct. 1. 1865,	232	187	...	...	45	215	187	...	...	28	447	374	...	...	73	...
TOTAL, .	432	350	...	...	82	365	322	...	...	43	797	672	...	...	125	15.68

SMALLPOX—Mortality in the Cases treated during the last ten years.

YEARS.	Males.					Females.					Males and Females.					
	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Year to Oct. 1. 1856,	26	24	...	...	2	25	25	...	...	...	51	49	...	...	2	...
„ Oct. 1. 1857,	67	64	...	...	3	66	59	...	2	5	133	123	...	2	8	...
„ Oct. 1. 1858,	7	6	...	...	1	12	12	...	...	...	19	18	...	...	1	...
„ Oct. 1. 1859,	68	55	...	...	13	58	50	...	1	7	126	105	...	1	20	...
„ Oct. 1. 1860,	55	49	...	...	6	48	46	...	...	2	103	95	...	...	8	...
„ Oct. 1. 1861,	29	23	...	...	6	35	30	...	1	4	64	53	...	1	10	...
„ Oct. 1. 1862,	7	5	...	...	2	5	5	...	...	...	12	10	...	...	2	...
„ Oct. 1. 1863,	203	176	...	...	27	190	165	...	...	25	393	341	...	...	52	...
„ Oct. 1. 1864,	37	31	...	...	6	16	12	...	...	4	53	43	...	...	10	...
„ Oct. 1. 1865,	30	27	...	...	3	25	21	...	...	4	55	48	...	...	7	...
TOTAL, .	529	460	...	...	69	480	425	...	4	51	1009	885	...	4	120	11.89

SCARLET FEVER—Mortality in the Cases treated during the last ten years.

YEARS.	Males.					Females.					Males and Females.					
	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Year to Oct. 1. 1856,	12	10	...	...	2	39	37	...	...	2	51	47	...	...	4	...
„ Oct. 1. 1857,	19	16	...	...	3	43	38	...	2	3	62	54	...	2	6	...
„ Oct. 1. 1858,	3	3	...	...	...	2	2	...	...	...	5	5	...	...	...	...
„ Oct. 1. 1859,	8	8	...	...	...	10	10	...	...	...	18	18	...	...	...	...
„ Oct. 1. 1860,	5	4	...	...	1	3	3	...	...	...	8	7	...	...	1	...
„ Oct. 1. 1861,	3	2	...	...	1	18	17	...	...	1	21	19	...	...	2	...
„ Oct. 1. 1862,	16	16	...	...	...	32	30	...	...	2	48	46	...	...	2	...
„ Oct. 1. 1863,	9	8	...	...	1	18	18	...	...	...	27	26	...	...	1	...
„ Oct. 1. 1864,	15	13	...	...	2	35	34	...	...	1	50	47	...	...	3	...
„ Oct. 1. 1865,	15	14	...	...	1	38	38	...	...	...	53	52	...	...	1	...
TOTAL, .	105	94	...	...	11	238	227	...	2	9	343	321	...	2	20	5.83

MEASLES—Mortality in the Cases treated during the last ten years.

YEARS.	Males.					Females.					Males and Females.					
	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Total.	Cured.	Relieved.	Other Grounds.	Died.	Mortality per cent.
Year to Oct. 1. 1856,	9	8	...	...	1	7	7	...	...	...	16	15	...	...	1	...
„ Oct. 1. 1857,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
„ Oct. 1. 1858,	11	11	...	...	...	14	14	...	...	...	25	25	...	...	...	...
„ Oct. 1. 1859,	6	6	...	...	...	5	4	...	1	...	11	10	...	1	...	...
„ Oct. 1. 1860,	6	5	...	...	1	6	6	...	...	...	12	11	...	...	1	...
„ Oct. 1. 1861,	7	6	...	...	1	8	8	...	...	...	15	14	...	...	1	...
„ Oct. 1. 1862,	2	2	...	...	...	4	4	...	...	...	6	6	...	...	...	...
„ Oct. 1. 1863,	12	12	...	...	...	23	22	...	...	1	35	34	...	...	1	...
„ Oct. 1. 1864,	1	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...
„ Oct. 1. 1865,	5	5	...	...	...	20	20	...	...	...	25	25	...	...	...	...
TOTAL, .	59	56	...	...	3	87	85	...	1	1	146	141	...	1	4	2.73

MONTHLY ADMISSIONS of Cases of Continued and Eruptive Fevers,
from 1st October 1864 to 1st October 1865.

FEVERS.	October 1864.	November.	December.	January.	February.	March.	April.	May.	June.	July.	August.	September.	Total.
Typhus,	33	41	35	50	32	43	20	41	52	38	38	49	472
Enteric Fever,	10	14	14	5	3	1	2	3	2	6	5	10	75
Simple Continued Fever,	8	3	4	6	10	7	2	5	11	7	5	11	79
TOTAL, .	51	58	53	61	45	51	24	49	65	51	48	70	626
Measles,	...	...	1	2	1	2	4	6	4	3	1	...	24
Scarlet Fever,	6	5	4	4	6	1	3	1	1	1	3	...	35
Small Pox,	...	3	5	6	3	11	13	1	2	3	1	...	48
TOTAL, .	6	8	10	12	10	14	20	8	7	7	5	...	107

Note.—It will be observed that numbers given in all the preceding Tables under the heads of Continued and Eruptive Fevers, refer to the cases *discharged* during the year, without regard to the date of admission.

OPERATIONS performed in Cases Treated to a Termination during the
Year, from 1st October 1864 to 1st October 1865.

OPERATIONS.	Total Cases.	Males.				Females.				Total Deaths.	Mean Residence in Days after Operation.	
		Total.	Cured or Relieved.	Other Grds.	Died.	Total.	Cured or Relieved.	Other Grds.	Died.		Cured.	Died.
LOCOMOTIVE ORGANS AND OSSEOUS SYSTEM—												
Primary Amputations—												
„ at Shoulder Joint,	2	2	1	...	1	...	...	...	...	1	41	8
„ of Arm,	3	2	2	...	...	1	...	...	1	1	40	6
„ of Forearm,	5	3	3	...	...	2	1	...	1	1	35	46
„ of Fingers,	16	13	13	...	...	3	3	...	...	...	20	...
„ at Hip Joint,	1	1	...	...	1	...	...	...	...	1	...	...
„ of Thigh,	5	5	...	...	5	...	...	...	...	5	...	10
„ of Leg,	1	1	...	...	1	...	...	...	...	1	...	11
„ of Toes,	5	4	4	...	...	1	1	...	...	...	19	...
Double Primary Amputations—												
„ of Arm and Forearm of op. sides,	1	1	...	...	1	...	...	...	...	1	...	0
„ of Leg and at Ankle on do.,	3	3	...	...	3	...	...	...	...	3	...	4
Secondary Amput. for Injuries—												
„ of Forearm,	2	2	1	...	1	...	...	...	...	1	56	2
„ of Fingers,	7	6	6	...	...	1	1	...	...	...	16	...
„ of Leg,	2	2	1	...	1	...	...	...	...	1	73	19
„ of Toes,	1	1	1	...	...	...	...	...	...	...	35	...
Amputations for Disease of Limbs—												
„ at Shoulder Joint,	1	1	...	...	1	...	...	...	...	1	...	27
„ of Arm,	1	1	...	...	1	...	...	...	...	1	...	11
„ of Forearm,	5	4	1	...	3	1	...	...	1	4	28	10
„ of Fingers,	17	11	10	...	1	6	6	...	...	1	14	13
„ at Hip Joint,	1	...	...	...	...	1	1	...	...	...	100	...
Carry forward,	79	63	43	...	20	16	13	...	3	23	...	...

Prim. Amput. at Shoulder Joint.—Performed on account of Compound Comminuted Fractures of the Humerus, resulting from railway accidents. In the case which terminated fatally, the cause of death was Pyæmia.

Prim. Amput. of Arm.—The patient who died was a woman over 70 years who had sustained Compound Comminuted Fracture of the Bones of the Forearm, and Compound Dislocation of the Elbow Joint.

Prim. Amput. of Forearm.—The fatal case was one of severe injury of the hand by machinery. The patient, a person of intemperate habits, who had suffered repeated attacks of delirium tremens, died suddenly on the forty-sixth day, the wound being at the time cicatrized.

Prim. Amput. at Hip Joint, and Prim. Amput. of Thigh.—All cases of severe compound fractures from crushing of limbs in railway accidents. Two patients, brought from a distant part of the country (of which the case of Amputation at the Hip Joint was one), died the same day; a third sank on the day after admission; a fourth, after progressing favourably for a time, sank on the twelfth day; the other two patients died of Pyæmia.

Prim. Amput. of Leg.—A case of the same description as the preceding; cause of death, Pyæmia.

Double Primary Amputations.—Performed in both instances on account of Compound Comminuted Fractures of the limbs; occasioned, in the case first mentioned, by an explosion of gun cotton and complicated with other injuries; in the latter, by crushing of the limbs in a railway accident.

Secondary Amput. of Forearm.—In the case which terminated fatally, the operation was performed on account of a gunshot wound of the hand, followed by Tetanus.

Secondary Amput. of Leg.—The fatal case was one of Compound Comminuted fracture of the Leg, operated on several weeks after the occurrence of the accident. The patient died exhausted on the nineteenth day after the operation.

Amput. at Shoulder Joint.—Operated on for Malignant Tumour of the arm; the patient died of Pyæmia.

Amput. of Arm.—Performed on account of Phlegmonous Erysipelas and Sloughing of back of Hand and Arm.

Amput. of Forearm.—One, a weakly person, operated on for Caries of Carpus, never rallied, and sank on the third day after the operation; two operated on for Disease of Wrist, and one for Epithelial Cancer of Hand, died of Pyæmia.

Amput. of Fingers.—Disease in fatal case, Paronychia; cause of death, Pneumonia.

OPERATIONS performed in Cases Treated to a Termination during the Year, from 1st October 1864 to 1st October 1865—*continued.*

OPERATIONS.	Total Cases.	Males.				Females.				Total Deaths.	Mean Residence in Days after Operation.	
		Total.	Cured or Relieved.	Other Grds.	Died.	Total.	Cured or Relieved.	Other Grds.	Died.		Cured.	Died.
LOCOMOTIVE ORGANS AND OSSEOUS SYSTEM—												
Brought forward,	79	63	43	...	20	16	13	...	3	23	...	...
Amputations for Disease of Limbs—												
„ of Thigh,	14	9	6	...	3	5	4	...	1	4	59	20
„ of Leg,	3	2	...	...	2	1	1	...	...	2	41	7
„ at Ankle (Mr Syme's Operation),	15	14	12	...	2	1	1	...	...	2	88	20
„ of Toes,	3	1	1	...	...	2	2	...	...	...	38	...
Reduction of Dislocations—												
„ of Hip Joint,	2	2	2	...	...	...	...	...	...	...	48	...
„ of Shoulder,	6	4	4	...	...	2	2	...	...	...	16	...
„ of Clavicle,	2	2	2	...	...	...	...	...	...	...	4	...
„ of Elbow,	1	1	1	...	...	...	...	...	...	...	6	...
Excision of Bones and Joints—												
„ of Shoulder Joint,	5	5	3	...	2	...	...	...	...	2	66	11
„ of Elbow Joint,	16	12	9	...	3	4	4	...	...	3	71	...
„ of Wrist,	2	2	2	...	...	...	...	...	...	...	66	...
„ of head of Femur,	1	1	...	...	1	...	...	...	...	1	...	28
„ of Knee Joint,	5	2	2	...	...	3	3	...	...	...	...	...
„ of Fibula, in part,	1	1	1	...	...	...	...	...	...	...	224	...
„ of Metatarso-phalang. Joint,	1	1	1	...	...	...	...	...	...	...	58	...
Resect. of Bone, in fract. of Tibia,	1	1	1	...	...	...	...	...	...	...	22	...
Removal of Sequestra—												
„ of Lower Jaw,	1	1	1	...	...	...	...	...	...	...	12	...
„ of Scapula,	2	2	2	...	...	...	...	...	...	...	18	...
„ of Humerus,	9	5	5	...	...	4	4	...	...	...	...	...
„ of Bones of Fore Arm,	3	1	1	...	...	2	2	...	...	...	...	...
„ of Femur,	3	2	2	...	...	1	1	...	...	...	...	...
„ of Tibia,	11	8	8	...	...	3	3	...	...	...	...	...
„ of Fibula,	3	3	3	...	...	...	...	...	...	...	...	...
„ of Os Calcis,	1	1	1	...	...	...	...	...	...	...	...	...
„ of Stumps,	2	2	2	...	...	...	...	...	...	...	...	...
Removal of Exostosis of Great Toe,	2	1	1	...	...	1	1	...	...	...	16	...
Operations for—												
„ Talipes Equinus,	8	6	6	...	...	2	2	...	...	...	10	...
„ Do. Varus,	8	5	5	...	...	3	3	...	...	...	10	...
„ Do. Equino-Varus,	2	...	...	...	...	2	2	...	...	...	44	...
„ Webbed Fingers,	1	1	1	...	...	...	...	...	...	...	5	...
„ Congen. Contraction of do.,	1	1	1	...	...	...	...	...	...	...	59	...
„ Mov. Cartilages in Knee Joint,	1	1	1	...	...	...	...	...	...	...	11	...
Excision of Bursal Cyst,	1	...	...	...	...	1	...	...	1	1	...	35
TOTAL,	216	163	130	...	33	53	48	...	5	38	...	...

Amput. of Thigh.—One operated on for Disease of Knee Joint, died of Bronchitis; two operated on for the same disease, and one with Acute Necrosis of Femur, died of Pyæmia.

Amput. of Leg.—One, in whom the operation was performed on account of Syphilitic Caries of Tibia, sank on the sixth day; the other, a case of Cancroid Ulcer of the Leg, died of Pyæmia.

Amput. at Ankle.—In the two cases which proved fatal, the cause of death was Pyæmia.

Reduction of Dislocations.—The cases under this head are only those of persons who were admitted as in-door patients, and resided for a time in the Hospital. The same remark applies to all the operations included in the preceding and following lists.

Excision of Shoulder Joint.—Death from Pyæmia in both fatal cases.

Excision of Elbow Joint.—One died of Bright's Disease, two of Pyæmia.

Excision of Head of Femur.—A child 9 years of age; died of Dysentery.

Excision of Bursal Cyst.—Died of Pyæmia.

OPERATIONS performed in Cases Treated to a Termination during the Year, from 1st October 1864 to 1st October 1865—*continued.*

OPERATIONS.	Total Cases.	Males.				Females.				Total Deaths.	Mean Residence in Days after Operation.		
		Total.	Cured or Relieved.	Other Grds.	Died.	Total.	Cured or Relieved.	Other Grds.	Died.		Cured.	Died.	
VASCULAR SYSTEM—													
Ligature of Arteries—													
„ of Com.Carotid for Carotid Aneur.	1	1	...	...	1	...	...	...	...	1	...	19	
„ of Subclavian, for Axillary do.,	1	1	...	...	1	...	...	...	...	1	...	22	
„ of Femoral, for Aneur. of Vessel,	1	1	1	...	...	...	...	...	...	...	68	...	
„ of Do. for Popliteal Aneurism,	1	1	1	...	...	...	...	...	...	...	40	...	
Old Operation—for Axill. Aneurism,	1	1	...	...	1	...	...	...	...	1	...	6	
Excision of Erectile Tumours—													
„ of Cheek,	2	...	...	...	...	2	2	...	...	...	15	...	
„ of Arm,	1	1	1	...	...	...	...	...	...	...	13	...	
Ligature of Nævus on Neck, .	1	1	1	...	...	...	...	...	...	...	42	...	
Injection—of Nævus on Face, .	1	...	...	...	...	1	1	...	...	...	35	...	
„ of Do. on Back of Hand, .	1	1	1	...	...	...	...	...	...	...	6	...	
TOTAL, .	11	8	5	...	3	3	3	...	...	3	...	...	
GENITO-URINARY SYST.—Male—													
Lithotomy,	7	7	7	...	...	...	...	...	...	...	48	...	
Lithotrity,	1	1	1	...	...	...	...	...	...	...	53	...	
Extraction of Urethral Calculus,	1	1	1	...	...	...	...	...	...	...	1	...	
Operations for Stricture of Urethra—													
„ Dilatation by Bougie, .	21	21	21	...	...	...	...	...	...	...	29	...	
„ Do. by Holt's Dilator, .	12	12	11	...	1	...	...	...	...	1	13	25	
„ Perineal Section, . . .	5	5	3	...	2	...	...	...	...	2	47	8	
Perin. Incis. for Rupture of Urethra,	2	2	...	...	2	...	...	...	...	2	...	15	
Excision of Testicle, . . .	5	5	5	...	...	...	...	...	...	...	60	...	
„ of Cancer of Scrotum, .	1	1	1	...	...	...	...	...	...	...	49	...	
Tapping and Injecting—of Hydrocele,	21	21	21	...	...	...	...	...	...	...	20	...	
„ of Spermatocoele, . . .	1	1	1	...	...	...	...	...	...	...	23	...	
Incision of Hæmatocoele, . .	5	5	4	...	1	...	...	...	...	1	33	17	
Amput. of Prepuce in Phymosis,	15	15	14	...	1	...	...	...	...	1	18	20	
TOTAL, .	97	97	90	...	7	...	...	...	...	7	...	...	
GENITO-URINARY SYST.—Female													
Ovariectomy,	2	...	...	...	...	2	1	...	1	1	34	6	
Tapping Ovarian Cysts, . . .	4	...	...	...	...	4	...	3	1	1	...	7	
Removal of Mucous Polypi of Uterus,	3	...	...	...	...	3	3	...	...	...	15	...	
Do. of Fibrous Tum. and Polypi of do.,													
„ by Enucleation,	1	...	...	...	...	1	1	...	...	...	11	...	
„ by Ligature,	1	...	...	...	...	1	1	...	...	...	12	...	
„ by Ecraseur,	1	...	...	...	...	1	1	...	...	...	27	...	
Do. Of Cervix Uteri by do., .	1	...	...	...	...	1	1	...	...	...	29	...	
Operations for Radical Cure—													
„ of Vesico-Uterine Fistula, .	3	...	...	...	...	3	3	...	...	...	51	...	
„ of Vesico-Vaginal do., .	3	...	...	...	...	3	3	...	...	...	68	...	
Carry forward, .	19	...	...	...	...	19	14	3	2	2	...	...	

Ligature of Common Carotid, and Ligature of Subclavian.—Fatal in both cases by the occurrence of Secondary Hæmorrhage. *Old Operation for Axillary Aneurism.*—The patient died of Gangrene of Lung. *Stricture of Urethra, Dilat. by Holt's Dilator.*—Cause of death in fatal case, Phthisis. *Stricture of Urethra, Perineal Section.*—Death from Pyæmia in both cases. *Rupture of Urethra.*—In one case there was Fracture of the Pelvis, the patient died on the twenty-second day; in the other, Laceration of the Perineum, the patient died of Pyæmia. *Incision of Hæmatocoele.*—Cause of death in fatal case, Pyæmia. *Amputation of Prepuce.*—Cause of death in fatal case, Diphtheria. *Removal of Cervix Uteri.*—On account of Cauliflower Excrescence of Cervix.

OPERATIONS performed in Cases Treated to a Termination during the
Year, from 1st October 1864 to 1st October 1865—*continued.*

OPERATIONS.	Total Cases.	Males.				Females.				Total Deaths.	Mean Residence in Days after Operation.	
		Total.	Cured or Relieved.	Other Grds.	Died.	Total.	Cured or Relieved.	Other Grds.	Died.		Cured.	Died.
GENITO-URINARY SYST.—Female												
Brought forward, .	19	...	...	...	...	19	14	3	2	2	...	...
Operations for Radical Cure—												
„ of Ruptured Perineum, .	1	...	...	...	...	1	1	...	...	...	22	...
Puncture of Vagina through Rectum, .	1	...	...	...	...	1	1	...	...	...	15	...
„ of Bladder through Vagina, .	1	...	...	...	...	1	1	...	...	...	177	...
„ of Vaginal Cyst, .	1	...	...	...	...	1	1	...	...	...	15	...
„ of Pelvic Cyst through Rectum, .	1	...	...	...	...	1	1	...	...	...	6	...
„ of Do. through Vagina, .	1	...	...	...	...	1	...	...	1	1	...	2
„ of Pelvic Abscess thro' Vagina, .	1	...	...	...	...	1	...	...	1	1	...	20
„ of Do. through Rectum, .	1	...	...	...	...	1	1	...	...	...	52	...
Removal of Urethra Caruncle, .	4	...	...	...	...	4	4	...	...	...	22	...
„ of Clitoris—by Ecraseur, .	1	...	...	...	...	1	1	...	...	...	53	...
„ of Do. and Nymphæ—by do., .	1	...	...	...	...	1	...	1	...	...	36	...
Subcut. Section in Coccygodynia, .	3	...	...	...	...	3	3	...	...	...	27	...
TOTAL, .	36	...	...	...	...	36	28	4	4	2	...	...
ABDOMINAL VISCERA, RECTUM, AND ANUS—												
Operations for—												
„ Radical Cure of Inguinal Hernia, .	1	1	...	...	1	...	...	...	...	1	...	3
„ Strangulated Inguinal do., .	3	3	1	...	2	...	...	...	...	2	...	2
„ Strangulated Femoral do., .	7	...	...	...	...	7	3	...	4	4	36	4
„ Fistula in Ano, .	32	27	27	...	...	5	5	...	...	...	15	...
„ Fissure of Anus, .	6	3	3	...	...	3	3	...	...	...	10	...
Excision of Cancer of Rectum, .	1	1	1	...	...	...	...	...	...	...	45	...
„ of Growth at Verge of Anus, .	1	1	1	...	...	...	...	...	...	...	10	...
„ of Hæmorrhoids, .	5	3	3	...	...	2	2	...	...	...	7	...
Ligature of Hæmorrhoids, .	12	9	8	...	1	3	3	...	...	1	...	...
TOTAL, .	68	48	44	...	4	20	16	...	4	8	...	...
THE EYE and Appendages—												
Ligature of Nævus of Eyelid, .	1	...	...	...	...	1	1	...	...	...	5	...
Removal of Lead Impacted in Cornea, .	1	...	...	...	...	1	1	...	...	...	8	...
Operations for—												
„ Obstruction of Nasal duct, .	1	1	1	...	...	...	...	...	...	...	5	...
„ Do. of Canaliculi (Bowman's Op.) .	1	...	...	...	...	1	1	...	...	...	8	...
„ Entropion, .	2	...	...	...	...	2	2	...	...	...	8	...
„ Staphyloma—Abcission, .	2	2	2	...	...	...	...	...	...	...	18	...
„ Artificial Pupil, .	6	5	5	...	...	1	1	...	...	...	27	...
Iridectomy, .	2	...	...	...	...	2	1	1	...	...	19	...
Operations for Cataract—												
„ by Extraction, .	11	7	6	1	...	4	4	...	...	...	36	...
Carry forward, .	27	15	14	1	...	12	11	1	...	...	...	...

Puncture of Vagina through Rectum—For Imperforate Vagina and Retention of Menses.

Puncture of Bladder through Vagina—For Intractable Disease of the Bladder—the fistulous opening subsequently closed by Sutures.

Oper. for Strang. Inguinal Hernia.—One died of Peritonitis on the third, another, aged 70, on the fourth, day after admission.

Oper. for Strang. Femoral Hernia.—One died of Peritonitis on the day she was admitted; another on the second day after admission; in a third case there was Gangrene of the Bowel, Abortion subsequent to operation, and Peritonitis, which proved fatal on the sixth day; the fourth, a woman 74 years of age, died of a low form of Peritonitis on the seventh day.

Ligature of Hæmorrhoids.—Cause of death in fatal case, Phlebitis and Pleuro-Pneumonia.

OPERATIONS performed in Cases Treated to a Termination during the
Year, from 1st October 1864 to 1st October 1865—*continued.*

OPERATIONS.	Total Cases.	Males.				Females.				Total Deaths.	Mean Residence in Days after Operation.	
		Total.	Cured or Relieved.	Other Grds.	Died.	Total.	Cured or Relieved.	Other Grds.	Died.		Cured.	Died.
THE EYE and Appendages—												
Brought forward, .	27	15	14	1	...	12	11	1	...	...	...	...
Operations for Cataract—												
„ by Linear Operation, .	1	1	1	...	...	...	...	...	...	...	13	...
„ by Schufts do., .	7	6	5	1	...	1	...	1	...	...	32	...
„ by Suction Operation, .	1	1	1	...	...	...	...	...	...	...	9	...
„ by Solution, .	1	1	1	...	...	...	...	...	...	...	39	...
Extraction of Lens for Injuries, .	7	6	6	...	...	1	1	...	...	...	23	...
Operation for Opaque Capsule, .	1	1	1	...	...	...	...	...	...	...	49	...
„ for Strabismus, .	2	...	...	...	...	2	2	...	...	...	5	...
Excision of Eyeball, .	1	1	1	...	...	...	...	...	...	...	30	...
TOTAL, .	48	32	30	2	...	16	14	2	...	...	...	...
THE EAR, NOSE, AND MOUTH—												
Removal of Polypus of Ear, .	1	1	1	...	...	...	...	...	...	...	7	...
„ of Polypi of Nose, .	4	3	3	...	...	1	1	...	...	...	6	...
Operation for—Hare Lip, .	6	3	3	...	...	3	2	...	1	1	...	...
„ Double Hare Lip, .	3	1	1	...	...	2	2	...	...	...	23	...
„ Do. and Cleft Palate, .	1	1	...	...	1	...	...	...	...	1	...	4
Excision—of Sup. Maxillary Bone, .	1	...	...	...	...	1	1	...	...	...	63	...
„ of Inferior Maxillary Bone, .	1	1	...	...	1	...	...	...	...	1	...	...
„ of Do. Partial, .	2	2	1	...	1	...	...	...	...	1	25	2
„ of Tongue for Cancer, .	1	...	...	...	...	1	...	...	1	1	...	13
„ of Do. Partial, .	2	...	...	...	...	2	2	...	...	...	29	...
„ of Cystic Tumour of Upper Jaw, .	1	...	...	...	...	1	1	...	...	...	14	...
„ of Epulis, .	3	...	...	...	...	3	3	...	...	...	10	...
„ of Uvula, .	1	...	...	...	...	1	1	...	...	...	6	...
„ of Enlarged Tonsils, .	3	2	2	...	...	1	1	...	...	...	2	...
„ of Carcinoma of Lips, .	2	2	2	...	...	...	...	...	...	...	33	...
„ of Epithelioma of do., .	15	12	11	...	1	3	3	...	...	1	12	8
TOTAL, .	47	28	24	...	4	19	17	...	2	6	...	...
TUMOURS—additional to those in preceding lists—												
Excision of Tumours—												
„ of Scalp—Encysted, .	3	2	2	...	...	1	1	...	...	...	14	...
„ of Face—Adenoid, .	1	...	...	...	...	1	1	...	...	...	12	...
„ „ Cystic, .	3	2	2	...	...	1	1	...	...	...	15	...
„ „ Epitheliomatous, .	2	1	1	...	...	1	1	...	...	...	15	...
„ „ Malignant on Cheek, .	1	1	1	...	...	...	...	...	...	...	40	...
„ of Neck—Cystic, .	1	1	1	...	...	...	...	...	...	...	5	...
„ „ Parotid Tumours, .	3	1	1	...	...	2	2	...	...	...	31	...
„ of Back, Should., & Nape of Neck, .												
„ „ Fatty, .	7	2	2	...	...	5	5	...	...	...	16	...
„ „ Fibrous of Nape of Neck, .	2	1	1	...	...	1	1	...	...	...	21	...
„ „ Recurrent Fibrous of do., .	1	...	...	...	...	1	1	...	...	...	50	...
„ of Breast—Adenoid, .	1	...	...	...	...	1	1	...	...	...	28	...
Carry forward, .	25	11	11	...	...	14	14	...	...	...	...	...

Operation for Harelip—Cause of death in fatal case, Croup.

Excision of Sup. Maxillary Bone—Removed on account of a malignant tumour of the Jaw.

Excision of Inferior Maxillary Bone for tumour.—The bone disarticulated on both sides, and entirely removed.

Excision of Inferior Maxillary Bones, partial.—On account of Tumours of Maxillary Bones.

Excision of Epithelioma of Lips—Cause of death in fatal case, Heart Disease.

OPERATIONS performed in Cases Treated to a Termination during the
Year, from 1st October 1864 to 1st October 1865—*continued.*

OPERATIONS.	Total Cases.	Males.				Females.				Total Deaths.	Mean Residence in Days after Operation	
		Total.	Cured or Relieved.	Other Grds.	Died.	Total.	Cured or Relieved.	Other Grds.	Died.		Cured.	Died.
TUMOURS—additional to those in preceding lists—												
Brought forward,	25	11	11	...	...	14	14	...	...	...	...	...
Excision of Tumours—												
„ of Breast, Cystic,	2	1	1	...	...	1	1	...	...	...	50	...
„ „ Cystic Sarcomatous,	1	...	...	...	...	1	1	...	...	...	27	...
„ „ Fibrous,	2	...	...	...	...	2	2	...	...	...	24	...
„ „ Fibro-Cystic,	1	...	...	...	...	1	1	...	...	...	11	...
„ „ Schirrous,	19	...	...	...	...	19	17	...	2	2	34	6
„ of Axilla—Medullary,	1	...	...	...	...	1	1	...	...	...	19	...
„ of Superior Extremity—Fatty,	3	1	1	...	...	2	2	...	...	...	13	...
„ of Inferior do.—Painful Subcut.	1	1	1	...	...	...	...	...	...	...	6	...
„ „ Malignant of Thigh,	1	1	1	...	...	...	...	...	...	...	122	...
„ „ Do. of Foot,	1	...	...	...	...	1	1	...	...	...	57	...
„ of other parts—Fatty & Fibrous,	3	...	...	...	...	3	3	...	...	...	23	...
Incision of—Cysts on Neck,	2	...	...	...	...	2	2	...	...	...	13	...
Injection of—Do.,	2	1	1	...	...	1	1	...	...	...	...	...
„ Hydrocele of Thyroid,	1	...	...	...	...	1	1	...	...	...	14	...
Removal of Epithel. Horn on Temple,	1	1	1	...	...	...	...	...	...	...	92	...
TOTAL,	66	17	17	...	...	49	47	...	2	2	...	...
MISCELLANEOUS OPERATIONS—												
Trephining for Compress. of Brain—												
„ for Intracran. Suppuration,	1	...	...	...	...	1	...	...	1	1	...	5
„ for Depressed Comp. Fracture,	1	1	...	...	1	...	...	...	...	1	...	17
Tracheotomy for—												
„ Laryngitis,	2	1	1	...	...	1	1	...	...	...	45	...
„ Do. Syphilitic,	1	...	...	...	...	1	...	...	1	1	...	3
„ Do. Complicated with Phthisis,	2	1	...	...	1	1	...	...	1	2	...	...
„ Oedema Glottidis,	3	2	1	...	1	1	1	...	...	1	...	...
„ Croup,	5	2	...	...	2	3	...	...	3	5	...	1
„ Diphtheria,	4	1	...	...	1	3	1	...	2	3	13	1
Paracentesis—of Chest,	1	1	1	...	...	...	...	...	...	...	49	...
„ of Abdomen,	2	2	...	...	2	...	...	...	...	2	...	...
„ of Spina Bifida,	1	...	...	...	...	1	...	...	1	1	...	1
TOTAL,	23	11	3	...	8	12	3	...	9	17	...	...
SUMMARY OF PRECEDING OPERATIONS.												
Locomotive Organs & Osseous System,	216	163	130	...	33	53	48	...	5	38	...	...
Vascular System,	11	8	5	...	3	3	3	...	...	3	...	...
Genito-Urinary Organs—Male,	97	97	90	...	7	...	...	...	...	7	...	...
Genito-Urinary Organs—Female,	36	...	...	...	...	36	28	4	4	4	...	...
Abdom. Viscera, Rectum and Anus,	68	48	44	...	4	20	16	...	4	8	...	...
The Eye and Appendages,	48	32	30	2	...	16	14	2	...	...	...	...
The Ear, Nose, and Mouth,	47	28	24	...	4	19	17	...	2	6	...	...
Tumours,	66	17	17	...	...	49	47	...	2	2	...	...
Miscellaneous Operations,	23	11	3	...	8	12	3	...	9	17	...	...
TOTAL,	612	404	343	2	59	208	176	6	26	85	...	...

OPERATIONS—Number of CASES Operated on, and MORTALITY at different AGES.

OPERATIONS.	Total Cases.		0 to 5.		5 to 10.		10 to 15.		15 to 20.		20 to 30.		30 to 40.		40 to 50.		50 to 60.		60 to 70.		70 to 80.		80 to 90.		Total Deaths.
	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	
LOCOMOTIVE ORGANS, AND OSSEOUS SYSTEM—																									
Primary Amputations—																									
" at Shoulder Joint,	2										2	1									1				1
" of Arm,	3								1												1				1
" of Forearm,	5								1		2		1								1				1
" of Fingers,	16		1				4		2		7		1		1										
" at Hip Joint,	1										1														
" of Thigh,	5								1		4														
" of Leg,	1																								
" of Toes,	5				1		4																		
Double Primary Amputations—																									
" of Arm & Forearm of op. sides,	1												1												
" of Leg and at Ankle on do.,	3										1		2												
Secondary Amput. for Injuries—																									
" of Forearm,	2						1																		
" of Fingers,	7						2																		
" of Leg,	2										1		1												
" of Toes,	1														1										
Amput. for Disease of Limbs—																									
" at Shoulder Joint,	1								1																
" of Arm,	1								1																
" of Forearm,	5																								
" of Fingers,	17						1		3		1				1										
" at Hip Joint,	1																								
" of Thigh,	14		1				1		2																
" of Leg,	3										3														
" at Ankle (Mr Syme's Oper.),	15		1																						
" of Toes,	3								4		5														
Reduction of Dislocations—																									
" of Hip Joint,	2								1																
" of Shoulder,	6										1								2						

OPERATIONS—Number of CASES Operated on, and MORTALITY at different AGES—continued.

OPERATIONS.	Total Cases.		0 to 5.		5 to 10.		10 to 15.		15 to 20.		20 to 30.		30 to 40.		40 to 50.		50 to 60.		60 to 70.		70 to 80.		80 to 90.		Total Deaths.
	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	
MISCELLANEOUS OPERATIONS—																									
Trephin. in Compres. of Brain—	1										1	1													1
" from Intracran. Suppur.,	1						1	1																	1
" from Depressed Comp. Frac.,																									
Tracheotomy for—																									
" Laryngitis, . . .	2						1				1														1
" Do. Syphilitic, . . .	1																								
" Do. Complic., with Phthisis,	2																								1
" Oedema Glottidis, . . .	3								1																2
" Croup, . . .	5	5															1								1
" Diphtheria, . . .	4	2	2	1																					5
" Paracentesis—of Chest,	1								1																3
" of Abdomen, . . .	2												1	1											2
" of Spina Bifida, . . .	1	1																							1
TOTAL, . . .	23	8	8	8	2	1	2	1	2	1	3	2	3	3	2	2	1	1	1	1	1	1	1	1	17

SUMMARY OF PRECEDING OPERATIONS.

OPERATIONS.	Total Cases.		0 to 5.		5 to 10.		10 to 15.		15 to 20.		20 to 30.		30 to 40.		40 to 50.		50 to 60.		60 to 70.		70 to 80.		80 to 90.		Total Deaths.
	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	Total.	Died.	
Locomo. Organs & Osseous Syst.,	216	20	15	1	36	2	38	5	52	9	25	13	9	2	10	2	10	2	10	3	1	1	...	...	38
Vascular System,	11	3	...	...	...	...	...	...	1	...	2	1	2	...	3	2	3	2	10	...	...	...	...	...	3
Genito-Urinary Organs—Male,	97	2	1	...	3	1	6	1	19	1	22	1	19	2	12	...	12	...	10	1	3	...	...	...	7
Genito-Urinary Organs—Female,	36	...	...	...	...	...	2	...	9	2	16	2	5	...	3	...	3	...	1	...	...	...	...	...	4
Abdom. Viscera, Rect. & Anus,	68	...	...	...	...	...	1	...	17	2	22	2	2	...	6	...	6	...	5	1	...	2	...	...	8
The Eye and Appendages,	48	1	...	...	2	...	5	...	10	...	6	...	...	...	1	...	1	...	12	...	4	2	...	...	...
The Ear, Nose, and Mouth,	47	8	3	...	4	...	1	...	5	...	1	1	9	...	9	2	9	2	3	...	7	1	...	...	...
Tumours,	66	...	2	...	2	...	2	...	10	...	16	...	20	1	9	...	9	...	5	1	2	...	...	...	2
Miscellaneous Operations,	23	8	2	1	2	1	2	...	3	1	3	3	2	2	1	1	1	1	...	...	...	...	...	...	17
TOTAL, .	612	42	21	2	49	4	57	6	126	15	113	23	85	8	54	7	46	6	19	4	...	...	...	...	85

NAME		AGE		SEX		RELATION	
JAMES H. HARRIS		25		M		HUSBAND	
MARY H. HARRIS		22		F		WIFE	
JOHN H. HARRIS		18		M		SON	
ELIZABETH H. HARRIS		15		F		DAUGHTER	
WILLIAM H. HARRIS		12		M		SON	
ANNE H. HARRIS		10		F		DAUGHTER	
CHARLES H. HARRIS		8		M		SON	
MARGARET H. HARRIS		6		F		DAUGHTER	
EDWARD H. HARRIS		4		M		SON	
SARAH H. HARRIS		3		F		DAUGHTER	
FRANCIS H. HARRIS		2		M		SON	
JENNIFER H. HARRIS		1		F		DAUGHTER	
THOMAS H. HARRIS		0		M		SON	
HARRIET H. HARRIS		0		F		DAUGHTER	

1841

RECEIVED OF THE TOWN OF BOSTON