Observations on days of unusual magnetic disturbance, made at British Colonial Magnetic Observatories, under the Departments of the Ordnance and Admiralty. Part 1.--1840-1841. / Printed ... under the superintendence of ... E. Sabine.

Contributors

Great Britain. Board of Ordnance. Sabine, Edward, Sir, 1788-1883. British Colonial Magnetic Observatories. Great Britain. Admiralty.

Publication/Creation

London: Longman, etc, 1843.

Persistent URL

https://wellcomecollection.org/works/dzn9vyjm

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.


You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



GREAT BRITAIN,
Board of Ordnance and Admiralty



· I have been a second to be a secon

OBSERVATIONS

ON DAYS OF

UNUSUAL MAGNETIC DISTURBANCE,

MADE AT THE

BRITISH COLONIAL MAGNETIC OBSERVATORIES,

UNDER THE DEPARTMENTS OF THE

ORDNANCE AND ADMIRALTY.

PRINTED BY THE BRITISH GOVERNMENT UNDER THE SUPERINTENDENCE OF

LIEUT.-COLONEL EDWARD SABINE,

OF THE ROYAL ARTILLERY.

PART I.-1840-1841.

LONDON:

PUBLISHED FOR HER MAJESTY'S STATIONERY OFFICE,

LONGMAN, BROWN, GREEN, AND LONGMANS.

1843.

LONDON:

PRINTED BY WILLIAM CLOWES AND SONS, STAMFORD STREET,
For Her Majesty's Stationery Office.

HISTORICAL MEDICAL VAR AS

PREFACE.

As the principal interest of the Observations, made during periods of magnetic disturbance, appears likely to proceed from their being viewed in connexion with similar observations made simultaneously in other parts of the globe, it has been considered desirable to separate the observations made at such times, from those which are made daily at stated intervals, and to print them in a volume by themselves; and by bringing together the observations of the same date, at the several Observatories, and arranging them in chronological order, to furnish the opportunity of more readily comparing them with each other, and with contemporaneous observations published elsewhere. It is intended that this volume shall comprise the disturbance observations made from 1840 to 1845 inclusive, at the Colonial Observatories instituted by the British Government; the part of the volume which is now published, contains those of 1840-1841.

In addition to the extra observations made at short intervals when the disturbance of the magnets was excessive, the regular observations (which are made hourly at some of the Observatories, and two-hourly at others,) have been extracted from the registers for the days of disturbance, and subjoined; being given for all the Observatories on all days on which extra observations were made at any one. The mean monthly positions of the magnets at the hours of regular observation have also been given, for the purpose of furnishing approximate normal positions, with which the observations on days of disturbance may be compared.

In the hope that an early publication of the observations in 1840-1841, and their comparison with simultaneous observations in other parts of the globe, may lead to the suggestion of more specific points of enquiry than are at present apprehended, and possibly to the substitution of improved instruments and modes of observation,—the printing of this part of the volume has been proceeded with, although all the materials required for the complete reduction of the observations have not yet been received. The coefficients are still wanting for the temperature corrections of the Horizontal and Vertical Force observations of the Antarctic Expedition and of the Van Diemen Island Observatory, and of the Vertical Force observations at St. Helena and the Cape of Good Hope, the necessary experiments for their determination not having yet been made. The scale coefficients

iv PREFACE.

are also wanting for the Vertical Force Magnetometers of the Antarctic Expedition and of the Van Diemen Island Observatory; for the present, therefore, the observations with the latter instruments will show only the direction and comparative amount of any changes which may have taken place in the vertical force, leaving the ratio of the changes to the force itself undetermined.

The Observatories were completed, and the instruments moved into them at the following dates: at St. Helena in August, 1840; at Toronto in September, 1840; at Van Diemen Island in October, 1840; and at the Cape of Good Hope in April, 1841. At St. Helena and Toronto, however, the instruments were set up, previous to those dates, in rooms in which temporary accommodation was obtained.

Whilst observations at many stations yet remain to be published, it would be obviously premature to attempt to trace any single disturbance through the various modifications with which it may have manifested itself in different parts of the globe; but it may not be uninstructive to examine in some small degree the general character of these remarkable phenomena, as they have presented themselves at the stations, and during the periods at present under notice; particularly at Toronto and Van Diemen Island,—as the comparison of stations situated in different magnetic hemispheres, and nearly at the opposite extremities of a diameter of the globe, would seem to offer especial interest.

It has been justly remarked, that in enquiries concerning natural phenomena, which besides their principal cause, have a number of subordinate accidental causes, the course of investigation should be, to separate from the observed march of the phenomena, all that is accidental, for the purpose of drawing forth that which ranges itself under laws, and may thereby be connected with an efficient cause. If such be the course to be pursued when the regular portion of the phenomena forms the subject of investigation, we should adopt the converse proceeding when our attention is designed to be directed to the accidental or irregular portion; we should then endeavour to separate from the general march of the phenomena, all that appears to be subject to laws, leaving the residual to consist entirely of the irregular portion, which we desire to examine.

In our present enquiry, therefore, it is proper, in the first instance, to ascertain and to eliminate the regular diurnal movements of the magnetic elements, or those movements which depend upon the hour of the day, and the season of the year. For this purpose, the mean monthly positions of the magnets, at the regular hours of observation, have been taken as representing the mean diurnal march in the respective months; omitting in the means, the positions on days when disturbances from irregular causes prevailed to any considerable degree. It is probable that the number of days of observation in each month, may not be sufficient to give the diurnal movement with the precision with which it will hereafter be obtained by the combinations of more than a single year; but the general harmony of the different months, and the correspondence which is shown by the monthly means at Toronto and Van Diemen Island, are an evidence that the approxi-

PREFACE.

mation is sufficient for the present purpose. In the tables which follow, and which contain the diurnal march derived from the monthly means, the lowest reading at whatever observation hour it may have occurred, has been taken as the zero for the month; in the case of the Declination, the lowest reading corresponds in both hemispheres to the extreme westerly position of that end of the magnet bar which is directed towards the north; in the case of the Horizontal and Vertical Force Magnets, the lowest reading implies the weakest force; the differences at the other hours are expressed, in the Declination, in minutes of Arc, and in the Horizontal and Vertical Force, in parts of those forces respectively.

TORONTO.—Diurnal oscillation of the Declination, 1841.

The actual Times of Observation were more precisely 2½ minutes before the hours specified.

a Time at Station.	1000	WI	NTER H	ALF-YEA	R.		CONTRACT OF THE PARTY OF THE PA	st	MMER H	IALF-YEA	R.	ide of	MEANS.	
Mean the St	January.	February	March.	October.	November	December.	April.	May.	June.	July.	August.	September	Winter.	Summer.
Hrs.			1			1	1.	1	1	1	,	1	1.	1.
0	2.10	2.21	1.69	0.59	0.15	0.84	1.96	1.21	1.16	1.44	0.51	1.01	1.26	1.21
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.63	0.94	2.00	2.56	2.02	2.64	2.49	2.16	2.26	2.46	3.55	3.40	1.80	2.72
6	2.86	2.82	4.25	5.10	4.70	6.45	5.45	5.19	5.62	5.28	5.28	4.79	4.36	5.37
8	5.63	5.00	5.72	6.62	6.08	6.78	7.43	6.74	7.30	7.09	9.30	7.40	5.97	7.54
10	5.02	7.08	6.48	6.65	5.07	5.62	8.76	6.98	6.62	7.82	11.05	6.55	5.99	7.96
12	5.63	5.49	6.62	5.92	5.13	5.27	8.21	5.83	7.17	9.11	7.79	8.31	4.68	7.74
14	5.02	4.21	5.98	6.65	5.05	4.09	8.87	6.19	6.20	7.82	8.11	7.79	5.17	7.50
16	4.92	5.91	7.31	6.64	5.13	4.89	9.25	7.10	7.45	7.89	7.64	7.96	5.80	7.88
18	3.26	5.95	7.66	5.54	3.43	5.54	10.38	10.17	11.56	11.24	12.26	9.24	5.23	10.81
20 22	5.16	6.39	9.23	7.10	3.63	4.38	8.02	6.96	6.48	8.28	7.68	5.10	6.42	11.63
44	0.09	0.39	1 10	3 00	3 03	4 09	0 04	0 30	0 40	0 20	1 00	3 10	3 30	1 09

VAN DIEMEN ISLAND.—Diurnal oscillation of the Declination, 1841.

The actual Times of Observation were more precisely 10 minutes after the hours specified.

Time at Station.		w	INTER H	ALF-YEA	R.		SUMMER HALF-YEAR.						MEANS.	
Mean the S	April.	May.	June.	July.	August.	October.	January.	February.	March.	October.	November	December.	Winter.	Summer.
Hrs.	,	1	,	1	,		1	,	1	,	1	,	,	1
0	3.74	1.83	1.81	2.27	2.87	3.91	9.01	6.42	7.47	7.26	7.48	7.55	2.74	7.53
2	6.74	4.73	3.58	4.76	5.08	7.00	12.77	8.42	10.07	10.49	11.14	11.36	5.31	10.71
4	5.20	4.25	3.07	3.95	5.03	6.10	10.35	7.31	8.29	9.16	9.73	9.94	4.60	9.13
6	2.84	2.46	1.72	1.97	2.97	3.14	7.72	5.32	5.22	5.89	7.06	7.33	1.52	6.42
8	1.61	0.35	0.72	1.05	1.55	1.16	6.29	4.34	3.86	3.91	4.20	5.66	1.01	4.71
10	0.89	0.17	0.00	0.05	0.00	0.63	4.34	2.67	2.83	2.45	2.09	4.24	0.58	3.10
12	1.10	0.25	0.37	0.55	0.20	1.38	4.59	1.39	2.85	2.35	2.63	2.83	0.69	2.77
14	2.43	1.10	0.83	0.74	0.60	0.75	4.03	1.70	2.91	4.19	4.00	3.12	1.07	3.33
16	2.24	1.82	1.53	2.64	1.64	2.98	4.02	2.02	3.75	4.00	4.22	3.21	2.14	3:59
18	2.21	1.64	1.44	1.82	2.04	2.61	2.00	0.13	2.54	2.69	2.35	2.53	2.01	2.04
20	0.26	1.48	1.70	1.55	1.93	0.55	0.00	0.00	0.00	0.00	0.00	0.00	1.19	0.00
22	0.00	0.00	0.97	0.00	0.84	0.00	1.82	1.64	1.76	1.38	1.40	1.61	0.30	1.23

PREFACE.

The observations at Van Diemen Island were made hourly, but the alternate ones only have been taken on this occasion, for the sake of the comparison with Toronto, where during the year 1841 two-hourly observations only were made.

On examining the Table for Toronto, we perceive as follows:-

The march of the regular diurnal oscillation does not consist in a simple movement from one extremity of the range to the other, and back, as has been supposed even at a very recent date,* but in an alternate progression and retrogression.

In tracing the course of the oscillation, we may commence with 2 P.M., because in every month of the year, without exception, the north end of the bar is then more to the west, than at any other observation hour. Dating from 2 P.M., the movement is continuous towards the east, until 10 P.M.; when the bar returns towards the west, and reaches, at 2 A.M., a second westerly limit; which, however, is nearer the eastern than the western extremity of the whole diurnal range, in consequence of the retrogression, or westerly movement at this period of the 24 hours, being comparatively of small amount. A second progression towards the east then commences, and continues until 8 A.M., having a much more decided character in the summer than in the winter months, both in its amount, and in the precise hour at which it reaches its limit. From 8 A.M. till 2 P.M., the return is continuous towards the west.

The observation hours which have been named as those at which the alternate movements terminate, viz., the westerly at 2 A.M. and 2 P.M., and the easterly at 10 P.M. and 8 A.M., are indicated alike by the means both of the summer and of the winter half-years; when examined more in detail, there appears a somewhat less regularity in the periods during the nocturnal hours, than during those when the Sun is above the horizon.

The range of the diurnal fluctuation is throughout greater in the summer than in the winter months: this is particularly the case with the easterly movement, which takes place from 2 A.M. to 8 A.M., and the subsequent return. The progressive increase in the extent of this movement may be clearly traced from the mid-winter, when it is barely perceptible, to the mid-summer, when it is very considerable. It is a consequence of this inequality, that in two of the mid-winter months, the evening eastern limit becomes the eastern extremity of the whole diurnal range, which is formed in every other month of the year by the morning eastern limit.

If we now refer to the Table of the diurnal oscillation of the Declination at Van Diemen Island, we find that its course corresponds with that at Toronto in all the principal features, with one essential distinction, viz, that the hours of easterly movement at Toronto, are those of westerly movement at Van Diemen Island, and $vice \ vers \hat{a}$; the north end of the bar being in both cases the one of which the motion is noticed, and the hours being those of mean time at the respective stations. The diurnal range is nearly the same at both places, (rather less at Van Diemen Island), and there is at both

^{*} Arago; Annuaire pour l'an 1836, p. 283.

PREFACE. vii

a similar inequality in its amount in summer and winter. The alternate progression and retrogression are as distinctly marked, and the hours indicated as the turning points are either the same at both stations, or with such slight differences, as cannot be insisted upon, until observation, by its increased frequency and repetition, shall press more closely upon the phenomena.

The next Tables exhibit a similar view of the diurnal oscillation of the Horizontal and Vertical components of the Force at Toronto, derived from the two-hourly observations, corrected for the temperature of the bar, and expressed in terms of the respective forces. An approximate coefficient has been employed in the temperature correction of the Vertical Force observations. Similar Tables for the Van Diemen Island Observatory cannot be prepared, until the observations can be corrected for the temperature of the Magnet bars.

TORONTO. - Diurnal oscillation of the Horizontal Force, 1841.

The actual Times of Observation were at the	ne hours	specified.
---	----------	------------

Mean Time at the Station.		W	INTER H	WINTER HALF-YEAR.					SUMMER HALF-YEAR.					
Mean?	January.	February.	March.	October.	November.	December.	April.	May.	June.	- July.	August.	September.	Winter.	Summer.
Hrs.	204-													
0	-00000	-00000	-00000	-00000	-00001	.00000	-00000	-00052	-00065	-00013	-00070	-00093	-00000	-00049
2	•00051	-00036	•00096	.00092	-00062	-00069	-00147	.00156	•00145	•00139	-00211	-00194	-00068	-00165
4	-00127	-00112	-00150	-00143	-00105	-00109	•00209	·00226	•00188	•00184	•00263	•00236	-00124	-00218
6	-00134	•00125	-00119	.00130	-00096	-00084	-00210	•00204	•00159	-00162	•00205	•00213	-00115	.00192
8	-00115	-00089	-00097	-00106	-00078	-00086	-00141	-00150	-00090	-00076	-00096	-00205	·00095	.00126
10	-00087	-00107	-00084	-00089	-00056	-00087	-00142	-00131	-00072	-00062	-00072	-00160	•00085	-00106
12	.00084	•00085	-00074	.00063	-00033	-00081	-00133	•00124	-00077	.00055	-00077	-00154	-00070	-00103
14	•00100	.00094	-00088	-00103	-00017	-00071	•00155	-00118	•00088	-00064	-00067	•00132	-00079	00104
16	-00097	-00103	-00087	-00113	•00053	-00077	-00156	-00122	-00062	-00067	-00090	-00118	-00088	-00102
18	-00135	-00121	-00099	.00102	.00058	•00129	•00158	-00126	-00103	-00073	-00114	-00179	-00107	-60125
20	-00149	.00104	-00063	-00058	•00046	-00082	-00090	-00072	-00057	•00056	-00093	-00124	-00084	.00082
22	-00103	-00040	-00002	-00021	-00000	-00051	-00003	-00000	.00000	-00000	-00000	.00000	-00036	.00000

TORONTO.—Diurnal oscillation of the Vertical Force, 1841.

The actual Times of Observation were more precisely 5 minutes before the hours specified.

Mean Time at the Station.		V	VINTER H	ALF-YEAR	R.			s	UMMER I	IALF-YEA	R.	man net	MEANS		
Mean the S	January.	February.	March.	October.	November.	December.	April.	May.	June.	July.	August.	September.	Winter.	Summer.	
Hrs.					AB12300		The second	Section 2		2000000		100000	and the same of		
0	*00012	-00017	-00025	•00038	•00032	•00013	-00018	.00013	-00001	-00020	-00048	-00044	-00023	-00024	
2	-00030	-00034	.00040	•00055	•00044	•00029	-00039	•00033	.00018	•00035	-00065	-00063	•00039	.00042	
4	•00039	-00047	-00060	•00065	-00052	-00035	-00056	•00057	-00048	•00054	-00081	-00059	-00050	-00059	
6	-00041	•00052	-00069	-00064	-00059	•00043	•00069	•00059	•00056	-00062	-00099	-00074	•00055	-00070	
8	•00041	-00049	-00067	-00060	-00050	-00034	-00057	-00049	-00047	-00058	•00083	-00064	•00050	•00060	
10	*00035	.00043	-00052	•00048	-00020	.00024	-00044	-00040	-00027	•00031	•00044	-00043	•00037	•00038	
12	-00018	•00024	•00026	-00016	-00017	-00014	-00015	•00016	-00006	•00008	-00027	•00038	-00019	-00018	
14	-00007	-00005	-00000	-00000	-00000	-00000	-00013	-00014	-00003	-00000	-00000	-00010	•00002	-00007	
16	-00000	-00005	-00006	-00006	•00018	-00005	-00000	-00001	-00004	-00006	•00012	-00000	•00007	-00004	
18	-00001	-00001	-00013	.00021	-00000	-00007	-00006	•00005	-00010	•00009	•00033	-00014	+00007	•00013	
20	-00013	.00002	-00018	•00024	-00024	•00009	-00012	•00004	-00009	•00014	-00023	.00042	-00015	-00017	
22	-00004	-00000	-00013	-00023	•00023	-00000	-00010	-00000	-00000	-00014	-00034	-00045	-00010	-00017	

From these Tables we collect the following particulars:—The diurnal oscillation of the horizontal force consists in an alternate increase and decrease of the force, forming two maxima and two minima in the twenty-four hours. The principal minimum, or the least force at any of the observation hours, occurs at 10 a.m. in the summer half-year, and at noon in the winter half-year. The principal maximum is at 4 or 6 p.m., except in mid-winter, when the afternoon oscillation is so much reduced in amount that the other maximum, which occurs throughout the year at 6 or 8 a.m., becomes, in the months of December and January, the principal maximum. The second minimum takes place during the hours of the night, or from 10 p.m. to 4 a.m., during which period the force is nearly stationary. The whole diurnal oscillation is altogether greater in summer than in winter, and the alternate increase and decrease twice in the twenty-four hours shows itself in the mean of every month of the year with slight variations in the times of the turning points.

The maximum of the vertical force takes place at 6 p.m., and the minimum at 2 or 4 a.m. A second maximum at 8 a.m. and minimum at 10 a.m. are also traceable in some of the months, but a longer period of observation and a more accurate determination of the coefficient in the temperature correction, are requisite for a satisfactory conclusion on this point.

PREFACE. is

On a review of the accord which shows itself in the diurnal march of each element in the different months, we may feel justified in regarding the mean monthly positions at the several observation hours as approximate normal positions; and we may view the difference between the actual position at any hour during the month, and the normal position at the same hour, as the effect of disturbing causes.

If we represent the Declination observed at the several hours on any particular day by ψ_0 , ψ_2 , ψ_4 , ... ψ_{zz} , (the small figures showing the hours of observation in mean Göttingen time,) and the mean values at the respective hours in the month to which the day belongs, by $\overline{\psi_0}$, $\overline{\psi_2}$, $\overline{\psi_4}$, ... $\overline{\psi_{zz}}$; then $\psi_0 - \overline{\psi_0}$ will be the effect of the irregular disturbing force at 0 hours, which we may represent by $\nabla \psi_0$; $\psi_2 - \overline{\psi_2} = \nabla \psi_2$ is the same at 2 hours; and so forth to $\psi_{zz} - \overline{\psi_{zz}} = \nabla \psi_{zz}$ at 22 hours; the regular or diurnal oscillation of the bar being by this process eliminated. The fluctuation of the Declination due to the irregular action between the observations at 0 and at 2 hours will then be $\nabla \psi_2 - \nabla \psi_0$, which we may express by $F(\psi_z)$; the fluctuation between the observations at 2 and 4 hours $\nabla \psi_4 - \nabla \psi_2 = F(\psi_4)$; and so forth: and the mean irregular fluctuation for the whole day will be $\overline{F \psi} = \psi_T \sqrt{\Sigma(F \psi)^2}$ if the number of observation hours have been 12. In like manner the mean irregular fluctuation for the several months in the year will be

$$\overline{F\,\psi_{\text{Jan.}}} = \frac{1}{n} \sqrt{\,\Sigma\,(F\,\psi_{\text{Jan.}})^2}\,;\,\, \overline{F\,\psi_{\text{Feb.}}} = \frac{1}{n} \sqrt{\,\Sigma\,(F\,\psi_{\text{Feb.}})^2};\,\,\&c.$$

and the mean irregular fluctuation for the year (1841 for example) will be

$$\overline{F \psi}_{1841} = \frac{1}{n} \sqrt{\Sigma (F \psi_{1841})^2}$$

In this notation the horizontal bar over the symbols is employed to signify mean values, the particular kind of mean appearing either from the circumstances, or being denoted by the smaller figures; and the horizontal part of the symbol ∇ implies the relation to mean values. The notation is equally applicable to the horizontal and vertical force, of which the absolute values are characterized by X and Z.

The following letters exhibit the values of $\overline{F(\psi)}$ and $\overline{F(X)}$ for every day in 1841 in which observations were made at Toronto and Van Diemen Island; also the mean monthly fluctuation for the several months, and the mean annual fluctuation. All the observations of the horizontal force at Toronto have been reduced to a common temperature: those at Van Diemen Island are necessarily uncorrected.

Table showing the Mean Fluctuation of the Declination and Horizontal Force at and the Mean

Days of the	JA	NUARY.	FEE	RUARY.	М	ARCH.	_ A	PRIL.	1 18	MAY.		JUNE.
Month.	Deel.	Hor. Force.	Decl.	Hor. Force.	Deel.	Hor. Force.	Decl.	Hor. Force.	Decl.	Hor. Force.	Deel.	Hor. Force
1	,	areas and	,				,		,		,	
1	2.3	*00036	1.7	.00039	2.1	.00076	1.0	.00055	2.9	.00103	1.9	.00062
2	1.7	.00051	1.3	.00022	1.4	.00055	1.7	*00043	S	unday.	1.9	.00115
3	S	inday.	1.6	•00030	1.7	.00027	2.0	.00095	1.5	.00030	2.6	.00072
4	1.2	.00017	1.6	•00049	1.9	.00026	Sı	inday.	2.1	.00065	3.2	.00053
5	1.1	*00037	1.1	.00024	1.6	.00045	2.2	.00043	4.8	.00091	3.1	.00070
6	2.6	.00047	2.7	.00031	3.3	.00069	1.9	.00033	5.1	.00079	Si	inday.
7	3.1	.00063	Su	inday.	S	inday.	2.4	•00040	1.9	.00076	3.2	.00064
8	2.6	.00095	2.3	.00055	1.1	.00060	4.9	.00144	1.6	.00097	1.2	.00044
9	1.1	.00042	12.9	.00109	1.1	.00035	Good	Friday.	S	unday.	4.8	.00066
10	St	mday.	1.7	.00038	1.4	.00043	1.4	.00032	9.7	.00198	2.6	.00045
11	1.9	.00038	2.4	.00059	3.6	.00061	S	inday.	2.2	.00058	4.5	.00063
12	2.2	.00060	5.9	.00084	1.4	.00027	3.9	.00144	2.8	.00077	1.9	.00070
13	5.3	.00047	2.2	.00037	1.7	.00018	1.4	.00037	1.4	.00052	Sı	inday.
14	4.2	.00070	Su	inday.	St	inday.	3.3	.00049	3.7	-00070	1.9	.00045
15	4.0	.00054	5.8	.00078	8.3	00160	1.3	.00036	1.4	.00056	5.0	.00090
16	4.1	.00045	3.7	.00075	4.5	.00097	5.1	.00042	St	inday.	1.7	.00049
17	St	ınday.	1.7	.00023	2.1	.00098	3.8	.00113	3.6	.00081	3.0	.00125
18	1.7	.00032	1.4	.00051	1.9	.00060	St	inday.	2.8	.00110	5.3	.00088
19	2.9	.00073	1.1	.00030	2.6	.00045	2.7	.00102	4.6	.00090	1.7	.00044
20	2.4	.00044	1.3	.00053	4.8	.00036	5.2	.00139	4.0	.00051	S	inday.
21	2.7	.00060	St	inday.	St	inday.	3.5	.00087	4.7	.00093	1.7	.00067
22	1.3	.00032	4.2	.00084	10.3	.00283	2.4	*00036	2.9	.00109	3.4	.00107
23	1.7	.00039	10.4	.00103	3.4	.00101	2.1	.00033	Si	anday.	5.6	.00052
24	St	inday.	3.7	.00064	3.1	.00075	2.0	.00092	1.5	.00048	4.1	.00087
25	7.1	.00077	3.7	.00051	2.9	.00050	St	inday.		.00038	4.9	.00178
26	3.5	.00093	7.5	.00134	2.7	.00066	2.9	.00052		.00101	1.4	.00036
27	3.2	·00123	3.2	.00064	1.3	.00049	2.0	.00074	4.1	.00033	Su	inday.
28	2.7	.00028	Su	mday.	Sı	inday.	2.4	.00032	2.2	-00075	3.4	.00061
29	1.7	.00036		all plants	3.7	.00116	3.8	.00049	4.9	.00055	3.1	.00157
30	2.0	.00047		1111111	1.5	.00079	3.5	.00090	St	inday.	2.1	.00152
31	St	ınday.		H-MEN	1.4	.00024		MB	6.5	.00060		E IT COM
Mean Monthly Inctuations.	3.06	*00058	4.70	·00065	3.52	.00088	3.00	.00071	3.83	.00084	3.35	.00089

Mean Annual Fluctuation of the Declination 3' 39;

The Declination Magnetometer was not in adjustment on the 25th and 26th of May, in consequence of the suspension thread breaking.

PREFACE.

Toronto on the several Days in the Year 1841; also the Mean Monthly Fluctuations, Annual Fluctuation.

		JULY.	A	UGUST.	SEP	TEMBER.	00	TOBER.	NO	VEMBER,	DE	CEMBER.	Days of the
	Decl.	Hor. Force.	Deel.	Hor. Force.	Decl.	Hor. Force.	Mouth.						
	,		,		1		,		,		,		
6.2	1.7	.00112	S	unday.	3.2	.00074	1.7	.00036	1.1	*00035	1.4	*00066	1
	2.1	*00065	5.4	.00093	3.2	.00084	2.3	.00055	2.9	.00015	3.7	.00101	2
	2.7	.00039	2.3	.00069	2.6	.00045	Sı	inday.	4.2	.00043	5.9	.00157	3
	S	inday.	2.4	.00067	2.6	.00057	1.4	.00028	4.5	.00097	3.5	.00096	4
	4.6	.00074	2.9	•00095	Sı	unday.	4.0	.00082	4.1	.00178	St	inday.	5
	6.8	.00134	16.4	.00303	1.4	.00035	3.5	.00094	6.7	.00160	4.8	.00062	6
	1.6	.00043	2.7	.00141	2.7	.00055	3.7	•00059	Sı	ınday.	2.1	.00063	7
	2.2	*00042	Su	inday.	1.6	.00037	4.2	.00082	2.8	.00064	4.5	.00133	8
	1.4	.00043	3.2	.00039	1.4	*00045	3.5	.00115	1.7	.00049	1.7	.00059	9
	1.6	.00074	2.4	.00046	1.1	.00062	St	inday.	1.7	.00039	5.9	.00084	10
	Si	inday.	5.0	.00110	1.2	.00048	2.2	.00065	2.6	.00194	1.4	.00029	11
	2.4	*00048	4.7	.00106	St	inday.	1.5	.00052	1.4	.00043	St	mday.	12
	2.1	.00047	2.4	.00062	4.5	.00126	2.8	.00063	2.0	.00039	1.2	.00036	13
	3.5	.00083	3.4	.00114	2.8	.00263	3.7	.00066	St	inday.	9.1	*00138	14
	2.6	.00070	Su	mday.	1.7	.00052	2.0	.00035	1.5	.00048	1.5	•00029	15
	1.7	.00122	5.9	.00077	5.6	.00070	4.2	.00049	1.1	.00031	2.4	.00090	16
	2.6	.00049	2.8	.00077	2.7	.00042	Sı	inday.	2.6	.00030	3.2	.00062	17
-	Su	nday.	2.9	.00071	4.9	.00080	2.6	.00095	7.0	.00251	1.2	*00062	18
	7.8	.00098	3.0	.00062	Su	mday.	3.5	.00064	7.7	.00090	St	inday.	19
	4.1	.00141	1.7	.00055	1.7	.00065	7.8	.00122	6.8	.00148	1.9	.00038	20
	6.7	.00062	2.8	.00096	2.0	.00040	4.6	.00126	St	inday.	1.2	•00034	21
	4.1	*00044	Su	nday.	2.6	.00074	1.9	*00048	2.6	.00050	6.1	.00034	22
	2.4	.00100	8.6	*00115	1.5	.00033	1.1	.00048	1.3	.00064	3.2	.00027	23
	5.0	.00224	3.1	.00057	7.1	.00198	St	inday.	4.5	.00080	3.8	.00042	24
	Su	nday.	2.7	.00053	21.9	.00515	8.2	.00122	1.3	.00020	Christ	mas Day.	25
	2.9	.00065	11.4	.00065	Su	inday.	4.3	.00097	1.6	.00030	St	inday.	26
	4.8	.00066	7.8	.00066	5.8	.00156	2.2	.00130	1.6	.00028	1.0	.00036	27
	2.4	.00059	5.8	.00081	5.0	.00213	1.3	.00039	Su	nday.	1.7	.00033	28
	1.6	.00070	Su	nday.	4.8	.00164	3.6	•00053	1.3	.00021	1.3	*00025	29
	1.9	*00048	+	.00036	4.5	.00072	1.4	.00035	1.4	.00027	4.8	.00160	30
	4.6	.00032	6.0	.00109			St	inday.			3.1	.00062	31
_	3.72	.00083			5.18	.00133	3.40	•00079	3.54	.00094	3.73	.00083	Mean Monthly Fluctuations.
0	the l	Horizontal	Force	00086.			1000	100000	1			and the same of	

[†] The Declination Magnetometer was not in adjustment on the 30th of August, in consequence of a fibre of the suspension thread having broken; a new suspension thread was fitted.

Table showing the Mean Fluctuation of the Declination and Horizontal Force at Fluctuations, and the

										2 Auceum	010110,	and the	
Days of the	JA	NUARY.	FEB	RUARY.	M	ARCH.	A	PRIL.	,	IAY.	J	UNE.	
Month.	Deel.	Hor. Force.	Decl.	Hor. Force.	Decl.	Hor. Force.	Decl.	Hor. Force.	Deel.	Hor. Force.	Decl.	Hor. Force.	
1	2.4	.0006	2.1	.0004	1.6	.0004	1.1	.0004	Su	inday.	0.8	.0004	
2	St	inday.	1.6	.0004	1.1	.0003	1.1	.0004	0.9	.0002	0.6	.0003	
3	2.0	-0006	2.0	.0003	1.4	.0003	Su	ınday.	2.0	.0002	0.6	.0003	
4	1.7	.0003	0.6	.0004	0.9	.0003	0.9	.0004	1.5	.0006	1.1	.0004	
5	1.2	*0004	1.3	.0002	0.9	.0002	1.3	.0002	0.8	.0007	Si	inday.	
6	2.1	.0009	Su	inday.	St	inday.	1.1	.0003	1.7	.0004	0.9	.0003	
7	3.1	•0006	3.4	.0009	2.3	.0005	1.1	.0006	1.1	.0003	1.1	.0004	
8	1.7	.0004	1.8	.0007	1.3	.0004	1.5	.0003	St	inday.	0.8	.0002	
9	Si	inday.	5.5	.0005	1.0	.0003	1.1	.0002	3.5	.0013	1.6	.0007	
10	1.7	.0004	1.1	.0002	1.1	-0003	St	ınday.	4.9	.0013	0.8	.0002	
11	1.2	.0004	1.6	.0003	1.2	.0003	1.6	.0006	1:1	.0004	0.5	.0004	
12	2.3	.0006	1.7	.0004	1.0	.0004	1.1	.0006	1.4	.0006	Si	inday.	
13	1.7	.0007	Sı	inday.	S	unday.	1:4	.0004	0.6	.0002	0.9	.0003	
14	2.7	.0004	1.7	.0006	3.1	.0010	1.2	.0003	0.7	.0002	1.1	.0002	
15	1.8	.0004	4.6	.0010	3.8	.0013	1.4	.0001	S	unday.	1.8	-0004	
16	Si	inday.	3.7	.0006	2.5	.0006	1.3	.0002	2.0	.0005	1.2	.0002	
17	1.1	.0004	1.8	.0004	2.0	.0004	St	ınday.	3.0	.0004	1.3	.0006	
18	1.2	.0006	1.4	.0003	0.8	.0005	1.8	.0009	2.3	.0004	3.0	.0004	
19	5.0	.0006	0.5	.0005	2.4	.0004	2.7	.0007	1.1	.0003	S	inday.	
20	1.4	.0005	Su	nday.	S	unday.	2.8	.0009	1.3	.0006	0.8	.0003	
21	1.3	.0005	0.8	.0003	2.1	.0005	2.2	.0005	3.4	.0006	0.8	.0002	
22	2.1	*0005	4.1	.0011	7.6	.0011	1.2	.0008	S	unday.	0.8	.0002	
23	S	inday.	3.8	.0007	5.1	.0007	0.7	.0003	0.9	.0003	0.8	.0003	
24	0.8	.0004	1.3	.0010	2.5	.0004	S	inday.	0.6	.0001	1.1	.0003	
25	1.7	.0008	2.1	.0005	1.6	.0005	1.3	.0004	0.9	.0003	2.8	.0004	
26	2.0	.0007	3.8	.0010	0.8	.0004	1.9	.0003	1.3	.0005	S	unday.	
27	2.3	.0008	S	unday.	S	unday.	0.6	.0004	2.1	.0004	0.8	.0002	
28	1.5	.0004	3.0	.0010	1.5	.0004	0.7	.0003	1.2	.0002	0.7	.0008	
29	1.3	.0004	1		1.2	.0004	0.8	.0004	S	unday.	1.1	.0007	
30	S	unday.	1	2. 3.	2.3	.0006	2.1	.0006	0.6	.0002	0.7	.0005	
31	2.5	.0006			0.8	.0001			0.8	.0004		1 3 3 3	
Mean Monthly Fluctuations	2.00	.00055	2.5	.00061	2:53	*00055	1.49	.00048	1.97	.00054	1:31	.00038	

Mean Annual Fluctuation of the Declination 2' 02;

PREFACE. xiii

Van Diemen Island, on the several Days in the Year 1841; also the Mean Monthly Mean Annual Fluctuation.

- 1	JULY.	AU	GUST.	SEPT	EMBER.	OCT	FOBER.	NOV	EMBER.	DEC	EMBER.	Days of the
Decl.	Hor. Force.	Teel.	Hor. Force.	Decl.	Hor. Force.	Month.						
,		1		,		1		1		1		
0.8	.0002	1.0	.0002	2.3	.0004	1.3	.0004	0.9	.0004	1.9	.0003	1
0.6	.0003	1.7	.0004	2.0	.0005	Su	inday.	0.9	.0003	2.6	.0006	2
Si	inday.	2.1	.0010	1.3	.0004	1.5	.0006	3.1	.0007	4.8	.0005	3
0.9	.0003	0.8	.0004	Su	inday.	0.9	.0002	2.4	.0011	Su	mday.	4
2.3	.0006	1.8	.0004	0.8	.0002	1.3	.0007	2.5	.0010	1.3	0003	5
2.1	.0005	6.1	.0013	1.1	.0003	1.6	.0004	Su	inday.	1.6	.0005	6
0.8	.0002	Su	nday.	1.4	.0004	1.2	.0005	1.3	.0005	1.6	.0005	7
0.6	.0003	0.5	.0004	1.2	.0003	3.8	.0013	1.6	.0005	4.5	.0007	8
0.8	.0002	0.8	.0002	1.0	.0003	Su	nday.	1.6	.0002	2.2	.0004	9
Si	unday.	1.0	.0003	0.6	.0003	1.5	.0003	1.2	.0005	1.5	.0003	10
1.6	.0002	2.3	.0006	Su	inday.	1.1	.0004	2.6	.0008	Si	inday.	11
1.3	.0003	1.5	.0010	1.7	.0005	1.0	.0003	2.1	.0003	1.4	.0004	12
1.2	.0002	0.9	.0003	2.8	.0013	1.3	.0004	St	inday.	1.5	.0005	13
3.1	.0003	St	inday.	1.7	.0004	0.8	.0003	1.4	.0004	2.7	.0008	14
2.3	.0004	1.8	.0006	0.8	.0004	0.8	.0003	1.3	.0004	0.6	.0005	15
0.8	.0002	1.1	.0006	1.8	.0005	St	inday.	1.4	•0005	1.9	.0004	16
S	unday.	1.0	.0003	0.6	.0004	1.1	.0005	2.5	.0013	2.7	.0006	17
0.8	.0003	1.1	-0003	Si	inday.	1.3	-0007	2.3	.0014	Si	inday.	18
1.5	-0007	0.9	.0002	1.1	.0003	1.1	.0004	5.2	.0010	1.6	.0004	19
4.5	.0003	0.9	.0002	1.7	.0005	1.9	.0007	S	anday.	1.4	.0002	20
0.8	.0007	S	unday.	0.8	.0004	1.7	.0009	1.7	.0003	1.3	.0002	21
2.1	.0006	1.6	.0008	0.6	.0004	0.9	.0001	3.3	.0003	1.2	.0006	22
1.8	•0006	3.3	.0004	1.0	.0003	S	unday.	1.5	.0004	1.3	.0005	23
S	unday.	1.8	.0005	4.3	.0011	2.8	.0007	1.9	.0005	1.4	.0006	24
0.6	.0004	1.2	.0002	Sı	unday.	2.7	.0007	2.1	0003	Si	unday.	25
1.3	.0004	2.6	.0006	1.4	.0004	2.8	.0008	1.6	-0007	1.1	.0003	26
1.5	.0003	2.8	.0005	2.0	.0011	1:4	.0005	S	inday.	0.8	.0002	27
0.8	.0003	S	unday.	3.0	.0012	3.3	.0004	1.1	-0007	2.3	-0003	28
0.9	.0002	1.3	.0007	4.0	.0005	1.4	.0007	1.7	.0003	1.8	.0004	29
0.8	.0002	1.9	.0002	2.0	.0002	S	unday.	1.3	.0004	3.5	.0010	30
S	unday.	2.0	-0007			1.3	-0005			1.3	.0002	31
1.71	.00039	2:03	.00058	1.92	.00060	1.83	-00059	2.21	.00069	2.20	.00050	Mean Monthl Fluctuatio

xiv PREFACE.

A cursory examination of these tables is sufficient to show that some connexion exists between the disturbances of principal magnitude at Toronto and those at Van Diemen Island. If twenty or thirty of the most disturbed days in the year be selected from each of the stations, the days will be found to be for the most part the same at both; and the three days of most remarkable disturbance at Van Diemen Island, viz., the 22nd March, 10th May, and 6th of August, are also the most disturbed days at Toronto, (excepting the 25th September, which, falling on Sunday at Van Diemen Island, is excluded from the comparison).

Another circumstance which cannot fail to be noticed, even on a mere inspection, is the general inferiority in amount of the disturbances at Van Diemen Island when compared with those at Toronto; an inferiority which shows itself both in the Horizontal Force and in the Declination. The fluctuation from one hour of observation to the next, on the average of the whole year, is, at Toronto, of the Declination 3'.99, and of the Horizontal Force ·00086; at Van Diemen Island, Declination 2 · 02, Horizontal Force ·00054; and if portions of the year taken in corresponding seasons be compared, the inequality will be found to be generally nearly in the same proportion. The extra observations which are made at both Observatories, at short intervals, on days of unusual disturbance, afford also consistent evidence of the lesser effect which the disturbing influences produce at Van Diemen Island. The Magnetic relations of the two stations,those at least which might be supposed to have the principal influence on the comparative effect of disturbing forces,-do not so greatly differ; the terrestrial magnetic intensity is nearly the same at both stations; the inclination is-70° 40' at Van Diemen Island, 75° 10' at Toronto; the component of the force which acts on the bar in its horizontal position is 4 · 5 at Van Diemen Island, 3 · 5 at Toronto. The range of the regular diurnal oscillation, though somewhat less at Van Diemen Island than at Toronto, approaches much nearer an equality than the irregular fluctuation. Though in nearly corresponding latitudes, the two stations differ considerably in other geographical circumstances which materially affect climatological relations: Toronto is situated in the interior of a great continent, and Van Diemen Island, though in the neighbourhood of land of great extent, is surrounded in all other directions by an expanse of ocean. These circumstances may not be undeserving of notice, though no connexion has yet been established between climatological and magnetic influences. That there should be a fluctuation of nearly four minutes of arc in the Declination, and of nearly Total part of the whole horizontal force, on the average of the year, between one two-hourly observation and the succeeding one (as appears to be the case at Toronto), - arising from causes, and subject to laws, of which we have at present no knowledge whatsoever,-is a circumstance which cannot fail to draw the attention of Magneticians even more strongly than hitherto to the subject of the irregular disturbances. Refinements in instruments, particularly the precautions which have been adopted since 1841 to prevent the generation

PREFACE. x

of currents of air within the external magnetometer case, may possibly in succeeding years somewhat diminish the value of the mean fluctuations which have been derived from the observations of 1841; but the correspondence which has been stated to exist, and which may be pursued in detail in the Observations contained in this volume, in the times of the occurrence of the disturbances (of those of principal magnitude at least), at stations so widely remote from each other as Toronto and Van Diemen Island, and so opposed in season and horary angle, appear fully to justify the persuasion, that the fluctuations, of which we have sought to obtain at least approximate mean values, are actual natural phenomena, and not, as some have imagined, mere instrumental deceptions.

Further evidence of the generality of these phenomena may be obtained by comparing the days of principal disturbance at Prague with those at Toronto and Van Diemen Island. At Prague, as at the British Colonial Observatories, observations at short intervals are commenced whenever the attention of the Director is arrested by the occurrence of a change of more than usual magnitude between one regular observation and the next; and are continued until the fluctuations assume again their ordinary character. The disturbance observations at Prague are printed in detail, and in a form very similar to that which has been adopted in this volume, in a separate section of the "Magnetische und Meteorologische Beobachtungen zu Prag" now in course of publication, by M. Kreil, Director of the Observatory. This portion of the work has not yet advanced beyond November, 1840; but the volume in which it is comprised contains also a table, in which the relative magnitude of the disturbance at the observation hours on every day from July, 1839, to June, 1841, inclusive, is given both in Declination and Horizontal Intensity; and M. Kreil has been so obliging as to furnish me with a MS. continuation to the end of December, 1841. In this table the days of disturbance are marked by an asterisk(*), and the day of greatest disturbance in each month is marked thus (*). The days which M. Kreil characterizes as days of disturbance are those in which the sum of the fluctuations from one observation hour to the next throughout the twenty-four hours, including both the irregular and diurnal changes, equals or exceeds the double of the sum of the corresponding fluctuations derived from the mean monthly positions at the same hours. This mode of comparison serves to show, equally with the one which has been adopted in this volume, the days in each month when the irregular fluctuation deduced from the usual observation hours has been greatest, and will answer therefore the present purpose; though inasmuch as in M. Kreil's method the unit of comparison varies in different months, an amount of irregular fluctuation which may constitute a day of disturbance in one month might not do so in another.

The days on which the extra observations recorded in this volume were made at Toronto and Van Diemen Island are inserted in the following table; and the final column shows the character attached to the same day in M. Kreil's Table. The com-

xvi PREFACE.

parison is limited to 1841 because the Van Diemen Island Observatory can scarcely be considered to have been in regular action before the commencement of that year.

		Days of Extra	Observation at	Committee of the property of the state
1841.		Toronto.	Van Diemen Island.	Days of Disturbance at Prague.
Feb. 7 " 9 " 15 " 22 & " 26 March 14, 1 " 22 & April 18, 1 May 10 July 19 & Aug. 2 & 3 " 6 " 23	23 5, & 16 23 9, & 20	13 18 25, 26, & 27 (Sunday) 9 15 23 26 14, 15 22 None 10 19 2 6 23 27	None 19 None 7 9 15 22 26 15, 16 22 18, 19, 20 10 20 3 6 23 27	13 * Decl. and *) H. F. 18 * H. F.; 19 * Decl., and * H. F. 25 * H. F.; 26 * Decl., and * H. F. 7 * Decl. and * H. F. 9 *) Decl. and * H. F. 15 * Decl. and * H. F. 22 not dist.; 23 * Decl., and * H. F. 26 * Decl. and *) H. F. 14 * H. F.; 15 * Decl. and * H. F.; 16 * H. F. 22 *) Decl. and * H. F.; 23 * Decl. and *) H. F. 18 * H. F.; 19 not dist.; 20 *) H. F. 10 *) Decl. and *) H. F. 19 not dist.; 20 *) Decl., and * H. F. 2 not dist.; 3 * H. F. 6 *) H. F. 23 * H. F. 27 * H. F.
,, 31, & Sept. 12 &	5, & 26 28 9 25	21 31 13 24, 25, 26 27, 28 9 24, 25 6 18 None None 14 None	1 12, 13 24, 25, 26 27, 28 8 25 None 18, 19 3 8 None 30	21 * H. F. 31 not dist.; 1 * H. F. 12 * H. F.; 13 * Decl., and * H. F. 24 not dist.; 25 *) Decl. and *) H. F.; 26 * H. F. 27 * Dec. and * H F.; 28 * H. F. 8 and 9 not dist. 24 not dist.; 25 *) Dec., and * H. F. 6 * Decl., and * H. F. 18 not dist.; 19 * Dec and * H. F. 3 *) Decl. and * H. F. 8 * Decl. and * H. F. 14 * Decl. and * H. F. 14 * Decl. and * J. F.

In the following table the day in each month is shown which is characterized by M. Kreil, in the manner already described, as the most disturbed day in the month at Prague. On a reference to the tables in pages x, xi, xii, xiii, the amount can be examined of the disturbance in Declination and Horizontal intensity on the same days at Toronto and Van Diemen Island: the most disturbed day in each month at those stations has been inserted in the present table with a view of showing how frequently the days are the same.

PREFACE. xvii

1841.	Pra	pue-	Toe	outo.	Van Diet	nen Island.	Remarks-
1011	Deel.	Hor. Force.	Decl	Hor. Force.	Decl.	Hor. Force.	Action 1
January .	31	13	25	27	19	6	Jan. 31 fell on Sunday at Toronto
February .	9	26	9	26	9	22	
March	22	23	22	22	22	15	
white	No day of arked dist.	20	20	12	20	20	
May	10	10	10	10	10	10	
	No day of arked dist.	25	23	25	18	28	
July	20	24	19	24	20	19	
	No day of narked dist.	} 6	6	6	23	6	William Inches
September .	25	25	25	25	24	13	Sept. 25 fell on Sunday at Va
October .	25	21	25	27	8	8	Diemen Island.
November .	5	4	19	18	19	18	
December .	5 3	30	14	30	3	30	marketin in extending the

We have thus three stations, one in the interior of Europe, one in the interior of America, and a third near the mid latitude in the southern hemisphere and in a meridian very distant from the other two. Of the twenty-nine principal disturbances recorded in the table,—some confined to a single day, others running through two or three successive days, and comprehending altogether forty-nine days,—by far the greater part are shown to have manifested themselves at the three stations, though variously modified in the intensity of the effect, in the particular time in which the action was greatest, and in the element most affected. Nor is it by any means to be understood that on the very few occasions when no extra observations were made at one of the two British stations, no disturbance existed there; the irregularity may not in all cases have been of sufficiently decided character to have appeared to require extra observations; or circumstances may not always have been suitable for the effort of supporting observations at short intervals with three instruments. The practice, however, which has been adopted in this volume, of giving the positions of the Magnets at the usual hours of observation at all the Observatories, on every day when extra observations have been made at any one of them, furnishes a ready means of examining, in the very few cases referred to, whether the disturbance be traceable, although no extra observations were made: in most of the instances it will be found to be distinctly traceable.

Of the twenty-nine periods of principal disturbance above noticed, fifteen were also marked by extra observations at St. Helena, showing a still more general extension. There is, however, a difference in the character of the phenomenon as it manifests itself at St. Helena (and possibly elsewhere in the low latitudes) from that which it bears in the higher latitudes, which renders it less fitted to arrest the attention of the observer at the moment, and may, therefore, in such localities, occasion a disturbance to pass more frequently without extra observation. In the higher latitudes great and rapid fluctuations

xviii PREFACE.

both in direction and force, which even a casual observer could scarcely overlook, appear the ordinary and leading characteristic; whilst at St. Helena this feature is far less obvious, and the more usual form of a disturbance is that of a sustained deviation, in one direction or the other, from the normal position at the same hours. In the Returns transmitted from Toronto and Van Diemen Island, the extra observations are generally introduced by a remark, "commenced in consequence of considerable or rapid changes occurring in the position of the Magnets." The corresponding notice at St. Helena is "commenced in consequence of the readings of the Declination or Horizontal Force Magnetometer being unusually high or low" as the case may be.*

It has been inferred by M. Kreil from the Prague observations (Mag. und Met. Beob. zu Prag Zwnt. Jahr, page 28) that the disturbances have little or no effect on the total magnetic intensity, and consequently that the variations which take place at such times in the horizontal force must be regarded as due to corresponding changes in the inclination. Dr. Lamont is also of opinion that "it is not improbable that the total force of terrestrial Magnetism remains unchanged, and that the variations perceived by us relate to direction only, so that the changes of inclination are given by changes of horizontal intensity," (Res. der. Mag. Beob. in München, 1840, 1841, 1842, page 678). The disturbances recorded in this volume by no means confirm the view, that the disturbing forces act at all times only in the direction in which they would produce no effect on the total intensity. On the contrary, many instances will be found on examination in which the total intensity was obviously and considerably influenced. A change in the total intensity shows itself by an alteration in the readings of the Horizontal and Vertical Force Magnetometers, the alteration being in both in the same sense, i. e., either increased or decreased readings in both. A change of inclination on the other hand shows itself by the readings of the two force Magnetometers being simultaneously affected in opposite directions, i. e., the reading of the one increasing when the other decreases. Instances of both kinds are frequent (as well as of the more complicated effect arising from both elements being affected). The very remarkable disturbance which took place about 16th, on the 29th May, 1840, at Toronto, is a striking instance of change in the total intensity, both the force Magnetometers having been deflected beyond the scale at the same time in the same direction.†

For the purpose of exhibiting the proportionate amount of disturbance in the different

^{*} In much the greater number of instances it is the low reading of the Horizontal Force Magnet, indicating a diminution of horizontal intensity, which occasioned the commencement of extra observations at St. Helena.

[†] The remarkable disturbance referred to, on the 29th of May, 1840, took place during the occurrence of an Aurora, and appears to have been connected with a peculiar phase of that meteor, as described by the Director of the Observatory in the note printed in page 3. Taking the positions of the Horizontal and Vertical Force Magnets when reported off the scale as if they had been at the zero of the scale, and regarding the mean positions in the month as normal positions, we have the disturbance of the Magnets at 16^h. 25^m. in scale divisions respectively as follows:—

PREFACE. xix

months of the year, we may take the mean annual fluctuation in declination and horizontal intensity at Toronto and Van Diemen Island respectively as unity, and express the mean fluctuations of either element in each month in terms of its own mean annual fluctuation. Toronto and Van Diemen Island having opposite seasons, (i. e., the winter of the one being the summer of the other, and vice versa), any effect of season would

Declin., 129.4 westerly; Hor. Force, 145 decrease; Vert. Force, 61.7 decrease: equivalent to-

$$\delta \psi = 1 \quad 33 \cdot 3$$

$$\frac{\delta X}{X} = -0.0304$$

$$\frac{\delta Z}{Z} = -0.0092$$

If we suppose these disturbances to be occasioned by a small force f in a direction of which the Declination is ψ' and the Dip θ' we have the equations—

$$f \cos \theta' \cos (\psi' - \psi) = \delta X - \cdots \qquad (1)$$

$$f \cos \theta' \sin (\psi' - \psi) = (X + \delta X) \tan \delta \psi \qquad (2)$$

$$f \sin \theta' \qquad = \delta Z - \cdots \qquad (3)$$

$$\tan (\psi' - \psi) = \tan \delta \psi \cdot \frac{X + \delta X}{\delta X} \qquad (4)$$

$$f \sin \theta' = \phi \sin \theta \frac{\delta Z}{Z} = A \qquad (5)$$

$$f \cos \theta' = \phi \cos \theta \sec (\psi' - \psi) \frac{\delta X}{X} = B \qquad (6)$$

$$f \cos \theta' = \phi \cos \theta \csc (\psi' - \psi) \left(1 + \frac{\delta X}{X}\right) \tan \delta \psi = B \qquad (7)$$

$$\tan \theta' = \frac{A}{B}.$$

By means of these formulæ we obtain the direction and magnitude of the small disturbing force on May 29th, 16^h. 25^m., as follows:—

$$\psi' - \psi = 130 10$$
 $\theta' = -40 50$
 $f = .0136 \phi$

October 24th, 1841, between 18h. and 19h., and November 18th, 1841, between 16h. and 17h., at Toronto, are other instances of remarkable disturbances apparently connected with peculiar phases of the Aurora. If we compute in a similar manner the direction and magnitude of the disturbing force at 18h. 40m. on the 24th October, and at 16h. 25m. on the 18th November, we obtain as follows:—

It is deserving of notice that the directions should be so nearly the same in the three examples which have been cited.

xx PREFACE.

tend to produce dissimilarity in the proportions, when the amount of disturbance in the same month at the two stations is compared; but as we have already seen the correspondence which exists in regard to the days of principal disturbance at both, it may be proper to examine in the first instance the degree in which an accordance may further be traced in the mean monthly fluctuations.

1841			Too	ronto.	Van Die	men Island.	
1 10			Declin.	Hor. Force.	Declin.	Hor. Force.	
January .			.77	-68	1.00	1.00	
17.1		1000	1.18	.75	1.33	1.12	
			.88	1.02	1.27	1.00	
April			.75	.82	.75	.88	
May			•94	.97	.99	1.00	
June			.84	1.03	.66	.70	
July			•91	.96	.86	.71	
August .			1.46	1.19	1.02	1.08	
September			1.30	1.55	.97	1.09	
October .			.87	•91	•92	1.09	
November			.89	1.09	1.11	1.25	
December.			.93	.96	1.10	.92	

The influence of the general disturbances which took place in more than ordinary measure in August, September, and February, is here visible; April, on the other hand, shows itself to have been a remarkably tranquil month at both stations.* We may still remark, however, even on general inspection, an indication of the apparent influence of season, which becomes more manifest when the months are arranged according to the respective seasons.

	To	ronto.	Van Dier	Mean.	
	Declin.	Hor. Force.	Declin.	Hor. Force.	Mean.
4 Summer Months	1.05	1.04	1.13	1.07	1.07
4 Winter Months 4 Months (2 Spring & 2 Autumn) .	0.94	1.07	0.98	1.01	1.00

The excess of the proportionate fluctuation in the summer over the winter months, in both elements, and at both stations, is too consistent and considerable to be altogether regarded as accidental, and is more deserving of attention when it is remembered that it must be viewed as a residual quantity after the counter-action of the causes, the syn-

^{*} At Prague, in April, no day occurred in which the sum of the fluctuations of the Declination equalled twice the sum of the fluctuations of the mean monthly positions at the same hours; consequently, according to M. Kreil's mode of characterizing disturbed days, there was no day of disturbance of the Declination at Prague in the month of April.

PREFACE. xxi

chronous influence of which must now be regarded as an established fact. It must be admitted, however, that the evidence of a single year does not afford a sufficient basis on which to found the important deduction of an annual period in these hitherto apparently irregular phenomena; more especially as M. Kreil has drawn from the observations at Prague a contrary inference, namely, that the disturbances are more considerable in winter than in summer. (Mag. und Met. Beob. zu Prag Zwnt. Jahr, pages 14 and 18).

We may adopt a similar mode of examining the proportionate fluctuation, on the average of the whole year, at the different observation hours of the day and night. The mean fluctuation in the year of the Declination (for example) at 0 hour is

$$\overline{\mathbf{F}(\psi_0)} = \frac{1}{n} \sqrt{\Sigma (\mathbf{F} \psi_0)^2}; \text{ at 2 hours } \overline{\mathbf{F}(\psi_2)} = \frac{1}{n} \sqrt{\Sigma (\mathbf{F} \psi_2)^2}; \&c., \&c.,$$

and $\frac{\overline{F(\psi_0)}}{\overline{F(\psi_{1841})}}$, $\frac{\overline{F(\psi_2)}}{\overline{F(\psi_{1841})}}$, &c., exhibit the proportionate amount of the mean fluctuation

at the several hours of observation to the mean annual fluctuation regarded as unity.

Mean fluctuation of the Declination at the several hours of observation in 1841.

Toronto.	Van Diemen Island.	Remarks.						
20 ,, 22 0 22 ,, 0 0 0 ,, 2 0 2 ,, 4 0	16	Mean of the hours of the day. Toronto, V. D. Island, 0.82 0.78						
8 , 10 1 10 , 12 1 12 , 14 0 14 , 16 1	20 5 to 7 1.05 39 7,, 9 1.12 12 9,, 11 1.31 87 11,, 13 1.36 10 13,, 15 1.25 09 15,, 17 1.02	Mean of the hours of the night. Toronto, V. D. Island, 1:13 1:18						

The fluctuation of the Declination appears from this table to be considerably greater during the hours of the night than in those of the day, both at Toronto and Van Diemen Island.

In regard to the horizontal force we can obtain no satisfactory deduction from the Observations at Van Diemen Island, until we are enabled to correct the results for the influence of variations of temperature on the magnetism of the bar.

The following are the mean fluctuations of the Horizontal Force at Toronto at the several hours of observation in 1841, from which no very obvious inference appears to be deducible:—

On examining the meteorological registers at the Toronto Observatory, with reference to the appearance of Aurora, on the twenty-four days of principal magnetic disturbance at that station, it appears that on thirteen days of the twenty-four the Aurora was visible, and that on the remaining eleven days the sky was either densely overcast or heavily clouded, so that the Aurora, though it might exist, could not be seen.

January 18 Faint Auroral light.

" 27 Auroral light in North

February 9 Densely overcast.

" 23 Faint Auroral light.

March 15 Bright Aurora.

., 22 Generally overcast.

May 10 Densely clouded with rain.

July 19 Bright Aurora.

" 24 Heavily overcast, with thunder.

August 6 Brilliant Aurora.

., 23 Faint Aurora.

" 26 Overcast with haze.

September 13 Aurora, with streamers and pulsations.

, 24 Heavily clouded with rain.

" 25 Bright Aurora.

October 9 Brilliant Aurora.

, 25 Bright Aurora.

November 5 Faint Auroral light.

6 Densely clouded.

" 11 Densely clouded, with rain.

18 Brilliant Aurora.

December 3 Densely clouded, with rain.

. 14 Densely clouded.

,, 30 Overcast with dense haze.

The connexion between Aurora and magnetic disturbance, each viewed as a local phenomenon, has often been remarked: the days in the above list on which both occurred together were however days of disturbance at Prague and Van Diemen Island, as well as at Toronto; it would seem therefore that we may view the occurrence of Aurora at Toronto on those occasions as a local manifestation connected with magnetic effects, which, whatever may have been their origin, probably prevailed on the same day over the whole surface of the globe.

The observations with the Vertical Force Magnetometer at St. Helena prior to July 1841, have been omitted. The magnet, which had been much rusted on the passage out, was replaced in October, 1841, by one of improved construction, and in the observations made subsequently the connexion appears to have been generally preserved for short intervals.

The scale coefficients (k) of the Horizontal and Vertical Force Magnetometers, being the values respectively of one division of the scale in parts of the force at the station, are given in the heading of each day at each of the Observatories; except for the Vertical PREFACE. xxiii

Force Magnetometers of the Antarctic Expedition and of the Van Diemen Island Observatory, from which the data for computing the coefficients have not yet been received.

The temperature coefficients (q) of the Horizontal and Vertical Force Magnets, or the changes of the magnetic moment of the several bars, produced by one degree of Fahrenheit, are also given in the several headings, as far as they are yet known.

EDWARD SABINE.

Woolwich, August 1, 1843.

OBSERVATIONS WITH THE MAGNETOMETERS

ON DAYS OF

UNUSUAL MAGNETIC DISTURBANCE,

1840-1841.

Макси 21, 1840.	Максн 21, 1840.	APRIL 25, 1840.
TORONTO Decl. 1 Scale Division = 0' · 72 H. F. k = · 00017; q = · 00034 *	M. Gött, Time. Decl. Hor. Force. Vert. Force.	Positions at the usual hours of observation, April 25th.
V. F. b Extra observations.	d. h. m. s. ScDiv ^{ns} . ScDiv ^{ns} . Ther. ScDiv ^{ns} . Ther. 21 10 0 0 51 · 7 54 · 9 49 12 0 0 58 · 8 56 · 4 50	M. Gött, Time. Decl. Hor. Force. Vert. Force.
The H. F. was observed at 1=, 40°, before the times specified.	14 0 0 59·8 55·2 49 16 0 0° 60·9 54·0 48	d. h. m. s. ScDiv ⁿ . ScDiv ⁿ s. Ther. ScDiv ⁿ s. Ther. 25 0 0 0 67 1 55 0 54
M. Gött. Time. Decl. Hor. Force. Vert. Force.		2 0 0 64.7 52.0 55
d. h. m. s. ScDiv ^{ns} . ScDiv ^{ns} . Ther. ScDiv ^{ns} . Ther.	Mean Positions at the same hours during the Month. ⁴	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
21 3 45 0 63·4 37·6 46 47 30 57·8 50 0 58·6 38·2 52 30 56·9 55 0 55·1 39·9 57 30 54·3	0 0 0 63·4 59·9 45 2 0 0 67·2 58·2 46 4 0 0 63·4 48·9 47 6 0 0 53·3 47·3 49	8 0 0 48·8 46·1 59 10 0 0 51·9 47·9 59 12 0 0 57·5 49·2 62 14 0 0 59·7 43·5 63 16 0 0 58·8 44·6 62
57 30 54·3 40·4 47 5 0 47·8 39·7 10 0 46·1 39·9 15 0 46·1 40·9	8 0 0 48.9 53.7 50 10 0 0 52.4 66.9 51 12 0 0 56.7 56.2 52 14 0 0 59.3 56.4 51 16 0 0 60.1 57.0 49	Mean Positions at the usual hours of observation, April 18th to April 30th.
20 0 46·8 41·0 25 0 48·1 42·2 30 0 48·9 43·0 35 0 51·7 44·5	16 0 0 60.1 57.0 49 APRIL 25, 1840.	0 0 0 66.8 58.0 52 2 0 0 68.5 55.9 52 4 0 0 61.2 49.0 53 6 0 0 51.8 49.0 54 8 0 0 46.9 55.0 55
40 0 54·3 44·8 45 0 56·3 43·9 50 0 55·7 43·1 55 0 54·2 41·6 5 0 0 53·6 40·7 5 0 53·1 40·0 10 0 51·6 38·8	TORONTO H. F. $k = 0002$; $q = 00034$ V. F. • Extra observations made during a violent hail-storm, occurring at the close of a light thunder-storm. •	10 0 0 51·2 57·5 56 12 0 0 56·7 56·0 57 14 0 0 57·5 52·8 56 16 0 0 61·0 52·0 56 18 0 0 61·2 54·6 53 20 0 0 62·2 56·8 53
15 0 51·6 37·5 20 0 49·1 37·2 25 0 47·0 37·2 30 0 47·4 37·2 35 0 46·7 36·6	25 9 50 0 48·0 55 0 52·2 56 0 52·5 46·7	22 0 0 62.8 58.5 52 May 29 and 30, 1840.
15 55 0 60·9 54·8 16 0 0 60·9 55·2 48	58 40 59 0 59 55 10 0 0 51.9 47.9 59	TORONTO $ \begin{cases} Decl. 1 Scale Division = 0' \cdot 72 \\ H. F. k = \cdot 00021; q = \cdot 00034 \\ V. F. k = \cdot 00015; q = \cdot 0002 \text{ h} \end{cases} $
5 0 15 0 61·6 54·2 20 0 63·2 25 0 61·0 53·7	1 0 52·1 47·9 2 0 52·2 47·7	Regular, extra, and term observations, May 28th, 18 ^h ., to May 30th, 16 ^h . The V. F. was observed at 2 ^m . 30 ^s . before, and the H. F. at 2 ^m . 30 ^s . after the times specified.
Positions at the usual hours of observation, March 21st.	3 0 53·0 3 40 4 55 48·1 6 10 48·6	28 18 0 0 158 9 142 7 71 55 2 70 20 0 0 161 8 140 5 71 53 1 71 22 0 0 169 4 142 7 70 59 1 69
21 0 0 0 63·8 61·7 44 2 0 0 61·8 47·3 46 4 0 0 54·3 39·7 47 6 0 0 49·6 38·8 50 8 0 0 44·6 48·6 49	7 25 8 0 53·3 9 0 53·5 10 0 53·3 19 0 54·0	29 0 0 0 191·2 162·7 69 58·7 69 25 0 170·1 152·8 57·5 30 0 169·3 35 0 177·5 154·7 40 0 179·4

The disturbance of the magnets commenced between 28^d. 22^b. and 29^d. 0^h. 0^m.; the magnetometer readings at those hours showing a decrease in the declination, amounting to 15'·1, and an increase in the H. F. equal to 0·004 of the whole force. The V. F. had scarcely changed.

At 29^d. 0^h. 25^m., the disturbance of the declination was so great that in one minute only, the change of angle amounted to about 10'; the disturbance subsided rapidly, and little more than the usual changes took place until 29^d. 4^h., at which time the observations at short intervals were discontinued.

^{*} The value of q for this bar, which was used from March to August, is approximate.
b The V. F. magnet was not in adjustment.
c Saturday midnight at Toronto.
d The mean positions of the H. F. magnet are from March 19th to March 31st inclusive; they cannot be considered as strictly comparable with the daily positions on the 21st, in consequence of the possible stretching of the suspension wires for some wasks of a the first distress.

weeks after the first adjustment.

The V. F. magnet was observed, but the readings were not as yet to be relied on.

<sup>The V. F. magnet was observed, but the readings were not as yet to be rened on.

d. b. m.

At 25 9 40 a dense mass of black clouds, covering five-eighths of the sky in N. and W.; frequent peals of distant thunder commenced at about 9².

55 Clouds spreading upwards from the West, covering nearly all the sky; loud thunder, and vivid flashes of forked lightning. Lightning proceeding from W.N.W., where the sky was broken into bright masses of clouds, with rounded and well-defined upper edges; sky clear to the Southward.

58 A tremendous shower of hail fell very suddenly; and about five minutes after, a heavy peal of thunder, accompanied with rain, and a heavy squall from the Westward; some of the hailstones were fully one inch in diameter; the whole of them were very large. The fall lasted about ten minutes, when the clouds broke to the Northward and Westward, and the whole sky became covered with masses of cumuli passing over from the West. The wind drew again to the East.</sup>

^{25 10 45}

Sky clear to the W. of North; storm passing over to the East; beavy and lowering in the North-east; wind drawing back to the West; clouds passing from the West. The hail-storm appears to have extended in a westerly direction, the breadth within which hail fell being about four or five miles; the weight of the squall was not more than a mile and a half, or two miles in width.

[&]amp; Saturday midnight at Toronto.

b This value is approximate.

Description of an Aurora observed on the night of the 29th and 30th May 1840, and of its effect on the Magnets in the Observatory at Toronto.

М	Av 29 a	nd 30, 184).					MAY 29	and 30,	1840.			May 29 and 30, 1840.								
M. Gött. Time.	Decl.	Hor, Force	Vert.	Force.	M.	Gött. T	ime.	Decl.	Hor. Fo	orce.	Vert. F	orce.	M. Gött. Time. Decl. Hor. Force.			Vert, Force.					
29 0 45 0 50 0 55 0 1 0 0 10 0 15 0 20 0 26 0 31 0 34 0	ScDiv ²⁸ . 175 · 7 174 · 2 174 · 9 173 · 0 172 · 8 170 · 4 168 · 2 156 · 8 167 · 2 172 · 2 176 · 9	152·3 148·6 145·7 137·5	57.5 57.5 59.4	0	4. 29	h. m. 1 50 2 0 35 50 55 3 0 5 10 15 20 25	0 0 0 0 0 0 0 0 0 0	165 · 5 163 · 3 164 · 6 166 · 3 163 · 9	ScDiv ¹⁰ . 144 · 1 144 · 8 148 · 4 145 · 9 144 · 5 147 · 5	Ther. 69	56.5 55.2 53.3 54.4 54.5	0		h. m. 3 30 35 40 45 50 55 4 0 5 10 15 20	0 0 0 0 0 0 0	164 · 9 162 · 3 160 · 0 160 · 3 161 · 0 157 · 9 157 · 3 158 · 0 155 · 8 155 · 5	149·4 148·8 147·5 150·2	Ther.	55.3 54.7 54.2 54.5 54.8	Ther	

The term day observations commenced at 29^{4} . 10^{5} . The weather continued fair and calm, and the sky perfectly clear, except a light haze round the horizon, until 29^{4} . 13^{5} ., when a few cirro-strati appeared in the North and West horizons. The sun set with a glow which extended to the N.E.

A faint light appeared in the North about 9 o'clock, followed soon after by faint streamers to the East of North; at 9^h, 22^m, the sky to the North had become one bright sheet of light; at 9^h, 30^m, a dark cloud lay along the horizon, arching upwards; brilliant streamers shot up along its extent from N.W. to N.E., reaching nearly to the zenith, and occasionally sending out flashes like a gleam of lightning, having a most beautiful effect

The remarkable feature of this Aurora consisted in a continued succession of most The remarkable feature of this Aurora consisted in a continued succession of most brilliant flashes or pulsations, at times covering the whole upper portion of the sky from W.N.W. to E.N.E., but never lower than an altitude of 15° or 20°; the streamers were faint at their first appearance, but soon brightened up, and would occasionally shoot upwards, darting across the flashes; the latter resembled large waves of light thrown upwards in successive layers, appearing usually at different points in de-tached masses, but occasionally each layer or wave extending round the whole Northern semi-circle and being thrown upwards with a regular although incessant motion. They were only once observed to flash across the zenith, but frequently round it. round it.

The greatest disturbance of the declination magnetometer commenced about 15th, 35th, at which time or a few minutes later, two remarkably brilliant streamers, 15°. 35°, at which time or a few minutes later, two remarkably brilliant streamers, shaded off with lesser ones, were seen to rise from a patch of light in N.W. at an alt. of about 15°, converging, as appeared to be the case with all the others, to a point about 5° West of the zenith, and, for a few seconds, forming a very distinct corona about 10° from the point of convergence; the sky within the circle or corona being perfectly

clear.

The most beautiful and remarkable appearance during the night occurred a few minutes after 16^h.; a perfect arch extended from N.W. to N.E., splendid streamers shot up from it to the point of convergence already mentioned, and most brilliant and incessant flashes were thrown upwards to the South of the zenith in a series of concentric rings, the centre of rings and arch being about 10° East of North. The flashes extended only within about 15° or 20° to the North of the zenith, but closed nearer to the South, and formed for a few seconds almost a perfect ring of light; the Northern part of the circle remained clear for some time, the dimensions and other particulars were unfortunately not noted at the moment.

part of the circle remained clear for some time, the dimensions and other particulars were unfortunately not noted at the moment.

It was while this appearance lasted that the H. F. and V. F. magnets were drawn out of the range of their scales. The pulsations and streamers became fainter, and the extreme disturbance of the magnets ceased after 16°. 30°. A faint light and streamers were visible at intervals until 29°. 8°.; towards 19°. the flashes and streamers again appeared with nearly their former brilliancy; a very light air had sprung up from the North, and in lieu of their former uniform pulsations the flashes appeared to have an incessant dancing motion, downwards as well as sideways. On its again becoming calm the motion ceased. calm the motion ceased.

All traces of the Aurora vanished between 20^h, and 21^h., the magnets became comparatively steady, and continued without disturbance until 30^s. 10^h., when very sudden changes took place for a short time.

Flashes of such magnitude and brilliancy do not appear to have been commonly seen in this part of the country.

The disturbance of the magnets, more particularly those of the H. F. and V. F., was far greater than could have been anticipated from the observations of the preceding months. The greatest changes that had been observed between any succeeding pair of months. The greatest changes that had been observed between any succeeding pair of two hourly observations between the 15th February and 29th May were of the declination about 16'·5; of the H. F., 0·0044; and of the V. F. from 20th April to 29th May, 0·00088 of the whole; while the entire range of the declination during the preceding months amounted only to an angle of 28'·0, and the maximum monthly changes of the H. F. and V. F. to ·0163 and ·0024 of the respective forces.

The extreme change of declination during this disturbance amounted to 1° 59', the readings of the scale varying from 25·4 to 190·1, the mean reading being about 160·0; the Aurora caused an increase to the mean Westerly declination of about 1° 37'.

160.0; the Aurora caused an increase to the mean Westerly declination of about 1° 37′.
The highest reading of the H. F. magnetometer was 214.0, the change to 0 of the scale corresponds to a decrease of 0.044, or about 1-23rd of the whole force. The extreme disturbance must have exceeded this very considerably.

No colour could be distinguished in the Aurora except the usual pale yellowish

Corporal Johnston, one of the assistants at the Observatory, heard a distinct hissing noise like the escape of steam at about 29°d. 16°a., when the flashes were most brilliant

and the force magnets were beyond the range of the scales; particular attention was paid throughout the night, but there were few intervals before midnight when the neigh-bourhood was sufficiently quiet to allow of a slight sound being heard.

Detailed account of the Aurora.

29 14 0 Haze round horizon, remainder clear.

Haze round horizon; faint light on either side of North to an altitude of 15 0 about 5°.

19

A very faint streamer shot up in N. by E. to an alt. of about 60°.

Sky to North a bright sheet of light,

Bright arch of light from N.N.W. to N.N.E., alt. in North about 15°;

faint streamers shooting up in North by East to an alt. of 45°.

Brilliant streamers in close arrangement shooting up from extreme end 24

of arch at N.W.

Streamers rising from N.W. to N.E. very bright at intervals, and oc-casionally appearing to flash like a gleam of lightning; height nearly to zenith; dark clouds along the horizon, arching upwards in North; greatest

Streamers fainter in the N.E. drawing more to the Westward, converging to a point about 5° West of zenith. 37

Two brilliant streamers shaded off with lesser ones darting up from a patch of light in N.W. Streamers at intervals from N.W. to N. converging to the point above named; for a few seconds a distinct corona within 10 of point of convergence.

Streamers fainter; incessant pulsations like faint flashes of lightning through the whole sky to the Northward; dark in the North except when lighted up by the pulsations increased in brilliancy; stars visible through them; incessant flashes appearing to circle round the zenith to Westward.

Patches of light at different alts from W.N.W. to S.E.; no streamers. Flashes from the whole semi-circle across and round zenith, appearing bent

in their course upwards. 16 0

Brilliant streamers and pulsations
Perfect arch from N.W. to N.E., splendid streamers from it and most
beautiful and incessant flashes—almost one continued stream of light.
Same continuing, streamers converging as before, pulsations thrown upwards in a series of concentric rings to the South of zenith, round point of

convergence, centre of arch and rings about 10° East of North.

A bright and broad streamer rising in magnetic North and extending nearly to zenith; pulsations fainter and less frequent; streamers ascending in the West from a patch of light, circling outwards, and returning towards the point of convergence. Scale of H. F. magnet re-appearing for a few seconds.

Flashes brighter—rapid as could be conceived; two small but very brilliant streamers in North, one very bright shot up in North and dis-appeared instantly. Patches of light and faint streamers from N.W.

Bright streamers from W. to S.E. converging to Westward of zenith and 17

North clear except occasional bright flashes and streamers. 20

Faint streamers; pulsations most brilliant from N.W. to E.

28 Aurora much fainter; streamers scarcely visible, faint pulsations at intervals. 32 Most brilliant streamers in N.N.W., and flashes converging, &c., as

before. Faint streamers and flashes from N. by W. to N.E.; none to Westward.

52 Streamers disappeared; faint light above horizon, stratus clouds visible in it; flashes continuing near West and East.

17 7

27

in it; flashes continuing near West and East.

No streamers or flashes; faint patches of light remaining in N.N.W.

Faint light in N.N.W. brightening to Eastward of North.

Streamers shooting up from a bright patch extending from N.E. to N.W.;

flashes following each other in quick succession.

Light fainter; a few streamers and flashes at intervals; several bright patches above bank of light from N.E. to N.W.

Light increasing; bright flashes extending to zenith.

Light very faint; brightest in the Eastward. 37

		N	Глу 29 а	nd 30, 1	1840.			N	1av 29 a	and 30, 1	840.			M	Глу 29 а	nd 30, 1	1840.		
M. Go	stt. Tim	ne.	Decl.	Hor. Fo	orce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor, Fo	orce.	Vert. F	Porce.
d. h	. m.	8.	ScDivas.	ScDivas.	Ther.	SeDivas.	Ther.	d. h. m. s.	ScDivas.	ScDivns.	Ther.	SeDivas.	Ther.	d. h. m. s.	SeDivas.	ScDivas.	Ther.	ScDivas.	There
29 4	25	0	156.7	146.8		54.6		29 11 40 0	141.6	207.7		89.5	,0	19 14 52 30	162.1	99.7	0		1
	30		161.0					45 0	145.1	200.0		00.0		55 0	157.8				
	35 40	-	155·9 156·9	151.0		54.6		50 0 55 0	159.5	198.8		93.3		57 30 15 0 0	152·7 151·3			51.2	69
	45			152.8		53.6			123.3	214.8	69	87.3	69	2 30	153.3	84.9	70		05
	50		162.1					5 0	161 - 1					5 0	155.9		1000	40.1	
5	55	0	158.3	150-1	68	53.9	68	10 0 15 0	151·3 164·8	160.9		87.5		7 30 10 0	157.1	82.0		41.8	
9	5	0		147.6	00	53.4	00	20 0	160.0	152.9		78.5		12 30	161.7	80.8		41 0	1 18
	10	0	154.3					25 0	148.7					15 0	164.5			44.2	1
	15	0	156.1	145.6		54.2		30 0	143.5	143.2		75.2		17 30	168.4	91.6		50.2	
	20 25		158·0 158·9	147-9		54.7		35 0 40 0	142.1	135 9		75.4		20 0 22 30	168.1	97.3		52.3	1
	30	0	157.9					45 0	153 . 7			1		25 0	170.4			53.4	
	35	0		145.8		55.3		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	157.0	133.8		73 0		27 30	168.8	93.7		40.1	
	40	0	156·8 155·7	150.1		55.1		55 0 13 0 0	157·1 159·6	137.3	70	74.7		30 0 32 30	170·5 171·7	84.6		48.1	
	50	0	153.5	100 1		33 1		5 0	158-1		10	and the second		35 0	164.9	02.0		27.5	
	55	0		151.4		55.1		10 0	171-1	137.7		77.2		37 30	170.8		1		
6		0	150·1 150·5	148.2	68	55.0	67	15 0 20 0	168.3	127.4		72.1		40 0 42 30	179·6 160·6	67.2		27.4	
	5 10	0	153.1	140.2		55.0	01	20 0 25 0	164.4	1214		12 1		45 0	138 8	01 2		ь	
	15		152.6	147.5		54.9		30 0	177.0	119.8		74.5		47 30	133 · 1	41.2		MAIN	
	20	0	153.3			-0		35 0	180-1			74.0		50 0	133.7	20.0		13	
	25 30	0	149.8	155 4		56.5		40 0 42 30°	182·3 185·5	125.8		74.8		52 30 55 0	143.3	36.6			
	35	0	C 200 C	151.1		56.5		45 0	184-6	120		1000		57 30	147.6	22.1		11111111	
	40	0	150.4					47 30	180.4			72.9		16 0 0	136.5	e	70	100	69
	45 50	0 0	151.4	151.2		56.4		50 0 52 30	175.3	118.4				2 30 5 0	181.9				
	55	0		151.9		56.9		55 0	173.5	110 4				7 30	91.0	1 616		18	
7		0	154.9		10000			57 30	176-0			70.5	69	10 0	114.2	793			
10		0	151.2	155.6	68	56.9	68 68	14 0 0 2 30	177.4	111.6	70			12 30 15 0	83 · 4				
10	5	0	154.8	100 3	69	70.8	00	2 30 5 0	176.8	1111-0				17 30	59.9			1	
	10	0	152.5	158.5		70.8		7 30	180.2			59.8		20 0	31.0				
	15	0	150.8	100.1		****		10 0	181.2	00.0				22 30 25 0	31.0				1
	20 25	0	154·2 156·1	160.1		71.3		12 30 15 0	182.4	99.2				25 0 27 30	37.0				
	30	0	156.2	165.1				17 30	186.7			54.6		30 0	56.0			19.4	
	35	0	153.6	1				20 0	185.2					32 30	115.1		19	00.4	
	40 45	0	147·6 150·3	159.0		75.2		22 30 25 0	184.6	98.8				35 0 37 30	162.7			22.4	
	50	44	154-9	156.7		79.0		27 30	179.8			55.1		40 0	159.0				1
	55	0	163.8					30 0	174.5	101.5	113			42 30	140.3	9.6	133		
11	0 5	0	161·6 155·0	184.8	69	80.4	69	32 30 35 0	172·8 171·3					45 0 47 30	136.2	31.2		24.0	1
	10	0	152.6	185.0		84.2			171.3			56.5		50 0	154.1	01 2		29.2	1
	15	0	166.9			· ·		40 0	173.9	The same				52 30	163.7	87.5			1 .
	20	0	159.4	214.0		91.6			175.9	110.3	1			55 0	175.3	90.5		30.7	1 9
	25 30	0	150·8 164·4	203.3		101.2			176 · 1			53.3	1	57 30 17 0 0	186·9 185·4	89.5		19.3	69
	35	0	175.9	-00 0		101 2			168.9	1		00 0			176.1	75.8	70		1

d. h. m. 29 17 57 Faint arch of light; dark clouds rising from North horizon, remainder clear.

Light increasing; numerous streamers, and flashes of a yellowish hue 18 42 brightest in N.E.

brightest in N.E.

An arch of dark clouds along North horizon; greatest alt, about 15° (in North); streamers rising from it from N.W. to N.E.; pulsations very vivid, striking upwards and in a horizontal direction, having a waving motion.

Light air from North; pulsations appearing affected by it; the flashes having a dancing motion, sideways as well as downwards, instead of their former uniform motion upwards.

Pulsations and streamers fainter; faint patches of light from N.W. to N.E. Light very faint; a few streamers.

^{19 0}

Light very faint; a few streamers.

Two very clear streamers, one to the East the other to the West of North, with flashes between them, following each other in quick succession like waves.

 ^{4.} b. m.
 29 20 27
 Light almost extinct; one very faint streamer to N.E.
 57 Auroral light gone; sky clear until nearly noon, when it clouded over with cumuli and cumu-strati mixed with strati. Calm and partially clouded throughout the day; rugged and broken masses of cumu-strati covering the whole sky at about 7h, 30m, very black and dense in the N.W. The night and morning of the 31st were very clear; clouded again towards sunset, and a heavy thunderstorm with rain occurred during the night.
 The H. F. and V. F. were observed at the times specified, during the continuance of the extra observations, viz., from 29d, 13h, 42m, 30°, to 29d, 19h, 47m, 30°.
 The V. F. magnet was out of the field from 16d, 45h, to 16d, 25h.
 The scale of the H. F. magnet was out of the field from 16h, 0m, to 16h, 40m.
 During the periods of extreme disturbance the movements of the magnets were so rapid and irregular, that it was impossible to observe with the usual accuracy, especially with the V. F. magnet.

M. Gött, Time. Decl. Hor. Force. Vert. Force. M. Gött. Time. Decl. H	-
29 17 5 0 183·1 7 30 171·2 81·2 10·4 29 20 10 0 173·6 118·2 50·6 30 1 45 0 156·7 15 0 174·4	er. ScDivns, Ti
7 30 171 2 81 2 15 0 174 4 50 0 155 1 117 4	
	58.9
10 0 163.6 79.8 14.6 20 0 175.2 115.7 48.9 55 0 154.9	
12 30 161·2 15 0 157·3 17·5 25 0 180·0 30 0 181·8 123·3 49·9 2 0 0 153·1 115·0	6 59.5 6
17 30 166·5 72·3 25·9 35 0 182·9 15·6 10 0 151·0 119·4 20 0 176·7 25·9 40 0 178·7 125·1 55·6	59.0
22 30 190 1 84 9 45 0 178 2 20 0 158 3 111 4	59.2
27 30 181 7 30 0 153 1 117 7	59.3
30 0 166·0 32 30 156·0 99·6 20·5 21 0 0 169·6 133·4 68 57·4 69 35 0 148·5 40 0 147·6 114·6	59.6
35 0 153·6 37 30 153·7 108·6 32·9 10 0 163·8 130·8 58·1 45 0 147·1 50 0 163·5	57.1
40 0 157.0 38.4 20 0 163.2 129.3 59.3 55 0 145.4	
45 0 153.4 34.3 30 0 161.1 126.6 60.1 5 0 143.1	
47 30 157·4 95·1 39·2 35·0 160·4 10·8 10·8 10·8 10·9 10·8	57.2
52 30 164·0 98·6 45 0 159·4 20 0 139·8 111·0 55 0 165·5 25 0 166·3	58.1
57 30 167.4 106.7 55 0 156.0 30 0 140.7 111.0	57.7
2 30 175.6 115.3 70 5 0 156.5 40 0 142.6 113.2	58.6
5 0 175·0 174·5 117·8 53·1 10 0 58·4 45 0 143·7 50 0 143·5 116·7	59.3
10 0 171·6 53·3 20 0 161·3 130·7 59·8 55 0 143·9 4 0 0 143·6 119·4	60.1
15 0 166.8 51.6 30 0 161.2 130.0 60.6 5 0 143.3	
17 30 166·9 114·6 20 0 168·0 99·6 52·5 35 0 161·7 126·9 60·3 10 0 142·7 121·6 150 142·6	60.8
25 0 157·3 30 0 156·0 45 0 160·2 20 0 142·5 121·1 50 0 159·9 127·1 60·2 25 0 143·8	60.9
32 30 144·3 45·5 28·9 23 0 0 156·5 123·6 67 60·3 67 35 0 143·7 124·9 23 0 0 156·5 123·6 67 60·3 67 35 0 143·7	62.9
37 30 130 0 29 6 5 0 156 6 40 0 143 6 128 1	63.9
40 0 127·3 42 30 129·6 21·1 24·5 10 0 155·6 126·3 58·1 45 0 144·3 15 0 153·9 50 0 145·1 131·8	64.4
45 0 121·6 47 30 111·3 12·6 20·6 20 0 155·2 125·2 57·4 55 0 145·5 5 0 145·1 135·0	64.4
50 0 102·3 21·4 12·4 30 0 154·9 127·7 57·2 5 0 145·0 10 0 144·7 136·7	63.9
55 0 99.9 23.0 40 0 155.4 124.4 57.0 15 0 144.8	1
57 30 110·8 58·4 28·3 68 45 0 157·8 20 0 144·4 137·2 25 0 144·1	63.5
2 30 114·1 72·4 69 30·3 30·0 0 158·0 124·0 66 56·8 66 35 0 144·8 137·6 30 0 145·2	63.5
7 30 122 2 5 0 157 4 40 0 144 9 138 3	64.0
12 30 131 4 78 9 15 0 158 2 50 0 143 5 138 2	64.0
15 0 136·0 17 30 143·6 80·8 27·6 20 0 160·7 131·4 57·0 55 0 143·8 25 0 161·6 57·0 6 0 0 143·9 138·3	12 63.5
20 0 147·4 22 30 149·4 93·4 28·1 30 0 163·4 128·5 57·5 5 0 143·5 10 0 143·8 139·7	63.2
25 0 150·4 27 30 150·8 102·9 28·5 40 0 162·6 121·8 58·1 15 0 143·9 20 0 144·1 142·2	62.9
30 0 149.2 32.9 50 0 165.9 119.6 57.9 25 0 144.2	
32 30 151·5 98·2 31·4 55 0 165·2 117·6 66 58·1 66 35 0 144·7 143·7 143·7	62.9
37 30 157·7 101·6 5 0 163·0 15·7 58·4 40 0 145·5 144·9 45 0 145·7	62.8
45 0 164·6 38·4 15 0 161·8 50 0 146·0 145·8 47 30 103·8 20 0 160·7 112·3 58·6 55 0 146·2	62.9
50 0 169 3 106 8 41 4 25 0 159 5 7 0 0 146 7 146 5	63.3
55 0 172·3 20 0 0 174·9 114·0 69 68 35 0 157·3 58·5 5 0 146·7 10 0 147·0 145·7	63.2
5 0 172.2 40 0 157.7 117.3 58.5 15 0 147.3	

May 29	and 30, 1840.		N	fay 29 a	and 30, 1	840.)	IAY 29	and 30,	1840.	
M. Gött, Time. Decl.	Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. Force.	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. Force.
d. h. m. s. Se,-Div ^{ns} .	ScDivas. Ther.	ScDivns. Ther.	d. h. m. s.	SeDivas.	Sc. Divas.	Ther.	ScDivns. Ther.	d. h. m. s.	ScDivns.	SeDivas.	Ther.	ScDivas. Ther.
30 7 20 0 147.3	145.0	62.9	6 0 0	150.1	145.3	62	60.0 61	29 13 25 0	28.8	10.4	0	0 100
25 0 147·1 30 0 147·1	144.0	60.0	8 0 0	147·1 153·4	150.8	62 63	60.3 61 62.7 62	30 0 35 0	20.0	10.4		60
35 0 147·2 40 0 147·6	144.5	58.7	12 0 0 14 0 0	154·9 154·3	150·4 147·1	63	62·5 63 61·7 63	40 0 45 0	28.2	9.4		
45 0 148.0	13.4		16 0 0	154.8	145.1	64	61.7 64	50 0	29.0	20.2		
50 0 148·2 55 0 148·7	146.3	60.0	18 0 0 20 0 0	156·8 156·7	148.6	62	61.4 62 61	55 0 14 0 0	28.5	19.5	65	
8 0 0 149.0	148.0 67	59.1 67	10000 100 100	The state of the s	148.3	61	60.7 61	5 0	28.4	100	00	
5 0 149·9 10 0 150·1	148.7	64.7	St. De	cl. 1 Sc	ale Divi	sion :	= 0'-71	10 0	28.3			
15 0 151·2 20 0 151·3	149.4	64.9	Herena H.	F. k =	·00012			20 0 25 0	26.9	24.2		
25 0 150.8			Regular and	term o	bservati	ons,	May 28th,	30 0	28.0	20.2		
30 0 150·8 35 0 151·1	148.0	65.3	The V. F. w		lay 29th			35 0 40 0	27.8	19.2		
40 0 150.7	150.8	65 9			fter the tir			45 0	31.5			
45 0 151·2 50 0 153·1	156.5	67.1	2818 0 0	39.0	38.3	63		50 0 55 0	29.7	18.5		
55 0 155·1 9 0 0 154·5	159.7 67	68.0 67	20 0 0 22 0 0	44·2 41·5	42·5 38·5	63	939	15 0 0	28.5	17.6	65	144
5 0 155.1			29 0 0 0	41.6	59.4	63	161	10 0	28.2	18.2		
10 0 154·6 15 0 153·8	159.7	68.6	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	39.0	36.5	63 65		15 0 20 0	28.1	20.6		
20 0 154.8	157.2	69.5	6 0 0	34.4	31.0	64		25 0	26.6	10.4		
25 0 155·7 30 0 161·4	159.1		8 0 0	34.8	49.6	64 64		30 0 35 0	27·5 28·4	18.4		
35 0 155·6 40 0 156·9	149.1	71.0	5 0 10 0	32 3 31·4	13.0			40 0 45 0	27.3	19.5		
45 0 158.6			15 0					50 0	28.5	19.9		
50 0 161.9	155.9	72.0	20 0 25 0	33.0	14.0			55 0 16 0 0	29.6	19.4	65	
10 0 0 167.7	192.3 68	72.4 68	30 0	33.1	16.9			5 0	30.1		00	
5 0 165.6	166.4		35 0 40 0	33.0	16.0			10 0 15 0	29.8	17.6		
15 0 161·5 20 0 154·5	159.6	69.9	45 0 50 0	35·0 33·7	17.3			20 0 25 0	29.0	17.7		
25 0 151.0			55 0	33.3				30 0	31.5	20.0		
30 0 150·6 35 0 155·7	152.1	71.0	11 0 0 5 0	31.5	20.7	65		35 0 40 0	31.5	21.5		
40 0 163 4	155.5	74.6	10 0	30.6	16.5			45 0	31.4			
45 0 162·3 50 0 160·4	150.3	71.6	15 0 20 0	30.6	17.8			50 0 55 0	33.0	25.0		
55 0 154·6 11 0 0 150·6	146.3 68	69.7 68	25 0 30 0	30.5	14.4			17 0 0	31.4	28.5	65	
5 0 150.6		03 / 03	35 0	29.3				10 0	32.7	29.0		
10 0 150·5 15 0 151·0	142.0		40 0 45 0	29.4	14.6			15 0 20 0	32.5	29.0		
20 0 151.9	139.4	65.3	50 0	29.1	14.4		193	25 0 30 0	31.6	28.9		No.
30 0 152.5	142.0	63.8	55 0 12 0 0	28.4	15.4	65		35 0	32.0			
35 0 151·7 40 0 151·1	140.2	62.7	5 0 10 0	29.1	10.6		1000	40 0 45 0	32.8	28.0		The state of the s
45 0 151.4			15 0	30.4				50 0	33.6	28.0		
50 0 151·2 55 0 151·0	140.1	66.7	20 0 25 0	30.2	106.5			18 0 0	33.1	24.4	64	
12 0 0 151·2 14 0 0 152·1	143·8 68 134·6 69	67·0 68 63·7 68	30 0	30.0	9.0			5 0	32.0	22 0		1 19 19 19
16 0 0 153.8	136.2 68	60.5 68	35 0 40 0	28.6	10.2			15 0	32.5			
Mean Positions at the usu	al hours of al-	vation between	45 0 50 0	29.2	9.6			20 0 25 0	33.1	22.2		300
the 25th of May and t May 28 and 29.			55 0	28.3		0.4		30 0	32.7	22.0		
11	1	11 1	13 0 0 5 0	28.7	24.0	65	1000	35 0 40 0	31.1	21.3	-	
0 0 0 162.3	146·0 60 145·1 60	60.1 60	10 0 15 0	29.4	14.0			45 0 50 0	32.4	21.0		
4 0 0 158.4	140.1 61	60.1 60	20 0	30.2	18.6		100	55 0	32.6			
						_		1	-		-	

l n	IAY 29 a	and 30, 1	840.				M	IAY 29 s	nd 30, 1	1840.)	Av 29 :	and 30,	1840.	
M. Gott, Time.	Decl.	Hor. For	rce.	Vert. Force.	М.	Gott. Time	e.	Decl.	Hor. Fo	rce.	Vert. Fo	orce.	M. Gott. Time.	Decl.	Hor. F	orce.	Vert. Force.
d. h. m. s-	ScDiv ^{ns} .	SeDiv ^{tos} .	Ther.	ScDivas. Ther.	d.	h. m.	s.	ScDivas.	ScDivns.	Ther.	SeDivns.	Ther.	d. h. m. s.	SeDiv ^{ns} .	ScDivns.	Ther.	ScDives. Ther.
2919 0 0	32.9	20.0	65		30		0	33.9	31.0			0	30 6 10 0 15 0	31.4	19.8		
5 0 10 0	33.5	18.3				45	0 0	33.6					20 0	29.4	19.9		
15 0 20 0	34.2	17.5					0	33.7	31.6				25 0 30 0	30.8	19.7		8
25 0 30 0	34·9 35·9	17.5				1 0	0	32 9 32·5	32.6	65	8		35 0 40 0	32.9	19.3		9
35 0	36.4	18.4				10	0	31.6	31.2		9		45 0	33.0	18.9		
40 0 45 0	36.5	1000				20	0	31.7	31.5		6		55 0	33.4			
50 0 55 0	37.4	19.6					0 0	31.7	31.2		1		7 0 0 5 0	33·1 33·4	18.6	64	
20 0 0 5 0	39.1	20.8	65				0	31.6	30.5				10 0 15 0	33.5	18.4		
10 0	41.7	22.1	1 1 3			45	0	30.4	30.2				20 0 25 0	33.1	18.6		
15 0 20 0	38.5	21.3				55	0	30.4		-			30 0	33.3	18.5		
25 0 30 0	40.0	21.8					0	29.5	28.7	65			35 0 40 0	33.3	18-2		
35 0 40 0	40.4	21.3					0	29.5	27.1				45 0 50 0	32.0	18.4		
45 0 50 0	37.6	21.2				20	0	28·4 27·9	26.1				55 0 8 0 0	32.0	18:5	66	
55 0	39.6		-			30	0	28.6	26.0				5 0	31.4	100000	00	
21 0 0 5 0	39.2	20.8	65			40	0	29.4	24.1				10 0 15 0	30.4	18.5		
10 0 15 0	38.8	21.8					0	29.4	22.8				20 0 25 0	31.8	18.5		
20 0 25 0	38.0	22.3				55	0	29.4	23.5	65	1 19		30 0 35 0	32.0	18.1		
30 0	40.5	23.4				5	0	31.5		00	10		40 0	31.7	18.5		
35 0 40 0	38.3	24.5				15	0	31.0	23.7				45 0 50 0	31.8	18.5		
45 0 50 0	38.2	25.8					0	32.7	22.0		189		55 0 9 0 0	32.4	17.9	65	
55 0 22 0 0	37.6	27.1	64			100000	0	34.2	25.0		31		5 0 10 0	31.5	17.5		
5 0	36.8	27.3				40	0	27.6	23.8				15 0 20 0	29.1	17.5		
10 0 15 0	38.3					50	0	30.5	16.5				25 0	28.5			
20 0 25 0	35.5	26.7					0	33.0	20.5	64			30 0 35 0	28.9	18.7		
30 0 35 0	34.9	27.0				12.00	0	33.3	20.0				40 0 45 0	29.0	20.0		
40 0	34.9	28.0				15	0	31·2 31·4	19.5				50 0	29.1	20.0		
45 0 50 0	34.4	28.4				25	0	22.3					10 0 0	29.5	22.0	65	
23 0 0	34.7	29.5	64	100			0	32.0	19.5				12 0 0	32.0	21.5	65	
5 0 10 0	35 0 35·1	29.6					0	21.5	19.0		1		during a sufficier	nt number	of consecu	tive da	nt at this period ys, to give satis-
15 0 20 0	35.3	30.1		1 191		50	0	18.5	17.5				factory mean po and 30th of Ma		inparaoie	with th	lose of the 29th
25 0	35.3				1	5 0	0	29.2	19.5	64	100		ANTARCTIC E				
30 0 35 0	35.3	30.4				10	0	29.5	19.5					Scale D			13
40 0 45 0	35.9	30.5	1 3				0	29.5	19.8				The Magneto		ere observ ies specifie		nultaneously at
50 0 55 0	35.5	30.8					0	29.2	20.1				28 18 0 0	56.8	50.1	38	
30 0 0	35·4 36·1	30.5	64			35	0	29·3 29·5	20.5				19 0 0 20 0 0	62.4	51.6	39	
10 0	34.5	30.0				45	0	29.6					21 0 0	62.2	52.9		
15 0 20 0	33.9	30.2				55	0	29.9	19.4				22 0 0 23 0 0	66.1	55.5	39	
25 0 30 0	33.7	30.3		1000			0	30.0	20.1	64		-	29 0 0 0 0 1 0 0	68.5	50.6	39	
	1						A										

May 29 and 3	30, 1840.		N	IAY 29 8	md 30, 18	340.		1	MAY 29	and 30, 1	840.		
M. Gott. Time. Decl. He	or. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor. Fore	ce.	Vert. Force.	M. Gött, Time.	Decl.	Hor. For	ce.	Vert. F	orce.
d. h. m. s. Sec-Dis***. Sec-Dis***. Sec-Dis***. 29 2 0 0 65.6 51 3 0 0 67.1 50 4 0 0 63.2 51 5 0 0 62.5 48 6 0 0 61.6 52 7 0 0 63.4 48 8 0 0 56.1 49 9 0 0 53.6 45 10 0 0 55.2 58 2 30 55.2 58 5 0 54.7 7 7 7 30 53.7 58 10 0 52.2 57 12 30 57.2 57 12 30 57.2 57 15 0 58.3 59 17 30 58.8 60 20 0 58.5 60 20 30 60.9 57 25 0 63.5 57 27 30 64.9 58 30 0 58.5 57 35 0 54.9 55 37 30 52.5 50 40 0 59.1 47 42 30 66.1 47 45 0 68.7 46 47 30 69.3 44 45 0 68.7 46 47 30 69.3 44 45 0 66.1 47.3 50 7 46 47 30 69.3 44	1 Ther. 1 3 38 1 0 3 8 1 0 3 8 1 0 3 8 1 0 3 8 1 0 3 8 1 0 3 8 1 0 3 8 1 0 3 8 1 0 3 8 1 0 3 9 1 0 3 9 1 0 3 9 1 0 4 1 0 4 1 0 4 1 0 6 1 1 0 7 1 0 7 1 0 7 1 0 8 1 0 8 1 0 9 1 0 9 1 0 9 1 0 1 0 9 1	ScDiv**. Ther.			ScDiv ^{est} . T 70·5 68·0 66·2 64·5 64·1 64·4 65·5 66·6 67·0 65·9 65·6 65·6 65·5 66·8 170·0 72·0 73·5 71·5 73·7 73·1 71·8 66·5 66·7 70·3 75·2 75·3 71·8 69·1 70·7 70·2 71·3 73·3 76·0 76·7 70·2 71·3 73·3 76·0 72·4 73·2 71·3 73·3 73·3 76·0 72·4 73·2 71·7 70·2 71·3 73·3 73·3 76·0 76·7 70·9 71·7 70·9		ScDiv ^{as} . Ther.	d. h. m. s. 29 15 15 0 17 30 20 0 22 30 25 0 27 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 57 30 16 0 0 2 30 5 0 7 30 10 0 12 30 15 0 17 30 22 30 25 0 27 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 57 30	78·1 75·5 75·9 78·0 79·4 83·3 85·1 92·2 95·4 97·6 96·0 93·9 92·8 78·4 80·5 81·7 84·5 81·7 84·5 81·4 47·1 56·8 60·8 72·0 52·4 47·1 56·8 60·8 73·4 71·8 74·3 74·1 69·9 81·0 110·5 80·1 91·9 84·0 110·5 101·9 102·9	SeDiv ^{m.} T 75·9 76·5 80·7 80·4 78·4 75·9 76·8 78·3 79·7 81·8 83·3 83·2 90·5 93·8 97·7 96·7 95·9 95·3 96·0 95·6 94·9 97·3 100·9 98·9 95·1 92·6 92·1 94·9 97·0 97·8 101·2 100·1 97·6 111·9 109·6 111·9 109·6 111·9 109·6 111·9 109·6 111·9 109·6 111·9 109·6 111·9 109·6 111·9 109·6 111·9 109·6 111·9 109·6 111·9 109·1 113·9 109·2 106·9 95·7 92·7 89·3 83·5 80·8 81·4 76·0 76·6 77·2 70·5 70·3 70·1 71·5 67·0 69·0 67·7 64·7 64·7 64·7 64·7 64·7 64·7 64·7			

May 29 a	nd 30, 1840.)	TAY 29 8	and 30, 18	40.		N	IAY 29 a	and 30, 1	840.	
M. Gött. Time. Decl.	Hor. Force.	Vert. Force.	M. Gott, Time.	Decl.	Hor. Fore	e.	Vert. Force.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. Force.
	Hor. Force. Sec-Div.**. Ther. 61 · 4 61 · 3 61 · 6 61 · 5 61 · 9 60 · 2 60 · 3 60 · 1 61 · 5 62 · 7 64 · 5 65 · 9 67 · 1 66 · 6 67 · 9 66 · 6 66 · 1 65 · 3	Vert. Force. ScDiv ^{as} . Ther.		Decl. Sec. Dir S	64·0 63·8 64·0 63·8 64·0 63·7 62·9 63·2 63·2 63·3 62·7 63·0 62·7 61·9 62·5 62·3 62·7 63·2 63·1 63·2 63·5 63·2 63·1 63·2 63·5 63·2 63·6 63·8 63·6 63·8 63·8 61·8 61·8	22	Vert. Force. ScDivas. Ther.	M. Gött. Time. d. h. m. s. 29 23 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 7 30 10 0 12 30 15 0 17 30 20 0 22 30 25 0 27 30 30 0 42 30 45 0 47 30 55 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 57 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 7 30 1 0 0 2 30 5 0 3 3 30 3 5 0 3 7 30 4 0 0 2 3 0 3 3 0 3 5 0 3 7 30 4 0 0 2 3 0 3 3 0 3 5 0 3 7 30 4 0 0 2 3 0 3 3 0 3 5 0 3 7 30 4 0 0 2 3 0 3 5 0 3 7 30 4 0 0 4 3 0 4 3 0 4 5 0 4 7 30 5 0 5 7 30 5 0 5 7 30 5 0 5 7 30 5 0 5 7 30 5 0 5 7 30 6 0 6 2 30 6 5 7 30 6 0 6 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 10 0 6 2 30 6 5 7 30 6 7 30 6 7 30 6 7 30 6 7 30 6 7 30 6 7 30 6 7 30 7 30 7 30 7 30 7 30 7 30 7 30 7 30		Hor. F. 64.0 63.9 63.8 63.7 64.0 63.8 63.3 63.1 63.8 64.0 64.4 64.8 64.5 64.5 64.5 64.5 64.7 61.9 62.2 62.7 61.9 61.7 62.2 63.0 63.7 64.0 63.6 64.0 64.1 63.7 62.0 63.7 64.0 64.1 63.7 62.0 63.7 64.0 64.1 63.7 62.0 63.7 64.0 64.1 63.7 62.0 63.7 64.0 64.1 63.7 62.0 63.7 64.0 64.1 63.7 62.0 63.0 63.0 63.0 64.0 64.1 63.7 62.0 63.0 60.0 60.0 60.0 60.0 60.0 60.0 60		

Max 2	29 and 30, 1840.)	fay 29	and 30, 1840.		1	MAY 29	and 30, 1840.	
M. Gött, Time. Dec	el. Hor. Force.	Vert. Force.	M. Gott. Time.	Decl.	Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor, Force.	Vert. Force.
d. h. m. s Se-Dis 30 2 25 0 55 27 30 55 32 30 55 32 30 55 32 30 55 33 5 0 53 37 30 55 40 0 50 42 30 43 45 0 42 47 30 46 50 0 55 55 0 51 57 30 50 57 30 51 10 0 51 12 30 56 22 30 55 27 30 56 30 0 57 32 30 57 37 30 56 40 0 56 42 30 56 47 30 56 57 30 57 57 30	ScDiv Ther. Ther. ScDiv Ther. ScDiv Ther. ScDiv Ther. Ther. ScDiv Ther. Ther. ScDiv Ther. ScDiv Ther. ScDiv Ther. ScDiv Ther. ScDiv Ther. Ther. ScDiv Ther. Ther. ScDiv Ther. Ther. ScDiv Ther. Ther. Ther. ScDiv Ther. Ther. ScDiv Ther. Ther. Ther. Ther. ScDiv Ther. Ther	ScDiv**. Ther.	4. h. m. s. 30 5 12 30 15 0 17 30 20 0 22 30 25 0 27 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 57 30 10 0 12 30 15 0 17 30 20 0 22 30 25 0 27 30 30 0 55 0 7 30 10 0 12 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 2 30 55 0 57 30 7 0 0 52 30 55 0 57 30 7 0 0 52 30 55 0 57 30 7 0 0 52 30 55 0 57 30 7 0 0 52 30 55 0 57 30 7 0 0 52 30 55 0 57 30 7 0 0 52 30 55 0 57 30 50 0 57 30 50 0 50 0 50 0 50 0 50 0 50 0 50 0 5	56.5 56.5 56.5 56.6 56.6 56.6 56.5 56.5 56.5 56.5 56.5 56.1 55.9 56.2 57.2 57.2 57.2 56.8 56.8 56.9 56.9 56.9 56.9 56.9 56.9 56.9 57.6 57.6 57.6 57.7 57.5 57.6 57.5 57.6 57.7 57.8 58.9	61·2 61·0 60·7 60·7 60·7 60·7 60·8 60·5 60·5 60·2 60·2 60·1 60·0 60·4 60·4 60·4 60·4 60·4 60·4 60·4	ScDiv ^{ns} . Ther,	d. h. m. s. 30 8 0 0 2 30 5 0 0 7 30 15 0 0 17 30 20 0 22 30 25 0 0 37 30 40 0 42 30 45 0 17 30 20 0 22 30 25 0 27 30 30 0 10 0 0 12 30 15 0 0 17 30 10 0 12 30 15 0 0 17 30 10 0 12 30 15 0 0 17 30 30 30 35 50 37 30 40 0 42 30 45 0 47 30 55 0 57 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 55 0 57 30 30 0 32 30 35 50 57 30 30 0 32 30 35 50 57 30 30 0 40 0 42 30 45 0 47 30 55 0 57 30 30 0 32 30 35 50 57 30 30 0 32 30 35 50 57 30 30 0 42 30 45 0 0 47 30 50 0 52 30 30 0 31 30 0 0 31	59·0 59·0 58·8 57·6 58·2 58·3 58·6 58·5 58·4 58·3 58·0 58·0 58·0 58·0 58·0 58·0 58·1 58·2 58·3 58·6 55·9 54·8 54·1 53·8 53·4 53·3 54·1 53·8 53·4 53·6 55·7 54·2 55·8 57·8 58·3 58·5 58·5 58·5 58·5 58·5 58·5 58	SeDiv ^m . Ther. 59·0 43 59·0 59·0 59·0 59·0 59·0 59·0 59·0 59·0	ervation, from

	-		_		-								_			
May 29	and 30, 1840.	1-				JULY 5	and 6, 1	J	ULY 17	and 18,	1840.					
M. Gött. Time, Decl.	Hor. Force.	Vert. For	rce.	M. Göt	t. Time.	Decl.	Hor. F	orce.	Vert. F	orce.			cale Div			
d. h. m. s. ScDiv ^{ns} .	ScDivns. Ther.	SeDivns. 7	Ther.	d. h.	m. s.		SeDivas.	0	SeDiv ^{ns} .	Ther.	TORONTO H	. F. k =	= '0002	; q; q	= .000	2
15 0 0 59·3 16 0 0 58·9	52.1	16 8 1		6 10	0 0	12.6	86.7	71 71	52.0	70		Extra o	bservatio	ons.		
17 0 0 59·1 18 0 0 56·7	51.6	1 8		14 16	0 0	12.2	66.8	71 71	50·7 48·6	71 70	The V. F. was o		1th, 30°, b			I.F.
19 0 0 56.3	51·8 36 52·8			18	0 0	14.4	70.8	70	48.7	70	M. Gött, Time,	Decl.	Hor. Fo		Vert. F	orce.
20 0 0 57.0	54.5 37			20 22	0 0	15.4	74.7	70 69	49.3	69 69	d. h. m. s.	SeDivas.			SeDiv ^{ns} .	
22 0 0 59·9 23 0 0 60·0	55·8 37 55·7			Mean	Position	at the usu	al house	of observ	wation du	ina	17 5 29 43	12.2	65.8	0	61.9	0
		1		Di Cali	Lostron		Month.a	d Ouses	valion do	ing	34 43 39 43	11.2	68.0		62.6	1
July 5	and 6, 1840.			0	0 0	22.6	75.3	68	47.3	66	44 43 49 43	9.3	69.7		62.7	-
	cale Division			2 4	0 0	24.2	70.6	68 69	47.2	66	59 43	7.9	69.6	1000	63.3	
TORONTO H. F. k = V. F. k =	= .00021; q = .0002; q	= :0003	34	6 8	0 0	9.2	71.8	69 70	47·8 48·8	68 68	6 4 43 9 43	5.5	69.0	74	63.4	74
Extra and reg	The state of the s			10	0 0	11.6	80.2	71	49.1	69	14 43 19 43	7·8 6·5	74.7	-	63.6	
The V. F. was observed at	1m. 30s. before,	and the H.	F.	12 14	0 0	15.3	74.6	71 71	49.5	70	24 43	6.4	74.2		63.8	
2m. 0*. after t	the times specifie	ed.		16 18	0 0	17.2	72.7	71 70	49.6	70 68	29 43 34 43	6.3	74.0		63.7	
5 18 0 0 65·9 24 18 31·4	41.6 67	38.0	67	20	0 0	21.5	71.2	69	46.7	68	39 43 44 43	5.6	75.7		63.7	
29 18 30.0	52·9 52·3	30.1		22	0 0	20.8	73.1	68	46.3	67	49 43	5.0	76.5		63.8	
34 18 33·2 39 18 33·0	50.9	31.6		St. HE	[]	Decl. 1 S	cale Div	ision	= 0'.7	1	7 29 43 34 43	3.8	80.6		60.6	
44 18 32.8	46.1	31.9			(1	H. F. k =					39 43 44 43	5.9	83.0		63.3	
54 18 39.0	45·1 39·2	33.6		Positio	ns at the	usual hou 14h, to J	aly 6, 22h		from July	у э,	49 43	6.9	84.3		64.7	
59 18 40·0 19 4 18 40·2	39.5	32.7	67	5 14	0 0	73.4	63.2	61		-	59 43 8 9 43	7.7	83.6	74	64.9	74
9 18 38.0	38.9	32.3		16	0 0	72.1	57.9	61			14 43	7.9	81.0		63.5	
14 18 35·7 24 18 45·5	37.4	31.9		18 20	0 0	71.7	62.9	61			19 43 24 43	10.9	82·3 84·1	1	64.0	
29 18 47·2 34 18 48·6	43.3	31.8		6 0	0 0	77.5	58·8 59·5	61 62			29 43 34 43	11.1	86.3	-	64.4	
39 18 48.9	45.5	34.1		2	0 0	67.1	62.1	62			39 43 44 43	10.0	88.3		64.8	
20 0 0 43·2	49·2 37·5 67	34.8	67	6	0 0	68.2	56.4	63 63			49 43	9.1	86.0		64.8	
14 18 36·6 19 18 42·0	43·0 52 3	34.8	700	8	0 0	63.8	48·6 54·8	63 62			54 43 59 43	8.1	80.1		65.0	
24 18 42.3	50.9	38.8		12	0 0	69.5	55.2	62			9 4 43	8.0	80.3	74	64.9	74
29 18 40 8 34 18 47·0	49.7	39.7		14	0 0	69.4	57·6 55·7	62 62	1		9 43	8.0	80.3		03.3	
39 18 54·9 44 18 58·5	51.8	30.5		18 20	0 0	73.1	59·0 62·0	62 61			Positions at the		urs of obs		n, from J	aly
49 18 59:4	51.5	35.1		22	0 0	71.6	71.0	62			17 0 0 0	10.0	00.1	Pr.	1 -0	==
59 18 52·0 21 4 18 44·5	50.0	40.7	68	Maan	Doubling	s at the san	a harma d		he Month		17 0 0 0 0 2 0 0	15.1	69·1 54·9	75 .	50.5	75
9 18 42.0	51.7	40.0		Mean	Position	s at the san	ne nours u	uring	ne Month.		4 0 0 6 0 0	19.1	57·0 69·6	74	58.3	74
19 18 37.5	47.1	36.4		0 2	0 0	71.5	72.4	61	- 6		8 0 0	7.0	83.6	74	64.9	74
24 18 38·1 29 18 41·4	48.8	36.4		4	0 0	72.0	64.9	62 63			10 0 0 12 0 0	13.0	84·1 73·8	74	66.9	74 74
34 18 41·6 44 18 39·0	47.8	39.6	- 1	6 8	0 0	70.4	61.2	62 62	1		14 0 0 16 0 0	17.9	67.3	73	64.3	73
49 18 38.7	48.6	37.7	60	10 12	0 0	71.9	61.2	62 62			18 0 0	12.0	68·4 58·7	72	60·7 51·5	73
6 0 0 0 28.3	49·5 68 64·6 67	46.2	68	14	0 0	72.5	62.8	61			22 0 0	31.9	69.7	71 70	47.2	72 71
2 0 0 36·0 4 0 0 17·0	56·2 67 65·3 69	100 000 000	67 68	16 18	0 0	72.3	63.1	61			18 0 0 0 0 2 0 0	9.6	69.5	69 70	44·8 50·7	69 71
6 0 0 7·0 8 0 0 7·5	67·2 69 76·5 70	49.6	68 69	20 22	0 0	75·6 72·5	66.1	61 61			4 0 0 6 0 0	16.5	58·2 68·1	70 71	54·6 58·5	70 70
	10 0 1 10	10 1	33		0	1.20	100				0 0 0				000	-

a The mean positions of the Declination magnet are from the 3rd to the 25th July inclusive; those of the H. F. magnet from the 1st to the 18th inclusive; and those of the V. F. magnet from the 1st to the 14th inclusive.

 $^{^{\}rm b}$ The mean positions of the H. F. magnet are from the 1st to the 11th July inclusive.

UBSERVATIONS	WITH THE MA	GNETOMETER	0 ON D.		Oite	JOHN 30	LAGIN	BIIC DISTOR	onnes,	1840-1	011.		
July 17 and 18, 184	0.	J	ULY 17 a	nd 18,	1840.			Aug	ust 19,	20, and	21, 18	40.	1
M. Gott. Time. Decl, Hor. Force.	Vert. Force.	M. Gott, Time.	Decl.	Hor. Fo	rce.	Vert. Fo	rce.	M. Gött, Time,	Decl.	Hor. F	orce.	Vert. F	orce.
18 8 0 0 5 0 74 1 71 10 0 0 13 9 77 2 74 1 4 0 0 13 5 76 4 74 1 16 0 0 0 13 5 76 4 74 16 0 0 0 11 2 72 7 73	63·1 71 62·8 72 60·4 73 60·5 74	8 0 0 10 0 0 12 0 0 14 0 0 16 0 0	ScDiv**. 71.5 71.9 72.2 72.5 72.3	58·1 57·8 57·2 59·2 59·3	61 61 61 61 61	ScDiv ^{ns} .	Ther.	d. h. m. s. 1916 7 30 12 30 17 30 22 30 32 30	ScDiv**. 77.4 69.2 66.8 66.0 63.2	SeDiv ³⁰ . 123·8 123·0 123·7 126·7 128·5	Ther.	54:4 51:5 50:5 49:4 48:4	Ther.
The Mean Positions of the Decl. and H. I are given in page 11. ^b		18 0 0 20 0 0 22 0 0	72·8 75·6 72·5	60·4 61·7 64·9	61 60 60			37 30 47 30 52 30	60·3 65·2 71·9	127·5 123·3 122·5		46.6 46.5 46.5	
St. Helena Decl. 1 Scale Division H. F. k = .00018; Positions at the usual hours of observations at the usual hours of observations.	q = ·0003		UST 19, 2			40.	2	57 30 17 2 30 7 30 12 30	70·5 61·7 59·0 60·1	125·3 127·3 126·9 126·0	76	46·7 47·0 45·5 46·7	76
17 ^d , 0 ^h , to July 18 ^d , 12 ^h , 17 0 0 0 0 71·6 56·5 62 2 0 0 71·0 56·0 62 4 0 0 69·8 49·2 63 6 0 0 69·9 46·1 63 8 0 0 71·4 45·0 62		TORONTO { Regul The V. F. wa	H. F. k : V. F. k : ar and ex	= '000 = '000 tra obse at 1". 30	22; q 16; q ervation, before	y = .000 = .000 ons.	034	17 30 27 30 47 30 18 0 0 20 0 0 22 0 0 20 0 0	50·0 59·7 56·8 56·0 56·4 52·4 55·5	126·3 126·8 126·6 128·4 137·5 143·7 144·8	75 74 73 72	46·0 45·9 47·7 48·8 47·6 51·8 50·8	74 74 74 72
10 0 0 73·1 47·6 62 12 0 0 73·0 44·6 62 14 0 0 73·5 46·5 16 0 0 74·6 51·1 18 0 0 73·5 50·9 61 20 0 0 76·5 55·0 61 22 0 0 73·5 52·6 61		19 0 0 0 0 2 0 0 4 0 0 6 0 0 8 0 0 0 10 0 0 0 12 0 0	55·7 41·7 33·3 40·4	152·4 133·1 145·3 146·1 146·2 145·4 142·5	70 71 72 73 74 75 76	49·0 46·6 44·1 45·6 48·2 57·3 58·4	69 68 69 70 71 72 73	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	59·3 43·1 43·1 41·4 45·5 48·2 50·4	138·9 128·3 139·2 145·0 142·8 146·2 141·5	72 72 73 74 75 76 76	50·8 50·7 49·5 51·4 52·4 53·0 54·2 52·8	71 72 72 73 74 75
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		12 0 0 ⁴ 52 30 57 30 15 2 30 7 30 17 30 22 30		132·1 129·1 129·8 127·4 127·8 122·5 119·1	76	66.6 53.4 53.2 52.2 52.2 52.3 51.8	76	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	52·5 49·2 47·8 51·0 52·5 59·6 42·0	139·3 140·1 138·4 139·3 138·6 138·2 137·0	75 75 74 74 73 73 74	53·4 50·6 42·7 46·0 46·9 47·3 49·1	75 75 74 74 73 73 74
12 0 0 72.5 49.0 63 Mean Positions at the same hours durin		27 30 32 30 37 30	64·6 68·0 85·5	122·0 120·2 112·2		51·9 53·6 57·9		6 0 0 8 0 0 10 0 0	39·7 42·2 46·1	138·0 142·4 146·9	75 76 77	50·7 52·2 52·8	74 75 76
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		42 30 47 30 52 30 16 0 0	94·4 94·0 91·2	116·9 114·5 118·8 119·0	76	56·8 56·7 56·0 54·8	76	12 0 0 14 0 0 16 0 0 18 0 0°	46·0 47·0 65·6 45·4	138·1 136·0 133·9 124·0	77 77 76 76	52·7 51·5 47·7 37·4	76 77 76 76
a Saturday midnight at Toronto. b In consequence of breaks in the ser magnet comparable with the positions of c The mean positions of the H. F. magn	July 18th and 19t	h.		d. h. 19 15 16	m. 57 27	Wind. Calm Calm	A	aurora decreasing; few cirri and cirr ne moon (which ro	o-strati ap	pearing in	North l	norizon; 1	
d. h. m. Wind. d19 14 0 Calm Arch of light	t in north horizon	extending from North, alt. 20°; r	N.E. to		52	Calm	of a L N.N	auroral light, fain light increasing a l.W., alt. 15°; fa	t light ren	naining in	N.W.	and North	to
15 0 Calm A double are N.W.; greatest 20°, centre of are	alt. of interior a	t extending from rch about 15°, of N.; remainder of	exterior	17	57	Calm Calm	We H	er surface of arch. bright patch of stern portion. laze and cirri risi	g in North	h horizon	; the /	urora ne	arly
2 Calm Faint pulsation receding from page second magnitude	ns or waves of ligh principal arch; no le, fell from zenith	at alternately advar streamers. Two towards N.W.	meteors,		32	Calm	fain by t	istinct; no feature t pulsations, but ex the haze and cirri. Jothing remarkable	idently in	full open	ation, c	bscured o	only
17 Calm shooting up stree Three bright c 35°; stars visibl	amers during its co concentric arches o le between second	and progressing Worse to an alt. of 4 f light; alt. of exteand third arches.	orior arch Streamer	18	42	Calm Calm	L	ight becoming fair ky clear, faint Aur	ter.		1000		
like a pillar, ris ward, became in 70° to 30°, direc Two arches ir alt. 40°, with st sionally breaking up a series of su	ing from a bright p distinct in N. N. W stion N.W., ocreasing in exten- trongly defined up g into irregular surfi- nall streamers from	t from E.N.E. to be per surfaces, althous ace-like waves, and a the more promine	mg West- from alt. W.N.W., igh occa- shooting	*21 18	40 50 5 40	Calm	S N.V S	turoral light in the sight growing faints hisppearing rapidly carcely visible, clo V., near horizon; ky partially clouds t appearing throug	eds rising listant thu	in N.W. nder. North; l	; sheet	t lightning	g in
42 Calm Stars visible below Arch-like chartinuous chain of	ow the interior arch aracter of Aurora bright patches in	nearly gone, leaving its stead, each sho	ng a con-	1	8 40 0	Calm Calm	latte	Constant lightning er part of the perio Three-quarters clou	in N.W.	Distant	thunde	r during	1
47 Calm brilliancy, and c	of an orange tint, a sing in brilliancy;	lt. 60°. nothing remaining to N.E., alt. above	excepta		35	Calm	ligh	t in North horizon. low bank of strat ainder of horizon;	i in N. an	d N.W.			7477

Augus	st 19, 2	0, and 2	1, 18	10.			A	UGU	st 19, 2	0, and 2	21, 18	40.			Au	GUST 28	and 29,	1840).	
M. Gött. Time.	Decl.	Hor, Fe	orce.	Vert, Fe	orce.	M. Göt	t. Ti	me.	Decl.	Hor. Fo	orce.	Vert. Fe	orce.	M. Gött, Tin	ne.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m. s.	Sev-Divas.	ScDivns.	Ther.	ScDivns.	Ther.	d. h.	m.	s.	SeDivas.	SeDivns.	Ther.	SeDiv ^{ns} .	Ther.	d. h. m.	S.	SeDivas.	SeDivns.	Ther.	Se. Divn.	Ther.
21 18 32 0°	48.9	128.5		38.0		6	0	0	39.1	142.1	70	50.1	70	28 10 40	0	165.0	154.0	0	61.3	,
37 0	48.8	128.6	4150	39.3		8	0	0	39.9	150.0	71	51.4	71	45	0	177.0				
42 0	47.2	129.0	1331	39.7		10	0	0	44.4	152.2	72	52.8	71	50	0	177.0	158.6		59.2	
47 0	48 8 50·8	132.7		41.1		12	0	0	47.1	148.0	72	52.6	71 72	55 11 0	0	172.0	170.0	-	*0.0	-
52 0 57 0	52.3	136.3		44.2		14	0	0	54.1	144.6	72 71	48.7	72	5	0	161.4	153.6	73	56.2	73
19 2 0	55.1	137.5	75	45.6	75	18	0	0	49.6	141.6	71	45.2	70	10	0	158.0	154.2		55.2	
7 0	57.0	138-4		46.2		20	0	0	45.4	144.9	70	44.8	70	15	0	155.6			00 2	
12 0	56.0	136.6		46.7		22	0	0	51.0	147.0	69	47.0	70	20	0	152.5	146.7		53.8	
17 0	54.0	135.7		46.8						-			-	25	0	148.8			CE GUES	
22 0	51.0	134.8	100	47.3	2.4	St. HE	LEN	ST	he Magnet	ometers w	ere ren	oving from	n the	30	0	143.2	142.5		54.2	
27 0	50.4	133.9		48.1		OI. III	Wallet.	.1	temporary	to the per	manen	t Observat	tory.	35 40	0	141.8	140.0			
32 0 37 0	45.4	129.9		46.6						1.00				45	0	145.3	146.2		54.1	
42 0	39.1	127.3		41.6				AU	GUST 28	and 29,	1840			50	0	148.0	155.2	-	55.5	
20 0 0	700 7	118.4	77	37.1	77									55	0	146.3	100 2		00 0	
37 0	45.9	138.7		41.8		Tr.			Decl. 1 8					12 0	0^{c}	144.6	146.0	73	55.0	72
42 0	47.4	139.2		42.8		Toro	NTO	1:	H. F. k	= .0000	22;	a = .00	034	5	0	143.6		1000		
47 0		139.0		44.0	UCT.				V. F. k :				02	10	0	141.0	144.7		54.8	
52 0		142.0	1	45.1			-	CONT.	term, ar					15	0	139.9				
57 0	47.5	139.1		46.3		The	V. 1	F. w	as observe	l at 2m. 30)*. befo	re, and th	e	20	0	136 · 1	144.9		54.2	
21 2 0	50.7	138 · 2	77	46.4	77		н. 1	. at	2m. 30°. at	ter the tin	nes spe	cified.		25 30	0	135.6	146.5		53.3	1
12 0		142.9		47.8		28 0	0	0	156.4	154.0	68	53.5	68	35	0	137.3	140 3		33 3	
17 0		142.3		48.6		2	0	0	161.2	145.1	67	52.8	68	40	0	138.7	146.8		53 1	1 8
22 0		143.0		48.7	2 1	4	0		152.1	144.9	68	53.1	68	45	0	140.2				
27 0	53.4	142.5		49.5		6	0	0	144.9	145.9	69	53.4	69	50	0	141.3	148.9	1	53.6	
22 0 0		141.1	75	50.5	76	8	0		142.4	156.2	71	55.0	70	55	0	141.0	1000000	1		100
22 0 0 0	60.7	140.6	74	50.4	75	10	0	0	146.7	163.5	72	57.7	72	13 0	0	142.7	151.0	73	52.9	73
Man Date		11.					5	0	146.2	164.5		55.8		5 10	0	142.1	150.1			
Mean Positio		e Month.		servation,			15	0	145.5	104 9		33 0		15	0	144.6	153.1		53.5	
	-						20	0	146.9	165 . 2		55.4	2	20	0	141.7	145.8		52.3	
0 0 0	55.7	149.4	69	49.0	69		25		146.7				1	25	0	139.0	100		32 3	
2 0 0	57.6	142.0	69	49.0	69		30	0	153 . 7	165.4	1	63.8		30	0	141.1	158-1		52.7	
4 0 0	45.9	140.1	70	49.0	69		35	0	157.1				1	35	0	144.7				
			-			-				1	-				-			_	-	-
a The H. F. w 214, 215, 27m.	vas observ	red at 2m.	after	the times	specif	ied from	214,	18h	. 32 ^m . to	28 17	50	Wind.	1	Clearing in E.	and	I S.E. : f	aint strea	mers.	Large me	eteor

Calm

Calm

18 0

24

30

42

52

35

20 38

21 31

19 4

The H. F. was observed at 2^m. after the times specified from 21^d, 18^h, 32^m, to 21^d, 21^h, 27^m.
 The mean positions are from August 17th to 31st inclusive.

200	sour Prose
d. h. m.	Wind. Calm
14 0	Calm
25	Calm
35	Calm
40	Calm
45 15 30	Calm Calm
16 0 17 0 30	Calm Calm Calm
32	Calm
35	
36	Calm
40	Calm
45	Calm

Six-eighths clouded, with light cirri and cirro-cumuli, clear-ing in N.W. and zenith.

A few strati in East horizon, remainder clear. Bank of light in North horizon Arch of light in North, extending from N.W. to N.E., alt.

in centre about 60°. A number of concentric arches, with patches of light in

Arches breaking up, four or five streamers shooting up in N.W. to alt. of 40° or 50° .

Light in North remaining; a number of streamers in North. Clouds rising in N.W., gradually obscuring the whole

Densely clouded.

Densely clouded; air close and oppressive.

Streamers proceeding from East to West across zenith; much obscured by cirrus; haze covering the whole sky.

Pulsations of light, and streamers darting from the horizon on every side, and meeting in a circle about 5° in diameter in zenith; halo of auroral light, composed of waves and pulsations, proceeding from every quarter towards it; stars visible in the centre of the ring of light, but nowhere else; centre of circle about 10° S. W. of zenith.

Bright gleam of light darting in wavy pulsations from East to West, across zenith. North and South portions of the sky densely clouded.

Brilliant belt or streamer darting upwards in pulsations, and progressing from East to West faster than the eye could follow, smaller streamers from North and South entering it at right angles throughout its whole course.

Clouded all over, except a bright patch of light in East, emitting faint streamers.

Clearing in E. and S.E.; faint streamers,

Clearing in E. and S.E.; faint streamers. Large meteor (above first magnitude) fell from alt. 60° to 40°; brilliant tail, time of flight about 2°.; direction from zenith to S.E.

Clouds rising in N.W., and totally obscuring the sky.

Densely clouded; auroral light almost entirely obscured.

Sky almost clear; dark cumulous masses in N. and N.E. thrown into strong relief by auroral light, and pale flashes occurring at intervals; flashes and pulsations in N.W., extending upwards to zenith.;

Clear; bright streamers from W. to N.E.; faint pulsations reaching nearly to zenith.

A few strati in the North; streamers; bright patch in N.N.W.; flashes to zenith.

Overcast to within 10° or 15° of North horizon; bright light and a few very faint streamers still visible. Overcast, cumuli and cumulous haze, except near horizon.

No streamers or pulsations, Overcast, with broken cumulous masses; flashes visible in

Clear, except heavy bank of cumuli in North; brilliant and incessant flashes converging from all sides towards an oval space about 10° E. and W. of zenith.

Sudden start of H. F. magnet. 46 Nearly overcast; a few streamers to N.W., in clear intervals. Clouded, bright to Northward. 51

Clouded, bright to Northward.

Bright light in breaks of clouds.

Clear, bright flashes and pulsations.

Light bank of clouds in N. and W. horizons, alt. 10° or 15°; remainder clear; faint auroral light and low streamers in N.W.; none in any other part of the sky.

Clouded along North horizon to alt. of 15° or 20°; very faint auroral light at edges only.

The general character of this Aurora, as far as could be judged by the casual observa-tions above given, was the same as that of the 28th and 29th May; flashes or pulsations, extending to the zenith, fermed in both cases the remarkable features. On both days, the magnets were considerably disturbed during the earlier part of the day.

	Au	GUST 28	and 29,	1840			At	GUST 28	and 29,	1840).		At	GUST 28	and 29	, 1840	0.	
I. Gött. Ti	me.	Decl.	Hor. Fo	orce.	Vert. Fe	orce.	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. Fo	orce.	M, Gött, Time.	Deel.	Hor. F	orce.	Vert. F	orc
h. m.	8.	SeDivns.	SeDivas.	Ther.	ScDivas.	Ther.	d. h. m. a.	SeDivas.	ScDivns.	Ther.	SeDivus.	Ther.	d. h. m. s.	SeDivas.	ScDivas.	Ther.	ScDivns.	m
8 13 40		148.3	155-3		54.4		28 18 15 0	189.8	1000				28 21 0 0	158.6	129.9	73	41.1	7
45		147·6 146·7	149.9		53.1		20 0 22 40	180.3	113.9		29.0		2 40	154.8	195.0	1	41.5	
50 55		147.0	149 9		33 1		25 0	163.5	103.2		19.6		5 0 7 40	154·7 154·6	125.8		41.9	
14 0		149.1	146.8	73	54.5	73	27 40	161.3			10		10 0	153.9	127.4		43.4	
5 10		150·4 155·0	144.9	7 19	60.1		30 0 32 40	168.9	90.9				15 0 20 0	154·9 157·2	132.8		47.9	
15		166 · 1	144 3		Towns .		35 0	174.2	95.9		18.4		30 0	159.1	135.8		49.5	
20		187.9	149.2		60.7		37 40	172.9	00.8		1 1		35 0	158.7				L
25 30		207·6 219·2	157.4		69.7		40 0 42 40	172:0	99.7		27.4		40 0 45 0	159.5	138.1		50.5	ı
35		242.9	13, 4		03.		45 0	147.3	85.7		35.0		55 0	156.9	135.0	100	51.3	
40		258.5	162.8	1	63.5		47 40	138.8	00.0		00.5		55 0	155.8				١.
45 50		243·9 223·1	150.7		46.0	1	50 0 52 40	135 · 2	96.6		26.5		22 0 0 5 0	160·2 161·1	128.4	73	48.9	1
55		227.4	150 1		10 0		55 0	144.2	83.4		30.8		10 0	155.9	123 - 7		48.9	1
15 0		207.0	142.0	73	41.6	73	57 40	152.0					15 0	155.6	700 0	199		ı
5 10	0	199·6 202·8	131.6		36.7		19 0 0 2 40	149.7	74.9†	73	25.5	73	20 0 25 0	162·3 159·2	133.0		50.0	
15		211.5	101 0				5 0	160.6	88 - 2+		31.1		30 0	156.7	134.9		52.1	٠
20		205.4	148.2		36.3		7 40	167.3			19.10		35 0	154.7	700.0		10.0	ı
25 30	0	203·0 199·6	157.6		34.6		10 0 12 40	170.6	92.1+				40 0 45 0	155·9 153·4	130.8		49.3	ı
35	0	175.0	131 0		34 0		15 0	168.9	82.6		32.6		50 0	153 - 5	128.4		46.8	ı
40	0	163.9	141.1		31.0		17 40	169.8		100	10		55 0	154.1			1	ı
45 50	0	169·3 183·4	140.0		38.2		20 0 22 40	171·6 170·5	83.8		32.5		23 0 0 5 0	155.5	132.4	73	49.3	ı
55	0	180.7	140 0		30 2		25 0	168.0			36.4		10 0	156.5	132.9	110	47.8	ı
16 0	0	183.8	143.7	73	36.3	73	30 0	162.3	79.5		37.4		15 0	159.4		B		ı
5 10	0	174·0 171·0	131.8		33.3		32 40 35 0	165·3 157·0	82.1		32.2		20 0 25 0	160.6	134.1	1 0	48.5	1
15	0	163.2	131 0		33 3		37 40	150.2	02 1		32 2		30 0	164.6	137.0		48.9	1
20	0	151 6	136.1		28.6		40 0	153.5	115.4		36.5		35 0	158.9			900	1
25 30	0	152·0 162·4	121.0		34.5		42 40 45 0	167·0 167·5	159-1		44.1		40 0 45 0	159·3 162·4	131 - 7	-	46.8	1
35	0	163.9	121 0		34 3		47 40	194.3	159 1		71 1		50 0	162.6	135.8		48.3	1
40	0	155.2	116.4		27.9		50 0	194.5	173.0		47.6	-	55 0	166.0		1	1	1
45 50	0	151·8 150·1	103.8		30.0		52 40 55 0	180.4	169.6	2.3	41.2	1 19	29 0 0 0 0 5 0	165.8	136 · 1	73	48.2	1
55	0	155 1	103 8		30 0		57 40	148.1	109 0		41 2		10 0	167.0	168-6	100	47.2	1
17 0	0	161.3	114.7	73	34.2	73	20 0 0	140.5	128.0	73	41.1	73	15 0	168.6		100	1	1
10	0	163·5 152·0	84.9		38.3		2 40 5 0	147·9 143·4	142.2		42.1	1	20 0 25 0	167·5 168·4	136.7		50.9	1
15		133.6	59.81		00 0	718	7 40	137.8	142 2	1	12 1		30 0	169.3	136-1	13	54.0	1
20	0	114.6	91.3		35.2	Wa .	10 0	145.1	131.0		34.3		35 0	171.7				ı
25 30	0	136 · 1	97.31		57.71		12 40 15 0	131.5			31.1	7.5	40 0 45 0	10000	137.9	est	53.3	1
	50	135 · 4	113 0	1			17 40	137.0			0	133	50 0		138.6		53.0	ı
35		172.6	140 .51		59.4		20 0	132.5	109.0		32.9		55 0	169.8	141.0	HO		ı
40	40	162·9 181·2	160.5		49.3		22 40 25 0	136.7	100.0		33.6	1 10	1 0 0 5 0	177.0	141.3	73	53.4	۱
	40	187.9	180.51	-	49.2		27 40	147.4	100.0		10300		10 0	174.1	140.6	13	53.4	ı
45		153.1	116.44		48.3‡		30 0	137.4	100.4		34.3		15 0	174.2	141.0	100	20.0	ı
50	40	143·3 171·6	116.4		35.8		32 40 35 0	154.3	106.9		37.0		20 0 25 0	175.9	141.0	1111	53.3	۱
52	40	193.1			44.9		37 40	155.7		-	-		30 0	171.9	141.0	1 11/19	53.5	1
55		180.5	124.34		40.7‡	1	40 0	157.6	108.2		36.8		35 0	170.1	120.0		59.5	1
18 0	40	165·8 153·1	110.2	73	36.5	73	42 40 45 0	159 1 157 · 0	114.9		36.5	1119	40 0 45 0	168.1	138.8		53.5	1
	40	140.2	100.4		- Section		47 40	163.4			1 15000	1	50 0	168.9	137.7			1
5		136 . 4	100-4		35.3‡	1	50 0	161.4	120.7	100	38.6	1	55 0	168.9	120-1	HO	FO. 6	1
10	40	165·7 184·1	123 · 4 ·	1	45.6		52 40 55 0	164.8	127.8		39.7		2 0 0 5 0	168.0	138.7	73	50.3	
12		190.7	121 0	1	46.6		57 40	157.0	1210	1	001	1	10 0	166.3	245.0		50.7	

The H. F. observations marked † were taken respectively at the times $17^{\rm h}, 19^{\rm m}, 25^{\rm m}, 50^{\rm s}, 35^{\rm m}, 30^{\rm s}, 30^{\rm m}, 30^{\rm s}, 45^{\rm m}, 30^{\rm s}, 56^{\rm m}, 18^{\rm h}, 5^{\rm m}, 9^{\rm m}, 30^{\rm s}, 19^{\rm h}, 2^{\rm m}, 51^{\rm s}, 8^{\rm m}, 13^{\rm m}$; the others as usual, $2^{\rm m}, 30^{\rm s}$, after the times specified.

The V. F. observations marked \ddagger were taken at the times $17^{\rm h}$, $24^{\rm m}$, $30^{\rm s}$, $34^{\rm m}$, $40^{\rm m}$, $30^{\rm s}$, $44^{\rm m}$, $51^{\rm m}$, $56^{\rm m}$, $18^{\rm h}$, $3^{\rm m}$, $30^{\rm s}$, $11^{\rm m}$.; and the observations from $18^{\rm h}$, $25^{\rm m}$, to $21^{\rm h}$, $10^{\rm m}$, at the times specified; all others as usual, $2^{\rm m}$, $30^{\rm s}$, before the times specified.

August	28 and 29, 1840).	A	UGUST 28	3 and 29,	1840).	At	ugust 28	and 29	1840).
M. Gött. Time. Decl	Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor. Fo	irce.	Vert. Force	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. Force.
d. h. m. s. ScDiv	SeDivas. Ther.	ScDivas. Ther.	d. h. m. s.	ScDivus.	SeDivns.	Ther.	ScDivns. The	r. d. h. m. s.	ScDivas.	Se Div ^{ns} .	Ther.	SeDivns. Ther.
29 2 15 0 167 2			29 7 50 0	139.0	150.7	0	51.2	28 11 50 0	67.2	210.3	0	0
20 0 164·3 25 0 163·3		51.5	8 0 0	139.1	150.4	73	51.2 7	55 0 12 0 0	66.4	208.2	60	
30 0 161 · 2 25 0 159 · 3		51.5	5 0 10 0	140·0 140·3	150.1		51.4	5 0 10 0	66.4	207.2		
40 0 159.9		48.2	15 0	140.9				15 0	66.3			
45 0 159·1 50 0 157·0	133.6	48.6	20 0 25 0	141·0 141·7	150.6		51.2	20 0 25 0	66.4	207.5		100
55 0 156·1 3 0 0 155·3		48.4 73	30 0 35 0	141·6 144·0	159.5		53.7	30 0 35 0	67.0	208.5		N IE
5 0 154.1		100	40 0	141.6	162.4		53.5	40 0	67.2	209.5		
10 0 153·1 15 0 152·8		48.3	45 0 50 0	140·5 141·8	157.9		52.5	45 0 50 0	67.5	209 • 4		
20 0 151·2 25 0 150·9		48.1	9 0 0	141.8	155.3	73	52.1 7	55 0	67.4	210.2		
30 0 151·3 35 0 149·	133.6	47:8	5 0 10 0	142·2 142·0	161.4	2 2	52.0	5 0 10 0	67.5	212.2		
40 0 150 :	134.6	47.7	15 0	142.2	10000	0		15 0	67.9		19	
45 0 148 : 50 0 145 ·	0.000	48.0	20 0 25 0	143·7 143·7	149.1		51.9	20 0 25 0	67.6	213.2		
55 0 145 · 145 · 145 · 1		47.9 72	30 0 35 0	143·9 143·8	147.7		50.7	30 0 35 0	68.1	213.0		
5 0 143.9		1000	40 0	144.0	153.2		51.1	40 0	68.0	213.6		
10 0 143 · 9 15 0 143 · 9		47.5	45 0 50 0	143·9 143·7	150.7	50	50.9	45 0 50 0	66.2	213.1		
20 0 143·0 25 0 142·8		48.2	55 0 10 0 0	143.9	151.1	73	50.8 7	55 0	65.8	212.4	60	
30 0 141 0	137.2	48.7	12 0 0	147.0	143.2	73	50.0 7	5 0	65.6	100000	00	
40 0 141.	137.4	48.7	14 0 0 16 0 0	145.8	147.0	72 72	50.5 7	15 0	65.5	212.0	10	
45 0 141 · 6 50 0 140 · 6		48.7	The Mean Posit	tions at the	e usual hor	urs of e	observation, ar	20 0 25 0	66.9	218.2	A	
55 0 139.0		48.7 73			in page 13			30 0 35 0	66.9	220.2		
5 0 138	0						$=0' \cdot 71$ = '0003	40 0	67.9	223.8	1	
10 0 138 1 15 0 139 1		48.5			term obs			45 0 50 0	67.5	222.7		
20 0 137 · 0 25 0 137 · 0		49.2	The H. F. w	as observe				55 0 15 0 0	67.9	222.0		
30 0 138 · 0 35 0 138 · 0	141.2	50.4	28 0 0 0	67.0	222.4	61		5 0	67.4	221 · 3	3	
40 0 137	141.7	50.7	2 0 0	67.1	222.0	62		10 0 15 0	66.3			2
45 0 137 · 50 0 137 ·	142.9	50.6	6 0 0		216·0 214·6	62 61		20 0 25 0	66.2	219.7	1	
55 0 137·0		50.6 73	8 0 0 10 0 0	67·0 67·1	212.0	60		30 0 35 0	66.1	218.9		
5 0 136			5 0	66.8	100000000	30		40 0	65.6	216.2		
10 0 136· 15 0 137·		50.9	10 0 15 0	66.3	207.7		1	45 0 50 0	65.0	212.5	35	
20 0 137· 25 0 137·		51.3	20 0 25 0	66.8	210.5	GE 1.		55 0 16 0 0	65.5	211.2	59	
30 0 136 · 35 0 137 ·	146.1	51.4	30 0		213.2	30		5 0	65.0			
40 0 137	147.0	51.8	40 0	66.7	214.3	100		10 0 15 0	65.3	212.9		12
45 0 137· 50 0 137·		51.5	45 0 50 0	66.1	213.4	in i		20 0 25 0	64.0	209.5		
55 0 137· 7 0 0 137·	5	51.6 73	55 0 11 0 0	66.8	211.4	1 6		30 0 35 0	64.2	209.0		481
5 0 137	5		5 0	67.2			1 2 1	40 0	64.8	207.5		
10 0 138· 15 0 138·		51.3	10 0 15 0	67.3	211.4		1	45 0 50 0	65.0	206 · 9		
20 0 138 · 25 0 139 ·		51.3	20 0 25 0	67.3	209.1			55 0 17 0 0	65.4	206.5		
30 0 138· 35 0 138·	150.8	51.2	30 0 35 0		209.1			5 0 10 0	65.8	204.0		
40 0 139	2 150.2	51.2	40 0	67.2	209.2			15 0	66.8			
45 0 138			45 0	67.7				20 0	67.0	201.9		

Au	GUST 28	and 29,	1840				Au	GUST 28	and 29,	1840).				Au	GUST 28	and 29,	1840	
M. Gott. Time.	Decl.	Hor. For	rce.	Vert. Forc	e.	M. Gött. T	ime.	Decl.	Hor. F	orce.	Vert. Fe	orce.	M.	Gott. Ti	me.	Decl.	Hor. F	orce.	Vert. Force.
d. h. m. s.	SeDivas.	ScDivns.	Ther.	ScDivns. Th	er.	d. h. m.	8.	ScDivas.	SeDiv ^{ns} .	Ther.	ScDivas.	Ther.	d.	h. m.	5.	SeDivns.	SeDivas.	Ther.	ScDivas. Ther
28 17 25 0	67·0 67·9	204.1	1			28 23 10		65.0	209.0				29	4 50	0	62.9	206.0		100
30 0 35 0	66.0	100000	77			15 20		64.8	211.0					5 5 0	0	62.9	206.2		
40 0 45 0	69.1	207.8				25 30		64.2	208.5					5 10	0	62.9	206.5		1000
50 0	69.4	207.9			ı	35	0	62.2						15	0	62.9			
55 0 18 0 0	68.0 69.0	209.0	59			40 45	100	62.2	209.2					20 25	0	62.9	206.2		1000
5 0 10 0	68.0	208.9				50 55		62.0	209.0					30 35	0	62.9	206.5		1 1 1 1
15 0	68.1				ı	29 0 0	0	62.0	209.0	60				40	0	63.0	206.3	100	
20 0 25 0	68.2	208.8		11999		10		62.0	210.0					45 50	0	63.0	206.0		
30 0	68.5	209.2				15	0	61.5	210.9	14	1997			55	0	63.0	206.0	62	
40 0	68.4	208.9	9			20 25	0	61.2	1					5	0	63.1	100000	02	
45 0 50 0	69.0	208.7	93			30 35		61.0	210.1					10 15	0	63.1	206.2		1000 0
55 0	70.0		12			40	0	60.9	210.9					20	0	63.8	206.2	1	7.5
19 0 0 5 0	71.2	208.8		1000	1	45 50		60.5	210.9					25 30	0	63.8	206 · 2		TORK!
10 0 15 0	73.3	207.0	114	10100	3	55 1 5		60.8						35 40	0	64.4	206.7		111111111111111111111111111111111111111
20 0	74.1	205.0				10	0	60.9	212.0					45	0	65.0	272		
25 0 30 0	74.4	201.3	11/2			15 20		60.9	212.0					50 55	0	65.3	207.0		10000
45 0	75.7					25	0	60.5			91111			7 0	0	65.6	206.9		
50 0 55 0	76·0 75·1	201.5				30 35		60.4	210.8					5 10	0	65.7	206 · 9		
20 0 0 5 0	76.9	199.0	59		1	40 45		60.0	211.0					15 20	0	65.8	207.0		
10 0	67.5	218.7				50	0	60.0	211.0		TA IS			25	0	65.7			2019
15 0 20 0	76.9	200.0				2 0		60.1	210.8	62				30 35	0	65·7 65·7	207.0	-	
25 0 30 0	75.5	201.3		1000		10		60.1	211.2			1 13		40 45	0	65.9	207.0		
35 0	73.0					15	0	60.3			0			50	0	65.9	206.9		
40 0 45 0	72.5	202.9				20 25		60.3	211.0					55 8 0	0	65.8	207.4	61	
50 0	71.9	202.8				30	0	60.3	210.0					5	0	65.8			
55 0 21 0 0	71.9	201.8		199		35 40	0	60.3	209.5					10 15	0	65·9 65·7	206.9		
5 0 10 0	70.9	200 · 9	10			45 50		60.5	208.0					20 25	0	65.5	207.1		
15 0	70.2					55	0	60.3						30	0	65.6	209.1		
20 0 25 0	69.9	201.0	,			3 6		60.5	207.8				1	35 40	0	66.4	211.0		
30 0 35 0	69.0	201 · 1				10		60.3	207.0		NE SE			45 50	0	66.5	211.6		
40 0	67.8	201.6				20	0	60.5	207.0					55	0	66.6			
45 0 50 0	68 4	202 · 1				25 30		60.9	207.8		l ma			9 0	0	66.5	211.0		
55 0 22 0 0	67·0 67·2	204 0	58			35 40		60.9	207.5		1 193			10 15	0	66.4	210.4	1	
5 0	67.2	2333.30	30			45	0	61.0						20	0	65.9	209.6	1766	
10 0 15 0	67.8	205 · 4				50 55		61.0	207.0		1			25 30	0	65.8	210.0		93
20 0	67·2 66·3	206.0				4 (0	61.5	207.7	63	1		13	35	0	66.0	210.0		
30 0	66.5	206.5				10		61.9	206.2		1 69	1		40 45	0	65.9	1	1	1000
35 0 40 0	66.1	206.8				15 20		62.0	206.2		1			50 55	0	65.9	210.0	1	
45 0	65.6					25	0	62.6			10100			10 0	0	66.0	209.8	60	189
50 0 55 0	65.1	207.0				30		62.9	206.3			4	1.3	12 0	0	66.1	207.4	60	
23 0 0 5 0	65.4	207.9		1 38		40		63.0	206.8		1000		SU	The mag	netor	meters we er of con-	re not in secutive d	adjustr ays in	nent during a this month to
3 0	03 0					120	0	03 0						ve mean					

August 28 and 29, 1840.	A	GUST 28	and 29,	1840			Au	GUST 28	and 29,	1840		
Antarctic Expedition at Hobarton.	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. Fo	orce.	M. Gött, Time.	Decl.	Hor. Fo	rce.	Vert. Fo	rce.
Decl. 1 Scale Division = $0' \cdot 73$ H. F. $k = \cdot 000176$; $q = $ V. F. $k = $; $q = $ The three Instruments were observed simultaneously.	d. h. m. s. 2812 5 0 7 30 10 0	ScDiv ^{as} . 47·7 47·6 46·9	ScDiv ^m . 67 · 4 67 · 0 67 · 9	Ther.	ScDiv ^{n*} . 31 · 4 30 · 7 31 · 2	Ther.	d. h. m. s. 28 14 52 30 55 0 57 30	ScDiv ⁸⁸ . 49·3 48·7 48·8	ScDiv ^{ns} . 37·1 38·7 38·8	Ther.	ScDiv ^{as} . 53.5 51.5 51.8	Ther.
M. Gött. Time. Decl. Hor. Force. Vert. Force	12 30 15 0	47·2 46·9	67.3		30.2		15 0 0 2 30	49.4	38.0	51	52·0 52·7	61
d. h. m. s. ScDiv ^{ns} , ScDiv ^{ns} , Ther. ScDiv ^{ns} , Th	20 0	46.5	66.7		30.3		5 0 7 30	49.1	38.1		53·0 53·2	
28 0 0 0 45·5 67·3 49 46·7 50 1 0 0 45·9 66·4 46·0	22 30 25 0	45.3	66.8		29.3		10 0 12 30	48.6	35.2		51.7	
2 0 0 46·4 71·7 49 46·5 5 3 0 0 44·1 68·1 47·1	27 30 30 0	44.3	66.8		29.4	00.0	15 0 17 30	48.7	31.0		51.5	
4 0 0 46·2 67·5 48 50·9 4 5 0 0 45·2 68·3 53·7		43.2	66.4		30.7		20 0 22 30	49.4	31.1		52·3 52·4	
6 0 0 45.2 69.4 47 51.8 4	100000000000000000000000000000000000000	43.3	67·9 66·5		28.8	1	25 0 27 30	49.9	32.7		52.1	
8 0 0 49.7 73.8 47 51.8 4	42 30	42.9	66.5		29.0		30 0	50.1	34.4		51.1	
9 0 0 47·1 72·0 51·8 10 0 0 47·4 67·6 47 52·5 4	100000000000000000000000000000000000000	42.0	66.6		29.1		32 30 35 0	49.3	33.3		52·5 49·9	
2 30 47·5 67·5 50·9 50·2	50 0 52 30	42.1	65.9		29.1		37 30 40 0	50.7	32.3		50.0	
7 30 47·5 67·7 54·3 54·0	55 0 57 30	43.3	66.6		28.7		42 30 45 0	50.5	29.9		50.0	
12 30 46·7 66·4 48·1 15 0 46·3 67·5 46·9	13 0 0 2 30	42.3	65.9	50	27.5	60	47 30 50 0	53.3	34.6		50.1	
17 30 47.1 67.8 46.0	5 0 7 30	41.9	66.9		27·6 27·2		52 30 55 0	49.6	34.1		48·0 47·7	
22 30 46.7 66.7 44.4	10 0	41.4	67.0		26.5		57 30	50.2	34.1		46.2	
25 0 45·4 65·1 43·3 27 30 46·8 66·6 42·6	12 30 15 0	40.9	66.1		25.8		16 0 0 2 30	50·1	34.1	54	46.0	64
30 0 46·6 65·6 42·1 42·6	17 30 20 0	43.4	66.7		28.5		5 0 7 30	53.3	36.1		45.6	
35 0 44·5 65·4 41·4 37 30 44·9 65·8 40·6	22 30 25 0	45.8	66.9		30.6		10 0 12 30	56.4	39.7	8 9	43.8	
40 0 43·1 64·6 39·4 42 30 45·7 64·1 39·2	27 30 30 0	42.7	66.5		30·4 27·4		15 0 17 30	57.7	35.4		42.9	
45 0 43.9 65.1 38.5	32 30	41.0	66.0		28.7		20 0 22 30	56·2 57·4	33.7	- 13	41.6	
47 30 44·1 65·0 38·3 38·6	35 0 37 30	41.6	68.3		29.7		25 0	59.3	39.2		42.3	
52 30 44·5 64·4 37·9 37·9 37·9	40 0 42 30	45·3 46·5	66.1		29.0		27 30 30 0	62.3	39.9		42.0	
57 30 44·5 65·9 37·4 11 0 0 44·6 66·2 38·0	45 0 47 30	47.0	64.9		29.8		32 30 35 0	62.1	39.8		41.6	
2 30 44·6 66·4 37·0 36·7	50 0 52 30		64.1		31.2		37 30 40 0	61.2	40.3	1	39.8	
7 30 44.9 66.7 35.1	55 0 57 30	47.1	62.8		31.5		42 30 45 0	62.9	41.1	1	39.8	
12 30 45 2 65 4 51 34 5 5	7 14 0 0	46.5	60.7	51	32.7	50	47 30	62.9	38.2		39.4	
15 0 42·9 64·4 34·0 34·6 34·6	2 30 5 0	46.5	59.6		33.0		50 0 52 30	63.3			39.8	
20 0 44·8 65·6 34·3 22 30 46·3 67·4 34·0	7 30 10 0	46.6	57.6		34.5		55 0 57 30	62.9	36.1		40.4	1
25 0 46·3 68·7 33·7 27 30 46·5 67·9 33·4	12 30 15 0		56.8		34.0		17 0 0 2 30	59.6	37.4	57	39.9	65
30 0 47·0 66·9 33·4 32 30 47·3 66·5 32·7	17 30 20 0		52·1 51·6		35.1		5 0 7 30	62.1	39.9		40.1	
35 0 47.6 66.1 33.1	22 30 25 0	46.2	51.1		37.3		10 0 12 30	63.3	40.8		40.3	
37 30 44·8 65·9 32·8 32·7	27 30	47.2	50.3		41.8		15 0	65.9	45.4		40.3	
42 30 43·7 65·6 45 0 45·7 66·1 32·1 31·8	30 0 32 30	47.9	50.2		42.9		17 30 20 0	65.8	44.7		38.9	
47 30 44·7 63·1 31·8 31·7	35 0 37 30		47.3	1	43.1	1	22 30 25 0	67.1	45.4		38.4	
52 30 46·9 66·1 32·5 55 0 47·5 67·1 31·9	40 0 42 30	47.4	43.9		44.0		27 30 30 0	68.8	45.4		37.7	
57 30 48.2 67.4 31.8	45 0 47 30	47.0	41.3		45·7 46·8		32 30 35 0	66.7	38.2		38.5	
2 30 48.4 67.8 31.5	50 0		100000000000000000000000000000000000000	1	48.7		37 30	72.3			43.3	
			1							D		

August 2	3 and 29, 1840),	Au	gust 28	and 29,	1840).		lugust 28	3 and 29,	1840).	
M. Gott. Time. Decl.	Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. Force	M. Gott, Time	Decl.	Hor. Fo	orce.	Vert. Fo	orce.
d. h. m. s. ScDiv ^{ns}	ScDivns, Ther.	ScDivas. Ther.	d. h. m. s.	SeDiv ^{ns} .	SeDivas.	Ther.	SeDivas. Ti	r. d. h. m. s	SeDivns.	ScDivas.	Ther.	ScDivas.	Ther.
28 17 40 0 68 4 42 30 64 7 45 0 65 6 6 4 47 30 65 6 6 5 0 0 64 1 52 30 65 1 55 0 61 5 5 0 50 8 7 30 51 1 10 0 52 3 12 30 53 2 15 0 60 7 27 30 59 0 60 32 30 61 5 5 35 0 62 9 37 30 66 6 3 47 30 68 1 50 0 68 9 52 30 63 6 6 1 5 5 0 66 9 19 0 0 67 8 2 30 63 6 1 5 5 0 66 9 19 0 0 67 8 2 30 63 6 1 2 30 65 7 30 60 9 1 30	36·4 36·5 37·4 36·2 37·6 32·1 26·3 26·4 27·8 29·1 32·3 36·5 38·6 40·1 44·4 45·9 46·1 44·4 46·9 46·1 44·8 46·6 48·7 49·1 47·2 44·1 41·2 42·0 43·3 45·4 47·2 44·1 41·2 44·2 46·2 47·3	42·1 41·8 42·4 44·1 44·1 46·2 46·8 47·3 48·3 47·7 47·5 46·4 45·9 45·7 44·1 44·1 44·1 44·1 44·1 44·1 44·1 44·1 44·1 44·1 45·7 46·4 46·4 47·0 48·0 48·3 47·9 47·9 48·3 47·9 52·5 52·9 53·1 52·9 53·2 52·3 52·3 52·6 59·4 57·8 58·6 58·9 58·7 57·8 58·9 58·7 57·8 58·9 58·7 57·8 58·9	28 20 27 30	53·7 50·3 51·4 56·3 57·0 58·1 56·8 57·6 56·7 55·6 55·7 55·6 55·7 55·6 55·7 55·6 55·7 55·6 55·7 55·6 55·7 55·6 55·7 55·6 55·7 55·6 55·7 55·6 55·7	40·1 41·0 43·5 44·8 44·5 44·3 44·4 43·7 45·3 44·7 44·7 45·1 46·6 47·4 47·7 46·7 46·7 46·7 46·7 47·7	53	58·0 58·5 58·3 58·5 58·4 57·5 55·2 59·2 59·0 58·1 53·0 51·9 53·2 52·9 49·0 46·6 48·2 47·7 47·0 46·7 46·7 46·7 46·7 46·7 46·3 45·7 45·5 45·8 45·1 44·4 43·8 43·1 42·5 42·3 40·6 40·8 41·3 41·0 40·0 40·0 40·0 40·0 40·1	28 23 15 0 17 30 20 0 22 30 25 0 27 30 30 0 32 30 35 0 40 0 42 30 45 0 57 30 10 0 12 30 15 0 17 30 20 0 22 30 25 0 27 30 30 35 0 37 30 40 0 42 30 45 0 17 30 20 0 22 30 35 0 37 30 40 0 40 0 41 30 42 30 43 30 45 0 47 30 50 0 50	46·2 46·6 48·4 46·8 45·4 43·6 42·8 42·6 43·6 44·2 45·1 45·3 45·2 45·3 46·3 46·3 47·4 48·8 48·1 48·8 48·1 47·8 47·8 47·8 47·8 47·6 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·6 47·6 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·5 48·6 48·5 48·6 48·5 50·1	50.6 52.1 52.2 52.3 50.9 48.4 47.8 48.3 49.3 50.3 51.1 51.2 51.3 50.7 50.1 49.8 49.0 48.5 48.6 49.1 49.3 49.9 50.8 51.4 51.8 51.8 51.4 50.5 49.0 49.7 50.1 51.3 52.3 52.4 51.4 50.5 49.7 50.1 51.3 52.3 52.4 51.4 50.5 50.1 50.5 50.1 50.5 50.1 50.5 50.1 50.5 50.1 50.5 50.1 50.5 50.1 50.5 50.1 50.5 50.1 50.5 50.1 50.5 50.6 60.4 50.5 50.6 60.5 50.6 60.5 60.4 50.5 50.6 60.5	50	41·3 41·5 41·7 41·7 41·7 41·7 41·7 41·7 41·7 41·7	55

August 28 and 29,	840.	Augus	sr 28 and 29, 184	0.	At	GUST 28 and	29, 1840.			
M. Gött. Time. Decl. Hor. For	e. Vert. Force.	M. Gott. Time. D	Decl. Hor. Force,	Vert. Force.						
d. h. m. s. ScDiv ^{ns} . ScDiv ^{ns} .								Vert. Force.		
29 2 2 30	ber. ScDiv. Ther of 40 · 4 40 · 3 40 · 6 40 · 8 41 · 4 41 · 1 41 · 6 41 · 4 42 · 2 42 · 2 42 · 2 42 · 2 42 · 2 42 · 2 42 · 2 42 · 3 42 · 1 42 · 3 42 · 1 42 · 3 42 · 1 42 · 3 42 · 2 43 · 0 43 · 7 43 · 8 43 · 7 44 · 1 44 · 4 43 · 5 43 · 9 4	29 4 50 0 52 52 30 52 55 0 52 57 30 52 5 0 0 52 2 30 52 5 0 52 10 0 52 12 30 52 15 0 52 17 30 53 20 0 53 22 30 53 32 30 53 33 0 53 33 0 53 34 0 0 53 34 0 0 53 42 30 53 45 0 53 57 30 53 57 30 53 57 30 53 57 30 53 10 0 53 12 30 53 15 0 53 17 30 52 17 30 52	2:6 59:5 5 2:6 59:5 5 2:6 59:5 5 2:6 59:5 5 2:5 59:3 5 2:5 59:6 5 2:5 59:6 5 2:8 59:6 5 2:8 59:8 59:8 5 2:9 59:8 5 3:0 59:6 5 3:0 59:6 5 3:0 59:6 5 3:0 59:6 5 3:0 59:6 5 3:0 59:6 5 3:0 59:6 5 3:1 59:6 6 3:1 59:6 5 3:1 59:6 6 3:1 59	ScDiv*** Ther. 42·9 43·0 43·3 44·4 44·2 44·0 44·3 44·2 44·0 43·7 43·7 43·8 43·9 44·2 44·0 43·7 43·8 43·9 44·2 44·0 43·7 43·8 43·9 44·1 44·4 44·8 44·9 44·6 44·6 44·6 44·6 44·6 44·6 44·6	29 7 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 57 30 8 0 0 2 30 10 0 12 30 15 0 17 30 20 0 22 30 25 0 27 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 7 30 10 0 12 30 15 0 17 30 20 0 22 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 57 30 9 0 0 2 30 50 0 7 30 10 0 12 30 15 0 17 30 20 0 22 30 50 0 7 30 10 0 12 30 15 0 17 30 20 0 22 30 55 0 57 30 10 0 0 12 30 15 0 17 30 20 0 17 30 20 0 22 30 55 0 57 30 10 0 0 12 30 15 0 17 30 10 0 12 30 15 0 17 30 10 0 12 30 15 0 17 30 10 0 10 0 11 0 0 10 0 10 0 10 0 10 0	\$\begin{array}{cccccccccccccccccccccccccccccccccccc	1 1 9 1 8 8 8 1 1 1 3 3 3 4 9 3 3 7 8 4 4 5 5 6 6 5 6 6 8 7 7 0 7 9 9 9 3 8 8 7 7 3 3 0 2 2 2 2 1 4 4 9 8 9 2 2 0 5 5 5 4 4 2 2 1 8 8 7 5 5 8 9 9 9 3 8 8 7 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 3 8 8 7 5 5 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	45·9 45·9 46·0 45·8 46·3 46·3 46·3 46·3 46·3 46·1 45·9 45·5 45·5 45·6 45·6 45·6 44·0 45·8 45·6 44·0 45·8 45·6 44·0 45·8 45·6 44·1 40·8 41·1		

1	Art	GUST 28	and 29, 1	840.		,	SEP	TEMBER :	21 and 2	2, 18	40.	1	Sept	EMBER 2	21 and 2	2, 18	10.	
	M. Gött. Time.	Decl.	Hor. Fore	e. V	ert. Force.	M. Gott	. Time.	Decl.	Hor. Fo	rce.	Vert, Force	e. ·	M. Gott. Time.	Decl.	Hor. Fo	rce.	Vert. Fo	orce.
	d. h. m. s. 4 0 0 5 0 0 6 0 0	ScDiv ^{ns} . 46 · 0 48 · 2 50 · 0	64.3	19 54 55	0			ScDiv ^{as} . 117·7 94·9 102·2	ScDiv ^{ns} .	Ther.	SeDiv ^{ns} . Ti	0	d. h. m. s. 21 2 15 47 25 47 35 47	SeDiv ^m . 69 · 9 69 · 8 69 · 7	ScDiv ^{ns} . 79·9 79·0 76·4	Ther.	ScDiv ^{ns} .	Ther.
The second second second second	7 0 0 8 0 0 9 0 0 10 0 0 11 0 0 12 0 0 13 0 0 14 0 0 15 0 0 16 0 0 17 0 0 18 0 0 19 0 0 20 0 0 21 0 0 22 0 0	48·9 50·0 48·6 46·6 44·6 42·1 44·7 50·6 54·1 56·3 56·7 55·7 53·5 50·0 49·0	65 · 9 66 · 0 66 · 4 66 · 1 64 · 7 64 · 4 61 · 0 57 · 8 55 · 5 53 · 9 54 · 2 53 · 2 55 · 4 57 · 3	5648 56 5648 56 5648 55 5648 55 5648 55 5648 55 5648 45 4748 48 4848 48	6:4 6:8 49 6:5 6:5 48 6:4 49 6:0 4:8 5:2 2:3 9:8 56 6:8 7:3 58 7:4 8:3 57 8:7		36 26 41 26 46 26 1 26 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	123·3 144·5 150·7 163·8 180·0 161·9 150·2 173·5 172·7 163·7 172·5 178·5 165·4 168·7 155·9					45 47 55 47 3 0 0 5 47 10 47 15 47 20 47 25 47 30 47 40 47 45 47 50 47 40 0 5 47	69·2 69·2 67·2 69·9 69·8 67·9 68·0 68·9 68·0	74·0 74·0 74·0 75·0 73·9 73·9 71·0 71·0 69·9 66·9 66·9 65·0	62		
	23 0 0	47.9	58·5 21 and 22,	52	2.0		ositions a	t the usua	hours of September		tion, from t	the	10 47 15 47 20 47 25 47	66.9	64·3 64·0 62·5 61·5			
	TORONTO H	F. from	cale Division of the tempor tobservatory	ts were ary to t	removing the perma-	0 2 4 6 8 10	0 0 0 0 0 0 0 0 0 0 0 0	167·8 167·1 162·1 157·1 164·6 170·4					30 47 35 47 40 47 45 47 50 47 55 47		62·2 63·9 64·0 64·5 63·8 63·2			
	21 0 7 0 2 0 0 4 0 0	168·4 171·8 192·6 165·3 161·4 162·1				12 14 16 18 20 22	0 0 0 0 0 0 0 0 0 0	166 · 8 182 · 1 168 · 4 166 · 1 171 · 2 164 · 9					5 0 47 5 47 10 47 15 47 20 47 25 47 30 47	66.1	63·3 63·0 63·0 62·1 62·9 61·2 62·1	67		
	6 0 0 8 0 0 10 0 0 12 0 0	153 · 4 166 · 4 169 · 6 166 · 0				St. H	2200000		Scale Di = '0001		= 0'·71 = ·0003	3	35 47 40 47 45 47 50 47	68.3	62·0 61·0 61·0			
1	14 0 0	204·1 163·4					F. was	observed 1	m. 0°. after	the ti	nes specified	1.	55 47 6 0 0	67·2 66·0	62.0	64		
	18 0 0 20 0 0 21 16 26 26 26 31 26 41 26 46 26 56 26	151·7 168·2 168·9 167·6 168·3 168·3 164·5 153·0 139·3				15 16 18 20 22 23 21 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	66·2 67·8 66·9 67·1 68·0 64·8 65·9 64·8 69·0	91·3 91·9 92·4 93·1 95·4 94·3 92·1 81·1	59 59 59 59 59 60 60 61			5 47 10 47 15 47 20 47 25 47 30 47 35 47 40 47 45 47	66·3 65·1 65·0 65·3 65·3				
	16 Ca 26 Ca	lm (in lm lm lm lm to all with lm	the North. Clear; auro Aurora app orthern part the zenith. Pulsations s Eastward of ong the Northen last obse After a shor	ral light earing in of the sk till contin 'North; h horizon rved. t pause of	horizon, clear t in the North n quick pull y from N.W nuing, mixed a bank of or on. Pulsatio of about thre ry bright flash	sations, co to N.E., l with stre ange-colo as shorter	overing , extendi amers, ve aured haz and qui	the whole ng nearly ery bright e running cker than a succes-	d. b. 21 21	56	Calm Calm Calm	Norte smal able Program arch Arch at the Arch colors	rilliancy greatly d h, alt. about 40°, ler ones nearly N. interval between ulsations greatly ge tinge extendin rch remarkably br e full; pulsations rch very bright; s ur at the Western of rch still very b	connected E.; pulsat them. diminished g from N.¹ light, show very weak everal very and of the a	by a brig tions very a l; a very W. to N.E ing as much, brightest y bright st rch; pulsa	bright bright bright h light t in N. reamer	t bank of the form of the tas the me w. s of a reddardly visil	eral der- an f an oon lish ble.
	41 Ca	dm &	c.; brightest ue North.	21h, 31	s the West of	North; a	very br	ight bank		35 41	Calm	puls A N. W	ated; several very ations very faint. rch nearly disapp ., and also in N.I. o appearance of A	bright st eared; a c; pulsati	reamers a few stream	t both	extremiti	ies;

Γ	SEPT	EMBER 2	21 and 2	2, 18	40.		SEPT	EMBER 2	21 and 2	2, 18	40.		Sept	EMBER S	21 and 2	2, 18	40.
M	. Gött, Time.	Decl.	Hor. Fo	orce.	Vert. I	orce.	M. Gött. Time.	Decl.	Hor. Fe	orce.	Vert. Fo	rce.	M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. Force.
d.	h. m. s.	Se. Divas.	SeDivas.	Ther.	SeDivns.	Ther.	d. h. m. s.	ScDiv ^{ns} .	SeDiv ^{ns} .	Ther.	ScDivas.	Ther.	d. h. m. s.	SeDivns.	ScDiv**.	Ther.	ScDivas. Ther.
2	6 50 47	27.0	68.0		110		21 12 25 47	64.0	80.0			100	21 20 55 47	68.2	83.6	0	
	55 47 7 0 0	65.2	68.1	62			30 47 35 47	63.9	80.0				21 5 47 15 47	68·8 68.1	83·8 84·1		
	5 47 10 47	65.1	68.0				40 47 45 47	63.0	80.2				25 47 35 47	67·9 67·0	84.7		
	15 47	64.8	67.2				50 47		80.0				45 47	66.4	82.2		
13	20 47 25 47	64.9	67·2 68·0				55 47 13 0 0	62.9	79.0	59			55 47 22 5 47	66.5	80·7 79·2	59	
1	30 47		67.8				5 47	63.0	76.9				15 47	65.3	78.2	0.5	
п	35 47 40 47	65.0	68.0		and a		10 47 15 47	64.0	77·5 80·8		1		25 47 35 47	64.5	79.0		
H	45 47	65.1	67.8		The state of		35 47 40 47	65.1	90.1		1000		45 47 55 47	64.5	80.2		
	50 47 55 47	65.6	67·5 67·5		- Drive	10 7	45 47	65.7	91.3				23 5 47	64.4	84.0		
	8 0 0 5 47	65.8	67.4	61			50 47 55 47	65.4	90.0				15 47 25 47	65.0	85·8 86·2		
	10 47	1000	74.4				14 0 0	65.1	000	59			35 47	63.0	86.0	-	
	15 47 20 47	68.5	74.8				5 47 10 47	64.7	88.7				45 47 55 47	63.1	87.0		
	25 47	66.7	72.7			1 44	15 47 20 47	64.4	88·0 87·0	1			22 0 5 47 15 47	63.0	88.6	60	
	30 47 35 47	65.4	73.3				25 47	64.9	87.3				25 47	64.0	90.1		
13	40 47 45 47	64.9	72.6				30 47 35 47	64.0	85.0				35 47 45 47	63.1	90.5		
11	50 47		73.1				40 47		84.9				55 47	63.1	90.0		
1	55 47 9 0 0	64.7	73.7	60			45 47 50 47	64.0	84.3				1 5 47 15 47	63.1	90.3		
н	5 47	64.6	73.9	00			55 47	64.7	83.3				25 47	63.4	90.4		
п	10 47 15 47	63.0	73.8		1000		15 0 0 5 47	64.6	82·9 82·5	59			35 47 45 47	64.6	90.1		
п	20 47 25 47	60.0	72.3				10 47	64.2	82·9 82·1		1.18		55 47 2 5 47	63.0	88.6	60	
п	30 47	62.9	71.9	1	1		15 47 20 47	04.2	82.7				15 47	64.1	87.3	00	
1	35 47 40 47	63.0	70.0				25 47	64.2	82.0		1 11 1		25 47 35 47	64.0	87.0		
п	45 47	62.5	68.9				45 47	64.2	82.0		100		45 47	64.8	88.0		
1	50 47 55 47	62.7	68.0		1		55 47 16 0 0	64.8	82·2 82·3	59			55 47 3 5 47	65.0	86.0		
п	10 0 0	63.0	68.0	60			5 47	64.5	82.5				15 47	63.0	85.7		
	5 47 10 47	63.1	68·1 68·2				15 47 25 47	64.5	82.9			8	25 47 35 47	63.0	86·5 86·1	1	
п	15 47	64.0	69.0				35 47	64.6	84.0		1111		45 47	62.9	85:8	13.0	
п	20 47 25 47	64.3	70.1				45 47 55 47	64.6	84.1			8	55 47 4 5 47	62.9	85.0	61	
	30 47 35 47	64.8	72.1	1	1		17 5 47 15 47	64.5	85·5 85·9				15 47 25 47	62.9	83.6	1	
	40 47	1000	73.5				25 47	64.1	86.1				35 47	62.0	81.0		
	45 47 50 47	64.9	74.5		1	1	35 47 45 47	64.3	87.2			1	45 47 55 47	61.5	77.5		
	55 47	65.9	76.5	50			55 47	65.7	90.8	59	1511		5 5 47 15 47	61.3	73.9		
1	11 0 0 5 47	66.2	73.0	59			18 5 47 15 47	66.3	91.0	59			25 47	61.0	75.8		1000
-	10 47 15 47	66.0	82·0 82·5				25 47 35 47	66.7	90.4				35 47 45 47	61.8	76.0		100
1	20 47	VALUE OF	82.7		1		45 47	68.6	89.5		100		55 47	62.8	75.0	00	
	25 47 30 47	65.9	82.1				55 47 19 5 47	70.0	89.0			1	6 5 47 15 47	62.8	76.0	60	
	35 47	65.1	80.9		1	1	15 47	71.1	88.3			1	25 47	63.1	78.3		
	40 47 45 47	64.5	80.5				25 47 35 47	71.0	87·0 85·7			4	35 47 45 47	63.9	80.2		
	50 47 55 47	65.1	80.0			1	45 47 55 47	70.6	85.2	1		-	55 47 7 5 47	63.3	79.1		
	12 0 0	64.0	79.2	59			20 5 47	69.9	82.9	59	10 %	i	15 47	63.0	77.3	1	13
	5 47 10 47	63.9	78.9	-	1	1	15 47 25 47	70·0 69·2	82.0		-	-	25 47 35 47	63.5	81.5		
-	15 47	63.9	79.0	1		1	35 47	68.9	81.4		No. of the last	13	45 47	65.0	84.5	1	
-	20 47		79.1			-	45 47	68.2	82.6				55 47	65.0	83.1		100

							-				_		_	_	-	-	-
Sертемві	ER 21 and 2	2, 18	40.			SEP	TEMBER S	21 and 2	2, 18	40.		SEPT	EMBER	21 and 2	2, 18	40.	
M. Gött. Time. De	el. Hor. Fe	orce.	Vert. F	orce.	M. Got	t. Time.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Gott. Time.	Decl.	Hor. F	orce.	Vert. F	orce.
	iv ^{ns} . ScDiv ^{ns} .	0	ScDivas.	Ther.	18 B.	m. s.	SeDivas.	SeDivas.	0		0	d. h. m. s.		Se. Divns.	0	ScDivas.	0
22 8 5 47 64 15 47 65		59	00 0		21 4 5	0 0	18.4	47.4	53 52	38.7	53	16 0 0 17 0 0	54.1	53.9	56	49.8	56
25 47 64	9 82.9	8 1	115		6	0 0	49.2	44.6	52	36.3	53	18 0 0	56.7	53.2	59	47.3	58
35 47 64 45 47 64		21	25		7 8	0 0	43.5	51.6	52 51	42.4	52 52	19 0 0 20 0 0	55.7	53.9	58	47.4	57
55 47 64	2 81.1		45		9	0 0	46.1	49.7	51	45.7	52	21 0 0	50.0	57.3		48-7	1000
10 0 0 66	Control of the Contro	59 59	3 3		10 11	0 0	48.7	43.4	51 52	48.7	51 52	22 0 0 23 0 0	49.0	58.5	55	49·9 52·0	55
12 0 0 65		59	45		12 13	0 0	43.2	50.3	52	49.6	53 55		100			21	
14 0 0 65° 15 0 0 64°		59 58			14	0 0	51.5	45.9	54 55	56.6	56	Остове	R 19, 20), 21, an	d 22,	1840.	
16 0 0 64·		58 58	The state of	1	15 16	0 0	51.8	45.3	62 65	41·8 37·6	61 64	(D	ecl. 1 S	Scale Di	vision	= 0'.	72
20 0 0 67	1 88.1	57	4 8		17	0 0	54.4	42.7	67	41.5	65	TORONTO { H	I. F. k =	= .00000,	74; 9	= .00	002
22 0 0 65		58 59			18 19	0 0	52.6	37.8	68	47·0 55·1	66			extra obs			018-
20 0 0 0		00	100		20	0 0	54.4	35.8	63	58.8	61	The V. F. was					I. F.
Mean Positions at the	usual hours of the Month."	f obser	vation du	ing	21 22	0 0	44.5	47.6	60 58	44.2	59 58			the times			
	1-22 0 0		1 41 1	- 21	23	0 0	43.8	43.1	56	59.6	56	18 18 0 0	26.3	394.7	52	49.4	52
0 0 0 65		61	1		22 0	0 0	37.7	52.6	54 53	54.3	55 54	20 0 0 22 0 0	30.1	388.5	53	57.6	53
3 0 0 66.	0 0 67.0 87.7 62 0 0 66.2 84.9 63 0 0 66.1 82.3 63					0 0	53.0	60·5 55·4	52 51	51·2 51·3	53 52	19 0 0 0	15.5	406.5	53	56.2	53 54
	0 0 66·2 84·9 63 0 0 66·1 82·3 63 0 0 65·9 79·2 64					0 0	45.2	58.9	51	53.4	52	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	31.7	399.0	54 55	56.1	55
6 0 0 65	7 77.7	63	1 10 1		5 6	0 0	48·7 37·4	69.4	50 48	49.4	50 50	45 30 50 30	20.1	364.7	13.11	56.7	
8 0 0 66	C. Brancher	61	035		7	0 0	43.1	53.4	49	55.4	49	55 30	26.6	336.0	The second	56.2	
11 0 0 67	0 79.8	60	601		8 9	0 0	51.0	56.2	49	60·4 55·8	49	5 5 30 10 30	27.2	338 - 7	55	55.3	
12 0 0 66·	10 10 10 10 10 10 10 10 10 10 10 10 10 1	60 59	80		10	0 0	45.2	54.8	49	56.9	49	20 30	23.6	320.9		50.9	3
16 0 0 66· 18 0 0 67·		59	25/		11 12	0 0	44.4	52.8	51 52	58.5	50 51	30 30 40 30	20.0	316.4		50.3	
20 0 0 68		59 59	100		13	0 0	43.3	54.7	54	50.3	54	50 30	10.9	335.3	130	48.2	
22 0 0 65	ACCUPATION AND ADDRESS OF THE PARTY OF THE P	59 60	1 60		14 15	0 0	47.0	50.5	58 63	45.4	54 62	55 30 6 0 30	14.9	334 · 1	56	45.4	56
20 0 0 0 0	0 03 1	00	1 20		16	0 0	53.4	42.1	67	36.9	66	5 30	19.7	350.4		45.1	100
Antarctic Ex			BARTON,		17 18	0 0	57.6	37.3	71 72	31.8	72 75	10 30 15 30	14.7	353.0	1	46.8	
	DIEMEN ISL.				19 20	0 0	58.4	33.2	71 68	39.5	71 69	20 30	19.3	386.4		47.7	
	Scale Divisi		0'.73		21	0 0	40.9	39.4	65	36.1	65	25 30 30 30	14.8	363.8		44.9	
V. F. k =		q =			22 23	0 0	41.3	36.0	62 60	44·5 52·5	63	35 30 40 30	16.6	350·0 341·1		43.6	
Positions at the usual h	ours of observe			nber								45 30	19.9	359.0		45.0	
2011, 12.1	o September 2	seu, s			Mean	Position	s at the sa	me hours	during	the Mont	h.	50 30 55 30	18.5	372.8		45.6	
20 12 0 0 39		47	60.4	47	0	0 0	45.4	61.3	52	52.5	53	7 0 30	17.0	358.7	57	48.0	56
13 0 0 41 · 14 0 0 43 ·	CONTRACTOR OF THE PARTY OF THE	48 51	57.6	48 52	1 2	0 0	45.0	60.6	50	53.7	52	5 30 10 30	16.4	358.9		48.7	
15 0 0 48	4 58.9	57	45.7	57	3	0 0	47.2	63.4	1000	54.2	The same	15 30	17.0	359.5		47.3	
16 0 0 51·		61	38.6	60	4 5	0 0	46.0	64.0	49	54.4	50	20 30 25 30	16.3	358.5		45.0	
18 0 0 53· 19 0 0 52·	6 52.7	64	41.0	62	6	0 0	50.0	65.3	49	55.2	49	30 30	17.8	378-4		43.6	
20 0 0 51	9 54.2	63	42.1	61 59	7 8	0 0	48.9	66.0	48	56·4 56·8	49	35 30 40 30	18.7	367·5 346·5		43.0	
[21 0 0 50· 22 0 0 51·		59 57	49.5	57 56	9	0 0	48.6	66.4	48	56.5	48	45 30 50 30	16.8	371·7 380·4		48.4	
23 0 0 49	8 36.3	56	62.3	56	10	0 0	46.6	64.7		56.5	48	55 30	15:1	386.7		38.4	
21 0 0 0 08.		55 54	50.7	55 54	12 13	0 0	42.1	64.4	48	55·4 56·0	49	8 0 30 5 30	17.4	375.5	57	37·2 40·3	56
2 0 0 40	7 47.3	53	60.5	54	14	0 0	47.7	57.8	51	54.8	52	10 30	19.7	374.7		36.0	
3 0 0 43	7 56.0	53	39.6	54	15	0 0	50.6	55.5		52.3	1	15 30	20.1	375.2		38.9	
The second second	100000		1111970					1	100					Market Market			

a The mean positions during the month, of the H. F. magnet, are not strictly comparable with those of the 21st and 22nd, in consequence of the stretching of the suspension wires.

^b This value is approximate.

Остові	er 19, 2	0, 21, an	d 22,	1840.		Остовн	R 19, 20), 21, an	d 22,	1840.		Остове	R 19, 20), 21, an	d 22,	1840.	_
M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. Fo	orce.	M. Gott. Time,	Decl.	Hor. Fo	rce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. Fo	rce.
4. h. m. s. 19 8 20 30 25 30 30 30 10 0 0 0 20 30 25 30 12 0 0 14 0 0 16 0 0 14 0 0 16 0 0 17 4 0 0 19 0 17 4 0 0 19 0 17 4 0 0 19 0 17 4 0 0 19 0 17 4 0 0 19 0 17 4 0 0 19 0 17 17 18 0 19 0 17 18 0 0 17 19 19 0 17 19 19 19 19 19 19 19 19 19 19 19 19 19	\$6Dix***. 20.5 18.6 19.7 24.9 25.0 25.1 46.8 38.4 38.8 33.8 27.8 19.0 19.9 26.1 27.4 23.9 24.5 26.1 23.4 28.2 27.2 29.4 30.6 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19	\$\scrtan \text{Scrtan}\$\text{Scrtan}\$\text{377.6} \text{377.6} \text{377.6} \text{369.7} \text{387.6} \text{387.6} \text{387.6} \text{387.6} \text{387.6} \text{387.6} \text{387.6} \text{387.7} \text{387.6} \text{387.6} \text{387.6} \text{387.2} \text{381.2} \text{338.2} \text{338.2} \text{338.2} \text{338.2} \text{338.5} \text{378.7} \text{379.7} \text{382.7} \text{379.7} \text{380.4} \text{367.3} \text{379.7} \text{380.4} \text{367.3} \text{389.2} \text{380.1} \text{388.2} \text{380.1} \text{388.2} \text{390.8} \text{388.5} \text{377.4} \text{287.0} \text{385.3} \text{385.3} \text{385.3} \text{385.3} \text{385.3} \text{385.3} \text{385.3} \text{385.3} \text{3892.6} \text{687.0} \text{385.3}	Ther. 57 57 56 56 56 55 54 54 55 55 56 56 56 56	\$\cdots \cdots \	57 57 57 55 55 55 55 55 55 56	4. h. m. s. 20 9 0 0 10 0 0 12 0 0 14 0 0 16 0 0 18 0 0 20 0 0 22 0 0 21 0 0 0 22 0 0 2 30 0 3 0 0 3 30 0 4 0 0 4 30 0 5 30 0 6 0 0 6 30 0 7 0 0 7 30 0 8 0 0 8 0 0 8 0 0 8 30 0 9 30 0 10 0 0 12 0 0 14 0 0 16 0 0 18 0 0 22 0 0 2 0 0 2 0 0 10 0 0 12 0 0 14 0 0 16 0 0 18 0 0 20 0 0 22 0 0 10 0 0 12 0 0 14 0 0 15 34 30° 39 30 44 30 49 30 54 30 16 9 0 14 30 19 30 24 30 19 30 24 30 19 30 29 30 34 30	24·7 22·5 34·2 28·9 47·0 35·7 21·9 22·2 15·1 32·4 34·3 30·2 27·9 22·7 18·6 16·7 12·0 15·9 16·9 20·4 21·7 18·0 18·3 17·2 19·6 24·0 29·9 59·6 34·0 36·9 31·1 31·6 38·4 24·2 20·3 36·9	\$\(\text{Sc-Div}^{\text{T}}\). \$\(\text{341 \cdot 1} \) 367 \cdot 2 \$\(\text{384 \cdot 0} \) 408 \cdot 8 \$\(\text{398 \cdot 2} \) 388 \cdot 6 \$\(\text{402 \cdot 4} \) 403 \cdot 6 \$\(\text{403 \cdot 6} \) 363 \cdot 0 \$\(\text{342 \cdot 7} \) 364 \cdot 3 \$\(\text{363 \cdot 7} \) 364 \cdot 3 \$\(\text{364 \cdot 3} \) 375 \cdot 2 \$\(\text{374 \cdot 1} \) 392 \cdot 4 \$\(\text{403 \cdot 1} \) 384 \cdot 9 \$\(\text{383 \cdot 8} \) 405 \cdot 0 \$\(\text{383 \cdot 7} \) 383 \cdot 2 \$\(\text{410 \cdot 3} \) 372 \cdot 7 \$\(\text{418 \cdot 6} \) 369 \cdot 3 \$\(\text{369 \cdot 3} \) 369 \cdot 5 \$\(\text{380 \cdot 7} \) 379 \cdot 2 \$\(\text{381 \cdot 8} \) 381 \cdot 5 \$\(\text{381 \cdot 8} \) 381 \cdot 5 \$\(\text{381 \cdot 8} \) 378 \cdot 5	59 58 57 56 55 54 53 53 53 53 53 53 53 53 53 53 53 53 53	\$\section \text{No.7}\$	Ther. 56 59 57 56 59 57 56 554 54 54 54 54 54 54 54 54 554 554	22 16 39 30 17 19 30 24 30 29 30 34 30 39 30 44 30 18 0 0 20 0 0 22 0 0 Breaks having no mean positions 19, 20, 21, and 2	35·4 34·4 35·3 36·0 37·0 39·0 38·3 23·3 26·9 33·0 Decurred i with whi 2, are con	ch the observable.	53 53 53 53 outhly servation	q = 000	54 53 54 53 are
*19 14 0 W. 16 0 W. 25 W. 30 W. 35 W. 45 W. 50 W.	light light N light a light v light	A few sca Faint are swing from Two cone 0°, of inter og from it. Arches br V.E. to N.V. General a and patches A bank o ery distince Three briton clou	attered h of 1 h it; a centric cior 8°: caking V., ave ppearar ; slight f well- t by au ight pa ided w	ight to Nor few cumul arches of li ; bright pa up; bright rage alt. ab nee changir at pulsation defined str arroral light tehes proce ith strati.	mains rth, a li in N ight ir itch ir t patel bout 1 ng rap is. rati a t; cur eeding	ler clear; auroral lit. about 8°, two forth horizon. a North, alt. of external stream of the stream	erior arch ners issu- mers from streamers rendered	19 ^d . d, h c22 15	40 45 55 0 The H. 17 th , 45 30 0 40	Wind W. light W. light W. light W. light W. light F. was obs 100, and 20 Wind, Calm S.W. light S. light S.W. light	P B A A Served a. after C C faint stret	22 0 0 59·4 32·0 60 5 0 60·5 33·4					ed. ear. to tre int N. h;

Остовек 19, 20, 21, and 22	, 1840.	Остове	ER 19, 20, 21, and 22	2, 1840.	Остове	R 19, 20, 21, and 2	2, 1840.
M. Gött, Time. Decl. Hor. Force.	Vert. Force.	M. Gott. Time.	Decl. Hor. Force.	Vert. Force.	M. Gott, Time.	Decl. Hor. Force	. Vert. Force.
	SeDiv ^{no} . Ther.		\$\begin{array}{cccccccccccccccccccccccccccccccccccc	SeDivas. Ther.		ScDir**. ScDir**. The 64·1 22·0 66·6 3·0 22·8 66·6 63·0 22·8 66·6 63·0 22·7 66·6 62·9 66·8 30·9 66·6 63·1 31·0 66·8 32·0 66·9 32·6 66·8 32·0 66·8 32·0 66·8 32·0 66·8 32·0 66·8 32·0 66·8 32·0 66·9 66·9 66·9 26·0 66·9 66·9 26·0 66·0 66·0 26·0 6	ScDiv**. Ther. O O O O O O O O O O O O O O O O O O O

OCTOBER 19, 20, 21, and	22, 1840.	October	19, 20, 21, an	d 22, 1840.	Остові	R 19, 20), 21, and 22,	1840.
M. Gött, Time, Decl. Hor. Ford	e. Vert. Force.	VAN DIEMEN		le Div. = 0'-71	M. Gött. Time.	Decl.	Hor. Force.	Vert. Force.
d. h. m. s. ScDiv ^{ns} . ScDiv ^{ns} . 7 22 19 55 0 57 2 26 3 20 0 0 56 8 26 8 5 0 56 1 26 9	her. ScDiv ^{ns} . Ther.		H. F. k = '0 r and extra observed at 2 ^m . 30 specified.*	ervations.	d. h. m. s. 19 8 10 0 15 0 20 0	53·2 53·6 54·0	ScDiv ^{ns} . Ther. 69.5 69.0 68.0	ScDiv ^{ns} . Ther
10 0 56·0 27·0 15 0 56·1 27·0 20 0 56·1 27·0 25 0 56·5 27·0		M. Gött. Time.	Decl. Hor. For		25 0 30 0 35 0	52.9 52.8 55.4 54.6	67·2 69·3 68·9 69·3	
35 0 56·2 27·0 40 0 56·2 27·0 45 0 56·6 27·0	50	18 14 0 0 15 0 0 16 0 0 17 0 0	57·2 64·6 63·9 65·9 72·0 65·0 72·4 68·5	62 65	45 0 50 0 55 0 9 0 0	53·8 51·2 50·9 50·9	67·5 68·1 69·5 56	
50 0 57·0 27·0 55 0 57·0 27·2 21 0 0 57·0 28·5 5 0 57·0 29·0		18 0 0 19 0 0 20 0 0 21 0 0	71·7 72·8 72·0 71·3 72·5 72·0 65·0 67·3	65	10 0 0 11 0 0 12 0 0 13 0 0 14 0 0	47·1 46·9 52·0 54·4	66.6 56 65.9 64.6 57 62.3 61	
10 0 57·3 29·2 15 0 57·8 30·0 20 0 58·0 30·4 25 0 58·2 30·8 30 0 58·8 31·0		22 0 0 23 0 0 19 0 0 0 1 0 0	61·6 71·7 60·3 70·7 52·4 69·4 49·0 66·1	63	14 0 0 15 0 0 16 0 0 17 0 0 18 0 0	63.7 64.6 68.0 66.4 66.3	59·3 65·0 65·4 65 65·9 67·5 68	
35 0 59·0 31·1 40 0 59·1 31·1 45 0 59·5 31·1 50 0 60·2 31·6		2 0 0 3 0 0 5 0 10 0 15 0	54·6 72·7 48·9 72·5 51·0 72·2 49·2 72·0 49·1	60 59	19 0 0 20 0 0 21 0 0 22 0 0	65·6 65·1 57·2 61·3	66.5 69.0 69.9 68.5 68	
10 0 62·0	50	20 0 4 0 0 5 0 10 0	49·4 39·3 38·1 40·0 72·1	58	23 0 0 20 0 0 0 1 0 0 2 0 0	61·3 60·6 55·7 49·0	69·9 70·2 69·6 65·7 62	
20 0 63·0 25 0 63·2 30 0 63·3 35 0 63·9 40 0 63·9		15 0 20 0 25 0 30 0	40·7 42·1 50·0 50·6 71·3		3 0 0 4 0 0 5 0 0 6 0 0 7 0 0	51·4 54·9 58·2 58·2 63·0	72·3 68·4 68·8 69·1 60 71·4	
45 0 64·0 50 0 64·4 55 0 64·9	61	35 0 40 0 45 0 5 0 0	51·2 51·2 51·1 57·7 67·1	58	8 0 0 9 0 0 10 0 0 11 0 0	57·6 52·5 54·7 53·3	72·5 58 73·3 71·2 58 68·3	
Mean Positions at the usual hour during the Month.	s of observation	10 0 15 0 25 0	41·3 42·5 43·7 78·0		12 0 0 13 0 0 14 0 0	52·6 54·2 57·5	65.6 57 67.9 69.1 57	
2 0 0 69·3 32·4 3 0 0 68·2 29·2	63 64 65		41·6 76·1 43·2 75·6 46·1 74·3 46·7 72·1		15 0 0 16 0 0 17 0 0 18 0 0	62·5 68·5 66·9 66·7	68·9 70·6 59 72·2 73·8 60	
5 0 0 63.8 24.4 6 0 0 63.8 23.0 8 0 0 64.9 22.7	66 66 65 63 62	55 0 6 0 0 7 30 12 30 17 30	46·6 46·6 71·1 41·6 69·4 39·2 68·8 38·6 69·1	57	19 0 0 20 0 0 21 0 0 22 0 0	67·2 61·3 59·7 61·9	76·0 75·1 59 75·0 74·2 57	
11 0 0 65·2 23·6 12 0 0 65·4 24·3 13 0 0 65·1 25·1	62 62 62 62 61	22 30 30 0 37 30 42 30	39·9 69·1 42·5 70·5 45·5 71·7 47·3 72·1		23 0 0 21 0 0 0 1 0 0 2 0 0	60·5 46·8 57·3 58·2	74·2 77·9 56 74·5 74·5 55	
15 0 0 65 0 25 2 16 0 0 65 0 26 0 18 0 0 64 9 26 4 19 30 0 64 7 27 0	61 61 61	47 30 52 30 7 0 0 7 30	48·9 71·6 50·3 71·7 49·1 73·4 51·1 71·6	57	3 0 0 4 0 0 5 0 0 6 0 0 7 0 0	57.8 62.2 61.5 49.6 58.7	75·5 79·9 52 80·6 77·9 49 77·1	
20 0 0 63·3 28·1 20 30 0 62·4 28·9 22 0 0 62·6 31·8 23 0 0 64·5 33·6	61 61 61 62	12 30 17 30 8 0 0 5 0	51·3 72·3 50·9 71·8 48·7 69·5 49·9 70·1	57	8 0 0 9 0 0 10 0 0	59·2 56·4 53·1	79·3 50 79·9 77·8 46	

a "A clear star-light, with great visibility of distant objects, and but little wind. At 18⁴, 22⁵, 50^m, a faint yellowish light visible in the S.S.E. which remained with little or no change in its intensity until 19⁴, 3⁵, 50^m,, when it increased considerably for a quarter of an hour, and threw out a few faint corruscations towards the zenith to an altitude of about 40^o, these latter only lasting a short time. On going to the Ob-

servatory, I found that the Declination magnet was vibrating considerably, and rapidly changing its mean position; consecutive observations were then taken, until it was considered to have regained its proper position. The H. F. magnet was observed during the same period, as also the V. F., but the latter did not exhibit any symptom of being affected in the same manner as the two former.

(Signed) "J. C. Ross."

20, 21, and 22, 1840	0.	Остове	R 19, 20,	21, and 2	2, 1840.		Nov	EMBER 1	13 and 1	4, 184	10.	
. Hor. Force. Ver	ert. Force.	M. Gott. Time.	Decl.	Hor. Force.	Vert. For	ce.	M. Gött. Time.	Decl.	Hor. For	rce.	Vert. Fo	orce.
74·7 71·7 51 68·0 69·2 56 68·5	Div ^{ns} . Ther.	11 0 0 12 0 0 13 0 0 14 0 0 15 0 0	50·7 50·4 52·5 57·5 62·8	69·9 67·7 65·9 64·6 65·0		Ther.	d. h. m. s. 13 14 55 0 15 0 0 5 0 10 0 15 0 20 0	55.0 54.1 54.8 55.6 55.8	462·7 460·1 458·4 458·9 459·4	Ther.	37·1 37·1 37·1 37·1 37·1	Ther.
72·3 72·2 63 71·3 70·9 65 71·4 70·8 63		17 0 0 18 0 0 19 0 0 20 0 0 21 0 0 22 0 0	68.7 68.8 66.8 64.1 61.1 59.9	67·4 68·3 68·3 68·3 67·7 67·6	5		25 0 30 0 35 0 40 0 45 0 50 0	57·9 57·0 56·7 54·8 55·4 58·0	458·2 460·5 460·3 461·5 464·7 464·8		37·1 38·8 38·8 38·9 38·9 38·9	
73.4 63					840.		Positions				vation,	
75·9 76·0 74·7 72·4 70·9 72·6 72·8	And the second s	TORONTO { I	Decl. 1 Sca H. F. k = V. F. k = Extra obs	le Divisio ·00075; ·00009; ervations.	$m = 0' \cdot 72$ $q = \cdot 0002$ $q = \cdot 00018$		13 0 0 0 2 0 0 4 0 0 6 0 0 8 0 0 10 0 0 12 0 0	52·8 51·1 53·1 47·7 44·2 47·3 42·5 55·5	497.0 485.3 480.5 469.6 485.5 477.7 467.1 460.4	49 49 51 52 52 51 51	40·7 39·3 40·9 42·8 41·5 39·7 34·2 28·1	51 50 50 51 52 52 52 52 52
6 70·7 6 68·2 60 2 63·6 6 62·8 66 6 63·0 6 64·8 69		13 12 40 0 ^b 45 0 50 0 55 0 13 0 0	53·2 4 53·6 4 52·3 4 50·8 4 49·0 4	65·9 5 69·6 69·7 70·4 69·5 5	35·2 35·1 35·1 35·1 35·1 35·4	52	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	56·7 47·8 45·3 41·4 46·5 50·7 40·9	468.0 477.0 474.8 458.1 492.4 481.5 467.2	50 49 48 47 47 47 46	40·5 38·8 37·3 42·3 42·5 36·1 39·3	52 50 50 49 49 48 48
0 69·8 74 68·1 6 66·0 72 6 63·5 0 65·0 70		10 0 15 0 20 0 25 0 30 0 35 0	46.8 4 46.9 4 45.5 4 43.6 4 45.1 4 45.5 4	62·1 61·4 63·0 63·3 60·3 60·1	35·0 35·5 34·7 32·7 32·4 32·3		6 0 0 8 0 0 10 0 0 12 0 0 14 0 0 16 0 0°	43·1 45·0 51·8 52·0 55·3	476·8 458·7 489·0 482·3 468·6	47 47 47 47 47	33·2 27·4 32·1 31·2 32·4	48 48 48 48 48 48
	ration	45 0 50 0	46·3 4 43·4 4	51·3 51·5	30.6			M	onth.d			10
8 69·1 6 69·3 60 69·5 59 6 69·6 59 2 69·8 70·1 57 2 70·4 7 71·3 56 8 71·6		55 0 14 0 0 5 0 10 0 15 0 20 0 25 0 30 0 35 0 40 0 45 0 50 0	59·0 4 61·6 4 62·9 4 61·4 4 62·9 4 65·0 4 68·5 4 64·2 4 57·7 4 55·2 4	60·4 5 57·2 60·9 59·2 63·1 64·6 70·6 71·0 68·0 60·8	29·0 1 28·1 28·7 29·6 28·3 30·3 32·3 32·3 34·4 37·7 39·0 37·1	52	0 0 0 2 0 0 4 0 0 6 0 0 8 0 0 10 0 0 12 0 0 14 0 0 16 0 0 18 0 0 20 0 0 22 0 0	50·4 46·7 46·3 50·1 52·4 56·4 55·4 52·9 51·8	474·5 467·4 479·2 477·3 482·8 483·8 481·7 481·4 479·7	46 46 47 48 48 48 48 47 46 46 46	42.6 41.0 41.1 41.0 39.7 39.9 39.8 39.8 40.9 40.5 42.8 43.7	46 46 47 47 48 48 48 48 47 47 47 46
y 21st, and 22nd, in cor y a date after the adjustn Clear; faint auroral Faint streamers in 20m. or 30m. 5° West Faint auroral light i Arch of auroral li alt. of centre about & tremity visible for a fe Eight very bright st for a short time, alt. o the arch.	ansequence of the al light. a North, one t of North. in North. light, exten \$\mathbb{S}\circ\$; four sin few minutes. streamers at of streamers	of the stretching of instrument. of them visible ding from N.W. mall streamers at East end of arch, about 38°, no align brightened very	for about to N.E. West ex- remaining teration in suddenly,	13 14 14 10 15 20 25 30 32 35 37	2 Calm 0 0 0 0 Calm 0 0 Calm 0 0 Calm	ste see	; upper arch very est and in the cent Arches nearly brok hady in N.E. near A small bright pat conds only. A very bright pate Nothing remaining Aurora brightening One very bright at Streamers growing non rising above be Aurora no longer v	faint, alt, re. en up, faint the point of ch appears h in North t, but faint g again, fa reamer m very fain rizon.	of light rem of the mooning in N.N h, remaind auroral li- int streams oving slow	er near ght. ly to I	ng away f g, bright pa ng. sible for a rly extinct Sastward.	from atch few t.
	Hor. Force. Vol.	SeDiv ^{ns} . Ther. SeDiv ^{ns} . Ther. 74·7 76·71·7 51 768·0 669·2 56 668·5 068·8 61 972·3 172·2 63 71·3 670·9 65 71·4 970·8 63 472·8 671·4 970·9 870·9 870·9 872·6 56 172·8 972·4 59 170·9 872·6 56 172·8 972·4 59 170·9 872·6 56 172·8 972·4 59 170·9 872·6 56 172·8 972·4 59 170·9 872·6 56 172·8 972·4 59 170·9 872·6 56 172·8 970·7 970·9 98 74 168·1 98 66·0 98 66·0 99 66·0 99 66·0 90 66·0 9	Hor. Force. Vert. Force. M. Gott. Time.	November 13 Sector Secto	Hor. Force. Vert. Force. M., Gott. Time. Decl. Hor. Force. M., Gott. Time. M	Hor. Force. Vert. Force. M. Gott. Time. Decl. Hor. Force. Vert. Force. Wet. Force. Wet. Force. Vert. Force. Wet. Force. Vert. Force.	Hor. Force. Vert. Force. M. Gott. Time. Decl. Hor. Force. Vert. Force.	Hor. Force. Vert. Force. M. Gott. Time. Decl. Hor. Force. Vert. Force. M. Gott. Time. SoDis** There. M. Gott. Time. M. Gott	Hor. Force Vert. Force M., Gott. Time Decl. Hor. Force Vert. Force M., Gott. Time Decl.	Her. Force. Vert. Force. M. Gött. Time. Decl. Her. Force. West. Force. M. Gött. Time. Decl. Her. Force. Her. Force	Hor. Force. Vert. Force. Vert. Force. M. Gött. Time. Decl. Hor. Force. M. Gött. Time. Decl. M.	Her. Force. Vert. Force. Vert. Force. Vert. Force. No. Giet. Time. Deel. Her. Force. Vert. Force. No. Chem. Ther. Sec. Diem. Ther. Ther. Sec. Diem. Ther. Sec. Diem.

										1					
Novi	MBER 1	3 and 14	1, 184	10.	Nov	EMBER 1	3 and 1	4, 18	10.	Nov	EMBER 1	3 and 14	1, 184	10.	
St. Helena	Decl. 1 S H. F. k	Scale Div	vision	= 0'·71 = ·0003	M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. Force.	M. Gött. Time.	Decl.	Hor, Fo		Vert. F	orce.
		xtra obse		to Karaman "	d. h. m. s.			0	ScDivas. Ther	I the second second second	SeDivas.	SeDivas.	0		Ther.
The H. F. was obs					14 5 0 0 30 0	74.3	14·2 12·7	67		13 18 0 0 19 0 0	66.7	80·8 78·5	71	73·6 85·8	100
M. Gött. Time.	Decl.	Hor. Fo	erce.	Vert. Force.	6 0 0	74.3	08.3	66		20 0 0 21 0 0	64.3	78.3	72	85·2 85·2	69
d. h. m. s.	SeDiv ⁿ '.	ScDivns.	Ther.	ScDivns. Ther.	7 0 0	74.0	10.6	65		22 0 0 23 0 0	55.8	79.1	71	85·2 85·2	69
13 0 0 0	77.9	34.0	65		8 0 0 30 0	74.0	11.0	65		14 0 0 0	53.4	77.6	68	85.0	67
1 0 0	79.8	32.0	66		9 0 0	74.9	04.0	65		1 0 0 2 0 0 ^b	51·6	77.3	67	85·0 84·6	65
2 0 0	80·2 79·3	27.8	67		30 0 10 0 0	74.4	07.1	64		Mean Position	as at the so	ame hours	during	the Mont	th.
30 0	79.1	27.9	68		30 0 11 0 0	75.2	07·5 10·8	64			1	1 1		1	
30 0 4 0 0	80.8	27.5	68		30 0	75.2	11.5			1 0 0	58.4	82.8	63	70.7	61
30 0	80.0	27.0	68		Mean Positi	ons at the	regular ho	urs of	observation,	2 0 0 3 0 0	56.7	83.3	61	71.2	60
30 0	78.0	24.0	10000			11	the Monti			4 0 0 5 0 0	56·9 57·7	83·2 84·0	59	70·2 69·6	58
6 0 0	76.9	19.3	68		0 0 0 2 0 0	76.1	24.8	65		6 0 0	57.9	84.4	58	70.1	57
7 0 0	75.5	16.8	67		3 0 0 4 0 0	76.3	20.5	67		7 0 0 8 0 0	57.6	84.6	57	69.9	56
8 0 0	77.2	18.0	65		5 0 0	73.6	17.0	67		9 0 0	55.4	85.3	56	69.7	56
9 0 0	76.2	17.1	65		6 0 0 8 0 0	73.5	14.6	67 65		11 0 0 12 0 0	52.0	83.8	58	70.0	58
30 0 10 0 0	76.0	15·2 14·6	65		10 0 0 11 0 0	75.2	13.8	64		13 0 0	53.8	79.7	000	70.6	1
30 0 11 0 0	76.0	15.4	65	The same	12 0 0 13 0 0	75.0	15.1	64		14 0 0 15 0 0	63.8	79.0	61	71.5	61
30 0 12 0 0	76·1 75·6	11.0	64		14 0 0	74.1	16.1	63		16 0 0 17 0 0	69.1	80.6	64	69.9	62
30 0	75.8	11.4			15 0 0 16 0 0	73.7	15.9	63		18 0 0 19 0 0	68.0	82.3	66	69.8	63
13 0 0 30 0	75·5 75·0	11.4	64		18 0 0 19 30 0	72.6	18.1	63		20 0 0	63.7	82.0	66	70.5	64
14 0 0 30 0	73.8	10.8	64		20 0 0 20 30 0	69.7	19.2	63		21 0 0 22 0 0	61·2 59·8	81.8	65	70.7	63
15 0 0 30 0	73·1 73·2	12.5	63		22 0 0 23 0 0	71.2	23.4	63		23 0 0	58.5	82.2		70.8	
16 0 0	73.2	14.2	63		25 0 0	74.1	24.2	64		No	VEMBER !	20 and 2	1, 18	40.	
17 0 0	74.0	15.5	63		VAN DIEMEN		1 Scale		$a = 0' \cdot 71$	-					
30 0 18 0 0	74·0 73·9	15·6 15·2	63		Island.	(v. F		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	4-	TORONTO		Scale Di = '0000			
30 0 19 0 0	74.0	15.8	63		Positions at t		ours of obs and 14.	ervatio	n, November	1	V. F. k	= .0000	09; 9		
30 0 20 0 0	73.0	17.0	63		13 0 0 0	60.8	87.5	59	60.6 58	The V. F. w		observation		ore and t	he
30 0	69.5	20.5		NIN a	1 0 0	60.5	88.0		63.8	H. F.		fter the tim			
21 0 0 30 0	69.8	20.5	63		2 0 0 3 0 0	50.3	85·2 84·9	58	72.8 57	20 14 30 0	80.9			35.5	-
22 0 0 30 0	69.7	23.8	63		4 0 0 5 0 0	56.9	86.2	57	74.0 50	35 0 40 0	82.6	452·9 459·2		37.1	
23 0 0 30 0	71.1	22.8	64		6 0 0	57.3	85·5 86·5	57	72.7 56	45 0 50 0	80.9	Maria Cara Cara Cara Cara Cara Cara Cara	·4.c	31.7	8.0
14 0 0 0	74.8	25.4	65		8 0 0	56.4	86.8	56	71.9 55	55 0	81.5	468.2	4	28.9	45
1 0 0	75.8	24.7	66		9 0 0	55.0	86.5	56	71.9		78.3	459.2	3	29.7	3
2 0 0	78.8	23.7	66		11 0 0 12 0 0	1 22 2	87.5	57	72.4 72.8 5	10 0 15 0	66.8	456·3 458·3	Reduced	30.9	Reduced
30 0	80·1 79·4	20.4	67		13 0 0 14 0 0	1 - 2 -	79.4	62	73.5 6:	20 0 25 0	65.1	460.8	Re	30.8	Re
30 0 4 0 0	78.0	15.0			15 0 0	65.7	78·9 79·3	68	73.1	40 0	62.1	477.0		30.0	
30 0	76.2	15.0	67		16 0 0 17 0 0		78.7	08	73.6	50 0	58.6			29.8	1
* The mean p	ositions of	f the Decli	ination irday r	magnet are from	n the 10th to 30th	November		The ol		is disturbance were	sent to En	gland red	uced f	or tempera	ature
							1000000				The work				

-	Nov	EMBER 2	20 and 2	1, 18	40.			14	Nov	EMBER 2	20 and 2	1, 18	40.			Nov	EMBER	20 and 2	21, 18	40.	
١	In the followi						M. Get	t. T	ime.	Decl.	Hor. F	orce.	Vert, F	orce.	M. Gött. T	ime.	Decl.	Hor. F	orce.	Vert. F	orce.
	1 ^m . 30°. before, specified.	and the H	I. F. at 2º	·. 20°.	after the t	imes	d. h.	m.	E.	SeDivns.	SeDiv ^{ns} .	Ther.	SeDivns.	Ther.	d. h. m.	в.	SeDivn.	SeDiv ⁿ	Ther.	SeDiv ^{na} .	Ther.
ı	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. Fo	rce.	12	0	0	53·3 54·8	486·6 481·7	43 42	30.3		20 23 10 15	0	53·6 51·3	79.0		87.7	63
	d. h. m. s.	ScDivns.	SeDivne.	Ther.	SeDivas.	Ther.	14	0	0a		500.8	42	37.1		20	0	50.7	1223034			03
ı	20 22 23 40	48.1	460.6	0	65.8	0	The	Me	ean P	ositions at	the same	hours	during the		25 30	0	48.7	79.5		87.8	
ı	28 40 33 40	51.0	438·6 438·4		65.8						are given i				35 40	0	47.3	80.6		87.8	13
	38 40 43 40	49.5	435.3		65.9		St. H	ELE	NA {				q = 0		1133		at the us	ual bours	of obser	vation,	
ı	48 40 53 40 58 40	37·2 34·2	420·8 413·2 422·8		63·4 63·5 60·3		1	Posit	tions	at the usu		of obse			20 0 0	0	62.4	85 · 3	65	86.8	63
ı	23 3 40	28.6	413.4		64.4			_						1	1 0 2 0	0	61.0	86:0	64	86.8	62
ı	8 40 13 40	25.6	421.2		68.3		20 0	0	0	82.0	33.1	64			3 0	0	39.6	88.3		85.2	
ı	18 40 23 40	23.9	446·9 443·8		68.3		3 4	0	0	78.0	21.1	66			4 0 5 0		52.5	83.8	63	87.7	63
ı	28 40	25.2	443.1		66.2		5	0	0	75.2	15.7	66			6 0	0	45.2	81.3	63	86.7	62
ı	33 40 38 40	24.5	438.1		62.4	8	6 8	0	0	75.2	07.2	65 64			7 0 8 0	0	50.9	81.4	61	87.4	60
ı	43 40	28.4	409.9	œ	62.4	45.0.	10	0	0	77.5	12.4	63			9 0 10 0	0	53.2	81.6	60	87.7	60
ı	48 40 53 40	40 33·0 411·8 $\frac{1}{2}$ 67·61·					11 12	0	0	76.9	13.2	63			11 0	0	51.7	78.3	00	88.9	00
ı	21 0 8 40	100000000000000000000000000000000000000		(1000 mg)	ed to	13	0	0	75.4	16.2	63			12 0 13 0	0	50.4	73.6	60	89.2	60	
ı	13 40 18 40	52.1	4/3'5	48.8	Reduced	14 15	0	0	75.1	18.9	63			14 0	0	61.1	73.5	61	89.8	61	
ı	23 40 28 40	52.6	473·4 480·2	50.8	Re	16 18	0	0	73.9	14·9 15·1	63 62			15 0 16 0	0	72.6	77·4 82·8	62	89.8	61	
ı	33 40	50.6	487.4	48.4		19	30	0	71.5	17.1	62			17 0	0	74.9	88.4	er.	88.2	60	
ı	38 40 43 40	51.4	491.7		46.2		20 20	30	0	69.8	18.0	62 62			18 0 19 0	0	72.7	86·2 86·2	65	88.9	63
ı	48 40	49.8	478.3		1000		22	0	0	71.8	19.5	63			20 0 21 0	0	63·6 58·6	84.8	67	89.1	63
ı	53 40 58 40	55.6	477.8		42.3		23 21 0	0	0	77.0	17.0	64	193		22 0	0	61.8	80.4	63	89.2	61
ı	1 3 40	54.5			41.3		2	0	0	71.9	14.6	66			23 0 21 0 0	0	50.0	83.8	61	87.2	62
١	8 40 13 40	48.6	471.0		40.2		3 4	0	0	73.1	17.8	65			1 0	0	47.2	75.9		88.2	123
ı	18 40 23 40	45.1	468.1		41.7		5	0	0	71.3	02.0	67			2 0	0e	50.4	80.3	59	87.6	58
١	28 40 33 40	45.5	466.1		39.1		8	0	0	76.6	03.7	65			The Mean	Posit		e same hor n in page		ing the M	onth
١	38 40 43 40	48·5 46·1 45·4	477·6 474·8		38·7 38·3 38·1		10 11 12	0 0	0 0 0	77·2 76·1 75·9	09.0	64 67 63				DEC	EMBER 1	1 and 1:	2, 184	0.	
ŀ																(!	Decl. 1 S				
	Positions at the		and 21.	rvation	, Novembe	er .	The M	ean .	Posit	ions at the are g	iven in po		ng the Mc	onth,	Toronto	1	H. F. k = V. K	= .0000	9; q		
1	20 0 0 0		513.9	43	33.2		VAN D	IEM	IEN				n = 0'	71	The V. F.		Extra ol bserved at			and the H	. F.
1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	100000000000000000000000000000000000000	511.9	43 42	34.3		ISLA			H. F. A	k = .0		q = q = q = q		- 10 10		2º. after t				
1	6 0 0 8 0 0	39.3	471·1 477·5	44 44	31.9					Extra ol	servatio	ns.			12 0 20 25	0	26.9	515·5 516·5	43	64.9	44
ı	10 0 0	51.6	489.5	44	31.4		The			n. 30°. aft					30	0	25.8	517.5		65.3	
ı	12 0 0 14 0 0	150-50-100	481.4	44 44	28.2		20 3	10	0	38.1	84.6	64			35 45	0	24.0	516.3		65.2	
١	16 0 0	54.3	487.0	44	30.4			17	30	38.7	83.7	-	85.8	63	50	0	28.9	516.7		62.2	
1	18 0 0 20 0 0	50.5	477.7	44 43	31.0	1		25 32	30	40.2	82.2		86.1	5	1 0	0	29.9	513·6 510·8	43	63.2	44
	22 0 0	20.4	465.4	44	73.1			40	0	46.0	80.7	4	86.6		5 10	0	31.4	508·4 507·2		63.2	
	2 0 0	54.2	474.5	44 45	39.8		200	55	30	49.7	Sak Car	1000	87.1	-	. 15	0	30.6	503.1		61.8	
İ	4 0 0 6 0 0	38.8	428.4	44 44	27.6		4		0 30	54.1	81.3	63	-11		20 25	0	34.1	501.5		61.4	1
	8 0 0	40.6	463.2	44	12.3			25	0	54.4		62	87.3	63	30	0	38.7	498.7		60.4	
	10 0 0	52.3	458.6	44	23.1		23	5	0	54.0	82.3	63			35	0	41.1	497.3		60.3	
	• S	aturday n	idnight at	Toron	ito.		b	Sat	urday	midnight	at St. He	lena.			Saturday m	idnigh	it at Van	Diemen Is	dand.		4

December 1	1 and 12, 18-	40.	DEC	EMBER 1	1 and 1	2, 184	10.		Dec	EMBER 1	1 and 12	2, 184	10.	
M. Gött. Time. Decl.	Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor, Fo	orce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. F	orce.
d. h. m. s. Sc -Divas.	SeDivns. Ther.	SeDivas. Ther.	d. h. m. s.	SeDivas.	SeDiv ^{ns} .	Ther-	SeDivas.	Ther.	d. h. m. s.	Se,-Div ^{ns} .	SeDiv ^{ns} .	Ther.	ScDiv ^{ns} .	Ther.
	497.4	60.4	11 6 0 0	42.2	502.4	44		0	11 3 0 0	43.2	53.4	0	56.2	0
	497.4	60.5	8 0 0	43.7	499.0	44			4 0 0	41.1	52.5	68	56.2	67
	499.9 43	56.3 44	10 0 0	52.6	503.0	45 45	47.6	45	5 0 0	34.0	54.3	67	54.6	67
30 0 36.0	492.9	55.5	14 0 0	55.0	512.4	44	49.4	45	7 0 0	40.0	51.3		56.3	
	499·9 503·8	56.9	16 0 0 18 0 0	52.0	506.3	43 42	48·3 56·4	44	8 0 0 9 0 0	41.0	52.6	66	56.3	65
	508.0	53.8	20 0 0	42.4	487.9	42	58.6	43	10 0 0	37.8	51.9	67	56.3	66
	508·0 512·0 43	53.3 44	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	57.3	518.4	42	58.9	43	11 0 0 12 0 0	37.8	51.5	67	56.3	ce
5 0 52.6	512·0 43 512·5	53.3 44	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	39.9	502.0	43	59.9	44 43	12 0 0 13 0 0	42.4	49.0	01	56.0	66
10 0 52.5	509.8	52.7	4 0 0	41.8	484.7	43	53.0	44	14 0 0	47.7	47.5	70	56.5	69
15 0 54·0 20 0 54·3	511.1	52.7	8 0 0	42.1	477·4 500·0	44	50.8	45	15 0 0 16 0 0	50.6	49.1	72	55.1	70
25 0 53.7	502.8	52.3	10 0 0	49.2	504.6	44	49.1	45	17 0 0	60.1	53.0		56.5	
30 0 52·5 35 0 50·1	493.9	52.7	12 0 0 14 0 0	65.9	472.5	44	47.8	45	18 0 0 19 0 0	61.4	49.8	73	56.1	69
40 0 50.1	485.8	53.3	16 0 0	59.3	493.3	45 45	48.2	45 46	20 0 0	61.8	58.2	71	56.6	69
	487.0	52.9	Mary Desiries			1			21 0 0	54.6	57.7	00	56.5	00
	488.3	52.3	Mean Position	ns at the s	ame hours	during	the Mont	th.°	22 0 0 23 0 0	55.1	50.5	68	57.7	66
4 0 0 42.3	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$													
5 0 42·3 10 0 42·9	487.5	51.6	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$									66		
15 0 45.5	485.3	51.6	6 0 0	47.9	495.3	39	44.6	41						
20 0 44·7 25 0 45·2	487.7	51.5	8 0 0	46.4	503.4	40	43.4	42	Mean Position	is at the sa	me hours	during	the Mont	th.
25 0 45·2 30 0 44·6	488.6	51.1	12 0 0	50.1	510.5	40	44.8	42	0 0 0	45.8	51.5	71	57.3	69
35 0 42.7	490.1	50.4	14 0 0	A 1000 CT	510.0	40	44.1	42	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	45.1	51.6	70	57.8	68
	491.8	49.5	16 0 0	54.7	507.9	39	44.9	42	3 0 0	44.7	52.2	10000	58.6	
44 6 -50 1	492.5	49.3	20 0 0	50.3	506.7	38	50.7	41	4 0 0 5 0 0	44.7	53.0	68	57.7	67
	488.8	49.1	22 0 0	53.3	509.0	38	56.5	41	6 0 0	44.3	53.6	66	58.3	66
5 0 0 41.6	487.8 43	50.3 44	(T				the Magn		7 0 0	43.0	53.8	0=	58.2	
10 0 41.1	486.1	50.5	ST. HELENA	meters we	ere underg	roing r	emoval at	this	8 0 0 9 0 0	43.3	54.1	65	58.5	64
15 0 43·0 20 0 44·6	489.5	50.0			1 1 0 1	Dist		/. H.	10 0 0	39.2	53.6	65	58.6	64
25 0 45.9	491.1	49.0	VAN DIEMEN	2	F. k =		sion = 0; $q =$.71	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	38.3	52.6	66	58·7 58·9	66
30 0 46·5 35 0 43·8	491.6	49.0	ISLAND.		. k =		q =		13 0 0	42.0	49.3	00	59.0	00
	486.7	47.5	100000		bservatio				14 0 0	46.3	48.8	69	59.1	69
	486.3	48.4	The V. F. was o		t 2 ^m , 30°, the times			I. F.	15 0 0 16 0 0	51.1	49·4 50·6	73	58·9 58·6	74
50 0 43·3 55 0 43·2	483·1 479·5	48.4						1	17 0 0	56.0	51.5		58.3	
6 0 0 41.8	482.0 43	48.8 44	11 5 25 0 30 0	36.0	51.4	68			18 0 0 19 0 0	55.5	51.9	75	58.8	75
100 / 20 / / 20 / / / / / / / / / / / / /	481·5 475·0	48.5	35 0	38.4	51.3		55.9	67	20 0 0	52.1	51.3	76	56.9	73
15 0 41.7	485.8	49.6	40 0 45 0	38.8	51.6		56.1		21 0 0 22 0 0	49.8	51.5	74	57.9	71
	486·7 507·3 43	48.3	50 0	39.3					23 0 0	46.2	51.2	1.4	56.5	11
	491.9 43	43 4 44	55 0 6 5 0	39.8	50.7	67	56.3	67						
9 0 0 46.0	502.6 43	46.8 44	10 0	41.9		01	La sancia	01	DECEMB	ER 19, 2	20, 21, a	nd 22	, 1840.	
	508.5 43	47.0 44	15 0 20 0	42.0	51.3		56.3		(1	Decl. 1	Scale I)ivisi	on = 0'.	72
11 0 0 50.7	507.6 43	46.6 44	25 0	42.8	51.4		56.3		TORONTO (H. F. k	= .0000)75;	q = .00	02
30 0 50.0	497.6 43	45.8 44	30 0	42.5					17.577		= .000		-	018
Positions at the use December	nal hours of obser 11 and 12.	ervation,	Positions		ual hours er 11 and		servation,		The V. F. was	observed a	extra obse t 1=. 30*.1 t times spec	before,		I. F.
11 0 0 0 1 155.0	523.2 43		11 0 0 0	46.3	51.3	72	56.3	71	19 0 0 0	139.4	548.2		60.0	
2 0 0 59.4	520.0 42	-	1 0 0	46.3	50.4		56.8		30 0	144.5	551.5		59.2	
4 0 0	492.1 43		2 0 0	44.9	52.0	70	56.2	69	1 0 0	150.8	543.3		58.5	
* The V. F. magnet was on temperature corrections		ng the early hour	s of the 11th in exp	periments					e V. F. magnet are		ember 11t	h to 22	2nd inclusi	ive.
						Jacuttu	, maning		an ariemen asiana					

		GNETOMETERS ON D.									
DECEMBER 19, 20, 21	, and 22, 1840.	December 19,	20, 21, and 22	, 1840.	D есемве	r 19, 20, 21, and 2	2, 1840.				
M. Gött. Time. Decl. Hot	r. Force. Vert. Force.	M. Gött. Time. Decl.	Hor. Force.	Vert. Force.	M. Gott. Time.	Decl. Hor. Force.	Vert. Force.				
d. h. m. s. Sc-Div. Sc	54.7 54.8 53.5 52.2 51.7 51.3 48.9 48.9 47.4 48.1 48.6 48.7 48.6 48.7 48.6 48.7 48.6 48.7 48.7 48.6 48.7 48.9	d. h. m. s. SeDiv ⁵⁰ 20 19 20 0 154 · 4 25 0 154 · 6 30 0 152 · 5 35 0 141 · 0 50 0 136 · 7 55 0 135 · 5 20 0 0 137 · 3 20 0 145 · 8 25 0 144 · 0 30 0 144 · 5 35 0 148 · 7 40 0 155 · 0 45 0 162 · 5 50 0 162 · 6 55 0 148 · 7 21 0 0 153 · 0 5 0 148 · 7 21 0 0 153 · 0 5 0 142 · 9 25 0 134 · 9 30 0 142 · 7 35 0 138 · 5 40 0 133 · 2 45 0 122 · 5 50 0 93 · 5 50 0 93 · 5 50 0 153 · 7 5 0 166 · 1 10 0 173 · 5 15 0 170 · 5 20 0 153 · 7 25 0 131 · 0 30 0 120 · 6 35 0 111 · 0 40 0 106 · 5 45 0 101 · 9 50 0 0 100 · 5 55 0 0 123 · 0 23 0 0 123 · 0 20 123 · 0	Se-Div ⁵⁰ , Ther. 418·3 414·3 400·7 407·1 422·8 419·5 419·4 427·4 417·7 423·7 450·0 492·8 473·1 490·6 491·9 491·0 500·8 491·9 491·0 500·8 495·6 501·1 501·1 501·1 501·1 422·4 432·5 462·6 452·1 430·8 419·1 360·7 361·6 364·4 390·4 365·6 418·5	8c-Div ^m . Ther. 68·8 67·3 74·6 75·3 68·6 66·3 68·8 75·2 77·9 82·7 78·4 74·0 71·8 81·9 77·5 78·6 81·0 80·8 81·3 79·6 82·2 80·7 78·6 80·6 85·0 92·2 106·5 105·2 106·5 105·2 106·5 107·5 104·6 104·6 104·1 104·3 109·6 109·6	20 23 5 0 10 0 20 0 25 0 30 0 35 0 50 0 50 0 21 0 0 0 25 0 30 0 35 0 40 0 45 0 50 0 15 0 20 0 25 0 30 0 35 0 40 0 45 0 50 0 55 0 1 5 0 20 0 25 0 30 0 35 0 40 0 45 0 50	ScDiv**. ScDiv**. ScDiv**. Ther. 117.9	ScDiv ⁵⁵ . Ther. 104·6 104·6 104·6 106·4 108·4 106·0 100·4 91·1 88·5 89·9 88·4 89·1 88·5 88·4 87·1 83·8 82·1 85·1 85·9 86·2 73·0 71·3 73·9 71·4 81·6 79·3 74·7 71·0 69·4 69·5 80·6 86·9 85·8 86·3 85·9 81·3 71·0 70·4 70·4 70·4 70·4 70·4 70·4 70·4 70				
Cession	Unclouded. Aurora very bright, consisting of a succession of arches stretching from N.W. to N.E. reaching an alt. of 46°, intermixed with several very bright patches. Pulsations, like waves, meeting and forming a beautiful ridge of light across the zenith from East to West, continually changing in appearance and position; a few flashes in the East also. Decreasing in brightness, the pulsations the same as before, none from the Eastward, a very bright bank in North. Aurora considerably diminished, arches disappearing, highest ones first; a meteor of the first magnitude fell from an alt. of 30°, taking a due Northerly course and disappearing in the horizon; a few clouds rising in N.W. and stretching to East, a heavy bank of haze resting in North horizon, the flashes of auroral light appearing to rise from behind it. Calm Coluded in North. Aurora scarcely visible, no pulsations, appearing through the clouds and extending to the zenith, remainder of the sky clear. Clouded in the North, light very faint and pulsations quicker; bright banks occasionally rising in East and progressing to West, and throwing out a few streamers. Calm Coluded in the North, light very faint and pulsations quicker; bright banks occasionally rising in East and progressing to West, and throwing out a few streamers. Calm Coluded in the North, light very faint and pulsations quicker; bright banks occasionally rising in East and progressing to West, and throwing out a few streamers. Calm Coluded in the North, light very faint and pulsations quicker; bright banks occasionally rising in East and progressing to West, and throwing out a few streamers.										

					-	1						
December 19,	20, 21, and 22	, 1840.	Dесемве	R 19, 20, 21, a	nd 22,	, 1840.	DECEMB	ER 19, 20), 21, and	1 22,	1840.	
M. Gott. Time. Decl.	Hor Force.	Vert. Force.	M. Gott, Time.	Decl. Hor. 1	Force.	Vert. Force.	M. Gott. Time.	Decl.	Hor. For	ce.	Vert. F	orce.
	SeDivus. Ther.	0		SeDivas. SeDiva	Ther.	ScDivas. Ther			ScDivas.	Ther.	ScDiv ^{ns} .	Ther
21 3 10 0 125·3 20 0 135·0	436.2	64.7	30 0	157·7 488·8 159·1 503·5		41·2 42·6	20 5 10 0 15 0	26·0 25 1	48.6			
25 0 139·6		65.1		157·5 513·2 154·0 509·5	0.3	41.5	20 0 25 0	24.1	48.4	-	48.8	
35 0 137·0 40 0 138·5		69.0		153.6 512.6 154.0 511.3	Reduced to 34.2.	40·9 8 40·7 3	30 0 35 0	24.5	46.5		48.8	
45 0 134·8 50 0 131·7		55·2 53·9	21 0 0	153·2 512·5 151·5 514·3	red	41.1 73	40 0 45 0	31.4	47.5		50.1	
55 0 134.2	406.9	54.8	22 0 0	151.2 518.6	Redu	40.7 3	50 0	33.1	48.3		50.4	
4 0 0 132·2 5 0 131·2	392.7	53·8 54·0	23 0 0	151·1 517·4 153·9 520·8		41.5	55 0 6 0 0	30.2		73	48.9	73
10 0 133·2 15 0 131·4		52·8 49·2		150·9 521·2 150·3 525·0	41	42·1 42·6 41	10 0 15 0	25.6	46.4			
20 0 134·8 25 0 133·1	403 · 2	46.7		155·0 511·9 152·1 503·9	40	52·1 41 53·6 41	20 0 25 0	24.0	46.5		48.5	
30 0 133·8 5 0 0 131·4	407.9	44.8	6 0 0	147·5 488·6 147·0 490·5	41 41	50·7 42 52·6 42	30 0 35 0	24.0	46.5		48.5	
30 0 145.2	456.4	35.7	10 0 0	146.6 503.6	41	51.4 42	40 0	24.0	46.7		48.5	
6 0 0 152·0 30 0 150·5	485.8	31.0	14 0 0	150·1 513·2 153·0 514·4	40	51.4 40 50.4 40	45 0 50 0	26.0	46.8		48.5	
7 0 0 144·2 30 0 141·9		36.1		155·5 516·9 151·8 518·6	38	48·8 39 48·6 39	7 0 0	27·2 31·4	48.7		48.9	
8 0 0 146 7 30 0 145 0	492·1 512·5	27.7	100 To 10	149·6 522·8 150·1 525·8	37	49·1 38 48·6 37	8 0 0 9 0 0	39.0	49.0	72	51.1	72
9 5 0 145·3 10 0 145·3		27.7		ions at the regular			10 0 0	30.3	46.6	70	51.1	70
15 0 145.4	511.8	27.7		he Month, are give			12 0 0	41.4	44.7	68	56.1	66
20 0 144·9 25 0 143·5	525·1 ci	27.8		ne pedestals which netometers were			13 0 0 14 0 0	49·9 56·0	100000000000000000000000000000000000000	67	57.5	65
30 0 140·0 35 0 139·3	525·5 \$ 531·0 \$ 518·5	to 35°5,		at this period.	unitergi	mg temovat	15 0 0 16 0 0	59·7 57·6	46.1	67	57·2 59·1	65
40 0 139·3 50 0 147·7	518.5	bed to	VAN DIEMEN	Decl. 1 Scale			17 0 0 18 0 0	58·4 57·0	48·7 50·4	68	58·4 67·4	66
55 0 149·6 10 0 0 148·3	THE PERSON NAMED IN COLUMN 1	Reduced	ISLAND.	H. F. $k = 0$ V. F. $k = 0$		q = q = q = q	19 0 0 20 0 0	63·1 56·7	57.1	68	57·6 54·8	66
10 0 142.2	562.7	8.7		ar and extra ob			21 0 0	56.1	55.5		58.0	
15 0 140·5 20 0 151·2	533·6 553·6	13.6		bserved at 2 ^h , 30 ^m , m, after the times			22 0 0 23 0 0	52·6 52·4	50.9	67	56·2 56·9	65
25 0 145·4 30 0 148·9	538·2 543·1	20.2	19 0 0 0	38.7 48.7	79	50.8 77	1 0 0 0	43.1	46.1	66	56·1 55·3	65
35 0 142·6 40 0 143·4	545·0 522·9	24.9	1 0 0 2 0 0 ^b	44·5 45·3 45·6 47·0	77	53·1 51·9 75	2 0 0 3 0 0	37·5 42·3	43.2	67	50.3	67
45 0 143.3	518·5 514·6	27·4 29·0	20 3 0 0	35·1 39·5 34·2 45·6		54.3	4 0 0 5 0 0	50.3	52·3 55·0	65	36.6	64
55 0 145·6 11 0 0 145·0	517.5	29.3	15 0 20 0	31·5 29·2 40·5		53.1	-10 0	22·8 19·4	50.6		00 0	
5 0 144.8	512.8	30.4	25 0	27.7			20 0	23.1	49.7		35.6	
10 0 145·0 15 0 145·7	509.1	31·5 28·6	30 0 35 0	32·9 43·6 35·5		52.8	25 0 30 0	23.6	49.9		37.6	
20 0 146·2 25 0 146·4	511.4	34.4	40 0 45 0	37·7 44·1 37·7		52-9	35 0 40 0	25.5	49.6		39.1	
12 0 0 146·9 30 0 144·6	518.7	35·0 35·1	50 0 4 0 0	37·7 36·2 47·5	72	52·9 51·0 73	45 0 50 0	32.4	48.8		40.1	
13 0 0 148.0	516.3	34.6	10 0	31.5	12	0. 0 15	57 30	32.2		0.1	400	0.4
30 0 165·2 14 0 0 166·4	515.5	31.6	15 0 20 0	28·6 47·0 23·0 45·2		49.3	6 0 0	32.2		64	41.4	64
30 0 149·9 15 0 0 151·0		37·3 35·3	25 0 30 0	17·2 17·6 49·4		48.7	20 0 25 0	42.6	43.7		41.5	
30 0 155·4 16 0 0 157·9		33.8	35 0 40 0	22·5 25·0 49·4		48.7	30 0 35 0	36.6	43.7	-	40.2	
30 0 162·0 17 0 0 162·5	513.6	35·8 36·5	45 0 50 0	24.4		48.3	40 0 45 0	32.1	43.1	-	38.2	
	499.5	40.3	5 0 0	26.6 48.4		48.5	50 0	27.2	43.2	-	37.0	
9 6 Dansenber 20 and	03 (600.00				·				-	-	and the same	

[&]quot; December 20 and 21, (Göttingen): On conversing the day after this disturbance with Sir John Pedder (Chief Justice), he told me that the Aurora had been plainly seen the night before, and for a short time was very brilliant in some of its corruscations; it was not visible from the observatory. (Signed) "J. H. Kav."

 $^{^{\}rm b}$ 194, 35, to 204, 25, fell on Sunday at Van Diemen Island.

Dесемві	er 19, 2	0, 21, ar	nd 22,	1840.				JA	NUARY 1	3 and 14	, 184	1.		JAN	UARY 1	3 and 14,	, 1841	1.		
M. Gött. Time.	Decl.	Hor. Fe	orce.	Vert. Fo	orce.		1	(Decl 1	Scale Div	vision	= 0'-7	2	Mean Position	as at the sa	ame hours	during	the Mont	th.	
d. h. m. s-	SeDiv ^{ns} .	ScDiv ^{ns} .	Ther.	SeDiv ^{ns} .	Ther.	Ton	ONTO	1	H. F. k =	= .0000 = .0000	76;9	= .000	2	M, Gött, Time.	Decl.	Hor. Fe	orce.	Vert. F	orce.	
21 6 57 30 7 0 0	23.6	44.5		35.4					Extra o	bservatio	ns.		173	h. d. m. s.		SeDiv ^{ns} .	0	ScDiv ^{ns} .	0	
10 0 15 0	24.9					The	V. F.			t 1m. 30°.			F.	0 0 0 0 2 0 0	52.6	451·2 454·0	38	97.6	39	
20 0	32.4	51.5		35.8				2	m. after th	e times sp	ecitied.			4 0 0	56.6	445.7	38	98.1	39	
25 0 30 0	40.2	53-1		36.6		М. С	ött. Ti	ime.	Decl.	Hor. Fo	orce.	Vert. F	orce.	8 0 0	51.0	430.2	38	98.3	39 40	
35 0	47.9					d. 1	. m.		ScDivne.	SeDivas.	Ther.	SeDiv ^{ns} .	Ther.	10 0 0 12 0 0	49·0 52·1	443·9 444·3	38	99.5	40	
40 0 45 0	50.0	54.8		36.9		13	2 30	0	50.6	459.3	40	91.4	41	14 0 0	55.9	442.2	38 38	99.3	40	
50 0	51·7 51·1	50.2		37.1			35 40	0	56.1	459·1 462·9		91.5		16 0 0 18 0 0	57.1	439·2 443·6	38 38	99.0	40 39	
57 30 8 0 0	51.1	47.3	64	39.3	63		45 50	0	57.4	457·5 457·4		91.6		20 0 0	55.1	445.6	38	98.1	39	
10 0 15 0	46·9 53·0	42.2					55	0	58.6	456.7		91.4		22 0 0	54.9	445.6	38	97.7	39	
20 0	57.9	47.1		43.5			3 0 5	0	59.8	456.7	40	91.3	41	C- 11	Decl.	1 Scale	Divis	ion = 0	.71	
25 0 30 0	57.1	48.5		42.3			10	0	59.0	453.6		91.7		St. Helena) H. F.	$k = \cdot 0$	00022	; q=.0	0003	
35 0	50.7			1000			15 20	0	59.5	455.5		91.8		Positions		ual hours o		rvation,		
40 0 45 0	46.2	46.0		40.0			25	0	59.2	452.0		92.0								
50 0	49.1	45.3	7	41.1			30 35	0	59.5	450·4 453·1		92.5		13 0 0 0 0 2 0 0	54.0	55·0 18·9 68 55·0 21·0 67 53·0 19·6 68				
57 30 9 0 0	50.6	44.5		42.5			40	0	55.9	445.3		92.6		3 0 0						
15 0 30 0	50·2 49·6	45.5					45 50	0	58.1	443.3	10000	92.7	1000	4 0 0 5 0 0	53·0 19·6 68 53·0 19·2 68 53·2 17·8 68 55·0 19·3 68					
10 0 0	52.5	46.5	64	44.2	63		4 0	0	55·6 55·7	440.7	40	92.5	41	6 0 0 8 0 0						
11 0 0 12 0 0	45·8 39·7	45.3	63	45.3	63		15	0	55.6	433.1		92.5		10 0 0	56.1	14.9	66			
13 0 0	40.7	42.9		48.4			20 25	0	55.9	433 · 2		93.0	113	11 0 0 12 0 0	56.1	14.2	66			
14 0 0 15 0 0	44.2	41.6	66	50.8	66		30	0	56.7	434.4		92.2		13 0 0	55.0	15.0	66			
16 0 0	53.2	47.2	70	52.9	69		35 40	0	55.7	432.6		94.4		14 0 0 15 0 0	54.9	16.4	66			
17 0 0 18 0 0	56.7	47.6	73	52·9 52·7	69		45	0	56.5	434.5		94.0		16 0 0	53.1	16.1	66			
19 0 0	53.6	48.4	74	51.8	71		50 55	0	54.8	431.8		93.4		18 0 0 19 30 0	53.2	17.2	65			
20 0 0 0 21 0 0	49.5	48.5	1.4	50.8	71		5 5	0	52.3	428.6	40	95.7	41	20 0 0	51.8	17.8	65		111	
22 0 0 23 0 0	47.0	48.8	74	51.5	69		10	0	53.0	428.4		95.7		20 30 0 22 0 0	50.8	18.0	65			
22 0 0 0	43.3	50.4	69	50.1	67		Positi	ions a		al hours		ervation,		23 0 0 14 0 0 0	52·2 55·1	30.0	65 66		133	
1 0 0	47.6	51.2	68	53.0	66				Januar	y 13 and 1	4.			2 0 0	53.8	20.5	67			
3 0 0	49.4	52.5	1800	52.6		13	0 0		53.1	443.1	41	88.7	42	3 0 0 4 0 0	54.8	18.3	68			
4 0 0 5 0 0	48.6	52.8	67	52·6 52·6	64		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		38.1	443.4	41	90.2	41	5 0 0	52 5	11.2	68			
6 0 0	49.2	54.2	65	52.6	63		6 0	0	52.9	430.4	41	95.8	41	8 0 0	53.4	9.0	68			
8 0 0	47.3	53.2	63	52·6 52·8	62	1	8 0		48.8	431·6 444·0	41	96.8	41	10 0 0	56.7	11.0	66			
9 0 0	39.3	54·5 54·0	64	53.7	63		$\begin{array}{cccccccccccccccccccccccccccccccccccc$		53.5	443·0 433·2	41	97·2 97·0	41	11 0 0 12 0 0	56.1	10.7	66		1	
11 0 0	38.9	53.1		51.8	1000	1	6 0	0	56.0	432.7	41	97.1	41	13 0 0	55.3	18.0	66		1	
12 0 0 13 0 0	43.1	51.6	67	52.1	67		8 0		56.5	444.1	41	93.6	41	14 0 0 15 0 0	55.1	16.4	65	1 34		
14 0 0	53.6	48.9	70	50.4	71		2 0	0	52.2	424.9	41	95.5	41	16 0 0 18 0 0	54.0	16.0	65	1 934	1	
15 0 0 16 0 0	57·9 57·6	48.8	76	49.8	74	14	0 0 2 0		45.9	435 · 7	41 40	93.4	41	19 30 0	54.0	17.0	65			
17 0 0	56.8	53.0		49.8	1	1	4 0	0	53.1	430.1	40	95.5	41	20 0 0 20 30 0	53.9	17.6	65		1711	
18 0 0 19 0 0	55.1	52.9	79	49.8	76		6 0 8 0		48.7	423 · 3	41	97.5	41	22 0 0	53.8	20.5	64	1200		
20 0 0	52.3	52.8	79	49.8	77		0 0	0	44.9	439.0	41	99.6	41	23 0 0	54.0	20.5	65			
21 0 0 22 0 0 23 0 0	50·1 49·8 48·9	51·4 52·0 52·3	77	48·2 48·2 49·8	74		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0	52.0 48.6 60.8	431·7 427·1 425·7	41 41 41	99·9 97·9 102·2	41 41 41	Mean Positio	ns at the s	ame hours	durin	the Mon	th.	
20 0 0	10 9	02 0		1 3			8 0	0	62.1	434.5	41	99.0	42	0 0 0	55.4	21.0	66	1		
The Mean Post		he regular h, are give			tion		0 0		53.3	434.0	42	88.3	42	2 0 0 3 0 0	55·1 20·1 67 54·0 19·6 68					
auring		, 8	1									1	11/2							

F

January 13 and 14, 184	1.	JANU	ARY 13 an	d 14, 184	1.	JAN	UARY 18	3 and 19	, 184	1.	
M. Gött. Time. Decl. Hor. Force.	Vert. Force.	M. Gött. Time.	Decl. H	lor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor, Fo	orce.	Vert. Fo	orce.
d. h. m. s. ScDiv ^{ns} . ScDiv ^{ns} . Ther. 4 0 0 53·3 18·3 68	ScDiv ^{ns} . Ther.	1418 0 0	49.4 11	1.2 72	SeDiv ^{ns} . Ther. 5·4 69	d. h. m. s. 18 2 50 0	57.4	465.0	Ther.	ScDiv ^{ms} . 104.8	Ther.
5 0 0 53.6 17.2 68 6 0 0 53.4 15.9 68 8 0 0 54.5 15.1 67		20 0 0 21 0 0	43.3 11	3·3 1·6 74	4·0 4·0 4·0	55 0 3 0 0 5 0	57·2 57·4 57·5	465.0 464.2 463.6	31	104·5 104·7	33
10 0 0 55·2 14·5 67 11 0 0 55·4 14·0 67 12 0 0 55·2 14·4 67		THE RESERVE TO SERVE THE RESERVE THE RESER		0.1 73	5.0 71	10 0 15 0 20 0	58·7 58·4 59·4	462·5 461·2 460·7		104·7 106·8 106·8	
13 0 0 54·8 15·1 66 14 0 0 54·4 15·0 66 15 0 0 54·3 16·1 66		Mean Positions	at the same h	ours during	the Month.	25 0 30 0 35 0	61·6 59·3 61·1	462·1 459·7 459·9		104·8 105·3 106·2	
16 0 0 54·1 15·9 66 18 0 0 53·4 16·3 66 19 30 0 52·0 16·9 66		1 0 0	36.5 13	1·6 71 2·5 2·4 69	4·7 70 4·4 4·7 68	40 0 45 0 50 0	53·6 54·6 56·0	459·3 457·1 456·2		106·5 105·4 105·3	
20 0 0 51·4 17·7 65 20 30 0 50·6 18·6 65		3 0 0 4 0 0	36·8 13 35·7 13	3.0	4·5 5·0 67	55 0 4 0 0	56.6 53.8	455·7 455·2	31	105·1 104·6	33
23 0 0 53.9 21.0 66 26 0 53.9 21.0 66		6 0 0 7 0 0	36·5 13 36·0 14	3·2 3·6 4·0	5·1 5·3 5·3 65	5 0 10 0 15 0	54·1 55·2 55·2	452·0 454·3 454·5		104·6 104·7 104·4	
Van Diemen Decl. 1 Scale Divisi H. F. k = '0003; V. F. k = '		9 0 0	33.2 14	4·4 64 4·6 3·4 64	5·3 64 5·3 5·6 63	20 0 25 0 30 0	55·2 54·3 54·6	454·5 454·1 451·7		104·4 105·3 105·2	
Extra and regular observation Positions at the usual hours of observation	ons.	12 0 0	31.1 1	2·2 1·8 65	5·4 5·4 65 5·4	35 0 40 0 45 0	54·2 54·3 54·8	450·5 451·8 449·7		104.6 104.5	
13 0 0 0 41·0 11·0 73 1 0 0 38·6 12·9	7.2 71	14 0 0 15 0 0 16 0 0	43.1	9·4 69 9·3 0·3 73	5·5 69 5·2 4·8 71	50 0 55 0 5 0 0	53.6 54.0 53.9	448·7 449·7 450·5	31	104.6 105.0 105.0	33
2 0 0 28·2 06·0 71 3 0 0 33·7 8·7 4 0 0 36·2 10·0 68	6.9 69 8.1 7.5 66	17 0 0 18 0 0 19 0 0	48·4 1 47·3 1	1·4 1·9 75	4·4 4·3 73 3·9	5 0 10 0 15 0	52·4 53·5 53·7	448·9 449·3 448·9	0.	105·0 104·9 104·4	
5 0 0 35·8 11·5 6 0 0 35·8 12·9 66 7 0 0 33·2 13·3	7·0 6·5 6·5	20 0 0 21 0 0 22 0 0	43·2 1 41·2 1	1.0 76	4·1 73 4·1	20 0 25 0 30 0	52·6 53·1 52·3	448·7 449·4 448·7		104.6 104.6 103.8	
8 0 0 32·6 13·0 64 9 0 0 30·6 14·1	6.5 64	23 0 0	Control of the Control	0.9 74	4.3 72	35 0 40 0	52·1 51·1	448·6 448·0		104·4 104·2	
11 0 0 28·6 14·6 12 0 0 29·8 12·9 67	5·9 63 4·9 5·2 66	JANU	JARY 18 at	nd 19, 184	1.	45 0 50 0 55 0	52·4 52·7 52·1	449·1 451·5 449·4		105·0 105·5	
13 0 0 35·4 11·4 14 0 0 37·9 8·9 15 0 0 43·7 8·1	5·1 5·1 5·1	TORONTO \ H.		000076;	$= 0' \cdot 72$ $q = \cdot 0002$ $= \cdot 00018$	6 0 0 5 0 10 0	51·5 51·6	450·1 450·0 451·2	30	105.0 102.0	32
16 0 0 48·2 9·4 78 17 0 0 49·2 10·0 18 0 0 47·9 10·8 79	4·8 75 4·8 4·3 75		Extra obser	a design of	_ 00018	15 0 20 0 25 0	52·4 51·2 51·2	454·3 452·8 451·3		105·6 105·7 105·7	
19 0 0 47·2 9·9 20 0 0 47·6 9·6 79 21 0 0 45·6 9·8	4·2 4·1 75 4·1	The V. F. was ob	served at 1m, after the tin			30 0 35 0 40 0	51·7 51·1 50·7	452·9 453·6 453·9		106.3 106.3	
$\begin{bmatrix} 22 & 0 & 0 & & 43.6 & & 8.9 & & 77 \\ 23 & 0 & 0 & & 35.5 & & 7.3 & \\ 14 & 0 & 0 & 0 & & 32.8 & & 9.8 & & 74 \end{bmatrix}$	5·0 74 3·9 3·2 73	18 0 15 0 20 0 25 0	51.7 46	3·5 32 3·4 2·6	103·3 34 103·7 104·3	45 0 50 0 55 0	51·3 50·6 51·1	453.6 454.5 453.9		106.4 106.8 106.8	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	4·3 5·0 3·4	30 0 35 0 40 0	51.9 46	3·8 2·6 4·4	105·0 104·8 104·1	7 0 0 5 0 10 0	51·1 51·2 51·3	455.0 454.3 457.6	30	106.6 106.6 107.0	32
4 0 0 25·8 9·7 71 5 0 0 32·8 7·7 6 0 0 32·1 8·5 69	3·4 70 5·3 4·7 68	45 0 50 0 55 0	51·8 46: 52·4 46:	3·3 4·6 5·8	103·9 103·9 103·8	15 0 20 0 25 0	51·3 51·1 51·1	455·8 457·5 456·8		107·0 107·1 107·0	
7 0 0 32·5 12·0 8 0 0 29·3 11·1 66 9 0 0 31·3 13·3	3·4 5·0 4·3	1 0 0 5 0 10 0	52.6 465 54.2 465		103·8 103·8 104·0	30 0 35 0 40 0	51·1 50·8 50·2	458·2 458·7 458·7		107·0 107·0 107·0	
10 0 0 25·8 11·8 66 11 0 0 26·7 10·1 12 0 0 28·4 9·3 66	4·4 65 4·4 4·9 65	15 0 20 0 25 0	53·7 46 53·2 46	4·6 3·3 4·3	104 · 0 104 · 1 104 · 1	45 0 50 0	51·2 51·5	459·7 459·1 459·0		106.8	
13 0 0 30·8 7·5 14 0 0 35·5 6·7 67	5.1 4.9 67	30 0 35 0	54·2 46 54·3 46	4.3	104·8 104·7	55 0 8 0 0 5 0	51·1 50·9 50·4	459·5 459·4	30	107·0 108·5 107·5	32
$\begin{bmatrix} 15 & 0 & 0 & 41 \cdot 9 & 6 \cdot 3 \\ 16 & 0 & 0 & 47 \cdot 1 & 9 \cdot 5 \\ 17 & 0 & 0 & 49 \cdot 1 & 13 \cdot 0 \end{bmatrix} 70$	6·5 5·2 4·4	40 0 45 0 2 45 0	53.5 463	3·7 3·0 6·1 31	104·7 104·8 105·1 33	10 0 15 0 20 0	51·2 51·1 51·4	460·5 461·7 461·4		107·0 106·9 106·2	

	JA	NUARY 1	8 and 19), 184	1.				Jan	UARY 18	and 19	184	1.			JA	NUARY 1	8 and 19	, 184	1.	
M. Gö	tt. Time.	Decl.	Hor, F	orce.	Vert. F	orce.	C- 11		. (1	Decl. 1	Scale Di	vision	= 0'.7	11	M. Göt	t. Time.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h.	m. s.	Sc. Divns.	ScDivas.	Ther.	Sc,-Divas.	1000	ST. II	ELEN	A (I	H. F. k	Scale Di = '000	21; 9	= .000	03	d. h.	m. s.	ScDivns	ScDivas.	Ther.	SeDivas.	Ther.
18 8	25 0	51.3	462.0	0	106.9	0		Posit	ions		al hours o		vation,			35 0	38.3	1 2	0	0 1	0
1.	30 0 35 0	50.8	462.4		106.7				-							40 0 45 0	38.3	2.1		7.0	
	40 0	52.2	461.6		107.0		M. Göt	t. Tin	ne,	Decl.	Hor. Fo	orce.	Vert. F	orce.		50 0	44.6	6.7		7.8	
	45 0 50 0	51.3	463.7		106.3		d. h.	m.	8.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SeDivas.	Ther.	ScDivas.	Ther.		55 0 10 0	47.8	9.7	69		3
9	55 0	51.5	464·2 465·8	31	106.3	33	18 0	0	0	54.9	24.6	66 68				15 0	45.3	100		0.0	00
9	0 0 5 0	51.1	465.5	31	106.4	00	3	0	0	57.0	23.9	68				20 0 25 0	43.9	8.9		6.0	68
	10 0 15 0	51.2	466.3		106.2		5	0	0	53.0	22.6	68 68			_	30 0 35 0	41.3	9.4		5.4	
	20 0	51.9	467.7		106.2		6	0	0	54.2	21.2	69				40 0	42.3	8.4	- 11	6.9	
	25 0 30 0	51.0	468.4		106.2		8	0	0	55·2 56·0	19.8	68			_	45 0 50 0	41.0	9.3		5.1	
	35 0	50.9	469.6		105.8		11 12		0	56·1 55·9	19.9	67				10 0	40.0	8.5	69		
	40 0 45 0	51.3	468.6		105.8 105.8		13		0	55.2	19.9	67				15 0 20 0	41.8	8.6		4.3	69
	50 0	51.3	470·0 470·2		105·8 105·8		14 15		0	53·2 54·9	20.0	66			_	25 0	40.4				
10	55 0	51.4	471.0	31	105.8	33	16	0	0	55.1	20.8	66			17.5	30 0	39.0			3.6	10
	5 0 10 0	51.9	471·2 471·8		106.0		18 19		0	53.8	20.4	66				Position		ual hours of 18 and 19		vation,	
	15 0	51.8	469.7		106.0		20	0	0	50.5	25.0	66			18 0	0 0	40.2	9.7	77	3.3	75
	20 0 25 0	52.5	470.8		106.0		21 22		0	50.2	25.0	66			1	0 0	39.8	10.1		3.4	
	30 0	53.3	471.7		106.0		23	0	0	55.9	26.8	66			2 3	0 0	38.6	11.1	75	3.3	73
1 1 1	35 0 40 0	53.6	470·0 471·1		106.1		19 0	0	0	56.0	25.3	66			4	0 0	38.5	11.4	73	4.4	72
	45 0	53.3	471.9		105.9		3 4		0	51·9 51·8	26·8 24·0	67			5 6	0 0	38.1	12.5	70	4.5	70
	50 0	52.9	472.2		106.6		5	0	0	51.7	19.4	68 68			7 8	0 0	37.1	14.0	68	5.2	67
	Positions	at the usu			vation,		6 8	0	0	50.0	15.8	68			9	0 0	33.3	15.1	1	5.1	01
		January	18 and 1	9.0			10	0	0	53.0	18.0	67			10	0 0	30.6	14.4	67	5.0	66
18 0	0 0	52.5	463.2	32	103.8	34	11 12	0	0	52·9 51·8	9.6	66		-	12	0 0	30.5	12.0	68	4.7	67
2	0 0	54·8 56·4	463·1 454·5	31	106.5	33	13	0	0	51.5	9.1	66			13 14	0 0	32.8	10.9	74	4.0	73
6	0 0	51.8	450.2	30	105.5	32	14		0	51·2 51·5	14.8	66			15	0 0	41.6	9.0	-	3.0	10000
8	0 0	51.0	459.7	30	107.0	32	16 18		0	50.8	14·5 15·0	66			16 17	0 0	44.7	8.7	79	3.0	78
12	0 0	53.7	472.8	31	106.0	32	19	2	0	50.0	16.5	66			18 19	0 0	46.3	11.9	82	2.3	77
14	0 0		473.4	31 29	106.0	32 31	20 21		0	49·0 48·6	17.0	66 66			20	0 0	45.9	15.1	81	1.1	77
18	0 0	53.2	474.5	28	107.2	30	22	0	0	49.8	21.2	66	3 163	1	21 22	0 0	44.3	9.8	78	3.7	76
20 22	0 0b	56.6	475·0 482·0	29 28	106.3	30 29	23	0	0	48.9	23.2	66			23	0 0	43.5	13.0		2.3	
19 0	0 0	55·4 52·3	485·4 497·4	1000000	108.7	30 29	The M	ean F			same hou			onth	19 0	0 0	37.1	12.4	76	3.3	74
2 4	0 0	55.3	481.7		108.0	30	-	Colon	are	e given in	pages 32 a	ma 33,	1		2	0 0	43.8	9.8	74	5.5	74
6 8	0 0	41.7	448·5 460·8	29 30	107.0	30 31	VAN I	DIEMI	EN (Scale D			71	3 4	0 0	33.1	11.0	73	4.5	72
10	0 0	48.5	465.6	32	107.8	32	IsL		5	H. F. A	= .00		q = q = q = q		5 7	0 0	32.2	13.6		1.7	The same
12 14	0 0	55.4	469·2 443·1	32 33	114.8	33	-				bservatio				8	0 0	35.5	12.5	68	6·1 5·4	67
16	0 0	55.6	447.7	33	113.5	33	The				l at 2 ^m , 30 er the time			e	9	0 0	35.0	14.5	66	5.6	67
18 20	0 0	54.3	444.2	-	117.8	33			-1		11		ned.	-	11	0 0	45.1	8.2		9.0	
22	0 0	53.2	448.1	72000	115.1	33	1911	10	0	41.9	6.8	68			12 13	0 0	48.5	8.3	69	8.0	68
The	Jean Port	tions at the	same ha	are do-	ing the M	onth		20	0	42.2	7.8		8.8	68	14	0 0	44.5	8.2	70	4.6	69
A ne s	ream FOS		n in page		mg tae M	OHILL		25 30	0	39.9	6.8		7.8		15 16	0 0	48.8	9.1	70	3.8	70
-					ow any						11						11	11			

a "Although the abstract does not show any great change in the readings of the magnetometers, the magnets were, nevertheless, much disturbed; sometimes vibrating considerably, and at other times suddenly becoming perfectly quiet. The partial results were during the whole series very irregular."

b 184, 20h, 0m. Faint auroral light in the North.

JANUARY 18 and 19, 1841		Janua	RY 25,	26, and	27, 18	841.		JANUA	RY 25,	26, and :	27, 18	341.	
M. Gött. Time. Decl. Hor. Force.	Vert. Force.			al hours o 5, 26, and		vation,		M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. F	orce.
d. h. m. s. ScDiv ^{ns} . ScDiv ^{ns} . Ther.	0	M. Gott. Time.	Decl.	Hor, F	rce.	Vert. F	orce.	d. h. m. s. 25 21 0 0	ScDiv ^{as} .	ScDiv ^{ns} .	Ther.	Se, Divas.	Ther.
19 17 0 0 47·7 12·6 18 0 0 46·8 12·4	3.9 4.8 71	d. h. m. s.	SeDivis.	SeDiv ^{ns} .	Ther.	SeDiv ^{ns} .	Ther.	22 0 0	50.8	27.0	65		
19 0 0 43·3 12·6 72 20 0 0 42·2 10·9	5.2 71	25 0 0 0	50.7	450·4 444·0	40 40	94.9	41 40	23 0 0 26 0 0 0	52.1	27·0 28·4	66		
21 0 0 40·9 10·6 72 22 0 0 40·8 10·8	5.8	4 0 0 6 0 0	53.1	449·4 429·5	40 41	95·2 92·9	40	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	54.1	25·6 24·9	67		
23 0 0 39.2 12.8 70	5.2	8 0 0	48.5	436.9	42	93.2	42	4 0 0 5 0 0		23.9	67 68		
The Mean Positions at the same hours durin	ng the Month,	10 0 0 12 0 0	53.0	439.7	42 41	93.8	42 42	6 0 0 8 0 0	52·4 52·8	22·7 18·9	68 67		
are given in page 33.		14 0 0 16 0 0	54.2	440.9	41	94.3	42 42	10 0 0	52.6	16.7	67		
JANUARY 25, 26, and 27, 18	341.	18 0 0 20 0 0	67·5 52·6	420·3 433·0	42 42	91.9	43 42	11 0 0 12 0 0	52·8 52·7	18.1	67 67	()	
Decl. 1 Scale Division	= 0/.72	22 0 0 26 0 0 0	53·2 56·1	422.2	41 40	93.8	42	13 0 0 14 0 0	51.9	20.5	66		
TORONTO { H. F. k = '000076; q	= '0002	2 0 0	52.1	451.7	38	93.0	41 40	15 0 0 16 0 0	51.1	22.0	66 66		
V. F. k = '00009; q Extra observations.	=.00018	4 0 0 6 0 0	58.3	445.7	40	95.4	40 41	18 0 0 19 0 0	50.9	24.0	66 66		
The V. F. was observed at 1m. 30s, before,	and the H. F.	8 0 0	44.5	420.8	41 41	99.5	41 41	20 0 0	50·0 48·3	23.9	66		
2 ^m , after the times specified		12 0 0	50·2 57·9	440·0 431·9	41	97·5 97·0	41	21 0 0 22 0 0	47.0	24.1	66 65		
25 16 15 0 96 4 417 7 41 20 0 94 9 407 9	92.1 42	16 0 0	59.9	449.7	41	91.4	41 42	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	50.1	23.0	66 67		
25 0 94·0 404·6 30 0 92·1 401·4	89°5 88°5	18 0 0 20 0 0	57·9 52·9	431.7	42	93.2	42 43	2 0 0	52.7	25.0	68		
35 0 87.8 392.1	88.2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	58.7	420.4	43 43	85·8 88·8	43 44	3 0 0 4 0 0	51.4	26.2	69 69		
40 0 85·2 389·5 45 0 80·0 389·2	88.6	2 0 0	58.6	438.7	43	94.1	44	5 0 0	52.1	24.2	69 69		
50 0 73·0 388·5 55 0 65·6 390·7	91.6	6 0 0	57.6	434·6 416·2	45 45	90·1 88·9	45 45	8 0 0	53.4	20.5	68 68		
17 0 0 66·2 402·9 41 5 0 65·4 413·0	96·8 42 96·4	8 0 0	47.3	419.0	46 46	89·1 94·6	45 46	11 0 0	52.6	18.9	68		1
10 0 63.7 419.2	94.9	12 0 0 14 0 0	46.7	411.5	46 46	91.8	46 47	12 0 0 13 0 0	53.4	16.8	67		
26 4 10 0 57·2 447·6 40 15 0 57·6 443·9	95·4 40 95·4	16 0 0°	56.3	420·1 426·1	45	93.0	45	14 0 0 15 0 0	54.0	19.6	67	1211	1
20 0 59·1 447·6 25 0 58·0 448·3	95·6 95·5	20 0 0	55.7	431.2	45 44	90·8 82·7	45 45	16 0 0 18 0 0	53.1	21.0	67		1
30 0 57·3 446·0 35 0 56·9 445·1	95·3 95·5	22 0 0	55.2	423.1	44	86.0	45	19 0 0	51.9	21.3	67	0 0	
40 0 58.8 448.0	95.2	The Mean Posit		same hou		ring the M	Ionth	20 0 6 21 0 0	50.4	21.0	66	1 15-1	
45 0 56·1 441·9 50 0 58·3 446·5	95·2 94·9	St. Helena	Decl.	1 Scale 1	Divisio	on =0'	71	22 0 0 23 0 0	50.7	23.5	67	0 0	
55 0 56·3 437·7 5 40	95·5 95·1 40			k = .000			003	The Mean Posit	tions at the	same hot	irs dur	ing the M	onth
5 0 56.6 435.5	94.6			25, 26, an		Traction,		ar	e given in	pages 32 a	and 33.		
15 0 53·4 438·7 20 0 53·2 431·6	95·3 95·5	25 0 0 0 0 2 0 0	51.1	28.9	67			VAN DIEMEN		k = .0			.71
25 0 51.3 428.4	94.5	3 0 0	53.5	26.0	68	1000		ISLAND	(V. F.	k =	;	q =	
30 0 51·5 429·4 35 0 52·0 424·9	94.5	4 0 0 5 0 0	54.1	26.0	68 69			Position	January	ual hours 25, 26, and		rvation,	
40 0 51·5 428·6 45 0 50·9 425·6	95·0 95·1	8 0 0	52.2	21.0	68 68			25 0 0 0	40.5	11.4	76	3.7	73
50 0 51·5 426·5 27 3 0 0 58·5 437·9 45	95·1 92·8 45	10 0 0	54·0 54·3	21.2	67 67			$\begin{array}{cccccccccccccccccccccccccccccccccccc$	39.9	12·6 15·6	74	2:5	73
5 0 0 55.7 423.8 45	89.9 45	12 0 0	54.4	22.4	66 66			3 0 0	36.6	14.4	73	0.5	72
9 0 0 45.3 425.8 46	92.2 46	14 0 0	53.1	23.9	66			5 0 0	36.0	13.5		1.6	
13 0 0 52·3 422·5 47 15 0 0 63·0 432·0 45	96.6 46 93.2 45	15 0 0 16 0 0	53.0	25.3	66			6 0 0	32.3	14.6	71	1.4	70
17 0 0 55·8 430·6 45 19 0 0 57·1 428·9 45	93·6 45 83·9 45	18 0 0 19 0 0	52.9	21.6	65			8 0 0 9 0 0	33.1	15.8	71	1.9	70
21 0 0 57.2 430.8 45	87.7 45	20 0 0	49.1	21.0	65		1	10 0 0	31.6	14.5	69	3.2	70

^{*} From 27d, 16h, to 27d, 18h, the sky was partially clouded, and a faint auroral light was visible in the North; at 27d, 19h, clouds spread around the horizon, and at 27d, 21h, the sky became heavily overcast. Previous to 27d, 16h, the sky was densely clouded.

	JANU	ARY 25, 2	26, and	27, 1	841.			1	FEBRUA	RY 7, 18	341.	mail.		-35	FEBRUA	RY 7, 18	341.					
M. Gött.	Time.	Decl.	Hor, F	orce.	Vert. F	orce.	VAN DIEMI	EN J		Scale II		n = 0'	71	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.			
d. h. n	m. s.	SeDivas.	SeDivas.	Ther.	SeDivns.	Ther.	ISLAND	1	V. F.			q = q = q		d. h. m. s.	SeDivns.	Ser-Divus.	Ther.	SeDivns.	Ther.			
	0 0	29.7	12.9		4.0				Extra al	servatio				7 11 15 0	40.5	diameter.	0	A COLUMN	0			
The second second	0 0	30.9	10.8	68	4.4	67								20 0	37.3	59.4		95.9				
10 mm	0 0	34.5	10.7	68	4.5	67	The V. F. wa			the times			. F.	25 0 30 0	32.0	63.0		95.4				
1001000-100	0 0	44.4	16.3	00	2.8			1					-	35 0	32.9	00 0		00 1	13 13			
1000	0 0	48.2	17.3	67	3.9	66	M. Gött. Tim	ne.	Decl.	Hor. Fo	rce.	Vert. F	orce.	40 0	32.0	64.5		94.3				
2720 170	0 0	48.4	13.4	68	6.1	66	d. h. m.	8.	Sc - Div ^{ns} .	SeDivas.	Ther.	SeDivns.	Ther.	45 0 50 0	33.4	58.2		93.2	64			
1000	0 0	45.1	15.7	00	4.4	00	7 3 5	0	20.6		0		0	12 10 0	32.2	62.4	64	50 2	01			
(23.296/h) (2	0 0	43.1	16.3	69	3.9	66	10	0	19.9	60.2	64			15 0	30.2				-			
	0 0	41.3	16.1	67	3.4	65		0	21.3	FO.6		94.2		20 0 25 0	29.4	62.3		92.8				
1/2/201	0 0	39.0	15.7	01	5.7	05	3,000	0	21.6	58.6		94.5		30 0	31.0	62.4		92.0				
The last of the la	0 0	38.0	15.6	64	6.0	62		0	15.5	56.4				35 0	31.6	2000	-	200000				
	0 0	32.2	18.2	63	3.9			0	13.8	co. 1		93.9		40 0 45 0	31.6	61.0		92.2				
1000	0 0	38.1	18.3	03	5.0		77.7	0	16.0	60.4		92.9		50 0	30.8	60.6		91.5	1 73			
4	0 0	40.9	18.1	63	5.3	62	5000	0	23.0	60.9				13 10 0	33.3	59.0						
	0 0	40.1	18.8	00	5.3	00		0	23.3			92.6		15 0	32.5	50.1	991	00.7				
	0 0	40.1	17.6	60	5.8	60		0	22.7				64	20 0 25 0	31.4	59.1		92.7				
	0 0	38.5	19.3	59	3.4	59		Ор	21.4			93 - 1+		30 0	31.2	58.3		92.6	1			
	0 0	32.9	20.5	***	2.5			0	22.8					35 0	32.8	59.0		00.0	13			
200	0 0	29.0	15.2	59	3.1	59	77.50	0	24.3			94.01		40 0 45 0	34.5	93.6						
IVE E	0 0	29.1	16.7	61	3.4	62		0	26·0 37·4			1		50 0	37.5	94.7	69					
13	0 0	33.4	15.8		3.7			0	40.2			94.7+										
1 1 1 1 1 1 1 1 1 1 1 1 1	0 0	38.4	13.7	65	3.6	66	7.7	0	41.7	CALE		00.0		Positions at the	usual hou	ars of obs	ervation	n, Februar	ry 7.			
100000000000000000000000000000000000000	0 0	47.0	12.5	70	4.7	70		0	40·9 38·7	64.7		90.6		7 3 0 00	24.6	60.5		95.0				
17	0 0	48.2	12.6	W.S.	4.5	No.	1000	0	35.3			88.5		4 0 0	23.4	61.0	64	92.8	64			
0.000	0 0	49.9	14.1	72	4.0	70	77.07	0	29.2	63.9	63		63	5 0 0	26.0	56.5	00	94.7	00			
	0 0	47.0	18.5	72	3.4	69		0	27.5	64.2		89.6		6 0 0	33.0	63.9	63	88.9	63			
21	0 0	42.7	17.2		3.2		1000	0	28.7	01 2		05 0		8 0 0	32.0	66.6	62	95.5	61			
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0	36.7	15.0	72	3.2	69		0	29.6	64.9		91.1		9 0 0	27.8	67.8	00	95.4	-			
The second second	0 0	37.9	13.9	69	4.5	67	1000	0	30.4	65.4		92.0		10 0 0	39.0	67.9	63	97.9	62			
	0 0	37.6	18.0	00	2.1	2000	(55)	0	30.9	03 4		32 0		12 0 0	27.7	60.2	64	94.9	64			
	0 0	36.7	19.3	67	2.5	65	1000	0	32.2	64.4		92.9		13 0 0	31.7	59.5	-	92.2	-			
3 4	0 0	38.3	16.2	66	4.6	64	10 1000	0	34.6	86.2		94.9		14 0 0 15 0 0	38.7	59.3	69	94.6	69			
1 100	0 0	34.0	17.1	00	5.6	-		0	35.1	60.7		34 3	. 8	16 0 0	48.3	60.2	72	95.7	71			
1000	0 0	40.2	17.6	63	5.7	62	20	0	35.3	65.8	63	94.7	62	17 0 0	50.4	62.1		95.6	1			
0.000	0 0	37.4	18.0	62	4·5 5·2	61		0	26.8	68.1	63		1	18 0 0 19 0 0	49.0	63.2	75	95.0	73			
	0 0	38.4	19.0	02	5.4	0.		0	24.9	68.8		95.1		20 0 0	45.8	61.8	77	93.7	76			
10.00	0 0	43.1	15.9	60	8.3	59	25	0	25.6				13	21 0 0	42.6	61.1		92.8				
100 100 111	0 0	36.4	15.7	63	5.7	63		0	25.3	67.8	1 6	95.5	1	22 0 0 23 0 0	42.5	61.2	76	93.3	73			
	0 0	41.3	13.6	0.5	4.4	03		0	25.4	67.5		95.9	1 3	23 0 0	41.9	02.0		34 2				
	0 0	40.4	10.6	70	3.8	69	1000	0	25.0				1	Mean Positio	ns at the sa	me hours	during	the Mon	th.			
	0 0	44.9	9.8	75	3.8	72	100000000000000000000000000000000000000	0	24.2	62.0	00	00.3	60	000	40.0	60.0	60	94.9	100			
	0 0	48.4	11.1	13	2.9	12		0	23.9	63.8	63	96.1	62	0 0 0	39.6	69.9	69	94.7	68			
18	0 0	48.0	16.8	76	1.3	73		0	32.6	64.9		98.0	1	2 0 0	38.7	70.3	68	94.7	67			
19 20	0 0	44.3	13.6	76	2.9	74	1000	0	34.6	61.0		00.5	1 3	3 0 0	37.8	69.0	en.	94.7	00			
21	0 0	42.3	12.5	10	2.9	14	1	0	35.4	64.2		98.5	1	4 0 0 5 0 0	38.9	69.4	67	94.9	66			
22	0 0	40.2	12.1	75	3.6	73	1 100	0	35.2	62.8		98.0	1	6 0 0	38.4	70.1	66	95.8	66			
23	0 0	35.1	11.3		3.2			0	40.3	04.3		00-0	1	7 0 0	38.7	70.8	0-	95.0	100			
The Me	ean Pos	itions at the			ring the M	onth	1	0	40.3	66.1	1	98.9		8 0 0	38.1	70.6	65	95.4	63			
		are give	n in page	33.				-	M-10 M							11 2 7 7						

^{*} The ten hours of the 7th of February, during which these extra observations were made at Van Diemen Island, formed part of Sunday at Toronto and St. Helena; there are consequently no comparative observations at those stations.

^b The three observations marked thus \dagger were taken 5^m , before the times specified. ^c The hours of 0, 1, and 2, on February 7th, fell on Sunday at Van Diemen Island.

Fer	RUARY 7, 184	41.			1	EBRUARY	8 and 9	, 184	1.		FE	BRUARY	8 and 9,	1841					
M. Gött, Time, De	d. Hor. For	ce. Vert. F	orce.	M. Got	t. Time	Decl.	Hor. F	orce.	Vert. F	orce.	M. Gott. Time.	s. ScDiv ^{as} , ScDiv ^{as} , Ther. ScDiv ^{as} , The							
d. h. m. s Sc1 10 0 0 34 11 0 0 35 12 0 0 35 13 0 0 38 14 0 0 42	8 70·0 8 69·0 2 67·5 1 67·0	64 95·7 96·0 65 95·7 95·9 68 95·7	63 64	d. h. 9 10 12 14 16	0 0 0 0 0 0	50·0 44·3 50·7 50·4	405 · 5 417 · 4 433 · 0 433 · 0	42 42 41 41	ScDiv ^{ns} . 128·1 124·1 121·9 120·9	42 43 42 42	9 19 30 0 20 0 0 20 30 0 22 0 0	38·8 37·5 36·9 38·0	59.0 59.9 60.1 62.4	68 68 69 69	ScDiv ^{es} .	Ther.			
15 0 0 44	8 67.3	95.5	67	18 20	0 0	48.3	435.7	41 40	120.8	42	23 0 0	38.6	64.2	69					
16 0 0 46 17 0 0 47		70 95.3	69	22	0 0	21.1	441.8	40	123.3	40	Mean Position	s at the sar	me hours	luring	the Month	ь, ь			
18 0 0 47 19 0 0 46	D 1000	72 94.8	69	Mean	Positio	ns at the s	ime hours	during	the Month	h.*	0 0 0 0 2 0 0	42.4	67.2	69 70					
20 0 0 44 21 0 0 43 22 0 0 42 23 0 0 42	3 68·7 3 68·3 3 69·0	73 94·5 94·8 71 94·6 94·7	70 69	0 2 4 6 8	0 0 0 0 0 0 0 0 0	49.8	453·4 452·6 442·6 427·8 430·6	38 38 39 40 41	124·2 125·7 125·0 125·3 124·9	39 38 38 39 39	3 0 0 4 0 0 5 0 0 6 0 0 8 0 0	40·0 38·8 38·6 38·8 39·7	63·9 62·2 61·4 60·3 58·5	70 71 71 71 71					
FEBRU.	RY 8 and 9,	1841.		10 12	0 0	48·0 50·6	441·0 448·9	44 41	125·7 125·1	40 41	10 0 0 11 0 0	40.7	59.4	70 70					
TORONTO H. F. V. F.	1 Scale Divis k = '000076 k = '00009	q = .0000	2	14 16 18 20 22	0 0 0 0 0 0 0 0	56·5 54·3 55·5	449·0 449·2 439·6 443·1 446·5	41 40 39 39	125·6 125·1 124·5 123·7 123·3	40 40 40 39 39	12 0 0 13 0 0 14 0 0 15 0 0 16 0 0	41.0 40.6 40.7 40.5 40.1	59.8 60.0 59.8 59.4 60.3	69 69 69 69					
The V. F. was obser	ed at 1 ^m . 30*, b	efore, and the	H. F.		ELENA	{ Decl. H. F.	1 Scale k = .0	002;		0003	18 0 0 19 30 0 20 0 0 20 30 0	39·5 37·9 36·6 36·2	60°5 61°8 62°5 63°5	69 69 69	1000				
35 0 46 40 0 51 45 0 53	2 445.4	105·9 108·1 108·5			Febru	at the usual ary 8th, 0h.	, to Febru	ary 9th			22 0 0 23 0 0	38.7	65.6	69					
50 0 54 55 0 53 3 0 0 54 5 0 51 10 0 46 15 0 51 20 0 54	8 447·1 5 446·0 1 446·3 6 441·8 6 430·7	41 110·6 112·9 113·8 113·2 114·1 114·0 114·3	41	8 0 2 3 4 5 6 8	0 0 0 0 0 0 0 0 0 0 0 0	47.1	61·7 58·9 57·2 54·8 53·0 53·4 54·4	69 70 71 72 72 73 71	00000		VAN DIEMEN ISLAND The V. F. was o	H. F. V. F. Extra o	bservatio	ons.	q = q = q = q				
25 0 54 30 0 55 40 0 54 45 0 54 50 0 53	1 427·1 9 430·5 8 429·1 5 430·3	115.6 116.1 117.8 118.1 119.4		10 11 12 13 14 15	0 0 0 0 0 0 0 0 0 0 0	40.8 40.6 41.5 41.0 40.8 40.5	54·9 54·9 56·0 55·2 55·7 56·2	70 70 69 70 69 69			9 1 10 0 15 0 20 0 25 0 30 0	27·9 24·9 26·3 26·4 18·2	65·5 63·4 56·0	69	95·6 95·6	69			
Positions at the u			m	16 18 19	0 0		55·9 57·7 60·4	69 69 69			35 0 40 0 2 12 30	7·6 4·0 24·4		20	96.0	69			
8 0 0 0 50 2 0 0 53 4 0 0 53	5 444.9	37 124·5 37 130·2 38 124·4	39 38 39	20 20 22 23	0 0 30 0 0 0 0 0	35·1 33·3 37·0 40·7	66.8 65.1 74.2 79.0	69 69 68 68			17 30 22 30 27 30 32 30	27·2 29·0 29·1 28·2	59.5	69	97.3				
6 0 0 42 8 0 0 45 10 0 0 48 12 0 0 52	5 425·0 3 430·6 2 426·2	40 124·7 41 122·9 42 122·1 42 123·4	40 41 42 42	9 0 2 3 4	0 0 0 0 0 0 0 0	40·8 42·1 38·2 38·0	72·5 59·0 55·9 55·1	69 70 71 71			37 30 42 30 47 30 3 10 0 15 0	28·0 29·0 29·5 34·3 37·2	60·6 60·6	68	98·1 99·0 97·1	68			
14 0 0 50 16 0 0 50 18 0 0 48	3 431.1	42 123·2 41 122·5 40 122·9	42 41 41	5 6 8	0 0 0 0 0	37·1 37·8 38·5	54·0 53·1 49·2	72 71 70	0		Positions at	the usual	hours of o		ion, from				
20 0 0 47 22 0 0 52 9 0 0 0 72	4 449.4	40 123·6 40 109·5 40 108·3	40 41 42	10 11 12	0 0 0 0 0	40·9 40·9	55·2 52·3 54·8	69 69 69			8 8 0 0	38.3	67.2	66	95·3 95·2	65			
2 0 0 25 4 0 0 54 6 0 0 45 8 0 0 40	0 423·2 9 422·1 7 400·5	40 108·0 41 118·1 42 120·9 42 123·8	41 41 42 42	13 14 15 16	0 0 0 0 0 0 0	41·1 40·9 41·0 40·3	56·1 55·6 56·6 57·1	69 69 69			10 0 0 11 0 0 12 0 0 13 0 0	35 6 33·3 32·9 36·4	67·4 65·3 62·9 61·8	66 67	95·0 95·7 96·1 96·2	65 67			
							1		nnexion o	of the	daily observations			t. Hele		the			

^{*} The mean positions of the H. F. magnet are between the 1st and 11th of February, inclusive; those of the V. F. between the 8th and 18th of February, inclusive.

b The connexion of the daily observations of the H. F. at St. Helena, with the mean positions during the month, cannot be considered as strictly determined prior to July 9th, 1841, owing, first, to the gradual stretching of the wires, and secondly, to the suspension-screw not having been tightly screwed down.

Fer	BRUARY	8 and 9.	, 184	1.				FEE	RUARY	15 and 1	6, 18	41.		FE	BRUARY	15 and 1	6, 18	41.			
M. Gött, Time,	Decl.	Hor. Fo	orce.	Vert. Fo	orce.	M. Ga	tt. Ti	me.	Decl.	Hor. F	orce.	Vert. F	orce.	St. HELENA	Decl. 1	Scale I	Divisio	n = 0'	-71		
	ScDivas.	SeDivas.	0	SeDiv ^{ns} .	0	d. h.		8.		SeDivas.	Ther.	ScDiv ^{ns} .	Ther,	Positions at the	H. F. k usual hour 18h., to F	s of observ	vation,	from Feb			
8 14 0 0 15 0 0 16 0 0	40·7 44·0 47·2	62·2 62·5 62·8	71 75	95·4 95·1 95·3	71 74	15 3	40 45 50	0 0	49.8 45.9 44.2	480 · 9 478 · 7 481 · 1		128·9 129·0 129·4		M. Gött. Time.	Decl.	Hor. F		Vert. 1	Force.		
17 0 0 18 0 0	49.0	64.8	75	95.0	73	4	55 5	0	47.4	489.3	31	128.8	32	d. h. m. s.	ScDivas.	ScDivns.	Ther.	ScDivns	Ther.		
19 0 0	49.8	68.3	1000	94.7		7	10	0	49.0	488.2	O,	128.1	02	14 18 0 0 19 30 0	41.9	63.2	69 69				
20 0 0 0 21 0 0	50.6	65.5	73	98.0	72		15 20	0	46.1	486 · 4		127.3		20 0 0	39.4	66.1	69				
22 0 0	46.1	73.3	72	94.8	69		25	0	48.8	501.3		128.6		20 30 0 22 0 0	38.5	67.0	69				
23 0 0 9 0 0 0	43.2	67.8	70	97.3	68		30	0	49.2	503.5		128.8	1	23 0 0	43.7	73.1	69				
1 0 0	29.2	64.9		95.7			40	0	50.7	503.9		128.6		15 0 0 0 0 2 0 0	46.7	69.9	70 71	10	1		
2 0 0 3 0 0	21.9	65.8	69	95.3	69		45 50	0	49.9	497.4		128.6		3 0 0	38.2	60.1	72				
4 0 0	41.1	63.5	68	99.5	66	_	50	-	13 0	100 0		120 0		4 0 0 5 0 0	36.6	54.6	73 73		1		
5 0 0	40.2	64.0	66	99.6	65		Positie	ons at	t the usua	l hours of	observ:	ation, from		6 0 0	39.0	55.6	74				
7 0 0	37.3	65.2		99.7						to Febru				8 0 0	39.3	50.8	73 72				
8 0 0	36.0	65.4	65	98.8	64		1 10		11	11	1		1	11 0 0	41.3	59.4	72	1 mail	1		
10 0 0	30.1	63.7	63	96.8	63	14 18		0	53.3	503.4	30	134.9	31	12 0 0 13 0 0	40.0	56.1	71 71				
11 0 0 12 0 0	33.4	64.4	68	96.5	66	22	0	0	55.8	515.6	29	133.7	31	14 0 0	41.0	59.2	71				
13 0 0	32.0	64.0		94.6		15 0		0	56.0	511·0 495·5	29	132.5	31	30 16 0 0 39.1 59.1 71							
14 0 0 15 0 0	37.0	62.3	72	95.5	71	4	0	0	48.6	492.9	30	127.4	31	18 0 0	39.0	59.8	70		1		
16 0 0	43.6	61.3	77	95.1	76	8		0	53.9	489.4	32	128.4	33	33 19 30 0 38 9 61 1 70							
17 0 0 18 0 0	46.3	62.3	79	94.8	76	10	0	0	40.2	468.2	38	135 . 9	36	20 30 0	37.2	62.9	70				
19 0 0	45.1	64.8		94.2		12		0	48.7	474.5	38	132.2	37	22 0 0 23 0 0	40.7	61.2	70				
20 0 0	43.2	64.6	79	94.5	75	16	0	0	57.1	472.6	37	131.5	37	16 0 0 0	42.8	63.0	71				
22 0 0	42.5	64.6	77	95.4	75	18		0	59.2	476.4	36	125.6	36	2 0 0 3 0 0	36.5	61.9	72 73				
23 0 0	42.1	65.9		94.4		22	0	0	49.5	477.1	35	121-1	36	4 0 0	34.0	58.0	73				
The Mean Positi	ions at the	same hou	rs dur	ing the Mo	nth	16 0		0	58.6	484.5	35	124.4	36	5 0 0	37.1	58.0	73				
are	given in	pages 36	and 37	1.		4	0	0	53.4	463.2	35	126.7	36	8 0 0	37.0	54.9	72				
-						8		0	46.7	452.0	38	125.3	37	10 0 0	37.9	55.6	71 72				
PEB	RUARY I	5 and 1	0, 18	41.		10	0	0	41.9	456.8	39	127.3	38	12 0 0	38.1	56.1	71				
(D	ecl. 1 S	cale Div	rision	= 0'.7	2	12		0	50.8	474.6	39	128.2	39	13 0 0	38.8	59.1	71 71	100			
TORONTO \ H	. F. k =	= .0000	76;	7= .000	02	16	0	0	66.8	470.0	40	124.5	40	15 0 0	38.9	59.3	70				
(V	. F. k =	= .0000	9; 9	= .000	018	18 20		0	63.6	459.5	41	113.0	41	16 0 0 18 0 0	39.1	61.9	70	1000			
1		bservatio				22	0	0	56.9	467.7	41	120.2	41	19 30 0 20 0 0	37.5	60.7	70	100	1 8		
The V. F. was o		t 1=. 30°. le times spe			. F.							Secretary of		20 0 0 20 30 0	36.2	62.0	70				
15 0 20 0	E1.0	-00.0	20	1,00.0	01	Mea	in Pos	sition	s at the sa	me hours	during	the Mont	h.b	22 0 0 23 0 0	36.8	62.1	70	THE REAL PROPERTY.			
15 2 30 0 35 0	51·9 48·3	529·2 518·1	30	128·8 128·4	31				1	le .		1			37.2				1		
40 0		519·3 513·6		128.5		0		0		473.0	38 38	124.2	39	The Mean Posit		same hou in page 3		ing the M	Ionth		
45 0 50 0	45.0	506.7		126·9 126·9		2 4	0	0	55.6	473·3 457·7	39	125·7 125·0	38	V D	(Decl. 1	Scale D	ivisio	n = 0'	.71		
55 0 3 0 0		504·1 495·8	31	126·9 126·1	32	6 8	0	0	49.8	456.7	40	125:3 124:9	39	VAN DIEMEN ISLAND	H. F. A	k = .00	03;	q =			
5 0	41.1	493.1	O1	128.5	02	10	0	0	48.0	462.5	41	125.7	40		(V. F. A	c = bservatio		q =			
10 0 15 0		492.7		128.6		12		0	50.6	463°2 458°0	41	125·1 125·6	41 40	The V. F. wa	s observed	at 2m. 30). befo		ie.		
20 0	48.4	489.3		128.3		16	0	0	56.5	463.1	41	125.1	40		m. 30°, aft	er the tim	es spec	aned.	1		
25 0 30 0	48·6 50·8	485.1		128.4		18 20		0	54.3	465·3 468·2	40 39	124.5	40 39	15 3 15 0 20 0	25.3	68.5	68	93.2	67		
35 0		479.1		128.8		22		0	53.5	470.0	39	123.3	39	25 0	27.0	00 0	00	50 2	1		
		1								1	700			4 11 11			4	201	07/1		
* Commencin	g after Su	inday mid	night a	it Toronto.								ean position of the days		the H. F. magnet	ometer are	between	the 12	oth and	27th		
	All Marie	- Allerton				-									-		5 2 11 3	1/2/2/2016			

FEB	BRUARY	15 and 1	6, 18	41.		e	FE	BRUARY	15 and 1	6, 18	41.		FEE	RUARY :	22 and 2	3, 18	41.	
M. Gött. Time.	Deel.	Hor. Fe	orce.	Vert. F	orce.	M. Gött	. Time.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Gött, Time,	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m. s.	ScDivas.	SeDivns.	Ther.	ScDivas.	Ther.	d. h.	m. s.	ScDivas	ScDivas.	Ther.	SeDivns.	Ther.	d. h. m. s.	Se. Divas.	ScDivas.	Ther.	ScDivn.	Ther.
15 3 30 0	27.2	68.5	0	93.5	0	15 19	0 0	44.4	66.9	0	94.4	0	22 10 0 0	45.1	479.2	46	109.8	45
35 0	26.1	CH.0		00.0		20	0 0	43.8	67.0	76	93.9	72	12 0 0	40.2	467.0	46	119.5	46
40 0 45 0	24.0	67.3		93.3		21 22	0 0	43.5	66.4	74	94.3	71	14 0 0 16 0 0	57.2	443.2	45 45	112.4	45 46
50 0			-	93.6	66	23	0 0	38.4	65.9	Verse.	95.3	11	18 0 0	52.0	437.2	46	111.8	46
4 10 0 15 0	28.2	70.3	68			16 0	0 0	39.4	67.0	73	96.0	71	20 0 0 0 22 0 0	52·8 48·8	440.8	45 46	110.9	46
20 0	24.0	71.2		92.5		2	0 0	42.2	69.3	71	96.2	70	23 0 0 0	65.1	454.6	45	107.4	45
25 0 30 0	22.5	70.4		91.8		3	0 0	41.0	69.5	00	95.8	00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	55.0	432.3	43	109.6	44 43
35 0	21.1	10.4		91.8		5	0 0	39.0	69.7	68	93.0	68	6 0 0	53.0	421.2	42 41	118.8	42
40 0	21.5	67.7		90.8		6	0 0	34.6	68.8	67	94.9	66	8 0 0	35.9	434.1	40	122.4	41
45 0 50 0	21.7			92.3	1 3	7 8	0 0	39.7	67.5	65	94.7	64	10 0 0 12 0 0	45.2	451.5	41 42	125.7	41 42
5 15 0	29.2					9	0 0	40.5	68.6		95.9		14 0 0	82.4	417.0	40	128.6	41
20 0 25 0	30.5	64.4		96.9	1 3	10	0 0	38.6	69.0	65	96.1	63	16 0 0 18 0 0	54.7	439.0	40 39	111.6	42 39
30 0	36.2	65.3		97.2		12	0 0	40.1	69.1	66	94.5	66	20 0 0	47.2	458.5	38	115.9	39
35 0 40 0	36.0	65.3	1	97.0		13 14	0 0	41.6	66.3	70	95.2	70	22 0 0	52.7	466.5	37	119.8	38
45 0	33.5					15	0 0	43.2	65.4	70	94.0	70	Mean Position	s at the sa	me hours	during	the Monti	L a
50 0 22 10 0	34.5	66.4	67	97.0	67	16	0 0	44.3	66.0	74	93.7	73	0 0 0	55.0	473.3	38	113.7	40
15 0	29.9	00 1				17	0 0	45.3	63.5	76	95.2	73	2 0 0	56.3	473.0	38	117.5	43 42
20 0	33.7	67:5		93.8	71	19	0 0	45.0	65.7		93.7	-	4 0 0	55.6	457.7	39	116.9	42
25 0 30 0	36.3	67.0		93.8		20 21	0 0	43.3	66.0	76	93.6	73	8 0 0	49.8	456 · 7	40	119.2	43
35 0	37.3					22	0 0	41.8	66.4	75	94.2	73	10 0 0	48.0	462.5	41	119.4	44
40 0 45 0	37.6	66.4		94.4		23	0 0	39.2	66.9		93.6		12 0 0 14 0 0	50.6	463.2	41	119.9	45 45
50 0	37.3		- 6	94.5		The M		itions at th				onth	16 0 0	56.5	463.1	41	118.7	45
23 10 0	38.7	66.0					. 0	re given in	pages 36	and 37	•		18 0 0 20 0 0	54.3	465 · 3	40 39	111.3	43
20 0	39.3	66.7		95.0	1 8	1011	Fer	BRUARY S	22 and 2	3, 18	11.		22 0 0	53.5	470.0	39	111.6	43
25 0 30 0	39.7	66.6	73	95.2	71	-				,				Deal 1	Cools D		- N.	
						Toro	yen)	Decl. 1 H. F. k					St. HELENA				n = 0.00	
Positions at the u 14th.		s of observ February			ruary	I TORO		V. F. k							bservatio			
1418 0 0	46.9	70.0	no	04.0	20				bservatio				The H. F. was	observed a	t 1m. after	the ti	mes specifi	led.
19 0 0	46.0	70.9	73	94.9	70	The V.		observed a m. after th			and the H	. F.	23 8 1 47		46.1	69		
20 0 0	44.8	69.5	72	94.7	69	00.14		11					16 47 31 47		46.0			
21 0 0 22 0 0	44.5	69.5	71	95.2	68	23 14 2	25 0 30 0	68.2	485.9	40	112.5	41	46 47		49.5			
23 0 0	47.3	74.1		94.0		:	35 0	63.0	468.7	18	111.1	3	9 1 47	20.0	49.2	69		
15 0 0 0 0	45·1 37·0	71·0 69·8	69	95·0 95·3	67	10	10 0 55 0	63.1	462.6	1	112.5		16 47 31 47	38.0	49.8			1
2 0 0	34.6	74.2	68	90.5	66	70.707.20	0 0	54.0	460.5	40	114.2	42	46 47	37.8	49.2	00		
3 0 0 4 0 0	25.9	66.3	68	93.8	67	19 19	5 0	53.1	455·0 449·2		114.4		10 1 47	37.2	49·3 50·7	69		
5 0 0	22.6	64.5		94.1		1	15 0	56.9	448.7		114.6		31 47	37.6	51.3	1		
6 0 0	35.6	66.8	67	96.7	66		20 0	58.5	445.3		114.8		46 47	38.0	54.2	68		6
8 0 0	31.5	70.7	66	93.5	64	100	30 0	2022	446.0		115.7	A Y	16 47	40.1	56.0	30		-
9 0 0	30.4	70·0 64·9	65	94.8	64	3	35 0	58.6	444.5		115.8		31 47 46 47	40.1	56.8		1111	
11 0 0	35.0	63.0	00	98.3	UI	P	ositions	at the usu	al hours o	f obser	vation,		12 1 47	40.0	56.9	68		
12 0 0 13 0 0	39.2	64.5	65	96.6	64			Februar	y 22 and 2	13.			16 47 31 47	40·2 39·2	57·0 57·7		THE REAL PROPERTY.	
14 0 0	45.7	65.6	67	95·1 95·4	66	22 0	0 0	59.2	470.7	42	109.3	44	46 47	40.1	57.8	No.	1100	
15 0 0 16 0 0	47.4	66.1	-	95.3	70	2	0 0	61.5	467.7		111.8	43	13 1 47	40.2	57·3 56·1	68		- 3
17 0 0	48.4	67.0	71	95.3	70	6	0 0	55·2 48·2	455·7 449·0	44 45	110·4 110·4	44 44	31 47 46 47	40.0	56.9			
18 0 0	46.1	65.4	75	96.0	72	8	0 0	47.0	460.5	300,510	110.6	44	14 1 47	40.5	58:0	68	1	114
	1	1013		The m	ean p	ositions of	the V	.F. magn	et are from	n Febr	uary 20th	to 27	7th inclusive.					

FEBRUARY 22 and 23, 1841.		FEBRUARY :	22 and 23, 18	41. 9	FEB	RUARY 2	6 and 27,-	841.
M. Gött, Time. Decl. Hor. Force. V	ert. Force.	M. Gött. Time. Decl.	Hor, Force,	Vert. Force.	M. Gött. Time.	Decl.	Hor. Force	Vert. Force.
d. h. m. s. ScDivns, ScDivns, Ther. Sc	Divas. Ther.	d. h. m. s. ScDivns.	SeDiva. Ther.	SeDivas. Ther.	d. h. m. s.	SeDivns.	ScDivas. The	r. ScDivns. Ther
23 14 16 47 40.9 59.1	2	22 12 30 0 31 7	62.3	100.1	26 11 10 0	48.1	454.9	111.3
31 47 41·0 60·0 46 47 41·0 60·9		35 0 32·1 40 0 34·9	63.6	100.7	15 0 20 0	48.0	453.8	111.9
15 1 47 41·0 61·0 68 16 47 41·5 61·1	7	45 0 35·1 50 0 39·6		100.7	25 0 30 0	45·9 45·0	446.0	110.9
31 47 41·6 60·9 46 47 41·0 60·3		Positions at the us			35 0 40 0	44.7		
16 1 47 40.8 60.1 68	17 180		y 22 and 23,	vacou,	45 0	44.9	428.0	110.1
16 47 41 1 60 1		22 0 0 0 43.0	71.2 70	94.1 68	50 0 55 0	48.5	447.1	110.3
Positions at the usual hours of observations February 22 and 23.	ion,	1 0 0 42·3 2 0 0 40·4	72·8 72·9 69	93·7 92·9 67	12 0 0 5 0	49.4	448.5 4	5 111.3 46
22 0 0 0 47.5 74.8 69		3 0 0 40·2 4 0 0 41·2	72.5	93.4 94.1 66	10 0 15 0	47·8 47·0	450.7	111.2
2 0 0 71.5 69 69.1	2	5 0 0 42·4 6 0 0 40·3	73·3 74·1 65	94·6 94·0 64	20 0 25 0	47.1	447.1	111.6
4 0 0 68·9 68·1 69		7 0 0 39.8	74.4	94.1	30 0	48.5	448.4	112.1
6 0 0 67.3 69		8 0 0 40·0 9 0 0 37·9	74.6 64 74.8	94.6 63	35 0 40 0	48.7	443.0	112.2
8 0 0 41.5 66.5 69 10 0 0 42.6 68.0 69		10 0 0 34.6	74.7 63	94.0 62	45 0 50 0	47·1 53·9	426.7	118-6
11 0 0 41·0 62·4 69 12 0 0 39·4 59·2 69		12 0 0 29·2 13 0 0 43·7	61·9 62 65·2	99.2 61	55 0 13 0 0	63.8		
13 0 0 36.4 57.4 69		14 0 0 52.1	67.2 62	99.4 60	5 0	77.2		
15 0 0 38.7 55.2 68	3	15 0 0 46·7 16 0 0 46·9	72.5 63	97·0 97·1 60	10 0 15 0	77.1	435.4	111-7
16 0 0 39·1 56·3 68 18 0 0 38·1 58·0 68	8 1	17 0 0 48·4 18 0 0 48·0	73.7	96.6	20 0 25 0	75.3	428.6	108.6
19 30 0 35·1 60·9 68 20 0 0 33·2 62·0 68	9 1	19 0 0 45·5 20 0 0 44·5	70·8 70·2 65	97·8 97·1 62	30 0	70.4	429.5	109.2
20 30 0 32.0 65.0 68		21 0 0 43.7	70.8	96.5	35 0 40 0	64·1 56·4	423 · 1	111.5
23 0 0 39.0 74.8 68	6	22 0 0 37·0 23 0 0 39·4	70.2 64	97.5 62 94.7	45 0 50 0	54.7	422.5	114.2
23 0 0 0 41.9 73.5 68 2 0 0 38.9 65.3 68	9	23 0 0 0 41.3	73.3 63	96.1 61	55 0 14 0 0	54·2 55·1	426.1 4	116.1 46
3 0 0 39.8 63.2 69 4 0 0 40.4 56.2 69	100	The Mean Positions at the	same hours dur pages 36 and 37.	ing the Month	5 0 10 0	55·4 56·1		115.4
5 0 0 37·2 53·9 69 6 0 0 37·0 53·0 69					15 0	55.8	432.0	
8 0 0 36.2 46.1 69		FEBRUARY 2	6 and 27, 18	41.	20 0 25 0	56·9 56·9	427.8	115.3
10 0 0 37·1 49·3 69 11 0 0 39·8 55·8 68			Scale Division		30 0 35 0	55.4	427.1	115.0
12 0 0 40·2 57·0 69 13 0 0 40·2 57·2 69			= ·000076; 6		40 0 45 0	54.6	430.1	116.7
14 0 0 40·8 58·0 68 15 0 0 41·0 61·0 68		Regular and	erm observation	ons.	50 0	55·4 55·9	434.2	116.6
16 0 0 40.9 60.6 68		The V. F. was observe H. F. 2 ^m . 30 ^s . af	d at 2 ^m , 30 ^s , befo ter the times spec		55 0 15 0 0	57.5	432.5 4	115.9 46
18 0 0 39·8 60·9 68 19 30 0 37·7 61·1 68		26 0 0 0 63.0	428.8 42	102.0 43	5 0 10 0	63.5	430.6	113.8
20 0 0 36·1 62·3 68 20 30 0 36·1 63·0 68	4	2 0 0 55·6 4 0 0 62·5	CONTRACTOR OF THE PARTY OF THE	103·6 42 103·1 45	15 0 20 0	67.8	421.4	110.5
22 0 0 37·8 66·0 68 23 0 0 39·8 69·0 68		6 0 0 49·9 8 0 0 43·6	425.8 44	108.1 45	25 0	51.3	388.0	
	0.35.0	10 0 0 50.1	445·7 45 457·7 46	110·2 45 109·2 46	30 0 35 0	50·4 46·0		109.2
The Mean Positions at the same hours during t are given in page 37,	the Month	5 0 50·2 10 0 49·4	454.9 45	109.0 46	40 0 45 0	56.9	402.2	102.8
VAN DIEMEN Decl. 1 Scale Division =		15 0 48·4 20 0 48·1	448.9	108.9	50 0 55 0	66.6	415.3	104.1
Island H. F. k = '0003; = V. F. k = '; =		25 0 48·9 30 0 48·1	448-1	109-9	16 0 0	79.8	416.9 4	109.8 46
Extra observations.	1	35 0 48.9			10 0	73.1	427.2	107.7
The V. F. was observed at 2 ^m . 30 ^s , before, and 2 ^m . 30 ^s , after the times specified.	the H. F.	40 0 49·2 45 0 50·6	448.3	110.5	15 0 20 0	65.2	428.7	111-1
22 12 15 0 29.8		50 0 50·9 55 0 51·0	453.5	111.8	25 0 30 0	64.1	442.6	115.2
20 0 29·2 61·4 62 100 25 0 31·1	0.0 61	11 0 0 50·2 5 0 48·4	452.3 45	112.2 46	35 0 40 0	59.8	441.4	114.4
		0 0 10 1			10 0	00.2	1	1111

FEBRUARY 2	26 and 27, 18-	41.	FEB	RUARY 2	26 and 2	7, 18	11.		FEB	RUARY 2	26 and 2	7, 18	41.	
M. Gott. Time. Decl.	Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. Fo	rce.	M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. F	orce.
d. h. m. s. ScDiv ^{ns} .	SeDivna. Ther.	ScDivas. Ther.	d. h. m. s.	ScDivas.	ScDivns.	Ther.	SeDiv**.	Ther.	d. h. m. s.	SeDivns.	SeDivns.	Ther.	Sc Divas.	Ther.
26 16 45 0 55·2 50 0 56·1	439.9	113.2	26 22 20 0 25 0	55·4 56·2	444.0		106.7	1	27 3 55 0 4 0 0	60·1 59·2	444.6	45	151.4	46
55 0 56·7 17 0 0 56·8	442.1 45	112.5 46	30 0 35 0	57·0 56·7	445 • 4		107.9		5 0 10 0	59.6	442.3	-	151.5	
5 0 56.0			40 0	56.4	444.3		108.6		15 0	58.0	la constitution of			
10 0 57·0 15 0 57·6	439.6	111.7	45 0 50 0	56.1	443.7		109.9		20 0 25 0	57·1 56·6	440.0		151.7	
20 0 57·0 25 0 57·2	435.6	110.0	55 0 23 0 0	57·6 57·4	445.7	45	111.4	46	30 0 35 0	55.1	437.5		151.8	
30 0 58·1 35 0 57·7	438.8	110.5	5 0 10 0	57·9 57·9	445.2		113.2		40 0 45 0	54.4	437.4		152.0	
40 0 57·2 45 0 57·6	438.2	110.3	15 0 20 0	57·7 57·1	444.9		116.5		50 0 55 0	54.1	432.5		152-1	
50 0 56.7	438.2	110.7	25 0	57.0			120.0		5 0 0	52.3	432.1	45	152.2	46
18 0 0 54.1	437.9 45	111.7 46	35 0	57.4	445.0				10 0	52.8	427.7		153.1	-
	438.4	111.4	40 0 45 0	57.8	443.7		124.5		15 0 20 0	51.3	432.0	7-1-	153.4	
15 0 53·2 20 0 54·8	443.7	111.4	50 0 55 0	57·1 56·6	445.1	Basi	129.7	You.	25 0 30 0	51·6 52·3	432.2		153.3	
25 0 54·0 30 0 53·0	440.0	110.3	27 0 0 0 5 0	56.0	445.9	45	133 · 7	46	35 0 40 0	51.4	434.8		154.3	
35 0 52·7 40 0 55·4	436.8	108.3	10 0 15 0	55.9	447.9		137.5		45 0 50 0	51.2	435.7		154.4	
45 0 57.9			20 0	54.9	446.5		140.0		55 0	50.2		45	1	10
50 0 57·3 55 0 53·1	430.9	108.0	25 0 30 0	55.3	445 1		141.4		6 0 0 5 0	50.0	440.0	45	155.4	46
19 0 0 53·0 5 0 54·6	426.4 45	110.2 46	35 0 40 0	55.9	446.0		142.6		10 0 15 0	48.2	439.2		155.7	
10 0 53·9 15 0 48·9	428.2	108.9	45 0 50 0	56.8	446.8		143.6		20 0 25 0	48.6	442.9		155.9	
20 0 45·1 25 0 45·6	421 · 4	108.6	55 0 1 0 0	56·9 57·6	450.4	45	145.1	46	30 0 35 0	48·3 48·6	442.3		155.8	
30 0 47.8	433.8	108.2	5 0	57.2		10		10	40 0	47.6	439.9		156.2	
40 0 51.0	438.9	109.0	10 0 15 0	58·4 59·1	448.8		145.7		45 0 50 0	47.0	437.6		156.4	
45 0 49·6 50 0 50·4	437.1	106.5	20 0 25 0	59.5	449.6		147.1		55 0 7 0 0	47.1	438.9	45	156.4	46
55 0 50·9 20 0 0 53·8	441.0 45	107.9 46	30 0 35 0	59.7	449.3		148.1		5 0 10 0	47.4	445.9		156.8	
5 0 53·9 10 0 54·2	440.5	107.8	40 0 45 0	61.5	449.0		148.0		15 0 20 0	46.3	440.2		157.1	
15 0 54.3	438.1	108.3	50 0	60.7	447.2		148.7		25 0 30 0	46.8	435.0		157.3	
25 0 54.1		La Section	2 0 0	61.4	445.6	45	148.5	46	35 0	45.0			1 344	
30 0 52·7 35 0 54·0	437.3	107.8	5 0 10 0	60.8	445.5		148.5		40 0 45 0	45.3	438.1		156.5	
40 0 53·4 45 0 54·1	438.7	108.0	15 0 20 0	60.4	444.3		149.4		50 0 55 0	44.2	437.0		157.0	
50 0 54·3 55 0 55·1	436.8	106.5	25 0 30 0	59.5	445.5		149.1		8 0 0 5 0	44.1	433.3	45	157.0	46
21 0 0 54·4 5 0 49·8	430 · 4 45	105 · 1 46	35 0 40 0	61.4	444.7		149.2		10 0 15 0	46.1	435.0		156.7	
10 0 50·2 15 0 49·5	435 · 4	105.5	45 0	60.8			110 2		20 0	46.5	444.0		156.8	
20 0 48.9	445.6	107.0	55 0	61.0	444.6				25 0 30 0	46.7	446.3		157.6	
25 0 47·2 30 0 47·0	444.6	105.7	3 0 0 5 0	60.7	442.4	45	150.3	46	35 0 40 0	47.5	449.0		157.0	
35 0 48·4 40 0 49·8	444.6	105.6	10 0 15 0	61.0	447:2		150.7		45 0 50 0	47.1	449.7		156.5	
45 0 51.0	447.4	105.6	20 0 25 0	60.7	446.7		149.7		55 0 9 0 0	48.4	447.7	45	156.2	46
55 0 52·2 22 0 0 53·6	443.8 45	105.0 46	30 0 35 0	59.7	448.6		151.1		5 0 10 0	48.3	449.8		156.1	
5 0 55.1			40 0	58.6	448.2	100	151.6		15 0	49.1				1
10 0 54·2 15 0 54·8	444.2	106.8	45 0 50 0	58.9	444.1		151.5	-	20 0 25 0	49.4	451.1		156.5	
				N CONTRACTOR		Acres 1	1	10-01		1				

	1	FEBI	RUARY 2	26 and 2'	7, 184	11.		I	EBI	RUARY 2	6 and 2	7, 184	11.	FEB	RUARY 2	6 and 2	7, 184	11.
M. Ge	stt. Tir	ne.	Decl.	Hor. F	orce.	Vert. Fe	orce.	M. Gött. Tir	ne.	Decl.	Hor. Fo	rce.	Vert. Force.	M. Gött, Time.	Decl.	Hor. Fo	orce.	Vert. Force.
d. h.	m.	s.	ScDivas.	SeDivas.	Ther.	ScDivns.	Ther.	d. h. m.	5.	ScDiv ^{ns} .	SeDivas.	Ther.	ScDivas, Ther.	d. h. m. s.	SeDivns.	SeDivas.	Ther.	Sc Divns. Ther.
27 9		0	49.2	455.3	0	157.0		26 13 15	0	39.0		0	0	26 18 50 0	36.9	62.7	0	0
	35 40	0	49.3	448.7		156.9		20 25	0	38.8	64.1			55 0 19 0 0	36.9	62.8	69	
	45 50	0 0	49.6	458.1		157.3		30 35	0	38.9	63.1			5 0 10 0	36.8	62.3		
1 ,,	55	0	49.5				40	40	0	38.9	62.1			15 0	36.6			
10 12	0	0	49·5 53·6	446·2 441·0	48	150·1 152·5	49 49		0	38.7	62.1			20 0 25 0	36.4	62.0		
14		0	60.6	448.9		152.5	48	55 14 0	0	38.9	62.1	69		30 0 35 0	35.9	62.4		
m	Nr.	D	************					5 10	0	38.0	62.5			40 0 45 0	35.1	63.2		
The	Mean	P08		n in page		observatio	m,	15	0	37.9				50 0	34.8	63.6		
	- 177		(Deel 1	Scale D	ivisio	n = 0'·	71	20 25	0	37.9	61.5			55 0 20 0 0	34.4	64.0	69	
ST.	HELE	NA 1	H. F.	\$ = .00	002;	q = .00	003	30 35	0	37.9	61.3			5 0 10 0	34.1	64.4		
		-		term obs				40	0	37.5	61.0			15 0	33.6			
	The I	i. F.		rved at 2 ^m specified.		after the			0	37.5	61.2			20 0 25 0	33.0	64.1		
26 0	0	0	36.1	70.8	69			55 15 0	0	37.5	61.5	69		30 0 35 0	32.2	64.2		
2 3	0	0	35.8	64·8 64·0	70			5 10	0	37·9 37·9	62.0			40 0 45 0	32.4	64.3		
4	0	0	34.0	65.0	70			15	0	37.9				50 0	32.4	64.5		
5 6		0	33.3	66.9	70			20 25	0	38.2	62.6			55 0 21 0 0	32.2	64.5	68	
8 10		0	34.5	62.8	69 69			30 35	0	38.0	63.2			5 0 10 0	32.4	64.5		
10	5	0	37.6		0.5			40	0	38.1	65.2			15 0	32.8			1 9 1
		0	37.4	62.1				45 50	0	38.9	65.9			20 0 25 0	33.0	65.1		
		0	37.5	62.2				55 16 0	0	39.1	66.5	69		30 0 35 0	33.0	65.1		
	30	0	37.8	62.8				5 10	0	38.9	64.9			40 0 45 0	33.1	66.1		
	40	0	37.9	62.8				15	0	38.8				50 0	33.5	67.0		
		0	38.0	62.7				20 25	0	38.4	63.8			55 0 22 0 0	33.8	68.0	68	
11		0	38.0	61.8	69			30 35	0	38.1	63.0			5 0 10 0	34.1	68.0		
**	5	0	38.0		0.5			40	0	38.1	62.9			10 0	34.4			
		0	37.9	61.0				45 50	0	38.0	62.1			25 0	34·5 35·1	68.0		
	20 25	0	37.9	60.6				55	0	38.0	62.1	69		30 0 35 0	35.2	67.9		
	30	0	37·6 37·2	60.4				5 10	0	37.9	62.6			40 0 45 0	35·2 35·4	67.9		
	35 40	0	36.9	59.1				15	0	37.9				50 0	35.3	67.9		
	45 50	0	36.8	59.0				20 25	0	37.9	62.7			55 0 23 0 0	35.2	68.0	68	
12	55	0	36.0	58.9	69			30 35	0	37.9	62.8			5 0 10 0	35.2	68.2		
12	5	0	35.9		93			40	0	37.2	62.6			15 0	35.7			
	10 15	0	35.8	58.8				45 50	0	37.1	62.2			20 0 25 0	35.9	68.5		120
	20 25	0	35.9	58.8	1			55 18 0	0	36.9	62.1	69		30 0 35 0	36.8	68.2		
	30	0	35.9	58.8				5	0	36·6 36·4	62.0			40 0 45 0	37·2 37·2	67.9		
	35 40	0	35.9	61.8				10 15	0	37.0				50 0	38.0	67.8		
	45 50	0	36.2	65.8				20 25	0	36.9	62.1		-	27 0 0 0	38.9	67.8	69	
13	55	0	38.1	66.2	69	31		30 35	0	37·1 37·3	62.3			5 0 10 0	39.0	67.8		
10	5	0	38.9		03			40	0	37.3	62.7			15 0	39.9	-		
	10	0		65.0				45	0	37.1				20 0	40.0	67.9		

FEBRUARY 2	FEBRUARY 26 and 27, 1841.					FEBRUARY 26 and 27, 1841.							
M. Gött. Time. Decl. Hor. For		Vert. Force.	M. Gött, Time.	Decl. Hor. Force.		ce.	Vert. Force.	M. Gött. Time,	Decl. Hor. Force.		Vert. For	Vert. Force.	
d. h. m. s. ScDiv ^{ns} .	SeDivas. Ther.	ScDivas. Ther.	d. h. m. s.	ScDivas.	SeDiv ^{B*} . T	her.	SeDivas. Ther.	d. h. m. s.	ScDivas.	SeDivas. Ther	SeDiv ^{ns} .	Ther.	
d. h. m. s. Sc-Dir ⁿ . 27 0 25 0 40·1 30 0 40·7 35 0 41·0 40 0 41·1 45 0 41·8 50 0 42·0 1 0 0 42·0 5 0 42·1 10 0 42·4 15 0 42·5 20 0 42·6 25 0 42·7 30 0 42·7 35 0 42·9 45 0 42·9 50 0 42·5 55 0 42·1 2 0 0 42·6 2 0 0 42·6 2 0 0 42·6 2 0 0 42·0 3 0 0 42·2 15 0 42·2 2 0 0 42·0 30 0 42·0 35 0 42·0 30 0 42·0 40 0 42·0 44·0 45 0 42·0 45 0 42·0	68·0 68·1 68·2 68·3 69 68·2 68·1 68·2 68·2 68·0 67·6 69 67·0 66·2 66·1 65·8	ScDivas. Ther.	d. h. m. s. 27 6 0 0 5 0 10 0 15 0 20 0 25 0 30 0 35 0 40 0 45 0 50 0 15 0 0 25 0 30 0 35 0 40 0 45 0 50 0 55 0 0	34·9 34·9 35·0 35·0 35·0 35·0 35·0 34·9 34·9 34·9 34·9 34·9 36·0 36·0 36·0 36·1 36·1 36·1 36·1 36·1 36·1 36·1 36·1	62·1 62·4 62·2 62·1 61·9 61·9 61·9 61·9 62·1 62·1 62·1 62·4	69 69	SeDiv ^{ns} . Ther.	4. h. m. s. 26 0 45 0 50 0 1 0 0 10 0 15 0 20 0 25 0 30 0 35 0 40 0 45 0 2 0 0 12 30 17 30 22 30 27 30 32 30 37 30 42 30 47 30 4 0 0 15 0 20 0 25 0 30 0 35 0 40 0 40 0	34·0 31·3 29·0 28·1 29·5 29·5 28·3 28·0 28·6 29·1 32·6 34·6 34·6 34·2 35·1 35·1 34·7 36·5 49·2 46·1 45·3 44·7 43·9 43·1 43·6 42·9	SeDiv ^m . Ther 68.4 69.3 68.1 67.7 66.7 65.4 65.3 67.6 66.6 66.9 67.8 66.8 67.4 69.1 70.2 70.2 71.0 70.2	93·9 95·2 93·2 93·9 93·7 93·8 94·5 95·4 95·1 94·9 94·3 96·6	67 67 64	
45 0 42·0 50 0 42·0 55 0 42·0 3 0 0 42·0 5 0 42·0 10 0 41·8 15 0 41·8 20 0 41·5 25 0 41·5 30 0 41·3 35 0 41·1 40 0 41·0 45 0 40·9 50 0 40·5 4 0 0 40·2	65·2 65·3 65·3 65·3 65·0 64·9 64·8 64·7 69		20 0 25 0 30 0 35 0 40 0 45 0 50 0 55 0 9 0 0 5 0 10 0 15 0 20 0 25 0 30 0 35 0	37·3 37·3 37·3 37·2 37·3 37·6 37·7 37·8 37·8 37·9 37·9 37·9 37·9 37·9	63·1 63·4 63·7 64·0 64·1 64·1 64·0 64·0	69		40 0 45 0 50 0 5 0 0 6 0 0 7 0 0 8 0 0 9 0 0 The Decl., H. F	43.8 44.8 45.1 49.9 48.5 44.9 38.4 Term C., and V.	70·5 70·4 74·9 69·7 72·5 observations. F. were observe	95.6 93.4 91.9 96.0 94.9 95.5	63 62 62 61 60 ously	
5 0 39.9 10 0 39.2 15 0 39.0 20 0 38.9 25 0 38.8 30 0 38.9 35 0 38.1 40 0 45 0 37.9 50 0 37.1 5 0 36.9 10 0 36.7 15 0 36.5 20 0 36.2 25 0 36.0 30 0 35.8 35 0 35.8 35 0 35.8 35 0 35.8 35 0 35.8 35 0 35.8	64·7 69 64·2 64·0 63·6 63·1 62·9 62·1 62·0 61·9 62·0 62·1 62·3		40 0 45 0 50 0 55 0 The Mean Pos during VAN DIEMEN ISLAND Regu The V. F. was o	37·4 37·2 37·4 37·5 itions at t the Monti	Scale Di Scale Di k = .000 k = extra obset the times sp	visio	n = 0'·71 q = q = oons. and the H. F.	5 0 7 30 10 0 12 30 15 0 17 30 20 0 22 30 25 0 27 30 30 0 32 30 35 0 37 30 40 0 42 30 5 0 47 30 50 0 52 30 50 0 51 30 51 0 52 30 53 0 54 0 55 0 57 30 57 30 57 30 57 30	37 9 37 14 38 18 39 14 38 18 39 15 38 17 39 14 38 19 39 14 39 16 39 10 39 17 39 14 39 16 39 18 39 18 30	71.3 71.4 71.3 71.4 71.3 71.2 71.4 71.2 71.3 71.1 70.7 71.3 71.3 71.3 71.2 71.3 71.1 70.9 71.1 70.9 71.2 71.4 71.4 71.4 71.4 71.5 71.6	95·6 95·4 95·3 95·8 95·9 96·1 96·0 96·2 96·2 96·2 96·3 95·9 95·9 95·8 95·8 95·8 95·8 95·8	. 60	

FEBRUARY 26	and 27, 184	1.	FEB	RUARY 2	26 and 27	, 184	11.		FEB	RUARY 2	26 and 2	7, 18	41.	_
M. Gött, Time. Decl.	Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m. s. ScDiv**. Sc.	cDivas. Ther.	ScDivns. Ther.	d. h. m. s.	ScDiv ^{ns} .	SeDivas.	Ther.	ScDivas.	Ther.	d. h. m. s.	Se Dit ^{ns} .	SeDiv ^{ns} .	Ther.	Sc Divns.	Ther.
d. h. m. s. ScDiv***. Sc. 26 11 2 30 39.9 40.2 30 40.2 30 10 0 39.1 1 12 30 39.2 30 10 0 39.1 1 12 30 39.2 2 15 0 38.8 8 17 30 38.5 5 20 0 39.2 30 22 30 40.1 25 0 40.0 39.6 30 0 39.7 30 39.6 30 39.7 32 30 39.7 32 30 39.7 35 0 39.9 37 30 40.9 40 0 41.2 42 30 41.3 45 0 39.2 47 30 38.7 50 0 37.9 52 30 37.4 55 0 37.8 55 0 37.8 55 0 37.8 55 0 37.8 55 0 37.8 55 0 37.8 55 0 37.8 55 0 37.8 55 0 37.8 55 0 37.8 55 0 37.8 15 0 37.7 17 30 37.0 10 0 37.4 12 30 37.2 15 0 37.7 17 30 37.0 10 0 37.4 12 30 37.2 15 0 37.7 17 30 37.0 10 0 37.4 12 30 37.5 10 37.7 17 30 37.0 10 0 37.4 12 30 37.5 10 37.7 17 35 0 38.0 37.7 35 0 38.0 37.7 35 0 38.0 37.7 35 0 38.0 37.7 35 0 38.0 37.7 35 0 38.0 37.7 35 0 38.0 37.7 35 0 38.0 37.7 35 0 38.0 37.7 35 0 38.0 37.7 35 0 38.0 37.7 35 0 38.0 37.7 35 0 38.0 37.7 35 0 36.9 37.3 37.3 37.3 37.3 37.3 37.3 37.3 37											_			

T	. Feb	RUARY 2	26 and 2	7, 18	41.		FEB	RUARY 2	6 and 2	7, 18	11.		Γ	FEB	RUARY 2	26 and 2'	7, 18	11.	
М. С	Gött. Time.	Decl.	Hor. Fo	orce.	Vert. F	oroe.	M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. Fo	orce.	M.	Gött, Time.	Decl.	Hor. Fo	orce.	Vert. F	orce.
d. 1	h. m. s.	Sc Divas.	SeDiv ^{ns} .	Ther.	SeDivas	Ther.	d. h. m. s.	SeDives.	SeDivas.	Ther.	ScDiv ^{ns} .	Ther.	d.	h. m	Sc. Divas	SeDivas.	Ther.	ScDiv ^{na} .	Ther.
26 1			75·4 75·4 75·9 76·3 76·7 76·9 76·3 76·5 76·5 76·3 76·2 76·3 76·3 76·4 75·5 75·5 75·5 75·5 75·5 75·6 75·5 75·6 75·5 75·6 75·6 75·7 75·6 75·7 75·6 75·7 76·1 75·8 76·2 76·3 76·2 76·3 76·2 76·3 76·3 76·4 75·5 75·5 75·5 75·6 75·5 75·6 75·7 75·6 75·7	60 60	\$\sigma_0^{\text{s}_0}\$ \$\text{96} \cdot 4 \\ 96 \cdot 4 \\ 96 \cdot 3 \\ 96 \cdot 0 \\ 95 \cdot 7 \\ 95 \cdot 5 \\ 95 \cdot 7 \\ 95 \cdot 7 \\ 95 \cdot 7 \\ 96 \cdot 3 \\ 96 \cdot 0 \\ 96 \cdot 2 \\ 96 \cdot 3 \\ 96 \cdot 2 \\ 96 \cdot 3 \\ 96 \cdot 5 \\ 96 \cdot 7 \\ 96 \cdot 9 \\ 97 \cdot 3 \\ 97 \cdot 7 \\ 97 \cdot 3 \\ 96 \cdot 9 \\ 97 \cdot 3 \\ 96 \cdot 9 \	58 59	d. h. m. s. 26 22 12 30 15 0 17 30 20 0 22 30 25 0 27 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 50 0 7 30 10 0 12 30 15 0 17 30 20 0 22 30 25 0 27 30 30 0 12 30 15 0 17 30 20 0 22 30 25 0 27 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 55 0 57 30 20 0 22 30 25 0 27 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 57 30 20 0 22 30 25 0 27 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 57 30 20 0 22 30 25 0 27 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 57 30 55 0 57 30	\$6Div**. 41.5 41.4 41.3 41.4 41.5 41.5 41.5 41.5 41.5 41.6 41.7 40.7 40.7 40.7 40.7 40.7 40.7 40.7 40	ScDir***. 74.7 74.7 74.6 74.7 74.6 74.6 74.6 74.6 74.6 74.7 75.6 76.7 76.6 76.7	Ther. 0	Se-Dir*** 94.3 94.3 94.3 94.4 94.7 94.8 94.9 95.0 95.0 95.0 95.2 95.0 94.9 95.0 94.9 94.8 94.9 94.8 94.9 94.9 94.8 94.9 94.9 94.9 94.8 94.9 9	Ther. 60	d. 27	h. m 1 0 0 0 2 30 5 0 0 7 30 10 0 0 12 30 15 0 0 17 30 20 0 0 22 30 25 0 0 27 30 30 0 32 30 35 0 37 30 40 0 0 42 30 45 0 0 27 30 55 0 0 57 30 10 0 0 12 30 15 0 0 17 30 20 0 0 22 30 25 0 0 27 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 57 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 57 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 57 30 30 0 32 30 31 0 0 22 30 57 30 31 0 0 22 30 57 30 32 30 33 0 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 50 20 30 57 30 57 30 58 30 37 30 49 49 30 49	38·9 38·8 38·8 38·7 38·9 39·1 39·3 39·1 39·2 38·9 38·6 38·6 38·6 38·6 38·6 38·6 38·6 38·6	\$\sime\$-\text{Dist}^\text{\$\texit{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\te	Ther. 60 60 60	96.7 96.6 96.7 96.6 96.7 96.7 96.7 96.7 96.7 96.5 96.6 96.5 96.6 96.5 96.6 96.5 96.6 96.5 96.6 96.5 96.7 97.0	Ther. 59 59 60

FEBRUAR	26 and 27, 18	341.	FEBR	RUARY 2	6 and 27	1, 184	11.		FEB	RUARY 2	26 and 2	7, 18	41.	
M. Gött, Time. Decl	Hor. Force.	Vert. Force.	M. Gött, Time.	Decl.	Hor. Fo	orce.	Vert. Fo	orce.	M. Gett. Time.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m. s. Se. Die	ns, ScDivas, Ther	0	d. h. m. s.	ScDivas.	SeDivas.	Ther.	SeDivas.	Ther.	d. h. m. s.	SeDiv ^{ns} .	SeDivas.	Ther.	ScDiv ^{ns} .	Ther.
4. h. m. s. Sec-Dia 27 3 47 30 39 50 0 39 50 0 39 50 0 39 50 0 40 50	75·2 75·3 75·4 75·6 75·6 75·5 75·5 75·5 75·5 75·7 75·7 75·7 75·9 76·1 76·1 76·1 76·1 76·2 76·5 76·5 76·6 76·5 76·6 76·5	ScDiv**. Ther. 97 · 2 97 · 3 97 · 5 97 · 0 97 · 1 97 · 0 97 · 1 97 · 0 96 · 9 96 · 9 96 · 8 96 · 8 96 · 8 97 · 0 97 · 0 97 · 0 97 · 0 97 · 0 97 · 0 96 · 9	27 6 7 30 10 0 12 30 15 0 17 30 20 0 22 30 25 0 27 30 30 0 32 30 35 0 37 30 40 0 42 30 45 0 47 30 50 0 52 30 55 0 57 30 7 0 0 2 30 5 0 7 30 10 0 12 30 15 0 17 30 20 0 27 30 37 30 40 0 47 30 50 0 50 0 51 30 52 30 53 0 55 0 57 30 7 30 10 0 10 0 11 30 12 30 15 0 17 30 20 0 21 30 31 30 31 30 32 30 35 0 37 30 40 0 47 30 50 0 50 0	8cDiv ⁸⁵ . 44·1 44·7 45·0 45·8 46·2 46·4 47·0 48·0 48·5 46·4 46·2 45·8 45·3 45·2 45·1 44·7 43·6 43·0 42·6 43·5 44·4 44·2 45·5 46·4 44·2 45·5 46·4 44·2 45·5 46·4 44·2 45·5	Sec-Discription of the control of th	Ther.	SeDiv ⁸⁸ . 96 · 9 97 · 0 96 · 9 96 · 9 96 · 7 96 · 7 96 · 7 96 · 7 96 · 7 96 · 7 96 · 7 96 · 8 96 · 7 96 · 8 95 · 7 95 · 6 95 · 3 95 · 3 95 · 3 95 · 3 95 · 3 95 · 3 95 · 6 96 · 0 96 · 1 96 · 1 96 · 1 96 · 1 96 · 1 96 · 7 96 · 8	Ther.						la de la constante de la const
20 0 39·4 22 30 40·2 25 0 40·9 27 30 41·5	75·7 75·8 75·9 76·1	96·8 97·0 97·1 97·3	42 30 45 0	49·3 49·4 49·1 48·7	78·0 78·0 77·9 77·9		96·6 96·4 96·3 95·9		The Mean Posi during the M	tions at th Ionth, are	e usual he given in p	ours of pages 3	observation observation observation of and 37.	on
30 0 41·8 32 30 42·0	76·1 76·2	97·3 97·4	50 0 52 30	47·9 47·3	77.8		95·7 95·6		March	14, 15,	16, and	17, 1	841.	
35 0 42.5 37 30 42.6 40 0 42.7 42 30 42.5 45 0 42.5 47 30 42.7 50 0 43.0 52 30 43.5 55 0 44.0 57 30 44.4 6 0 0 44.2 2 30 44.1 5 0 44.1	75.8 75.7 75.8 76.0 76.2 76.2 76.1 75.9 75.9 76.0 75.8 60 75.6	97·3 97·4 97·4 97·2 97·2 97·1 97·0 97·1 97·1 97·1 97·1 97·1 97·1	57 30 8 0 0 2 30 5 0 7 30 10 0 12 30 15 0 17 30 20 0 22 30	46.5 45.6 45.0 44.8 44.0 44.1 43.9 44.0 43.8 43.0 43.1 43.0 43.0	77.6 77.5 77.3 77.3 76.9 76.6 76.7 76.5 76.3 76.4 76.2 76.3	60	95·4 95·1 95·1 94·9 94·9 95·0 95·3 95·4 95·5 95·7 95·8 95·9	59	TORONTO* { H V.	F. k = F. k = Extra ob	= '0000' = '0000' servation at 1=. 30' the times: 415.8 411.6 415.8	76; q 09; q ns. befor specifie	e, and the	002 018

⁻ Toronto, March, 1841. - Times of observation during the Month at which the Magnetometers were disturbed, but the mean readings were not materially changed.

[Extract from the Toronto Return of December, 1841.—The H. F. magnet is said to be "considerably," or "very much "disturbed when it vibrates in an arc of 35 to 45 scale divisions; to be "much" disturbed when it vibrates in an arc of 20 to 35 divisions; "moderately," when in an arc of 10 to 20 divisions; and "slightly," when in an arc of 5 to 10 divisions.

The same terms are used for the Decl. magnet when it vibrates through half the above number of scale divisions.]

Magnets much disturbed by irregular movements, or shocks. Slightly disturbed; shocks.

^{1 20} Magnets much disturbed by irregular movements, or sho
2 2 Slightly disturbed; shocks.
3 0 2 Much disturbed by shocks, especially the Decl. magnet.
4 2 Slightly disturbed by shocks; the Decl. magnet vibra 2 Slightly disturbed by shocks; the Decl. magnet vibrating considerably at 1^h, 52^m, 30°. The copper rings prevent the bar from vibrating under ordinary circumstances.

4 22 Much disturbed with shocks; vibrating at 4^d, 22^h, and 5^d, 0^h.

5 0
2 H. F. much disturbed by shocks.

	M	ARC	н 14, 15	, 16, and	d 17,	1841.			N	IARCI	14, 15	, 16, and	17,	1841.			М	ARCI	н 14, 15,	16, and	1 17,	1841.	
M. Gö	tt. Ti	me.	Decl.	Hor. F	orce.	Vert. I	orce.	M.	Gott.	l'ime.	Decl.	Hor. F	orce.	Vert. F	orce.	M.	Gott. Ti	ime.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h.		8.	15:370		Ther.	SeDiv ^{ns} .	Ther.	1000	h. m.				0	SeDivns.	0		h. m.	S.			Ther.	Se-Divas.	Ther.
14 18		0		419.2		105 4		15		-		468.5	31	119.7	33	15	3 50	0		442.6		117.9	0.0
	45	0		402.3		101.6			15 20			454.0		119.8			4 5	0	53.1	432.0	36	118.4	36
	50 55	0		399.3		98.1			25	-		468.9		118.8			10 15	0		427.0		118.2	
19	5	0		405 · 3	35	86.4	36		30			474.6		119.0			20	0	~ ~ ~	410.0		116.1	
13	10	0		406.9	00	90.3	00		35			475.8		120.3			25	0	48.3	407.7	1	116.5	
	15	0		410.2		88.8			40			473.5		119.7			30	0	45.2	401.5		116.4	
	25	0		395 · 1	1 2	90.9			45			474.1		119.7			35	0	39.7	402.1		116.6	
	30	0		405 6		88.4			2 40	0	54.8	465.3	32	119.8	34		40	0	34.0	401.9		120.3	
	35	0	48.9	411.2	100	90.8			45	0	55.5	469.0		119.5	2516		45	0	39.9	401.5		121.4	
100	40	0	52.3	385.8		86.8			50			469.4		119.0			50	0	41.4	400.0		121.0	
	45	0		394.8		85.3			55		58.1	469.8		118.8			55	0	40.9	410.2		121.2	
	50	0		413.6	-	90.0	1		3 5		62.3	454.0	34	116.8	35		5 5	0		417.0	37	123.1	37
	55	0		419.2		94.8	00		10		00.2	464.1		120.2			10	0		413.3		122.5	
15 0	25	0	59.8	463.3	32	114.4	33		15		56.9	467.5		119.4			15	0	37.3	408.1		122.7	
	30	0		456.5		114.8			20 25		52.0	467.3		119.2			20	0	38.6	403 · 3		122.6	
	35	0	58.9	459.5		115.0			30		54.5	457.4		119.8			25 30	0	40.0	401.2		122.8	
	40 45	0	58.0	462.0	1	114.4		1	35		57.8	460.0		118.3			35	0	40.6	403.7		123.8	
100	50	0		466.8	1	114 3	1	1	40		57.1	458.2		118.5			40	0	41.9	420.6		125.5	
	55	0	60.4	-	-				45			450.4		118.3			45	0		416.6	1	126.2	1
	00	,	00 1	101 1	1			1	10		0,0		and the same			1	10	-	000	1100		11-0 2	1
d, h		H. F	. magnet r	nuch dist	urbed;	shocks.						Da Time a		Ship's Appea Position	oximate a.								

10 0	H. F. magnet much disturbed; shocks.
11 0	Decl. and V. F. much disturbed; H. F. vibrating moderately at 11 ^d , 0 ^h .
11 22 12 0	Much disturbed; vibrating with shocks at 12 ^d , 0 ^b .
14 18 to 15 6	Magnets much disturbed; vibrating with shocks.
16 20 17 0	Moderate disturbance; vibrating with shocks.
18 0	Moderate vibrations; shocks.
21 18 20	Much disturbed; vibrating with shocks.
22 0 2 4 12	Much disturbed; shocks.
29 0	Much disturbed; vibrating with shocks. Decl. magnet only not vibrating at 29d, 0b.
30 18 to	Moderate disturbance; vibrating with shocks.
31 0	Jacobs State

Notices of the	Aurora Aust	ralis seen	from Her	Majesty's Ship	Terror,	during the month
THE RESERVE OF THE PARTY OF THE				Captain Crozie		

Date, Time at Ship.	Ship's Ap Posi	proximate tion.
Time at Surp.	Lat. 8.	Long. E.
d. h. m. 1 11 0	68.8	168-1
2 12 0 5 9 57	68·3 65·7	168·0 167·0
17 12 0 21 11 0	64·4 64·7	152·0 140
21 12 0 to 14 30 22 9 0	62.8	139
22 11 20		100
11 40		
12 0		

Aurora in the N.W., the rays extending to 10° from the zenith from the base of a dark cloud.

The Aurora extended from N.W. by W., to N E. by E. The horizon to the South was illuminated by a pale light. Two pale streaks of light in the E.N.E., which lasted about two minutes, commencing at an altitude of thirty

A faint Aurora seen in the S.W. towards midnight. Observed an Aurora in the N.W. shooting rays of light at an altitude of 6° obliquely towards the horizon.

The Aurora in the N.W. shooting rays of light from behind dark clouds.

Observed the Aurora in the North, shooting rays of light towards the zenith.

The Aurora became very brilliant, extending from East to West; the colour was a pale white, shooting pencils of rays of a red tinge to the South and West. The Aurora illuminated the whole heavens, giving a light

equal to the moon.

The Aurora visible in the zenith till 12^h, 30^m. Wind

unsteady.

Date. Time at Ship.	Posi Posi	tion.
time at ourp.	Lat. 8.	Long, E.
d. h. m. 23 7 50 to 8 40	62	135
24 10 0 25 0 0 7 0	61 60·5	133 131·5
27 8 0	58	128.0
28 8 0) to 11 0)	57	
29 0 0	56	129
7 30		
30 0 0	55	132
10 0		
11 30		

Observed the Aurora extending across the zenith in a N.N.W. and S.S.E. direction: between 5^m, 20^p, and 8^m, 40^s, the Aurora was very brilliant, shooting pencil rays to the zenith, and forming a canepy of pale bright light from an altitude of 30° over the mast-heads, latterly diffusing, from its radiated appearance, and then disappearing during some of the most brilliant coruscations; stars were visible through

An Aurora occasionally very bright from N.W. to E.N.E.
The Aurora occasionally seen from N.W. to S.E.
Observed a bright Aurora from North to East during the
night; it occasionally became very bright in the zenith.

An Aurora was observed to form due West, which at a. 30°, extended across the zenith in an Easterly direction, Sm. 30*, extended across the zenith in an Easterly direction, until at 9m. 30*, it reached within three degrees of the Eastern horizon, where it appeared to rest upon a massy cloud; it became very brilliant, shooting streams of light in a horizontal direction easterly, showing various colours, bright red, purple, and deep blue, giving a moonlight appearance; at 11m. 20*, it entirely disappeared.

The Aurora was shooting pencils of rays of pale light from hebrind dark clouds.

behind dark clouds.

behind dark clouds.

The Aurora extended from a thick massy cloud in the N.W. across the zenith, to within 6° of the horizon in the S.E., giving a mosolight appearance.

A brilliant Aurora in the zenith, at times exhibiting rays of crimson, blue, purple, and green light.

The Aurora extended from East to West in an arch, the Aurora extended from East to West in an arch,

The Aurora extended from East to West in an arch, shooting bright variegated streams of light from behind a bank of dark clouds which skirted the horizon in that direction; at times very brilliant, and reflected by the sea.

The Aurora West at an altitude of about 4°, extending in a narrow arch through the zenith, and meeting the Eastern horizon; the part of the arch to the Westward being very bright.

The Aurora commenced soon after dark, from East, in a curved line terminating in the West.

From 10^m, to 11^m, 30^s, the Aurora was very bright.

faint streamers shooting up from it.

"14 20 Wind N. by W. light; clear and unclouded; since 18^h, the features of the Aurora have been continually changing from arches of light, to detached banks and patches; some very vivid pulsations occurred about 19^h.; nothing now appearing except two very faint streamers in the N. W.

"14 22 Calm, clear, and unclouded; a bright bank of light remaining in the North."

b The extra observations commenced at midnight of Sunday at Toronto, at which time the Aurora was visible, and is described as follows:-

Calm, clear, and unclouded; bright auroral light in the North; a number of

r	M	ARC	н 14, 15	, 16, and	d 17,	1841.			M	RC	н 14, 1	6, 16 an	1 17,	1841.			Marc	н 14, 15	, 16 and	17, 1	1841.	
М	. Gött. T	Time.	Decl.	Hor. 1	Force.	Vert. 1	Force.	M. G6	tt. Tin	ne.	Decl.	Hor. I	orce.	Vert. 1	Force.	M. Gött.	Time.	Decl.	Hor. F	orce.	Vert. I	Force.
d.	h. m.	8.		ScDiv	Ther.		Ther.					ScDivas	0	ScDivas	0	d. h. 1			ScDiv ^{no} .	0	SeDivas	Ther.
15	5 50	0	42.5	424.7		126·2 126·2	CI	10 12	0	0	51.0	463·6 459·3	43	106.5	46	22	0 0	33.8	57·1 62·0	70		1 13
	6 5	0	42.5	444.7	39	126·8 126·8	38	14 16	0	0	53.0	462.8	42 41	107.7	46 45	24 100	0 0	35.2	62.0	70	1 00	
	15 20	0	43.5	459·7 467·5		127·0 127·5		18 20	0	0	54.2	461 · 4	40 39	106·7 107·2	44 43	3	0 0	37.8	62.4	71 71	1	
	25 30	0	43·2 43·4	466·7 473·9		127.7		22	0	0	55.2	467.1	39	107:3	42	5	0 0	33.8	55.8	71 71		
	35 40	0	42.8	476·5 487·0		127·0 127·0		St. H	ELEN		Decl. 1.					6	0 0	37.6	54.9	71		
	45 50	0	44.9	488·6 488·8		127.1		200		(H. F. k :					Mean	Position	s at the sa	me hours	during	the Mont	th.•
	8 30 9 0	0	45.4	483·3 476·0	40 41	125·4 125·0	40 40	Positi	ous at		th, 14h. t				arcu	0	0 0	38.3	65.5	70		
	30	0	200	499.0	41	129.5	40	14 14		00	35.0	d		91		3	0 0	39.1	63·7 59·8	71		
1	Positions					, from Ma	arch	15 16	0	0	35.8			1 0		5	0 0	37.6	56.3	71 72		
-		140	in, 18". to	March 1	/th, 6"	1		18 19	30	0	35.1					100	0 0	39.0	52·9 52·8	72 71	- 11	
14	18 0 20 0	0	57·2 57·7	402·4 437·2	35 34	94.2	35 35	A PROPERTY.	30	0	32.0					380	0 0	30.3	52 7 53·1	70	1 3	1 11
15	22 0 0 0	0	59·4 58·5	414·3 467·7	33	99.1	35 33	22 23	0	0	31.3						0 0	39.4	54·5 55·2	70	1 13	1
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0	57·7 53·7	457·5 427·0	32 35	116.9	34 36	15 0	0	0	34.4					1000	0 0	38.9	54.7	70 70		1
1	6 0 8 0	0	43.2	423·5 467·0	39 40	111.8	39 40	3 4	0	0	38.7					1207	0 0	39.0	54.8	70 69	33	
	10 0 12 0	0	51·0 54·5	460·0 443·8	41	112.0	41 40	5 6		0	34.9					19 3 20	0 0	39.6	57·0 58·0	69 69	2 11 1	
	14 0 16 0	0	48·3 63·4	458·0 450·0		114·3 109·3	40 39	8 10		0	36.3					20 3 22	0 0	37.1	58·9 62·7	69 69	139	-
1	18 0 20 0	0	44·5 65·2	450·2 436·6	38	101.1	38 37	11 12		0 0	37.4					2727	0 0	36.5	64.5	69		101
	22 0	0	46·1 59·8	460·8 474·8	37	107.6	38 37	13 14		0	38.0	36.3	72			Van D	TEMPN	Decl. 1				71
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0	64.5	475.7	2000	111.9	37	15 16		0	39.1	39.0	71 71			Isla		H. F. k	= .00		q = q = q = q	
	6 0 8 0	0	a					18 19	0 (0	39.3	49·2 50·8	71 71					Extra ol	servatio	ns.		1-
	10 0 12 0	0							0 (0	41.4	53.1	71 70	8		The V.		bserved at 30°, after				I. F.
	14 0 16 0	0	54·2 52·4	442·3 460·5	41	104.1	42	22 23	0 (0	37.6	57.5	70 71			15 5 1		42.5	78.5	68	88.3	67
	18 0 20 0	0	57.5	461 · 9 472 · 5	38	103.3	39 38	16 0	0 (0	38.0	63.9	71 71			2	0 0	44.2	77.4		88.8	
	22 0	0	10000100101	470·7 459·7		102.3	37 36	3 4	0 0	0	33.9	62·1 56·0	72 72			3	0 0	49.9	69.1		88.8	1
	$\begin{array}{ccc} 2 & 0 \\ 4 & 0 \end{array}$	0		474·7 449·7		102.2	36 39	5 6	0 (0	32.7	46.6	72 72			3	0 0	37.7	71.2		89.4	100
_	6 0	0	47.9	450.4	41	98.9	41	10	0 (0	38.0	47.4	71 71			50	0 0	31.1	76.9	cc	89.1	00
1	Mean I	ositio		usual hour the Montl		servation		11 12	0 (0	38.3	50.0	71 71			6 10	5 0	43.4	75.2	66	88.5	66
1	0.0	0				100 0	-	13	0 0	0	38.0	49.0	71 71			20	5 0	41.7	74.6		88:6	200
-	0 0 2 0	0		473·3 468·0	38	110.5	42	15 16	0 ()	37.4	49·4 50·5	71		-	3:	5 0	42.4	73.7	17	89.5	2-1
	6 0	0	47.3	455.5	41	106.3	43 44		30	0	38.0	54.0	70			4	5 0	43.4	72.4		90.3	191
-	8 0	0	45.1	461.3	42	106.0	45	20	0 (38.1	55.2	70			50	0 0	44.6	71.2	100	92.2	-

During these hours the instruments were employed in observations of the absolute horizontal intensity.
 The mean positions of the H. F. magnet are from the 1st to the 15th of March, inclusive; and of the V. F. magnet from the 2nd to the 15th, inclusive.
 Commencing after midnight on Sunday at St. Helena.
 The H. F. magnet was undergoing adjustment until 15^d. 14h.

^e The mean positions of the Decl. magnet are from the 1st to the 22nd of March, inclusive; and those of the H. F. magnet from the 16th to the 31st of March, inclusive; the connexion of the daily observations with the mean positions of the H. F. magnet, cannot be regarded as strictly determined, for the reasons assigned in page 37.
f "Calm; clear moonlight; heavy dew; no appearance of Aurora from the top of the hill near the Observatory."

March 14, 13	5, 16, and 17,	1841.	Marci	н 14, 15,	16, and	17, 1	841.		М	arch 22	and 23	, 1841	1.	
M. Gött. Time. Decl.	Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor. For	ce.	Vert. F	orce.	M. Gott. Time.	Decl.	Hor. F	orce.	Vert. I	orce.
d. h. m. s. SeDiv ^{ns}	ScDivas. Ther.	SeDivns. Ther.	d. h. m. s.	Sc. Divas.	ScDiv ^{ns} . 1	Ther.	ScDiv ^{ns}	Ther.	d. h. m. s.	SeDivas.	SeDivns.	Ther.	Se Divas.	Ther.
16 6 10 0 43·2 15 0 46·7	78.7 66	66	16 7 0 0	57.1	73.2	C=	96·3 92·3	0.	22 4 45 0	40.7	420.0		96.3	
20 0 49.2	77.5	92.7	8 0 0 9 0 0	48.3	76.6	65	93.3	65	50 0 55 0	39.0	438·1 445·4		96.5	
25 0 53·5 30 0 54·9	74.1	94.4	10 0 0	45.9	75.5	63	94.7	63	5 5 0	38.8	445.3	42	97.1	44
35 0 54.9			12 0 0	46.5	73.6	64	94.2	65	. 15 0	38.0	434 7		96·7 95·1	
40 0 55·7 45 0 57·0	72.7	96.3	13 0 0 14 0 0	47·2 50·9	73.8	69	93.0	70	20 0 25 0	42.0	443 · 7	43	95·0 95·1	44
50 0 56·9 7 15 0 53·5	72.7	97.2	15 0 0	54.4	69.5	60	91.8		30 0	41.1	452.4	10	95.2	-11
20 0 51.4	74.6 66	94.1 65	16 0 0 17 0 0	57.3	69.8	74	80.8 81.0	73	35 0 40 0	44.1	437.6		95.2	
25 0 50·3 30 0 47·5	74.2	93.5	18 0 0 19 0 0	54.1	69.5	76	92.3	73	45 0 50 0	42.5	440.5		95.3	
35 0 48.6	11.2		20 0 0	52.6	71.2	76	92.0	72	55 0	43.0	429·6 421·9		96.8	
40 0 47.4		93.3	21 0 0 22 0 0	52.1	72.5	73	91.7	71	6 30 0	41·3 37·5	459.9	44	98·2	44 44
Positions at the usual			23 0 0	44.5	74.3		91.0		7 30 0	39.2	454.1	44	97.5	44
March 14th, 10 ⁵	, to March 17th	, 6 ^h .	1 0 0 0	43.5	75.6	71	91.7	69	8 30 0 9 0 0	37.7	478.7	44 45	98.5	44 45
14 10 0 0 46.9	83.4 61	94.0 61	2 0 0	47.4	V-2000000000000000000000000000000000000	69	93.2	68	9 30 0	43.1	450.3	45	106.1	45
11 0 0 38·4 12 0 0 41·1	79·9 75·7 63	93·2 95·8 62	3 0 0 4 0 0	48·6 52·0		69	94.0	67	10 30 0		430.7	45	112.6	45
13 0 0 47.8	71.8	96.7	5 0 0 6 0 0	50.7	76.8	67	93.4	66	Positions at March		hours of to March			n
14 0 0 53·8 15 0 0 58·1	69·7 67 69·9	96·6 67 95·2				- 11			21 18 0 0°	58.6	455.2	44	92.0	44
16 0 0 62·8 17 0 0 63·0	67·9 71 67·0	95·6 71 95·7	Mean Position	s at the san	ne hours du	uring t	the Monti	h.	20 0 0	69.3	454.4	43	86.4	44
18 0 0 67.2	72.2 74	94.8 72	0 0 0	48.0		68	93.3	66	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	58·9 63·8	474.0	44 43	94.6	44 44
19 0 0 64·5 20 0 0 52·2	67.6	96·5 96·2 72	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	47.4	76.5	67	93.4	65	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	73.1	458.1	42	93.8	43
21 0 0 50.5	65.9	97.1	3 0 0 4 0 0	47.4	76.8	65	93.5	64	6 0 0	39.2	411.4	42 44	93.4	43 44
22 0 0 49·0 23 0 0 45·6	65.5 72	97·8 69 97·7	5 0 0	47.5	77.6	00	93.7	04	8 0 0	41.7	488.5	44 45	97·1 108·2	44 45
15 0 0 0 44.4	78.3 69	92.4 69	6 0 0	48.3	77.7	64	94.1	63	12 0 0	68.2	460.0	45	102.2	45
2 0 0 50.5	70.8	92·6 93·8 69	8 0 0	48.0	78.1	63	94.3	62	14 0 0 16 0 0	57·5 68·7	437.8	45 45	98.2	45 45
3 0 0 44·9 4 0 0 43·6	73.6	92.2	9 0 0	47.0	78.0	62	94.7	61	18 0 0 20 0 0	47.8	435.8	44	.90.3	45
5 0 0 38.3	78.4	88.3	11 0 0	43.4	76.6		94.3		22 0 0	61.6	396.0	44 45	67·2 81·6	45 45
6 0 0 40·5 7 0 0 46·8	77.1 66	88·5 66 93·5	12 0 0 13 0 0	43.4	75.4	63	94.2	63	23 0 0 0 0 2 0 0	58·6 52·6	449·0 435·0	45 46	87·3 86·7	46 46
8 0 0 44.3	72.7 64	93.5 63	14 0 0 15 0 0	50.0	72.7	66	94.2	66	4 0 0	56.8	437.6	46	88.9	46
9 0 0 49.6	72·2 74·0 63	96·3 94·7 62	16 0 0	56.7	72.9	69	93.4	69	6 0 0 8 0 0	45.4	423 · 4	47 48	89.0	47
11 0 0 48·2 12 0 0 47·0	70·9 72·5 64	95·9 93·7 64	17 0 0 18 0 0	57·6 57·1	73.8	72	93.2	69	10 0 0	42.8	450.2	49	90.2	48
13 0 0 45.0	72.6	91.6	19 0 0	54.1	74.0		93.2		12 0 0 14 0 0	56·3	440·5 443·7	49 48	92.4	49
14 0 0 46·5 15 0 0 48·6	71·4 68 68·1	91.2 69	20 0 0 21 0 0	50.8	74.2	72	93.1	69	16 0 0 18 0 9		419.4	48	88.8	48
16 0 0 53.5	68.0 73	93 · 2 72	22 0 0 23 0 0	50.2	75.8	70	93.3	67			450.6	48	89.9	48
17 0 0 56·5 18 0 0 53·4	68·7 71·0 75	92.7 92.1 73	20 0 0	40 9	10 0		93 3		Mean Positions	at the sa	me hours	during	the Month	1.6
19 0 0 55·1 20 0 0 55·6	69·3 69·3 75	94·6 95·1 73	M	аксн 22 а	and 23, 1	841.			0 0 0 0 2 0 0	55·7 57·9	458·4 453·4	45 45	88.4	42
21 0 0 50.6	70.4	94.8	The second secon	Decl. 1 S					4 0 0	55.0	436.9	46	89.6	42 43
22 0 0 47·1 23 0 0 49·4	72.3 73	93.8 71		H. F. k = V. K = V					6 0 0 8 0 0	47·3 45·1	430·3 447·3	48 49	87.1	44 45
16 0 0 0 49.6	75.1 71	93.9 69	,	Extra ob			500		10 0 0	47.8	448.9	50	88.7	46
1 0 0 47·6 2 0 0 47·3	76·0 75·8 68	93·9 94·5 67	The V. F. wa H. F.	s observed 2m, after th					12 0 0 14 0 0	53·0 51·0	447.4	50 49	88.8	46
3 0 0 48·4 4 0 0 47·5	75·8 77·6 67	95.1				42	96-1	43	16 0 0 18 0 0	54·0 54·2	447·4 450·5	48	87.7	45 44
5 0 0 43.7	83.1	90.2	35 0	48.3	125.2	12	95.9	40	20 0 0	53.3	458.1	46	88·6 84·9	43
6 0 0 40.9	78.7 66	92.1 65	40 0	42.1	122.6		97.1		22 0 0	55.2	455.1	45	87.9	43
* Comm	encing at midni	ght of Sunday, at	t Toronto.		of Mare			ns of t	he H. F. and V. F	. magnets	, are from	the 17	th to the 3	lst

MA	акси 22	and 23,	1841			M	ARCH 22	and 23,	1841	. 15		M.	ARCH 22	and 23,	1841	
St. Helena	Decl. 1	Scale D	ivisio	n = 0'·71	М.	Gött. Time.	Decl.	Hor. F	orce.	Vert. Fo	orce.	M. Gott. Time.	Decl.	Hor. F	orce.	Vert. Force.
OI. HELENA				q = .00025	d.	h. m. s.	SeDivns,	ScDivns.	Ther.	ScDivas.	Ther.	d. h. m. s.	SeDivas.	ScDivas.	Ther.	ScDivas. Ther.
The H. F. wa	as observe	bservation d at 0 ^m . 3 ecified.		r the times	22	7 13 36 18 36	35.6	38.8			30	22 12 58 36 13 3 36	38.3	50.8	69	11 11
						23 36 28 36	36.0	39.0		8 8		8 36 13 36	38.4	50.5		13
M. Gott. Time.	Decl.	Hor. F		Vert. Force.		33 36 38 36	36.1	40.0				18 36 23 36	38.4	50.2		
d. h. m. s. 22 2 13 36	Se. Div	68.0	70	ScDiv ^{ns} . Ther.	1	43 36 48 36	36.2	40.5				28 36 33 36	37.9	50.3		
18 36 23 36	40·9 41·5	67·0 67·2				53 36 58 36	36.0	41.5				38 36 43 36	37.9	50.3		
28 36	41.9	67.1				8 3 36	36.0	42.0	70	1		48 36	38.3	50.8		
33 36 38 36	41.1	63.1				8 36 13 36	36.1	39.9		8 9		53 36 58 36	38.6	51.8		
43 36 48 36	39.2	61.0				18 36 23 36	36.0	39.1				14 3 36 8 36	38.8	52·1 52·1	69	
53 36 58 36	37·2 37·2	55·8 54·1				28 36 33 36	35.8	38.8		0.0		13 36 18 36	38.8	52·1 52·2		
3 3 36	37.2	52.3	70			38 36	34.9	39.1		0.1		23 36	38.6	52.1		
8 36 13 36	37.2	51.0				43 36 48 36	34.8	39.1				28 36 33 36	38.4	52·3 52·4		
18 36 23 36	37.2	48.0				53 36 58 36	35.1	39.5		8.9		38 36 43 36	38.4	52.3		
28 36 33 36	37·8 37·8	46.0				9 3 36 8 36	36.0	40.8	70	9 19		48 36 53 36	38.5	52.0		
38 36	35.2	47.9				13 36	36.0	42.0			100	58 36	38.5	51.4	-	
43-36 48-36	35.0	48.0				18 36 23 36	36.0	43.1				15 3 36 8 36	38.2	51.6	69	20
53 36 58 36	34.8	47.5				28 36 33 36	36.0	44.5		1 9		13 36 18 36	38.6	51.9		
4 3 36 8 36	33.8	46.6 45.8	70			38 36 43 36	35·2 35·0	44·9 44·3				23 36 28 36	39.3	52·8 53·3		
13 36	34.0	44.3				48 36	35.0	44.0		8 9		33 36	39.4	53.7		300
18 36 23 36	34.2	43.0				53 36 58 36	35.1	43.1		1 1 1		38 36 43 36	39.5	54.1		9-9-11
28 36 33 36	33.2	43·1 42·8				10 3 36 8 36	35.9	41.0	70	29		48 36 53 36	39.9	54.8		
38 36 43 36	32.9	41.5				13 36 18 36	36.0	40.0				58 36 16 3 36	39.6	54·2 54·3	69	
48 36	33.2	40.4				23 36	36.0	39.1				8 36	39.4	54.2	05	
53 36 58 36	32.5	40.3	-	1 3		28 36 33 36	36.1	30.0				13 36 18 36	38.8	54.1		
5 3 36 8 36	32.2	40.4	70			38 36 43 36	36.0	39.8				23 36 28 36	38.8	54.0		
13 36 18 36	33.0	40.0				48 36 53 36	36.0	39.8				33 36 38 36	38.5	53·9 53·3		
23 36	32.8	40.9				58 36	36.0	39.9				43 36	38'5	53.4		
28 36 33 36	35.3	41.1	-			11 3 36 8 36	36.1	40.0	70			48 36 53 36	38.6	53.3		2 3
38 36 43 36	32.4	38.4				13 36 18 36	36.5	41.1				58 36 17 3 36	38.7	53.7	69	
48 36 53 36	32.4	36.0				23 36 28 36	37.0	46.2		100		8 36 13 36	39.1	53·9 54·0		
58 36	32.2	34.8	71	- 11 1		33 36	37.8	48.9				18 36 23 36	39.1	54·1 54·5		
6 3 36 8 36	32·2 32·4	34.7	11			38 36 43 36	38.1	51·1 52·0				28 36	39.1	54.9		7 1
13 36 18 36	32.4	38.0				48 36 53 36	38.9	52.5		11.11		33 36 38 36	39.1	54·9 54·8		
23 36 28 36	33.8	39.8				58 36 12 3 36	38.9	52·8 53·0	70			43 36 48 36	39.0	54·1 54·3	1	
33 36	33.9	40.0				8 36	39.0	53.1		1		53 36	39.0	54.1		
38 36 43 36	34.1	39.8			1	18 36 23 36	39.1	52.0		Ten I		58 36 18 3 36	38.9	54.1	69	
48 36 53 36	35·0 35·2	39.4				33 36 38 36	39.1	50.2				8 36 13 36	30.0	54.8		23/19
58 36 7 3 36	35·4 35·5	38.4	71		1	43 36 .48 36	38.3	50.9			1	18 36 23 36	39.0	54·8 54·4		
8 36	35.5	38.1	000			53 36	38.1	50.9				28 36	39.0	54.0		
									1			Mary Parket				

M	ксн 22	and 23,	1841	AL I	М	arch 22	and 23,	1841		М	arch 22	and 23,	1840).	
M. Gött. Time,	Decl.	Hor. Fo	rce.	Vert. Force.	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. Force.	M. Gett. Time.	Decl.	Hor, Fe	orce.	Vert. F	orce.
d. h. m. s.	SeDivas.	Se. Divas.	Ther.	SeDivas. Ther	d. h. m. s.	ScDivns.	ScDiv**.	Ther.	Se. Divns. Ther.	d. h. m. s.	SeDivns.	ScDivns.	Ther.	ScDivas.	Ther.
22 18 33 36	39.0	52.9			22 2 0 0	42.6	75.0	70		22 3 10 0	28.4	73 8		78.9	
38 36 43 36	38.9	53.0			3 0 0 4 0 0	37.2	52.3	70 70		15 0 20 0	28.8	71.9		79.6	
48 36	38.9	54.2			5 0 0	32.4	40.3	70 71		25 0 30 0	29.3	73.2	-	82.1	
53 36 58 36	38.0	53.9			8 0 0	36.0	34.5	70		35 0	40.2				100
19 3 36 8 36	39.1	54.9	69		10 0 0	35.4	42·3 39·9	70		40 0 45 0	42.9	72.4	-	84.8	
13 36	39.6	55.8			12 0 0	38.9	52.8	70	ma	50 0	42.2	70.5		85.6	
18 36 23 36	39.9	56.9		1 11	13 0 0 14 0 0	38.1	50.9	69		4 10 0 15 0	37.1	72.0	69	85.2	69
28 36	40.2	55.8	3	200	15 0 0	38.5	51.4	69	Carolina Carolina	20 0	28.4	71.7	18	82.7	
33 36 38 36	40.0	55.2			16 0 0 18 0 0	39.0	54.2	69		25 0 30 0	28.6	71.1		82.5	
43 36	39.5	54.5			19 30 0	40.2		69	440	35 0	30.2	50.0	1	09.0	
48 36	38.0	54.0			20 0 0 20 30 0	38.2	53.0	69 69		40 0 45 0	28.9	70.9		83.2	
58 36	38.1	53.7			22 0 0	36.1	56.1	69		50 0	28.5	70.6		82.7	
20 3 36 8 36	37.9	53.5	69		23 0 0 23 0 0 0ª	38.4	56.8	69 70		5 10 0 15 0	29.5	68.8	-	85.0	22
13 36	37.8	53.7			2 0 0		53.0	71		20 0 25 0	27.9	68.5	1	84.1	
28 36 33 36	37.1	52.5	600		3 0 0 4 0 0	33.0	51.5	71 71		25 0 30 0	30.3	66.9		84.4	
38 36	37.1	52.8			5 0 0	32.0	51.2	72		35 0 40 0	34.4	cc.9		87.9	
43 36 48 36	37.1	52·5 52·8		100	8 0 0	32.0	51.3	72 72		40 0 45 0	44.3	66.3		01.9	
53 36	37.1	52.9			10 0 0	33.8	50.1	71		50 0	55.5	70.2	20	89.5	69
58 36 21 3 36	37.0	53.4	69		11 0 0	36.0	54.9	71 71		6 10 0	59.3	75.6	70		09
8 36	37.0	54.0			13 0 0	35.8	51.9	71		20 0	51.7	74.0		82.2	
13 36 18 36	36.9	54.4			14 0 0 15 0 0	36.0	54.3	70		25 0 30 0	46.4	74.0		81.7	
23 36	37.0	55.6			16 0 0	37.2	55.2	70		35 0 40 0	43.1	79.0		80.5	
28 36 33 36	37.0	55.9			18 0 0 19 30 0	37.1	53.9	69		40 0 45 0	39.7	73.8		00 3	
38 36	37.0	56.0			20 0 0	35.0	56.1	69		50 0 7 10 0	39.9	75.1		80.5	
43 36 48 36	36.6	56.1			20 30 0 22 0 0	33.5	57.9	69		15 0	40.6	15-9			
53 36	36 4	56.2			23 0 0	35.0	63.0	69		20 0 25 0	40.7	73.7		13.1	
58 36 22 3 36	36.0	56.3	69		-				On Shape of Co.	30 0	43.7	72.4			
8 36	36.1	56.2			hours during the	Month a	re given in	page	et at the same 48, as are also	40 0	44.8	70.9			
13 36 18 36	36.3	56.1			the Mean Posit 23rd, 0h., at w						47.9			100	THE .
23 36	36.9	57.0			broken.					10 10 0	48.8	72·2 69·5	67		67
28 36 33 31	37.0	57·0 57·0								15 0	62.5		0.		0,
38 36	37.7	57.2			VAN DIEMEN				on $= 0' \cdot 71$	20 0 25 0	62.8	72.1		93.6	
43 36	38.0	57.3			ISLAND	V. F.	k = 0	0003;	q = q = q = q	30 0	58.8	73.4		90.4	
Positions at the							bservatio	ome		35 0 40 0	55.9	72.7		88.4	
21:	st, 14h., to	March 23	3rd, 23	·.	The V. F. was				and the H. F	45 0	53.7				
21 14 0 0	39.8	62.2	68				the times			50 0 11 10 0	54.1	73.0		88.2	
15 0 0	39.5	59.2	69	1 2 3	-	1 .	II.	1		15 0	50.4				
16 0 0 18 0 0	39.3	60.0	68		22 2 12 30 17 30	41.3	74.1		92.8	20 0 25 0	50.1	71.0		87.6	
19 30 0	41.2	70.0	69		22 30	49.3				20 10 0	43.6	69.2	81	87.7	76
20 0 0 20 30 0	39.6	68.3	69		27 30 32 30	49.9	73.3		92.8	15 0 20 0	42:3	69.1		88.5	
22 0 0	35.1	67.0	68		37 30	52.4	75.6		92.5	25 0	43.9			194	1
23 0 0 0 22 0 0 0	36.8	69.6	68	000	42 30 47 30	57:0	78.8	68	91.5 66	30 0 35 0	44.1	65.6		89.1	
-					1		1		1000			1			

At 23⁴, 2^h, the Decl. magnet was employed in observations on the absolute horizontal intensity, whereby the connexion of the differential series was broken; the subsequent observations with this instrument are therefore unconnected with the preceding ones.

Ma	псн 22	and 23,	184	1.			7	MARCH 2	2 and 23	, 184	1.		April	18, 19,	20, and	21, 1	1841.	
M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Got	t. Time	Decl.	Hor. F	orce.	Vert. I	Force.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m. s.	Se,-Div ^{ns} .	ScDivns	Ther.	ScDivns.	Ther.	d. h.	m. s.	ScDivns	ScDiras	Ther.	Sc. · Divns	Ther.	d. h. m. s.	Sc Divas.	ScDivns.	Ther.	ScDivas.	Ther
22 20 40 0	43.9	66.8		90.5	0	23 21	0 0		71.7	0	99.7	0	10 0 0	44.2	55.8	52	80.7	51
45 0 50 0	45.9	66.8		91.4		22 23	0 0		72.9	73	91.0	71	12 0 0 14 0 0	48.3	54.8	53 52	81.2	52 52
			-					1					16 0 0	52.9	50.7	51	80.4	51
Positions at the v		rs of obse March 23			irch	The M	Iean Po	are give	e same hor en in page		ing the M	onth	18 0 0 20 0 0 22 0 0	52·1 53·0 53·6	54·2 58·5 61·2	49 48 48	80·6 81·4 81·3	49 49 48
21 14 0 0	51.4	75.7	63	93.8	62		APRI	ь 18, 19,	20, and	21, 1	841.			(Doel 1	Scale I	liminto.	- 00.	71
15 0 0	55.6	76 4		92.3			(Decl. 1	Scale Di	vision	= 0'.7	12	St. Helena	H.F.	= .000	018;	q = .00	025
16 0 0 17 0 0	56.1	76.5	66	91.7	64	Toro	NTO.	H. F. k	= .0000	76; 9	=:000	2	Positions	at the use	al bours	of obser	vation,	
18 0 0	60.3	79.2	68	92.8	65)	V. F. k :				118		April 18,	19, 20, an	d 21.		
	57.8	73.4	67	94.8	67		Position	April 18,			vation,		18 14 0 0b	27.1	64.9	70		
21 0 0	54.7	74.6	co	92.7		10.10	0 0	1 40.0	40.1		04.8	45	15 0 0	27.1	64.2	70	11 10	
THE RESERVE TO SERVE	53.3	77.7	69	90.5	67	18 18	0 0	48.2	49.1	44 44	84·7 79·8	45 44	16 0 0 18 0 0	28.0	65.9	70	0.25	
	51.3	76.8	68	91.7	67	19 0	0 0	52.7	68.4	43	85.0	44	20 0 0	29.9	66.9	70		
	49.1	77.6	67	91.3	66	19 0	0 0	55.2	60.1	44 44	86.6	45 45	20 30 0 22 0 0	28.0	65.0	70	23 11 11	
	39.6	74.7	60	80.7	co	4 6	0 0	50.1	32.5	45 46	85·1 85·1	45	23 0 0	29.8	71.6	70		
	39.1	71.0	69	86.0	69	8	0 0	41.1	55.6	49	83.1	46 48	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	31.2	71.0	71 71	100	
	68.2	73.7	70	89.3	69	10 12	0 0	39.8	63.8	50 50	86·1 91·5	49 50	3 0 0 4 0 0	26.8	68.9	71 72		
	50.5	71.9	69	89.3	69	14	0 0	42.9	53.7	50	86.5	50	5 0 0	26.0	63.9	72	1012	
	52.2	72·5 68·5	67	90.2	67	16 18	0 0	47·9 52·6	41·7 31·1	49 48	86·4 81·3	49 48	6 0 0	26.8	65.0	72 72	000	
	52.5	73.0	0,	87.3	01	20	0 0	54.0	53.6	47	79.5	48	10 0 0	28.2	63.0	71	10000	
	46.0	67.9	68	90.0	67	20 0	0 0	45·6 57·4	65.4	47 46	67·1 75·9	47	11 0 0 12 0 0	27.8	62.9	71 71	Polls	
14 0 0	50.9	69.6	69	89.9	67	2	0 0	56.5	50.7	46	83.2	46	13 0 0	30.0	65.9.	71	Sec.	
	52.6	69.6	74	89.5	73	6	0 0	52.6	38.5	46	84.4	46 46	14 0 0 15 0 0	30.0	65.8	71 70	200	
17 0 0	54.8	70.1		87.6		8	0 0	40.8	67.5	47	91.1	47	16 0 0	30.0	65.9	70	0000	
	56.4	69.1	79	88.5	75	10 12	0 0	45.9	61·4 53·1	47	93.8	47 47	18 0 0 19 30 0	31.3	67.0	70	0 5	
20 0 0	40.6	71.7	81	87.9	76	14	0 0	57.8	57.0	47	87.0	47	20 0 0	31.9	68.1	70	0 10	
	49.6	66.9	80	91.2	76	16 18	0 0	61.2	45·0 28·1	46 45	86.5	46 46	20 30 0 22 0 0	30.0	69.1	70 70		
23 0 0	48.8	69.2	10000	89.7	100	20	0 0	53.9	64.5	45	86.5	46	23 0 0	31.0	68.8	70	10 10	
	46.0	68.1	77	89.1	74	21 0	0 0	42·2 57·0	68.3	44 45	84.0	45 45	$\begin{bmatrix} 20 & 0 & 0 & 0 \\ 2 & 0 & 0 \end{bmatrix}$	28.4	71.1	71	-	
2 0 0	34.1	67.7	74	88.9	73	2	0 0	57.3	50.0	46	84.7	46	3 0 0	23.9	68.0	72	10 100	
	48·4 55·2	69.3	73	90.6	71	6	0 0	49.9	37·2 44·5	48 49	81.3	48 49	4 0 0 5 0 0	26·1 25·8	66.2	72 72	MARKON	
5 0 0	54.3	73.5		87.7		8	0 0	44.8	54.9	51	81.2	50	6 0 0	26.0	61.1	72 71		
7 0 0	47.8	72.8	71	89·0 90·4	70	10 12	0 0	46·6 52·4	59·4 52·4	52 54	80.9	52 53	8 0 0	26.8	59·9 62·0	71		
8 0 0	49.3	74.9	68	91.2	67	14 16	$\begin{array}{ccc} 0 & 0 \\ 0 & 0 \end{array}$	55·2 52·6	36.0	53 52	79·8 71·8	54	11 0 0 12 0 0	28.1	64.1	71 71	19 199	111
10 0 0	49.4	75.5	66	93.3	65	18	0 0	54.2	54·8 45·2	51	76.5	53 52	13 0 0	28.9	63.9	71		
C1000 1000 1000	47.1	73.6	66	93.3	66	20 22	0 0	53.6	44·0 53·6	50 49	77.8	51 49	14 0 0 15 0 0	29.1	65.1	72 70		
13 0 0	46.2	73.4		90.6	00	22	0 0	36.9	33 0	40	77.6	49	16 0 0	30.2	67.6	70	Boy Co	
	48.1	71·6 67·7	69	90.3	69	Mean	Positio	ons at the s	ame hours	during	the Mont	th.	18 0 0 19 30 0	31.8	72·0 68·9	70		21
16 0 0	53.9	66.8	72	92.0	72	0	0 0	55.1	62.8	48	82.0	48	20 0 0	31.4	68.0	70	1011	8-1
17 0 0 18 0 0	55.8	68.2	74	91.3	73	2 4	0 0	56.1	52·8 37·7	48 49	82.2	48 49	20 30 0 22 0 0	30.5	68·9 72·4	70	THE REAL PROPERTY.	
19 0 0	52.0	69.2		91.3		6	0 0	43.4	34.1	50	79.6	50	23 0 0	30.2	72.9	70	3000	
20 0 0	51.3	71.0	76	90.7	72	8	0 0	40.7	50.6	51	80.4	51	21 0 0 0	31.9	76.0	70		
THE .	a Comme	encing aft	er mid	night of Se	ınday	at Toront	0.	The Park	10		b Com	mencin	ng after midnight o	f Sunday	at St. Hele	ena.		

APRIL 18, 19,	20, and 21, 1	1841.	Aprii	. 18, 19,	20, and	21, 1	841.	APRIL	18, 19,	20, and	21, 1	841.	
M. Gott. Time. Decl.	Hor. Force.	Vert. Force.	M. Gött, Time.	Decl.	Hor. Fo	rce.	Vert, Force.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. Fo	orce.
d. h. m. s. ScDiv ^{ns} 21 2 0 0 29 0 3 0 0 26 6	ScDiv ^{ns} . Ther. 74·9 71 70·9 71	ScDiv ^{ns} . Ther.	d. h. m. s. 1912 0 0 14 0 0	Sc. Div ^{ns} . 47.8 51.6	ScDiv ^{ns} . 43.0 45.1	Ther. 68 68	ScDiv ^{ns} . Ther.	d. h. m. s. 18 5 35 0 40 0	ScDiv ^{ns} . 59.0 57.8	ScDiv**.	Ther.	ScDiv ^{ns} .	Ther.
4 0 0 26.9 5 0 0 27.9 6 0 0 28.9	66.9 72 65.6 72 66.0 72		16 0 0 18 0 0 20 0 0	52·1 53·6 50·2	45·1 43·6 47·0	67 66 66		45 0 50 0 6 10 0	56·1 54·8 54·6	210·1 208·0	54	88.3	54
8 0 0 28·8 10 0 0 29·0 11 0 0 30·1 12 0 0 30·4	66.0 71 67.1 71 70.2 71 68.9 70		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	48·2 51·0 49·8 49·6	42·3 41·8 39·8 38·9	67 68 69		15 0 20 0 25 0 30 0	54·2 53·6 52·8 51·5	206.9		89.3	
13 0 0 30·5 14 0 0 30·4 15 0 0 30·8	68.0 70 66.9 70 67.2 70	CONTRACTOR OF THE PARTY OF THE	6 0 0 8 0 0 10 0 0	46·3 47·8 47·9	37·5 36·9 41·7	69 69 69	orres T	35 0 40 0 45 0	50·0 48·9 48·5	207.9		88.9	
16 0 0 31·0 18 0 0 29·9 19 30 0 31·1	69·1 70 68·1 69 69·7 70		12 0 0 14 0 0 16 0 0	50·1 51·9 54·2	43·6 44·0 45·3	68 68		50 0 8 10 0 15 0 20 0	48·1 57·9 56·6 54·1	208·8 207·4 208·3	54	89.8	53
20 0 0 30·8 20 30 0 30·1 22 0 0 28·9 23 0 0 29·2	69.2 70 68.0 70 73.5 70 74.8 69	9.0	18 0 0 20 0 0 22 0 0 21 0 0 0	56·3 50·5 48·2 51·4	49·1 48·1 44·4 44·6	68 67 67 68		25 0 30 0 35 0	53·4 53·6 54·0	207.9		88.6	
Mean Positions at the		g the Month.	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	51·6 50·5 50·0	42·1 48·8 43·8	69 70 69		40 0 45 0 50 0	54·8 56·0 56·8	206.4		90.0	
0 0 0 30·5 2 0 0 29·8 3 0 0 28·9	78·8 70 77·6 71 74·8 71	0 0 0 0	8 0 0 10 0 0 12 0 0	50·1 50·8 51·8	43·4 45·7 47·6	68 68 68		9 10 0 15 0 20 0 25 0	56.0 54.9 54.4 52.8	204 • 4		90.8	
4 0 0 29·0 5 0 0 29·0 6 0 0 28·7	72·0 71 70·1 71 68·8 71	9 5	14 0 0 16 0 0 18 0 0 20 0 0	52·1 54·5 51·9 50·7	45·9 45·5 46·4 48·3	69 69 68 68		30 0 35 0 40 0	51·3 51·0 51·5	203.4		90.6	
8 0 0 29·2 10 0 0 29·6 11 0 0 29·7	67·5 71 67·9 70 68·4 70	0 4	22 0 0	50.5	45.9	67	N-N-0 >	45 0 50 0 10 10 0	50·5 49·3 50·6	204·1 204·5	54	90.4	54
12 0 0 29·8 13 0 0 30·1 14 0 0 29·8 15 0 0 30·1	67.9 70 68.5 70 68.9 70 69.3 70		Mean Position	51.1	40.3	66	the Month.	15 0 20 0 19 21 10 0 15 0	49·2 49·2 36·9	197-4	64	89.7	64
16 0 0 30·4 18 0 0 30·7 19 30 0 31·7	69.8 70 71.0 69 71.8 69		2 0 0 4 0 0 6 0 0 8 0 0	52·7 51·8 50·9 51·1	39·4 39·4 38·6 38·2	67 68 68 67		15 0 20 0 25 0 30 0	34·7 33·0 33·4 33·8	198.4		90.3	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	71·9 69 72·7 69 76·5 69		10 0 0 12 0 0 14 0 0	50·7 51·2 51·6	39·8 39·8 40·7	67 67 67		35 0 40 0 45 0	34·9 34·9 35·7	200.3		89.9	
23 0 0 28·8	1 Scale Divisi	on = 0'-55	16 0 0 18 0 0 20 0 0	52·2 51·6 47·4	41·0 42·1 44·3	66 66 66		50 0 22 10 0 15 0 20 0	36·8 38·4 39·6 39·0	200·4 200·4	65	89.4	65
GOOD HOPE (H. F.	k = .00018 sual hours of obs	; q = .0003 ervation,	22 0 0	(Decl. 1	42·7	66 Divisi	on = 0' · 71	25 0 30 0 35 0	37·5 37·3 36·8	198-1		90.3	
18 12 0 0ª 54·7	19, 20, and 21.		VAN DIEMEN ISLAND	H. F.	k = .000)3; q	=	40 0 45 0 50 0	35·8 35·3 36·2	197.7		90.3	
14 0 0 51·0 16 0 0 52·8 18 0 0 50·0 20 0 0 51·2	45.8 67 42.3 66 43.8 66 45.9 66	8 11 1	The V. F. was 2 ^m .	observed :	bservations 2 ^m . 30°. the times	before,		23 10 0 15 0 20 0 25 0	38·8 39·6 40·4 41·0	197.0	65	92.0	65
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	46.9 66 45.0 67 43.8 68		18 5 5 0 10 0	60.3	208.9		93.3	30 0 35 0 40 0	41·4 41·9 41·1	195·7 195·9		92·1 92·8	
4 0 0 47.5 6 0 0 48.8 8 0 0 50.2	40·0 69 40·7 69 40·8 69	1	15 0 20 0 25 0	63·8 63·9 62·8	210.4	N. Y	92.4	45 0 50 0 55 0	41·1 40·8 40·9	196.3		92.8	

^{*} Commencing after midnight of Sunday at the Cape of Good Hope.
b The mean positions of the H. F. magnet are not strictly comparable with the positions of the 18th to the 21st, owing to the progressive stretching of the wires, which continued throughout the month.

 $^{^{\}rm c}$ From 20d, 0h, 10m, to 20d, 1h, 45m,, the V. F. was observed at 5m, before, and the H. F. 5m, after the times specified.

APRIL	. 18, 19,	20, and	21, 1	841.			Ai	PRIL	18, 19,	20, and	21, 1	841.		APRII	. 18, 19,	20, and	21, 1	841.				
M. Gott. Time.	Decl.	Hor. Fo	orce.	Vert. F	orce.	M. Göt	t. Ti	me.	Decl.	Hor. Fo	rce.	Vert. F	orce.	M. Gott, Time,	Decl.	Hor. Fo	rce.	Vert. F	orce.			
d. h. m. s.	Se. Divns.	SeDivus.	Ther.	Se - Divns.	Ther.	d. h.	m.	3.	SeDivas.	ScDivas.	Ther.	ScDivas.	Ther.	d. h. m. s.	SeDivns.	SeDivus.	Ther.	SeDivns.	Ther.			
20 0 20 0	43.0					19 2	0	0	45.1	205.3	56	92.8	55	21 12 0 0	50.7	204.9	51	95.8	53			
30 0	45.5	197.8		91.8		3	0	0	45.6	204.4		93.5		13 0 0	47.6	203.2		94.2	-			
40 0	40.8	100.0		90.9		4	0	0	46.1	208.5	55	90.4	55	14 0 0	50.3	200.4	55	93.3	57			
50 0 1 5 0	38.0	198.0		90.9		5 6	0	0	47.5	205.3	55	93.1	55	15 0 0 16 0 0	54.5	199.5	59	93.7	60			
15 0	42.7	131 2				7	0	0	48.4	205.2	00	93.1	0.0	17 0 0	56.0	202.5	99	91.1	00			
25 0	42.9	197.6		91.9		8	0	0	48.7	206.7	54	93.1	54	18 0 0	56.0	201 . 7	61	93.0	61			
35 0	43.2		-	0.0		9	0	0	50.4	206.3		93.4		19 0 0	53.4	101.7		92.8	-			
45 0 10 5 0	44·5 58·0			91.9		10	0	0	50.9	206.9	56	93.8	54	20 0 0 21 0 0	49.7	201.3	62	92.4	62			
10 0	58.0	201.0	58	94.2	57	12	0	0	49.2	203 4	55	93.9	55	22 0 0	49.6	201.1	61	91.5	62			
15 0	56.9					13	0	0	47.0	202.3		92.6	1	23 0 0	47.5	202.0	0.	93.1	0.0			
20 0	56.2	202.8		94.1		14	0	0	45.9	203.1	57	89.9	56		-	11			_			
25 0	57.6	202.0		02.5		15	0	0	48.4	201.7	60	90.4	59	Mean Position	ne ne el-	ama bear	desi	the 37	eb.			
30 0 35 0	58.9	203.8		93.5		16	0	0	51.1	197.8	00	91.9	39	Steam Position	as at the s	aine nours	during	the Mon	in.			
40 0	60.1	204.2		95.4		18	0	0	52.6	198.7	62	94.3	60		1	11	Land	1	1			
45 0	60.5			100000		19	0	0	51.4	200.0		94.1		0 0 0	47.4	203.6	59	93.4	58			
50 0	60.1	203.9		92.6		20	0	0	50.5	200.7	63	92.7	61	1 0 0	The state of the state of		58		57			
55 0 11 5 0	60.3					21 22	0	0	37.1	196.9	65	91.9	2 0 0 46.3 204.6 58 92.8									
10 0	55.8	204.2	58	91.4	58	23	0	0	37.3	196.5	0.0	91.6	1	4 0 0 48.0 204.8 57 93.2								
15 0	54.6					20 0	0	0	40.8	196.3	66	92.7	65	5 5 0 0 48.9 204.8 93.7								
20 0	53.5	203.8		90.9		1	0	0	40.9	198.1	0.	90.9	0.5	7 0 0	49.3	205 · 0	56	93.4	55			
25 0	52.8	000.0		00.0		2	0	0	45.8	201.8	65	90.5	65	8 0 0	48.8	205 4	55	93 4	55			
30 0 35 0	52.5	203.8		90.8		3 4	0	0	48.0	199.8	63	90.2	62	9 0 0	49.0	205.5	-	93.6				
40 0	51.9	203 · 1		90.5		5	0	0	50.2	203.5	00	92.7		10 0 0	47.4	205.7	54	93.5	54			
45 0	51.2					6	0	0	50.4	205 . 7	61	89.1	60	11 0 0	46.3	205.4		93.4				
50 0	51.2	202.8		90.7		7	0	0	50.6	203.4	50	90.6	10	12 0 0 13 0 0	45.1	204 · 6	54	93.4	54			
14	-	18			-	8 9	0	0	52.2	203.6	59	91.4	58	14 0 0	47.8	202.3	56	93.2	56			
Positions				servation,		10	0	0	56.6	201.2	57	94.9	57	15 0 0	50.6	201.6		93.1				
	April 18,	19, 20, an	d 21.			11	0	0	58.7	204.4		91.8	1	16 0 0	53.8	201.3	. 59	93.4	58			
	1.00	lack o		00.0		12	0	0	51.2	202.5	59	91.0	60	17 0 0 18 0 0	55.0	201 9 202 4	61	93.3	59			
18 3 0 0 ^a 4 0 0	47·3 50·5	207.0	53	92.9	53	13 14	0	0	45.1	201.9		89.8	60	19 0 0	52.8	203 . 0	01	92.7	33			
5 0 0	59.7	208 2	30	93.3	55	15	0	0	48.1	199.8		90.0	00	20 0 0	51.6	203 · 2	61	92.7	59			
6 0 0	54.1	210.1	54	88.6	54	16	0	0	51.7	198.8	62	92.1	60	21 0 0	49.5	203.2	-	92.3				
7 0 0	47.7	209 · 1		87.5		17	0	0	52.2	197.6	0.1	93.6	-0	22 0 0 23 0 0	48.8	203 · 5	60	92.4	59			
8 0 0 9 0 0	59.4	206 · 7	54	92.6	53	18 19	0	0	52.6	199.5	61	94.8	59	23 0 0	41 1	200 4		32 1				
10 0 0	49.3	204 8	54	90.2	54	20	0	0	52.2	203.8	61	92.6	60			and the same of		1 10 6				
11 0 0	48.3	204.4		90.0		21	0	0	50.0	202.8		91.6			May 9 a	nd 10, 1	841.		-			
12 0 0	48.0	208.1	54	94.2	54	22	0	0	43.4	204.2	59	91.9	59									
13 0 0	48.3	198.5	55	93.7	55	23	0	0	42.4	202.7	57	92.2	56	,	Deel 1	Scale Di	vision	= .0'.	72			
14 0 0 15 0 0	49.3	199·8 202·4	55	92.5	55	21 0	0	0	45.0	201.6	31	92.8	30	TORONTO C	H. F. k	= .0000	076;	q = .00	002			
16 0 0	50.8	198.7	57	92.9	57	2	0	0	42.2	203.9	56	92.3	55		V.F.k	= .0000	9 ;	q = .00	0018			
17 0 0	52.9	201.3		92.9	-	3	0	0	45.9	204.7		93.5										
18 0 0	54.6	202.2	58	93.6	57	4	0	0	48.4	206.5	55	93.4	54	The same of the sa		bservatio						
19 0 0 20 0 0	51.0	202.9	57	92.4	57	6	0	0	49·1 54·0	206.0	53	94.2	52	The V. F. w	as observe	ed at 1m. 30 the times s	0°, befo	re, and th	e -			
21 0 0	45.5	204.5	-	92.4		7	0	0	52.0	204 6	00	94.1	1	H. F.	2-, arter	the times s	pecine		-			
22 0 0	49.3	205 1	57	92.7	56	8	0	0	50.7	204.0	52	94.5	52	10 0 0 0	1 64.7	401.0	53	58.8	53			
23 0 0	48.3	205.8	20	92.4		9	0	0	50.1	204.1	E0.	95.0	50	10 0 25 0 30 0	64.7	401.7	30	57.3	33			
19 0 0 0	46.1	202.4	56	93.7	55	10	0	0	48.3	205 · 2	50	94.7	50	35 0		402.0	150	60.5	199			
. 0 0	12 0	20.0		0.0		1	0	0	30 0	-					11							
* Commenci	ng after n	nidnight of	Sunda	y at Van	Dieme	n Island,				d. 1	. D.	U P	and '	V. F., moderate v	ibrations :	Decl. mu	ch dis	turbed wit	th			

b Weather densely clouded, with haze and drizzling rain.

<sup>Toronto, May, 1841.—Times of observation at which the Magnetometers were disturbed, but the mean readings of the Instruments were not materially changed.
a. b.
2 18 Decl., H. F., and V. F., much disturbed, vibrating.
20 Decl., H. F., and V. F., very much disturbed, vibrating, with shocks.
22 Decl., H. F., and V. F., very much disturbed, vibrating, with shocks.</sup>

^{3 0} Decl., H. F., and V. F., moderate vibrations; Decl. much disturbed with

^{3 0} Decl., H. F., and V. F., inductate vibrations shocks.
5 0 H. F. and V. F. slight vibrations; Decl. very slight vibrations and shocks.
16 Decl., H. F., and V. F., moderate vibrations and shocks.
6 0 V. F. vibrating much.
2 V. F. slight vibrations; Decl. and H. F. moderate shocks.
7 22 Decl. vibrating much, with shocks.
8 0 Decl. and H. F. vibrating much, with shocks.
10 22 H. F. slight shocks.

	Мау 9 а	nd 10, 1	841.					1	Мач 9 а	nd 10, 1	841.				Мат 9 а	nd 10, 1	841.		
M. Gott. Time.	Decl.	Hor. Fo	orce.	Vert. F	orce.	M.	Gött. T	ime.	Deel.	Hor. Fo	orce.	Vert. F	orce.	M. Gött, Time.	Decl.	Hor. F	orce.	Vert. F	orce.
		SeDiv ^{ns} .	Ther.		Ther.				ScDivas.		Ther.	SeDivas.	Ther.				Ther.	SeDivas.	Ther.
10 0 40 0 45 0		406.6		61.3		10	45	0	44.8	406.0		75·0 75·2 75·1		10 5 50 0 55 0	51.1	470·1 476·6		91.8	
50 0 55 0 1 0 0	55.6	404·8 405·3 435·6	53	61.6	53		55	0	46.4 48.5 49.5	406.8 412.8 418.3	54	76.6	54	6 5 0	47.2	478.9	54	92.4	54
5 0	45.9	443·2 443·1	55	60.6	33		4 10 15 20	0 0	50.3	423·7 429·0	9.4	78.7	54	15 0	46.5	491.7		93.4	
15 0 20 0	42.0	429·1 427·5		60.8			25 30	0	50.3	433·2 437·0		80.8		Positions at Ma	y 9th, 18h				n
25 0 30 0	35.1	422·7 423·5		61.0			35 40	0	48.9	438.7		81.3		9 18 0 0 20 0 0	51.9	442.8	54 53	64.5	54 54
35 0 40 0	35.0	424 · 8	100	63.2			45 50	0	49.2	438.7		83·2 84·2		22 0 0 10 0 0 0	55.5	437.5	53	57·5 49·0	54 53
45 0 2 40 0	36.9	419.6	53	65.0	53		55 5 0	0	46.9	432.8	54	84·2 85·5	54	2 0 0	34.9	410.3	53	65.3	53 54
45 0 50 0	46.3	405.7	00	71.5	00		5	0	45·3 45·9	431.9		85·0 84·7		6 0 0	50.4	475·1 527·5	54	92.6	54
55 0 3 0 0	48.6	404.9	52	73.8	53		15 20	0	45.1	423·3 428·8		84·7 85·2		10 0 0 12 0 0	43.5	516·0 485·5	54	90.2	54 54
5 0 10 0	47.0	405.5		74.2	0.0		25 30	0	45.7	435.6		85·6 87·0		14 0 0 16 0 0	42.7	483·3 462·7	55 54	86.0	55 55
25 0 30 · 0	47.9	409 · 4		74·3 75·6			35 40	0	48.9	449·0 455·6		87·1 87·5	0.00	18 0 0 20 0 0	46.0	463·9 463·3	54 54	79.5	55 54
35 0	0.000	405.3		75.3		1	45	0	49.9	462.6		88.7		22 0 0	51.2	461.8	55	78.8	54

11 0 H. F. slight shocks.

H. F. slight shocks.
Decl. and H. F. moderate shocks.
Decl. and H. F. vibrating much.
Decl., H. F., and V. F., vibrating much, with shocks.
Decl. and H. F. vibrating very much.
Decl. vibrating very much.
Decl. vibrating very much.
Decl. and H. F. moderate shocks.

13

14 18

Decl. wibrating very much, and H. F. moderately.

Decl. and H. F. vibrating very much.

Decl., H. F., and V. F., vibrating moderately.

Decl. moderate vibrations; H. F. slight vibrations and shocks; V. F. 15

15 0 Decl. moderate vibrations; H. F. slight vibrations and shock vibrating very much.
2 H. F. strong shocks at 1h. 55m.
16 18 Decl. vibrating very much.
17 2 Decl. vibrating slightly; H. F. moderate shocks.
4 Decl., H. F., and V. F., slight vibrations.
20 Decl. vibrating much.
22 Decl. and H. F. vibrating much.
18 0 Decl. and H. F. moderate vibrations; V. F. vibrating very much.
20 Decl. vibrating much.

19

Decl. and H. F. moderate vibrations; V. F. vibrating very Decl. vibrating much.
Decl. vibrating much, with shocks; H. F. slight shocks.
H. F. slight shocks.
Decl. and H. F. vibrating much, with shocks.
Decl. and H. F. vibrating much, with shocks.
Decl. and H. F. vibrating much, with shocks.
Decl. and H. F. slight shocks.
Decl. and H. F. slight shocks.
H. F. strong shocks.
Decl. and H. F. strong shocks.
Decl. and H. F. slight vibrations and shocks.
Decl. and H. F. slight vibrations and shocks.
H. F. moderate vibrations and shocks.
H. F. slight vibrations and shocks.
H. F. very slight vibrations and shocks.

22 10

H. F. slight vibrations and shocks.
H. F. very slight vibrations and shocks.
H. F. slight shocks.
Deel, slight vibrations and shocks.
H. F. slight shocks.
H. F. moderate shocks.

20

20 H. F. moderate shocks.

22 H. F. moderate shocks.

27 H. F. vibrating much, with shocks.

4 H. F. vibrating much, with shocks.

6 H. F. vibrating much, with shocks.

20 Decl. and H. F. vibrating much.

31 Decl. H. F., and V. F., vibrating much, with shocks.

2 Decl. and H. F. slight shocks.

TORONTO, June, 1841 .- Times of observation at which the Magnetometers were disturbed, but the mean readings of the Instruments were not materially changed.

1 18 Decl. and H. F. slightly disturbed, vibrating, with shocks.
 2 22 Decl. and H. F. considerable vibrations.
 3 0 Decl. and H. F. slight vibrations.

2 Decl. and H. F. moderate vibrations.
4 22 V. F. considerable vibrations.
5 4 V. F. considerable vibrations.
6 22 H. F. slight shocks.
9 0 Decl. moderate shocks.

2 Decl. moderate shocks.
4 Decl. and H. F. moderate shocks.
6 Decl. and H. F. moderate shocks and vibrations.
10 Decl. vibrating much, H. F. moderately, V. F. considerably, with shocks.
2 Decl. and H. F. moderate vibrations and shocks.

12 Decl. and H. F. moderate vibrations and shocks.
22 Decl. and H. F. moderate vibrations and shocks.
12 Decl., H. F., and V. F., moderate vibrations, with shocks.
2 Decl. and H. F. slight vibrations and shocks.

H. F. moderate shocks.

Decl. and H. F. moderate shocks.

Decl. and H. F. moderate shocks.

0

Decl. slight shocks; H. F. vibrating much, with shocks. Decl. moderate shocks.

16

4 Decl. moderate shocks.
10 H. F. moderate shocks.
0 Decl. and H. F. slight vibrations.
10 H. F. slight vibrations.
18 H. F. slight vibrations and shocks.
22 Decl. and H. F. slight vibrations and shocks.
0 Decl. and H. F. moderate vibrations and shocks.
2 H. F. slight vibrations and shocks.
4 H. F. moderate shocks.
12 H. F. moderate shocks.
2 H. F. moderate shocks. 17

22

18 2

21 18

23 2 23 4

H. F. moderate shocks.
H. F. slight shocks.
V. F. slight vibrations.
Decl. and H. F. moderate shocks.
Decl. and H. F. moderate vibrations and shocks.

25 0

H. F. moderate vibrations and snocks.

H. F. moderate shocks.

Decl. much disturbed by shocks; H. F. much, and vibrating.

Decl. much disturbed by shocks; H. F. vibrating very much, with shocks.

Decl. and H. F. moderate shocks.

Decl. and H. F. vibrations and shocks.

28 20

20 V. F. slightly vibrating. 0 H. F. moderate vibrations. 8 H. F. slight shocks.

10 H. F. moderate shocks.

^{*} Commencing after midnight of Sunday at Toronto.

May 9 and 10, 1841.	May 9	and 10, 1841.			May 9 ar	nd 10, 1841.	
Mean Positions at the same hours during the Month.	M. Gött. Time. Dec	d. Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor. Force.	Vert. Force.
M. Gött. Time. Decl. Hor. Force. Vert. Force.	d. h. m. s. ScDi	ivas. ScDivas. Ther. S	ScDivas. Ther.	d. h. m. s.	ScDivas.	ScDivns. Ther.	ScDivns. Ther.
d. h. m. s. ScDiv ^{3s} . ScDiv ^{3s} . Ther. ScDiv ^{3s} . Ther. ScDiv ^{3s} . Ther. Ther. ScDiv ^{3s} . Ther. Ther. <th< td=""><td>10 4 32 28 23· 37 28 23· 42 28 23· 47 28 23· 52 28 23· 57 28 22· 5 0 0 22· 2 28 22· 7 28 22· 12 28 22· 17 28 22 28 22· 17 28 22 28 22· 27 28 22· 2</td><td>1 47·9 0 47·2 0 47·0 0 47·0 9 47·0 9 47·0 9 47·0 7 47·1 6 47·9 48·9 3 47·9 8 48·2 1 48·9</td><td></td><td>10 9 37 28 42 28 47 28 52 28 57 28 10 0 0 2 28 7 28 12 28 17 28 22 28 27 28 27 28 32 28 37 28</td><td>24·6 24·8 25·0 25·2 25·1 25·1 25·0 24·4 24·5 24·9 25·9 24·9 25·0</td><td>52·2 52·3 53·1 53·5 53·7 53·4 53·4 53·3 53·2 53·4 53·3 53·2 53·4 53·0 53·0</td><td></td></th<>	10 4 32 28 23· 37 28 23· 42 28 23· 47 28 23· 52 28 23· 57 28 22· 5 0 0 22· 2 28 22· 7 28 22· 12 28 22· 17 28 22 28 22· 17 28 22 28 22· 27 28 22· 2	1 47·9 0 47·2 0 47·0 0 47·0 9 47·0 9 47·0 9 47·0 7 47·1 6 47·9 48·9 3 47·9 8 48·2 1 48·9		10 9 37 28 42 28 47 28 52 28 57 28 10 0 0 2 28 7 28 12 28 17 28 22 28 27 28 27 28 32 28 37 28	24·6 24·8 25·0 25·2 25·1 25·1 25·0 24·4 24·5 24·9 25·9 24·9 25·0	52·2 52·3 53·1 53·5 53·7 53·4 53·4 53·3 53·2 53·4 53·3 53·2 53·4 53·0 53·0	
St. Helena { Decl. 1 Scale Division = $0' \cdot 71$ H. F. $k = \cdot 00018$; $q = \cdot 00025$ Regular and extra observations. The H. F. was observed at 1^m , after the times specified.	37 28 23· 42 28 24· 47 28 24· 52 28 24· 57 28 24· 6 0 0 24· 2 28 24· 7 28 23·	1 49·9 3 50·1 2 50·1 1 50·1 68 1 50·1 9 50·0		42 28 47 28 52 28 57 28 11 0 0 2 28 7 28 12 28	25·0 25·1 25·1 25·1 25·1 25·6 25·8 25·8	53·0 53·1 53·5 53·3 53·3 53·2 53·2 53·4	
9 14 0 0 b 29 8 68 2 65 15 0 0 27 0 63 9 66 16 0 0 31 1 63 0 66 18 0 0 29 1 66 8 66 19 30 0 32 6 66 5 66 20 0 0 32 1 63 0 66 20 30 0 32 0 60 0 66 22 0 0 28 0 61 3 66 22 0 0 28 0 61 3 66 22 0 0 28 0 61 3 66 22 0 0 22 5 55 0 68 12 28 22 0 54 8 17 28 21 9 54 8 22 28 21 9 54 3 27 28 21 9 54 0 32 28 22 1 53 9 37 28 22 3 53 9 42 28 22 1 53 2 47 28 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	12 28 23:1 17 28 23:1 17 28 23:1 22 28 23:1 27 28 23:3 32 28 23:3 37 28 23:4 42 28 23:4 47 28 22:6 57 28 22:6 7 28 22:6 17 28 22:6 17 28 22:6 17 28 22:6 17 28 22:6 17 28 22:6 17 28 22:6 17 28 22:6 17 28 22:6 17 28 22:6 17 28 22:6 27 28 22:6 27 28 22:6 27 28 22:6 27 28 22:6 27 28 22:6 27 28 22:6 27 28 22:6 27 28 22:6 27 28 22:6 27 28 22:6 27 28 23:6 27 28 23:6 27 28 23:6 27 28 23:6 27 28 23:6 27 28 23:6 27 28 23:6 27 28 23:6 27 28 23:6 27 28 23:6 27 28 23:6 27 28 23:6 27 28 23:6 27 28 23:6	9 50·1 8 50·2 8 51·0 8 51·2 0 51·5 0 51·3 6 51·1 0 51·0 0 50·9 0 50·9 0 50·2 0 50·2 0 50·1 0 50·0 9 49·8 0 49·1 2 48·9 7 48·8 0 48·7 0 48·8 0 48·7 0 48·8 0 48·7 0 8 49·0 8 49·0 68		17 28 22 28 27 28 32 28 37 28 37 28 47 28 47 28 57 28 12 0 0 2 28 7 28 12 28 17 28 17 28 22 28 27 28 27 28 32 28 37 28 42 28 47 28 55 28 57 28	25·2 25·3 25·4 25·5 25·7 25·9 26·1 26·7 26·8 27·0 27·1 27·1 27·9 28·1 28·2 28·9 28·9 28·9 29·0 29·0	53·8 54·0 54·1 54·1 54·1 55·5 56·0 56·7 57·0 58·0 58·1 59·2 59·7 59·8 60·0 59·9 59·1	
2 28 21·9 53·0 7 28 21·8 52·5 12 28 21·7 52·1 17 28 21·5 51·6 22 28 21·8 51·0 27 28 21·9 50·0 32 28 21·3 50·0 37 28 21·9 50·0 42 28 22·0 50·0 47 28 22·7 49·9 52 28 23·0 49·9 57 28 22·9 50·0 40 0 0 22·9 50·0 68 2 28 23·1 50·0 12 28 23·1 50·0 12 28 23·1 50·0 17 28 23·2 50·0 22 28 23·5 49·0 27 28 23·6 48·8	2 28 23 3 3 12 28 23 1 17 28 23 1 17 28 23 1 17 28 23 1 17 28 23 1 17 28 23 1 17 28 23 1 17 28 24 1 17 28 1 17 28 1 17 28 1 17 28 1 17 28 1 17 28 1 17 28 1 17 28 1 17 28 1 17 28 1 17 28 1 17 28 1 17 28 1 17 28 1 17 28 1	5		2 28 7 28 12 28 17 28 17 28 22 28 27 28 32 28 37 28 42 28 47 28 57 28 14 0 0 2 28 7 28 12 28 17 28 12 28 17 28 12 28 17 28	29·0 29·0 29·0 29·1 29·1 29·1 29·2 29·8 30·1 30·3 30·6 30·2 30·4 30·3 30·4 30·2 30·4 30·2 30·2	59·1 59·0 58·7 58·7 58·5 58·2 58·1 58·2 58·8 58·9 58·9 58·9 58·9 58·9 59·1 59·2 59·9 60·0	

^{*} The mean positions of the Decl. magnet are from the 1st to the 24th of May, inclusive; and those of the V. F. magnet from the 1st to the 25th, inclusive.

b Commencing after midnight of Sunday at St. Helena.

Ŋ	Ax 9 a	nd 10, 1	841.			1	Мач 9 а	nd 10, 1	841.		1	Мат 9 а	nd 10, 1	841.		
M. Gött. Time.	Decl.	Hor. F	orce.	Vert. For	rce.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. Force.	Mean Position	s at the sa	me hours o	luring	the Montl	h.b
d. h. m. s.		Sc. Div ^{ns} .	Ther.	SeDiv ^{ns} . T	her.	d. h. m. s.	2000	SeDir ^{ns} .	Ther.	SeDiv ^{ns} . The	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. F	orce.
10 14 32 28 37 28	30.5	60.9		1300		10 19 27 28 32 28	30.5	64.9			d. h. m. s.	Sc. Divas.	SeDiv ^{aa} .	Ther.	SeDiv ^{ns} .	Ther.
42 28 47 28	30.1	61.0				37 28	30.4	65.0		336	0 0 0	50.1	73.6	61		,
52 28	30.0	61.2				42 28 47 28	30.1	65.2			2 0 0 4 0 0	51.5	70.3	61 62		
57 28 15 0 0	30.0	61.1	67	130		52 28 57 28	30.0	65.8			6 0 0	49.9	70.3	62		
2 28	30.0	61.1	0.			20 0 0	29.9	65.9	67		8 0 0	49.7	70.0	62 61		
7 28 12 28	30.0	61.5				20 30 0	28:9	67.0	66	227	12 0 0 14 0 0	51.0	72.5	61		
17 28	30.0	62.0				23 0 0	23.1	74.1	66		16 0 0	52.2	73.8	61		
22 28 27 28	30.0	62.1									18 0 0 20 0 0	57.9	74.4	60		
32 28 37 28	29.2	62.4				Mean Positions		Month.	f obse	rvation during	22 0 0	47.2	75.5	60		
42 28	29.4	62.1									-	-				
47 28 52 28	29.1	62.1	-	19.3		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	27.5	78.7	67		VAN DIEMEN		Scale I			.71
57 28	29.0	62.0				3 0 0	27.7	72.9	68		ISLAND	H. F. A	= .00		q = q = q = q	
16 0 0 2 28	29.0	62.0	67	POR I		4 0 0 5 0 0	28.0	70·7 68·7	68		l la la	(,	4 -	
7 28	29.0	62.0		1300		6 0 0	27.3	68.0	68		of the last of	Extra o	bservatio	ons.		
12 28 17 28	29.1	62.0				8 0 0	27.8	67.3	68		The V. F. was		t 2m, 30°. l			I. F.
22 28 27 28	29.2	62.1				11 0 0 12 0 0	28.2	67·9 68·1	67			ov. aner	the times	speciale		
32 28	29.5	62.2				13 0 0	28.8	68.9	67	1000	9 21 10 0	48.0	14.7	53	100.4	53
37 28 42 28	29.6	62.2				14 0 0 15 0 0	29.3	69.6	67		15 0 20 0	58.7	8.2		100.7	
47 28	30.0	62.0				16 0 0	29.5	70.1	67		25 0	47.1	0.0		101.0	
52 28 57 28	30.0	62.0	2			18 0 0 19 30 0	30.2	70.5	66		30 0 35 0	49.3	8.9		101.0	
17 2 28 7 28	30.2	62.0				20 0 0 20 30 0	31.3	71.4	66 66	194 0	40 0 45 0	39.4	8.2		100.3	
12 28	30.1	62.1				20 30 0 22 0 0	30.6	72.1	66		50 0	44.1	4.9		100.9	
17 28 22 28	30.1	62.2	17			23 0 0	27.3	78.0	66		55 0 22 10 0	39.0	6.1	53	100.6	53
27 28	30.0	62.4								01.55	15 0	38.1				1
32 28 37 28	30.0	62.5				GOOD HOPE				$q = 0' \cdot 75$ q = 0003	20 0 25 0	36.6	7.3		100.0	
42 28	30.0	62.7	-			Positions at	the usual	hours of	observ	ation from	30 0 35 0	38.5	7.4		99.8	
47 28 52 28	30.1	62.7					y 9th, 12h				40 0	36.5	7.7		99.5	
57 28 18 0 0	30.3	62.7	67			9 12 0 0a	53.4	74.4	62		45 0 50 0	38.9	7.5		99.1	
2 28	30.3	62.7	01			14 0 0	50.2	76.4	61	100	23 5 0	30.3	10.483			-
7 28 12 28	30.2	62.8		-		16 0 0 18 0 0	55.2	65.8	61		10 0 15 0	31.3	8.0	53	98.8	53
17 28	30.1	63.0		1 79-1		20 0 0	51.8	63.3	60	188	20 0	32.6	9.1	1	97.9	
22 28 27 28	30.0	63.5		180		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	48·0 50·3	57·3 57·7	60		25 0 30 0	30.5	9.2		96.6	
32 28 37 28	30.0	63.9			1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	47.1	46.8	62 63		35 0 40 0	30.6		2 4		
42 28	30.0	64.2		1		6 0 0	43.9	47.4	63		45 0	36.9	10.5	1	00.0	1
47 28 52 28	30.1	64.4				8 0 0	43·2 45·8	49.2	64		10 1 20 0	31.6	11.2		96.8	
57 28	30.2	64.6	0.5			12 0 0	49.6	60.3	63	lefter to	25 0	34.7		52	02.0	52
19 2 28 7 28	30.3	64.7	67	10 2		14 0 0 16 0 0	53 1	63.0	62 62		30 0 35 0	37.7	10.0		93.9	-
12 28	30.4	64.7	1			18 0 0 20 0 0	51·5 49·1	62.8	63 63		40 0 45 0	38.9	11.1		94.9	
17 28	30.5															

of the month; the true mean positions corresponding with those of the 9th and 10th of May would, it is probable, have been higher numbers than those which result from the mean of the readings during the month.

a Commencing after Sunday midnight at Cape Town.

b The mean positions of the Decl. magnet are from the 5th to the 21st, inclusive; those of the H. F. are not strictly comparable with the observations of the 9th and 10th, in consequence of the stretching of the suspension wires in the early portion

r			1	Илу 9 а	nd 10, 1	841.	1.)	May 9 ar	nd 10, 1	841.					1	Мат 9 а	nd 10, 1	841.		
A	. G	ött. Ti	me.	Decl.	Hor. F	orce.	Vert. F	orce.	M.	Gött.	. Ti	me.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Göt	t. Ti	me.	Deel.	Hor. Fe	orce.	Vert. F	orce.
d	1	. m.	8.	ScDivas.	ScDivas.	Ther.	ScDivas.	Ther.	d.	h.	m.	s.	SeDiv ^{ns} .	Se. Divns.	Ther.	ScDivns.	Ther.	d. h.	m.	5.	SeDivns.	SeDivat.	Ther.	ScDivas.	Ther.
1) 2	2 20	0	38.5	13.9	0	95.4	52	10	7 3	30	0	66.2	23.5	0	92.5	0	10 18	0	0	52.5	19.6	53	92.8	53
		25	0	36.3							35	0	63.8	10000000				19	0	0	53.2	20.6		92.7	13000
1		30	0	35.4	14.8		94.3	1			10	0	61.0	22.7		92.6		20	0	0	52.3	21.0	54	92.3	53
П		35 40	0	31.8	12.5		92.4				15 50	0	57.8			92.2		21 22	0	0	51.6	21.2	54	92.0	53
ı		45	0	25.1	120						10	0	53.9		51	02 2	51	23	0	0	51.3	21.7	0.1	92.0	00
ı		50	0	25.4	11.4		92.4				15	0	53.9					-	_		-		-		-
1	3	10	0	33.9	6.9	52	94.7						e usual ho	on of abou		- C N		Mea	n Po	sition	ns at the s	ame hours	during	the Mont	th.
П		20	0	40.1	9.2		95.8	52		OSILI	ons a		oth, 3h. to			i, irom ni	lay	0	0	0	49.4	22.0	55	92.7	55
ı		25	0	36.5				113	-	_	_	-					-	1	0	0	49.3	21.6		92.8	
1		30 35	0	31.9	14.2		94.5		9	3 4	0	0 0a	45.7	21.8	56	91.8	55	2 3	0	0	49.0	22.4	54	92.7	54
1		40	0	28.7	17.3		91.5			5	0	0	50.2	23.8	50	91.8	33	4	0	0	49.8	22.8	54	92.6	54
		45	0	32.3						6	0	0	52.1	22.8	55	92.8	54	5	0	0	51.0	23.2	13	92.4	
		50	0	34.2	18.4	-0	89.9			7	0	0	52.3	23.2		92.6	20	6 7	0	0	51.7	23.6	53	92.6	53
ı	114	15 20	0	37.7	18.6	52	88.7	52		8	0	0	51.1	23.8	54	92.5	53	8	0	0	51.5	24.3	52	92.7	52
П		25	0	37.7	-					10	0	0	48.9	24.8	52	92.7	52	9	0	0	51.6	24.8		92.6	
ı		30	0	38.2	21.4		87.8		_	11	0	0	47.6	25.1		92.5		10	0	0	52.2	24.9	52	92.8	51
ı		35 40	0	44.6	21.1		88.9		1	12 13	0	0	46.3	26.2	52	92.1	53	11 12	0	0	51.3	25.1	52	92.5	52
ı		45	0	53.2	21 1		00 9			14	0	0	50.6	12.6	53	97.4	53	13	0	0	49.2	23.4	02	92.4	1
1		50	0	55.5	21.7	a had	89.3			15	0	0	57.0	10.4	10000	95.8		14	0	0	49.6	21.8	54	92.6	53
L	5		0	54.9	21.0	52	00.5	52		16	0	0	56.7	16.0	53	94.8	53	15 16	0	0	52.0	20.7	55	92.6	55
1		10	0	52.6	21.0		88.5	52		17 18	0	0	58.5	16.1	52	96.5	52	17	0	0	55.8	20.2	33	93.1	33
ı		20	0	53.0	21.5		87.7			19	0	0	60.6	15.2		97.6	2000	18	0	0	56.1	20.8	57	92.9	56
ı		25	0	50.1			00.0			20	0	0	55.5	13.4	52	98.0	52	19	0	0	55.3	21.5		92.6	10
ı		30	0	48.0	18.8		86.6			21 22	0	0	47·2 39·1	8.8	53	100.7	54	20 21	0	0	53.6	21.8	57	92.3	56
ı		40	0	43.4	19.7		86.4			23	0	0	31.3	7-1	00	98.6	0.1	22	0	0	50.8	21.4	56	92.5	55
ı		45	0	46.9	22173				10	0	0	0	46.0	17.2	53	97.0	54	23	0	0	49.9	21.4		92.7	-
1		50 55	0	50.7	21.4		86.9			2	0	0	46.2	10.0	52	91.3	52				-				
	(5 5	0	59.7		52				3	0	0	27.1	9.3	32	93.9	34			Ju	LY 18, 1	9, and 2	0, 18	41.	
		10	0	62.1	21.7					4	0	0	35.0	18.4	52	88.7	52	-	-	- 6	-				
		15	0	62.7	00.0		00.7	50		5	0	0	60.0	20.3	50	89.0	10			(1	Decl. 1 S	Scale Div	rision	= 0'-7	2
		20 25	0	63.5	22.0		88.3	52		6	0	0	56.6	21.9	52	87.8	52	Toro	NTO	*	H. F. k =	= .00000	16; 9	= .000	2
		30	0	67.1	21.8		89.0			8	0	0	54.6	22.6	51	91.1	51			(V. F. k =	= .00000	3; 9	=.000	18
		35	0	70.2	0		00.			9	0	0	56.6	21.7	100	91.6	-				Extra	bservatio	ons.		
		40 45	0	72.2	21.9		90.4			10	0	0	58.3	20.7	50	92.2	50	The V	F	was		at 1=. 30°.		, and the I	I. F.
		50	0	78.5			92.4			12	0	0	54.5	20.1	50	92.3	50			2m	. 30°. after	the times	specif	ied.	1
1		55	0	79.7				1		13	0	0	54.5	20.0		92.8		10.11		62		laar c	m-	00.5	1
-	-	7 10 15	0	74.9	23.3	52	1000			14	0	0	51.5	20.5	51	92.2	50	19 15	15 20	00	174·5 173·8	337.6	75	82.5	75
		20	0	72.4	23.4	1	92.4	52		16	0	0	54.1	19.9	52	92.6	52		25	0	174.3	349.1	1	82.1	1
		25	0	68.4		1				17	0	0	53.1	19.9		92.6			30			334.4			
-	-	-	-	-	-	-	1		-	-	-	-	Name and Address of the Owner, where the Owner, which is the	-	OR OTHER DESIGNATION OF THE PERSON OF THE PE	-	-	-	-		1		-		-

* Commencing after midnight of Sunday at Van Diemen Island.

d. h. m. b 19 15 0	Wind. Calm.
30 35	Calm.
16 0	Calm.
30	{ N.N.E. }
17 0 18 0	N.N.E. very light
1	very light N.N.E.

Clear; bright bank of auroral light in North, with a few faint streamers shooting from it.

Clear; bank of light still remaining.

A bright semi-circular narrow strip of light extending from the N. W. to N.E. horizons, the centre reaching to an altitude of 85°; low bank still remaining in North horizon.

Clear; bank of light growing fainter, and semi-circular form lost. No streamers visible.

Clear; Aurora growing fainter.

No apparent alteration of the Aurora since 16th, 30th.

Clear; bank of auroral light in North, disappeared soon after $19^{\rm h}$.

* Toronto, July, 1841.-Times of observation at which the magnets were disturbed, but the mean readings were not materially changed.

but the mean readings were not materially changed.

1 14 Decl. and H. F. moderately disturbed, vibrating with shocks.
2 20 Decl. and V. F. moderately, H. F. much disturbed by vibrations and shocks.
2 Decl. and V. F. moderately; H. F. much disturbed by vibrations and shocks.
3 Decl. moderate shocks; H. F. vibrating much, with shocks.
5 16 Decl. moderate shocks; (22h.) Decl. and H. F. moderate shocks.
2 Decl. moderate shocks.
4 H. F. moderate shocks.
5 Decl. and H. F. moderate shocks.
6 Decl. and H. F. moderate shocks.
7 Decl. and H. F. moderate shocks.
9 Decl. alightly; H. F. moderate shocks.
14 22 Decl. alightly; H. F. moderate shocks.
15 OH. F. moderate vibrations and shocks.
16 Decl. alightly; H. F. moderate shocks.
17 Decl. and H. F. slight shocks; V. F. slight vibrations.
18 Decl., H. F. and V. F. vibrating considerably; H. F. much disturbed by shocks.

shocks.

20 Decl., H. F., and V. F. vibrating moderate; H. F. moderate shocks.

		Jul	r 18, 19	9, and 20	, 184	1.		Ju	LY 18, 19), and 20), 184	1.				Juc	y 18, 19), and 20), 184	1.	
M. Göt	t. Ti	me.	Decl.	Hor, Fo	orce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.	M.	Gött. Tin	ne.	Decl.	Hor. Fe	orce.	Vert. F	orce.
d. h.	m.		ScDivn's.	ScDiv ^{ns} .	Ther.	SeDiv ^{ns} .	Ther.	d. h. m. s.	SeDivns.	ScDivns.	Ther.	ScDivn.	0	d.	h. m.	8.	ScDiv ^{ns} .	Se,-Divns.	Ther.	SeDiv ^{ns} .	Ther.
19 15	35 40	0	207.5	332.6		91.5		6 0 0 8 0 0	127.3	388.8	71 72	83.2	72 72	20	3 0 5	0	25.0	37.2	63	48.4	62
1813	45	0	216.3	350.0		86.9		10 0 0	128.7	407.1	73	84.7	73		10	0	25.3	37.1		48.4	
Fa.	50 55	0	180.0	354·9 367·1		80·3 75·8		12 0 0 14 0 0	133 · 1	402·7 393·1	73	84.8	73 73		15 20	0	25.4	36.8		48.7	
16	5	0	150·8 151·2	362.8	75	80.5	76	16 0 0 18 0 0	136 · 2	394.4	72 71	82.8	72 72		25 30	0	25.6	36.2		48.5	
	15 20	0	146.3	362.0		79.9		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	136.3	398·3 401·3	70	81·8 84·0	71 70		35 40	0	25.0	36.0		48.5	
	25	0	142.6	370.9		79.0		22 0 0	130 3	401 3	10	04.0	10		45	0	24.8				
	30 35	0	136.8	375.7		78.6				Scale I					50 55	0	24.3	36.1		47.9	
_	40 45	0	136.1	374·0 373·9		79.8		St. Helena	H. F.	k = .00 $k = .0$	018; 002;	q = .00	025		4 0 5	0	24.1	35.8	63	47.8	62
	50 55	0	139·0 140·3	375·6 378·5		79.1				bservation					10 15	0	23.8	35.2		47.8	
	55	0	140 3	310 3		13 1	-	The V. F. was	observed a	at 2m. 30°.	before,		. F.		20	0	23.6	34.9		47.7	
Pe				hours of c				2"	. 30°. after	the times	specifi	ed.			25 30	0	23.8	34.5		47.7	
18 18	0	Oa	131.9	412.3	71	83.1	72	20 0 10 0	29.1	42.2	62		61		35 40	0	23.8	34.1		47.7	
20	0	0	133 9	414.1	71	83.8	71	15 0 20 0	29.8	43.0		50.7			45	0	24.0		-		
19 0	0	0	135·3 143·4	414.0	70 69	84.1	70 71	25 0 30 0	29.8	43.3		50.7	1148		50 55	0	24.0	34.9		47.5	
2 4	0	0	145·1 142·5	410·8 396·6	70 72	82.6	71 72	35 0	29.9						5 0 5	0	24.1	34.2	63	47.3	62
6	0	0	121.9	379.2	74	79.6	73	40 0 45 0	30.1	43.0		50.3			10	0	24.5	34.0		47.1	
10	0	0	117·6 125·5	405.0	74 75	78.8	74 75	50 0 55 0	29.9	42.0		50.1			15 20	0	24.3	34.0		47.1	
12	0	0	134·5 131·0	418·6 375·1	76	80.5	76 75	1 0 0	29.3	41.7	62	49.9	61		25 30	0	24.0	33.9		46.8	
16 18	0	0	161·6 144·9	377·6 374·7	75 73	77.1	76 74	10 0	28.1	41.1		49.3			35 40	0	24·0 24·3	33.9		46.8	
20	0	0	142.0	389.9	72	72.6	73	15 0 20 0	28.3	41.2		49.8			45	0	24.6	-			
20 0	0	0	137·4 130·3	399.3	71 70	83.3	72 71	25 0 30 0	28.0	39.0		48.9			50 55	0	24·9 25·1	33.2		46.9	
2 4	0	0	141·4 139·7	394.1	71 73	79·8 81·4	72 74	35 0	26.9			10000		\vdash		-		1	-	1	-
6	0	0	129.1	361.1	74	80.0	75	40 0 45 0	26.8	38.0		48.5			Posit	tions		ual hours 8, 19, and		rvation,	No.
10	0	0	128·2 124·0	386·4 357·8	76 76	82.4	75 75	50 0 55 0	26.9	39.0		48.4		18	14 0	Ор	28.1	44.1	61	48:0	61
12	0	0	132·2 134·8	392.4	76 76	81.3	76	2 0 0	27.0	40.0	62	48.9	62		15 0	0	27.7	41.7	61	48.4	61 61
16 18	0	0	134·1 134·7	396.4	74 73	75·1 80·6	75 74	10 0	27.1	40.0		48.6			18 0	0	28.2	41.2	61	49.6	60
20	0	0	126.4	397.1	71	80.7	73	15 0 20 0	26.9	39.9		48.7			19 30 20 0	0	30.8	41.3	61	48.8	60
22	0	0	132.2	397.5	70	83.8	71	25 0 30 0		39.1		48.8			20 30 22 0	0	30.2	42·1 45·0	61	48.9	60
Mea	n Pos	sition	s at the s	ame hours	during	g the Mon	th.	35 0 40 0	26.1	38.0					23 0	0	24.9	45.9	60	46.3	60
0	0	0	THE REAL PROPERTY.	404.1	69	84.9	70	45 0	25.1			48.6		19	2 0	0	26.9	47.0	61 62	45.4	61 62
4	0	0	136.8	400·2 389·6	70 71	85.0	70 71	50 0 55 0		37.6		48.4			$\begin{array}{ccc} 3 & 0 \\ 4 & 0 \end{array}$	0	27.1	43.9	62	45.8	62 62
d. h.										d.	h.	11	-	-				II.		1	
15 22 16 0				moderate moderate						21	4 H.	F. moder			s and sho	cks.					
20 22	D	ecl. s	light, H.	F. modera	te, vibr	ations and					22 H.	F. strong F. vibrat	shocks								-
17 0	H.	F. :	much dist	moderate urbed by s		ons.				26	22 H. 20 D	F. moder ecl. and H	ate she F. sl	cks.	V. F. con	side	rable, vibr	ations.			1
19 0	D	ecl. a		moderate:						28	0 D	ecl. and H ecl. moder	F. sli ate vil	ght vi	brations. as and she				ocks.		
20 0	D	ecl. a	and H. F.	much dist	urbed						2 D	ecl. and H ecl. much	. F. sl distur	ight sl oed by	bocks.						-
10	H.	. F. 1	moderate .	slightly; I vibrations vibrating	and sh	ocks.		ne much		- 1		F. slight encing aft			idnight a	at To	ronto.				
				vibrations.	- nguci	,	TOTAL	and and and				encing af									

Jou	y 18, 19), and 20	x 18, 19	9, and 20	0, 184	11.					Jul	v 18, 19	9, and 20	0, 184	11.	1						
M. Gött. Time.		Hor. F		Vert. F		CAP Good						q = 0'		M.	Gött	. Tin		Decl.	Hor. F		Vert. F	_
d. h. m. s. 19 5 0 0	ScDir**.	8cDiv ^{ns} . 43.2	Ther. 62	ScDiv ^{ns} . 44·1	63	Position	s at t	he u		of observ 20th, 22		July 18th,	12h.	20			0	ScDiv**. 51.8	SeDiv ^{no} .	Ther.	ScDiv ^{ns} .	Ther.
6 0 0	26.0	47.0	co	43.7	62	M. Göt	t. Tir	ne.	Decl.	Hor, Fo		Vert. Fo	orce.			55	0	52.2	12.8	10	15.7	
10 0 0 11 0 0 12 0 0	27·6 27·2	41·3 41·4 41·9	62 62 62	45·4 45·5 45·9	61 61 61	d. h. 1812	m. 0	0°	SeDivas. 53.4	SeDiv**.	Ther.	ScDiv ^{ns} .	Ther.	85]	15	0 0	58·2 65·1 67·6	18.1	46	19.4	46
13 0 0 14 0 0	26.2	40·2 35·7	62 62	45·5 50·9	62 62	14 16	0	0	53.9	71·7 68·9	60					25 30	0	65.4	27.0		11.7	
15 0 0 16 0 0	25·5 27·6	37·9 43·2	62 61	20.8	60	18 20 22	0 0	0 0	54·6 57·0 49·6	65·2 72·9 73·1	60 60				4	10	0 0	76.2	22.4		11.7	1
18 0 0 19 30 0 20 0 0	26·0 27·1 30·9	38·7 39·9 39·0	61 61 61	50·4 51·1 51·0	61 61 61	19 0	0	0 0	49.6	70.4	60 60		3			57 3	0 80 80	74·3 63·1 58·7	17·6 16·6	47	11·6 12·5	47
20 30 0 22 0 0	31.0	38.0	61	51.1	60	6	0	0	54·2 52·7	72·1 67·3	60 60				1	15	0 0t	55·8 57·1	18.0	71	13.3	7'
23 0 0 20 0 0 0	28·1 28·1	44·2 41·6	61 61	50.8	61 61	8 10 12	0 0	0 0	52·6 53·0 53·1	68·5 68·5 71·1	60 60				:	30	0	57·4 56·5	17.5		12.9	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	27·0 25·0 24·1	40·0 37·2 35·8	62 62 63	48·9 48·4 47·8	62 62 62	14 16	0	0 0	50.7	66.7	60 60				4	10 -	0 0	58·3 59·1·	17.6		14.5	
5 0 0 6 0 0	24·1 25·0	34.2	63	47.3	72 62	18 20	0	0	50.9	67·5 68·6	60 60					50	0	60·6 70·6	17.6		15.7	
8 0 0 10 0 0	25·5 24·7	34.1	62 62	48.3	62 61	22 20 0 2	0 0	0 0	52·5 52·1 50·8	68.6 61.0 61.3	60 60			01]	15	0	70·0 69·4	21.6	43	19.2	43
11 0 0 12 0 0 13 0 0	27·7 27·2 27·2	35·6 35·1 36·0	61 61 61	49·0 48·7 47·8	61 61 61	4 6	0	0 0	50·7 50·4	62.0	60 60				1	15	0 0	75·1 74·4 73·9	23.1	42	20.7	42
14 0 0 15 0 0	27·5 28·0	37.5	61 61	47·8 48·1	60 60	10	0	0 0	50.6	59.9	59 59				5	25 30	0 0	71·4 69·1	23.3		17.8	
16 0 0 18 0 0	28.5	39.1	61	48.0	60	12 14 16	0 0	0 0	52·7 53·0 55·2	62·5 62·0 64·9	59 59 59						0	68.1			15.7	
19 30 0 20 0 0 20 30 0	30·0 31·0 30·7	39·9 40·0 41·5	61 61 61	48·0 48·0 47·9	60 60	18 20	0	0 0	53·7 52·0	68·3 70·3	58 58				1	Positi	ions :		nal hours 19, and		rvation,	
22 0 0 23 0 0	27·0 25·0	44·9 44·7	61 61	47·0 45·2	60 61	Mean Mean	O Pos	0 dition	50.0	me hours	58	the Month		18	3 4	12000	0 h	64.8	21.0	51	8·4 8·2	50
						0	0	0	51.0	67.3	58				5 6	0	0 0	65.3	22.4	50	9.2	48
Mean Positions	at the sa	me hours o	luring	the Mont	h.b	4	0	0 0	52.7	65.8	58 59				7 8	0	980	765.5	23.2	48	10.9	47
0 0 0 0 2 0 0	25·0 25·4	46·2 44·0	62 63			6 8 10	0 0	0 0	51·6 51·9 52·1	65·1 65·5	59 59 59				9 10 11	0	0 0	64.7	23·7 23·8 24·6	48	11·1 11·3 12·0	46
3 0 0 4 0 0	25·7 25·5	41.6	63 64			12 14	0	0	52·7 53·0	66·7 67·4	58 58				12	0	0 0	61.4	24·6 24·2	46	11.3	46
5 0 0	24.9	38.1	63 64 63			16 18 20	0 0	0 0	53·7 53·9 53·6	68·2 68·8 70·9	58 58 57				14	0	0 0	59.9	23.8	47	9.2	47
8 0 0 10 0 0 11 0 0	24·7 25·3 25·6	37·8 38·0 38·1	63 64			22	0	0	50.0	70.3	57				16	0	0 0	65.5	19·6 20·1 21·5	51	8·8 8·2 8·0	50
12 0 0 13 0 0	25·7 25·8	38·2 37·9	64 63			Van I				Scale I		q = 0'	71		19	0	0 0	65.5	22.6	51	9.6	49
14 0 0 15 0 0 16 0 0	26·1 26·4	40·3 40·1 41·0	62 62 62				ANI		V. F. A Extra o	bservatio	ns.	q =			21 22 23	0	0 0	64.8	22·4 22·1 22·4	50	10·4 11·2 11·9	48
18 0 0 19 30 0	26.7	41.2	62 62			The V	. F.		bserved at 30°, after			and the H	. F.	19	0	0	0 0	63.8	21.9	49	13.3	47
20 0 0 20 30 0	29·3 29·1	41·2 42·4	62 62		-		30	0 d	56·0 55·3	17.5	46	13.4	45		2 3	0	0 0	62.5	21.3	47	14·2 14·1	46
22 0 0 23 0 0	25.9	45.4	62 62				35 40	0	54·0 52·7	15.1		14.2			5		0	63.7	23.9	47	14.6	46

Connexion broken; the readings of the H.F. magnet from 18⁴, 14^h, to 19⁴, 5^h, are not comparable with the mean positions during the month given below.
 The mean positions of the H.F. are from July 20th to July 30th, inclusive; there are no mean positions of the V.F. in consequence of frequent breaks in the series.
 Commencing after Sunday midnight at the Cape of Good Hope.

<sup>d "No Aurora visible."
e "The Aurora plainly visible in the S.E; altitude about 20°."
f "Aurora scarcely visible."
f "Aurora not visible."
h Commencing after Sunday midnight at Van Diemen Island</sup>

	J	ULY 18, 1	9, and 2	0, 184	11.			Ju	LY 18, 19), and 20	, 184	1.		Jul	v 18, 19	, and 20	, 184	1.	
M. Gö	tt. Time	Decl.	Hor. F	orce.	Vert. F	orce.	M. Gott	. Time.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor. Fe	orce.	Vert F	orce.
d. h.	m. 1	ScDivns.	Sc -Divas.	Ther.	ScDivas.	Ther.	d. h.	m. s.	SeDiv ^{ns} .	ScDivas.	Ther.	SeDivns.	Ther.	d. h. m. s.	SeDivn.	SeDiv ^{ns} .	Ther.	ScDiv ^{na} .	Ther.
19 6	0 0	The second second	25.9	46	11.7	45	19	0 0	67.0	20.1		12.1	40	20 4 0 0	35.0	46.3	52	51.6	57
8	0 0		25.0	45	13.9	44	20 21	0 0	65.4	20.3	50	11.2	49	5 0 0 6 0 0	36.8	48.5	53 51	51.6	53
9	0 0		25.1		15.5		22	0 0	63.6	20.7	49	11.7	48	7 0 0	40.2	50.4	50	51.4	53
10	0 0	64.4	25.2	45	14.8	44	23	0 0	62.6	20.8		12.1		8 0 0 9 0 0	37.0	53.2	50	50.8	53
12	0 0	61.3	24.2	45	14.2	44	A		Farmer		G	ner Ior es		10 0 0	42.9	54.7	49	53.1	50
13 14	0 0	63.9	21.9	45	21.6	44	ANTA		EXPEDIT				ND,	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	35.1	55.5	50	51.0	49 53
15	0 0	05.9	18.7	40	19.7	11	613	Decl	. 1 Scale	Division	n =	0'-73		12 0 0 13 0 0	34.9	55.6	49 50	49.4	53
16	0 0	73.7	15.4	46	23.7	45		H. I	. k = .	000186	; q =			14 0 0	36.1	53.7	50	49.7	52
17	0 0	74.4	21.3	47	13.3	46			k = 0		q =			15 0 0 16 0 0	38.6	52.7	50	50.0	53 58
19	0 0		17.5		24.6	-	- 10	Position	July 18	, 19, and		rvation,		17 0 0	39.7	53.4	51	50.5	53
20 21	0 0	72.2	19.3	47	20.5	46			li .	ll.	1		1	18 0 0 19 0 0	39.6	52.7	52 52	50.7	53 53-
22	0 0	67.3	20.7	47	16.2	45	18 3	0 0	38.8	47.0	52	48.7	55 54	20 0 0	36.9	51.7	52	49.1	54
23 20 0	0 0	52.4	18.2	46	19.0	45	5	0 0	38.6	48.8	52	48.4	54	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	36.1	52.3	52	49.1	54
20 0	0 0	32.4	12.4	40	20.4	40	6.7	0 0	39.9	49.5	52 52	49.8	53 54	22 0 0 23 0 0	36.1	52.3	51	50.5	54
2	0 0	61.8	17.6	47	12.1	47	8	0 0	38.8	47.8	52	49.7	54		1	1			1000
3 4	0 0	64.5	17.8	45	15.7	44	9	0 0	38.5	48.9	52	49.0	54	Mean Positi		same hour 31 inclusiv		July 19 t	0
5	0 0		22.2		17.6		10 11	0 0	38.7	50.5	52	50.2	53 54			II	1 - 0	1 0	1
6 7	0 0	64.9	21.9	43	19.8	43	12	0 0	35.9	50.3	52	50.2	54	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	33.1	51.1	56	47.9	57
8	0 0	66.4	22.6	43	16.8	43	13 14	0 0	33.9	49.0	53 54	49.2	55 55	2 0 0	33.1	53.7	56	49.0	56
9	0 0	76.5	23.1	42	18.1	42	15	0 0	37.5	43.4	57	47.3	59	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	34.6	53.0	54	48.5	56
11	0 0	10.3	22.5	42	14.1	42	16	0 0	40.3	41.7	58 59	48.1	59 59	5 0 0	35.0	55.2	34	49.3	30
12	0 0	63.2	22.7	42	17.4	42	17 18	0 0	40.3	42.0	60	46.1	61	6 0 0	35.6	56.3	53	50.3	55
13	0 0	63.3	21.4	43	18.8	43	19	0 0	39.2	43.9	61	45.6	61	7 0 0 8 0 0	36.4	57.3	52	50.0	54
15	0 0		19.3		16.1		20 21	0 0	38.0	42.4	60 59	46.3	61	9 0 0	35.3	59.0		49.4	
16 17	0 0	66.1	19.9	46	13.3	46	22	0 0	37.6	43.0	58	47.2	59	10 0 0	35.9	60.2	51	49.9	54
18	0 0	67.9	20.9	47	13.4	46	19 0	0 0	37.6	44.1	57	48.2	58	12 0 0	33.8	60.6	52	48.8	54
19 20	0 0	64.8	21.0	48	12.0	477	19 0	0 0	36.7	46.3	55	50.3	56	13 0 0	32.7	58.5	54	47.8	56
21	0 0	040	20.6	40	13.3	47	2	0 0	36.2	44.0	57	50.1	56 56	14 0 0 15 0 0	33.4	55.6	34	47.0	50
22	0 0	64.4	20.9	47	13.7	46	3 4	0 0	36.8	45.4	55	49.9	56	16 0 0	37.0	48.6	58	46.8	59
23	0 0		17.9		16.8		5	0 0	36.5	48.6	56	49.9	56	17 0 0 18 0 0	38.1	48.2	60	46.4	61
Mea	n Positi	ons at the sa	me hours	during	the Mont	h.	6 7	0 0	36.0	51.7	53 52	50.1	57	19 0 0	37.0	47.6		46.3	
			1				8	0 0	38.0	53.5	52	50.0	56	20 0 0 21 0 0	35.7	48.4	59	46.3	60
0	0 0		20.8	48	12.6	47	10	0 0	36.9	53.2	52 51	50.3	56 56	22 0 0	34.8	49.6	57	47.5	59
2	0 0	61.6	20.9	47	13.1	47	11	0 0	37.5	58.5	50	50.0	56	23 0 0	33.9	50.7		47.2	
3 4	0 0		21.7	46	13.2	46	12 13	0 0	35.7	55.7	51	49.8	56 56		JULY 23	and 04	1841	ST PER	
5	0 0		23.0	46	14.1	40	14	0 0	35.4	51.0	54	47.4	56		OLY 23	and 24,	1041.		
6	0 0		23.4	45	15.1	45	15	0 0	39.2	43.9	56	48.0	57	(Decl. 1	Scale D	ivisio	n = 0'	72
8	0 0		23:7	44	15.3	44	16 17	0 0	43.1	35.7	58 60	48.0	59 62		H. F. k				
9	0 0	64.0	24.3		15.1		18	0 0	44.2	38.1	61	45.9	62		V. F. k				
10	0 0		24.5	44	15.3	44	19 20	0 0	45.9	32.5	60	47.9	61	Positions at th	e usual he 3rd, 0h. to			n, from Je	пу
12	0 0	62.0	24.5	44	14.1	44	21	0 0	38.5	39.0	59	46.0	60		II			1 000	
13 14	0 0	100000000000000000000000000000000000000	23.5	46	14.0	46	22 23	0 0	37.9	40·3 38·5	58 56	47.1	59 57	23 0 0 0 0 2 0 0	43.9	91.5	76	72.6	77
15	0 0		20.0	40	13.1	40	20 0	0 0	30.4	43.1	54	48.1	56	4 0 0	37.9	53.0	77	72.1	77
16	0 0	- 720000000	19.2	48	13.5	48	1 2	0 0	29.0	36.4	53	50.3	56	8 0 0	28.0	80.6	78 79	71.4	78
17	0 0	79700	19.3	50	12.6	49	2 3	0 0	33.8	46.8	53	49.3	57	10 0 0	26.2	90.4	79	74.3	79
-	-	-	"		11	-			1	1	1				11		-		=
							* Co	mmenci	ng after S	anday mic	dnight.	at Sydney							

July 23 a	and 24, 1841.		J	ULY 23 8	md 24, 1	1841.	3	J	ULY 23 :	and 24, 1	1841.		
M. Gött. Time. Decl.	Hor. Force.	Vert. Force.	M. Gött. Time.	Decl,	Hor. Fo	orce.	Vert. Force.	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. Fe	orce.
d. h. m. s. SeDiv ^{no} .	SeDivas. Ther.	ScDivns. Ther.	d. h. m. s.	SeDiv ^{ns} .	SeDivas.	Ther.	SeDivas, Ther.	d. h. m. s.	ScDiv ^{ns} .	Se. Divas.	Ther-	Sc. Diva.	Ther.
23 12 0 0 29.3	79.9 81	77.4 80	24 3 10 0	28·0 27·8	35.8	63		24 11 50 0	24.9	32.2	0	0 18	0
14 0 0 39·8 16 0 0 42·8	60·0 80 45·0 79	74·2 80 67·6 80	15 0 20 0	27.5	35.9			55 0 12 5 0	24.9		62	10	
18 0 0 40·0 20 0 0 33·4	71·4 78 59·9 78	62·4 79 62·5 79	25 0 30 0	27.3	35.3			10 0 15 0	24.9	32.3		100	
22 0 0 31·0 24 0 0 0 32·0	71·2 77 56·1 76	54·8 78 44·7 77	35 0 40 0	26·7 26·5	35.5			20 0 25 0	24·8 24·8	32.2		2 1	
2 0 0	28.4 77	60.6 77	45 0	26.5	100000			30 0	24.6	32.1		3	
4 0 0 43·4 6 0 0 31·2	61.7 78 63.5 79	68.8 79 71.9 80	50 0 55 0	26·3 26·2	35.0			35 0 40 0	24.6	32.6		1000	
8 0 0 25·1 10 0 0 35·8	81 · 3 81	73.8 81 84.2 81	4 5 0 10 0	25.9	35.4	63		45 0 50 0	24.3	32.3		0.0	
12 0 0 30·0 14 0 0 35·8	77.0 80 67.9 80	81·7 81 80·0 80	15 0 20 0	25.4	34.8			55 0	24.4				
16 0 0° 46·2	64.3 79	75.5 79	25 0	25.9	00000			Positions at	the usual	hours of o	bserva	tion, from	
The Mean Positio		onth	30 0 35 0	26.0	34.0		10 14 41	July	23rd, 0°.	to July 24	th, 12h		_
are given	in page 59.		40 0 45 0	26·0 25·9	34.7	3	-10 3	23 0 0 0 0 2 0 0	24.9	47·6 44·2	62 63	48.4	62 63
	Scale Divisio		50 0	25.2	34.8			3 0 0	25.2	41.5	64	42.0	63
(V. F. /	k = '0002;		55 0 5 30 0	23.7	34.6	64		5 0 0	27.1	30.0	64	38.3	63 63
Extra of The H. F. was obs	bservations.	after	8 5 0 10 0	23.9	29.5	62		8 0 0	25.8	38.9	64	38.3	63 62
	s specified.	, miles	15 0 20 0	23.9	29.1	8		10 0 0	25.9	37·1 34·8	63 62	40.7	62 62
23 23 40 0 29 1	40.0 62		25 0	24.1				12 0 0	25.2	35.2	62	41.2	62
45 0 29·8 50 0 29·8	39.8		30 0 35 0	24.1	28.8			13 0 0 14 0 0	26.2	36.2	62 62	41.8	61
55 0 29·3 24 0 5 0 29·0			40 0 45 0	24.2	28.4			15 0 0 16 0 0	24.8	40.1	62 62	41.9	61
10 0 29·0 15 0 28·9	39.0 62		50 0 55 0	24.4	28.1			18 0 0 19 30 0	25·2 28·5	42·2 42·8	62 62	41.7	61
20 0 28.9	39.0		9 5 0	24.5				20 0 0	31.1	41.5	62	42.8	61
25 0 28·8 30 0 28·4	37.9		10 0 15 0	24.2	27.3			20 30 0 22 0 0	30.6	42.7	62	43.5	61
35 0 28·1 40 0 28·1	37.1		20 0 25 0	24.0	27.1			$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30.1	39.1	62	43.4	61 62
45 0 28.1	37.1		30 0	23.9	27.1			2 0 0	28.1	38.2	63	40.1	62
55 0 28.8	31.1		35 0 40 0	23.9	28.6			4 0 0	26.0	36.2	63	39.8	62 63
1 5 0 28·7 10 0 28·1	37.0 63		45 0 50 0	24.1	31.8		0.9	5 0 0	24.9	34.9	64	40.2	63
15 0 28·0 20 0 28·0	37.0		55 0 10 5 0	25·4 25·1		63		8 0 0	23.5	30.0	62 62	40.8	62 62
25 0 28.1			10 0	24.9	35.4	00		11 0 0	25.1	34.7	62	42.4	62
30 0 28.6 35 0 28.8	38.7		15 0 20 0	24.8	36.6			12 0 0 ⁶	24.9	32.0	62	41.8	62
40 0 28·6 45 0 28·1	38.0		25 0 30 0	24.9	38.0			The Mean Position	ons during	the Month	are gi	ven in pa	ge 60.
50 0 28·1 55 0 28·1	38.2		35 0 40 0	24·8 25·0	37.2			CAPE OF	1	1 Scale			
2 5 0 28.0	38.0 63		45 0	25.0			THE PERSON	Good Hope Positions a		k = '0			00000
10 0 28·0 15 0 27·7			50 0 55 0	25·0 24·9	35.7					to July			
20 0 27·2 25 0 27·0	38.0	1	11 5 0 10 0	25·1 25·0	33.1	62	33	23 0 0 0	51.2	72.7	56	1	
30 0 27·0 35 0 27·0	38.0		15 0 20 0	24·9 24·7	32.2			$\begin{array}{cccccccccccccccccccccccccccccccccccc$	51.5	65.8	58 59		1
40 0 27.0	37.0		25 0	24.7				6 0 0	52.0	67.3	59	130	1
45 0 27·0 50 0 26·9	36.1		30 0 35 0	24.7	31.8			8 0 0	52.1	65.0	59 59		- 3
55 0 27·1 3 5 0 28·0			40 0 45 0	24.8	32.0			12 0 0 14 0 0	50.4	64.8	59 59	1	-
					11					-	-	0	
	* Saturday	midnight at To	ronto.		-		b Saturd	lay midnight at St	. Helena.				-

OBSERVATIONS WITH THE MA	GNETOMETERS ON DAYS OF UNUSUAL MAGNE	ETIC DISTURBANCE, 1840-1841. 63
JULY 23 and 24, 1841.	July 23 and 24, 1841.	July 23 and 24, 1841.
M. Gött, Time. Deel. Hor. Force. Vert. Force,	M. Gött, Time. Decl. Hor. Force. Vert. Force.	M. Gött. Time. Decl. Hør. Force. Vert. Force.
d. h. m. s. ScDiv ^m , ScDiv ^m . Ther. 23 16 0 0 0 53.5 70.8 58 18 0 0 53.8 69.9 58 20 0 0 56.9 73.7 58 22 0 0 54.0 69.0 58 24 0 0 0 53.0 58.7 58 2 0 0 52.9 59.6 59 4 0 0 51.0 58.9 59 6 0 0 50.6 58.1 59 8 0 0 49.7 55.0 59 10 0 0 51.0 60.0 59 The Mean Positions during the Month are given in page 60. VAN DIEMEN Decl. 1 Scale Division = 0'.71 H. F. k = .0003; q = V. F. k = ; q = Positions at the usual hours of observation, from	h. d. m. a. ScDiv ^{as} . ScDiv ^{as} . Ther. ScDiv ^{as} . Ther. 23 15 0 0 16 0 68·4 19·8 45 20·6 45 17·0 0 19·7 18·1 18·0 0 73·1 18·7 46 21·1 45 19·0 0 17·0 19·7 20·0 0 68·6 19·1 47·16·6 46 21·0 0 17·5 17·5 22·0 0 61·5 13·9 47·19·6 46 23·0 0 17·5 17·5 17·5 24·0 0 0 57·9 13·9 47·16·9 46 10·0 17·5 15·7 2·0 0 62·8 18·3 48·15·7 47 The Mean Positions during the Month are given in page 61.	d. h. m. s. ScDivss. ScDivss. Ther.
July 23rd, 0th, to July 24th, 2th. 23 0 0 63·7 20·0 46 18·1 45 1 0 0 63·3 22·6 44 16·8 44 2 0 0 63·3 22·6 44 16·8 44 3 0 0 62·1 23·0 44 12·0 44 5 0 0 22·9 19·8 6 0 63·2 28·1 42 21·5 43 7 0 28·0 17·3 17·3 17·3 18 0 62·5 24·5 42 16·5 43 9 0 0 64·2 25·8 41 18·6 41 11 0 0 66·5 24·4 41 19·5 42 13 0 66·5 24·4 41 19·5 42 13 0 65·0 22·4 43 17·5 </td <td>Decl. 1 Scale Division = 0'·73 H. F. $k = \cdot 000186$; $q =$ V. F. = ; $q =$ Positions at the usual hours of observation, from July 23rd, 0h. to July 24th, 2h. 23 0 0 0 34·4 48·7 54 50·4 55 1 0 0 33·8 53·7 53 50·4 55 2 0 0 33·9 54·9 53 49·4 55 3 0 0 34·1 54·9 53 48·8 55 4 0 0 33·3 55·7 53 48·7 55 5 0 0 34·6 55·3 52 49·5 55 6 0 0 34·3 56·0 52 51·7 54 7 0 0 39·9 57·6 51 51·5 55 8 0 0 34·6 60·6 51 47·5 55 9 0 0 35·0 61·1 52 47·9 55</td> <td>The Mean Positions from July 19th to July 31st inclusive, are given in page 61. August 2 and 3, 1841. Toronto* { Decl. 1 Scale Division = 0'·72 H. F. k = ·000076 q; = ·0002 V. F. k = ·000093 q; = ·00018 Extra observations. The V. F. was observed at 1=. 30°. before, and the H. F. 2=. 30°. after the times specified.</td>	Decl. 1 Scale Division = 0'·73 H. F. $k = \cdot 000186$; $q =$ V. F. = ; $q =$ Positions at the usual hours of observation, from July 23rd, 0h. to July 24th, 2h. 23 0 0 0 34·4 48·7 54 50·4 55 1 0 0 33·8 53·7 53 50·4 55 2 0 0 33·9 54·9 53 49·4 55 3 0 0 34·1 54·9 53 48·8 55 4 0 0 33·3 55·7 53 48·7 55 5 0 0 34·6 55·3 52 49·5 55 6 0 0 34·3 56·0 52 51·7 54 7 0 0 39·9 57·6 51 51·5 55 8 0 0 34·6 60·6 51 47·5 55 9 0 0 35·0 61·1 52 47·9 55	The Mean Positions from July 19th to July 31st inclusive, are given in page 61. August 2 and 3, 1841. Toronto* { Decl. 1 Scale Division = 0'·72 H. F. k = ·000076 q; = ·0002 V. F. k = ·000093 q; = ·00018 Extra observations. The V. F. was observed at 1=. 30°. before, and the H. F. 2=. 30°. after the times specified.
* Saturday midnight at the Cape of Good Hope. * Saturday midnight at Van Diemen Island. * Saturday midnight at Sydney. * Toronto, August, 1841.—Times of observation at which turbed, but the mean readings were not mater 4. b. 3 2 Decl., H. F., and H. V., moderately disturbed by shocks. 14 Decl. and H. F. slightly disturbed by shocks. 14 Decl. and H. F. slightly disturbed by shocks. 16 H. F. slightly disturbed and vibrating. 10 H. F. moderately disturbed, vibrating with shocks.	the magnetometers were dis- ially changed. bocks. 4. b. 17 10 Decl. and H. F. models 18 12 H. F. slight vibration 14 V. F. slight vibration 14 V. F. slight vibration 19 0 Decl. and H. F. models 10 Decl. and H. F. vibrating slight 10 Decl. and H. F. vibrating slight 10 Decl. and H. F. wibrating slight 10 Decl. and H. F. wibrating slight 10 V. F. vibrating mue 14 V. F. vibrating mue	ns, ns, ns. lerate shocks, tly, ating slightly, lecate vibrations and shocks; V. F. moderate vibrations, h.

- V. F. vibrating slightly.
 Decl. and H. F. considerable vibrations and shocks.
 H. F. slightly disturbed, vibrating.
- - 6 8 Decl. and H. F. moderately disturbed with shocks.

- 10
 12 H. F. and V. F. considerably disturbed, vibrating.
 14 Decl. and H. F. considerably disturbed, vibrating.
 7 0 Decl. much, H. F. moderately disturbed, vibrating.
 2 H. F. moderately disturbed, with shocks.
 10 0 Decl. and H. F. much disturbed by shocks; V. F. vibrating very much.
 11 2 Decl., slight shocks; H. F. slight vibrations.
 18 H. F. slight vibrations.

- 20 22 Decl. slight vibrations; H. F. moderate vibrations and shocks.

- 22 H. F. slight vibrations; H. F. inoderate vibrations and shocks.

 12 0 H. F. slight vibrations.

 2 Decl. slight shocks; H. F. slight vibrations.

 13 0 Decl. moderate, vibrations and shocks; V. F. vibrating much.

 2 H. F. vibrating much, with shocks.

 20 V. F. considerable vibrations.

 14 2 H. F. disturbed by shocks.

 16 H. F. and V. F. moderate vibrations; H. F. shocks.

- 15 18 H. F. vibrating slightly.
- 16 0
- Decl. and H. F. slight shocks.

 Decl. and H. F. moderate vibrations and shocks.

 H. F. moderate vibrations and shocks.

 H. F. slight vibrations.

 H. F. moderate vibrations and shocks.

- 14 V. F. vibrating much.
 21 0 Decl. and H. F. moderate shocks; V. F. vibrating much.
 8 & 10 H. F. moderate shocks; V. F. slight shocks at 10^h.
 16 Decl. slight shocks.
 22 18 Decl. and H. F. slight vibrations.
 20 V. F. moderate vibrations.
 22 Decl. moderate shocks.
 23 0 & 2 Decl. moderate shocks.

- 0 & 2 Decl. and H. F. vibrating much, with shocks. 10 H. F. moderate vibrations and shocks. 23

- 20 H. F. vibrating slightly.
 24 0 Decl. moderate vibrations and shocks; H. F. vibrating very much; V. F. Decl. moderate vibrations and shocks; H. F. vibrating vibrating much.
 Decl. slight shocks; H. F. vibrating much, with shocks.
 Decl., H. F., and V. F. moderate vibrations and shocks.
 Decl. slight shocks, H. V. moderate vibrations and shocks.
 V. F. vibrating slightly.
 V. F. vibrating much.
 H. F. vibrating much, with shocks.
 Decl. and H. F. vibrations and shocks; V. F. vibrations.
 H. F. moderate vibrations.
- 25

- 22 Decl. and H. F. vibrations.
 26 4 H. F. moderate vibrations.
 14 V. F. vibrating much.
 16 H. F. vibrations.
 20 H. F. slight vibrations.
 27 2 V. F. vibrating much.
 28 4 Decl. slight vibrations.
 30 6 H. F. moderate vibrations.
 20.8 22 Decl. moderate vibrations.
- O & 22 Decl. moderate vibrations and shocks.
 H. F. vibrations and shocks.
 H. F. slight vibrations.
 U. F. moderate vibrations.

August 2 and 3, 1841.		A	ugust 2	and 3, 1	841.			A	wowst 2	and 3, 1	1841.		
M. Gött. Time. Decl. Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor, Fo	rce.	Vert. Fo	orce.	M. Gott. Time.	Decl.	Hor Fo	orce.	Vert. F	orce.
d. h. m. s. ScDivas. ScDivas. Ther. S	icDivas. Ther-	d. h. m. s.	ScDivns.	ScDivus	Ther.	SeDivns.	Ther.	d. h. m. s.	ScDivns.	ScDivus.	Ther.	SeDiv ^{ns} .	Ther.
40 0 145.0 376.5	44·5 45· 46·5	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	23·7 25·9 24·9	44·1 44·0 41·9	64 65 65	38·5 39·3 37·1	64 64 64	2 17 15 0 20 0 25 0	24·9 24·9 25·0	41.1		0.79	0
	47.5	6 0 0	23.8	41.3	65 64	36.5	64 64	30 0 35 0	25·0 24·9	41.0		36.6	
	45·6 73 44·1	10 0 0 11 0 0	25·2 25·2	42.0	64 64	36.1	63 63	40 0 45 0	24·9 24·9	40.9		36.5	
15 0 153.4 362.8	42·2 41·3	12 0 0 10 0	24.3	37.9	64	35.3	63	50 0 55 0	25.0	40.1		36.5	
25 0 153 1 360 1	40.5	15 0 20 0	24.8	35.4	2	35.5		18 0 0	25.0	40.0	63	36.5	62
35 0 153.0 363.0	41.1	25 0 30 0	25.0	34.9		35.9		10 0 15 0 20 0	25.0	41.0		36.5	
45 0 151.3 365.0	41.3	35 0 40 0	25.1	35.1	200	35.9		20 0 25 0 30 0	25·0 25·1 25·8	40.4		36.5	W.
Positions at the usual hours of observation, Au	41.5 aud 3.	45 0 50 0 55 0	25·2 25·0 24·9	37.0		35.6	- A	35 0 40 0	26·2 26·7	40.3	1911	36.5	
2 0 0 0 150.3 392.7 67	54.7 67	13 0 0 10 0	24.7	38.8	64	35·5 35·4	63	45 0 50 0	26.9	40.9		36.5	1
4 0 0 139.0 381.3 70	54.6 68 52.2 69	20 0 25 0	23.9	38.1	15	35.4		55 0 19 0 0	27·0 27·1	41.0	63	36.5	62
8 0 0 126.6 390.0 73	51.5 71 51.1 71	30 0 35 0	23.5	37.9		35.6		5 0 10 0	27·3 27·9	40.9		36.5	
12 0 0 137.5 390.3 75	51·7 72 56·3 73	40 0 45 0	23.9	36.8		35.7		15 0 20 0	28·0 28·1	41.0		36.5	
16 0 0 167.4 364.9 73	61·8 73 32·7 73 45·9 73	50 0 55 0	24·0 24·1	36.3		35.7		25 0 30 0	28.9	40:9		36.7	
20 0 0 139.4 385.0 71	53·9 71 53·7 70	14 0 0 5 0	24.1	35.9	64	35.8	63	35 0 40 0	29.7	41.1			
	53·0 70 46·4 71	10 0 15 0	23.9	35.3		35.8		45 0 50 0	29.9	42.1	1	36.9	
4 0 0 144·8 364·9 72 6 0 0 132·6 377·5 73	48·6 71 51·7 72	20 0 25 0	23.8	35.0		35.6		55 0 20 0 0 5 0	31.0	42.0.	63	37.0	62
8 0 0 129·9 378·0 73 10 0 0 133·0 383·0 74	51·9 72 55·6 73	30 0 35 0 40 0	23·8 23·6 23·7	34.7		35.6		10 0 15 0	31.9	42.0		37.6	1
	58·9 73 49·4 73	45 0 50 0	23.9	34.0		33.0		20 0 25 0	32.1	42.0	1	37.6	100
18 0 0 134.9 361.9 73	52·1 73 43·1 72	55 0 15 0 0	23.8	33.7	64	35.9		30 0 35 0	31.9	42.1		37.5	
	41·3 72 45·3 71	5 0	23.9	33.7		35.9	63	40 0 45 0	31.4	42.1		37 7	
Mean Positions at the same hours during t	the Month.	15 0 20 0	23.9	34.4		35.8		50 0 55 0	31.1	42.8		37.7	
0 0 0 143·8 391·5 68 2 0 0 145·5 385·4 69	53·8 68 51·7 69	25 0 30 0	24·2 24·1	36.2		35.8		21 0 0 5 0	30.0	43.1	63	37.9	62
4 0 0 137·8 368·9 70 6 0 0 127·8 374·8 71	51·6 70 51·3 70	35 0 40 0	24.1	40.0		36.6		10 0 15 0	29.5	44.0		37.9	
8 0 0 126·9 390·3 72 10 0 0 131·9 395·2 73	51·8 71 52·1 72	45 0 50 0	24.8	41.1		36.5		20 0 25 0	29.4	44.9		37.9	-
12 0 0 133·8 387·2 73 14 0 0 139·7 375·6 72	53·7 72 52·0 72	55 0 16 0 0 5 0	24·8 24·9 25·0	42.0	64	36.6	63	30 0 35 0 40 0	29·0 29·3 29·4	46.0		38.1	1
16 0 0 142·3 375·3 71 18 0 0 138·4 379·8 70 20 0 0 138·6 381·1 69	49.0 71 48.9 70 47.5 70	10 0 15 0	25·6 26·0	41.8		36.6	03	45 0 50 0	29.0	46.0		38.1	
22 0 0 138.0 381.1 69	47.5 70 50.3 69	20 0 25 0	26.0	41.2		36.8		55 0 22 0 0	28.9	47.0	63	38-2	63
St. Helena Decl. 1 Scale Division H. F. k = '00018 q;	= 0'.71	30 0 35 0	25.9	41.0		36.8		5 0 10 0	28·2 28·2	46.9		38.5	1200
(V. F. k = '00017 q; Regular and extra observation	=	40 0 45 0	25·7 25·7	41.0		36.8		15 0 20 0	28.1	46.9	1	38.3	-
The V. F. was observed at 2 ^m , 30°, before, a 2 ^m , 30°, after the times specified	and the H. F.	50 0 55 0	25.8	41.0		36.8		25 0 30 0	28.0	46.9		38.3	
2 0 0 0 25.2 48.2 64	39.2 63	17 0 0 5 0	25.2	41.0	63	36.8		35 0 40 0 45 0	27.6	46.5		38.3	1
2 0 0 22.9 46.2 64	37.5 64	10 0	25.0	41.2		36.8		45 0	27.0	1	1		11

M. Gott, Time. Decl. Hor, Force. Vert. Force. M. Gott, Time. Decl. Hor, Force. Vert. Force. M. Gott, Time. Decl. Hor, Force. M. Gott	Vert. Force. ScDiv**. Ther. 32 · 9 65 33 · 2 32 · 2 32 · 2 32 · 5 32 · 3 32 · 3 64
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	32·9 65 33·2 32·2 32·2 32·5 32·3
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	33·2 32·2 32·2 32·5 32·3
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	32·2 32·2 32·5 32·3
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	32·2 32·2 32·5 32·3
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	32·2 32·5 32·3
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	32·5 32·3
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	32.3
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	32.3
45 0 26.1 20 0 23.0 38.5 31.8 55 0 25.4	
	32.3 64
50 0 26·0 49·1 38·7 25 0 23·1 31·8 11 0 0 25·4 36·9 65 55 0 25·5 5 0 25·6	
3 0 0 0 0 25·5 48·8 64 38·4 63 35 0 23·2 38·2 31·8 5 0 25·6 10 0 25·0 35·2	32.0
5 0 25·1 10 0 25·5 49·0 38·4 40 0 23·5 38·0 31·6 15 0 25·0 45 0 23·7 38·0 31·6	32.2
15 0 25.1 50 0 23.8 38.4 31.5 25 0 25.0	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	32.0
30 0 26.9 50.0 38.6 5 0 24.3 40 0 24.8 34.9	32.0
35 0 26·3 40 0 26·0 48·3 38·9 10 0 24·4 38·1 45 0 25·0 35·4	32.0
45 0 26.0 20 0 24.2 38.0 55 0 25.5	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	31.7 64
1 0 0 26.3 47.1 64 38.3 64 35 0 24.3 10 0 25.9 36.2	31.9
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	33.1
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	33.0
25 0 24.3 7 0 0 24.2 37.9 32.3 35 0 26.3	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	32.8
40 0 24.8 45.6 37.8 15 0 24.8 50 0 26.2 37.6	33.0
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	33.5 64
55 0 24.1 30 0 24.2 36.2 5 0 26.0	33.2
5 0 24.7 40 0 24.0 36.0 32.2 15 0 25.8	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	32.6
20 0 24.2 43.7 38.0 55 0 24.1 30 0 25.2 37.2	32.2
25 0 23·9 30 0 23·1 41·9 37·7 8 0 0 24·1 35·1 65 32·2 65 35 0 25·1 40 0 25·2 37·2	32.2
35 0 23 2 10 0 24 1 35 1 32 2 45 0 25 9	32.2
45 0 23.0 20 0 24.5 35.6 32.1 55 0 26.7	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	33.0 64
3 0 0 23.7 40.0 65 37.3 65 35 0 24.9	33.0
5 0 23·5 40·2 37·3 40·2 37·3 40·0 31·9 15 0 26·9 40·0 31·9	33.2
15 0 23.1 50 0 24.9 35.2 31.9 25 0 26.9	22.0
25 0 22·1 9 0 0 25·1 35·1 31·9 35 0 26·9	33.2
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	33.2
40 0 22.5 39.1 36.3 15 0 24.8 50 0 26.9 40.0	33.2
45 0 22·9 30·0 23·2 30·0 20 0 24·2 35·0 31·8 55 0 26·8 39·9 64	33.2 63
55 0 23.4 30 0 24.6 35.4 31.8 5 0 26.8	33.2
5 0 23.6 40 0 24.8 36.0 31.7 15 0 26.5	
10 0 23·5 38·6 34·6 45 0 24·8 20 0 26·2 40·0 25 0 26·1	33.1
20 0 23.3 38.0 34.3 55 0 24.4 30 30 0 26.1 39.5	33.0

								-								-	-		-	
A	August 2	2 and 3,	1841.					A	LUGUST S	2 and 3,	1841.					August	2 and 3,	1841.		
M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. I	orce.	M. Gö	tt. Ti	ime.	Decl.	Hor. 1	orce.	Vert.	Force.	M. Gott.	Time.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m. s.	SeDiv ^{ns} .	SeDiv ^{na} .	Ther.	ScDivas.	Ther.	d. h.	m.	8.	Se,-Div ^{ns} .	SeDiv ^{ns}	0	ScDiv	Ther.	d. h. r	n. s.	ScDivas	SeDiv ^{ns} .	Ther.	SeDivas.	Ther
3 15 35 0 40 0	26.1	39.9		33.0		20 22	30	0	29.6	47.3	62	1.4	1	The second secon	0 0	57·8 58·4	36.2	48	63.3	48
45 0	26.2	39 9		33 0		23	0	0	25.3	51.6	62	161		A COUNTY OF THE PARTY OF THE PA	0 0	60.6	36.0	48	63.6	47
50 0 55 0	26.2	39.8		33.0		-	-	-			-		-	4	0 0	59.9	38.5	47	62.4	47
16 0 0	26.8	39.8	64	33.0	63			C	APE OF	Good F	lope.b			13 (0 0	59.4	35.7	*1	59.6	
5 0 10 0	26.1	39.8		33.4		17. 1						ion =0'	.71		0 0	60.4	36.3	48	64·7 59·2	47
15 0	26.1					VAN I	AND	LEN	H. F. V. F.	k = '(-			16 .0	0. 0	62.1	36.8	49	60.5	48
20 0 25 0	26.1	39.8		33.5					•	bservati		q =		17 (62.7	36.2	50	62.3	48
30 0	26.1	39.9		33.2		The V	. F.	was c	bserved at			and the	H. F.	19 (20 (65.5	28.8		73.0	
35 0 40 0	26.1	40.0	2	33.1				2.	30°. after	the times	specifi	ed.		21 (61.3	33.6	49	64.3	48
45 0 50 0	26.1	40.0		33.5			20	0	54.2	31.5	50			22 (59.5	34.0	48	64.3	47
55 0	26.2						25 30	0	55.7	31.5		65.0	50							
17 0 0	26.1	40.1	64	33.2			35 40	0	57·2 58·4	31.7		64.6	1	Mean	Positio	ons at the s	ame hours	during	the Mon	th.
10 0 15 0	26.1	40.1		33.4			45	0	55.6	20000000		100000000000000000000000000000000000000		0 (58.8	35.4	51	58·5 59·1	50
20 0	26.1	39.9		33.4		2		30	51.8	32.2	50	64.1	50	2 (28.0	36.2	50	28.3	49
25 0 30 0	26.1	40.1		33.2			15	0	50.2	30.2	00	61.9	00	3 (59.5	36.3	49	58·1 58·9	49
35 0	26.1							30	51.6	31.1		63.8		5 (0	59.7	37.4	AUE.	60.3	143
40 0 45 0	26.1	41.0		33.5				30	55.7	32.1		65.9		6 0		59.6	37.5	48	60.6	48
50 0	26.1	41.0		33.2			45	0	55.5	32.2		64.8		8 0	0	61.3	38.1	48	60.8	47
55 0 18 0 0	26.1	41.0	64	33.1	63		Posit	ions	at the usu	al hours	of obser	vation,		9 0		61.6	38.7	47	59.9	47
5 0 10 0	26.1	41.1												11 0 12 0		61.5	38.7	48	60·3 58·6	48
15 0	26.2			00.0		2 0	0	0	57.3	34.4	49	66.5	48	13 0	0	60.0	36.9		57-6	
20 0 25 0	26.7	41.1		33.6		2	0	0	51·9 57·2	35.4	47	65.6	46	14 0 15 0		60.9	34.9	50	57·6 57·2	50
30 0 35 0	26·8 27·0	41.1		33.4		3 4	0	0	56.4	36.6	46	62.2	47	16 0 17 0		64.6	33·4 34·1	52	57.4	51
40 0	27.1	41.7		33.4		5 6	0	0	57·3 57·8	37.3	46	64.5	45	17 0 18 0		66.4	34.4	53	57.5	52
45 0 50 0	27.1	41.9		33.4		7	0	0	56.6	38.6		65.6		19 0 20 0		65.9	34.4	53	57.4	52
55 0	27.9			00.1		8 9	0	0	56·7 57·2	39.8	45	65.6	45	21 0	0	63.0	34.5		57.9	
-	"			1100		10	0	0	57.9	41.1	44	65.0	44	22 0 23 0		61.8	34.8	52	57.8	51
Mean Positions		e hours of Month.a	observ	ation duri	ng	11 12	0	0	56.1	39.6	44	64.5	44							
						13 14		0	55.2	38.5	46	64.1	46		A	ugust 5,	6, and 7	, 184	1.	
0 0 0	24.4	52.4	62			15	0	0	62.5	35.6	0201	64.7			,	Decl. 1	Scale D	ivision	= 0	72
2 0 0 3 0 0	24.7	50.4	63			16 17		0	64.8	33.1	50	63·9 58·7	49	TORONTO	0 {	H. F. k :	= .0000	76;9	= .00	02
4 0 0 5 0 0	25·8 25·7	46.5	63	190		18	0	0	67.1	35.2	50	61.9	50		-	V. F. k:		10000	= .00	018
6 0 0	25.4	44.9	64 64			19 20		0	68.9	35·8 37·1	50	60.4	50	The V.	F. w	Extra o	bservation at 1m. 3		re, and the	e
8 0 0	25.6	42.7	63			21 22		0	62.5	36.4	52	57·3 60·1	50			2 ^m . after				
11 0 0	25.9	42.8	62			23	0	0	55.2	35.2		60.0		6 2 20		125.3	359.7	70	39.7	69
12 0 0 13 0 0	26.3	42.7	63 62			3 0		0	59.2	34.5	50	64.9	49	25 30		The second second	359.2		40.1	
14 0 0 15 0 0	26.0	44.5	62 62			2 3	0	0	51.0	32.0	50	62.9	49	35 40	0	121.3	362·7 363·0		40.2	
16 0 0	26.4	45.6	62			4		0	53.4	40.6	50	54.1	49	45	0	123.6	373.7		40.1	
18 0 0 19 30 0	27.1	46.1	62			5		0	54.0	35.6	49	59.5	48	50 55	0	0.000	376·3 375·1		42.8	
20 0 0	30.3	46.8	62			7		0	57.6	36.0	-	63.1	10	3 0	0		382.0	70	44.5	70
a The connexi	ion of the	about the		a a . v :						1								- "		

a The connexion of the observations with the V. F. magnet at different periods of the month, is too uncertain to allow of mean positions being deduced.

 $^{^{\}rm b}$ The magnetometers were employed in experimental determinations on the 2nd and 3rd of August.

August 5, 6, and 7, 1841		Au	GUST 5, 6, and 7, 1	341.	Au	gust 5, 6	s, and 7, 1	841.		7
M. Gött, Time. Deel. Hor. Force.	Vert. Force.	M. Gött. Time.	Decl. Hor. Force	Vert. Force.	M. Gött. Time.	Decl.	Hor. Force	e.	Vert, For	rce.
d. h. m. s. ScDivns. ScDivns. Ther.	ScDivm. Ther.	d. h. m. s.	ScDiv ⁿ . ScDiv ⁿ . Th	er. ScDivas, Ther.	d. h. m. s.	ScDivas.	SeDivas. Ti	her. Se	Divas.	Ther.
6 3 5 0 129.5 383.3	46.2	6 8 0 0		3 66.0 71	6 4 15 0	24.8	Allo F	0	10	0
10 0 132.0 382.4	45.2		148.2 415.5 7	3 66.9 71	20 0	24.8	38.9	1	29.3	- 1
15 0 133.1 385.1	45.8	12 0 0		4 80·7 72 3 40·7 72	25 0 30 0	24.5	37.8		29.3	- 1
20 0 134.8 383.2	48.0			3 40·7 72 1 57·6 72	35 0	24 1	31.0		29 3	
25 0 136.2 380.1	47.3		AUG O	0 55.2 71	40 0	24.0	36.9		29.3	
35 0 137.4 384.2	47.2		138.7 382.8 6	9 45.7 69	45 0	23.9	05.0			
40 0 136.9 384.3	47.4	22 0 0	110 0 000	9 43.0 69 67	50 0 55 0	23.6	35.9		29.1	
45 0 137·9 383·5 50 0 138·4 382·9	48.1	7 0 0 0 0 2 0 0	TAY O DOG T	8 56.4 68	5 0 0	23.0	35.0	65	29.1	
14 30 0 126.3 321.9 73	51.3 72	4 0 0	141.2 361.9	0 53.1 69	5 0	22.9				
35 0 134.0 331.5	69.9	6 0 0		1 54.7 70	10 0 15 0	22.9	33.5		29.1	
40 0 149.0 345.4	78.0	8 0 0		2 53·1 71 3 52·3 72	20 0	22.2	32.1		28.6	
50 0 156.9 333.2	61.1	10 0 0		3 52.4 72	25 0	22.3			-	
55 0 161.0 337.2	50.0	14 0 0	134.2 371.1	3 52.1 73	30 0	22.1	31.7		27.6	
15 0 0 168.6 346.4 73	40.5 72	16 0 0 ^b	134.5 376.0	0 53.8 71	35 0 40 0	21.7	30.5		27.3	
5 0 152·9 370·5 10 0 99·5 327·7	30.5	The Many Posit	ions at the same hours	during the Month	45 0	22.2	30 3		213	
15 0 91.7 328.7	32.6	The Mean Posit	are given in page 64.	and and	50 0	22.1	29.8		27.3	
20 0 134.2 370.0	59.3				55 0	22.5	00.0	0=	OH . O	01
25 0 137·1 379·7 30 0 140·7 361·7	66.0		Decl. 1 Scale Div	$sion = 0' \cdot 71$	6 0 0 5 0	22.3	29.0	65	27.0	64
30 0 140·7 361·7 35 0 149·3 373·7	61.5	St. HELENA	H. F. k = '0001 V. F. k = '0001		10 0	22.1	28.9		26.8	
40 0 134 1 364 0	54.3				15 0	22.1				
45 0 133.5 360.6	55.7	13.883	Extra observations		20 0 25 0	22.2	28.4		26.8	
50 0 136·7 359·8 55 0 135·9 359·3	58.4		bserved at 2 ^m . 30 ^s . bet 30 ^s . after the times spec		30 0	22.9	28.0		26.6	
16 5 0 137.3 355.9 72	56.4 72	2	30°, after the times spec	11	35 0	23.0			20 0	
10 0 143.3 358.8	56.0	6 2 15 0		63	40 0	23.0	27.0		26.5	
15 0 148.1 362.9	56.1	20 0	26.1 40.6	30.5	45 0 50 0	23.1	26.0		26.7	
20 0 147·0 363·6 25 0 143·7 359·3	53.4	25 0 30 0	26.0 39.8	30.5	55 0	23.0	20.0		20 1	
20 0 1.10 1 1000 0 1	40 -	35 0	25.5		7 0 0	23.0	25.1	65	26.4	
Positions at the usual hours of obse	rvation,	40 0	25.6 40.1	30.2	5 0	22.9	04.0			
August 5, 6, and 7.		45 0 50 0	25·2 25·1 40·2	30.5	10 0 15 0	22.8	24:8		25.8	
5 0 0 0 138.5 380.8 70	51.6 70	55 0	25.1 40 2		20 0	23.0	23.4		25.7	1
2 0 0 147.9 387.4 70	52.5 70	3 0 0	25.1 37.9	30.0	25 0	22.9				1
4 0 0 142.2 350.5 72	48.0 71	5 0	24.9	29.5	30 0 35 0	22.9	22.7		25.6	-
6 0 0 131 9 373 1 73 8 0 0 126 1 385 8 74	49·7 72 52·7 73	10 0 15 0	24.3 37.7	29'5	40 0	22.6	22.8		25.7	2
10 0 0 129.6 378.1 75	58.7 73	20 0	24.1 38.0	29.0	45 0	22.4	-			
12 0 0 128.0 368.2 75	52.3 73	25 0	24.2	00.0	50 0	22.9	22.1		25.7	1
14 0 0 136.8 370.0 73	51.0 73	30 0	24.2 38.1	29.3	8 0 0	22.9	22.5	65	25.9	65
16 0 0 145·3 351·0 71 18 0 0 146·5 364·4 70	53·1 72 45·4 71	35 0 40 0	24.4 38.5	29.3	5 0	23.0	22 3	00	20 9	0.5
20 0 0 148.6 361.5 69	41.0 69	45 0	24.8	1 100	10 0	23.9	21.0	-	25.9	
22 0 0 148.7 349.0 68	42.5 68	50 0	24.8 39.1	29.3	15 0	24.1	20.0		05.0	
6 0 0 0 147·7 382·7 67 2 0 0 123·8 349·1 69	54·0 68 37·9 69	55 0 4 0 0	24.8 39.8	64 29.3 64	20 0 25 0	24.0	20.0		25.9	
4 0 0 142.1 382.9 71	49.4 70	5 0	24.7		30 0	24.2	20.1		25.8	
6 0 0 117 0 365 7 72	53.6 71	10 0	24.7 39.0	29.3	35 0	24.0				
					THEFT			-	1	

d. h. m. a 6 14 0

Wind S.W. very light. Cirri dispersed about; low range of cirro-strati in North; dense haze in South horizon; fair.

Bright streamers in East extending to zenith; became fainter in a few minutes; bright bank of light in North, altitude 45°.

Bank brighter in North; faint streamers in N.W.; streamers in East disappeared.

Streamers still faint in N.W.; a number of faint streamers appearing in North, occasionally becoming bright, and again dying away.

Faint streamers in the East, several bright streamers North by West.

Several streamers in East shooting across from East by North, to the South of the zenith. 15 5 South of the zenith.

Magnificent arch of light extending from N.W. to S.S.E. across the sky a little to the South of zenith, light very bright in N.W., and on dying away appearing to move as bright cirri across the sky; in 5 minutes it had entirely disappeared.

No appearance of Aurora except moderately bright light in North; streamers not visible. 6 15 15

23

28 40

Streamers in the North.
Streamers visible at intervals.
No traces of auroral light; cirri generally over the sky; haze in

horizon.

A few light cirri scattered about. No further appearance of Aurora 16 0

b Saturday midnight at Toronto.

1	ugust 5,	6, and 7	, 1841	ι.		A	ugust 5,	6, and 7,	, 184	1.	-	Au	GUST 5,	6, and 7	, 184	1.	
M. Gott, Tim	Decl.	Hor. Fe	orce.	Vert. F	orce.	M. Gött, Time.	Decl.	Hor. Fo	orce.	Vert. Fo	orce.	M. Gott. Time.	Decl.	Hor, Fe	orce.	Vert. F	orce.
d. h. m.	s. ScDivas	SeDivas.	Ther.	SeDiv ^{na} .	Ther.	d. h. m. s	SeDivas	ScDivas.	Ther.	ScDivas.	Ther.	d. h. m. s.	ScDivus.	SeDivas.	Ther.	ScDivas.	Ther.
	24.0	20.9		25.7		6 14 15 0		24.0	,	05.8	,	6 19 50 0	31.0	40.9	0	27.2	
	23.9	20.9		24.7		20 0 25 0	70000000	34.9	100	25.7		55 0 20 0 0	30.8	41.3	63	27.2	63
The state of the s	23.7	26.2		24.0		30 0 35 0		33.0		25.3		5 0 10 0	31.2	41.9		27.4	
5	23.8	The state of				40 0	23.9	32.8		25.3		15 0	30.9	Marie 1	71		
700	23.5	34.1		24.9		45 0 50 0		31.9		25.5		20 0 25 0	31.6	41.3		27.2	
	23.9	36.9		24.8		55 0 15 0 0		31.4	64	25.5		30 0 35 0	31.4	42.1		27.2	
30	25.1	35.0		24.9		5 0	24.2		01			40 0	31.3	42.2		27.3	
	25.9	33.0		25.0		10 0 15 0	The state of the s	30.3	100	25.7		45 0 50 0	31.0	42.7		27.3	
1 2 2 2 2	26.0	32.0		25.0		20 0 25 0		30.2	10	25.8		55 0 22 0 0	30.0	41.8	63	27.7	62
55	26.0		0-		0.4	30 0	25.4	30.7	10	26.1		23 0 0	29.9	43.0	63	26.8	63
5	26.0	30.0	65	24.9	64	35 0 40 0	26.0	30.9	10	26.5		Positions		ual hours		rvation,	01
	26.1	28.0	1	25.4		45 0 50 0	1	31.1		26.4	1	57 3 9 38 6	August	5, 6, and	1	10 2	1
20	26.0	27.0		25.4		55 0 16 0 0	25.6	31.9	64	26.3	63	5 0 0 0 0 2 0 0	26.9	46.8	64	30.0	63
30	26.0	26.9		25.4		5 0	25.9		0.4	2000	03	3 0 0	28.1	47.9	65	30.1	64
	0 26.0	26.0	- 3	25.4	3	10 0 15 0		32.1		26.3		4 0 0 5 0 0	27.8	42.9	65	28.1	65
The state of the s	26.0	25.1		25.4	- 1	20 0 25 0		32.8		26.3		6 0 0 8 0 0	25.9	39.1	65	27.6	65
55	25.2					30 0	26.2	32.2				10 0 0	27.1	36.0	64	27.7	64
	25.0	26.0	64	25.3		35 0 40 0		34.1		26.3		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	26.9	38.1	64	27.8	64
	24.9	28.0		25.6		45 0 50 0		34.1		26.3		13 0 0 14 0 0	27.0	39.3	64	29.1	63
20	0 24.9	31.0		25.7		55 (25.9					15 0 0 16 0 0	26.4	39.7	64	28.4	63 63
30	25.3	31.8		25.7		17 0 0		34.8		26.3		18 0 0	27.1	42.3	64	28.7	63
	0 26.8	31.8		25.8		10 0		32.0		26.5		19 30 0 20 0 0	33.0	41.0	64	30.0	63
45	26.2	31.0		25.7		20 0 25 0	26.1	35.1		26.5		20 30 0 22 0 0	32.9	41.5	63	29.6	63
55	25.5			15.50		30 0	26.2	35.1		26.5		23 0 0	30.5	42.2	63	29.9	63
	0 24.0	30.0	64	25.6	64	35 0 40 0		35.5		26.5		$\begin{bmatrix} 6 & 0 & 0 & 0 \\ 2 & 0 & 0 \end{bmatrix}$	27.8	37.8	64	30.2	63
	24.1	27.9		25.2		45 0 50 0		35.6	188	26.3		3 0 0 4 0 0	25·1 24·7	37.9	63	30.0	64
20	0 24.1	26.9		25.2		55 (26.3		00		00	5 0 0	23.0	35.0	65 65	29.1	64
30	0 24.8	25.8		25.0	1	18 0 0	26.7	35.9	63	26.4	63	8 0 0	23.0	29.0	65	25.6	65
	$0 \mid 23 \cdot 2 \\ 0 \mid 23 \cdot 1$	24.9		24.9		10 (15 (36.0		26.4		10 0 0	26.0	30.0	65	24.9	64
45	0 22.9					20 (26.6	36.0		26.5		12 0 0 13 0 0	24.9	30.0	64	25.6	64
55	0 22.9	24.9		24.8		25 (30 (26.5	36.6	-	26.5		14 0 0	25.7	36.0	64	25.7	64
	0 23.1	25.1	64	24.8		35 (40 (37.1		26.5		15 0 0 16 0 0	24.2	31.4	64	25.5	64
10	0 23.2	25.7	1	25.0		45 (50 (27.1	37.8		26.5		18 0 0 19 30 0	26.7	35.9	63	26.4	63
20	0 23.4	27.2	1	24.6		55 (27.6	1000	00		1111	20 0 0	31.0	41.3	63	27.2	63
30	0 24.8	34.9		25.4	1111	19 0 0	28.0	38.0	63	26.6		20 30 0 22 0 0	30.0	42.1	63	27.7	62
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 25.6	38.0		25.7	1	10 (15 (38.2	MAN	26.6		23 0 0 7 0 0 0	29.9	43.0	63	26.8	63
45	0 26.7	36.9		25.8		20 (28.5	38.9	1 175	26.6		2 0 0 3 0 0	27.5	39.9	64 64	26.8	64
55	0 25.7					25 (30 (29.4	39.2		26.9		4 0 0	27.6	38.0	64	25.8	64
14 0 5	0 25·7 0 25·4	36.0	64	25.7	64	35 (40 (40.1		26.9		5 0 0 6 0 0	26.5	35.1	65 64	24.7	64
10	0 25.2	35.2		25.7	- 31	45 (COLUMN TO SECURITION OF THE PARTY OF THE PAR	1				8 0 0	25.9	36.9	64	24.5	64

August 5, 6,	, and 7, 1841	1.	At	GUST 5,	6, and 7,	, 184	1.		Au	GUST 5,	6, and 7	, 184	1.	
M. Gött. Time. Decl.	Hor. Force.	Vert. Force.	matter and	(Deel 1	Scale I	liviai	m - 0':	71	M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. Fo	orce.
d. h. m. s. SeDiv ^{as} . S 7 10 5 0 26·1 11 0 0 26·3		ScDiv ^{as} . Ther. 23 ° 0 63 23 ° 0 63 21 ° 5 63	VAN DIEMEN ISLAND The V. F. w	H. F. V. F.	$k = 00$ $k = 00$ bservatio 1 at 2^m , 30	003 ; ns.	q = q = q = q re, and the		d. h. m. s. 6 10 30 0 35 0 40 0 45 0	Se-Div ^{ns} . 69·7 70·3 69·5 69·0	SeDiv ^{ns} . 36 · 1 40 · 4	Ther.	SeDiv ^{ns} . 48 · 8 50 · 1	Ther.
The Mean Positions at the Month are	he same hours d regiven in page		M. Gött. Time.	Decl.	Hor, Fo		Vert, Fo		50 0 11 10 0 15 0	67·7 66·5 64·9	35·2 31·8	46	50.1	49
Good Hope H. F. k =	Scale Division = '000180; = '000037;	q = .0003	6 2 10 0 22 30° 30 0 37 30	41.8 44.2 46.9 48.2	36·1 34·6	46	56·4 58·2 60·9	45	20 0 25 0 30 0 35 0 40 0	63·7 62·4 62·1 62·5 62·9	30·9 30·4 28·8		55·4 56·3 58·5	
Positions at the usual	Diarrill	2500	45 0 3 5 0 10 0 15 0 20 0	46.8 48.2 50.4 50.7 51.4	32.1	46	63·0 65·0 66·2	46	45 0 50 0 55 0 12 5 0 10 0	64·5 65·3 66·1 67·9 68·6	27.8	47	60.9	49
5 0 0 0 48·7 2 0 0 52·0 4 0 0 50·9	52·5 59 52·3 59 48·3 59	54·1 60 41·8 60 66·5 60	25 0 30 0 35 0	52·5 53·2 54·7	34.9		64.7		15 0 20 0 25 0	67·3 68·0 66·8	29.2		62.2	10
6 0 0 51·2 8 0 0 50·5 10 0 0 49·5 12 0 0 49·9	47·0 59 44·6 59 46·0 59 48·2 59	60·0 60 63·8 60 63·1 60 50·7 60	40 0 45 0 50 0 6 15 0	56·1 56·5 56·4 49·5	35·6 36·2 37·0	45	64.8	45	30 0 35 0 40 0 45 0	66.8 66.3 66.4 65.4	32.0		62.1	
14 0 0 50·4 16 0 0 51·1 18 0 0 53·0 20 0 0 57·9	48·0 59 51·0 59 51·2 59 53·8 59	59.0 60 45.0 60 39.2 60 39.9 60	20 0 25 0 30 0 35 0 ^d	7 - 7 - 7 - 7 - 7	38.6		59.5	40	50 0 Position	s at the use August	ual hours		60.1	
22 0 0 53·8 6 0 0 0 51·6 2 0 0 55·0 4 0 0 49·2 6 0 0 46·8	53·0 59 54·0 59 40·1 59 47·5 60 35·3 60	66.5 59 62.3 59 70.5 60 64.3 60 85.1 60	40 0 45 0 50 0 7 10 0 15 0	56·4 57·9 60·1 65·7 62·7	39·7 40·3 39·8	45	58.8		5 0 0 0 1 0 0 2 0 0 3 0 0	58·9 58·6 58·3 58·9	39·1 39·9 39·1	44	67·5 69·6 67·2 66·7	43 44
8 0 0 44·1 10 0 0 47·8 12 0 0 44·5 14 0 0 48·2 16 0 0 48·0	32·0 60 40·1 60 43·6 60 48·9 60 41·3 59	89.6 60 46.5 60 66.1 60 20.9 61	20 0 25 0 30 0 35 0 40 0	61·0 60·9 60·6 61·0 62·6	39·5 39·8 40·1		56·6 55·0 54·3	45	4 0 0 5 0 0 6 0 0 7 0 0 8 0 0	61·5 57·4 55·6 56·1 56·4	39·7 39·8 39·9 39·8 39·9	44 44 43	66.3 66.9 66.8 70.5 66.7	43 43 42
18 0 0 49·0 20 0 0 52·1 22 0 0 51·9 7 0 0 0 50·9	41·3 59 44·0 59 48·9 59 49·4 59 47·7 60	52.7 60 47.1 59 28.4 59 45.4 59 55.3 59	45 0 50 0 55 0 8 5 0	62·4 61·1 64·3 64·3	38.7	46	52.4		9 0 0 10 0 0 11 0 0 12 0 0	65·3 60·7 60·7 58·0	46·2 44·4 42·7 42·2	44	63·2 56·1 61·7 60·9	44
2 0 0 50·5 4 0 0 50·0 6 0 0 49·8 8 0 0 49·8	46·1 60 43·5 60 43·7 60 44·5 60	57·7 60 67·3 60 58·6 60 54·0 60	10 0 15 0 20 0 25 0 30 0	63·1 64·6 63·8 63·8 62·8	36·2 35·9		53·6 53·6	48	13 0 0 14 0 0 15 0 0 16 0 0 17 0 0	56·4 58·1 60·5 62·1 64·4	39.6 37.0 37.0 35.1 36.5	44 45	62:7 66:0 66:6 66:2 66:4	44 45
Mean Positions at the sam	14.8 60 ne hours during	54.0 60 the Month.	35 0 40 0 45 0 50 0	67·4 71·7 73·4 72·4	38.6		56.3		18 0 0 19 0 0 20 0 0 21 0 0	65·8 63·7 62·7 63·2	35·5 35·3 33·6 32·0	46	67·4 68·2 70·0 72·2	46
0 0 0 50·3 2 0 0 52·3 4 0 0 52·6	57·5 57 54·1 58 53·5 58	54·3 58 54·1 58 60·2 58	20 0 25 0	69·3 73·0 74·1 75·1	30.9	46	60.8	49	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	59·2 57·7 56·8 55·2	32·0 34·3 35·8 35·9	46	70·2 65·6 66·2 63·2	45
6 0 0 51·8 8 0 0 51·8 10 0 0 51·8 12 0 0 51·6	52·8 58 51·9 58 52·3 58 53·5 58	62·2 58 63·6 58 62·7 58 61·3 58	35 0 40 0 45 0	76·1 72·9 72·2 72·6	39.9		50.1	- International Property	2 0 0 3 0 0 4 0 0 5 0 0	38·2 45·9 55·7 57·2	35·4 31·3 35·9 37·7	46 47	62·4 64·9 63·1 64·5	45
14 0 0 52·8 16 0 0 53·3 18 0 0 54·6 20 0 0 54·1 22 0 0 49·7	55.5 57 56.2 57 56.5 57 59.5 57 59.9 57	57.0 58 55.5 58 50.9 57 60.7 57 67.2 57	10 10 0 15 0	72.6 68.6 69.2 69.8 70.4	36·9 36·9	46	42.1	50	6 0 0 7 0 0 8 0 0 9 0 0 10 0 0	48·8 62·7 65·0 67·6 68·7	34·9 39·3 37·2 34·4 38·8	45 46 46	60.8 56.9 54.6 53.0 41.4	45 48 50
* Saturday midnight at * Saturday midnight at	St. Helena.		25.0	10.4	0 0	The D	ecl. magne	et oscil	llating vertically.					

August 5	, 6, and 7, 184	1.	At	GUST 23	and 24,	1841			At	GUST 23	and 24,	1841		
M. Gött, Time, Decl.	Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor. Fo	roe.	Vert. For	ce.	M. Gött, Time.	Decl.	Hor. Fe	orce.	Vert. F	orce.
d, h. m. s. SeDiv		Sc Divns. Ther.	d. h. m. s.	SeDiv ^{ns} .	Sc Div ^{ns} .		ScDivas.	Ther.	d. h. m. s.	ScDivns.	ScDivns.			
6 11 0 0 66.9	34.2	50.4	24 6 0 0	126.0	388.9	70	200000000000000000000000000000000000000	69	23 13 30 0	23.9	46.0	0	50.6	0
12 0 0 67·3		63.1 49	8 0 0	126 · 1	399.1	71 72	50.5	69 70	35 0 40 0	24.0	47.1		50.8	
14 0 0 64·4 15 0 0 66·7	24.5 48	66·5 48 63·0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	132·4 132·9	394.8	72 71	49.4	71 70	45 0 50 0	25.3	50.3		51.1	
16 0 0 61.4	34.6 48	52.6 48	16 0 0	134.0	398.0	69	52.2	69	55 0	25.5	Burk			
17 0 0 63·3 18 0 0 63·6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	56.8	18 0 0 20 0 0	135·8 136·4	401·7 398·3	67 66	54·7 55·2	66	14 0 0 5 0	25·4 25·5	51.1	61	51.1	61
19 0 0 66·1 20 0 0 63·6		64.9	22 0 0	138.0	415.0	65	58.0	66	10 0 15 0	25.0	51.1		51.2	
21 0 0 65.5	33.4	66.3	The Mean Posi				ing the Mor	oth	20 0	25.1	50.9		51.2	
22 0 0 59·5 23 0 0 59·4	12,00,000	67.6 46		are give	n in page () Q.	1	_	25 0 30 0	25.4	49.9		51.0	
7 0 0 0 52.1	35.0 46	63.8 46	St. Helena				q = 0		35 0 40 0	25.3	49.0		51.0	
2 0 0a 55·8	CONTRACTOR OF THE PARTY OF THE	66.7 45	OI. HEBENA		k = .00				45 0 50 0	25.3	48.9		51.3	
The Mean Positions at th		ing the Month			bservatio				55 0	24.6				
are gr	ven in page 66.		The V. F. was c	observed at 30*. after t				F.	15 0 0 5 0	24.4	47.9	61	51.3	61
August 2	3 and 24, 1841		23 10 0 0	22.8	39.8	61		61	10 0 15 0	25.0	48.0		51.4	
(D)	C 1 D: ::	- 0/- 70	5 0	22.9	Wastles !		40.4	0.	20 0	24.9	47.9		51.6	
TORONTO H. F. A	Scale Division = '000076;	7 = .0002	10 0 15 0	23.3	41.0		49.4		25 0 30 0	24.8	48.0		51.2	
	= .000093;	q = .00018	20 0 25 0	22.9	42.8		49:3		35 0 40 0	24.8	47.1		51.2	
Extra The V. F. was observ	observations.	as and the	30 0 35 0	23.0	45.2		49.3		45 0 50 0	24.7	47.3	-	51.2	- 3
	er the times specifi		40 0	23.7	48.3		49.3		55 0	24.9				
23 14 15 0 150 1	385.8 70	48.0 70	45 0 50 0	23.8	49.8		49.3		24 1 0 0 5 0	19.1	52.0	62	51.5	61
20 0 145·2 25 0 141·3		55.8	55 0 11 0 0	23.7	48.8	61	49.4	61	10 0 15 0	19.0	51.2	138		
30 0 138.3	386.9	51.6	5 0	24.0		01		01	20 0	18.9	51.0	-	56.5	. 3
35 0 138·0 40 0 137·6		51.6	10 0 15 0	24.0	47.4		49.6		25 0 30 0	18.0	50.1		56.5	0
45 0 137·0 50 0 136·7		51.7	20 0 25 0	24.0	45.1		49.5		35 0 40 0	19.1	50.0		56.6	69
55 0 135·3 15 0 0 ^b 131·8	386.2	52.3 70	30 0 35 0	24.0	43.9	419	49.5		45 0	19.0	000		1.0	2 0
5 0 131.6		53.2	40 0	24.0	43.2		49.5		50 0 55 0	19.0		100	56.2	18
10 0 131·1 15 0 132·9	386.2	52·8 52·2	45 0 50 0	24.0	43.1		49.7		2 0 0 5 0	19.0	49.0	62	55.9	61
Positions at the a	isual hours of obse	rvation	55 0 12 0 0	24.1	43.9	61	49.7	61	10 0 15 0	19.2	49.2		55.5	
	st 23 and 24.		5 0	23.9		01		01	20 0	19.6	49.9	1000	55.6	
23 0 0 0 148.		53.4 67	10 0 15 0	23.9	43.8		49.7		25 0 30 0	19.8	49.5	30	55.5	
2 0 0 148·1 4 0 0 140·		52·1 68 51·3 68	20 0 25 0	23.9	43.4		49.7		35 0 40 0	19.9	48.9		55.3	Pill
6 0 0 129 3	388.4 70	52.2 69	30 0	23.8	43.9		50.3		45 0	20.0				1
10 0 0 123 1	410.0 72	54·2 70 56·4 70	35 0 40 0	23.9	44.2		50.3		50 0 55 0	20.0	48.0		55.1	
12 0 0 130 · · · 14 0 0 158 · · ·		52·7 70 54·4 70	45 0 50 0	23.8	44.8		50.4		3 0 0 5 0	20.9	47.1	62	54.8	61
16 0 0 137 : 18 0 0 136 :	386.0 70	53·8 70 55·0 68	55 0	24.0	1 1 1 1 1	61		61	10 0	20.8	46.2		54.5	
20 0 0 123 8	379.3 67	28.3 67	13 0 0 5 0	23.9	44.9	61	50.5	61	15 0 20 0	20.9	45.9	1	54.2	100
22 0 0 141 · 4 24 0 0 0 138 · 1	393.7 64	52·7 66 52·4 65	10 0 15 0	23.8	45.0		50.5		25 0 30 0	21.5	45.6		54.0	
2 0 0 145 · 3 4 0 0 132 · 3		54·9 66 54·2 67	20 0 25 0	23.5	45.0		180		35 0 40 0	21.7	45.2		53.5	100
		- 0,	1 0	1200	1				1	1	102		1 00 0	1
, Saturday midnight	at Van Diemen I	sland.			b 23	15			and unclouded; v	ery faint a	uroral ligh	t in th	e North.	
						16 (Ditto.	18						

Positions at the usual bours of observation, August 23 and 24. So So So So So So So S														
M. Gött. Time. Decl.	Hor. Force.	Vert. Force.	Cum on	Decl.	1 Scale I	Divisio	on = 0'	75	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m. s. SeDiv	Se -Divas. Ther.	Sc. Divas. Ther						003	d. h. m. s.	ScDivus.	ScDiv ^{ns} .	Ther.	ScDivas.	Ther.
50 0 21.9		53.6	Positions	at the usu	al hours o	of obser			5 0 0	60.5	35.1		52.2	53
4 0 0 22.1	45.0 62	53.3 62	N. Citta W.	l n .	l 11 12	-	V. P		7 0 0	60.2	36.2			
		53.3		-								52		51
		59.0				0		0				51	49.7	51
25 0 22.5			2 0 0	54.0	57.0	57	61.1	57	12 0 0	62.7	34.3	54	44.8	53
35 0 22.6		52.5	6 0 0	52.0	54.9		69.7	700		No. of the last of		57		56
		52.5						700				57		57
50 0 23.0		52.3	12 0 0	51.6	55.0	56	61.1	57	17 0 0	69.0	30.7		49.5	
55 0 23.1			16 0 0	54.2	57.5	57	60.0	57	19 0 0	68.8	29.4	59		
		rvation,			The second second					0.0000000000000000000000000000000000000		56	100000000000000000000000000000000000000	55
Augu	st 23 and 24.		22 0 0	47.9	63.2	57	69.0	57	22 0 0	64.1	33.4	55	51.3	54
			2 0 0	50.4	53.3	56	68.6	57	24 0 0 0	60.3	32.2	53	58.3	53
3 0 0 24.6						200000		000000				54		52
								D. C. C. C.		The second second second	I Company of the Company	51	53.0	
6 0 0 22.5	46.9 62	47.7 62	12 0 0	53.8	59.4	55	67.4	55	6 0 0	62.9	37.5	10000	58.9	49
10 0 0 22.8	39.8 61					100000					I STATE OF THE PARTY OF THE PAR	48	The second second	48
						1000000		100000000000000000000000000000000000000			A CONTRACTOR OF THE PARTY OF TH		58.9	
13 0 0 24.0	44.9 61	50.5 61				1000000	3000 23	100000000000000000000000000000000000000	11 0 0	60.6	39.2		56.5	
15 0 0 24.4			The Mean Posit	ions at the	same hou	irs duri	ing the Me	onth				49	1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	49
			-	are g	riven in pa	age 69.					The state of the s	52	53.4	52
19 30 0 29.8	48.5 61	52.3 60	V.v. Denvey					1	16 0 0	65.5	33.2	54	54.0	54
						70.5						55		54
			1 1 1 1 1 1 1 1 1								36.6		52.1	
24 0 0 0 20.3	53.1 60	54.9 60						e	21 0 0	63.3	36.9		52.4	
3 0 0 20.9	47.1 62					es spec	thed.					53		52
						52	54.3	51	The Mean Posit	ions at the	same hon	rs due	no the M	outh
	46.5 62	51.4 62	25 0	69.1		2007			The Mean I con				ing the sa	741441
10 0 0 24.8	48.0 61	50.9 61	35 0	64.0					A	gust 26	and 27.	1841		
CONTRACTOR OF THE PARTY OF THE				100000000000000000000000000000000000000	36.5		51.2							
					36.9		50.9							
15 0 0 25.9	48.8 61	58.1 60	20 0	66.4	36.1	52	52.7	52						
			100000000000000000000000000000000000000		36.1		48.6			Extra ol	bservatio	ns.		
19 30 0 29.5	51.3 60	59.0	35 0°											
20 30 0 28.4	52.5 60	58.5 60								0 1				00
22 0 0 24·9 23 0 0 24·0		59.6 60	Positions	August	al hours of 23 and 2		vation,	1	27 1 25 0 30 0	136.1	393.6	66	52·1 48·2	66
			23 0 0 0	59.4	32.1	55	54.2	54	35 0 40 0		394 · 2	-	48·1 52·3	
The Mean Positions at t are giv	he same hours dur en in page 66.	ing the Month	1 0 0	56.4	32.5	200	53.0		45 0	133 · 1		66	45 9	66
			3 0 0	59·2 60·9	33.8	54	53.4	53	2 40 0 45 0		399.9	66.	49·4 50·3	66
AND THE RESERVE		The lives	a The Deal	amat had	annel I	blan	tical of							-
			* The Decl. ma	gnet nad a	considera	ore ver	ical moti	ott.	Company of the last of the las		State Service			

Angus	т 26 and 2	7 184	1.	actor res	I Au	gust 26	and 27.	1841			Α.	GUST 26	ro bee	1041		-
	-	Force.	Vert. F	oree	M. Gött, Time.	Decl.	Hor. F		Vert. F	20000	M. Gött, Time.				1	
	Divas. SeDiv	1	SeDivno.	Ther.	d. h. m. s.	SeDivas.	ScDivas.		ScDivas.			Decl.	Hor, F		Vert, F	
	1 401.4	0	49.6	O .	26 10 25 0	23.9	Sel-IMV-	o o	SC,-DIV.	o	d. h. m. s. 2616 0 0	SeDiv**.	ScDiv**.	61	SeDir**.	Ther.
	0 403 2		50.8	66	30 0 35 0	23.5	33.9		51.4		5 0 10 0	23.0		01		01
5 0 134	9 399.7		51.2	00	40 0	23.4	34.0		51.2	1	15 0	23.2	49.0		52.4	18
10 0 134 15 0 136			51·2 51·5		45 0 50 0	23.8	33.9		51.5	- 14	20 0 30 0	23.1	49.2		52.4	
20 0 136 25 0 136			51.5		55 0 11 0 0	23.7	33.9	62	51.4	61	35 0 40 0	23.6	47.9		50.0	97
30 0 137	1 391.4		52.1		5 0	23.6	33.5			-	45 0	23.2			52.3	
35 0 137 40 0 138			52.4		10 0 15 0	23.5			51.3		50 0 55 0	23.1	46.9		52.2	7.1
45 0 135 50 0 136			56.7		20 0 25 0	23.8	34.0		51.3		17 0 0 5 0	22.5	46.0	61	52.1	38
55 0 136	1 387.0		55.0	00	30 0	24·0 24·0	33.8		Vibra.	70	10 0	22.1	45.1		51.8	18
4 5 0 135 10 0 135	.7 390 - 2		52·5 54·5	66	35 0 40 0	24.0	33.5		51.4		15 0 20 0	22.0	45.0		51.7	100
15 0 133 20 0 134			58.2		45 0 50 0	23.8	33 · 1		51.2	12.15	25 0 30 0	22.0	45.0		51.9	100
25 0 30 0 133	383 - 7		52·5 56·1		55 0 12 0 0	23.1	33.1	62	51.0	61	35 0 40 0	22.8	45.0	1	52.0	-
35 0 133	0 380.5		56.6	- 15	5 0	23.1		02		01	45 0	23.2				100
40 0 132 45 0 131			54.4		10 0 15 0	23.1	33.5	36	51.1		50 0 55 0	23.1	45.6		52.1	168
50 0 132 55 0 132			51·8 52·8		20 0 25 0	23.1	33.0		51.2		18 0 0 5 0	23.3	45.9	61	51.9	61
	10 10 10 10 10 10 10 10 10 10 10 10 10 1	1			30 0	22.8	32.9		51.1		10 0	24.1	45.1		52.9	111
Positions at the	usual hour ugust 26 and		ervation,		40 0	22.7	33.0		51.2		15 0 20 0	24.1	44.9		52.5	
26 0 0 0 133	9 393 2	66	52.0	66	45 0 50 0	22.6	33.5		51.2		25 0 30 0	24 · 2	44.9	119	52.2	
2 0 0 144 4 0 0 136		68	49.5	67 68	55 0 13 0 0	22.7	34.1	62	51.1	61	35 0 40 0	24·1 24·1	44.2			200
6 0 0 120	9 364.8	69	50.6	68	5 0	22.4	areas)	02		0.	45 0	24.1			52.2	20
8 0 0 124 10 0 0 125		70	60.7	69 69	10 0 15 0	22.3	34.0		51.2	100	50 0 55 0	24 · 1	44.1		52.1	100
12 0 0 117 14 0 0 146		69	67·6 65·5	69 68	20 0 25 0	22.2	34.0				19 0 0 5 0	24.1	44.0	61	52.1	61
16 0 0 162	0 340.0	67	40.3	67	30 0	22.5	34.5		51.7		10 0	24.9	43.8		52.8	
18 0 0 145 20 0 0 154	8 367.9	67 66	47.9	67 67	40 0	22.1	35.0		51.5		15 0 20 0	25·0 25·1	44.1		53.1	
22 0 0 115 27 0 0 0 148		66	48·1 61·5	66 66	45 0 50 0	22.3	35.5		51.6	No.	25 0 30 0	25·9 26·0	44.7		52.6	
2 0 0 130 4 0 0 135	6 383.8		44·5 56·4	66	55 0 14 0 0	22.5	36.5	61	51.6	61	35 0	26.0				1
6 0 0 128	2 382.0	68	55.3	66	5 0	22.5	Carlos Santos	01	20,000	01	45 0	26.1	45.1		52 7	
8 0 0 130 10 0 0 133		69	54.7	68 69	10 0 15 0	22.1	37.0		51.6		50 0 55 0	26.1	46.1		52.4	
12 0 0 135 14 0 0 138		70	57·4 52·6	69 71	20 0 25 0	22.0	37.0	118	51.6	000	20 0 0 5 0	26.9	47.1	61	52.0	61
16 0 0 134	9 390.1	69	52.5	70	30 0	22.0	37.1	111	51.6	10	10 0	26.1	48.0		52.0	
18 0 0 131 20 0 0 137	0 385.9	69	34·7 43·6	70	40 0	22.1	37 7	-	51.6		15 0 30 0	26.0	48.1		52.0	
22 0 0 139	8 390.1	68	49.3	70	45 0 50 0	22.5	38.1	1	51.8		25 0 30 0	26.0	48.5		52.1	1
The Mean Positions	at the same h		ing the Mo	nth	55 0 15 0 0	22.6	39.0	61	51.8	61	35 0 40 0	26·0 25·8	48.3			
			-	-	5 0	22.2		01		ot	45 0	25.4			52.1	
St. Helena Dee	l. 1 Scale F. k = :00				10 0 15 0	22.1	39.0		51.8	1	50 0 55 0	25.0	48.5	1	52.1	10
	$\mathbf{F}. k = 00$				20 0 25 0	22.2	39.0		51.8							-
1000	ra observat		and the F		30 0 35 0	22.5	39.9	66	51.8	198	Positions a		al hours 26 and 2		servation	12
The V. F. was obser 2 ^m . 20*.	after the time			. F.	40 0	22.5	41.0	1	52.0	-	00 0 0	04.7	57.0	0.	50.0	00
	0	62	1	61	45 0 50 0	22.3	42.9		52.0	1100	26 0 0	24.7	51.3	61 62	53·9 52·8	60
20 0 24	33.4		52.6		55 0	22.5			1887	-	3 0	25.2	48.0	62	51.7	61

August	26 and 27, 184	1.	Aud	gust 26	and 27,	1841			Au	gust 26	and 27,	1841.		
M. Gott. Time. Dec	Hor. Force.	Vert. Force.	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. For	rce.	M. Gött, Time.	Decl.	Hor. For	rce.	Vert. Fo	rce.
d. h. m. s ScD 26 4 0 0 25 5 0 0 24 6 0 0 23	9 46·8 62 3 43·2 62 2 40·2 62	51·3 62 50·9 62 51·1 62	27 16 0 0 18 0 0 20 0 0	53 ° 0 56 ° 1 55 ° 0	41.6 46.0 38.8	59 59 58	53·6 59·9	59 59 58	d. h. m. s. 27 12 0 0 13 0 0 14 0 0	Se Div ^{as} . 60 · 9 62 · 5 65 · 5	38.0 34.9 37.2	Ther. 48	Sc. Div ^{ns} . 51 · 3 55 · 1 47 · 4	Ther. 50
8 0 0 23 10 0 0 24 11 0 0 23 12 0 0 23 13 0 0 22	3 33.6 62 6 33.9 62 1 33.1 62	51.0 61	The Mean Position		37·0		66.8	58 nth	15 0 0 16 0 0 17 0 0 18 0 0 19 0 0	67.4 69.1 70.6 72.0 68.2	37·5 37·0 36·0 33·9 35·7	54 53	46·1 48·5 54·3 61·6 57·4	53 53
14 0 0 22: 15 0 0 22: 16 0 0 22: 18 0 0 23: 19 30 0 26:	7 39·0 61 7 45·8 61 3 45·9 61	51.6 61 51.8 61 52.0 61 51.9 61 52.1 61	Van Diemen Island	{ H. I	l. 1 Scale F. k = F. k = bservation	0003	sion = 0'; q = ; q =	71	20 0 0 21 0 0 22 0 5 23 0 0	68.6 68.4 66.6 53.7	34·2 34·0 36·0 39·1	53 52	56·2 57·3 54·2 46·9	53 52
20 0 0 26 20 30 0 26 22 0 0 22	9 47·1 61 0 48·5 61	52·0 61 52·2 60 52·9 60	The V. F. was ob 2=. 3		2 ^m , 30°, 1 the times s			F.	The Mean Posit		e same hou n in page 6		ng the Mo	onth
23 0 0 23 27 0 0 0 25 2 0 0 23 3 0 0 22 4 0 0 23	0 54·0 61 7 51·0 62 5 48·9 63	52.8 60 53.5 61 52.5 62 51.4 62 49.9 63	27 2 15 0 22 30 30 0 37 30 45 0	46.5 46.6 48.7 50.5 51.2	32·5 32·2 32·5 32·6 33·1	54		LANDS,	DITION AT	ALANI	D			
5 0 0 25 6 0 0 24 8 0 0 24 10 0 0 24 11 0 0 23	9 46.9 64 9 45.0 62 4 42.1 62	48·5 62 48·8 62	3 15 0 20 0 25 0 30 0	57·9 58·0 57·3 58·1	31.8	54	53·2 52·9	53	H. F V. F	k = 0 $k = 0$ at the us	00018; q	q = q = f obser		
11 0 0 23 12 0 0 24 13 0 0 26 14 0 0 26	9 42·9 62 1 51·8 61	49·8 62 49·9 61	35 0 40 0	60 · 4 61 · 2	al hours o	f obse	53·2		26 0 0 0	36·4 37·9	89.1	52	58.9	55
15 0 0 26 16 0 0 25 18 0 0 25	0 51·0 62 1 49·1 62	50.5 61	26 0 0 0		35 · 7		55.7	50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	37·8 38·5 39·9	85·9 85·7 85·6	52 52	55·9 54·9 57·4	55 55
19 30 0 30 20 0 0 29 20 30 0 27 22 0 0 24 23 0 0 22	3 49·0 61 5 48·4 61 4 49·8 61	52.3 60	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	59·3 58·6 58·4 58·6 56·6	33·8 33·9 34·8 35·4 36·3	51 51	56.9 58.8 52.6 52.5 52.8	51 51	5 0 0 6 0 0 7 0 0 8 0 0 9 0 0	43.0 39.7 42.5 41.4 40.7	92·5 92·9 91·2 93·3 92·7	51 50	57.9 58.8 57.1 56.6 57.3	55 56
The Mean Positions at	he same hours are	given in page 66.	6 0 0 7 0 0 8 0 0	54·1 62·1 59·4	37·1 36·5 37·1	49	53·0 59·5 54·5	49 48	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	38·8 39·3	83.6 80.0	53	56·7 54·7 53·7	60
CAPE OF H. F	1 Scale Divi k = '000180 k = '000037	q = .0003	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	62.6 63.7 62.3 63.4	38·0 40·4 36·4 34·5	47 49	54·8 52·4 55·6 55·7	47 49	13 0 0 14 0 0 15 0 0 16 0 0	40·9 42·5 44·2 46·7	76·3 72·1 71·3 64·5	59 63	53·5 51·7 53·3 52·2	62 68
	usual hours of o	oservation,	13 0 0 14 0 0 15 0 0	63·6 65·4 66·6	33·5 32·6	53	52·0 50·7 49·7	53	17 0 0 18 0 0 19 0 0	43·5 44·9 44·2	62·5 61·7 62·7	65	48·1 51·0 52·9	63
26 0 0 0 51 2 0 0 52 4 0 0 53	1 43·0 56 4 44·4 57	63·7 56 67·4 57	16 0 0 17 0 0 18 0 0	69·1 69·4 70·6	27·9 28·8 29·1	57	52·9 55·3 52·9	56 56	20 0 0 21 0 0 22 0 0	45·1 40·4 37·3	63·1 70·4 79·6	58	54·3 58·9 58·8	62 57
6 0 0 51 8 0 0 51 10 0 0 51	4 53·7 57 1 55·9 57	85·5 57 89·3 57	19 0 0 20 0 0 21 0 0	70·4 73·0 68·2	29·1 28·8 30·3	58	54·6 58·1 55·4	56	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	39·8 38·9 37·7	79·9 79·1 80·0	57 55	58·2 57·1 57·8	55 55
12 0 0 48 14 0 0 48 16 0 0 52	0 48·2 56 0 41·8 55	75·4 56 50·2 57	22 0 0 23 0 0 27 0 0 0	63·1 63·6 61·4	32·6 34·0 31·5 31·4	57	51·0 51·3 54·4 56·3	55 55	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	33·9 36·9 38·4 38·9	86·4 83·5 83·3 90·4	53	59.6 56.3 57.8 59.3	54
18 0 0 54 20 0 0 53 22 0 0 49 27 0 0 0 53	2 42·0 56 0 43·0 56	59·0 56 72·2 57	$ \begin{array}{c cccc} 1 & 0 & 0 \\ 2 & 0 & 0 \\ 3 & 0 & 0 \\ 4 & 0 & 0 \end{array} $	60·0 49·2 57·7 58·0	32·2 32·6 32·8	54 54	52·4 53·3 51·2	53 54	6 0 0 7 0 0 8 0 0	39·5 40·1 35·6	89·8 91·2 93·6	51 50	58·9 59·4 59·4	53 56
2 0 0 55 4 0 0 53 6 0 0 53	0 51·9 58 2 46·2 58 6 45·8 59	60·2 58 60·6 58 60·0 59	5 0 0 6 0 0 7 0 0	60.6 59.8 61.3	36·7 35·5 35·8	51	52·5 56·2 59·3	52	9 0 0 10 0 0 11 0 0	37·5 37·9 38·5	90·1 93·2 87·2	56	58°3 54°9 51°8	64
8 0 0 53 10 0 0 52 12 0 0 51 14 0 0 55	1 49·0 59 6 47·9 59	70·5 59 62·9 59	8 0 0 9 0 0 10 0 0 11 0 0	61·9 61·5 60·1 67·1	36·6 37·9 37·0 37·3	49	59·9 60·3 56·0 57·7	48	12 0 0 13 0 0 14 0 0 15 0 0	38·3 39·9 42·3 43·6	81·4 69·6 68·4 63·7	62 71	51.0 45.7 46.7 45.7	74
					II .						-	L		

A	ugust 26	and 27,	1841	1.			Aug	UST	31 and	SEPTEMI	BER 1	, 1841.		1	Augt	UST	31 and 8	SEPTEMB	ER 1,	1841.	
M. Gött, Time.	Decl.	Hor. F	orce.	Vert. F	orce.					Scale Di				M. Got	tt. Tir	me.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m. s	Se. Divns.	SeDivas.	Ther.	ScDivns.	Ther.	TORON	NTO '	3	H. F. k:	= .0000	76;	d = .000	02	d. h.	m.		ScDivas.	SeDivns.	Ther.	ScDivas.	There
27 16 0 0	44.0	58.8	75	45.9	77			1	V. F. K	= .0000	193;	1=.00	018	1 0	0	0	157.4	392.2	68	99.6	68
17 0 0	44.1	53.5	10	46.4					Extra o	bservatio	ns.			2	0	0	157.8	368.4	69	97.4	68
18 0 0	42.2	52.3	75	45.7	77	mit.	4.							4	0	0	139.1	342.1	70	96.0	69
19 0 0	41.9	56.5		48.8	200	The				d at 1m. 30 the times			e	6	0	0	133.0	372.0	71	96.7	70
20 0 0	42.4	58.8	69	49.7	71					THE THINCS	opecin			8	0	0	133.0	390.8	72	99.9	71
21 0 0	42.9	61.5		49.4		M. Gott	. Ti	me.	Decl.	Hor. F	orce.	Vert. F	orce.	10	0	0	142.4	389.7	73	91.9	72
22 0 0	41.6	66.1	63	53.1	68		_			-				12	0	0	143.4	374.9	74	102.4	73
23 0 0	37.1	75.6		56.6		d. h.	m.	8.	Sc. Divas.	Se. Divas.	Ther.	SeDivas.	Ther.	14	0	0	142.4	382.1	72	95.3	72
					-	31 12	15	0	151.8	379.2	73	102.1	72	16	0	0	145.1	379.4	72	98-1	72
							20	0	149.9	379.0		101.8		18	0	0	142.9	381.7	72	92.5	72
Mean Positi	ons at the u						25	0	146 . 2	378.2		101.8		20	0	0	144.0	389.1	71	95.0	71
uui	ing the bit	man or sel	ptemoe	T.			30	0	145.6	380.6		102.1		22	0	0	144.1	385 . 9	71	95.0	71
							35	0	144.5	375.1		102.1		Man	- D.	aleks or	and the s	ame hours	de de	0. 35	1
0 0 0	42.2	78.8	59	58-1	61		40		144.2	373.3		102.2		auea	n Po	SILEOE	of Se	eptember.	b	the mion	in.
1 0 0	42.8	81.0		58.1			45	1000		371.4		102.1			-		-	Pecturotti			
2 0 0	42.6	82.1	58	57.8	59		50		140.1	362.7		101.7		0	0	0	142.1	394.5	66	98.9	66
3 0 0	42.9	82.8		56 8			55			361.8		101.6	-	2	0	0	142.9	386.4	66	98.2	66
4 0 0	43.7	83.6	57	57.9	60	13	0		141.8	366.2	74	101.0	73	4	0	0	136.5	368.0	67	98.0	66
5 0 0	43.8	84.1		58.0			5		142.0	366.9		101:0		6	0	0	130.7	381.6	68	97.7	67
6 0 0	43.8	84.8	56	58.3	58		10	0	141.9	366 • 4		100.5		8	0	0	129.3	392.7	69	98.4	67
7 0 0	43.7	85.9		58.7		10000000		-		-				10	0	0	134.0	396.1	70	95.9	68
8 0 0	42.8	87.4		59.0	58	Posit	ions	at th	e usual ho	urs of obse	ervation	, August	31	12	0	0	136.9	396.9	69	96.8	68
9 0 0	41.3	87.3		58.7	-0	15000			and Se	eptember 1			2000	14	0	0	139.6	393.3	69	94.8	68
10 0 0	39.7	84.4	58	57.6	59									16	0	0	138.4	388.8	68	95.5	67
11 0 0	40.8	75.7	63	53.5	63	31 0	0	0	155.1	395.5	68	100.0	68	18	0	0	140.9	390.7	68	94.2	68
13 0 0	43.2	71.7	00	52.1	00	2	0	0		383.6	69	99.2	69	20 22	0	0	140.1	391.2	67	95.2	67
14 0 0	45.2	69.7	66	52.1	67	4	0	0	141.1	366.0	69	100.2	69	22	0	0	140.4	390.9	66	95.5	08
15 0 0	46.4	68.5	00	52.2		6	0	0	132.6	374.0	70	100.3	69			-	/ Dool	C 1	No.	01	27.7
16 0 0	46.9	68.6	67	52.7	68	8	0	0	134.2	400.8	71	100.5	70	St. H				k = .00			-
17 0 0	46.2	68.4		53.1	1	10	0	0	140.9	404.6	73	98.4	71	Sr. H	ELE	NA .		k = .000			0025
18 0 0	45.4	68.8	65	53.9	68	12	0	0		376.5	73	96.3	72	D			The second				03
19 0 0	44.8	70.1		55.1		14	0	0	150.8	362.7	73	99.1	72	Posit	10DS 1	at the		urs of obse		, August	31
20 0 0	44.2	72.5	63	56.3	65	16	0	0	148.1	389.2	71	90.5	71		-		I I				
21 0 0	43.6	74.0		56.1		18	0	0		356.2	71	85.9	71	31 0	0	0	23.2	59.2	60	53.9	61
22 0 0	43.0	76.1	61	57.8	63	20	0	0	148.4	359.8	70	86.0	70	2	0	0	21.9	56.5	62	53.5	62
23 0 0	42.2	77.5		57.9		22	0	0	149.8	365.7	69	85.1	69	3	0	0	22.6	54.8	63	52.6	62
			-		-	-	-			1	-		-	-	-			-			

TORONTO, September, 1841.—Times of observation at which the Magnets were disturbed, but the mean readings were not materially changed.

2 16 Decl. slight vibrations.

3

4 Decl. moderate vibrations, with shocks.
6 Decl. and H. F. moderate vibrations, with shocks.

6 Decl. and H. F. moderate vibration
6 0 V. F. vibrating much.
8 V. F. vibrating much.
7 12 V. F. vibrating much.
20 H. F. slight vibrations.
22 H. F. slight vibrations.
8 0 V. F. very considerable vibrations.
V. F. very considerable vibrations.
9 22 H. F. moderate shocks.
11 2 Decl. slight vibrations.
4 Decl. slight vibrations.

11 2

2 Decl. slight vibrations.
4 Decl. slight vibrations.
16 H. F. moderate shocks.
22 Decl. slight vibrations; H. F. vibrating much, with shocks.
23 Decl. slight vibrations; H. F. moderate vibrations, with shocks.
24 H. F. vibrating much, with shocks.
25 Decl. and H. F. vibrating much, with shocks.
26 Decl. and H. F. vibrating much, with shocks.
27 Decl. and H. F. vibrating much, with shocks.
28 Decl. much disturbed by shocks; H. F. vibrating very much.
29 Decl. slight shocks; H. F. vibrating much, with shocks.
40 Decl. and H. F. moderate vibrations, with shocks.
41 Decl. and H. F. moderate vibrations, with shocks.
42 Decl. and H. F. moderate vibrations, with shocks.
43 Decl. and H. F. moderate vibrations, with shocks.
44 Decl. much disturbed by shocks; H. F. moderately. 14

18 Decl. much disturbed by shocks; H. F. moderately.
20 Decl. much disturbed by shocks, vibrating slightly.

15 0 H. F. vibrating much. 16 20 H. F. moderate vibratious, with shocks.

a b.

17 22 Decl. vibrating considerably.

18 0 Decl. vibrating much; H. F. slight vibrations, with shocks.

4 H. F. and V. F. vibrating much.

6 Decl. and H. F. disturbed moderately by shocks.

8 H. F. much disturbed by shocks and vibrations.

18 10 V. F. vibrating slightly.

12 Decl. moderate vibrations; H. F. slight shocks.

21 0 V. F. vibrating rety considerably.

2 Decl. wibrating slightly; H. F. moderately disturbed by shocks.

10 Decl. moderately disturbed by shocks.

22 8 H. F. vibrating moderately, with shocks.

23 22 Decl. and H. F. vibrating slightly.

24 0 H. F. moderately disturbed by shocks.

16 H. F. vibrating considerably.

18 H. F. moderate shocks and vibrations.

22 H. F. vibrating much, with shocks.

26 18 H. F. vibrating much.

27 0 H. F. vibrating much; Decl. moderate vibrations and shocks.

28 H. F. vibrating much; Decl. slight shocks.

19 H. F. slight vibrations.

29 ODel. much disturbed by shocks; H. F. vibrating much, with shocks.

29 Decl. slight shocks; H. F. moderate vibrations, with shocks.

29 ODel. much disturbed by shocks; H. F. vibrating much, with shocks.

29 ODel. much disturbed by shocks; H. F. vibrating much, with shocks.

29 H. F. vibrating moderately.

8 H. F. vibrating moderately.

8 H. F. vibrating moderately.

2 H. F. vibrating much. 8 H. F. vibrating considerably.

b The mean positions of the V.F. magnet are from the 1st to the 8th September, inclusive.

August 31 and September 1, 1841.	August 31 and September 1, 1841.	August 31 and September 1, 1841.
I. Gött. Time, Decl. Hor. Force. Vert. Force.	M. Gött, Time, Decl. Hor, Force, Vert. Force.	M. Gött, Time. Decl. Hor, Force. Vert. Force.
h. m. s. ScDiv ^{ns} , ScDiv ^{ns} Ther. ScDiv ^{ns} . Ther. ScDiv ^{ns}	1 4 0 0 50·7 6 0 0 51·6 8 0 0 52·0 10 0 0 50·6 12 0 0 51·8	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
11 0 0 26·2 45·1 62 51·8 61 12 0 0 27·0 50·0 61 51·9 61 13 0 0 25·9 47·8 61 52·2 61 14 0 0 25·9 48·2 61 15 0 0 26·3 50·0 61 16 0 0 25·6 49·9 61 18 0 0 26·0 48·9 60	14 0 0 52 9 16 0 0 53 7 18 0 0 55 4 The Mean Positions at the usual hours of observation during the Mouth of August are given in page 69.	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
19 30 0 27·3 46·0 60 20 0 0 27·6 45·0 60 20 30 0 28·0 48·0 60 22 0 0 24·0 50·0 60 23 0 0 21·1 49·6 60 0 0 0 15·3 50·0 61		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
2 0 0 19·0 49·7 62 3 0 0 19·0 45·5 61 4 0 0 19·6 42·0 62	2 ³⁰ , 30°, after the times specified.	Mean Positions at the same hours during the Mouth of September.
5 0 0 20·0 43·2 62 6 0 0 22·0 44·6 62 8 0 0 23·7 44·0 62 10 0 0 22·1 43·8 61	15 0 98.7 20 0 100.6 59.2 46.0 55 25 0 101.3 30 0 100.5 57.4 46.0	0 0 0 105·1 57·4 55 51·4 53 1 0 0 105·0 57·6 52·1 2 0 0 105·0 57·5 53 52·2 53
11 0 0 22·4 41·8 61 12 0 0 22·9 43·1 61 13 0 0 22·4 45·0 61 14 0 0 20·5 b	35 0 101·4 40 0 100·7 45 0 101·3 56·9 47·9	3 0 0 106·1 59·4 51·1 4 0 0 106·5 59·8 52 53·2 51 5 0 0 106·6 59·7 53·2 6 0 0 107·3 60·2 51 55·2 50
15 0 0 21·4 53·8 60 18 0 0 23·5 54·2 60	Positions at the usual hours of observation, August 31 and September 1.	7 0 0 108·3 60·4 56·0 8 0 0 108·4 60·8 48 56·1 49 9 0 0 107·8 60·8 56·5
19 30 0 27·0 20 0 0 26·9 20 30 0 25·9 22 0 0 20·8 55·7 60 57·1 60 58·0 60	31 0 0 0 113·4 33·7 56 49·9 55 1 0 0 111·7 34·0 50·9 2 0 0 109·7 34·4 55 48·2 54 3 0 0 112·4 34·6 48·0	10 0 0 106·8 61·4 49 56·3 49 11 0 0 104·9 60·4 55·9 12 0 0 103·2 59·4 50 54·0 50 13 0 0 104·1 57·7 53·7
23 0 0 18.8 58.0 60 The Mean Positions at the same hours during the Month of August are given in page 66.	4 0 0 111·3 35·5 54 51·9 53 5 0 0 114·1 36·5 53·4 6 0 0 114·4 36·7 53 53·8 52 7 0 0 113·4 37·8 55·0	14 0 0 106·6 56·5 52 53·5 52 15 0 0 109·6 55·8 54·0 16 0 0 112·2 56·3 55 52 4 54 17 0 0 114·0 57·2 51·4
Cape of H. F. $k = .00018$; $q = .0003$ V. F. $k = .00004$; $q = .0003$	8 0 0 112.8 38.2 52 55.0 50 9 0 0 112.3 38.6 56.5 10 0 0 111.8 39.1 51 57.5 49 11 0 0 37.0	18 0 0 113·7 56·4 57 51·3 55 19 0 0 112·7 56·1 51·1 20 0 0 111·3 56·4 58 50·7 55 21 0 0 108·5 56·4 50·9 22 0 0 106·9 56·8 56 50·3 54
Positions at the usual hours of observation, August 31 and September 1.	12 0 0 107·1 33·8 52 13 0 0 4 36·3 14 0 0 4 34·2 53 53·2 53 15 0 0	23 0 0 105.7 57.0 51.7
1 0 0 0 51·9 63·8 56 109·1 2 0 0 54·0 61·3 56 99·2 4 0 0 53·3 58·1 57 105·3 6 0 0 52·9 59·0 57 111·9 8 0 0 53·9 59·2 57 109·6	16 0 0 0 17 0 0 0 55·3 18 0 0 0 15·8 54·5 55·7 20 0 0 111·2 53·2 59 49·2 56	Antarctic Expedition at the Bay of Islands, New Zealand. Decl. 1 Scale Division = 0' · 73 H. F. k = · 00018; q = V. F. k = ; q =
10 0 0 53·5 59·4 57 112·9 12 0 0 55·5 14 0 0 53·0	21 0 0 106·5 50·1 58·2 57·4 55 23 0 0 106·9 51·6 58·4	Positions at the usual hours of observation, August 31 and September 1.
16 0 0 52·7 18 0 0 56·0 20 0 0 53·8 22 0 0 49·8	1 0 0 0 104·5 55·0 56 53·9 54 1 0 0 100·0 56·9 50·3 2 0 0 97·6 55·5 55 48·0 55 3 0 0 100·6 57·1 48·4	31 0 0 0 40·4 81·1 54 59·4 55·1 1 0 0 41·0 83·5 56·4 54·2 3 0 0 41·7 86·0 54·2
1 0 0 0 0 50·6 2 0 0 52·4	3 0 0 100·6 57·1 48·4 49·9 52 50·1 50·1	3 0 0 41.7 88.7 50 59.5 52 5 0 0 43.6 90.4 59.5 58.9

V.F. magnet under adjustment.
 H.F. magnet under adjustment.
 H.F. and V.F. magnets out of adjustment.

⁴ The connexion of the series of readings with each of the three magnetometers was broken about 31⁴, 12⁵., for the purpose of determining the magnetic moments of the bars; the readings, prior to the connexion being broken, are comparable with the mean monthly positions of August; the subsequent ones with those of September.

August		SE	PTE	MBER 12	, 13, and	14,	1841.	September 12, 13, and 14, 1841.											
M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Gött	. Tin	ne.	Decl.	Hor. Fo	orce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor. Fe	orce.	Vert. F	orce
d. h. m. s.	Se. Divns.	Se-Div ^{ns} .	Ther.	ScDivas.	Ther.	d. h.	m.	8.	Sc Divas.	SeDivns.	Ther.	ScDivas.	Ther.	d. h. m. s.	ScDivas.	ScDiv ^{ns} .	Ther.	SeDivns.	The
81 6 0 0	42.9	90.0	49	60.9	53	13 20		0	138.4	368.3		84.3	1	12 16 0 0	24.1	157.5	60	50.0	6
7 0 0	41.5	94.1		59.7		21	0	0	136.6	375 · 9	64	85.2	66	18 0 0	23.9	159.0	60	50.5	5
8 0 0	40.0	95.9	47	59.3	52		5	0	133 · 6	379.9		84.7		19 30 0 20 0 0	30.1	160.0	60	50.2	5
9 0 0	38.9	96.2	51	60.8	52		10 15	0	134 7	392.4		85.9		20 0 0 0 20 30 0	29.1	159.8	60	50.6	5
11 0 0	36.9	87.2	31	57.2	32		20	0	141.8	406.0		85.2		22 0 0	26.9	160.2	60	51.2	6
12 0 0	38.0	86.2	61	50.9	60		25	0	143.2	396.5		85 . 2		23 0 0	25.6	163.2	61	50.2	6
13 0 0	40.5	72.3		51.8			30	0	142.8	392.1		84.0		13 0 0 0	24.8	159.2	61	50.1	6
14 0 0	43.5	72.0	62	52.5	62		35	0	144.9	385 . 9		84.0		2 0 0	24.1	153.7	62	50.3	6
15 0 0 16 0 0	44.5	72.1	65	52.8	64		40 45	0	145.5	375.3		83.9		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	24.0	152.0	62 62	51.1	6
17 0 0	45.8	70.0	05	52.9	O'A		50	0	148.3	351.6		79.5		5 0 0	22.9	151.0	62	50.9	6
18 0 0	45.4	69.1	64	53.5	65	22		0	133 · 4	318.2	100	79.0	1000	6 0 0	24.0	150.0	62	50.7	6
19 0 0	43.5	67.9		54.1			30	0	139.6	382.5	64	86.8	65	8 0 0	26.2	152.2	62	50.8	6
20 0 0	37.9	75 3	62	58.7	62		35	0	140.9	391.1		87.8		10 0 0	26.2	151.1	61	50.7	6
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	39.2	66.7	59	55·2 57·1	60		40 45	0	142.3	398.7		88·8 90·4		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	26.8	155 4	61	50.7	6
23 0 0	39.6	69.8	99	57.9	00		50	0	145.5	400.9		91.3		13 0 0	26.0	153.0	61	50.9	16
1 0 0 0	40.5	77.5	54	60.8	55		55	0		394 · 9		91.3		14 0 0	25.8	153 · 1	61	51.1	1
1 0 0	40.6	84.6		59.5			10000			11	-		-	15 0 0	25.5	153.9	60	51.1	16
2 0 0	40.4	84.2	52	58.4	55		Pos			ual hours 12, 13, an		rvation,	1 1 1 1	16 0 0	25.9	154.7	60	51.3	16
3 0 0 4 0 0	41.4	86.3	51	59.7	56			-	эериенион.	1.0, 10, 00				18 0 0 19 30 0	26.1	155 1	60	51.3	
5 0 0	43.6	90.6	31	61.5	50	12 18	0	0ъ	151 9	390.3	68	90.2	68	20 0 0	26.2	155.8	60	50.8	
6 0 0	41.7	89.5	47	61.0	55	20		0	145.3	382.0	66	91.3	67	20 30 0	25.9	154.0	60	50.2	
7 0 0	41.9	93.1		62.3		22		0	147.8	388.5	65	91.2	66	22 0 0	23.4	150.0	60	49.6	
8 0 0	40.1	94.3	45	63.2	55	13 0		0	141.0	390.4	64	89.0	65	23 0 0	22.9	154.2	60	47.8	K
9 0 0	39.8	95.8	51	63·4 59·7	56	4	0	0	135.5	351.6	68	92.6	67	14 0 0 0 0 2 0 0	23.0	152·0 152·1	60	47.2	
11 0 0	40.2	79.5	31	55.5	30	6		0	130.5	375.0	69	103.6	70	3 0 0	22.9	152.6	61	44.1	
12 0 0	39.6	74.8	60	54.7	58	8		0	135 · 1	397.0	69	109.2	69	4 0 0	24.2	151.8	62	43.3	1
13 0 0	41.1	72.5		54.3	-	10		0	136.5	399.4	70	107.1	69	5 0 0	24.5	151.2	62	43.3	
14 0 0	44.3	70.3	64	53.3	64	12 14		0	137.3	390.7	70 69	104.5	69	6 0 0 8 0 0	25.0	148.2	62	43.5	1
15 0 0 16 0 0	45·3 46·1	67.6	68	51.9	66	16		0	140.7	394.5	67	104.1	67	10 0 0	25.9	150.9	61	46.6	
17 0 0	45.8	63.8	00	52.7	00	18		0	151.5	360.2	65	104.3	67	11 0 0	25.8	151.3	61	46.5	16
18 0 0	45.5	66.1	66	54.9	67	20		0	146.8	345.8	65	83.6	65	12 0 0	26.0	152.9	61	47.1	
19 0 0	43.9	69.0		58.1		22		0	133.4	318.2	64	79.0	65	13 0 0	26 1	154.9	61	47.6	
20 0 0 21 0 0	44.3	72.2	60	57.7	62	14 0		0	143.2	405.6	62 64	103.3	64	14 0 0 15 0 0	26.1	154.0	60	48.3	
22 0 0	43.3	80.0	56	60.6	56	4	0	0	138.6	375.4	66	106.6	65	16 0 0	26.5	155 1	60	48.8	
23 0 0	42.4	81.7	00	58.3	00	6	0	0	127.1	371.6	67	108.3	66	18 0 0	26.7	154.9	60	49.0	
						8		0	130.9	399.0	68	107.4	67	19 30 0		155.0	60	49.0	
The Mean Positi	ions at the ptember a				onth	10		0	136.4	399.9	68	108.1	67	20 0 0	27.0	155.0	60	49.1	
01 56	premoer a	re given a	n page	***		14		0	137.8	396.6	67	106 - 7	67	20 30 0 22 0 0	26.8	155.3	59 60	49.0	
SUPERI	IBER 12,	13 and	114	1841		16		0	140.2	418.2	66	102.5	66	23 0 0	25.9	160.0	60	49.1	
CELLES	tour 12	LO, uni	,			18		0	137.9	401.1	64	106.6	64						-
(D	ecl. 1 S	cale Di	vision	= 0'.	72	20 22		0	136.8	403.5	63	109.6	63	Mean Position	as at the s	ame hours	during	g the Mon	nth
				7 = .00		- 22	0	0	130 3	101 3	02	110 1	02	0 0 0	23.0	161 . 9	61		1
(V	F.k =	.0000	93;	l = .00	018	The l	Mean	Pos		e same hou		ing the Mo	onth	2 0 0	23.9	159.6	62		1
	Extra o	bservati	ons.						are give	n in page	74.	1 34/3	100	3 0 0	23.5	156.8	62		ı
The V. F. w					ie				(Deal	1 Scale l	Dimini	on — 0/	. 77.1	4 0 0 5 0 0	23 · 2	153·9 152·3	62		1
н. 1	F. 2 ^m . afte	tue time	s speci	nea.		Sr. I	HELI	ENA	The second second	k = .00				6 0 0	23.3	151.1	62	11 11 11	1
3 20 25 0a	148.8	317.5	65	78.7	65	1	200	-		k = 0				8 0 0	24.1	150.0	62	1 000	1
30 0	148.5	318.4	1	75.4			Pos	sition	s at the us	ual hours	of obse	rvation,		10 0 0	24.0	151.0	61		1
35 0	146.5	323.7		78.2		144	1975			12, 13, ar		100 To 10		11 0 0 12 0 0	24.2	152.6	61	1	-
40 0 45 0	143.2	337.3		80.9		12 14	0	0	23.89	157.1	60	50.6	60	13 0 0	24.3	153 1	61		1
	The same of the same of	353.7	1	84.7		15				157.1	60	50.2	60	14 0 0	24.2	154.2	61	118/2	
50 0												44		The second little and	The second second	The second second			

 $[\]begin{pmatrix} 21 & 30 \\ \text{and} \\ 22 & 0 \end{pmatrix}$ Bank of Auroral light in the North, with faint streamers and pulsations.

^o Commencing after midnight of Sunday at St. Helena.

Septembe	er 12,	13, and	14,	1841.			SEP	TEM	BER 12,	13, and	14,	1841.		Septem	IBER 12,	13, and	14, 1	1841.	1
M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. For	ce.	- 104	Positi			al hours o		vation,		M. Gött, Time.	Decl.	Hor. F	orce.	Vert. F	orce.
			Ther.	ScDiv**. T	Ther.		-	-						d. h. m. s.	Sc Divns.	ScDivas.	Ther.	ScDivns.	Ther.
		154.5	61	1		M. Gött	. Tim	-	Decl.	Hor. Fe		Vert. F		12 23 45 0 50 0	92.5	52.9		71.8	
18 0 0 2	4.8	156-1	60	000		d. h.			ScDivas.	No. of the	0	SeDiv ^{ns} .	Ther.	55 0	98.9	01598	4.		
		155.7	60			12 12 14		0	52.5° 50.4	72.2	55 55			13 0 10 0 15 0	100.5	55.0	45		
		156.2	60			16 18		0	50·8 52·0	76.7	55 54			20 0 25 0	101.7	53.3		72.8	44
	2200	156.2	60			20	0	0	53.4	81.0	54	000		30 0	103.8	50.4		75.4	
	200		100	10000		13 0		0	53.4	79.0	55 56			35 0 40 0	103·5 104·3	55.8		74.7	
CAPE OF)				q = 0		2		0	51.0	65.0	56			45 0	105.6	56.2		73.4	
	V. F. k			q = 00	00	6		0	49·2 50·0	58·9 62·3	58 58			50 0 2 15 0	105.8	61.2	45	19.4	
Ex	xtra ob	servatio	ns.			8		0	52.2	66.4	58 58			22 30 30 0	101 · 4	61.7		62.6	44
The H. F. was ob		at 2 ^m . 30 cified.	». afte	r the times		12	0	0	52.0	69.6	57			37 30	97.0	62.5		61.6	11
	spec	cineu.			-	14		0	51.8	68.5	56 56			45 0 3 10 0	95.1	62.8	45	59.2	
	2.5	63.2	56			18	0	0	54.5	70.5	56			15 0	97.4			61.0	
45 0 5	2.4		30			20 22		0	54.4	72·0 65·0	56 57			20 0 25 0	98.3	59.4		61.9	44
97.00	2.5	61.8				14 0		0	50.5	60.8	57			30 0 35 0	98.8	64.8		62.5	
3 0 0 5	2.2	61.3				4	0	0	51.2	63.7	58 59			40 0	105.8	68.2		59.3	
	2.2	60.6	811	1861		6 8		0 0	50.9	62.9	59 58			45 0 50 0	106.5	67.9		54.3	
100000000000000000000000000000000000000	0.1	62.7				10	0	0	50.8	66.3	58	1 9		55 0	106.5	0.0		010	
	0.0	61.1		22		12 14		0	52.0	68.6	58 58			4 5 0	106.4		45		45
7020 1001 100	0.0	60.0				16	0	0	53.1	69.4	58			Positions a	t the usu September			ervation,	
40 0 4	9.8	58.2				18 20		0	54.0	70.9	57 56				11	l .	1	II .	
	9.8	57.7				22	0	0	46.8	74.9	57			12 3 0 0 4 0 0	107.6	66.3	45	61.8	44
55 0 4	9.4	132233	EM	-		Mean	Posit	tions	at the sa	me hours	luring	the Montl	n.b	5 0 0	105.7	65.9		63.5	1
	9.1	58.9	57			0	0	0	50.4	73.3	57			6 0 0	104.3	65·8 64·6	44	66.5	43
	9.7	60.8				2	0	0	53.3	70.7	58			8 0 0 9 0 0	105·2 106·2	64.8	43	66.6	41
20 0 5	0.3	60.6		R P		6		0	52.1	66.3	58 58			10 0 0	106.8	66.2	42	65.7	42
102220 1021	0.5	59.4		1000		8 10		0	51·7 52·0	65·7 68·5	58 58			11 0 0 12 0 0	105.1	66.3	43	64.2	42
	0.3	50.4				12	0	0	52.5	72.0	57			13 0 0	103.0	63.9	40	63.6	1
	90.0	59.4				14		0	52·7 53·1	73.7	57			14 0 0 15 0 0	106.4	62.9	43	66.0	43
	19.9	62.2			П	18	0	0	54.3	75.3	57			16 0 0 17 0 0	115.3	64.3	44	65.8	44
5 0 0 4	9.2	63.2	57	-		20 22		0	51·2 48·8	78.8	56 56			18 0 0	119.9	64.8	45	67.0	44
1,000,000,000	9.3	63.8				-	-							19 0 0 20 0 0	117.0	63.7	45	66.3	44
15 0 4	19.3				1	VAN I	IEM	EN		1 Scale 1 k = .00		on = 0'	71	21 0 0	110.4	61.8		66.7	
	9.4	63.4			1	Isl			V. F.			q = q = q		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	112.1	60·6 56·3	45	73.1	43
100 CO	9.5	62.8							Extra o	bservatio	ns.	100		13 0 0 0 0 1 0 0	102·4 106·3	52·8 58·0	45	75·3 72·2	44
40 0 4	19.7	62.8	lin !	1 1	10	The V			observed a	2m. 30°. 1	pefore,	and the H.	F.	2 0 0	106.7	61.4	45	66.9	44
	19.4	62.6			-		2	m. 3	O". after t	he times s	pecifie	1.		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	97.3	61.5	45	57·8 54·2	45
55 0 4	19.8		10		1	12 23		0	98:1	E4.4	45	70.0		5 0 0	106.8	63.2		56.1	
	90.0	62.3	58		15			0	93.3	54.4	45	70.2	44	6 0 0 7 0 0	107.1	62.8	43	64·3 66·4	43
	90.0	62.3	59		10		30	0	88.0	50:4		70.0		8 0 0	109.0	62.1	43	67·5 65·1	42
	93.0	70.1	57					0	89.8	53.4		71.7		9 0 0	108·2 105·1	62.0	43	66.0	42
* Commencing a	after mi	dnight of	Sunda	ay at the Ca	spe of	f Good H	pe.				The m	ean positi	ions of	the H. F. magne	et are from	n the 13th	to 30	th Septem	ber,

SEPTE	MBER 12	, 13, an	d 14.	1841.			SEPT	EMBER 1	2, 13 and	14, 1	841.		September 12, 13, and 14, 1841.					
M. Gött, Time.	Decl.	Hor. F		Vert. F	onne	M. Göt		1	Hor. F		Vert. F	oree	M. Gött. Time.	Decl.	Hor. F		Vert. F	orea.
M. Cott. Time.					orce.	M. G00	- A mine											
d. h. m. s.	Se. Div".	ScDivns.	Ther.	ScDivas.	Ther.	d. h.	m. s			Ther.	SeDiva.	Ther.	d. h. m. s.		ScDivns.	Ther.		Ther.
13 11 0 0	105.6	61.7	43	68.4	43	12 7	0 0	39.7	93.9	53	59.8	58	14 15 0 0 16 0 0	46.8	73.8	63	55.3	65
13 0 0	103.9	62.8	40	59.7	40	9	0 0	38.3	93.1	33	57.8	30	17 0 0	46.0	74.4	00	55.5	03
14 0 0	107.3	63.0	46	58.4	46	10	0 0	36.9	90.4	57	57.2	56	18 0 0	45.3	72.0	65	54.4	66
15 0 0	109.9	62.3	10	58.8	40	11	0 0	36.7	84.2	cn.	54.5	00	19 0 0	44.0	72.5	00	56.0	00
16 0 0 17 0 0	111.9	59.8	49	58.0	48	12	0 0	38.5	74·8 68·8	67	46.9	68	20 0 0 21 0 0	44.5	74.3	63	56.7	63
18 0 0	113.7	58.6	50	63.8	49	14	0 0	44.0	63.4	75	45.5	76	22 0 0	43.8	79.1	60	58.5	62
19 0 0	106.7	56.3		65.3		15	0 0	46.1	60.2		46.9	-	23 0 0	43.2	80.0		59.2	
20 0 0	110.8	53.4	51	69.5	49	16	0 0	46.1	61.7	75	48.6	75	The Mean Posi	tions at the		me alamai	no the Mr.	th
21 0 0	97.2	56.5	50	58.0	49	17 18	0 0	45.6	63.1	71	51.9	73	The Mean Post		n in page		ing the Mi	omtn
23 0 0	106.6	54.0		64.9		19	0 0	44.9	65.7		53.1							
14 0 0 0	102.1	56.1	49	61.9	48	20	0 0	42.2	67.7	67	54.4	69	SEPTEMBER	24, 25,	26, 27, 5	28, an	d 29, 18	341.
1 0 0	102.1	55.4	48	64.6	47	21 22	0 0	42.6	66.2	65	55.3	66						
3 0 0	107.7	59.2	40	61.3	21	23	0 0	38.9	64.0	0.5	55.7	00	1	Decl. 1	Scale Di	vision	= 0'.	72
4 0 0	108.8	59.4	49	59.2	47	13 0	0 0	35.2	63.2	64	56.7	65	TORONTO		=.0000			
The same of the sa	107.5	60.8	46	58.1	45	1	0 0	39.8	67:3	69	56.1	65		V. F. k	=.0000)93;	q = .00	0018
	107.3	61.3	46	62.0	45	3	0 0	38.7	71.0	63	56.9	00	Regu	lar and	extra obs	ervati	ons.	
0. 2. 2.	108.6	61.6	43	65.4	44	4	0 0	42.6	76.9	63	57.5	66	The V. F. v					e
-00 00 00	108.5	61.3		65.5		5	0 0	42.8	73.4		55.8	0.	Н.	F. 2 ^m . afte	r the times	specif	ied.	
	107.1	62.7	44	65.1	44	6 7	0 0	41.6	75.7	61	57.0	61	24 0 0 0	142.0	418.0		83.6	
2000 200 200	102.7	61.5	44	62.0	44	8	0 0	39.8	76.7	60	56.6	62	2 0 0	141.3	416.1		83.0	
13 0 0	102.6	60.0	328	61.7		9	0 0	38.7	77.8		57.2		4 0 0	140.9	413.2		81.1	
	105.8	58.7	48	60.6	47	10	0 0	37.4	74.2	65	54.7	64	8 0 0	137.7	412·7 388·2		79.7	
	111.5	56.2	51	59.8	50	11	0 0	37.9	69.2	71	52.5	72	10 0 0	121.6	395 2		89.0	
	112.9	59.0		55.3	00	13	0 0	40.7	60.7		49.1	1	12 0 0	120.4	408.2	1 3	98.6	
	112.5	58.3	53	55.7	51	14	0 0	43.1	57.8	76	48.5	76	14 0 0	125.0	384.9		102.2	
	110.5	58.4	54	54.1	52	15 16	0 0	43.5	55.9	76	48.6	77	16 0 0 18 0 0	146.3	326.3	1	79.1	
	107.3	58.6	34	53.7	32	17	0 0	44.4	55.3	10	49.3	11	20 0 0	156.9	334.6	100	72.4	
22 0 0	107.2	59.5	53	53.2	51	18	0 0	44.3	56.1	71	50.6	72	22 0 0	The second second	306.2	66	37.5	66
23 0 0	106.2	59.4		53.5		19	0 0	39.4	58.8	00	53.2	20	20 0 25 0	176.0	297.5		31.1	- 119
The Mean Positi	ions at the	same hou	rs dori	ng the Mo	nth	20 21	0 0	40.0	55.6	68	52.8	70	30 0	171.7	292.6		30.9	
		in page		18 cue 140		22	0 0	39.7	66.8	67	57.9	68	35 0	166.0	280.5		30.9	-
	-				-	23	0 0	42.4	59.5		54.4		40 0	167.9	280.9		31.8	
ANTARCTIC	C EXPED	ITION A	THE	BAY OF		14 0	0 0	41.4	61.2	67	55.8	68	45 0 50 0	168.9	275 4 265 1		30.5	
					17/11	2	0 0		66.5	65	57.2	66	55 0	156.4	284.2		41.3	1
	Scale I			. 73		3	0 0	44.9	67.1		56.0		23 0 0	156.2	285 1	66	48.5	67
V. F.	k = .000 $k = .000$	018; q				4	0 0		69.7	64	56.5	65	5 0 10 0	129.1	298 · 9	11. 19	42.5	
				mation		5	0 0		71.1	63	56.5	64	10 0 15 0	132.9	287.0		40.8	1
Positions at the usual hours of observation, September 12, 13, and 14.						7	0 0		71.5	US	57.3	UT	20 0	135.2	296 · 1	1	43.5	
10.1	1.					8	0 0	44.4	72.4	63	57.5	64	25 0	138.0	316.5	1	44.1	
12 1 0 0 2 0 0	41.6	91.7	5.4	58.6		9	0 0		71.0	60	55.9	0.4	30 0 35 0	145.9	299.7	1	35.4	
3 0 0	40.4	94.1	54	57·8 57·2	55	10	0 0		72.1	63	55.9	64	40 0	142.1	282.0		35.4	1
4 0 0	41.0	91.8	54	57.4	56	12	0 0		72.8	62	56.1	63	45 0	140.2	244.6		22.5	1
5 0 0	41.4	92.9	**	59.4		13	0 0		71.9	00	54.6	0.	50 0	149.4	180.5		26.9	1
6 0 0	41.0	94.2	53	59.6	56	14	0 0	45.8	72.4	62	55.1	64	55 0	146.9	213.0		31 3	
d. h. m.									1	h. m.					and the same			

<sup>a 24 22 0 Very densely clouded.
25 9 0 Clearing.
13 12 Sky almost entirely clear; bright bank of Auroral light moving across the sky like light cirri.
13 17 Several bright streamers and patches of light appearing and disappearing rapidly.
13 32 Light brighter. Clouds rising rapidly.
13 35 Sky overcast. The sky remaining overcast, nothing further was seen of the Aurora until 15^h. 27^m., when several splendid streamers and bright pulsations were observed in the N.E., which continued visible until 15^h. 52^m., growing gradually fainter.</sup>

b. m.
 16 37 Clearing slightly in N. Light larger and brighter.
 17 37 Densely clouded; nothing of Aurora visible.
 18 0 No further observations were made after this hour, being midnight of Saturday at Toronto. In the course of the night the wind, from being light, commenced to blow in heavy squalls, accompanied by violent rain; it continued to blow a gale the whole of Sunday, without rain, but lulled towards evening. At night, the sky being nearly clear for a short time, the Aurora was again seen.

September 2	24, 25, 2	26, 27, 28	3, and	29, 184	1.	Sı	EPTEMB	er 2	24, 25, 2	6, 27, 28	3, and	29, 184	41.	September 24, 25, 26, 27, 28, and 29, 1841.						
M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. Fo	rce.	M.	Gött. Tir	ne.	Decl.	Hor. Fo	orce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. Fo	orce.	
d. h. m. s.	SeDivas.	ScDivas.	Ther.	ScDivns.	Ther.	d.	h. m.	8.	ScDiv ^{es} .	SeDivas.	Ther.	Sc. Div ^{ns} .	Ther.	d. h. m. s.	ScDivas.	SeDivas.	Ther.	ScDiv ^{ns} .	Ther.	
	143.1	223.4	66	20.5	67	25	5 35	0	131.0	325 · 3		101.0	0	25 11 10 0	126.5	423.0				
	139.4	212.9		15.7			40	0	137.1	328.6		100.1		25 0 30 0	128.7	411.1		125.8		
	131.1	196.0		28.7			45 50	0	143.0	337.6		102.8		35 0	135.2	397.1		125.2		
20 0	122.5	200.2		32.6			55	0	144.9	338.4		100.3		40 0	126.4	397.0		134.9		
	127.9	236.0		29.9			6 0	0	140.2	348.9	66	105.0	66	45 0	134.1	424.9		135.7		
	127.4	245 · 2		35.1			5 10	0	139.6	356.4		105.2		50 0 55 0	131.1	430.6		142.4		
	125 . 7	258.0		32.2			15	0	141.0	332.8		103.3		12 0 0	123.1	442.1	67	146.6	67	
	125.4	266 · 1		31.7			20	0	141.7	326.5		104.7		5 0	123.6	470.8		145.0		
	126.8	253·1 247·6		32.7			25 30	0	133.0	319.3		105.0		10 0 15 0	126.1	499.7		158.5		
	111.8	251.5	66	33.5	66		35	0	140.2	361.9		108.4		20 0	126.4	459.3		139.3		
	110.9	250.1		33.6			40	0	139.0	373.3		109.1		25 0		462.4		138.7		
	117.6	234.3		36.4			45 50	0	142.3	365 · 2		107.9		30 0 35 0		483.7		141.3		
	127.7	224 - 7		49.2			55	0	130.5	357.7	FE	111.5		40 0		438.4		135.6		
25 0	122.5	250.0	-	54.2	3		7 0	0	131.0	363.0	66	112.1	66	45 0	136.4	423.4		137.1		
1700	110.8	258-2	35	58.9	1		5	0	130.5	369.2		112.0		50 0		420.0		137.5		
	109.6	266.4		58.4			10	0	127.6	364.3	7000	112·6 113·2		55 0 13 0 0		415·2 394·4	67	133 • 9	67	
	102.0	278.1		60.9			20	0	126.7	375.2		113.4		5 0		398.7	1	130.4	-	
50 0	98.1	238.7		48.7	1		25	0	124.6	375.6		114.0		10 0		398.0		130.4		
	103.5	220 · 1	66	48.0	66		30 35	0	122.6	380 · 1		114.0		15 0 20 0		407.0		126.1		
	121.4	231.8	00	58.6	00		40	0	113.9	366.5		113.9		25 0		400.5		115.2		
	118.4	262.6		60.5	8		45	0	116.4	400.9		114.0		30 0		418.9		107.2		
15 0	116.9	260.9		60.1	B		50	0	111.7	390.6		112.7		35 0 40 0		409·2 416·5		113.8		
100000000000000000000000000000000000000	117.4	242.9		66.6			55 8 0	0	113.5	388.9	66	109.7	66	45 0		486.5		118.1		
	111.9	225.6		64.1			5	0	111.0	391.5	00	109.1	00	50 0		435.2		113.2		
2070 01	116.9	230.2	211	67.9			10	0	106.6	387.6		109.1		55 0		396.3	0.00	94.1	0 11	
	117.2	240.0		72·3 69·7	1		15 20	0	108.0	380.9		107.4		14 0 0 5 0		325 - 6	67	82.1	67	
	121.7	245 . 7		76.3			25	0	110.9	388.0		105.6		10 0		319.7		86.9	186	
	120.1	254.3	00	74.9			30	0	114.8	372.7		102.4		15 0		335 · 2		100.9		
3 0 0 5 0	120.1	236.9	66	73.7	66		35 40	0	115·6 116·4	371·2 372·7		101.2		20 0 25 0		348:5		107.9		
	100.1	222.2		72.4			45	0	116.0	369.6		98.9		30 0		325 4		96.3		
15 0	99.2	214.2		67.6	23		50	0	117.2	375.4		97.3		35 0	Or the color of th	335.1		96.8		
20 0 25 0	92.2	206 · 7		67.0			55	0	118.3	382.9	67	98.3	65	40 0 45 0	11	365.8		105.0		
		227.3		71.2			9 0 5	0		378·2 365·9	01	97.4	00	45 0 50 0				99.2	1	
	111.9	225 1		73.8			10	0	119.2	369.2		97.4		55 0		339-1	1	95.5	100	
	115.2	220.5		77.5			15	0	119.7	369.7		98.3		15 0 0		318.4	66	89.3	67	
	103 · 4	223.5		82.2	9		20 25	0	121.8	360 · 7	100	99.5	1	5 0 10 0		302.0		81.0		
55 0	105.5	224.0		83.3	(4:30)		30	0	125.7	373.2		103.0	1	15 0	149.0	305.4		85.2		
	110.1	226.8	66	83.8	66		35	0	125.9	374.7		104.2		20 0		317.6		91.2		
	112.4	235·6 252·4	1 8	87·2 90·3	1		40 45	0	126.3	373.2		104.2	1	25 0 30 0		317.8		88.0		
15 0	111.2	230 . 7	1	90.1			50	0	128.6	364.1		101.8	1	35 0	166.4	307.9		66.1		
20 0	109.5	234.3		92.5			55	0	130.0	360.7	0 1	101.1	00	40 0		299.4		77.7		
25 0 30 0	108.0	230.6		90.0			10 0	0	130.0	361.7	67	101.6	66	45 0 50 0		320.2		64·5 25·2		
35 0	102.8	257.6		97.0			10	0	125 * 6	372.5		108.3		55 0	1000	308.9	1	28.1	1	
40 0	108.2	284.7		99.8			15	0	123.5	388.9		113.7		16 0 0		294.7	66	34.9	67	
45 0 50 0	109.3	284.9		99.0			20 25	0	126·2 125·6	394.5		114.6	1	5 0 10 0		283·6 267·6	195	37.6	1	
55 0	109.0	294.7		99.0			30	0	123 0	406.7		119.0	1	15 0		262 6		38.8		
5 0 0	115.1	292.9	66	102.4	65	1	35	0	123.9	414.2		121.3		20 0	104.7	290.1	1	65.4		
5 0 10 0	109.7	303 · 4		99.3	-		40 45	0	125.0	402.6		122.0		25 0 30 0		318.7		59.4		
15 0	128.7	319.7		100.9			50	0	129.5	406.1	1	122.9	1114	35 0		332.8		42.6	1	
20 0	129.0	298.4	1	98.8			55	0	127.1	407.6	100	126.0	1	40 0	148.7	359.0		40.8	1	
25 0 30 0	123·8 125·7		1	98.7			11 0	0	128.3	443.9	68	126.0	66	45 0 50 0		328.9		51.7		
30 0	120	310 3	1	39 3			5	U	11111	145.0		131 8		30 0	104 0	201 0	1	02 1		

1	SEPTE	мве	R 25, 26	6, 27, 28	, and	29, 1841	1.	s	EPTE	мвен	R 25, 26	, 27, 28,	and	29, 1841			SEPT	ЕМВЕ	n 25, 26	3, 27, 28,	and	29, 184	1. :
М, С	Gött. T	ime.	Decl.	Hor. F	orce.	Vert. F	orce.	м. с	ött. T	ime.	Decl.	Hor. F	orce.	Vert. F	orce.	M.	Gött.	Time.	Decl.	Hor, F	orce.	Vert. I	Force.
d.	h. m.	5.	SeDiv	SeDivas.	Ther.	SeDivas.	Ther.	d. 1	. m.	8.	ScDivas	ScDivas.	Ther.	ScDivns.	Ther.	d.	h. ,	n. s.	ScDiva	ScDivas.	Ther.	SeDivns.	Ther.
25 1	6 55	0	160.0	283.3		54.7	2	27	5 50	0	119.6	380 · 1		96.7		28 5	20	0 0	149.9	398 · 1	57	84.7	58
1	7 0	0	172.2		66	54.7	67		55	0	119.8	385.4		96.6				0 0	142.6	403.0	57	83.8	58
	5	0	163.5	335.9		63.1			5 0	0	121.7	391.1	59	97.0	59	29		0 0	142.3	410.2	57	94.0	58
1	10	0	162.8	351.6		68.0			5 10	0	122.4	394 · 7		96.6				0 0	145.0	361.0	57	96.5	57
1	20	0	156.3	355.1		74.4		6.0	15	0	123.9	399.0		96.9				0 0	127.1	408.9	58	97.0	58
1	25	0	154.4	355.8		73.2			20	0	124.4	403.7	100	96.8				0 0	127.1	412.9	58	100.3	58
1	30 35	0	148.1	355.6		75.3			25 30	0	126.8	409.5	1	98.6				0 0	133.9	423.5	58	99.0	58
1	40	0	146.5	342.0		78.2			35	0	129.0	408.9		98.6				0 0	135 6	423.4	58	98.6	58
	45	0	149.6	342.6	Page 1	78.4			40	0	128.9	412.9		98.6			16	0 0	149.8	374.0	58	89.7	58
1	50	0	152.0	353.3		80.1			45	0	129.4	412.7		99.3				0 0	135.3	419.7	57	96.1	58
26 18	55 8 0	03	152.3	358 · 3	60	88.7	61		50 55	0	129.1	408.1	17	99.6			22	0 0	137.3	426.7	56	98.6	57
20		0	135.2	368.5	60	77.0	60		7 0	0	129.1	406.2	60	99.8	59		Mean	Posit	tions at the	e usual hor	ars of o	bservation	
25		0	131.2	364.5	59	55.5	60		5	0	128.9	400.7		99.5		1				g the Mont		The state of the s	-
	$\begin{array}{ccc} 0 & 0 \\ 2 & 0 \end{array}$	0	142.6	410·9 386·6	58 58	91.7	59 59		10	0	130.0	398.6		99.6		-			11	H			
1	15	0	129.6	384.8	00	90.5	09		20	0	130.0	397.4		102.3				0 0	142.1	394.5	66	81.2	63
1	20	0	132.0	391.3		90.2			25	0	130.1	390.9		102.6				0 0	142.9	386.4	66	86.8	63
	25	0	133.0	388.8		90.5			30	0	128.9	389.5		102.2				0 0	130 - 7	381.6	68	90.4	63
1	30	0	134.0	387.4		91.0			35 40	0	128.7	380.7		101.5		1		0 0	129.3	392.8	69	92.5	64
	40	0	135 2	386.5		91.4	1		45	0	132.8	392.2		102.5				0 0	134.0	396.1	70	92.4	64
	45	0	137.8	392.8		92.5			50	0	133 · 4	397.0		101.3		100		0 0	139.6	396.9	69	96.1	64
1	50	0	139.8	402.1		92.5		8	55	0	133.1	394.6	60	101.3	co	1/1		0	138.4	388.8	68	84.0	64
1 5	55	0	137·9 138·4	391.8	59	93.7	59		5	0	134 · 2	417.9	00	101.5	60	100		0 (140.9	390.7	68	85.8	64
	5	0	140.7	381.5	-	91.9			10	0	137.8	421.6		105.0				0 0	140 · 1	391.2	66	84.8	64 63
1	10	0	140.8	389.0		91.9			15	0	137.5	414.5		106.6			-	, 0	110 1	350 8	00	01 0	05
1	15 20	0	139.5	395.0		93.3	- 1		20 25	0	138.5	420.5		106.1					(Decl	1 Scale	Divisi	on - 0'	.71
	25	0	138.0	387.7		94.3			30	0	137.0	422.1		104.8		ST.	HE	LENA		k = .00			
	30	0	139.1	379.8		93.3			35	0	136.6	422.8		104'1					(V. F.	k = .00	0022;	q =	
	35 40	0	139.2	374.0		93 · 1			40 45	0	136·9 136·1	421.9		105 · 7				Regu	lar and	extra obs	ervati	ons.	
	45	0	136.4	362.6		93.2			50	0	135.3	406.5		104.8		Th	e V. I			t 2m. 30°. 1			H. F.
	50	0	134.1	361.4		94.6			55	0	134.4	403.3	-	103.3	0339			2	. 30°. after	the times	specifie	d.	
4	55	0	134.9	349.4	59	94.4	59	5	5	0	132·9 132·3	395.5	60	101.0	60	24	0 (0	29.0	172.0	60	56.3	60
1	5	0	133 4	325.3	33	94.0	39		10	0	132.2	390.6		100.5					29.1		00		00
	10	0	135.4	317.7		94.0			15		132.0	394.3	1111	99.5			10		29.1	172.1	1-1	56.0	
	15	0	138.7	325.2		94.8			20		131.0	394.3	1111	99.3			20		29.7	173.0		55.8	1
	20 25	0	139.7	339.4		98.9		10	25		131·0 135·4	410.3	60	98.8	60		2		30.0	1100	-	00 0	
	30	0	135.4	332.7		103.9		12	0	0	137.1	398.9	60	99.9	59		30	0	30.1	173.0		55.7	
	35	0	132.1	337.1		102.7		14			136.6	410.1	60	97.1	59		35	Comme 1	30.1	172.0		55.6	
	40 45	0	133·8 134·9	336.9		102.9		16			134·9 141·5	408.7	59 58	97·3 83·9	59 59		40	-	30.8	173.0		33-0	
	50	0	132.5	346 - 7		105.6		20			138.4	422.8	58	88.6	59		50	0	30.9	173.0		55.5	
1	55	0	128.9	347.9		104.3	200	22	0	0	132.5	412.8	58	95.5	59		55		30.9	152.0	63	55.4	er l
5	5	0	126·6 123·0	351.2		103.7	59	28 0			124·8 142·9	366.5	58 58	84·9 93·6	59 59		1 (30.9	173.0	61	55.4	61
1	10	0	120.4	365 2		103.1		4			135 · 4	382.1	57	96.6	57		10		30.8	172.8		55.1	
	15	0	125.8	371.6		101.1		6	0	0	127.5	391.3	57	97.6	57		15	0	30.3	150.0			9 9
1	20	0	121.7	373.8		99.9		8			125.6	396.7	58	99.3	58		20		30.2	172.8		55.0	7
1	25 30	0	123·1 121·9	378.4		99.5		10			133·5 133·6	419.6	58	100.5	58 58		30		30.4	172.6	ME	54.7	
	35	0	120.7	370.7		98.6		14			140.4	409.1	58	99.6	58		35	0	30.1				
1	40	0	118.7	372.9		97.2		16			134.9	420.8	58	98.8	58		40		30.0	172.1		54.9	
	45	0	117.5	372.7		96.8		18	0	0	142.9	383.6	58	92.5	58		40	0	00.				

^a The Magnetometers showed some disturbance at an earlier hour; the sky being clear from 26°, 18°,, to 20°,, no Auroral light was perceptible. Additional observations were made at 27°, 2°,; the readings, &c., of the Decl. magnet being considerably below the average at that hour. (25°, 18°, to 26°, 18°, fell on Sunday at Toronto.)

 $^{^{\}rm b}$ The mean positions of the V. F. magnet are from the 17th to the 30th September, inclusive.

September 2	24, 25, 2	26, 27, 2	S, and	29, 1841		September :	24, 25, 2	26, 27, 28	s, and	29, 184	11.	September	24, 25,	26, 27, 2	S, and	1 29, 18-	41.
M. Gött, Time.	Decl.	Hor. Fo	ece.	Vert. For	ce.	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. Fo	отсе.	M. Gött. Time.	Decl.	Hor. Fo	rce.	Vert. Fo	orce.
d. h. m. s.	SeDiv ^{ns} .	SeDiv ^{na} .	Ther.	ScDivas. T	her.	d. h. m. s.	SeDiv ^{ns} .	SeDivns.	Ther.	SeDiv ^{na} .	Ther.	d. h. m. s.	ScDivas.	SeDivas.	Ther.	SeDiv ^{ns} .	Ther.
24 1 50 0	29.9	171.1	0	54.6	0	24 13 0 0	19.6	144.9	60	59.8	60	24 18 40 0	27.8	153.0	9	62.3	0
2 0 0	29.9	170.2	62	54.0	51	5 0 10 0	19.7	144-1		59.9		45 0 50 0	28.0	152.2		62.0	
3 0 0 4 0 0	27.9	167.0	62		51	15 0 20 0	20.4	144.1		60.4		55 0 19 0 0	28.1	152.0	60	62.0	59
5 0 0	25.2	158.9	62	54.0	51	25 0	20.9					5 0	28.1		00		
8 0 0	23.4	153·0 143·9	62		52	30 0 35 0	20.9	144.1		60.4		10 0 15 0	28.1	151.7		62.0	
5 0 10 0	22.3	143.9		55.9		40 0 45 0	21.2	144.9		61.3		20 0 25 0	28.0	151.5		61.9	
15 0	22.4	Manual I				50 0	21.3	145.0		61.3		30 0	27.7	151.5		61.9	
20 0 25 0	22.4	144.0		55.9		55 0 14 0 0	21.0	145.6	60	61.7	60	35 0 40 0	27.0	151.5		61.8	
30 0 35 0	22.0	144.9		55.9		5 0 10 0	21.1	146.8		61.9		45 0 50 0	27.0	151.5		61.6	
40 0	21.8	145.9		55.9		15 0	21.3			100		55 0	27.1				
45 0 50 0	21.9	144.2		56.3		20 0 25 0	21.6	148.0		61.9		20 0 0 5 0	27.1	151.5	60	61.6	59
55 0 9 0 0	22.0	144.9	61	Vibr ⁿ .	51	30 0 35 0	21.0	150.9	BILL	61.9		10 0 15 0	26.7	151.9		61.6	
5 0	21.5		01		^^	40 0	21.8	151.8		61.9		20 0	26.4	151.5		61.8	
10 0 15 0	21.5	145.0		57.9		45 0 50 0	21.9	149.0		62.0		25 0 30 0	26.4	150.5		61.8	
20 0 25 0	21.3	145.4		58.2		55 0 15 0 0	22.0	148.2	60	61.9	60	35 0 40 0	26.3	150.8		61.8	
30 0	21.1	144.8		58.1		5 0	22.3		00	1 1 1 1	00	45 0	26.5			10000	
35 0 40 0	21.5	144.5		58.5	200	10 0 15 0	22.8	148.7		62.0		50 0 55 0	26.7	151.1		61.9	
45 0 50 0	21.1	143.1		58.4		20 0 25 0	22.7	150.2		62.0		21 0 0 5 0	27.1	151.5	60	62.1	59
55 0	21.1					30 0	22.9	152.0		62.1		10 0	27.5	152.0		62.1	
10 0 0	21.1	142.0	61	58.7	51	35 0 40 0	22.9	152.6		62.1		15 0 20 0	27.0	152.0		62.0	
10 0 15 0	21.1	141.5		58.9		45 0	23.0	153.0		62.1		25 0 30 0	27.0	153 · 1		62.0	1
20 0	21.1	142.5		59.0		55 0	23.2					35 0	27.0				
25 0 30 0	21.0	143.9		58.8		16 0 0 5 0	23.2	152.9	60	62.1	60	40 0 45 0	26.9	154.0		62:0	
35 0	21.1					10 0	24.4	152.4		62.2		50 0	26.9	155.0		61.9	
40 0 45 0	21.5	143.9		58.9		15 0 25 0	24.5					55 0 22 0 0	26.8	155.4	60	61.9	59
50 0 55 0	21.4	143.9		59.0		30 0 35 0	25.1	152.3		62.2		5 0 10 0	26.8	155.0		61.9	
11 0 0	20.9	144.0	60	59.0	60	40 0	25.5	153.0		62.6	1	15 0	26.5	154.9		62.1	-
10 0	19.6	143.9				45 0 50 0	26.0	153.0		62.6		20 0 25 0	26.7			0	
15 0 20 0	19.7	143.0		58.9		55 0 17 0 0	26.8	151.8	60	62.9	60	30 0 35 0	26.1	152.7		62.1	
25 0 30 0	19.2	142.5		58.8		5 0 10 0	26.9	151.0		62.7		40 0 45 0	25.2			60.9	
35 0	20.0					15 0	26.1					50 0	25 . 2			60.8	
40 0 45 0	20.1	142.3		58.9		20 0 25 0	26.1	152.0		62.7		55 0 23 0 0	25.1	148.0	60	60.4	60
50 0 55 0	20.1	142.8		59.1		30 0 35 0	27.1	152.9		63.0		5 0 10 0	25.2			60.4	
12 0 0	20.7	144.6	60	59.3	60	40 0	27.1	153.0		62.8		15 0	24.9	1			
5 0 10 0	21.4	144.9		59.8		45 0 50 0	27.2	153.8		62.5		20 0 25 0	24.9	148.0		60.5	
15 0 20 0	21.2	144.9	1			55 0 18 0 0	27.1	153.9	60	62.6	59	30 0 35 0	21.9	147.8	1	60.5	
25 0	21.0			59.9		5 0	27.1	1	00		59	40 0	24.4	148.9		60.7	
30 0 35 0	20.9	145.3		59.9		10 0 15 0	27.0	154.1		63.5		45 0 50 0	24.4	148.7		60.7	
40 0 45 0	20.0	145.9		59.9		20 0 25 0	27.1	154.2		63.5		55 0 25 0 0 0	24.0	144.2	60	60.7	60
50 0	19.8	146.2		59.8		30 0	27.5	154.0		62.3		5 0	23.1		00		00
55 0	19.8					35 0	27.7	1				10 0	23.3	142.9		60.7	

September	24, 25,	26, 27, 2	28, an	d 29, 18	41.	September :	24, 25, 2	26, 27, 2	8, and	1 29, 18	41.	September :	24, 25, 2	26, 27, 2	28, and	d 29, 18	41.
M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. F	orce.	M. Gott, Time.	Decl.	Hor. Fe	orce.	Vert. F	orce.
d. h. m. s.	SeDiv ^{ns} .	SeDivas.	Ther.	SeDivas.	Ther.	d. b. m. s.	ScDivns.	ScDivns.	Ther.	ScDivas.	Ther.	d. h. m. s.	ScDivas.	ScDivas.	Ther.	Sc Divas.	Ther.
25 0 15 0 20 0	23.3	140.9		60.6		25 5 35 0 40 0	17.9	107-6		59.5	0	25 10 55 0 11 0 0	20.2	121.8	61	66.1	61
25 0 30 0	23.1	140.0		60.6		45 0 50 0	18.8	104.8		59.7		5 0 10 0	20.4	121.8	0.	66.5	01
35 0 40 0	23.9	140.5		60.5		55 0 6 0 0	18.8	103.5	62	59.7	61	15 0 20 0	20.1	122.1		66.5	
45 0 50 0	22.0	138.0		60.5		5 0	18.8	102.5	02	59.6	01	25 0	19.8	10.30			
55 0	22.1					10 0 15 0	18.9					30 0 35 0	19.2	122.4		64.3	
5 0	22.4	136.8	61	60.2	61	20 0 25 0	19.7	100.8		60.0		40 0 45 0	19.2	123.0		59.0	
10 0 15 0	21.8	135.2		59.9		30 0 35 0	19.6	97.0		60.1		50 0 55 0	19.1	123.2		60.1	
20 0 25 0	22.0	135.0		59.9		40 0 45 0	19.9	95.1		60.2		12 0 0 5 0	19.5	123.2	61	61.7	60
30 0 35 0	21.9	134.1		59.9		50 0 55 0	20.3	91.9		60.2		10 0 15 0	19.7	123.3		64.3	
40 0 45 0	22.5	134.4		59.9		7 0 0 5 0	21.1	90.9	62	60.3	61	20 0 25 0	19.6	123.3		64.3	
50 0 55 0	22.6	134.0		60.2		10 0 15 0	21.4	90.8		60.0		30 0 35 0	19.1	123 · 1		65.3	
2 0 0 5 0	23.7	132.9	62	60.2	61	20 0 25 0	21.4	90.2		61.2		40 0	19.1	123.0		65.5	
10 0	23.2	130.5		60.6		30 0	21.6	89.9		63.2		50 0	19.1	123.0		66.2	
20 0	23.0	127.9		60.5		35 0 40 0	21.9	88.8		62.5		55 0 21 0 0°	19.1	148.2		66:0	
25 0 30 0	21.8	127.9		60.8		45 0 50 0	21.4	89.7		62.7		23 0 0 26 3 0 0	22.8	151·6 148·2		66.0	
35 0 40 0	21.0	125.1		60.8	2	55 0 8 0 0	21.4	90.0	62	63.1	61	8 0 0 13 30 0	23.9	143·8 149·2		63·2 64·4	
45 0 50 0	20.5	123.9		60.6		5 0 10 0	22.0	94.8		63.9		14 0 0 14 30 0	23.4	147·9 147·5	60	64.1	59
55 0 3 0 0	20.9	123.1	62	60.5	61	15 0 20 0	21.0	98.2		63.9		15 0 0 15 30 0	22.8	147.0	60	64.0	59
5 0 10 0	21.1	122.0		60.5	700	25 0 30 0	20.5	100.8		64.0		16 0 0 18 0 0	22.4	147·9 149·6	60 60	63.8	59 59
15 0 20 0	21.0	119.0		60.3		35 0 40 0	20.1	102.1		63.9		18 30 0 19 0 0	22·9 24·0	149·6 149·0	00	64.5	59
25 0 30 0	20.8	121.0		60.1		45 0 50 0	20.0	106.0		63.5		19 30 0 20 0 0	24.0	148.5	60	64.4	59
35 0	22.8	114.3		60.8		55 0	19.2		61		CT	20 30 0	21.5	148.5	00	64.5	
45 0	22.5					5 0	19.1	107.4	61	63.3	61	21 0 0 21 30 0	18.7	146·0 144·6		64.1	59
50 0 55 0	22.1	113.0	CO	60.9		10 0 15 0	19.1			64.0		22 0 0 22 30 0	19.6	147·0 148·1	59	63.2	59
4 0 0 5 0	21.5	110.7	62	60.7	61	20 0 25 0	20.0	111.1		64.7		23 0 0 5 0	19.3	145.1		60.4	59
10 0 15 0	20.7	111.1		60.7		30 0 35 0	20.9	114.0		64.8		10 0 15 0	19.1	145.1		59.9	
20 0 25 0	21.0	111.9		60.6		40 0 45 0	21.0	115.1		64.9		20 0 25 0	19.1	146.0		59.8	
30 0 35 0	20.1	109.3		60.6		50 0 55 0	21.4	116.0		65.2		30 0 35 0		148.0		59.8	
40 0 45 0		110.3		60.2		10 0 0 5 0		116.9	61	65.2	61	40 0 45 0	700	149.2		59.7	
50 0 55 0		110.0		60.1		10 0 15 0		117.5		66.0		50 0 55 0		150.9		59.7	
5 0 0		109.0	62	59.9	62	20 0	(2000)	118.5		65.7		27 0 0 0 0 5 0		152.0	60	59.7	60
10 0	17.1	108.0		59.8		30 0	20.8	118.6		65.5		10 0	24.1	152.0	3 8	59.6	1
15 0 20 0	10000	108.1	- 5	59.5		35 0 40 0		119.4		65.8		15 0 20 0	25.0	151.0	- 1	59.2	100
25 0 30 0	17.8	107.9		59.5		45 0 50 0	20.6	120.0		65.8		25 0 30 0	25.0	149.8	-	58.8	
					-			1	-					_			_

^{* 25&}lt;sup>d</sup>. 13^h., to 26^d. 12^h., fell on Sunday at St. Helena.

b Vibrating too much for a correct reading.

September 24	4, 25, 2	26, 27, 2	8, and	29, 184	11.	SEPTEMBER	24, 25,	26, 27, 2	8, an	d 29, 18	41.	September 2	24, 25, 2	26, 27, 2	8, and	1 29, 18	41.
M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Gott. Time.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m. s. Se	eDiv ^{na} .	ScDivas.	Ther.	ScDivns	Ther.	d. h. m. s.	ScDivas.	Se,-Divno.	Ther.	ScDiv ^{ns} .	Ther.	d. h. m. s.	SeDivas.	SeDivas.	Ther.	ScDivns.	Ther.
	24·9 24·9	149.0		58.3		27 6 15 0 20 0	22.0	141.1		57.7	100	27 11 50 0 55 0	24.6	146.2		61.6	
45 0	24·9 25·0	148.6		58.1		25 0 30 0	22.0	141.1		58.2		12 0 0 5 0	24.6	147.1	61	61.7	61
55 0	25.2		0.			35 0	22.8			and the		10 0	24.9	149.0		61.7	
5 0	26·0 26·5	149.0	61	58.0	61	40 0 45 0	53.0	140.0		58.2		15 0 20 0	24.9	150.0		61.9	
	26.4	147.3		57.9		50 0 55 0	23.1	139.0		58.2		25 0 30 0	15.0	150.0		61.9	
	26.1	145.7		57.5		7 0 0 5 0	23.2	139.0	62	58.5	62	35 0 40 0	24.9	149.9		62.0	
30 0	26·0 26·0	144.7		57.3		10 0 15 0	23.1	139.7		58.4		45 0 50 0	24.9	149.2		62.0	
40 0	26.0	144.6		57.2		20 0	23.5	140.9		58.3		55 0	24.5		01		61
50 0	26·0 25·6	144.9		57.1		25 0 30 0	23.1	142.0		58.3		13 0 0 5 0	24.3	149.2	61	62.1	01
	25.1	145.8	62	56.8	61	35 0 40 0	23.5	142.8		58.6		10 0 30 0	24.1	149.9		62.4	
	25.1	144.0		57.0		45 0 50 0	23.9	143.0		58.8		14 0 0 30 0	24.7	150·6	61	62.7	
15 0	25·3 25·9	144.8		56.9		55 0 8 0 0	23.9	144.0	62	59.2	62	15 0 0 30 0	24.0	150.0	61	63.4	
25 0	26·1 26·1	145.0		57.1		5 0	23.7		02	59.0	02	16 0 0	24.0	150.0	60 60	63.8	
40 0	25.8	145.9		57.1		15 0	23.9	144.0		1.13		30 0	24.2	151.9		63.8	
50 0	25.6	146.0		56.9		20 0 25 0	23.9	143.0		59.1		19 0 0 30 0	25.1	150·9 150·0	60	63.8	
	25.0	146.1	62	56.5	62	30 0 35 0	23.1	142.0		59.5		20 0 0 30 0	23.8	151·2 151·9	60	64.0	
4000	25.6	146.0		56.9		40 0 45 0	23.1	140.1		59.4		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	23.1	153·0 157·0	60	64.4	
15 0	25·2 24·9	145.8		56.4		50 0 55 0	23.0	139.1		59.5		23 0 0	24·1 24·2	159·1 158·8	60		
25 0	24.7			- United		9 0 0	22.9	140.0	62	59.5	62	2 0 0	26.1	156.0	62	19	
35 0	24.8	145.1		57.0		5 0 10 0	53.0	140.1		60.2		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25.0	154·4 151·0	62 62		
45 0	24.4	143.8		57.0		15 0 20 0	23.2	140.7		60.2		5 0 0 6 0 0	25.0	153·6 149·4	62		
	23.8	142.0		57:0		25 0 30 0	23.3	141.2		60.1		8 0 0 10 0 0	23.9	146.0	61		
	23.9	145.4	63	57.0	62	35 0 40 0	23.1	142.0		60.3		11 0 0 12 0 0	25.0	148.0	61		
10 0	24.4	142.3		57.3		45 0	23.2					13 0 0	25·0 24·6	151·1 152·8	60 60		
20 0	24.1	142.6		57.3		50 0 55 0	23.2	142.4		60.2		15 0 0	24.2	152.3	61		
30 0	23.1	141.1		57.3		10 0 0 5 0	23.3	142.0	62	60.7	61	16 0 0 19 30 0	23.2	152·5 154·9	60		
40 0	22.8	140.8		57.5		10 0 15 0	23.5	142.0		60.7		20 0 0 20 30 0	20.9	154·8 155·0	60		
	22.1	140.2		57.5		20 0 25 0	23.3	142.5		60.7		22 0 0 23 0 0	23.2	155·0 154·1	61		
	21.4	139.4	63	57.5	62	30 0 35 0	23.8	142.9	68	60.9		29 0 0 0 0 2 0 0	22.3	158·7 158·2	61 62		
5 0	20.8		00	57.5	02	40 0	23.9	143.0	TA	61.0		3 0 0	22.0	150·0 143·9	62 63		
15 0	20.8	140.0				45 0 50 0	23.9	143.8		61.1		4 0 0 5 0 0	18.1	143.3	63		
25 0	20.9	141.0	6 8	57.5		55 0 11 0 0	23.9	144.1	61	61.1	61	6 0 0 8 0 0	18.9	146·6 146·0	63		
35 0	21.4	140.9		57.7	-	5 0 10 0	24·0 24·1	144.8		61.2		10 0 0 11 0 0	20.2	147·1 153·7	62 62		
	21.8	140.6		57.7		15 0 20 0	24.1	145.1		61.2		12 0 0 13 0 0	21.0	150·0 150·1	62 61		
50 0	21.9	140.9		57.7		25 0	24.2			61.4		14 0 0	20.9	150·9 157·1	61		
6 0 0	22.0	141.1	63	57.7	62	35 0	24.4	145.5				16 0 0	21.1	155.1	61		
	21.9	141.2		57.7		40 0 45 0	24.5	146.0		61.2		18 0 0 19 30 0	19.7	152·4 150·9	61		
	12 12 12 12 12		10000		1				1000		100000	And the second		and the second		A DESCRIPTION OF	177.00

SEPTEMBER 24, 25, 26, 27, 28, and 29, 1841	September :	24, 25, 2	26, 27, 28, a	nd 29, 1841.	September	24, 25 2	26, 27, 28, a	nd 29, 1841.
M. Gött, Time. Decl. Hor. Force. Vert. Force	. M. Gott, Time.	Decl.	Hor. Force.	Vert. Force.	M. Gott. Time.	Decl.	Hor. Force.	Vert. Force.
d. h. m. s. ScDiv ^{ns} , ScDiv ^{ns} , Ther. ScDiv ^{ns} , The 29 20 0 0 18 8 151 2 61 20 30 0 18 9 152 4 22 0 0 20 9 158 5 60	24 9 25 0 30 0 35 0	8cDiv ^{ns} . 46 · 9 46 · 9 46 · 9	SeDiv.". The	r. SeDiv ^{ns} . Ther.	d. h. m. s. 24 14 45 0 50 0 55 0	ScDiv ^{as} . 49·4 49·1 50·0	ScDiras. The	s. ScDiv ^{ns} . Ther.
23 0 0 22.1 161.0 61	40 0 45 0	46·9 46·5 40·9	64.9		15 0 0 5 0 10 0	50·9 51·7 52·8	73.7 57	
The Mean Positions at the same hours during the Mont of September are given in page 76.	55 0	46.9	63.2 59	1 8	15 0 20 0	53.0	75.8	1
$C_{APE OF}$ Good Hore $\begin{cases} Decl. 1 \text{ Scale Division} = 0' \cdot 7 \\ H. F. k = 000180; q = 000080 \end{cases}$		45.9	63.0	121	25 0 30 0 35 0	53·9 53·7 53·6	77.9	
Regular and extra observations. The H. F. was observed at 2 ^m , 30°, after the times specified	20 0 25 0	46·1 45·9 46·1	64.9		40 0 45 0 50 0	53·1 53·2 53·2	78.7	
24 0 0 0 53·0 90·0 56 2 0 0 55·3 85·0 57	35 0 40 0 45 0	46·4 46·2 47·1	66 2		55 0 16 0 0 5 0	53·8 54·6 55·7	74.4 57	191
25 0 55·5 30 0 55·4 83·6 57 35 0 55·6	50 0 55 0 11 0 0	46·9 46·0 45·0	66.6	8	10 0 15 0 20 0	56·9 56·9	73.0	03
40 0 55·6 83·4 50 0 55·5 82·8 3 55 0 54·2	5 0 10 0	43·0 42·0 41·9	69.3		25 0 30 0 35 0	57·0 57·0 57·5	74.0	
4 0 0 54·0 75·0 57 6 0 0 52·2 70·0 58	15 0 20 0 25 0	41·5 41·5	68.0		40 0 45 0	58.0	74.5	
10 0 52·5 69·1 15 0 52·3	30 0 35 0 40 0	41·9 43·0 43·9	67.1		50 0 55 0 17 0 0	59·0 59·0 58·7	73.0	
20 0 51·4 68·0 25 0 50·7 30 0 50·3 67·0	45 0 50 0 55 0	44·0 44·5 45·0	68.0		5 0 10 0 15 0	57·3 57·8 57·4	70.8	
35 0 50·2 40 0 50·5 65·6 50 0 50·7 65·2	12 0 0 5 0 10 0	46·1 47·1 47·7	69.6 58		20 0 25 0 30 0	58.0 59.0 59.6	71.7	
55 0 50·1 7 0 0 50·0 5 0 50·0 63·9 59	15 0 20 0 25 0	47·0 46·5 46·5	69.0		35 0 40 0 45 0	59·8 58·7 59·0	72.5	
10 0 49·5 63·0 15 0 49·5 20 0 49·6 62·0	30 0 35 0 40 0	46·2 46·0 45·2	70.0		50 0 55 0 18 0 0	59·8 60·1 60·1	72.7	
25 0 49·1 30 0 48·7 35 0 48·7	45 0 50 0 55 0	45·1 45·2 45·0	73·1		5 0 10 0 15 0	59·8 60·1 59·5	76.1	
40 0 48·0 61·3 45·0 47·9 61·4	13 0 0 5 0 10 0	44·0 43·8 44·1	70.1		20 0 25 0 30 0	59·9 59·3 59·0	77.0	
55 0 47.6 8 0 0 47.5 5 0 47.2 61.2 59	15 0 20 0 25 0	44·4 44·2 44·5	70.0		35 0 40 0 45 0	59·4 58·4 57·5	77.0	
10 0 47·5 61·8 15 0 47·7 20 0 47·9 62·8	30 0 35 0 40 0	44·9 45·0 45·4	70.1		50 0 55 0 19 0 0	57·7 57·2 57·5	77.8	
25 0 47·0 30 0 47·4 35 0 48·2	45 0 50 0 55 0	45·2 45·1 45·0	71.1		5 0 10 0 15 0	56·2 55·9 55·2	78.0	
40 0 48·2 64·0 45·0 48·8 50 0 48·3 62·8	14 0 0 5 0 10 0	45·2 45·2 45·3	71.9 58		20 0 25 0 30 0	55·5 54·7 54·7	77.4	
55 0 47·4 9 0 0 47·0 5 0 46·9 64·8 58	15 0 20 0 25 0	46·3 47·2 45·5	78.1		35 0 40 0 45 0	54·7 54·1 54·4	77.3	
10 0 46·9 66·1 15 0 46·9 66·2 20 0 46·9 66·2	30 0 35 0 40 0	46·0 47·9 49·4	79.5		50 0 55 0 20 0 0	54·2 54·0 53·8	77.2	

^{*} The V. F. magnet was not in satisfactory adjustment.

* 25d. 13h., to 26d. 12h., fell on Sunday at the Cape of Good Hope.

ſ	September 2	24, 25, 2	6, 27, 28,	and 29,	, 1841.	Sı	PTE	IBER	24, 25, 2	26, 27, 2	8, an	d 29, 184	41.	September :	24, 25, 2	26, 27, 2	8, and	d 29, 18	41.
1	M. Gött. Time.	Decl.	Hor. Force	. Ve	rt. Force.	М. (Gött.	lime.	Decl.	Hor. Fo	orce.	Vert. Fe	orce.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.
12	5 22 0 0 26 0 0 0 1 50 0 2 0 0	52·1 52·4 53·0 53·2	58·9 5 66·9 5 67·0 5	er. ScD	Div ^{ns} . Ther.	29 2	3 (0 0	50·2 52·2	71.6	57 57	ScDiv ^{ns} .	0	d. h. m. s. 24 10 0 0 10 0 15 0 20 0	SeDiv ¹⁰ . 115 · 4 113 · 1 112 · 6	SeDiv ^{as} . 59·7 58·9	Ther.	ScDir ^{ns} . 96 · 7	Ther.
	2 7 30 4 0 0 6 0 0 8 0 0 11 0 0 13 0 0	53.4 49.0 49.2 48.5 53.0 52.8	61·0 5 65·0 71·4	7 7 6				Posi	(Decl. 1	Scale D	ivisio	n = 0'·		25 0 30 0 35 0 40 0 11 0 0 12 0 0	112·4 112·3 112·5 109·9	57·6 56·9 51·9	54 54	93·8 97·4 97·5	54 54
-	14 0 0 5 0 10 0 15 0 20 0 25 0	51·1 50·6 50·9 50·3 50·4 50·2	70·3 70·0 70·2				ISLA!	Regu	V. F. /	xtra obs	ervati	q = ons.		15 0 20 0 25 0 30 0 35 0 40 0	108·1 109·7 110·8 110·2 110·1 110·2	50·6 49·0 48·2		97·6 98·6	
-	30 0 35 0 40 0 45 0 50 0	50·3 50·2 50·1 50·0 50·0	70·8 69·8			24	0 (1 (2 (3 (3 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4	0 0 0	108·6 106·6 104·4 104·1	60·4 60·1 60·2 60·1	57 56	96·6 97·5 98·3 96·9	56 54	45 0 50 0 55 0 13 0 0 10 0	109·2 109·4 109·2 110·8 109·2 108·7	52·9 48·9 48·7		97·6 97·3	
-	15 0 0 16 0 0 17 0 0 18 0 0 20 0 0 22 0 0	50·0 50·2 51·4 50·6 46·0 44·1	68·7 5 69·7 5 72·7 5 75·8 5	6 6 5 5 5 5			4 (5 (6 (6 (15)))	0 0 0 0 0 0 0 0 0	103·9 103·3 110·2 106·8 106·4	60·4 59·4 63·7 61·5	55 53	100·7 101·3 101·6	53 52	15 0 20 0 25 0 30 0 35 0 40 0	109·3 109·5 109·5 109·3 109·2	48·2 47·0 46·8		95·1 95·2 105·0	
1	$egin{pmatrix} 7 & 0 & 0 & 0 & 0 \\ 2 & 0 & 0 & 0 \\ 4 & 0 & 0 & 0 \\ 6 & 0 & 0 & 0 \\ 8 & 0 & 0 & 0 \\ 10 & 0 & 0 & 0 \end{bmatrix}$	50·0 53·1 48·2 50·4 49·0 50·0	60·9 5 60·6 5 61·4 5 69·1 5	6 6 7 7 7			20 25 30 35 40 45	0 0 0	109·1 109·4 110·1 109·5 108·8	61.3		98·8 99·2 102·3		45 0 50 0 55 0 14 0 0 15 0 0 16 0 0	109.7 110.0 110.3 110.7 111.5 115.6	46·6 46·4 43·5 45·5	60	94·9 97·4 98·0	58
-	12 0 0 14 0 0 16 0 0 18 0 0 20 0 0 22 0 0	52·5 52·8 50·7 52·9 46·5 46·9	71.0 5 73.5 5 73.4 5 72.9 5 80.0 5	6 6 6 5 6 5			7 (7 (10 11 12 12 12 12 12 12 12 12 12 12 12 12	0 0 0	109·3 114·7 111·3 109·4 110·2 112·4	61·1 62·5 61·0 59·7		100·5 101·1 96·9		17 0 0 18 0 0 19 0 0 20 0 0 21 0 0 5 0	117.5 110.1 117.7 119.7 102.1 104.5	44.8 47.6 50.6 49.5 45.0	64 63	100·8 98·7 98·1 101·6 102·9	61 60
1	28 0 0 0 2 0 0 4 0 0 6 0 0 8 0 0 10 0 0	46.9 53.5 51.0 50.2 49.0 50.5	65·2 5 71·5 5 69·0 5 69·0 5 68·0 5	6 7 7 7			30 35 40 45 50 55	0 0 0 0 0 0 0	114·1 114·4 114·1 113·3 113·9 114·2	59·4 59·8 59·7		97·4 97·8 98·3		$\begin{array}{c} 10 & 0 \\ 15 & 0 \\ 22 & 0 & 0 \\ 23 & 0 & 0 \\ 25 & 0 & 0 & 0 \\ 10 & 0 \\ \end{array}$	105·2 105·2 103·2 98·7 71·3 59·6	44·2 41·1 42·2 46·8 53·4	60 58	104·0 108·8 109·2 80·2	58 56
-	12 0 0 14 0 0 16 0 0 18 0 0 20 0 0 22 0 0	52·0 52·6 50·5 50·5 49·3 51·6	72·2 5 75·0 5 74·2 5 74·6 5 77·7 5	8 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			8 (10 15 20 21	0 0 0 0 0 0	114·2 115·4 115·2 116·7 118·7 121·3	59·6 58·6 58·0	55	98·3 98·7 96·9	55	15 0 20 0 25 0 30 0 35 0 40 0	72·1 95·2 102·3 95·9 89·6 85·1	53·5 44·4 45·1		75·9 82·5 86·5	
1	9 0 0 0 2 0 0 4 0 0 6 0 0 8 0 0	53·2 55·0 51·6 50·0 50·0	71.5 5 71.9 5 61.5 5 67.1 5 66.8 5	7 8 8 8 8 8			3(3) 4(4) 5(0 0 0 0 0 0	123·5 122·3 121·8 123·1 121·2	58·1 58·3 58·5		97·1 96·9 96·9		45 0 50 0 1 0 0 10 0 15 0	84·9 94·8 88·4 86·2 83·1	43·1 42·0 40·0	58	89·5 90·2	58
	10 0 0 12 0 0 13 0 0 14 0 0 15 0 0 16 0 0	50·8 50·8 51·4 51·0 56·0 52·2	73·0 5 73·2 5 73·8 5 78·2 5	7 7 7 7 7 7			9 (1) 10 11 20 21	0 0 0 0 0	120·0 119·8 120·1 119·5	58·1 57:7		96.9		20 0 25 0 30 0 35 0 40 0 45 0	78·8 73·5 70·6 69·2 69·0 69·2	34·7 31·9 28·1		88·5 87·1 87·1	
	17 0 0 18 0 0 19 0 0 20 0 0 21 0 0	51.0 51.0 50.0 48.9 49.2	76·2 5 76·0 5 77·8 5 75·6 5	57 57 57 57			30 30 40 40 50	0 0 0 0 0 0 0	117·9 118·1 115·9	58.3		95.8		2 0 0 15 0 20 0 30 0 35 0	93·9 73·5 77·8 75·1 68·6	24·7 22·7 27·4	58	88·3 65·1 69·6	58

SEPTEMBER 24	1, 25, 2	26, 27, 2	S, and	1 29, 1841.	SET	TEME	BER	24, 25, 2	26, 27, 2	8, and	1 29, 18	41.	September	24, 25, 9	26, 27, 2	8, and	1 29. 18	41.
	Decl.	Hor. Fo		Vert. Force.	M. Ge			Decl.	Hor, F		Vert. F	_	M. Gött. Time.	Decl.	Hor. F		Vert. F	_
		SeDivas.	100000	ScDivas. Ther			6.		ScDivns.			Ther.	d. h. m. s.		ScDivas		ScDivns.	
	71.1	21.8	0	68.2	27 15		0	112.0	49.2	0	90.6	0	29 5 35 0	107.6	ScDiv	o o	ScDiv-,	Iner.
26 4 0 0 10	06.4	54.7	55	101.4 54	16 17		0	115·0 115·4	50.5	64	88.8	63	40 0 45 0	108·6 108·4	51.7		96.9	
5 0 0 10	06.3	52.2		101.9	18	0	0	116.8	46.9	67	93.1	65	50 0	108.1	52.1		96.8	
	05.0	53.1	54	99.8 53	19 20		0	113.0	46.4	68	91·6 87·9	65	6 0 0	107.4	53.3	58	95.7	58
CONTRACTOR OF THE PARTY OF THE	09.1	53·7 56·5	54	101·2 53 98·2	21 22	0	0	108·6 105·6	49·2 51·2	66	87·9 86·7	64	8 0 0 9 0 0	107.8	54.8	57	96.5	56
10 0 0 10	07.1	53.5	200	100.7 53	23	0	0	105.8	51.7		88.7		10 0 0	106.1	55·2 54·3	56	97.0	55
	02.2	51.4	55	97.1 55	28 0	10	0	113.9	59.1	64	83.3	62	11 0 0 12 0 0	101.9	50.6	56	101.9	55
THE RESERVE OF THE PARTY OF THE	06.2	47.6 48.2	59	101·2 97·0 57		15 20	0	98.0	52.1		78.5		13 0 0 14 0 0	105.2	52.2		97.3	
15 0 0 1	12.5	47.6				25	0	91.7	59 6				15 0 0	108.4	53.0 52.8	57	108.0	56
	13.7	50.3	64	94.4 62		30	0	94.8	54.1		81.1		16 0 0 17 0 0	114.4	51.0	59	103.2	57
18 0 0 1	16.8	48.5	65	92.7 63		40	0	101.7	51.7		82.5		18 0 0	117.2	53.0	61	98.6	59
20 0 0 1	13.8	46.7	65	98.5 62		45 50	0	103.1			86.5		20 0 0	117.2	52·2 52·5	63	93.0	60
	05.7	46.4	63	101·0 94·3 60	1 2	0	0	100.0	49.1	63	89·3 95·4	62	21 0 0 22 0 0	108.5	52.1	63	93.0	61
23 0 0b	91.5	50.7	62	90.6 61	3	0	0	104.8	50.6	61	92.8	Se ra	23 0 0	108.8	52.4	00	95.0	U.
15 0	87·1 91·1	51.6			5	0	0	108.5	54.0		88.8	60	The Mean Posi	tions at the	same hox	ırs dur	ing the Mo	onth
	92.0	52.7		114.6 61	6 7	0	0	109.9	55.5	58	94.1	58		are give	n in page	75.		
30 0 10	02.3	49.6		111.7	8	0	0	108.4	55.5	58	91.3	57	ANTARCTIC E	V PEDITIO	N AT THE	BAR	ov Iera	NTNE
40 0 10	01.5	46.0		108.6	10	0	0	105·4 105·5	55·2 55·1	57	97·0 96·4	56	TENTARCTIC L		ZEALANI		OF ISLA	NDS,
	97.4	48.6		106.0	11 12	0	0	102.2	52.5	58	97.4	58		1 Scale			1.73	
55 0 10	03.8	48.2	61	95.5 61	13	0	0	104.4	50.5	61	96.2		H. F. V. F.	k = .00 $k = .00$		1=		
5 0 10	03.0		01		14 15	0	0	108.1	49·8 51·8		95.6	59	Positions	at the usu	al hours o	of obser	rvation,	
	01.6	46.7		95.1	16	0		113.5	52.0	63	92.5	62	Septer	nber 24, 2	5, 26, 27,	28 and	1 29.	
20 0 10	00.3	45.8		95 · 4	18	0	0	116.5	51.5	66	94·5 101·3	62	24 0 0 0 0 1 0 0	45·6 45·6	82·5 85·0	58	56·6 58·3	64
30 0	99.1	45.4		95.3	19 20	0	0	116.6	46.9	64	95.7	63	2 0 0	45.5	86.0	56	58.1	61
	98.8	45.5		96.0	21 22	0	0	111.9	48·2 51·3	63	96.4	61	3 0 0 4 0 0	44.6	86.8	57	58.8	61
	01.0	51.5	61	96.4	23 29 0	0	0	104·2 107·7	49.2	62	91·5 99·1	61	5 0 0	44.1	85.9	58	58·2 57·9	61
55 0 10	03.5		01		1	0	0	107.4	51.5		98.5		7 0 0	50.0	85·6 83·4		57.3	61
	02·8 95·7	51.1	59	88·8 93·4 59	3	0	0	106 · 2	53·6 57·3	60	94·2 88·5	58	8 0 0 9 0 0	49.1	80.0	58	57·3 55·6	60
15 0 10	00.1	52.3		87·7 88·2	4		0	92·3 90·1	53·9 53·1	58	90·3 88·4	57	10 0 0 11 0 0	45.1	76·9 71·5	59	56·3 53·4	61
30 0 10	03.7	51.4	1	89.2		15	0	89.4	Section 1				12 0 0	46.4	65.4	62	51.8	65
	02.8	53.9		88.1		20 25	0	92.4	53.2		87.8		13 0 0 14 0 0	49.5	61.1	63	52·1 53·7	65
100000000000000000000000000000000000000	04.8	51.3	56	90·6 95·1 57		30 35	0	95·7 98·1	53.4		89.0		15 0 0 16 0 0	51·2 52·7	57·8 57·7	63	53·8 55·6	65
5 0 0 10	02.6	52.2		84.0		40	0	98.4	52.1		90.5		17 0 0	50.3	57.6		56.9	
The state of the s	05.1	50.2	57	95·6 55 93·6		45 50	0	98.3	51.8		91.9		18 0 0 19 0 0	46·6 50·3	60.4	62	58·7 57·4	64
8 0 0 11	10.1	53.2	55	100·2 54 98·7	5	55	0	98·7 99·7	51.5	58	92.9	58	20 0 0 21 0 0	49.5	61.3	62	58.7	63
10 0 0 10	05.5	54.4	56	96.3 55	1 3	10	0	101.8	51.6	30	02 9	00	22 0 0	37.9	61.8	60	60.3	63
	03.0	55.0	58	95·3 95·8 57		15 20	0	104·3 105·3	51.6		95.1	,	23 0 0 25 0 0 0°	36.3	61·0 72·4	59	61.1	63
13 0 0 10	04.8	50.5	60	93·6 91·8 61		25 30	0	105·8 107·1	51.7		95.8		26 1 0 0 2 0 0	44.1	71.8	57 58	59·9 57·4	62
		10 0	00	31 0 01	1	00	0	101 1	0. 1		50 0		200	100	100	00	01 1	

 $[^]a$ 254, 3b., to 264, 2b, fell on Sunday at Van Diemen Island; the observation at 264, 3b, was missed.

 $[^]b$ "Calm. Clear, bright moonlight; no appearance of Aurora from the hill near the Observatory." $^\circ$ 25°d. 1h., to 26°d. 0h., fell on Sunday at the Bay of Islands.

September	24, 25, 2	26, 27, 2	S, and	1 29, 184	11.	SEPT	ЕМВЕ	R 2	24, 25, 2	26, 27, 2	8, and	1 29, 184	11.	September 2	4, 25, 2	6, 27, 2	s, and	29, 184	11.
M, Gött. Time.	Decl.	Hor. Fo	rce.	Vert. Fo	orce.	M. Gött	. Tim	ie.	Decl.	Hor. Fo	orce.	Vert. F	orce.	M. Gött, Time.	Decl.	Hor. Fo	rce.	Vert. F	orce.
d. h. m. s.	ScDivas.	SeDivns.	Ther.	SeDivns.	Ther.		m.	5.	ScDiv ^{ns} .	SeDiv ^{ns} .	Ther.	SeDiv ^{ns} .	Ther.	d. h. m. s.	SeDiv ^{ns} .	SeDivas.	Ther.	SeDiv ^{na} .	Ther.
26 3 0 0	44.8	75.0	60	58.6	-	27 23		0	45.5	74.2	60	60.6	13	29 19 0 0	49.5	64.1	-	57.6	
4 0 0	47.4	74.7	60	59.4	63	28 0		0	47.9	77.0	60	60.3	61	20 0 0 0 21 0 0	46.6	69.3	63	59.8	64
5 0 0 6 0 0	46.5	70.6	59 59	58.6	62	1 2	1700	0	45.8	73.3	50	58.5	60	21 0 0	45.8	71.1	62	58.8	64
7 0 0	47.0	71.6	58	59.2	02	3		o l	45.2	72.9	59	57.8	00	23 0 0	47.5	70.7	0.2	58.1	O-X
8 0 0	46.5	74.6	58	59.9	60	4		o	49.0	74.9	60	58.0	62	20 0 0		100	- 3	00.	
9 0 0	45.9	76.7	58	60.7		5		0	47.0	73.6		58.5	2	The Mean Posit	ions at the	same hou	rs duri	ng the Mo	mth
10 0 0	43.9	72.1	59	59.2	60	6		0	47.1	73.2	60	58.4	62		are give	n in page	74.		
11 0 0	42.9	70.6	60	58.4	00	7		0	47.1	73.9		58.5	-	_				No. of Lot,	
12 0 0 13 0 0	44.5	71.7	61	58.0	63	8		0	45.2	74.1	59	57.9	62	Oc	TOBER 8	3 and 9,	1841.		
13 0 0 14 0 0	46.6	62.2	62 66	54.7	70	9		0	42.7	76.1	61	58.8	63						100
15 0 0	50.3	60.5	67	54.9	.0	11		ŏ	43.1	73.0	01	58.0	00			cale Div		THE PERSON NAMED IN	
16 0 0	51.3	59.5	67	54.6	69	12		0	45.0	70.4	63	56.7	64			: 000007			
17 0 0	50.9	61.1	66	56.3		13	0	0	48.5	66.8		54.4		()	. F. K =	= .00000	12; 9:	= -0001	18
18 0 0	50.9	63.5	65	57.5	66	14		0	49.9	63.5	68	53 9	69		Extra o	bservatio	ns.		
19 0 0	47.9	62.5	63	57.6	00	15		0	49.9	63.1		53.8		The V. F. was				, and the I	H. F.
20 0 0 21 0 0	46.9	65.2	62 62	60.4	63	16 17		0	49.8	61.9	71	53.9	71	2'	after the	e times spe	scified.		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	44.1	64.6	61	58.7	64	18		0	50.3	59.9	70	52.8	72	9 13 20 0	141.3	394.8	59	60.3	
23 0 0	38.6	76.6	61	63.9	04	19		0	47.2	53.6	10	54.6	1.0	25 0	141.4	390.8	00	59.5	1
27 0 0 0	44.0	67.5	61	56.3	66	20		0	48.9	59.0	66	56.4	70	35 0	159.9	405.5	100		12
1 0 0	44.2	70.1	60	58.1		21	0	0	47.8	61.6	100	57.6		40 0	155.6	427.8			
2 0 0	40.3	70.6	60	56.9	63	22	-	0	47.1	68.5	63	58.7	64	45 0	136.6	420.4			
3 0 0	47.1	69.9	61	54.8		23		0	44.3	70.8		57.4		50 0	128.0	405 9			
4 0 0	46.7	69.3	61	56.1	66	29 0		0	46.0	71.5	59	55.9	63	55 0 14 0 0	129.6	396.3	59		
5 0 0	46.9	74.1	60 59	59.6	61	1 2		0	48.9	75.3	E 17	57.5	59	14 0 0	138.6	392.5	99		
7 0 0	45.5	72.9	59	60.1	01	3		0	47.2	84.2	57	58.0	99	10 0	152.7	403.8		55.5	59
8 0 0	48.4	68.5	59	57.3	60	4		0	44.3	84.7	56	58.7	59	15 0	154.9	424.5		54.5	
9 0 0	47.3	71.5	59	58.6		5	0	0	44.6	80.6		57.5	1	20 0	155.8	417.7		54.0	
10 0 0	44.5	69.7	-59	57.3	61	6		0	47.6	78.5	55	58.1	58	25 0	145.3	421.8	27/		
11 0 0	45.3	69.2	60	57.1		7	-	0	48.1	80.0		59.2		30 0	140.4	409.1	133	47.0	1
12 0 0	47.7	67:3	61	56.3	62	8		0	46.7	82.3	54	60.9	58	35 0	145.2	420.7	- 19	50.1	
13 0 0	49.1	66.3	63	54·2 54·8	67	9	1175	0	44.4	82.9	56	59.7	58	40 0 45 0	142.9	418.9	- 10	47.0	1
15 0 0	50.5	65.6	66	53.3	01	11		0	45.0	73.6	90	56.5	30	50 0	132.8	410.8		46.9	1
16 0 0	51.2	65.9	66	54.1	69	12		0	46.2	74.4	60	55.9	60	55 0	138.1	401.0		48.1	
17 0 0	50.6	63.3	66	54.3	Torres.	13		0	48.6	72.3		54.0		15 0 0	141.7	401.5	59	50.3	60
18 0 0	50.4	60.5	65	55.2	67	14		0	51.2	71.4	64	54.8	64	5 0	147.1	408.1		50.8	
19 0 0	47.0	64.8	64	58.1		15		0	51.6	61.8	185	53.4	Page 1	10 0	145.6	409.9		50.8	
20 0 0	49.0	68.5	62	59.4	64	16		0	51.2	63.0	66	53.9	67	15 0	147.5	413.4		50.4	
21 0 0 22 0 0	46.9	71.0	62	60.0	63	17		0	50.8	63.2	65	53.2	66	20 0 25 0	148.5	420 · 1		49.8	
22 0 0	40 1	14.1	01	01 4	03	10	U	"	19 2	02.1	65	55.3	00	25 0	145 0	121 0		130	1
			acid.	No. of Street	All Control		0000	1000		1	Ede le		1	THE PERSON NAMED IN	17.75	412000	100		-

^{*} TORONTO, October, 1841.—Times of observation at which the Magnets were disturbed, but the mean readings were not materially changed.

d. h.

Sept. 30 22 Decl. and H. F. disturbed, much vibration.

Oct. 2 0 Decl. and H. F. disturbed, moderate vibration.

2 H. F. disturbed, much vibration and shocks.

4 0 H. F. slight vibration.

2 Decl. and H. F. slight shocks.

5 0 H. F. moderate vibrations.

2 Decl. and H. F. slight shocks.

9 0 & 2 H. F. moderate vibrations and shocks; Decl. slight shocks at 2^h.

4 H. F. moderate vibrations and shocks; Decl. slight shocks at 2^h.

11 12 H. F. slight shocks.

14 Decl. and H. F. moderate shocks.

11 12 H. F. slight shocks.
14 Decl. and H. F. moderate shocks.
22 H. F. slight vibrations and shocks.
12 6 H. F. considerable vibrations and shocks.
13 0 H. F. moderate vibrations and shocks.
2 Decl. and H. F. moderate shocks.
14 0 & 2 Decl. and H. F. slight shocks.
15 22 H. F. and V. F. slight vibrations.
16 2 H. F. much vibration; Decl. moderate shocks.
18 H. F. moderate vibrations and shocks.
19 & 14 H. F. moderate vibrations and shocks.
19 & 19 H. F. slight vibrations.
10 & 2 Decl. and H. F. moderate shocks.

Oct. 18

d. h.
18 8 H. F. moderate shocks.
18 H. F. moderate vibrations.
22 Decl. and H. F. vibrating much.
19 0 Decl. and H. F. slight vibrations and shocks.
2 Decl. moderate shocks; H. F. moderate vibrations and shocks.
4 & 6 Decl. and H. F. moderate shocks.
8 H. F. slight shocks.
25 0 H. F. strong shocks.
26 2 Decl. and H. F. moderate shocks.
10 H. F. moderate vibrations.
27 22 H. F. slight vibrations.
28 2 Decl. and H. F. strong shocks, and slight vibrations.

13 30 Aurora brilliant; very bright streamers shooting up to an altitude of 40°-, and appearing to travel with great rapidity from W. to E.; streamers gradually dying away, and at 13°-, 50°-, no further appearance of Aurora, except a very faint light in N. Bank of strati rising in W.

14 10 Bank of light growing brighter; two or three very faint streamers.

15 Auroral light very faint; clouds clearing away.

25 Three faint streamers rose in N.E., and progressed slowly to Westward, dying away when due North. No light remained visible.

30 No traces of the Aurora left.

40 No auroral light.

45 Two faint streamers (scarcely visible) in N.N.E.

55 No auroral light. * 9 13 30

October	8 and 9, 184	1.	00	CTOBER 8	and 9,	1841.		00	CTOBER 8	3 and 9, 1	841.	
Positions at the us	ual hours of ob		M. Gött, Time,	Decl.	Hor. Fo		Vert. Force.	M. Gott. Time.	Decl.	Hor. For	-	Vert. Force.
Octo	ber 8 and 9.	1	d. h. m. s.	ScDivas.	ScDiv ^{ns} .	Ther.	ScDivns. Ther.	d. h. m. s.	SeDives.	SeDivas.	Ther.	ScDivas. Ther.
M. Gött. Time. Decl.	Hor. Force,	Vert. Force.	8 9 20 0	22.9	41.2	0	0	4 0 0	21.2		63	0 0
	SeDivns. Ther.	0	25 0 30 0	23.0	41.2			5 0 0 6 0 0	20.3	52.7	63 63	
8 0 0 0 141.4	443·4 55 447·1 55	53·2 56 54·1 56	35 0 40 0	23.1	41.1			8 0 0	21.6		62 62	
4 0 0 140·4 6 0 0 137·7	420·4 57 400·0 57	51·8 56 55·4 57	45 0 50 0	23.1	40.0			11 0 0 12 0 0	22.5	52.0	62 61	
8 0 0 131·0 10 0 0 127·4	410·0 59 406·2 60	60·2 58 58·0 59	55 0	23.0	38.1			13 0 0	22.2	54.2	61	
12 0 0 143.7	399.1 61	61.0 59	10 0 0 5 0	53.0	38.0	63		14 0 0 15 0 0	21.7	55.0	61	
14 0 0 143·4 16 0 0 135·5	421·5 59 416·9 59	52·4 59 52·2 59	10 0 15 0	23.0	38.9			16 0 0 18 0 0	21.6	55.5	61	
18 0 0 137·8 20 0 0 134·8	417·1 57 420·5 56	54·0 58 54·0 58	20 0	23.2	40.0			19 30 0	20.8	55.5	61	
22 0 0 139.5	431.0 55	55.8 56	25 0 30 0	23.9	40.9			20 0 0 20 30 0	19.5	56.1	61	8
9 0 0 0 140.0	438·7 55 432·0 55	55.8 56 58.1 56	35 0 40 0	24.0	42.0			22 0 0 23 0 0	19.7	57.3	61	
4 0 0 138·8 6 0 0 131·5	417·5 57 409·1 58	54.9 57 53.6 57	45 0 50 0	24·0 23·9	42·0 42·0						-	1
8 0 0 132·8 10 0 0 143·0	433·5 59 398·5 60	56·2 58 57·1 59	55 0	23.2	42.1			CAPE OF	Decl. 1	Scale Di	visio	n = 0'.75
12 0 0 135.7	402.2 59	61.0 58						GOOD HOPE	H. F. k	= .000	180;	d=.0003
14 0 0 138·6 16 0 0 139·9	397·1 59 410·0 58	55.5 60 52.5 59	Positions	at the usus Octobe	al hours o		rvation,					
Mean Positions at the s	ame hours durin	g the Month.	0.000	ar r	00.0			Positions		nal hours of er 8 and 9.	obser	vation,
	442.4 52	56.9 53	8 0 0 0 0 2 0 0	25·7 26·9	62·9 56·9	61 62		8 0 0 0	55.5	67.0	62	
2 0 0 140.4	436.3 52	58.3 53	3 0 0 4 0 0	25.2	55.0	64		1 0 0	56.9	65.7	62	
4 0 0 138·6 6 0 0 131·2	427·3 53 421·4 54	57·3 53 57·5 54	5 0 0 6 0 0	23.0	51.0	64 63		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	56.5	65.9	62 63	
8 0 0 130·5 10 0 0 134·1	430·4 55 434·6 56	57·9 55 57·4 56	8 0 0	20.6	38.0	62		4 0 0 5 0 0	54.5	65.4	63	
12 0 0 137.6	433.6 56	57.1 56	10 0 0	23.0	38.0	63 63		6 0 0	52·2 48·0	53.7	63 63	
14 0 0 139·7 16 0 0 139·8	432·4 55 432·1 55	56·9 56 56·5 55	12 0 0 13 0 0	22.1	45.5	62 62		8 0 0	46.5	52.0	63	
18 0 0 138·7 20 0 0 139·7	432·1 53 438·8 53	54·9 54 53·9 54	14 0 0	22.9	47.2	61		9 0 0	49·0 50·4	54.0	63 62	
22 0 0 139.7	441.5 52	55.5 53	15 0 0 16 0 0	22.4	47.2	61		11 0 0 12 0 0	50·4 50·5	60.0	62 62	
(Dagl	1 Scale Divis	on =0'-71	19 30 0	22.0	52.7	60		13 0 0	49.0	62.2	62	
ST. HELENA H. F.	k = .00019;		20 30 0 22 0 0	21.2	53·4 57·9	61 61		14 0 0 15 0 0	51.8	91.0 91.0	62 62	
(V. F.			23 0 0	23.3	57.4	61		16 0 0 17 0 0	50.4	61.2	62 62	
Extra The H. F. was observed at	observations.	e times specified	9 0 0 0 0 2 0 0	24.6	57·6 55·1	62 63		18 0 0 19 0 0	50.4	65.9	62 62	
		III.cs specialed.	3 0 0 4 0 0	26.3	54.4	63 63		20 0 0	49.1	66.3	61	
8 8 5 0 20·5 10 0 20·6	38.0 62	1 3 3	5 0 0	24.0	51.8	63 65		21 0 0 22 0 0	50.8	68.0	61	
15 0 20·7 20 0 20·7	38.0		8 0 0	23.0	51.5	65		23 0 0 9 0 0 0	53.5	66.4	61 61	
25 0 20.8	37.9		10 0 0	26.0	52·2 47·3	62 62		1 0 0 2 0 0	55.1	67.0	61	
30 0 20·9 35 0 20·8	37.8		12 0 0 13 0 0°	25·7 23·1	46.7	62 62		3 0 0	55.5	66.3	61	
40 0 21·0 45 0 21·1	37.9	13	15 0 0	20 1	10 0	02	1	5 0 0	53.2	65.2	61	
50 0 21.6	38.4		Mean Positio	ns at the sa	me hours	during	g the Month.	6 0 0	53.2	63.6	61 61	15
55 0 21·8 9 0 0 22·4	39.0 63		-	00.0	03.0	0.	1	8 0 0	53.2	66.0	61	1
5 0 22·7 10 0 22·9	40.4		2 0 0	23.9	61·8 59·0	61		9 0 0	56.0	65.5	61	
15 0 22.9			3 0 0	22.9	57.2	63		11 0 0	51.0	65.3	61	
b V. F. magne	dnight at Toront t not in adjustm dnight at St. Hele	ent.				d	V. F. magnet n Saturday midn	ot in satisfactory a ight at the Cape of	djustment. f Good Ho	pe.		

Остовек 8 and 9, 1841.	Остовек 8 and 9, 1841.	OCTOBER 8 and 9, 1841.
Mean Positions at the same hours during the Month.	M. Gött, Time. Decl. Hor. Force. Vert. For	
M. Gött, Time. Decl. Hor. Force. Vert. Force.		Antarctic Expedition at the Bay of Islands, New Zealand.
d. h. m. s. ScDiv ²⁸ , ScDiv ²⁸ , Ther. ScDiv ²⁸ , Ther.	8 8 20 0 59.5 49.8 53.3	Decl. 1 Scale Division = $0' \cdot 73$ H. F. $k = 00018$; $q =$
0 0 0 54.1 69.5 60	25 0 58·9 30 0 58·5 52·8	V. F. $k = \hat{q} =$
1 0 0 55·3 68·8 61 2 0 0 55·6 68·3 61	Pride and a multi-state from the	Positions at the usual hours of observation, October 8 and 9,
3 0 0 54.6 68.0 61 4 0 0 53.6 67.7 61	Positions at the usual hours of observation, October 8 and 9.	M. Gött. Time. Decl. Hor. Force. Vert. Force.
5 0 0 52·7 65·4 61 6 0 0 52·3 64·7 61	8 0 0 0 57.8 54.0 53 54.1	53 d. h. m. s. ScDivas, ScDivas, Ther. ScDivas, Ther.
7 0 0 52·5 64·9 61 8 0 0 52·2 65·7 61	1 0 0 58.3 54.2 54.9	8 0 0 0 45.0 73.5 60 58.0 60
9 0 0 52.8 66.9 62 10 0 0 52.9 67.9 61	3 0 0 57.7 55.6 56.0	2 0 0 44.9 79.9 57 60.4 59
11 0 0 52·7 68·4 61 12 0 0 53·2 70·2 60	5 0 0 66.0 60.7 53.9	4 0 0 44.8 84.2 55 62.1 56
13 0 0 53·2 70·9 60 14 0 0 53·2 71·5 60	7 0 0 62.2 55.1 50.7	6 0 0 48.9 94.3 53 63.3 55
15 0 0 52.4 72.0 60	9 0 0 58.2 50.7 52.8	51 7 0 0 51·9 86·3 59·6 80 0 47·3 83·3 53 58·6 55
17 0 0 51.7 72.6 60	11 0 0 55.6 50.2 55.3	50 9 0 0 44·5 80·5 59·0 10 0 0 43·6 74·8 60 56·8 58
18 0 0 51·1 73·5 60 19 0 0 49·7 74·3 60	13 0 0 59.5 46.2 52.3	$\begin{bmatrix} 11 & 0 & 0 & 43.6 & 63.7 \\ 12 & 0 & 0 & 46.5 & 55.9 & 69 & 50.0 & 68 \end{bmatrix}$
20 0 0 48·8 74·1 60 21 0 0 48·5 72·3 60	15 0 0 60.2 48.8 44.1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
22 0 0 49·7 71·3 60 23 0 0 52·0 70·4 60	16 0 0 62·6 47·9 60 44·3 17 0 0 64·0 47·1 44·0	58
" " "	18 0 0 63·9 48·1 62 42·9 6 19 0 0 64·2 49·6 42·4	50 17 0 0 49·7 48·9 52·3 18 0 0 49·7 49·5 77 52·6 78
V_{AN} D _{IEMEN} H. F. $k = .0003$; $q =$		61 19 0 0 49·5 52·5 53·5 20 0 0 51·7 56·2 72 56·4 72
Island (V. F. $k = 3$; $q = 3$)		60 21 0 0 49.9 62.5 57.7
Extra observations.		61 23 0 0 47.7 69.5 59.5
The V. F. was observed at 2 ^m . 30 ^s . before, and the H. F. 2 ^m . 30 ^s . after the times specified.		59 9 0 0 0 0 47.6 71.6 61 59.7 63
8 5 10 0 62.4 59.3 50	Mean Positions at the same hours during the Month.	Mean Positions at the same hours from the 1st to 22nd inclusive.
15 0 62·1 51·4 50		
25 0 59·3 30 0 57·2 60·6 51·2	0 0 0 58·3 52·2 59 45·8 1 0 0 57·2 52·1 47·1	58 0 0 0 46.8 67.2 64 59.4 65 1 0 0 46.2 69.5 59.2
35 0 56·7 6 10 0 47·3 60·9 50	2 0 0 57·2 52·8 58 47·0 3 0 0 57·1 52·7 46·5	57 2 0 0 46·3 71·0 62 59·3 64 3 0 0 46·1 71·1 58·5
15 0 49·2 20 0 50·5 57·2 43·5 50		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
25 0 54·9 30 0 59·3 55·6 50·2		53 6 0 0 47·5 74·9 60 59·5 62 7 0 0 46·8 75·3 59·4
35 0 61·4 40 0 62·1 56·3 54·9		53 8 0 0 45·1 75·0 59 59·2 61 9 0 0 43·3 72·8
45 0 64·0 50 0 64·8 57·2 53·7	10 0 0 56.0 54.6 53 51.6	53 10 0 0 42.8 68.1 64 56.8 64
55 0 62·5 7 10 0 59·9 53·3 51	12 0 0 53.7 51.5 55 50.2 3	55 12 0 0 45.6 58.8 69 53.0 70
15 0 60.0		13 0 0 48·5 57·2 52·8 14 0 0 50·7 56·1 72 52·5 72
20 0 60·4 51·5 54·9 51 25 0 60·0 51·0 54·9 51		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
30 0 63·0 51·0 56·7		17 0 0 50·3 55·5 53·9 54·3 74
40 0 65·9 50·0 57·4		19 0 0 48·8 55·7 55·0 56·6 70
8 10 0 61.6 50.0 51 56.3		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
15 0 60·1	23 0 0 59.2 51.7 45.5	23 0 0 47.1 65.0 58.9
a Saturday midnight at Van Diemen Island,	b Saturday m	idnight at New Zealand.

Осто	BER 24,	25, and	26, 1	841.			0	стог	ser 24,	25, and 2	26, 18	41.		Осто	BER 24,	25, and 2	26, 18	141.	
				n = ·0'·		M. Gö	tt. Tir	me.	Decl.	Hor. Fo	rce.	Vert. Fo	orce.	M. Gött, Time.	Decl.	Hor. Fo	orce.	Vert. Fo	orce.
				q = .000		d. h.	. m.	8.	ScDivns.	SeDivas.	Ther.	SeDivns.	Ther.	d. h. m. s.	ScDivas.	SeDivas.	Ther.	SeDivas.	Ther.
100000				20 10 1	010	24 21	35	0	157.6	442.0	0	43.6		25 3 50 0	137.5	456 - 7	0	68-4	0
0	lar and e						40	0	155.4	454.0		46.4		55 0	144.1	457.3		67.3	
The V. F. w	2m, after t				f 1		45	0	149.1	438.5		48.9		4 0 0	141.1	436 · 1	47	66.5	47
n. r.	a-, arter t	ine times a	pecineo	10			50	0	150.0	429.5		44.6		5 0	138.9	433.3		65.6	
M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. Fo	orce.	22	55	0	153.1	438.0	44	42.7	46	10 0 15 0	136.8	429.6		65.5	
		-					5	0	154.0	453.9	***	43.8	10	20 0	133 · 4	415.3		66.5	
d. h. m. s.	ScDivas.	SeDivas.	Ther.	ScDivns.	Ther.		10	0	154.5	451.0		41.3		25 0	130 - 7	411.3		66.2	
2418 0 0 b	150.7	409.7	44	54.9	45		15	0	155.2	442.3		39.7		30 0	127.5	423.3		66.7	
30 0	95.3	361.7		35.4			20	0	157.8	444.7		38.3		35 0	130.4	418.2		67.2	
35 0	82.9	328.5		27.4			25	0	159.8	441.3		44.1		40 0	130 · 1	424.3		66.8	
40 0	83.0	280.0		16.3			30	0	160.1	445.5		48.5		45 0	129.2	426.7		70.2	
45 0	92.4	306.7		7.3			35	0	158.1	450.4	-	53.4		50 0	129.0	427.7		73.7	
50 0	97.5	335.0		9.4			40	0	149.9	453.7		57.8		55 0	130.4	429 1	10	73.7	477
55 0	96.2	346.6	44	10.4	46		45	0	138.4	454.2		60.3		5 0 0	120.7	436.2	48	73.4	47
19 0 0	103.2	363.7	41	14.2	40		50	0	131.8	446.7		58.0		5 0 10 0	126.8	433.3		69.5	
5 0 10 0	117.2	373.0		25.2		23	55	0	127.2	440.3	44	50.4	46	10 0 15 0	120.7	428.4		73.3	
15 0	127.4	378.7		31.3		20	5	0	133.0	453 9	44	53.8	40	20 0	121.1	429.2		73.5	
20 0	134.7	388.2		37.7			10	0	133 . 7	458.0	1	54.3		25 0	124.4	429 0		67.4	
25 0	140.7	393.6		38.4			15	0	133 · 1	445.7		54.2		30 0	129.2	443.8		73.5	
30 0	145.1	389 - 2		38.4			20	0	133.8	444 1		50.7		35 0	127.1	441.3		73.4	
35 0	152.5	393.9		37.7			25	0	136.8	454.5		50.9	-	40 0	129.5			73.8	
40 0	159.3	390.0		37.1			30	0	138.9	459.9		53.0		45 0	128.7	447.9		73.2	
45 0	166.6	399.1		36.4			35	0	138.6	456.5		52.9		50 0	131 . 7	438.5		72.5	
50 0	172.9	412.0		35.9		and the	40	0	138.5	450.5	1	52.3	10000	55 0	129.0	423.8	le s	69.2	1
55 0	171.9	414.4	1	33.2	1	25 0		0	127.9	445.9	44	54.2	46	6 0 0	125 · 2	426.3	48	73.5	48
20 0 0	167.0	427.1	44	32.9	46	2		0	122.6	412.1	44	52.1	46	5 0	124.3	433.1		69.3	
5 0	161.4	424.5		33.6			20	0	127.4	422.9		59.7		10 0	126.5	426.1		69.9	
10 0	153.6	406.6		34.5			25	0	122.8	412.4	111	57.4	1	15 0	126.9	429.2		66.2	
15 0 20 0	146.4	394 · 2		33.2			30	0	123.7	393 · 7		57.8		20 0 25 0	132.5	424.1	-	72·9 69·5	
25 0	143.0	383 · 1		36.6			40	0	123.7	401.2		60.7		30 0	133.6	413.7	1	69.5	
30 0	146.7	404.2		37.8			45	0	121.8	388.0		61.1		35 0	132.3	402.7		73.9	
35 0	151.9	422.2		40.2			50	0	120.5	380.0		60.8		40 0	132.0	398.7		73.5	
40 0	154.3	418.4		42.4			55	0	118.8	396.8		61.4		8 0 0	122.9	433 2	48	74.5	48
45 0	156.8	405 - 4		39.9		3		0	117.0	418.0	46	62.9	46	10 0 0	127.7	423.2	48	73.8	48
50 0	158-1	398.0		35.3			5	0	120.8	438.3		65.5		12 0 0	136 · 4	435 . 7	47	70.7	48
55 .0	162 6	387.2	A STATE OF	30.3			10	0	121.0	448.4		67.6		14 0 0	148.0	440.0	47	68.6	48
21 0 0	165.3	392.6	44	29.7	46		15	0	116.9	433 • 1		67.9		16 0 0	146.3	439.0	46	69.1	48
5 0	161.9	392.0		32.2			20	0	123.6	435.8		67.5		18 0 0	135 · 1	437.7	46	56.2	47
10 0	155.2	402.5		34.9			25	0	129 · 4	450.5		68.3		20 0 0	135.9	442.7	47	49.3	47
15 0	155.1	405.5		33.2			30	0	129.3	451.8		69.4		22 0 0	141.3	424.5	47	52.1	47
20 0	160.4	414.0		32.3			35	0	132.3	459.3		69.4		26 0 0 0	125.7	417.6	46	52.0	47
25 0	162.1	429 - 2		34.7			40	0	135.1	465.3		69.5		2 0 0	131.6	450.2	46	61.2	47
30 0	161.0	440.5		36.7			45	0	136 · 4	466 1		09 9		4 0 0	133.9	446.5	48	01.4	41

* Commencing immediately after Sunday midnight, at Toronto.

b 24 18 0 Faint arch of auroral light in N. At 18^h. 15^m., Aurora very brilliant; very bright patches, surrounded by a magnificent arch in the N.E., and a large number of streamers, reaching an altitude of 40°. to 60°. 30 Aurora much the same.

Aurora much the same.

The streamers and patches that rose about N.E., have progressed to the windward, dying away in N.W. H. F. vibrating very much.

Arch broken up into a number of patches and banks, intermixed with a great number of streamers; the whole very beautiful. Calm and clear, light cirri in W. disappeared.

Calm and clear. Slight pulsations in N.W. Streamers as high as 60°; 45

19 0 banks very bright. Calm and clear.

Aurora growing fainter; streamers just visible. 10

Patches and streamers still fainter.
Faint patches only visible.
Ditto ditto.

Calm and clear. Bank and streamers in N.W.; nothing to E. of N. but 20 0 faint light.

Bright bank under an arch; arch extending 20° on each side of N.; no 15

Bank formed like an arch, bright streamers issuing from it; altitude 60°.

Arch broken up, very bright bank extending 35° on each side of N., altitude 20°.

24 20 40 No alteration.

50 Bank again assuming the form of an arch, and more contracted, very bright in centre. 21 5

Calm and clear. Two very bright arches, altitude of upper 40°; lower 20°; lower arch the brightest; streamers from both. Arches extending to N.W., a few streamers only visible.

25

Arches clear and well formed; bright banks and a great number of streamers extending from N.E. to N.W.; light now brighter, and streamers more brilliant than at any other time during the night.

Upper arch disappeared; lower arch more faint, extending from N.W. to N.E.; altitude of centre 20°; bright streamers rising from centre of

35 arch.

Arch visible but fainter; streamers have disappeared; bright bank 55

22 15

Arch visible but fainter; streamers have disappeared; bright bank inside of arch, reaching down to the horizon.

Arch still fainter; a few streamers in centre, and at the N.W. extremity. Faint arch; a few streamers from the centre, and patches under the arch. Arch disappearing; a few bright streamers from the centre.

Only a faint irregular light at present, in form of banks and patches. Bank brightened up with streamers at both extremities; at 22^h, 45^m, a faint arch, and at 55^m, a faint undefined light alone remained of the Aurora. 50

Auroral light scarcely perceptible.
All traces of Aurora have disappeared. 23 0

Остовек 24, 25, and 26, 1841.	Осто	OBER 24, 25, and	26, 1841.	Остов	BER 24, 25, and	26, 18	841.	
M. Gött. Time, Decl. Hor. Force. Ver	. Force. M. Gött. Time.	Decl. Hor, Fo	orce. Vert. Force.	M. Gött, Time.	Decl. Hor. 1	Force.	Vert. Force	e.
d. h. m. s. ScDivns. ScDivns. Ther. ScDi	us. Ther. d. h. m. s.	ScDivas, ScDivas,	Ther. ScDivas. Ther.	d. h. m. s.	SeDiv ^{ns} . SeDiv ⁿ	Ther.	ScDivas. Th	ner.
6 0 0 129.6 430.9 49 68		14.1 51.0	48.3	25 3 30 0	18.2 42.0	0	55.7	0
8 0 0 134·1 438·4 50 67· 10 0 0 141·7 445·4 51 66·		14·9 14·4 50·9	48.7	35 0 40 0	18·7 18·1 43·0		55.9	
12 0 0 139·0 440·9 51 64· 14 0 0 146·1 443·0 51 60·		13.9 53.0	49.2	45 0 50 0	18·0 18·0 44·0		56.2	
16 0 0 138.8 442.2 51 62.	5 50 35 0	14.0		55 0	19.0		1997	
18 0 0 135·8 445·3 51 59· 20 0 0 133·3 444·4 50 57·	50 45 0	15.0	49.3	4 0 0 5 0	19·0 44·0 19·5	67	56.3 6	66
22 0 0 134.6 439.5 49 60.	50 50 0	15.2 20.0	49.4	10 0 15 0	19.2 41.4		56.4	
Positions at the usual hours of observation during Month are given in page 89.	g the 23 0 0 5 0	16.7 52.0	62 49.8 62	20 0 25 0	19.0 38.0		56.2	
and an object to have	10 0 15 0	15.9 51.0	49.8	30 0	18·0 37·0		56.8	
St. Helena $\begin{cases} \text{Decl. 1 Scale Division} = 0 \\ \text{H. F. } k = \cdot 00019; \ q = \cdot \end{cases}$.71 20 0	16.1 51.0	50.1	35 0 40 0	17.9 35.1		56.8	
V. F.* k = .00046; q =	00025 25 0 30 0	15·8 15·6 51 8	50.1	45 0 50 0	17·7 17·8 35·0		56.3	
Regular and extra observations.	35 0 40 0	15·4 15·2 50·4	50.1	55 0 5 0 0	18·0 17·0 33·0	67	56.3 6	17
The V.F. was observed at 2 ^m . 30°. before, and th 2 ^m . 30°. after the times specified.		14·9 15·4 49·7	50.1	5 0	16.8	01		
24 14 0 0b 18·6 59·6 62 45·	55 0	16.0		10 0 15 0	16.4		56.2	
15 0 0 18.0 59.2 62 46.	61 5 0	16·8 50·2	63 50.6 63	20 0 25 0	16·2 32·9 16·1		56.4	19
16 0 0 18·3 62·4 62 45· 18 0 0 15·2 58·0 61 45·	10 0	17.3 50.0	50.7	30 0 35 0	16·0 37·1		56.4	
19 0 0 13.9 55.0 61 45.		16·8 50·6	51.2	40 0	16.3 39.0		55.8	
10 0 13.9 56.0 45.	30 0	18.0 51.0	51.7	45 0 50 0	16·8 16·8 37·0		55.7	
15 0 13·4 20 0 13·1 57·0 47·	35 0 40 0	19.1 20.2 51.9	52.1	55 0 6 0 0	16.1 35.9	67	55.8 6	7
25 0 13·1 30 0 13·1 57·1 47·	45 0 50 0	21.0	52.4	5 0 10 0	16·5 16·9 34·5	"	55.8	
35 0 13·1 40 0 13·2 57·8 48·	55 0	20.4		15 0	17.0	-		
45 0 13.1	5 0	20.0 47.0	64 52.6 64	20 0 25 0	17.0 32.2 16.8		55.8	
50 0 13.7 57.2 48.5	15 0	19.0 43.4	52.7	30 0 35 0	16·2 30·0		55.8	
20 0 0 14.0 57.0 61 48.3	61 20 0 25 0	18·2 43·0 18·3	53.3	40 0 45 0	16·1 28·5 16·8		55.5	
10 0 14·0 56·2 48*	30 0	19.4 43.2	53*6	50 0	17.0 29.0		55.5	
20 0 13.2 55.5 48.5		20.1 43.2	53.8	7 0 0	17·1 17·1 29·2		55.5	
25 0 13·0 30 0 12·9 55·2 48·	45 0 50 0	21.8 42.4	54.2	5 0 10 0	17·1 17·0 28·0		54.8	
35 0 12·9 40 0 12·9 55·0 48·	55 0 2 0 0	22.1 42.7	66 54.2 65	15 0 20 0	17·0 17·0 28·0		55.0	
45 0 12·3 50 0 12·0 55·0 48·0	5 0	22.2		25 0	17.1			
55 0 12.0	15 0	21.1 40.0	54.9	30 0 35 0	17·1 28·9 17·0		55.0	
21 0 0 12.0 53.5 61 48.	25 0	23.8 39.0	55.1	40 0 45 0	17·0 28·9		55.0	
10 0 12·3 52·2 48·	30 0 35 0	24.0 37.2	55.3	50 0 55 0	16·2 28·0		55.0	H
20 0 12·6 52·0 48·	40 0	22.4 35.2	55.6	8 0 0	17.0 28.7	66	55.1 6	6
30 0 13.5 51.2 48.		23.0 32.0	55.0	5 0 10 0	17·0 17·2 32·0		56.2	
35 0 13·9 52·5 48·	55 0	22.1 36.9	66 54.9 66	15 0 20 0	17·1 17·0 35·4		56.0	
45 0 14·8 50 0 14·9 53·7 48·	5 0	19.9	55.4	25 0 30 0	17·0 17·1 34·5		56.2	
55 0 14.0	15 0	19.0	The state of the s	35 0	17.8			1
22 0 0 13.9 52.0 61 48.	3 61 20 0 25 0	19.0 41.0	55.8	40 0 45 0	17·7 34·3 17·5		55.6	2
* New V. F. magnet received from 1	ngland.		b Commencing	after Sunday midn	ight at St. Helena,			

Остови	er 24,	25, and 2	26, 18	341.		Осто	BER 24,	25, and	26, 18	341.		Осто	BER 24,	25, and	26, 1	841.	
M. Gott. Time.	Decl.	Hor. Fo	rce.	Vert. Fo	orce.	M. Gott. Time.	Decl.	Hor. Fo	orce.	Vert. F	orce.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m. s. S	ScDiv ^{ns} .	SeDiv ^{ns} .	Ther.	ScDivas.	Ther.	d. h. m. s.	SeDivas.	ScDivas.	Ther.	ScDivas.	Ther.	d. h. m. s.	ScDiv ^{ns} .	SeDivas,	Ther.	SeDivas.	Ther.
25 8 50 0 55 0	17·6 17·5	34.0		DEN		25 14 20 0 25 0	20.1	48.7		52.8		25 19 50 0 55 0	16.0	48.0		51.4	
9 0 0	18.0	35 • 1		55.4		30 0	20.1	48.0		52.8		20 0 0	17.0	48.0	63	52.0	62
5 0 10 0	18.1	36.1		55.1		35 0 40 0	20.0	47.9		52.8		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	14.0	48.0	62	51.5	62
15 0 20 0	18.6	36.5		55.1		45 0 50 0	20.0	47.0		52.8		5 0 10 0	13·0 14·2	47.9		51.0	
25 0 30 0	18.3	35.1				55 0 15 0 0	20.0	47.0	63	52.7	63	15 0 20 0	14.1	47.5		51.0	
35 0	18.0					5 0	20.0	1	00		03	25 0	14.1				
40 0 45 0	18.0	35.0		55.1		10 0 15 0	20.0	47.5		52.7		30 0 35 0	14.1	45.5		51.1	
50 0 55 0	17.7	34.8		54.5		20 0 25 0	20.0	47.0		52.6		40 0 45 0	14·0 14·5	45.8		51.0	
10 0 0	17.8	34.9	65	54.5	64	30 0 35 0	20.0	47.3		52.5		50 0	14.5	46.0		51.3	
10 0	18.1	35.4		52.5		40 0	20.0	47.8		52.5		23 0 0	14.9	47.8	63	51.4	62
15 0 20 0	18.4	36.4		53.4		45 0 50 0	18.1	47.4		52.4		5 0 10 0	15.6	47.5		51.4	
25 0 30 0	18.8	37.2		53.4		55 0 16 0 0	18·2 17·7	47.5	63	52.4	62	15 0 20 0	15.3	47.0		51.7	
35 0 40 0	18.7	37.8		53.4		5 0 10 0	18.0			52.4		25 0 30 0	16·4 16·4	46.1		52.0	
45 0	18.7					15 0		47.0				35 0	16.7				
50 0 55 0	18.8	38.9		53.4		20 0 25 0	18.1	47.9		52.4		40 0 45 0	16.4	46.5		51.9	
11 0 0	19.0	39.3	65	53.5	64	30 0 35 0	18.9	47.0		52.4		50 0 55 0	16·8 17·1	45.2		52.2	
	19·2 19·7	39.5		54.0		40 0 45 0	18.9	47.0		52.4		26 0 0 0 30 0	17.0	44·2 49·1	63	52·2 52·4	63
20 0	19.4	40.6		53.9		50 0	18.0	47.0		52.4		1 0 0	19.6	49.0	64	52.9	63
25 0 30 0	19.4	40.0		53.5		55 0 17 0 0	18.0	47.0		Vibra.		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20.2	50.0	64	53·2 57·7	64
35 0 40 0	19.0	41.4		53.8		5 0 10 0	18.0	47.7		51.0		3 0 0	20.2	43.1	65	56.9	64
45 0 50 0	19.0	41.6		53.6		15 0 20 0	18.0	47.9		50.9		4 0 0 4 30 0	18.7	44.0	65	56·9 56·9	64
55 0	20.0	40.6	64	53.9	63	25 0	18.0	48.0		50.9		5 0 0	18.0	34.9	65	56.4	64
5 0	50.0		0.4		03	30 0 35 0	18.6					6 0 0 8 0 0	18.9	42.5	65	55.6	64
10 0 15 0	20.0	41.6		53.0		40 0 45 0	18.9	48.5		50.9		10 0 0	20.5	49.0	63	52·4 52·3	63
20 0 25 0	20.0	43.8		53.8		50 0 55 0	18.9	48.9		50.8		12 0 0 13 0 0	20.0	48.9	63	52·4 52·6	62 62
30 0 35 0	20.0	45.6		53.4		18 0 0	18.9	49.3	63	50.6	62	14 0 0 15 0 0	20.0	52.0	62	53.2	62 62
40 0	19.8	45.3		53.2		10 0	18.9	49.2		50.5		16 0 0	19.0	50.5	62	53.1	62
45 0 50 0	20.0	45.7		53.2		15 0 20 0	19.1	49.1		50.6		18 0 0 19 30 0	16.1	50.1	62 62	52·8 52·6	61
55 0 13 0 0	20.1	49.5	64	53.1	63	25 0 30 0	18.1	49.3		50.7		20 0 0 20 30 0	15.5	51.4	62 62	53.7	61
5 0	21.4	50.4		53.1		35 0 40 0	19.1	49.9		50.0		22 0 0 23 0 0	16.0	53.0	62 62	53·9 52·0	61 62
15 0	21.8			33 1		45 0	19.0			100000		20 0 0	10 3	33 0	02	02 0	02
20 0 25 0	21.0	49.2				50 0 55 0	19.0	50.3		50.0		The Mean Positi	one at the	neval how	es dori	ng the M	onth
30 0 35 0	20.8	48.8		52.8		19 0 0 5 0	18.9	51.0	63	50.0	62	The Mean Positi		n in page		mg the M	, and a
40 0 45 0	20.3	48.4		53.0		10 0 15 0	18.9	51.0		50.0				200			
50 0	20.3	48.0		53.0		20 0	18.0	50.0	1	51.2							
55 0 14 0 0	20.1	48.0	63	53.0	63	25 0 30 0	17.1	49.1		50.7							
5 0 10 0	20.1	48.3		52.8		35 0 40 0	16.0	48.3		51.4							
15 0	20.1					45 0	16.5					THE STATE OF					
	-	1															

Остовек	24, 25, and 26,	1841.	Осто	BER 24, 2	25, and 26,	1841.		Осто	BER 24,	25, and	26, 1	841.	
CAPE OF JII	cl. 1 Scale Div		M. Gött. Time.	Decl.	Hor. Force	. Vert. 1	Force.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.
	F. k = '00018 F. k =	; q = '0003	d. h. m. s.	ScDivas.	ScDivas. Th	er. ScDivas	Ther.	d. h. m. s.	ScDivas.	Se. Divas.	Ther.	ScDivns.	Ther
Positions at th	e usual hours of ol	servation.	26 20 0 0	47.4	65.7 6	3		25 4 50 0	52.8	47.2		37.4	
	ber 24, 25, and 26.		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	48·3 50·8	64.2	3		55 0 5 0 0	53.8	47.4	58	37.9	
M. Gött. Time, De	cl. Hor. Force.	Vert. Force.	23 0 0	53.7	61.0			20 0	52.4	46.8			
			The Mean Posit	ions at the	same hours	Invine the M	Touth	25 0 30 0	55.1	47.2		37.9	58
	livns. ScDivns. The	0	The Mean I con		in page 90.	rorring time an	Cutu	35 0	54.8	41 2		3, 3	30
24 12 0 0 ^b 55 13 0 0 54			0.00	Dool 1	Scale Divi	sion - N	.71	40 0 45 0	55.3	47.2		37.9	
14 0 0 53	5 76.0 63		VAN DIEMEN ISLAND		k = .000		**	50 0	54.9		1000	38.4	
15 0 0 52 16 0 0 53	60 6 6			(V. F.		;=q		6 0 0	52.6	47.4	56	38.6	56
17 0 0 50			The V. F. was		xtra observ		1 P	8 0 0	58.2	48.8	53	38.6	53
18 0 0 49			2m.	30°. after	the times spe	ecified.	1. F.	10 0	59.2	45.3			
19 0 0 48 20 0 0 51			24 3 0 0°	59.8	54.2	52.8	1	15 0 20 0	59.9	46.9		50.9	
21 0 0 51	2 69.6		4 0 0	58.7	55.0 5	5 51.0	54	25 0	60.9				
22 0 0 53 23 0 0 55	0.0000000000000000000000000000000000000		5 0 0	61·9 59·8	54·8 55·2 5	5 51.2	54	30 0 35 0	61.4	49.8		48.2	1
25 0 0 0 55	1 61.8 62	1/2	7 0 0	59.2	56.0	50.6		40 0	61.7	49.3		46.1	
1 0 0 58			8 0 0 9 0 0	58.4	56.7 5	4 50.4	53	45 0 50 0	59.0	49.1		43.9	
3 0 0 54	4 48.0		10 0 0	57.8	56.9 5		53	55 0	57.2	49 1		43 9	
4 0 0 54 5 0 0 54			11 0 0	52.8	56.1	49.4		9 0 0	55.3	49.5	53	43.3	53
5 0 0 54 6 0 0 50			12 0 0 13 0 0	53.0	54.4 5	5 46.2 48.0	55	10 0 0 11 0 0	59·2 53·1	49.3	53	46.2	53
7 0 0 51			14 0 0	57.9	49.7 5	7 48.3	58	12 0 0	53.3	46.2	57	44.8	57
8 0 0 45 9 0 0 49			15 0 0 16 0 0	69.9	50.8	0 45.7	60	13 0 0 14 0 0	56.6	41.6	61	47.3	60
10 0 0 48	2 54.7 62		17 0 0	75.0	55.0	44.4	00	15 0 0	64.3	44.7		38.3	
11 0 0 51 12 0 0 51			18 0 0 19 0 0	77.5	55.0 6		60	16 0 0 17 0 0	69.1	45.2	63	40.7	62
13 0 0 55			20 0 0	76.2	48.8	2 55.7	60	18 0 0	70.6	47.2	65	41.0	63
14 0 0 53 15 0 0 50			21 0 0 22 0 0	75.0	49.0	59.1		19 0 0	69.4	47.5	er.	45.9	00
16 0 0 49	C 200 A		22 0 0 23 0 0	59.8	47.6 6	63.2	59	20 0 0 0 21 0 0	68.3	47.5	65	48.0	63
17 0 0 49 18 0 0 49	CONTRACTOR OF THE PARTY OF THE		25 0 0 0	58.8	47.5 59	64.9	58	22 0 0	56.2	48.5	63	41.9	61
18 0 0 49 19 0 0 47			$\begin{bmatrix} 1 & 0 & 0 \\ 2 & 0 & 0 \end{bmatrix}$	53.3	44.9	61.3	57	23 0 0 0 26 0 0 0	58.5	47·9 57·2	62	31.1	59
20 0 0 46	7 67.2 62		15 0	66.6	51.2	43.8		1 0 0	56.9	51.7		44.3	
21 0 0 45 22 0 0 46			22 30 30 0	58.7	51.7	34.9	-	3 0 0 5 0 0	56.8	49·3 52·8		39.1	
23 0 0 49	2 59.2		37 30	57.0	54.8	23.9		6 0 0	52.1	51.8	55	43.7	54
26 0 0 0 51 1 0 0 52			45 0 3 0 0	52.1	51.6	21.8		7 0 0 8 0 0	57·3 62·1	52.7	54	48·2 52·3	53
2 0 0 55	0 57.3 64		10 0	45.5	46.3	20 0		9 0 0	59.6	50.8		52.5	
3 0 0 54 4 0 0 52			15 0 20 0	45.4	47.0	20.0		10 0 0	57.6	51.3	54	51.2	54
5 0 0 48	0 47.1		20 0 25 0	47.1	47.0	32.0		12 0 0	56.1	48.9	56	46.2	57
6 0 0 50 7 0 0 51		1 1	30 0	50.2	47.3	34.7		13 0 0	56.5	44.5	63	45.0	61
8 0 0 50	THE RESERVE TO SERVE		35 0 40 0	51.5	47.3	36.1		14 0 0 15 0 0	60.5	44.5	61	37.1	61
9 0 0 52	8 65.8	000	45 0	54.8				16 0 0	67.0	46.8	66	35.9	64
10 0 0 53 11 0 0 52			50 0 4 0 0	55.4	47.5	38.0		17 0 0 18 0 0	67.4	48.6	68	33.3	66
12 0 0 52	5 64.8 63		10 0	43.7	41.7	0.3	1	19 0 9	63.2	49.1		35.2	1000
13 0 0 53 14 0 0 54	A CONTRACTOR OF THE PARTY OF TH		15 0 20 0	37.8	41.0	34.8	59	20 0 0 21 0 0	64.0	48.1	68	36.2	66
15 0 0 51	8 66.8		25 0	37.0	11 0	31 8	39	22 0 0	61.0	48.1	67	35.5	65
16 0 0 51 17 0 0 50			30 0 35 0	39.0	41.3	34.3	100	23 0 0	56.6	46.8	1	35.7	
18 0 0 48	7 67.0 63		40 0 ^d	49.7	43.4	37.8		The Mean Posit	tions at th	e usual be	ours of	observation	on
19 0 0 47	4 65.4		45 0	54.1	19.00	1				are given			-
					1						-	-	

V. F. magnetometer not in satisfactory adjustment.
 Commencing after midnight of Sunday at the Cape of Good Hope.
 Commencing after midnight of Sunday at Van Diemen Island.

 $^{^{\}rm d}$ "A very faint light to the Southward, rendered now more visible by the moon having set."

November 4, 5, and 6, 1841.	November 4	5, and 6, 1841.	l No.	TEMPER 4	, 5, and 6, 18	241
TORONTO* { Decl. 1 Scale Division = 0'.72 H. F. k = '000076; q = '0002	M. Gött, Time, Decl.	Hor. Force. Vert. Force. ScDiv ^{ns} . Ther. ScDiv ^{ns} . The	M. Gott. Time.	Decl.	Hor. Force.	Vert. Force.
V. F. k = '000092'; q = '00018 Extra observations.	5 18 0 0 143.9	424.2 51 85.4 51	4 20 0 0	17:0	47.0 62	ScDiv ^{ns} . Ther. 57.7 61
The V. F. was observed at 1m. 30°. before, and the	20 0 0 140·8 22 0 0 142·9	421·9 50 85·4 51 442·8 50 92·8 50	20 30 0 22 0 0	15.9	47·9 61 47·7 61	57·1 61 56·8 61
H. F. 2 ^m , after the times specified.	6 0 0 0 119.3	410.7 49 90.3 50	23 0 0	18.0	50.1 61	56.8 61
M. Gett, Time. Decl. Hor, Force. Vert. Force.	4 0 0 142.3	438.4 49 102.3 50	2 0 0	20.2	48·4 62 44·9 63	56.8 61 57.4 62
6 0 20 0 114 9 422 9 49 ScDiv ^{ns} . Ther.	6 0 0 134·1 8 0 0 131·0	432·4 49 103·5 50 426·5 49 105·5 50	3 0 0 4 0 0	23.0	44·5 63 40·1 63	57·5 62 57·5 62
25 0 113.9 422.1 90.2 50	10 0 0 134·2 12 0 0 140·6	451·2 49 107·0 49 430·4 49 107·6 49	5 0 0 6 0 0	22.0	45·0 63 44·0 63	57·4 62 57·0 62
30 0 113·2 423·1 90·0 35 0 114·6 427·8 91·4	14 0 0 146.0	434.3 49 105.2 49	8 0 0	20.1	41.0 62	57.5 62
40 0 116·7 428·1 92·3 45 0 114·9 429·9 92·5	16 0 0° 148·5	448.4 48 107.2 49	10 0 0	19.0	34·1 62 38·2 62	57.0 62 57.4 62
50 0 115.2 431.2 92.6	Mean Positions at the sa	ne hours during the Month.	12 0 0	20.0	39·1 62 42·0 62	57·4 61 57·5 61
1 0 0 118.3 435.6 50 94.1 51		456·7 47 99·7 49 455·7 47 103·2 48	14 0 0 15 0 0	20.0	42.9 62	56.6 61
5 0 118·6 428·1 94·3 10 0 120·6 428·8 93·0	4 0 0 137.2	447.4 48 103.0 48	16 0 0	18.5	43·0 62 42·9 62	56.0 61 55.7 61
15 0 124·8 435·8 92·8 20 0 127·7 429·4 93·3	8 0 0 132.2	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	18 0 0 19 30 0	17.1	44.0 61 47.8 61	56.3 61
25 0 128.0 434.7 91.3		456·4 49 103·9 49 456·5 49 104·9 49	20 0 0 20 30 0	18.5	47·0 61 46·0 61	56.6 61
30 0 127·5 443·7 92·9 95·1	14 0 0 140.6	455.2 49 104.2 49	22 0 0	18.2	45.9 61	57.0 61
40 0 127·1 446·4 95·3 45 0 129·4 448·8 96·1		453·7 48 101·4 49 450·7 48 101·3 49	6 0 0 0	20.0	48·0 61 44·9 62	57·0 62 57·4 62
		449·3 48 99·9 49 454·5 48 102·0 48	2 0 0 3 0 0	20.0	42·1 63 45·0 63	57·5 63 57·6 63
Positions at the usual hours of observation, November 4, 5 and 6.			4 0 0	19.8	46.2 64	57.5 64
4 0 0 0 138.3 435.4 53 71.3 54		Scale Division = $0' \cdot 711$ = 00019 ; $q = 00025$	5 0 0	19.9	45·2 64 44·0 64	57·7 64 57·7 63
2 0 0 138·9 421·2 52 93·4 53 4 0 0 128·9 410·9 52 96·9 53		= ·00046; q =	8 0 0	20.7	39.1 64 39.9 63	58.7 63
6 0 0 131.3 421.9 53 97.4 53		al hours of observation, 4, 5, and 6.	11 0 0	21.1	44.5 63	59.0 61
8 0 0 132·3 425·9 54 99·1 54 10 0 0 136·6 438·8 54 98·5 54	4 0 0 0 18.9	44.9 62 54.6 62	12 0 0°	21.1	41.5 63	57.7 62
12 0 0 139·3 449·1 53 98·0 54 14 0 0 139·7 431·8 53 97·8 54	2 0 0 20·9 3 0 0 22·0	37·5 62 53·9 62 37·0 62 54·1 62	Mean Position	s at the san	ne hours during	the Month.
16 0 0 140.8 428.5 53 96.7 53	4 0 0 21.9	37·1 63 53·4 63 41·0 63 54·5 63	0 0 0 0 2 0 0	22.5	50·4 64 47·3 66	55.1 64
20 0 0 138.3 423.4 52 88.5 52	6 0 0 20.1	41.0 63 57.4 63	3 0 0	23.4	45.9 66	56.2 65 56.6 65
22 0 0 125·0 397·3 51 85·9 52 5 0 0 0 137·5 458·2 51 88·6 52	8 0 0 20.2	40·1 62 56·5 62 43·0 62 57·6 62	5 0 0	21.0	45.0 67	56.8 66 57.2 66
2 0 0 137·3 440·7 51 93·2 52 4 0 0 133·4 408·4 51 97·7 52	11 0 0 20·2 12 0 0 21·0	43·2 62 57·4 62 44·0 62 57·4 62	8 0 0	20.7	43·0 66 42·2 66	57·4 66 56·9 65
6 0 0 132.4 429.2 51 99.4 52	13 0 0 20.8	44.2 62 57.4 61	10 0 0	22.4	42.0 65	56.2 65
8 0 0 131·5 414·4 51 102·5 52 113·2 52	14 0 0 19·0 15 0 0 19·0	44·0 62 57·2 61 44·0 62 57·0 61	11 0 0 12 0 0	22.4	42.6 65 43.4 65	56.2 64 56.1 64
12 0 0 140·3 433·5 52 105·1 52 14 0 0 145·6 439·1 51 101·7 51	16 0 0 19·0 18 0 0 19·0	46·0 62 56·9 61 45·0 62 58·3 61	13 0 0	22.4	43·7 65 44·5 64	56.0 64 55.6 64
16 0 0 138.2 422.1 51 98.0 51	19 30 0 17.1	47.4 62 58.7 61	15 0 0	21.9	44.6 64	55.5 64
* Toronto, November, 1841.—Times of observation at a disturbed, but the mean readings were not mathematically a superior of the mean readings were not mathematically a superior of the mean readings were not mathematically a superior of the mean readings were not mathematically a superior of the mean readings were not mathematically a superior of the mean readings were not as the mean readings were not as the mean readings of the mean readings were not as the mean readings of the mean rea	moderate shocks.	20 0 Decl. and H. F. s 2 H. F. vibrating m	ocks. ocks. ocks. uch. vibrations. vibrations. rong shocks. ach with shocks. orations and shocks. ocks. iderable vi	brations.		

Novembe	er 4,	5, and 6	, 184	11.			N	Vov	емвек 4	, 5, and	6, 18	41.		Nov	EMBER 4	, 5, and	6, 18	341.	
M. Gött. Time. D	Decl.	Hor. For	rce.	Vert. Fo	orce.	M. Gott	. Tin	ne.	Decl.	Hor. Fo	rce.	Vert. Fo	erce.	M. Gott. Time.	Decl.	Hor. Fo	отсе.	Vert. F	orce.
d. h. m. s. Sc	Div ^{ns} . S	icDivns.	Ther.	ScDiv ^{ns} .	Ther.	d. h.	m.	8.	ScDiv ^{na} .	SeDivas.	Ther.	ScDivas.	Ther.	d. h. m. s.	Sc. Divas.	SeDivas	Ther.	SeDivas.	Ther.
		45.1	64	55·4 55·5	64 63	5 23 6 0	0	0	54·6 56·2	70·9 63·9	61 62	107.8	62	4 2 0 0 3 0 0	36·0 41·7	60.3	58	40.0	56
19 30 0 19	9.4	47.6	64	55.5	63	1	0	0	56.0	59.8	62			4 0 0	41.8	66.9	57	30.9	55
		48.5	64 64	55.3	63	2 3	0	0	53.8	62.0	62 63	122.3	62	5 0 0 6 0 0	40.6	61.5	56	39.4	54
	9.1	50.5	63 64	54·8 54·7	63 63	4	0	0	54·0 53·9	68·2 67·5	63 63	107-2	63	7 0 0 8 0 0	44.7	63.0	54	41.9	53
25 0 0 20	0 4	31 1	0.4	24-1	00	5 6	0	0	54.0	68.8	63	110.3	63	9 0 0	43.2	63.5	2000	42.8	- 120
				on = 0		7 8	0	0	54.0	69.0	63 63	124.6	63	10 0 0	39.5	63.5	54	39.0	53
GOOD HOPE TO	. F. k	= .000	047	q = 0	0003	9	0	0	51·3 52·4	67·8 68·0	62 62	120.2	63	12 0 0 13 0 0	38.1	64.0	55	36.8	54
Positions at th				vation,		11	0	0a	54.4	73.6	63	120 2	00	14 0 0	43.6	60.4	58	37.6	58
No	vember	4, 5, and	6.			Mean	Posi	ition	s at the sar	me bours d	luring	the Month	b	15 0 0 16 0 0	48·1 52·4	60.5	59	38.1	59
	4.1	61.6	62 62	123.9	62	0	0	0	53.9	69.7	64			17 0 0 18 0 0	56.1	62.7	60	33.5	59
2 0 0 5	5.6	59.0	62	124.2	62	1	0	0	55.0	69.4	64			19 0 0	57.8	63.0	1	36.6	200
The same state of the same sta	5.0	58.8	62 62	128.4	63	2 3	0	0	55.4	68.6	65 65			20 0 0 21 0 0	56.2	61.4	60	38.8	59
	5.0	62.5	63 63	115.8	63	4 5	0	0	53.5	68.3	65 65			22 0 0 23 0 0	46.3	65.3	59	34.2	58
7 0 0 5	3.9	64.4	63			6	0	0	52.8	67.8	65 65	188		5 0 0 0	36.9	59.5	58	37.7	56
	2.6	70.0	63	114.0	63	7 8	0	0	53·0 52·8	68.3	65	17/11/1		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	36.3	60.8	57	39.7	56
	2.9	70.0	62	109.9	62	9	0	0	53.1	69.1	65 65			3 0 0 4 0 0	40.1	61.4	57	35.9	56
12 0 0 5	4.7	71.9	62	106.9	62	11 12	0	0	53·1 52·9	70.7	65 64			5 0 0	43.9	62.9	56	38.0	54
	2.6	73.0		117.6	61	13	0	0	53.1	72.6	64	1/20	- Reg	6 0 0 7 0 0	41.5	63.5		36.9	
	2.0	73.1	61	115.1	61	14 15	0	0	52.5	72.9	64 64			8 0 0 9 0 0	42.2	63.8	55	36.0	54
17 0 0 50	0.6	75.3	61	119.1	10000	16 17	0	0	51.3	74·0 75·1	64 63			10 0 0 11 0 0	43.6	63.4	54	36.1	53
19 0 0 48	8.0	76.3	60	STATE OF LAND	61	18	0	0	48.9	75.8	63		TR	12 0 0	42.0	62.5	56	34.9	54
	9.4	75.1	60 61	118.4	61	19 20	0	0	47.5	76.5	63 63			13 0 0 14 0 0	41.6	62·0 59·8	57	35.4	56
22 0 0 50	0.8	68.4		114.9	61	21 22	0	0	47.6	74·3 72·5	63			15 0 0 16 0 0	48.8	58.6	59	42.1	58
5 0 0 0 54	4.5	67.8	61	106.4	61	23	0	0	51.8	71.1	64			17 0 0	58.2	60.2		39.8	3
Vin. 171 (Sec. 1)		64.6	62 62	110.1	62				(Decl.)	Scala D	ivisio	n = 0'.'	71	18 0 0 19 0 0	56.8	63.6	60	38.0	59
3 0 0 5	5.8	67.0	62 62	128.6	62	VAN D ISL	IEM	EN .	H. F.	= .00	03; 9	=	•	20 0 0 21 0 0	52.5	59.6	61	44.9	59
5 0 0 5	3.9	67.9	62		1				(V. F. /		, 9			22 0 0	47.7	60.8	60	38.9	58
		68.0	62	115.4	62	Po				hours of o		tion, from th, 2 ^h .		23 0 0 6 0 0 0	47·9 52·7	66.1	58	38.6	57
	0.2	69.6	62 62	123.7	62	3 12	0	0	37.9	64.0	55	41.8	55	1 0 0 2 0 0°	41.6	63.7	57	36.3	56
10 0 0 4	9.4	65.8	62	129.7	62	13	0	0	40.0	62.9		39.9							
	3.7	68.6	62 62	115.1	62	14 15	0	0	44·5 52·1	63.5	57	35.7	57	Mean Positio	1				200
	3.1	69·9 70·2	62 62	116.9	62	16 17	0	0	57·8 57·4	65·2 64·8	60	31.0	59	0 0 0 1 0 0	44.6	61.5	63	29.4	61
15 0 0 5	1.9	70.3	62			18	0	0	56.4	69.3	62	34.4	60	2 0 0	44.2	63.0	62	30.1	60
17 0 0 4	8.2	70.5	62 62	120.0	62	19 20	0	0	63.0	62.4	62	42.7	60	4 0 0	45.1	63.6	60	32.0	59
	8.8	71.0	61	121.6	62	21 22	0	0	56.3	66.5	61	32.2	59	5 0 0 6 0 0	45.9	63.6	59	33.9	57
20 0 0 5	64.8	73.3	61 61	98.8	62	23	0	0	43.3	54·3 55·3	60	42.5	57	7 0 0 8 0 0	46·3 45·4	64.2	58	35·1 35·4	57
	54.2	71.8	61	109.3	62	4 0	0	0	44.8	28.9	00	51.8	31	9 0 0	43.6	64.7	30	34.8	-
					-	-	_			1	-	-						-	

Saturday midnight at the Cape of Good Hope.
 The observations of the V. F. magnet during the month are not sufficiently regular to admit of mean positions being derived: the mean positions of the Decl. are from the lat to the 25th inclusive.

c Saturday midnight at Van Diemen Island.

	No	VE	MBER 4,	5, and	6, 18	41.				No	VE!	MBER 18,	19, and	20,	1841.			No	VE	MBER 18	, 19, and	d 20,	1841.	
M. Gött. T	Time	e.	Decl.	Hor. Fo	orce.	Vert. F	orce.					Decl. 1					M. Gött	. Tim	e.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m.		8-	SeDiv ^{ns} .	ScDiv**.	Ther.	SeDiv ^{ns} .	Ther.	To	RON	то		H. F. k : V. F. k :					d. h.	m.	s.	SeDiv ^{ns} .	ScDiv ⁿ	Ther.	ScDiv ^{ns} .	The
10 0) (0	42.5	64.2	57	34.6	57		Extra observations.										0	117.1	459.1		143.1	
11 0		0	40.3	63.0	223	33.8	10000												0	134.5	477.9	0.00	138.3	1000
12 0		0	39.9	60.9	59	33.3	59		The V. F. was observed at 1 ^m . 30 ^s , before, and the H. F. 2 ^m , after the times specified,										0	146.5	485.9	48	157.2	49
13 0		0	42.3	59.1		32.4	400			Н	. Y.	2 ^m , after t	he times sp	pecifie	i.				0	148.3	436.5	100	147.1	
14 0) ()	45.8	58.5	62	31.3	62			****		n .						* **	0	150.2	400.8		133.0	
15 0) ()	50.9	58.5	1000	29.7	1	M.	Gött	. Tu	ne.	Decl.	Hor. Fo	rce.	Vert. F	orce.			0	148.0	390.5		124.3	
16 0) ()	54.8	59.6	65	28.1	63	d.	h. :	m.	8.	SeDiv ^{ns} .	Sa -Pri-Bi	Ther	SDi-80	There			0	167.8	457.1		135.7	
17 0) ()	56.0	60.7		26.5		1000						0		0		w.,,	0	185.2	450.4	100	131.3	
18 0) ()	56.0	61.2	66	26.2	64	18				100000000000000000000000000000000000000	432.7	49	151.4	49			0	141.0	425.3		100.0	
19 0) ()	54.0	60.9		26.2				25		145.9	435.7		147.4		1	35	0	135.1	410.1		112.7	
20 0) ()	52.3	60.8	66	26.8	64			30	0	135.2	431.4		135.6			40	0	131 4	416.3		119.9	
21 0) ()	50.3	60.7		27.1			1	35	0		445.8		138.9		4	45	0	134.1	418.7		123.0	
22 0) ()	48.4	61.1	65	27.1	63		4	40	0	131.6	448.9		145.8			50	0	126.3	414.4		122.0	
23 0) ()	46.2	61.0		27.8			4	15	0	138.0	470.7		144.1	1	1	55	0	114.6	359.8		128.0	

^a An Auroral light in the North was first seen at 12^b.; weather calm and clear. The following observations will show the rapid and various changes of its features:—

18 12 10 Patches and streamers in North to an alt, of about 30°, luminous baze

extending to zenith.

Double arch of light from N.E. to N.W., alt. about 10°, streamers hooting from it to an alt. of 40°; patches and luminous haze from East 25 to West.

Bank of strati rising in North; streamers in N.W., and luminous haze

13 0

Bank of strati rising in North; streamers in N.W., and luminous haze in East and zenith.

Detached banks and patches of light covering \(\frac{1}{4} \) of the sky to Northward; eight or nine distinct groups of bright streamers dispersed about, appearing all to follow a general course Westward.

The detached banks and patches of light united, forming one splendid sheet of light. A very bright range of streamers extended from N.E. to N.W., all travelling from the Eastward, and disappearing regularly as they reached the N.W. extremity.

A very brilliant double arch of light extending from the N.E. to N.W.; alt. of exterior arch about 20°, interior 10°: ranges of bright streamers between the arches.

15 between the arches.

A very extraordinary bank of light appeared in N.N.E. throwing out brilliant streamers in all directions; streamers tinged with deep red and 22 blue.

25 A very large number of streamers overspreading the whole Northern por-

A very large number of streamers overspreading the wane Northern portion of the sky; banks and patches of light of different shapes and colours appearing and disappearing too rapidly to be accurately described.

A remarkably bright streak of light extending across the zenith from North to S.E., remained steady for a few seconds, afterwards the Southern end moved slowly across the sky and disappeared in the West horizon. Bright arch of light in the North with streamers. 30

Bank sinking lower in horizon, occasionally shooting up a bright streamer 40

43 Bank of light becoming brighter, streamers appearing and disappearing rapidly.

A low, well-defined, dark arch stretching from N.E. to N.W., alt. about by bright masses of light (like cirro-cumuli clouds) moving along its order; no streamers visible. 45 bor

Dark arch still visible, large masses of light of a reddish blue colour issuing from behind it, and after assuming various shapes, disappearing suddenly; double arch from North to N.W. and a number of streamers. Wind N.N.W., light, clear. Numberless streamers and patches waving and moving rapidly past one another from East to West.

Light becoming fainter, but extending over a greater portion of the sky; a few small streamers. 50

14 0

10 a few small streamers.

Light covering about § the of the sky, appearing like haze; streamers moving Westward. 15

Nothing remarkable since last observation.

Size of arch rather increased; streamers and patches of light moving 30

Double arch; alt, of smaller one about 20°, of larger 45°; patches and streamers visible between them; a very large streamer shot up from East extremity of larger arch almost to the zenith, and disappeared in a few 45

The whole Northern portion of the sky one sheet of pale light, several bright streamers in East; stars visible through the light.

Magnificent arch of light across the sky from East to N.W., alt 50°; 50

15 0

Arch of light becoming fainter, brightest at the extremities.

Arch brighter, the whole North sky brilliantly illuminated, a few faint streamers in N.E.

Arch of light still very bright; streamers occasionally appearing and disappearing in East and N.W., those in N.W. moving round and dying away in West. 10

18 15 15 A very splendid arch extending from East to W.N.W., breadth about P, alt. 55°; a few faint streamers at each extremity.

Arch considerably fainter, several bright patches underneath.

25

35

Arch considerably lanner, several bright patches underneath.
Bright wavy patches appearing and disappearing in N., arch of light the same as at the last observation.

Arch of light fainter, alt. 45°, very bright pulsations in N.E.
Brilliant bank covering the whole North sky, brightest at the extremities.

Light much fainter in zenith, a few very faint streamers in N.E.

A double arch of light from East to N.W.; patches of light appearing and discovering exists in N.E. having the part of the pa 40

and disappearing rapidly in North horizon.

Numerous bright streamers shot up suddenly in East, and moved rapidly 50

A splendid range of wavy light appeared, and after moving rapidly backward and forward between East and N.W. several times, disappeared gradually in N.; lower part of a bright red colour.

Brilliant streamers covering the whole North sky; waving light rapidly 55

16 0 moving backwards and ferwards.

A broad band of light partly across the sky, about 20° South of the zenith, gradually sinking into the North horizon.

Light much fainter; a few very bright patches of light round the North horizon, and a few streamers visible. 5

10

15 A double bank of light across the North sky, lower bank considerably the brightest.

20

Streamers and vivid pulsations, covering the whole North sky.

Very bright pulsations flashing and quivering over \(\tilde{\ell}\) of the sky.

A small steady patch of light in zenith; very vivid pulsations; streamers shooting upwards from North and East. The whole North sky in continual motion, broad patches of light traversing backwards and forwards with

great velocity.

40.

great velocity.

Light fainter, but vivid pulsations still apparent.

Bright streamers round the whole of North and N.E. horizon. Auroral light extending directly across the zenith to S.E. by South.

Clouds rising in South and S.E.; several remarkably bright streamers in North, moving Westward and suddenly disappearing. Pulsations flashing and quivering without intermission since 16th, 30th, a of the sky to Northward covered with vivid pulsations, and remarkably bright streamers rapidly appearing and disappearing.

Appearances the same.

Wind N.W. very light. Partially clouded in North and N.E. cirrocumuli, strati, and cirro-strati round South horizon (clouding from Eastward), light alternately faint and bright.

50

55 17 0

ward), light alternately faint and bright.

Bright bank across the whole of North sky, a few bright streamers occa-

5

sionally.

Bank a little fainter, a few faint pulsations in zenith.

Bank fainter, and gradually decreasing in size, a few faint streamers visible occasionally. 15

Bank again brighter, a few bright streamers appearing occasionally above it.

25

Fainter, no streamers.
Fainter, no streamers; wind Northerly, very light, § clouded, cirro-30

35

Light considerably fainter.

Moderately bright. Bank of light, alt. 30° extending from N.W. to N.E.

Considerably fainter, partially clouded in North.

Rather brighter.

Exist brighter. 45

55 Faint bank, alt. 20°.

18 0

Faint bank, alt. 20°.

Wind North by West, light, a clouded, principally round horizon, cirrocumuli and cirro-strati, remainder clear, fair. Auroral light fainter.

Several bright streamers shooting up from the Northward and rapidly disappearing; very bright pulsations across the whole North horizon.

Aurora very brilliant; a great number of streamers shooting up to an alt. of 50°. 10 20

Streamers as before; a number of very vivid pulsations rising from N.E. Streamers passing quickly from East to West. 25

Nove	BER 18	, 19, and	20,	1841.		N	OVEN	BER 18,	19, and	20,	1841.			Nove	MBER 18	, 19, and	1 20, 1	1841.	
M. Gött. Time.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Gött. T	ime.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Göt	tt. Time.	Decl.	Hor. F	orce.	Vert. F	orce.
d. h. m. s.	ScDivas.	SeDivns.	Ther.	SeDivns.	Ther.	d. h. m	. s.	ScDivns.	SeDivns.	Ther.	SeDivns.	Ther.	d. h.	m. s.	ScDivas.	SeDivn.	Ther.	ScDiv ^{no} .	Ther.
18 14 0 0	124.2	424.0	47	119.5	49	18 18 50	0	124.8	373.5		81.7		19 2	0 0	144.1	451.1	44	107.1	45
5 0 10 0	137.7	459.4		152.9		55 19 0	0	131.3	369.8	45	80.9	46	6	0 0	134.1	439.2	44	108.9	44 45
10 0 15 0	137.9	468.7		144.8	1	19 0	0	134.5	365.7	43	68.0	40	8	0 0	133 2	443.3	44	109.2	45
20 0	145.9	483.1	911	141.1		10	0	136.4	354.2		62.8		10	0 0	136.8	453.4	45	111.7	45
25 0	138.7	459.8		141.2		15	0	134.5	344.8		53.2		12	0 0	137.0	435.0	45	114.0	45
30 0 35 0	131.4	423.8		130.1		20 25	0	124.1	330.3		40.4		14 16	0 0	156.8	421.8	45 45	116.7	45
40 0	139.0	414.8		136 - 7		30	0	106.9	275.8		57.8		18	0 0	129.8	422.0	45	85:1	46
45 0	131.1	384.3	3	121.9		35	0	124.7	313.2		72.3		20	0 0	141.1	434.0	45	101.9	45
50 0	142.5	413.6		133.6		40	0	134 4	317.1		78.9		20 0	0 0	137.1	431.0	45	101.5	45
55 0 15 0 0	150.0	421.2	47	142.4	48	45 50	0	143·1 151·3	329.1		77.4		20 0	0 0	129 4	437.1	44 44	83.8	46 45
5 0	149.4	412.1		136.1		55	0	155.9	329.7		74.1		4	0 0	127.3	450.5	45	106.0	45
10 0	149.3	399.1		134.7	-	20 5	0	156.6	324.2	44	69.8	46	6	0 0	129.7	448.9	46	108.8	46
15 0 20 0	158·2 153·7	407.9		132.3	1 - 3	10 15	0	152.5	320.0		68.3		10	0 0	134.6	451.2	47 48	107.9	47
25 0	153.7	403 9		130.3		20	0	155.0	352.1		67.4		12	0 0	157.0	438.9	48	106.9	48
30 0	147.0	400.4		128.2		25	0	162.8	382.6		72.4		14	0 0	138.0	455.8	48	104.7	48
35 0	148.0	417.2		129.9		30	0	165.7	381.5		74.2		16	0 0	141.3	441.3	48	106.5	48
40 0 45 0	146.8	416·6 394·7		132.9		35 40	0	170.3	378.7		74.8		The M	Ioan Posit	tions at the	e same hou	vez dive	ing the M	onth
50 0	160.5	490.2		115.3		45	0	170.6	355.1		72.8	0	Tue m	team I osn		n in page S		ing the M	Curtar
55 0	191.9	413.8		107:3		50	0	165.8	337.8		69.1								
16 0 0	131.3	394.5	45	51:6	47	. 55	0	161.8	337.2		64.9		TO FOR			Scale I			
5 0 10 0	82.6	429·3 399·2		69.8		21 0	0	162.1	357.1	44	72·6 80·1	46	ST. H	ELENA	1	k = .000			0025
15 Oa	104.6	Off Scale.	ь	95.1		10	0	160.0	360.2		83.0					k = .000		q =	
20 0	65.9	Off Scale.		79.8		15	0	157.0	372.1	13	84.1					bservatio		-10-	n p
25 0	95.7	143.9		70.5		20	0	155.6	377.6	FIR	89.6		The V			t 2m. 30s. the times			п. г.
30 0 35 0	41·5 52·3	162.9		63.5	1111	25 30	0	153·8 152·1	390.0		91.0				-	1		1	1
40 0	102.9	245.8		84.4		35	0	151.6	415.3		99.8		18 7	0 0	20.9	38.0	66		66
45 0	119.3	320 9	9.63	69.5		40	0	150.7	417.4		102.3			5 0	20.9	37.1		56.0	
50 0 55 0	95.3	333.8		99.8		45	0	149.8	423.0		104.0			10 0 15 0	21.0	311	1	30 0	
17 0 0	142.0	349.9	45	102.3	47	50 55	0	147.5	420 · 1		103.3			20 0	21.1	36.4		56.2	
5 0	137.1	343.5		93.2		22 5	0	145.0	422.0	45	102.0	46		25 0	21.2		1	***	
10 0	134.7	333.4	133	95.2		10	0	147.0	424.9		102.3			30 0	21.3	35.9		56.5	
15 0 20 0	142.1	336 • 4		96.9	-	15 20	0	147.2	429.3		101.8	100		40 0	21.4	35.7		56.2	1
25 0	152.9	347.9		101.4			0	1.13 2	100 5	1	1.02 .			45 0	20.9		1		-
30 0		375.4	1	100.2		Posit			nal hours		servation,		100	50 0	20.8	35.8		56.1	
35 0 40 0	152.0	398 · 2	100	102.5	-			November	18, 19, an	id 20.			8	55 0	20.1	1 3 0 0	66	all land	66
45 0	150.8	377.6		106.5		18 0 0	0	140.9	468.0	45	105.2	46		10 0	19.7	35.0		55.6	
50 0	147.5	372.7		106.0	1	2 0		145.0	464.2	45	106.5	46		15 0	20.0		1		1
55 0	149.7	389.9		105.5	10	4 0		140.6	465.0	46	104.2	46		20 0 25 0	20.4	34.6		55.6	
18 0 0 5 0	150.3	387.2	44	108.9	46	8 0		133.9	466.7	47	104.2	47		30 0	21.5	35.3		55.7	1
10 0	140.7	362.3		100.5	1	10 0		130.2	447.1	50	107.7	48		35 0	21.7	400		100000	1
15 0	124.3	343.0	1	87.4	1	12 0		140.0	447.1	49	136.5	49		40 0	21.8	36.1		55.7	10
20 0 25 0	110.7	313 3		72.1	1	14 0 16 0		124 · 2	394.5	47 45	119.5	49		45 0 50 0	21.9	35.9		56.0	
30 0	105.2	376 - 7	1	50.2	3	18 0		150.3	387.2	44	108.9	46		55 0	22.1		1	330	
35 0	75.3	332.7		53.3	1	20 0	0	158.4	330.9	44	71.1	46	9	0 0	21.8	34.3	66	56.1	66
40 0	98.5	344.8	-	81.1	1 3	22 0		144.6	421.7	45	103.4	46		5 0	21.3	32.9		56.5	
45 0	120.8	388.4		87.5	1 8	19 0 0	0	124.9	441.5	45	98.3	46	1	10 0	1 2. 3	1 02 0			1
d. h. m.	-	-				1			1							To la			

About \$\frac{1}{2}\$ of the sky covered with remarkably bright patches, banks and streamers, very vivid pulsations. Streamers due North of a deep red colour, those to the East and West perfectly white.

Aurora decreasing very much in brilliancy; no pulsations.

Nothing remaining but a bright luminous haze covering about \$\frac{2}{2}\$ of the North sky; clouding rapidly over from S.E.

Totally clouded, except about \$\frac{1}{2}\$ in North. Nothing visible of Aurora but a faint light.

Wind North by West, moderate; densely clouded. 18 18 27

^{19 15}

 $[^]a$ The readings of the Decl. magnet between $16^h.\ 15^m.$ and $16^h.\ 20^m.$ at intervals of $18^s.$ (the time of vibration of the bar), were as follows: $83\cdot2$; $53\cdot4$; $60\cdot0$; $40\cdot0$; $20\cdot0$; $11\cdot4$; $9\cdot4.$

 $^{^{\}rm b}$ A light held in the prolongation of the scale showed that the reading would have been about -200 if the scale had been continued,

[·] Saturday midnight at Toronto.

Noveme	ser 18,	19, and	20, 1	841.		Nove	MBER 18,	19, and	20, 1	1841.		Novem	BER 18,	19, and	20, 1	1841.	
M. Gött, Time.	Decl.	Hor. Fo	orce.	Vert. Fo	rce.	M. Gött. Time,	Decl.	Hor. Fo	orce.	Vert. Fo	orce.	M. Gött. Time.	Decl.	Hor. F	orce.	Vert. Fo	orce.
d. h. m. s. S	SeDiv ^{ns} .	ScDiv ^{ns} .	Ther.	ScDivns.	Ther.	h. d. m. s.	ScDivns.	SeDivas.	Ther.	ScDivas.	Ther.	d. h. m. s.	ScDivas.	ScDiv ^{ns} .	Ther.	ScDivns.	Ther.
18 9 15 0	20.8	01.4		-0.1		18 15 20 0	18.0	27.1		56.1		18 15 20 0	15.3	38.0	0	56.0	
20 0 25 0	20.9	31.4		56.1		25 0 30 0	18.0	28.0		56.1		25 0 30 0	15.3	37.0		56.5	
30 0 35 0	20.1	29.2	8	55.6		35 0 40 0	17.0	28.0		55.9		35 0 40 0	15.9	36.0	000	56.6	
40 0	19.5	28.6		55.4		45 0	17.0					45 0	15.6				
45 0 50 0	19.5	27.9		55.8		50 0 55 0	17·0 16·5	28.9		55.9		50 0 55 0	15·6 15·5	37.0		56.7	
55 0 10 5 0	19.3		66	0 8	65	16 5 0 10 0	16.8	8.1	65	55.8	64	22 5 0 10 0	15.7	38.0	64	56.5	63
10 0	18.9	25.2		55.7		20 0		29.0				15 0 20 0	16.0	36.9		56.5	
15 0 20 0	18.8	24.2		55.7		25 0 30 0	16.4	27.5		55.8		25 0	15.7				
25 0 30 0	18.7	24.0		55.5		35 0 40 0	17.8	29.9		56.2		30 0 35 0	15.5	36.9		56.0	
35 0	18.1	22.7		55.5		45 0 50 0	18.3	32.0		56.3		40 0 45 0	16·1 16·5	38.1		55.4	
40 0 45 0	18.1			100		55 0	17.6			30 3	42	50 0	16.3	37.4		55.7	
50 0 55 0	18.2	21.2		55.4		17 0 0 5 0	17.4	33.4	65			55 0 23 5 0	16.9		65		64
11 5 0 10 0	18.1	28.0	65	55.8	65	10 0 15 0	17.0	33.7				10 0 15 0	17.2	37.0		55.7	
15 0	18.9					20 0	16.7	33.7		55.2	64	20 0	18.6	38.1		55.7	
20 0 25 0	19.1	30.8		55.8		25 0 30 0	17.5	32.9		56.0		25 0 30 0	18·4 18·2	37.0		55.1	
30 0 35 0	21.5	30.0		56.0		35 0 40 0	17.2	32.1		56.0		35 0 40 0	18.1	34.9		55.1	1
40 0	21.3	29.2		56.0		45 0	17.9					45 0	18.0	1			
45 0 50 0	21.1	29.8		55.9		50 0 55 0	18.0	32.1		55.7		50 0 55 0	18.2	33.0	1	55.1	
55 0 12 5 0	19.0		65		65	18 5 0 10 0	18.1	31.8	65	56.2	64	19 0 5 0 10 0	20.1	35.1	65	55.1	64
10 0	18.9	26.0		55.7	0.0	15 0	17.9					. 15 0	20.0			55.1	
15 0 20 0	18.9	24.1		55.6		20 0 25 0	18.0	31.1		57.0		20 0 25 0	20.1	36.1			
25 0 30 0	19.8	23.2		55.5		30 0 35 0	18.1	31.2		56.6		30 0 35 0	20.3	37.0		55.1	
35 0	20.1	22.8		55.7		40 0	18.0	31.2		55.9		40 0 45 0	20.5	36.2		55.2	
40 0 45 0	20.8			2000000		45 0 50 0	17.4	31.0		55.9		50 0	20.9	36.0		55.1	
50 0 55 0	20.8	23.0		55.6		55 0 19 0 0	18.5	31.0	65	55.3	64	55 0 1 0 0	20.9	35.9	65	55.1	65
13 5 0	21.9	27.0	65		65	5 0 10 0	16.8	32.0		55.3		5 0 10 0	21.0	35.0		55.1	
10 0 15 0	19.5					15 0	16.1					15 0	20.9				
20 0 25 0	19.5	26.0		55.6		20 0 25 0		32.4		55.8		20 0 25 0	20.9	35.0		55.1	
30 0 35 0	19·1 19.1	23.9		55 5		30 0 35 0	14.6	33:2	1	56.1	1	30 0 35 0	21.5	35.7		55.1	
40 0	19.1	23.0		55.5		40 0	14.1	33.3		56.1	- 8	40 0	22.0	35.9		55.1	
45 0 50 0	19.1	24.2		55.5	1 7 8	45 0 50 0		33.8		56.8	1	45 0 50 0	22.1	35.4		55.1	
55 0 14 5 0	19.0		65		64	55 0 20 5 0	15.1		65		64	55 0 2 5 0	22.7	-	65		65
10 0	17.1	26.5		55.5		10 0 15 0	14.4	35.0	3	56.8		10 0 15 0	23.1	35.0	-	55.2	
15 0 20 0	17.0	28.0		55.4		20 0	14.4	35.1	1 3	56.5		20 0	23.3	35.0		55.8	1 3
25 0 30 0	17·2 17·0	26.9	4	55.2		25 0 30 0		35.0		56.6	The state of	25 0 30 0	23.8	34.0		55.8	
35 0 40 0	17·2 17·1	27.0		55.3		35 0 40 0		35.1	-	56.5	1	35 0 40 0	23.4	34.0		56.0	
45 0	17:3		1			45 0	14.3				- Second	45 0	23.8	1000			
50 0 55 0	17.9	25.9		55.2		50 0 55 0	14.1	37.6	1 . 3	56.5		50 0 55 0	24.0	34.0		56.0	
15 5 0 10 0	18.0	26.9	65	55.8	64	21 5 0 10 0		38.2	64	57.1	64	3 5 0	24.0	34.2	66	56.0	66
15 0	18.2					15 0					-	15 0	24.0				
15 0	18.5					15 0	15.0	1				15 0	24.0				

November 18,	19, and 20,	1841.		Nove	18 18,	19, and	20, 1	1841.		Novem	BER 18,	19, and	20, 1	841.	
M. Gött. Time. Decl.	Hor. Force.	Vert. Force.	M. Gött.	Time.	Decl.	Hor. Fo	rce.	Vert. Fo	orce.	M. Gött. Time.	Decl.	Hor. Fo	orce.	Vert. F	orce.
d. h. m. s. ScDiv ^{ns} .	ScDiv ^{ns} . Ther.	ScDivw. Ther.	d. h. 1	n. 5-	ScDivns.	ScDiv ^{ns} .	Ther.	SeDivas	Ther.	d. h. m. s.	SeDiv ^{ns} .	SeDiv ^{ns} .	Ther.	SeDivns.	Ther.
19 3 20 0 24.0	34.5	56.3		0 0	20.2	40.0	64	53.5	64	19 18 0 0	48.3	73.4	62	105.2	62
25 0 24·0 30 0 23·9	34.1	56.0		0 0	21.6	34.7	66	56.0	65	19 0 0 20 0 0	48.8	74.3	62	97.1	62
35 0 23.5			4	0 0	19.8	33.2	66	55.9	65	21 0 0	45.0	69.1	63		
40 0 23·5 45 0 23·6	34.1	56.0		0 0	20.8	36.0	66	55.5	66 65	22 0 0 23 0 0	46.0	64·9 60·8	63	88.0	63
50 0 23·9 55 0 23·8	34.8	56.1		0 0	23.0	37·9 40·0	65 65	55·1 54·1	65 64	20 0 0 0 0 1 0 0	48.4	61.1	64 64	85.4	63
4 5 0 23.4	67	66	11	0 0	23.8	42.7	65	53.6	64	2 0 0	53.0	58.6	65	74:9	64
10 0 23·1 15 0 23·1	34.9	56.2		0 0	23.8	44.4	64	53.8	64	3 0 0 4 0 0	50.6	57·1 57·2	65 65	107.6	65
20 0 23·0 25 0 23·0	35.0	56.4	The	Manu	Positions d		Month	are sisten		5 0 0 6 0 0	49.5	61.2	66 65	93.9	65
30 0 23.0	35.0	56.6	The	Mean .		age 95.	Stone	are given		7 0 0	50.5	63 5	65	-	
35 0 22·9	35.0				(Deal)	C-1. T		· ·		8 0 0 9 0 0	51.5	63.2	65 65	83.8	65
45 0 22.4		50.0	GOOD 1		H. F. k	=:000	0180	q = 0		10 0 0 11 0 0 ^b	52·0 52·0	68.1	64	84.7	64
50 0 22·3 55 0 22·1	35.1	56.8	Good	aqui	[V. F. k	=.000	0047;	q =							
Positions at the usua	I house of ohen	mation.	P		at the usu November			vation,		The Mean Position	ons at the	same hour	s are gi	iven in pa	ge 95.
	18, 19, and 20.	rvation,		-				00.0		VAN DIEMEN		Scale D			71
18 0 0 0 24.0	54.0 65	53.6 65		0 0	55.5	75·9 76·0	63 63	68.2	63	Island	V. F. k	= .00	-	q = q = q = q	
2 0 0 26·4 3 0 0 25·5	51·2 66 49·1 66	55.1 65	7,000	0 0	55·9 54·5	74·0 73·2	64 64	87.2	63	THE REAL PROPERTY.	Extra o	bservatio			
4 0 0 23.3	47.0 67	55.3 66	4	0 0	52.9	71.5	64	99.0	64	The V. F. was o	bserved at		before,		H. F.
5 0 0 21·9 6 0 0 21·7	44.8 67	56.2 66		0 0	50.9	70·0 67·1	65 65	106.8	64	2	oor, anter	the times	specini	11	
8 0 0 19·6 10 0 0 19·5	35·6 66 26·4 66	55.5 66		0 0	49.0	62.8	65 65	124.2	64	18 8 10 0 15 0	57·5 55·5	68.1	57		55
11 0 0 18.0	21.0 65	55.4 65	9	0 0	50.0	62.4	64			20 0	53.0	67.2		30.3	
12 0 0 18·1 13 0 0 21·7	28.5 65	55.5 65	100000000000000000000000000000000000000	0 0	45.2	56.3	64	127.9	64	25 0 30 0	52.3	66.8		27.8	
14 0 0 18·8 15 0 0 18·0	25·9 65 25·9 65	55·2 64 55·0 64		0 0	44.5	62.7	64 64	114.8	64	35 0 40 0	51.1	66.9		27.0	
16 0 0 16.8	27.9 65	55.7 64	14	0 0	47.1	66.2	64	119.2	64	45 0	49.8				
18 0 0 18.1	31.2 65	56.2 64		0 0	40.0	67.5	64	106.8	63	50 0 55 0	49.9	66.9		26.3	
20 0 0 14·8 20 30 0 14·2	34·3 65 35·0 64	56·7 64 57·0 64	17	0 0	43.0	71·8 67·0	63 63	100.3	63	9 5 0 10 0	53·7 54·0	68.4	57	28.0	55
22 0 0 15.7	37.9 64	56.7 63	19	0 0	43.3	63.0	63		1000	15 0	55.3			19191	
23 0 0 17.1	38·8 64 35·0 65	55.8 64 55.1 64		0 0	43.9	59·9 59·3	63	101.2	63	20 0 25 0	55.3	67.5		27.6	
2 0 0 22·9 3 0 0 24·0	35·2 34·0 66	55.1 65	22	0 0	43.2	58.7	63	84.0	63	30 0 35 0	53·9 53·1	65.6		27.8	01.8
4 0 0 23.5	34.9 67	56.2 66	19 0	0 0	47·0 51·1	57·0 52·2	63 63	85.6	63	40 0	53.6	64.9		28.6	
5 0 0 22·0 6 0 0 21·4	35.5 67	56.8 67		0 0	51.6	56.8	63	85.8	63	45 0 50 0	53.6	62.3		31.1	1
7 0 0 22·1 8 0 0 24·5	35·1 67 36·3 66	56.1 66	3	0 0	52.0	57.0	64	94.0	64	19 2 10 0 15 0	49.8	61.6	65		63
9 0 0 23.1	38.0 65	56.0 65	5	0 0	51.9	58.0	64			20 0	48.7	59.4		18.7	-
10 0 0 23·6 11 0 0 23·0	36.0 65	56.0 65	6 7	0 0	50.0	61.7	64	99.4	64	25 0	46.3	63.7		18.7	1
12 0 0 22·0 13 0 0 23·0	34.9 65	55.5 65	8	0 0	51.9	66.5	63	89.9	63	35 0 40 0	49·5 50·4	59.8	1	17.4	1
14 0 0 21.5	34·0 65 40·9 65	55·5 64 55·0 64	10	0 0	51.0	69.5	63	99.6	63	45 0	44.8				
15 0 0 20·9 16 0 0 20·0	40·9 65 40·0 64	55·4 64 54·7 64	11 12	0 0	49.0	66.4	63	112.8	63	50 0 3 5 0	39.8	58.1	64	15.8	64
19 30 0 20.9	40.8 64	55.1 63	13	0 0	49.9	78.2	63	10000	1000	10 0	41.1	61.0		16.6	1
20 0 0 20·0 20 30 0 19·0	38·8 63	55.1 63	14 15	0 0	47.4	74.4	62 63	94.7	63	15 0 20 0	40.0	59.5	1	16.9	
22 0 0 18·9 23 0 0 18·5	38·8 63 38·5 64	54.1 63 53.4 63	16 17	0 0	45.3	72.7	62	98.4	63	25 0 30 0	39.3	58.9	1 3	17.5	1
		# 1)		Piec.		_			11	1	11	-
	* Saturday mic	lnight at St. Hel	ena.					b 5	Saturd	ay midnight at the	Cape of	Good Hope	e.		

OBSER	RVATIONS W	ITH THE MA	GNETUM	EIERS	ON DA	15 01	UNU	SUAL MA	GNE	TIC DISTORE	ANGE, I	C-117-104	*1.		101
November 18,	, 19, and 20,	1841.		Novem	BER 18.	19, and	20, 1	841.		Dece	MBER 2,	3, and 4	4, 184	1.	
M. Gött. Time. Decl.	Hor. Force.	Vert, Force.	M. Gött.	Time.	Decl.	Hor. Fo	rce.	Vert. For	rce.	M. Gött. Time.	Decl.	Hor, Fo	orce.	Vert. Fe	orce.
d. h. m. s. ScDiv ^{ns} .	ScDivas. Ther.	ScDivns. Ther.		m. s.	ScDiv ^{ns} .		0	SeDivas, T	0	d. h. m. s.	ScDiv".	ScDiv ^{ns}	Ther.	Sc.+Div ^{ns} .	0
19 3 35 0 38·8 40 0 38·9	58.2	18.7	19 2	0 0	38.3	61.3	65	16.6	63	3 6 0 0 8 0 0	47·5 50·2	46·9 69·1	46 47	56.1	47 47
45 0 38·6 50 0 38·2	57.0	19.8	5	0 0	38.5	56·3 57·4	64	28.8	64	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	56·4 66·9	65.1	47	55.6	47
55 0 38·1 4 10 0 38·0	55.8 64	64	6 7	0 0	48.1	57·8 59·0	63	29.6	62	14 0 0 16 0 0	50.0	44.0	48 48	57.1	48 48
15 0° 38·7 20 0 38·6	55.4	24.2	8 9	0 0	44.2	58·9 58·4	62	27.3	61	18 0 0 20 0 0	60·2 53·9	57·8 60·5	49 49	53·2 42·3	49
25 0 39·1 30 0 39·9	55.6	25.5	10	0 0	39.9	58·6 58·1	64		63	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	58.0	63.8	49 48	51°0 49°7	48 49
35 0 40·6 40 0 41·0	56.0	26.6	12	0 0 0	41.1	54·0 52·7	65		63	2 0 0 4 0 0	58·8 54·0	78·8 50·4	47 47	51.5	48
45 0 42.0			14	0 0	53.4	54.6	68	22.2	67	6 0 0	52.5	53.2	47	53.3	47
50 0 44.4 5 5 0 46.7	57.1	27.5	15 16	0 0	57·7 62·5	58·0 57·4	70	15.8	69	8 0 0	55·0 55·0	58·9 69·4	46 46	56.0	47
10 0 46·7 15 0 ^b 46·6	57.8	28.0	17	0 0	61.9	57·9 55·7	73	23.9	70	12 0 0 14 0 0	58.3	59·2 72·4	46	58.7	46 47
Positions at the us	ual hours of obs	ervation,	19 20	0 0	56.6	56·0	72	20.6	69	16 0 0	58.9	76.5	46	56.6	46
November	18, 19, and 20.	0 1	21 22	0 0	51·0 49·4	54·8 55·3	68	25.6	67	Mean Position	ns at the sa	ame hours	during	the Mon	th.
18 0 0 0 44·1 1 0 0 45·0	66.0 59 64.7	31.6 58	23 20 0	0 0	48·0 41·8	57·3 52·2	66	25.8	65	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	58.5	93.0	41 41	58.9	42 42
2 0 0 42·4 3 0 0 44·3	64·3 58 64·4	32·8 57 35·6	1 2	0 0 0°	42·8 44·6	56·6 65·0	65	23.9	64	4 0 0	56.9	82.7	41 42	59.1	41
4 0 0 46·2 5 0 0 47·2	65·6 58 65·3	35·2 57 35·2	-							8 0 0	50.8	80.3	43	59.6	42
6 0 0 48.2	65.3 57	35.1 56	The M	ean Post		in page 9		ring the Mo	nth	10 0 0 12 0 0	54.5	84.1	43	61.0	43
7 0 0 50·8 8 0 0 63·7	65.0	35·2 43·1 55		DEC	EMBER 2,	3, and	4, 18	41.		14 0 0 16 0 0	58·6	82.1	43 42	59.9	43 43
9 0 0 50.9	61.8 58	27·5 33·0 56	-						9	18 0 0 20 0 0	58·1 56·5	84.9	42 42	59·4 58·0	42 42
11 0 0 48·4 12 0 0 46·3	55.7	35.5	TORON	то * { 1	H. F. k =	0000	76;	= 0.72	2	22 0 0	57.6	86.1	41	58.7	42
13 0 0 44·4 14 0 0 47·4	50.0	32.9	Por		V. F. $k =$ the usual 1			= .000	18		St. 1	HELENA.	d		
15 0 0 54·7 16 0 0 61·0	47·9 51·6 63	36.6			r 2nd, 12h						(Decl.	1 Scale I	Divisio	on = 0'	.75
17 0 0 57·2 18 0 0 62·3	57:5 56:3 67	34·2 34·4 65	2 12	0 0	56·9 55·0	83·5 59·7	47 47	54.4	47 47	GOOD HOPE		k = .00			
19 0 0 58·7 20 0 0 55·2	57·7 57·7 68	35·9 38·8 64	16	0 0	60.8	63 · 2	47	56.4	47	Positions at	the usual	hours of o			
21 0 0 60.6	53.2	42.5	20	0 0	57.8	55.6	47	50·0 46·0	47		li .	, to Dece		tn, 11°.	
22 0 0 52·9 23 0 0 48·2	52.8 68	35.6 65	3 0	0 0	46·2 62·0	25·9 96·5	46 46	40.6	47	2 12 0 0 13 0 0	52.5	75.1	67		1 8
1 0 0 37.4	50.6 67	29.0 64	4	0 0	48.5	99·3	46 46	50.0	47 46	14 0 0 15 0 0	49.7	75·5 75·2	66		
Dec. 4 4 H. F. vibrat 6 10 H. F. slight 12 H. F. model 7 22 Decl. and F 8 4 Decl. and F 14 H. F. vibrat 9 0 Decl. and F 2 Decl. and F 12 18 H. F. slight 20 H. F. vibrat 22 V. F. vibrat 13 6 H. F. much 14 6 H. F. consic 10 H. F. vibrat	It Van Diemen I 1841.—Times of the mean reading moderately. vibrations and strates shocks. I. F. moderate sl. y vibrating. ting slightly, ting slightly; H. disturbed by vilerable shocks, ing slightly.	sland. To servation at a mgs were not ma trong shocks. trocks. tocks. tocks. tocks. tocks. tocks. tocks. tocks. tocks.	which the M terially ch	lagnetom				Decl. slig Decl. and Decl. wib Decl. vib Decl. slig H. F. vibs Decl. and Decl. and Decl. and Decl. and Decl. and	chtly reatings in H. I. I.	 vibrating very n is slight vibrations vibrating slightly moderate vibration shocks. ocks. ocks. 	noderately . slightly, .uch; Vuch; Vuch; Vuch; Vuch; Vuch which .uch which .uch with .uch with .uch with .uch with .uch shockuch shock .uch shockuch shock .uch s	F. slightly F. slightly F. slightly ocks. with shocks. shocks. shocks.	y. (8.		
	I. F. moderate vi V. F. vibrating v									St. Helena were en not in satisfactory			are exp	eriments.	

Γ		DEC	EMBER 2	, 3, and	4, 18	41.			DE	CEN	MBER 2,	3, and	4, 18	11.			DE	семві	R 2,	, 3, and	4, 18	41.	
3	I. Gott.	Time.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Göt	t. Time	e.	Decl.	Hor. Fo	rce.	Vert. Fe	orce.					nours of ol			9-39
d		18 281	ScDiv**.	SeDivas. 75.6	Ther.	ScDiv ^{ns} .	Ther.	d. h.	m. :		43°1	75·4	Ther.	ScDiv ^{ns} .	Ther.	M. Gött	. Time.	De	cl.	Hor. Fo	orce.	Vert. F	orce.
	17 0 18 0		47·0 46·1	78·5 79·0	66 66			17 18	0 0		42.3	76.9	66	133			m. s.	1000		ScDiv ^{ns} .	Ther.	SeDiv ^{ns} .	Ther.
1	19 0 20 0	0	45·8 43·4	80.0	66 66			19 20	0 ()	40.1	79.5	65	100		2 12 13	0 0	62		48.8	56	80.9	56
	21 0	0	43.1	78.9	66 67			21 22	0 ()	40.0	78.3	65 66			14 15	0 0	73		45.5	58	79.0	58
1	23 0	0	44.9	65.9	67			23	0 (100	41.8	75.1	66			16 17	0 0	85 88	.0	50·5 55·6	60	76·0 73·1	59
3	1 0	0	47.4	69.4	68 68	163		- Charles	-					0 0 7		18	0 0	88	8	52·1 52·3	61	77-1	60
1	3 0	0	50.4	61.0	69 69			VAN I) IEME	N J	Decl. 1	Scale I	Divisio	a = 0'	71	20	0 0	82	.3	52.7	62	72.7	61
١	4 0 5 0	170	45.9	56.6	69 69			IsL	AND	1	V. F.		;	q =		21 22	0 0	100000	.0	50.8	61	76.6	61
1	6 0		40.2	53·1 61·2	69 69			CENT IN		1	Extra of	oservatio	ns.			3 0	0 0	69	.4	45.9	61	77.1	60
ı	8 0	0	44.9	59.8	68 68			The V		s ob	served at	2m. 30*. h	efore,	and the H	F.	1 2	0 0	73 65	1 500	47.9	60	78.6	59
-	10 0	0	44.5	64.0	68 68	-			2	m. 30	0°, after t	he times s	pecifie	d.		3 4	0 0		.0	45·4 45·3	60	63.6	60
1	12 0	0	43.4	69.0	67		-		15 (48.9		60	00.0	59	5 6	0 0		.9	48.3	60	65.2	59
ı	13 0 14 0	0	52·5 42·4	68·8 67·0	67 67			20 8	20 (25 (0	48.9	50.5		63.2		7	0 0	70	.1	47.2	58	71.0	1
	15 0 16 0		41.6	68.5	66				30 (50.0	53.5		62.1		8 9	0 0	66	.5	48.2		77.5	57
1	17 0 18 0		41.0	71.6	66				40 (45 (52.6	51.9		58.0		10 11	0 0	64	.8	45.8	57	77.4	56
1	19 0 20 0	9. 37.1	39.1	73.5	66				50 (555	50.7	43.9	60	57.9	59	12 13	0 0	64	.3	43.5	58	79.4	57
1	21 0	0	38.1	71·2 68·7	66 67				15 ()	55·2 56·5	44.9	00	70.9	33	14 15	0 0	73 80		45.3	61	75.3	59
L	23 0	0	42.0	66.5	67				25 (57.9					16 17	0 0	83	6	48.3	62	72.4	61
14	1 0	0	43.1	60.8	68 68				30 (0	58.4	45.0		71.6		18 19	0 0	83		49.5	64	72.6	62
	3 0	0	45·0 56·4	65.1	68				40 (58.1	44.9		71.6		20	0 0	77	.3	47.8	64	71.8	62
1	4 0 5 0	0.0	44.8	63.8	68 69				50 (55 (- 41	58.3	45.0		71.6		21 22	0 0	76	.6	47.8	64	74.3	61
1	6 0		42.4	63·2 64·8	69 68			4	5 (58.0	45.0	60	71.7	60	23 4 0	0 0	0.00	.7	51.7	62	68.6	60
1	8 0		39.8	66.8	68 67				15 (20 (0	58·0 58·1	44.9		71.9		1 2	0 0	68	1000	46.4	61	76.4	59
1	10 0	0 (44.2	67·8 72·1	67				25 (0	57·3 57·7	46.7		71.6		Mea	n Positi	ons at t	the sa	me hours	during	the Mont	th.
1-			10 5	12 1	01				35 (0	58.3	48.1		66.6		0	0 0	1	.2	47.9	65	69.0	63
1	Mean P	Position	s at the sa	me hours	during	the Mont	h.		45 (0	59.3					1	0 0	74	.0	48.3	63	69.8	
		0 0	45.0	74.6	66				55 (0 0	59.7	49.0		66.6		3	0 0	72	.0	48.2		70.6	62
1		0 0	46.6	73.6	67 67			5		0	58.4	48.9	60	65.2	60	4 5	0 0	72	-4	48.9	62	71.8	61
1		0 0	46.5	70.8	68 68					0	58·4 58·3	48.0		65.2		6 7	0 0		.3	49.6	60	74.4	59
1	5 (0 0	45·0 44·4	69.8	68 68		1		25	0	58·7 59·7	47.6		68.7		8 9	0 0	1000	.5	49.6	60	75.5	58
1	7 (0 0	44.8	68.6	68 67	1			35	0	61.2	47.7		70.0		10 11	0 0	69	.0	49.3	59	75.0	58
-	9 (0 0	44.6	69.4	67				45	0	65 3	111				12 13	0 0	67		46.7	61	73.8	60
1	11	0 0	44.7	71.0	67				55	0	68.9		00	71.6		14	0 0	74	.4	45.2	63	71.7	63
1	13	0 0	45.6	73.6	66			6	15	0	72.6	47.1	60		59	15 16	0 0	82	.0	45.7	66	68.1	64
1		0 0	44.1	73.9	66					0	72.7	46.7		71.7		17 18	0 0		.7	48.1	67	66.7	65
-						1			Satur	day	midnigh	t at Van I	Diemer	Island.							10	CHI SIT	

DECE	MBER 2	, 3, and	4, 18	41.				D ECEMB	ER 8, 18	841.]	Десемв	ER 8, 18	841.		
M. Gött, Time.	Decl.	Hor. I	Porce.	Vert. I	orce.	M. Gött. T	ime.	Decl.	Hor. F	orce.	Vert. F	orce.	M. Göt	t. Tim	-	Decl.	Hor. F		Vert.	Force.
d. h. m. s.	SeDiv ^{ns} .	SeDiv ^{ns} .	Ther.	SeDivns,	Ther.	d. h. m.	8.	Sc. Divas.		lane of	ScDivas.	1	d. h.	m.		Se. Div ^{ns} .		1	SeDivas	
19 0 0	82.0	48.3	0	65.5	0,	8 6 20	0		34.0	0	54.3	0	8 10		0	47.0	39.6	81	CC. DI	0
20 0 0	80.0	47.7	68	65.5	66	25	0	pa lan	33.8		, 11		11	0 (0	48.2	40.3	81	1	1
22 0 0	76.6	47.3	67	67.0	65	30 35	0		34.0	19 11			12		0	48.9	43.8	81	1 9	1
23 0 0	75.9	47.8		67.6		40	0		34.7				16		0	48.9	48.6	79	100	1
	Decesso	ER 8, 1	241	1 1		45 50	0		34.8				17 18		0	49.0	48.1	79 79		1
-14 (1) 1 ·	DECEME	ER 0, 1	041.			55 7 0	0		34.9	68			19 20		0	49.2	47:5	79		19 3
				= 0'.7		5	0		32.0	08			21		0	48.8	48.6	79		
TORONTO I	1. F. k =	= :00000	76; q	=.000	2 18	10 15	0	100	34.9		53.6		- 22 23		0	48.3	50.2	81		-
Positions :			-			20	0		35.0		52.1		20	0		40 0	49.7	80		
25 11 11 12		ember 8.		R. H. H		25 30	0		32.0		51.2		Mean	Posit		at the sa			he 5th to	the
8 0 0 0	68.4	79.4	43	54.6	44	35	0	100	35.2		31 2				1:	2th Decer	nber inch	usive.		
2 0 0	58·2 41·2	82.0	42	57.2	43	40 45	0		35.3		51.2		0	0 (0	48.6	57.7	81	1	
6 0 0	42.8	23·7 35·2	44 45	56.5	44 45	50	0		36.1		51.2		1		0	48.2	56.9	81		
8 0 0	44.8	58.1	46	62.2	45	55	0		36.5				2 3		0	46.4	54·9 52·3	81		
12 0 0	59.8	73.0	46 46	58.4	46 46	Positi	ions a	t the usua		of obs	ervation,		4		0	46.7	47.3	82		
14 0 0 16 0 0	61.3	67.0	47 47	55·2 54·5	47			Dec	ember 8.				5 6		0	46.6	45.6	82 82		
18 0 0	56.0	70.0	47	55.5	47	8 0 0	0		55.2	67	53:1	66	7	0 0	200	47:4	45.8	81		
20 0 0	58.5	69·9 70·4	47 48	54·4 53·3	47 48	2 0 3 0	0		49.7	67	53.0	67	8 9	0 0	0	47.7	46.0	81		
1000000000			999			4 0	0		38.4	68	54.9	67	10	0 0		48.8	47.0	80		
The Mean Positio	ons at the	same hou in page 1	rs duri	ng the Mo	nth,	5 0 6 0	0		36.0	67	53.5	67	11 12	0 0	300	48.6	47·8 47·6	80		
	0.00	18.			-	8 0	0		36.0	68	52.0	67	13 14	0 0		48.6	48·3 49·0	80		
The second secon				$q = 0' \cdot 00$		10 0 11 0	0		39.6	67	52.2	66	15	0 (- 11	49.6	48.8	80		
		= .000			025	12 0	0		46.1	67	51.5	66	16 17	0 (49.4	49.0	80 80		
50 him 1	Extra ol	oservatio	ns.			13 0 14 0	0		49.0	66	51.2	65	18	0 (49.3	49.0	80		
The V. F. was obse	rved at 2	n. 30°, bef	ore the	times spec	ified.	15 0	0		52.3	66	51.1	65	19 20	0 (49.3	49·2 50·6	80 79		1
8 4 10 0		39.4	68			16 0 18 0	0		52·5 52·1	66	50.8	65 65	21	0 ()	49.0	51.6	79		
15 0 20 0		39.5		55.1	67	19 30 20 0	0		52·2 52·9	66 66	50.0	65 65	22 23	0 (N 11	49.0	53.6	80		
25 0	0111	39.2			01	20 30	0		53.2	66	48.2	65	20		1	10 0	0, 0		_	
30 0 35 0		38.1		55.0		22 0 23 0	0		56·0 57·0	66 66	48.1	65 65			0	Decl. 1	Scale D	ivisio	n = 0	7.75
40 0		37.6		54.3			-						GOOD		. (H. F. k	= .0	0018	; q =	
45 0		37.2		54.0		The Mean P	ositio	ons of the H	I. F. mag given und	netome er date	ters at the December	same r 14.			1	V. F. k				
55 0	PI	36.2	-									-		Positio	ns a	t the usua Dece	al hours o mber 8.	f obser	rvation,	
5 0 0	0 1	36.0	68	53.5	67	ISLAND OF						98								
10 0	1 1 2	35.9	1	53.7		ASCENSION			A W				8 0	0 0		45.0	74.7		138.8	64
15 0 20 0		35.9		53.7		Posit	ions a	at the usua Dece	mber 8.	obser	vation,		2	0 0	00 110	46.8	74·8 68·2	65 65	146.3	65
25 0	0 1	35.2	-	700		0 0 0	0	10.0	47.0	00			3	0 0		45.4	61.2	65		1
30 0		35.1		53.3		8 0 0	0	48.3	47·9 51·0	82 82			5	0 0		43.1	57·8 54·1	66	182.6	65
40 0		34.6		54.6	10 /	2 0	0	46.8	46.2	82			6	0 0		44.5	53.0	66 66	172.0	65
45 0 50 0	112	34.8		54.6		3 0 4 0	0	46.0	39.9	82			7 8	0 0		44.4	57.7	66	156.2	65
55 0 6 0 0	1 5	34.8	68	54.2	67	5 0 6 0	0	45.0	35.7	82			9	0 0	- 11	44.4	66.0	65 65	148.6	65
5 0	0 19-	34.4	00	34 2	01	7 0	0	46.2	36.0	81			11	0 0		45.0	70.2	65		
10 0 15 0		34.2		54.4		8 0 9 0	0	47.1	36.7	80 81			12 13	0 0		45.5	73.0	64 64	126.3	64
.0 4		30 3				0	~	11 1	0,0				10	0				-		
* The Decl. ma	agnet was	not in ad	justme	nt at St. H	lelena,	on December	8th.				tions mad with We						Comman	ding F	I.M. Steam	mer

December 8, 1841.					December 8, 1841.							· Dесемвек 14, 1841.						
		r. Force.	Vert. F	отсе	M. Gott.	Pima	Decl.	Hor. F		Vert. F	0700	M. Gött. Time.	Decl.			Vert. Force.		
						-									100			
	Div ¹⁰⁸ . ScDi	0	SeDiv ^{ns} .	Ther.	d. h. n		ScDiv ^{ns} .		Ther.	SeDivas.	Ther.	d. h. m. s.		ScDivas.	Ther.	SeDiva.	Ther.	
	2.0 78		133 8	0.4	8 6 50		60.3	43.1	65	62.0	65	14 13 5 0	58.3	38.9		51.7	11	
	1.1 78	100	142.7	63	15	0	59.7					15 0	58.7	38.2		51.3	CI .	
7.00	9·8 78· 8·8 78·		155.4	63	20		60.8	44.2		60.7	100	20 0 25 0	58.3	37.7		51.4	EL G	
19 0 0 37	77 77	6 63			30		62.5	44.2		62.7		30 0	60.2	35.4		51.7	11	
	3·0 76· 9·3 77·		155.3	63	35		63.6	44.3		62.7		35 0 40 0	60.0	43.1	1300	51.6	OT .	
22 0 0 42	2.1 77.		107.0	63	43		62.9	44 3		02 1		45 0	61.3	49.5		52.4	ei	
23 0 0 45	5.1 77.	6 64			50		63.1	44.1		62.7		50 0 55 0	59·9 62·3	48.8		50.5	200	
The Mean Positions	at the same given in pa		ng the Mo	nth	55							Positions at the		46.6	ention	A9·5	14	
are	given in pa	ige 10.s.	- Inches		Positions	at the	usual hou	rs of obser	vation,	Decembe	r 8,							
	cl. 1 Scale			71	8 0 0		67:4	43.3	69	67.8	66	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	58.9	80.1	47	51.7	48	
Ler in SH.	F. k = F. k =		q = q = q = q		1 0 2 0		65.7	46.0	67	63.0	65	4 0 0	59.8	80.2	48	50.2	48	
			1-		3 0	0	57.7	45.1		58.8	0.00	6 0 0 8 0 0	53.4	66.5	49 50	49.6	49	
The V. F. was observ	tra observa ved at 2 ^m , 3		and the H	F.	4 0 5 0		65·2 52·5	41.4	67	57.1	66	10 0 0	49.7	49.1	50	55.1	50	
	after the tin				6 0	0	53.0	42.1	66	56.1	65	12 0 0 14 0 0	89.3	09.2	49 51	67.9	49 50	
8 2 15 0 61	.0	67		65	7 0	100	61.7	43.8	65	61.6	64	16 0 0	57.4	46.1	50	46.3	50	
	6 41.		65.2	00	9 0		66.1	44.7	03	65.0	UI	18 0 0 20 0 0	56.7	60.7	50	49.3	50	
700 1000	8 42	.0	65.7		10 0	00000000	68.3	42.4	66	67.8	64	20 0 0 22 0 0	56.9	58.0	50 49	51.4	50 50	
700 000	3.3	-	03 .		12 0	1 1 1 1 1 1 1 1 1 1	63.9	40.5	66	67.9	64	The Mean Positi	ions at the	same hon	ne dovi	no the Me	anth	
	6.0 43.	.8	64.1		13 0 14 0		68·0 72·6	39.8	66	65·9 66·7	64	The Mean Tosin		in page l		ng the Mi	Juni	
	1.7 42.	.5	62.6		15 0		79.0	43.6		65.8			Decl. 1	Scale I	Divisio	on = 0'	71	
77 7 1077	2 45	6 67	58.0	66	16 0 17 0		82.4	44.9	66	66.0	65	ST. HELENA	The second second second	k = .000		q = .00	0025	
	0.3 45.		58.4		18 0		84.7	48.0	66	67:4	65	Positions at the				The state of the s	-14	
70 0 0	0.3 45.	.9	30.4		19 0 20 0		82.3	47.3	67	64.6	65						1	
200 200 200	3.7 46.	.9	62.2		21 0	500	76.0	46.7	00	67.4		14 0 0 0 0 2 0 0	19.0	61.5	68	47.6	66	
	0.3 45.	.5	59.8		22 0	7000	75.0	47.6	66	68.3	64	3 0 0	20.0	59.0	68	48.4	67	
	1.5									1 1	-	4 0 0 5 0 0	18.1	56.9	68	47.6	67	
	5 0 43 · 5 2 39 ·	The second second	55.2	66	The Mea	n Posit		same hou in page l		ng the Mo	onth	6 0 0	17.8	51.5	68	48.0	67	
15 0 62	2.6		*0.0									8 0 0	17.1	42.0	67 67	47.9	67	
7000 1000 1000	0.1 37.	4	59.9			I	ECEMBE:	R 14, 18	41.			11 0 0	15.1	39.1	67	47.9	66	
30 0 55	39	.3	59.9			(T	lack 1 C	cale Div	icion .	- 0/-70		12 0 0 13 0 0	19.9	49.5	67 66	48.9	66	
THE RESERVE AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IN COLUMN TO ADDRESS OF THE PERSON NAMED IN COLUMN TWO I	3.2 40.	.3	58.8		TORONTO	\ E	I. F. k =	.00007	6; 9:	= .000:	2	13 0 0 14 0 0	15.7	47.0	66	48.2	65	
45 0 52	8.8							.00009				15 0 0	15.1	48.1	66 66	48.2	66	
THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	2.5 42.	.3 66	56.6	66			Extra o	bservatio	ns.			16 0 0 18 0 0	14.0	49·2 50·0	66	48.2	65	
20 0 52	2.1 43.		52.2	0.0	The V		as observed	d at 1=. 30	, befor			19 30 0	16.8	51.1	66	47.9	65	
700	0.6					H. F.	2m, after	the times	pecifie	d.		20 0 0 0 20 30 0	15.0	51.8	66	47.5	65 65	
40 0 51	3 42	-1	53.4	1	14 12 10		63.1	19.5	49	62.2	49	22 0 0	15.1	55.7	66	46.5	65	
The state of the s	2.0	.3	55.2		15 20		59.3	27·1 35·6		63.1		23 0 0	16.9	58.0	66	46.6	66	
6 10 0 54	1.8 41.		00 2	65	25 0 49.9 41.0 61.4							Mean Positions at the same hours during the Month. *						
	5.4 41.	-1	59.6		30 35		49.3	42.0		59·0 57·9		0 0 0	19.6	60.1	66	0 19		
25 0 57	1.6		2000		40	0	55.6	45.1		56.1		2 0 0	20.0	56.5	67		1	
THE R. LEWIS CO., LANSING, MICH. 49, 100, 100, 100, 100, 100, 100, 100, 10	3.5 41.	.7	61.5		45 50		57.1	43.9	1	54.4		3 0 0 4 0 0	19.3	55·5 54·0	68 68	14 63	7	
40 0 60	0.5 42.	.5	62.0		55	0	60.3	44.7	1	52.3		5 0 0	18.0	52.2	68	YIK	6	
45 0 60)·4				13 0	0	59.1	42.8	51	52.2	51	6 0 0	18.5	50.7	68	0 0	07.5	
		-			-					-F3780			100	SERVICE B	300	1 3	13	

a The Mean Positions of the Decl. magnet are from the 10th to 31st December, inclusive; those of the H. F. magnet from the 4th to the 31st inclusive.

December 14, 1841.						December 14, 1841.								DECEMBER 30 and 31, 1841.							
M. Gött. Time.	Decl. H	Hor, Force. Vert, Force.			M. Gött	. Tim	ne.	Decl.	Hor. Fo	rce.	Vert. Fo	orce.	M.	Gött. Time.	Decl.	Hor. Fo	orce.	Vert. Fo	orce.		
The second secon		-Div ^{ns} . Ther	ScDivas. Th	er.	d. h.	m.		SeDiv ^{ns} .			SeDiv ^{ns} .	Ther.	d.	h. m. s.	Se -Div ^{ns} .	ScDivas.	Ther.	Se -Div ^{ns} .	Ther.		
		9.6 67		°	14 12		0	69.5	43.9	64	61.8	$ \stackrel{\circ}{64} $	30		19.0	44.0	0	31.6	0		
		0.0 67 0.4 66		1	13 14		0	67.8	43.0	68	56.6	68		35 0 40 0	18.3	42.0		36.2			
		1·9 66 1·7 66		1	15 16		0	78.3	46.0	72	56.0	70		45 0 50 0	18.0	39-9	-	36.2			
14 0 0 1	9.7 52	2·1 66 2·8 66		1	17 18	0	0	82·2 79·8	47·2 47·0	75	54.7	72		55 0 6 0 0	17.5	37.9	67	36.2	67		
16 0 0 1	9.1 53	3.3 66		1	19	0	0	78.7	44.4		54.2	77/20		5 0	18.2		01		0,		
	272	3·8 65 5·0 65		1	20 21		0	78.4	42.7	76	56.8	73		10 0 15 0	18·2 17·9	37.2		36.2			
		5·7 65 6·4 65		1	22 23		0	76.5	41.0	74	59.0	72		20 0 25 0	17.9	37.9		36.2			
22 0 0 1	6.8 58	8·5 65 0·0 66		ŀ				1		e dori	ng the Mo	onth		30 0 35 0	18.0	39.9		36.2			
25 0 0 1	0 3 0	0 0 00		-	The Me	an r	OSILI	are given	in page	102.	ng the Mo	ana,		40 0	18.0	40.5		36.0			
CAPE OF)			$ \sin = 0.7 $ $ 3; q = 000 $			I	DECI	EMBER 3	0 and 3	1, 18	11.	1		45 0 50 0	18.1	40.5		36 0	100		
		= .00003			-							-		55 0 7 0 0	18.1	40.0	67	36.0	67		
Positions at the usua	l bours of	observation	, December 14	1.	Toro	NTO					= 0000			5 0 10 0	18.9	38.5		36.4			
		8.2 65	117.8 6	5	13	110					= .000			15 0	18.9			Taurana I			
		9.2 66	109.5 6	6	1	Positi	ons :		er 30 and		ervation,			20 0 25 0	19.0	36.5		36.4			
7 100 700 1 70 1 10	7.1 7	6.0 66	119.2 6	6	30 0	0	0	59.3	112.8	40	58.2	41		30 0 35 0	19.0	35.0		36.4			
5 0 0 4	5.1 7	2.1 67			2	0	0	41.4	83.3	40	57.9	41		40 0 45 0	18.0	34.0		36.5			
7 0 0 4	2.1 6	6.7 66		6	4 6		0	50·8 36·8	109.4	41 43	54.6	40 41		50 0	18.1	33.1		36.4			
		32·4 66 39·4 66	167.5 6	66	8 10		0	41.5	55·7 66·9	44	61.9	43		55 0 8 0 0	18·7 19·0	34.0	67	36.2	66		
The state of the s	000 0000	8.6 66	141.5 6	55	12 14	0	0	56.0	47·2 63·9	44 44	65·2 62·4	43		5 0 10 0	19.1	35.9		35.7			
12 0 0 4	3.1 8	80.0 65	89.6	55	16	0	0	60.9	71.5	43	56.8	43		15 0 20 0	19.1	37.0		35.5			
14 0 0 3	19.0 7	0.9 65 2.0 65		34	18 20	0	0	58.4	66.0	43	56·0 52·0	43		25 0	19.2						
The second secon		$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	CHARLES CO.	64	22 31 0	0	0	60.6	73·0 85·9	43 42	54.1	43		30 0 35 0	19.0	38.8		35.5			
VEIST (8)		74·9 64 76·7 64	The second secon	64	2 4	0	0	54·7 61·8	82.5	41	57·7 59·2	42		40 0 45 0	18.8	39.1		35.5			
19 0 0 3	37.6 7	77·5 64 76·5 64		64	6	0	0	55.0	81·5 57·5	41	60.7	41		50 0 55 0	18.8	40.1		35.7			
21 0 0 3	39.0 7	75.5 65			8 10	0	0	54.4	80.2	40	63.6	41 40		9 0 0	19.1	41.6	67	35.6	66		
CONTRACTOR OF THE PARTY OF THE		70·7 65 59·0 66	THE RESERVE TO BE A SECOND TO SECOND THE PERSON OF THE PER	55	12 14	0	0	59.6	93 · 1	39	62.3	40		5 0 10 0	19.4	43.2		36.8			
The Mean Position	is at the say	me hours de	ring the Mont	h.	16 18	0	0	60.2	92.8	38	61.0	40 39		15 0 20 0	19.2	44.0		36.6			
	given in]				20	0	0	60.0	88.9	37	59.1	39		25 0 30 0		44.0		35.8			
			ion = 0'.7	1	22	0	0	50.2	80.9	37	53.5	39		35 0 40 0	19.9	44.0		36.7			
Ter in St	$\begin{array}{l} \mathbf{I}. \ \mathbf{F}. \ k = \\ \mathbf{F}. \ k = \\ \end{array}$	= '0003	q = q = q = q		The M	ean I	Posit		same hou in page		ring the M	onth,		45 0	20.0						
Positions at the usu	al hours of		10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14.	Treas.		-	Decl 1	Scale Di	vision	= 0'.7	1		50 0 55 0	20.0	43.0		36.7	1		
		48.7 67	65.2	65	ST. HE	LEN	A I	H. F. k	= .000	19;	= .000			10 0 0 5 0		43.0	67	36.6	66		
E 0 1000 100 100 100		50·0 49·4 65	64.9	64			(= ·000		=		-	10 0 15 0	19.9	43.0		37.4			
3 0 0	59.7 4	49.5	67.0	62	AThe V			observed a	t 2m. 30°.	before,	and the F	I. F.	1	20 0	20.0	44.0		37.1			
5 0 0	76.1 5	51.6	71.4			3	- 3	II	the times	1	ed.	1	1	25 0 30 0	20.0	44.0		36.3			
7 0 0	76.6 5	50.5 61	74.8	60	30 5	0 5	0	19.5	48.1	67				35 0 40 0	100000000000000000000000000000000000000	43.9		Vibra.			
		51.4 59	80.0	57	1 3	10 15	0	19.0	46.8		36.0	67		45 0 50 0	MACE CO E	44.0		35.3			
10 0 0	71.5 4	48.7 60		58		20 25	0	19.0	45.1		36.1			55 0 11 0 0	20.0	45.0	66	35.3	66		
			000		A Green	20	0	150					1	11 0 0	20 0	13 0	00	33 3	00		

DECEMBER 30 and 31, 1841.					DECEMBER 30 and 31, 1841.								Dесемвек 30 and 31, 1841.								
M. Gött, Time.	Decl.	Hor. Fo	rce.	Vert. F	orce.	M. Gött	. Time	. 1	Decl.	Hor. Fe	orce.	Vert. Fo	тсе.	M. Gött	. Time		Decl.	Hor. Fe	orce.	Vert. F	orce.
d. h. m. s.	SeDiv ^{ns} .	SeDiv ^{ns} .	Ther.	ScDivns.	Ther.	d. h.	m.	s. Sc.	Div ^{ns} .	ScDiv ^{ns} .	Ther.	ScDivas.	Ther.	d. h.	m. 1	. 8	Se. Divas.	SeDivns.	Ther.	SeDivns.	Ther.
30 11 5 0	19.9	-	010	07.0	08	30 15	0 (18.3	48.6	66	35.9	65	8	0 0		55.5	72.2	81	0 10	0
10 0 15 0	19.8	45.5	Fil	35.3		16 18	0 0		18.6	49·9 50·6	66 65	35.5	65 65	9	0 0		56.6	73.0	81	330	1
20 0 25 0	19.0	46.0		35.4		19 20	0 (201 12	17.8	51.5	65 65	35.7	65 65	11 12	0 0	2011	57·6 57·5	74.4	81 81		
30 0	19.0	46.5	MI.	35.4		20	30 (0 1	16.0	51.8	65	35.9	64	13	0 0		57.7	73.4	81		-36
35 0 40 0	18.9	46.2		35.2	* /	22 23	0 0		14.2	54.1	65 65	35.8	65 65		200	- 11	7	0 1			Lab.
45 0	18.9	20/00				31 0	0 (0 1	17.9	53.8	65	36.5	65	CAPI		1				q = 0	
50 0 55 0	18.6	45.5		34.8		2 3	0 0		16.9	50.9	66 66	37.8	66	Good		1	V. F.	k = .00	0035	; q =	
12 0 0 5 0	18.6	45.7	66	35.1	66	4 5	0 0	300	18.6	51.0	68 67	37.6	67		Positio		t the usu Decembe	r 30 and		rvation,	
10 0	18.6	45.9		35.5		6	0 (0 1	19.0	48.5	68	37.5	67	30 0	0 0		50.8	84.9	68	49.9	68
15 0 20 0	18.1	46.0		35.2		8 10	0 (27	20.0	50.9	67	36.3	67	1	0 ()	53.7	81.5	68		
25 0	18.0					11	0 (0 1	19.7	53 9	67	36.3	66	2 3	0 0		50.2	72·3 69·2	69 69	102.1	68
30 0 35 0	18.0	46.0	11.5	34.8		12 13	0 0	0 1	19·6 19·7	53.2	66 66	35.6	66 66	4 5	0 0		49.2	73·0 66·5	69 69	103.7	69
40 0 45 0	17·9 17·9	45.9		34.6		14 15	0 0		19·8 19·9	53.4	66	35.3	65	6	0 ()	46.2	51.5	69	152.6	69
50 0	17.9	46.1		34.5		16	0 (0 1	19.8	55.2	65	34.9	65	7 8	0 (44.0	55.0	69	155.6	68
55 0 13 0 0	17.9	46.9	66	34.5	66	18 19	0 (18.3	57·2 56·9	65	34.8	64	9	0 (41.0	63.6	68 68	119.4	68
5 0	17.8					20 20			15.0	57·9 58·8	65	34.6	64	11		5	43.0	66.2	68	1000	
10 0 15 0	17.8	46.1		35.6		22	0	0 1	11.9	59.5	65	Vibra.		12 13	0 (3	40.8	68.1	68	119.5	68
20 0 25 0	16.6	45.2		34.6		23	0	0 1	12.8	58.8	65	33.9	65	14	0 (41.8	66.3	68	113.2	67
30 0	16.9	46.0		35.8		The M	ean P					ing the M	onth	15 16		3	42.0	69.0	68	106.9	67
35 0 40 0	16.7	46.2		35.8				ar	re giver	in page 1	.04.	H H I		17 18			42.1	70.0	67	111.7	67
45 0 50 0	17·1 17·6	46.8		36.8		ISLA	D OF	, (I	Decl. 1	Scale D	ivisio	n = 3'	00	19	0 (40.0	72.1	67	10000000	1000
55 0	17.8									k = .0				20 21		3	38.0	72.7.	67	124.2	67
14 0 0 5 0	17.9	47.0	66	36.8	65	Positio	ns at tl	be usu	ual hou	rs of obser	vation,	Decembe	г 30.	22	0 (0	39.0	72.9	67	115.8	67
10 0	18.0	47.0		36.8		20.0	0	. .	FO. F	82.4	00	I		23 31 0		0	39.9	73.4	67	94.3	66
15 0 20 0	18.1	47.1		35.8		30 0			52.5	83.4	82 82			1 2		0	43.0	72.1	68	97.8	68
25 0 30 0	18.1	47.7		Vibra.		2 3			51.5	78.5	82 82			3	0 (0	44.0	71.2	68	1	
35 0	18.1					4	0	0 5	52.6	74.0	82			5		0	43.5	71·0 68·9	69	96.8	68
40 0 45 0	18.2	48.0		35.9		6			52·6 53·2	72·1 67·6	82	1 9 1		6	0 (0	42·0 42·7	65.5	70	109.1	69
50 0	18.2	48.0		35.9		7 8		800 11 15	55·0 56·8	68.9	80 80	1 3 3		8		0	43.5	67.4	70	98.7	69
55 0	18.2					9	0	0 :	58.8	70.0	80			9		0	44.2	69·2 73·1	69	103.6	68
Position	s at the us			rvation,		10		000	58·6 59·1	69.9	79	100		11	0 (0	44.2	72.7	68		200
to the man	Decemb	er 30 and	31.	5 95		12	0	5001	59.0	70.0	79	11.103	1	12 13		0	44.5	71.8	68	100.6	68
30 0 0 0	19.9	72.7	65	32.8	65	13	0	0 5	58.3	70.0	79			14 15	0 (0	44·0 44·1	71.8	67	107·7 102·1	67
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	24.0	60·0 57·0	66	34.3	65 66	Mean	Positi			ne hours f 30, inclus		ecember 2	4 to	16	0 (0	44.6	74.9	67	100.2	67
4 0 0	18.2	56.3	67	34.7	67		0	11	20000	II .			1	17 18		0	43.8	76.3	66	100.8	66
5 0 0 6 0 0	19.5	48·1 37·9	67	36.0	67 67	0	0	0 :	55.3	76.6	82 82			19	0 ()	41.7	79.3	66	106.9	66
8 0 0 10 0 0	19.0	34·0 43·0	67 67	36.2	66 66	2 3		80.00	54·1 53·5	74·0 74·2	83 82	277.1	1	20 21			39.8	80.8	66	107.4	66
11 0 0	20.0	45.0	66	35.3	66	4	0	0 :	53.3	75.1	82			22 23			39.1	74.2	66	84.8	67
12 0 0 13 0 0	18.6	45.7	66	35.1	66	5 6		990	53·2 53·4	74.0	82 82	1 7									
14 0 0	17.9	47.0	66	36.8	65	7		0 3	54.6	72.3	81	1 31		I be M	ean P			in page 1		ring the M	onen
	* Observations made by Captain William Allen, R.N., Commanding H.M. Steamer Wilberforce, with Weber's transportable magnetometer.																				

DECEMBER 30 and 31, 1841.	DECEMBER 30 and 31, 1841.	DECEMBER 30 and 31, 1841.						
VAN DIEMEN (Decl. 1 Scale Division = 0'.71	M. Gött, Time. Decl. Hor. Force. Vert. Force.	The Mean Positions corresponding to the position of the H. F. and V. F., namely, from 30 ⁴ , 0 ^h , to 30 ⁴ , 12 ^h , are						
ISLAND H. F. k = '0003; q = V. F. k = '; q =	d. h. m. s. ScDivas, ScDivas, Ther. ScDivas, Ther.	given in page 102; the Mean Positions corresponding to the						
Extra observations.	30 3 0 0 54.6 46.3 67.3	observations of the three instruments from 31 ^d , 2 ^h , to 31 ^d , 23 ^h ,, are those of the Month of January 1842, and are as						
The V. F. was observed at 2 ^m , 30°, before, and the H. F.	4 0 0 58.5 45.5 64 68.1 63	follows:						
2m. 30°, after the times specified."	5 0 0 59.5 45.3 67.2	M. Gött, Time, Decl. Hor. Force, Vert. Force.						
	6 0 6 58.0 45.9 63 65.4 62	M. Gött, Time. Decl. Hor. Force. Vert. Force.						
M. Gött. Time. Decl. Hor. Force. Vert. Force.	7 0 0 58·0 47·0 65·9 8 0 0 58·4 42·5 62 70·1 60	d. h. m. s. ScDivas, ScDivas, Ther. ScDivas, Ther.						
d. h. m. s. ScDivas, ScDivas, Ther. ScDivas, Ther.		0 0 0 75.7 54.2 68 62.3 66						
0 0	10 0 0 58.4 43.5 61 71.7 59	1 0 0 74.6 54.4 63.6						
30 2 15 0 51·2 20 0 50·4 49·3 63 61·8 62	11 0 0 56.2 43.5 72.5	2 0 0 74.2 44.1 66 64.8 64						
25 0 50.3 4 49.3 63 61.8 62	12 0 0 60.4 43.1 60 76.6 59	3 0 0 73.9 54.5 66.0						
30 0 51.5 47.9 62.2	31 2 0 0 90.0 52.5 62 68.8 61	4 0 0 73.6 55.2 64 69.0 63						
35 0 53.0	3 0 0 88.3 53.4 70.7	5 0 0 73.6 55.5 67.8 6 0 0 73.7 56.1 63 68.1 62						
40 0 53.5 46.0 64.8	4 0 0 89·5 53·9 63 71·8 62 5 0 0 88·6 54·5 72·2	6 0 0 73.7 56.1 63 68.1 62 7 0 0 73.8 55.9 69.1						
45 0 53.2	5 0 0 88.6 54.5 72.2 60 6 0 92.3 56.7 60 72.7 60	8 0 0 72.3 56.3 62 70.8 60						
50 0 52.6 45.8 66.2	7 0 0 94.0 56.6 72.4	9 0 0 70.9 56.3 70.3						
3 10 0 57·0 46·9 64 15 0 58·3 46·9	8 0 0 90.4 54.8 60 75.1 59	10 0 0 68.7 55.7 61 70.1 61						
15 0 58·3 20 0 58·6 47·1 69·0 63	9 0 0 87.6 54.2 74.4	11 0 0 67.9 55.0 69.2						
25 0 59.5	10 0 0 85.8 54.4 60 73.5 59	12 0 0 68.2 53.3 63 68.1 62						
30 0 59.4 48.4 69.0	11 0 0 85.7 52.3 69.6	13 0 0 70.7 52.2 67.9						
35 0 59.4	12 0 0 52.1 63	14 0 0 74.1 51.9 66 66.3 65						
40 0 59.0 46.4 68.4	15 0 0 73·4 45·6 63·5 61 16 0 0 78·5 48·0 72 60·9 70	15 0 0 78·4 51·7 66 16 0 0 81·7 52·6 68 62·7 66						
45 0 59.0	17 0 0 80.9 45.4 61.9	17 0 0 82.3 53.1 61.1						
50 0 58.7 45.8 67.2	18 0 0 81.6 51.8 74 57.2 71	18 0 0 81.5 53.5 70 59.6 68						
55 0 58.9	19 0 0 81.4 53.2 59.6	19 0 0 80.3 53.5 58.7						
Positions at the usual hours of observation,	20 0 0 80.0 52.8 73 59.2 70	20 0 0 79.1 53.5 71 58.8 68						
December 30 and 31.	21 0 0 79.1 54.4 59.2	21 0 0 77.7 53.2 59.4						
30 0 0 0 69.8 47.3 64 67.3 62	22 0 0 77.7 54.9 71 58.1 69	22 0 0 76·6 52·9 70 60·1 68 23 0 0 76·3 53·9 61·3						
30 0 0 0 69.8 47.3 64 67.3 62 1 0 0 68.9 47.0 68.8	23 0 0 69.2 51.3 61.4	23 0 0 76.3 53.9 61.3						
2 0 0 67.4 47.2 63 63.6 62								
000								

a The connexion of the Declination series appears to have been broken on the 28th of December, consequently the observations of that magnet from 30^4 . 0^5 , to 30^4 . 12^5 , are not comparable with the mean positions given in page 102.

 $^{^{\}rm b}$ The connexion of the series was broken at $30^{\rm d},\,12^{\rm h},$ for the purpose of making the usual monthy determinations of the magnetic moments of the bars.

