

**A continuation of facts and observations relative to the variolae vaccinae,
or cow pox / by Edward Jenner.**

Contributors

Jenner, Edward, 1749-1823.

Publication/Creation

London : Printed, for the author, by Sampson Low ... and sold by Law ... and Murray and Highley ..., 1800.

Persistent URL

<https://wellcomecollection.org/works/a6a8tkf2>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



30394/C/1

Lefana 50

*My Hands
with the respects of
the Author*

A CONTINUATION OF
FACTS AND OBSERVATIONS
RELATIVE TO THE
VARIOLÆ VACCINÆ.

A COLLECTION OF

THE MOST INTERESTING

AND CURIOUS

RELATIONS OF

A
CONTINUATION
OF
FACTS AND OBSERVATIONS
RELATIVE TO THE
VARIOLÆ VACCINÆ,
OR
COW POX.

By EDWARD JENNER, M.D. F.R.S. F.L.S. &c.

London:
PRINTED, FOR THE AUTHOR,
BY SAMPSON LOW, N^o. 7, BERWICK STREET, SOHO:
AND SOLD BY LAW, AVE-MARIA LANE; AND MURRAY AND HIGHLEY, FLEET STREET.

1800.

CONTINUATION

FACTS AND OBSERVATIONS

RELATIVE TO THE

VARIOLAE VACCINAE



COW POX.

EDWARD JENNER, M.D. F.R.S. &c.

London:

PRINTED FOR THE AUTHOR,

BY JAMES JOHNSON, ST. PAULS CHURCH-YARD, LONDON.

1792.

A CONTINUATION OF

FACTS AND OBSERVATIONS,

&c. &c.

SINCE my former publications on the Vaccine Inoculation, I have had the satisfaction of seeing it extend very widely. Not only in this country is the subject pursued with ardour, but from my correspondence with many respectable medical gentlemen on the Continent, (among whom are *Dr. De Carro* of Vienna, and *Dr. Ballhorn* of Hanover) I find it is as warmly adopted abroad, where it has afforded the greatest satisfaction. I have

the

the pleasure too of seeing that the feeble efforts of a few individuals to depreciate the new practice, are sinking fast into contempt beneath the immense mass of evidence which has risen up in support of it.

Upwards of six thousand persons have now been inoculated with the virus of Cow Pox, and the far greater part of them have since been inoculated with that of Small Pox, and exposed to its infection in every rational way that could be devised, without effect.

It was very improbable that the investigation of a disease so analagous to the Small Pox, should go forward without engaging the attention of the Physician of the Small Pox Hospital in London.

Accordingly, Dr. Woodville, who fills that department with so much respectability, took an early opportunity of instituting an Inquiry into the nature of the Cow Pox. This Inquiry was began in the early part of the present year, and in May, Dr.

Woodville published the result, which differs essentially from mine in a point of much importance. It appears that three-fifths of the patients inoculated were affected with eruptions, for the most part so perfectly resembling the Small Pox, as not to be distinguished from them. On this subject it is necessary that I should make some comments.

When I consider that out of the great number of Cases of casual inoculation immediately from cows, which have from time to time presented themselves to my observation, and the many similar instances which have been communicated to me by medical gentlemen in this neighbourhood; when I consider too that the matter with which my inoculations were conducted in the years 1797, 98, and 99, was taken from different cows, and that in no instance any thing like a variolous pustule appeared, I cannot feel disposed to imagine that eruptions, similar to those described by Dr. Woodville, have ever been produced by the *pure uncontaminated Cow Pock virus*: on the contrary, I do suppose that those which the Doctor speaks of, originated in the action of variolous matter, which

which crept into the constitution with the vaccine. And this I presume happened from the inoculation of a great number of the patients with variolous matter (some on the third, others on the fifth day) after the vaccine had been applied; and it should be observed, that the matter thus propagated became the source of future inoculations in the hands of many medical gentlemen who appeared to have been previously unacquainted with the nature of the Cow Pox.

Another circumstance strongly, in my opinion, supporting this supposition, is the following: The Cow Pox has been known among our dairies time immemorial. If pustules then, like the variolous, were to follow the communication of it from the cow to the milker, would not such a fact have been known, and recorded at our farms? Yet, neither our farmers nor the medical people of the neighbourhood have noticed such an occurrence.

A few scattered pimples I have sometimes, though very rarely seen, the greater part of which have generally disappeared quickly,

quickly, but some have remained long enough to suppurate at their apex. That local cuticular inflammation, whether springing up spontaneously, or arising from the application of acrid substances, such, for instance, as *Cantharides*, *Pix Burgundica*, *Antimonium Tartarizatum*, &c. will often produce cutaneous affections, not only near the seat of the inflammation, but on some parts of the skin far beyond its boundary, is a well-known fact. It is, doubtless, on this principle that the inoculated Cow-pock pustule and its concomitant efflorescence may in very irritable constitutions produce this affection. The eruption I allude to, has commonly appeared some time in the third week after inoculation. But this appearance is too trivial to excite the least regard.

The change which took place in the general appearance during the progress of the vaccine inoculation at the Small Pox Hospital should likewise be considered.

Although at first it took on so much of the variolous character as to produce pustules in three Cafes out of five, yet in Dr.

B

Woodville's

Woodville's last report, published in June, he says, "since the publication of my reports of inoculations for the Cow Pox, upwards of three hundred Cases have been under my care; and out of this number, only thirty-nine had pustules that suppurated: viz. out of the first hundred, nineteen had pustules; out of the second, thirteen; and out of the last hundred and ten, only seven had pustules. Thus it appears that the disease has become considerably milder; which I am inclined to attribute to a greater caution used in the choice of the matter, with which the infection was communicated; for lately, that which has been employed for this purpose has been taken only from those patients in whom the Cow Pox proved very mild and well characterised*."

The inference I am induced to draw from these premises is very different. The decline, and finally, the total extinction nearly of

* In a few weeks after the Cow Pox inoculation was introduced at the Small Pox Hospital, I was favoured with some virus from this stock. In the first instance it produced a few pustules, which did not mature; but in the subsequent cases none appeared.

E. J.

pustules,

these pustules, in my opinion, are more fairly attributable to the Cow Pox virus, assimilating the variolous*, the former probably being the original, the latter the same disease under a peculiar, and at present an inexplicable modification.

One experiment tending to elucidate the point under discussion, I had myself an opportunity of instituting. On the supposition of its being possible that the Cow which ranges over the fertile meadows in the vale of Gloucester, might generate a virus differing in some respects in its qualities from that produced by the animal artificially pampered for the production of milk for the metropolis, I procured, during my residence there in the spring, some Cow Pock virus from a cow at one of the London milk-farms†. It was immediately conveyed into Gloucester-

* In my first publication on this subject, I expressed an opinion that the Small Pox and the Cow Pox were the same diseases under different modifications. In this opinion Dr. Woodville has concurred. The axiom of the immortal Hauter, that *two diseased actions cannot take place at the same time in one and the same part*, will not be injured by the admission of this theory.

† It was taken by Mr. Fanner, then a student at the Veterinary College, from a cow at Mr. Clark's farm at Kentish Town.

shire to Dr. Marshall, who was then extensively engaged in the inoculation of the Cow Pox, the general result of which, and of the inoculation in particular with this matter, I shall lay before my Readers in the following communication from the Doctor.

“ DEAR SIR,

“ My neighbour Mr. Hicks having mentioned your wish to be informed of the progress of the inoculation here for the Cow Pox, and he also having taken the trouble to transmit to you my minutes of the Cases which have fallen under my care, I hope you will pardon the further trouble I now give you in stating the observations I have made upon the subject. When first informed of it, having two children who had not had the Small Pox, I determined to inoculate them for the Cow Pox whenever I should be so fortunate as to procure matter proper for the purpose. I was therefore particularly happy when I was informed that I could procure matter from some of those whom you had inoculated. In the first instance, I had no intention of extending the disease further than my own family, but the

very extensive influence which the conviction of its efficacy in resisting the Small Pox has had upon the minds of the people in general, has rendered that intention nugatory, as you will perceive by the continuation of my Cases enclosed in this letter*, by which it will appear, that since the 22d of March, I have inoculated an hundred and seven persons; which, considering the retired situation I reside in, is a very great number. There are also other considerations which, besides that of its influence in resisting the Small Pox, appear to have had their weight; namely, the peculiar mildness of the disease, the known safety of it, and its not having in any instance prevented the patient from following his ordinary business. In all the Cases under my care, there have only occurred two or three which required any application owing to erysipelatous inflammation on the arm, and they immediately yielded to it. In the remainder the constitutional illness has been slight but sufficiently marked, and considerably less than I ever observed in the same

* Doctor Marshall has detailed these Cases with great accuracy, but their publication would now be deemed superfluous. E. J.

number inoculated with the Small Pox. In only one or two of the Cafes have any other eruptions appeared than those around the spot where the matter was inserted, and those near the infected part. Neither does there appear in the Cow Pox to be the least exciting cause to any other disease, which in the Small Pox has been frequently observed, the constitution remaining in as full health and vigour after the termination of the disease as before the infection. Another important consideration appears to be the impossibility of the disease being communicated except by the actual contact of the matter of the pustule, and consequently the perfect safety of the remaining part of the family, supposing only one or two should wish to be inoculated at the same time.

“ Upon the whole it appears evident to me, that the Cow Pox is a pleasanter, shorter, and infinitely more safe disease than the inoculated Small Pox when conducted in the most careful and approved manner; neither is the local affection of the inoculated part, or the constitutional illness near so violent. I speak with confidence on the subject, having had an opportunity

tunity of observing its effects upon a variety of constitutions, from three months old to sixty years ; and to which I have paid particular attention. In the Cases alluded to here, you will observe that the removal from the original source of the matter has made no alteration or change in the nature or appearance of the disease, and that it may be continued, *ad infinitum*, (I imagine) from one person to another (if care be observed in taking the matter at a proper period) without any necessity of recurring to the original matter of the cow.

“ I should be happy if any endeavours of mine could tend further to elucidate the subject, and shall be much gratified in sending you any further observations I may be enabled to make.

“ I have the pleasure to subscribe myself,

“ Dear Sir, &c.

Eastington, Gloucestershire,

April 26th, 1799.

“ JOSEPH H. MARSHALL.”

The gentleman who favoured me with the above account, has continued to prosecute his inquiries with unremitting industry,
and

and has communicated the result in another letter, which at his request I lay before the public without abbreviation.

DR. MARSHALL'S SECOND LETTER.

“ DEAR SIR,

“ Since the date of my former letter, I have continued to inoculate with the Cow Pox virus. Including the cases before enumerated, the number now amounts to four hundred and twenty-three. It would be tedious and useless to detail the progress of the disease in each individual—it is sufficient to observe, that I noticed no deviation in any respect from the Cases I formerly adduced. The general appearances of the arm exactly corresponded with the account given in your first publication. When they were disposed to become troublesome by erysipelatous inflammation, an application of equal parts of vinegar and water always answered the desired intention. I must not omit to inform you that when the disease had duly acted upon the constitution, I have frequently used the vitriolic acid. A portion of a drop applied with the head of a probe or
any

any convenient utensil upon the pustule, suffered to remain about forty seconds, and afterwards washed off with sponge and water, never failed to stop its progress, and expedite the formation of a scab.

“ I have already subjected two hundred and eleven of my patients to the action of variolous matter, *but every one resisted it.*

“ The result of my experiments (which were made with every requisite caution) has fully convinced me that the *true Cow Pox* is a safe and infallible preventive from the Small Pox; that in no case which has fallen under my observation has it been in any considerable degree troublesome, much less have I seen any thing like danger; for in no instance were the patients prevented from following their ordinary employments.

“ In Dr. Woodville’s publication on the Cow Pox, I notice an extraordinary fact. He says that the generality of his patients had pustules. It certainly appears extremely extraordinary that

in all my Cafes there never was but one pustule, which appeared on a patient's elbow on the inoculated arm, and matured. It appeared exactly like that on the incised part.

“ The whole of my observations, founded as it appears on an extensive experience, leads me to these obvious conclusions; that those Cafes which have been or may be adduced against the preventive powers of the Cow Pox, could not have been those of the true kind, since it must appear to be absolutely impossible that I should have succeeded in such a number of Cafes without a single exception, if such a preventive power did not exist. I cannot entertain a doubt that the inoculated Cow Pox must quickly supercede that of Small Pox. If the many important advantages which must result from the new practice are duly considered, we may reasonably infer that public benefit, the sure test of the real merit of discoveries, will render it generally extensive.

“ To you, Sir, as the discoverer of this highly beneficial practice, mankind are under the highest obligations. As a
private

private individual I participate in the general feeling; more particularly as you have afforded me an opportunity of noticing the effects of a singular disease, and of viewing the progress of the most curious experiment that ever was recorded in the History of Physiology.

“ I remain, Dear Sir, &c.

“ JOSEPH H. MARSHALL.

“ P. S. I should have observed, that of the patients I inoculated and enumerated in my letter, one hundred and twenty-seven were infected with the matter you sent me from the London cow. I discovered no dissimilarity of symptoms in these cases, from those which I inoculated from matter procured in this country. No pustules have occurred, except in one or two cases, where a single one appeared on the inoculated arm. No difference was apparent in the local inflammation. There was no suspension of ordinary employment among the labouring people, nor was any medicine required.

“ I have frequently inoculated one or two in a family, and the remaining part of it some weeks afterwards. The uninfectd have slept with the infectd during the whole course of the disease without being affected ; so that I am fully convinced that the disease cannot be taken but by actual contact with the matter.

“ A curious fact has lately fallen under my observation, on which I leave you to comment.

“ I visited a patient with the confluent Small Pox, and charged a lancet with some of the matter. Two days afterwards I was desired to inoculate a woman and four children with the Cow Pox, and I inadvertently took the vaccine matter on the same lancet which was before charged with that of Small Pox. In three days I discovered the mistake, and fully expected that my five patients would be infectd with Small Pox ; but I was agreeably surpris'd to find the disease to be the genuine Cow Pox, which proceeded without deviating in any particular from
my

my former cases. I afterwards inoculated these patients with variolous matter, but all of them resisted its action.

“ I omitted mentioning another great advantage that now occurs to me in the inoculated Cow Pox ; I mean the safety with which pregnant women may have the disease communicated to them. I have inoculated a great number of females in that situation, and never observed their cases to differ in any respect from those of my other patients. Indeed the disease is so mild, that it seems as if it might at all times be communicated with the most perfect safety.”

I shall here take the opportunity of thanking Dr. Marshall and those other gentlemen who have obligingly presented me with the result of their inoculations ; but, as they all agree in the same point as that given in the above communication, namely, the security of the patient from the effects of the Small Pox after the Cow Pox, their refusal, I presume, would afford us satisfaction that has not been amply given already. Particular occurrences I shall of course detail. Some of my correspondents

pondents have mentioned the appearance of Small Pox-like eruptions at the commencement of their inoculations ; but in these cases the matter was derived from the original stock at the Small Pox Hospital.

I have myself inoculated a very considerable number from the matter produced by Dr. Marshall's patients, originating in the London cow, without observing pustules of any kind, and have dispersed it among others who have used it with a similar effect. From this source Mr. H. Jenner informs me, he has inoculated above an hundred patients without observing eruptions. Whether the nature of the virus will undergo any change from being farther removed from its original source in passing successively from one person to another, time alone can determine. That which I am now employing has been in use near eight months, and not the least change is perceptible in its mode of action either locally or constitutionally. There is therefore every reason to expect that its effects will remain unaltered, and that we shall not be under the necessity of seeking fresh supplies from the cow.

The

The following observations were obligingly sent me by Mr. Tierny, Assistant Surgeon to the South Gloucester Regiment of Militia, to whom I am indebted for a former report on this subject.

“ I inoculated with the Cow Pox matter from the 11th to the latter part of April, twenty-five persons, including women and children. Some on the 11th were inoculated with the matter Mr. Shrapnell (Surgeon to the Regiment) had from you, the others with matter taken from these. The progress of the puncture was accurately observed, and its appearance seemed to differ from the Small Pox in having less inflammation around its basis on the first days, that is, from the third to the seventh; but after this the inflammation increased, extending on the tenth or eleventh day to a circle of an inch and a half from its centre, and threatening very fore arms; but this I am happy to say was not the case; for, by applying mercurial ointment to the inflamed part, which was repeated daily until the inflammation went off, the arm got well without any further application or trouble.

trouble. The constitutional symptoms which appeared on the eighth or ninth day after inoculation, scarcely deserved the name of disease, as they were so slight as to be scarcely perceptible, except that I could connect a slight head-ache and languor, with a stiffness and rather painful sensation in the axilla. This latter symptom was the most striking, it remained from twelve to forty-eight hours. In no case did I observe the smallest pustule, or even discolouration of the skin like an incipient pustule, except about the part where the virus had been applied.

“ After all these symptoms had subsided, and the arms were well, I inoculated four of this number with variolous matter, taken from a patient in another regiment. In each of these it was inserted several times under the cuticle, producing slight inflammation on the second or third day, and always disappearing before the fifth or sixth; except in one who had the Cow Pox in Gloucestershire before he joined us, and who also received it at this time by inoculation. In this man the puncture

inflamed, and his arm was much sorer than from the insertion of the Cow Pox virus ; but there was no pain in the axilla, nor could any constitutional affection be observed.

“ I have only to add, that I am now fully satisfied of the efficacy of the Cow Pox in preventing the appearance of the Small Pox, and that it is a most happy and salutary substitute for it.

“ I remain, &c.

“ M. J. TIERNY.”

Although the susceptibility of the virus of the Cow Pox is for the most part lost in those who have had the Small Pox, yet in some constitutions it is only partially destroyed, and in others it does not appear to be in the least diminished.

By far the greater number, on whom trials were made, resisted it entirely ; yet I found some on whose arms the pustule from inoculation was formed completely, but without producing

D

the

the common efflorescent blush around it, or any constitutional illness, while others have had the disease in the most perfect manner. A case of the latter kind having been presented to me by Mr. Fewster, Surgeon, of Thornbury, I shall insert it.

“ Three children were inoculated with the vaccine matter you obligingly sent me. On calling to look at their arms three days after, I was told that John Hodges, one of the three, had been inoculated with the Small Pox when a year old, and that he had a full burthen, of which his face produced plentiful marks, a circumstance I was not before made acquainted with. On the sixth day the arm of this boy appeared as if inoculated with variolous matter, but the pustule was rather more elevated. On the ninth day he complained of violent pain in his head and back, accompanied with vomiting and much fever. The next day he was very well, and went to work as usual. The punctured part began to spread, and there was the areola around the inoculated part to a considerable extent.

“ As this is contrary to an assertion made in the Medical and
 2 Physical

Physical Journal, No. 8, I thought it right to give you this information, and remain,

“ Dear Sir, &c.

“ J. FEWSTER.”

It appears then that the animal economy with regard to the action of this virus is under the same laws as it is with respect to the variolous virus, after previously feeling its influence, as far as comparisons can be made between the two diseases.

Some striking instances of the power of the Cow Pox in suspending the progress of the Small Pox after the patients had been several days casually exposed to the infection have been laid before me, by Mr. Lyford, Surgeon, of Winchester, and my nephew the Rev. G. C. Jenner. Mr. Lyford, after giving an account of his extensive and successful practice in the vaccine inoculation in Hampshire, writes as follows :

“ The following Case occurred to me a short time since, and

D 2

may

may probably be worth your notice. I was sent for to a patient with the Small Pox, and on inquiry found that five days previous to my seeing him the eruption began to appear. During the whole of this time two children, who had not had the Small Pox, were constantly in the room with their father, and frequently on the bed with him. The mother consulted me on the propriety of inoculating them, but objected to my taking the matter from their father, as he was subject to erysipelas. I advised her by all means to have them inoculated at that time, as I could not procure any variolous matter elsewhere. However, they were inoculated with vaccine matter, but I cannot say I flattered myself with its proving successful, as they had previously been so long and still continued to be exposed to the variolous infection. Notwithstanding this I was agreeably surpris'd to find the vaccine disease advance and go through its regular course; and, if I may be allowed the expression, to the total extinction of the Small Pox."

Mr. Jenner's Cases were not less satisfactory. He writes as follows :

“ A fon

“ A son of Thomas Stinchcomb of Woodford, near Berkeley, was infected with the natural Small Pox at Bristol, and came home to his father’s cottage. Four days after the eruptions had appeared upon the boy, the family (none of which had ever had the Small Pox) consisting of the father, mother, and five children, was inoculated with vaccine virus. On the arm of the mother it failed to produce the least effect, and she of course had the Small Pox*, but the rest of the family had the Cow Pox in the usual mild way, and were not affected with the Small Pox, although they were in the same room, and the children slept in the same bed with their brother who was confined to it with the natural Small Pox; and subsequently with their mother.

“ I attended this family with my brother Mr. H. Jenner.”

The following Cases are of too singular a nature to remain unnoticed.

* Under similar circumstances I think it would be adviseable to insert the matter into each arm, which would be more likely to insure the success of the operation.

E. J.

Mifs.

Miss R——, a young lady about five years old, was seized on the evening of the eighth day after inoculation with vaccine virus, with such symptoms as commonly denote the accession of violent fever. Her throat was also a little sore, and there were some uneasy sensations about the muscles of the neck. The day following a rash was perceptible on her face and neck, so much resembling the efflorescence of the *Scarlatina Anginosa*, that I was induced to ask whether Miss R—— had been exposed to the contagion of that disease. An answer in the affirmative, and the rapid spreading of the redness over the skin, at once relieved me from much anxiety respecting the nature of the malady, which went through its course in the ordinary way, but not without symptoms which were alarming, both to myself and Mr. Lyford, who attended with me. There was no apparent deviation in the ordinary progress of the pustule to a state of maturity, from what we see in general; yet there was a total suspension of the *Areola* or florid discolouration around it, until the *Scarlatina* had retired from the constitution.

stitution. As soon as the patient was freed from this disease, this appearance advanced in the usual way*.

The Case of Miss H—— R—— is not less interesting than that of her sister above related. She was exposed to the contagion of the *Scarlatina* at the same time, and sickened almost at the same hour. The symptoms continued severe about twelve hours when the Scarlatine-rash shewed itself faintly upon her face, and partly upon her neck. After remaining two or three hours it suddenly disappeared, and she became perfectly free from every complaint. My surprise at this sudden transition from extreme sickness to health, in great measure ceased when I observed that the inoculated pustule had occasioned, in this case, the common efflorescent appearance around it, and that as it approached the centre it was nearly in an erysipelatous

* I witnessed a similar fact in a case of Measles*. The pustule from the Cow Pock virus advanced to maturity, while the Measles existed in the constitution, but no *efflorescence* appeared around it until the Measles had ceased to exert its influence.

* See page 55.

state.

state. But the most remarkable part of this history is, that on the fourth day afterwards, as soon as the efflorescence began to die away upon the arm, and the pustule to dry up, the *Scarlatina* again appeared, her throat became sore, the rash spread all over her. She went fairly through the disease, with its common symptoms.

That these were actually Cases of *Scarlatina*, was rendered certain by two servants in the family falling ill at the same time with the distemper, who had been exposed to the infection with the young ladies.

Some there are who suppose the security from the Small Pox obtained through the Cow Pox will be of a temporary nature only. This supposition is refuted not only by analogy with respect to the habits of diseases of a similar nature, but by incontrovertible facts, which appear in great numbers against it. To those already adduced in the former part of my first Treatise*

* See pages 9, 11, 12, 13, 14, 20, &c.

many more might be added were it deemed necessary; but among the Cases I refer to, one will be found of a person who had the Cow Pox fifty-three years before the effect of the Small Pox was tried upon him. As he completely resisted it, the intervening period I conceive must necessarily satisfy any reasonable mind. Should further evidence be thought necessary, I shall observe that among the Cases presented to me by Mr. Fry, Mr. Darke, Mr. Tierny, Mr. H. Jenner, and others, there were many whom they inoculated ineffectually with variolous matter, who had gone through the Cow Pox many years before this trial was made.

It has been imagined that the Cow Pox is capable of being communicated from one person to another by effluvia without the intervention of inoculation. My experiments, made with the design of ascertaining this important point, all tend to establish my original position, that it is not infectious, except by contact. I have never hesitated to suffer those on whose arms there were pustules exhaling the effluvia, from associating or even sleeping with others who never had experienced either the Cow

Pox or the Small Pox. And further, I have repeatedly among children caused the uninfected to breathe over the inoculated vaccine pustules during their whole progress, yet these experiments were tried without the least effect. However, to submit a matter so important to a still further scrutiny, I desired Mr. H. Jenner to make any further experiments which might strike him as most likely to establish or refute what had been advanced on this subject. He has since informed me, "that he inoculated children at the breast, whose mothers had not gone through either the Small Pox or the Cow Pox; that he had inoculated mothers whose sucking infants had never undergone either of these diseases; that the effluvia from the inoculated pustules, in either case, had been inhaled from day to day during the whole progress of their maturation, and that there was not the least perceptible effect from these exposures. One woman he inoculated about a week previous to her *Accouchment*, that her infant might be the more fully and conveniently exposed to the pustule; but, as in the former instances, no infection was given, although the child frequently slept on the arm of its mother with its nostrils and mouth exposed to the pustule in the fullest

fullest state of maturity. In a word, is it not impossible for the Cow Pox, whose *only* manifestation appears to consist in the pustules *created by contact*, to produce *itself* by effluvia?

In the course of a late inoculation, I observed an appearance which it may be proper here to relate. The punctured part on a boy's arm (who was inoculated with fresh limpid virus) on the sixth day, instead of shewing a beginning vesicle, which is usual in the Cow Pox at that period, was encrusted over with a rugged amber-coloured scab. The scab continued to spread and increase in thickness for some days, when at its edges a vesicated ring appeared, and the disease went through its ordinary course, the boy having had soreness in the axilla, and some slight indisposition. With the fluid matter taken from his arm, five persons were inoculated. In one it took no effect. In another it produced a perfect pustule without any deviation from the common appearance; but in the other three the progress of the inflammation was exactly similar to the instance which afforded the virus for their inoculation; there was a creeping scab of a loose texture, and subsequently the

formation of limpid fluid at its edges. As these people were all employed in laborious exercises, it is possible that these anomalous appearances might owe their origin to the friction of the clothes on the newly-inflamed part of the arm. I have not yet had an opportunity of exposing them to the Small Pox.

In the early part of this Inquiry I felt far more anxious respecting the inflammation of the inoculated arm than at present; yet that this affection will go on to a greater extent than could be wished is a circumstance sometimes to be expected. As this can be checked, or even entirely subdued by very simple means, I see no reason why the patient should feel an uneasy heat because an application may not be absolutely necessary. About the tenth or eleventh day, if the pustule has proceeded regularly, the appearance of the arm will almost to a certainty indicate whether this is to be expected or not. Should it happen, nothing more need be done than to apply a single drop of the *Aqua Lythargyr. Acctati** upon the pustule, and having suffered it to remain two or three minutes, to cover the efflorescence

* Extract of Saturn.

furrounding

surrounding the pustule with a piece of linen dipped in the *Aqua Lythargyr. Compos.** The former may be repeated twice or thrice during the day, the latter as often as it may feel agreeable to the patient.

When the scab is prematurely rubbed off, (a circumstance not unfrequent among children and working people) the application of a little *Aqua Lythargyri Acct.* to the part, immediately coagulates the surface, which supplies its place, and prevents a sore.

In my former Treatises on this subject I have remarked that the human constitution frequently retains its susceptibility of the Small Pox contagion (both from effluvia and contact) after previously feeling its influence. In further corroboration of this declaration, many facts have been communicated to me by various correspondents. I shall select one of them.

* Goulard Water. For further information on this subject see the first Treatise on the Var. Vac. Dr. Marshall's Letters, &c.

“ DEAR

“ DEAR SIR,

“ Society at large must I think feel much indebted to you for your Inquiries and Observations on the Nature and Effects of the Variolæ Vaccinæ, &c. &c. As I conceive what I am now about to communicate to be of some importance, I imagine it cannot be uninteresting to you, especially as it will serve to corroborate your assertion of the susceptibility of the human system of the variolous contagion, although it has previously been made sensible of its action. In November 1793, I was desired to inoculate a person with the Small Pox. I took the variolous matter from a child under the disease in the natural way, who had a large burthen of distinct pustules. The mother of the child being desirous of seeing my method of communicating the disease by inoculation, after having opened a pustule, I introduced the point of my lancet in the usual way on the back part of my own hand, and thought no more of it until I felt a sensation in the part, which reminded me of the transaction. This happened upon the third day; on the fourth there were all the appearances common to inoculation, at which I was

not at all surpris'd, nor did I feel myself uneasy upon perceiving the inflammation continue to increase to the sixth and seventh day, accompanied with a very small quantity of fluid, repeated experiments having taught me it might happen so with persons who had undergone the disease, and yet would escape any constitutional affection: but I was not so fortunate; for on the eighth day I was seized with all the symptoms of the eruptive fever, but in a much more violent degree than when I was before inoculated, which was about eighteen years previous to this, when I had a considerable number of pustules. I must confess I was now greatly alarmed, although I had been much engaged in the Small Pox, having at different times inoculated not less than two thousand persons. I was convinced my present indisposition proceeded from the insertion of the variolous matter, and therefore anxiously looked for an eruption. On the tenth day I felt a very unpleasant sensation of stiffness, and heat on each side of my face near my ear, and the fever began to decline. The affection in my face soon terminated in three or four
pustules

pustules attended with inflammation, but which did not mature, and I was presently well.

“ I remain, Dear Sir, &c.

“ THOMAS MILES.”

This Inquiry is not now so much in its infancy as to restrain me from speaking more positively than formerly on the important point of Scrophula as connected with the Small Pox.

Every practitioner in medicine, who has extensively inoculated with the Small Pox, or has attended many of those who have had the distemper in the natural way, must acknowledge that he has frequently seen scrophulous affections, in some form or another, sometimes rather quickly shewing themselves after the recovery of the patients. Conceiving this fact to be admitted, as I presume it must be by all who have carefully attended to the subject, may I not ask whether it does not appear probable

probable that the general introduction of the Small Pox into Europe has not been among the most conducive means in exciting that formidable foe to health? Having attentively watched the effects of the Cow Pox in this respect, I am happy in being able to declare, that the disease does not appear to have the least tendency to produce this destructive malady.

The scepticism that appeared even among the most enlightened of medical men when my sentiments on the important subject of the Cow Pox were first promulgated, was highly laudable. To have admitted the truth of a doctrine, at once so novel and so unlike any thing that ever had appeared in the Annals of Medicine, without the test of the most rigid scrutiny, would have bordered upon temerity; but now, when that scrutiny has taken place, not only among ourselves but in the first professional circles in Europe, and when it has been uniformly found in such abundant instances that the human frame, when once it has felt the influence of the genuine Cow Pox in the way that has been described, is never afterwards at any period of its existence assailable by the Small Pox, may I not with perfect confidence


F

congratulate

congratulate my country and society at large on their beholding, in the mild form of the Cow Pox, an antidote that is capable of extirpating from the earth a disease which is every hour devouring its victims ; a disease that has ever been considered as the severest scourge of the human race !

FINIS.

PRINTED BY SAMPSON LOW, BERWICK STREET, SOHO.



Pcl 3

