

Economy of the hands and feet, fingers and toes; which includes the prevention, treatment, and cure of corns, bunions, and deformed nails; the removal of excrescences, superfluous hairs, freckles with methods of rendering the skin white, soft and delicate / ... By an old army surgeon.

Contributors

Old Army Surgeon.

Publication/Creation

London : E. Wilson, 1831.

Persistent URL

<https://wellcomecollection.org/works/n5xpup57>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

ECONOMIA
OF THE
HANDS
AND



FEET

BY

AN OLD ARMY SURGEON,

AUTHOR OF THE

Economy of the Teeth and Gums.

"A delicate Hand and a handsome Foot are indispensable
to Female Beauty."

THIRD EDITION

1872/74

19

11/13

2/6

5 23/95

G. G. C.



Digitized by the Internet Archive
in 2015

316 40

John Saltford
10/2/13

FRONTISPIECE

to



ECONOMY OF HANDS & FEET.

C. Inghy lithog 510 Strand.

31640

ECONOMY
OF THE
HANDS AND FEET,
FINGERS AND TOES;
WHICH INCLUDES
THE PREVENTION, TREATMENT, AND CURE,
OF
CORNS, BUNNIONS, AND DEFORMED NAILS;
THE
REMOVAL OF EXCRESCENCES,
SUPERFLUOUS HAIRS, FRECKLES, PIMPLES, BLOTCHES,
AND OTHER CUTANEOUS ERUPTIONS;
WITH
SAFE AND CERTAIN METHODS
OF RENDERING
THE SKIN WHITE, SOFT, AND DELICATE,
WITHOUT DETRIMENT TO HEALTH.

BY AN OLD ARMY SURGEON.

Author of "Economy of the Teeth and Mouth."

Third Edition,

CAREFULLY REVISED, CORRECTED, AND ENLARGED.

LONDON:

PUBLISHED BY
EFFINGHAM WILSON, ROYAL EXCHANGE.

MDCCCXXXI.



PREFACE

TO

THE THIRD EDITION.

IF the rapid demand for a work be any criterion of its utility, the present production is entitled to every tithe of this claim. Indeed, it is not to be wondered that such should be the case, when the paramount objects which it embraces come to be fairly and calmly considered. The *hands* and *feet*, the *fingers* and *toes*, are, egad! the most important members of the body corporate; and when the day comes that they refuse, or are unable to perform their several functions, the head and trunk bid fair to fall soon into the "sere and yellow leaf." A pair of good feet will often carry a man out of a scrape; and with a pair of good hands, he will always be able, when the worst comes to the worst, to scrape for himself. How necessary then it is, that

such active members should be kept in thorough repair, to fit them for the various offices of life! and how pleasing it must equally prove, to feel and see them in an easy, comfortable, and healthy condition, at all times, is best known to those who have suffered most severely from their derangement!

The corrections and additions which have been made to the present Edition will, it is presumed, considerably add to the utility of the work. The doctrines it embraces are plain and rational, and the result of some experience and observation. Every particle of empiricism, or mystery, has been discarded; and the whole treatment to be adopted in every case of emergency or pain laid down on pure surgical, medical, and mechanical principles—principles alone by which the public can be benefitted, and suffering humanity relieved.

THE AUTHOR.

August, 1830.

PREFACE

TO

THE FIRST EDITION.

IN pure sympathy and fellow-feeling to the multitude of sufferers, who, from rash or unavoidable causes, are visibly afflicted with corns, bunnions, deformed nails, and distorted toes, with many other evils to which the hands, feet, fingers, and toes, are heir to, the author—who has travelled on foot some thousands of miles abroad, in company with thousands of individuals, many of whom have been temporarily crippled with affections similar to the above, and who have been relieved by the advice contained in these pages—has here committed to the press the result of his observations and experience, for the benefit of such of his fellow-creatures at home, and mankind in general, who, now or hereafter, may require either assistance or advice.

It is a fact, not a little remarkable, of travellers or great walkers, such, for instance, as soldiers, hawkers, pedlars, and pedestrians in general, that they are less subject to callosities, of any description, of the feet, than those who are ordinarily restricted in their perambulations to the mere circuit of their daily avocations. It is also remarked, that sea-faring men are generally but indifferent walkers, and that their feet become sooner affected by land exercise than those of most other people more accustomed to use their feet; while soldiers, in particular, who walk much, are least liable to derangements of the same kind; the consequence, doubtless, of being drilled to walk, and to plant their feet on the ground so that each part may sustain a proportionate weight, and exert its several functions with ease and harmony.

People in the domestic circle are most frequently the greatest sufferers in the feet, the consequence of inattention to the predisposing and proximate causes; while

others again, of both sexes, more frequently the ladies, voluntarily entail these inconveniences upon themselves, by a desire to rectify, as they suppose, some error in nature, by presuming, against the authority of the Divine Architect, to give their feet a smaller and (as they would have it) a more fashionable shape and appearance than it was ever intended, for inscrutable and wise reasons, they should possess. These unnatural and revolting efforts are, however, as useless as unprofitable; and the result, as might be anticipated, is usually a good crop of blisters and excrescences of one kind or other, which, independent of the pain they cause, induce a crippled and waddling gait, and which is seldom, if not early attended to, removed, even after the primary cause is obviated.

It is with a view to remedy, as well as prevent, these causes and consequences, that this little work is sent into the world. Neither has the author confined his observations to these alone: he has extended

them to other subjects less dependent on individual caprice, though equally requiring care and attention. Chilblains, warts, tetters, ringworms, and other cutaneous eruptions and discolorations of the skin—the consequence for the most part of exposure to contagion, change of climate, and vicissitudes of the weather—have each commanded a proportionate share of attention ; and many practical hints, independent of a variety of useful prescriptions, are laid down, from which, it is hoped, by the blessing of God, suffering humanity, from these or similar causes, may be enabled, if not to cure, at least to relieve itself, without the necessity of applying (in many cases of an extremely delicate nature) for extraneous assistance. ‘SO MOTE IT BE!’ is the sincere and ardent wish of every friend of humanity, and, doubtless, of

THE AUTHOR.

TABLE OF CONTENTS.

SECT. I.

	Page
CAUSE OF CORNS	1
Definition of.....	id.
How produced.....	2
Anatomical Structure of the Foot and Toes....	3
Bones of the Toes	id.
Great Toe, its structure and use	id.
Various Muscles of the Toes	5
Toes furnished with Nails.....	id.

SECT. II.

PARTICULAR SEATS OF CORNS.....	6
Definition of Corns.....	id.
Their particular seats	id.
Reason why peculiar to the feet, toes, &c. of labouring people.....	7
Corns peculiar to Ploughmen, — Tailors, — Gardeners, — Postillions.....	8

	Page
Cause of Corns, by M. La Forest	9
Opinions relative to	id.
— of Plateus	id.
— Lavaugion	id.
Controversies and Disputations of Corn Doctors	10

SECT. III.

HARD CORNS and SOFT CORNS	12
How produced	id.
Seat of soft Corns	14

SECT. IV.

GENERAL TREATMENT OF CORNS	16
BUNNIONS	17
Where usually seated	18
Treatment of Bunnions, arising from an in- flamed Mucous Bag	id.
Cause of	20
Palliative means	21

SECT. V.

REASON WHY CORNS HAVE BEEN CALLED BY DIFFERENT NAMES	25
<i>E. g.</i> Hard	25

	Page
Soft,	
Black,	
Bloody	25
Reason why these terms are given	26

SECT. VI.

TREATMENT OF CORNS AND MANAGEMENT

OF THE FEET.....	28
Of the Hard Corn	id.
Preventive of Corns	29
Other Causes of Corns	id.
Discipline of the Feet in walking	30
Care observed in the Army.....	id.
Correction of the Gait, &c.....	31
Shoes considered relative to their adapta- tion to the Feet	33
Distorted Feet and Toes, how to remedy..	34
Operation for Old and Hard Corns.....	35
Corn Solution	36
Plaster, directions for its use	38

SECT. VII.

TREATMENT OF SOFT CORNS	39
Concealed Corns.....	id.
Tender and Sensitive Feet.....	40
Shoes for tender Feet.....	id.

	Page
Bath for tender Feet	42
Soft Corns with indurated Surfaces.....	id.
Directions previous to operating on a Hard Corn	43
To prevent the Toes from riding over each other.....	44

SECT. VIII.

ON THE NAILS IN GENERAL. OF THE DIF- FERENT ORDERS OF NAILS. SUBSTANCE	46
The Nails, when complete	id.
— the Substance of.....	id.
— how divided by Chiropedists ..	47
Spongy Substance of the Nails.....	id.

SECT. IX.

MORTIFICATION OF THE TOES	50
---------------------------------	----

SECT. X.

TO PREVENT THE EDGES OF THE NAILS FROM GROWING INTO THE QUICK.....	51
---	----

SECT. XI.

TO CORRECT AND IMPROVE DEFORMED NAILS	52
Deformed Nails	id.
— how to correct.....	id.

	Page
Membrane of the Nails	53
The Semilunar Fold	id.
Big toes, the Injury liable to.....	id.
A Cause of Deformed Nails	id.

SECT. XII.

MANAGEMENT OF THE TOES. INJURIES TO WHICH NAILS ARE LIABLE.....	56
First order of Nails.....	id.
Second order of Nails.....	57
Observations on the Big Toe.....	58

SECT. XIII.

DIRECTIONS FOR PARING THE NAILS. CON- SEQUENCE OF PARING THE NAILS TOO SHORT	59
Sensations experienced	id.
Directions for Paring.....	60
— the first order.....	id.
— the second order....	61
Consequences of a long Nail.....	62
Directions for the Regulator of the Nails in Paring	id.
Frequency of paring the Nails	63
The principal difficulty	id.

SECT. XIV.

MANAGEMENT OF THE FINGER NAILS	64
Less liable to accidents than those of the	
Toes	id.
Frequency of paring the Finger Nails	id.
Habit of biting the Finger Nails, condemned	65
— Another troublesome complaint	id.
How to adjust the Regulator of the Finger	
Nails	id.
Cautions against scraping the Nails	66

SECT. XV.

WHITLOW	67
-------------------	----

SECT. XVI.

BATHING OF THE FEET	68
Temperature of the Water	id.
Directions on removing the Feet from the	
Bath	id.
When a Bath most necessary	id.
— A Tepid Bath, which	id.
To prevent Injury to the Feet	69
Composition used in Feet-Bath—Bran and	
Milk	id.
Moist or perspirable Feet	id.

	Page
A Remedy for moist Feet	70
Most proper time for Bathing the Feet. . . .	id.

SECT. XVII.

BLISTERS ON THE FEET FROM WALKING..	72
Methods to prevent.	id.
Puncturing, consequence of	73

SECT. XVIII.

DIRECTIONS FOR THE SELECTION OF SHOES	74
Error of the Ladies.	id.
Cause of their monstrous Feet	id.
Such women generally bad walkers	75
Shoemakers, Directions to	id.
Directions to Soldiers and those who walk much	76

SECT. XIX.

CORN PRESCRIPTIONS.	78
1. Plaister to prevent Corns	id.
2. ——— for softening and loosening Corns	id.
3. Powerful but smart Remedy for Corns..	79
4. A good Remedy for Corns of the Feet..	id.
5. A tried Medicine to take away Corns ..	id.
6. An often-tried Remedy, &c.	80
7. Another	id.

	Page
8. To kill a Corn	id.
9. To take away Corns	81
Others from various sources	id.
Kennedy's Corn Plaster.....	82
Cautions against corrosive Substances.....	83

SECT. XX.

RECIPE FOR PRESERVING AND RENDERING WATERPROOF SHOE LEATHER	85
--	----

SECT. XXI.

ECONOMY OF THE HANDS	86
Causes of cracked and wrinkled Hands....	id.
Directions for improving the appearance of	87
To promote a free circulation among the Fingers	id.
Recipe for Sun-burnt Hands	88

SECT. XXII.

WARTS	90
To remove Warts from the Hands.....	91

SECT. XXIII.

RECIPES	93
Simple Depilatory	id.
Roscate Powder	id.

	Page
To remove superfluous Hairs.....	94
— Freckles	95
Wash-ball for the Hands and Face	id.
For Sun-burnt Hands and Face.....	96
For the Hair—Pommade de la Jeunesse	id.
Huile Antique à la Rose	id.
Macassar Oil	97
Varnish for the Hands and Face	id.
Pomatum for the Skin.....	id.
Honey Soap.....	98
Cold Cream.....	98
A Pomatum to revive the Complexion, and to remove red Pimples	id.
To remove Freckles	99

SECT. XXIV.

ORIGIN AND HISTORY OF GLOVES, CURIOUS PARTICULARS RELATIVE TO THE....	100
Preservation of the Hands a very early considera- tion	id.
The early Origin of Gloves	id.
The 109th Psalm quoted	id.
Ruth, iv. 7, quoted	id.
Translation of these Texts	101
Opinion of Casaubon relative to the origin — Xenophon	id.

	Page
Opinion of Homer	id.
—— Varro	id.
—— Athenæus	102
—— Musonius.....	id.
—— Pliny	id.
Order of the Council of Aix to the Monks	103
Ceremony of giving a Glove	id.
On what occasion given	id.
Investiture of the Glove, where and when observed	104
Gloves, how used in a Duel	105
—— in Single Combats	id.
—— Challenging by the Glove	id.
Gloves used in Hawking	106
Judges once prohibited to wear Gloves ..	107
Gloves at Maiden Assizes	id.
—— a Term of Tenure	108
Extraordinary Price given for Gloves ..	109

SECT. XXV.

CHILBLAINS	110
Causes	id.
Symptoms	111
Means of preventing	id.
Treatment.....	112
—— when the Swellings break	id.

	Page
Alum Curd	113
— Poullice of	id.
Cerate of Honey with Turpentine	id.
Lotion for Chilblains	114
Directions to Boarding-Schools	115
Custom to prevent Chilblains	id.

SECT. XXVI.

THE ITCH, a troublesome and a loathsome com- panion	116
Causes	id.
Symptoms	id.
Treatment	117
The most efficacious Remedy for.....	id.
Sulphur Ointment	117
Dr. Pringle's Itch Ointment	118
Anti-psoric Ointment	id.
Treatment in inveterate Cases.....	id.
Another external Application	119
Fumigation, how employed	120
Other Eruptions of the Skin	id.
Tetters,	
Pimples,	
Ringworms,	
Shingles,	
Grubs,	
Freckles, &c. how treated	121

	Page
SECT. XXXII.	
ON COSMETICS	123
Signs of a good Walker	id.
Bathing, advantages of.....	124
Minor Cosmetics	125
Cautions against Mercury and Lead	id.
Satire on Cosmetics	126
— on New Discoveries.....	127
— Beautifying Pastes,	
Kalydors,	
Naples Dew, &c.	id.
Paints, by whom used	128
Praises in favour of British Dew, &c....	129
Custom formerly to use Minerals	130
Antimony, its use.....	id.
Various practices, &c.....	id.

ECONOMY
OF
THE HANDS, FEET, &c.

SECT. I.

CAUSE OF CORNS.

THE excrescences known by the name of CORNS, are, unquestionably, in the generality of cases, produced by friction and pressure. Now, whatever name may be bestowed on these excrescences, whether they be termed callosities, thorns of the feet, or corns, is very immaterial, since the object here in view is not a learned dissertation, but a practical treatise on the causes, effects, prevention, and curative treatment of these troublesome appendages to delicate feet.

Corns, then, are defined to be a consequence of partial inflammation of the skin of the toes or feet, arising from pressure. This

inflammation being attended with an unnatural secretion of cuticle in the part, the continuance of the irritation thus produced, occasions a growth of an unnatural appearance; so that, ultimately, a very hard, horny substance is produced, and that hard, horny substance, by its pressure, increases the inflammation of the skin, and brings on a state of the parts attended with very great inconvenience, and, indeed, great suffering to the patient. The skin, at first, is preternaturally sensitive, in consequence of friction or pressure; and, in this preternaturally sensitive state of the skin, you have a hard body of a horny substance formed, which is pressed upon by the shoe or boot, covering the foot, and which usually occasions great inconvenience.

In some individuals a great variety of parts, all the prominent portions of the toe, are occupied with corns; and, when such individuals persist in wearing shoes or boots which press upon the parts, they suffer great pain from the affection. This pain and inconvenience are experienced more particularly at certain times of the year, and those are the periods when the

feet naturally become heated, in consequence of exercise, and the temperature of the atmosphere.

Structure of the Foot and Toes.

The bones of the foot are divided into the *tarsus*, which is composed of seven bones, reaching from the heel to the middle of the foot. The *metatarsus*, which consists of five long bones laid parallel to each other, and extending from the tarsus to the root of the toes. The bones of the toes are called *phalanges*, from being in the form of a phalanx.

There are, in all, thirty-six bones in the foot; and the first question that naturally arises, is, why should there be so many bones? The answer is, in order that there may be so many joints; for the structure of a joint not only permits motion, but bestows elasticity.

The number of toes on each foot are five, and are principally composed of bone. These bones are called the metatarsal bones. The largest toe is composed of two bones, which are much thicker, and, in proportion to their

4 STRUCTURE OF THE FOOT AND TOES.

length, are stronger than the bones of the other toes. This toe is well adapted for bearing a much greater degree of weight than any of the others, as well as for sustaining more force acting against it. Accordingly, the chief weight of the body in the action of walking, is alternately placed upon each of the great toes, when, at each step we raise ourselves on our tip-toes; and almost the whole force with which the body pushes the foot forward, on its touching the ground, and before the rest of the foot bears any share in the weight of the body, is also alternately sustained by each of the great toes.

Each of the other four toes has three bones, which in each toe is less and smaller, in proportion to their lengths; their bases, or those parts in contact with the bones of the foot, are considerably stronger than at their exterior ends; their bodies are narrower above than below, and flatter on the sides. The first phalanx, or bone, counting from the foot, is proportionally much longer than the bones of the second and third, the latter being very short.

The second toe, or that next to the great one, has, of the four, the largest bones in all directions, and more externally the toes are less.

The small toe, and frequently the one in contact with it, have the second and third bones nearly ossified, or united in one ; which, in all probability, may be owing to the great pressure they are subject to, and the little motion of which they are capable.

All the toes have various muscles, which enable us to extend any one of them, and to bend any of their joints ; or to separate any toe, or approximate them to each other, at pleasure. They are also furnished with numerous arteries, veins, nerves, and lymphatics, which are of great use ; but which, as well as their different causes and ramifications, need not be detailed here.

The toes, independent of the teguments, or common covering which they have, are each furnished at the extremity with a nail, of which we shall treat in its proper place.

SECT. II.

PARTICULAR SEATS OF CORNS.

CORNS are commonly seated on the toes, or other parts of the feet, though they sometimes affect the hands, occur most frequently under the nail of the big toe, on each side of the nail on the fleshy part, and on the last joint* towards the nail of this toe. They also grow on the second joint of the inner side of the great toe, externally on any part of the same toe, and on the part of that toe nearest to the first joint, likewise on all the four smaller toes, and principally on those joints of them which are most protuberant. They are seated mostly at the points of the nails, on the inner side; and externally towards, but not farther, than the second joint of the three middle toes: but there are none on the under parts of these small toes. The little toe, however, is more

* The first joint is towards the foot, and the last is always towards the nail.

subject to corns than any of the other small toes. From the first joint to the very point of the nail, they grow over the whole surface: particularly, there grows a corn between the little toe and its fellow, close to the integuments covering the metatarsal bones.

Few parts of the sole of the foot are exempted from corns, except the under parts of the heel, the posterior part of which is not, however subject to indurations, but to blisters.

Why are corns peculiar to the feet and toes, and not unfrequently to the hands of labouring people, more so than to any other part of the body? Because the circulation at the extremities of the body is always carried on more slowly than towards the centre, and in a ratio all over the system, to the distance or proximity to the heart; consequently the action of the absorbent vessels stands in the same relative degree of activity.

For instance, a postillion, who rides stage after stage. The principal pressure is from the pole rubbing incessantly against his leg, which, in time, becomes irritated; but no sooner, comparatively, is the cause removed,

than the effect ceases, by the mechanical irritation subsiding, and the partial inflammation disappearing, in consequence of the free circulation in the cutaneous vessels on a muscular substance. This, however, is not the case with the same cause on the *seat*, which frequently becomes indurated, in consequence of the principal action being upon a protuberant bony substance. The indurations here set up do not so soon subside, although the circulation is unquestionably brisker than at the extremities; though the tuberosities of the ischia, or those parts on which we are supported in the sitting position, are freer from circulation than those lying around it. The same with the elbow-joint, on which we lean. Hence it is always on the surface of joints that corns appear, or on processes of bones.

Again :—The hand of a ploughman is usually covered in the most projecting parts with callosities, or thickened or hardened skin. Gardeners also, from the use of the spade. In like manner, mowers and reapers are subject to the same effects, produced by the same causes. Tailors, from handling their scissors; black-

smiths, their hammer and tongs. Pressure, then, and friction, are the sole causes of corns; and those which arise on the feet are unquestionably produced from the foot being cramped in small or badly-made shoes, or from new shoes drawing the feet.

Opinions relative to the Cause of Corns.

M. La Forest, operator to the royal family in France before the Revolution, ascribes the cause of corns to “ a thick and viscid humour in the pores of the skin, which is rendered hard by constant pressure, and finally forms a callous substance.”

Another writer (Plateus) pretends that these excrescences are “ produced by the lymph, or alimentary fluid, which is designed for the use of the skin, but is detained in the pores, and rendered hard by constant pressure.”

According to Lavaugion, the cause of corns appears to arise from the laceration of the nervous filaments of the mucous net (rete mucosum) or plexus of the skin; and in that case, the lymph, which continually oozes out from

their pores, coagulates under the epidermis, and through its inspissation, forms the substance of corns. La Forest says that this opinion is not only probable, but that he has found it to accord with his own practice; as he never found any other corns.

“I conclude from this,” continues Lavaugion, “that the cause of corns is the same with that of the callus. It is a pressure, or friction, which was the occasional cause of them; with this difference, however, that constant pressure is the more frequent cause of corns; as, on the other hand, the callus arises from friction, as they commonly attach themselves to the epidermis; and, if they have taken place in this part, then the constant pressure in the lower part of the skin against the upper part of the bone, causes a sensation of pressure, which afterwards produces laceration. Of this we may convince ourselves;” and to this opinion we feel no hesitation to subscribe.

Corn doctors have had their controversies and disputations; but we think the man must possess very little anatomical or physiological

learning, if he could attempt to deny that pressure and friction are the obvious causes of corns. Our division, therefore, of corns, shall be so far simplified, that we propose to reduce them into what may be termed hard corns and soft corns.

SECT. III.

HARD CORNS AND SOFT CORNS.

1. *The hard corn*, of which we shall first speak, is a consequence rather of friction than of pressure, or of both causes taken conjointly, though participating frequently more in favour of the former. The distinction we would draw between the causes is as follows. The hard corn is produced by the constant collision of a tight or small shoe against the projecting point of some prominent bony surface, as on the last joints of the third, fourth, and little toe. The action is kept up, a sense of pain is experienced, which produces inflammation; rest decreases this inflammation, leaving an induration behind it. Renewed action, from the preceding cause, reproduces the same effects; inflammation again ensues, which in its turn is equally decreased either by rest or a temporary removal of the cause, leaving behind a second, or accumulated degree of induration. This continued action

and re-action bring on a callosity rising above the surface of the skin, which increases from its basis, in proportion to the excess or diminution of the exciting cause. This callus having gained a certain growth, friction is no longer necessary to its support, pressure alone will keep up a high degree of inflammatory action, which by sympathy is communicated to the circumjacent parts; and it is scarcely credible the extent to which it might be carried were the symptoms not palliated by adequate means. So much for the hard corn.

2. *Now the soft corn*, in the first instance, is produced exclusively by pressure; and in this condition—a very painful one too—if the person do not walk much, it will remain a considerable length of time before it takes on a callous surface. And, indeed, in very delicate feet, as in those of ladies, and where the individual is of quiescent habits, not much given to locomotion, the inflammation on the spot will remain as long as the cause exists. These corns are soft and spongy elevations on the parts acted upon; and the surface of the skin by no means loses its sensibility, as in the hard

corn. As the causes therefore vary, so necessarily must the treatment. These soft corns are also produced by what an old and experienced practitioner was pleased to term "lazy toes," that is, where, by bad management, and the imprudent use of shoes "a world" too small, the toes are thrust out of their natural position; so that they are obliged to ride as it were upon one another's backs. Such toes as these are a disgrace to the symmetry of the human foot; and they are not unfrequently the merited punishment for presuming to change or alter the structure of the Divine Architect, who only knows whether a large foot or a small one is best adapted to harmonize with the other parts of the machine.

Seat of the Soft Corn.

The soft corn, in consequence of the causes above-mentioned, is mostly formed on the inner sides of the smaller toes. They are then termed concealed corns. But all soft corns on the surface of joints will, by mechanical action of any kind, become hard, in proportion to the frequency and continuance of that action. The

concealed corns are remarkably painful and sensitive, even in the absence of either pressure or friction. There are variations in these corns, such as, when they assume different appearances, of which, as we proceed, we shall speak. We will now direct our attention to the general treatment of corns.

SECT. IV.

GENERAL TREATMENT OF CORNS.

THE *palliative* cure for corns consists in cutting away the indurated cuticle, so as to remove it from the inflamed skin, and thus get rid of this mechanical source of irritation.

After the feet are first soaked in warm water, so as to soften the indurated cuticle, you take a sharp pen-knife or razor, with which you pare away the morbid accumulation, and in doing this, after you have removed the greater part, you will generally come to a sort of single point, where the cuticle seems to have extended deeper than at other parts. Indeed, it appears that, at one point, the disease extends deeper than it does elsewhere, which is termed the *root* of the corn. It is said, you may actually lift up, and take away altogether in a mass, the portion of the cuticle that forms this root, though we apprehend that is not easily to be done; however, if you cut away

the thickened cuticle in this manner, and then cover the part over with soft plaster spread on leather, and direct the patient to wear large and soft shoes, great relief will be experienced, and the cuticle will recover its natural texture. If, however, considerable inconvenience be still experienced, you may proceed to a further measure for a more effectual remedy; that is, after shaving away, as nearly as possible, all the dead parts which are about the surface, which rub over with lunar caustic,* and then perhaps you will have no re-accumulation, if you avoid external and exciting causes. At all events, this simple process will afford the patient a very great alleviation of his sufferings.

BUNNIONS.

There is an affection, somewhat allied in its nature to corns, which, however, in some respects is different—this is a kind of swelling called *bunion*.

* This is one of the best escharotics we possess, as well as the most manageable. It acts by eroding the cuticle or external surface to which it is applied.

An incipient bunion is usually seated on the upper part of the first joint of the big toe, a part particularly liable to pressure from a shoe or boot. The *portion* thus affected is swelled, and attended with more general tumefaction than that of a corn; but there is another circumstance attending it; there is a hardened and thickened state of the cuticle over the most prominent part of this swelling, which constitutes a bunion. The swelling of the bunion itself consists, it is believed, of an inflammation of a mucous bag, situated between the skin and the prominent part of the joint in question.

Treatment of Bunions, arising from an inflamed mucous bag.

A mucous bag, which, in point of situation is analogous to that which is over the kneepan and elbow, and that by irritation upon the part, produced by the pressure of a boot or shoe, a state of inflammation arises with effusion into it; for in fact, if you open such a swelling, you will find invariably, that fluid escapes. When this is in a state of inflam-

mation, you may apply the same remedies as you would use in any other inflammation of *bursæ* or mucous bags, that is, leeches or poultices. Now this may become the foundation of a corn, and it may, from the causes which produce it, pass into a continuance of abscess, and matter may be discharged from it externally. If a corn forms in this situation, you must adopt the measures already described for removing it; with the usual dietetic means if necessary, and obviating the cause. At the commencement of this kind of corn, there is a redness observable on the joint, attended with little or no pain. In this state it will remain for some time, and may eventually disappear without any inconvenience, though it may return after a year, or even after a greater length of time; but no regular or fixed period can be marked as regards either its return or disappearance; though it may reappear in the course of a few weeks. If, however, it does not go away, but remains for a length of time, several small roots will be seen, not larger than the point of a pin; but when one root only is observable, it is

considerably larger. If it return, the swelling and inflammation are generally more severe than at its first appearance.

Bunions are produced from various causes.

1st. From short shoes, which contract the toes, and the heel being the resisting point, this part of the toe where it is seated, is bent upwards, which may very readily cause this projection. It very seldom happens to be seated on both feet. And, if it be asked why this is not the case? The reason may be owing to the length of the nail of the one big toe being sometimes considerably thicker and longer than the nail of the other big toe. This nail, by pressing against the shoe, produces the projection, which may not happen to the other foot, where the nail is shorter, consequently not liable to the same pressure.

2nd. A corn or corns may be seated on that joint, causing, at times, very severe pain, and preventing the patient from walking straight, which obliges him to rest his weight on the other side of it, at the same time contracting his toes, while, from this cause, the point of

the great toe is too much on the ground. A projection here then, under these circumstances, is unavoidable; and it swells and inflames more and more, in consequence of the pressure. The patient who labours under this complaint, is commonly ignorant of the cause. The best remedy in this case, is a poultice of bread and milk, or linseed meal, which will allay the inflammation and swelling. This, indeed, will afford only temporary relief, for, if the cause be not removed, it will again return with the same violent symptoms, or perhaps worse. And, not unfrequently, in consequence of not taking timely and proper means, the great toe takes a transverse direction, that is, it is distorted towards the small toes, distending the projection; and when once it has taken this course, it will never regain its natural position.

Palliative treatment of Bunnions.

Those who labour under the effects of this complaint, are compelled to confine themselves for some time. But circumstances may not at all times admit of their remaining long in

the house. Should, however, this be the case, it might prove injurious to their health, which is by no means improved by the cause of that confinement. Therefore, that they may not be deprived of the salutary effects of the free air, they first attempt to place the affected foot on the upper-leather of the shoe: the heel being placed as usual, it is tied over the foot, to prevent it from slipping off. This method may be very useful, when the weather is warm and dry, but in cold or wet weather it is not admissible.

The next palliative step which the patient has recourse to, is a pair of larger shoes; this, however, he does not find to answer the expectation, as, from the tender part being irritated by the slightest pressure, he is unable to walk with ease; and the more he walks, under these circumstances, the more the pain becomes aggravated. He then cuts a hole in the shoe, adapted to the size of the projection, by which means he walks with considerable ease: he is proud of the invention, and ascribes no little ingenuity to himself for having thus invented a remedy which enables him to walk

with less pain. But he soon finds that this remedy does every thing but ameliorate his condition ; as his foot is not only liable to be injured by the cold, but, what is still worse, he, by this means, forces his toe to grow transversely. And this occurs from the situation of the foot, the form of the shoes, and the difficulty which the patient has to encounter in attempting to force such a diseased toe into the point of his shoe.

Sometimes a corn grows on the same joint, which does not produce a projection at all, nor any swelling or inflammation ; neither is the pain so much as in the one above described, when the corn is placed in a projection. This, however, is seated on the joint, upon the metatarsal bone, towards the next toe. It is never deeply seated here, nor is the root ever found pointed, though it has more room to descend deeper than a bunion. It is never surrounded with any callosity, which is a deviation from the common course of corns. It is commonly of an uniform thickness, neither penetrating deep, nor arising on the surface. On the root some protuberances are to be ob-

served, inclining downwards, though none of them are so pointed as to merit the name of roots. This is, in fact, the kind of corn which we have designated by the term soft. These, for the most part, are situated between the toes, where, owing to the heat and moisture common to those parts, the corns are generally kept soft, and prevented from growing to a head, in the manner they would do were they exposed to friction on the upper part of the toe.

SECT. V.

REASONS WHY CORNS HAVE BEEN CALLED BY
DIFFERENT NAMES.

CORNS have received various names, as *hard*, *soft*, *black*, and *bloody* corns.

The hard corn, which we have already described, is by no means improperly so termed, as wherever it is seated, it always becomes harder than the common integuments. The soft corn is situated mostly between the toes. A black corn derives its name from a clot of coagulated blood at the end of its root, which occurs when the corn is at its full growth, and has entered the true skin, in consequence of a rupture of some of the small vessels which transmit the blood, which afterwards coagulates, and adheres closely to that corn.

The corn last mentioned is termed *bloody*, because, when it begins to grow, and to form

two or three roots, or perhaps more, these roots do not all grow to the same depth: in general one of them grows deeper, and is thicker than the other roots. As it thus grows deep, it proves an obstacle to the circulation in the small vessels of that part; and these vessels, instead of creeping under the corn, make an effort, as it were, to rise over it, and closely adhere to that corn, having their points directed upwards. This kind of corn is more painful than others. If a person wish to assist himself, by paring a little off it, which is usually done with a pen-knife, or razor, he cannot remove many slices, as he will very soon cut the vessels, from which the blood will freely flow. Indeed, it is scarcely avoidable for any person who thus cuts or pares his corns, unless he be made acquainted with these facts, not to draw blood. It requires some dexterity in handling the instrument, to avoid at all times bringing blood. From this circumstance, therefore, it has been denominated a bloody corn; but its name might be more appropriate, were it called a *fungous* corn. As, however, it is not our object to invent new

names, it has been deemed advisable here to let those names and terms stand which are best known to the world, for whom this work is designed. We proceed, therefore, to the treatment of the various kinds of corns here denominated; bearing in mind that which has already been said with respect to the general treatment of these excrescences, holds good in the sequel; though some trifling variations may occur in the practice, which, however, will require no comment to rectify. In treating of corns we shall here also introduce some remarks relative to the management of the feet.

SECT. VI.

TREATMENT OF CORNS, AND MANAGEMENT OF
THE FEET.

1. *Of the hard Corn.*—The common method of treating corns, is to bathe the feet for about one hour in warm water; then to pare them as close as possible without giving pain; and afterwards applying a little adhesive, or soap plaster. This process should be repeated from time to time. If the causes occasioning the troublesome appendage be also removed, this treatment generally proves effectual, unless on long marches.

Another method is, to allow the corns to grow to some length, through a piece of leather, with a hole in it. They may afterwards be cut round the root, or simply extracted. Should the corn be on the sole of the foot, it will sometimes be expedient to put a felt sole

in the shoe, in which a hole may be made large enough to admit the part affected.

Preventive Treatment.

As a preventive of corns and bunions, which require the same treatment, the size and figure of the shoe ought to be strictly attended to. It should be made sufficiently large, and of a shape correspondent to that of the foot. This is the treatment in ordinary cases, where the corn arises from the common causes already stated.

Many corns commence on the great toe, attacking the others in succession; but most commonly the first corn makes its appearance on the third toe; and sometimes, when the individual does not tread fair, and the foot is cramped in a small shoe, at the outer side, near the nail of the little toe.

Other causes of Corns.

Now, there are other causes than small shoes which give rise to corns, viz. the constant attrition of the joints of the toes, or protuberating bones of the feet against the shoes; such

as occurs to soldiers, on a long march, who at first have no corns, their shoes fitting well, and every thing else being adapted to the circumstances they have to encounter. But, in the course of time, their toes become tender, their feet blister, and if they have not rest, a high degree of constitutional excitement and pain is the consequence, which, if continued, would bring on a sympathetic fever, as has often been the case, which has terminated fatally.

Discipline of the Feet in walking.

As great care is taken in the army to see that the men are provided with proper shoes, with good thick soles, roomy about the toes, and that, in every other respect, they fit well, it is astonishing to find among such a body of men so few complaints arising from these causes. There is another thing in favour of the soldier against corns; namely, he is taught to walk, and if any perceptible awkwardness or deformity of the foot originally exist, this is corrected by the drill-sergeant, who teaches him to plant his foot fairly and uniformly on the ground, to turn out his toes, and give every

articulation of the lower extremities its full and unshackled play. And those who are flat-soled, as it is usually termed, and with whom the toes usually project too much from the body, in consequence of the structure of the inner ankle, the individual in this case supports the whole weight of the body on the inner side of the heel, first joint, and ball of the great toe, while the first joint of the small and adjoining toe, from constant play and collision on the upper, are invariably attacked, equally with the supporting parts of the foot, with callosities. As soon, however, as this awkward gait is corrected, and the individual treads more on the outer side of the foot, and draws in his feet to nearly a parallel, or rather to an obtuse angle with an imaginary point, at the distance of about six to eight inches from the heels, and these callosities being remedied in the usual way, they are only found to return as the individual, through negligence, recedes into his first habit or gait of walking. It is obvious, therefore, that the first step to correct a disposition to corns, is to mend the ways of walking, by showing the individual how to

manage his feet, so as to be subjected in the least possible manner to collision, or friction from protuberant or badly-located points of the foot. This medium would require a little time and patience at the onset, which would be amply rewarded by the results.

Young people are apt to distort their feet and knees for want of proper attention in walking. Young men are what is termed *baker-kneed*, from carrying weights above their strength, and turning out their toes too much, which gives the internal muscles an inclination inwards. To remedy this, the weight of the body should be supported on the heel and middle of the arch of the foot; the toes not turned out, but as straight before them as possible, for that is one of the things which gives cause to the weight to fall in the inside of the bone of the heel. In general, you observe dancing ladies with their toes much turned out; to remedy this they must give up this exercise, and not turn out their toes at all. Another thing to be attended to is to heighten the inner quarter of the shoe, and that will help the weight to fall on the middle of the arch of the foot.

Putting a strap round the shoe, and fastening that strap round the leg, is equivalent to the inner quarter of the shoe being heightened. Should these directions not succeed in preventing the evil, recourse must then be had to machinery ; but in the generality of such cases this is seldom requisite, for, by merely attending to those simple rules, and avoiding letting the weight rest where it ought not to have rested, young people have grown up with ankles and knees that were not materially wrong ; the weight became transmitted to the heel and arch of the foot very much as it ought to be.

Shoes considered relative to their Adaptation to the Feet.

After having, in a measure, succeeded by the adoption and practice of the above discipline, the next consideration will be the shoe ; for it is only now that we can expect to confirm what has been previously put in practice. And instead of adapting the shoe to the foot, which is, in many cases, a right bad practice, the foot ought to conform to the natural shape of the shoe ; so that upon examination of the

points of the feet, which may afterwards require the greatest degree of further discipline, the error may be readily detected by the deviation of the shoe from its original form.

Now we are not prepared to say that this plan will ever hold good generally, but there are many instances where such a practice may be successfully adopted, and many more considerably remedied, so that on the removal of the corns they will not afterwards recur, merely upon the principle of correcting the manner of walking with the means hereafter pointed out.

Distortion of the Feet and Toes.

Where the feet and toes are so distorted from early neglect and long habit, the best means, as regards their discipline, can only be palliative. The corns must be treated with the knife, and such preventives used, if not to eradicate, to check their growth. In this case, shoes must be accommodated to the feet, and the sooner this can be done the better. Every pair of shoes ought to be made of suitable leather, and as high in the instep as they can be

worn, that the action or friction may be taken off the toes. Soft calf-skin is the best leather. Previously to being worn, to render them flexible and more capable of yielding to the form of the foot, they ought to be sufficiently roomy every where, and wherever there may be any vacuums or spaces about the toes, these should be filled up with cotton-down. The upper-leathers should be well oiled, till they be soft and yield easily, so that they may more readily mould to the feet. After this, the oil may be discontinued, if thought proper. Elderly people, with invincible corns, after having pared and treated them in the manner hereafter to be mentioned, will find this plan very convenient.

To operate on hard and old Corns, for the radical Cure.

As regards the operation on hard and old corns, the treatment should consist in bathing them in water, as before directed. Then, with a sharp razor or keen-edged pen-knife, the patient should begin with the very apex of the corn, to pare off, in the most minute manner,

the callosity. Previous, however, to using the instrument, his hand-confidence would be much strengthened were he to take a small strip of coarsish linen, and make a hole in it, just sufficient to admit the corn: this passed uniformly, and with the requisite tightness on the spot, and held or fastened there, would enable the operator to use the necessary caution to the extent required, and guard the adjacent parts from being wounded unnecessarily. Having then arranged the means, he is to continue shaving off very thin laminæ, and to diminish the tenuity of the pieces he cuts in proportion as he advances to the quick. The most indurated parts being removed in this manner, with a hair pencil he will moisten the surface of the corn with the following fluid:—*Take*, Nitrate of silver, one drachm; pump or rain water, a table-spoonful. Dissolve.

Having moistened the surface of the corn in the manner directed, the slip of linen rag may be removed; in a few minutes it will assume a black colour, the consequence of the action of the solution: this in a few days will slough or peel off; after which, the solution is to be

reapplied in the same manner, the parts raised, the seat of the corn being protected by the linen ; and thus it may be repeated as long as necessary, that is, until the callous parts be entirely removed, and the seat of the corn rendered uniform with the skin. A piece of adhesive or soap plaster, cut precisely to the circumference of the corn, may be applied after each operation. The shoes being now made easy to the feet, and the pressure equal both without and within, there is every probability that the corns will never return on ordinary occasions. This method has been recently adopted in many instances with the most decided benefit in both sexes. The process is simple, easy, and unattended with the least pain. The same plan may be equally adopted with bunions, or on callosities situated on any part of the feet, though with soft corns, where the surfaces are so sensitive as not to bear the knife, it may not be attended with the same permanent effects.

A CORN PLASTER.

For corns, after removing a portion of the diseased substance, the following plaster, spread on leather, speedily effects a radical cure:—

Take soap plaster, and extract of Belladonna, equal parts.

Make a plaster, and spread it on leather as above directed; and apply it to the part.

Bunnions being produced by the same cause as corns, the irritation of which, caused by pressure, being extended to the cellular substance, occasions thickening of it with effusion. The treatment recommended here for corns, will also succeed with bunnions; but, in consequence of the extension of the disease to the cellular substance, the cure of course is more tedious.

SECT. VII.

TREATMENT OF SOFT CORNS.

It will readily be observed, that soft corns are seldom, if ever, seated upon the apex, if I may so term it, of a joint, but either between two joints, or on the outside of the extremity of the foot, near the root of the little toe, or on the inside of this toe and the two closest to it, near the nail. Those that are concealed, that is, not distinctly visible, without raising or making one toe recede from the other, are the consequence of pressure in the first instance, aggravated and kept up by friction in the second, materially assisted by the acrimony of the confined perspiration of these parts, which frequently of itself excoriates the skin. Hence the necessity of frequent ablution.

The generality of these cases may be identified to females, whose endeavours to compress their feet into as small a compass as possible, diverts the toes, by this means, from their regular

line of growth, so that in time they can scarcely bear any shoes at all, however large. Their feet also being more tender and delicate, do not well resist such harsh treatment; they should be careful, therefore, how they cherish such practices, which are always sure in the end to defeat the object they have in view. Add to this, their more sedentary habits frequently prevent a well-organized callosity, so that they are doomed, from their own imprudence, to be perpetually under the torment of a soft corn, with just sufficient friction, from their inactive habits, which they are now afraid to lay aside, to keep up the irritation of the part.

Prevention here is the most advisable and safest plan; and we would seriously recommend every person, on the first symptoms of corns, to remove the cause instantly, by changing their shoes, and adopting such other means as may be deemed requisite to obviate the origin of these evils.

Shoes for tender Feet.

Where the toes, and other parts of the feet, are extremely tender and sensitive, from the

least mechanical action, it would be well to have even the shoes made longer than usual, and the parts padded with soft down or cotton, till they become more accustomed to the action attendant on walking; and it may here be noted, that the thicker the sole of a shoe, and the higher the upper-leather, the more confined is the action of the toes and feet.

In these soft and very sensible projections, where there is not the least callosity on the surface, and where there is a continual red flush, the knife must by no means be used; neither must the surface be rasped or rubbed. There is sometimes round the edge of such corns a callous rough substance, which furrows up. This, however, may be removed with a pair of small sharp-pointed keen-edged scissors. A piece of fine lint may be interposed between the conflicting parts, or the same neatly wrapped round each affected toe, to prevent friction with the immediate neighbourhood, as well as to absorb the perspiration. And whenever any indurated or dead material can safely be removed with the knife or scissors, it may be done, (not otherwise,) as it

will relieve pressure, in some degree, from the nerves of the part, which are rendered exquisitely sensible from the causes already defined.

Bath for tender Feet.

Tender feet, frequently bathed in a decoction of oak bark, the chill being taken off, has been found to strengthen them. This done, particularly after exercise, and the feet put into a pair of lamb's wool stockings and easy shoes, affords a very cheering relief.

Soft Corns with indurated Surfaces.

There are soft corns again, whose surfaces, though very tender, are nevertheless sufficiently indurated to admit of a slight paring with the knife. Whenever this is the case, it may be done, and the solution of the nitrate of silver applied and treated as before. (See p. 36.)

The greatest caution must be taken in using an instrument, be it knife, scissors, or razor, not to touch the quick, but to leave off paring in time. It has been remarked by one of our most distinguished surgeons, in his lectures

on this very subject, that "old people ought to be very careful how they finger their toes," and indeed he is very right, and such an excellent piece of advice cannot be too rigidly adopted, as from the languor of the circulation at the very extreme points of the body, accidents are not so easily repaired as those which occur nearer the heart; and when it is known that the blood-vessels in the fingers, and particularly the toes of very old people, are almost, if not quite obliterated, it may readily be divined what the consequences would be, were such parts wounded by the incautious or unnecessary use of a cutting instrument.

*Directions previous to operating on a
Hard Corn.*

In cutting some hard corns which have a circumscribed or narrow basis, or attachment of the root, which admits of considerable motion, and which causes excessive pain, the corn should be fixed and deprived of motion before you begin to operate; by this means, no pain will be felt; and we repeat again that the

smaller the lamina or shaving removed at one cut, the easier and safer will be the operation.

To prevent Toes from riding over each other.

They may be padded with lint and properly bandaged for some time. A large shoe must be used at first, with moderate exercise. To be brief, hard corns are commonly produced by the toes rubbing against harder substances than themselves, and soft ones, or those called concealed corns, from the action of skin against skin, assisted by the acrimony of the perspiration natural to confined places. Hence, the causes and symptoms being known, the effects, with a little judgment and perseverance, may, in time, be palliated or removed, according to the remoteness of the one or the urgency of the others, by the simple means here pointed out.

If any one thing be more injurious to the feet than another, it is suffering the pain, or other inconvenience, to exist without some rational attempt to palliate or remove it being made in time. Fresh shoes, clean feet, and clean stockings, often alone afford considerable relief to persons whose gait or habit of walking

tends to excite the action of the sentient parts where undue pressure, consequently irritation, is kept up. After the fatigues of the day, should it not be convenient to operate by reducing the bulk of the excrescence, the feet, on being removed into a pair of cool loose slippers, are temporarily relieved; the circulation is rendered freer, and a degree of ease and comfort is felt until these parts be again called into action. These, and such like timely attentions, will repay the sufferer.

People troubled with corns, be they in a chronic or acute state, ought not to indulge in the slovenly and indolent habit of sleeping in the same stockings they have worn during the day. After having washed the feet, and reduced the surface of the corn by paring, as directed, a pair of clean loose-footed stockings would rather be an advantage, as defending the places from friction against the bed-clothes. The following morning, clean soft linen interposed between the corn and the stockings will mitigate friction, as well as guard them from the acrimony of the confined perspiration.

SECT. VIII.

OF THE NAILS IN GENERAL. OF THE DIFFERENT ORDERS OF NAILS. SUBSTANCE.

THE nails are complete at birth, so much so that they are capable of being pared ; and they continue their growth without interruption during life, though liable to various changes from certain diseases and accidents, as small-pox, measles, fever. In consumption the nails cease to grow in proportion as the disease advances ; and in some instances, in the last stage of this disease, the nails fall entirely out, in consequence of the nourishment on which they subsist being exhausted. In this state, also, they take on what Dr. Cullen calls the *adunque* form, which is always a symptom of want of nourishment.

The substance of the nails is horny ; though by some they are asserted to be of a fibrous texture. As we arrive at maturity our nails become harder, and their colour somewhat

varies. When we arrive at this period, they have received that degree of hardness which prevents us from tearing any part from them. This hardness, however, does not always take place at stated periods, as in some people of thirty years of age they are as hard as in others at nearly double this time of life. The nails, therefore, have been divided by chiropedists into *first* and *second* order.

The first order of nails are so soft, and so easily lacerated, that when they become too long, people seldom take the trouble of employing either knife or scissors to take off the superfluous part; instead of which they use the nails of the opposite hand; this is usually the case some time before the age of maturity. The second order occurs after this period, and is distinguished by the hardness above mentioned.

In the second order, the nails are not so liable to grow into the quick as those of the first order, because nature has supplied a peculiar spongy substance, of a brownish yellow colour, growing beneath the nail of the big toe. In some people this substance begins to grow when they

are thirty years of age, and continues during life. In others it may begin to grow about the age of forty or fifty; and in some people this substance is never found at all. Where this substance occurs abundantly, it is necessary to pare it away, which is often done in cutting the nails, previously to which it ought to be removed from under them. Where it does not grow so rapidly or so thick, it is scarcely thought of, because its utility is not appreciable. But it should be known, that did nature not furnish this substance, we should uniformly incur the danger of having the nails grow into the quick, because the second order of nails become very hard and lie closely under the skin. This spongy substance, therefore, it is obvious, is not without its use, because it grows from the beginning towards the end of the nails, and is seated exactly below the edge of the nail, and serves the same natural purpose as if a piece of lint had been mechanically introduced below the edge of it, to prevent the nail from entering the quick.

Those who have this spongy substance, suppose that it grows from the flesh below the

nail, though, on the contrary, it grows from the under part of the nail, to which it closely adheres, and has no connexion whatever with the flesh. It is more liable, however, to grow in greater quantity on the inner side, below the nail, than on the outer side. It most generally prevails, though in many it is wanting.

SECT. IX.

MORTIFICATION IN THE TOES.

THE mortification of the toes, which happens in old people, is generally dependent on an ossification of the small arteries; when the blood, of course, is prevented from circulating equally through the parts; sometimes it is attended with pain, and sometimes not. Sometimes accompanied by a degree of irritative inflammation, the cause of which will be found in the disordered state of the constitution. In this case, active surgical treatment is requisite.

SECT. X.

TO PREVENT THE EDGES OF NAILS FROM GROW-
ING INTO THE QUICK.

ON the first indications of the nail penetrating the quick, such a disposition, if early attended to, may be prevented by bathing the feet in warm water, and gradually raising up that part which seems disposed to enter the quick, and introducing a piece of lint under it. The nail will then take a different direction, and the evil will be remedied. In the adult nails which take on this disposition, the centre of the nail is to be scraped longitudinally, nearly down to the quick. The foot is then to be placed in warm water, and the penetrating parts raised out, which will now be the more easily effected, in consequence of being scraped. This being done, pieces of lint are to be introduced and retained there until the edge of the nail is diverted into its proper course.

SECT. XI.

TO CORRECT AND IMPROVE DEFORMED NAILS.

DEFORMED nails, for the most part, are produced by accidents of various kinds, such as weights falling upon them, or bruises from knocking them against hard substances in walking. Soldiers on the march, on taking off their shoes, frequently perceive their stockings tinged with blood, and on drawing them off find the nails of their big toes in them. Notwithstanding the force which must have occasioned this accident, the nails not unfrequently grow again, and become as regular as ever.

Deformed nails, from whatever cause, admit of being corrected, by attending to these circumstances: they will, for the most part, when they are entirely removed, be reproduced in as nearly the same condition as possible, if the growth be not obstructed or impeded by other means.

There is a thin insensible membrane adhering to the beginning of the nails, and covering a considerable part of those of children, while on the nails of people advanced in years it does not grow so far. This membrane, by anatomists, is termed the semi-lunar fold, from the resemblance it bears to a half-moon, and is what chiropedists have designated the regulator of the nails ; as when it is injured, the nails continue to grow, but when it is destroyed the nails become deformed.

Having already observed the injuries to which the big toes are liable in marching, and which become regular again, owing to the heat and perspiration, which have a tendency to loosen them, it may be added, that when our feet grow hot and swell, the shoes, consequently, become too short ; it is not, therefore, surprising that, from the great irritation, the nails, under such circumstances, should unavoidably be forced out ; but the regulator having been left uninjured, a new and regular nail grows again. This regulator is so easily injured, that instances are known of deformed nails having

been produced by one person treading upon the toes of another while dancing.

There are many people who have nails upon their toes, particularly on their little toes, which do not grow. Such nails have nearly the same form, though they have an appearance different from others; but what is remarkable, they have sensation. Also, on some of the other smaller toes, it will frequently be seen that one half of the toe grows regular, while the other half does not grow at all, owing to the neighbouring toe lying upon it, and, by constant pressure and friction, the regulator on that side having been injured. That part which does not grow has likewise sensation, as above-mentioned. It may be now fairly concluded, that wherever nails fall out and grow again, owing to the constant friction and irritation consequent upon marching, the regulator has not been injured; and that, whenever a deformed nail has been produced, it has, for the most part, been owing to a heavy body falling upon it, or to the tread of a horse, by which the nail became black, and grew out and as-

sumed a deformed shape. An injury then done to the regulator or semi-lunar membrane above alluded to, seldom fails to produce a deformed nail.

SECT. XII.

MANAGEMENT OF THE TOE NAILS. INJURIES
TO WHICH NAILS ARE LIABLE.

HAVING said sufficient of the nature, texture, and progress of the nails, we shall next lay down some general directions for their proper management, in addition to those already enumerated.

The first order of nails are extremely liable to injuries, and are too often mismanaged. All that is commonly done in this stage is to examine them at bed time, and when we rise in the morning; and when some of them are observed to be too long, people seldom use a penknife or a pair of scissors, but tear off a portion with their fingers. This operation often proves successful, though many bad consequences have arisen from such a practice: indeed, it is in the power of every person to experience this of himself, when, on tearing off the nail, and it does not yield according to his wish, but goes

deeper, he immediately desists, and contents himself with the hope that the nail will grow up again, when he will be enabled to accomplish his end. Similar practice has unquestionably succeeded, but in such cases the toe has been known to inflame, and swell to that extent that the patient has been obliged to call in medical advice. People, therefore, should be cautious, and guard against this practice, particularly with the nail of the big toe, which is most liable to grow into the quick, in the first order, when our nails are thinnest.

In the second order of nails, they are thicker and harder, so that they do not admit of being so easily torn, as in the first order. Suppose, for instance, they are pared too short, and their corners rounded too much, great danger is not to be apprehended, because, in the second order, nature has supplied a spongy substance, placed in such a manner under the edge of the nails of the big toes, as if it were mechanically fixed, for the purpose of securing those nails from the danger of growing into the quick; though in the first order of nails this substance is wanting.

The nail of the big toe is more liable to grow into the quick than those of the smaller ones, because the big toes are longest and thickest, consequently they sustain most pressure upon the nails from the shoes. The big toe has commonly a straight direction. In some persons, however, the point inclines a little upward, while, on the contrary, the points of the smaller toes incline somewhat downward. It is evident, therefore, that the nail of the big toes sustains considerably more pressure from the shoes than the nails of the smaller toes.

SECT. XIII.

DIRECTIONS FOR PARING THE NAILS. CONSEQUENCE OF PARING THE NAILS TOO SHORT.

THE pressure which the nails suffer is evident, by which the integuments come above their corners ; hence they are daily pressed more downward, and the corners are interrupted by the surrounding parts, so that they cannot come out with facility. They continue, therefore, to grow, but are interrupted, and consequently pierce the integuments, and produce considerable irritation if not removed. If a nail has already perforated the skin, a patient then begins to feel pain, which, though at first it is only trifling, gradually increases as the nail grows deeper. This induces the individual to attempt a remedy, namely, by paring his nail very short : but he cannot properly round the corners any more. Should he, however, accomplish his purpose, by taking a small portion from the corners, more harm is done than

if they had not touched at all. But he supposes it will afford him considerable relief, for the shoe would not press so hard upon the end of the nail as before; at the same time, he does not know that the fleshy part projects over the edge, at the end of the nail, and interrupts its growth; the nail, therefore, is forced to take a contrary direction, namely, instead of growing forward, it grows inwards and downwards, sometimes directing its course to one side only, at other times on both. When the nail has penetrated so deep, and several vain attempts have been made to pare it, it has then been the practice to scrape the surface of the nail very much, so that it becomes quite thin, on the supposition that by these means the corners would grow out, as they will assuredly do, if assisted as directed, and treated accordingly, in page 40.

Many nails of the first order, being already thin enough, do not require scraping to reduce them. Neither ought they to be rounded at all, nor cut shorter than the point of the toe. The nail should always be cut square, and the corners remain out of the fleshy part. The

bad habit of tearing the nails should be studiously avoided.

The nails of the smaller toes are not so liable to grow into the quick as those of the big toe, but they should be properly managed; they must be cut square, and the corners should remain out in the same manner as those of the big toe. Suppose they incline to grow in it is impossible they can penetrate, because they constantly follow their natural course, and grow forward.

If people would attend to these directions, they would never have their nails grow into the quick.

Nails of the second order are more manageable, and less liable to danger than those of the first, unless from accident. They should at least be pared every month, as they do not grow so readily as those of the first order. People who have the spongy substance below the nails, may cut them either round or square; they will not be in danger of growing into the quick, because it serves as a guide, growing along with the nail. Great care must be taken not to destroy this substance. In some people,

however, it grows so rapidly that it becomes troublesome to them, consequently they are obliged to diminish it in the best manner they can; but were it destroyed entirely, there would be danger of the nails of the big toes growing into the quick; a small portion of it, therefore, should invariably be left. Indeed, the best method is to cut the nails square, so that the corners may project a little longer than the point of the toe. A nail too long is destructive not only to the stockings, but also to the shoes; but when cut so as to project a little over the tip of the toes, it will protect the latter. The smaller toes should be managed precisely in the same manner as the larger ones; and, though they are not so likely to grow into the quick as the latter, they are, nevertheless, as liable to accidents.

The regulator, or semi-lunar membrane, should be particularly attended to in nails of the first and second order, as it adheres closely to them, especially to the nails of the big toes. While the nails continue, they drag the regulator along with them, which is not easily disengaged, by which means inflammation of the

integuments is often occasioned at the beginning of the nail. When a person pares his nails, the regulator should, on this account, always be detached from the nail with a blunt-pointed instrument; and great attention ought be paid, not to go too deep, to hurt the regulator, as this may give rise to a deformed nail.

The attention requisite for the proper treatment of deformed nails is but small, as they grow much slower than those of the preceding orders; and they require to be pared only every six months, and frequently only once a year. The only difficulty attending them is, that they grow so thick, and become so remarkably hard, that a person is not able to reduce them without considerable difficulty.

SECT. XIV.

MANAGEMENT OF THE FINGER NAILS.

THE nails of the fingers are not so liable to accidents as those of the toes. The absurd custom, however, of wearing them long, sometimes exposes them to injuries, and they are apt to collect filthy substances below the projecting parts; hence people are obliged to use pointed instruments for the purpose of removing these extraneous collections, by which means they frequently go too deep, and detach the nail from the skin.

People should pare their finger nails every ten days; by observing this custom there will be no necessity to remove the substance collected below them by other means than soap, water, and a nail brush.

In paring the finger nails, there are rules respecting them different from those which relate to the toes. Those of the fingers should be completely rounded, as the corners, if left,

would be apt to take hold of substances with which they come in contact, and which might prove injurious to the nails by laceration.

The nails of the fingers frequently assume a distorted and jagged appearance from the uncouth and unnatural custom some people have of biting them.

There is another troublesome complaint about the regulator of the finger nails, to which young people are most subject, namely, ragged pieces of skin adhering to the integuments, which, when attempted to be torn off, produce very severe pain. Some people are more incommoded with it than others. Various methods are resorted to for removing these pieces; some bite them, others cut and clip them off, others again use their nails. The best means is to loosen the regulator from the nail with some blunt instrument, and after with a pair of fine-pointed scissors, or pen-knife, and a steady hand; the place touched afterwards with the solution. (See p. 36.)

When the regulator is too long, that is, when it grows too high up the nail, it should be cut off with a pen-knife as near to the fleshy part

as possible without wounding it, and afterwards adjusted to its proper place with the blunt part of the instrument. Great care, however, is necessary in loosening the regulator with a pen-knife, lest it penetrate too far and do some injury. When this is the case, we incur the risk of bringing on a deformed nail.

Last of all, as regards the nails of the fingers, they ought never to be scraped with an intention of polishing their surface; it causes them to wrinkle, and makes them appear as if they were deformed in consequence of previous disease.

SECT. XV.

WHITLOW.

THIS is a collection of matter deeply seated under the common integuments, and often involving itself with the flexors of the finger, and is an abscess of the same nature with those arising in other parts of the body. The symptoms are a throbbing pain in the part, which lessens gradually, as well as the heat, tension, and redness of the inflamed part. The treatment consists in endeavouring to discuss them before matter is formed, by lotions, leeches, cold vinegar, and linseed meal poultices. Where this does not follow, warm fomentations and poultices to bring them to maturity; and early opened with the lancet, that is, as soon as a fluctuation of matter is detected. Simple dressings and poultices will effect the cure.

SECT. XVI.

BATHING OF THE FEET.

THE feet may be bathed in warm or cold water, at various temperatures. Very little attention, however, is paid to these varieties, and as little regard seems to be observed concerning the proper time for this partial act of ablution. The nails, and particularly where there are any deformed ones, admit of being more easily pared, and otherwise managed, after the feet have been in warm water for a short time, although there is a state of corns which are best reduced without having recourse to the bath to soften them. The instant the feet are removed from the bath, be it warm or cold, they should be promptly dried with a coarse cloth, and well rubbed. At no time is a foot-bath so necessary to such as are troubled with corns, than when the feet are damp or wet after walking. A tepid bath, that is, a bath between 80 and 90°, is not only a preservative at such

times against cold, which, from wet feet, is known to attack various parts of the body, but it preserves the feet themselves, renders them easy and comfortable, and keeps them sound, by removing dirt and perspiration which may have accumulated, and which, more than any other cause, frequently give rise to corns, irritations, blisters, and the like. Clean feet, clean stockings, and a pair of easy shoes, are the best preventives of injury to the feet, and as great a luxury as it is possible, where personal comfort is considered, for any one to enjoy.

In bathing the feet, some composition is frequently used in the water, as bran, milk, &c. Bran cleans the feet better, perhaps, than any other substance, and it does not expose the individual to the danger of putting on his stockings upon damp feet; for, where any of the bran remains upon the skin, it causes him to wipe his feet carefully, and thus secures him against the consequences of dampness.

People who have habitually moist or perspirable feet, should not let them remain above five minutes in the bath; and bathe them three

times a week in summer, and twice in winter. If they are apprehensive of catching cold, they may defer paring their nails at this time; and people whose feet do not perspire, may bathe them twice a week, in summer, and once in winter, keeping them in the water about ten minutes.

A REMEDY FOR MOIST FEET.

Take twenty pounds of ley, made of the ashes of the bay-tree; three handfuls of bay-leaves, a handful of sweetflag, with the same quantity of calamus aromaticus and dittany of Crete. Boil all these ingredients together for some time, then strain off the liquor, and add two quarts of port wine.

Bathe the feet in this preparation an hour every day, and in a short time they will no longer exhale a disagreeable smell.

The most proper time for bathing the feet is at bed-time. Those who wear under stockings should always place the right side of the stocking next to the skin, as, for the most part, it is plainer and softer than the other side. Some people object to bathing their feet, under the

apprehension of such a habit predisposing them to gout or rheumatism; let those, then, rub their feet carefully twice or three times a week with a coarse towel, which will keep them easy, and remove the scales that are apt to accumulate upon them.

SECT. XVII.

OF BLISTERS ON THE FEET FROM WALKING.

SEVERAL methods have been put in practice to prevent the feet from blistering: some recommend the soles of the feet to be anointed with tallow: others, to pour spirits into the shoes, which should tend to harden the skin. Without criticising any of these means, which every one has in his power to adopt, and without suggesting any preventive, we will satisfy ourselves with pointing out an easy and effectual remedy for blisters of the feet, let them occur where they may, namely:—Take a large needle threddled with a worsted thread, and push it through the blister, then cut off the needle, leaving two inches of the thread hanging out at each end. This remedy has two advantages:—

First,—It keeps the scarf-skin close upon the true skin, and thus prevents sand, &c. from getting in. Secondly,—The thread absorbs the

acid matter, and needs no further attention, the old skin remaining till a new one grows, when the blister wears away.

Blisters which have been merely punctured, have always a disposition to fill again. They are commonly opened by means of a knife, or scissors, but they afterwards become very painful, and not unfrequently degenerate into sores, which require medical aid to heal. These are the results of observations made during the author's travels, in company, not unfrequently with some thousands of individuals.

SECT. XVIII.

DIRECTIONS FOR THE SELECTION OF SHOES.

WHOEVER would consult the welfare of their feet as an essential point of the animal economy, inseparable from personal comfort, let them sedulously attend to the choice of shoes. It happens too often, that people consult their pride in preference to their ease. The ladies, in particular, are more apt to fall into this singular error, by wishing to appear to have small feet, which they consider as a high qualification, by forcing their feet into shoes considerably, in every respect, too short as well as too narrow for them. What is the consequence of this piece of ignorance and specious vanity? They distort their toes, blister their feet, and lay the foundation of corns; make themselves cripples, and waddle instead of walk. Hence, nine women in ten, upon the most reasonable calculation, before the age of twenty-four, have comparatively monstrous feet, and distorted

toes, from this very cause alone. Rather than be satisfied with the original conformation of the foot, and wear a pair of shoes corresponding to its shape, and answering in every respect to its bulk, they force their feet, like a wedge, into a tight pair of shoes, make themselves lame, and wear out their leather to no purpose after a few days use. Such women as adopt, or have adopted, this unnatural practice, are always bad walkers; their gait is invariably afterwards cramped; the elasticity of their feet is lost; they are generally buck-shinned, have large ankles, and stick out their toes a mile asunder, while their heels are usually so closely in contact as to knock against each other. Their knee-joints are stiff, their action is rather hobbling than walking, and appears, as is actually the case, as if the whole leg and foot were carried forward by the action of the pelvis, assisted by a trifling degree of flexibility in the knee-joint.

Those who would avoid these unseemly, injurious, and painful habits, will always have their shoes made of a proper length and breadth, corresponding to the foot. A good shoe-maker

will be best able to point out how any defect may be remedied; and in purchasing shoes ready-made, or made to measure, let them, if they require it, be stretched upon the last, and not upon their feet. And whenever a shoe-maker tells you a pair of shoes will stretch, if they appear too small, let him stretch them on the last before you take them away. The shoe must frequently be made for the foot, not the foot for the shoe. The same rules are to be observed in the purchase and manufacture of men's and children's shoes.

Soldiers, and those who travel or walk much on foot, should provide themselves with shoes that fit exactly, having the upper-leather pretty soft. Their stockings ought to be as plain as possible, and should be frequently changed and washed, for, when they are allowed to be too dirty, they become stiff, and may blister the feet. Those who have perspirable feet, should wash them three times a week in summer, and, during this season, wear thread or cotton stockings, which they ought to change more frequently than those whose feet are not subject to this evacuation; they may, moreover, wear an additional pair.

The perspirable matter arising from the feet becomes, after marching or walking much, acrimonious, and is apt to corrode the skin. Hence the necessity of obviating it, particularly in confined parts, as between the toes.

After much walking the shoes should be taken off, and a pair of light loose slippers substituted; this will restore the circulation in the extremities of the toes; rest the feet, and prepare them for those active duties they may again be called upon to perform.

To conclude, all who value their feet, fingers, and toes, either for comfort, use, or ornament, will find these purposes best answered by mild treatment, cleanliness, and attention to first causes.

SECT. XIX.

CORN PRESCRIPTIONS.

WE shall now lay down some of the best-known palliative corn prescriptions, which from time to time have been employed in the cure of these excrescences, observing, at the same time, that before any of them can be productive of much sensible benefit, the corn must be properly reduced, and carried as near as possible to the quick, without wounding it.

1.—A PLASTER TO PREVENT CORNS.

Take yellow bees'-wax, four ounces ; verdigris exactly powdered and sifted, one ounce.

2.—AN EFFECTUAL PLASTER FOR SOFTENING AND LOOSENING CORNS.

Spread a plaster of *gum ammoniacum*, not too thick, without being dissolved in vinegar, and, applying it to the part affected, let it re-

main on till it has sufficiently done the designed work of emollition.

3.—A POWERFUL, BUT SMART REMEDY
FOR CORNS.

Evaporate the strongly expressed juice of radishes to the consistence of a soft plaster, to be applied to the part affected, and renewed as often as it grows dry.

N. B. It will sometimes smart for a while at first, but afterwards it will do its work.

4.—A GOOD REMEDY FOR CORNS OF THE
FEET.

Take the yeast of beer, (not ale,) and spread it upon a linen rag, or other cloth, apply it to the part affected, and renew it once a day.

5.—A TRIED MEDICINE TO TAKE AWAY
CORNS.

The parts being made soft with bathing, and scraped, apply to the corn a plaster of shoemakers' wax; but if the part be very tender, your plaster may consist of equal parts of shoe-

maker's wax and diacylon melted together, and spread somewhat thin.

6.—AN OFTEN TRIED REMEDY FOR CORNS.

Take the juice of houseleek, and mix it up with about equal parts of the thick balm or yeast that sticks to the barrel, or to the clay that stops it. Of these make a kind of plaster, which, being kept on the toe for a while, and then, if need be, renewed, will make the corn very soft, and easy to be drawn out and extirpated.

7.—Take ammoniacum strained, and diacylon, of each an ounce; white precipitate, two drachms. Mix them well together, and apply it only over the corn, having first cut it as conveniently as possible.

8.—TO KILL A CORN.

Take of the size of a walnut of ale yeast that is hard, and sticks to the tub-side, put to it a little dried salt, finely powdered; work them well together, and put this composition

into a close box ; make a plaster of some of it, and bind it on the corn.

9.—TO TAKE AWAY CORNS.

Take hog's grease that is not dried, and beat it with a pestle, and spread it upon a piece of white cotton, on the ragged side, and bind it on the corns, dressing once or twice a day, and it will wear them away.

Others from various sources.

Gum ammoniacum dissolved in vinegar and inspissated, two drachms ; Venice vitriol, half a drachm. Though some use

Cyprian or Roman vitriol, (blue stone,) one and a half drachm ; white precipitate well edulcorated, three drachms ; Strasburgh turpentine, a sufficient quantity.

Mix, and make a wax cloth.

ANOTHER.

Take galbanum prepared with vinegar and wax, equal parts, eight ounces ; turpentine, five ounces.

Mix, and make a plaster.

ANOTHER.

Take crude antimony, in powder, one and a half drachm; submuriate of mercury, two drachms; corrosive sublimate, six grains.

Mix, and make a plaster.

ANOTHER.

Take gum galbanum dissolved in vinegar, gum ammoniacum, of each one ounce; diacylon, half ounce: melt them together, and then mix in twenty grains of powdered verdigris; and make the whole into a plaster.

KENNEDY'S CORN PLASTER.

Take yellow wax, one pound; Venice turpentine, two ounces; verdigris, one ounce.

Mix, and incorporate well, for a corn plaster.

ANOTHER.

Take yellow wax, two pounds; Burgundy pitch, twelve ounces; common turpentine, six ounces; prepared verdigris, three ounces.

To be spread on cloth, cut, and polished.

OR,

Take bees' wax, one ounce ; rosin, two drachms : Venice turps and blue vitriol, each, four drachms ; arsenic, half drachm.

Mix, and prepare as above.

Besides these, there are a variety of other applications to corns, as ivy-leaves soaked in vinegar, house-leek, and Burgundy pitch. Also a great number of quack preparations, as Arabian, Russian, and German plasters ; besides oils, and a variety of ointments ; likewise roasted onions, garlic, raw meat, &c. All these have nearly served the same purposes, being more or less corrosive or discutient. What is more, we have heard of corns being cured by merely applying a wafer to them. We shall conclude these remarks by observing that corrosive substances are by no means safe applications to the toes ; that whenever they are used they should not exceed the size of the corn, the latter having been previously reduced by paring. A piece of diacylon plaster cut to the shape, and laid upon the corn after it has been cut, will prevent friction upon that spot ;

but we have recommended the solution of the nitrate of silver, (page 36,) which, if used as there directed, will be found the safest and easiest remedy hitherto devised; the diacylon may be laid on after. In the treatment of corns, much good, however, is not to be expected, if causes be not attended to and removed; after which, by the means here laid down, there can be little difficulty attending the cure. Inveterate cases that have proceeded far, will require longer time; but success in the end must be complete, if the causes be corrected, and, where possible, removed.

SECT. XX.

RECIPE FOR PRESERVING SHOE-LEATHER.

TAKE bees' wax, one ounce ; boiled linseed oil, half a pint ; spirits of turpentine, one ounce ; Burgundy pitch, half ounce.

Melt the wax and the pitch in oil, over a slow fire, in an earthen vessel.

If new leather, either of boots or shoes, be saturated with the above composition, and left to hang in a warm place for eight or ten days, the shoe-leather will not only be rendered soft and pleasant, but also impervious to wet ; and what is of the greatest importance to a respectable appearance of the upper-leather, it will seldom be found to crack at the sides.

r

SECT. XXI.

ECONOMY OF THE HANDS.

THERE is no part of the exposed human body individuals are so desirous of seeing in a pleasing state as the hands, the instruments of our industry, and the source of support. It frequently happens that, from the nature of one's avocations, the most perfectly formed and delicate hands, from exposure to rude and unaccustomed labour, become hard, discoloured, chapped, wrinkled, cracked, stiffened in the joints, and not unfrequently crooked. Now these are the conditions, more or less, of all who support themselves by manual labour. There are many causes, however, which tend to accelerate this condition, and one of the most usual among females, is not drying their hands after they have had them in water, but on the contrary, suffering the water to evaporate off them, or holding them to the fire, wet, in cold weather, and many other similar causes,

which might easily be avoided. To avoid unnecessary digression, we shall briefly observe, that those who wish to improve the appearance of their hands with the amelioration of their circumstances, that is, when they are no longer necessitated to follow such menial employments as they were first engaged in, we would recommend the hands to be bathed two or three times a day in a hot milk and water bath for several successive days ; trim afterwards the nails uniformly, and divest them of all ragged appendages ; on going to bed, a piece of palm-oil, about the size of a kidney bean, is directed to be well rubbed all over the hands, and a pair of woollen gloves worn during the night ; the following morning the hands are to be well washed with soft soap and hot water, and a pair of soft leather gloves worn during the day. To promote a free circulation among the fingers, and on the surface of the skin of the hands, they may be well rubbed one with the other for the space of five minutes, three or four times in the course of the day. This practice continued for a week will soon convince the individual of the rapid improvement

that the hands have made under it. Those who want delicate hands should never hold them near the fire, or expose them to cold winds or rain. Where the hands are sun-burnt, they may be washed in lime-water, or the juice of lemons; these will also remove freckles from them, if not too severely impressed, as well as from the face and neck; or the following solution, which may be obtained at a trifling expense, and which is, in fact, a better preparation than any ever sold or advertised by the clamorous nostrum-mongers of the day, and, by experience, will be found to be much more certain and efficacious, namely:—

Take distilled water, or water that has boiled, one pint; sal ammoniac, half drachm; oxymuriate of quicksilver, four grains.

Dissolve the two last ingredients in a little spirit, and add the water gradually and uniformly to them. Add to the whole another half pint of water, and it is ready for use. It may be applied by means of a piece of sponge as often as convenient, to freckles, skin coloured from the rays of the sun, such as tawny necks,

arms, and hands. Rose-water is preferable to the distilled water, from its being of a more cooling and aromatic nature, though more expensive. If the hands be previously fomented with a warm infusion of bran, the solution will act better on them.

SECT. XXII.

WARTS.

THESE excrescences come without any obvious cause, particularly on the hands. They are often numerous in young subjects, and will disappear about the time of puberty, without any particular application or any obvious reason.

Where, from situations, warts do not produce any particular inconvenience, and do not occasion any deformity, they may be safely left to themselves. They sometimes occur about the hands and fingers, as to interfere with some motion, or with some office to which those parts are destined; and they frequently occasion an unpleasant appearance, so that people are desirous of getting rid of them; in accomplishing which there is no great difficulty. Perhaps the simplest and shortest way of proceeding is, to pare off the thickened cuticle

which covers the prominent wart. Cut it off by successive layers ; shave it till you come to the surface of the skin, and till you perhaps draw blood in two or three places. When you have thus laid bare the surface of the skin, rub the part thoroughly over with the nitrate of silver. One effective operation of this kind will generally destroy the wart ; if not, you may remove the black spot occasioned by the caustic, and apply it again, or you may apply acetic acid, and thus you will get rid of it. You may resort to extirpation ; that is, by making an incision on each side of the wart, and cutting it out.

As another topical remedy for warts, the arsenical liquor applied by means of a camel's hair pencil, twice a day, succeeds as effectually as the nitrate of silver.

Simpler means may frequently be successfully adopted.

WARTS, THEIR REMOVAL.

Warts may be removed by first paring off the decayed parts, and applying from time to time a pencil dipped in the solution (p. 36).

Or, if their necks be narrow, they may be nipped off at once with a pair of scissors, and the roots touched with blue vitriol. Or they may be removed by ligature, if their bases be not too broad, that is, by tying round them a fine hair, or silk thread; they will then fall off, from the nourishment which supports them being intercepted. The juice of celandine, or spurge rubbed over them, is esteemed good; equal parts of rhubarb and ipecacuanha, in powder, form a very good mild escharotic for them, as well as savine, and many other simple substances.

SECT. XXIII.

RECIPES.

SIMPLE DEPILATORY.

TAKE quicklime, one ounce; orpiment, three drachms; orrice, two drachms; salpetre, one drachm; soap lees, half a pint. Evaporate to a proper consistence.

ROSEATE POWDER.

Take lime, twelve ounces; starch, ten ounces; orpiment, one ounce. Mix—used also as a depilatory or remover of superfluous hair.

The oil of walnuts rubbed on the head of an infant prevents the hair from growing. The depilatories now in use only remove the superfluous hair for a time, as it soon grows again; but after the use of any of the corrosive depilatories, the oil of walnuts being applied, the object will be completely answered.

TO REMOVE SUPERFLUOUS HAIRS FROM THE
BACK OF THE HANDS, THE FOREHEAD, OR
OTHER PARTS OF THE BODY.

Take polypody of the oak, and bruise and cut it into small pieces, put it into a cucurbit, or retort, pour white wine over it, until it cover it by an inch ; let it stand and digest for twenty-four hours in a sand bath, then distil it with boiling water, until nothing comes over. A piece of linen dipped in this water, and applied to the back of the hand and wrists, left there all night, and repeated, will cause the hair to fall. Water of the distilled leaves and roots of chelidony, applied as above, produce the same effects.

* * * As the natural perspiration is the only real cosmetic, the hands, by being made to perspire in a hot summer's day by means of woollen gloves, will receive more benefit than from all the boasted applications of perfumers and others. What is here said of the hands is equally applicable to the skin of every part of the body. By promoting the perspiration, you open the pores of the skin, and evacuate the secretion

otherwise confined, which proves injurious at least to the complexion of the parts.

Freckles may be removed from the hands, face, and neck, by repeated applications of the solution (p. 36); blotches also; taking two table-spoonsful of the following mixture three times a day, and washing the face with morning dew:—

Epsom salts, one ounce; mint water, four ounces; distilled, or pure water, four ounces; magnesia, half an ounce.

The juice of lemons and onions, in slight cases, will often remove tan or freckles.

AN EXCELLENT WASH-BALL FOR THE
HANDS AND FACE.

Venice soap, two ounces; oil of bitter almonds, one ounce; oil of tartar *per deliquium*, one ounce.

Dissolve the soap in two ounces of lemon-juice, and mix the whole of the above ingredients together, and keep stirring till the mixture acquires the consistence of a thick paste.

FOR SUN-BURNT HANDS AND FACE.

Those who wish to remove the tawn on the skin of the hands and face, acquired by exposure to the ardent rays of a scorching sun, ought to use a small quantity of the spirits of wine, with virgin milk, and the distilled waters of pimpernel, white tansy, bean flowers, &c. These deterrent penetrating applications gradually remove the sun-burnt kind of varnish that covers the skin, by which means the perspiration is rendered more free, which is, in fact, we again repeat, the only real cosmetic.

FOR THE HAIR.

POMMADE DE LA JEUNESSE.

Pomatum mixed with pearl white, or magistery of bismuth, turns the hair black.

HUILE ANTIQUE A LA ROSE.

Oil of ben nuts scented with the essence of roses, thirty drops of the latter to one pint of the former; and oil of olives scented with the same, keeps the hair moist.

MACASSAR OIL.

Take olive oil, one pound ; oil of origanum, one drachm.

In this manner the different oils may be imitated ; namely, by adding the essential oils of any particular flower to oil of ben or olive oil.

A CURIOUS VARNISH FOR THE HANDS AND
FACE.

Infuse an ounce of gum sandarach, and half an ounce of gum benjamin, in three quarters of a pint of good brandy ; shake the bottle frequently, until the gums be wholly dissolved, and then let it settle.

After having washed the hands and face clean, apply the above varnish, or tincture, and it will give the skin the finest lustre imaginable.

A POMATUM FOR THE SKIN.

Take oil of white poppy seeds, and of the four cold seeds, of each a gill ; spermaceti, three quarters of an ounce ; white wax, an ounce ; mix them, *secundum artem*, into a pomatum.

HONEY SOAP.

Take four ounces of white soap, and an equal weight of honey; half an ounce of salt of tartar, and two or three drachms of the distilled water of fumitory; mix the whole together.

This soap cleanses the skin well, and renders it delicately white and smooth. It is also used advantageously to efface the marks of burns and scalds.

COLD CREAM.

Take oil of almonds, one pound; white wax, four ounces; melt, pour into a warm mortar; add by degrees, rose water, a pint.

It should be very light and white.

A POMATUM TO REVIVE THE COMPLEXION, AND
TO REMOVE RED PIMPLES.

Take pomatum, half a pound; rennet apples (No. 2), cut in pieces without peeling; four cold seeds, one ounce.

Melt, and add oil of almonds, one ounce; strain into spring water; when cold, beat out the water.

TO REMOVE FRECKLES.

Take houseleek and celandine, equal parts ; distil in a sand heat, and wash with the water ; or, Take lime water, eight ounces ; corrosive sublimate, three grains ; rose water, four ounces.

This forms a yellow solution, a strength sufficient to deterge and remove any scaly cuticle, or sunburnt appearance on the skin.—Used after washing the face with the common soap and water, with an ordinary sponge.

SECT. XXIV.

CURIOUS PARTICULARS RELATIVE TO THE
ORIGIN AND HISTORY OF GLOVES.

THE preservation of the hands seems, from the earliest ages, to have been a paramount consideration; and the coverings and protections for these extremities of the body have been as various in their structure and composition, as the purposes and ceremonies for which they were introduced. The following curious historical particulars of the glove may not be unacceptable to our readers.

Gloves have obtained by some a very early origin, from the supposition that they are mentioned in the 109th Psalm, where the royal prophet declares, he will cast his 'shoe over Edom.' They go still higher, imagining them to be used in the time of the Judges, (Ruth, iv. 7) where it is said, it was the custom for a man to take off his shoe, and to give it to his neighbour as a token of redeeming or exchanging any thing.

We are informed that the word in these two texts, which is usually translated shoe, is by the Chaldee Paraphrast in the latter, rendered glove.

Casaubon is of opinion that gloves were worn by the Chaldeans, because the word here mentioned is in the Talmud Lexicon explained 'the clothing of the hand.' But it must be confessed that all these are mere conjectures, and that the Chaldean Paraphrast has taken an unwarrantable liberty with the version.

Let us then be content to commence the origin of gloves with Xenophon, who gives a clear and distinct account of them. Speaking of the manners of the Persians, he gives us a proof of their effeminacy—that, not satisfied with covering their head and their feet, they also guarded their hands against the cold with thick gloves. Homer, speaking of Laertes at work in his garden, represents him with 'gloves on his hands, to secure them from the thorns.' Varro, an ancient writer, is an evidence in favour of their antiquity among the Romans. In lib. ii. cap. 35, de Re Rustica, he says, that olives gathered by the naked hand, are prefer-

able to those gathered with gloves. Athenæus speaks of a celebrated glutton, who always came to table with gloves on his hands, that he might be able to handle and eat the meat while hot, and devour more than the rest of the company : knives and forks, of course, at that time were not invented.

These authorities go to prove that the ancients were not strangers to gloves, though, perhaps, their use might not be so common as among us. When the ancient severity of manners declined, the use of gloves prevailed among the Romans, but not without some opposition from the philosophers. Musonius, a philosopher, who lived at the close of the first century of christianity, among other invectives against the corruptions of the age, says, ‘ it is a shame that persons in perfect health should clothe their hands and feet with soft hairy coverings.’ Their convenience, however, soon made their use general. Pliny the younger informs us, in his account of his uncle’s journey to Vesuvius, that his secretary sat by him, ready to write down whatever occurred remarkable ; and that he had gloves on his hands, that the

coldness of the weather might not impede his business. In the beginning of the ninth century the use of gloves was become so universal that even the church thought a regulation in that part of dress necessary. In the reign of Louis le Débonnaire, the Council of Aix ordered that the monks should only wear gloves made of sheep-skin. That time has made alterations in the form of this, as in all other apparel, appears from the old pictures and monuments.

Independent of covering the hand, gloves have been employed on several great and solemn occasions; as in the ceremony of investitures, in bestowing lands, or in conferring dignities.

Giving possession by the delivery of a glove, prevailed in several parts of Christendom in later ages. In the year 1002 the bishops of Paderborn and Moncerco were put into possession of their sees by receiving a glove. This was thought so essential a part of the episcopal habit, that some Abbots in France, presuming to wear gloves, the council of Poitiers interposed in the affair, and forbade them the

use of them, on the same footing with rings and sandals, as being peculiar to bishops.

Monsieur Favin observes, that the custom of blessing gloves at the coronation of the kings of France, which still subsists, is a relic of the eastern practice of investiture by the glove. A remarkable instance of this ceremony is recorded in the German history. The unfortunate Conradin was deprived of his crown and his life by the usurper Mainpoy. When having ascended the scaffold, the injured prince lamented his hard fate, he asserted his right to the crown, and, as a token of investiture, threw his glove among the crowd, begging it might be conveyed to some of his relations, who should revenge his death. It was taken up by a knight, who brought it to Peter, king of Aragon, who was afterwards crowned at Palermo. As the delivery of gloves was once a part of the ceremony used in giving possession, so the depriving a person of them was a mark of divesting him of his office, and of degrading him. Andrew Herkley, earl of Carlisle, was, in the reign of Edward the Second, impeached of holding a correspondence with

the Scots, and condemned to die as a traitor. Walsingham, relating other circumstances of his degradation, says, ' his spurs were cut off with a hatchet, and his gloves and shoes were taken off,' &c.

Another use of gloves was in a duel, on which occasion he who threw one down was thereby understood to give defiance, and he who took it up to accept the challenge.

The use of single combats, at first designed only for a trial of innocence, like the ordeal of fire and water, was in succeeding ages practised for deciding right and property. Challenging by the glove was continued down to the reign of Queen Elizabeth, as appears from an account given by Spelman, of a duel appointed to be fought in Tothill-fields, in 1571. The dispute was concerning some lands in the county of Kent. The plaintiff appeared in court, and demanded a single combat. One of them threw down his glove, which the other immediately took up, carried it off upon the point of his sword, and the day of fighting was appointed, but the matter was adjusted in

an amicable manner by the queen's judicious interference.

Though such combats are now no longer in use, we have one ceremony still remaining among us in which the challenge is given by a glove, viz., at the coronation of the kings of England; upon which occasion his majesty's champion, completely armed and well mounted, enters Westminster Hall, and proclaims that if any man shall deny the prince's title to the crown, he is ready to maintain and defend it by single combat. After this declaration he throws down his glove, or gauntlet, as a token of defiance.

The custom of challenging by the glove is still in use in some parts of the world. It is common in Germany, on receiving an affront, to send a glove to the offending party as a challenge to a duel.

Gloves were also used in hawking. In former times princes, and other great men, took so much pleasure in carrying the hawk in their hand, that some of them have chosen to be represented in this attitude. There is a monu-

ment of Philip the First, of France, still remaining, in which he is represented at length, on his tomb, holding a glove in his hand.

Mr. Chambers says that formerly judges were forbidden to wear gloves on the bench. No reason is assigned for this prohibition. Our judges lie under no such restraint, for both they and the rest of the court make no difficulty of receiving gloves from the sheriffs, whenever the session or assize concludes without any one receiving sentence of death, which is called a maiden assize. This custom is of great antiquity. The same curious antiquarian has also preserved a very singular anecdote concerning gloves. He informs us that it is not safe, at present, to enter the stables of princes without pulling off the gloves. He does not indeed tell us in what the danger consists. A friend from Germany explains the matter. He says it is an ancient established custom in that country, that whoever enters the stables of a prince, or great man, with his gloves on his hands, is obliged to forfeit them, or redeem them by a fee to the servants. The same custom is observed in some places at the death of

the stag ; in which case, the gloves, if not taken off, are redeemed by money given to the huntsmen and keepers. This is practised in France ; and Louis XVI. never failed to pull off one of his gloves on that occasion. The reason of this ceremony is not known.

We meet with this term in our old records, by which is meant, money given to servants to buy gloves. This, no doubt, gave rise to the saying of "giving a pair of gloves," to signify making a present for some favour or service.

To the honour of the glove, it has more than once been admitted as a term of the tenure, or holding lands. One Bortran, who came over with William the Conqueror, held the manor of Farnham Royal by the service of providing a glove for the king's right hand on the day of his coronation, and supporting the same hand that day while the king held the royal sceptre. In the year 1177, Simon de Mertin gave a grant of his lands in consideration of fifteen shillings, one pair of white gloves at Easter, and one pound of cinnamon.

EXTRAORDINARY PRICE GIVEN FOR GLOVES.

At the Sale of the Earl of Arran's goods, April 6th, 1759, the gloves given by Henry VIII. to Sir Anthony Denny, were sold for 38*l.* 17*s.* 9*d.*; those given by James I. to his son, Edward Denny, for 22*l.* 4*s.*; the mittens given by Queen Elizabeth to Sir Edward Denny's lady, 25*l.* 4*s.*; all which were bought for Sir Thomas Denny, of Ireland, who was descended in a direct line from the great Sir Anthony Denny, one of the executors of the will of Henry VIII.

SECT. XXV.

ON CHILBLAINS, THEIR CAUSE, AND CURE.

FEW are unacquainted with Chilblains; they are sometimes very troublesome, exceedingly painful, and not unfrequently attended with imminent danger. They are painful swellings of a deep purple hue, or leaden colour, to which the fingers, outer side of the hands, toes, or heels, and other extreme parts of the body, are liable.

The principal causes are exposure to severe cold, and the sudden transition of a cold atmosphere to a warm fire. Thus children in particular, after having been in the open air in winter, immediately on entering the house, place themselves close to the fire, which brings on a reaction, from a state of comparative torpidity, to one of the highest degree of circulation in the extremities; and on the surface of the skin of the body this causes an itching of the parts, and the subsequent irritation

brought on by endeavouring to allay this prurient sensation, lays the foundation of chilblains ; consequently, to avoid these causes, is to act as a preventive to them.

The symptoms of chilblains are pain, not constant, but rather pungent, and at particular times, shooting, attended with an intolerable degree of itching. In some instances the skin remains entire, in others it breaks and discharges a thin fluid. When the degree of cold has been very great, or its application long continued, the parts affected are apt to mortify and slough off, leaving behind a foul ill-conditioned ulcer.

Old people and children are more subject to chilblains than those of the middle age ; and people of scrophulous habits are observed to suffer severely from them.

The best method of preventing chilblains is carefully to avoid exposure to wet and cold. Those who are subject to them, on the approach of winter should cover the parts liable to be affected, with fleecy hosiery, (woollen gloves,) or stockings, and guard against exposing the

hands or feet too precipitately, when cold, to any considerable degree of heat.

In common cases, the treatment consists, as soon as any part becomes affected, in rubbing it with warm spirits of rosemary, with a little of the spirit of turpentine added. After this, pieces of soft lint, moistened with camphorated spirits, soap liniment, (opodeldoc), camphor liniment, &c. are to be applied and retained on the part.

When the swellings of chilblains break, or ulcerate, poultices and emollient ointments are to be applied for a few days ; and proud flesh (luxuriant granulations) are to be kept down with caustic applied to the edges ; or dry lint bound down sufficiently tight will frequently answer the same purpose ; or dressing the sore daily with the ointment of the nitrate of quicksilver, which, if found too escharotic, it may be reduced, with the addition of a small quantity (one third) of spermaceti ointment, and as soon as the surface of the sore presents a clean and healthy appearance, it may be dressed twice a day, morning and evening, with Turner's cerate.

Alum curd has been found an efficacious remedy applied to chilblains previous to the skin cracking and becoming sore, and hence it is a practice in some schools to wash the children's feet repeatedly with a strong solution of alum, which is said to keep off these troublesome companions.

The cataplasm, better known by the name of alum curd, is made by briskly agitating the whites of two eggs with a lump of alum till a coagulum is formed. To chilblains in a state of ulceration is recommended the

CERATE OF HONEY WITH TURPENTINE.

Take clarified honey, common turpentine, of each four ounces; mix these together, and thicken to a proper consistence with flour, as follows:—

The honey and turpentine being liquefied together, a sufficient quantity of fine wheat flour is to be stirred in, to give it the consistence of cerate. This application has been beneficially applied to chilblains in a state of ulceration on the feet and hands of children. They should

be kept constantly covered with it, and dressed night and morning.

The compound liquor of alum made as follows, is an useful astringent application. It will often answer in removing chilblains, in curing slight excoriations of the skin, in taking down superficial excrescences, and in correcting the vitiated discharge or hæmorrhagic tendency of some old ulcers. It may also be employed as a good collyrium, or eye-wash for weak and watery eyes, to which old people are subject.

Take alum, distilled vinegar, sulphate of zinc, of each, half an ounce; boiling water, two pints; dissolve the alum and zinc in the boiling water, then strain through blotting paper.

So far the prevention and treatment of chilblains; and if the means here laid down, both as regards the prevention and cure, were strictly attended to in boarding-schools, fewer complaints on this subject would be met with. Delicate children are more subject to chilblain than others of more robust and active habits; they require, therefore, more attention and looking after: and on the change of wea-

ther, towards the approach of winter, the precautions here laid down cannot be too soon put in practice. In some boarding-schools, as well as in private families, it is but too common in winter time to wash children's feet in warm water, a practice more eligible in summer than in winter, instead of water with the chill barely taken off it. Were the latter used, and more frequently, the feet of children, as well as the hands, would be less subject to chilblains. Cotton stockings towards the fall of the year should early give way to those made of lambs' wool, with people who have been previously attacked by these intruders, as their disposition to a revisitation of them is greater than with those who have never been troubled with them.

SECT. XXVI.

THE ITCH.

THE itch is a vesicular eruption, which, it is said, contains a small insect that produces the irritation. This subject, however, we shall not here discuss. It is not only a troublesome but a most loathsome and disagreeable companion, under any circumstances. It is usually taken by infection, from contact with an infected person, or wearing the same clothes, or lying in the same bed-linen. It is, sometimes, also a consequence of poor living, and unwholesome food, which impoverishes the blood; bad air, and neglect of cleanliness.

The symptoms are pimples with a watery head, among the fingers, at the wrists, arms, hams, thighs, and waist. A pimple appears on the surface of the body, which bursts, and the discharge from it is applied to a new surface, on which another pimple appears, and so on.

Then it begins at a point, spreads all over the body, and sometimes forms scabs, in which case it is exceedingly difficult to know whether it be the itch or not. If it be the itch, sulphur will cure it.

Sulphur is unquestionably the most efficacious remedy in the form of ointment; and internally as an electuary; from the disagreeable smell, however, and the inconvenience arising from the use of this mineral, other remedies are frequently substituted for it; the most efficacious of which are a solution of arsenic, or of corrosive sublimate, different combinations of sulphuric acid, that is, diluted with hog's lard or water; white hellebore, or strong decoction of foxglove, used externally.

SULPHUR OINTMENT.

Take sulphur, four ounces; hog's lard, four ounces; cinnabar, half a drachm; oil of rosemary, ten drops; incorporate well, and use in proportion to the extent of the disease. This is the proper itch ointment. It is to be used before the fire; and much will depend upon the manner in which it is rubbed in. In some

cases, it requires the whole of the above to be rubbed in at one time.

DR. PRINGLE'S ITCH OINTMENT.

Take flour of sulphur, one ounce; hellebore in powder, two drachms; crude sal. ammoniac, two drachms; hog's lard, two ounces; mix, and rub in with, on the affected parts.

The following anti-psoric ointment is what may be termed an elegant preparation, and has seldom been found to fail.

Take muriate of quicksilver, ten grains; white calx of quicksilver, half a drachm; hog's lard, three ounces; essence of bergamot, one drachm.—Mix well and make an ointment, to be used every night at bed-time.

In inveterate cases of itch, some gentle opening and cooling medicine ought to be taken occasionally—such, for instance, as the following:—

Lenitive electuary, two and a half ounces; flour of brimstone, the best, two ounces; purified nitre, one drachm. Mix, and make an electuary. The dose, about the size of a nut-

meg, once or twice in the day, according to the habit of body.

As another external application, a drachm of sulphuric acid may be incorporated with an ounce of hog's lard, and used as directed above; or the same quantity of the acid to a pint of water. Mechanical friction will frequently remove the itch from the hands, and with more certainty if a little of the flour of brimstone be used at the same time, in a dry state.

Many other applications have been used, and still are preferred by many. They consist chiefly of ointments or washes, with the muriate of quicksilver, or white hellebore.

A solution of kali, in the proportion of a drachm to an ounce of water, has been preferred internally, a tea spoonful to be taken two or three times a day in any small drink. The body, at the same time, to be washed with weak ley.

The extract of hemlock has been found useful in some obstinate cases which resisted all other common methods. Baths should be used, in the dry species particularly; and sudorifics

are useful in both kinds (moist and dry) of this complaint.

The venereal itch requires the use of mercurial alteratives, and decoction of the woods.

Fumigation has been employed at Paris, in the cure of the itch, by Dr. Gale.* This is produced by throwing half an ounce of sulphur, mixed with two drachms of nitre, into a warming pan of hot coals, to be used after the manner of warming a bed. The patient is then to strip, and get under the clothes, which are to be closely tied round his neck and shoulders, to prevent, as much as possible, the gas from escaping. This process is to be repeated for about seven nights, and even the worst cases may be cured in this way,† Dr. Gale says, without inconvenience to the patient, who generally will sleep very sound.

OTHER ERUPTIONS OF THE SKIN.

Tetters, pimples, ringworms, shingles, grubs,

* The itch, in French, is called *la Galle*, the very same way in which our *Gallic* neighbours pronounce the name of Dr. Gale.—ED.

† “New London Medical Pocket-Book, by J. S. FORSYTH, Surgeon,” p. 169.

freckles, and other similar cutaneous complaints, may be touched with ink, a weak solution of vitriolated iron, or zinc, acetated cerusse, (sugar of lead,) prepared kali, muriated quicksilver, or the anti-psoric ointment, previously recommended. If these prove too violent to delicate places, softening and cooling liniments, or cream, in cases not severe, may be applied. Sometimes alteratives of the mercurial and antimonial kind, or cooling febrifuges and purges, are necessary. There are, however, many diseases which resemble these, which are not so; but the consequence of a disordered state of the digestive organs.

TINEA, OR RINGWORM.

This is a papular eruption which infects the heads of children, inoculating the surrounding part, and forming a zone of papular eruption, called the ringworm.

CURE.—When the disease gets to the surrounding parts, you shave the head, wash the sores very clean with Castile soap and flannel, and having well dried the part, use the following ointment.

Take hog's lard, one ounce ; white precipitate, one drachm. These are to be well incorporated, and used by applying it to the part.

When the disease has been of long continuance, in consequence of a disordered state of the alimentary canal, all dressings should be kept away, and the digestive organs attended to. In these cases scabs form on the head, a large mass of filth would be formed, which might puzzle a man to say what the original nature of the disease was. Here a poultice is requisite ; and attention to the state of the bowels.

SECT. XXVII.

ON COSMETICS.

MANY are the directions laid down in books for performing miracles, but when they come to the test, their fallacy is too often apparent. Sound feet are evident signs of a good walker ; those of a hobbling, waddling gait, are always affected with corns or bunions ; for the cure of which, it is necessary, with the means laid down in the preceding pages, to endeavour as much as possible to correct this aukward habit. The nails of both fingers and toes are equally disposed, from a multiplicity of causes, which ought to be avoided, to distortion. The appearance and lustre of that part of the skin which is exposed to the vicissitudes of the weather, suffer also from these and other causes, many of which are to be controlled, in some again they are not. When this is the case, artificial means are often successful in restoring it to its natural complexion. On this subject we shall merely observe that the desire to enjoy perpetual youth and beauty, is one of the

most predominant and pardonable ; but there is a medium here, as in every other thing. Extravagant means are not the most likely to accomplish the object.

Bathing, although it cannot rationally be asserted that it will confer continual youth, possesses, nevertheless, a very uncommon and superior tendency to protract that happy state, by preserving all the solid parts soft and flexible, and rendering the joints of the body conveniently pliable, and is equally favourable to the preservation of beauty ; and those nations among whom it is most prevalent, are usually the most remarkable for the elegance of their form and the beauty of their complexion : a moderate desire, therefore, to improve and beautify the surface of the body, is far from being a frivolous pursuit, although it has frequently been pursued by improper methods, arising from not having a just conception of the beauty they would procure, and the use of poisonous materials to effect it ; the consequence of which is, that valuable sacrifices have been made, not only of things relating to health, but sometimes of life itself.

Among the minor cosmetics used for the purpose of beautifying their person and bleaching the skin, may be enumerated, avoiding a pure and free air, using a mild and debilitating diet, long fasting, long sleeping, eating chalk, drinking vinegar, wearing camphorated charms, &c.; these have never failed to disappoint the over sanguine expectations of those erring votaries of youth, health, and bloom. Such, however, as we have denominated minor cosmetics, though unattended with any of the specific qualities that vain would be attributed to them, are harmless compared with those active ingredients, lead and mercury, variously manufactured, which are known to enter into the composition of many of the boasted modern cosmetics, whether in the form of lotions, creams, powders, paints, or ointments.

It is too well known to require illustration, that mercury and lead possess the subtile power of passing into the body through the pores of the skin, in a manner as forcible as if they had been conveyed through the medium of the stomach. Our advice is, then, to avoid every preparation in which either of these poisonous sub-

stances are introduced; for the external use of them as cosmetics or beautifiers, occasions the delightful sensation of cramps and spasms in every part of the body, acting as a distorter rather than an embellisher of the countenance; nervous weakness, tubercles of the lungs and intestines, with all the attendant train of consumption, either pulmonary or hectic, which ultimately closes the scene of earthly beauty and vanity. It should invariably be remembered, that

Beauty alone is but of little worth,
 But when the soul and body's of a piece
 Both shine alike; then they obtain a price,
 And are a fit reward for gallant actions.

SHAKSPEARE.

SATIRE ON COSMETICS.

The following satirical cut against Cosmetics may be seen in an old *Mag.* for the year 1761. There is much of the essence of truth in it, which a few grains of common sense will soon discover to the most sceptical reader. It is here transcribed *pro bono publico*.

Qui vult decipi, decipiatur.

GENTLEMEN,

I AM a constant reader of our public papers, and sometimes, after having perused them, cast my eye on the advertisements, among which I find a new discovery of the essence of flowers—pectoral balsam of honey, a new-discovered remedy—the new discovery being an anti-scorbutic powder—all intended, I am willing to suppose, for the good of the public, as well as benefit of the several discoverers. Of a different kind, a noble beautifying paste for the hands and neck, also a kalydor, truly prepared from a secret discovered in Italy, known for its real merit in taking off tan, scurf, freckles, &c.—I suppose the words ‘taking off’ to be an error in the press, and that the word ‘covering’ ought to have been in their stead; because I have often seen in Italy the ladies’ hands and necks covered with a kind of paste.—‘The famous Naples dew, just imported from Italy, which assumes, by the aid of chemistry, the consistency of cream and whiteness of milk; and, without being a paint, produces the good

effects only of such.—Men use it as well as women, after being shaved.’

That paint of any kind ever produced any good effect on a British lady’s face, was never known; but the contrary is certain, though it is not quite so, whether the ladies, as well as the gentlemen, shave or not before they make use of this famous dew; the quality and effects of which, however, as set forth at large in the advertisement, may possibly induce some persons, fond of every foreign commodity and practice, to make use of it. In regard, therefore, to the complexions of the good people of Great Britain, especially the fair sex, whose angelical faces may no razor ever touch, or paint, under any assumed name, consistency, or colour, scorch or shrivel, I trouble you with, and flatter myself you will, for their sakes, make known, by the means of your Magazine, the newest new discovery—the famous British dew, which assumes, not by the aid of chemistry, but of oatmeal, the consistency of flummery, and whiteness of water gruel; and, not being paint, produces not the ill effects of such. There is no spot on the skin, foggy or brown complexion, redness or pimple, but, if laid on

thick, it quite conceals, and, when rubbed off, leaves the skin clean, sound, and fresh. Men use it as well as women. It keeps the skin smooth, and fills up the wrinkles better than any Italian white-wash, paint, or paste; it causes no weakness or soreness of the eyes, and may be safely taken inwardly;—and, mixed with rain water, is excellent for scouring the hands.

Now, gentlemen, as our booksellers, who formerly sold pills to purge melancholy, composed of paper and ink, vend new-discovered nostrums of different compositions, I hope the famous British dew, being the newest new discovery, may by your, their, and my means, become—as it is innocent—an universal cosmetic.

I am, Gentlemen,

Your most humble servant,


B. BROWNSKIN.

P. S.—I have by me a wonderful composition for the beard and hair, but shall not make it public till I find my British dew has been well received, by answering its intention, which I do not in the least doubt will shortly be signified to me, by many a fair hand, with thanks. I shall then, by a card to the ladies, communicate the surprising effects of my won-


derful composition, and remove into Hatton-Garden, for the better access of coaches.

Formerly, if not exactly to the same extent at the present day, mineral substances were only made use of to adonise the complexion; indeed, every composition is qualified with this name, whether it be *white* or *red*, which women and even men (coxcombs), with a clear skin, subserve to embellish their faces, with a view to imitate the colours of youth, or artificially to repair the absence of them. The most ancient paint, and that which was held in greatest repute, was antimony, which the women employed to darken the eyebrows, by means of a hot needle. These practices, with the use of rouge and carmine, are now, at least in England, we are glad to say, for the most part reserved only for stage effect, or the blandishments of impudicity; though they are adopted abroad in every circle of society, by matrons as well as maids, who would cheat time of his spoils, or supply a seeming defect which nature has refused, or sickly health proscribed.

THE END.



φ



JUST PUBLISHED,
BY EFFINGHAM WILSON,
88, ROYAL EXCHANGE,
Economy of the Teeth, Gums,
AND
INTERIOR OF THE MOUTH;

Including the Medical, Mechanical, and Moral, Treatment of the most frequent Diseases and Accidents incidental to the Structure and Functions of those delicate Parts; with the means of correcting and purifying a tainted or unpleasant Breath, or other Personal or Atmospheric Effluvia arising from Local or Constitutional Causes or Injuries.

BY THE AUTHOR OF
"ECONOMY OF THE HANDS AND FEET."

"Good Teeth, independent of their great utility, are essential to Female Beauty."

"In your person you should be accurately clean; and your Teeth should be superlatively so: a dirty mouth has real ill consequences to the owner, for it infallibly causes the decay, as well as the intolerable pain, of the Teeth."—*Chesterfield*.

Health without Physic,
Or CORDIALS for YOUTH, MANHOOD, & OLD AGE;
INCLUDING

Maxims, Medical, Moral, and Facetious, for the Prevention of Disease, and the attainment of a long and vigorous Life.

BY AN OLD PHYSICIAN.

With a beautiful emblematical Frontispiece, designed by Richter. In one vol. price 7s. 6d.

"We have marked so many passages in this sensible and pleasing volume for extract, that we are now actually at a loss which to select."—*Morning Advertiser*.