

**Pharmacopoeia, quam in usum Nosocomii Academiae Londinensis ...
medici ac chirurgi statuerunt / [Edidit A.T.T., i.e. A.T. Thomson].**

Contributors

Thomson, Anthony Todd, 1778-1849.
Academiae Londinensis.

Publication/Creation

London : J. Taylor, 1828.

Persistent URL

<https://wellcomecollection.org/works/rt662a2h>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.


You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

PHARMACOPÆIA
NOSOCOMII
ACADEMIE LONDINENSIS.

40915/A



PRESENTED BY

THE SALFORD ROYAL HOSPITAL.

Class 983. Section 62 Subs.

Case Shelf No.

Prog. No. 46514

W. H. H.

Pharmacopoeias.

London: University

College

Hospital

54800

V. C. H.

PHARMACOPÆIA,

QUAM IN USUM

NOSOCOMII ACADEMIÆ LONDINENSIS.

SUB AUSPICIIS

SENATUS, ROYAL

ANNO SALUTIS MDCCCXXVIII,

FUNDATI,


MEDICI AC CHIRURGI

STATUERUNT.

LONDINI:

IMPENSIS JOHANNIS TAYLOR,
UPPER GOWER-STREET.

1828.





EDIDIT A. T. T.

MEDICAMENTA SIMPLICIA.

Acaciæ *Gummi.*
Acetum.
Aconiti *Folia.*
Acori Calami *Radix.*
Adeps.
Allii *Radix.*
Aloes *Succus Spissatus.*
Ammoniacum.
Anthemidis Nobilis *Flores.*
Balsamum *Copaibæ.*
Belladonnæ *Folia.*
Benzoe.
Bismuthi *Subnitras.*
Calumbæ *Radix.*
Cambogiæ *Succus Spissatus.*
Camphora.
Cantharis.
Capsici *Baccæ.*
Carbo Ligni.

- Cardamomi *Semina.*
Cari *Semina.*
Cascarillæ *Cortex.*
Catechu.
Cera Flava.
Cetaceum.
Cinchonæ *Cortex.*
Colchici *Bulbus.*
Contrayervæ *Radix.*
Creta.
Daturæ Stramonii *Herba.*
Digitalis *Folia.*
Galbani *Gummi Resina.*
Gentianæ *Radix.*
Guaiacum.
Hæmatoxyli *Lignum.*
Humuli *Strobulus.*
Hyosciami *Folia.*
Jalapæ *Radix.*
Ipecacuanhæ *Radix.*
Lini Usitatissimi *Semina.*
Malvæ *Folia.*
Mel.
Menthæ Viridis *Folia.*
Myrrhæ *Gummi Resina.*
Nicotianæ *Folia.*
Olivæ *Oleum.*
Opium.

- Papaveris Albi *Capsula.*
Piperis Cubebæ *Fructus.*
— Longi *Fructus.*
Quassiæ *Lignum.*
Quercus *Cortex.*
Resina Flava.
Rhei *Radix.*
Ricini *Oleum.*
Rutæ *Herba.*
Sabinæ *Folia.*
Salviæ *Herba.*
Sapo.
Sarsaparillæ *Radix.*
Scammonium.
Scillæ *Bulbus.*
Secale Cornutum.
Sennæ *Folia.*
Sinapis *Semina.*
Sulphur.
Terebinthina.
Terebinthinæ *Oleum.*
Tiglii *Oleum.*
Tragacanthæ *Gummi.*
Valerianæ *Radix.*
Uvæ Ursi *Folia.*
Zingiberis *Radix.*

PRÆPARATA CHEMICA.

Acidum *Hydrocyanicum*.

— *Muriaticum*.

— *Nitricum*.

— *Sulphuricum*.

Alcohol.

Alumen.

Ammoniæ *Carbonas*.

— *Liquor*.

— *Murias*.

Antimonium *Tartarizatum*.

Argenti *Nitras*.

Arsenici *Liquor*.

Calcis *Liquor*.

Calcis *Muriatis Liquor*.

Cupri *Subacetas*.

— *Sulphas*.

Chloro-Sodiaci *Liquor*.

Ferri *Subcarbonas*.

— *Sulphas*.

Hydrargyrum cum *Creta*.

Hydrargyri *Submuriás*.

— *Oxymuriás*.

— *Oxydum Rubrum*.

Magnesia.
 Magnesiæ Subcarbonas.
 ——— Sulphas.
 Plumbi Acetas.
 ——— Sub-Acetatis Liquor.
 Potassæ Liquor.
 ——— Acetas.
 ——— Nitrás.
 ——— Sulphas.
 ——— Sulphuretum.
 ——— Supertartras.
 Sodæ Boras.
 ——— Carbonas.
 ——— Sulphas.
 Soda Tartarizata.
 Stanni Limatura.
 Zinci Oxydum.
 ——— Sulphas.

PRÆPARATA PHARMACEUTICA.

Acetum Scillæ.
 Aqua Cassiæ.
 ——— Menthæ Piperitæ.
 Ceratum Calaminæ.
 ——— Cantharidis.
 ——— Cetacei.
 ——— Sabinæ.

- Confectio Aromatica.
Decoctum Aloes Compositum.
——— Cinchonæ.
Emplastrum Ammoniaci.
——— Cantharidis.
——— Picis Compositum.
——— Plumbi.
——— Resinæ.
Extractum Belladonnæ.
——— Colocynthidis.
——— Conii.
——— Hæmatoxyli.
——— Hyosciami.
——— Papaveris.
Infusum Calumbæ.
——— Cascarillæ.
——— Digitalis.
——— Gentianæ.
——— Sennæ.
Linimentum Ammoniæ.
——— Saponis.
Mistura Ammoniaci.
——— Camphoræ,
——— Cretæ.
Mucilago Acaciæ.
——— Tragacanthæ.
Pilula Hydrargyri.
Pilula Scillæ Composita

- Pulvis Ipecacuanhæ Comp.
— Cretæ cum Opio.
Spiritus Ammoniæ Fœtidus.
— Etheris Nitrici.
— Tenuior.
Syrupus Papaveris Albi.
Tinctura Conii.
— Ferri Muriatis.
— Hyosciami.
— Opii.
— Sennæ Composita.
— Valerianæ.
Unguentum Hydrargyri F.
— Hydrargyri Nitratis.
— Sulphuris.
— Sulphuris Compositum.
Vinum Colchici.
— Ferri.

LONDINAE MEDICINÆ

AD ORTHOMICAS ASTROLOGIAS

MAGIS ASTRONOMIA IN CLOACIS
MAGIS ASTRONOMIA IN CLOACIS

AUGUSTUS AD MATHIAS

MAGIS ASTRONOMIA IN CLOACIS
MAGIS ASTRONOMIA IN CLOACIS

AUGUSTUS AD MATHIAS

MAGIS ASTRONOMIA IN CLOACIS
MAGIS ASTRONOMIA IN CLOACIS

FORMULÆ MEDICINALES.

1. AQUA OPHTHALMICA ADSTRINGENS.

R. Aquæ distillatæ fluiduncias sex,
Aluminæ supersulphatis scrupulum.
M.

2. AQUA OPHTHALMICA RESOLVENS.

R. Aquæ distillatæ fluiduncias decem,
Plumbi Subacetatis liquoris fluidrachmam semis,
Ammoniæ Muriatis grana duodecim.
M.

3. AQUA OPHTHALMICA SEDATIVA.

R. Aquæ distillatæ fluiduncias octo,
Opii scrupulum,
Potassæ Prussiatis scrupulum,
M. et cola.

4. BOLUS ALUMINIS.

- R. Aluminæ Supersulphatis granum,
Confectionis Aromaticæ grana octo.
F. B.

5. BOLUS CAMPHORÆ.

- R. Camphoræ lucidæ grana duo,
Mucilaginis Tragacanthæ, q. s.
F. B.

6. BOLUS CATECHU.

- R. Catechu extracti grana decem,
Confectionis Aromaticæ grana sex.
Syrupi quantum sufficiat.
F. B.

7. BOLUS CATHARTICUS.

- R. Jalapæ pulveris grana quindecem,
Potassæ Supertartratis scrupulum,
Syrupi quantum sufficiat.
F. B.

8. BOLUS FERRI CUM MYRRHA.

- R. Ferri Subcarbonatis grana duodecem,
Myrrhæ pulveris grana sex.
Confectionis Aromaticæ quantum sufficiat.
F. B.

9. CATAPLASMA CARBONIS LIGNI.

- R. Carbonis Ligni pulveris quantum sufficiat,
Immisceatur Cataplasmati domestico tepido.

10. CATAPLASMA CONII.

- R. Conii Foliorum exsiccatorum unciam,
Micæ panis libram,
Aquæ octarium cum semisse.
Decoque ad octarium.

F. C.

11. CATAPLASMA FERMENTI.

- R. Fermenti Cerevisiæ fluiduncias sex,
Cataplasmatis domestici libram.

F. C.

12. CATAPLASMA SINAPIS.

- R. Cataplasmatis simplicis libram,
Inspergatur Sinapis Farina.

13. CONFECTIO OPIATA.

- R. Confectionis aromaticæ uncias quatuor,
Opii duri contriti scrupulos duos,
Syrupi ad Opium idoneè conterendum.

F. Conf.

14. DECOCTUM GLYCYRRHIZÆ.

R. Glycyrrhizæ Radicis contusæ unciam cum semisse,
Aquæ octarium,
Coque lento igne & cola.

F. D.

15. DECOCTUM LINI.

R. Lini Usitatissimi seminum unciam cum semisse,
Aquæ octarios quatuor.

F. D.

16. DECOCTUM LINI COMPOSITUM.

R. Decocti Lini octarios duos,
Potassæ Nitratis unciam cum semisse,
Potassæ Supertartratis drachmam,
Syrupi ad edulcorandum.

17. DECOCTUM NITRATUM.

R. Decocti Hordei communis octarium,
Potassæ Nitratis drachmas quatuor.

F. D.

18. ELECTUARIUM DOLICHI.

R. Dolichi Pubis drachmam,
Hydrargyri Submuriatis grana quadraginta octo,
Syrupi quantum sufficiat.

F. E.

19. ELECTUARIUM HÆMORRHOIDALE.

R. Mannæ uncias duas,
 Potassæ Sulphatis.
 Potassæ Nitratis,
 Sulphuris Præcipitati, singulorum drachmas duas,
 Syrupi quantum satis.
 F. E.

20. ELECTUARIUM SENNÆ COMPOSITUM.

R. Sennæ Foliorum,
 Potassæ Supertartratis singulorum drachmas quatuor,
 Jalapæ Pulveris drachmas duas,
 Syrupi Zingiberis fluidunciam cum semisse.

21. EMBROCATIO COMMUNIS.

R. Ammoniæ Subcarbonatis uncias quatuor,
 Aceti octarios sex cum semisse,
 Spiritus tenuioris octarios tres,
 Addatur Spiritus effervescentia peracta.
 F. Emb.

22. EMPLASTRUM ANTIMONII TARTARI-
 ZATI.

R. Emplastri Picis compositi, quantum vis.
 Super alutam extende, et
 Antimonii Tartarizati pulvere leviter inspergatur.
 F. Emp.

23. ENEMA ALOES.

R. Infusi Sennæ fluiduncias sex,
 Pulveris Aloes drachmam cum semisse,
 Sodæ Sulphatis unciam,
 Olei Olivæ fluidunciam.
 Decocti Avenæ fluiduncias quinque.
 F. Enema.

24. ENEMA COMMUNE.

R. Decocti Avenæ fluiduncias octo,
 Sodæ Muriatis unciam,
 Olei Lini fluiduncias duas.
 F. Enema.

25. ENEMA IPECACUANHÆ.

R. Radicis Ipecacuanhæ contritæ drachmam,
 Aquæ ferventis fluiduncias octo
 Macera per horam et F. Enema.

26. ENEMA OPII.

R. Enematis communis fluiduncias decem,
 Tincturæ Opii fluidrachmam.
 F. Enema.

27. ENEMA OLEI TEREBINTHINÆ.

R. Olei Terebinthinæ fluidunciam,
 Mucilaginis Amyli quantum satis ;
 Tere simul, et gradatim adde
 Decocti Hordei fluiduncias octo.

F. Enema.

28. FOMENTUM AMMONIÆ MURIATIS.

R. Ammoniæ Muriatis unciam
 Aquæ Fontanæ fluiduncias duodecim,
 Spiritus tenuioris fluiduncias duas,
 Plumbi Acetatis liquoris fluidrachmas duas.

F. F.

29. GARGARISMA SIMPLEX.

R. Aceti fluiduncias duas,
 Decocti Hordei octarium,
 Mellis fluidunciam.

F. G.

30. GARGARISMA BORACIS.

R. Sodæ Sub-boratis drachmas duas,
 Aquæ fluiduncias sex,
 Mellis fluidunciam.

Solve. F. G.

31. GARGARISMA ALUMINIS.

R. Aluminæ Supersulphatis drachmam,
 Decocti Cinchonæ fluiduncias decem,
 Mellis ad gratam dulcedinem.

F. G.

32. GARGARISMA CAPSICI.

R. Capsici Tincturæ fluidrachmam,
 Aquæ fluiduncias sex,
 Aceti fluidunciam.

F. G.

33. GUTTÆ ÆTHEREÆ.

R. Camphoræ lucidæ drachmam,
 Spiritus Ætheris Nitrici fluidrachmas duas,
 Tincturæ Valerianæ fluidunciam cum semisse,
 Aquæ Fontanæ fluiduncias octo.

M.

34. GUTTÆ VINOSE.

R. Aceti,
 Spiritus Vini singulorum fluiduncias sex,
 Sacchari uncias duas,
 Acidi Sulphurici diluti fluidrachmam.

M.

35. GUTTÆ ANTACIDÆ.

R. Liquoris Potassæ fluiduncias tres,
 Liquoris Ammoniæ fluidunciam,
 Myrrhæ unciam,
 Tere et cola per chartam bibulam.

36. JULEPUM ACIDI NITRICI.

R. Acidi Nitrici fluidrachmam,
 Aquæ octarios duos,
 Sacchari unciam.

M.

37. JULEPUM MENTHÆ.

R. Aquæ Menthæ piperitæ octarium semis,
 Aquæ fluiduncias quatuor,
 Spiritus Ætheris Nitrici fluidrachmas tres,
 Syrupi Sennæ fluidunciam.

M.

38. LINCTUS OLEOSUS.

R. Olei Amygdalæ,
 Syrupi Papaveris singulorum fluidunciam,
 Pulveris Tragacanthæ drachmas tres.

M.

39. LINCTUS BORACIS.

R. Sodaæ Sub-boratis drachmas tres,
 Mellis unciam,
 Liquescant simul, lento igne, baculo idoneè agi-
 tando. Tunc adde,
 Syrupi unciam.
 M.

40. LINCTUS ANTIMONII SULPHURETI.

R. Oxymellis simplicis,
 Oxymellis Scillæ singulorum fluidunciam,
 Sulphuris Antimonii præcipitati scrupulum.
 M.

41. LINIMENTUM OPII.

R. Opii contriti scrupulum,
 Olei Olivæ fluiduncias duas.
 F. L.

42. LINIMENTUM SAPONACEUM.

R. Saponis mollis uncias quatuor,
 Olei Terebinthinæ fluidunciam,
 Spiritus tenuioris fluiduncias sex.
 F. L.

43. LINIMENTUM TEREBINTHINÆ COM-
POSITUM.

R. Terebinthinæ Olei,
Ricini Oléi singulorum fluidunciam.
F. L.

44. LOTIO ZINCI SULPHATIS.

R. Zinci Sulphatis drachmam unam,
Aquæ distillatæ octarium.
Solve.

45. LOTIO ZINCI SULPHATIS COMPOSITA.

R. Lotionis Zinci,
Liquoris Plumbi Acetatis diluti partes æquales,
M. et per chartam bibulam cola.

46. MISTURA AMMONIACALIS.

R. Gummi Ammoniaci drachmas tres,
Liquoris Ammoniæ Acetatis fluiduncias sex,
Spiritus Ætheris Nitrici fluidrachmas quatuor,
Mucilaginis Tragacanthæ quantum satis,
Aquæ fluiduncias octo.
M.

47. MISTURA AMMONIÆ ACETATIS.

R. Liquoris Ammoniæ Acetatis fluiduncias quatuor,
Aquaæ Fontanæ fluiduncias octo.

M.

48. MISTURA AROMATICA.

R. Extracti Gentianæ drachmas duas,
Confectionis Aromaticæ semunciam,
Tincturæ Rhei fluidrachmas quatuor,
Aquaæ Menthæ viridis fluiduncias octo,
M. terendo.

49. MISTURA CRETÆ.

R. Cretæ preparatæ unciam,
Mucilaginis Acaciæ fluiduncias tres.
Aquaæ Distillatæ octarium..

M.

50. MISTURA CRETÆ ADSTRINGENS.

R. Misturæ Cretæ,
Infusi Catechu singulorum semi octarium,
Tincturæ Kino fluidunciam.

M.

51. MISTURA FERRI CUM ALOË.

Rx. Misturæ Ferri compositæ, fluiduncias quinque,
Decocti Aloës compositi fluiduncias tres.

M.

52. MISTURA HYDROCYANICA SIMPLEX.

Rx. Emulsionis Amygdalæ amaræ fluiduncias octo,
Acidi Hydrocyanici minima viginta.

F. M.

53. MISTURA HYDROCYANICA COMPO-
SITA.

Rx. Emulsionis Amygdalæ amaræ fluiduncias octo,
Potassæ Tartratis drachmas tres,
Acidi hydrocyanici minima viginta.

F. M.

54. MISTURA JALAPÆ COMPOSITU.

Rx. Infusi Sennæ fluiduncias sex,
Extracti Jalapæ drachmam semis,
Potassæ Tartratis drachmas quatuor,
Olei Zingiberis minima viginta.

M. terendo.

55. MISTURA OLEOSA.

R. Olei Olivæ fluidunciam,
 Solutionis Potassæ Subcarbonatis fluidrachmam,
 Aquæ Menthæ fluiduncias octo.
 M. agitando.

56. MISTURA OLEI CUM RHEO.

R. Olei Lini usitatissimi fluiduncias quatuor,
 Tincturæ Rhei fluidunciam.
 M. agitando.

57. MISTURA POTASSÆ SUPERTARTRATIS.

R. Potassæ Supertartratis unciam,
 Sodæ Sub-boratis drachmas duas,
 Solve in Aquæ bullientis sufficienti quantitate ;
 Colaturæ refrigerataæ fluidunciis decem, adde,
 Potassæ Nitratis drachmas duas,
 Oxymellis simplicis fluiduncias duas.
 M.

58. MISTURA QUASSIÆ.

R. Infusi Ligni Quassiæ fluiduncias quindecim,
 Spiritus Lavandulæ compositi fluidunciæ semis.
 M.

59. MISTURA SCILLÆ.

R. Oxymellis Scillæ,
 Syrupi Papaveris albi singulorum fluidunciam,
 Aquæ fluiduncias quatuor.

F. M.

60. MISTURA SENNÆ.

R. Infusi Sennæ fluiduncias decem,
 Magnesiæ Sulphatis unciam,
 Tincturæ sennæ,
 ————— Cardamomi compositæ à à fluiduciæ
 semis.

M.

61. PILULÆ ALOES.

R. Alöes Succotrinæ extracti drachmas quatuor,
 Saponis Mollis drachmam,
 Olei Menthæ piperitæ minima decem.

F. Pilulæ sexaginta.

62. PILULÆ ANTIMONIALES.

R. Antimonii Tartarizati grana duo,
 Hydrargyri Submuriatis grana quindecim,
 Extracti Rhei quantum sufficiat,

F. Pilulæ decem.

63. PILULÆ E CALOMELANO.

R. Hydrargyri Submuriatis drachmas duas,
 Rhei pulveris drachmam cum semisse,
 Confectionis Sennæ quantum sufficiat.
 F. Pilulæ quinquaginta.

64. PILULÆ CALOMELANOS ET RHEI.

R. Calomelanos drachmam,
 Pulveris Rhei drachmas quatuor,
 Aquæ quantum sufficiat.
 F. Pilulæ sexaginta.

65. PILULÆ CAMPHORATÆ.

R. Extracti Valerianæ sylvestris drachmas duas,
 Gummi Assafoetidæ drachmam,
 Camphoræ scrupulum.
 F. Pilulæ triginta.

66. PILULÆ COLOCYNTHIDIS.

R. Extracti Colocynthidis compositi drachmam,
 Sulphuris Sublimati scrupulos duos,
 Potassæ Sulphatis drachmam cum semisse,
 Syrupi Nigri quantum sufficiat.
 F. Pilulæ quinquaginta.

67. PILULÆ FERRI.

R. Ferri Ammoniati drachmam,
 Sagapeni gummi-resinæ,
 Galbanigummi-resinæ, singulorum grana quinquaginta.
 Alöes succotrinæ scrupulum,
 Confectionis Aromaticæ quantum sufficiat.
 F. Pilulæ quinquaginta in pixide servandæ
 ne deliquescat Sal Ferri.

68. PILULÆ GUAJACI COMPOSITÆ.

R. Guajaci Gummi,
 Hydrargyri Submuriatis,
 Sulphureti Antimonii præcipitati,
 Extracti Conii singulorum drachmam,
 Balsami Copaibæ quantum sufficiat.
 F. Pilulæ pondere granorum tres.

69. PILULÆ HYDRARGYRI COMPOSITÆ

R. Pilulæ Hydrargyri drachmas duas,
 Rhei pulveris drachmam,
 Confectionis Sennæ quantum sufficiat.
 F. Pilulæ triginta.

70. PILULÆ HYDRARGYRI CUM
COLOCYNTHIDE.

R. Extracti Colocynthidis,
Saponis duri,
Pilulæ Hydrargyri, singulorum partes æquales.
F. Pilulæ pondere granorum quatuor.

71. PILULÆ HYDRARGYRI ē HYOSCIAMO.

R. Pilulæ Hydrargyri drachmam,
Extracti Hyosciami drachmas tres.
F. Pilulæ Sexaginta.

72. PILULÆ HYDRARGYRI CUM CONIO.

R. Hydrargyri purificati drachmam,
Mucilaginis Tragacanthæ drachmas sex,
Tere assidue ad extinctionem Hydrargyri. Adde :
Extracti Conii drachmam.
F. Pilulæ pondere granorum trium.

73. PILULÆ HYDRARGYRI CAMPHORATÆ.

R. Hydrargyri Submuriatis,
Guajaci gummi-resinæ singulorum drachmas duas,
Camphoræ in pulvere redactæ semidrachmam,
Balsami Copaibæ quantum sufficiat.
F. Pilulæ pondere granorum duorum.

74. PILULÆ MYRRHÆ COMPOSITÆ.

R. Myrrhæ drachmam cum semisse,
 Ferri Subcarbonatis levigati semidrachmam,
 Saponis duri drachmam unam,
 Confectionis Aromaticæ quantum sufficiat.
 F. Pilulæ triginta.

75. PILULÆ RHEI CUM SODA.

R. Rhei Radicis contritæ,
 Sodæ Subcarbonatis exsiccati singulorum drachmam
 cum semisse.
 Syrupi quantum sufficiat.
 F. Pilulæ triginta.

76. PILULÆ SEDATIVÆ.

R. Extracti Hyosciami scrupulum,
 Camphoræ drachmam,
 Alcoholis minima tres.
 F. Pilulæ viginta.

77. PILULÆ CUM ANTIMONIO TARTARI-
 ZATO ET OPIO.

R. Calomelanos grana decem,
 Antimonii Tartarizati grana quatuor,
 Opii semi-drachmam.
 F. Pilulæ viginta.

**78. PULVIS ANTIMONII TARTARIZATI
COMPOSITUS.**

R. Pulveris Testarum Ostrearum præp : unciam,
Antimonii Tartarizati grana sedecim.
Potassæ Nitratis Drachmas duas.
F. Pulvis.

79. PULVIS ANTHEMIDIS COMPOSITUS.

R. Pulveris Florum Anthemidis unciam,
Rhei in pulvere semunciam,
Zingiberis pulverizati semidrachmam.
F. Pulvis.

80. PULVIS CALUMBÆ ET SODÆ.

R. Pulveris Calumbæ unciam,
Sodæ Carbonatis uncias tres,
Pulveris Rhei unciam.
M.

81. PULVIS CONII COMPOSITUS.

R. Pulveris Conii semunciam,
Pulveris Sodæ Subcarbonatis exsiccati uncias duas
Pulveris Ipecacuanhæ drachmas duas,
Sacchari Albi uncias quatuor.
F. Pulvis.

82. PULVIS DIGITALIS COMPOSITUS.

R. Pulveris Digitalis,
 Pulveris Ipecacuanhæ singulorum semunciam,
 Potassæ Nitratis uncias duas,
 Sacchari albi uncias octo.
 F. Pulvis.

83. PULVIS HYDRARGYRI COMPOSITUS.

R. Hydrargyri cum Creta.
 Pulveris Calumbæ singulorum scrupulos duos,
 Rhei Pulveris scrupulum.
 F. Pulvis in chartulas duodecim dividendus.

84. PULVIS HYDRARGYRI SULPHURETI
 NIGRI COMPOSITUS.

R. Hydragyri Sulphureti nigri uncias duas,
 Potassæ Nitratis unciam.
 F. Pulvis.

85. PULVIS HYDRARGYRI CUM MAG-
 NESIA.

R. Hydrargyri oxydi cinerei drachmam,
 Magnesiæ drachmas duas,
 F. Pulvis.

86. PULVIS IPECACUANHÆ CUM RHEO.

R. Pulveris Ipecacuanhæ semunciam,
 Rhei in pulvere uncias duas,
 Cretæ præparatæ uncias duas.
 F. Pulvis.

87. PULVIS IPECACUANHÆ COMP : CUM
 POTASSA NITRATI.

R. Pulveris Ipecacuanhæ comp : Drachmam
 Potassæ Nitratis unciam.
 M.

88. PULVIS PIPERIS.

R. Florum Anthemidis semunciam,
 Ostrearum præparatarum drachmas duas,
 Piperis longi grana septuaginta,
 Alöes Spicatæ scrupulum.
 F. Pulvis.

89. PULVIS PIPERIS CUBEBÆ COMPO-
 SITUS.

R. Pulveris Cubebarum unciam.
 Sodæ Subcarbonatis uncias tres.
 M.

90. PULVIS POTASSÆ NITRATIS COMPOSITUS.

R. Potassæ Nitratis drachmas duas,
 Potassæ Supertartratis semunciam,
 Antimonii Tartarizati grana quatuor.
 F. Pulvis.

91. PULVIS POTASSÆ SUPERTARTRATIS.

R. Potassæ Supertartratis unciam,
 Potassæ Nitratis semunciam.
 F. Pulvis.

92. PULVIS RHEI COMPOSITUS.

R. Pulveris Rhei drachmam,
 Hydrargyri Submuriatis scrupulum,
 Antimonii Tartarizati granum.
 F. Pulvis in chartulas sex dividendus.

93. PULVIS SCILLÆ COMPOSITUS.

R. Pulveris Scillæ,
 Pulveris Ipecacuanhæ singulorum unciam,
 Sacchari albi uncias quatuor.
 F. Pulvis.

94. PULVIS SODÆ COMPOSITUS.

R. Sodæ Subcarbonatis exsiccati pulveris unciam,
 Pulveris Rhei semunciam,
 Pulveris Zingiberis scrupulum.
 F. Pulvis.

95. PULVIS SULPHURIS NITRATUS.

R. Florum Sulphuris,
 Nitratis Potassæ singulorum drachmas duas,
 F. Pulvis.

96. SOLUTIO ACIDI TARTARICI.

R. Acidi Tartarici drachmam,
 Syrupi fluidunciam,
 Aquæ distillatæ octarium,
 Solve.

97. SOLUTIO FERRI.

R. Ferri Tartarizati drachmas tres,
 Aquæ distillatæ fluiduncias duas.
 Solve.

98. SOLUTIO MAGNESIÆ SULPHATIS.

R. Magnesiæ Sulphatis,
 Sodæ Sulphatis singulorum unciam,
 Aquæ distillatæ fluiduncias sex.
 Solve.

99. SPIRITUS HYDRARGYRI OXYMURI-
ATIS.

R. Hydrargyri Oxymuriatis drachmam.
 Spiritus vini fluiduncias duas.
 Solve.

100. UNGUENTUM FERRI PRUSSIATIS.

R. Unguenti Cetacei unciam,
 Antimonii Tartarizati grana quatuor,
 Ferri Prussiatis levigati drachmas duas.

101. UNGUENTUM ANTIMONII TARTARI
ZATI.

R. Antimonii Tartarizati drachinam,
 Sacchari albi drachmam.
 Unguenti Cetacei unciam,
 M.

1907-1908) 1907-1908) 1908

1908-1909) 1908-1909) 1909

1909-1910) 1909-1910) 1910

1910-1911) 1910-1911) 1911

1911-1912) 1911-1912) 1912

1912-1913) 1912-1913) 1913

1913-1914) 1913-1914) 1914

1914-1915) 1914-1915) 1915

1915-1916) 1915-1916) 1916

1916-1917) 1916-1917) 1917

APPENDIX.

**DIRECTIONS FOR THE EXAMINATION
OF PATIENTS.**

In taking the cases of Patients, attention should be paid to the following arrangement.

I. PRESENT STATE OF PATIENT.

- 1 Age, sex, temperament, occupation, habitation.
- 2 Symptoms of the disease.
- 3 State of the different functions.

A. The Vital Functions.

- The pulse.
- Respiration.
- Temperature.

B. The Natural Functions.

- State of mouth.
- tongue.
- Appetite for food.
- drink.
- State of stomach.
- intestines.
- saliva.
- perspiration.
- urine.

C. The Animal Functions.

- External senses.
- Sensation of heat.
- cold.
- lassitude.
- Appearance of eyes and countenance.
- Internal senses.
- Mind, accuracy of.
- acuteness of.
- derangement of.

D. The Sexual Functions.

Male.

Female, { Menstruation.
 } Pregnancy.

II. ORIGIN AND PROGRESS OF THE DISEASE.

Mode of coming on.

Accession.

Increase of symptoms.

Decrease of symptoms.

Duration of symptoms.

III. CAUSES OF THE DISEASE.

Predisponent.

Exciting.

Conjectures of the patient.

IV. EFFECTS OF MEDICINES ALREADY TAKEN, AND OF REGIMEN.

In making up daily reports, attention should be paid to the following directions.

- 1 Effects of medicines prescribed on the preceding day.
 - 2 State of former symptoms.
 - 3 New symptoms.
 - 4 State of principal functions, particularly in cases of fever, &c. &c.
- Day of the disease ; sleep ; delirium ; countenance ; thirst ; heat ; headache ; respiration ; urine ; alvine evacuations ; perspiration ; skin.

The following TABLES exhibit the proportions of WEIGHT and MEASURE, and the SIGNS used in Prescriptions.


A Pound (<i>libra</i>), lb	contains 12 ounces
An ounce (<i>uncia</i>), $\frac{1}{2}$	— 8 drachms
A drachm (<i>drachma</i>), $\frac{1}{3}$	— 3 scruples
A scruple (<i>scrupulus</i>), $\frac{1}{4}$	— 20 grains
A grain (<i>granum</i>), gr.	
A gallon (<i>congius</i>), cong.....	contains 8 pints
A pint (<i>octarius</i>), O.....	— 16 fluid ounces
A fluid ounce (<i>fluid uncia</i>), $f\frac{1}{2}$.	— 8 fluid drachms
A fluid drachm (<i>fluid drachma</i>), $f\frac{1}{3}$.	— 60 minims
A minim (<i>minimum</i>), m.	


APOTHECARIES' WEIGHT.

lb	$\frac{1}{2}$	$\frac{1}{3}$	$\frac{1}{4}$	gr.
1 = 12 = 96 = 288 = 5760				
	1 = 8 = 24 = 480			
		1 = 3 = 60		
			1 = 20	

PROPORTIONS OF THE GALLON.

Cong.	O.	$f\frac{1}{2}$	$f\frac{1}{3}$	m.
1 = 8 = 128 = 1029 = 61440				
	1 = 16 = 128 = 7680			
		1 = 8 = 480		
			1 = 60	





MANCHESTER MEDICAL SOCIETY.
DUPLICATE SOLD.

