

Pharmacopoeia Valetudinarii Gippovicensis medicamenta simplicia et composita exhibens, in usum aegrorum servanda. Edendam curaverunt G. H. Williams ... et Alexander Bartlet.

Contributors

Williams, William Henry, 1771-1841.

Bartlet, Alexander.

Ipswich Public Dispensary.

Publication/Creation

Gippovici : J. Bush, 1814.

Persistent URL

<https://wellcomecollection.org/works/z5jjeefc>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

PHARMACOPŒIA

VALETUDINARII

GIPPOVICENSIS.

— 0 —
GIPPOVICI:

— 0 —
TYPIS JOHANNIS BUSH.

— 0 —
1814.

L

XX

vii

14

Ipswich

L. xxvii. 14

40811/A


PHARMACOPOEIAS:

Ipswich Public Dispensary

GRP

2/53

Cobbold



PHARMACOPŒIA

VALETUDINARII GIPPOVICENSIS

MEDICAMENTA EXHIBENS,

QUÆ

IN USUM ÆGRORUM

SERVANTUR.

Sperare liceat, medicamenta in hujus pharmacopœiæ formulis descripta satis fore ad usum generalem, nec opus fore, ad tincturas aliaque majoris pretii composita decurrere, nisi urgente aliquâ occasione præter solitum.

PHARMACOPŒIA *S. Ipswich*

VALETUDINARII GIPPOVICENSIS

MEDICAMENTA

SIMPLICIA ET COMPOSITA

EXHIBENS,

IN USUM ÆGRORUM

SERVANDA.

EDENDAM CURAVERUNT

G. H. WILLIAMS, M. D.

ET

ALEXANDER BARTLET.

GIPPOVICI:

TYPIS JOHANNIS BUSH.

1814.

VALETUDINARIII GIPPOVICENSIS
CURATORES MEDICI.

JEFFERY THOMSON, M. D.

GULIELMUS HENRICUS WILLIAMS, M. D.

GULIELMUS SPARKE, M. D.

ALEXANDER BARTLET,..
JACOBUS BROOKES,.....
JOHANNES DENNY,..... } **Chirurgi.**

JOHANNES MORGAN, Pharmacopœus et
Chirurgicus Domesticus.



MEDICAMENTA COMPOSITA,

Quibus non subjicitur formula,
præparantur secundum

P H A R M A C O P Œ I A M

Collegii Regalis Medicorum Londinensis.

ACIDUM ACETICUM.

ACETUM SCILLÆ.

ACIDUM SULPHURICUM.

DILUTUM.

MURIATICUM.

OXYGEN.

ATUM.

NITRICUM.

DILUTUM.

ACACIÆ GUMMI.

PULVIS.

ÆTHER SULPHURICUS.

ALOES SPICATÆ EXTRACTUM.

ALUMEN.

EXSICCATUM.

AMMONIACUM.

AMMONIÆ CARBONAS.

MURIAS.

ANTIMONIISULPHURETUM PRÆ-
CIPITATUM.

ANTIMONIUM TARTARIZATUM.

AQUÆ AROMATICÆ,

Stillatitiæ dictæ, præparantur mixturâ
extemporaneâ, ut in formulâ sequenti.

R̄ Olei essentialis cujusvis, min x.
Spiritus rectificati, ℥drach j.—adde
Aquæ, octar. j. Misce bene agitando.

ITA PARANTUR,

AQUA SEMINUM ANISI.

CARUI.

CINNAMOMI.

MENTHÆ PIPERITÆ.

VIRIDIS.

PULEGII.

ARGENTI NITRAS.

AURANTII CORTEX.

CALAMINA PRÆPARATA.

CALUMBÆ RADIX.

CAMBOGIA.

CAMPHORA.

CATECHU EXTRACTUM.

CERATUM.

- ℞ Adipis præparatæ, lib. j.
Emplastri plumbi, lib. ss. simul lique-
facta misce.

CERATUM CALAMINÆ.

- ℞ Cerati, lib. j.
Calaminæ, unc. v. Misce.

CERATUM HYDRARGYRI COMPOSITUM.

- ℞ Unguenti Hydrargyri fortioris, lib. ss.
Adipis præparatæ, unc. iv.
Ceræ, unc. iij simul liquefactis admisce,
Plumbi superacetatis, drach. iij.

CERATUM SABINÆ.

CINCHONÆ CORDIFOLIÆ COR-
TEX.

CONII FOLIORUM PULVIS.

EXTRACTUM.

CONFECTIO AROMATICA.

AURANTII CORTI-
CIS.

OPII.

ROSÆ GALLICÆ.

SENNÆ.

COPAIBA.

CRETA PRÆPARATA.

CUPRI SULPHAS.

CUPRUM AMMONIATUM.

COLLYRIA.

COLLYRIUM ALUMINIS.

Rx Aluminis, scrup j.
Aquæ, octar. fs. Misce.

COLLYRIUM
ALUMINIS COMPOSITUM.

Rx Liquoris Aluminis Compositi, fluidunc.
ifs.
Aquæ, fluidunc. viis. Misce.

COLLYRIUM
AMMONIÆ ACETATIS.

Rx Liquoris Ammoniæ Acetatis, fluidunc.
ij.
Misturæ Camphoræ, fluidunc. vj. Misce.

COLLYRIUM CUPRI SULPHATIS.

Rx Cupri Sulphatis, gran. iv.
Misturæ Camphoræ, octar. j. Misce.

COLLYRIUM
HYDRARGYRI OXYMURIATIS.

Rx Hydrargyri Oxymuriatis, gran. ij.
Acidi Muriaici, min. ij.
Solutio adde,
Aquæ, octar. fs. Misce.

COLLYRIUM
PLUMBI SUPERACETATIS.

Rx Plumbi superacetatis, scrup. j.
Aquæ, octar. fs. Misce.

COLLYRIUM ZINCI ACETATIS.

Rx Zinci Sulphatis,
Plumbi superacetatis, singulorum
drach. fs.

Aquæ, octar. fs. Misce et per Chartam
cola.

COLLYRIUM ZINCI SULPHATIS.

R Zinci Sulphatis, scrup. j.
Aquæ, octar. fs. Misce.

DECOCTUM ALOES COMPOSITUM. CINCHONÆ.

DECOCTUM GUAIACI.

R Guaiaci ligni rasi, unc. ij.
Glycyrrhizæ incisæ,
Sassafras ligni incisi, singulorum unc.
fs.
Aquæ, octar. iiij. decoque ad octar.
ij. et cola.

Fit quoque cum Radicis Mezerei, drach.
ij. vel iiij.

DECOCTUM SARSAPARILLÆ COM- POSITUM. ULMI.

VERATRI.

DIGITALIS PURPUREÆ FOLIA.

ELATERIUM.

ELECTUARIUM AROMATICUM

℞ Syrupi (Molasses dicti) fluidunc. ij.
 Pulveris Aromatici,
 Cretæ præparatæ, singulorum unc. fs.
 Misce.

ELECTUARIUM
 AROMATICUM cum FERRO.

℞ Electuarii Aromatici, unc. iij.
 Ferri Carbonatis, drach. iij.
 Misce.

Fit quoque cum additione pulveris
 Rhei, drach. j. vel. drach. ifs.

ELECTUARIUM
 CINCIONÆ COMPOSITUM.

℞ Cinchonæ pulveris,
 Confectionis Rosæ Gallicæ, singulorum
 unc. j.
 Ferri Carbonatis, drach. ij.
 Aluminis Pulveris,
 Pulveris Aromatici, singulorum drach. j.
 Syrupi quod satis sit. Misce.

ELECTUARIUM
SENNÆ COMPOSITUM.

- ℞ Confectionis Sennæ, unc. ij
Potassæ Supertartratis pulveris, unc. fs.
Jalapæ pulveris, drach. ij.
Zingiberis pulveris, drach. fs. Misce.

ELECTUARIUM POTASSÆ
NITRATIS COMPOSITUM.

- ℞ Confectionis Rosæ Gallicæ, unc. ij
Potassæ Nitratis pulveris,
Supertartratis pulveris, singu-
lorum drach. ij. Misce.

ELECTUARIUM
SULPHURIS COMPOSITUM.

- ℞ Sulphuris Sublimati, unc. iij.
Potassæ Supertartratis pulveris, unc. j.
Nitratis pulveris, drach. iij.
Syrupi (Molasses dicti) fluidunc. vj.
Misce.

EMPLASTRUM HYDRARGYRI
cum
AMMONIACO.

EMPLASTRUM LYTTÆ.

℞ Sevi præparati,
 Ceræ flavæ,
 Resinæ flavæ,
 Lyttarum in pulverem subtilissimum
 contritarum, singulorum, unc. iv.
 cæteris liquefactis adde Lyttas, et
 agitando fiat Emplastrum.

EMPLASTRUM PLUMBI.

OPII.

RESINÆ.

THURIS PHARMA-
 COPŒIÆ LONDINENSIS, 1788.

EXTRACTUM ACONITI.

BELLADONNÆ.

CINCHONÆ.

COLOCYNTHIDIS

COMPOSITUM.

CONII.

GENTIANÆ.

HYOSCYAMI.

PAPAVERIS ALBI.

 FERRUM AMMONIATUM.

FERRI CARBONAS.
SULPHAS.

FOMENTUM COMMUNE.

℞ Lini usitatissimi seminum contusorum,
unc. j.
Anthemidis Florum, unc. ij.
Aquæ, octar. vi. Coque ad octar. v. et
cola.

FOMENTUM PAPAVERIS.

GENTIANÆ RADIX.
CUAIACI LIGNUM.
RESINA.

GARGARISMA
POTASSÆ NITRATIS.

℞ Potassæ Nitratis pulveris, drach. ij.
Aquæ, fluidunc. xv.
Syrupi Rhæados, fluidunc. j.
Acidi Sulphurici diluti, min. xl. Misce.

GARGARISMA
POTASSÆ NITRATIS cum MYRRHÆ.

℞ Gargarismatis prioris, octar. j.
Tincturæ Myrrhæ, fluidunc. j. Misce.

GARGARISMA SODÆ BORATIS.

- ℞ Sodæ Boratis, unc. fs.
 Mellis, unc. ifs.
 Aquæ ferventis, octar. j. Misce.

GARGARISMA
HYDRARGYRI OYXMURIATIS.

- ℞ Hydrargyri Oxymuriatis, gran. iv.
 Acidi Muriatici, fluidrach. fs.
 Soli to adde,
 Aquæ, octar. j.
 Mellis, unc. fs.
 Spiritûs Lavandulæ Compositi, fluid-
 drach. ij. Misce.

GARGARISMA QUERCÛS.

- ℞ Corticis Quercûs, unc. j.
 Aquæ, octar ij. Coque ad octar j. et
 colataræ adde,
 Aluminis pulveris, drach, j. Misce.

HYDRARGYRI NITRICO-OXY-

DUM.

HYDRARGYRI OXYDUM CINERE-
UM.

OXYDUM RUBRUM.

OXYMURIAS.

SUBMURIAS.

SULPHURETUM
RUBRUM.

HYDRARGYRUS cum CRETA.

PRÆCIPITATUS
ALBUS.

PURIFICATUS.



IPECACUANHA.

IALAPA.

INFUSUM ARMORACIÆ COMPO-
SITUM.

GENTIANÆ COMPOSI-
TUM.

LINI.

QUASSIÆ.

ROSÆ.

RHEI.

INJECTIO ALUMINIS.

- Rx Aluminis pulveris, drach. j.
Aquæ, octar j. Misce.
- Fit quoque, pro re natâ, cum octar j.
Decocti Quercûs loco Aquæ.

INJECTIO
HYDRARGYRI OXYMURIATIS.

- Rx Hydrargyri Oxymuriatis, gr. ij.
Acidi Muriatici, min. ij.
- Solutio adde,
Aquæ, octar fs. Misce.

INJECTIO
PLUMBI SUPERACETATIS.

- Rx Plumbi Superacetatis, drach. fs.
Aquæ, octar fs. Misce.

INJECTIO
ZINCI ACETATIS COMPOSITA.

- Rx Zinci Sulphatis,
Plumbi Superacetatis, singulorum
scrup. j.
- Aquæ, octar fs. Misce.

INJECTIO ZINCI SULPHATIS.

℞ Zinci Sulphatis, scrup. j.
Aquæ, octar fs. Misce.

LINIMENTUM ÆRUGINIS.

AMMONIÆ FORTI-
US.

CARBO-
NATIS.

LINIMENTUM
TEREBINTHINÆ COMPOSITUM.

℞ Linimenti Ammoniae Fortioris, fluid-
unc. vi.
Olei Terebinthinæ Rectificati, fluidunc.
ij. Misce.

LINIMENTUM
TEREBINTHINÆ OPIATUM.

℞ Linimenti prioris, fluidunc. iij.
Tincturæ Opii, fluidunc. j. Misce.

LINIMENTUM
TEREBINTHINÆ SULPHURICUM

℞ Olivæ Olei, fluidunc. x.
Olei Terebinthinæ Rectificati, fluid-
unc. iv.
Acidi Sulphurici, fluidrach, iij.
Misce.

LINIMENTUM HYDRARGYRI.
SAPONIS COMPO-
SITUM.

LINCTUS ACACIÆ.

℞ Acaciæ gummi pulveris, unc. ij.
Aquæ, fluidunc. iij. Misce et adde,
Mellis, unc. xij.
Olivæ Olei, fluidunc. ij.
Potassæ Supertartratis pulveris, unc.
j. Misce.
Interdum adduntur unciis singulis,
Tincturæ Opii, min. xvj.
Vel Aceti Scillæ, fluidrach, ifs.

LIQUOR ALUMINIS COMPOSITUS.
AMMONIÆ.

ACETATIS.
CARBONATIS.

LIQUOR ANTIMONII TARTARI-
ZATI.
ARSENICALIS.
CALCIS.

LIQUOR
HYDRARGYRI OXYMURIATIS.

Rx Hydrargyri Oxymuriatis, gran. lxiv.
Acidi Muriatici, fluidrach. fs.
Solutioni adde,
Aquæ, fluidunc. viij.
Hujus Liquoris, fluidrach, j. continet
Hydrargyri Oxymuriatis, gran. j.

LIQUOR HYDRARGYRI
OXYMURIATIS COMPOSITUS.

Rx Hydrargyri Oxymuriatis, gran. viij.
Acidi Muriatici, min. viij,
Solutioni adde,
Spiritus Lavandulæ compositi, fluid.
unc. j.

LIQUOR PLUMBI ACETATIS.

DI-
LUTUS.

POTASSÆ.

SUBCARBONA-
TIS.

LOTIO ALUMINIS.

℞ Aluminis, unc. fs.
Aquæ, octar. j. Misce.

LOTIO AMMONIÆ ACETATIS.

℞ Liquoris Ammoniæ Acetatis, fluidunc.
iv.
Spiritus Rectificati,
Misturæ Camphoræ, singulorum fluid-
unc. ij.
Misce.

LOTIO AMMONIÆ MURIATIS.

℞ Ammoniæ Muriatis, unc. j.
Aceti, fluidunc. viij.
Aquæ, octar. ifs.
Misce.

LOTIO
HYDRARGYRI OXYMURIATIS.

Rx Liquoris Hydrargyri Oxymuriatis,
fluidunc. j.
Misturæ Camphoræ, fluidunc. xv.
Misce.

LOTIO HYDRARGYRI
OXYMURIATIS cum CALCE.

Rx Hydrargyri Oxymuriatis, drach. fs.
Tere bene et gradatim adde,
Liquoris Calcis, octar. j.

LOTIO HYDRARGYRI
SUBMURIATIS cum CALCE.

Rx Hydrargyri Submuriatis, drach. ij.
Tere bene et gradatim adde,
Liquoris Calcis, octar. j.

LOTIO POTASSÆ SULPHURETI.

Rx Potassæ Sulphureti, drach. ij.
Liquoris Calcis, fluidunc. xv.
Linimenti Saponis compositi, fluidunc.
j. Misce.

MAGNESIA.

MAGNESIÆ CARBONAS.

SULPHAS.

MEL.

MEZEREI CORTEX.

MISTURA AMMONIACI.

MISTURA AMMONIÆ.

R Ammoniæ Carbonatis, scrup. ij.

Misturæ Camphoræ, fluidunc. viij.

Misce.

MISTURA AMMONIÆ ACETATIS.

R Liquoris Ammoniæ Acetatis, fluidunc.

vi.

Misturæ Camphoræ, fluidunc. x.

Misce.

MISTURA

ANTIMONII TARTARIZATI.

R Antimonii Tartarizati, gran. ij.

Misturæ Camphoræ, fluidunc. viij.

Misce.

MISTURA AROMATICA.

- ℞ Electuarii Aromatici, drach. ij.
 Misturæ Camphoræ, fluidunc. viij.
 Misce.

MISTURA ASSAFŒTIDÆ.

MISTURA CAMPHORÆ.

- ℞ Spiritûs Camphoræ, unc. j.
 Aquæ, octar. iv. Misce bene agitando
 per horæ partem quartam.

MISTURA COPAIBÆ.

- ℞ Copaibæ, fluiddrach, ij.
 Acaciæ gummi pulveris, drach. ij.
 Sacchari rubri, drach. ifs.
 Aquæ Menthæ Piperitæ, fluidunc. viij.
 Misce.

MISTURA CORNU USTI.
 CRETÆ.

MISTURA CRETÆ COMPOSITA.

- ℞ Pulveris Cretæ Compositi cum opio,
 scrup. iv. Acaciæ pulv: drach. jfs.
 Aquæ Menthæ Viridis, octar. fs. Misce.

MISTURA FERRI COMPOSITA

Rx Ferri Sulphatis,
 Potassæ Subcarbonatis, singulorum
 drach. fs.
 Myrrhæ pulveris,
 Sacchari rubri, singulorum drach. j.
 Aquæ Menthæ Viridis, fluidunc. viij
 Misce.

MISTURA MAGNESIÆ SULPHATIS

Rx Magnesiæ Sulphatis, unc. iij.
 Solve in,
 Aquæ, octar. j. et adde,
 Antimonii Tartarizati, gr. j.
 Olei Menthæ Viridis, min. vi.

MISTURA POTASSÆ
SUPERTARTRATIS COMPOSITA.

Rx Potassæ Supertartratis, unc. ifs.
 Sodæ boratis, unc. fs.
 Sacchari rubri, unc. iij.
 Cocci in pulverem triti, scrup. j.
 Aurantii corticis siccati, unc. fs.
 Aquæ ferventis, octar. iv. Misce,
 per horam digere et cola.

MISTURA
POTASSÆ SUBCARBONATIS.

R Potassæ subcarbonatis, scrup. viij.
Aquæ mentha viridis, fluidunc. viij.

Misce.

Dosis, unc. j. cum unc. fs. Misturæ
sequentis in actu effervescentiæ.

MISTURA ACIDI SULPHURICI.

R Acidi sulphurici diluti, fluidunc. j.
Aquæ menthæ viridis, fluidunc. iij.

Misce.

MYRRHA.

OLEA EXPRESSA.

OLEUM OLIVÆ.

RICINI.

OLEA DISTILLATA.

OLEUM ANISI.

OLEUM MENTHÆ PIPERITÆ.
VIRIDIS.

PIMENTÆ.

PULEGII.

SUCCINI.

TEREBINTHINÆ RECTI.
FICATUM.

OLIBANUM.

OPIUM.



PILULÆ ALOES et CAMBOGIÆ.

℞ Aloes spicatæ extracti pulveris, unc. ij.
Cambogiæ pulveris,
Colocynthis pulveris, singulorum
unc. j.
Saponis duri, unc. fs.
Olei carui, fluidrach. j.
Syrupi, quantum satis ut fiant Pilulæ
granorum. iv.

PILULÆ ARSENIATIS POTASSÆ.

℞ Potassæ Arseniatis, gran. iv.
Calumbæ pulveris, drach. j.

Zingiberis pulveris, scrup. j.
 Syrupi, quantum satis sit, ut fiant
 Pilulæ No. xxxij æquales.

PILULÆ ALOES et RHEI.

℞ Aloes spicatæ extracti pulveris, unc. ij.
 Rhei radiceis pulveris,
 Myrrhæ pulveris, singulorum unc. j.
 Sodæ subcarbonatis exsiccatae, drach.
 ij.
 Olei Carui, fluidrach. j.
 Syrupi, quantum satis, ut fiant Pilulæ
 granorum. iv.

PILULÆ CAMBOGIÆ COMPOSITÆ.

℞ Pilularum Aloes et Cambogiæ, unc. iij.
 Hydrargyri submuriatis, unc. j.
 Syrupi, quantum satis, ut fiant Pilulæ
 granorum. iv.

PILULÆ DIGITALIS cum SCILLÂ.

℞ Digitalis pulveris purpureæ, gran. xij.
 Pilularum Scillæ compositarum, drach.
 ij.
 Pulveris Ipecacuanhæ compositi, drach.
 fs.
 Syrupi, quantum satis, ut fiant Pilulæ
 No. xxxvj æquales.

PILULÆ FERRI COMPOSITÆ.

PILULÆ

FERRI COMPOSITÆ cum ALOE.

- ℞ Aloes spicatæ extracti pulveris, unc. ij.
 Galbani,
 Ferri sulphatis,
 Extracti Gentianæ, singulorum unc. j.
 Sodæ subcarbonatis exsiccatae,
 Pulveris aromatici,
 Sacchari rubri, singulorum unc. fs.
 Syrupi, quantum satis, ut fiant Pilulæ
 granorum. iv.

PILULÆ

FERRI COMPOSITÆ cum OLIBANO.

- ℞ Olibani pulveris,
 Extracti Gentianæ, singulorum unc. ifs.
 Ferri Carbonatis,
 Aluminis exiccati,
 Pulveris aromatici,
 Rhei, singulorum unc. fs.
 Syrupi, quantum satis, ut fiant Pilulæ
 granorum. iv.

PILULÆ GALBANI COMPOSITÆ.
HYDRARGYRI.

PILULÆ
HYDRARGYRI OXYMURIATIS.

℞ Hydrargyri oxymuriatis,
Ammoniae muriatis, singulorum gran.
xvj.
Aquæ, fluidrach. j. solve et adde,
Confectionis rosæ gallicæ, scrup. v.
Farinæ, unc. fs. Misce bene et fiat
massa in pilulas cxxviii æquales dividenda.

In his pilulis conficiendis evitanda sunt
omnia instrumenta metallica, et oportet uti
mortario vitreo et spathulâ lignæ vel ebo-
ris; denique pilulæ pulvere amyli sunt in-
volvendæ.

PILULÆ HYDRARGYRI SUBMU-
RIATIS.

PILULÆ HYDRARGYRI
SUBMURIATIS COMPOSITÆ.

℞ Hydrargyri Submuriatis,
Camphoræ pulveris, singulorum drach. j.
Opii pulveris,
Extracti gentianæ, singulorum drach. fs.
Antimonii tartarizati, gran. xv.
Syrupi, quantum satis, ut fiant Pilulæ
No. lx.

PILULÆ RESINÆ cum RHEO.

- ℞ Resinæ flavæ pulveris, drach. iij.
 Rhei pulveris, drach. j.
 Syrupi, quantum satis, ut fiant Pilulæ
 No. LX.

PILULÆ SAPONIS cum OPIO.

PILULÆ SODÆ COMPOSITÆ.

- ℞ Sodæ subcarbonatis exsiccatae, drach. v.
 Saponis duri, drach. ij.
 Rhei pulveris, drach. j.
 Syrupi, quantum satis, ut fiant Pilulæ
 granorum. iv.

PILULÆ SCILLÆ COMPOSITÆ.

- ℞ Ammoniaci pulveris, drach. vj.
 Scillæ exsiccatae pulveris,
 Zingiberis pulveris,
 Saponis duri, singulorum drach. j.
 Syrupi, quantum satis, ut fiant Pilulæ
 granorum. iv.

PILULÆ ZINCI SULPHATIS.

- ℞ Zinci Sulphatis, gran. xij.
 Myrrhæ pulveris, scrup. ij.

Extracti gentianæ,
 Zingiberis pulveris, singulorum scrup. j.
 Syrupi, quantum satis sit, ut fiant
 Pilulæ No. xxiv.

POTASSA cum CALCE.

POTASSÆ ACETAS.

POTASSÆ ARSENIAS.

R Arsenici Oxydi,
 Potassæ Nitratis, singulorum unc. j.

Crucibulo amplo igne candenti injice
 Potassæ Nitratem, et liquefacto adde gra-
 datim Arsenici Oxydum in frustulis, donec
 vapores potassæ nitratis oriri cessaverint.
 Solve materiam in aquæ octariis quatuor,
 et post idoneam evaporationem sepone ut
 fiant chrystalli.

POTASSÆ CARBONAS.

SUBCARBONAS.

SULPHAS.

SULPHURETUM.

TARTRAS.

PULVIS ANTIMONIALIS.

PULVIS ANTIMONII cum CRETÂ.

- ℞ Antimonii tartarizati, drach. j.
 Cretæ præparatæ, drach. xxij. Misce
 et fiat pulvis.

PULVIS ANTIMONII NITROSUS.

- ℞ Potassæ Nitratis, unc. iiifs.
 Pulveris Antimonialis, unc. j.
 Magnesiae Carbonatis, unc. fs. Misce
 et fiat pulvis.

PULVIS ANTIMONII
TARTARIZATI COMPOSITUS.

- ℞ Antimonii tartarizati, drach. j.
 Potassæ supertartratis, drach. iij.
 Misce et fiat pulvis.

PULVIS AROMATICUS.

- ℞ Cassiæ Corticis, unc. ij.
 Zingiberis,
 Carui seminum, singulorum unc. j.
 Piperis Longi, unc. fs. Misce et fiat
 pulvis.

PULVIS
CASCARILLÆ COMPOSITUS.

R̄ Cascarillæ,
Calumbæ,
Cretæ præparatæ,
Pulveris Aromatici, singulorum unc. j.
Misce et fiat pulvis.

PULVIS CALUMBÆ COMPOSITUS.

R̄ Calumbæ, unc. ij.
Sodæ subcarbonatis exsiccatae,
Rhei, singulorum unc. j.
Zingiberis, unc. fs. Misce et fiat pulvis.

PULVIS CRETÆ COMPOSITUS.

CUM

OPIO.

CORNU USTI CUM OPIO.

DIGITALIS PURPUREÆ.

PULVIS FERRI
CARBONATIS COMPOSITUS.

R̄ Ferri Carbonatis,
Potassæ sulphatis,
Cretæ præparatæ,

Sacchari purificati, singulorum unc. j.

Pulveris Aromatici, unc. fs.

Misce et fiat pulvis.

PULVIS GUAIACI COMPOSITUS.

Rx Guaiaci, unc. fs.

Pulveris Ipecacuanhæ Compositi,

Potassæ sulphatis,

Cretæ præparatæ, singulorum unc. fs.

Misce et fiat pulvis.

PULVIS HYDRARGYRI SUBMURIATIS cum CRETA.

Rx Hydrargyri Submuriatis, drach. j.

Cretæ præparatæ, drach. xxij.

Misce et fiat pulvis.

PULVIS JALAPÆ COMPOSITUS.

Rx Jalapæ,

Potassæ supertartratis, singulorum
unc. j.

Zingiberis, drach. ij.

Hydrargyri sulphureti rubri, drach. j.

Misce et fiat pulvis.

PULVIS IPECACUANHÆ
cum ANTIMONIO TARTARIZATO

Rx Ipecacuanhæ, drach. xix.
Antimonii tartarizati, drach. j.
Misce et fiat pulvis.

PULVIS IPECACUANHÆ COMPO-
SITUS.
KINO COMPOSITUS.

PULVIS POTASSÆ
ARSENIATIS COMPOSITUS.

Rx Potassæ Arseniatis, drach. j.
Sacchari purificati, unc. iiij.
Amyli, drach. iiij.
Zingiberis, drach. ij.
Misce optime et fiat pulvis.

PULVIS POTASSÆ CARBONATIS
et ACIDI TARTARICI.

Pro haustu effervescente.

Rx Potassæ Carbonatis, gran. xxv.
Acidi Tartarici, scrup. j. Misce et
fiat pulvis in aquæ fluidunc. jfs.
instanter sumendus.

PULVIS
POTASSÆ NITRATIS COMPOSITUS.

Rx Potassæ Nitratis,
Supertartratis, singulorum
unc. j.
Acaciæ Gummi, unc. ij.
Misce et fiat pulvis.

PULVIS POTASSÆ
SUBCARBONATIS COMPOSITUS.

Rx Potassæ Subcarbonatis, unc. ij.
Supertartratis, unc. vj.
Sacchari purificati, unc. viij.
Misce et fiat pulvis.

PULVIS POTASSÆ
SUBCARBONATIS cum CRETA.

Rx Potassæ Subcarbonatis,
Zingiberis, singulorum unc. j.
Cretæ præparatæ, unc. iv.
Rhei, unc. fs.
Misce et fiat pulvis.,

PULVIS RHEI COMPOSITUS.

Rx Jalapæ,
Potassæ Sulphatis,

Rhei, singulorum unc. j.
Misce et fiat pulvis.

PULVIS SABINÆ cum ÆRUGINE.

R Foliorum Sabinæ exsiccatorum,
Æruginis, singulorum partes æquales.
Misce et fiat pulvis.

**PULVIS
SCAMMONEÆ COMPOSITUS.**

R Scammoneæ,
Hydrargyri submuriatis,
Jalapæ, singulorum unc. j.
Misce et fiat pulvis.

PULVIS SCILLÆ COMPOSITUS.

R Scillæ exsiccatae, gran. ij.
Potassæ supertartratis, drach. fs.
Misce et fiat pulvis.

QUASSIÆ LIGNUM.
QUERCUS CORTEX.

RESINA FLAVA.

RHEI RADIX.

PULVIS.



SABINÆ FOLIA EXSICCATA.

SACCHARUM. (RUBRUM)

PURIFICATUM.

SAPO DURUS.

MOLLIS.

SCAMMONEÆ GUMMI RESINA.

SCILLÆ RADICIS PULVIS.

SENNÆ FOLIA.

SODÆ BORAS.

SUBCARBONAS.

EXSICCATA.

SULPHAS.

SPIRITUS AMMONIÆ AROMATI-

CUS.

FOETIDUS.

CAMPHORÆ.

ÆTHERIS NITRICI.

COMPOSITUS.

SPIRITUS ÆTHERIS SULPHURI.
 CI.
 LAVANDULÆ COMPO-
 SITUS.
 RECTIFICATUS.
 SULPHUR LOTUM.
 SUBLIMATUM.
 SYRUPUS. (MOLASSES DICTUS)
 SYRUPUS PAPAVERIS ALBI.
 RHOEADOS.

TINCTURA ALOES.
 COMPOSITA.
 ASSAFOETIDÆ.
 BENZOINI COMPO-
 SITA.
 CAMPHORÆ COMPO-
 SITA.
 CAPSICI.
 CARDAMOMI COM-
 POSITA.

TINCTURA CATECHU.
CINCHONÆ COMPO-
SITA.

DIGITALIS.
FERRI AMMONIATA.
MURIATIS.

GENTIANÆ COMPO-
SITA.

GUAIACI AMMONI-
ATA.

HELLEBORI NIGRI.
HUMULI.

HYOSCYAMI.

JALAPÆ.

LYTTÆ.

MYRRHÆ.

OPII.

RHEI.

SENNÆ.

SERPENTARIÆ.

VALERIANÆ AMMO-
NIATA.

ZINGIBERIS.

TORMENTILLÆ RADIX.

VALERIANÆ RADIX.

PULVIS.

VINUM TABACI.

- ℞ Tabaci Foliorum, unc. j.
 Vini, octar. j. Digere dies vij. et
 cola.

VINUM OPII.

- ℞ Opii Colati, unc. j.
 Cinnamomi Corticis,
 Carryophyllorum, singulorum drach. j.
 Vini, octar. j. Digere dies viij. sæpe
 agitans et cola.

—

UNGUENTUM
 ACIDI SULPHURICI.

- ℞ Adipis præparati, unc. j.
 Acidi Sulphurici, drach. j. Misce.

UNGUENTUM ADIPIS cum CERA.

- ℞ Adipis præparati, lib. j.
 Cerae flavæ, unc. ij. simul liquefacta
 Misce.

UNGUENTUM
CAMPHORÆ COMPOSITUM.

- ℞ Camphoræ in pulverem tenuissimum
tritæ, drach. ij.
Unguenti Resinæ flavæ, unc. j.
Saponis Mollis, unc. fs.
Sinapis Seminorum in pulverem trito-
rum, scrup. j. Misce.

UNGUENTUM
GALLÆ cum CAMPHORA.

- ℞ Gallarum in pulverem subtilissimum
tritarum, drach. ifs.
Camphoræ in pulverem tenuissimum
tritæ, gran. xxv.
Unguenti Adipis cum Cerâ, unc. j.
Misce.

UNGUENTUM HYDRARGYRI
FORTIUS.
MITIUS.
NITRATIS.

UNGUENTUM
HYDRARGYRI NITRATIS MITIUS.

- ℞ Unguenti Hydrargyri Nitratis,

Adipis præparati, singulorum unc. iv.
simul liquefacta misce.

UNGUENTUM HYDRARGYRI NI- TRICO OXYDI.

UNGUENTUM HYDRARGYRI PRÆCIPITATI ALBI.

UNGUENTUM OPTHALMICUM.

℞ Hydrargyri Nitrico Oxydi,
Calaminæ præparati, singulorum
drach. ifs.
Plumbi Oxydi semivitrei,
Tutiæ præparati, singulorum drach. j.
Hydrargyri Sulphureti Rubri, scrup. j.
Balsami Peruviani, min. xx.
Adipis præparati, unc. ij.
Cæteris in pulverem tenuissimum tritis,
adde adipem et bene misceantur.

UNGUENTUM PICIS LIQUIDÆ.

UNGUENTUM PICIS cum SULPHURE.

℞ Picis liquidæ, lib. j.
Sulphuris Sublimati, unc. iv.

Ceræ flavæ, unc. j.

Pici et ceræ simul liquatis adde sensim Sulphurem ut fiat Unguentum.

UNGUENTUM SULPHURIS.

COMPO-
SITUM.

ZINCI.

UNGUENTUM ZINCI SULPHATIS.

R Zinci Sulphatis in pulverem tenuissimum triti, scrup. j.

Unguenti Adipis cum Cerâ, unc. fs.

Misce.



ZINCI OXYDUM.

SULPHAS.

ZINGIBERIS RADIX.

PULVIS.

OMISSA.

ACETUM.

ACIDUM TARTARICUM.

ADEPS.

ÆRUGO.

AMYLUM.

ANTHEMIDIS FLORES.

ANTIMONIUM VITRIFICATUM.

(PHARM: LOND: 1788.)

ANTIMONIUM
VITRIFICATUM cum CERA.

℞ Antimonii Vitrificati in pulverem triti,
unc. j.
Cerae flavæ, drach. j.

Cerae flavæ in vase ferreo liquefacta antimonium injice, per horam dimidiam calore leni misturam assidue agitans, tum in chartam effunde et frigefactam in pulverem tere.

VITRUM PRÆPARATUM.

Vitrum in pulverem subtilissimum tere.

ASSAFŒTIDÆ GUMMI RESINA.
AURANTII CORTEX.

CARUI SEMINA.
CARYOPHYLLI.
CASCARILLÆ CORTEX.
CASSIÆ CORTEX.
CERA ALBA et FLAVA.
CERATUM LYTTÆ.
CERATUM PLUMBI SUPERACE-
TATIS.
CINNAMOMI CORTEX.
COCCI.
CONII FOLIA et PULVIS.
COLOCYNTHIDIS PULPA.

GALBANI GUMMI RESINA.
GLYCYRRHIZÆ RADIX.

INFUSUM TABACI.

—
LINI USITATISSIMI SEMINA.
LYTTA.—
PAPAVERIS CAPSULA.

PILULÆ AMMONIÆ CARBONATIS.

R̄ Ammoniæ Carbonatis,
Pulveris Aromatici,
Extracti Gentianæ, singulorum drach. j.
Contunde simul in mortario marmoreo,
et fiant Pilulæ lx, pulvere Amyli invol-
vendæ.

PILULÆ ARGENTI NITRATIS.

R̄ Argenti Nitratis in pulverem subtilis-
simum triti, drach. j.
Calumbæ pulveris,
Extracti Gentianæ, singulorum drach.
ij.
Contunde simul in mortario marmoreo,
et, ope spathulæ lignæ vel eboris, fiant
Pilulæ cxx, pulvere Amyli involvendæ.

PILULÆ CONII.

- ℞ Extracti Conii, drach. ij.
 Conii in pulverem triti, quantum satis,
 ut fiant Pilulæ lx.

PILULÆ PLUMBISUPERACETATIS.

- ℞ Plumbi superacetatis in pulverem subtilissimum triti, drach. fs.
 Calumbæ in pulverem tritæ, drach. ij.
 Extracti Gentianæ, drach. ifs.
 Contunde simul et fiant Pilulæ lx.

PILULÆ
 STRYCHNOS NUCIS VOMICÆ.

- ℞ Strychnos Nucis Vomicæ in pulverem subtilissimum triti, drach. j.
 Zingiberis in pulverem triti, scrup. ij.
 Extracti Gentianæ, drach. fs.
 Syrupi, quantum satis, ut fiant Pilulæ lx.

PIPERIS LONGI FRUCTUS.

PIX LIQUIDA.

PLUMBI CARBONAS.

PLUMBI OXYDUM SEMIVITREUM.

PLUMBI SUPERACETAS.

POTASSÆ SUPERTARTRAS.
POTASSÆ NITRAS.

SABINÆ FOLIA.
SARSÆ RADIX.
SASSAFRAS LIGNUM.
SEVUM.
STRYCHNOS NUX VOMICA.

TABACI FOLIA.

TINCTURA
STRYCHNOS NUCIS VOMICÆ.

Rx Strychnos Nucis Vomicæ contusæ,
unc. iij.
Spiritus Rectificati, octar. ij.
Digere dies xiv et cola.

VERATI RADIX.
ULMI CORTEX.

TABULA POSOLOGICA.

Notandum est tabulam hanc referre ad medicamenta solum in hac pharmacopœiâ præscripta. De cæteris, consulenda est tabula posologica Pharmacopœiæ Londinensis 1809 a Doctore Powell in linguam vernaculam redditæ.

ANTIM: vitr: cum cera, a gran. iij. ad
x. ter die.

Decoct: guaiaci, ad octar ij. quotidie.

Elect: aromat: ad drach. j. ter die.

sulph: comp: ad drach. ij. m. et n.

Electuaria cætera, ad drach. ij. ter die.

Linctus acaciæ, ad drach. ij. p. r. n.

Liq: hydr: oxym: a min. viij. ad xx.
m. et n.

comp: a min. iv. ad
xx. m. et n.

Mist: potas: subcarb: (vide pag: 24.)

4. horis vel sæpius.

Mist: cæteræ, ad fluidunc. ij. 4. vel 6.
horis.

Pil: ammon: carbon: a ij. ad iiij. ter die
vel sæpius.

argent: nitr: ab j. *gradatim augen-*
do, ad vj. ter die.

arseniatis pot: ab j. *gradatim et*
caute augendo, ad ij.
bis terve in die, per
dies x. vel xx. præ-
missa p. r. n. venæ
sectione, vel cathar-
tico uno aut altero.

conii, ab j. *gradatim augendo*, ad
iiij. bis terve in die, donec nau-
seam et vertiginem induxerint.

digital: c scilla, x. a ij. *gradatim*
augendo, ad iv.
6. vel 8. horis.

ferri comp: c aloë: a ij. ad iiij. bis
terve in die.

Pil: hydr: oxymur: ab j. ad iij. m. et n.

submur: comp: ab j. ad ij.
m. et n.

plumbi super: ab j. *gradatim et caute*
augendo, ad iv. (8.
horis) bis terve in die,
præmisso cathartico

uno aut altero.

scillæ comp: a ij. ad iij. bis terve in
die.

sodæ comp: a ij. ad iij. bis terve in
die.

stry: nuc: vom: ab j. *gradatim et*
caute augendo, ad
v. (8. horis.) bis
terve in die, præ-
misso cathartico

uno aut altero.

zinci sulp: ab j. *gradatim augendo*
ad iij. ter die.

cæteræ, ab j. ad iv. m. et n.

Pulv: antim: cum creta, (pro infantibus)

a. gran. j. ad iv.

4. horis.

Pulv: nitr: a gran. v. ad scrup. j. 6.

horis.

antim: tart: comp: (pro emetico)

a gran. ij. ad

viiij.

carb: et acid: tart: ter die vel

sæpius.

hydr: sub: cum creta, (pro infanti-

bus) a gran.

j. ad vj. ter

die.

jalapæ comp: (pro cathartico) a

scrup. j. ad drach. j.

ipecac: cum ant: tart: (pro emeti-

co) a scrup.

j. ad drach.

fs.

potas: arsen: c: a gran. vj. (caute

augendo) ad viij.

bis terve (8. ho-

ris) in die.

nitr: c: a scrup. j. ad drach.

j. ter die.

Pulv: rhei c: (pro cathartico) a scrup.

j. ad drach. j.

scamm: c: (pro cathartico) a gran.

iiij. ad scrup. j.

potas: subcarb: c: a gran. xxx.

ad drach. ij. ter

die, vel sæpius,

et aliquando dum

effervescat.

Pulveres cæteri, a gran. x. ad drach. fs.

ter die.

Tinct: stryc: nuc. vom: a min. x. *grada-*

tim et caute au-

gendo ad fluid-

drach. j. (8. ho-

ris) bis terve in

die, præmisso ca-

thartico uno aut

altero.

Vin: tabaci, a min. xv. (*caute augendo*)

ad xxx. vel xl. bis terve

(8. horis) in die.

FINIS.

1. The first (and last) of the

2. The second (and last) of the

3. The third (and last) of the

4. The fourth (and last) of the

5. The fifth (and last) of the

6. The sixth (and last) of the

7. The seventh (and last) of the

8. The eighth (and last) of the

9. The ninth (and last) of the

10. The tenth (and last) of the

11. The eleventh (and last) of the

12. The twelfth (and last) of the

13. The thirteenth (and last) of the

14. The fourteenth (and last) of the

15. The fifteenth (and last) of the

16. The sixteenth (and last) of the

17. The seventeenth (and last) of the

18. The eighteenth (and last) of the

19. The nineteenth (and last) of the

20. The twentieth (and last) of the

21. The twenty-first (and last) of the

22. The twenty-second (and last) of the

23. The twenty-third (and last) of the

FINIS

IPSWICH PUBLIC DISPENSARY.

At a MEETING this day October 15, 1812, of the VICE PRESIDENTS, and GOVERNORS of this Institution,

THOMAS GREEN, Esq. Vice President in the Chair.

RESOLVED that the thanks of this Meeting be given to the Medical Gentlemen for the trouble they have voluntarily taken in forming the following Regulations for their attendance at the Dispensary, and that these Regulations are approved and adopted.

Signed THOS. GREEN, V. P.

At a MEETING of the MEDICAL OFFICERS of the IPSWICH DISPENSARY, holden this day October 12, 1812, for the purpose of filling up vacancies, and forming an efficient Medical Attendance,

J. THOMSON, M. D. in the Chair.

RESOLVED,

1. That the attendance be twice a week as before, every Tuesday and Friday at the Hour of Eleven.

2. That a Physician and Surgeon shall attend for two months in rotation, and that no inconvenience may arise from the occasional absence of the latter, an auxiliary Surgeon be appointed to supply the vacancy, proper notice being given by the Surgeon in Ordinary who cannot attend.

3. That the auxiliary Surgeon be the Surgeon of the succeeding period.

4. That the patients of this charity be transmitted to the succeeding Medical Attendants in rotation, without any reserve or exception whatever.

5. That a patient having received the advice and assistance of all the Medical Attendants in succession during the space

of six months, shall then be discharged, and not entitled to a fresh admission before the expiration of four months, except at the express recommendation of the Medical Attendant for the time being.

6. That a new book of Formulæ be composed without delay, in which simplicity, usefulness, and economy shall be consulted, and by which the Medical Attendants shall be governed in their prescriptions as much as possible.

7. That a majority of the Medical Attendants shall form a committee for the year, to examine quarterly the state of the medicines, and to give direction for any necessary supply or alterations.

8. That the medicines simple and compounded, shall be generally had from the Druggists of the place, particular articles being occasionally obtained from Apothecaries Hall.

9. That agreeably to the custom of all hospitals and dispensaries, no Medical man be elected to this institution in future, except in case of death, resignation, or removal of one of its members.

10. That any medical man offering himself a candidate, either as Physician or Surgeon to this charity, shall be deemed ineligible, unless he bring a certificate of his having a diploma from some university, or of having served a regular apprenticeship, and attended a proper course of public professional instruction.

11. That the above diploma or certificate be laid before and be approved by the Medical Officers.

12. That the Apothecary shall give notice to each Medical Officer, at least four days previously to his attendance being required.

13. That in all cases requiring medical or surgical consultation or operation, a

notice of four days, if possible, shall be given to all the Medical Officers.

14. That the chairman be requested to lay the above resolutions before the Vice Presidents and Directors, whose approbation shall be conclusive; and if the resolutions be approved, that they shall be inserted in the records of the dispensary.

Signed J. THOMSON, Chairman.

That the thanks of this Meeting be given to DR. THOMSON for his attention to the business of the day.

Signed W. H. WILLIAMS.

The Medical Officers who have offered their service consist of

DR. THOMSON.	MR. BARTLET.
DR. WILLIAMS.	MR. BROOKES.
DR. SPARKE.	MR. DENNY.

MR. MORGAN, House-Surgeon and Apothecary.

At a MEETING holden this day the 3d of November 1812, it was AGREED by the MEDICAL OFFICERS of the Institution, that the Principal Duties of the House Surgeon and Apothecary be as follows.—and that a paper detailing them be printed, framed, and hung up in the Committee Room, with the Resolutions of the 15th of October last.

W. H. WILLIAMS, M. D. in the Chair.

1. That the House Surgeon and Apothecary be in attendance every Tuesday and Friday at Eleven o'Clock precisely, when the Admission and Prescription Books, and the Pharmacopœia of the London College, and of the Ipswich Dispensary, be laid on the table in the Committee Room, which is to be the place of meeting for the Medical Attendants on all occasions whatever.

2. That he dispense all the medicines in the front room, which is to be considered the Apothecary's shop, where all medicines and medical utensils are to be kept, and in which the patients are to be bled, vaccinated, &c.

3. That he exclude from the Apothecary's shop, all medicines and medical utensils of every denomination, not actually the property of the Dispensary.

4. That he prescribe and administer such medicines as may be necessary for patients recommended on those days when the Medical Officers do not usually attend, giving them however early notice of any persons so admitted who are dangerously ill.


5. That he attend sick persons at their own houses, and perform any operation in or out of the Dispensary, when circumstances shall require his assistance.—Vaccination is included in this article.


6. That he report to the Medical Committee any deficiency which may occur in those Medicines which are usually obtained from Apothecary's Hall, and which are to be ordered by them alone.

7. That in case the Medical Officers for the time being are prevented from attending the Dispensary at the appointed hour, he shall proceed, *after waiting half an hour*, to administer to patients then present, beginning with those whose complaints are the slightest and who have been longest on the books, leaving always the new patients or more important cases to be *last* attended to, that the Medical Officers in regular attendance may see and prescribe for them if possible.

Signed W. H. WILLIAMS, Chairman.

{ Ipswich: Printed by }
J. BUSH. }





621
267

