

**Pharmacopoeia ad usum Valetudinarii Collegii Universitatis Londinensis,
accommodata.**

Contributors

University College Hospital (London, England)

Publication/Creation

London : Taylor & Walton, 1846.

Persistent URL

<https://wellcomecollection.org/works/nck537f5>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

PHARMACOPŒIA.


B

40916/A

Pharmacopoeias

London: University
College
Hospital

Bryton Shilline



43134
PHARMACOPŒIA

AD USUM

VALETUDINARII COLLEGII UNIVERSITATIS
LONDINENSIS,

ACCOMMODATA.

LONDINI:
TAYLOR ET WALTON.

MDCCCXLVI.

LONDON:
BRADBURY AND EVANS, PRINTERS, WHITEFRIARS.



CONTENTS.

	No.
Decoctum Aloës Compositum	1
Hemidesmi Indici	2
———— Compositum	3
Pareiræ Bravæ	4
Sarzæ Compositum	5
Electuarium Ferri	6
Jalapæ cum Potassæ Bitartrate	7
Enema Catharticum	8
Fœtidum	9
Opii	10
Terebinthinæ	11
Gargarisma Aluminis	12
Cinchonæ cum Acido	13
Sodæ Biboratis	14
Infusum Sennæ Compositum	15
Juniperi cum Scopario	16
Injectio Quercûs Corticis	17
Linimentum Camphoræ cum Oleo Crotonis	18
Camphoræ cum Opio	19
Iodini Compositum	20
Opii	21
Saponis Compositum	22
———— cum Opio	23
Terebinthinæ Aceticum	24
Liquor Cinchonæ Disulphatis	25
Iodini Causticus	26
Morphiæ Hydrochloratis	27
Potassii Iodidi	28

	No.
Lotio Acidi Nitrici	29
Argenti Nitratis	30
Cupri Sulphatis	31
Plumbi Diacetatis	32
Lotio Zinci Sulphatis	33
———— Composita, } (vel Lotio Rubra) }	34
Mistura Acaciæ cum Vino Ipecacuanhæ	35
Aloetica	36
Amygdali cum Antimonii Potassio-Tartrate	37
Anthemidis cum Magnesiae Sulphate	38
Antimonii Potassio-Tartratis	39
Antimonii Potassio-Tartratis cum Magnesiae } Sulphate }	40
Cascarillæ cum Acido Nitrico	41
Catechu	42
Colchici Alkalina	43
———— cum Magnesia	44
———— cum Magnesiae Sulphate	45
Gentianæ cum Acido Sulphurico	46
Lobeliæ et Ammoniaci	47
Magnesiæ Sulphatis cum Acido Sulphurico	48
———— Magnesia, } (vel Salina Aperiens) }	49
Opii Ammoniata	50
Potassæ Acetatis	51
Quassiæ cum Ferro	52
Quinæ cum Acido Nitrico	53
———— Sulphurico	54
Rhei cum Magnesia	55
Salina	56
———— cum Acido Hydrocyanico	57
———— Antimonialis	58
Scillæ cum Conio	59
Tincturæ Camphoræ Compositæ	60

	No.
Mistura Valerianæ	61
———— Composita	62
Pilulæ Aloes cum Hydrargyro, } (vel Pilulæ Purgantes) }	63
Bismuthi cum Stramonio	64
Calomelanos cum Aconito	65
———— Antimonio	66
Colchici cum Aconito	67
Colocynthis	68
———— cum Hydrargyro	69
———— cum Ipecacuanha } (vel Aperiens et Alterativa) }	70
Conii cum Ipecacuanha	71
—— cum Morphia	72
Ferri cum Myrrha	73
Hydrargyri cum Extracto Papaveris	74
———— Pulvere Ipecacuanhæ Composito	75
Hyoscyami cum Opio	76
Lactucarii	77
Morphiæ et Stramonii,—No. 1	78
——————— No. 2	79
——————— No. 3	80
Plumbi Acetatis	81
Quinæ Disulphatis	82
Rhei cum Hydrargyro	83
Scillæ cum Hydrargyro	84
Pulvis Calomelanos et Ipecacuanhæ	85
———— et Jalapæ	86
Ipecacuanhæ cum Antimonii Potassio- } Tartrate (vel Pulvis Emeticus) }	87
Quinæ Disulphatis et Rhei	88
Rhei et Hydrargyri cum Creta	89
—— cum Magnesia	90
Rhei et Sodæ	91
Suppositorium Opii	92

Syrupus Ferri Carbonatis	No.	93
— Ferri Iodidi		94
Tinctura Cannabis Indicæ		95
Unguentum Potassii Iodidi		96
— Sulphuris Iodidi		97
— Hydrargyri Nitratis Mitius		98
Vinum Ferri		99

	PAGE
Appendix	31
Tables of Weights and Measures	31
Heads for Reports of Cases	32

DECOCTA.

1. DECOCTUM ALOËS COMPOSITUM.

℞ Aloës unciam cum semisse,
Pulveris Myrrhæ unciam cum semisse,
Potassæ Carbonatis unciam,
Aquæ octarios duodecim ;
Misce, decoque ad octarios octo, adjice,
Extracti Glycyrrhizæ uncias quatuor.
Dosis fʒj ad fʒij.

2. DECOCTUM HEMIDESMI INDICI.

℞ Hemidesmi Indici Radicis uncias quinque,
Aquæ octarios quatuor ;
Misce, decoque ad octarios duos, cola.
Dosis fʒj ad fʒiv.

3. DECOCTUM HEMIDESMI INDICI COMPOSITUM.

℞ Decocti Hemidesmi octarios quatuor,
Sassafras concisæ, } singulorum
Guaiaci Ligni Rasi, } drachmas
Glycyrrhizæ contusæ, } decem.

Mezerei drachmas tres ;
Misce, decoque per quartam horæ partem,
cola.

Dosis fʒj ad fʒiv.

4. DECOCTUM PAREIRÆ BRAVÆ.

℞ Pareiræ Bravæ Radicis semunciam,
Aquæ ferventis octarios tres ;
Misce, et decoque ad octarium.

Dosis fʒj ad fʒij.

5. DECOCTUM SARZÆ COMPOSITUM.

℞ Extracti Sarzæ compositi drachmam,
Aquæ ferventis fluiduncias octo ;
Solve.

Dosis fʒj ad fʒiv.

ELECTUARIA.

6. ELECTUARIUM FERRI.

℞ Ferri Sesquioxidi et
Theriacæ, singulorum drachmas qua-
tuor ;

Misce, fiat Electuarium.

Dosis ʒj ad ʒiij.

7. ELECTUARIUM JALAPÆ CUM
POTASSÆ BITARTRATE.

℞ Potassæ Bitartratis drachmas tres,
Pulveris Jalapæ drachmas duas,
Pulveris Zingiberis scrupulum,
Theriacæ unciam ;

Misce, fiat Electuarium.

Dosis ℥j ad ℥ij.

ENEMATA.

8. ENEMA CATHARTICUM.

℞ Decocti Avenæ uncias duodecim,
Olei Olivæ uncias duas,
Misturæ domesticæ uncias quatuor ,
Misce, fiat Enema.

9. ENEMA FÆTIDUM.

℞ Decocti Hordei octarium dimidium,
Olei Olivæ unciam,
Misturæ Assafœtidæ uncias tres,
Misturæ Acaciæ unciam dimidiam ;
Misce, fiat Enema.

10. ENEMA OPII.

- ℞ Tincturæ Opii minima quadraginta,
Misturæ Amyli uncias quatuor ;
Misce, fiat Enema.

11. ENEMA TEREBINTHINÆ.

- ℞ Decocti Hordei octarium,
Olei Terebinthinæ unciam cum semisse,
Vitellum ovi unius ;
Tere optimè Terebinthinam cum ovi vitello, adde gradatim Decoctum, et fiat Enema.

GARGARISMATA.

12. GARGARISMA ALUMINIS.

- ℞ Aluminis drachmas duas,
Aquæ fluiduncias sex cum semisse,
Mellis unciam cum semisse ;
Misce, fiat Gargarisma.

13. GARGARISMA CINCHONÆ CUM ACIDO.

- ℞ Decocti Cinchonæ fluiduncias sex cum semisse,
Acidi Hydrochlorici fluidrachmam cum semisse,

Mellis unciam cum semisse ;
Misce, fiat Gargarisma.

14. GARGARISMA SODÆ BIBORATIS.

℞ Sodæ Biboratis drachmas duas,
Mellis unciam cum semisse,
Aquæ fluiduncias sex cum semisse ;
Misce, fiat Gargarisma.

INFUSA.

15. INFUSUM SENNÆ COMPOSITUM
(VEL MEDICINA DOMESTICA.)

℞ Sennæ Foliorum unciam,
Magnesiæ Sulphatis uncias quatuor,
Zingiberis contusi drachmas duas,
Aquæ ferventis—octarium,
Macera per horas quatuor, cola.
Dosis fʒiiss. ad fʒiii.

16. INFUSUM JUNIPERI CUM SCOPARIO.

℞ Juniperi Fructus unciam,
Scoparii Stipitum semunciam,
Aquæ ferventis octarium ;
Macera per horas duas, cola.

INJECTIO.

17. INJECTIO QUERCUS CORTICIS

(VAGINALIS.)

℞ Decocti Quercûs corticis octarium,
Aluminis drachmas duas ;
Solve, fiat Injectio.

LINIMENTA.

18. LINIMENTUM CAMPHORÆ CUM OLEO
CROTONIS.

℞ Linimenti Camphoræ compositi fluid-
unciam,
Olei Crotonis guttas decem,
Olei Olivæ semunciam ;
Misce, fiat Linimentum.

19. LINIMENTUM CAMPHORÆ CUM
OPIO.

℞ Linimenti Camphoræ compositi fluid-
unciam,
Olei Olivæ, et
Tincturæ Opii, singulorum fluidrachmas
duas ;
Misce, fiat Linimentum.

20. LINIMENTUM IODINII COMPOSITUM.

℞ Potassii Iodidi unciam dimidiam,
Liquoris Ammoniaë fortis et
Olei Olivæ, singulorum unciam,
Aquæ uncias tres ;
Misce, fiat Linimentum.

21. LINIMENTUM OPII.

℞ Opii Pulveris subtilissimi drachmam,
Olei Olivæ fluidunciam ;
Misce, fiat Linimentum.

22. LINIMENTUM SAPONIS COMPOSITUM.

℞ Saponis mollis libras duas,
Olei Rosmarini et Olei Origani singu-
lorum fluiduncias duas,
Spiritus tenuioris Congium.
Misce, fiat Linimentum.

23. LINIMENTUM SAPONIS CUM OPIO.

℞ Linimenti Saponis compositi fluidunciam,
Tincturæ Opii fluidrachmas duas ;
Misce, fiat Linimentum.

24. LINIMENTUM TEREBINTHINÆ
ACETICUM.

℞ Olei Terebinthinæ et
Acidi Acetici fortioris, singulorum fluid-
uncias duas cum semisse ;
Olei Lini et
Mellis, singulorum unciam dimidiam ;
Misce, fiat Linimentum.

LIQUORES.

25. LIQUOR CINCHONIÆ DISULPHATIS.

℞ Cinchonix Disulphatis grana sedecim,
Acidi Sulphurici diluti, minima triginta
duo,
Aquæ fluidunciam ;
Solve.

Dosis fʒi.

26. LIQUOR IODINII CAUSTICUS.

℞ Iodinii et
Potassii Iodidi, singulorum unciam ;
Spiritus Vini rectificati fluiduncias
duas ;
Solve.

27. LIQUOR MORPHIÆ HYDROCHLORATIS

(VEL HAUSTUS ANODYNUS.)

℞ Morphiæ Hydrochloratis granum,
Aquæ fluidunciam ;

Solve.

Dosis, fʒii ad fʒi.

28. LIQUOR POTASSII IODIDI.

℞ Potassii Iodidi drachmam,
Aquæ fluidunciam ;

Solve.

Dosis, m xv. ad fʒi.

LOTIONES.

29. LOTIO ACIDI NITRICI.

℞ Acidi Nitrici fluidrachmam,
Tincturæ Opii fluidrachmam,
Aquæ octarium ;

Misce, fiat Lotio.

30. LOTIO ARGENTI NITRATIS.

℞ Argenti Nitratis grana quatuor,
Aquæ destillatæ fluidunciam ;

Solve, fiat Lotio.

31. LOTIO CUPRI SULPHATIS.

℞ Cupri Sulphatis grana quatuor,
Aquæ fluidunciam ;
Solve, fiat Lotio.

32. LOTIO PLUMBI DIACETATIS.

℞ Liquoris Plumbi Diacetatis fluidrach-
mam,
Aquæ destillatæ octarium ;
Misce, fiat Lotio.

33. LOTIO ZINCI SULPHATIS.

℞ Zinci Sulphatis grana quatuor,
Aquæ destillatæ fluidunciam ;
Solve, fiat Lotio.

34. LOTIO ZINCI SULPHATIS COMPOSITA

(VEL LOTIO RUBRA.)

℞ Zinci Sulphatis grana duo,
Tincturæ Lavandulæ compositæ minima
quindecim,
Aquæ destillatæ fluidunciam ;
Misce, fiat Lotio.

MISTURÆ.

35. MISTURA ACACIÆ CUM VINO IPECACUANHÆ.

- ℞ Decocti Hordei et
Misturæ Acaciæ, singulorum fluiduncias
duas,
Vini Ipecacuanhæ fluidrachmas duas,
Tincturæ Scillæ fluidrachmam dimidiam,
Syrupi Papaveris fluidrachmam ;
Misce, fiat Mistura.
Dosis fʒj ad ʒiss.

36. MISTURA ALOETICA.

- ℞ Decocti Aloës compositi fluiduncias sex,
Tincturæ Rhei fluidrachmas tres,
Magnesiæ Carbonatis scrupulum,
Magnesiæ Sulphatis drachmas sex ;
Misce, fiat Mistura.
Dosis fʒj ad ʒiss.

37. MISTURA AMYGDALI CUM ANTIMONII POTASSIO-TARTRATE.

- ℞ Antimonii Potassio-Tartratis grana octo,
Mistura Amygdali amari fluiduncias octo ;
Misce, fiat Mistura.
Dosis fʒss ad ʒiss.

38. MISTURA ANTHEMIDIS CUM MAGNESIÆ SULPHATE.

℞ Infusi Anthemidis fluiduncias sex,
Magnesiæ Sulphatis unciam,
Tincturæ Zingiberis fluidrachmam ;
Misce, fiat Mistura.

Dosis fʒiss ad fʒij.

39. MISTURA ANTIMONII POTASSIO-TARTRATIS.

℞ Antimonii Potassio-Tartratis grana octo,
Misturæ Camphoræ fluiduncias octo ;
Misce, fiat Mistura.

Dosis fʒss ad fʒiss.

40. MISTURA ANTIMONII POTASSIO-TARTRATIS CUM MAGNESIÆ SULPHATE.

℞ Antimonii Potassio-Tartratis granum,
Magnesiæ Sulphatis drachmas quatuor,
Misturæ Camphoræ fluiduncias sex ;
Misce, fiat Mistura.

Dosis fʒj ad fʒij.

41. MISTURA CASCARILLÆ CUM ACIDO NITRICO.

℞ Infusi Cascarillæ fluiduncias quinque
cum semisse,

Acidi Nitrici diluti fluidrachmam,
Tincturæ Humuli fluidrachmas tres ;
Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

42. MISTURA CATECHU.

℞ Aquæ Anethi fluiduncias quatuor,
Misturæ Cretæ fluiduncias duas,
Misturæ Acaciæ fluidunciam,
Tincturæ Catechu fluidrachmas tres,
Syrupi Zingiberis fluidrachmas quinque ;
Misce, fiat Mistura.

Dosis fʒss ad fʒiss.

43. MISTURA COLCHICI ALKALINA.

℞ Vini Seminum Colchici fluidrachmas tres,
Sodæ Sesquicarbonatis drachmas duas,
Aquæ Menthæ Piperitæ fluiduncias
quatuor cum semisse,
Aquæ fontanæ fluiduncias tres ;
Misce.

Dosis fʒi ad fʒiss.

44. MISTURA COLCHICI CUM MAGNESIA

℞ Vini Seminum Colchici semunciam,
Magnesiæ drachmas duas,

Aquæ Menthæ Piperitæ octarium ;
Misce, fiat Mistura.

Dosis fʒj ad ʒiss.

45. MISTURA COLCHICI CUM MAGNESIÆ
SULPHATE.

℞ ViniSeminum Colchici fluidrachmas duas,
Magnesiæ Sulphatis drachmas quatuor,
Magnesiæ Carbonatis scrupulos duos,
Aquæ Menthæ Piperitæ fluiduncias sex;
Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

46. MISTURA GENTIANÆ CUM ACIDO
SULPHURICO.

℞ Infusi Gentianæ compositi octarium,
Acidi Sulphurici diluti fluidrachmas duas;
Misce, fiat Mistura.

Dosis fʒj ad fʒij.

47. MISTURA LOBELIÆ ET AMMONIACI.

℞ Tincturæ Lobeliæ Inflatæ fluidrachmam,
Tincturæ Hyoscyami fluidrachmam et
dimidiam,
Misturæ Ammoniaci fluidrachmas duo-
decim,
Aquæ fluidrachmas duodecim ;
Misce, fiat Mistura.

Dosis fʒss ad ʒi.

48. MISTURA MAGNESIÆ SULPHATIS
CUM ACIDO SULPHURICO.

℞ Magnesiæ Sulphatis uncias tres,
Aquæ Menthæ Piperitæ fluiduncias qua-
tuordecim,
Acidi Sulphurici diluti fluidunciam di-
midiam ;

Misce, fiat Mistura.

Dosis fʒiss ad fʒii.

49. MISTURA MAGNESIÆ SULPHATIS CUM
MAGNESIA.

(VEL SALINA APERIENS)

℞ Magnesiæ Sulphatis unciam,
Magnesiæ Carbonatis drachmam,
Antimonii Potassio-Tartratis granum,
Aquæ ferventis uncias octo ;

Misce, fiat Mistura.

Dosis fʒj ad fʒij.

50. MISTURA OPII AMMONIATA.

℞ Tincturæ Opii et
Tincturæ Scillæ singulorum fluidunciam
cum semisse ;
Spiritus Ammoniaæ aromaticæ fluidun-
cias tres,

Mellis optimi fluiduncias tres,
Aquæ Menthæ Piperitæ,
Aquæ, singulorum fluiduncias quadra-
ginta duo ;

Misce, fiat Mistura.

Dosis fʒss ad ʒj.

51. MISTURA POTASSÆ ACETATIS COM-
POSITA.

℞ Potassæ Acetatis semunciam,
Tincturæ Scillæ fluidrachmas tres,
Spiritus Ætheris Nitrici fluidunciam
dimidiam,
Infusi Juniperi cum Scopario fluidun-
cias duodecim ;

Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

52. MISTURA QUASSIÆ CUM FERRO.

℞ Infusi Quassiae octarium,
Ferri Ammonio-Citratis drachmam ;

Misce, fiat Mistura.

Dosis fʒj ad ʒiss.

53. MISTURA QUINÆ CUM ACIDO NI-
TRICO.

℞ Quinæ Disulphatis grana viginti qua-
tuor,
Acidi Nitrici diluti fluidrachmam,

Aquæ Cinnamomi et
Aquæ puræ, singulorum fluiduncias sex ;
Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

54 MISTURA QUINÆ CUM ACIDO SUL-
PHURICO.

℞ Quinæ Disulphatis grana octo,
Acidi Sulphurici diluti minima sex,
Aquæ fluiduncias quatuor ;

Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

55. MISTURA RHEI CUM MAGNESIA.

℞ Magnesiæ Carbonatis drachmas duas
Pulveris Rhei drachmam,
Pulveris Zingiberis semidrachmam,
Aquæ Menthæ Piperitæ fluiduncias
octo ;

Misce, fiat Mistura.

Dosis fʒj ad fʒij.

56. MISTURA SALINA.

℞ Sodæ Potassio-Tartratis unciam dimi-
diam,
Sodæ Sesquicarbonatis drachmas duas,
Aquæ puræ fluiduncias viginti ;

Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

57. MISTURA SALINA CUM ACIDO HYDROCYANICO.

℞ Misturæ Salinæ fluiduncias sex,
Acidi Hydrocyanici diluti fluidrachmam
dimidiam ;

Misce.

Dosis fʒi ad fʒiss.

58. MISTURA SALINA ANTIMONIALIS.

℞ Antimonii Potassio-Tartratis granum,
Sodæ Potassio-Tartratis drachmam cum
semisse,

Potassæ Nitratis drachmam dimidiam,
Acidi Hydrocyanici diluti fluidrachmam
dimidiam,

Aquæ puræ fluiduncias sex ;

Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

59. MISTURA SCILLÆ CUM CONIO.

℞ Tincturæ Scillæ fluidrachmam,
Liquoris Potassæ fluidrachmam cum
semisse

Extracti Conii scrupulum,

Misturæ Camphoræ fluiduncias quinque
cum semisse ;

Misce, fiat Mistura.

Dosis fʒi ad fʒiss.

60. MISTURA TINCTURÆ CAMPHORÆ
COMPOSITÆ.

- ℞ Vini Ipecacuanhæ fluidrachmam dimi-
diam,
Tincturæ Camphoræ compositæ flui-
drachmas duas cum semisse,
Tincturæ Hyoscyami fluidrachmas duas,
Aquæ semilibram;
Misce, fiat Mistura.
Dosis fʒi ad fʒiss.

61. MISTURA VALERIANÆ.

- ℞ Infusi Valerianæ fluiduncias sex,
Tincturæ Valerianæ compositæ flui-
drachmas sex ;
Misce, fiat Mistura.
Dosis fʒj ad ʒij.

62. MISTURA VALERIANÆ COMPOSITA.

- ℞ Misturæ Camphoræ fluiduncias quinque,
Spiritus Ammoniaë aromaticæ drachmas
duas,
Tincturæ Valerianæ fluidrachmas tres,
Tincturæ Camphoræ compositæ flui-
drachmam ;
Misce, fiat Mistura.
Dosis fʒj ad fʒij.

PILULÆ.

63. PILULÆ ALOËS CUM HYDRARGYRO.

(VEL PILULÆ PURGANTES.)

- ℞ Pulveris Aloës uncias novem,
Pulveris Cambogiæ uncias septem,
Pilulæ Hydrargyri drachmas quadraginta
duas,
Extracti Hyoscyami drachmas octo-
decim.

Dosis Gr. v ad xv.

64. PILULÆ BISMUTHI CUM STRAMONIO.

- ℞ Extracti Stramonii grani sextam partem,
Bismuthi Trisnitratis grana duo,
Extracti Humuli grana duo ;
Misce, fiat pilula.

Dosis i ad ii.

65. PILULA CALOMELANOS CUM ACONITO.

- ℞ Calomelanos granum,
Extracti Aconiti granum ;

Misce, fiat Pilula.

Dosis i.

66. PILULÆ CALOMELANOS CUM ANTI-
MONIO.

- ℞ Calomelanos grana quindecim,

Antimonii Potassio-Tartratis granum,
Extracti Conii scrupulum.
Misce, fiant pilulæ decem.
Dosis i ad ii.

67. PILULÆ COLCHICI CUM ACONITO.

℞ Extracti Colchici acetici grana tria,
Extracti Aconiti granum cum semisse;
Misce, fiat pilula.
Dosis i.

68. PILULÆ COLOCYNTHIDIS.

℞ Extracti Colocynthidis compositi grana
quinque,
Fiat pilula.
Dosis i ad iij.

69. PILULÆ COLOCYNTHIDIS CUM
HYDRARGYRO.

℞ Pilulæ Hydrargyri scrupulum,
Extracti Colocynthidis compositi scrupulos duos,
Olei Caryophyllarum guttas quatuor;
Misce, fiant pilulæ duodecim.
Dosis i ad iij.

70. PILULÆ COLOCYNTHIDIS CUM
IPECACUANHA.

(VEL APERIENS ET ALTERATIVA).

℞ Extracti Colocyntidis compositi grana
duo,
Pilulæ Hydrargyri granum cum semisse,
Extracti Hyoscyami granum,
Pulveris Ipecacuanhæ grani tertiam par-
tem;

Misce, fiat pilula.

Dosis i ad iij.

71. PILULA CONII CUM IPECACUANHA.

℞ Extracti Conii grana quatuor,
Pulveris Ipecacuanhæ semigranum ;

Misce, fiat pilula.

Dosis i ad iij.

72. PILULÆ CONII CUM MORPHIA.

℞ Extracti Conii grana quatuor,
Pulveris Ipecacuanhæ semigranum,
Morphiæ Hydrochloratis grani octavam
partem.

Misce, fiat pilula.

Dosis i.

73. PILULÆ FERRI CUM MYRRHA.

- ℞ Ferri Sulphatis exsiccatae granum,
Pilulæ Aloës cum Myrrha et
Assafœtidæ, singulorum grana duo,
Olei Carui quantum sufficiat.

Misce, fiat pilula.

Dosis i ad ij.

74. PILULÆ HYDRARGYRI CUM EXTRACTO
PAPAVERIS.

- ℞ Pilulæ Hydrargyri et
Extracti Papaveris, singulorum semi-
drachmam ;

Misce, fiant pilulæ duodecim.

Dosis i.

75. PILULÆ HYDRARGYRI CUM PULVERE
IPECACUANHÆ COMPOSITO.

- ℞ Pilulæ Hydrargyri grana duo,
Pulveris Ipecacuanhæ compositi grana
tria,

Misce, fiat pilula.

Dosis i ad iiij.

76. PILULÆ HYOSCYAMI CUM OPIO.

- ℞ Extracti Hyoscyami grana viginti,
Extracti Opii aquosi grana decem ;

Misce, fiant pilulæ decem,

Dosis i ad iiij.

77. PILULÆ LACTUCARII.

℞ Lactucarii et
Extracti Hyoscyami, singulorum grana
tria ;

Misce, fiat pilula.

• Dosis i ad iij.

78. PILULÆ MORPHIÆ ET STRAMONII.

(No. 1.)

℞ Morphię Hydrochloratis grani sextam
partem,

Pulveris Ipecacuanhæ semigranum,
Extracti Stramonii grani sextam partem,
Extracti Humuli grana duo ;

Misce, fiat pilula.

Dosis i.

(No. 2.)

79. DOSIS MORPHIÆ HYDROCHLORATIS
GRANI TERTIA PARS.

Dosis i.

(No. 3.)

80. DOSIS MORPHIÆ HYDROCHLORATIS
SEMIGRANUM.

Dosis i.

81. PILULÆ PLUMBI ACETATIS.

- ℞ Plumbi Acetatis semigranum,
Morphiæ Hydrochloratis grani quar-
tam partem,
Extracti Hyoscyami grana duo ;
Misce, fiat pilula.
Dosis i ad iij.

82. PILULÆ QUINÆ DISULPHATIS.

- ℞ Quinæ Disulphatis scrupulum,
Micæ panis quantum sufficiat ut fiant
pilulæ decem ;
Dosis i ad ij.

83. PILULÆ RHEI CUM HYDRARGYRO.

- ℞ Pilulæ Hydrargyri grana decem,
Pilulæ Rhei compositæ drachmam
dimidiam ;
Misce, fiant pilulæ decem.
Dosis i ad iij.

84. PILULÆ SCILLÆ CUM HYDRARGYRO.

- ℞ Pilulæ Hydrargyri scrupulum,
Pulveris Scillæ grana decem,
Pulveris Digitalis grana quinque,

Extracti Conii grana quindecim,
Creosoti quantum sufficiat ;
Misce, fiant pilulæ decem.
Dosis i.

PULVERES.

85. PULVIS CALOMELANOS ET IPECA-
CUANHÆ.

℞ Pulveris Ipecacuanhæ semidrachmam,
Calomelanos semidrachmam,
Sacchari albi drachmam ;

Misce, fiat pulvis.
Dosis (infantis) gr. iv.

86. PULVIS CALOMELANOS ET JALAPÆ.

℞ Calomelanos grana decem,
Pulveris Jalapæ grana triginta,
Pulveris Zingiberis grana decem ;

Misce, fiat pulvis.
Dosis (infantis) gr. v ad x.

87. PULVIS IPECACUANHÆ CUM ANTI-
MONII-POTASSIO-TARTRATE.

(VEL PULVIS EMETICUS.)

℞ Pulvis Ipecacuanhæ scrupulum,
Antimonii Potassio-Tartratis granum ;
Misce, fiat pulvis emeticus.

88. PULVIS QUINÆ DISULPHATIS ET RHEI.

℞ Quinæ Disulphatis grana quinque,
Pulveris Rhei grana triginta ;

Misce, fiat pulvis.

Dosis (infantis) gr. v.

89. PULVIS RHEI ET HYDRARGYRI CUM CRETA.

℞ Hydrargyri cum Cretâ scrupulum,
Pulveris Rhei scrupulos duos ;

Misce, fiat pulvis.

Dosis (infantis) gr. vi.

90. PULVIS RHEI CUM MAGNESIA.

℞ Pulveris Rhei grana triginta,
Magnesiæ drachmam,
Pulveris Zingiberis grana duo ;

Misce, fiat pulvis.

Dosis (infantis) gr. ix.

91. PULVIS RHEI ET SODÆ.

℞ Pulveris Rhei scrupulos duos,
Sodæ exsiccatae et
Hydrargyri cum cretâ singulorum
scrupulum.

Misce, fiat pulvis.

Dosis (Infantis) gr. viij.

SUPPOSITORIUM.

92. SUPPOSITORIUM OPII.

- ℞ Opii Pulveris grana duo,
Saponis duri grana tria ;
Misce, fiat Suppositorium.

SYRUP.

93. SYRUPUS FERRI CARBONATIS.

- ℞ Ferri Sulphatis unciam,
Sodæ Bicarbonatis unciam,
Aquæ destillatæ fluiduncias octo ;
Solve pulveres et præcipita.
- ℞ Præcipitati recentis unciam,
Syrupi Simplicis fluiduncias viginti ;
Misce.

Dosis ʒss ad ʒii.

94. SYRUPUS FERRI IODIDI.

- ℞ Ferri Iodidi solutionis (P.L.) fluidunciam,
Syrupi fluiduncias duas ;
Misce, fiat syrupus.

Dosis fʒss ad fʒii.

TINCTURA.

95. TINCTURA CANNABIS INDICÆ.

- ℞ Extracti Cannabis Indicæ grana tria,
Spiritus Vini rectificati fluidrachmam ;
Dosis ℥ v. ad ℥ xx.

UNGUENTA.

96. UNGUENTUM POTASSII IODIDI.

- ℞ Potassii Iodidi semunciam,
Axungię unciam cum semisse ;
Misce, fiat Unguentum.

97. UNGUENTUM SULPHURIS IODIDI.

- ℞ Adipis unciam,
Sulphuris Iodidi grana quindecim ;
Misce, fiat Unguentum.

98. UNGUENTUM HYDRARGYRI NITRATIS
MITIUS.

- ℞ Unguenti Hydrargyri Nitratis uncias
duas,
Adipis uncias duas,
Olei Olivæ unciam ;
Misce, fiat Unguentum.

VINUM.

99. VINUM FERRI.

R Ferri Potasso-Tartratis uncias duas,
Aquæ ferventis fluiduncias viginti ;
Misce.

Dosis f3ss ad f3ii.

APPENDIX.

THE FOLLOWING TABLES EXHIBIT THE PROPORTIONS OF WEIGHTS AND MEASURES, AND THE SIGNS USED IN PRESCRIPTIONS.

APOTHECARIES' WEIGHT.

A pound,	<i>libra,</i>	lb.	contains	12 ounces.
An ounce,	<i>uncia,</i>	℥	„	8 drachms.
A drachm,	<i>drachma,</i>	ʒ	„	3 scruples.
A scruple,	<i>scrupulus,</i>	ʒ	„	20 grains.
A grain,	<i>granum,</i>	gr.		

A gallon,	<i>congius,</i>	cong.	contains	8 pints.
A pint,	<i>octarius,</i>	℔	„	20 fluid ounces.
A fluid ounce,	<i>fluiduncia,</i>	℥	„	8 fluid drachms.
A fluid drachm,	<i>fluidrachma,</i>	ʒ	„	60 minims.
A minim,	<i>minimum,</i>	℥		

APOTHECARIES' WEIGHT.

lb.	℥	ʒ	ʒ	gr.
1 =	12 =	96 =	288 =	5760
	1 =	8 =	24 =	480
		1 =	3 =	60
			1 =	20
Cong.	℔	℥	ʒ	℥
1 =	8 =	160 =	1280 =	76800
	1 =	20 =	160 =	9600
		1 =	8 =	480
			1 =	60

GENERAL HEADS FOR REPORTS OF CASES.

PREVIOUS HISTORY.

NAME—Sex—Age.

DATE OF ADMISSION—Day of Week, Month and Year.

CIVIL STATE—Occupation—How long followed, and with or without interruption.—Married [When and Number of Children] or Single—Habits and Mode of Life—Quantity and Quality of Food and Drink—Clothing.

PLACE OF ABODE—Damp or dry—Open or confined—How long resident—and how long in London.

Stature—Conformation—Temperament—Complexion.

HABITUAL STATE OF MIND—Anxious—Melancholy—Cheerful—Sleep.

HEREDITARY PREDISPOSITION—Age of Parents—To what diseases subject—If dead, of what disease, and at what age—Diseases of brothers, sisters, or children, if any worth noting.

HABITUAL STATE OF HEALTH—and amount of flesh—and strength—*any and what previous diseases*, and their dates and duration. (Here and under previous head, when necessary,

give a few leading facts or symptoms to *prove* the nature of the disease.)—Ever had Acute or Chronic Rheumatism.—Scarlet Fever or Syphilis.

PRESENT ATTACK—*Exact* date of its commencement—How long left off work—How long confined to bed.

(Note Symptoms in the order of their occurrence—with dates of commencement and cessation—progressive changes—and exact seat of chief ones.)

TREATMENT before admission, and its effects.

PRESENT STATE.

(Note the condition of *all* parts of the body in succession—Also the principal *negative* as well as *positive* circumstances in the state of every part.)

GENERAL SYMPTOMS—

Rigors—General Pains or Soreness—Lassitude—Prostration of Strength—Position—Jactitation.

EXTERIOR—Colour of Skin—Temperature—Sweating or Dryness—Eruptions—Increased cutaneous sensibility—Emaciation—Colour, of lips, cheeks, and eyes—Swelling, Colour, &c. of Joints—Anasarca.

NERVOUS SYSTEM—Head—Habitual and present state of Intellect—Delirium—Convul-

sions—Rigidity—Paralysis—Sleep—Pain—Giddiness—Expression of Countenance—State of Organs of Sense.

SPINE—Pain—Tenderness, and its exact seat—Weakness—Curvature.

RESPIRATORY ORGANS—Respiration—its characters and frequency—Pain, its seat and kind—Voice, and state of Larynx—Cough, its character—Expectoration, its quantity and characters—Physical signs.

ORGANS OF CIRCULATION—Heart—Pain—Palpitations—Syncope—Physical signs—Pulse—External veins, dilatation or pulsation of.

DIGESTIVE AND ABDOMINAL ORGANS—Mouth—Tongue—Throat—Deglutition—Odour of Breath—Appetite—Thirst—Nausea—Vomiting—Abdomen—Size—Form—Pain—Tenderness—Stools, number and character of.

LIVER—Size—Symptoms referable to—SPLEEN, size, &c.

KIDNEYS, BLADDER AND URETHRA—Urine—Quantity—Colour—Odour—Sediments and their characters—Specific gravity. Is it Acid, Alkaline—Does it contain Albumen or excess of Urea?

ORGANS OF GENERATION—Menses—Age at which began and ceased—Periods—Quantity—Quality.

SUPPOSED EXCITING CAUSES—Epidemics—Contagion—State of weather—Exposed to wet, cold, or currents of air—Moral causes—

Degree of Intensity—Date and duration of application—Number of hours or days between application and appearance of disease.

TREATMENT—Medicinal and Dietetic.

PROGRESS—

DAILY REPORTS—State of principal preceding symptoms—Accession of new symptoms—
—Effects of remedies prescribed—*Exact date* when each thing was prescribed and *omitted*.

RESULT—Date and cause of discharge—or death.

INSPECTION OF THE BODY.

NUMBER OF HOURS AFTER DEATH — State of Weather.

(Note state of *all* the organs and the chief *negative* as well as *positive* circumstances of each—Also the weights of Viscera and *position* of those of Thorax and Abdomen.)

EXTERIOR—Emaciation—Thickness of fat in Integuments—Colour of Skin—Eruptions—Abrasion—Sloughing—Œdema—Cadaveric rigidity—Colour of Muscles.

HEAD AND SPINE—Integuments and bones of Head—The three membranes of Brain—their Colour—Thickness—Transparency—Adhesions—Quantity and character of Serous or other effusion in cavity of Arachnoid—in Ventricles—and under and between Membranes.

Sinuses and Veins—Amount and aspect of Blood—State of coats—Condition of chief arteries.

Brain—Cerebellum—Medulla oblongata and spinal cord—Convolution and Sulci—size and depth—Colour and consistency of gray and white parts—Number and size of red points—Organs of Sense.

LARYNX — EPIGLOTTIS — GLOTTIS — TRACHEA—Mucous membrane—their Colour—Thickness—Consistency, &c.

CHEST — PLEURA — its Colour — Thickness — Transparency — Adhesions — Contents — Thymus gland.

LUNGS—Bronchi—Colour—Thickness—Consistency—Secretion, &c. of Mucous membrane—Calibre of Bronchi—Thickness of Cartilages—Bronchial glands—Substance of Lungs—Volume—Colour—Density—Consistency—Quantity of Blood or Serum—Size of Air-cells.

PERICARDIUM—Colour—Transparency—Thickness—Any white patch on it, and where—Quantity of fat under it—Adhesions—Serous or other effusion.

HEART—LEFT VENTRICLE—Thickness, Colour and Density of Walls—Columnæ carneæ—and Septum — Capacity — State of lining membrane—Valves and orifices—Changes in their thickness—Texture and dimensions.

RIGHT VENTRICLE—the same.

LEFT AURICLE—Thickness of Walls and Musculi pectinati—Capacity—Endocardium—Foramen ovale, open or closed.

RIGHT AURICLE—the same.

AORTA — PULMONARY ARTERY — AND LARGE VENOUS TRUNKS—Circumference—Colour—Thickness—Changes of texture, &c. in coats—Blood in heart and great vessels—quantity in each cavity—colour—fluid, watery or coagulated—if any colourless coagula, note their position.

MOUTH—Throat—Pharynx and Œsophagus.

TONGUE—Salivary glands—Volume and mucous membrane—Mucous lining of Mouth—Soft palate—Tonsils and Œsophagus.

STOMACH—DUODENUM AND REST OF SMALL AND LARGE INTESTINES — Volume — Contents — Orifices—Mucous membrane—its Colour—Thickness—Consistency—Quantity and character of Secretions—Glands aggregate and solitary.

MESENTERIC AND MESOCOLIC GLANDS—Size—Colour—Consistency.

PERITONEUM — Colour — Thickness — Transparency — Smoothness — Adhesions — Contents, &c.—Omentum.

LIVER—Size—Colour—Consistency — Quantity of blood—Tunics—Gall-bladder and biliary ducts — Capacity, &c. — Bile—Quantity—Colour—Consistency.

SPLEEN—Size—Colour—Consistency—Tunics.

PANCREAS—Size—Colour—Consistency.

LYMPHATIC GLANDS—Lumbar—Inguinal—Cervical—Axillary, &c.

KIDNEYS—Proper tunic—Thickness—Colour—Degree of adhesion—Exterior volume—Form—Colour—Smoothness—Cortical and tubular portions—Size—Colour—Density—Changes in texture.

PELVIS AND URETERS—Capacity—Mucous membrane, characters of.

BLADDER, URETHRA AND PROSTATE GLAND—Volume—Density—Capacity—Thickness and other characters of different components.

UTERUS—FALLOPIAN TUBES—OVARIES—TESTES.

MICROSCOPIC EXAMINATIONS.

THE END.

Works

PUBLISHED BY

TAYLOR AND WALTON,

28, UPPER GOWER STREET.

Murphy's Lectures on Midwifery.

LECTURES ON NATURAL AND DIFFICULT PARTURITION. By EDWARD W. MURPHY, A.M., M.D., Professor of Midwifery in University College. One Volume, Octavo, with numerous Engravings on Wood. 9s. cloth.

"The whole of these Lectures, which refer to difficult and laborious labours, and to the application of instruments, will be found of the very greatest value."—*Lancet*.

Ballard and Garrod's Materia Medica.

ELEMENTS OF MATERIA MEDICA AND THERAPEUTICS. By EDWARD BALLARD, M.D., Lond. Medical Tutor in University College, and A. B. GARROD, M.D., Lond., Lecturer on Materia Medica and Therapeutics in the Aldersgate School of Medicine. One Volume, Octavo (482 pages) with Diagrams on Wood. 12s. cloth.

"As a manual for Students, it is the best that has yet appeared, and will be found to contain much matter well worthy of perusal by the practitioner."—*Ranking's Report*.

Walshe on Cancer.

THE NATURE AND TREATMENT OF CANCER. By WALTER HAYLE WALSH, M.D., Professor of Pathological Anatomy in University College, Physician to University College Hospital, and to the Hospital for Consumption and Diseases of the Chest. One Volume Octavo, with Illustrations. 16s.

"We must here also refer, in passing to another thing that has particularly struck us in going over Dr. Walshe's book—its strikingly practical character and the author's enlarged general views of the nature and proper treatment of Cancer."—*Forbes' Review*.

Diseases of the Lungs.

WALSHE'S (DR. W. H.) PHYSICAL DIAGNOSIS OF DISEASES OF THE LUNGS. Fcap. 8vo, 6s. 6d. cloth.

"The treatise is one of extraordinary merit. Indeed we do not hesitate to say that there exists in no language any work on the physical diagnosis of diseases of the lungs, suited for students, so clear and precise, and at the same time so comprehensive and practical, as this."—*British and Foreign Medical Review*.

Dr. Quain's Anatomy. By Dr. Sharpey and Mr. Quain.
ELEMENTS OF ANATOMY. By DR. QUAIN.
Fifth Edition. Edited by DR. SHARPEY and MR. QUAIN.
 Part II.—Containing the FASCIÆ VESSELS, and NERVOUS SYSTEM; also the CONTINUATION of the GENERAL ANATOMY. 8vo, with very numerous Engravings on Wood.

Completion of Mr. Quain's Work on the Arteries.
THE ANATOMY OF THE ARTERIES OF THE HUMAN BODY, and its Applications to Pathology and Operative Surgery; with a series of Lithographic Drawings the size of nature. By RICHARD QUAIN, F.R.S., Professor of Anatomy in University College, and Surgeon to University College Hospital.

The Drawings from Nature and on Stone, by JOSEPH MACLISE, Esq., Surgeon.

The Work consists of an Octavo Volume of Letter-Press, and Eighty-seven Plates Imperial Folio (27 by 21½ inches). It may be had as follows:—In 17 parts, price 10*l.* 12*s.*; Half-bound Morocco, gilt top, 13*l.* Either with the Plates in Two Volumes folded into half their full size, or with the Plates in One Volume unfolded.

Chemistry.

TURNER'S ELEMENTS OF CHEMISTRY.

Seventh Edition. Edited by JUSTUS LIEBIG, M.D., Professor of Chemistry in the University of Giessen, and WILLIAM GREGORY, M.D., Professor of Chemistry in the University of Edinburgh. 1 thick vol. 8vo, 1*l.* 8*s.*

"As a compendium of the present state of chemistry, and a text-book for all beginners, we consider it is unequalled by any in the English language, and we even doubt whether there are any of the Foreign manuals, of an equal size, which can venture to compete with it."—*Chem. Gaz.*, Dec. 1, 1842.

Gregory's Chemistry.

OUTLINES OF CHEMISTRY, FOR THE USE OF STUDENTS. By WILLIAM GREGORY, M.D., Professor of Chemistry in the University of Edinburgh. Complete in One Volume, fcap. 8vo, 12s. cloth. Part I.—(INORGANIC CHEMISTRY), 5s. cloth. Part II.—(ORGANIC CHEMISTRY), 7s. cloth.

"This is beyond comparison the best introduction to Chemistry which has yet appeared. The directions for preparing substances are usually confined to the *best* method, so that brevity and selectness are combined. The size and the price of this little work, as well as its intrinsic merits, commend it to every student of Chemistry."—*Lancet*.

Chemical Analysis.

OUTLINES OF THE COURSE OF QUALITATIVE ANALYSIS FOLLOWED IN THE GIESSEN LABORATORY. By HENRY WILL, Ph.D., Professor Extraordinary of Chemistry in the University of Giessen. With a Preface, by PROFESSOR LIEBIG. 8vo, 6s., or with the Tables mounted on Linen 7s.

"The present work contains an accurate description of the course I have followed in my laboratory with great advantage for 25 years."—*Baron Liebig*.

New Edition of Parnell's Chemical Analysis.

ELEMENTS OF CHEMICAL ANALYSIS, QUALITATIVE AND QUANTITATIVE. By EDWARD ANDREW PARNELL, Author of "APPLIED CHEMISTRY IN ARTS, MANUFACTURES, AND DOMESTIC ECONOMY." *Second Edition*, revised throughout, and enlarged by the addition of 200 pages, 8vo, 14s. cloth.

Physiology.

MULLER'S ELEMENTS OF PHYSIOLOGY.

Translated, with Notes, by WILLIAM BALY, M.D. Steel Plates and very numerous Engravings on Wood. 2 thick vols. 8vo, 20s. each.

"We do, however, recommend it very strongly, and we have no hesitation in saying that it will supersede all other works as a Text Book for Lecturers, and one of reference for students. It steers a middle course between the superficial brevity of many of our modern works, and the pleonastic and metaphysical jargon of Burdach."—*Med. Chir. Review*, April, 1838.

Dissection.

ELLIS'S DEMONSTRATIONS OF ANATOMY ; A GUIDE TO THE DISSECTION OF THE HUMAN BODY. 1 vol. small 8vo, 12s.

"We think Mr. Ellis's 'Demonstrations' are in every way fitted for the purposes for which they are intended, and we therefore strongly recommend the work to the notice of every member of the profession. We are convinced that it will quickly become the general Text Book of every working student in anatomy."—*British and Foreign Medical Review*.

Surgical Anatomy.

MORTON'S SURGICAL ANATOMY OF THE PRINCIPAL REGIONS. Royal 8vo. Plates and Woodcuts.

PERINÆUM. Four Plates and Three Woodcuts. 6s. plain, 7s. 6d. coloured.

GROIN, FEMORAL AND POPLITEAL REGIONS. Eight Plates and Eleven Wood Engravings. 9s. plain, 13s. coloured.


INGUINAL HERNIÆ, TESTIS AND ITS COVERINGS. Five Plates and Eleven Woodcuts. 13s. coloured, 9s. plain.

THE HEAD AND NECK, THE AXILLA, AND BEND OF THE ELBOW. Eight Plates. 12s. coloured, 7s. 6d. plain.

"The production (volume on the Groin) is altogether one which we can conscientiously recommend to the working student * * * * The work will constitute a complete and elaborate treatise, that cannot fail to be highly useful to surgeons in general."—*British and Foreign Medical Review*.

"The present work (Inguinal Herniæ) is a worthy successor to those on the Groin and Perinæum, and will prove, we do not doubt, as great a favourite with students."—*Med. Chir. Rev.*, April, 1841.

TAYLOR AND WALTON, 28, UPPER GOWER STREET.



Mr. Brewster.
29. Oct. 1872

