Tables of the materia medica, or a systematic arrangement of all the articles admitted by the colleges of London, Edinburgh, and Dublin; exhibiting a concise view of the most material circumstances respecting them; together with a number of original and selected formulae; to which is subjoined a table of all the secondary salts employed in medicine / By Jeremiah Kirby, M. D.

#### **Contributors**

Kirby, Jeremiah.

#### **Publication/Creation**

Edinburgh: Printed at the University Press for Guthrie and Tait, and sold by John Murray; London, 1805.

#### **Persistent URL**

https://wellcomecollection.org/works/tse6znah


#### License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.


You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



31170/A









# TABLES

OF THE

# MATERIA MEDICA,

OR A

SYSTEMATIC ARRANGEMENT

OF ALL THE

ARTICLES ADMITTED BY THE COLLEGES

OF

## LONDON, EDINBURGH, AND DUBLIN;

EXHIBITING

A CONCISE VIEW OF THE MOST MATERIAL CIRCUMSTANCES
RESPECTING THEM; TOGETHER WITH A NUMBER OF
ORIGINAL AND SELECTED

# FORMULAE;

TO WHICH IS SUBJOINED

## ATABLE

OF ALL THE SECONDARY SALTS EMPLOYED IN MEDICINE.

# BY JEREMIAH KIRBY, M. D.

MEMBER OF THE ROYAL MEDICAL SOCIETY OF EDINBURGH.

#### EDINBURGH:

Printed at the University Press;

FOR GUTHRIE AND TAIT,

AND SOLD BY

JOHN MURRAY, FLEET-STREET, LONDON-

# ENTERED IN STATIONERS HALL.



# JAMES HAMILTON, M.D.

FELLOW OF THE ROYAL COLLEGE OF PHYSICIANS

AND PROFESSOR OF MIDWIFERY IN THE

UNIVERSITY OF EDINBURGH,

THE FOLLOWING TABLES

ARE

RESPECTFULLY

AND GRATEFULLY

INSCRIBED

BY

AND VERY HUMBLE SERVANT,

JEREMIAH KIRBY.

THE RESERVE OF THE PARTY OF THE

-

# CONTENTS.

CLASS I. EMETICA	ge
II. EXPECTORANTIA	5
III. DIAPHORETICA, 1	10
IV. DIURETICA	9
V. CATHARTICA 2	25
VI. EMMENAGOGA	35
VII. ERRHINA 8	39
VIII. SIALAGOGA4	10
IX. EMOLLIENTIA4	14
X. REFRIGERENTIA4	19
XI. ASTRINGENTIA 5	54
XII. TONICA 5	59
XIII. STIMULANTIA 6	
XIV. ANTISPASMODICA	37
XV. NARCOTICA	9,3
XVI. ANTHELMINTICA	
	-

1

CLASS XVII. CHEMICA	Page 101
XVIII. MISCELLANEA	
APPENDIX	111
TABLE OF SECONDARY SALTS	119
INDICES OF CHANGED NAMES	129

All the same of th

100

CARONING NO.

# PREFACE.

THE following Tables and Formulae were intended to make part of a larger work on Extemporaneous Prescription, which has been long prepared for the press, but of which, various causes have hitherto delayed the publication. In the mean time, it was thought that the Tables would form a neat pocket volume, which might be found a useful companion to the young physician, and they are, with that view, now offered to the public.

All the substances which are at present admitted into the catalogue of the Materia Medica by the Colleges of London, Edinburgh and Dublin, are here distributed into classes, according to the effects which they produce upon the human body. There are eighteen classes, viz. EMETICA, EXPECTORANTIA, DIAPHORETICA, DIURETICA, CATHARTICA, EMMENAGOGA, ERRHINA, SIALAGOGA, EMOLLIENTIA, REFRIGERANTIA, ASTRINGENTIA, TONICA, STIMULANTIA, ANTISPASMODICA, NARCOTICA, ANTHELMINTICA, CHEMICA and MISCELTICA, ANTHELMINTICA, CHEMICA ANTHELMINTICA,

"LANEA; this last containing such as could not easily be referred to any of the former. The classes have been arranged in such an order as seemed best to admit of placing in succession those remedies which are nearly allied. Thus several of the EMETICA are employed as EXPECTORANTIA and DIAPHORE-TICA; many of the EMMENAGOGA are CATHAR-TICA; the TONICA are nearly allied to the ASTRIN-GENTIA, and the ANTISPASMODICA to the STIMU-LANTIA. Where the class is unusually large, and where a division seemed useful in practice, the articles of such class are again subdivided into MITIORA and FORTIORA, as in DIAPHORETICA and CATHAR-TICA. Each class is subdivided into ANIMALIA, VEGETABILIA, and Fossilia, and under each head the articles are arranged alphabetically. For the sake of easier reference, every article is numbered from the beginning, and as some of the articles of a former class are often employed to produce the effect denoted by the title of a succeeding class, they are placed at the head of this latter, as they have occurred in the former part of the Tables; and to render each class complete in itself, as well as to save the reader trouble, it was thought better to repeat the article at length, than merely to give the rnumber denoting it.

Of each article are given the systematic name; the synonymous pharmaceutical names; the country

in which it is produced or from which it is brought; the part employed in medicine; the form in which it is commonly administered; the usual doses of the simple; the several officinal preparations which belong to the class; the usual doses of these; and the cases to which the article or its preparations are more peculiarly suited.

The doses are for the most part expressed under two extremes, between which lies the usual dose for an adult; by which the dose for any age may be adjusted according to the following table.

I	TABLE OF DOSES.				
- Later management	Age.		Common Dose. dr. 1.	Proportional Dose.	
-	Weeks	7	1 13	gr. 4	
- Andrewson and Printers		7 4 8	$ \begin{array}{c} \frac{1}{1 \cdot 2} \\ \frac{1}{6} \\ \frac{1}{5} \end{array} $	gr. 5 10 12	
of controvalent behavior and party and party deliners. Sentent		3	1 1 2 2 3 1 1 1 2 5 6 4 6	gr. 15 ser. 1 dr. ½ ser. 2 dr. 1 gr. 55 gr. 50 ser. 2	

In the preceding table the second column shews the aliquot parts of the doe for an adult that are suited to different ages, supposing the dose for an adult to be one; and the third column gives the proportional quantities in grains, &c. supposing the common dose to be one drachm.

Where no particular nicety is required, the medicine is ordered ad libitum, and where a medicine is to be administered by beginning with a small dose, and gradually increasing it, this is denoted by a line drawn after the small dose, without any other dose succeeding. Thus in No. 226. Rhus Toxicodendron, the dose is marked gr. \frac{1}{2}.

It may be necessary to account for the contracted form in which the words are printed. In the first draught of these tables, the circumstances noticed under each article were distributed in columns as in the table of secondary salts. But it was found that the difficulty and consequent expence of printing the work in that form, would more than counterbalance the advantage which might be derived from it. The original plan was, therefore, relinquished, but the contracted words which had been employed as occupying less room in the columns, were, for the same reason retained in the present form.

To each class is subjoined a number of select Formulae, both to serve as illustrations of the mode of prescribing and administering the several articles, and to afford to the young practitioner, who is yet unexperienced in the art of prescribing, examples of useful remedies, which he may either copy or modify as he pleases. They are partly taken from the best writers on Extemporaneous Prescription and the practice of Physic, but many of them are original, and are such as have been found successful in private practice.

In these Formulae the new nomenclature, adopted by the Edinburgh College in the last edition of their Pharmacopoeia, has been employed, as it is much more precise and scientific than that of the other Colleges, and will probably soon be imitated by them. It were, indeed, to be wished that some of the names had been shortened, but this can in many cases easily be done by the prescriber, without rendering them less intelligible. Although in the Formulae, the editor has for the most part adopted the Edinburgh names, he has taken the liberty to point out by notes the cases in which the College seem to have failed in their usual accuracy.

There are several circumstances in the style of these Formulae which may appear singular, and perhaps affected. Instead of the usual symbol for ounce, drachm and scruple, and the Roman numerals and Latin directions, the contracted words unc. dr. scr. and the common Arabian figures have been always employed, and the directions are written in English.

This has been done from a conviction that this mode of writing prescriptions is much less likely to produce mistakes, either in prescribing or compounding medicines than what is commonly in use.

The characters 3 and 3 are so similar, that they may easily be written for each other, and that they have sometimes been so written cannot be denied. The consequence is obvious; a stroke of the pen too much may kill the patient, and a stroke too little may produce a medicine of little or no efficacy. Strange! that physicians should have been so misled by an affectation of mystery or concealment, (for to what else can be attributed the use of these hieroglyphics?) as to place the safety of their patients at the mercy of a lapsus pennae! Unc. and dr. can never be written for each other, and we see no good reason why these abbreviations should not be employed for uncia and drachma, as well as gr. and gtt. for granum and gutta. Dr. Spens, in his elegant edition of the Pharmacopoeia Nosocomii Edinburgensis, has employed these contracted words, but has retained the Roman numerals.

The use of the Arabian figures appears calculated to insure both perspicuity and dispatch. They are more easily written, occupy less room in a prescription, and remove all possibility of mistake.

As to the directions, they should always be written in the vernacular language. In a prescrip-

ion, perspicuity is our first object; it is not here that we are called upon to display our learning and classical elegance; and whoever considers that these are properties not always to be met with in the shop of in apothecary or druggist, will readily wave them in order to ensure the perfect understanding of his precriptions. It does not indeed require any great knowledge of Latin to translate the directions which sually occur in prescriptions, but as there are cases in which a long and rather complex direction is employed, we should leave nothing to the contingency of the learning, or ignorance of the compounder; out, by writing the directions ourselves in the reeived language of the country, put it out of his ower to injure our reputation or endanger the safety of the patient.

As there are several articles of approved efficacy which have not yet obtained a place in our Pharnacopoeias, we have added the most remarkable of hese by way of Appendix.

We must now say something in explanation of he Table of Secondary salts, given at the end of he Volume.

This Table exhibits the more essential chemical abitudes of all the earthy, alkaline and metallic salts imployed in medicine. It is divided into seven olumns.

In the first the several salts are named according to the most approved chemical nomenclature, and numbered from the beginning.

The second column shews the degree of attraction which subsists between each salt and water; i. e. how many times its weight of water at the temperatures of 60° and 212° are required to dissolve one part of the salt; and whether it be deliquescent or efflorescent.

The third, fourth and fifth columns shew the relative proportions of base, acid and water of crystallization contained in one hundred parts of each salt, and where the salt is found in two states, crystallized and dry, or deprived of its water of crystallization, the proportions in both states are marked in the Table.

In the sixth column are shown those susbtances employed in medicine, which are capable of decomposing each salt by single affinity, and to prevent repetition, each substance is marked with a small letter, and in succeeding parts of the column these letters are placed to denote the substance to which they belong.

In the last column are shewn those secondary salts by which each salt may be decomposed, and for the reason assigned above, the numbers denoting

each in the first column are given instead of their

As in the denominations of diseases, in several cases the nomenclature of other authors has been adopted in preference to that of Dr Cullen's nosology, and in one case (apoplexia hydrocephalica,) a new name has been employed, it is proper here to give those names with their corresponding synonyms.

Scarlatina anginosa.

Narcotismus. Blenorrhoea. Phrenitis hydrocephalica. Asthenia. Scarlat. cynanchica. Cult.

Cynanche maligna. Cult.

Apoplexia a venenis narcoticis.

Gonorrhoea. C.

Apoplexia hydrocephalica.

Dyspepsia cum debilitate. C.

Chronic weakness. WITHERS.

To the whole are subjoined two indices; the first containing those names which have been changed by the Edinburgh College, in the last impression of their Pharmacopoeia, with their corresponding synonyms; and the second, containing those articles of the London and Dublin Pharmacopoeias which do not occur in the former index.

In compiling these tables, the Editor has derived considerable assistance from Dr A. Duncan's valuable edition of the Edinburgh New Dispensatory.

In a publication of this kind, consisting wholly of names, it is extremely difficult to avoid typographical errors, and although particular pains have been taken in correcting the sheets, some few errors have

escaped notice. The most material of these will be found in the following corrigenda.

As the printing of this volume was begun before the last impression of the Edinburgh *Pharmacopoeia*; was published, and as the editor had an opportunity of seeing only a few of the last sheets of that work, he was not able to give all the names as corrected in that impression; these are therefore subjoined in the corrigenda.

#### CORRIGENDA.

P. 10. Formul 18. for int. read sint
p. 14. n. 41. The third preparation should have been thus printed:
Tinct. Guaiac. Ammoniat. E.

Tinct. Guaiac. L.

Tinct. Guaiac. volat. D.

p. 22. n. 57. for Ol. volat. Terebinth. rect. read Ol. volat. Pini puriss. p. 26. n. 64. for Infus. Tamarind. Indic. cum Cass. Senna; read Infus Tamarindi cum Senna.

p. 34. formul. 50. for One read balf.

p. 42. formul. 62. for Acetit. Plumbi, read Ung. Acetit. Plumbi.

p. 60. n. 162. dele Gentian Cent.

# TABLES

OF THE

# MATERIA MEDICA,

WITH

APPROPRIATE FORMULAE.

## CLASS I. EMETICA.

#### SECT. I. ANIMALIA.

- 1. Murias ammoniaeum. Edin.
  Sal ammoniaeum. Lond. Dub.
  Britannia.
  - a. Aqua carbonatis ammoniae. E. Aq. ammoniae. L. Liquor alkali volat. mitis. D. dr. 1-2.

## SECT. II. VEGETABILIA.

- 2. ANTHEMIS nobilis. E.

  Chamaemelum. L. D.

  Brit. Flos. Infus. dr. 2.—4. ad. aq lib. ½6
- 3. Asarum europaeum. E.

  Asarum. L. D.

  Brit. Ital. Folia. Pulv. dr. 1.—1.

- 4. CENTAUREA benedicta.

  Carduus benedictus. L.

  Insul graec. Folia. infus. yel decoct.
- 5. CEPHAELIS ipecacuanha.

  Ipecacuanha. L. E. D.
  India occid. Brasil. Radix. Pulv. gr. 15.—25.

  a. Vinum ipecacuanhae. L. E. D. unc. 1.-2.
- 6. NICOTIANA Tabacum. E.

  Nicotiana. L.

  America. Folia. Fum. Cataplasm.
- 7. OLEA europaea. E.
  Oliva. L. D.
  Europ. merid. Fructus oleum express.
  Ad Venena.
- 8. Scilla maritima. E.

  Scilla. L. D.

  Eur. merid. Rad. Pulv. gr. 4.—10.

  a. Acetum. Scillae marit. E.

  Acet. scillae. L. D. unc. ½.—1.
- 9. SINAPIS alba. E.

  Sinapi. L. D.

  Brit. Seminis pulvis aqua commixt. dr. 1.

#### SECT. III. FOSSILIA.

10. SULPHAS CUPRI. E. Cuprum vitriolat. L. D.

Brit. Solut. gr. 2.—5.
Ad Venena.

11. SULPHURETUM ANTIMONII. E. Antimonium. L. Stibium. D. Brit.

a. Oxidum Antimonii cum Sulphur. vitrifi-

Antimonium vitrificatum L.

b. Vinum Antimonii L.

c. Tartris Antimonii E\*.

Antimonium tartarisatum. L. 3 gr. 1.-4.

Tartarum Stibiatum. D. petit.

d. Vinum Tartrit. Antimon. E. unc. \(\frac{1}{2}\).—\(\frac{1}{2}\).

Antimon. tartar. L.

Tartari stibiat. D. dr. 2 .- 6.

12. ZINCUM E.

a. Sulphas Zinci E. Zincum vitriolatum. L.D. gr. 10.—30.

## Formulae.

1. R. Pulv. Ipecac. scr. 1.

Tartrit. Antimon. gr. 1. M. f. Pulv.

Signr. The Emetic Powder to be taken in the

\* In strict conformity to Chemical Nomenclature, this should have been called Tartras Antimonii et Potassae; as experiment has

fully proved the presence of Potash in Emetic Tartar.

We have said that it should have been called Tartras. Chemists have now generally agreed, that all the vegetable Acids shall terminate in ic; as Acetic, Muric, Tartaric, and of course all the Salts, of which these Accids form a part, must be denominated Acetats, Tartrats, &c.

Evening, or—just as the next cold fit is coming on, or—directly.

Febres. Catarrh. Dysenter. Scarlatin. anginos. Narcotism. Dyspeps.

- 2. R. Pulv. Asari europ. scr. 2.

  Syrup. Scill. marit. q. s. f. Bolus.

  Ut supra.
- 3. R. Vini Ipecacuan. unc. 1.

  Tartrit. Antimon. dr. 2. misc. f. haust.

  Ut supra.
- 4. R. Folior. Nicotian. Tabac. unc. 1.

  Aquae fervent. q. s. simul contunde in

  Cataplasm.

Signr. The poultice to be applied over the stomach.

In cases where Emetics cannot properly be given by the mouth.

- 5. R. Pulv. Scill. marit. gr. 6.

  Conserv. ejusd. q. s. f. Bolus.

  Signr. To be taken in the morning.

  Ad Hydropem.
- 6. R. Tartrit. Antimon. gr. 4.

  Aq. Laur. Cinnamom. unc. 2. m. f. Solutio.

  Signr. A table spoonful to be taken every quarter of an hour till it vomits.

  Febres. Catarrh. Dysenter. Pertuss.
- 7. R. Sulphat. Zinci. scr. 1.

  Conserv. Ros. gallic. q. s. f. Bolus.

  Signr. To be taken immediately.

  Ad Venena. &c.

## CLASS II. EXPECTORANTIA.

# 1. Vegetabilia.

- 5. CEPHAELIS Ipecacuanha. Pulv. gr. 1. 3tia aut 4ta qu. hor.
  Peripneumon. noth. Asthma.
- 6. NICOTIANA Tabacum. Fumus.
- 8. SCILLA maritima.

a Acet. Scil. maritim. dr. 2 .- 4.

b. Syrup Scill. maritim. E.

c. Oxymel Scillae. L. D.

d. Tinctura Scillae. L. gt. 10 .- dr. 1.

e. Pilulae Scillae. L. D. 3 gr. 10.—15. Scilliticae. E. 3 gr. 10.—15.

f. Conserva Scillae, L. gr. 30 .- 40.

13. ALLIUM sativum. E.

Allium. L. D.

Eur. merid. Rad. recens. dr. 1 .- 2.

a. Syrupus Allii. L. coch. 1. subinde.

14. Ammoniacum. E. L. D.

India. Gum-resin. Pil. Mist. gr. 10.—20. dos. rep.

a. Lac Ammoniaci. L. unc. 1 .- 2. dos. rep.

15. ARUM maculatum. E.

Arum. L.

Brit. Rad. recens.

a. Conserv. Ari. L. dr. 1 -1.

16. COLCHICUM autumnale. E.

Colchicum. L.

Brit. Rad. recens.

a. Syrupus Colchici autumnal. E. 2 dr. 2.

b. Oxymel Colchici. L.

5 unc. 1.

17. FERULA Asa foetida. E.

Asa foetida. L. D.

Persia. Gum-resin. Pil. Mist. gr. 10.—15. dos. rep.

a. Lac Asae foetidae. L. unc. 1.-2. dos. rep.

18. Hyssopus officinalis. Hyssopus. D.

Brit. Herba.

19. MARRUBIUM vulgare. L. Brit. Folia. Syrup.

20. Myrrha. L. E. D. Arab. Abyssin. Gum-resin. Pul. Pil. gr. 10.-dr. 1/2.

21. PIMPINELLA Anisum. E.

Anisum. L. D.

Asia. Semin. Infus.

a. Ol. volat. Pimpinell. Anisi. E. Essent Anisi. L. gr. 2.—6.

22. POLYGALA Senega. E.

Seneka. L. D.

Amer. Rad.

a Decoctum. Polygal. Senegae. E. unc.  $1.-1\frac{1}{2}$ .

Cynanch. tracheal. Pneumon.

23. STYRAX Benzoin. E.

Benzoinum. D.

Benzoe. L.

Sumatra. Balsam.

a. Acidum Benzoicum. E.

Sal Benzoini. D. } gr. 1.—2. dos. repet.

b. Tinct. Benzoeis. compos. L. gt. 15 .- 30.

24. ALCOHOL.

Spirit. Vini rectificat. L. D.

a. Aether Sulphuricus. E. forma vaporis.

Asthma.

### 2. Fossilia.

11. SULPHURETUM ANTIMONII.

c. Tartris Antimonii. gr.  $\frac{1}{3}$ .  $-\frac{1}{2}$ . subinde.

d. Vinum Tartrit. Antimonii. E. dr. 1 .- 2.

Antimonii tartaris. L. D. gt.

30.—dr. 1.

c. Sulphuretum Antimonii precipitat. E\*.

Sulphur Antimonii praecip. L. } gr. 3.—5.

Stibii rufum. D.

25. SULPHUR sublimatum. E.

Flores Sulphuris. L. D.

a. Sulphur sublimat. lotum. E. 3 gr. 15.—
Flores Sulphuris loti. L. D. 3 dr. ½.

<sup>\*</sup> This should have been called Hydrosulphuretum.

b. Oleum Sulphuratum. L. D. E. gt. 10 .- 20.

c. Petroleum Sulphuratum. L.

d. Trochisci Sulphuris. L. Asthma, &c.

#### Formulae.

8. R. Pulv. Ipecacuan. gr. 1.

Rad. Glycyrrh. glab. gr. 10. m. f. Pulv.

Signr. One to be taken every two or three

hours.

Peripneumon. notha.

9. R. Tinct. Scillae. dr. 2.

Opii camphorat. dr. 4. m. f. Guttae.

Signr. A tea spoonful to be taken three times a day, in a cup of Lintseed tea.

Peripncumon. Asthma.

10. R. Pulv. Rad. Scill. maritim. gr. 8.
Sacchar. purificat. dr. 1. m. et divide in Pulv.
3. aut 4.
Signr. One to be taken twice or thrice a day.

11. R. Ammoniaci dr. 1½. ad. 2.

Aq. Menth. Puleg. unc. 6.

Solve et adde

Syrup. Toluifer. unc. 1.

Tinct. Scillae.

Opii Camphorat.

ana dr. 3. M.

Signr. Three table spoonsful to be taken every four hours.

Pneumon. Peripneumon. Asthma.

12. Eadem formula cum
Asa foetida pro Ammoniaco.

13. R. Pulv. Myrrh. dr. 1.
Conserv. Ros. gallic. q. s. f. Mass in Bol. 6, dividend.

Signr. One to be taken three times a day. Phthis. Pulmonal.

14. R. Tinct. Benzoes comp. dr. 2.

Mellis despumat unc. \(\frac{1}{2}\).

aut si haec non convenerit,

Syrup. Toluifer. unc. 1.

Tere simul et adde

Vin. Tartrit. Antimon. unc. \(\frac{1}{2}\).

Aq. Laur. Cinnamom. unc. 6.

M. f. Emulsio.

Signr. Three table spoonsfull to be taken every four hours.

Catarrh.

15. R. Opii gr. 4.

Conserv. fruct. Ros. canin. q. s.

Tere bene simul et adde

Pulv. Ipecac. gr. 12.

aut.

Tartrit Antimon. gr. 4. M. f. Mass in Pil. 12. dividend.

Signr. One to be taken three times a day, and

one during the night if restless, or the Cough is troublesome.

Catarrh.

16. R. Succ. spissat. Hyoscyami nigr.
Pulv. Ipecac. aa gr. 12. M f. Mass in Pil. 12.
dividend.
Ut supra.

17. R. Sulphuret. Antimon. praecip. gr 3.
Sacchar. purificat. dr. 1. M. et divide in Pulv. 6.
Signr. One to be taken three times a day.
Asthma.

18. R. Succ. spissat. Hyoseyam. nigr. gr. 16.
Vin. alb. Hispan. unc. 1.
Solve et adde
Vin. Tartrit. Antimon. unc. \(\frac{1}{2}\). m. int Guttae.
Signr. A tea spoonfull three times a day, in a cup of Lintseed tea.

19. R. Tinct. Opii. dr. 3.

Vin Tartrit Antim. dr. 6. M. f. Guttae.

Signr. Thirty drops u. s.

## CLASS III. DIAPHORETICA.

A. MITIORA.

1. Animalia.

1. MURIAS AMMONIAE.

a. Aqua Carbonat. Ammoniae. gt. 50.

b. Carbonas Ammoniae. E.

Ammonia praeparata. L. gr. 5.—10.

Alkali volatile mite. D.

c. Alcohol Ammoniatum. E.

Spirit. Ammoniae. L.

Alkali valatil. D. gt. 30.—dr. 1.

# 2. Vegetabilia.

- 2. ANTHEMIS nobilis. Infus. calid.
- 4. CENTAUREA Benedicta,
  Ibid,
- 12. MYRRHA. Pulv.
- 23. ALLIUM sativum.
- 26. ACIDUM ACETOSUM.

  Acetum. L. D.

Serum lactis Aceto coacti.

Rheumatism.

a. Acidum Acetosum destillat. E. Acetum distillatum. L. D.

b. Aqua Acetitis Ammoniae. E. Ammoniae acetatae. L. dr. 3.—6.
Liq. Alhali volat. acetat.

- 27. ARCTIUM Lappa. E. Bardana. L. D. Brit. Rad. Decoct.
- 28. ARTEMISIA Abrotanum, Abrotanum, L.

Eur merid. Folia. Infus.

29. ARISTOLOCHIA Serpentaria. E.

Serpentaria. L. D.

Americ. Rad. Pulv. gr. 20.—30. 6ta quaq. hor.

a. Tinctur. Aristoloch. Serpentar. E.

Serpentar. L.

30, DAPHNE Mezereum. E.

Mezereum. L.

Mezereon. D.

Eur. septentr. Radicis cortex. Pulv. gr. 1.

a. Decoctum Daphnes Mezerei. E. unc.

1.-2.

Syphil. Morb. cutan.

31. DORSTENIA Contrajerva. E.

Contrayerva. L. D.

Amer. merid. Rad. Pulv. gr. 30.-40.

Decoct.

Febr. Cynanch.

a. Pulv. Contrajerv. comp. L. gr. 30.-40,

4ta. qu. hor.

32. FUMARIA officinalis.

Fumaria. D.

Brit. Herba. Infus.

33. LAURUS Sassafras. E.

Sassafras. L. D.

Amer. sept. Ling. Rad. Cort. Decoct.

34. SALVIA officinalis. E.

Salvia. L. D. Eur. mer. Folia. Infus. ad libitum.

35. SAMBUCUS nigra. E.

Sambucus. L. D.

Brit. Baccae. Succus expressus.

a. Succus baccae Sambuc. spissat. L.

36. SMILAX Sarsaparilla. E.

Sarsaparilla. L. D.
Ind. Occ. Rad. Decoct.

a. Decoctum Smilac. Sarsaparill. Slib.1.

E.

Sarsaparill. L. D.

die.

compos. L. Ibid.

Ad morbos cutan.

37. SOLANUM Dulcamara. E. Dulcamara. E. Brit. Stipites. Decoct.

38. SUPERTARTRIS POTASSAE. E.

Crystalli Tartari. L. D.

Gallia, &c. Pulv. Solut. scr. 1.—dr. 1. saepius în die.

### B. FORTIORA.

1. Animalia.

39. Moschus moschiferus. E.

Moschus. L. D.

Asia. Maetries prope Umbilic. collecta. Bol.

Haust. gr. 10-20. a. Mistura moschata. L. unc. 1.-2.

## 2. Vegetabilia.

40. ACONITUM neomontanum.

Aconitum napellus. L. E. D.

Eur. mer. Folia. Pulv. Tinetur. gr. ½.—2.

a. Succus spissat. Aconit napell. E. gr. ½.—2.

Rheumat. Podagr. Paralys.

41. GUAIACUM officinale. E.

Guaiacum. L. D.

Ind. Occ. Ling.

Cort. Dec. Gum-resin. Pulv. Pil. Emuls. gr. 10.—30.

a. Decoct. Guaiaci offic. comp. E. lib.  $\frac{1}{2}$ .-1. in die.

Ad morb. cutan.

b. Tinctur. Guaiac. offic. dr. 2 .- 4.

c. Ammoniae. E. 3 dr. 1.—3. volatilis. D.

Rheumatism.

42. LAURUS Camphora. E.

Camphora. L. D.

Ind. Orient. Bol. Mist. gr. 5 .- 20.

a. Mistura Camphorata. L. unc. 2 .- 4.

b. Emulsio Camphorata. E. unc.1.-3.

43. PAPAVER somniferum. E.

Pap. album. L. D.

Opium.

Asia. Succus spiss. capsul. Pil. Pulv. gr. 1.—2. a. Tinctura Opii. L. E. D. gt. 25.—50. b. Tinct. Opii camphorat. L. dr. 2 .- 6.

Ammoniata. E. dr. 1.— $1\frac{1}{2}$ .

d. Pulv. Ipecac. et Opii. E. 7 gr. 10. compos. L. D. 5 -20.

14. RHODODENDRON Chrysanthum. E. Siberia. Fol. Summit. Decoct. dr. 2 .- 4. ad lib. 7 .- unc. 1.-2. bis in die. Rheumat. Podagr.

### 3. Fossilia.

11. SULPHURETUM ANTIMONII.

c. Tartris Antimonii gr. 1/2. 6ta qu. hora.

d. Vinum Tartrit. Antimon. E. dr. 2.

Antimon. tartar. L. dr. 1.

e. Sulphuret. Antimon. praep. gr. 1 .- 2.

f. Sulphur Stibii fuscum. D. Gr. 1.—11.

g. Oxidum Antimon. cum gr. 4.—6. 4ta phosphat Calcis. E. aut 6ta quaq. Pulvis Antimonialis L. hor. Stibiatus D.

h. Antimonium calcinatum L. gr. 10. -15.

i. Calx Stibii praecipitat. D.

Febres. Cynanchen. Pneumon, Rheumat. Variol. Rubeol. Scarlatin. Catarrh. Dysenter. &c.

25. SULPHUR sublimatum.

a. Sulph. sublimat. lat. E. } gr. 12.—30.
b. praecipitat. L. } gr. 12.—30.

5, HYDRARGYRUM. Hydrargyrus. L. E. D. Hungaria, &c.

a. Hydrargyr. purificat. L. E. D.

b. Submurias Hydrargyr. E. Calomelas. L. gr. 1. omn.

Hydrarg. muriat. mit. nocte.

sublim. D.

Rheumat.

#### Formulae.

20. R. Carbonat. Ammoniae. Camphorae da gr. 10.

Conserv. Ros. gallic. q. s. f. Bolus.

Signr. To be taken at bed time, drinking plentifully of Vinegar whey to promote perspiration.

Rheumat.

21. R. Aquae Acetit. Ammon. unc. 2.

Tinct. Opii camphor. Syrup. Croci aa unc.  $\frac{1}{2}$ . Vin. Antimon. tart. dr. 2.

Aq. Laur. Cinnam. unc. 4. m. f. Julepum.

Signr. Three or four table spoonsful to be taken every six hours.

Rheum.

22. R. Mosch. gr. 15.

Nitrat. Potass. gr. 10.

Camphor. gr. 5. simul tere et adde.

Conserv. cujuslib. q. s. f. Bolus.

Signr. One to be taken every six hours, drinking after each three table spoonsful of the following Julep.

- 23. R. Carbonat. Ammoniae. scr. 4.
  Succ. Citri medic. rec. unc. 2.
  Spt. Laur. Cinnamom.
  Syr. Croci, aa unc. ½.
  Aq. Destillat. unc. 5. M. f. Julep \*.
  Febres, &c.
- 24. R. Succ. spissat Aconit napell. gr. 1..

  Supertar. Potass. scr. 1. simul in Pulv. tere.

  Signr. To be taken every four or six hours in a little warm tea.

  Rheum. Podagr.
- 25. R. Resin. Guaic.

  Supertart. Potass. aa scr. 1. simul in Pulv. tere.

  Signr. To be taken at bed time.

  Rheum. chron.
- 26. R. Resin Guaic. in Pulv. trit. dr. 1.

  Mucilag. Mimos. nilot. unc. 1.

  Syrup. Croci.

  Tinct. Guaiac. aa unc. ½.

  Aq. Menth. pip. unc. 6. M. f. Emuls.

  Signr. Three table spoonsful to be taken three or four times a day.

  Rheum. Chron.
- 27. R. Tinet. Opii. gt. 30.
  Vin. Tartrit. Antimon. E. dr. 1. aut.
  Vin. Antimon. tart. L. dr. ½.
  Syr simpl. dr. 2.

<sup>\*</sup> This forms a gentle Diaphoretic Julep, which may be conveniently given after the more powerful sudorifics, or may be taken freely by itself, when it is intended only to keep up a gentle perspiration.

Mistur. Camphor. unc. 1. M. f. Haust. To be taken at bed time. Rheumat. Catarrh. &c.

28. R. Opii pulv. gr. 6.

Tartrit. Antimon. gr. 3.

Simul tere et adde

Extract. Glycyrrh. glab. mollior. q. s.

F. Mass. in Pil. 6. dividend. Signr. One to be taken every night, or every

night and morning.

29. R. Pulv. Ipecac. ct Opii gr. 15.

Electuar. Aromat. E. q. s. F. Bol. aut Pil. 4.

Signr. To be taken at bed time, and repeated some hours after in a smaller dose.

Rheum.

30. R. Oxid. Antimon. alb. dr. 1.

Sacch. alb. dr. 2. simul tere et divide in Pulv. 6.

Signr. One to be taken every six hours in a glass of Chamomile tea.

Febres.

31. R. Oxid. Antimon. cum Phosph. Calcis. gr. 6. ad. 10.
Confect. Opiat. q. s. F. Bolus.
Signr. To be taken at bed time, (or half the quantity every six hours.)
Febres.

32. R. Tartrit. Antimon. gr. 10.

Aquae Rosae centifol. unc. 1. Solve pro Lotione.

Signr. The hands to be rubbed with this solution before a fire, till the whole is dried in. In cases where diaphoretics by the mouth are not convenient or agreeable.

### CLASS IV. DIURETICA.

1. Animalia.

46. LYTTA vesicatoria.

Meloe vesicatoria. E.

Cantharis. L. D.

Eur. mer. Pulv. gr. 1.—1. 4ta vel 6ta qu. hor.

a. Tinctur. Meloes vesicat. E.

Cantharid. L. gt. 10 .- 20.

Ischur. Hydrop.

47. ONISCUS Asellus. E.

Millepedes. L.

Brit.

## 2. Vegetabilia.

- 3. Asarum europaeum. Rad. Decoct. Hydrop.
- 6. NICOTIANA Tabacum. Infus. unc. 1. ad lib. 1. gt. 60.—80.

  Hydrop. Dysur.
- 8. SCILLA maritima. Pulv. gr. 1.—2. bis terve in die.

a. Tinctur. Scillae. gt. 20.—30. Hydrop.

13. ALLIUM sativum.

16. COLCHICUM autumnale.

a Syrup. Colchici. E.
b. Oxymel Colchici. L.
c. Acetum Colchici. D.

dr. 1.—4. bis terve in die.

Hydrop.

22. Polygala Senega.

a. Decoct. Polygal. Seneg. unc. 1.—11.

26. ACIDUM ACETOSUM.

a. Acetis Potassae. E. Kali acctatum. L. Alkali vegetabile acetat.

Hydrop. Icterum.

30. DAPHNE Mezereum.

a Decoct. Daphn. Mezerei. unc. 1.-2.

36. SMILAX Sarsaparilla.

a. Decoct. Sarsaparill. comp. ad libit.

- 37. SOLANUM Dulcamara. Decoct.
- 38. SUPERTARTRIS POTASSAE Solut. unc. \(\frac{1}{2}\). in die. Hydrop.
- 48. ALLIUM Cepa.

  Cepa. D.

  Cult. Rad. recens ad libit.
- 49. CISSAMPELOS Pareira.

  Pareira brava. L. D.

  Ind. Occid. Rad.

- 50. COCHLEARIA Armoracia. E.

  Raphanus rusticanus. L. D.

  Brit. Rad. recens. Infus.

  Hydropes.
- 51 COPAIFERA Officinalis. E.

  Balsamum Copaiva. L. Copaiba. D.

  Ind. Occ. Amer. Resin. Gutt. Emuls. gtt.

  20.—60.
- 52. CYNARA Scolymus.

  Cin. Scolymus. E.

  Cinara. L. D.

  Eur. mer. Folia. Succ. express. unc. ½.—1.

  bis in die.

  Hydrop.
- 53. DIGITALIS purpurea. E.

  Digitalis. L. D.

  Brit. Fol. Pulv. gr. 1. bis in die. Infus. Decoct.

  Hydrop.
- 54. JUNIPERUS communis.

  Juniperus. L. D.

  Brit. Bacc. ser. 1.—dr. \(\frac{1}{2}\). Cacumen. Infus.

  ad libit.

  a. Spir. Juniper. commun. \(\frac{1}{2}\).—1. dicomp. E.

  compos. L. D. \(\frac{1}{2}\).—1. dibit.

  b. Ol. Juniper. L. D.

commun. E.

55. JUNIPERUS Lycia.

Olibanum. L. D.

India. Gum-resin.

56. LEONTODON Taraxacum.

Taraxacum L. D. Rad.

57. PINUS Sylvestris E.

Terebinthina vulgaris. L. D.

Brit. Resina et ol. volat. Gutt. Enema. Pill.
gr. 15.—20.
a. Ol. Volat. Terebinth rect. gtt. 20.—30.

58. PINUS Larix.

Terebinthina Veneta. L. D.,
Brit. Resina. Enema. Pill.

59. SPARTIUM scoparium. E. Genista. L. D. Brit. Sem. Cacum. Decoct. ad libit.

60. ULMUS campestris. E.

Ulmus, L. D.

Brit. Cort. intern. Decoct.

a. Decoct. Ulmi. L. unc. 4.—8. saepius in die.

Ad morb. cutan.

### 3. Fossilia,

45. HYDRARGYRUM.

c. Murias Hydrargyri. E.

Hydrargyrus muriatus. L.

gr. \( \frac{1}{8}, -\frac{1}{4}, \)

Hyd. mur. corros. D.

Ad morb. cutan.

61. NITRAS POTASSAE. E.

Nitrum. L. D.

India. Pulv. gr. 5.—15.

a. Nitrum purificat. E. L. u. s.

b. Acidum Nitrosum. L. E. D. dr. 1.—2. ad Aquae lib. 1. in die.

c. Spir. aether. nitros. L. E. D. gtt. 30.-60, saep. in die.

#### Formulae.

33. R. Pulv. Meloes vesicator. gr. 1. Camphor. gr. 5. Sapon. Hispan. gr. 10. Syr. q. s. F. Bolus.

Signr. One to be taken twice or three times a day, drinking a cup of barley water after each.

34. R. Pulv. Rad. Scill. maritim. scr. 2.

Submuriat Hydrargyr. dr. ½.

Syr. Amom. Zingib. q. s. F. Mass. in Pil. 30.

dividend.

Signr. One to be taken twice or thrice a day, drinking after each a glass of Gin Punch.

Hydrop.

35. R. Nitrat. Potass. gr. 10.
Pulv. Laur. Cinnamon, gr. 5.
Scill. maritim. gr. 1.—2.

M. f. Pulv.

Signr. To be taken every night and morning. Hydrop.

36. R. Carbonat. Potass. puriss. scr. 1. Succ. Limon unc. \(\frac{1}{2}\).

Tinct. Scill. marit. gtt. 40.
Opii gt. 20,
Syr. Cort. Aurant. dr. 2.
Aq. Laur. Cinnam. vel
Mist. Camphor. unc. 1. M. f. Haust.
Signr. To be taken every night at bed time,

37. R. Supertart. potass. unc. \(\frac{1}{2}\).

Aq. distillat. fervent. lib. \(1\frac{1}{2}\).

Solve et adde

Spir. Juniper. comm. comp. unc. 3.

Syr. Colchici autumn. unc. 1. M. f. Apozem,

Signr. To be drank in the course of the day.

Hydrop.

28. R. Supertartrit. Potass. dr. 2.
Pulv. Fol. Digital. purp. gr. 6.
Simul tere et divide in Pulv. 6
Signr. One to be taken twice a day.
Hydrop.

39. R. Fol. Digital. purp. sicc. dr. 1.

Aq. Distillat bullient. lib. ½.

Infunde per hor. 4. Colaturae, adde

Syr. Cort. Citr. Aurant.

Spt. nuc. Myrist. mosch. aa unc. ½.

M. f. Julep.

Signr. Two table spoonsfull to be taken twice or thrice a day.

40. R. Ol. Olivae. unc. 2.

Terebinth. dr. 1. M. f. Lin.

Signr. The belly to be rubbed twice or thrice a day.

Ischur.

Mucilag. mim. nilot. Gum. q. s.

Simul tere et adde

Nitrat. potass. dr. 2.

Infus. Bacc. Junip, Com. (unc. 1. ad lib. 1.)

unc. 8.

M. f. Enema.

### CLASS V. CATHARTICA.

A. MITIORA.

1. Animalia.

2. MEL. L. E. D. Brit.

a. Mel despumatum. E. L. D.

2. Vegetabilia.

. ANTHEMIS nobilis.

a. Decoct. Anthemid. nobil. E. Enema.

. OLEA europaea. Oleum. Enema.

8. SUPERTARTRIS POTASSAE. Pulv. dr. 2.—4.

a. Tartris Potassae. E.

Kali tartarisatum. L.

Alkali ve getabile tartarisat. D.

dr. 2.—6.

t. Tartris Potassae et Sodae. E. Natron tartarisatum. L. Junc. 1.—2.

Sal Rupellense. D.

Ad Febres. Phlegmas. Haemorrhag. Comata. Colicam. Choleram, Hydropes. Icterum.

63. CASSIA fistula. E.

C. fistularis. L. D.

Ind. Or. et Occ. Fruct. Pulpa. ad libit.

a. Electuar. Cassiae. L.

fistul. E. unc. \(\frac{1}{2}\).-1.

64. C. SENNA. E.

Senna. L. D.

Aegypt. Folia. Pulv. Infus.

a. Pulvis Sennae composit. L. dr. 1.—1. Febres. &c.

b. Electuar. Cassiae Sennae. E. 3 dr. 2.—6. Sennae. L. D.

c. Infusum Sennae. Simpl. L. Zunc. 1.—3.

d. tartarisat. L.

e. Infus Tamarind. Indic. cum Cass. Senna E. unc. 1.—3.

f. Tinctura Sennae. comp. E.

Sennae. L. D. unc. \(\frac{1}{2}\).—\(1\frac{1}{2}\).

Colicam.

65. Ficus Carica.

Carica. L. D.

Eur. mer. Fruct.

66. FRAXINUS Ornus. E.

Manna. L. D.

Eur. mer. Succ. concret. Solut. Elect. unc. 1.-1, a Syrupus Mannae. D.

- Pr. Gallica. L. D.
  Eur. mer. Fruct. ad libit.
- 88. Rosa Damascena. L. D.

  Rosa centifolia. E.

  Eur. mer. Petala.

  a. Aq. Rosae centifol. E.

  Rosae. L. D.

  b. Syrup. Rosae. centifol. E.

  Rosae. L. D.
- Sacch. non purificat. L. D. Ind. Occid. Succ. spissat.
- O. TAMARINDUS Indicus. E.

  Tamarindus L. D.

  Ind. Occ. Fruct. Pulpa, unc. 1.—2. Infus.
- 1. VIOLA odorata. E.

  Viola. L. D.

  Brit. Petala. Infus.

  a. Syrupus Violae odoratae. E.

  violae. L. D.

### 3. Fossilia.

- 5. SULPHUR sublimatum.

  a. Sulphur. sublimat. lotum. dr. 1.—2.

  Ad Haemorrhag. Morb. cutan. Obstirat.
- 2. SAPO Hispanus. L. E. D. Hispan. Pil. Enema. Icterum.

#### B. FORTIORA.

#### 1. Animalia.

73. CERVUS Elaphus. E. Cervus. L. Cornu cervinum. D. Phosphas Calcis. a. Phosphas Sodae. E. unc. 1.-2.

### 2. Vegetabilia.

- 6. NICOTIANA Tabacum. Fum. Infus. pro Enemat. Colicam. Obstipat.
- 35. SAMBUCUS nigra. Cortex interior Decoct. unc. 1. ad lib. 1. in die. Hydrop.
- 55. PINUS sylvestris Terebinthina. Enemat.
- 74. ALOE perfoliata. E.

a. Aloe Soccotrina.

b. A. Hepatica.

c. A. Cabalina. L. E. D.

Asia. Ind. Occ. Africa. Gum-resin. Pil. gr. 5 .- 20.

a. Pulv. Aloes cum Canella. L. gr. 8.-20.

b. Pilulae Aloeticae E. D. 3 gr. 10.—20.

Aloes compos. L. 3 gr. 10.—20.

Aloes cum Colocynth. L. gr. 10.-20.

d. Vinum Aloes Soccotrin. E. unc. 1.—2.

Aloes. L. Aloetic. D. unc. 1-1.

e. Tinctura Aloes socotrin. E. ¿unc. ½.—1½.

Dyspeps. Hypochondrias. Chloros. Icter. Obstipat.

75. BRYONIA alba. E.

Bryonia. D.

Brit. Rad. Decoct. Pulv. scr. 1 .- 2.

Maniam. Hydrop.

76. CONVOLVULUS Jalapa. E.

Jalapium. L.

Jalapa. D.

Amer. Rad. Pulv. Bolus. gr. 15 .- 30.

a. Pulvis Jalapae compos. E. dr. 1. -1.

b. Extract. Rad. Convolvul. Jalapae. E. Jalapii. L.

c. Tinctur. Convolvul, Jalapae. E. dr. 3.—6. Tinctur. Jalapii. L. T. Jalapae. D. dr. 2.-4.

77. CONV. Scammonium. E.

Scammonium. L. D.

Asia. Resin. Pulv. Bol. Pil. gr. 5 .- 15.

a. Pulvis Scammon. comp. L. gr. 8.—15.

E. gr. 10.-30.

b. cum Aloe. L. gr. 5.—12.

c. Electuar. Scammonii. L. D. gr. 15.—30. Hydrop. Vermes.

78. CUCUMIS colocynthis. E.

Colocynthis. L. D.

Syria. Fructus medulla. Pil. Bol. gr. 2.—5. a. Extract. Colocynth. comp. L. gr. 5.—15

79 GRATIOLA officinalis E.

Gratiola. D. Eur. mer. Herba. Radix. Decoct. Pulv. gr. 15 .- 30.

80. HELLEBORUS niger. E. D. Melampodium. Eur. mer. Rad. Pulv. Pil. a. Extract. Hellebor. nigri. E. gr. 3 .- 6. Hydrop.

\$1. HELLEB. foetidus. Helleboraster. L. Brit. Rad. Fol. Decoct.

82. IRIS Pseudacorus. Iris. D. Brit. Rad. recens. Succ. express. gtt. 60 .- 80. Hydrop.

83. LINUM catharticum. D. Brit. Herba. Infus. Pulv. dr. 1.

Hydrop.

84. MOMORDICA Elaterium. E. Cucumis agrestis. L. Brit. Fructus recens. a. Succ. spiss. Momordic. Elater. E. Elaterium, L.

gr. 1.—3.

85. RHAMNUS Catharticus. E. Spina cervina. L. Brit. Baeca. Succ. express. a. Syrupus Rhamni cathart. E. 3 dr. 6.-12. spinae cervinae. L. 3 Hydrop.

6. RHEUM palmatum. E.

Rhabarbarum. L. D.

Russia. Ind. Rad. Pulv. Bol. Pil. gr. 10 .- 40.

a. Infusum Rhei palmati. E. unc. 1 .- 3.

b. Vinum Rhei palmati. E. dr. 2.—6. Vinum Rhabarbari. L. unc. 1.—2.

c. Tinctura Rhei palmat. E.  $\frac{1}{2}$ . unc.  $\frac{1}{2}$ .  $-1\frac{1}{2}$ .

d. Rhabarbari comp. L. unc. 1.

e. Rhei et Aloes. E. dr. 4.—6.

f. Gentian. E. dr. 4.—6. Febres. Dysenter. Dyspeps. Hypochond. Icterum.

- 7. RICINUS communis. E. L. D. Ind. Occ. Seminum Ol. express. dr. 3.—unc. 1.
- 8. STALAGMITIS Cambogioides. E. Gambogia. L. D. Ind. Gum-resin. Pil. g. 3.—15.

#### 3. Fossilia.

1. SULPHURETUM ANTIMONII.

Tartris Antimonii gr. 4. 4ta. quaq. hor.

Dysenter.

## 5. HYDRARGYRUM.

b. Submurias Hydrargyri. gr. 1 .- 4.

c. Submurias Hydrargyri praecipitat. E.

Hydrargyr. muriat. mitis. L. Hydrarg. mur. mit. prae-

cip. D.
d. Pilulae Hydrargyri. E. D. L.

gr. 3.-10.

Phlegmas. Comata. Colicam. Icterum. Obstipat. &c.

### 61. NITRAS POTASSAE.

c. Sulphas Potassaé. E.

Kali vitriolatum. L.

Alkali vegetabile vitriolat. D.

### 89. MURIAS SODAE. E.

Natron muriatum. L.

Alkali fossile muriatum. D.

Brit. Solut. unc. ½.—1. Enem.

a. Sulphas Sodae. E.

Natron vitriolatum. L. Junc. 1.—2.

Alkali fossile vitriolat. D.

90. Sulphas Magnesiae. E.

Magnesia vitriolat. L. D.

Brit. Solut. Enem. unc. ½.—1½.

Dysenter. &c.

### Formulae.

42. R. Sulphur. Sublim. lot.

Supertart. Potass. aa unc. 1. M. f. Pulv.

Signr. A tea spoonful to be taken with a little

milk occasionally at bed time.

43. R. Sulphur. Sublimat. lot.
Supertartrit. Potass. aa unc. ½.
Elect. e Cassia senna. unc. 1.
Syrup. Rhei q. s. f. Elect.

Signr. The bigness of a nutmeg or a walnut to be taken occasionally at bed time.

14. R. Tartrit Potass. unc. \(\frac{1}{2}\).

Infus. Sennae tartar. unc. \(\frac{5}{2}\).

Tinct. Sennae comp. unc. \(1\frac{1}{2}\).

Syr. Ros. centifol. unc. \(\frac{1}{2}\). M.

Signr. Three table spoonsful to be taken every two hours till the proper effect is produced.

- Elect. Cassiae Sennae. unc. 1.
  Ol. Oleae. unc. 1. M. f. Enema.
- 16. R. Mannae. unc.  $1\frac{1}{2}$ .

  Supertart. Potass. unc.  $\frac{1}{2}$ .

  Syr. Rhei. q. s. f. Elect.

  Signr. A tea spoonful to be given every hour till it answer. For children.
- 7. R. Terebinth. Venet. unc. ½.

  Mucilag. Mim. Nilot. q. s.

  Decoct. Avenae. unc. 8. M. f. Enema.
- 8. R. Aloes Socotrin. in Pulv. trit. dr. ½.
  Succ. spiss. Hyoscyam. nigr. gr. 15.
  Electuar. Aromat. q. s. f. mass in Pill 10.
  dividend.

One or two to be taken every night. Obstipat. cum dolore.

9. R. Pulv. Rad. Convolv. Jalap. gr. 10. Submuriat Hydrargyr. gr. 3. ad 5. M. f. Pulv. Signr. To be taken early in the morning in a little honey.

50. R. Gum-resin Gambog. gr. 4.
Sacch. Purificat. gr. 10.
Simul tere et adde
Submuriat Hydrarg. gr. 3.
Extr. Colocynth comp. (Ph. L.) q. s. f. Pil. 8.
Signr. One to be taken in the morning, and the remainder half an hour after.
Hydrop. Maniam.

51. R. Pulv. Rhei palmat. dr. ½.

Submuriat Hydrargyr. gr. 3.—4.

Ol. Caryophyll. aromat. gr. 2.

Aquae distillat. q. s. f. Bolus.

Signr. To be taken early in the morning.

52. R. Pulv. Rhei palmat. scr. 2.
Submuriat Hydrarg. gr. 6.
Pulv. Cort. Laur. Cinnam. gr. 10.
Syrup. Amom. Zingib. q. s. f.
Mass in Pill 18. dividend.

Signr. Three to be taken every five or six hours.

In Icterum.

53. R. Pulv. Rhei palm. p. gr. 25.

Tartrit Potass. dr. 2.

Tinct. Senn. comp. dr. 3.

Syr. Rhei. dr. 1.

Aq. menth. pip. unc. 1½.

M. f. Haust.

Signr. To be taken in the morning.

54. R. Ol. Ricin. com. unc. 2.

Mucilag. Mimos nilot. unc. 1. Simul bene tere et adde

Syr. Rhei palmat.

Tinct. Senn. comp. aa unc. 1/2.

Aq. Destillat. unc. 4. M. f. Emuls.

Signr. Three or four table spoonsful to be taken every two hours till it answers.

Colica, &c.

### CLASS. VI. EMMENAGOGA.

#### 1. Animalia.

1. MURIAS AMMONIAE.

b. Carbonas Ammoniae.

91. CASTOR Fiber. E.

Castor. L. D.

Russia Amer. Mater. prope anum collecta. Pulv. Pil. gr. 10.—20. Enem. scr. 2.—dr. 1.

> a. Tinctura Castor. L. E. D. gtt. 20.—dr. 1. b. compos. E. gtt. 20.—dr. 1.

## 2. Vegetabilia.

a. Extract. Anthem. nobil. E. gr. 15.-30.

Chamaemel. L. D.

- 4. Ammoniacum. Pil. gr. 10.—scr. 1.
- 7. FERULA Asa foetida. Pil. gr. 10.-20.

b. Pil. Asae foetid. comp. E. gr. 15.—30.
c. Tinctur. Asae foetid. L. E. D. dr. 1.—2.
d. Alcohol. Ammoniat. foetid. E.

Spir. Ammoniae foetid. L. gtt. 30.—
Alkal. volatil. foetid. D. dr. 1.

19. MARRUBIUM vulgare. Infus.

20. MYRRHA.

a. Pulvis Myrrh. comp. L. gr. 15.—20.

37. SOLANUM Dulcamara.

74. ALOE perfoliata. Pil gr. 1. ter in die.

f. Pulv. Aloes cum Myrrh. L. gr. 15.—30.
g. Pil. Aloes cum Myrrh. L. gr. 8-15.
E. gr. 5.—12.
h. cum Asa foetida. E. gr. 10.
bis in die.
i. Tinctura Aloes compos. L. unc. 1.
cum Myrrha. dr. 2.—4.

75. BRYONIA alba. Pulv. gr. 10 .- 20.

80. HELLEBORUS niger.

b. Tinctura Hellebor. nigr. E. dr. 1. biss in die.

- 86. RHEUM palmatum. Pulv. gr. 5.—10. bis in die. g. Pilul. Rhei compos. scr. 1.—dr. ½.
- 92. ARNICA montana. E. L. German. Flores. Infus. scr. 1.—2. in die.
- 93. Bubon Galbanum. E. Galbanum. L. D.

Afric. Gum-resin. gr. 10.-20.

a. Tinctura Galbani. L. dr. 1.

b. Pilul. Galbani compos. gr. 15 .- 30.

94. Juniperus Sabina. E.

Sabina. L. D.

Asia. Fol. Pulv. gr. 10 .- 15. bis in die.

a. Extract. Sabinae compos. L. D. gr. 5.-10. bis in die.

b. Tinct. Sabinae L. gtt, 40 .- 60.

95. PASTINACA Opopanax. E. Opopanax. L. D. Eur. mer. Gum-resin. Pil.

96. ROSMARINUS officinalis. E. Rosmarinus. L. D. Eur. mer. Summitat. Infus.

97. Rubia. L. D.

Rubia. L. D.

Brit. Zealand. Rad. Pulv. dr. \(\frac{1}{2}\).—1. ter in die.

98. Ruta graveolens.

Ruta. L. D.

Eur. mer. Herba. Infus.

a. Extract. Rutae. L. D.

99. SAGAPENUM L. E. D. Aegypt. Gum-resin. Pil.

#### 3. Fossilia.

45. HYDRARGYRUM.

b. Submurias. Hydrargyri. gr. 3.-5.

c. praecip. gr. 5.—10.

d. Pilulae Hydrargyr. gr. 10.-20.

100. FERRUM. E. L. D. Brit. &c.

> \* a. Carbonas Ferri. E. ) scr. 1 .- dr. 1. bis Rubigo Ferri. L. D. 5 in die.

b. Carbonas Ferri praecip. E. gr. 5 .- 15.

c. Aqua Ferri Aerati. D. lib. 1. 1. in die. d. Sulphas Ferri. E. ) gr. 1 .- 5. bis in Ferrum vitriolat. L. D. 5 die.

e. Vinum Ferri. L. dr. 2.-4.

f. Tinctur. Muriatis Ferri. E. Ferri muriat.

gtt 10.-20. bis terve in die.

L.D.

#### Formulac.

55. R. Tinct. Castor.

Alcoh. Ammoniat. foetid. aa unc. 1. M. Sint Guttae.

Signr. A teu spoonful to be taken three times a day, in a cup of strong Chamomile tea.

56. R. Asae foetid. dr. 11.

Extract. Anthem. nob. dr. 1. Syr. Cort. citr. Aurant. q. s. F. Mass in Pill. 36. dividend.

Signr. Three to be taken three times a day.

57. R. Pulv. Juniper. Sabin.

Amom. Zingib. aa gr. 10. Sub.—borat. Sodae. gr. 15. M. f. Pulv. Signr. To be taken twice a day.

\* The quantity of Carbonic Acid in these two preparations, can scarcely entitle them to the name of Carbonat: they are rather Carbonated Oxides, or what Dr Thomson calls Oxy-carbonats.

58. R. Infus. Anthem. nobil. (cum unc 1. ad lib. 1.)
unc 8.
Extract Junip. Sabin. dr. 1.
Solve pro Enemate.

Signr. To be repeated twice a day.

### CLASS VII. ERRHINA.

## 1. Vegetabilia.

- 3. Asarum europaeum. Pulv.

  a. Pulvis Asari europ. compos. E.

  Asari compos. L.
- 6. NICOTIANA tabacum. Pulv.
- 96. ROSMARINUS Officinalis. Pulv.
- 101. IRIS florentina.

  Iris. L.

  Ital. Rad. Pulv.
- 102. LAVANDULA spica. E. Lavendula. L. D. Eur. mer. Flores. Puly.
- 103. ORIGANUM majorana. E, Majorana. L. D. Eur. mer. Folia. Pulv.
- 104. Teucrium marum.

  Marum syriacum. L.

  Eur. mer. Herba. Pulv.

105. VERATRUM album. E. Helleborus albus. L. D. Eur. mer. Rad. Pulv.

Fossilia.

45. HYDRARGYRUM.

f. Subsulphas Hydrarg. flav. E. gr. 1. bis Hydrargyr. vitriolat. L. D. in die.

### Formula.

59. R. Subsulphat. Hydrargr. flav. praep. gr. 10.
Pulv. Asari europ. comp. dr. 1. M. f. Pulv.
Signr. A small pinch to be taken night and
morning.
Comata. Caligin.

# CLASS VIII. SIALAGOGA.

1. Vegetabilia.

- 31. DAPHNE Mezereum. Rad. masticat. Odontalg. Paralys.
- 106. AMOMUM Zingiber. E.

  Zingiber. L. D.

  Ind. Occ. Rad. masticat. Infus.
  Odontalg.
- 107. ANTHEMIS Pyrethrum. E. Pyrethrum. L. D. Eur mer. Rad. masticat. Infus.

108. PISTACIA lentiscus. E. Mastacia. L. D. Eur. merid. Resina. Masticat.

#### Fossilia.

#### 45. HYDRARGYRUM.

a. Hydrargyrum purificatum.

b. Submurias Hydrargyri. gr. 1.-2. bis in die.

c. Murias Hydrargyri. gr. 1/8. -1/4. bis terve in die.

d. Submurias Hydrarg, praecip. gr. 2. bis in die.

e. Pilulae Hydrargyri. gr. 6 .- 8. bis in die.

g. Oxidum Hydrargyri cinereum. Pulvis Hydrargyri cinereus. gr. 2. bis in die.

h. Unguentum Hydrargyr. E.

L. D. scr. 2.

fortius. alternis vel singulis noctibus.

mitius.

i. Hydrargyr. calcinatum. L. gr. 1. bis in die.

k. Acetis Hydrargyri. E. Hydrargyr. acetatum. L.D. & gr. 2.

1. Hydrargyrus sulphurat. ruber. L. externe.

m. Sulphuretum Hydrargyri nigrum. Hydrargyr. cum Sulphure. L.

Hydrargyr. sulphuratus niger. D.

Ad Febrem flav. Phrenit. Hydrocephalic. Ophthalm.

Cynanch.tracheal. Hepatit. chronic. Comata. Tetanum.

Hydrophob. Hydrop. Chloros. Syphilip. Lepr. Icterum. Psoram. Vermes.

### Formulae.

60. R. Hydrargyr. purificat.

Extr. Rad. Glycyrrh. glab. moll. dr. 2. simultere donec Hydrargyrum penitus visum effugerit et adde

Extr. Conii maculat. dr. 1.

M. et Massam divide in Pil. 60.

Signr. Two or three to be taken night and morning.

61. R. Oxid. Hydrargyr. ciner. scr. 2. Sapon. Hispan. dr. 1. Syr. cujuslib. q. s. f. Pill 20.

Signr. One or two to be taken night and morning.

62. R. Unguenti Hydrargyr. fort. Acetit. Plumbi. p. ae. M. f. Ung.

Signr. The ointment to dress the parts affect ed.

To chancres.

63. R Hydrarg. calcinat. praep. gr. 12.

Pulv. Opii. gr. 6.

Cons. Ros. q. s. f. Pil. 24.

Signr. One to be taken every night, and after wards every night and morning.

64. R. Acetit Hydrargyr.

Mannae.

Pulv. Nimos. nilot. aa scr. 1.

Aq. Ros. Centifol. q. s. f. Mass in Pill 20. dividend.

Signr. Three to be taken every night.

65. R. Muriat. Hydrargyr. corros. gr. 1. Alchol. dilut. unc. 2. solve.

Signr. A tea-spoonful to be taken night and morning, in a cup of Lintseed tea.

66. R. Tinct. Benzoes comp. (Ph. L.) dr. 2.
Mellis despumat. unc. ½. simul tere et adde
Muriat Hydrargyr. (in Spirit. Laur. Cinnamom. (unc. ½. solut.) gr. 1. ad. 1½.
Aq. Laur. Cinnam. unc. 7.
Tinct. Opii. gtt. 30. M.

Signr. Three or four table spoonfuls to be taken twice a day.

- 67. R. Muriat. Hydrargyr. corros. gr. 3.

  Decoct Hordei. unc. 7. solve et adde

  Syr. Toluif. Balsam. unc. 1. M. f. Garg.
- 68. R. Sulphuret Potass.

  Sacch. Alb. purificat. aa dr. 1.

  Simul tere et divide in Pulv. 6.

  Signr. One to be swallowed dry, twice or thrice a day.

  Ad Ptyalism.

69. R. Succ. Limon. unc. 1.
Tinct. Opii. unc ½.
Aq. Rosae centifol. unc. 1½. M.

Signr. The mouth to be washed with some on this Lotion, three or four times a day.

Ad Ptyalism. \*

### CLASS IX. EMOLLIENTIA.

1, Animalia.

109. ACIPENSER Huso. Sturio. &c. E. Icthyocolla. L. D. Russia. Decoct. ad libit.

110. Ovis Aries, E.

Ovis sevum. L.

Sevum ovillum. D.

Brit. Ungt. Liniment. Cerat.

111. PHYSETER macrocephalus. E. Sperma Ceti. L. D. Sevum. Unguent. &c.

112. Sus scrofa. E,
Adeps suillum. L. D.

Brit. &c. Adeps. Unguent. &c.

a. Linimentum simplex. E.

b. Unguentum Adipis suillae. L.

c. simplex. E.

d. Unguentum spermatis Ceti. L. D.

e. Cerae. L. D.

f. Ceratum simplex. E.

g. Spermatis Ceti. L. D.

These two last medecines, are intended to check excessive sallyation or alleviate its effects, and it was thought they could not be placed in a more convenient situation than after the Sialagogue remedies.

13. CERA alba. et flava. E. L. D. Brit. Emuls. Unguent. &c. Ad Diarrhoeam. Dysenter. Ulcera.

2. Vegetabilia.

. OLEA europaea. Liniment. &c. et interne.

14. ALTHEA officinalis. E.

Althea. L. D.

Brit. Rad. Decoct. ad libit.

a Decoct. Altheae officinal. E. ad libit.

b. Syrupus Altheae. E. L.

15. AMYGDALUS communis. E.

Amygdal. dulc. et amar. L. D.

Eur. mer. Fructus nucl. et Ol. express.

a. Emulsio Amygdali communis E. } ad libit.

Lac Amygdalae. L. D.

Ad Febres, Pneumon, Catarrh. &c.

b. Oleum Amygdali communis.

16. ASTRAGALUS Tragacantha. E.

Gum Tragacantha. L. D.

Eur. mer. Gummi. Pulv. Solut. ad. libit.

a. Mucilago Astragali Tragacanthae. E. Mucilag. Tragacanthae. L.

Mucilag. Gum. Tragacanthae. D.

b. Pulvis Tragacanthae comp. L. dr.1.-4.

17. AVENA sativa. E.

Avena. L. D.

Cult. Semen. Decoct. ad libit.

Febres. Pneumon. Catarrh. Dysenter. Diarrhoea. ac.

- 118. Cocos Butyracea. E.
  Amer. merid. Oleum nucis fixum.
  Externe.
- 119. Enyngium maritimum. E. Eryngium. L. D. Brit. Rad. recens.
- 120. GLYCYRRHIZA glabra. E.

  Glycyrrhiza. L. D.

  Eur. mer. Rad. Pulv. Decoct. Succ. spissat.

  a. Trochisci Glycyrrhiz. E. L. D. ad libit.

  Catarrh. &c.
- 121. HORDEUM distichon. E.

  Hordeum. L. D.

  Cult. Semen. Decoct. ad libit.

  Ut Avena.

  a. Decoctum Hordei distichi.

a. Decoctum Hordei distichi. E.
b. compositum ad libit.
L.

- 122. LILIUM candidum.

  Lilium album. D.

  Cult. Rad recens. Catapl.
- 123. LINUM usitatissimum. E.

  Linum. L.

  Cult. Semen. Infus. Ol. express.

  a. Oleum Lini usitatiss. E. unc. 1.—3.

  Lini. L. D.

  Pneumon. Nephrit. Dysenter. Haemopt.
- 124. MALVA sylvestris. E. Malva. L. D.

Brit. Folia. Decoct.

a. Decoctum pro Enemate. L.

25. Melissa officinalis. E. Melissa. L. D. Cult. Herba. Infus.

26. MIMOSA nilotica. E. Gummi Arabicum. L. D.

Arab. Senegal. Gum. Pulv. Solut. ad libit.

a. Mucilago Mimosae niloticae. E. Arabici Gummi, L. D.

b. Emulsio Mimos. nilot. E. ad libit.

Arabica. L. D.

c. Trochisci Gummosi. E. Catarrh. Pneumon. Diarrh. Blenorrh.

27. Pyrus Cydonia. E.

Cydonia Malus. L.

Cult. Semen.

a. Mucilago Seminis Cydoniae mali. L.

8. SARCOCOLLA.
Asia succ. spissat.

8. TRITICUM hibernum. E. Amylum. L.

Cult. Semen.

a. Mueilago Amyli. E. D. 3 ad libit. b. Trochisci Amyli. L.

VITIS vinifera, E.
 Vitis. L. D.
 Fruct. sice. Uvae passae.
 Decoct ad libit.

### Formulae.

70. R. Pulv. Gum. Mimos. nilot.
Astrag. Tragacanth.

Amyli. aa unc. 1. Cons. Ros canin. unc. 1. Syr. Toluifer. Balsam. q. s. f. Elect.

Signr. A tea spoonful to be taken frequently. Catarrh. Pneumon. Dysur. Blenorth.

71. R. Cons. Ros. canin. unc. 1.

Syr. Papav. Rhoeae.

Ol. Amygdal. com. aa unc. 1.

Acid Sulphuric. gtt. 10. M f. Linctus.

Signr. A tea spoonful to be taken frequently especially when the cough is troublesome.

72. R. Adip. Physet. macrocephal. p. dr. 3.

Mucilag Mimos. nilot. unc. 1.

Simul optime tere et adde

Syr. Croci sativ.

Spt. Laur. Cinnamom aa unc. ½.

Aq. Destillat. unc. 4. M. f. Emuls.

Signr. Three table spoonfuls to be taken three or four times a day.

Vel eandem divide in Haust. 4. Catarrh. Pneumon. Haemopt. &c.

73. R. Pulv. Gum. Mimos. nilot. dr. ½.
Sacchar purificat. scr. 1.
Amyli gr. 10. M. f. pulvis.
Signr. One to be taken frequently. For children.

1. R. Ol. Amygdal. com. unc. 2.

Aq. Ammoniæ gtt. 30... Destillat. unc. 5.

Syr. Toluif. Balsam. unc. 1/2.

Tinct. Opii. gtt. 30. M. f. Emuls.

Signr. Two table spoonsful to be taken three times a day, and one occasionally when the cough is troublesome.

Catarrh. Pneumon. Phthis.

- R. Decoct. Hordei. unc. 7.
   Mucilag. Mim. nilot. unc. 1.
   Tinct. Opii. dr. ½ M. f. Enema.
   Signr. To be given every six hours.
- 6. R. Succ. spiss. Hyoscyam. nigr. dr. ½.

  Syrup. Toluner. Balsam. dr. 2. simul tere et adde

  Extract. Glycyrrhiz. glab. mollefact. dr. 3.

  Sacch. Alb. in pulv. trit. dr. 3.

  Pulv. Gum. Mimos. nilot. q. s. f.

  Massa in Trochisc. 60 dividend.

  Signr. One to be given frequently when the cough is troublesome.

### CLASS X. REFRIGERANTIA.

## 1. Vegetabilia.

6. ACIDUM ACETOSUM dilutum ad libit. extern.

a. Acetis Potassæ. dr. 2. ad aq. lib. 1. in die.

b. Aqua Acetitis Ammoniæ, unc. ½. freq.

Febres. Phlegmas.

- 38. SUPERTARTRIS POTASSAE solut. ad libit.
- 70. TAMARINDUS Indica.

  Fructus ad libit.

  Febres.
- Berberis. D.
  Brit. Fructus.
  Febres.
- 132. CITRUS medica. E.

  Limonium. L. D.

  Eur. mer. et Ind. Occ. Fruct succ. rec. es

  crystall.

  a. Syrup. Citri. medic.

  Limonii. L. D.

  Febres.
- 133. CITR. Aurantium. E.

  Aurantia. L. D.

  Eur. mer. Fruct. succ. recens.
- 134. COCHLEARIA officinalis. E.

  Cochlearia. D. C. hortens. L.

  Brit. Herba. et succus.

  a. Succ. Cochlear. comp. E. L. ad libit.

  Ad Scorbutum.
- 135. Morus nigra.

  Morus. L.

  Cult. Fructus.

  a. Syrupus Fruct. Mori. L.

36. OXALIS Acetosella.

Lijula. L.

Acetosella. D.

Brit. Herba. Succ.

a. Conserv. Acetosellae. D. Lijulæ. L.

37. RIBES nigrum. L. D.

Brit. Fruct.

a. Succ. spissat. Rib. nigr. L.

b. Syrup. succ. Rib. nigr. L.

38. RIBES rubrum. L. D. Brit. Fructus.

39. Rosa canina. E.

Cynosbatus. L.

Brit. Fruct.

a. Conserva Rosæ caninæ. E. Cynosbati. L.

10. Rubus Idaeus. L. D.

Brit. Fructus.

a. Syrup. Fruct. Rub. Idaei. L. D.

11. RUMEX Acetosa. E.

Acetosa. D.

Acet. pratensis. L.

Brit. Folia.

2. SISYMBRIUM Nasturtium. E.

Nasturt. aquatic. L. D.

Brit. Herba.

Ad Scorbutum.

143. VERONICA. Beccabunga.

Beccabunga. L.

Brit. Herba.

Ad Scorbutum.

#### 2. Fossilia.

- 12. Zincum.
  - a. Sulphas Zinci. Externe pro Lotione.
- 61. NITRAS POTASSAE.
  - a. Acid. nitrosum. dr. 1.—2. ad Aq. lib. 1. in die.

Febres, &c.

- b. Spirit. aetheris nitrosi. L. E. 3 gtt. 30.—
  aethereus nitros. D. 3 dr. 1.
- c. Trochisci Nitrat. Potass. E. Nitri. L.

Febres. Phlegmas. Hæmorrh. Maniam.

89. MURIAS SODAE.

a. Acidum Muriaticum. gtt, 20.—40. dilut subind.

Febres.

144. ACIDUM SULPHURICUM. E.

Vitriolicum. L. D.

a. Acidum Sulphuric. dilutum. E. 3 ut Ac. vitriolic. dilut. L. D. 3 Mur.

Febres. Hæmorrhag.

145. PLUMBUM. E. L. D.

a. Acetis Plumbi. E. \*

\* It is now found that there are two acetats of lead, an acet which crystallizes in scales, and this salt, which containing an exce of acetic acid must be called Super-acetas Plumbi.

Cerussa Acetata. L. D. Interne ad Hæmorrhag. sed cautssime.

b. Aqua Lithargyr, acetati, L. } Externe. Liquor Litharg. acetat. D. }

c. Aqua Lithargyr. acetat. comp. L. Liquor Litharg. acetat. comp. D.

d. Unguent. Acetit. Plumb. E. Ceruss. acetat. L.

e. Cerat. Litharg. acetat. comp. D. Ad Phlegmasias. &c.

## Formulae.

77. R. Aq. Acetit. Ammon.
Ros. centifol. aa. unc. 1.

M. f. Collyr.

Signr. The eye water to be used frequently. Ophthalm.

78. R. Nitrat. potass. gr. 10.

Super-tartr. potass. scr. 1. M. f. Pulv.

Signr. One to be taken three or four times a

day.

Phlegmas. Hæmorrh.

79. R. Syr. Moror. vel Limon. unc. 1. Acid. Muriat. dr. 1.

Aq. Destillat. unc. 7. M. f. Julep.

Signr. Three or four table spoonsful to be taken every four or five hours.

Vel divide in haust. 4.

Febres.

80. R. Nitrat. potass. dr. 1. ad 2.

Syr. Limon. unc. 1.

Aq. Menth. sativ. unc. 7. M. u. s.

Febres et Phlegmas. Hæmorrh.

# CLASS XI. ASTRINGENTIA.

# 1. Vegetabilia.

146. HAEMATOXYLUM campechian. E.

Hæmatoxylum. L. D.

Americ. Lign. Decoct.

a. Extract. Lign. Hæmat. camp. E. } gr.

Haematoxyl. L. D. } 10-30.

Juglans. L.
Brit. Fruct. immatur. Decoct. Externe.
Ulcera.

148. Kino. E. L. D.

Africa Pulv. Solut. gr. 15.—30.

Tinct. Kino. E. D. dr. 1.—2.

Diarrh. Dysent. Menorrh.

149. MIMOSA Catechu. E.,

Catechu. L. D.

India. Extract. lign. Pulv. Solut. scr. 1.—2.

a. Infus. Mimos. Catechu. E. unc. ½.—1½.

b. Tinct. Mimos. Catechu. E. } dr. 1.—3.

Catechu. L.

c. Elect. Catechu. E.

Comp.D. } scr. 2.—4.

Diarrh, Dysenter.

- Bistorta. L. D.
  Brit. Rad. Pulv. dr. 1. Decoct.
- Pentaphyllum. L. Brit. Fol.
- Prun. sylvestris. L.
  Brit. Fruct. ad libit.
  Conserv. Prun. sylvestris. L. dr. 1.—3.
  Diarrh.
- 153. PTEROCARPUS Draco. E. Sanguis Draconis. L. D. Amer. merid. Resina.
- Granatum. L.

  Flor. Balaust. D.

  Eur. Merid. Flor. Cort. Fruct.

  Decoct. ad Gargar. ad libit.
- 155. QUERCUS cerris. E.

  Gallæ. L. D.

  Asia. Cyniphis nidus. Pulv. Inf. Ungt.
- 156. QUERCUS robur. E.

  Quercus. L. D.

  Brit. Cort. Decoct. Externe.

  Scarlatin. Angin.—Uvulæ relaxat.

  Hæmorrh. Menorrhag.
- Ros. Rubr. L. D.

Eur. Merid. Brit. Petal. Inf. Conserv. ad libit.

a. Inf. Ros. Gallic. E.

Rosæ. L.

ad libit.

Rosar. D.

b. Conserv. Ros. gallic. E. Rosae, D.

Ros. rubr. L.

c. Syrup. Ros. Gall. E.

d. Mel. Ros. L. D. Hæmorrh. Cynanchen, &c.

158. TORMENTILLA erecta. E.

Tormentilla. L. D.

Brit. Rad. Decoet. unc. \(\frac{1}{2}\).—1.

Diarrhœa.

#### 2. Fossilia.

10. SULPHAS CUPRI. gr. \(\frac{1}{2}\).—1. bis terve in die. Febr. Intermitt.

Inject. Lot. Collyr.

a. Solut. Sulphat. Cupri. E.

b. Liquor Cupri Ammoniat. D. Aq. Cupri. Ammon. L.

Ophthalm, Gonorrhæa.

#### 12. ZINCUM.

a. Sulphas Zinci. gr. 2.—5. bis terve in die Febres Intermitt.

b. Solutio Acetit. Zinci. Collyr. Inject.

c. Aqua Zinci Vitriolat. cum Camphora. L. Ophthalm. Blenorrh.

#### 100. FERRUM.

Tinctura Muriat. Ferri. gtt. 10.—20. ter in & die.

Menorrhag. cum debilitate.

145. PLUMBUM.

a. Acetis Plumbi. Lotion.

159. SUPER-SULPHAS ALUMIN. & POTASS.

Sulphas Alumin. E.

Alumen. L. D.

Brit. Pulv. Solut. gr. 5 .- 15.

Externe p. Gargar. & Lotione.

a. Sulphas Alumin. exsiccat. E. Alumen ustum. L.

b. Pulvis Sulphat. Alumin. comp. E. gr. 15.—30.

c. Cataplasm. Aluminis. L.

Ophthalm.

d. Aqua Alumin. comp. L. pro Lotione.

#### Formulae.

31. R. Extract Hæmatox. comp. dr. 1.

Pulv. Rhei. palmat. dr. 1/2.

Opii. gr. 3.

Electuar. Aromat. q. s. f. mass in Pil. mediocr. dividend.

Signr. Three or four to be taken twice or three times a day.

82. R. Kino. p. dr. 2.

Pulv. Gum. Mim. nilot. dr. 1.

Syr. Papav. somnifer. q. s.

f. Linctus.

Signr. A tea spoonful to be taken occasionally.

83. R. Mist. Cretae unc. 7.
Tinct. Mimos. Catechu. unc. 1. M.

Signr. Three spoonsfull to be taken every four hours, and one after every loose stool, first shaking the phial.

84. R. Succ. Spissat. Mimos. Catechu. in pulv. tritte dr. 1.

Magnesiae. dr. 2.

Conserv. Ros. Gallic.

Cort. Citr. Aurant. aa unc. 1.

M. f. Elect.

Signr. The bigness of a nutmeg to be taken every three or four hours.

Ad Diarrh. cum debilitate Intestinorum.

85. R. Pulv. Gall. dr. 1.

Aq. Destillat. fervent. unc. 8.

Infunde per horam, cola et colaturae adde

Mellis despumat. unc.  $\frac{1}{2}$ .

Vin. Rubr. Lusitan. unc. 1. M. f. Garg.

Signr. To be used three or four times a day. In relaxatione Uvulæ.

36. R. Decoct. Cort. Querc. rob. (cum unc. 2. add lib. 1.) lib. 1.

Tinct. Mimos. Catechu. unc. 1. M. f. Lotio.

Signr. The lotion to be applied cold to the parts affected three or four times a day.

Menorrhag. Haemorrhoid.

\*7. R. Pulv. Cort. Querc. Rob. dr. \(\frac{1}{2}\).

Flor. Anthemid. nobil. scr. 1. M. f. Pulv.

Signr. To be taken every two or three hours.

Febr. Intermitt.

38. R. Infus. Ros. gallic. (cum dupl. Acid.) unc. 7. Tinctur. Kino.

Syrup. Citr. medic. aa. unc. 1. M.

Signr. Three spoonsfull to be taken every four hours.

Haemorrhag.

Fruct. Prun. domest. unc. ½.

Tinctur. Opii. gtt. 40.

Syrup. Ros. gallic. q. s. f. Elect.

Signr. A tea spoonfull to be taken frequently.

Diarrh. Dysenter. protract.

90. R. Infus. Ros. gallic. unc. 7.

Mell. Ros. vel

Syrup. Ros. gall. unc. 1. M. f. Garg.
Signr. To be used frequently.

Cynanch.

101. R. Sulphat. Zinci. gr. 8.

Aq. Rosæ centifol, unc. 4. Solv.

Signr. To be injected twice or thrice a day. Leucorrh. Blenorrh.

# CLASS XII. TONICA.

- 2. ANTHEMIS Nobilis. Pulv. gr. 10.—scr. 1. Infus. unc. ½. ad lib. 1.
- 1. CENTAUNEA benedicta. Infus.
- 19. MARRUBIUM Vulgare. Infus.

- 20. MYRRHA. Pulv. Pil. gr. 10.—20. a. Pulv. Myrrh. Comp. gr. 20. ad 30.
- Pulv. Contrajerva. Pulv. Pulv. Contrajerva. Comp. L. gr. 20,—30.
  - 130. VITIS Vinifera.
    Vinum rubrum Lusitanum.
  - 160. Æsculus Hippocastanum, E. Asia. Brit. Cort. Pulv. dr. ½.—scr. 2. Decoct. unc. 1. ad lib. 1.
  - 161. ANGUSTURA. E. L. D.
    Ind. Occident. Cort. Pulv. gr. 15.—dr. 1. Inf
  - 162. CHIRONEA. Centaur. Gentian. Cent. E. Centaur. Min. D. Brit. Summitat. Infus.
  - 163. CINCHONA Officinalis. E.

    Cinchona. L.

    Cort. Peruv. D.

    Peru. Cort. Pulv. dr. ½.—2. Electuar. Enem.

    dr. 1.—3.

    a. Inf. Cinchon. Off. E.

    Cort. Peruv.

    b. Decoct. Cinchon. Off.
    - b. Decoct. Cinchon. Off. } unc. 3.—6.
    - c. Tinct. Cinchon. Off. E. L. D. unc. \(\frac{1}{2}\).—1
      d. Comp. L. D. dr. 3.—6.
    - c. Comp. L. D. dr. 3.—

      Ammoniat. dr.  $\frac{1}{2}$ —1.
    - f. Extract Cinchon. Off. E. Gr. 10.—20 Cort. Peruv. L. D. gr. 10.—20

Ad Febres. Rheumatism. Odontalg. Catarrh. Febril. Blenorrh. Dysenter. Erysipelat. Scarlatin. Hæmoptys. Menorrhag. Dyspeps. Hypochond. Astheniam. Spasmos. Hydrop.

- 164. CINCHONA Carribbea.
  Insul. Caribb. Cort. (ut Cinchon Off.)
- 165. COLUMBA. L. E. D.
  Ceylon. Africa. Rad. Pulv. gr. 5.—20. Inf.
  dr. 3. ad lib. 1.
  Tinct. Columbæ. L. D. E.
- 166. CROTON Eleutheria. E.

  Cascarilla. L. D.

  Ind. Or. et Occident. Cort. Pulv. scr. 1.-dr. 1.

  a. Tinct. Cascarill. L. D. dr. 2.-6.

  b. Extract. Cascarill. L. D. gr. 10.-20.
- 167. GENTIANA lutea. E.

  Gentiana. L. D.

  Eur. Merid. Rad.

  a. Inf. Gentian. Comp. E. unc. ½.—1.

  D. dr. 6.—12.

  L. unc. 2.—4.

  b. Tinct. Gentian. Comp. E. L. dr. 2.—6.

  c. Vin. Gent. Comp. E. unc. 1.—2.
  - d. Extract. Gent. L. D. lut. E. gr. 10.-30.
- 168. MENYANTHES Trifoliata. E.

  Trifol. Patudos. L.

  Brit. Rad. Exsiccat. Inf. unc. 1.—lib. 1.

- 169. Quassia. E. Quassia. L. Insul. Caribb. Lignum. Cort. Rad. Inf. dr. \(\frac{1}{2}\).—2. ad lib. 1.
- 170. Qu. Simaruba. E.

  Simarouba. L. D.

  Ind. Occ. Cortex. Decoct. dr. 2. ad lib. 1.
- 171. SALIX fragilis.

  Salix. D.

  Brit. Cortex. Pulv. scr. 2.—4.

  Decoct. unc. 2. ad lib.
- 172. SWIETENIA Mahagani. E. Ind. Occ. Cortex. Pulv. Decoct. ut Cinchona.
- 173. Sw. Febrifuga. E. Ind. Occ. Cort. ut supra.
- 174. TANACETUM vulgare.

  Tanacetum. L. D.

  Brit. Fol. Flor. Infus.

  Ad Vermes.

#### 2. Fossilia.

- 10. SULPHAS CUPRI. gr. 1:—3. bis terve in die. Febr. Intermitt.
  - c. Ammoniaretum Cupri. E. gr. ½.

    Cuprum Ammoniatum. L. gr. ½.

    bis terve in die.
  - d. Pilulae Ammoniar. Cupri. E. Pil. 1. Epileps.

# 2. ZINCUM.

a. Sulphas. Zinci. gr. 2.—5. bis terve in die. Febr. Intermitt. Epileps.

b. Solutio Sulphat. Zinc. E Externe pro Collyrio.

c. Oxidum Zinci. E.

Zincum calcinatum. L. gr. 1. bis terve
Calx Zinci. D. in die.

Epileps.

# 1. NITRAS PATASSAE. Acidum Nitrosum. gtt. 30.—40.

O. SULPHAS MAGNESIAE. Solut. dr. 2. bis in die.

## 00. FERRUM.

a. Carbonas Ferri scr. 1 .- dr. 1.

b. Praecip. gr. 5.—15.

c. Aq. Ferri aerati. D. lib. 1/2. bis in die.

d. Sulphas Ferri. gr. 1 .- 5.

e. Vinum Ferri. dr. 2 .- 6. bis in die.

f. Tinct. Muriat. Ferri. gt. 10.-30. bis in die.

g. Sulphas Ferri exsiccat. E.
h. Oxidum Ferri rubrum. E.

i. Emplast. Occid. Ferri rub. E.

k. Ferri limatura purific. E.

1. Oxidum Ferri nigr. purific. E.

m. Murias Ammon. et Ferri. E. 3gr. Ferrum Ammoniacale. L. 33.-10.

n. Tinct. Ferr. Ammoniac. L. gtt. 10 .- 30.

o. Tartris Ferri et Potassae. E. 3 gr. Ferrum Tartarisatum. L. 310.—30.

p. Tinct. Ferri acetati. D. gtt. 20—40.
 Dyspeps. Hypochondrias. Asthen. Chorcam.
 Hydrop. Chloros. Phthis. Vermes.

144. ACIDUM SULPHURICUM.

a. Accidum Sulphur. dilutum. gtt. 20 .- 40

b. Acidum Sulphuric. Aromaticum. E. gtt. 10.—20. bis terve in die. Dyspeps, &c.

175. ARGENTUM. L. E. D.

a. Nitras Argenti. E. Argentum Nitratum. L. D. s bis in die.

176. ARSENICUM. Oxid. alb. vel Acid. Arsen.
Oxidum Arfenici. E.
Solut.

177 CARBONAS BARYTAE. E. Vid. Sulphas Barytae.

178. CARBONAS CALCIS. E.

Creta. L. D.

Brit. &c.

Solutio Muriatis Calcis. E. gt. 30.—60. bis terve in die.

Ad Scrofulam, Schirrum, &c.

179. SULPHAS BARYTAE.

Terra ponderosa.

Brit.

a. Murias Barytae. E.

b. Solutio Muriatis Barytae. E. gt. 5.—11
bis terve in die.
Ad Scrofulam, Schirrum, &c.

# Formulae.

O2. R. Pulv. Flor. Anthemid. nobil. fcr. 1.

Cort. Laur. Cinnamom. gr. 5. M.

f. Pulv.

Signr. To be taken twice a day in a glass of brandy and water.

Dyspeps.

- Amom. Zingib. gr. 5. M. f. Pulv. Signr. To be taken three times a day.
- 4. R. Pulv. Cinchon. Offic. scr. 2.

  Crot. Eleuther. gr. 10. M. f. Pulv.

  Signr. One to be taken every two, three, or four hours in milk.
- 5. R. Extract. Cinchon. dr. 1.

  Carbonat. Ferri praecip. dr. ½.

  Ol. Myrist. Moschat. gtt. 6.

  Syrup. Citr. Aurant. q. s. f. Mass. in Pil. 24

  dividend.

Signr. Three or four to be taken twice a day.

Dyspeps, &c.

6. R. Pulv. Cinchon. offic. flav. unc. 1.

Aq. Laur. Cinnamom. lib. 1.

Tere simul per horam; dein cola et adde

Tinctur. Cinchon. compos. unc. 1. M.

Signr. A glass full to be taken every two, three

or four hours.

97. R Pulv. Cinchon. offic. flav. unc. 2. Gall. dr. 2.

Fruct. Caryophyll. aromat. dr. ½.

Infunde in Vin. rubr. Lusitan. lib. 1. per hora

48, et postea in Aq. Destillat. lib. 1. per horam et cola.

- R. Infus. suprapraescript. unc. 8. f. Mist.

  Signr. A glass of it to be taken three or four

  times a day.
- 98. R. Pulv. Cinchon. flav. dr. 2.

  Decoct. Carn. Bubul (Beef-tea) unc. 6. M.

  Enema.

To be repeated three or four times a day.

In cases where the stomach will not bear the

Bark.

- 99. R. Inf. Quass. amar. (dr. 1. ad. lib. 1.) unc. 7.

  Tinct Cinchon. comp. unc. 1. M. f. Julep.

  Signr. Three table spoonsfull to be taken three times a day.

  Dyspeps, &c.
- 100. R. Pulv. Cort. Salic. frag. scr. 2.

  Cinchon. flav. scr. 1. M. f. Pul

  Signr. To be taken every three or four hour

  while the fever is off.

  Ad Febr. Intermitt.
- 101. R. Pulv. Cort. Swieten. febrif. scr. 2. Laur. Cinnamom. gr. 5. M. Pulv.

102. R. Ammoniaret. Cupri gr. 10.

Oxidi Zinci. scr. 1.

Extract. Gentian. lut. q. s. f. Mass in Pil 20. dividend.

Signr. One to be taken twice a day. Epileps.

103. R. Sulphat. Zinci gr. 12.

Pulv. Cort. Angustur. dr. 2. M. et divide in Pulv. 6.

Signr. One to be taken three or four times a day.

Ad Febr. Intermitt.

104. R. Pulv. Rad. Columb. gr. 10—scr. 1.

Carbonat. Ferri. praec.(Ph. E) gr. 3.

Pulv. Cort. Laur. Cinnam. gr. 5. M. f. Pulv.

To be taken twice or three times a day.

105. Pulv. Myrrh. dr. 1.

Carbonat. Ferri praecip. scr. 1.—dr. 1/2.

Extr. Gentian. luteae. q. s.

Ol. nuc. Myrist. moschat. gt 6. M. f. Massa in Pil. 24. dividenda.

Signr. Three or four to be taken three times a day, drinking a cup of cold Chamomile tea after every dose.

106. R. Pulv. Myrrh. dr. 1.

Carbonat. Ferri. praecip. dr.  $\frac{1}{2}$ .

Syrup. Citri Aurant. unc.  $\frac{1}{2}$ . simul tere et adde Aquae Menth. piper. unc. 6.

Tinctur. Cinchon. compos. unc. 1. M.

Signr. Three spoonsful to be taken twice or thrice a day \*.

107. R. Pulv. Cinchon. offic. unc. 1.

Carbonat. Ferri. unc.  $\frac{1}{2}$ .

Cons. Cort. Citr. Aur. unc.  $\frac{1}{2}$ .

Syr. Amom. Zingib. q. s. f. Elect.

Signr. The bigness of a nutmeg to be taken four, five, or six times a day.

108. R. Tinct. Muriat. Ferri. dr. 2. Colomb. unc. 1. M.

Signr. A tea spoonfull to be taken three times a day, in a cup of Chamomile tea.

# CLASS XIII. STIMULANTIA.

## 1. Animalia.

1. MURIAS Ammoniae.

a. Aqua Ammoniae. E. gt. 10.-20.

Liquor. alkal. volat. caust. D.

b. Alcohol Ammoniatum. E. gt. 20.—40. Spiritus Ammoniae. L.

Alkal. volat. D.

c. Carbonas Ammoniae, E. gr. 5.—10.

Ammonia praeparata. L.

Alkali volatile mite. D.

d. Aqua Carbonat. Ammon. E. gt. 20.-dr. 1.

Ammoniae. L.

<sup>\*</sup> This and the last are intended to answer the purpose of Griffith's celebrated Chalybeate, and it is presumed that they are somewhat more scientific.

Lig. alkal. volatil. mit. D.

e. Liq. volat. Cornu Cervi, L. gt. 20 .- dr. 1.

f. Sal Cornu Cervi, L. gr. 10-20.

g. Oleum Ammoniatum, E. Liniment. Ammon. fort. L.

h. Liniment. Ammon. L.

i. Liniment. volatile. D.

k. Alcohol. Ammoniat. aromaticum. E. gt. 20.—dr. 1.

Spir. Ammon. comp. L.
Alcoh. volat. arom. D.

l. Spir. Ammon. succin. L. Asphyx. Spasmos. Rheumatism. &c.

39. Moschus moschiferus.

Bol. Mist. gr. 10.—scr. 1. Mistura Moschata. unc. 1—2. Ad Typhum. Gangraen.

16. LYTTA vesicatoria.

Bol. gr. 1.—3.

a. Tinct. Meloes vesicat. gt. 10 .- 30.

b. Ungt. Infus. mel. vesicat. E.

Cantharid. L. D.

c. Pulv. mel. vesicat. E.

d. Ceratum. Cantharid. L.

e. Empl. melo. vesicat. E.

Cantharidis. L. D.

f. mel. vesicat. com. E.

Ad Synoch. Typh. Phrenit. Cynanch. Pneumon. Gastrit. Enterit. Rheumatism. Odontalg. Variol. Scarlatin. Apoplex. Paralys. Chorcam. Asthm. Dys.

pnoeam. Pertuss. Colicam. Hysteriam. Hydrophob. Maniam. Icterum. Caligin. Amauros. Ischuriam.

# 2. Vegetabilia.

9. SINAPIS alba.

Semen et ejusd. Pulvis. dr. 1.—4. Cataplasma Sinapeos. L. D. Rheumatism. Paralys.

13. ALLIUM sativum. Rad. recens.

15. ARUM maculatum.

Rad. recens. Bol. Elect. Emuls. gr. 10.—20. bis in die.

Conserva Ari. L. dr. ½.—dr. 1.

Rheumatism.

21. PIMPINELLA Anisum.

Semen.

Ol. volat. Pimpin. Anisi. gtt. 2.—6. Dyspeps. &c.

23. STYRAX Benzoin.

Balsamum.

a. Acidum Benzoicum. gr. 1 .- 3.

b. Tinctura. Benzoes comp. L. gtt. 10 .- 20.

24. ALCOHOL.

a. Aether Sulphuricus. dr. \(\frac{1}{2}\).—dr. 1.

Ad Morb. spasmod.

b. Aether Sulphuric. cum Alcohole. E.

Spiritus Aetheris vitriolici.
L.
Liquor aethereus. vitriolici.
cus. D.
c. Aether Sulphur. cum Alcohol. comp. E.
Spir. aether. vitriol. comp.
L.
d. Oleum Vini. L. gtt. 10—20.

## 6. ACIDUM ACETOSUM.

- c. Acidum Acetosum forte. E. Externe per nares in Syncope, Asphyxia, &c.
- d. Acidum Acetosum Camphoratum. E. Ut supra.
- e. Acetum Aromaticum. E. Ut supra.
- 9. ARISTOLOCHIA Serpentaria.

  Rad. Pulv. Bol. scr. 1—2.

  Tinctura Aristol. Serpentar. dr. 2.—6.

  Typh. Dyspeps.
- O. DAPHNE Mezereum.

Rad.

Decoctum Daphn. Mezerei. unc. 1.-2 saep. in die.

Ad morbos cutan. Syphil.

## 1. GUAIACUM officinale.

Lign. Decoct. unc. 1. ad lib. 1. Resin. Pulv. Emuls. gr. 10.—20.

Rheumatism. Syphil. Morb. cutan.

a. Decoctum Guaiac. officin. unc. 4.—8...
bis in die.

b. Tinctura Guaiac. offic. dr. 2 .- 4.

ammoniat. dr. 1 .- 3. C.

## 43. PAPAVER somniferum.

Opium. gr. 1. dos. repetit.

a. Tinctura Opii gtt. 5 .- 20. simili modo.

Camphorat. dr. 1 .- 4.

Ammoniat. dr. 1.-1.

Typh. Dyspeps, Tetan. &c.

# 50. COCHLEARIA Armoracia. Rad. rec. Subst. Infus. Spirit Raphani comp. L. unc. 1.-2. Paralys. &c.

51. COPAIFERA officinalis. Balsam. gtt. 15.-30.

57. PINUS Sylvestris. Larix.

a. Ol. vol. Pini puriss.

b. Ungt. Resin. flav. L. D.

Resinosum. E.

c. Cerat.-Resin. flav. L.

d. Empl. Cerae. D. comp. L.

e. Ungt. Picis. L. D.

f. Empl. Picis. Burgund. Externe ad Ulcera. &c.

# 92. ARNICA montana. Rad. Pulv. scr. 1 .-- 2. Typh. Paralys.

93. BUBON Galbanum. a. Pilul. Galbani comp. gr. 15 .- 20. b. Emplastrum Galbani comp. E.

Lithargyri compos. L.

94. JUNIPERUS Sabina.
Oleum Juniper. Sabinae, gt. 1.—4.

95. PASTINACA Opoponax. Pil. gr. 2.—5.

105. VERATRUM album.

a. Unguentum Hellebori albi. L.

b. Decoct. Hellebori albi, L. Ad morb. cutan. L.

106. AMOMUM Zingiber.

Rad. Pulv. gr. 5 .- 20.

Podagr. retroced. vel atonic. Paralys. Dyspeps, &c.

a. Syrupus Amom. Zingib.

b. Tinctura Amom. Zingib. E. dr. 2 .- 4.

180. ACORUS Calamus. E.

Calamus aromaticus. L.

Brit. Rad. Puly.

81. AMOMUM repens. E.

Cardamomum minus. L. D.

India. Semen.

a. Tinctura Amomi repent. E. } dr. 2.-4.

b. compos. L. dr. 2.-4

182. AMYRIS Gileadensis. Asia. Resina. 183. AMYRIS Elemifera.

Elemi. L. D.

Amer. mer. Resina.

Unguentum Elemi. L.

184. ANETHUM Foeniculum. E.

Foeniculum. L. D.

Brit. Sem. Decoct. Enem.

a. Oleum volatil. Foenicul. dulc. D.

b. Aqua Foeniculi dulcis. L. unc. 1.—3.

185. ANETHUM graveolens. Eur. mer. Semen. Aqua Anethi. L.

186. ANGELICA Archangelica. E. Angelica. L. D. Cult. Rad. Semen.

187. APIUM Petroselinum. E. Petroselinum. L. Cult. Rad. Semen.

188. ARBUTUS Uva Ursi. E. Uva Ursi. L. D. Eur. merid. Folia. Pulv. scr. 1.—dr. 1. Infus. Ad Calculum.

189. ARTEMISIA maritima.

Absinthium maritimum. L.
Brit. Cacumen.

a. Conserva Absinthii maritimi. L.

b. Decoctum pro Fomento. L.

190. CANELLA alba. E. L. D. India Occid. Cortex. Pulv.

91. CAPSICUM annuum.

Piper Indicum. L. D.

Ind. Occ. Capsulae. Pulv. gr. 2.—6. Infus.

Ad Febres. Scarlatinam anginosam.

92. CARUM Carvi. E.

Carum. L.

Carvi. D.

Cult. Semen. Decoct.

a. Oleum Carvi. L. gtt. 1 .- 4.

b. Spiritus Cari Carvi. E. \unc. \frac{1}{2}.-2.

Dyspeps. Colic.

93. CISTUS Creticus.

Ladanum. L.

Syria. Resina.

a. Emplastrum Ladani compos. L.

94. CITRUS Aurantium.

Aurantium Hispalense. L. D.

Eur. merid. Flores. Cortex. Fruct. Infus.

a. Oleum volat. Citri Aurant. E. gtt. 2 .- 6.

b. Aqua Citri Aurantii. E. unc. 1 .- 3.

c. Tinctura Aurantii Cort. L. D. unc. 10-120

d. Syrupus Citri Aurantii. E.

Cort. Aurantii. L. D.

e. Conserva Citri Aurantii. E.

Cort. Aurantii. L. D.

95. CORIANDRUM sativum. E.

Coriandrum. L. D.

Eur. merid. Semen. Pulv. Infus.

96. CROCUS sativus. E.

Crocus. L. D.

Cult. Stigmata. Infus.

a. Syrupus Croci. L.

b. Tinetura Croci. E. L. dr. 2 .- 4.

197. CUMINUM Cyminum.

Cuminum. L.

Aegypt. Sicil. Semen. Decoct.

a. Cataplasma Cumini. L.

b. Emplastrum Cumini. L.

198. CURCUMA longa.

Curcuma. L.

India. Radix. Puly.

199. DAUCUS Carota. E.

Daucus Sylvestris. L.

Brit. Semen. Radix. Cataplasm.

200. DIANTHUS Caryophyllus. E. Caryophyllum rubrum. L. D. Italia. Petala. Infus. Syrupus Caryophylli rubri. L.

201. EUGENIA caryophyllata. E.

Caryophyllum aromaticum. L. D.

Insul. Molucc. Floris germen.

Oleum volat. Caryophylli aromatici. gtt. 1.—2.

Odontalg. Colic.

202. HYPERICUM perforatum.

Hypericum. L.

Brit. Flos.

203. INULA Helenium.

Enula campana. L. D.
Brit. Radix.

Olibanum. L. D.
Asia. Gum-resin. Pilul.

205. KAEMPFERIA rotunda. E. Zedoaria. L. India. Rad. Pulv.

206. LAVANDULA Spica. E.

Lavendula. L.

Lavandula. D.

Cult. Flores.

a. Oleum volat. Lavandulae Spicae. E. Lavendulae. L.

b. Spiritus Lavandulae Spicae. E. Lavendulae. L.

c. Spiritus Lavandulae comp. E. Tinctura Lavendulæ comp. dr. \frac{1}{2}.-1.
L.

07. LAURUS Cinnamomum. E.

Cinnamomum. L. D.

Ceylon. Cortex. Pulv. gr. 5 .- 15. Infus.

a. Ol. volat. Laur. Cinnamom. L. 3 gt.1.-2.

b. Aqua Laur. Cinnam. E. unc. 1.—3. Cinnamom. L. D.

c. Spir. Laur. Cinnamom. E. unc. \(\frac{1}{2}\).—\(\frac{1}{2}\).

Cinnamom. L. D.

d. Tinct. Laur. Cinnamom. E. dr. 2.—4. Cinnamom. L. D.

e. Cinnamom. comp. E. dr. 1.—2. Cinnam. comp. L. D.

f. Pulv. Aromaticus. L. E. D. gr. 10 .- 20.

g. Electuar. Aromat. E. D. gr. 10.-30. Confect. Aromat. L.

208. LAURUS Cassia. E.

Cassia lignea. D.

India. Cortex. Pulv. &c. Flor. nondum. explicit

Aqua Lauri Cassiae. E. unc. 2.—4.

209. LAURUS nobilis. E.

Laurus. L. D.

Cult. Folia. Bacc. et Oleum Bacc. Externe.

Virgin. Rad. Pulv.
Ad Syphilidem.

211. MELALEUCA Leucodendron. E.

Cajeputa.

Insul. Molucc. Ol. essential. gtt. 1.—4. et Externe
Rheumatism.

212. MENTHA viridis. E.

Mentha sativa. L. D.

Cult. Herba. Infus.

a. Oleum Menthae sativae. L. gtt. 2.-6.

b. Aqua Menthae sativae. L. D. unc. 2 .- 6

c. Spiritus Menthae sativae. L. unc. 1.—2. Colic.

213. MENTHA Piperita. E. M. Piperitis. L. D. Cult. Herba. Inf.

a. Aq. Menthae piperitae. E. unc. 1.—4. piperitidis. L. D.

b. Ol. volat. Menthae piper. E. gt. 1.—3.

cssent. M. piperitid. L. D.

c. Spir. Menthae piperit. E.dr. 2.—6.

piperitid. L. D.

Pulegium. L. D.
Cult. Herba. Infus.

a. Aq. Menth. Pulegii. E. unc. 2.—4. Pulegii. L. D.

b. Ol. volat. Menth. Puleg. E. gt. 1.—3. essent. Pulegii. L. D.

c. Spirit. Pulegii. L. unc. 1 .- 2.

215. MYRISTICA Moschata. E.

Myristica. L.

Nux moschata. D.

Insul. Molucc. Nucleus. Pulv. Ol. volatil. et express. gtt. 1.—3.

Spiritus Myristic. Moschat. E. } dr. 2.-6.

216. Myroxylon Peruiferum. E.

Balsamum Peruvianum. L. D.

Amer. merid. Balsam. gtt. 10.—30.

Tinctura Balsami Peruviani. dr. 1.—2.

17. MYRTUS Pimenta. E.

Pimento. L. D.

Jamaica. Bacca.

a. Aq. Myrti Piment. E. unc. 2.—6.

Piment. L.

b. Ol. volat. Myrt. Pim. E. gt. 1 .- 3.

c. Spir. Myrt. Piment. E. unc. 1.—2.

Pimento. L. D.

- 218. ORIGANUM vulgare. E.
  Origanum. L. D.
  Brit. Herba.
  Oleum Origani. L.
  Ad Odontalg.
- 219. PANAX quinquefolium.

  Ginseng. L.

  China. Radix. Pulv.
- 220. PARIETARIA officinalis.

  Parietaria. L.

  Brit. Herba.
- 221. PINUS balsamea. E.

  Balsamum Canadense.

  Americ, septent. Resina liquida.
- 222. PIPER nigrum. E. L. D. India. Fruct.
- 223. PIPER Cubeba. Cubeba. L. Java. Fruct.
- 224. PIP. longum. E. L. D: Fruct.
- 225. PISTACIA Terebinthus.

  Terebinthina Chio.L.

  Insul. Chio. et Cyprus.
- 226. Rhus Toxicodendron. E.

  Amer. Folia. Pulv. gr. 1.—bis terve in die
  In Paralysin.

27. STYRAX officinale. E. Styrax. L. D. Eur. merid. Balsam. Styrax purificata. L. D.

228. TOLUIFERA Balsamum. E.

Balsamum Tolutanum. L. D.

Amer. merid. Balsam. Troch.

a. Tinctura Toluiferae Balsam. E. b. Syrupus Toluiferae Balsam. E.

Tolutan. L.

29. TRIGONELLA Foenum graecum. Faenum graecum. L. Gallia. Semen. Catapl. Fotus.

30. URTICA dioica.

Urtica. L.

Brit. Herb. rec. Externe. Pulv. scr. 1.—dr. 1.

Paralys. Febr. Intermitt.

B1. WINTERA aromatica. E. Amer. merid. Cortex. Pulv.

3. Fossilia.

5. Hydrargyrum.

Vid. Sialagoga.

n. Ungt. Oxid. Hydr. rubr. E.

o. Nitrat. Hydrarg. E. Hydrarg. nitrat. L.

p. Un. nitrat. Hydrarg. mitius. E.

. NITRAS POTASSAE.

c. Acidum nitrosum. dr. 1 .- in die.

d. Unguentum Acidi nitrosi. E. Ad morb. cutan.

72. SAPO Hispanus.

a. Tinctura Saponis. E.

Linimentum Saponis compos. L.

Saponaceum. D.

Rheumatism, &c.

b. Tinctura Saponis cum Opio. E.

c. Ceratum Saponis. L. D.

d. Emplastrum Saponis. L.

Saponaccum. E. D.

89. MURIAS SODAE.

a. Murias Sodae exsiccatus. E. Externe in Asphyx.

144. ACIDUM SULPHURICUM.

Externe in Ungt. ad morb. cutan. et interne.

176. OXIDUM ARSENICI. Externe in Carcinom.

Petroleum. L.
India.
Oleum Petrolei.

233. SUB-BORAS Sodae.

Boras Sodae. E.

Borax. L. D.

India. Pulv. Linctus.

Ad Aphthas.

234. Sub-ACETIS CUPRI. E. Aerugo, L. D.

Collyr. Ungt.

a. Oxymel Aeruginis. L.

b. Unguentum Sub.acetit. Cupri. E.

235. CALX. E.

Calx viva. L. D. Linimentum Aquae Calcis. E. Ad Tineam Capitis.

#### Formulae.

109. R. Mist. Camphor. unc. 7.

Syr. Cort. Citr. Aurant.

Spt. Laur. Cinnam. aa unc. ½.

Aq. carbonat Ammon. dr. 2. M.

Signr. Two or three table spoonsfull to be taken occasionally.

Pulv. Meloes. vesicator. gr. 1. Electuar. Opiat. q. s. f. Bolus.

Signr. One to be taken every five or six hours, drinking three large spoonsfull of the Julep after each\*.

In Paralysin.

11. R. Unguent. Cerae. unc. 1.

Tinct. Meloes vesicator. dr. 2. ad. unc. ½.

Unguento liquefacto et jam frigescenti immisce Tincturam.

<sup>\*</sup> Here any simple Julep is intended.

Signr. The part affected to be rubbed several times a day with some of this ointment.

In Paralysin.

112. R. Balsam. Copaif. offic. unc. ½.

Mucilag. Mim. nilot. unc. 1.

Syr. Toluif. Bals.

Spt. Laur. Cinnam. aa unc. ½.

Aq. Destillat. unc. 5½. M. f. Emuls.

Signr. Three table spoonsfull to be taken three times a day.

Ad Blenorrh.

Spirit. Laur. Cinnamom. aa unc. 1. M. sint Guttae.

Signr. Two tea spoonsful to be taken twice a day, in a glass of cold water.

Dyspeps, &c.

Aquae ferventis unc. 2. solve et adde Mucilag. Mimos. nilot. unc. 2. M. f. Enema. Ad Colic. Tetanum. Hyster. &c.

115. R. Solution. Acetit. Zinci.
Mistur. Camphorat. aa unc. 2.
Tinctur. Opii dr. 1. M. f. Collyr.
In Ophthalm. asthenic.

Ol. Terebinth. aa unc. 1. M. f. Embrocat.
Signr. The parts affected to be well rubbed three or four times a day, or (in cases of

burns) to be kept covered with a thin rag, moistened with some of it.

117. R. Pulv. Rad. Arnic. montan. dr. 2.

Cort. Laur. Cinnam. dr. 1. M. et
divide in Pulv. 6, vel. 8.

Signr. One to be taken every three or four hours in a cup of Lintseed tea.

In Typhum.

118. R. Pulv. Capsic. Indic. (Cayenne Pepper dict.) - scr. 1. ad scr. 2.

Acid. Acetos: dilut. unc. 1.

Decoct. Cinchon. off. unc. 7. M. f. Gargarism.

Ad Scarlatin anginos

Flor. Anthem. nobil. unc. 1.
Coque paulisper in
Aq. Distillat. lib. 2½. Cold.

R. Tinctur. Camphorae. unc. 4.

Signr. The parts affected to be fomented for half an hour with half this fomentation, adding to it at the time of using, half the Camphorated Spirit.

Ad Gangraenam.

20. R. Sulphat. Cupri. dr. 1. ad. 1½.

Tinctur Camphorae. dr. 1.

Aq. Ros. centifol. unc. 8. M. f. Collyr.

Signr. To be applied to the Eye three or four times a day.

- 121. R. Oxid. Hydrarg. rub. per Acid. nitric. ppt. dr. 1.
  Ungt. resinos. unc. 1. M. f. Ungt.
  Signr. A little to be applied between the Eyelids every night and morning.
- 122. R. Hydrarg. calcinat. ppt. gr. 3.
  Sacch. crystallisat. alb. dr. 1.
  Simul optime tere et adde
  Sulphur. praecipitat. dr. 1. M. et divide in
  Pulv. 6.
  - Signr. One to be taken twice a day in a little syrup or honey, drinking after each a cup of Decoction of the Woods.

    Ad morb. cutan.
- 123. R. Muriat. Hydrarg. gr. 5.

  Spt. Sacchar. (Rum.) unc. 1. solve

  Signr. The chancres to be touched with some
  of this Lotion night and morning, and afterwards covered with dry lint.
- 124. R. Nitrat. Argent. gr. 2.—3.

  Pulv. Cort. Laur. Cinnam. gr. 24. simul optime tere et adde

  Extract Gentian. lut. q. s. f. Massa in Pil 12. dividend.

  Signr. One to be taken twice or thrice a day.
- 125. R. Phosphori gr. 5.
  Ol. Olivae. unc. 4. Solve calore Arenae fervent.

Epileps.

Signr. The parts affected to be rubbed twice a day \*.

Paralys.

## CLASS XIV. ANTISPASMODICA.

1. Animalia.

- 1. MURIAS AMMONIAE. Vid. Stimulantia.
- 39. Moschus moschiferus.
  Pulv. Bol. scr. 1.—dr. ½.
- 73. CERVUS Elaphus.
  Ol. Animal. L.
  Cornu Cervin. rectificat. D. } gtt. 15.—30.
- 91. CASTOR Fiber. Pulv.

  a. Tinctur. Castor. gtt. 30.—dr. 1.
  b. compos. gtt. 20.—40.

  Ad Hysteriam, &c.

2. Vegetabilia.

- 5. CEPHAELIS Ipecacuanha. Pulv. gr. 3.—6.
- 6. NICOTIANA Tabacum.
  Fum.
  Colic.

Although neither of the Colleges have yet admitted *Phosphorus* nto the catalogue of the Materia Medica, we have ventured to give he above Formula, as we think we have employed it with conderable benefit.

17. FERULA Asa foetida.

Pilul. gr. 10 .- scr. 1.

b. Alcohol Ammoniat. foetid.

Spiritus Ammoniae foe- gtt. 15-30.

Spt. Alkali volatil'. foetid. D.

c. Pilulae Asae foetid. comp. E.

d. Emplastr. Asae foetid. E. Hysteria, &c.

24. ALCOHOL.

Aether Sulphuricus. dr. 1.-2.

42. LAURUS Camphora.

a. Emulsio Camphorata, unc, 2.-3.

b. Mistura Camphorata, unc.2 .- 3.

c. Tinctura Camphorae, E.

Spirit. Camphoratus. L. D. Externe.

d. Liniment. Camphor. com. L. Camphorat. D.

43. PAPAVER somniferum.

Opium. Pil. Mist. gr. 1.— Liniment. Enem.

a. Tinct. Opii.

b. camphorat. L. dr. 1.-4.

c. ammoniata. E. dr. 1.

h. Elect. Opiatum. gr. 5.

i. Pilul. Opii. L.

Opiatae. gr. 10.

93. BUBON Galbanum.

Pilul.

a. Tinctura Galbani, L, dr. 1,-2.

- b. Pilul. Galbani comp. L. gr. 15.—40.

  Hysteria.
- 130. VITIS vinifera.

  Vinum rubrum Lusitanum. lb. 1.—in die.
  Ad Tetanum.
- 194. CITRUS Aurantium.

  Fol. Pulv. dr. ½.

  Convuls.
- 236. ARTEMISIA Absinthium.

  Absinthium vulgare. L.

  Brit. Cacumen. Oleum. volat.
- 237. CARBONAS POTASSAE impurus. E.

  Cineres clavellati. L. D.

  a. Aqua Potassae. E.

  Kali puri. L.

  Lixivium alkali vegetab. caust. D.

  Externe in Balneo ad Tetanum.
- 238. CARDAMINE pratensis. E.

  Cardamine. L.

  Brit. Flores. Pulv. dr. ½. bis in die.

  Ad Choream, &c.
- 239. CONIUM maculatum. E.

  Cicuta. L. D.

  Brit. Folia. Pulv. gr. 1.

  a. Succus spissat. Conii maculat. E.

  Extract. Cicutae. L. D.
- 240. Fuligo Ligni Combusti. D. Hyster.

241. Hyoscyamus niger. E.

Hyoscyamus. D.

Brit. Folia. Semen.

a. Succus spissat. Hyoscyam. nigri. E gr. 2.—4.

242. VALERIANA officinalis. E.

Valeriana. L. D.

Brit. Radix. Pulv. scr. 1.—dr. 1.—bis terve in die.

a. Tinctura Valerianae. L. dr. 2 .- 4.

b. Ammoniat. E. dr. 11

c. Extract. Valerian. sylvestr. resinos. D. Ad Hysteriam, &c.

### 3. Fossilia.

45. HYDRARGYRUM. Vid. Sialagoga.

232. BITUMEN Petroleum. E. Petroleum. L. D. Italia.

a. Oleum Petrolei. L.

243. SUCCINUM. L. E. D.

a. Oleum Succini. E.

b. purissimum.E. 3 gtt. 10. rectificat. L.D. 3 —20.

c. Sal Succini. D.

d. Spiritus Ammoniae. succinat. L. gtt. 30.

### Formulae.

- 126. R. Aqu. Menth. piper. unc. 1.

  Syrup. Amom. Zingib. dr. 2.

  Spirit. Lavandul. comp.

  Aq. Ammoniae. aa dr. ½. M. f. Haust.

  Signr. To be taken just as a fit is coming on.

  Epileps. Hyster.
- 127. R. Mosch. Chinens. gr. 10.

  Sacch. purificat. scr. 1. Simul tere et adde
  Carbonat. Ammon. sicc. gr. 10.

  Syr. q. s. f. Bolus.

  Signr. One to be taken every three hours.
- Aq Destillat fervent. lib. 1. Infunde per sextam partem horae, et cola pro Enemate.

  Ad Colicam.
- 129. R. Succ. spiss. Ferul. Asae foetid. dr. 1.

  Aq. Menth. Pulegii unc. 7.

  Syr. Toluif. Bals.

  Aether. sulphur. cum Alcohol. aa unc. ½. M.

  Signr. Two or three spoonsfull to be taken every three hours.

  Ad Hysteriam.
- 130. R. Tinct. Opii. gtt. 30. ad. 50.

  Spt. Laur. Cinnam. dr. 3.

  Syr. simpl. dr. 2.

  Aq. Destillat. unc. 1.

  Aether. Sulphur. dr. \(\frac{1}{2}\). M. f. Haust.

To be taken directly, and repeated occasion ally.

Epileps. Hyster.

131. R. Camphor. dr. 2.

Ol. Olivae. unc. 1. solve et adde Tinct. Opii. unc. 1. M. f. Liniment.

Signr. The whole or half to be rubbed into the part affected in the course of the day.

Ad Tetanum, Hydrophob \*.

132. R. Pulv. Fol. Citr. Aurant. dr. ½.

Sacchar. alb. scr. 1. tere simul in Pulv.

To be taken twice or thrice a day.

Ad Convulsion.

133. R. Pulv. Rad. Valerian. sylv. scr. 1.
Ol. Nuc. Myrist. mosch. gt. 2. M. f. Pulv.
Signr. To be taken three or four times a day.

134. R. Pulv. Cinchon. off. unc. 1.

Rad. Valer. officin. dr. 2.

Syr. Cort. Citr. Aurant. q. s. f. Elect.

Signr. The bigness of a nutmeg to be taken night and morning.

135. R. Opii purificat.

Submuriat. Hydrargyr. aa gr. 10.

Electuar. Aromat. q. s. f. Mass in Pil 10.

dividend.

Signr. One to be taken directly, and repeated every two hours till relief is procured.

Ad Colicam. Interum. Nephralg.

<sup>\*</sup> This Liniment used in smaller quantity, will serve for all the cases in which Opiate Friction is useful.

## CLASS. XV. NARCOTICA.

NICOTIANA Tabacum.

Vinum Nicot. Tabaci. E. gt. 30.-dr. 1. bis in die.

- O. ACONITUM neomontanum.

  Succus spissat. Aconit. napell. gr. ½.—2.
- 3. PAPAVER somniferum.

a. Tinct. Opii. gt. 25.

b. Camphorat. dr. 2.-6.

e. Syrup. Opii. D.

f. Extr. Papaver. somnifer. E.

g. Pulv. Opiat. L. E. gr. 10.

h. Elect. Opiatum. E. gr. 43. Confect Opiata. L. gr. 36.

i. Pil. Opii. E. gr. 5.

Opiatae. E. gr. 10.

Ad Febr. intermittent. Typh. Rheumatism. Odontalg. Catarrh. Dysenter. Ophthalm. Enterit. Scarlatin. Variol. Rubeol. Haemoptys. Menorrhag. Haemorrh. Tetan. Choream. Epileps. Pertuss. Asthmat. Hydrophob. Angin. pectoris. Hysteriam. Phthis. Icter. Diabet.

- . RHODODENDRON Chrysanthum. Folia. Vid. Diaphoretica.
- . DIGITALIS purpurea.

Pulv. gr. 1.

Tinctura Digital. purpur. gtt. 10 .-

Ad Synocham. Phrenit. idiopath et Hydrocephalic. Pneumon. Phthisin, &c.

92. ARNICA montana.

Flores. Pulv. gr. 5.

Paralys. Convuls. Amauros.

226. Rhus Toxicodendron.

Folea. Vid. Stimulantia.

239. CONIUM maculatum.
Pil. Pulv. gr. 1.
Succus spissat. Conii maculat. gr. 2.

241. Hyoscyamus niger.

a. Succus spissat. Hyoscyam. nigr. gr. 2.-4.

b. Tinctura Hyoscyami nigr. E. dr. 1.

244. ATROPA Belladonna. L. D. Belladonna. L. D. Brit. Fol. Pulv. gr. 1.

245. DATURA Stramonium. E. Brit. Fol. Pulv. gr. 1.

246. Humulus Lupulus \*. Cult. Conus. Pulv. Pil. gr. 3.

\* We have inserted the Hop among the articles of the Materia Medica, as it probably would have been received by the Edinburgh College, had their Pharmacopeia been published some months later. Within the last year it has been frequently employed in the Edinburgh Infirmary as a substitute for Opium with great success, as it was found to produce sleep in cases where Opium was ineffectual or inadmissible. It is usually administered in the form of a saturated tincture.—Vid. DE ROCHES Dissert. Inaug. de Humulo Lupulo. Edinr. 1803.

Dr Spens has adopted it in his edition of the Infirmary Pharmacopoeia, and has given a Formula of it under the title of Pilulae Humuli lupuli.

- 47. LACTUCA virosa. E. Brit. Folia. Succ. spissat. gr. 1. Ad Hydrop.
- 48. PAPAVER Rhoeas. E. Papaver erraticum. L. Brit. Petala. Infus. a. Syrupus Papaver. errat. L.
- 49. SIUM nodiflorum. SIUM. L. Brit. Herba.

### Formulae.

36. R. Tinct. Opii gtt. 20 .- 30. Laur. Cinnam. Syrup. Papav. rhoeae. aa dr. 2. Aq. Cinnamom. unc. 1. M. f. Haust. Signr. The anodyne draught to be taken at bed time.

37. R. Tinctur. Opii gtt. 30. Succ. Citr. medic. recent. unc. 1/2. Syrup. simplic. dr. 2. Aquae. menth. virid. unc. 1. M. f. Haust. ut supra.

For patients in whom Opium is apt to excite headach or sickness.

33. R. Opii purificat. gr. 2. Aquae Zinci vitriolat. cum Camphor. unc. 2. Solve pro Collyrio.
In Ophthalmia with great sensibility.

139. R. Ol. Olivae. unc. 2.

Ungt. Hydrargyr. dr. ½.

Tinct. Opii gtt. 40. ad 60. M. f. Injectio.

Signr. To be used every night and morning. In Gonorrhoea.

140. R. Cerat. Sperm. Cet. unc. 1.

Tinct. Opii unc. 1/2.

Cerato liquefacto et jam frigescenti adde Tincturam et agita u. f. Ceratum.

Signr. Some of this Cerate to be rubbed on the parts affected three times a day.

In Haemorrhoid.

141. R. Pulv. Conorum Humul. lupul. gr. 3.

Cons. Ros. gallic. q. s. f. Bolus.

Sign. To be taken at bed time, drinking after

it a spoonfull of Lemon Juice.

142. R. Pulv Conor. Humul. Lupul. unc. 1.
Alcohol. dilut. lib. ½.
Digere per dies octo et cola.
Dos. Thirty or fort, drops.

# CLASS XVI. ANTHELMINTICA.

1. Animalia.

1. MURIAS AMMONIAE.

a. Aqua Carbonatis Ammoniae.

2. Vegetabilia.

2. ANTHEMIS nobilis.

Pulv. scr. 1.—dr. ½. bis in die.

Lumbric.

6. NICOTIANA Tabacum.
Enema.
Ascarid.

7. OLEA europea.

Oleum. Enema. Emuls.

13. ALLIUM sativum.

Rad. recens. Subst. ad libitum.

7. FERULA Asa foetida.

Gum. Resin. Enema. scr. 1.—2.

6. CONVOLVULUS Jalapa.

Rad. Pulv. gr. 10.—30.

7. Convolvulus Scammonium.
Pulv.

a. Pulvis Scammonii compositus.

1. HELLEBORUS foetidus.

Fol. Succ. express.

Lumbric.

6. RHEUM palmatum.
Pulv. gr. 5.—10. omni nocte.

7. RICINUS communis.

Oleum express. unc. \(\frac{1}{2}\).—1. Enem. unc. 1.—2.

- 88. STALAGMITIS Cambogioides.
  Pil. gr. 5.—15.
  Ad Taeniam.
- 98. Ruta graveolens.
  Infus. Enema.
  Oleum volat. Rutae. gtt. 3.—6.
- 147. Juglans regia.

  Cortex. Fructus immatur. Extract.
- 174. TANACETUM vulgare. Flor. Pulv. scr. 1.—2.
- 242. VALERIANA officinalis. Rad. Pulv. dr. 1.
- 250. ARTEMISIA Santonica. E.

  Santonicum. L. D.

  Asia. Semen. Pulv. dr. \(\frac{1}{2}\).—scr. 2. bis in die.
- 251. Dolichos pruriens. E. Ind. Occ. Pubes leguminum.. Elect. gr. 10.-30
- 252. GEOFFROEA inermis. E.

  Jamaica. Cortex. Decoct. Syrup.

  Decoctum Geoffr. inerm. E. unc. 1.—2. omi
  mane.
- 253. POLYPODIUM Filix mas. E. Filix. L. Filix mas. D. Brit. Rad. Pulv. dr. 2.—3. Ad Taeniam

254. SPICELIA marilandica. E. Amer. Rad. Puly. gr. 10.—scr. 2.

3. Fossilia.

45. HYDRARGYRUM.

Amalgama Stanni. Submurias Hydrargyri. gr. 3.—10.

39. MURIAS Sodae.
Pulv. dr. 1.—unc. 1.

100. FERRUM.

a. Carbonas Ferri gr. 10 .- 30.

d. Sulphas Ferri gr. 3 .- 10.

k. Ferri limatura purificat. dr.  $\frac{1}{2}$ .—1.

o. Tartris Ferri et Potassae gr. 10 .- scr. 1.

255. CALX. E.

Calx viva. L.

Calx recens usta. D.

Aqua Calcis. L. E. D. Enema. lib.  $\frac{1}{2}$ .—1. Ad Ascard.

256. STANNUM L. E. D.

Stanni Pulvis. L. unc.  $\frac{1}{2}$ .—1. Ad Taeniam, et Lumbric.

#### Formulae.

43. R. Resin. Convolv. Scammon.
Pulv. Rad. Conv. Jallap. aa gr. 5.
Submuriat, Hydrargyr. gr. 3.

Sulphat. Potass. gr. 10. Simul in Pulv. tere.

Signr. To be taken every third or fourth night for three nights, in a little honey.

144. R. Pulv. Rhei gr. 5.—8.
Aromatic. gr. 5. M. f. Pulv.

Signr. To be taken every night in a little weak brandy and water.

145. R. Spicul. legum. Dolich. prur. dr. 2.
Syrup. simplic.

Aut, Faecum sacchar. q. s. f. Elect. moll.

Signr. Two or three tea spoonsfull to be taken every morning for three or four days.

146. R. Pulv. Rad. Spigel. Mariland.

Semin. Artemis. Santon. aa gr. 15.-scr. 1.

Submuriat. Hydrarg. gr. 3. m. f. Pulv.

Signr. To be taken every third morning in a little Treacle.

Ol. Rutae graveolent. gt. 2.
Opii gr. 1.

Cons. fruct. Ros. canin. q. s. f. Bolus.

Signr. To be taken at bed time and repeated occasionally.

148. R. Carbonat. Ferri. scr. 1.
Pulv. Laur. Cinnamom. gr. 10. M. f. Pulv.
To be taken every morning fasting.

149. R. Pulv. Stanni. unc. 1.

Hydrargyr. purificat. dr. 1. simul optime
tere in Amalgam.

R. Amalgam. hujusce. dr. 1.

Pulv. Rhei palmat. gr. 10. M. f. Pulv.

Signr. To be taken every night in a little Sy-

## CLASS XVII. CHEMICA.

### 1. Animalia.

1. MURIAS Ammoniae.

a. Aqua Ammoniae. gtt. 10.-15.

c. Carbonas Ammoniae. gr. 5 .- 15.

d. Aqua Carbonatis Ammoniae. gtt. 20.-40.

f. Sal. cornu Cervi. gr. 5.-12.

Ad Cardialg. et Venena metallica quaedam.

73. CERVUS Elaphus.

Phosphas Calcis E. gr.10.-20. Cornu Cervi ustum praeparatum. L. bis in die.

Ad Rachit.

257. CANCER Astacus et Pagurus. E. Cancris Oculi, vel Chelae. L. Brit. Lapill, et Chelae. Pulv.

a. Chelae Cancror. praeparat. L. dr. 1.-1.

b. Pulvis e Chel. Cancr. compos. L. scr. 1.-2. Ad Diarrhoeam, &c.

58. Isis nobilis. E.

Corallium. L.

a. Corallium rubrum praepar. L.

259. OSTREA edulis. E.

Ostreæ Testeae. L.

Brit. Testae Pulv.

a. Testae Ostr. praepar. L.

260. Spongia dista. E. Spongia. L. a. Spongia usta. L. ser. 1.—2. Ad Scroful.

## 2. Vegetabilia.

237. \* CARBONAS POTASSAE impurus.

a. Aqua Potassae.

b. Potassa. E. Externe.

Kali purum. L.

Alkali vegetabile caust. D.

c. Potassa cum Calce. E.

Calx cum Kali puro. L.

Causticum mitius. D.

d. Carbonas Potassae. E. gr. 10.

Kali praeparatum. L.

Alkali vegetabile mite.

e. Carbonas Potass. puriss. E. gr. 10.

f. Aqua Carbonat. Potass. gt. 30.

Lixivium mite. D.

g. Aqua super-carbonat. Potass. E. unc. 4. 89 saep. in die.

Liquor Alkal. veget. mitiss. D.

Ad Cardialg. Calculum, &c.

It is rather surprising that this should have been named Carbonas. It is in fact a mixture of Carbonat of Potash with pure Potash, as is evident from treating it with Alcohol, which dissolves the Potash, but is incapable of dissolving the Carbonat.

3. Fossilia.

10. SULPHAS CUPRI. Externe ad Ulcera, &c.

11. SULPHURETUM ANTIMONII.

k. Murias Antimonii. E.

Antimonium muriatum. L.

Stibium Muriatum. D.

Externe pro Escharotico.

25. SULPHUR sublimatum.

a. Sulphuretum Potassae. E.

Kali sulphuratum. L.

Alkali vegetabile sulphurat. D.

Ad Venena metallica.

b. Hydrosulphuretum Ammoniae. E. gtt. 5.-10. Ad Diabeten.

- 61. NITRAS POTASSAE.

  Acidum nitrosum.
- 72. SAPO Hispanus.
  Pilul.
  Ad Calculum.
- 89. MURIAS SODAE.

  Acidum Muriaticum.

  Ad Calculum.
- 90. SULPHAS MAGNESIAE.

a. Carbonas Magnesiae. dr. 1/2.

Magnesia Alba. L. D.

b. Magnesia. E. ser. 1.—dr. 1. Magnesia Usta. L. D.

- c. Trechisci Magnesiae. L. ad libit. Ad Cardialgiam.
- 144. ACIDUM SULPHURICUM.
  Acidum sulphuric. dilutum.
- 159. SUPERSULPHAS ALUMINAE et POTASSAE.
  Sulphas Aluminae exsiccatus.

  Externe ad Ulcera.
- 175. ARGENTUM.
  Nitras Argenti.
  Externe pro Escharotico.
- 176. OXIDUM ARSENICI.
  Pulv. Externe ad Carcinom.
- Aqua Calcis. E. L. D. Ad Dyspeps.
- 261. Bolus Gallicus. L. Pulv. Ad Diarrhoeam, &c.
- 262. CARBONAS CALCIS. E. Creta. L. D.
  - a. Carbonas Calcispraeparat. E. gr. 15.-dr. 1. Creta pracparata. L. D.

b. Pulv. Carbonat. Calc. com. E. gr. 15.-30. Cretae composit. L.

- c. Trochise. Carbonat. Cretae. E. ad libit. Cretae. L.
- d. Potio Carbonat. Calcis. unc. 2.—3.

  Mistura Cretacea. L

e. Aqua Aeris fixi. D. lib. 1.—1 in die.

Ad Cardialgiam. Calculum.

263. CARBONAS SODAE impurus. E.

Natron. L.

Alkali fossile mite. D.

a. Carbonas Sodae. E.

Natron praeparatum. L. } gr. 10.—30.

b. Aqua super-carbonatis Sodae. E lib. \(\frac{1}{2}\).—1.
in die.

Ad Calculum, &c.

### Formulae.

150. R. Magnesiae. gr. 10.

Pulv. Rad. Rhei palm. gr. 8.

Amom. Zingib. gr. 3, M. f. Pulv.

Signr. One to be taken twice a day, or before every meal.

Pulv. Laur. Cinnam. gr. 3.
Sacch. purific. gr. 10. M. f. Pulvis.
Signr. One to be taken occasionally.

152. R. Magnesiae. dr. 1.

Aq. Destillat. unc.  $5\frac{1}{2}$ .

Sp. Laur. Cinnam. dr. 3.

Aq. Ammoniae. dr. 1. M.

Signr. Two or three table spoonsfull to be taken occasionally, or after every meal if the heart-burn is very troublesome.

In Pregnancy, &c.

153. R. Carbonat. Sodae exsiccat. et trit.
Sapon. Hispan. aa dr. 1.
Electuar. Aromatic. q. s. f. Massa in Pil. 30
dividend.

Signr. Three or four to be taken three times a day.

Ad Calculum.

### CLASS XVIII. MISCELLANEA.

1. Animalia.

264. Coccus Cacti. E. Coccinella. L. Mexico.

2. Vegetabilia.

265. CARBO LIGNI. E.

266. \* ANCHUSA tinctoria. E. Anchusa. D. Eur. merid. Radix.

267. BOLETUS igniarius. E.

Agaricus.

Brit.

Ad Vulnera.

268. DELPHINIUM Staphisagria. Staphisagria. L. D.

\* This and 269 might have been placed among the astringents, but as they are employed merely to give a red colour to an unguent and a tincture, it was thought best to place them here.

† This is properly an astringent.

Eur. mer. Semen. Pulv. Externe ad Pediculos. &c.

- 269. PTEROCARPUS Santolinum. E. Santolinum rubrum. L. D. India. Lignum.
- 270. SOLIDAGO Verga Aurea.

  Virga Aurea. D.

  Brit. Flor. Folia.

### 3. Fossilia.

- 271. CARBONAS ZINCI impurus. E.

  Lapis Calaminaris. L. D.

  Brit. &c. Unguent. &c. Collyr.

  Ceratum Carbonat. Zinci impur. E.

  Lapidis Calaminaris. L. D.
- 272. OXIDUM PLUMBI album. E.

  Cerussa. L. D.

  Brit. Unguent. &c.

  Unguentum Oxidi Plumbi albi. E.
- 273. OXIDUM PLUMBI rubrum. E. Minium. L. D.
- 274. OXIDUM PLUMBI semivitreum. E.

  Lithargyrus.

  Emplastrum Oxidi Plumbi semivitrei. E.

  Lithargyri. L. D.
- 275. OXIDUM ZINCI impurum. E. Tutia. L. D. Brit. &c. Unguent et Collyr.

Oxidum Zinci impur., praeparat. E. Tutia praeparata. L. D. Unguentum Oxidi Zinci impuri. E. Tutiae. L. D.

# Miscellanea Praeparata.

Aqua Destillata. E.
Syrupus simplex. E.
Unguentum Sambuci. L. D.
Unguentum Sulphuris. L.
Ad Psoram.
Unguentum Oxidi Zinci. E.

## Formulae Miscellaneae.

154. Enema Nutriens.

R. Decoct. Carn. Bubul. fort. unc. 8. Amyli. unc. ½. M. f. Enema.

Signr. To be given every three or four hours.
Huic si citius rejiciatur. adde
Tinct. Opii dr. 1.
In Dysphagia.

155. R. Carbon. ligni. scr. 1.

Acid. Citric. crystall. gr. 5. M. f. Pulv.

Signr. One to be taken twice or thrice a day.

To obviate foetid stools in Dysentery, &c.

156. Pulvis Dentifricus. R. Pulv. Rad. Irid. florent. Carbon. ligni. aa dr. 3. Myrrh. Corall. rubr. praep. aa dr. 1. M. f. Pulv.

157. R. Sulphat. Zinci.

Sacch. alb. crystall. aa dr. 1. Simul in Pulv. crassiuscul. tere.

Signr. A little to be applied to the Cornea by means of a hair pencil twice or thrice a day. In Calig. Corneae.

158. Unguent. Antipsoricum.

R. Sulphur. sublimat. lib. 1.

Sulphuret. Hydrarg. rubr. in Pulv. subtiliss. trit. unc. 4.

Adip. Suill.

Sapon. moll. aa lib. 1. Ol. Lavend. spic. dr. 2.

Adipi et Saponi simul liquefactis adde Sulphurum et Sulphuretum bene commista et agita donec frigescant; sub finem addendo Oleum.—unc. 4. pro Adulto.

Signr: The whole body to be anointed well with the whole of the Ointment before a fire.

159. Alterum.

R. Axung. Porcin. unc. 3.

Calc. Hydrarg. alb. dr. 1.

Muriat Hydrarg. corros. gr. 10. Simul optime tere in Ungt.

Signr. A tenth part of this Ointment to be rubbed on the parts affected every night.

COS - COS COMPLETE PLANT - Committee of the second

# APPENDIX,

Containing some Articles which have not been received by either of the Colleges.

## EXPECTORANTIA.

GAS Oxygenium.

Aer vitalis. lib. 2.—4. in die cum lb. 20.—40.

Aeris Atmosphaerici.

Asthma.

GAS Hydrogenium.

Aer inflammabilis.

Ut supra.

### DIAPHORETICA.

ASTRAGALUS exscapus.

Eur. merid. Radix. Decoct.
In Syphilid.

CLEMATIS erecta.

Flammula Jovis.

Eur. mer. Folia. Flores. Decoct.

## DIURETICA.

ALLIUM Porrum.

Cult. Radix. Decoct. ad libit.

Ad Hydropem.

ANTIRRHINUM Linaria.

Linaria.

Brit. Flores. Decoct. Infus.

Ad Hydropem.

Asparagus officinalis.

Brit. Cult. Turiones. Radix. Decoct.

Hydrop.

CICHOREUM Intybus.
Brit. Radix. Decoct.

ERYSIMUM officinale.
Brit. Herba. Decoct.

Ononis spinosa.
Brit. Rad. Decoct.

THYMUS vulgaris.
Cult. Summit. florent. Infus.

THYMUS Serpyllum.

Serpyllum.

Brit. Herba. Infus.

## CATHARTICA.

CONVOLVULUS Americanus.
America. Radix.

RHEUM undulatum.
Siberia. Rad. Pulv. &c.
Ut RHEUM palmatum.

Sambucus Ebulus.

Ebulus.

Brit. Cortex intern. Decoct.

Ad Hydropem.

### ERRHINA.

ACHILLEA Ptarmica.

Ptarmica.

Brit. Rad. Herba. Pulv.

## EMOLLIENTIA.

1. Animalia.

HELIX Pomatia.

Decoct.

Ad Phthisin, &c.

2. Vegetabilia.

CANNABIS sativa. Cult. Semen. Infus.

Cucumis Melo.

Melo.

Cult. Semen. Infus.

CUCURBITA Pepo.

Pepo.

Cult. Semen. Infus.

Cycas Circinalis.

Sago.

Europ. merid. Medulla. Decoct.

IATROPHA Ianipta.

Cassada. Tapioca.

America. Radix. Decoct.

LICHEN Islandicus.
Islandia. Decoct.
In Phthis. &c.

MARANTA Arundinacea.
America. Ind. Occ. Rad. Pulv.

ORCHIS mascula, &c. Brit. Rad. Decoet.

ORYZA sativa.
India. Cult. Semen. Decoct.
Ad Diarrhoeam, &c.

TRIFOLIUM Melilotus officinalis. Eur. merid. Herba. Unguent.

### REFRIGERANTIA.

Rubus Arcticus. Eur. Septent. Bacca.

VACCINIUM Oxycoccos. Brit. Bacca.

VACCINIUM Vitis Idaea. Brit. Bacca.

## ASTRINGENTIA.

Lycoperdon Bovista.
Brit.
Ad Haemorrhag. externe.

PLANTAGO media. Brit. Herba.

SEMPERVIVUM tectorum. Brit. Folia.

RESINA flava Novi Belgii.

Acoroides resinifera.

Nova Belgia. Resina. Pulv. &c. gr. 15.—30.

Ad Diarrh, Dysenter. protract, &c.

H 2

### TONICA.

DICTAMNUS albus. Europ. mer. Radix. Pulv.

GENTIANA Pannonica.
Europ. mer. Rad.
Pro GENTIANA lutea.

GEUM rivale.
Radix. Pulv.
Ad Febres intermitt.

GEUM urbanum.

Caryophyllata.

Brit. Rad. Pulv. scr. 2.—dr. 1.

Ad Intermitt. pro CINCHONA.

ILEX aquifolium.

Brit. Folia. Pulv.

Ad Podagram.

LYTHRUM Salicaria. Brit. Herba.

RUMEX aquaticus.
Brit. Radix.

SALIX alba. &c.
Pro SALICE fragili. quod vid.

Teucrium Chamaedrys.

Herba.

Ad Amenorrh.

# STIMULANTIA.

1. Animalia.

MELOE Proscarabaeus.

Brit. Pulv.

Pro LYTTA vesicatoria.

2. Vegetabilia.

Anemone nemorosa.

Pulsatilla nigricans.

Brit. Herba recens. Externe.

Euphor ii Gumm.
Succ. spissat. Externe.

MENTHA crispa.
Brit. Herba.
Pro MENTHA viridi

MENTHA aquatica. Ut supra.

ORIGANUM Dictamnus.

Dictamnus Creticus.

Candia, &c. Herba.

ELECTRISATIO et GALVANISATIO.

### NARCOTICA.

PRUNUS Lauro-cerasus.

Lauro-cerasus.

Europ. merid. Folia &c. Aqua distillata.

STRYCHNOS Nux vomica.

Nux vomica. India. Nucleus. Pulv. Ad Maniam, &c.

# MISCELLANEA.

HIRUDO medicinalis.
Brit.
Pro venaesectione.

SEPIA Octopoda.
Pulv. Dentifric.

TABLE OF SECONDARY SALTS.

Salt.	Solubility.	Base.	Acid.	Water.
1. Supersulphat of Alumina and Potass.	At.60°.15. 212, 52.	Cryst. 12. Bt. 63, 75.	17. 66. 96. 25.	70. 34.
2. SULPHAT OF MAGNESIA.	1. 3/4.	17.	29. 35.	53. 65.
3. SULPHAT OF POTASS.	16. 4. 5.	54. 8.	45. 2.	0.
4. SULPHAT OF SODA.	2. 6. 0. 8 Efflor.	Cr. 18.48. Dry. 44.	23.52. 56.	58. 0.
5. SULPHAT OF COPPER.	4. 2.	32.	33.	35.
6. SULPHAT OF IRON.	2. 3/4.	28.	26.	46.
7. SULPHAT OF ZINC.	2.5.	20.	40.	40.
8.Sub-Sulphat of Mercury.	2000.	87.	10.	3.
9. NITRAT OF POTASS.	7. 1.	51.8	44.	4.2.
10. NITRAT OF SILVER.	1.			
II. MURIAT OF BARYTA:	5.	Cr. 64. Dry, 73.2.	20. 26.8.	16. 0.

## DECOMPOSITION.

Single	Affin	ity.
0	w	~

Double Affinity.

a. Baryta. b. Potass. c. Soda. d. Lime. e. Magnesia. f. Ammonia. g. Tannin. b. Gallic Acid. i. Oxalic Acid. k. Tartaric Acid.	9, 10, 11, 12, 14, 15, 22, 23, 24, 25, 26, 27, 28, 34, 37.
a, b, c, d, f,	10, 11, 12, 17, 18, 22, 23, 25, 26, 27, 28, 32, 34, 37 39.
~	10, 11, 12, 14, 15, 17, 21, 22, 32, 34, 39.
a, b.	9, 10, 11, 12, 17, 32, 34, 39.
a, b, c, d, e, f, k, l, Muriatic Acid. m, Zinc. n, Iron o, Tin.	, 9, 10, 11, 12, 14, 15, 17, 21, 25, 26, 27, 32, 34, 37.
a, b, c, d, e, f.	0, 11, 12, 17, 32, 34, 37,
a, b, c, d, e, f.	10, 11, 34.
a, p. Sulphuric Acid. q. Caloric.	1, 2, 4, 11, 12.
	1, 2, 3, 4, 5, 6, 7, 11, 12, 14, 15, 17, 18, 19, 21, 22, 23, 24, 25, 26, 27, 28, 29, 37.
p.	1, 2, 3, 4, 5, 6, 7, 9, 10, 21, 25, 26, 27, 28, 37.

Salt.	Solubility.	Base.	Acid.	Water.
12. MURIAT OF LIME.	Deliquesc.	Cr. 44. Dr. 50.	31. 42.	25. 8.
13. Hyper-Oxy- Muriat of Po- tass.				
14. MURIAT OF SODA.	2. 8.	53.	38.88.	8.12.
15. Muriat of Ammonia.	3.	25.	42.75.	32.25.
16. MILD MURIAT OF MERCURY.	0.	88. 5.	11. 5.	0.
17. Corros. Mur- iat of Mercury.		82.	18.	0.
18. RED MURIAT OF IRON.	Deliquesc.			
19. MURIAT OF ANTIMONY.	0.			
20. PHOSPHAT OF LIME.	0.			
21. PHOSPHAT OF SODA.	4. 2.	19.	15.	66.
22. CARBONAT OF BARYTA.	0.	22.	78.	0.
23. CARBONAT OF LIME.	.0.	55.	45.	0.

## DECOMPOSITION.

Single Affinity.	Double Affinity.
, b, e, p, u, Nitric Acid. , Boracic Acid.	1, 2, 3, 4, 5, 6, 7, 9, 10, 21, 28.
τ, b, p, u.	1, 3, 5, 10, 32, 34.
z, b, c, d, p, u.	1, 3, 5, 10, 22, 25, 26, 27, 31, 37, 39.
z, b, c, d, e, f, s.	2, 3, 4, 5, 6, 22, 23, 24, 25, 26, 27, 28.
a, b, c, d, f, e, i, k, p.	
a, b, c, p, u, l.	3, 5, 10, 11, 12.
p.	1, 2, 3, 4, 10, 15, 17, 38.
w, Citric Acid, v. x. Acetic Aci	d 1, 2, 10, 17, 38.

Salt.	Solubility.	Base.	Acid.	Water.
24. CARBONAT OF MAGNESIA.	0.	45.	34.	21.
25. CARBONAT OF POTASS.		40.	43.	17.
26. SUBCARBONA: OF POTASS.	Deliquesc.			
27. CARBONAT OF SODA.				
28. CARBONAT C AMMONIA.	2.			
29. CARBONAT O IRON.	0.			
30. CARBONAT OF ZINC.	0.			
31. ACETAT OF POTASS.	Deliquesc.			
32. ACETAT OF MERCURY.				
83. ACETAT OF IRON.				
34. ACETAT OF LEAD.				
35. ACETAT OF ZINC.				
36. SUB-ACETAT				


## DECOMPOSITION.

Single Affinity.	Double Affinity.
, b, c, d, i, p, u, l, k, w, v, x.	1, 10, 17, 29, 38.
, $d$ , $i$ , $p$ , $u$ , $l$ , $k$ , $w$ , $v$ , $x$ .	1, 2, 4, 5, 6, 7, 10, 11, 15, 17, 38.
, $d$ , $i$ , $b$ , $u$ , $l$ , $k$ , $w$ , $v$ , $x$ .	1, 2, 5, 6, 7, 10, 11, 15, 17, 38.
b, d, i, p, u, l, k, w, v, x.	1, 2, 5, 6, 7, 10, 11, 14, 16, 38.
, b, c, d, i, p, u, l, k, $w$ , $v$ , $x$ .	1, 2, 10, 11, 12, 15, 38.
p, u, l, k, w, v, x.	38.
p, l, u, k, r, w, x, v.	
, u, l, r, i, k, v, w.	15, 40.
b, c, d, f, e, b, l, i, r, p, k, w, u.	2, 3, 4, 5, 6, 14.
b, c, d, f, e, b, i, k, p, l, u, r, w.	
b, c, d, f, e, o, b, p, i, k, v, l, u,	1, 2, 3, 4, 5, 6, 14.

Salt.	Solu bility.	Base.	Acid.	Water.
37. SUBBORAT OF SODA.	18. 6.	17,	39.	44.
98.Supertartrat of Potass.	60.	33.	67.	
39. TARTRAT OF POTASS.	4. Deliq.			2.4
40. TARTRAT OF POTASS AND SO-DA.	h h	Tart. Pot. 54.	Tart. Sod. 46.	
41. TARTRAT OF ANTIMONY AND POTASS.	1 <i>5</i> . 3.	Ox.Ant.38. Pot. 16.	34.	12.
42. TARTRAT OF IRON AND PO-	the state of the s			
43. ARSENIAT OF			100	

## DECOMPOSITION.

Single Affinity.	Double Affinity.
d, a, e, b, p, u, l, r, i, k, zv, x,	1, 2, 5, 6, 10, 11, 15.
d, a, e, b; c, f,	22, 23, 24, 25, 26, 27, 28, 29.
Acids. d, a, e.	2, 3, 4, 15.
a, d, p, l, u.	
c, d, f, b, p, l, u.	27, 28.
Ь,	



## INDEX I.

# TABLE OF NAMES CHANGED IN THE LAST EDITION OF THE EDINBURGH PHARMACOPOEIA.

#### NEW NAMES. NAMES CHANGED. ARTEMISIA absinthium ABSINTHIUM. Acetosa. Rumex acetosa. Acetum vini. Acidum acetosum. Acidum vitriolicum. Acidum sulphuricum. - vitrioli aromaticum. - aromaticum. Erugo. Sub-Acetis cupri. Æther vitriolicus. Aether sulphuricus. Sulphuretum hydrargyri ni-Æthiops mineralis. grum. Boletus igniarius. Agaricus. Alkali causticum. Potassa. -----fixum fossile. Carbonas sodae. vegetabile. ---- potassae impurus. - volatile. ammoniae. Alumen. Sulphas aluminae. ustum. exsiccatus

L

Ammonia muriata.	Murias ammoniae.
praeparata.	Carbonas ammoniae.
Amygdala dulcis.	Amygdalus communis.
Angelica sativa.	Angelica Archangelica.
Anisum.	Pimpinella anisum.
Antimonium.	Sulphuretum antimonii.
calcareo-phosphora-	Oxidum antimonii cum phosphate
tum.	calcis.
muriatum.	Murias antimonii.
tartarisatum.	Tartris antimonii.
Aqua ammoniæ.	Aqua carbonatis ammoniae.
acetatae.	acetitis ammoniae.
	ammoniae.
cupri vitriolati composita, vel	Solutio sulphatis cupri composita.
aqua styptica.	
lixivia caustica.	Aqua potassae.
- zinci vitriolati.	Solutio sulphatis zinci.
Arabicum gummi.	Gummi mimosae niloticae.
Argentum nitratum.	Nitras argenti.
vivum.	Hydrargyrus.
Arsenicum.	Oxidum arsenici.
Asa foetida.	Gummi-resina ferulae assae foe-
	tidae.
Aurantium Hispalense.	Citrus aurantium.
Axungia Porcina.	Adeps suis scrofae.
The Transfer of the Parket	
Balsamum Canadense.	Resina liquida pini balsameae.
Copaibæ.	copaiferae officinalis.
Gileadense.	amyridis Gileadensis.
Peruvianum.	Balsamum myroxyli p ruiferi.
Tolutanum.	toluiferae balsami.
traumaticum.	Tinctura benzoin composita.
Bardana.	Arctium lappa.

NEW NAMES.

Barilla.

Barytes.

Belladonna.

Benzoinum.

Bistorta.

Borax. -

Butyrum antimonii.

Cajeputa.

Calamus aromaticus.

Calomelas.

Calx viva.

Cancrorum lapilli.

Cantharis.

Cardamomum minus.

Carduus benedictus.

Carica.

Carvi.

Caryophylla aromatica.

- rubra.

Cascarilla.

Cassia fistularis.

---- lignea.

Catechu.

Causticum commune acerrimum.

- lunare.

Centaurium minus.

Cerussa.

\_\_\_\_ acetata.

Chamaemelum.

- Cicuta.

Carbonas sodae impurus.

\_\_\_\_barytae

Atropa belladonna.

Balsamum styracis benzoin.

Polygonum bistorta.

Boras sodae.

Murias antimonii.

Melaleuca leucadendron.

Acorus calamus.

Sub-Murias hydrargyri.

Calx.

Carbonas calcis durior.

Meloë vesicatorius.

Amomum repens.

Centaurea benedicta.

Fructus fici caricae.

Carum carvi.

Caryophyllus aromaticus.

Dianthus caryophyllus.

Croton eleutheria.

Cassia fistula.

Laurus cassia.

Extractum mimosae catechu.

Potassa.

cum calce.

Nitras argenti.

Chironia centaurium.

Oxidum plumbi album.

Acetis plumbi.

Anthemis nobilis.

Conium maculatum.

#### NAMES CHANCED

- stomachicum.

Emplastrum adhaesioum.

- gentianae composita.

Emplastrum resinosum.

William Ciliam Eds	ALM ILITABLE DE
Cinnabaris factitia.	Sulphuretum hydrargyri ru-
A STATE OF THE STA	brum.
Ginara bortensis.	Cinara scolymus.
Cineres clavellati.	Carbonas potassae impurus.
Cinnamomum.	Laurus cinnamomum.
* Coccinella.	Coccus cacti.
* Colocynthis.	Cucumis colocynthis.
* Confectio Japonica.	Electuarium mimosae catechu.
Contrajerwa.	Dorstenia contrajerva.
Cortex Peruvianus.	Cortex cinchonae officinalis.
Creta alba.	Carbonas calcis mollior.
Grocus antimonii. ?	Oxidum antimonii cum subphure
metallorum. S	per nitratem potassae.
Crystalli tartari.	Super-Tartris potassae.
Gucumis agrestis.	Fructus recens momordicae ela-
	terii.
Cuprum ammoniacum.	- Ammoniaretum cupri.
vitriolatum.	"Sulphas cupri.
Cynosbatos.	Fructus recens rosae caninae.
Daucus silvestris.	Daucus carota.
Decoctum chamaemeli vel commune.	· Decoctum anthemidis nobilis.
- lignorum.	guaiaci compositum.
Dens leonis.	Leontodon taraxacum.
Elaterium.	- Succus spissatus momordicae ela-
	terii.
Electuarium lenitivum.	Electuarium cassiae sennae.
Elixir paregoricum.	Tinctura opii ammoniata.
sacrum.	
Elizir salutis.	Tinctura sennae composita.

Emplastrum cereum.	Emplastrum simplex.
litbargyri vel com-	oxidi plumbi semi-
mune.	vitrei.
lithargyri compositum	oxidi ferri rubri.
vel roborans.	
vesicatorium.	Emplastrum meloës vesicatorii.
Emulsio communis.	Emulsio amygdalæ communis.
	The second second second second
Ferrum ammoniatum.	Murias ammoniae et ferri.
Ferri rubigo.	Carbonas ferri.
- squamae purificatae.	Oxidum ferri nigrum purifica-
The state of the s	tum.
praeparatae.	- praepara
	tum.
Ferrum vitriolatum.	Sulphas ferri.
ustum.	Oxidum ferri rubrum.
Filix mas.	Polypodium filix mas.
Flores martiales.	Murias ammoniae et ferri.
Flores sulphuris.	Sulphur sublimatum.
Flores zinci.	Oxidum zinci.
Foeniculum dulce.	Anethum foeniculum.
Galbanum.	Gummi-resina bubonis galbani.
Genista.	Spartium scoparium.
Granata malus.	Punica granatum.
Gummi arabicum.	Gummi mimosae niloticae.
Helleborus albus.	Veratrum album.
Hepar sulphuris.	Sulphuretum potassae.
Hippocastanum.	Æsculus hipocastanum.
Hydrargyrus acetatus.	Acetis hydrargyri.
- muriatus corrosivus.	Murias hydrargyri.
mariana corrottous.	Traditio try draigyth.

#### NAMES CHANGED. NEW NAMES Hydrargyrus muriatus mitis. Sub-Murias hydraryyri, five calomelas. - hydrargyri praeci---- pracipitatus. pitatus. Oxidum hydrargyri rubrum per - nitratus ruber. acidum nitricum. --- praecipitatus cinereus. Oxidum hydrargyri cinereum. ---- sulphuratus niger. Sulphuretum hydrargyri nigrum. vitriolatus flavus. Sub-Sulphas hydrargyri flavus. Infusum amarum. Infusum gentianae compositum. rosae Gallicae. rosarum. Falapa. Convolvulus jalapa. Carbonas zinci impurus. Lapis calaminaris. Lavandula spica. Lavendula. Tinctura opii. Laudanum liquidum. Lignum Haematoxyli Campe-Lignum Campechense. chiani. Fructus citri medicae. Limon. Tinctura saponis et opii. Linimentum anodynum vel opiatum. Tinctura saponis. \_\_\_\_\_ saponaceum. Oleum ammoniatum. \_\_\_\_ volatile. Oxidum plumbi semivitreum. Lithargyrus. Acetis potassae. Lixiva acetata. Carbonas potassae purissimus. -e tartaro. Carbonas potassae. - purificata. Tartris potassae. \_\_\_\_ tartarisata. Sulphas potassae. \_\_\_ vitriolata. ---- cum sulphure. \_\_\_\_\_ sulpburea.

#### NEW NAMES.

Lixivium causticum.

Aqua potassae.

Magnesia.

Carbonas magnesiae.

Sulphas magnesiae.

Origanum majorana.

Carbonas calcis durior.

Helleborus niger.

Murias hydrargyri.

Daphne mezereum.

Hydrargyrus.

Resina pistachiae lentisci.

Oxidum hydrargyri rubrum.

Succus concretus fraxini orni.

Magnesia alba.

usta.

vitriolata.

Mojorana.

Manna.

Marmor album.

Mastiche.

Melampodium.

Mercurius.

---- praecipitatus ruber.

- sublimatus corrosivus.

Mezereum,

Minium.

Muria.

Nasturtium aquaticum.

Nitrum.

Nux moschata.

Sisymbrium nasturtium.

Oxidum plumbi rubrum,

Nitras potassae.

Murias sodae.

Nucleus fructûs myristicae moschatae.

Olea stillatitia.

Oleum succini rectificatum.

- terebintbinæ rectificatum.

Olibanum.

Oliva.

Pulma.

Petroleum Barbadense.

Petroselinum.

Pilulae cupri.

thebaice,

Olea volatilia.

Oleum succini purissimum.

- volatile pini purissimum

Gummi-resina-juniperi lyciae.

Olea Europea.

Cocos butyracea.

Bitumen petroleum.

Apium petroselinum.

Pilulae ammoniareti cupri.

opiatae.

Pimento vel piper Jamaicensis.
Piper Indicum.

Pix Burgundica.

-- liquida.

Plumbum ustum.
Potio cretacea.

Prunus Gallica.

Pulegium.

Pulvis antimonialis.

- cretaceus.

\_\_\_\_ Doveri.

Pyretbrum.

Raphanus rusticanus.

Rhabarbarum.

Resina alba.

Rosa pallida.

- rubra.

Rubigo ferri praeparata.

Sabina.

Saccbarum saturni.

Sal alkalinus fixus fossilis.

- vegetabilis.

- ammoniacus.
- catharticus amarus.
- cornu cervi.
- Glauberi,
- marinus . Hispanus.

#### NEW NAMES.

Myrtus pimenta.

Capsicum annuum.

Resina sponte concreta pini abietis.

vestris.

Oxidum plumbi semivitreum.

Potio carbonatis calcis.

Prunus domestica.

Mentha pulegium.

Oxidum antimonii cum phosphate calcis.

Pulvis carbonatis calcis compositus.

——— ipecacuanhae et opii. Anthemis pyrethrum.

Cochlearia armoracia.

Rheum palmatum.

Resina pini.

Rosa centifolia.

— Gallica.

Carbonas ferri praeparatus.

Juniperus sabina.

Acetis plumbi.

Carbonas sodae.

potassae.

Murias ammoniae.

Sulphas magnesiae.

Carbonas ammoniae.

Sulphas sodae.

Murias sodae.


Sal polycbrestus.	Sulphas potassae cum sulphure.	
- Rupellensis.	Tartris potassae et sodae.	
- succini.	Acidum succinicum.	
— tartari.	Carbonas potassae purissimus.	
Sanguis draconis.	Resina pterocarpi draconis.	
Santalum rubrum.	Pterocarpus santalinus.	
Santonicum.	Artemisia santonicum.	
Sarsaparilla.	Smilax sarsaparilla,	
Sassafras.	Laurus sassafras.	
Scammonium.	Gummi-resina convolvuli scam-	
	moniae.	
Seneka.	Polygala senega.	
Senna.	Cassia senna.	
Serpentaria Virginiana.	Aristolochia serpentaria.	
Simarouba.	Quassia simaruba.	
Sinapi album.	Sinapis alba.	
Soda.	Carbonas sodae.	
muriata.	Murias sodae.	
phosphorata.	Phosphas sodae.	
tartarisata.	Tartris potassae et sodae.	
vitriolata.	Sulphas sodae.	
Spiritus aetheris vitriolici.	Æther sulphuricus cum alco	
	hole.	
ammoniae.	Alcohol ammoniatum.	
cornu cervi.	Aqua carbonatis ammoniae.	
- Mindereri.	- acetis ammoniae.	
salis ammoniaci.	carbonatis ammoniae.	
vinosus rectificatus.	Alcohol.	
tenuior.	——— dilutum.	
- campboratus.	Tinctura camphorae.	
Staphisagria.	Delphinium staphisagria.	
Stramonium.	Datura stramonium.	

NEW NAMES.

## NAMES CHANGED.

Sulphur antimonii praecipitatum.	Sulphuretum antimonii praecipi
Syrupus balfamicus vel Tolutanus.	Syrupus toluiferae balsami.
papaveris albi.	papaveris somniferi.
Taraxacum.	Leontodon taraxacum.
Tartarus crudus.	Super-Tartris potassae impurus.
Tartari crystalli.	potassae.
Tartarus emeticus.	Tartris antimonii.
Tartarum solubile.	Tartris potassae.
vitriolatum.	Sulphas potassae.
Terebinthina Veneta.	Resina liquida pini laricis.
Terra Japonica.	Extractum mimosae catechu.
ponderosa vitriolata.	Sulphas barytae.
Tinctura aloës vitriolata.	Tinctura aloës aetherea.
aromatica.	- cinnamomi composita.
ferri.	muriatis ferri.
cantharidum.	———— meloës vesicatorii.
Japonica.	mimosae catechu.
rhei amara.	rhei et gentianae.
sacra.	Vinum aloës Socotorinae.
Tolutana.	Tinctura toluiferae balsami.
Toxicodendron.	Rhus toxicodendron.
Tragacantha.	Gummi astragali tragacanthae.
Trifolium.	Menyanthes trifoliata.
Trochisoi Arabici,	Trochisci gummosi.
Turpethum minerales	Sub-Sulphas hydrargyri flavus.
Tutia.	Oxidum zinci impurum.
Unguentum album vel cerussae.	Unguentum oxidi plumbi albi.
aeruginis.	sub-Acetis cupri.
coeruleum.	
citrinum.	nitratis hydrargy-
	ri,

Unquentum epispasticum fortius.	Unguentum pulveris meloës ve-
	sicatorii.
1 mitius.	infusi meloës vesi-
	catorii.
saturninum.	acetitis plumbi.
tutias.	exidi zinci impuri.
Uva passa.	Fructus siccatus vitis viniferi.
ursi.	Arbutus uva ursi.
Valeriana sylvestris.	Valeriana officinalis.
Vinum amarum.	Vinum gentianae compositum.
antimoniale.	tartris antimonii.
Vitriolum album.	Sulphas zinci.
coeruleum.	cupri.
viride.	ferri.
Vitrum antimonii.	Oxidum antimonii cum snlphure vitrificatum.
ceratum.	Oxidum antimonii vitrificatum cum cera.
Winteranus cortex.	Cortex Winterae aromaticae.
Zincum ustum.	Oxidum zinci.
vitriolatum.	Sulphas zinci.
Zingiber.	Amomum zingiber.



# INDEX II.

Dublin Pharmacopoeias, which are not in the former Index, with the Edinburgh names corresponding to them.

LONDON AND DUBLIN NAMES.	EDINBURGH NAMES.
ALKALI fossile mite.	Carbonas sodae.
vitriolatum.	Sulphas sodae.
vegetabile acetatum.	Acetis potassae.
causticum.	Potassa.
mite.	Carbonas potassae.
sulphuratum.	Sulphuretum potassae.
tartarisatum.	Tartris potassae.
vitriolatum.	Sulphas potassae.
volatile mite.	Carbonas Ammoniae
Aqua ammoniae purae.	Aqua ammoniae.
kali puri.	potassae.
Pulegii.	menthae pulegit.
Calx Zinci	& Oscidum Zinci.

LONDON AND DUBLIN NAMES.	EDINBURGH NAMES,
Gummi arabicum.	Gummi mimosae niloticae,
tragacanthae.	- Astragali Tragacanthae.
Hydrargyrum muriatum.	Murias lydrargyri.
Kali acetatum.	Acetis potassae.
praeparatum.	Carbonas potassae.
purum.	Potassa.
sulphuratum.	Sulphuretum potassae.
tartarisatum.	Tartris potassae.
vitriolatum.	Sulphas potassae.
Lac amygdalae.	Emulsio amygdalae communis.
Linimentum ammoniae.	Oleum ammoniatum.
Liquor aethereus nitrosus.	Spiritus aetheris nitrosi.
vitriolicus.	Aether sulphuricus cum alcohol.
alkali volatilis acetati.	Aqua acetitis ammoniae.
caustici.	ammoniae.
mitis,	carbonatis ammoniae.
Natron praeparatum.	Carbonas sodae.
tartarisatum.	Tartris sodae et potassae.
vitriolatum.	Sulphas sodae.
Spiritus alkali volatilis.	Alcohol ammoniatum.
aromati-	aromaticum.
cur.	
foetidus.	foetidum.
camphoratus.	Tinctura campborae.
Stibium nitro-calcinatum.	Oxidum antimonii cum sulpbure per
	nitratem potassae.
muriatum causticum.	Murias antimonii.
	4

EONDON AND DUBLIN NAMES.	EDINBURGH NAMES.
Sulphur stibiatum rufum.	Sulphur Antimonii praecipitatum.
Tartarum stibiatum.	Tartris antimonii.
Tinctura Cardamomi.	Tinctura amomi repentis.
catechu.	- mimosae catechu.
corticis Peruviani.	- cinchonae catechu.
jalapae.	convolvuli jalapae.
	- Rbei palmati.
sennae.	Cassiae sennae.
	aristolochiae serpenturiae.
Vinum Antimonii tartarisati  Tartari stibiati.	Vinum tartritis antimonii.
Zincum calcinatum.	Oxidum zinci.

FINIS.













