The physician's vade-mecum / [Joseph Townsend].

Contributors

Townsend, Joseph, 1739-1816.

Publication/Creation

London: H.D. Symonds, 1807.

Persistent URL


https://wellcomecollection.org/works/m95wq5fv

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.





51843 A

TOWNSEND, J.









THE

PHYSICIAN'S VADE MECUM;

BEING

A COMPENDIUM

OF

NOSOLOGY AND THERAPEUTICS,

FOR THE

USE OF STUDENTS.

BY THE REV. JOSEPH TOWNSEND,
RECTOR OF PEWSEY, WILTS.

Sublata causa tollitur effectus.

TENTH EDITION.

London:

PRINTED FOR H. D. SYMONDS, PATERNOSTER-ROW;

E. Cox, St. Thomas's-street, Borough; Murray, Fleet-street; Archer, Dublin; and Bell and Bradfute, Edinburgh.



32,0630

Printed by C. Squire, Furnival's-Inn-Court, Holborn.

PREFACE.

IN this Compendium of Nosology, I have, as far as possible, confined myself to the system and the genera of my venerable master Dr. Cullen, whose memory and justly acquired reputation will be ever dear to those who studied in his school, and were honoured with his friendship. Of all the systems which have yet appeared, his for a practitioner is undoubtedly the best: yet in some few instances I have departed from him; but it has been chiefly where he hesitates himself. My reasons for these variations, as requiring disquisitions ill suited to a Compendium, I must here omit. These will be found in my " Elements of Therapeutics."

The utility of classical distinctions is almost universally acknowledged; yet nothing is more difficult than to make such an arrangement as shall meet with universal approbation. It will, however, be acknowledged sufficient for every useful purpose, if we can with percision ascertain the name and nature of a disease, although we should not perfectly agree as to its proper place in a system of Nosology. Having once formed his diagnosis, the skilful practitioner will next proceed to investigate, where it is possible, the proximate cause of the disease; and where that is not to be discovered, he will pay particular attention both to the occasional and to the predisposing cause. In all these investigations the younger students will, I trust, receive some assistance from the Compendium now presented to the public; and with a moderate

share of penetration will be enabled, in most cases, to determine what are the most judicious indications to effect a cure.

For the Compendium of Therapeutics I have been indebted principally to Drs. Duncan, Whytte, Cullen, Elliot, Berkenhout; and for some of the most efficacious formula, I must acknowledge my obligations to the late Dr. Nankivel, and to Dr. Thornton, whose fame is too well established in our metropolis to need any eulogium from my pen.

Should this little work meet with acceptance among either the students in our hospitals, or the medical practitioners in country villages, I shall think myself well rewarded for my trouble. In addition to the hints, above conveyed, on the utility of Classical Distinctions, I have one caution more to offer, as the result of deep study, attentive observation, extensive practice, and the experience of near half a century.

Let the young practitioner, in all cases, ascertain, not merely the Class, Order, and Genus of the Disease submitted to his care, but the Species; because on this principally his Indications must be formed. For unless he can ascertain the Species, he will prescribe to the name of a disease, not to the disease itself; and should he be so fortunate as to effect a cure, he will be indebted to chance, and not to skill.

I have frequently had occasion to lament

the inattention of eminent practitioners to this caution, not merely among the poor, but in the higher walks of life. And to this inattention must be attributed their frequent failures in cases, which attentive physicians of inferior talents might have cured.

To elucidate my meaning, I shall fix on two diseases—Phthisis and Epilepsia. Of the latter, nine species may be distinguished, of the former eight; all requiring a difference of treatment. Now, even to the most ignorant on medical subjects, it must be clear, that in every disease it is of the last importance to remove the cause; and that, to accomplish this, it must first be known.

The causes of disease have very properly been distinguished into remote and proximate;

the latter often difficult to be ascertained, the former easily discerned. These being removed, health will be restored.

The remote causes are predisponent and occasional. Now, in different parts of Europe, I have frequently observed physicians unsuccessful in their practice, merely because they had overlooked the occasional Cause, or because they had paid no attention to the Species, as distinguished by our best Nosologists, Sauvage and Cullen.

It is for this reason that I have here repeated a caution, which I gave in the first
edition of my Vade Mecum, and have endeavoured to enforce in my larger work, the
"Elements of Therapeutics."

Pewsey, 1st Jan. 1807.

PART I.

COMPENDIUM

OF

NOSOLOGY.



THE

CLASSES, ORDERS, GENERA,

AND

SPECIES OF DISEASE.

CLASSES,

WITH CHARACTERISTIC SYMPTOMS.

I. PYREXIÆ - { After cold shivering, a frequency of pulse, with increase of heat, and thirst.

II. NEUROSES - Affections of sense and motion, disturbed; without either idiopathic pyrexia, or topical disease.

III. CACHEXIÆ - A depraved habit of body; without pyrexia, and independent of neurosis, as original disease.

IV. Locales - - { Morbid affections, which are partial.

ORDERS,

DISTINGUISHED BY THEIR SYMPTOMS.

CLASS I. PYREXIÆ.

ORDERS.

I. Febres - - - { Pyrexia, with loss of appetite and strength; but no primary local affection.

II. Phlegmasiæ - { Pyrexia, with topical pain and inflammation. The blood after venesection exhibits the buff coat.

III. Exanthemata { Contagious diseases, beginning with fever, and followed by an eruption on the skin.

yrexia, with a discharge IV. Hæmorrhagiæ of blood, without any external injury, the blood on venesection exhibiting the buff coat.

V. Profluvia - - { Pyrexia, with increased excretions.

CLASS II. NEUROSES.

I. Comata - - {
A diminution of the powers of voluntary motion, with sleep, or the senses impaired.

ORDERS.

II. Adynamiæ - - { A diminution of the in-voluntary motions of either vital or natural functions.

III. Spasmi - - - { A morbid contraction, or motion of muscular fibres.

IV. Vesaniæ - - { The judgment impaired, without either coma, or pyrexia.

CLASS III. CACHEXIÆ.

- I. Marcores - Universal emaciation.
- II. Intumescentiæ General swellings.
- III. Impetigines { Cachexia, deforming the external parts of the body with tumours, eruptions, &c.

CLASS IV. LOCALES.

- I. Dysathesia { The senses injured, or destroyed, by the imperfection of the organs.
- II. Dysorexia - { The appetite deficient, or depraved.

ORDERS.

III. Dyscinesiæ - { Motion impeded, or depraved, from an imperfection of the organ.

IV. Apocenoses - { A superabundant flux of blood, or humours, without pyrexia.

V. Epischeses - A suppression of excretions.

VI. Tumores -- { Partial swellings, without inflammation.

VII. Ectopiæ - - Parts displaced.

VIII. Dialyses - - A solution of continuity.

GENERA,

AND THEIR SYMPTOMS.

CLASS I. PYREXIÆ.

ORDER I. FEBRES.

Cold, hot, and sweating stages, in succession, attend each paroxism, and are followed by an intermission, or remission.

SPECIES.

- 1. quotidiana.
- 2. tertiana.
- 3. quartana.
- 2. Continua - { No intermission, yet sub-ject to exacerbations twice in one day.

- 1. Synocha. Heat increased; pulse frequent, strong, hard; urine high coloured; senses not much impaired.
- 2. Typhus. Contagious. Heat moderate; pulse quick, weak, small; urine, little changed; senses much impaired; prostration of strength.

VARIETIES.

- 1. petechialis.
- 2. mitior.
- 3. gravior,
- 4. icterodes.

GENERA.

3. Hectica - - -

Exacerbations at noon, but chiefly in the evening, with slight remissions in the morning, after nocturnal sweats; the urine depositing a furfuraceo-lateritious sediment; appetite good; thirst moderate.

This fever is symptomatic of

- 1. Chlorosis.
- 2. Schrophula.
- 3. Nephralgia.
- 4. Phthisis.
- 5. Tabes, &c.

It is occasioned frequently by worms.

CLASS I. PYREXIÆ.

ORDER II. PHLEGMASIÆ.

GENERA.

4. Phlogosis - - { Redness; heat; pain; and tumour on the surface of the body.

SPECIES.

- 1. Phlegmone. Inflammation of a bright red colour; tumour pointed, throbbing, and tending to suppuration.
- 2. Erythema. Inflammation of a dull red colour, vanishing upon pressure, spreading unequally, with a burning pain, and tumour scarcely perceptible, ending in desquamation, or vesicles of the skin.

The phlogosis often terminates in

- 1. Impostume.
- 2. Gangrene.
- 3. Sphacelus.
- 5. Ophthalmia - { Redness and pain of the eye; intolerance of light; with effusion of tears.

SPECIES.

1. Ophthalmia Membranarum. Inflammation in the coats of the eye, most commonly in the tunica conjunctiva.

SPECIES,

2. Ophthalmia Tarsi. Small ulcers in the sebaceous glands of the tarsus, discharging a glutinous matter.

GENERA.

6. Phrenitis - - - a

Strong fever; violent headach; redness of face and eyes; impatience of light; and noise; watchfulness; and furious delirium.

SYMPTOMATIC.

- 1. exanthematica.
- 2. verminosa.
- 3. aphrodisiaca.
- 4. hydrophobica.
- 5. traumatica.
- 6. a dolore.
- 7. Cynanche - { Pain and redness of the fauces; deglutition, and respiration, difficult.

- 1. Tonsillaris, affecting the mucous membrane of the fauces, but more especially the tonsils.
- 2. Maligna, deglutition less difficult; a mucous crust of a whitish or ash-co-lour covers the tonsils and mucous membrane of the fauces, which are affected with spreading ulcers. These

SPECIES.

symptoms are accompanied with typhus, and followed by exanthemata.

- 3. Trachealis. Respiration difficult; inspiration accompanied with a wheezing, and the cough occasioning a shrill ringing sound; no apparent tumour in the fauces.
- 4. Pharyngæa.
- 5. Parotidaa.

SYMPTOMATIC.

- 1. exanthematica.
- 2. arthrit.ca.
- 3. hepatica.

GENERA.

8. Pneumonia - - { Pyrexia; difficult respiration; cough; and pain in the thorax.

- 1. Peripneumonia. The pulse not always hard, but sometimes soft; an obtuse pain in the breast; the respiration always difficult; sometimes the patient cannot breathe unless in an upright posture; the face swelled, and of a livid colour; the cough for the most part moist, frequently bloody.
- 2. Pleuritis. The pulse hard; a pungent pain in one side, aggravated during

the time of inspiration; an uneasiness when lying on one side; a most painful cough, dry in the beginning of the disease, afterwards moist, and frequently bloody.

These, if not resolved, are followed by

Vomica. Hectic; difficult respiration; cough; pain when lying on the sound side.

Empyema. The above symptoms, with remission of pain, and signs of hydrothorax.

9. Carditis - - Spreading pain in the region of the heart; anxiety; difficult breathing; cough; irregular pulse; palpitation; fainting.

10. Peritonitis - - { Pyrexia; pain in the abdomen, increased when erect.

Pyrexia; anxiety; heat and pain in the epigastrium, increased when any thing is taken into the stomach; vomiting; hickup; pulse small and hard; prostration of strength.

SPICIES.

- 1. phiegmonodea.
- 2. erysipelatosa, with milder symptoms.

GFNFRA.

12. Enteritis - - { Pyrexia; fixed pain in the abdomen; costiveness; vomiting.

13. Hepatitis - - -

Pyrexia; tension and pain, more or less acute, in the right hypochondrium, usually referred to the top of the right shoulder, and extending to the clavicle, increased by lying on the left side; urine high coloured.

14. Splenitis - - - \(\)

Pyrexia; tension, heat, tumour, and pain in the left hypochondrium, increased by pressure.

15. Nephritis - -

Pyrexia; pain in the region of the kidneys, and shooting along the course of the ureter; drawing up of the testicle; numbness of the thigh; vomiting; urine high coloured; costiveness, and colic pains.

SYMPTOMATIC.

- 1. calculosa.
- 2. arthritica.
- 3. purulenta.

GENERA.

16. Cystitis -

Pyrexia; tumour and pain in the hypogastrium; frequent and painful discharge of urine; tenesmus.

17. Hysteritis

Pyrexia; heat, tension, tumour, and pain in the hypogastrium; pain in the os uteri, when touched; vomiting.

18. Rheumatismus

Pyrexia; pains in the joints, increased by the action of the muscles belonging to the joint; heat on the part. The blood after venesection exhibits an inflammatory crust.

This disease terminates in

Arthrodynia, pain in the joints without pyrexia.

19. Odontalgia - - Tooth-ach.

GENERA.

20. Podagra - - -

Pyrexia; pain in the joints, chiefly of the great toe, and especially of the hands and feet, returning at intervals: previous to the attack, the functions of the stomach are commonly disturbed.

SPECIES.

- 1. regularis.
- 2. atonica.
- 3. retrogada.
- 4. aberrans.

21. Arthropuosis

Pain of the joints, or muscles, often after contusion, deep, blunt, of long continuance; little or no tumour; no inflammation; pyrexia slight at first, at last hectic; and finally terminating in abscess.

CLASS I. PYREXIE.

ORDER III. EXANTHEMATA.

GENERA.

22. Erysipelas - -

Synocha of two or three days continuance, with drowsiness most often, sometimes with delirium; pulse commonly full and hard; then *Ervthema* in the face, with continuance of synocha; tending to either apoplexy, or to abscess.

Typhus, contagious in the

SPECIES.

- 1. versiculosum.
- 2. phlyctaenodes.

extreme; prostration of strength; buboes and carbuncles; petechiæ, hemorrhage, and colliquative di-

arrhœa.

24. Variola - - - Synocha; eruption of red omples the third day, which on the eighth contain pus, and dying, fall off in crusts.

SPECIES.

- 1. discreta.
- 2. confluens.

GENERA.

25. Varicella - -

Moderate synocha; pimples bearing some resemblance to variola, quickly
forming pustules, which
contain a fluid matter, and
after three or four days
from their first appearance
desquamate, leaving no
cicatrix.

26. Rubeola

Synocha; hoarseness; dry cough; sneezing; drowsiness; about the fourth day eruption of small red points, discernible by the touch, which, after three days, end in mealy desquamation. Blood, after venæsection, exhibits inflammatory crust.

GENERA.

27. Miliaria - -

Synochus; cold stage considerable; hot stage attended with anxiety and
frequent sighing; sweat of
a strong and peculiar smell;
eruption, preceding by a
sense of pricking, first on
the neck and breast, of
small red pimples, which
in two days become white
pustules, desquamate, and
are succeeded by fresh
pimples.

28. Scarlatina -

Contagious synocha; 4th day face swells, and a scarlet eruption appears on the skin in patches; which, after three or four days, ends in desquamation of the cuticle, or is succeeded by anasarca.

- 1. simplex without cynanche.
- 2. cynanchica.

CLASS I. PYREXIÆ.

ORDER IV. HÆMORRHAGIÆ.

GENERA.

- Bleeding at the nose, with pain, or fulness of the head.

 Coughing up of florid, or frothy blood; heat or pain in the chest; irritation in the larynx; saltish taste.

- 1. plethorica.
- 2. violenta.
- 3. phthisica.
- 4. calculosa.
- 5. vicaria.
- Emaciation; debility; cough; hectic; purulent expectoration; hæmoptysis; diarrhæa. V. Tussis. 31. Phthsis - -SPECIES.
 - 1. hæmoptoica.
 - 2. exanthematica.
 - 3. chlorotica.
 - 4. scrophulosa.
 - 5. syphilitica.
 - 6. stomachalis.
 - 7. verminosa.
 - 8. catarrhalis.

GENERA.

Flux of blood from the anus; pain there, and hæmorrhois - - morrhoids; vertigo; pain in the loins and headach.

33. Menorrhagia - { A too copious menstrual flux.

SPECIES.

- 1. rubra.
- 2. abortus.
- 3. lochialis.
- 4. vitiorum.
- 5. alba.

CLASS I. PYREXIÆ.

ORDER V. PROFLUVIA.

34. Catarrhus - -

Increased excretion of mucus from the membranes of the nose, fauces, and bronchiæ, with pyrexia, and attended by cough, thirst, lassitude, and want of appetite.

- 1. a frigore.
- 2. a contagio.

SYMPTOMATIC.

- 1. tussis exanthematica.
- 2. verminosa.
- 3. a dentitione.
- 4. arthritica.
- 5. stomachalis.

GENERA.

35. Dysenteria - -

Contagious pyrexia; frequent griping stools; tenesmus; stools chiefly mucus, sometimes mixed with blood, the natural fæces being retained or voided in a hardened state; loss of appetite and nausea, arising from spasmodic constriction of the colon retaining hardened fæces.

CLASS II. NEUROSES.

ORDER I. COMATA.

36. Apoplexia - -

Abolition, in some degree, of the powers of sense and motion, with sleep, and sometimes snoring, the respiration, and motion of the heart, remaining.

SPECIES.

- 1. sanguinea.
- 2. serosa.
- 3. hydrocephalica. In early youth, lassitude, febricula, pain in the head, then a more sluggish pulse, dilated pupils, drowsiness, and apoplexia. The sutures of the cranium open.
- 4. atrabilaria.
- 5. traumatica.
- 6. venenata.
- 7. mentalis.
- 8. cataleptica.
- 9. suffocuta.

SYMPTOMATIC.

- 1. exanthematica.
- 2. arthritica.
- 3. verminosa. Carus, cataphora, coma, and lethargus, are degrees only of apoplexy.

GENERA.

37. Paralysis --- \{ A loss of the power of voluntary motion affecting certain parts.

- 1. partialis.
- 2. hemiplegica.
- 3. paraplegica.
- 4. venenata.

SYMPTOMATIC.

- 1. exanthematica.
- 2. arthritica.
- 3. verminosa.
- 4. scrophulosa.
- 5. syphilitica.
- 6. traumatica.

CLASS II. NEUROSES.

ORDER II. ADYNAMIÆ.

GENERA.

38. Syncope - -

The respiration, and action of the heart, either cease, or become much weaker than usual, with paleness and coldness, arising from diminished energy of the brain, or from organic affections of the heart.

- 1. cardiaca, returning without a visible cause, and with violent palpitation of the heart during the intervals.
- 2. cerebralis, from passions such as horror, anger, joy, &c.; deficiency of blood, extreme pain, &c.
- 3. Pulmonea.

39. Dyspepsia - -

Want of appetite; nausea; vomiting; flatulence; heart-burn; costiveness; and pain in the stomach; with other symptoms of debility in the organ of digestion.

SYMPTOMATIC.

- 1. schirrosa.
- 2. ulcerosa.
- 3. a veneno.
- 4. verminosa.
- 5. chlorotica.
- 6. gravidarum.
- 7. arthritica.
- 8. nephritica.
- 9. aphrodisiaca.

40. Hypochondriasis

Dyspepsia; languor and want of energy; dejection of mind and apprehension of evil, more especially respecting health, without sufficient cause; with a melancholic temperament.

CLASS II. NEUROSES.

ORDER III. SPASMI.

In the Animal Functions.

GENERA.

41. Tetanus ---- { Spasmodic rigidity of almost the whole body.

VARIETIES ARE,

- 1. opisthotonos,
- 2. emprosthotonos, and
- 3. Trismus, or locked-jaw.

SYMPTOMATIC.

- 1. syphiliticus.
- 2. verminosus.
- 42. Convulsio --- { Alternate relaxations, with violent and involuntary contractions of the moving fibres, without sleep.
- 43. Chorea - { Convulsive motions of the limbs or trunk.
- 44. Raphania -

 A spasmodic contraction of the joints with convulsive motions and most violent pain: periodical.

45. Epilepsia - . - { Convulsions with sleep, and usually froth issuing from the mouth.

SPECIES.

- 1. traumatica
- 2. a dolore.
- 3. verminosa.
- 4. a veneno.
- 5. exanthematica.
- 6. a cruditate ventriculi.
- 7. ab inanitione.
- 8. uterina.
- 9. ex onanismo.

In the Vital Functions.

46. Palpitatio - -- { A palpitation of the heart, either constant or frequently returning.

- 1. Organica.
- 2. arthritica.
- 3. chlorotica.
- 4. hysterica.
- 5. melancholica.

47. Asthma - - - -

Difficult respiration returning at intervals, with a
sense of stricture across the
breast and in the lungs;
a wheezing; hard cough
at first, but more free towards the close of every
paroxism, with a discharge
of mucus, followed by a
remission.

SPECIES.

- 1. spontaneum.
- 2. exanthematicum.
- 3. plethoricum.
- 4. arthriticum.
- 5. venereum.
- 6. hystericum.
- 7. hypochondriacum.
- 8. catarrhale.
- 9. stomachicum.
- 10. a polypo cordis.

Difficult respiration, continual, and without sense of stricture. Cough frequent through the whole course of the disease.

SPECIES.

- 1. catarrhalis.
- 2. aquosa.
- 3. pinguedinosa.
- 4. aeria.

GENERA.

49. Pertussis --- {Convulsive, strangulating cough, with hooping relieved by vomiting; contagious.

In the Natural Functions.

50. Pyrosis ---- { Heartburn, with copious eructation, generally of a watery insipid fluid. { Pain in the lower belly, and twisting round the navel; vomiting; costiveness.

- 1. spasmodica.
- 2. pictonum, ending in palsy.
- 3. stercorea.
- 4. verminosa.
- 5. accidentalis.
- 6. calculosa.
- 7. callosa.

52. Cholera - - - - <

A purging and vomiting of bile; anxiety; painful gripings; spasms of the abdominal muscles, and those of the thighs.

53. Diarrhæa - - -

Frequent liquid stools with the natural excrement, but not contagious, and seldom attended with pyrexia.

SPECIES.

- 1. crapulosa.
- 2. biliosa.
- 3. mucosa.
- 4. cœliaca.
- 5. lienteria.
- 6. hepatirrhæa.
- 7. verminosa.

54. Diabetes --- \{ A superabundant discharge of urine, which is limpid, and sweetish to the taste.

SYMPTOMATIC.

- 1. hystericus.
- 2. arthriticus.

55. Hysteria - -

A grumbling noise in the belly; a ball ascending to the throat, with a sense of suffocation; stupor; insensibility and convulsions; involuntary laughing and crying; sleep interrupted by sighs; urine limpid and abundant, previous to the fit; great sensibility and irritability of mind.

SPECIES.

- 1. chlorotica.
- 2. a menorrhagia.
- 3. a leucorrhwa.
- 4. libidinosa.

56. Hydrophobia - \{ A dread of water, as inducing painful convulsions of the pharynx.

CLASS II. NEUROSES.

ORDER IV. VESANIÆ.

GENERA.

57. Amentia - .

Imbecility of intellect, by which the relations of things are either not perceived, or not recollected.

Erroneous judgment, but not merely respecting health, from imaginary perceptions, or recollections, influencing the conduct, and depressing the mind with ill-grounded fears; not combined with either pyrexia or comatose affections; often appearing without dyspepsia, yet attended with costiveness, chiefly in persons of rigid fibres and torpid sensibility.

58. Melancholia - -

recollections, attended with agreeable emotions in per-

sons of a sanguine temperament. Vide Cullen's

Erroneous judgment from

imaginary perceptions, or

Practice, §. 1581.

59. Insania

60. Mania - - - -

A conception of false relations, and an erroneous judgment, arising from imaginary perceptions or recollections, exciting the passions, and producing unreasonable actions or emotion, with a hurry of mind in pursuing a train of thought, and in running from one train of thought to another, attended with incoherent and absurd speech, called raving, and violent impatience of either contradiction, or restraint

SPECIES.

- 1. melancholica.
- 2. phrenitoides.
- 3. hysterica.
- 61. Oneirodynia - { Disturbed imagination during sleep.

- 1. gravans. The incubus or night-mare.

 Ephialtes of Sauvage.
 - a. plethorica.
 - b. stomachica.
 - c. verminosa.

- d. tertianaria.
- e. hypochondriaca.
- f. ex hydrocephalo.
- 2. activa. Somnambulismus of Sauvage.

CLASS III. CACHEXIÆ.

ORDER I. MARCORES.

GENERA.

62. Tabes - - - { Emaciation; weakness; hectic.

- 1. famelicarum.
- 2. dyspeptica.
- 3. hypochondriaca.
- 4. purulenta.
- 5. scrophulosa.
- 6. venenata.
- 7. inanitorum.
- 8. senilis.
- 63. Atrophia - { Emaciation; weakness, but without hectic.
 - 1. inanitorum.
 - 2. famelicorum.
 - 3. cacochymica.
 - 4. debilium.
 - 5. senilis.

CLASS III. CACHEXIÆ.

ORDER II. INTUMESCENTIÆ.

Adipose.

GENERA.

64. Polysarcia - - Troublesome obesity.

Flatulent.

65. Pneumatosis - { Air collected in the cellular texture under the skin, rendering it tense, elastic, and crepitating.

SPECIES.

- 1. spontanea.
- 2. traumatica.
- 3. venenata.
- 4. hysterica.

66. Tympanites - - Elastic distention of the abdomen, not readily yielding to pressure, and sounding like a drum, with costiveness and atrophy; but no fluctuation.

- 1. intestinalis, with discharge of wind giving relief.
- 2. abdominalis, without such relief.

67. Physometra - - \{ \begin{array}{ll} A permanent elastic swelling in the hypogastrium from flatulent distention of the womb. \end{array}

Aqueous.

68. Anasarca --- Swelling on the surface of the body; not elastic; pitting by the pressure of the finger; and rising slowly to its former fulness.

SPECIES.

- 1. serosa.
- 2. exanthematica.
- 3. a compressione.
- 4. debilium.
- 69. Hydrocephalus { External swelling of the head, soft, not elastic.

The internal hydrocephalus has been described already as the third species of Apoplexia.

70. Hydrorachitis { Tumor in new-born infants on the lumbar vertebræ, soft, and small.

Dyspnoea; paleness of face; ædematous swelling of the feet; scarcity of urine; impatience of an horizontal position, with sudden starting from sleep, and palpitation; fluctuation of water in the chest.

Swelling of the abdomen, tense, and scarcely elastic; with fluctuation.

1. abdominalis.

2. saccatus.

73. Hydrometra -- \{ \text{A swelling in the hypogas-trium of females not pregnant; with fluctuation; no suppression of urine.} \} \{ \text{A soft tumour of the scrotum, increasing slowly, without pain, fluctuating, generally pellucid.} \} \} \} \} \} \} \}

Of the Solids.

Tumour occupying chiefly 75. Physconia - - - increasing slowly, and neither sonorous nor fluc-

SPECIES.

- 1. hepatica.
- 2. splenica.
- 3. renalis.
- 4. uterina.
- 5. ab ovario.
- 6. mensenterica.
- 7. omentalis.
- 8. visceralis.

GENERA.

76. Rachitis -

Large head; prominent forehead; protruded sternum; flattened ribs; big belly; emaciated limbs, with great debility.

Swelled lymphatic glands;

CLASS III. CACHEXIÆ.

ORDER III. IMPETIGINES.

77. Scrophula - - - thick upper lip; obstinate ulcers; ophthalmia tarsi; indolent tumours on the joints; fair complexion;

irritable habit.

D 2

78. Syphylis

A disease arising from impure connection, and appearing generally after a local affection of the organs, occasioning chancres; buboes; ulcers in the mouth and nose; clustered pimples of a copper colour, ending in scabby ulcers, chiefly situated near the hairy scalp; blotches on the surface of the body; nocturnal pain in bones; nodes, &c.

spungy gums; livid spots on the skin; breath offensive; ædematous swellings in the legs; hæmor-

> rhages; foul ulcers; urine fœtid; stools extremely

> plexion pale and bloated;

com-

Extreme debility;

offensive.

79. Scorbutus

80. Elephantiasis -

Skin thick, rough, wrinkly, unctuous, and void of hair; face deformed, with tubera; voice hoarse and sounding through the nose; want of feeling in the extremities.—It is contagious.

81. Lepra

The skin rough and chopped, with white furfuraceous scales and crusts, under which is frequently a moisture, with itching.

82. Frambæsia

Fungi, like mulberries, growing out of the skin in various parts of the body, and discharging ichor; infectious. Called Yaws.

83. Trichoma - - -

The hair grows coarse and twisted into inextricable tangles. It is contagious. Called the *Plica Polonica*.

84. Icterus - - - - <

Yellowness of the skin and eyes; fæces white; urine of a high colour, and tinges linen yellow.

SPECIES.

- 1. calculosus, acute pain in the epigastric region, increasing after eating: gall stones pass by stool.
- 2. spasmodicus, without pain, after spasmodic diseases and passions of the mind.
- 3. mucosus, without either pain, gall-stones, or spasm, and relieved by the discharge of tough phlegm by stool.
- 4. hepaticus.
- 5. gravidarum.
- 6. infantum.

GENERA.

85. Chlorosis --- Special Dyspepsia; livid paleness; great debility; palpitation; depraved appetite, with amenorrhæa.

CLASS IV. LOCALES.

ORDER I. DYSÆSTHESIÆ.

Sight diminished, or destroyed, by the interposition of a dark body, between the object and the retina.

SPECIES.

- 1. lentis.
- 2. cornæa.
- 3. pupillæ.
- 4. humorum.
- 5. palpebrarum.

GENERA.

87. Amaurosis - - Sight diminished, or destroyed, without any visible injury of the eye: the pupil mostly dilated and immoveable.

SPECIES.

- 1. sanguinea.
- 2. serosa.
- 3. spasmodica.
- 4. organica.

88. Dysopia - - - Sight depraved, requiring one certain quantity of light, one particular distance, or one position.

- 1. tenebrarum.
- 2. luminis.
- 3. dissitorum.
- 4. proximorum.
- 5. lateralis.

89. Pseudoblepsis - Sight depraved, creating objects, or representing them different from what they are.

- 1. imaginaria.
- 2. mutans.
- 90. Dyscæa - - { Hearing diminished or de-SPECIES.
 - 1. organica, from wax in the meatus, injuries of the membrana, or inflammation and obstruction of the tuba.
 - 2. atonica, without any discernible injury of the organ.
- 91. Paracusis - Hearing depraved.

- 1. imperfecta.
- 2. imaginaria.
- 92. Anosmia - { Smell diminished, or de-
 - 1. catarrhalis.
 - 2. ab ozæna.
 - 3. a polypo.
 - 4. syphilitica.
 - 5. verminosa.
 - 6. a siccitate.
 - 7. paralytica.

- 93. Ageustia - { Taste diminished, or destroyed.
- 94. Anæthesia - { Touch diminished, or destroyed.

CLASS IV. LOCALES.

ORDER II. DYSOREXIÆ.

95. Bulimia ---- { Appetite voracious or canine.

SYMPTOMATIC.

- 1. verminosa.
- 2. a rachitide.
- 3. ab acidis.
- 96. Pica ----- {Appetite depraved, or a strong desire of unnatural food.

- 1. infantilis.
- 2. chlorotica.
- 3. gravidarum.
- 4. medicatrix.
- 97. Polydipsia - Excessive thirst.

SYMPTOMATIC.

- 1. febrilis.
- 2. hydropica.
- 3. fluxuum.
- 4. a venenis.

GENERA.

- 98. Satyriasis - { Excessive and violent desire in men.
- 99. Nymphomania. The same in women.

Impatience when absent from one's native home, and vehement longing to return, attended with gloom and melancholy, loss of appetite, and want of sleep.

101. Anorexia - - - Appetite impaired.

This is merely symptomatic.

102. Anaphrodisia Impotence. SPECIES.

- 1. paralytica.
- 2. gonorrhoica.

CLASS IV. LOCALES.

ORDER III. DYSCINESIÆ.

GENERA

103. Aphonia - . - Suppression of the voice, without either syncope, or coma.

SPECIES.

- 1. gutturalis.
- 2. trachealis.
- 3. atonica.
- 104. Mutitas - Dumbness.

 SPECIES.
 - 1. organica.
 - 2. atonica.
 - 3. surdorum.
- 105. Paraphonia Depravation of voice.
- 106 Pseliismus -- { Vitiated articulation of the voice.
- 107. Strabismus - Squinting.
- 108. Contractura { A rigid contraction of a joint.

- 1. ab inflammatione.
- 2. spasmo.
- 3. ob antagonistas paryliticos.
- 4. ab acrimonia irritante.
- 5. articularis.

CLASS IV. LOCALES.

ORDER IV. APOCENOSES.

GENERA.

109. Profusio - - - Loss of blood.

110. Ephidrosis - - { Violent and morbid sweat- ing.

SPECIES.

- 1. febrilis, critical and salutary.
- 2. febricosa, injurious.
- 3. hectica.
- 4. exanthematum.
- 5. syncoptica.
- 6. scorbutica.
- 7. a saburra.
- 8. lactea.
- 9. mellea.
- 10. vinosa.
- 11. viridis.
- 12. nigra.
- 13. lutea.
- 14. urinosa.
- 15. cruenta, &c. &c.

111. Epiphora -- Flux of tears.

- 1. apathemate.
- 2. ophthalmica.
- 3. calida.

- 4. frigida.
- 5. arthritica.
- 6. ab ectropio.
- 7. ex rhyade.
- 8. ex variolis.
- 9. ex ægylope.
- 10. ab anchylope.

112. Ptyalismus - A salivation.

- 1. nauseosus.
- 2. apyrosi.
- 3. a laxitate.
- 4. variolosus.
- 5. scorbuticus.
- 6. hypochondriacus.
- 7. arthriticus.
- 8. phthisicus.
- 9. viridis.
- 10. aphthosus.
- 11. gravidarum.
- 12. catarrhalis.
- 13. a carie.
- 14. febrilis.
- 15. syphiliticus.
- 16. mercurialis.
- 17. a calculo.

- 18. purulentus.
- 19. urinosus.
- 20. lapponicus.

113. Enuresis - - - { Involuntary discharge of urine.

SPECIES.

- 1. infantum.
- 2. paralyticorum.
- 3. herniosorum.
- 4. puerperarum.
- 5. gravidarum.
- 6. calculosa.
- 7. a fistula.
- 8. catamenialis.
- 9. asparganosi.

114. Gonorrhæa - - { A preternatural flux from the urethra in men.

- 1. pura, not arising from impure connection, and without dysuria.
- 2. impura, arising from the action of the venereal virus on the urethra, producing first an itching at its orifice; afterward a discharge like pus; ardor urinæ; often phymosis; paraphymosis; and swelled testicles.
- 3. laxorum.
- 4. dormientium.

CLASS IV. LOCALES.

ORDER V. EPISCHESES.

GENERA.

115. Obstipatio - - Costiveness.

SPECIES.

- 1. debilium.
- 2. rigidorum.
- 3. obstructorum.
- 4. paralytica.
- 116. Ischuria - Suppression of urine.

SPECIES.

- 1. renalis.
- 2. ureterica.
- 3. vesicalis.
- 4. urethralis.
- 117. Dysuria - { Difficulty, and pain, in discharging water.

- 1. ardens.
- 2. spasmodica.
- 3. compressionis.
- 4. phlogistica.
- 5. calculosa.
- 6. mucosa.
- 118. Dyspermatis
 Seminis in actu venereo tarda, impedita, et ad generationem insufficiens emissio.

119. Amenorrhea - Menses wholly or partially obstructed without pregnancy.

SPECIES.

- 1. plethorica.
- 2. spasmodica.
- 3. atonica.

CLASS IV. LOCALES.

ORDER VI. TUMORES.

- 120. Aneurisma - { A soft tumour, with pulsation, on arteries.
 121. Varix - { A soft tumour, without pulse, on veins.
- 122. Ecchymoma \begin{cases} A black and blue swelling, either from a bruise, or from a morbid extravasation of blood.
- A hard tumour of a glan-123. Schirrus --- \{ A hard tumour of a glandular part, indolent, and not readily suppurating.
- 124. Cancer - {
 A hard tumour of a glandular part, painful and obstinate, which terminates in the foulest ulcer.

125. Bubo - - - - { A suppurating tumour of conglobate glands.

126. Sarcoma - - { A soft excrescence, not painful.

127. Verruca - - - A wart.

128. Clavus - - - A corn.

129. Lupia ---- { A cyst under the skin, moveable, soft, indolent.

130. Ganglion - - - { A hard tumour, moveable, on the tendon.

131. Hydatis --- { A cuticular cyst full of an aqueous fluid.

132. Hydarthus - - { A white swelling on the joints.

133. Exostosis - - A hard tumour on the bone.

- 1. benigna.
- 2. rachitica.
- 3. cancrosa.
- 4. scrophulosa.
- 5. scorbutica.
- 6. syphilitica.

CLASS IV. LOCALES.

ORDER VII. ECTOPIÆ.

GENERA.

134. Hernia - - - { The displacing of a soft part, covered by the common teguments. A rup-

135. Prolapsus -- { The protrusion of a soft part uncovered.

- 1. exophthalmia.
 - a. hydropica.
 - b. purulenta.
 - c. cancrosa.
 - d. traumatica.
 - e. ab exostosi.
 - f. a polypo.
- 2. blepharoptosis.
- 3. hypostaphyle.
- 4. paragloss.
- 5. examia.
- 6. hysteraptosis.
- 136. Luxatio - The disjointing of a bone.

CLASS IV. LOCALES.

ORDER VIII. DIALYSES.

GENERA.

137. Vulnus - - - A wound.

138. Ulcus ---- { An ulcer discharging pus or ichor.


Tetters, or an assemblage of little creeping ulcers, itching much, and not inclined to heal, but terminating in furfuraceous scales.

SPECIES.

- 1. farinosus, or tetters.
- 2. pustulosus, or scald head.
- 3. miliaris, or ring worm.
- 4. exedens, or shingles.

141. Psora ---- The itch. Small pustules with watery heads, appearing first on the wrists, and between the fingers. Contagious.

- 142. Fractura - The fracture of bones.
- 143. Caries - The decay of bones.



GENERAL INDEX;

WITH

AN EXPLANATION OF THE TERMS.

A	Cl.	Or.	Gen.	
ADYNANIÆ, A defect of Vital Powers; from a, privitive; and Δυναμις,	II	II		
AGEUSTIA, Αγευςια, Want of taste	IV	I	93	
AGUE. V. FEBRIS INTERMITTENS. AMAUROSIS, Gutta Serena; Αμαυεωσις, Obscurity	IV	I	87	
a pressure of the Optic Nerve.				
SpasmVENENATA, from Poison.				
AMENORRHŒA, Suppression of the Menses; from a priv. Μηνες, the Menses; and Pεω, to flow	IV	V	119	
AMENTIA, Idiotism	II	IV	. 57	
ANÆSTHESIA, Avais Insia, Want of Sensation	IV	I	94	
ANAPHRODISIA, Impotence; from α, priv. and Αφεοδισια, the Feast of Venus	IV	II	102	

ANASARCA Droney of the subale Rody.	Cl.	Or.	Gen.
ANASARCA, Dropsy of the whole Body; from Ava, along; and Eage, the	III	II	68
Flesh	111	11	00
SEROSA, from a retention, or			
from an over increase of Serum.			
EXANTHEMATICA, from			
Exanthemata. V. EXANTHE-			
MATA.			
COMPRESSIONE, from			
an Interruption of the Circulation.			
DEBILIUM, from Debility.			
ANEURISMA, Tumour of an Artery; from ?	IV	VI	120
Ανευgυσμος, Dilatation	-	1	1.00
ANOREXIA, Want of Appetite; from a, ?	IV	II	101
neg. and Ogegic, Appetite	137	I	00
ANOSMIA, Avoquos, Without Smell	IV	1	92
ORGANICA, from a Disease			
of the Schneiderian Membrane.			
ATONICA, no manifest cause			
APHONIA, Loss of Voice; from a, priv.		2000	1000000
and $\Phi \omega v \eta$, the Voice	IV	III	103
APHRODISIACUS, Venereal Excess;			
from Αφεοδισιανος, Venereus.			
APOCENOSES, Excessive Discharges.			
APOPLEXIA, Apoplexy; from Aπο and ?	TT	T	06
Πλησσω, to strike	II	I	36
SANGUINEA, Sanguine-			
ous, from excess of blood.			
SEROSA, Serous, in per-			
sons of a cold temperament.			
HYDROCEPHALICA,			
Hydrocephulic; from Υδως, Wa-			
ter; and κεφαλη, the Head.			
ATRABILARIA, from			
the suffusion of black Bile over			
the System.			
TRAUMATICA, from			
external Violence; from Teaupa,	1		
alog, a Wound.		,	•

And the second section of the sec			
	Cl.	Or.	Gen.
APOPLEXIA VENENATA, from poison.			
SUFFOCATA, from Suf-			1
focating Exhalations.			
MENTALIS, from passions			
of the Mind.			
CATALEPTICA. The			
Catalepsy; from Karahn Jos, a			
Seizure. The patient on a sud-			1
den becomes stiff, and observes			
the same posture during the			1
fit.			1
APPETITE, Depraved. V. Dysorexia.			
Want of. V. ANOREXIA.			
ARTHRITICUS, Arthritic; from Agθgi-	1		
Ins, A disease in the Joints.	-		
V. PODAGRA.			
ARTHRODYNIA, Chronic Rheumatism;			
from Ag Seov, a Joint; and Odown,			
Pain. V. RHEUMATISMUS.			
ARTHROPUOSIS, Inflammation occa-			
sioning a Collection of Matter;		7.7	0.0
from Ag Sgov, a Joint; and Huw-	I	II	21
σις, Suppuration			
ASCITES, Dropsy of the Abdomen; from ?	777	**	50
Ασχος, a Sack	III	II	72
ABDOMINALIS, The Abdo-			
minal, an equal swelling of the			
whole Abdomen.	1		
SACCATUS, The Encysted,			
the fluctuation is here less evi-			
dent, and the Swelling of			
the Abdomen at the first par-	1		
tial.			
ASTHMA, frequent attacks of short breath-?	7.7	TTT	177
ing; from Ayus, to breathe	II	III	47
SPONTANEUM, without any			
manifest cause.			1
PLETHORICUM, from Ple-			1
thora.			

	-		
• • • • • • • • • • • • • • • • • • • •	Cl.	Or.	Gen.
ASTHMA EXANTHEMATICUM, Exanthematic; from the repulsion of some humour. V. Exan-			
ATROPHIA, A slow Decay, or Atrophy; from α, priv. and Τεοφη, Nutrition	III	I	63
rupted Nourishment			
В			
BUBO*; from BeCov, a Swelling in the Groin	IV	VI	125
Ox; and Aimes, Hunger BLEEDING at the Nose. V. Epis-	IV	II	95
BLOOD, Extravasation of. V. Ecchy-			
BLOODY FLUX. V. PROFUSIO. BREATHING, Difficult. V. ASTHMA, or DYSPNŒA.			
C			
CACHEXIA, A bad habit of body; from { Kanos, bad; and Egis, a habit	III		
CALIGO, The Cataract	IV IV	I VI	86 124
CANINE APPETITE. V. BULIMIA.	1 V	11	124
CARDITIS, Inflammation of the Heart; { from Καρδια, the Heart	I	II	9

^{*} The vowels are placed first in this Index; then follow the consonants.

	Cl.	0.	Gen.
CARIES, Rottenness in the Bones	IV	VIII	143
CATARACT. V. CALIGO.	1.1	, 111	110
CATARRHUS, Catarrh; from Kalagg@, ?			0.4
a Defluxion	I	V	34
A FRIGORE, from cold.			
A CONTAGIO, from		1	
Contagion. The Influenza.			
CATARRH. V. CATARRHUS.			
CÆLIAC PASSION. V. DIARRHŒA.			
COLICA, The Colic; from Kohov, the	II	III	51
Colon			
SPASMODICA, Spasmodic,			1
arising from Spasms of the Ab- dominal Muscles.			
PICTONUM, The Painters,			1
or Devonshire Colic. It arises			
from the poison of lead.			Į.
STERCOREA, in Persons of a			
costive Habit.			-
CONSUMPTION. V. PHTHISIS.			1
CONTRACTURA, Contraction of the?	I	III	108
Limbs	1	111	100
AB INFLAMMATIONE,			
from inflammation.			1
SPASMO, from spasm.			1
PAPALITICOS 6 - the test			1
PARALITICOS, from the Anta-			1
gonist Muscles losing their actionOB ACRIMONIA IRRI-			
TANTE, from some irritating			
cause.			
ARTICULARIS, from			
stiffness in the Joints.			
CONVULSIO, Convulsions	II	III	42
CORNS. V. CLAVUS.			
CORPULENCY. V. POLYSARCIA.			
COSTIVENESS. V. OBSTIPATIO.			1
CHICKEN PON			1
CHICKEN POX. V. VARICELLA.	1		1

the same of the sa			-
	CI.	Or.	Gen.
CHILBLAIN. V. PHLOGOSIS, ERY-			
CHLOROSIS, The Green Sickness; from?			
Χλωςος, green, pale	III	III	85
CHOLERA; from Xohn, the Bile	II	III	52
CHOLERA, The Cholera Morbus; from			
CHOREA, St Vitus's Dance; from Xo-?	II	III	10
geia, Dancing	11	111	43
CLAP. V. GONORRHŒA.	IV	VI	128
CLAVUS, A Corn	11	1	120
CYNANCHE; from Kuw, a Dog; and?	I	II	7
$A\gamma\chi\omega$, to suffocate		11	1
sore Throat.			
····· PAROTIDÆA. The			
Mumps.			
Croup. TRACHEALIS. The			
matory Quinsy.			
CYSTITIS, Inflammation of the Bladder; ? from Kuçış, the Bladder	I	II	16
D.			
DEAFNESS. V. DYSECÖEA.			
DEFECT in Vision. V. Dysopia.			
DIABETES. Immoderate flow of Urine;			
from Aia, through; and Basya,	II	III	54
DIALYSES, The Destruction of Parts;			
from Διαλυω, to flow through	IV	VIII	
DIARRHŒA, A constant Looseness; from	II	III	53
Διαεξεω, to flow through S CRAPULOSA, The Fe-			
culent Diarrhaa; from Crapulo-			
sus, one who overloads his sto-			
mach.	t	ŧ	

	CI.	Or.	Gen.
DIARRHŒA BILIOSA, The Bilious;			
from an overflow of Bile.			
MUCOSA, The Mucous;			
a quantity of slime being voided.			
HEPATIRRHŒA. The			
Hepatic; a flux of serous matter			
somewhat resembling flesh is			
voided, the liver being primarily			
affected; from Hπας, the liver;			
and e^{ω} , to flow.			
LIENTERIA. The Lien-			
tery; the food passes unchanged.			
CŒLIACA. The Cæliac			1
Passion.			
VERMINOSA, arising			Ì
from Worms.			
DIGESTION, Bad. V. DYSPEPSIA.			1
DUMBNESS. V. MUTITAS.			1
DYSÆSTHESIÆ; Δυσαισθησια, Loss of?			1
Sensation	IV	I	1
DYSECOEA, Deafness; from Δυς, diffi-			
cult; and Axon, hearing	IV	I	90
DYSENTERIA, Dysentery; from Δυσεν-			
_ legia, Pain in the Bowels	I	V	35
DYSOPIA, Defect in Vision	IV	I	88
TENEBRARUM, Requiring	1 V	1	1 00
objects to be placed in a strong light.			1
LUMINIS, Objects only dis-			
cernible in a weak lght.			
DISSITORUM, In which			
distant objects are not perceived.			1
PROXIMORUM, In which			
objects too near are not perceived.			1
LATERALIS, In which ob-			1
jects are not seen, unless placed in			1
an oblique position.			
DYSOREXIA, A Depraved Appetite;			
from $\Delta v \varsigma$, bad; and $O \varsigma \varepsilon \xi \iota \varsigma$, Ap-	IV	11	1
petite	IV	11	
F)	1)	1

			-
	C1.	Or.	Gen.
of Semen; from Δv_{ς} , difficult;	IV	V	118
DYSPEPSIA, Bad Digestion; from Δυς, bad; and Πεπίω, to concoct	II	II	39
DYSŪRIA, Difficulty in discharging Urine; from Δυς, difficult; and Ουξον,	IV	V	117
the BladderSPASMODICA, from Spasm.			
parts			
flamma			
in the BladderMUCOSA, from an abundant			
DYSCINESIÆ, Difficulty of Motion; from ? Δυς, bad; and Κινεω, to move)	IV	III	
DYSPNŒA, A constant Difficulty of Breathing; from Duc, difficult;	II	III	48
DROPSY of the Brain, Hydrocephalus In-			
ternus. V. APOPLEXIA of the whole Body. V. ANA- SARCA.			
of the Abdomen. V. ASCITES of the Womb or Ovaria. V. Hy-			
DROMETRA of the Scrotum. V. Hydrocele.			
E.			
ECTOPIÆ, Parts Displaced; from Ex-	IV	VII	

	-		
	Cl.	Or.	Gen.
ECCHYMOMA; Exyonoma, an extra-?	IV	VI	122
vasation of Blood	37.71	1	
ELEPHANTIASIS, Ελεφας, an Elephant EMPHYSEMA. V. PNEUMATOSIS.	III	III	80
ENURESIS, An involuntary flow of Urine; ?			
from Evegew, to make water	IV	IV	113
ATONICA, the Sphincter of the			
Bladder having lost its tone from			
some previous disease.			
ab Irritatione, from an irritation			
vel Compression of sione vesicæ, the Bladder.			
ENLARGEMENT of the Abdomen. V.			
PHYSCONIA.			
ENTERITIS, Inflammation of the Intes- ?	I	TT	
tines: from Evlepov, the Intestine	1	II	12
EPIPHORA, An involuntary flow of tears;	IV	IV	111
from Emidoga, a Flood		1	111
EPILEPSIA, Epilepsy; from Επιλειψις, a	II	III	45
Swoon			
injury of the Head.			
A DOLORE, from Pain.		1	
VERMINOSA, from Worms.			
EXANTHEMATICA, from			
an Eruption drove in.			1
CHIL from equities of the Sta			
CULI, from crupities of the Sto- mach.			
AB INANITIONE, from			1
Debility.			ŧ.
UTERINA, from Hysteric			
Affections. V. HYSTERIA.			
EPHIDROSIS, Excessive Sweating; Equ-	IV	IV	110
triscurers abundant in Water		-	110
EPISCHESES, Επισχεσις, Retention EPISTAXIS, Bleeding at the Nose	IV	IV	00
ERYSIPELAS, St. Anthony's Fire	I	III	29
and a second of a		. YYY	1616

Manager and the second	-	-	-
Thursday I a report of the control o	Cl.	Or.	Gen.
ERYSIPELAS VESICULOSUM, with large Blisters.			
PHLYCTÆNODES, with			
Phlyctenæ, or small Blisters; from Φλυκλαινωδης, Pustulæ Similis.			
EXANTHEMATA, Eruptions; from Εξ- { ανθημα, a Pustule	I	III	
EXOSTOSIS, Tumor on the Bones; from	IV	VI	133
Eξ and Oςεον, a Bone	14	V 1	100
F			
FAINTING. V. SYNCOPE.			
FEBRIS INTERMITTENS, An Inter-	I	I	1
CONTINUA, a continued Fever	I	I	2
HECTICA, an hectic Fever FUROR UTERINUS. V. NYMPHO-	I	I	3
MANIA.			
FLUXES. V. PROPLUVIA.	IV	VIII	142
FRACTURA, A Fracture	I	III	100000
boise, Fr. a Raspberry	1	111	82
G			
GANGLION, A Tumor on a Tendon	IV	VI	130
GASTRITIS, An Inflammation of the Sto- γ mach; from Γαςης, the Stomach	I	II	11
PHLEGMONODEA, with			
Phlegmon; from Φλεγω, to burn.			
Egυσιπελας, a red Tumour. An			
Erysepelatous redness is ob-			
GOUT. V. PODAGRA.			
GONORRHŒA; from Foroggoia, a Flux?	IV	IV	114
of Seed	1 1	IV	114
impure connection.			
A			

		-	
	C1.	Or.	Gen.
GONORRHŒA IMPURA, arising from			
Venereal Virus.			}
being awake.			
DORMIENTIUM, from			
an impure imagination when asleep.			
GUTTA SERENA. V. AMAUROSIS.			
GREEN SICKNESS, V. CHLOROSIS.			
H			
HÆMOPTYSIS, Spitting of Blood; from ?			
Aima, blood; and HTUW, to spit	I	IV	30
PLETHORICA, from full-			
ness of the Vessels.			-
PHTHISICA, Consump-			
tive; from φθιω, to waste.			
CALCULOSA, from cal-			
careous matter in the Lungs.			1
VICARIA, from the sup-			
pression of some customary evacua- tion. The termination of an Hæ-			
moptysis is in Phthisis.			
HÆMORRHAGIÆ, Hæmorrhages; from ?			1
Asmoggayia, an Eruption of Blood	I	IV	
HEMORRHOIS, The Piles; from Augog-	I	IV	00
HEMIPI ECLA Parks of Blood	1	11	32
HEMIPLEGIA, Palsy of one Side. V. PARALYSIS.			1
HECTIC FEVER. V. FEBRIS HEC-		1	-
TICA.			1
HEPATITIS, Inflammation of the Liver	I	II	13
HERNIA, A Rupture	IV	VII	134
HERPES, Tetters; from Egπω, to creep	IV	VIII	139
HOOPING COUGH. V. PERTUSSIS. HYDARTHUS, A White Swelling, from		1	
γδως, Water; and Αςθςον, a	IV	VI	104
Joint	I.A	VI	132

January 1	-		
	Cl.	Or.	Gen.
HYDATIS, An Hydatid; from Yoalis, a? Bladder	IV	VI	131
HYDROCELE, Dropsy of the Scrotum;			
from Υδως, Water; and Κηλη, a	III	II	74
HYDROCEPHALUS EXTERNUS,			
External Swelling of the Head;			-
from Youg, Water; and Kspann,	III	II	69
the Head			
HYDROCEPHALUS INTERNUS,			
Dropsy of the Brain; from Youg,			
Water; and Kepahn, the Head.			
V. APOPLEXIA			
HYDROMETRA, Dropsy of the Womb and	III	п	70
its Appendages; from Υδως, Water; and Μητζα, the Womb	III	11	73
HYDROPHOBIA, Canine Madness; from ?			
Υδως, Water; and Φοθεω, to dread	II	III	56
HYDRORACHITIS, The Spina Bifida;			
from Youg, Water; and Paxis,	III	II	70
the Back-bone			
HYDROTHORAX, Dropsy of the Chest;			
from Υδως, Water; and Θωςαξ, }	III	II	71
the Breast			
HYPOCHONDRIASIS, Hypochondriae	II	II	40
one who is hipped	11	11	40
HYSTERIA, Hysterics, from Y5 560, the			
Womb	II	III	55
tention of the Menses. V. Chlo-	1	-	
ROSIS.		1	
A MENORRHAGIA, from	- 1	1	
an immoderate flow of the Menses.	1	1	
V. MENORRHAGIA.	1	1	
A LEUCORRHÆA, from		1	
the Fluor Albus; from AEUROS, White; and $ge\omega$, to flow. V .			
MENORRHAGIA.	1		
and the state of t	1	1	

			-
	CI.	Or.	Gen.
HYSTERIA LIBIDINOSA, from Sen- (III	Ш	84
HVSTEDITIS In demonstrate of the Uterry	I	II	
HYSTERITIS, Inflammation of the Uterus.	1	11-	17
I			
ICTERUS, The Jaundice.			
Stones. CALCULOSUS, from Gall			
SPASMODICUS, from Spasm.			
MUCOSUS, from Mucus ob-			
structing the Hepatic Duct.			
HEPATICUS, from an indura-			
tion of the Liver GRAVIDARUM, from preg-			
nancy, and disappearing after de-			
livery.			
IDIOTISM W. A.			*
IDIOTISM. V. AMENTIA. IMPETIGINES, Diseases which deform?			
the Surface	III	III	
INFLAMMATION of the Eye. V.			
OPHTHALMIA.			
ENTERITIS.			
HYSTERITIS.			
CYSTITIS. Brain. V.			
PHRENITIS.			
CARDITIS.			
NEPHRITIS. Kidney. V.			
Liver. V.			
HEPATITIS.			
·····Lungs. V.			
PERIPNEUMONIA.)	,	

		_	-
	Cl.	Or.	Gen.
INFLAMMATION of the Peritonæum.			200000000000000000000000000000000000000
V. PERITONITIS.			
····· Pleura. V.			
PLEURITIS.			
Spleen. V.			
SPLENITIS. Stomach. V.			
GASTRITIS.			
INFLAMMATORY QUINSY. V. Cy-			
NANCHE TONSILLARIS.			
INFLATION of the Uterus. V. Physo-			
METRA.			
···· Abdomen. V. TYM-			
PANITES.			
INSANIA, Insanity, or a deranged Ima-	II	IV	59
INTERMITTENS 4- Intermittent I			
INTERMITTENS, An Intermittent Fever	I	I	1
or Ague QUOTIDIANA,			
Quotidian. The paroxysms re-			
turn in the morning, at an inter-			
val of about twenty-four hours.			
····· TERTIANA, Ter-			
tian. The paroxysms commonly			
come on at mid-day, at an inter-			
val of about forty-eight hours.			
QUARTANA.			
Quartan. The paroxysms come			
on in the afternoon, with an			
interval of about seventy-two hours.			
INSTRUMESCENTIA, Swellings	III	II	
ISCHURIA, from Ioxugia, a Suppression ?		100	116
of Urine	IV	V	116
disease of the Kidney, with a			
troublesome sense of weight in		- 1	
that part.	1		

[CI.]	Or.	Gen.
ISCHURIA URETERICA, After a dis-		
ease of the Kidneys, a sense of pain		
or uneasiness in some part of the Urethra.		
sire to make water, with a swel-		
ling of the Hypogastrium; pain		
at the neck of the Bladder.		
URETHRALIS, A fie-		
quent desire to make water, with		
a swelling of the Hypogastrium,		
and pain in some part of the Urethra.		
JAUNDICE. V. ICTERUS.		
K		
KING'S EVIL. V. SCROFULA.	- 1	
L	1	
LEPRA, Leprosy III	III	81
LIENTERY. V. DIARRHŒA.	1	OI
LOCALES, Local Affections.	1	
LOCKED JAW, or TRISMUS. V. TE-	- 1	
LONGINGS OF WOMEN. V. PICA.		
LUES VENEREA. V. SYPHILIS and		
GONORRHŒA.		
LUMBAGO. V. RHEUMATISMUS.		
LUMBAR ABSCESS. V. ARTHROPU-		
OSIS.		
LUPIA, A soft Swelling under the Skin IV	7I	129
LUXATIO, A Luxation IV V	II	136
M		
MADNESS, MELANCHOLY. V. ME-		
LANCHOLIA.		
HAPPY, V INSANTA		
FURIOUS. V. MANIA.		
F 2		

			- 3
	Cl.	Or.	Gen.
MANIA, Raving or Furious Madness	II	IV	60
MARCORES, Wasting	III	I	00
MEASLES. V. RUBEOLA.	111	^	
MELANCHOLIA, Melancholy Madness.	II	IV	58
MENORRHAGIA, Immoderate flow of	11	- '	00
the Menses; from Mny, a Month,	I	IV	33
and Payas, a Rupture	•	* 1	1
RUBRA, Proper; from			1
women neither with child nor in			
child-birth.	5.		
ALBA, Serous; the			
Fluor Albus, or Whites.	3		
VITIORUM, From			
some local disease.			}
ABORTUS, Abortive;			
from women with child.			1
LOCHIALIS, From			
women after delivery.			1
MENSES, Immoderate flow of. V. ME-			1
NORRHAGIA.			1
Suppression of. U. AMENOR-			1
RHŒA.			
MILIARIA, Miliary Fever	I	III	27
MOTION IMPEDED. V. Dyscinesia.			
MUMPS. V. CYNANCHE PAROTIDŒA.			
MUTITAS, Dumbness	IV	III	104
and an arrange of the control of the			1
N			1
ALEBITATIONS No. 1 '1' . for No.			
NEPHRITICUS, Nephritic; from Νεφει-			
Inc, a disease of the Kidney.			.0:11
NEPHRITIS, Inflammation of the Kidney;	I	II	15
from Nepgos, the Kidney			
NERVOUS FEVER. V. TYPHUS MI-			
NEIDOCES Name Diseases from 2			
NEUROSES, Nervous Diseases; from	II		
NEUgov, a Nerve			
NIGHT-MARE. V. ONEIRODYNIA			
GRAVANS.	1	1	ę.

	Cl.	Or.	Gen.
NOSTALGIA, Vehement desire of revisit- ing one's Country; from Νος εω, to return; and Αλγος, pain	IV	II	100
NYMPHOMANIA, Furor Uterinus; from Nυμφια, Nympha; and Μανια, Madness	IV	11	99
O			
OBSTIPATIO, Costiveness DEBILIUM, In weak and commonly dyspeptic persons. RIGIDORUM, In persons of rigid fibres and a melancholy temperament.	IV	V	115
obstructions. V. Colica.			
ODONTALGIA, The Tooth-ach; from ? οδες, a Tooth; and Αλγος, Pain {	I	II	19
ONEIRODYNIA, Disturbed Sleep; from Overgov, a Dream; and Odven, Anxiety	П	1V	61
OPHTHALMIA, Inflammation of the Eye; { from Οφθαλμος, the Eye	I	II	5
P			
PALPITATIO, Palpitation of the Heart PALSY OF ONE SIDE, Hemiplegia.	II	III	4
V. PARALYSIS. PARACUSIS, Singing in the Ears; from { Παξα, Wrong; and αμεω, to hear } IMPERFECTA, When existing sounds are not heard as usual.	IV	I	91
IMAGINARIA, When imaginary sounds are heard. PARALYSIS, Palsy; from Παξαλυω, to loose	11	I	37

	Cl.	Or	Gen.
PARALYSIS PARTIALIS, Partial;	0		00,11
Palsy of some particular muscles.	1		
HEMIPLEGICA, Para-			
lysis of one side; from 'Ημιπληξ,			
nyos, dimidia parte percussus.			
PARAPLEGICA, Palsy	1		
of one half of the body; from Ha-			
εαφληγια.			
VENENATA, From the			
sedative effects of poisons. V. Co-	1		
LICA PICTORUM.			
PARAPLEGIA, Palsy of half of the body			
taken transversely. V. PARA-			
LYSIS.			
PARAPHONIA, Alteration of the voice;			1
from Παξα, Wrong; and Φωνη,	IV	III	105
Sound	1.	111	100
PERIPNEUMONIA, Peripneumony, or		6	
Inflammation of the Lungs. V.			
PNEUMONIA.			
PERITONITIS, Inflammation of the Pe-			
ritonæum	I	II	101
PERTUSSIS, The Hooping Cough	II	III	49
PESTIS, The Plague	I	III	23
PICA, Particular Longings	IV	II	96
PILES. V. Hæmorrhöis.	1	**	1 30
PODAGRA, The Gout; from Hes, the?			
Foot; and Aγεα, taken	I	II	20
REGULARIS, The Re-			
gular.			
ATONICA, Atonic; from			
Alovos, a, neg. and Tsivo, to stretch.			
RETROGRADA, Retro-	1		
cedent.			
ABERRANS, Misplaced,			
or wandering.	1		
POLYDIPSIA, Excessive Thirst; from?	2000		
Πολευς, much; and Διψη, Thirst	IV	IV	97
POLYPUS. V. SARCOMA.			
LODITOD, F. DARCOMA.			
		3.00	

	C1.	Or.	Gen.
POLYSARCHIA, Corpulency; from Πο- λυς, much; and Σαςξ, Flesh	III	II	64
PUTRID FEVER. V. TYPHUS GRA-			
PUTRID SORE THROAT. V. CY-			
PHLOGOSIS, Inflammation; from Φλοξ, λος, Flamma	I	11	4
mon; from Φλεγμονη, Vivid In- flammation.			
ERYTHEMA; from Εξυθη- μα, Redness.			
PHRENITIS, Phrensy, or Inflammation of ? the Brain; from \$\Phi_{\epsilon}\$nv, the Mind \$\epsilon\$	I	II	6
PHTHISIS, Pulmonary Consumption; { from Φθιω, to consume	I	IV	81
out any expectoration of Pus.			
an expectoration of Pus.			
Scrophula, Tubercles in the Lungs.			
EXANTHEMATICA, From Exanthemata.			
PHYSCONIA, Enlargement of the Abdo- nien; from Φυσκων, a big-bellied fellow	Ш	11	75
PHYSOMETRA, Windy Swelling of the Uterus; from Φυσοω, to inflate; and Μείξα, the Womb	111	II	67
PLAGUE. V. PESTIS.		-	

4	Cl.	Or.	Gen.
PLEURĪTIS, Pleurisy, or Inflammation of			
the Pleura. V. PNEUMONIA.			
PLICA POLONICA. V. TRICHOMA.			
PNEUMATOSIS, Emphysema, or Windy ?	111	II	G.E.
Swellings	III	11	65
SPONTANEA, Without			
any manifest cause.			
TRAUMATICA, From		1	
a Wound.			
····· VENENATA, From Poi-			
son.			
HYSTERICA, With Hy-			
steria.			
PNEUMONIA, from Tive view, the Lungs	I	II	8
PROFLUVIA, Fluxes	I	V	
PROFUSIO, The Bloody Flux	IV	IV	109
PROLAPSUS, A Protrusion	IV	VII	135
PROTRUSION, or Falling down. V.		1	
PROLAPSUS.			
PSEUDOBLEPSIS, Imaginary Vision of	TTT	T .	200
objects; from Yeudos, false; and	IV	I	8,9
Bλεψις, sight		-	
IMAGINARIA, In			
which objects are perceived which			
are not present.			
MUTANS, In which			
objects that are present appear			
somehow changed.			
PSELLISMUS, Defect of Speech; from	IV	III	106
Ψελλισμα, Hesitation of Speech S	IV	VIII	141
PSORA, Ψωρα, the Itch	IV	IV	112
PYREXIÆ, Febrile Diseases; from IIv-		* '	11.0
gegia, Fever	I		
PYROSIS, Heart-burn; from Πυζωσις, a	-	***	
Burning	II	III	50
R			
RACHITIS, The Rickets; from Paxis, the ?	***	**	0.0
Back-bone	III	II	76
2000 0000 11111111111111111111111111111			

	Cl.	Or.	Gen.
RAPHANIA, from Paparn, the radish, or charlock; eating the Seeds of which will occasion this disease	11	Ш	44
RICKETS. V. RACHITIS. RUBEŎLA, The Measles; from Rubeo, to become red	1	III	26
RHEUMATISM, Chronic. V. ARTHRO- DYNIA. RHEUMATISMUS, The Rheumatism; ? from Peumaliomos, a Defluxion }	I	II	18
SALIVA, Flux of. V. PTYALISMUS. SARCOMA, An Excrescence; from Σαςξ, Flesh	IV	VI	126
SATYRIASIS, Excessive desire after Ve-	IV	11	98
SENSATION, Want of. V. ANÆSTHE- SIA. SINGINGS IN THE EAR. V. PARA- CUSIS. SCALD HEAD. V. TINEA. SCARLATINA, The Scarlet Fever SIMPLEX, The Mild.	I	III	
SCURVY. V. SCORBUTUS.	III	III	79
SCHIRRHUS, Exiggos, a Chip of Marble	IV	VI	123
SCROPHULA, The King's Evil; Scro- fula, a Pig	111	Ir.	77
SPASMI, Spasmodic Diseases; from Σπαω, to contract	11	III	

	Cl.	Or.	Gen.
SPEECH, Defect of. V. PSELLISMUS.			1
SPITTING OF BLOOD. V. HAMOP-			
TYSIS.			
SPLENITIS, Inflammation of the Spleen	I	II	14
SQUINTING. V. STRABISMUS.			100,000
ST. ANTHONY'S FIRE. V. ERYSI-			
PELAS.			
ST. VITUS'S DANCE. V. CHOREA.			
STRABISMUS, Στεαθίσμος, Squinting	IV	III	107
SWEATING. V. EPHYDROSIS.			
SWELLING OF THE HEAD, Ex-			
ternal. V. Hydrocephalus			
EXTERNUS.			
SYNOCHA, Συνοχος, continued. V. FE-			
BRIS CONTINUA.			
SYNCOPE, Fainting; from Συνκοπίω, to ?	II	II	38
strike down	11	11	00
CARDIACA, The Cardiac			
Syncope; arising from some or-			
ganic affection of the heart, or			
neighbouring vessels, and re-			
turning without any manifest			
cause.			
OCCASIONALIS, The ex-			
citing cause being manifest.			
SYPHILIS, Lues Venerea	III	111	78
TT.			
1			
TABES, A Wasting of the Body	III	I	62
PURULENTA; from an ul-			
cerous discharge.			
SCROPHULOSA; from a			
scrophulous habit.			
VENENATA; from Poison.			
TASTE, Want of. V. AGEUSTIA.			
TEARS, A Flux of. V. EPIPHORA.			
TETANUS, Spasm with Rigidity; from		1	
τεινω, to stretch.	1		

	Cl.	Or.	Gen.
TETĂNUS OPISTHOTONOS, Where			
the body is thrown back by spas-			
modic contractions of the Mus-			
cles; from Omit Fotovos, bent		-	-
back.		-	
EMPROSTHOTONOS, The			
body being bent forwards, from		1	
Εμπεοσθεν, before; and τεινω, to			
stretch.			
TRISMUS, The Locked Jaw;			
from Toromos, stridor.			
TETTERS. V. HERPES.		-	
TINEA, A Scald Head	I	VIII	140
TOOTH-ACH. V. ODONTALGIA.	1	V 111	140
TUMORES, Tumours	IV	VI	
TUSSIS EXANTHEMATICA, A cough?		100	
attendant on an eruption, &c	I	V	34
THIRST, Excessive. V. Polydipsia.			
TRICOMA, An Entanglement of the			
Hair; from Ogit, Tgixos, and	III	III	83
Kojun, the Hair	111	111	0.0
TYMPANITES, Tympany, Tujumavov, a?	100000		No.
Drum	III	II	66
INTESTINALIS, A			
lodgment of wind in the Intes-		1	
tines.		1	
ABDOMINALIS, Wind			
in the Abdomen.			
TYPHUS, Tupos, Stupor. V. FEBRIS			
CONTINUA.			
PETECHIALIS, Typhus with			
Petechiæ.			
MITIOR, The milder Typhus,			
or Slow Fever.			
GRAVIOR, The oppressive,			
or Putrid Fever.			
ICTERODES, The Yellow			
Fever; from Ixlegodns, Felle ef-			
fusus.			
	4		

V	Cl.	Gen.	Or.
VARIŎLA, The Small Pox	I	III	24
VARIX, The Tumour of a Vein VERRUCA, A Wart	IV IV	III VI VI	25 125 127
WHITE SWELLING. V. ARTHRO- PUOSIS.			

PART II.

A

COMPENDIUM

OF

THERAPEUTICS,


WITH

FORMULÆ.



CONTENTS.

EMETICA	I.
CATHARTICA	II.
DIAPHORETICA	III.
DIURETICA	IV.
EPISPASTICA	V.
EXPECTORANTIA	VI.
ERRHINA	VII.
SIALAGOGA	VIII.
EMMENAGOGA	IX.
ANTHELMINTICA	Хe
LITHONTHRIPTICA	XI.
ANTACIDA	XII.
ATTENUANTIA	XIII.
ANTISEPTICA	XIV.
ASTRINGENTIA	XV.
CORROSIVA	XVI.
DEMULCENTIA	XVII.
STIMULANTIA	XVIII.
ANTISPASMODICA	XIX.



MEDICINES ARRANGED

IN THEIR

CLASSES AND ORDERS.

CLASS I.

EMETICA.

ORD	ERS.	
I.	Irritantia.	
	Antimon. tartarisatum gr. 1.—gr.	6.
	Zincum vitriolatum gr. 10scr.	2.
	Hydrargyrus vitriolatus gr. 4.—gr.	12.
	Ipecacuanha gr. 8.—scr.	1.
	Asarum, rad $scr. 1dr.$	1.
	Scilla exsiccata gr . 4.— gr .	6.
II.	Calefacientia.	
	Sinapi dr. 1.—dr.	4.
	Raphanus rusticanus scr. 1.—dr.	
	Chamæmelum scr. 1.—dr.	
III.	Narcotica.	
	Nicotiana dr. ½.—un.	4.
	Digitalis gr . 2. $-gr$.	

CLASS II.

CATHARTICA.

ORDERS.	
I. Stimulantia.	
Jalapium gr. 10.—scr.	1 &
Senna scr. 1.—dr.	
Alöe socotorina gr. 10.—scr.	15
Colocynthis gr. 4.—gr. 19	
Calomelas gr. 4.—gr. 19	
Scammonium gr. 5.—gr. 18	
Gambogia gr. 4.—gr. 18	
Elaterium gr. 1.—gr. 8	
II. Calefacientia.	
Guaiacum gummi-resina gr. 10.—dr.	1.
III. Refrigerantia.	
Natron vitriolatum dr. 4un.	100
Kali vitriolatum dr. 4un.	1.
Flores sulphuris scr. 1dr.	1.
Cassia fistularis un. 1.—un.	100
IV. Astringentia.	
Rhabarbarum gr. 15.—dr. 1	l.
V. Emollientia.	
Oleum ricini dr. 4.—un. 9	2.
Manna dr. 4un. 9	

ORDERS.

VI. Narcotica.

CLASS III.

DIAPHORETICA.

Ipecacuanha..... gr. 1.

Moschus..... gr. 10.— $scr. 1\frac{1}{2}$.

Camphora..... gr. 4.—scr. 1.

ORDERS.
IV. Diluentia.
Aqua ad libitum.
Serum lactis ad libitum.
CLASS IV.
DIURETICA.
I. Stimulantia.
Colchicum rad $gr. \frac{1}{2}$.— $gr. 2$.
Daucus Sylvestris un. 1. ad lib. 1.
Genista cac un. $\frac{1}{2}$. ad lib. $\frac{1}{2}$.
Juniper. cac. manip 1. d. coch. 2.
Taraxaci suc un. 1.—un. 3.
Terebinthina scr. 1 .— dr . 1 .
Scilla gr . 2.— gr . 6.
Cantharides $gr. \frac{1}{2}$.
Apium.
II. Refrigerantia.
Acetum un . $\frac{1}{2}$.— un . 1.
Acetosa un. 4.—un. 6.
Petroselinum dr . $\frac{1}{2}$.
Kali præparatum gr. 12.—ser. 1.
Kali acetatum gr. 20.—gr. 30.
Nitrum gr. 10.—gr. 25. Berberis.
III. Diluentia.
Serum lactis ad libitum.

CLASS V.

EPISPASTICA.

ORDERS.

I. Rubefacientia.

Sinapi.

Raphanus rusticus.

Cortex radicis mezerei.

II. Vesicantia.

Cantharides.

CLASS VI.

EXPECTORANTIA.

I. Stimulantia.

Allium dr. 1.—dr.	2.
Ammoniacum $gr. 15dr.$	
Enula scr. 1.—dr.	
Hyssopus manip. 1.—vel.	2.
Marrubium manip. $\frac{1}{2}$.	
Scilla gr. 3.—gr.	6.
Antimonium scr. 1.—scr.	2.
Vesicatoria.	
Nicotianæ fumus.	

ORDERS.

II. Emollientia.

CLASS VII.

ERRHINA.

Stimulantia.

 Beta, rad. suc.

 Betonica, fol.
 gr. 3.—gr. 5.

 Euphorbium
 gr. $\frac{1}{4}$.

 Asarum
 gr. 3.—gr. 4.

 Helleborus
 gr. 5.—gr. 10.

 Nicotiana
 $ad \ libitum.$

CLASS VIII.

SIALAGOGA.

I. Topica.

ORDERS. Scillæ gr. 3.—gr. 6. Sal Prunellæ gr. 3.—scr. 1. II. Interna. Ung. hydr. mitius dr. 1. Ung. hydr. fortius dr. $\frac{1}{2}$. Pilulæ ex hydr. gr. 12.—gr. 20. CLASS IX. EMMENAGOGA. I. Stimulantia. Borax gr. 10.-scr. 1. Alöe soc. gr. 10.—scr. 1. Sabina gr. 5.-scr. 1. Rubia gr. 15. Cantharides..... gr. 4, Electricitas. Hydrargyrus. II. Tonica. Ferri rubigo gr. 5.—scr. 1. --- limatura..... gr. 5.--scr. 1. Lavatio frigida.

Corporis exercitio.

Diæta lauta.

ORDERS.
III. Antispasmodica.
Asafætida scr. 1.—scr. 2.
Myrrha gr. 10.—gr. 30.
Castoreum gr. 10.—gr. 30.
Pediluvium.
CLASS X.
ANTHELMINTICA.
I. Venenosa.
Stannum gr. 15.—gr. 60.
Hydrar. cum Sulphure scr. 1dr. 1.
Spigelia dr . 4.
Filix dr . 2.— dr . 4.
Helleborus fætidus gr. 1.—gr. 8.
Hydrargyrus.
II. Irritantia.
Stizolobium (dolichos pruriens, L.S.P.)
Corallina scr. 1.—scr. 3.
III. Lubricantia.
Oleum olivarum $dr.$ 1.— $un.$ 1.
Oleum ricini
Oleum Heim
IV. Tonica.
Sabina gr. 5.—scr. 1.
Santonicum dr. 1.

ORDERS.

	Tanacetum.
	Ferrum vitriolatum gr. 2gr. 8.
	Limatura Ferri gr. 5.—scr. 1.
	Aqua calcis.
V.	Cathartica.
	Sapo
	Jalappa scr. 1.—scr. 2.
	Rheum gr. 10.—gr. 30.
	Alöc soc gr. 10.—gr. 20.
	Scammonium gr. 4. gr. 16
	Gambogia gr. 2.—gr. 6.
	CLASS XI.
	LITHONTHRIPTICA.
I.	Antacida.
	Sapo dr . $\frac{1}{2}$. $-dr$. 2
	Aqua calcis $un. 4.$ — $un. 8$
	Aqua kali puri gt. 10.—gt. 60
	Aqua mephitica alkalina.
II.	Adstringentia.
	Uwa urai

CLASS XII.

ANTACIDA.

ODT	DERS.		
	Eccoprotica.		
	Sapo gr.	5.—gr.	30.
	Magnesia gr. Alkalina.	5.—gr.	40.
II.	Restringentia.		
	Creta. ppt scr.	1.—scr.	2.
	Testæ ostreorum, ppt scr.		
	Aqua calcis un.		
	CLASS XIII.		
	ATTENUANTIA		
I.	Diluentia. Serum lactis.		
II.	Deobstruentia.		
	Sapo.		
	Sales Neutri,		
	Hydrargyrus.		
	Alkalina.		
	Spongia usta scr.	1.—scr.	2.

CLASS XIV.

ANTISEPTICA.

ORD	DERS.	
I.	Tonica.	
	Cortex peruvianus $gr.$ 10.— $dr.$ Absinthium $scr.$ 1.— $dr.$ Chamæmælum $scr.$ 1.— $dr.$	1/2 ·
II.	Refrigerantia. Sales acidi. Sales neutri. Fructus & vegetabilia.	
III.	Stimulantia.	
	Camphora gr . 3.— gr .	24.
	Asafætida gr. 15.—dr. Vinum.	<u>1</u> 2.
	Alkohol dr . $\frac{1}{2}$.— dr .	1.
	Oleum terebinthing at 10 at	00

CLASS XV.

ASTRINGENTIA.

ORD	ERS.	-	
-	Styptica. Alumen	1.—gr. 3.—gr. 1 5.—gr. 2 5.—scr.	6. 2. 4.
	Zinc. vitriolatum gr . Arsenicum gr . Cuprum	1.—gr.	
II.	$egin{array}{cccccccccccccccccccccccccccccccccccc$	10.—dr. 10.—gr. 2	2.
III.	Indurantia. Alcohol. Acidum vitrioli. dilutum gt.	10.—gt. 2	20.
IV.	Tonica. Exercitium.		

CLASS XVI.

CORROSIVA.

ORDERS.

I. Erodentia.

Cuprum vitriolatum.
Allumen ustum.

II. Caustica.

Argentum nitratum. Acidum vitriolicum.

CLASS XVII.

DEMULCENTIA.

Gummi arabicum un. 1.—un. 3.
Oleum amygdalarum dr . 2.— un . $\frac{1}{2}$.
Spermaceti gr. 15.—gr. 60.
Althæa manip. 1.—2.
Caricæ dr. 4.—un. 1.
Malva manip. 1.—2.
Lini semen dr. 4.—un. 1.

CLASS XVIII.

STIMULANTIA.

ORD	ERS.		
I.	Topica.		
	Sinapi dr.	1dr.	2
	Raphanus rusticus dr.	$\frac{1}{2}$.—scr.	1.
	Cantharides gr.	$\frac{1}{2}$.— gr .	2.
	Mercurii præparationes.		
II.	Diffusibilia.		
	Alkali volatile.		
	Calor.		
	Cinnamomum.		
	Nux moschata.		
	Vinum.		
	Electricitas.		
	Tinct. Opii gt. 9	25.—gt. 3	50.

CLASS XIX.

ANTISPASMODICA.

ORD	ERS.			
	Stimulantia.			
	Alkali volatile.			
	Olea essentialia.			
	Spiritus vini.		00 -1	
	Æther vitriolicus			
	Valeriana			
	Asafætida			
	Camphora			
	Moschus			
	Opium	gr.	1gr.	3.
	Electricitas			
II.	Tonica.			
	Rhabarbarum	gr.	3gr.	5.
	Cortex peruvianus	gr.	10.— $dr.$	2.
	Ferrum			
	Zincum. calcin	gr.	4gr.	10.
	Cuprum.			
	Exercitium.			
	V. Astringentia.			
III.	Irritantia.			
	Ipecacuanha	or.	1.	

CLASS I.

EMETICA.

FORMULÆ.			
TORMOLIE.	(Antim. tart	gr.	5.
- D	Syr. papav. errat		1.
1. R.	Aq. font.	un.	
	(d. un. 1. 0. 1. h. usque ad vo		
	(Antim. tart	gr.	
2. R.	Ipecac.	gr.	
~~ 2	(p. r. n. s.	8	10.
	(Vin. antimon	dr.	A
3. R.	Oxymel Scillæ	dr.	
	(p. r. n. s.	u.	U.
-	Soxymel Scillæ	un.	0
4. R.	$\{p. r. n. s.$	are.	~ .
	Oxymel Scillæ	un.	0
5. R.			
J. IX.	Suc. raph. rust	un.	1.
	(Vin ince	0.133	1
6. R.	Vin. ipec.	un.	
O. IX.	Syr. violar	dr.	2.
	(v. s.		
	(Vin. ipec	un.	
7. R.	Vin. antim	dr.	
	Syr. viol	dr.	2.
	(v. s.		
	(Antim. tart		
8 R	Ipecac	gr.	6.
V. 1.	Calomel	gr,	3.
	Cv. s.		

CLASS II.

CATHARTICA.

	OH I HILL I I OH	
FORMULÆ.		
	(Jalap	gr. 10.
9. R.	Zinzib	scr. 1.
	(c. m.	
	(Aloë soc	dr. 12.
	Myrrh	un. 2.
10 P/	Croci	un. 1.
10. R.	Alkohol	lb. 2.
	Digere. Cola. d. dr. 4.—un	. 1. Sign.
	Elixir Proprietatis.	
	(Aloë soc	dr. 12.
	G. guaiac	un. 1.
11. R.	Puly. arom.	
11. K.	Bals. peruv	ā dr. 4.
	Syr. cort. aur.	
	f. Pill. d. scr. 1.	
	(Aloë soc.	
	Extr. gentian	āā dr. 4.
12. R.	≺ Calomel	
	Mucil. gum. arab	
	f. Pill. 11° 50 d. Pill. 2. h.	
	Aloë soc.	
	Extr. gentian	ā ā dr. 1.
13. R.	₹ Ferri vitriolat	gr. 15.
	Syr. rosæ	q. s.
	Syr. rosæ	•
ditte.		

FORMULÆ.	
14. R.	$ \begin{cases} $
15. R.	Aloë soc. Sapon. alb. Pil. Gummi \tilde{a} \tilde{a} un . 1. $d.$ $scr.$ 1. $h.$ $s.$ $s.$
16. R.	Aloë soc. Colocynth. Scammon. $\vec{a} \vec{a} dr$. 1. Extr. Jalap. dr . 3. Syr. simp. q . s . f . $Pill$. d . gr . 12 . h . s . s .
17. R.	Scammon. G. guaiac
18. R.	$\begin{cases} \text{Elaterii} & gr. \stackrel{\text{I}}{\downarrow}. \\ \text{Extr. gentian} & gr. \stackrel{\text{I}}{\downarrow}. \\ o. \ b. \ h. \ s. \end{cases}$
19. R.	Flor. sulph. Cremor tart \vec{a} \vec{a} un . 1. Mel q . s . f . Elect. d . dr . 1. p . r . n .

FORMULÆ.	
20. R.	Elect. Senna. Flor. Sulph. lot ā ā gr. 30. Syr. Ros q. s. f. Bol. c. bis die.
21. R.	Kali vitriolat. Jalap. Valer. sylv $\vec{a} \vec{a} dr$. 1. Oxymel Scillæ un. 4. d . dr . 4. ter in die .
22. R.	Calomelanos gr. 5.—gr. 8. Cons. ros dr. 1. Alternis noctibus usque ad tertiam vicem.
23. R.	$\begin{cases} \text{Rhei} & & scr. \ 1. \\ \text{Jalap} & & gr. \ 5. \\ \text{Aq. cinnam} & & un. \ 1. \\ \text{Syr. e Cort. Aur.} & & dr. \ 1. \\ m. \ s. \end{cases}$
24. R.	Rhei un. 1. Sennæ un. 2. Sem. fænic. Bac. junip. Scobis guaiac ā ā dr. 4. Sacch. alb un. 4. Sp. vin, gal lb. 3. Digere. Cola. d. un. 1. Elixir Salutis, vulgo Daffy's Elixir.

FORMULÆ.		
01	(Rhei	un. 1.
	Sennæ	dr. 2.
	Cardam.	
	Coriand	ā dr. 1.
25. R.	/ Croci,	
20. 14.	Coccinel ā	ā scr. 2.
	Uvæ pass	un. 3.
		lb. 1.
	Digere. Cola. d. un. 2. p. r.	n.
	Boerhaave's Gout Cordial.	
	Infus. Sennæ	un. 3.
	Natron. vitriolat	dr. 3.
26. R.	Tinc. Sennæ.	
	Syr. ros	dr. 2.
	(f. H.	3 3 3 6 3
1 35	CLASS III.	
	DIAPHORETICA.	
	Contravery	scr. 1.
07 P/	Syr. Croci.	g. s.
27. R.	f. Pill. h. s. s.	7
	C. Carina	scr. 1.
	G. Guaiac	gr. 5.
28. R.	Cons recen	scr. 2.
	Cons. rosar.	307.20
	n. s. s.	

FORMULÆ.		
29. R.	$\begin{cases} G. \text{ Guaiac.} \\ \text{Sach. alb.} \dots & \bar{a} \\ \text{Extr. Gent.} \\ \text{Mucil. G. arab.} \\ f. \textit{Pill. d. gr. 15.} \end{cases}$	dr. 2. dr. 1. q. s.
30. R.	Cort. rad. Mezerii recent. Aq. font. Coque ad Cong. 1. & adde Glycyr. d. un. 6. ter in die.	
31. R.	Sulph. antim. præcip Hydrargyr. ē sulph Guaiac f. pulv. No. 10. c. 1. p. m. &	gr. 10. dr. 2. scr. 2.
32. R.	Sulph. antim. præcip Calomel Ol. Sassafras Extr. lig. guaiac Syr. papav. alb f. Pili. 80. d. No. 3. o. n.	dr. 2. scr. 2. gt. 40. dr. 7. q. s.
33. R.	$\begin{cases} \text{Mist. Camph.} & \dots \\ \text{Vin. Antimon.} & \dots \\ h. s. s. \end{cases}$	un. 1. gt. 40.
34. R.	Camph Tart. emet Elect. è Scordio $h. s. s.$	gr. 5. gr. 1. scr. 1.

FORMULÆ.		
	(Mosch	gr. 10.
35. R.	$ \begin{cases} \text{Mosch.} \\ \text{Cons. ros.} \\ \text{h. s. s.} \end{cases} $	scr. 1.
	(Mosch. (sach. alb. trit.)	gr. 30.
36. R.	$ \begin{cases} Aq. cinnam$	un. 6.
	(Tinct. Opii	dr. 1.
37. R.	Vin. antimon	dr. 3.
	(d. gt. 30. ad 120. h.s.	
	Tinct. Opii	gt. 40.
	Vin. ipec.	dr. 3.
38. R.	Aq. Ammon. Acetat	dr. 4.
00. 14.	Aq. rosar.	un. 1.
	Sacch. alb	dr. 2.
	Kali præpar	scr. 1.
	Suc. limon.	dr. 4.
39. R.	Aq. cinnam	un. 1.
	Syrup. papav. errat	dr. 1.
	p. r. n. s.	

CLASS IV.

DIURETICA.

FORMULÆ.	- C - 1		
40. R.	Sem. dauc. sylv. Bac. junip ā ā Aq. font Digere. Cola. d. un. 2. o. n.	dr. lb.	
41. R.	Sem. dauc. sylv. Sapon. alb	dr. dr. q. s.	1.
42. R.	Juniper bac	un. lb.	
43. R.	Tereb. venet	dr. dr. un. dr.	4. 6.
44. R.		gt.3 un. dr.	1.
45. R.) Rhei	gr. 1 $scr.$ $gt.$	1.

FORMULÆ.		
46. R.	Kali. Jalap. Raphan. rust	
47. R.	$\begin{cases} \text{Oxymel Scillæ} & \dots \\ \text{Conf. arom.} & \dots \\ \text{Aq. fæniculi.} & \dots \\ \text{Aq. cinnam.} & \dots \\ c. m. \end{cases}$	dr. 3. scr. 1. un. 1. dr. 1.
48. R.	$\begin{cases} \text{Scillæ exsic.} & \dots & \dots \\ \text{Sapon. alb.} & \dots & \dots \\ c. & m. & \delta v. \end{cases}$	gr. 4. scr. 1.
49. R.	Scill. recent. Ammon. pulv Pulv. tragac. c. f. Bolus. 6. ter in die. s.	gr. 10. gr. 15. gr. 5.
50. R.	Tinct. scill	gt. 30. un. 1½. dr. 1.
51. R.	Oxymel Scillæ Kali præparat Aq. cinnam Tint. Lavend, comp f. H. h. s. s.	$dr. 1\frac{1}{2}.$ $gr. 10.$ $dr. 6.$ $dr. \frac{1}{2}.$

CLASS V.

	EPISPASTICA.		
FORMULÆ.	CI:- C		
52. R.	{Lin. Sapon. comp Tinct. Canth	un.	1 1/2.
J2. IX.	f Lin and part affect int	un.	2.
	CJ. Lin. quou. part. affect. inf	ricei	ur.
	CLASS VI.		
	EXPECTORANTIA.		
	Oxymel Scillæ	dr.	2.
53. R.	Oxymel Scillæ Aq. cinnamon	un.	1.
	(c. m.		
	(Scillæ recentis.		
54. R.	Gum. ammon	un.	1.
	Glycyr	q. s	
	f. Pill. d. scr. 1. m. s.		
	(Enulæ.		
D	Glycyr.		
55. R.	$\begin{cases} \text{Flor. sulph.} & \bar{a}\bar{a} \end{cases}$	un.	1.
	Mel.	un.	4.
	C. M. N. M. ter in die.		
	Serm. ceti. (v. o. s.)	dr.	2.
56. R.	Lac. ammon.	dr.	8.
	Serm. ceti. (v. o. s.) Lac. ammon. Syr. croci. d. un. 1. ter in die.	dr.	6.
	a. un. 1. ter in die.		

CLASS IX.

EMMENAGOGA.

	EMMENAGOGA.
FORMULÆ.	-m:
	(Tinct. cantharid gt. 20.
57. R.	Aq. Pulegii dr. 12.
	Syr. croci $dr.$ 1.
	(h. s. s.
	Pil. ex aloë cum myrrha scr. 2.
	Pil. gummi.
58. R.	\angle Asafætid
	Calomel ser. 1.
	f. Pill. 40. c. Pill. 1. h. s.
	(Pil. ex aloë cum myrrha un. 1.
59. R.	Ferri vitriolat dr. 1.
	f. Pill. d. scr. 1. h. s.
	(Tinct. aloë comp.
es D	Tinct. ferri muriati ā ā dr. 2.
60. R.	Tinct. hellebori nigri dr. 4.
	(d. dr. 1. m. & v.
	(Fer. ammoniac.
61. R.	Pulv. aromat āā gr. 10.
01.	h. s. s.
	(Fer. vitriolat dr. 1.
62. R.	{ Sach. alb un. 2.
	d. dr. 1. ter in die.
	Fer. vitriolat gr. 15.
	Aloë soc.
	Asafætid.
63. R.	Extr. gent āā dr. 2.
	Syr. cort. aurant q. s.
	f. Pill. d. gr. 10. h.s.
	J. I'll. a. gr. 10. 11. 5.

CLASS X.

ANTHELMINTICA.

I. Teretes.

	I. Icrobos.	
FORMULE.	- 0.1	10
4	(Calomel	gr. 10.
64. R.	₹ Rhei	gr. 16.
	(m. s.	
	Hydrarg. c. sulphure.	
	Santonici	ā dr. 2.
	4	scr. 1.
65. R.	Corallinæ	dr. 1.
	Syr. cort. aur.	q. s.
	f. Pill. d. scr. 1. m. & v.	
	(Stanni	un. 1.
66. R.	Theriac	un. 4.
	(d. un. 1. o. m.	
	(Spigeliæ	dr. 12.
67. R.	Aq. font.	16. 3.
	f. Infusio. d. un. 6. m. & v.	00000000
	Santonici.	
	Rhei.	
Co. D.		
68. R.	Corallinæ.	
	Cor. cervi ust d	a dr. 1.
	(d. gr. 24. o. m.	
69. R.	∫ Sapo. alb	un. 1.
05. 14.	o. m. ad 10" vicem.	
	Rhei	gr. 5.
70. R.	Flor. chamæmel	scr. 1.
* 20 0 00	(o. m. s.	

FORMULÆ.	II. Ascarides.	
71. R.	Calomelanos Aloë soc. Ferri vitriolati	$dr. \frac{1}{2}$
	III. Tænia.	
72. R.	Calomel. Pil. rufi	gt. 2. gr. 10. q. s. et horâ Et omni em par- m plenâ
73. R.	Ol. Ricini	q. s. gt. 8. dde Aq. cardam.
74. R.	$\begin{cases} \text{Gambog.} & \dots & \dots \\ \text{Calomel.} & \dots & \dots \\ \text{Jalap.} & \dots & \dots \\ m. s. & \dots & \dots \end{cases}$	gr. 2. gr. 5. gr. 10.

FORMULÆ.		
75. R.	Gambog	gr. 10.
	CLASS XI.	
	LITHONTHRIPTICA.	
	(Uvæ Ursi	un. 1.
76. R.	Cons. ros. rub	un. 2.
10, 24	Uvæ Ursi Cons. ros. rub. Syr. ros. f. Elect. d. dr. 2. ter in die.	q. s.
	CLASS XIII.	
	ATTENUANTIA.	
	(Spongiæ ust	un. 3.
	Syr. althææ	q. s.
77. R.	f. Trochisci 60. Horum unus h.s. linguâ supplibi per noctem lente deliquation Troches for the Bronchocele.	
	(Spongiæ ust	dr. 1.
78. R.	Cons. samb	gr.30.
	Syr. simp.	dr. 2.
	(f. Bol. c. bis in die.	

CLASS XIV.

ANTISEPTICA.

FORMULÆ	Decoct. cort. Per	dr. 12.
79. R.	Tinct. cort. Per. comp	dr. 2.
	Pulv. cort. Per	ser. 1.
	Syr. cort. aur	dr. 1.
	(q. h. s.	
	Decoct. cort. Per	un. 8.
	Conf. aromat	dr. 2.
80. R.	Tinct. serpent	dr. 4.
	Aq. cinnam	dr. 12.
	Syr. croci	dr. 4.
	d. un. 2. 4. q. h.	
	Cort. Per	un. 5.
	Myrrh	un. 1.
	Sp. vin. tenui	16. 2.
81. R.	Digere. cola. d. dr. 4. ter in a	lie.
01. 10.	Addendo superioribus.	
	Acid vitriol. dilut. gt. 10. ac	d ot. 20.
	p. r. n.	8
	Suc.limon	dr. 4.
	Kali.	W/1.
		- con 1
82. R.	Confect. arom a	
	Syr. tolut.	dr. 1.
	Aq. cinnamom	un. 1.
	q. h. s.	
	Mist. camph	un. 1.
	Tinct. asafætid	dr. 2.
83. R.	Aq. ammoniæ acetat	dr. 3.
	Syr. croci	dr. 1.
	(q. h. s.	

CLASS XV.

ASTRINGENTIA.

FORMULÆ.		
	(Aluminis	SCr. $\frac{1}{2}$.
84. R.	Cons. ros. r	scr. 1.
04. 14.) Syr. simp	scr. $\frac{1}{2}$.
	f. Bol. bis die.	
	(Alum	gr. 30.
58. R.	Sang. dracon	dr. 1.
38. IX.	Syr. ros	9. 8.
	(f. Pill. nº 28. c. Pill. 3. ter	in die.
	(Alum	dr. 2.
	Cort. Per	un. 1.
86. R.	Conserv. ros	dr.12.
	Syr. ros	q. s.
	f. Elect. c. M. N. M. ter in	die.
	(Limat. ferri.	
	Ter. japon ā	ā dr. 3.
87. R.	Cort. Per	un. 2.
	Syr. zinzib	9. 5.
	f. Elect. c. M. N. M. ter in	die.
	Ferri rubig.	
	Cort. Peruy ac	ī un. 1.
88. R.	Spec. arom	dr. 4.
OU. DAT	Cons. cort. aur	un. 2.
	Syr. cort. aur	9. 5.
	f. Elect. c. M. N. M. ter in	die.

FORMULÆ.

89. R.	Ferri vitriolat. Myrrh. Flor. chamæmelāā gr. 10. bis die s.
90. R.	Ter. japon
91. R.	$\begin{cases} \text{Zinc. vitriolati} & gr. 25. \\ \text{Rhei.} & gr. 5. \\ \text{Tereb. venet.} & q. s. \end{cases}$ $\begin{cases} \text{Zinc. vitriolati} & gr. 25. \\ gr. 5. \\ q. s. \end{cases}$
92. R.	Cort. Peruv. Confect. aromat $a\bar{a}$ scr. 1. Aq. cinnam dr . 12. Spirit. cinnam. Syr. cort. aur dr . 1. m. s.
93. R.	{ Tinct. cort. Per. comp. dr. 1.—dr. 3. bis in die.
94. R.	$ \begin{cases} \text{Tinct. cort. Per. comp.} & un. 1. \\ \text{Vin. ferri.} & dr. 4. \\ \text{c. dr. 4. ter in die.} \end{cases} $

FORMULÆ.	
- out of the	Tormentil. Cort. Peruv.
	Cort. Peruy.
95. R.	∠ Glycyr āā un. 1.
	Syr. cort. aur. q. s. f. Elect. d. M. N. M. ter in die.
	f. Elect. d. M. N. M. ter in die.
	V. ANTISEPTICA tonica.

CLASS XVII.

DEMULCENTIA.

	G. arab.
	- trag ā ā un. 1.
96. R.	Aq. font lb. 6.
	Syr. ex alth un. 4.
	(c. cochl. 3. ter in die.
	G. arab un. 1.
	Aq. font un. 3.
97. R.	Cola. adde.
	Sach. alb dr. 4.
	(c. dr. 1. urgente Tussi.
	Amygd. dulc no. 15.
	Ol. amygd un. 1.
98. R.	Gum. arab.
98. R.	Sach. alb ā ā dr. 2.
	Aq. cinnam un. 8.
	(d. un. 1. p. r. n.

FORMULÆ.			
	Ol. amygd	un.	2.
	Syr. viol.		
99. R.	∠ Syr. tolutāā	un.	1.
	Sach. alb	dr.	2.
	f. Troch. p. r.n. s.		
	(Ol. amygd.		
	Syr. violāā	un.	1.
100. R.	Sperm. ceti		
	Cons. ros.		
	p. r. n. s.		
	(Ol. amygd	dr.	3.
	Liq. vol. C. C	gt.	30.
101. R.	Syr. tolut	dr.	1.
	Aq. distil	dr.	12.
	6. q. h. s.		
	(Sperm. ceti. (v. o. s.)	gr.	30.
	Suc. limon.	dr.	8.
	Sal. C. C	gr.	8.
102. R.	⟨ Sp. N. M	dr.	3.
	Syr. tolut	dr.	1.
	Aq. distil	dr.	12.
	6. q. h. s.		
	Caric.		
	Uvar. pass.		
103. R.	Althææāā		
2001 241	Glycyr		
	Aq. bul	16.	2.
	f. Infusio. d. un. 2. p. r. n.		

CLASS XVIII.

STIMULANTIA.

	STIMULANTIA.		
FORMULÆ.	- 01		
104. R.	Sinapi. Cons. ros $a\bar{a}$ Syr. zinzib		
105. R.	Raph. rust. Sinapi $\bar{a}\bar{a}$ Aq. bulb. f. Infus. d. un. 4. ter in die.		
106. R.	Raph. rust. Sinapi	dr. $lb.$	6. 3.
	CLASS XIX.		
107. R.	$\begin{cases} \text{Asafætid.} & \dots \\ \text{Ol. anisi.} & \dots \\ d. \ gr. \ 24. \ p. \ r. \ n. \ s. \end{cases}$	dr.	
108. R.	$\begin{cases} \text{Camphor.} & \dots & \dots \\ \text{Gum. arab.} & \dots & \dots \\ \text{Syr. Papav. alb.} & \dots & \dots \\ f. \textit{Bol. p. r. n. s.} \end{cases}$	gr. scr. q. s	1.

FORMULE.		
	Mosch.	scr. 2.
	Gum arab	dr. 1.
109. R.	₹ Aq. ros	un. 6.
	Syr. papav. alb	dr. 4.
	(d. un. 1. p. r. n. s.	
	(Mist. moschat	dr. 4.
110. R.	$ \begin{cases} \text{Æther. vitr.} \\ p. r. n. s. \end{cases} $	gt. 30.
	Mosch	gr. 20.
111 D	Camph ā ā	scr. 2.
111. R.	Tinct. opii	gt. 30,
	Syr. papav. alb	
	f. Pill. N° 20. d. Pill. 5. m. &	v. s.
	(Valerian	dr. 2.
	Aq. cinnam.	un. 2.
112. R.	Aq. N. M.	,
	Syr. croci ā ā m. & v. s.	dr. 1.
	(Valerian.	
	Cort. Peruv ā ā	dr. 6.
113. R.	Rhei.	
	Pulv. aromāā	
	Syr. cort. aur f. Elect. de M. N. M. ter in d	q. s.
	J. Elect. ac M. Iv. In. ter the	

APPENDIX.

- 1. Gas oxygenium.
- 2. Gas azoticum.
- 3. Gas hydrogenium.
- 4. Gas acidum carbonicum.

These factitious airs promise, under the skilful management of Dr. Beddoes at the Hot Wells, Bristol, and especially under Dr. Thornton in London, to be a remedy well worthy public attention.

The oxygene air, in a properly diluted state, is a stimulus the most natural and diffusive. It promotes the insensible perspiration, greatly aids digestion, favours sleep, exhilarates the spirits, and relieves difficult respiration. It is found of the highest use in the low nervous fever. The azotic air abates inflammation, and with the hydrogene air seems to be capable of arresting the progress of consumption. The carbonic acid air is a most powerful antiseptic.

These Gases are frequently useful adjuncts to the , powers of other medicines, and combined perform cures, where neither would alone. Vide Beddoes's "Considerations relative to Factitious Airs," and Thornton's "Philosophy of Medicine."



GENERAL INDEX;

TO THE

THERAPEUTICS.

THE ABBREVIATIONS.

\vec{a} \vec{a}	Uniuscujusque	Equal quantities.
	capiat	
	Cornu Cervi	
	Formula	
	Dosis	
dr.	Drachma	A Drachm.
gr.	Granum	A Grain.
	Gutta	
	Horâ somni	
m.	Mane	. The Morning.
M.N.M.	Magnitudinem Nucis Moschatæ	The size of a Nutmeg.
	Omni hora	Each Hour.
o. 2. h.	Omnibi hora	Every two Hours.
6. q. h.	Sextâ quâque horâ	Every six Hours.
p. r. n.	Pro re natâ	. As occasion may require
9. 8.	Quantum sufficit	. As much as is sufficient.
R.	Recipe	. Take of.
	Sumendus	
scr.	Scrupulus	. A Scruple.
	Uncia	
v.	Vespere	. The Evening.
	In ovi vitello solutus	
		of an Egg.

THE CLASSES.

Anthelmintica. from and, against; and Expense, a worm X
Antiseptica ανι, against; and σηπω, to corrupt XIV
Antacida ante, against; and acidus, sour XII
Antispasmodica ανλι, against; and σπαω, to contract XIX
Astringentia astringo, to bind XV
Attenuantia attenuo, to make thin XIII
Cathartica καθαιςω, to purge II
Corrosīva corrodo, to corrode XVI
Demulcentia demulceo, to assuage XVII
Diaphoretica διαφεςω, to pass through the pores III
Diuretĭca δευζεω, to make water IV
Emmenagoga εν, in; μην, the menses; and αγω, { IX
Epispastica επι and σπαω, to draw V
Errhīna Ev, in; and gic, the nose VII
Expectorantia ex, out; and pectus, the breast VI
Lithonthriptica λιθος, a stone; and θευπτω, to break XI
Sialagoga σιαλον, saliva; and αγω, to force VIII
Stimulantia stimulo, to stimulate XVIII

MEDICINES.

A		Class.	Or.
Æther vitriolicus }	Vitriolic Æther ?	XIX	1
Absinthium	Wormwood	XIV	1
Acetosa	Sorrel	IV	II
Acetum	Vinegar	IV	II
Acidum vitriolicum {	Vitriolic Acid?	XV	III
the state of the s	V. F. 81	XVI	II
A10	Socolrine Aloes	II	I
Aloe socotorina	V. F. 10, 11, 12, 13,	IX	I
	14, 15, 58, 59, 60.) Burnt Allum		
Alumen ustum }	V. F. 84, 85	XVI	I
		XIV	III
Alköhol	V. F. 10	XV	III
	411 .:	XII	II
Alkalina	Alkali	THE	II
Alleali rolatila	Volatile Alkali	XVIII	II
Alkali volatile	Volatile Aikati	XIX	I
Allium	Garlic	VI	I
Althæa	Marshmallow?	XVII	I
	V. F. 103	12 . 11	
Amygdala dulcis	Sweet Almond		
19	V. F. 98.		
Ammoniacum gum- mi-resina	Cum-resin of Ammo- niacum.		
Ammonia	V. F. 54. V. F. 45	XII	II
Ammoniacum	Gum Ammoniacum }	VI	I
	V. F. 49 5		
Angelica		VIII	I

tiel and the state of the state		
Antimonium tarta- $\left\{ \begin{array}{ll} Tartarised & Antimony \\ Olim & Tartar & Emetic \\ V. & F. 1, 2.8. 22 \end{array} \right\}$ Apium $Parsley$ Aqua $Water$	Class. I II IV IV III	Or. I II I I IV
- ammoniæ ace- { Water of Ammonia. V. F. 38. 73. - cinnamomi . Cinnamon Water. - calcis	X XI	IV I
- fæniculi Fennel Water - kali puri Water of pure Kali - mephitica al- kalina Nutmeg Water.	XI XI	I I
— pulegii	XVI III XV IX XIV XIX I VIII	II I I I I I I I I I I I I I I I I I I
В		
Baccus juniperi \{ Juniper Berry. \\ V. F.24. 40. 42.		

Balsamum Peruvia- Salsam of Peru.	Class.	Or.
Bearsfoot V. Uva Ursi. Beet V. Beta Berberis Barberry Bêta Beet Betonĭca Betony Bitter apple V. Colocynthis. Broom tops V. Genistæ Cacumina.	IV VII VII	II I I
C		
Calomēlas $\begin{cases} Calomel & \\ V. & F. & 8. & 12. & 32. & 58. \\ 64. & 71. \end{cases}$	II III	I
Calor Warmth $Camphora$ $V. F. S4. 94. 97.$	XVIII III XIV XIX	III
Camphorated mixture { V. Mistura Camphorate.	22122	
Cantharides Spanish Fly	IV V IX XVIII	I I I
Carica The Fig	XVII	I
Cardamomum $\begin{cases} Cardamon \ Seed. \\ V. \ F. \ 25. \end{cases}$ Castoreum $\begin{cases} The \ Ashes \ of \ Broom. \\ V. \ F. \ 46. \end{cases}$	IX	Ш
Cinchona V. Cortex Peruvianus. Cinnamomum Cinnamon V. Stizolobium. Couhage V. Stizolobium.	XVIII	II
Coccinella Cochineal. Colchicum Meadow Saffron	IV	I

Coltsfoot V. Tussilago.	Class.	Or.
Conserva rosarum Conserve of Roses.		
Coriandrum Coriander.		
Cornu cervi ustum Burnt Hartshorn.		
Cortex Peruvianus $\begin{cases} Peruvian \ Bark \dots \\ V. \ F. \ 81. \ 86. \ 88. \\ 92. \dots \end{cases}$	XIX	I II I
Cortex radicis me- zerei	V	I
Corporis exercitio. Bodily Exercise		II
Corallina Coral. V. F. 65. 68.		
Conserva corticis au- Conserve of Orange p	neel.	
Confectio aromatica Aromatic Confection		
Contrayerva V. F. 27	III	I
Colocynthis $\begin{cases} Bitter\ Apple \\ V.\ F.\ 16 \end{cases}$	[]11	I
Cuprum Copper	XV	I
Cuprum vitriolatum Vitriolated Copper	XVI	I
Chamæmēlum Chamomile	} XIV	I
Cremor tartari \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
Creta præparata Prepared Chalk	XIII	II
Crocus Saffron.		
D		
Dandelion V. Taraxicum. Daucus sylvestris Wild Carrot	IV	I

Decoctum corticis Decoction of Peruvian Bark.	Class.	Or.
Peruviani V. F. 79. Diæta lauta A full Diet Digitālis Foxglove	IX I II	II III VI
E		
Euphorbium	VII IX XVIII XIX	I II II
F		
Ferri rubigo { Rust of Iron { V. F. 88 { Ferrum ammonia- cale { V. F. 61.	XIX IX XV XV XV	II II I I I I I I I I I I I I I I I I

		-
(Vitriolated Iron)	Class.	Or.
Ferrum vitriolatum \(\begin{aligned} \ V. \ F. 13. 59. 62. 71. \ 89. \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	X XV	I
Filings of Iron V. Limatura Ferri. Filix Fern Root V. Digitalis.	X	I
Flores chamæmeli Chamomile Flowers.		
$$ sulphuris { Flowers of Sulphur } $V. F. 19.55$ }	II	Ш
Fructus et vegetabilia Fruits and Vegetables.	XIII	П
G		
Gallæ Galls	XV	II
Gambogia	II X	V
Garlic V. Allium vel Theriaca. Genistæ cacumina Broom Tops Ginger V. Zingiber.	IV	I
Gummi Arabicum - Gum Arabic.		
Guaiacum gummi- $V. F. 11. 17. 24, 25.$	II III	II I
Glycyrrhiza $\begin{cases} Liquorice$	VI	II
Н		
Hellebörus Hellebore { Henbane V. Hyoscyamus.	VII X	I
Honey V. Mel.		
Horehound V. Marrubium. Horse-radish V. Raphanus Rusticanus. Hyoscyamus Henbane	II	IV

		-
	Class.	Or.
Hydrargyrus vitrio-	I	1
$\frac{\text{cum}}{\text{sulphure}} \text{cum} \begin{cases} \text{Quicksilver with Sul-} \\ \text{phur} \\ \text{V. F. 31. 65.} \end{cases}$	X	1
{Mercury	IX XIII	I
I	-	
Indian pink V Spigelia. Infusio corticis Peruvian Bark. V. F. 44.		
Ipecacuanha V. F. 2. 8	I	I
Jalapium V , F. 9. 21. 23. 72 Japan Earth V . Terra Japonica.	II	I
Juniperi cacumina Juniper Tops	IV	1
K		
Kali præparatum { Prepared Kali } — tartarisatum	IV	II
acetatum Acetated Kali vitriolatum Vitriolated Kali	IV II	III
L		
Lac ammoniaci Milk of Ammoniacum V. F. 56 Leopard's bane V. Arnica. Lemon juice V. Succus Limonis. Liquorice V. Glycyrrhiza. Limatūra Filings of Iron	IX	II
Limatura Filings of Iron } Lime water V. Aqua Calcis.	X	IV

		-
Lini semen Linseed	Class. XVII	Or.
Liquor volatilis cor- The Volatile Liquor of Hartshorn	111	III
M		
Magnesia	XII II VI	I V I
Mel Honey.		
Mercurial Ointment & Unguentum Hy-		
Mercury		
Mistura camphorata Camphorated Mixture.		
Moschus \dots $\begin{cases} Nusk \dots \end{cases}$	XIX	III
Mucilago gummi arabici V. F. 12. 89.		
Myrrha $\left\{ \begin{array}{lllll} Myrrh & & \\ V. & F. & 10. & 81. & 89. \end{array} \right. \right\}$	IX	III
N		
Natron vitriolatum Vitriolated Natron	II 1	III
Nicotiana Tobacco	VII	I
Nitrum Smoke of Tobacco	VI IV	I
Nux moschatæ Nutmeg	XVIII	II

		-
O	Class.	Or.
Oak	XVII	I
Olea essentialia Essential Oils Oleum juniperi Oil of Juniper.	XIX	I
olivarum Olive Oil	X II X XIV III XIX	I V III III III I
P		
Parsley V. Apium. Pediluvium Bathing of the Feet Piper Pepper Pilula ex alöe cum Aloetic Pills with Myrrh.	IX VIII	III
myrrha (V. F. 58, 59. — ex hydrargyri Mercurial Pills Gum Pills. V. F. 15, 58.	VIII	II
Pulvis tragăcanthæ Compound Powder of Tragacanth. V. F. 41.		
aromaticus Aromatic Powder. corticis Peru- viani		

	Class.	Or.
Q		
Quercus Oak	XV	II
R		
Raisins V. Uvæ passæ.		
Raphanus Rustica-	V	I
Rubia Madder	IX	Î
Rheum vel $\begin{cases} Rhubarb &$	IV II IX	IV V
Rhubarb V. Rheum.	IA	ľ
S		
Sabīna $$ $Savin$ $V. F. 65$	IX X	I IV
Saccharum album Refined Sugar.		
Sal cornu cervi Salt of Hartshorn.		
Sal Prunellæ Purified Nitre	VIII	1
Sales acidi et neutri Acid and Neutral Salts.	XIV	II
Santonïcum \cdots $\left\{ \begin{array}{l} \textit{Wormseed} \\ \textit{V. F. 65. 69.} \end{array} \right\}$	X	IV
Sanguis draconis Dragon's Blood	XV	II
Sapo Soap	XI XII XIII	I
Semen dauci sylves- Seed of the Wild Carrot	AIII	11
Senna V. F. 24, 25	II	1

	Class.	Or.
Semen fæniculi Fennel Seed.		
Silver V. Argentum.	~	
Simarouba	XV	II
Sinapi Mustard	V	I
Sorrel V. Acetosa.	XVIII	I -
PARELLE CONTROL OF AMERICAN PROPERTY.		
raphani rus- The Juice of Horse-		
ticani V. F. 5.		
Sulphur antimonii Precipitated Sulphur of Antimony.		
præcipitatum (V. F. 31.	***	
Scammonium Scammony	II X	V
	I	I
Scilla exsiccata $\begin{cases} Dried \ Squills. \\ V. \ F. \ 48. \end{cases}$	IV	I
(, . 1 . 40	VIII	Î
recens Fresh Squills.		
Ranings of Guaiacum		
Scobi guaiaci \ V. F. 24.	IV	Ш
Serum lactis Whey	XIII	I
Spermaceti V. F. 56	VI	II
C-1::	XVII	1
nuior I roof spirit of withe.		
Spiritus vini Spirit of Wine Squills V. Scilla.	XIX	k
Spigelia Indian Pink.		
Spiritus nucis mos		
chatæ Spirit of Nutmeg.		
The state of the s		

Spiritus vini Gallici — cinnamomi Stannum { Tin V. F. 66 Cowhage Stizolobium Syrup of Marshmallows Syrup of Marshmallows Syrup of Orange-peel. Syrup of Clove July-flower. — caryophilli rubri Syrup of Crocus. Syrup of Wild Poppies. Syrup of White Poppies Syrup of Tolu. Syrup of Violets. — cinnamom. Exprise of Cinnamon. Syrup of Marshmallows Syrup of Clove July-flower. Syrup of Crocus. Syrup of Wild Poppies. Syrup of White Poppies Syrup of Tolu. Syrup of Violets. Syrup of Violets. Syrup of Ginger.	X	Or I
T	-	
Tanacētum Tansy Taraxácum Dandelion Terra japonica Japan Earth. V. F. 90. Venice Turpentine.	X IV	IV I
Terebinthina veneta { V. F. 48 91. Terebinthina Turpentine Testæ ostreorum præparatæ } Prepared Oyster-shell	IV XII	I
Tin		

	1	
	Class.	Or.
Tinctura aloe com- Compound Tincture of		
posite 7 Aloes.		
(V. F. 00.		
opii Tincture of Opium.		
(V. F. 01, 00.		
cantharidis Tincture of Cantharides.		
(V. F. 44. 52. 57.		
corticis Pe- Compound Tincture of		
ruviani composita J Peruvian Bark.		
(V. F. 19. 90, 94.		
Tincture of muriated		
ferri muriati { Iron.		
(V. F. 59.		
helleböri ni- \ Tincture of Black Hel-		
gri lebore.		
scillæ S Tincture of Squills.		
(V. F. 50.		
serpentariæ Tincture of Serpentaria.		
(V. F. 80.		
- valerianæ Ammoniated Tincture		
ammoniata of Valerian.	1	
(V. F. 112.		
Tormentilla Tormentil.		
Turpentine V. Terebinthina.	777	
Tussilāgo Coltsfoot	VI	II
Theriaca V. F. 66.		
37		
V		
Valeriana § Valerian?	VIV	
Valeriana V. F. 21	XIX	1
Vapores Steams	VI	II
Vesicatoria Irritating Plaisters	VI	I
Vinegar V. Acetum.		
Vinum Wine	XVIII	II
album White Wine.	1	1

Vinum Antimonii V. F. 3. 6, 7. 33. 37. Ipecacuan- hæ	Class.	Or.
U		
Unguentum hydrar- { The Milder Mercurial } gyri mitius { Ointment }	VIII	II
gyri fortius The Stronger Mercu-	VIII	11
Uvæ passæ Raisins	XI	п
w		
Wormwood V. Absinthium. Wormseed V. Santonicum. Wine V. Vinum. Whey V. Serum Lactis.		

THE

APPENDIX.



GENERAL POSOLOGICAL TABLE.

A			
A antum C : 11-	T7:	DOSES.	
Acetum Scillæ Acidum muriaticum	Vinegar of Squills	gtt.10—gtt.50.	
vitriolicum		gtt.15—gtt.40.	
dilutum	Diluted Vitriolic Acid	gtt.10—gtt.30.	
Æther vitriolicus	Vitriolic Æther	gtt.10-gtt.100	
Aloe socotrina	Socotrine Aloes	gr. 15—scr. 1.	
Alumen	Alum	gr. 6—gr. 12.	
Ammonia præparata	Prepared Ammonia	gr. 5—scr. 1.	
Ammoniacum	Gum Ammoniacum Crude Antimony	gr. 10—gr. 15.	
calci-	Trade Antimong	scr. 1—dr. 1.	
natum	Calcined Antimony	gr. 15—scr. 2.	
tarta- į	Tartarised Antimony	er 1 6	
risatum	Turturisea Intimong	gr. 1—gr. 6.	
ficatum cerat	Vitrified Antimony	gr. 2-gr. 10.	
Aqua ammoniæ	Water of Ammonia	gtt.10-gtt.30.	
ace- i	Water of acetated ?		
tatæ	Ammonia	dr. 2—dr. 6.	
anethi	Dill-seed Water	un. 1—un. 2.	
calcis	Lime Water	un. 4—lb. $\frac{1}{2}$.	
cinnamomi	Cinnamon Water	un. 1—un. 4.	
(Fennel Water	un. 2—un. 4.	
kali}	Kali	gtt.20-gtt.80.	
puri	Water of pure Kali	gtt.10-gtt.30.	
menthæ pipe- ?	Peppermint Water	un. 2—un. 4.	
ritidis	- Promine fracer	un. 2—un. 4.	

pulegii	All-spice Water Pennyroyal Water Rose Water Gum Arabic	DOSES. un. 2—un. 4. un. 2—un. 4. ad libitum. dr. 1—dr. 2. gr. 10—scr. 1.
	В	
Balsamum canadense copaivæ peruvia- num	Balsam of Copaiva Balsam of Peru	gr. 15—gr. 30. gtt.20—gtt.40. gr. 6—gr. 25. scr. 1—dr. 1.
	C	
Camphora Cantharis Cardamomum Cascarilla Castoreum Catechu Chamœmelum Cicuta Cinchona Colomba Confectio aromatica opiata Conserva absinthii maritimi aritimi corticis au- rantii	Calomel Camphor Cantharides Cardamom seeds Cascarilla Bark Castor Camomile Hemlock Peruvian Bark Cordial Confection Confection of Opium Conserve of Sea Wormwood Conserve of Cuckow- pint Conserve of Orange Peel Conserve of Hips	gr. S—gr. 10. gr. 8—scr. 1. gr. ½—gr. 4. gr. 5—gr. 10. scr. ½—dr. 1. gr. 8—scr. 1. gr. 15—scr. 2. scr. ½—dr. 1. gr. 5—scr. 1. gr. 5—scr. 1. scr. 1—dr. 2. gr. 15—scr. 2. gr. 15—scr. 1. dr. 2—un. ½. scr. 1—dr. 1. ad libitum. ad libitum.

		DOSES.
Conserva lujulæ	Conserve of Wood-	dr. 4—un. 1.
vestris	Conserve of Sloes	dr. 1—dr. 3.
bræ	Conserve of RedRoses	dr. 2—un. 1.
Contrayerva	Conserve of Squills	scr. 1—dr. 1. gr. 10—dr. ½.
Coriandrum	Coriander Seeds	scr. 1—dr. 1.
Cornu cervi ustum	Burnt Hartshorn Chalk	dr. $\frac{1}{2}$ —dr. 2. gr. 15—scr. 1.
	-	
	D	
Decoctum cinchonæ	Decoction of Peru-	un. 2—un. 6.
cervi	Decoction of Harts-	un. 4—lb. $\frac{1}{2}$.
hordei	Simple Decoction of Barley	un. 4—lb. 1/2.
compositum	Compound Decoction of Barley	un. 4—lb. ½.
rillæ	Simple Decoction of Sarsaparilla	un. 4—lb. ½.
compositum	Compound Decoction of Sarsaparilla	un. 4—lb. 1.
Digitalis	Decoction of Elm Fox-glove	un. 4—lb. $\frac{1}{2}$. gr. $\frac{1}{2}$ —gr. 2.
	_	
	E	
	The inspissated juice	
Elaterium	of the wild Cu-	gr. $\frac{r}{2}$ —gr. S.
Electuarium cassiæ	Electuary of Cassiæ	dr. 1—dr. 6.
monii	Electuary of Scam-	scr. 1—dr. 6.
sennæ	Electuary of Senna	dr. 1-dr. 4.

*	-	DOSES.
Extractum cacumi-	Extract of Broom	scr.11-dr. 11.
nis genistæ (Tops	gr. 10—scr.1 <u>1</u> .
chamæ- ?		
meli	Extract of Camomile	gr. 10—scr. 2.
cinchonæ	Extract of Peruvian Bark	gr. 10 —scr. $1\frac{1}{2}$.
}	Extract of Bark	gr. 10—scr.1 ¹ / ₂ .
cum resina	with the Resin	gr. 10—scr.12.
thidis compositum	Compound Extract of Bitter Apple	gr. 5-gr. 25.
gentianæ	Extract of Gentian	gr. 10—scr.11.
glycyr-	Extract of Liquorice	dr. 1-dr. 4.
rhizæ hæma-		10 0
toxyli	Extract of Logwood	gr. 10—gr. 2.
hellebori	Extract of Black	gr. 2—gr 10.
nigri	Hellebore S Extract of Jalap	gr. 10—scr. 1.
papaveris 9	Extract of White	or 1-or. 5.
albi)
rutæ	Extract of Rue Extract of Savin	gr. 10—scr. 1. gr. 10—scr. $1\frac{1}{2}$.
senna	Extract of Senna	gr. 10—scr.1½.
	F	
Tami milina	Donat of Town	C 1T
Ferri rubigo Ferrum ammonia-	Rust of Iron	gr. 6 —scr. $1\frac{1}{2}$.
cale	Ammoniacal Iron	gr. 2—gr. 10.
tartarisatum	Tartarized Iron	gr. 2—gr. 10.
Filix	Vitriolated Iron Male Fern Root	gr. 1—gr. 6. scr. $1\frac{1}{2}$ —un. $\frac{1}{3}$.
Flores benzoes	Flowers of Benzoin	gr. 10—scr. 1.
sulphuris	Flowers of Sulphur	scr. 1-scr.11/2.

G

	G	
	1070	DOSES.
Gambogia	Gamboge	gr. 2-gr. 12.
Genista	Broom Tops	scr. 1-dr. 1.
Gentiana	Gentian	gr. 10-dr. 1.
Ginseng		gr. 10-dr. 1.
Glycyrrhiza	Liquorice Root	dr. 4-dr. 6.
Guaiacum		ser.13-dr. 1.
Gummi resina	Gum resin	gr. $\overline{6}$ —scr. $1\frac{1}{2}$.
		,
	7.7	
	Н	
Hæmatoxylum	Logwood	gr. 10-dr. 1.
Helleborus niger	Black Hellebore	gr. 1—gr. 5.
Hydrargyrus	Quicksilver	un. 1-un. 4.
acetatus	Acetated Quicksilver	gr. 1-gr. 10.
1		
natus	Calcined Quicksilver	gr. $\frac{1}{2}$ —gr. 2.
cum	Quicksilver with Chalk	or 5-ser 1
creta	Quienstiver term enoun	g 0 sc. 1.
muria-	Muriated Quicksilver	gr. I-gr. I
tus		
cum	Sulphurated Quick-	scr. 1-dr. 1.
sulphure	silver	
sulphu-	Red sulphurated	gr. 10—scr.11.
ratus ruber	Quicksilver	
-	Vitriolated Quicksil	gr. 1-gr. 4.
latus	ver	0 2 0
	I	
Infusum gentianæ	Compound Infusion of	
compositum	Compound Infusion of Gentian	un. 2—un. 4.
TOSZE	Infusion of Roses	un. 2-lb. I.
	Simple infusion of	2
sennæ	Senna	un. 2—un. 4.
		,

		DOSES.
Infusum sennæ tar- tarisatum Ipecacuanha	Tartarised infusion of Senna	} un. 2—un. 4. gr. 10—scr. 1.
Iris	Florentine Orris	scr. 1—dr. 1.
	J	
Jalapium	Jalap	gr. 7 —scr. $\frac{1}{2}$.
Juniperus	Juniper Berries	scr. 1—dr. 1.
	K	
Kino		gr. 10—scr.11.
Kali præparatum	Prepared Kuli Acetated Kali	gr. 8—scr. 1. scr. 1—dr. 1.
tartarisatum	Tartarised Kali	dr. 2-dr. 6.
vitriolatum	Vitriolated Kali	dr. 2—dr. 6.
	L	
Lac ammoniaci	Milk of Ammoniacum	dr. 2—un. 1.
Liquor volatilis cor-	Milk of Almonds Volatile Liquor of	un. 2—un. 6.
nu cervi		$scr.1\frac{1}{2}$ —dr. 2.
	M	
Magnesia alba	White Magnesia	scr. 1—dr. 2. scr. 1½—dr. 1.
usta vitriolata	Burnt Magnesia Vitriolated Magnesia	scr. $1\frac{1}{2}$ —dr. 1. dr. 2—dr. 6.
Manna		un. $\frac{1}{2}$ —un. 2.
Mel acetatum	Acetated Honey	dr. 1—dr. 2. dr. 1—dr. 2.
scillæ	Rose Honey Squill Honey	scr.1½—dr. 2.
Millepeda	Woodlice	dr. 1-dr. 3.

		DOSES.
Mistura camphorata	Camphorated Mixture	un. 2—un. 4.
cretacca	Chalk Mixture	un. 2—un. 4.
moschata	Musk Mixture	dr. 4-un. 2.
Mucilago amyli	Mucilage of Starch	dr. 1-un. 1.
arabici	7 7 11 0 00 7	
gummi	Arabic	dr. 1-un. 1.
seminis	Mucilage of Quince-	dn 1 1
cydonii mali	seed	dr. 1—un. 1.
tragacan-	Mucilage of Traga-	dr. 1-un. 1.
thæ	canth	,
Myrrha	Myrrh	gr. 10-scr.12.
	N	
Natron præparatum	Prepared Natron	gr. 10-scr.17.
tartarisatum	Tartarised Natron	dr. 4—un. 1.
vitriolatum	Vitriolated Natron	dr. 6-un. 1.
Nitrum purificatum	Purified Nitre	gr. 5-scr. 1.
The same particular and the sa		8 50 1.
	0	
	· ·	
01	0.7 - 0.411	1 1
Oleum amygdalæ	Oil of Almonds	dr. 4—un. 1.
juniperi	Oil of Juniper-ber-	gtt. 2-gtt.10.
baccæ		
lini	Oil of Lavender Oil of Linseed	gtt. 1—gtt. 5.
olivæ	Oil of Olives	dr. 4—un. 1.
ricini	Castor Oil	dr. 4—un. 1. dr. 2—un. 1.
sinapeos	Oil of Mustard	dr. 4—un. 1.
Opium purificatum	Purified Opium	gr. ½—gr. 2.
Ostreorum testæ	Oyster-shells	scr. 1—dr. 11.
Oxymel colchici	Oxymel of Colchicum	scr. 1—scr.11.
scillæ	Oxymel of Squills	scr. 11 -dr. 1.

		DOSES.
Pilula aloes compo-	Compound Pills of Aloes	gr. 10—scr. 1.
Myrrha	Pills of Aloes with Myrrh	gr. 6—gr. 18.
posita	Compound Galbanum Pills	$gr. 10-scr.1\frac{1}{2}$.
— hydrargyri opii	Quicksilver Pills Opium Pills	gr. 6—scr. 1. gr. 2—gr. 8.
Pimento	Squill Pills All-spice	gr. 10—scr. 1. gr. 5—scr. 1.
Pulvis aloes cum canellâ	Aloetic Powder with canella	gr. 10—scr. 1.
ferro	Aloetic Powder with Iron	gr. 8—gr. 18.
guaiaco	Aloetic Powder with Guaiacum	gr. 10—scr. 1.
antimonialis aromaticus	Antimonial Powder	gr. S—gr. 6. gr. 5—scr. 1.
crorum composi-	Compound Powder of Crab's Claw	scr.1½—dr. 1.
contrayervæ compositus	Compound Powder of Contrayerva	$gr. 15-scr.1\frac{1}{2}$.
cretæ compo-	Compound Powder of Chalk	gr. 10—scr. 1.
situs cum opio	Compound Powder of Chalk with Opium	gr. 10—scr. 2.
compositus	Compound Powder of Ipecacuanha	gr. 18 —scr. $1\frac{1}{2}$.
positus		gr. 15—scr.1½.
opiatus	Opium Powder Compound Powder of Scammony	gr. 5—scr. 1. gr. 10—scr. 1.
compositus cum aloe	Powder of Scammony with aloe	gr. 5—gr. 10.

145

		DOSES.
cum calomelane	Powder of Scammony with Calomel	gr. 8—gr. 16
situs	Compound Powder of Senna	
tragacanthæ compositus	Compound Powder af Pagacanth	scr. 1—dr. 1.
Pyrethrum	Pellitory of Spain	gr. 1—gr. 6.
	Q	
Quassia	Quassy Wood	
Quercus	Oak Bark	gr. 6—scr. 1.
	R	
Raphanus rusticanus	Horse-radish	scr. 1—dr. 1.
Ruta	Rhubarb	gr. 15—scr. 2. gr. 15—scr. 1.
	S	
Sal ammoniacus		gr. 8—scr. 1.
	Purified Sult of Am-	gr. 10—scr. 1. gr. 5—gr. 15.
Sapo	Soap	scr $1\frac{1}{2}$ —dr. 4.
Sarsaparilla		scr. 1—scr. $1\frac{1}{2}$. scr. 1—dr. 1.
Scammonium	Scammony	gr. 5—scr. 1.
Scilla exsiccata	Dried Squills Fresh Squills	gr. 1—gr. 3, gr. 5—gr. 10.
Scordium	Water-germander	scr. 1—dr. 1.
Seneka		scr. 1—scr. 2.
Serpentaria		scr. 1—dr. 1. gr. 10—scr. 2.
Simarouba	Simarouba Bark	gr. 10-scr. 11.

		DOSES.
Sinapi	Mustard-seed	dr. 1-dr. 3.
Spermaceti		scr. 1-dr. 1.
Spigelia	Indian Pink	gr. 10-ser. 1.
Spina cervinæ	Buckthorn	$scr.1\frac{1}{2}$ - dr. 2.
Spiritus ætheris vi-	Vitriolic Spirit of	
triolici	Æther	gtt.20—gtt.60.
vi-	Compound Spirit of	gtt.20-gtt.60.
triolici compositus	vitriolic Æther	git.20—gtt.00.
ni-	Nitrous Spirit of	gtt.20—gtt.60.
trosi	Ether	
ammoniæ	Spirit of Ammonia	scr. 1—scr. 2.
-	Compound Spirit of	scr.11-dr. 1.
compositus	Ammonia	301.12
	Fælid Spirit of Am-	scr. 1—scr. 2.
fœtidus	monia	
au asimatus	Succinated Spirit of	gr. 10-scr. 1.
succinatus	Ammonia Compound Spirit of	
positus	Aniseed	dr. 1-dr. 4.
carui	Spirit of Carraway	dr. 1-dr. 4.
cinnamomi	Spirit of Cinnamon	dr. 1-dr. 4.
juniperi	Compound Spirit of 7	,
compositus	Juniper	dr. 1-dr. 4.
lavendulæ	Spirit of Lavender	dr. 1-dr. 4.
	Compound Spirit of	scr 11_dr 0
compositus	Lavender	Sci.12
menthæ pi-	Spirit of Peppermint	dr. 1-dr. 3.
peritidis	Spire of a spreaming	
- sa-	Spirit of Spearmint	dr. 1-dr. 4.
tivæ		
nucis mos-	Spirit of Nutmeg	dr. 1-dr. 4.
chatæ	Spirit of Pimento	dr. 1-dr. 3.
pulegii	Spirit of Pennyroyal	dr. 1-dr. 3.
raphani (Compound Spirit of	
compositus		dr. 1—dr. 3.
Spongia usta	Burnt Sponge	scr. 1-dr. 1.
Stanni pulvis	Powder of Tin	dr. 1-dr. 6.
Styrax	Storax	gr. 10-scr. 1.
		The state of the s

		DOSES.
Succinum præpara-	Prepared Amber	$scr.1\frac{1}{2}$ —dr. 1.
Succus aconiti spis-	Inspissated Juice of Henbane	gr. 1—gr. 4.
spissatus	Inspissated Juice of Elderberry	un. $\frac{1}{2}$ —un. 2.
satus	Inspissated Juice of Hemlock	gr. 2—gr. 10.
compositus	Compound Juice of Scurvy-grass	un. 2—un. 6.
ribris nigri	Inspissated Juice of Black Currant	un. ½—un. 2.
Sulphur antimonii præcipitatum	Precipitated Sulphur of Antimony	gr. 2—gr. 5.
tum	Precipitated Sulphur	dr. 1—dr. 2.
Syrupus altheæ	Syrup of Marsh-mal-	dr. 1-dr. 2.
albi	Syrup of White Pop-	dr. 4—un. 1.
erratici	Syrup of wild Poppy	dr. 2-dr. 4.
rosæ spinæ cer-	Syrup of Rose	dr. 1—dr. 2.
vinæ	Syrup of Buckthorn Syrup of Violets	dr. 1—dr. 2. dr. 1—dr. 2.
zingiberis	Syrup of Ginger	dr. 1-dr. 2.
	T	
Tanacetum Tartari crystalli	Tan	scr. $1\frac{1}{2}$ —dr. 1. dr. 4—un. 1.
Tinctura aloës	Tincture of Aloes	dr. 4—un. 1.
posita	Aloes	$\operatorname{scr.1}_{2}^{1}$ dr. 2.
asæfætidæ	tida	scr. 1—dr. 2.
balsami pe-	Compound Tincture of Aloes Tincture of Asafæ- tida Tincture of Balsam of Peru	$scr.1\frac{1}{2}$ —dr. 2.
	0	

		DOSES.
Tinctura balsami to- lutani	Tincture of Balsam of Tolu	SCI.12—ur. Z.
benzoës composita	Compound Tincture of Benjamin	dr. 1—dr. 2.
cantharidis	Tincture of the Spa- nish Fly	gr. 10—dr. 1.
cardamomi	Tincture of Carda-	dr. 1—dr. 3.
composita	Compound Tincture of Cardamom	dr. 1-dr. 3.
cascarillæ	Tincture of Casca-	dr. 1-dr. 4.
castorei	Tincture of Castor Tincture of Catechu	scr. 1—dr. 1½. dr. 2—dr. 3.
cinchonæ	Tincture of Bark Compound Tincture of	dr. 1—dr. 4.
composita	Bark	dr. 2—dr. 4.
ammoniata	of Bark	$\operatorname{scr.} 1^{\underline{1}}_{\underline{2}} - \operatorname{dr.} 2.$
cinnamomi	mon	dr. 1—dr. 3.
composita	Cinnamon Tincture of Colomba	dr. 1—dr. 3. dr. 1—dr. 3.
ferri ammo-	Tincture of Ammoni-	scr. 1—dr. 2.
ferri muriati	Tincture of Muriated	gtt.10—gtt.60.
galbani	Tincture of Galba-	dr. 1-dr. 3.
gentianæ composita	Compound Tincture of Gentian	dr. 2—dr. 3.
guaiaci am-	Ammoniated Tincture	dr. 1—dr. 4.
helebori ni-	of Guaiacum	scr. 1—dr. 1.
jalapii	Hellebore	dr. 1—dr. 3. dr. 1—dr. 2.
myrrhæ	Tincture of Myrrh	ui. 1—ui. z.

		DOSES.
Tinctura opii	Tincture of Opium	gtt.20-gtt.25.
phorata	Camphorated Tinc- ture of Opium Tincture of Rhubarb	gtt.30—gtt.60. dr. 4—un. 2.
composita	Compound Tincture of Rhubarb	dr. 4—un. 2.
Posita	Savin Tincture of Squills	gtt.20—gtt.40. gtt 20—gtt.60.
sennæ	Tincture of Senna § Tincture of Serpen-	dr. 2—un. 1.
valerianæ	Tincture of Valerian Ammoniated Tincture	dr. 1—dr. 3.
ammoniata Zingiberis Tormentilla Tragacantha	Of Valerian	
	v	
Valeriana Vinum aloes antimonii	Wine of Aloes Antimonial Wine Wine of Tartarised	scr. 1—dr. 2. dr. 6—un. 1. gtt.20—gtt.50.
Vinum aloes antimonii tartarisati ferri ipecacuanhæ rhabarbari	Wine of Aloes Antimonial Wine	dr. 6—un. 1. gtt.20—gtt.50. gtt.20—gtt.50. dr. 1—dr. 4. dr. 1—dr. 4. dr. 4—un. 2.
Vinum aloes antimonii tartarisati ferri ipecacuanhæ rhabarbari	Wine of Aloes Antimonial Wine Wine of Tartarised Antimony Wine of Iron Ipecacuanha Wine Wine of Rhubarb	dr. 6—un. 1. gtt.20—gtt.50. gtt.20—gtt.50. dr. 1—dr. 4. dr. 1—dr. 4. dr. 4—un. 2.

INDEX

NOMINUM MUTATORUM.

FORMER NAMES.

NEW NAMES.

A

Acetum scillæ. Hydrargyrus cum sulphure. Aqua aluminis composita. - calcis. --- cinnamomi. Spiritus cinnamomi. Decoctum hordei. Spiritus juniperi compositus. x. Aqua menthæ piperitidis. Spiritus menthæ piperitidis. Aqua menthæ sativæ. Spiritus menthæ sativæ. -- nucis moschatæ. Aqua pimento. - pulegii. Spiritus pulegii. --- raphani compositus. Aqua rosæ. --- cupri ammoniati. ---- anethi. Spiritus anisi compositus. ----- carui. Aqua zinci vitriolati cum camphora.

В

Batsamum sutphuris barbadens. ——	Oleum sulphuratum. Tinctura benzöes composita.
	C
Calx antimonii. Causticum antimoniale. ————————————————————————————————————	Antimonium calcinatum. Calx cum kali puro. Argentum nitratum. Ceratum spermatis ceti. resinæ flavæ. lapidis calaminaris. Ferri rubigo. Hydrargyrus sulphuratus ruber. Confectio aromatica.
1	
Decoctum album. — commune pro clystere. — pectorale.	Decoctum cornu cervi. pro enemate. hordeicompositum
]	Ξ
Electuarium lenitivum. Elixir aloes. — myrrhæ compositum. — paregoricum. Emplastrum ex ammoniaco cum mercurio. — attrahens. — cephalicum. — commune. — adhæsi-	Electuarium e sennâ. Tinctura aloës composita. ——sabinæ composita. ——opii camphorata. Emplastrum ammoniaci cum hydrargyro. ——ceræ. ——picis burgundicæ. ——lithargyri. ——cum re-
rum.	sina.

FORMER NAMES.	NEW NAMES.
Emplastrum commune cum	Emplastrum lithargyri cum
gummi	gummi
curio.	hydrargyro.
e cymino.	cumini.
roborans.	thuris.
- e sapone.	
stomachicum.	ladani.
vesicatorium.	cantharidis.
Emulsio communis.	Lac amygdalæ.
Extractum catharticum.	Extractum e colocynthide compositum.
thebaicum.	Opium purificatum.
	F
Flores benzoini.	Flores benzoês.
martiales.	Ferrum ammoniacale.
Fotus communis.	Decoctum pro fomento.
	Н
Hiera picra.	Pulvis aloêticus.
	I
Infusum amarum simplex.	Infusum gentianæ composi- tum.
sennæ commune.	sennæ tartarisatum.
Julepum e camphorâ.	Mistura camphorata.
——— e cretâ	cretacea.
— e moscho.	moschata.
	L
Linimentum album.	Unguentum spermatis ceti.
	Linimentum saponis.
	ammoniæ,
Lixivium saponarium.	Aqua kali puri.
tartari.	kali.

FORMER NAMES. M NEW NAMES. M

Mel Ægyptiacum. — rosaceum. Mercurius calcinatus. — corrosivus sublimatus. — ruber. — dulcis sublimatus. — emeticus flavus. — præcipitatus albus.	Oxymel æruginis. Mel rosæ. Hydrargyrus calcinatus. ————————————————————————————————————
N	
Nitrum vitriolatum.	Kali vitriolatum.
or of the C	
Oleum petrolei barbadensis. — terebinthinæ æthereum. Opium colatum. Oxymel scilliticum.	Oleum petrolei. ———————————————————————————————————
P	
Pilulæ aromaticæ. - rufi. Pulvis e bolo compositus.	Confectio opiata. Pulvis aloêticus cum guaiaco. Pilulæ ex aloë cum myrrhâ. Pulvis e creta compositus.
1	opio e cerussa asari compositus.
Rob baccarum sambuci.	Succus baccæ sambuci spis-

S

Saccharum saturni.	Cerussa acetata.
Sal absinthii.	Kali præparatum.
- catharticus glauberi.	Natron vitriolatum.
— diureticus.	Kali acetatum.
- martis.	Ferrum vitriolatum.
— tartari.	Kali præparatum.
- vitrioli.	Zincum vitriolatum.
- volatilis salis ammoniaci.	Ammonia præparata.
Species aromaticæ.	Pulvis aromaticus.
Spiritus cornu cervi.	Liquor volatilis cornu cervi.
- lavendulæ compositus.	Tinctura lavendulæ compo-
the state of the s	sita.
- simplex,	Spiritus lavendulæ.
- nitri du!cis.	ætheris nitrosi.
glauberi.	Acidum nitrosum.
salis ammoniaci.	Aqua ammoniæ.
- dulcis.	Spiritus ammoniæ.
marini glauberi.	Acidum muriaticum.
vinosus camphoratus.	Spiritus camphoratus.
- vitrioli dulcis.	ætheris vitrioli.
volatilis aromaticus.	ammoniæ compositus
fætidus.	fætidus.
Succi scorbutici.	Succus cochleariæ compo-
	situs.
Syrupus ex althæå.	Syrupus althææ.
e corticibus aurantio-	-,1
rum.	corticis aurantii.
balsamicus.	tolutanus.
- e meconio.	papaveris albi.
rosarum solutivus.	rosæ.
	Γ
*	3
Tabella curdialgica.	Trochisci e creta.
Tartarum emeticum.	Antimonium tartarisatum.
solubile.	Kali tartarisatum.
vitriolatum.	vitriolatum.

FORMER NAMES.	NEW NAMES.
Tinctura amara.	Tinctura gentianæ compo-
aromatica.	cinnamomi com-
fætida.	asafœtidæ.
-guaiacina volatilis.	gnaiaci.
japonica.	catechu.
- martis in spiritu salis.	ferri muriati.
me/ampodii.	hellebori nigri.
rhabarbari spirituosa.	rhabarbari.
vinosa.	Vinum rhabarbari.
rosarum.	Infusum rosæ.
sacra.	Vinum aloës.
stomachica.	Tinctura cardamomi com- posita.
Trochisci bechici albi.	Trochisci ex amylo
————— nigrî	e glycyrrhiza.
7	
Vinum antimoniale.	Vinum antimonii.
chalybeatum.	——— ferri.
Unguentum album.	Unguentum ceræ.
basilicum flavum.	resinæ flavæ.
cæruleum fortius.	
	tius.
mitius.	mitius.
- e mercurio præci-	calcis hydrargyri
pitato	albæ.
saturninum.	cerussæ acetatæ.
simplex.	adipis suillæ.

FINIS.

Printed by C. Squire, Furnival's-Inn-Court, Holborn.









