

Tabulae pharmacologicae usui medico-practico dicatae / [Joseph Friedrich Sobernheim].

Contributors

Sobernheim, J. F. 1803-1846.

Publication/Creation

Berolini : W. Schueppel, 1837.

Persistent URL

<https://wellcomecollection.org/works/aq26jhs7>


License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



48854/A

L-x

19/5

TABULAE
PHARMACOLOGICAE

USUI MEDICO-PRACTICO
DICATAE.

AUCTORE


JOS. FRIDER. SOBERNHEIM,

MEDICINAE ET CHIRURGIAE DOCTORE.

BEROLINI.

SUMTIBUS GUILH. SCHUEPPEL.

MDCCCXXXVII.



TABULAE

PHARMACOLOGICAE

PRÆT. MEDICO-PRACTICO

SCRIPTAS

LECTOR

JOH. FRIDRICH SCHULTZE

MDICINAE ET CHIRURGICAE DOCTOR

BEROLINI

SEPTUAGESIMO ANNO



MDCCCXXXII

PROOEMIUM.

Quas Tibi, Lector benevole, nunc trado, *tabulae pharmacologicae*, iisdem nituntur principiis, summa tantum rerum vestigia sequentes, quae in opere majore recens a me edito et inscripto: „Handbuch der praktischen Arzneimittellehre” fusius et uberius tractavi.

In mentem etenim Tibi revocant omnia, quae in *Pharmacopoea borussica* inveniuntur, pharmaca *officinalia*, eorum *praeparata* cum *simplicia* tum *composita*, aequae ac *formas* et *doses*, quibus administrari solent.

Accedunt *notae medico-practici argumenti*, quibus non solum *cautelae* in concinnandis formulis medicis rite observandae dilucide exponuntur, vero etiam praestantissimorum, qui tabernaculum tamquam et firmum domicilium in arte

hippocratica collocatum habuere, et veterum et recentiorum medicorum *formulae selectae* describuntur.

Opusculum *duplice* indice instructum, quorum alter *morbos* complectitur cum *formulis medicis*, alter *praeparata composita* continet, *judicio Tuo*, Lector benevole, submittens, nihil magis in votis habeo, nisi hoc, ut gratum Tibi acceptumque videatur.

Scripsi Berolini, Calend. Martii, anno MDCCCXXXVII.

Auctor.

INDEX MORBORUM.

- Acor primarum viarum*: pulv. *Hufeland*. p. 88, pulv. *Vogleri* p. 68, pul. *Berends*. p. 75, mixt. *Richteri* p. 22 et p. 87.
- Amaurosis*: pil. *Graefii* p. 86, gutt. *Rustii* p. 86.
- Amenorrhoea*: pulv. *Wedelii* p. 20, mixt. *Koppi* p. 90, mixt. *P. Frank*. p. 74.
- Apoplexia serosa*: clyisma *Arnemanni* p. 35.
- Arthritis*: pil. *P. Frank*. p. 41, *Quarin*. p. 49, *Richteri* p. 93, *Stollii* p. 98, *Pharmacop. Hamburgens*. p. 104, liquor *Elleri* p. 10, specificum antipodagricum *Emerigonis* p. 48, gutt. *Schneideri* p. 21, gutt. *Weberi* p. 34.
- Asthma Millari*: mixt. *Wendt*. p. 73.
- Blepharophthalmia*: unguent. *Rust*. p. 56.
- Blepharophthalmoblennorrhoea*: unguent. *Rust*. p. 56.
- Bubo syphiliticus*: cataplasma *Kerndlii* p. 97.
- Calculi fellei*: mixt. *Durandi* p. 106.
- Cardialgia nervosa*: pulv. *Kopp*. p. 60, pil. *Schubarth*. p. 107, gutt. *Richteri* p. 15.
- Caries* pil. *Rustii* p. 14.
- Caries dentium*: mixt. *Boerhaavii* p. 28.
- Cancer*: unguent. *Cosmei* p. 13, *Hellmundii* p. 13.
- Cancer apertus*: cataplasma efficax *Dispensator. Fuldens*. p. 36.
- Chlorosis*: pil. *Kaempfer*. p. 46.
- Cholera indica*: mixt. *Levisseur*. p. 24.
- Colica saturnina*: mixt. *Richteri* p. 69.
- Combustio*: unguent. *Schwartzii* p. 85.
- Crusta lactea*: pulv. *Jahn*. p. 109.
- Decubitus*: unguent. *Autenrieth*. p. 87.
- Diarrhoea asthenica*: mixt. *Berends*. p. 29, mixt. *Hufeland*. p. 77, *Vogelii* p. 96.
- Diarrhoea infantum*: pulv. *Hufeland*. p. 88, emuls. *Sundelin*. p. 77, mixt. *Lentin*. p. 91.
- Diarrhoea typhosa cum intestinorum exulceratione*: mixt. *Lesseri* p. 42.
- Dysenteria*: mixt. *Hufeland*. p. 77, mixt. *Meyeri* p. 76.
- Ephelides*, unguent. *P. Frank*. p. 96.
- Epilepsia*: pulvis *Brandeii* p. 110, pulv. *Ragoloi* p. 107, pulv. *Waitzii* p. 21, pil. *Loebenstein-Loebel*. p. 12, pil. *Richter*. p. 39, mixt. *Loebenstein-Loebel*. p. 83.
- Febris intermittens*: guttae febrifugae *Heimii* p. 13.
- Febr. intermitt. perniciosa*: pulv. *Neumannii* p. 32.
- Febr. intermitt. rebellis*: pulv. *Osiander*. p. 18.
- Febris nervosa versatilis*: mixt. *Be-*

- rends.* p. 108, mixt. *Sundelin.* p. 37, lotiones *Sundelin.* p. 23.
- Gangraena humida:* pulv. inspersorius *Rustii* p. 74.
- Gastromalacia infantum:* mixt. *Pitschaft.* p. 4.
- Gastrosis:* linctus emeticus *Hufeland.* p. 59.
- Gonorrhoea secundaria:* pil. *Walchii:* p. 105, bolus *Henschelii* p. 17, electuarium *Vogtii* p. 38, gutt. *Heimii* p. 17, injectiones *Rust.* p. 110.
- Haemorrhagia:* pulvis haemostaticus *Lentini* p. 65.
- Haemorrhag. asthenica:* pulv. *Sundelin.* p. 65.
- Haemorrhoides:* mixt. *Vogel.* p. 101.
- Hebetudo visus:* liniment. *Graefii* p. 71.
- Helminthiasis:* pulv. *Rosenstein.* p. 101, electuar. *Bremseri* p. 33, *Störkianum* p. 33 et p. 58, *Sundelinii* p. 51, unguent. *Dörffurthii* p. 101.
- Herpes:* bolus et electuarium *Weinhold.* p. 48, gutt. *Heim.* p. 34.
- Herpes pustulosus:* unguent. *Biett.* p. 52.
- Hydrophobia:* pulv. *Rust.* p. 25.
- Hydrops:* pulv. *Hufeland.* p. 40 pulv. *Quarin.* p. 94, pil. *Bacheri* p. 50, pil. *Heim.* p. 91, pil. *Hufeland.* p. 94, electuarium *Weikardii* p. 102, infusum *P. Frank.* p. 1; decoctum *Hufeland.* p. 35, emulsio *Vogt.* p. 105, mixt. *Bangii* p. 102, mixt. *Hufeland.* p. 61, tinct. *Hufeland.* p. 61, linimentum *Koppii* p. 26.
- Hydrocephalus acutus:* unguent. *J. Frank.* p. 40.
- Hydrops pericardii:* pulv. *Toelii* p. 65.
- Hydrops ascites:* infus. *Richter.* p. 40.
- Hypochondriasis:* solamen miserum *Kleinii* p. 15, pil. *Weikard.* p. 104.
- Hysteriasis:* pil. *Fulleri* p. 45, pil. *Sydenhami* p. 14, *Aqua Luciae* p. 8.
- Icterus:* pil. *Richter.* p. 101.
- Ileus:* mixt. *Richter.* p. 77.
- Induratio hepatis:* pil. *Richter.* p. 101.
- Inflammatio:* potio antiphlogistica *Graefii* p. 63, solutio antiphlogistica *Graefii* p. 63, decoctum album *Sydenhami* p. 72, fomenta *Schmuekeri* p. 63.
- Ischias nervosa Cotunni:* mixt. *Martineti* p. 106.
- Lentigines:* unguent. *P. Frank.* p. 96.
- Lithiasis:* pil. *Berends.* p. 75, aqua mephitica alcalina *Falkoneri* p. 62.
- Lues venerea:* pulv. *Bergii* p. 55, pilul. *Dzondianae* p. 52, pil. *Hufeland.* p. 52, *Richter.* p. 55, *Sundelinii* p. 55, decoctum *Felsii* p. 93, decoctum *Pollini* p. 60, succus *Wendtii* p. 32, species *Weikard.* p. 71.
- Melancholia:* gutt. *Hufeland.* p. 48.
- Metrorrhagia profusa:* pulv. *Atlei* p. 95, pil. *Formeyanae* p. 7, mixt. *Richter.* p. 4, mixt. *Swieten.* p. 29, gutt. *Hufeland.* p. 48, gutt. *Thilenii* p. 29.
- Neuroses:* pil. *Sundelin.* p. 110.
- Obstructio alvi:* pulv. *Selle.* p. 101, *Vogel.* p. 101, pil. *Berends.* p. 100, pil. *Graefii* fortiter purgantes p. 6, et p. 59, pil. *Hufeland.* p. 88, mixt. *P. Frank.* p. 95, oleum laxativum *Vogleri* p. 58.
- Obstructio hepatis:* pil. *Vogel.* p. 92.
- Obstructio viscerum:* pil. *Berends.* p. 75, clysmata *Kaempfer.* p. 30.
- Ophthalmia:* pulv. *Baldingeri* p. 20, collyrium *Rust.* p. 85, *Aqua mercurialis Graefii* p. 53, unguent. ophthalmicum *Rustii* p. 51.
- Ophthalmia scrophulosa:* unguent. *Rust.* p. 56.
- Paralysis:* pil. *Magendiana* p. 77, pil.

Trinii p. 78, mixt. *Sundelin.* p. 83, gutt. *Horn.* p. 78.
Perniones: liniment. *Henschel.* p. 16, *Richteri* p. 81, *Rustii* p. 16, unguent. *Hufeland.* p. 20.
Phlegmasia alba dolens: mixt. *Martini* p. 64.
Photophobia scrophulosa: pulv. *Kopp.* p. 35.
Phthisis: pulvis *Fr. Hoffmanni* p. 73, pulv. *Jahn.* p. 82, pil. *Jahn.* p. 84, pil. *Koppii* p. 84, pil. *Stegmannianae* p. 64, morsuli *Schönlein.* p. 27, mixt. *Griffithii* p. 74, escharoticum *Wolffii* p. 37.
Pleuresia: mixt. *Richteri* p. 104.
Pneumonia typhosa: mixt. *Richter.* p. 95.
Prosopalgia: pulv. *Hutchinson.* p. 42, gutt. *Horn.* p. 10.
Pyrosis: pulv. *Heim.* p. 27.
Rheumatismus acutus: mixt. *Thilenii* p. 104.
Rheumatis. chronicus: electuarium ab *Home* et *Cheyne* commendatum p. 106, gutt. *Weberi* p. 34, balnea *Koppii* p. 35.
Scabies: unguent. *Hufeland.* p. 99.
Scabies tener. infantum: unguent. *Hufeland.* p. 50.
Scorbutus oris: electuar. *Sydenhami* p. 34.
Scrophulosis: pulv. *Plummeri* p. 53, pil. *Kortum.* p. 36, mixt. *Remeri* p. 17, gutt. *Hufeland.* p. 17, gutt. *Remer.* p. 22, balnea *Sundelin.* p. 22.
Spasmus: pulv. *Vogleri* p. 68, pil. *Jahn.* p. 92, gutt. *Heim.* p. 31.
Spasmi infantum: pulv. *Wendt.* p. 109.

Spasmus gulae, ventriculi et intestinorum: liquor *Hufeland.* p. 18.
Stagnationes hepatic. et venae portae: pediluvia *Schönlein.* p. 3.
Stases abdominales: mixt. *Vogelii* p. 101.
Struma: pulv. *Rust.* p. 97.
Sudores nocturni phthisicorum: pulv. *Haënni* p. 19.
Taenia lata: pil. *Ditmerianae* p. 105, mixt. *Schwarzii* p. 81, oleum *Peschieri* p. 44.
Tinea capitis: unguent. *Richerand.* p. 75.
Tumores glandularum inveter.: cataplasma *Richteri* p. 36.
Tumores scrophulosi: unguent. *Ronchalli* p. 76.
Tussis convulsiva: mixt. *Buettneri* p. 66, gutt. *Hufeland.* p. 57.
Ulcera carcinomatosa: cataplas. *Richteri* p. 36, fomentationes *Rustii* p. 23.
Ulcera gangraenosa et septica: unguent. *Rust.* p. 74.
Ulcera mercurialia oris et faucium: liniment. *Berends.* p. 23, liniment. *Rust.* p. 53.
Variolae typhosae: mixt. *Richteri* p. 79.
Vomitus: pulvis aërophorus *Vogleri* p. 75, potio antemetica *Hulmiana* p. 62, *Riverii* p. 62, linctus emeticus *Hufeland.* p. 59.
Vomitus chronicus ex induratione scirrhusa pylori: gutt. *Hufeland.* p. 18.
Vomitus spasticus ex atonia ventriculi: guttae *Richteri* p. 108.

INDEX FORMULARUM COMPOSITARUM.

- Acetum aromaticum* p. 2.
Acidum aceticum aromaticum p. 2.
Acidum aceticum aromatico-camphoratum p. 24.
Aqua aromatica p. 91.
Aqua benedicta Rulandi vid. *Vinum stibiatum*.
Aqua foetida antihysterica s. *Prag-nensis* p. 14.
Aqua laxativa Viennensis vid. *Infusum Sennae compositum*.
Aqua phagedaenica p. 52.
Aqua saturnina p. 85.
Aqua vegeto-mineralis Goulardii p. 85.
Aqua vulneraria Thedenii vid. *Mixtura vulneraria acida*.
Balsamum Arcaeii vid. *Unguentum Elemi*.
Balsamum Commendatoris vid. *Tinctura Benzoës composita*.
Balsamum mercuriale vid. *Unguentum Hydrargyri nitrici*.
Balsamum Nucistae p. 77.
Balsamum ophthalmic. rubrum vid. *Unguent. Hydrarg. praecipitati rubri*.
Balsamum Opodeldoc vid. *Linimentum saponato-camphoratum*.
Balsamum Sulphuris terebinthinatum vid. *Oleum Terebinthin. sulphurat.*
Balsamum vitae externum vid. *Sapo terebinthinatus*.
Balsamum vitae Hoffmanni vid. *Mixtura oleoso-balsamica*.
Butyrum Antimonii vid. *Liquor Stibii muriatici*.
Ceratum Aeruginis p. 38.
Ceratum labiale album et rubrum p. 31.
Cuprum aluminatum p. 38.
Decoctum Zittmanni fortius et mitius p. 53 et 54.
Electuarium lenitivum vid. *Electuarium e Senna*.
Electuarium Theriaca p. 80.
Elixir acidum Halleri vid. *Mixtura sulphurica acida*.
Elixir amarum p. 15.
Elixir ad longam vitam p. 6.
Elixir corticum Aurantiorum compositum p. 15.
Elixir e succo Liquiritiae p. 47.
Elixir paregoricum vid. *Tinctura Opii benzoica*.
Elixir pectorale vid. *Elixir e succo Liquiritiae*.
Elixir proprietatis Paracelsi p. 6.
Elixir roborans Whyttii vid. *Tinctura Chinae composita*.
Elixir viscerale Hoffmanni vid. *Mixtura oleoso-balsamica*.
Emplastrum adhaesivum anglic. p. 58.
Emplastrum adhaesivum simplex p. 68.
Emplastrum album coctum vid. *Emplastrum Cerussae*.
Emplast. Cantharid. perpet. p. 25.
Emplastrum aromaticum p. 19.
Emplastrum cephalicum vid. *Emplastrum opiatum*.
Emplastrum Cerussae p. 86.
Emplastrum consolidans p. 86.
Emplastrum de Galbano crocat. p. 46.
Emplastrum Diachyl. simpl. et composit vid. *Emplastrum Lithargyri spl. et composit*.
Emplastrum foetidum p. 14.
Emplastrum fuscum vid. *Emplastr. Minii adustum*.

Emplastrum Janinii vid. *Emplastrum Cantharidum perpetuum*.

Emplastrum Lithargyri spl. et compositum p. 67.

Emplastrum mercuriale p. 57.

Emplastrum Minii adustum p. 73.

Emplastrum Noricum vid. *Emplastr. Minii adustum*.

Emplastr. nigrum sulphuratum p. 99.

Emplastr. opiatum p. 80.

Emplastr. oxycroceum p. 46.

Emplastr. resolvens Schmuckeri vid. *Emplastr. foetidum*.

Emplastr. saponatum p. 92.

Emplastr. saponatum Barbettii p. 92.

Emplastr. stomachicum vid. *Emplastr. aromaticum*.

Extractum catholicum s. panchymagogum Crollii vid. *Extract. Rhei compositum*.

Extract. Rhei composit. p. 88.

Fumigationes nitricae Smithianae p. 3.

Fumigationes oxymuriaticae Guyton-Morveaunianae p. 3.

Globuli Tartari ferruginosi s. martiati p. 44.

Infusum Sennae compositum p. 95.

Julep e Camphora vid. *Mixtura camphorata*.

Lapis divinus vid. *Cuprum aluminat.*

Laudanum liquidum Sydenhami vid. *Tinct. Opii crocata*.

Linimentum Aeruginis p. 38.

Linimentum ammoniatum p. 8.

— *ammoniato-camphorat.* p. 24.

— *saponato-ammoniatum* p. 8.

— *saponato-camphoratum* p. 24.

— *volatile* vid. *Liniment. ammoniatum*.

Liquor Ammonii anisatus. p. 8.

— — *succinici* p. 9.

— — *vinosi*.

— *anodynus mineralis Hoffmanni* vid. *Spiritus sulphurico-aethereus*.

Liquor Hydrarg. nitrici oxydati p. 54.

— *Cornu Cervi succinat.* vid. *Liquor Ammonii succinici*.

— *pyro tartarici* p. 5.

— *saponis stibiati* p. 97.

— *Stibii muriatici* p. 97.

Massa pilularum e Cynoglosso p. 80

Mixtura camphorata p. 21.

— *oleoso-balsamica* p. 16.

— *pyro-tartarica* p. 4.

— *sulphurico-acida* p. 4.

— *vulneraria acida* p. 4.

Morsuli antimoniales Kunkelii p. 98.

Oleum contra Taeniam Chaberti p. 78.

Oxymel Aeruginis vid. *Linimentum Aeruginis*.

Pasta gummosa p. 72.

Pilulac Jalappae s. purgantes p. 58.

Pulvis aërophorus p. 69 et p. 75.

— *antepilepticus* p. 109.

— *aromaticus* p. 29.

— *dentifricius* p. 35.

— *Doweri* vid. *Pulvis Ipecacuanhae opiat.*

— *gummosus* p. 72.

— *Ipecacuanhae opiat.* p. 79.

— *Liquiritiae compositus* p. 47.

— *Magnesia cum Rheo* p. 68.

— *pectoralis Kurella* vid. *pulv.*

— *Liquirit. composit.*

— *pro infantibus* vid. *pulv. Magnesia c. Rheo*.

— *sternutatorius* p. 36.

— *temperans* p. 63.

Sapo alicantinus s. Sapo venetus.

— *aromaticus* p. 92.

— *hispanicus* vid. *S. venetus*.

— *terebinthinatus* p. 105.

— *venetus* p. 92.

Serum Lactis dulcificatum p. 103.

Solutio Fowleri p. 13.

Species ad cataplasma p. 70.

— *ad Decoctum Lignorum* p. 49.

— *ad enema* p. 7.

— *ad gargarisma* p. 69.

— *ad Infusum pectorale* p. 6.

— *ad suffiendum* p. 19.

— *aromaticae* p. 84.

— *resolventes* p. 92.

Spiritus Angelicae compositus p. 11.

— *Anthos* vid. *Spiritus Rorismarini compositus*.

— *Mastiches compositus* p. 70.

— *matricalis* vid. *Spirit. Mastiches compositus*.

— *Mindereri* p. 8.

— *Rorismarini compositus* p. 89.

— *saponatus* p. 92.

— *sulphurico aethereus* p. 6.

Tincturā amara p. 46.

— *Antimonii Jakobi* vid. *Liquor*

— *Saponis stibiati*.

— *aromatica* p. 29.

— *aromatica acida* p. 4.

— *Benzoës composita* p. 19.

— *Calami composita* p. 21.

— *Chinae composita* p. 33.

— *carminativa* p. 109.

— *Darelii* vid. *Tinctura Rhei vinosa*.

— *Ferri acetici aetherea* p. 42.

— *Ferri tartarici* p. 44.

— *Lignorum* vid. *Tinctura Pini composita*.

— *nervina Klaprothii* vid.

Tinct. Ferri acet. aetherea.

Tinctura Opii benzoica p. 80.

— — *crocata* p. 80.

— — *simpl.* p. 80.

Tinctura Pini composita p. 84.

— *Rhei vinosa* p. 88.

— *Scillae kalina* p. 94.

— *thebaica* vid. *Tinct. Opii spl.*

Trochisci Alhandal p. 35.

— *bechici* p. 72.

Unguentum Aegyptiacum s. Unguentum Aeruginis p. 38.

— *Althaeae* vid. *Ung. Resin. Pini composit.*

— *basilicum* p. 78.

— *cereum* p. 30.

— *Cerussae* p. 85.

— *Cerussae camphorat.* p. 85.

— *digestivum* vid. *Unguent. Terebinthinae*.

— *Elemi* p. 41.

— *Hydrargyri albi* p. 51.

— — *cinerei* p. 57.

— — *citrini* vid. *Un-*

guent. Hydrarg. nitrici.

— — *nitrici* p. 54.

— — *rubri* p. 55.

— *pomadinum* vid. *Unguent. rosatum*.

— *nervinum* vid. *Unguent. Rorismarini compositum*.

— *Resinae Pini Burgundicae* p. 84.

— *Rorismarini compositum* p. 89.

— *rosatum* p. 89.

— *saturninum* p. 85.

— *sulphuratum compositum s*

Ung. ad scabiem p. 99.

— *Terebinthinae* p. 105.

Vinum Antimonii Huxhami s. Vinum stibiatum p. 104.

Vinum ferruginosum s. martiatum p. 43.

— *stibiatum* p. 104.

Medicam. <i>nomen et orig.</i>	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
<i>Abrotanum</i> (herba) <i>Artemisia Ab-</i> <i>rotanum</i> Class. 19, ord. 2. Synthere- ae. Rich.	<i>Pulvis.</i> <i>Infusum.</i>	Serpl. 1 - 3. ex unc. $\frac{1}{2}$ - 1, unc. 4-6.	
<i>Absinthium</i> (herba) <i>Artemisia</i> <i>Absinthium</i> Class. 19, ord. 2. Synanthre- ae Rich.	<i>Pulvis</i> — nonnisi in fe- bribus intermittentibus. <i>Infusum</i> — aquosum, vi- nosum et cum cerevisia paratum. <i>Extractum</i> — pro pilul. aut in aq. menth. pp. solut. <i>Tinctura</i> , mera aut mixt. anthelmint. superaddit. <i>Oleum aeth.</i> , c. sacch. aut in spir. sulph. — ather. solut. <i>Oleum coct.</i> s. infus., in- unctionibus inserviens. <i>Aq. vulnerar. vinosa</i> : Absinth., Salv., Lavandul., Rosmar., Rut., Menth. pp., c. Spirit. vin. rfts.	Serpl. 1 - 3. ex unc. $\frac{1}{2}$ - 1, unc. 4-8. Serp. $\frac{1}{2}$ - 1 $\frac{1}{2}$. gtt. 10-20 pr. mixt. Dr. 1 gtt. 2 - 4 - 6.	In morb. hydropicis infus. Ab- sinthii ex cerevis. parat. c. baccis Juniperi (Weikard) aut c. vino rhenan. et Kali carb. (P. Frank) laudatur; vi anthelmintica gaudet; sto- machicum et febrifugum habe- tur.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Acetum:</i> crudum s. commune, Vini, concentra- tum, destilla- tum, glaciale s. radiale s. Alcohol. ace- ti (Acid. ace- ticum).	pro usu interno nonnisi pro potu in febribus et con- tra narcosin. <i>Acet. aromat.</i> , pestilen- tiale, Vinaigre de quatre voleurs: Salv., Rosmarin., Angelic., Zedoar., Menth. pp., Caryophyll. aromat. c. acet. digest. <i>Acid. acet. aromat.</i> : a- cid., acet. ol. Caryophyll., Lavandul, Citri, Berga- mott., Thym., Cass., Cin- namom.	unc. 1 - 3 c. Aq. Libr. 1. unc. 1-3.	Spongiam aceto imbibitam bis- que de die perinaeo super- impositam nocteque adligatam contra seminis rebellem flu- xum optimo cum successu ad- hibuere Horn et Fleisch.
<i>Acidum ben- zoicum</i> s. Flores Benzoës.	<i>Pulvis</i> c. Elaeosacch. Anisi.	gr. 3-6-10	In pneumonia typhosa, cum Cam- phora laudatur (<i>Hoffmann</i> , <i>Berends</i>).
<i>Acidum bo- racicum</i> . <i>Sal</i> <i>sedativum</i> <i>Hombergi</i>	<i>Pulvis.</i>	gr. 3-10	
<i>Acidum car- bonicum</i>	pro usu interno sub forma potionis <i>Riverianae</i> , <i>Hulmianae</i> , <i>Pulv. aë- roph. Vogleri</i> et <i>Phar- macop.</i> (vid. Magnes. et Natr. carbon.)		<i>Potio antemetica</i> Riverii con- stat. ex Kal. carbon. ex tart. Serpl. 2, sacch. albiss. dr. 2., Aq. destill. unc. 4., aq. cin- nam. unc. 2; detur. singula hora ad cochlear. 3 c. coch- lear. 1 Succ. citri. <i>Pulv. aëroph. Vogleri</i> : Natr. carbon. dep. sicc. dr. 2, tart. depur. dr. 6, Sacch. album unc. $\frac{1}{2}$.
<i>Acidum hy- drocyanicum</i> , zooticum s. borussicum.	merum, cum aq. destillat.; optime secund. formulam Harlessianam: acid. hy- drocyan. gtt. 10, aq. cin- nam. spirit. vin. gall. aā gtt. 60; adultis gtt. 6-	gtt. $\frac{1}{2}$ - 1 - 2. <i>Ad gut- tam unam !!</i>	praescribatur semper charta ni- gra obvolutum et epistomate vitreo bene claus. Cav. lu- cem et calorem.

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
	12, infant. gtt. 4-6. (gtt. 12 continent gtt. 1 acid. hydrocyan.)		
<i>Acidum muriaticum</i> s. hydrochloricum, Spirit. salis acidus.	<i>dilutum</i> c. decoct. mucilaginos. aut mixt. addit. externe pro <i>lotionib.</i> et <i>baln. liniment.</i> (c. melle). <i>unguent. et fumig.</i> (ex Natr. muriat. et acid. sulphur. parand.) <i>non dilutum</i> pro <i>caustic.</i>	gtt. 5-10-30. ad gutt. triginta! pro mixtr. dr. $\frac{1}{2}$ -1-2; pro ugt. dr. 1. c. pingued. unc. 1.	Pediluvius ex acid. muriat. et nitric. aā unc. 1 parat. contra hepatit. chronic., stagnationes in vena port., hypochondriam et dysmenorrhoeam utitur Schönlein.
<i>Acidum muriaticum oxymuriaticum</i> , Aq. oxymuriatica, Liq. Chlori	<i>dilutum</i> c. aq. destillat. syrup. emuls., aut mixt. addit. <i>Fumigat. oxymuriat.</i> s. Guyton - Morveauianae: Mangan. in subtiliss. pulv. redact. unc. 1, natr. muriat. unc. 3, acid. sulphur. dilut. unc. 2.	dr. $\frac{1}{2}$ -1, pro mixtr. dr. 1-2-4.	In morbo scarlatinoso nec non in dentitione infantum a Koppio vel maxime laudatur; Cav. acid. et succ. vegetabil., sales, luc. et calor. nec non fluida colorat.
<i>Acidum nitricum</i> , Aq. fortis. Spiritus nitri acidus.	<i>dilutum</i> c. decoct. alth. et mixtr. addit., pro mixtr. dr. $\frac{1}{2}$ -1. <i>non dilut.</i> pro caust. (praesertim contra Condylomat.) <i>Fumigationes nitricae</i> Smithianae: kali nit. depurat. unc. 1, acid. sulph. crud. dr. 2.	gtt. 5-10-20 ad guttas triginta!	Pro usu interno optime c. Tr. Opii vel alcohol. gtt. nonnull. jungitur; digestionis organa facile offendit; propinetur nonnisi in cochlear. vitreis aut ligneis, neitiquam vero metallicis.
<i>Acidum phosphoricum</i>	<i>dilutum</i> c. aq. et syrup. mucilaginos. aut in pot. mucilaginos. et mixt. addit., siccum s. vitrificatum ad pilul. formand.	gtt. 10-20-30. ad dr. 1-2.	Cum Tr. cinnamomi in metrorrhag. profus. a Burdachio, c. as. foet. in pil. contra cariem a Rustio commendat.

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Acidum pyro- lignosum.</i>	<i>dilutum</i> c. decoct. aven. aut alth. vel c. infus. aromat. (Berres) exter- ne pro gargarism., lotion., injection., linim. et ungt. <i>Acid. pyro-lignosum</i> <i>rftm.</i> , usui interno ac- comodat.	dr. $\frac{1}{2}$ -1-3 c. aq. unc. 6-8 pro mixt. dr. 1-unc. $\frac{1}{2}$.	In gastromalacia infantum acid. pyrolignos. dr. 2 c. aq. flor. aurant. unc. 2 et syrup. amygd. unc. 1 quavis hora ad semi-cochlear a Pít- schafftio commendat.
<i>Acidum suc- cinicum.</i> <i>Sal succini.</i>	<i>Pulvis.</i> <i>Solutio.</i> <i>Acidum succinicum</i> dep. usui interno accomodat.	gr. 5-10-20 dr. 2 c. aq. cinnamom. unc. 4.	contra gangraenam senilem a Lentinio c. moscho laudatur.
<i>Acidum sul- phuricum.</i> <i>Oleum Vitri- oli.</i>	<i>dilutum</i> c. Aq. et Syrup. mucilaginos. vel in potu mucilaginos, aut mixt. addit; <i>non dilutum pro</i> <i>caustico.</i> <i>Mixtura sulphurica aci- da</i> s. <i>Elixir. acid.</i> Halleri: acid. sulph. concentrat. pars 1. c. Spi- rit. vini rectificat. part. 3. <i>Tinctura aromatica a- cida</i> s. <i>Elixir Vitri- oli</i> Mynsichti constat ex acid. sulph. et Tr. arom- mat. <i>Mixtura vulneraria aci- da</i> s. Aq. <i>vulneraria</i> Thedenii: acid. sulph. dilut., spirit. vini rfts., acet., mel despumat.; ex- terne adhibet.	gtt. 5-10- 30. Ad gut- tas 30 in mix- tur. dr. 1-2. gtt. 5-10- 20. Ad gutt. tri- ginta (gtt. 40 = dr. 1.) gtt. 20-40- 60 pro mixt. dr. 1-2.	<i>Mixt. sulphurico-acida</i> dr. 1. c. Tr. Cinnamom. dr. 2 et Tr. Opii crocat. scrpl. 1, ad gtt. 20 quavis hora c. decoct. Althaeae a Richtero in me- trorrhagia profus. laudatur; ab eodem contra sudores colliquativ. phthisicorum (dr. 2. c. Tr. Op. spl. dr. 1 et Syrup. Violar. unc. 3, bis de die semi cochlear) prae- dicatur.
<i>Acidum tarta- ricum.</i> <i>Sal essentielle</i> <i>Tartari.</i>	<i>Pulvis</i> c. Elaeosaccharo ci- tri, <i>Solutio</i> in aq. Rub. Idaei. <i>Mixtura pyro-tartarica:</i> spirit. Angelic. composit.,	gr. 5-10- 15. dr. pro 1. aq. Rub. Id. unc. 4. gtt. 30-60.	Organorum digestionem inservien- tium functione laesa aut di- arrhoea intercedente sepona- tur. c a v: Kali acet., tarta-

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	Liq. pyro-tartar., acid. sulphur. rftm. <i>Spiritus pyro-tartaricus, Spir. Tartari:</i> ope destillat. sicc. ex Tart. depurat. parat.	scrpl. 1 - dr. 1.	ric., tart. natronat. et ammoniat.
<i>Aconitum.</i> (herba) <i>Aconitum neomontanum</i> Willden. Class. 13, ord. 3. <i>Ranunculaceae.</i>	<i>Pulvis.</i> <i>Extractum,</i> pro pilul. et solut. <i>Extractum herbae recentis</i> (Succus inspissat.) <i>Tinctura.</i>	gr. 1 - 5 - 10 et ultra. gr. 1-2-10, ad pilul. formand. optime c. herb. (dr. $\frac{1}{2}$ c. dr. 1. herb.) Tr. ad gtt. 10-20 ter quaterve de die.	In arthritide et rheumatismo chronico extract. aconit. (scrpl. $\frac{1}{2}$) c. Tr. Guajac. (dr. jj) et Vin. stibiat (dr. iij) ad gtt. 15-30 p. d. laudatur.
<i>Adeps suillus.</i> <i>Axiungia Porci.</i>	Ad constituend. unguent. <i>Unguent. simplex:</i> Adipis suill. part. 4, cerae alb. pars 1, aq. commun. pars 1.		
<i>Aether aceticus.</i> <i>Naphtha acetii.</i>	cum saccharo, aut mixt. addit. <i>Spirit. acelico-aethereus:</i> Aeth. acet. pars 1, spirit. vini rftiss. p. 3.	gtt. 10 - 20 - 30. (gtt. 180 = dr. 1.) pro mixtr. scrpl. 1. dr. 1. gtt. 20 - 60. (gtt. 100 = dr. 1.)	Optimum remedium palliativum contra affectiones gravidarum nervosas a G. A. Richter o habetur.
<i>Aether sulphuricus.</i> <i>Naphtha Vatrioli.</i>	cum sacchar., aut mixtur. addit., etiam externe.	gtt. 6 - 10 - 20, in asphyxia gtt. 30 - 60 - 100 (gtt. 200 = dr. 1.) pro mixtur. dr.	In amblyopia et amaurosi incipiente, nec non in aliis neuralgiis usus externus commendatur.

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<i>Spirit. sulphurico-aethereus, Liq. anodynus mineralis</i> Hoffmanni: Aeth. sulph. p. 1, spirit. vini rftiss. p. 3.	1-1½. gtt. 10-30-60 (gtt. 120 = dr. 1.) pro mixtur. dr. 1-2.	
<i>Allium</i> (radix). <i>Allium sativum</i> . Class. 6, ord. 1. Liliaceae. De Cand. Asphodeleae Rob. Brown.	<i>In substantia.</i> <i>Succus recens expressus</i> c. lact. vaccin. tepid. et jejuno ventriculo sumpt. contra vermes. <i>Infusum</i> c. lact. vaccin. parat. <i>Clysm.</i> <i>Rubefaciens.</i>	dr. 1-2. unc. 1-2. ex unc. ½-1. ex dr. 2 c. unc. 1. Lact. vaccin. tepid.	
<i>Aloë.</i> <i>Aloë spicata</i> Thunberg. Class. 6. ord. 1. Liliaceae. De Cand. Asphodeleae Rob. Brown.	<i>Pilulae.</i> <i>Extract.</i> pro pilul. et solution. <i>Extr. aloës acid. sulphur. correctum.</i> <i>Tinctura.</i> <i>Elixir Proprietat. Paracelsi:</i> Aloë, Myrrha, Crocus, Spirit. vini rfts., Acid. sulphur. dilut. <i>Elix. ad longam vitam:</i> Aloë, Myrrha, Rheum, Crocus, Theriaca, Boletus Laricis, Gentiana, Zedoaria, Galanga, Sacch. alb., Spirit. vini gallic.	ad gr. ½-1 excitans. ad gr. 1-2 lenit. purgans. ad gr. 10-15-20 drasticum. Tinct. ad gtt. 10-20. Elixir. utrumque merum ad scrpl. 1, pro mixtur. dr. 1-2.	Optimum corrigens quoad gustum et odorem est cort. Cinnamom. <i>Pilulae Graefianae</i> aloëticae constant ex aloë dr. j et sapon. medic. dr. ½, form. pil. 60. Consperg. pulv. Cinnamom. dentur pil. 1-2 de die. Etiam externe ad collyria adhibetur.
<i>Althaea, radix.</i> <i>Althaea officinalis.</i> Class. 16, ord. 9. Malvaceae.	<i>Infusum.</i> <i>Decoctum.</i> <i>Species ad infus. pectorale:</i> Alth., Liquirit., Iris florent., Verbasc., Farfar., Rhoëas, Anis. stellat.	Ex dr. 1-2 unc. 6-8. ex dr. 2- unc. 1½.	Cav.: plumb. et cupr. acetic. et sal. hydrargyr.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	Species ad Enema: Alth., Cammomill., vulg. Semin. Lini; pro infus. Syrup. Externe ad gargarism., cataplas., inject. et clysmā.	ex unc. 1-3.	
Alumen. Sulphas aluminico - kalicus c. aqua:	Pulvis c. pulv. gummi mimos. aut sacch. lactis. Pilulae. Electuarium. Solutio. Sacch. aluminat. (Alum. pulv. et Sacch. aā) Externe pro gargaris. (in infus. Salv.) injection. et ungt. Alum. ust. pro caustic. et pulv. ophthalm.	gr. 2 - 10 - 15. ex dr. 1. dr. 1-2 cum aq. unc. 4-6. dr. 1-2. in infus. Salv. unc. 4. c. mell. despum. unc. 1.	Externe in pulv. redact. contra anginam tonsillarem lymphatico-serosam et diphtheritiden commendatur; styptica vi gaudet. Pil. Formeyanae contra metrorrhagias adynamicas constant ex; Extr. Chin. frigide parat., Alum., Ammon. muriat ferrugin., pulv. aromat. āā dr. $\frac{1}{2}$, Ol. Cinnamom. gtt. 12. Mf. pil. gr. jj. Consperg. pulv. Cinnam. DS. Mane et vespere pil 5-10. Cav.: Alkalia, sales hydrargyr., Plumb. acet. et Tart. stibiat.
Ambra grisea: Excrementa morbifica physeteris macrocephali.	Pulv. c. Elaeosacch. Tinct. aeth.: Ambrae dr. 1, cum Spirit. sulph. aeth. unc. 6.	gr. 2-10. gtt. 10-30.	Tr. ambr. c. mixt. aromat. acid. contra vomit. gravidar. ab Hallero et Waitzio commendat.
Ammoniacum (Gummi) Ferrula Ammoniacum Szwitz.	Pilul. Bolus. Linctus. Emuls. Solutio — in spirit. Mindereri (P. Frank) in Oxymel. scillit. (Reil). Emplast. Ammon.: Ammoniac., Galban., Cera,	ex dr. 1-2. ex dr. 1 c. mucil. mimos. dr. 1-2 aut c. vitell. ov. 1. dr. 1 - 2 c. unc. 3-4. fluid.	Emplast. ammoniac. corio illinit. capitiq. raso superimposit. contra tineam capit. laudatur. (Evers.)

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	Resin. Burgund., Terebinth. commun.		
<i>Ammonium aceticum.</i> Acetas ammoniacus.	<i>Liq. ammon. acet.</i> <i>Spirit. Mindereri:</i> Liq. ammon. acet. c. aq. destill. aā: uterque mere aut mixt. diaphoret. addit.	dr. 1-unc. $\frac{1}{2}$. dr. 2-unc. 1.	Cav.: Acida et sales acidos. alcalia fixa, magnes. sulphur.
<i>Ammonium causticum.</i>	Nonnisi externe naribus ad- movet. in asphyxia. <i>Liq. Ammon. caust.</i> mer. c. subst. mucilagin. aut mixtur. addit. Externe naribus admot., pro Liniment., Ungt. et Caustic. <i>Liq. ammon. vinosus:</i> Liq. ammon. caust. pars 1, Spirit. vin. rftss. part. 2; mere aut mixt. addit. <i>Liq. ammon. anisat.:</i> Ol. anis. in spirit. vini rftss. solut. et Liq. ammon. caust. admixt., mere c. syrup. emulsiv. aut mixt. addit. Externe ad liniment et ungt. <i>Linimentum ammoniatum s. volatile:</i> Liq. ammon. caust. p. 1, Ol. Oliv. Provençal, vel Papaveris p. 3 <i>Linimentum saponato-ammoniatum:</i> Sapon. domest. in aq. et spirit. frument. solut. part. 3, Liq. ammon. caust. p. 1.	gtt. 5-10; in asphyxia et syncope gtt. 10-20, pro mixt. scrpl. 1-dr. 1. gtt. 15-30-40. in mixt. dr. 1-2. gtt. 10-20-30. in mixt. Scrpl. 1-dr. 2. dr. 1. c. pinguedin. unc. 1. ad constituend. ungt. p. 3. c. pinguedinis p. 1.	Aq. Luciae (Eau de Luce) constat ex Sapon. Hispan. alb. dr. 3 in spirit. vini alcoholisat. unc. 1 solut., acid. sulphur. rectificat. dr. $\frac{1}{2}$ et Liq. ammon. caust. unc. 4. perpetua agitatione misceant. usque dum colorem lacteum acquisiverint. Det. ad gtt. 15-20 c. aq.; haec aqua contra morsum viper. et insect. nec non in hysteriasi gravior. nomen sibi comparavit. Liq. Ammon. caustic. optimum antidotum acidi hydrocyanici habetur (ad gtt. 10-15-20 c. pot. mucilaginos.)
<i>Ammonium carbonicum.</i>	<i>Pulvis.</i>	gr. 3-6-10 c. Elaeos.	Pulv. nonnisi ad chartam cera-

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
Alkali vola- tile. Carbonas ammonicus.	<i>Solutio.</i> <i>Liq. Ammon. carbon.:</i> Ammon. carbon. dep. p. 1. in aq. p. 5 solut. Externe narib. admovet. in as- phyx.	scrpl. 1 - dr. 1 c. fluid. unc. 3-4. gtt. 30-60 pro mixt. dr. 1-2.	tam praescribatur; Cav.: Acida et sales acid. et metallic. in scarlatina a Pear et Wilkinson vel maxime laudatur.
<i>Ammonium carbon. pyro- oleosum.</i> Sal volatile Cornu Cervi:	<i>Pulv. c. Elaeos.</i> <i>Pilulae.</i> <i>Solutio.</i> <i>Emulsio.</i> <i>Liq. Ammon. carb. pyro- oleos s. Spirit. C. C. rectificat.</i>	gr. 3-6-10. ex dr. 1. gr. 8-12- scrpl. 1. ex dr. $\frac{1}{2}$ - 1 c. gum. mi- mos. gtt. 20-35 pro mixt. dr. 1-2.	Largiori dosi c. moscho porrec- tum (ad gr. 30 usque utrum- que medicamen) in sphacelo a Charles White lau- dat.; Ugt. ophthalmic. ex Ammon. carbon. pyro-oleos. gr. 6, Fel. tauri inspissat. dr. j et mel. despumat. dr. $1\frac{1}{2}$ contra corneae obscurat. et maculas laudatur; praescribat. pulv. ut supra. Cav. ut supra.
<i>Ammonium muriaticum.</i> Hydrochlo- ras ammoni- cus. Chlore- tum Ammo- nii.	<i>Pulvis.</i> <i>Pilulae, Bol., Electuar.</i> <i>Solutio.</i> <i>Mixtura.</i> Externe ad foment. et lotion.	gr. 5-10- 15. ex dr. 1-2; c. aequal. quantitat. succ. Liqui- rit. in aq. foenic. unc. 5-6; pro mix. dr. $\frac{1}{2}$ - 1.	Largiori dosi usq. a. scrpl. 1-2 ad solvendas indurationes scir- rhosas, callositates, a Fi- schero et Hufelandio commendat. Cav.: Kal. acet., carb., tart. Acid. sulphur., Kali sulphu- rat. et sapon.
<i>Ammonium muriaticum ferruginosum s. martiatum.</i> Flores salis ammoniaci martiales: Chloretum	<i>Pulvis.</i> <i>Pilulae.</i> <i>Electuarium.</i> <i>Solutio.</i>	gr. 3-6-10. dr. $\frac{1}{2}$ - 1 in aq. flor. au- rantii unc. 4 -6.	Ob promptam evaporationem raro praescribitur pulv. Cav. ut supra. Contra febr. intermitt. quar- tan. rebelles laudat.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
Ammonii c. Sesquichlo- reto ferri.			
<i>Ammonium succinicum.</i> Succinas ammonieus.	<i>Liq. Ammon. succin. s.</i> Liq. C. C. succinat. mer. aut mixt. addit.	gtt. 10 - 20- 30 pro mixt. dr. 1-2.	<i>Liq. antarthriticus</i> Elleri, qui in arthritide nervosa praesertim retrograda laudatur, constat ex: <i>Liq. ammon. succin.</i> , spirit. sulph. aeth. aa dr. j, <i>Ol. Cajeput.</i> gtt. 6. Def. ad gtt. 20-30.
<i>Ammomum</i> (semen). <i>Myrtus Pyment.</i> Class. 2, ord. 1. Myrtaceae.	<i>Pulv. Electuarium.</i> <i>Infusum</i> (rarius).	gr. 3-6-8. ex dr. 1 - 2 unc. 4-6.	
<i>Amygdalae amarae.</i> <i>Amygdalus communis.</i> Class. 12. ord. 1. Rosaceae.	<i>In substantia.</i> <i>Emulsio.</i> <i>Aq. Amygdalar. amararum</i> mera aut mixtur. nupt. <i>Oleum amygdalar. amararum</i> in spirit. Vin. rftiss. aut in Aether. solut.; externe ad <i>Lini-ment.</i> c. <i>Ol. Amygd.</i> dule.	Amygd. 3-6-8. ex dr. 1-1½. ad usum. extern. ex unc. ½. infant. gtt. 5 - 15; adult. 30-60. Ad guttas 50!! pro mixt. dr. 1-2. gtt. ¼, ½ - 1. Ad gtt. 1!! Ad usum extern. gtt. 10 - 20. c. ol. dule. dr. 6.	In febre intermittente Amygd. integrae 6-8, matutino tempore, versus meridiem et vespere brevis ante paroxysmum sumpt. a Frankio laudant. In paroxysmo prosopalgiae gtt. 5-10 <i>Ol. amygd. amarar.</i> in spirit. Vin. dr. 2-3. solut. (ad gtt. 10 - 20 ter de die. capiend.) ab Horn. laudant.
<i>Amygdalae dulces.</i> Class. et ordo ut supra.	<i>Emulsio.</i> <i>Ol. amygd. dulcium.</i>	ex unc. ½-1. unc. 1 - 2 mer. aut in Emuls.	ad emuls. formand. semper praescribant. amygd. excorticat.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<i>Syrup. Amygd. s. emulsivus.</i>	unc. 1 - 2.	
<i>Amylum.</i>	<i>Pulvis</i> nonnisi c. Tart. stibiat. <i>Trochisci.</i> <i>Solutio.</i> <i>Clysm.</i>	scrpl. 1 - 2. scrpl. 1 - dr. $\frac{1}{2}$ - 1. c. aq. unc. 4-6-8. pro clys. dr. 1 - 2. c. unc. 6-8 aq.	Emet. e Tart. stibiat. gr. 1 et Amyl. pulv. scrpl. 1 ab Hufelandio commend. Cav.: Jod., Sales metall. et medicam. principio adstringent. instruct.
<i>Angelica</i> (Radix). <i>Angelica Archangelica.</i> Class. 5, ord. 2. Umbelliferae.	<i>Infusum</i> aquos. et vinos. <i>Extr.</i> <i>Spirit. angel. compos.:</i> Angelic., Valerian., Camphora, Scordium, Bacc. Junip., Alkohol.; ad lotiones.	ex dr. 2-unc. $\frac{1}{2}$, unc. 4 - 6 aut unc. 1. c. vini Rhenan. Lib. 1. digest.	In epidemiis contagiosis radix Angelicae masticata prophylacticum haud spernendum esse videtur.
<i>Angustura vera</i> (Cortex). <i>Bonplandia trifoliata.</i> Class. 5, ord. 1. Rutaceae.	<i>Pulvis.</i> Nonnisi in febre intermitt. <i>Infusum.</i> <i>Decoctum.</i>	gr. 10 - 20. ex unc. $\frac{1}{2}$, unc. 6 - 8, unc. 1. c. Libr. 1 aq.	Cave: Plumb. acet., Tart. stibiat, Ferr. sulphur., Zincum et. Cupr. sulph., Alkalina et remedia principio adstringente instruct.
<i>Anisum</i> (Semen): a) <i>Anis. stellatum.</i> Illicium anisatum. Cl. 12, ord. 6. Magnoliaceae. b) <i>Anisum vulgare.</i> Cl. 5, ord. 2. Umbelliferae.	<i>Integrum.</i> <i>Pulvis.</i> <i>Trochisci.</i> <i>Electuarium.</i> <i>Infusum</i> c. rad. Liquirit. ad theam. <i>Ol.</i> interne et externe ad liniment. et ungt. <i>Elaeosacch.</i>	scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$. ex dr. 1-2. gtt. 2 - 6 c. sacch. aut gtt. 10-12 in spirit. sulph. vel nitric. aeth. dr. 1 solut. bis	Ad guttas 20-30 c. ol. Amygd. vel Lini contra intoxicationes metallicas praesertim arsenicales a Poppio laudatur ol. anisi; in spirit. nitrico aeth. solut. in colica flatulenta aliisque affectionibus flatulentis commendat.

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
<i>Argentum nitricum.</i> (Luna argen- tica. Nitrus argenticus,) crystallisa- tum et fustum (Lapis infer- nalis).	<i>Pilulae.</i> <i>Solutio</i> intern. et extern.	terve de die gtt. 10 - 15. Datur ar- gent. nitric. crystallizat. ad gr. $\frac{1}{12}$ - $\frac{1}{8}$ - $\frac{1}{4}$ - 1. Ad gra- num dimi- dum! Pi- lul. formant. ex scrpl. $\frac{1}{2}$; in solutione gr. 1 c. aq. unc. 1.	Antequam pil. formantur argen- tum nitricum in aq. destil- lata solvatur; c. opio et extr. amaris junctum faciliore ne- gotio ab organis digestionis vincitur; in epilepsia vel ma- xime laudatur, ast in dosib. largiorib. a gr. $\frac{1}{4}$ et paula- tim ad gr. 10 - 15. Cutis hinc nigrescere solet. Lü- benstein-Lübel in hoc malo pil. sequentes laudat: Rec. argent. nitr. crystallizat. gr. 10, solv. in aq. destill. s. q. Extr. hyoscyam. scrpl. 1; Extr. Valerian. dr. j, Pulv. rad. Valerian. q. s. ut f. pil. No. 90. D. ad vitrum bene clau- sum. S. mane et vespere pil. 3; sensim sensimque ar- gent. nitrici dosis in hisce pil. ad dr. dimidiam auge- tur. Optimum antidotum natr. muriat. solutio est.
<i>Armoracia</i> (Radix). <i>Cochlearia</i> <i>armoracia.</i> Cl. 10, ord. 1. <i>Cruciferae.</i>	<i>Integra.</i> <i>Succ.</i> rec. express. <i>Infus.</i> aquos., vinos et cum cerevisia aut acet. parat. <i>Externe</i> pro epispastico, masticatorio, gargarism.	dr. 2-unc. $\frac{1}{2}$. unc. 2 c. fluid. libr. 2 de die coch- lear. 3 - 4.	
<i>Arnica</i> (Ra- dix, Herba et Flores). <i>Arnica neo-</i> <i>montana.</i> Cl. 19, ord. 2.	<i>Pulvis.</i> <i>Pilul.</i> <i>Infusum</i> (e floribus).	Flor. ad gr. 5 - 10 - 20. c. Radix ad sepl. $\frac{1}{2}$ - dr. $\frac{1}{2}$. ex dr. 2-unc. $\frac{1}{2}$ unc. 4 - 6.	Radix in diarrhoeis colliquat., flores contra contusiones ce- rebri et medullae spinalis nec non in febribus ner-

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
Synantherae Rich.	<p><i>Decoct.</i> (e radice).</p> <p><i>Extract.</i> pro pil. solut. et mixt.</p> <p><i>Tinctura.</i> <i>Externe</i> ad fomentat. (Infus. flor.)</p>	<p>ex unc. $\frac{1}{2}$ - unc. 1</p> <p>unc. 6 - 8.</p> <p>solut. dr. 1 - 2. c. aq. menth. pp. 6 - 8, pro mixt. dr. 1 - 2.</p> <p>gtt. 30-50.</p>	<p>vosis cum caractere torpid. et contra amauros. cum extract. Pulsatill. et Tart. stibiat. laudantur.</p>
<p>Arsenicum album. Flores Arsenici. Acidum arsenicum.</p>	<p><i>Solutio arsenicalis</i> s. <i>Fowlerii.</i> Arsenic. alb. pulv., Kali carbon. aā dr. 1. c. aq. destillat. coct. et Liquori refrigerato spirit. Angelic. compos. unc. 1. et aq. destillat. admixt.</p>	<p>gtt. 5 - 6 - 8 - 12.</p> <p>Ad guttas decem.</p> <p>(gtt. 90 = gr. 1 Arsen.)</p>	<p>In febre intermittente tempore apyrexiae gtt. 5 - 10 - 15 ab Heimio beato laudabantur olim vel maxime; nunc non nisi in febre intermitt. rebell. corticem aliaque medicamina illudente praesertim c. typo quartano adhibetur. Ungt. contra cancerum a Cosme commendat. constat ex: Arsen. alb. scrpl. 2, Ciner. solear. antiquar. ustar. gr. 8, Sanguin. Dracon. gr. 12, Cinna- baris factit. Dr. 2. Mf. pulv. subtilissimus Det. ad vitrum; m. f. c. aqua aut saliva ungt.; si gr. $1\frac{1}{2}$ - 2 c. dr. 1 unguenti sequentis quod constat. ex: Bals. Peruv. Extr. Conii macul. aā dr. 1. Plumb. acet. scrpl. 1. Tr. Opii croc. scrpl. $\frac{1}{2}$, Ungt. cer. unc. $\frac{1}{2}$, misceas: unguent. Hellmundii tibi sese praebebit. Antidotum optimum novissimo tempore commendat. (a Bunsen et Berthold) ferrum carbonicum fuscum.</p>

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			praeterea albumen in aq. tepida solut., solutio saccharata, saponata, lac tepidum, clysmata oleosa; contra intoxicationes chronicas autem Kali sulphuratum (dr. 2 in aq. destillat. unc. 3. solut. quavis hora ad cochlear. parvum).
<i>Artemisia</i> (Radix). <i>Artemisia</i> vulgaris. Cl. 19, ord. 2. Synantherae.	<i>Pulvis.</i> <i>Infusum.</i>	dr. $\frac{1}{2}$ - 1. ex unc. $\frac{1}{2}$ - unc. 4-6.	<i>Pulvis fibrillarum cum cerevisia calefacta proprinatus</i> in epilepsia a Burdachio (medico Trebeliensi) multis in casibus fausto c. eventu administrabatur.
<i>Asa foetida</i> (Gummi resina). <i>Ferula Asa foetida</i> Kaempf. Cl. 5. ord. 2. Umbelliferae.	<i>Pilulae.</i> <i>Emulsio.</i> <i>Solutio.</i> <i>Aqua simplex.</i>	Datur. p. d. ad gr. 5-10-15. ex dr. 1-2 c. mucilag. mimos. unc. $\frac{1}{2}$ aut Vit. ov. 1 ad clysm. dr. $\frac{1}{2}$ -1. optime in Liq. Ammon. acet. solvitur.	<i>Pilulae antihystericae Sydenhami</i> constant ex <i>As. foetid.</i> dr. j, <i>Galban.</i> , <i>Myrrha</i> aā dr. $\frac{1}{2}$, <i>Castor.</i> gr. 15. <i>Tinct. Valerian.</i> q. s. u. f. pil. gr. 2. Dent. pil. 3-8. ter de die.
	<i>Aqua composit.: Asa, Angelic., Calamus.</i> <i>Aqua foetida antihysterica s. Pragnensis:</i> <i>Asa, Galban., Myrrha, Castoreum, Chamomill., Valeriana, Menth. pp., Angelic., Zedoaria, Carvum et Cuminum.</i> <i>Tinctura.</i> <i>Emplastr. foetid. s. res solvens Schmuckeri.</i>	Pul. Rustianae contra cariem constant ex <i>As. foetid.</i> , <i>Acid. phosphor. sicc.</i> , <i>Pulv. rad. Aeth.</i> aā dr. 2., <i>Aq. destill.</i> q. s. u. f. pil. gr. 2. Dent. pil. 2-3 ter de die. mera ad cochlear parvum, mixtur. ad unc. 1-2 addit. gtt. 15 - 20	

Medicam. <i>nomen et orig.</i>	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
<i>Asarum</i> (Ra- dix). <i>Asarum Eu-</i> <i>ropaeum.</i> Cl. 11, ord. 1. <i>Aristolochiae</i>	Asa, Ammoniac. Sap. Hispan. <i>Pulvis.</i> <i>Infusum.</i>	scopo vo- mend., gr. 10 - 20. ex dr. 1-2, unc. 4-6.	nunc minus usitatum; vi eme- tica gaudet.
<i>Asphaltum</i> (oleum). Bitumen ju- daicum: resi- na terrestr.	<i>Merum</i> c. Saccharo. <i>Emulsio.</i>	gtt. 2-6-12- 15. ex scrpl. 1½ - dr. 1½.	In phthisi pituitosa et exulce- rata a medicis veteriorib. laudibus effertur; Bang se tertiā phthisicorum partem eo sanasse assertet Richter- us remedium divinum ap- pellat.
<i>Aurantium</i> (cortex, fo- lia, flores et poma imma- tura). <i>Citrus Auran-</i> <i>tium.</i> Cl. 18, ord. 3. <i>Aurantia-</i> <i>ceae.</i>	<i>Flavedo cortic. Aurant.</i> in pulv., infus. aquos et vinos. <i>Extractum. cort. Au-</i> <i>rant. Elixir. cort.</i> <i>Aurant. compositum</i> <i>s. Elixir. viscera-</i> <i>Hoffmanni:</i> flaved. cort. Aurant., poma Au- rant. immatur., cassia cinnamom., Kali carbon., c. vino rhenano digerunt. et colaturae extract. Ab- sinth., Gentian., Trifol. fibrin., Cascarill. admis- cent. denique Ol. Citri in Spirit. sulphur. - aether. solut. superaddunt. <i>Tinctura cortic. Aurant.</i> <i>Elixir. amarum:</i> Ex- tract. cort. Aurant. et Trifol. fibrin., Aq. Menth.	scrpl. ½ - dr. 2 in infus. ex dr. 2-unc. ½ unc. 4-6. scrpl. ½ 1. pro mixt. dr. 1-3. ggt. 20 - 30, mixt. stoma- chic. ad dr. ½ - 1 addit.	<i>Solamen hypochondria-</i> <i>cum Kleinii</i> constat ex pulv. flaved. cort. Aurant., pulv. radic. Rhei et Kali tar- tar. aā dr. 3. Datur ad cochlear parvum ter de die. In neuralgiis ventriculi cum asthenia primarum viarum et digestionis functione laesa Eli- xir Aurant. composit. (unc. ½) c. Tinct. Valerian. (dr. 2) a Richtero maxime laudatur. <i>Folia Aurant.</i> in hysteriasi, ante omnia in morbo caduco (epilepsia) praedicantur.

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<p>ppt., Spirit. Vin. rfts., Spirit. sulphur.-aether. <i>Oleum cort. Aurantiorum.</i> <i>Syrupus cort. Aurantiorum.</i> <i>Aqua flor. Aurantiorum</i> <i>s. Naphae.</i> <i>Oleum flor. Aurant. s.</i> <i>Neroli.</i> <i>Tinctura pomorum Aurantior. immaturor.</i></p>	<p>unc. $\frac{1}{2}$ - 1. ad unc. 2 in mixt. ad gtt. 30- 60.</p>	<p>Elixir amarum constat ex Extract. cort. Aurant. et Trifol. fibrin. cum unc. $\frac{1}{2}$ Aq. menth. ppt., Spirit. Vin. rftiss. aā unc. 4. Spirit. sulph. aether. dr. 2. (confer. Tri- fol. fibrin.) Poma imatur. pro fonticul. usitant.</p>
<p><i>Aurum muri-</i> <i>aticum natro-</i> <i>natum.</i> Chloretum Auri cum Chloreto Na- trii.</p>	<p><i>Pulvis.</i> <i>Pilulae.</i> <i>Solutio.</i> <i>Unguentum.</i> Externe linguae et gingivis infricatur.</p>	<p>gr. $\frac{1}{16}$, $\frac{1}{12}$, $\frac{1}{8}$ ad gr. 1. Ad gra- num Unum! gr. 1 in Aq. destill. unc. 1. pro ung gr. 1. c. pin- gued. unc. 1.</p>	<p>A medicis franco-gallis Chre- stien et Niel in syphilide inveterata et degenerat. in- terne et externe ad Gr. $\frac{1}{12}$. $\frac{1}{8}$ c. Amyl. trit. commenda- tur; praeterea antiscrophu- losum, anticancrosum et hy- dragogum habetur.</p>
<p><i>Balsamum</i> <i>Peruvianam</i> <i>s. Indicum ni-</i> <i>grum.</i> Myroxylon peruiferum. Cl. 10, ord. 1. Legumino- sae.</p>	<p><i>Merum</i> c. Saccharo, - <i>pilulis</i> — minus usita- tum neque opportunum. <i>Emulsio.</i> <i>Mixtur.</i> c. subsant. ae- thero-oleos. vel spiri- tuos. <i>Mixtura oleoso-balsa-</i> <i>mica, s. Balsamum</i> <i>Vitae Hoffmanni:</i> Ol. Cinnamom., Caryo- phyllor., Nucist., Lavan- dul., flor. Aurant., Ma- joran., Rut. c. Balsam.</p>	<p>gtt. 2-6-12- 15. gtt. 75=dr. 1. ex dr. 1 c. mucilag. mi- mos. dr. 2 aut Vitell. Ov. 1. interne ad gtt. 10-20- 30, externe ad dr. $\frac{1}{2}$ - 2.</p>	<p>Contra perniones liniment. ex Balsamo peruv. dr. $\frac{1}{2}$, Tinct. Opii spl. et Spirit. muriat. aether. aā dr. j Henschel commendat; contra pernion- rebelles emplastrum ex em- plastr. Lithargyr. spl. unc. $\frac{1}{2}$, Balsam. peruv. dr. 1. Camphor. c. paucill. Ol. olivar. trit. dr. $\frac{1}{2}$ opii pulverat. gr. 15, a Rustio laudatur.</p>

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	peruvian. et Spirit., interne et externe in usu. Syrupus.	unc. $\frac{1}{2}$ - 1 mixt. addit.	
Balsamum Copaivae. Copaiva multijuga Hayne. Cl. 10, ord. 1. Leguminosae.	Merum c. Saccharo. Pilulae, Bolus, Electuarium. Emulsio. Solutio — in Spirit. sulphur.-aether. — Externe ad <i>injectiones et clysmata</i> .	gtt. 15-30-60. (gtt. 70 = dr. 1.) ex dr. 1 c. Gum. mimos. dr. 2 aut Vitell. Ov. 1. dr. $\frac{1}{2}$ - 1 in Spirit. sulph. aether. dr. 2 - 3. solut.	Optimum pilularum constituens magnesia usta in subtilissim. pulv. redact. a Denans et Cadet de Gassicourt commendatur; optimum corrigens quoad gustum Aq. et Syrup. flor. Aurant. vel Spirit. nitric.-aether. Formula Henscheliana: \mathcal{R} . Bals. Copaiv., Gumm. mimos. āā dr. 2, Aq. florum Aurant. scrpl. 2, terendo bene mixtis adde Cubeb. pulv. dr. 2 M. f. Bol. Nr. 6. Consperg. pulv. Cinnamom. DS. bis terve de die Boli 2 — digna est quae commendetur. —
Bardana (Radic.). Arctium Lappa. Cl. 19. ord. 1. Synanthereae.	Decoctum. Externe ad <i>cataplasmat.</i>	ex unc. 1 - 2 cum Aq. libr. 2 ad Colat. libr. 1 et c. Saccharo dulcificat.	In decocto Lignorum occurrit.
Baryta muricata. Chloretum Barii c. Aqua, Terra ponderosa salita.	Pulvis — minus usitat. Solutio — in Aqua destillat., Aq. Amygdalar. amarar., Laurocerasi vel in Vino stibiat. — Externe ad <i>lotiones, injectiones et collyria</i> .	gr. $\frac{1}{8}$, $\frac{1}{4}$, $\frac{1}{2}$ - ad gr. 2 dr. $\frac{1}{2}$ - 1 in Aq. destill. unc. 1, Aq. Lauroceras. unc. $\frac{1}{2}$, Vin. stibiat. dr. 2 datur. ad gtt. 15 - 20 - 30	dr. $\frac{1}{2}$ in Aq. Lauroceras. unc. $\frac{1}{2}$ solut. ter quaterve de die ad gtt 15. Hufeland. in scrophulosi, Heim. ad gtt. 15-25 bihorio in gonorrhoea laudant., \mathcal{R} . Baryt. muriat. dr. $\frac{1}{2}$, Extract. Conii scrpl. $\frac{1}{2}$, Aq. Foenic. unc. 6. Syrup. Rub. Idaei unc. $\frac{1}{2}$. MDS. ter quaterve de die

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
		p. 10. ad injection. gr. 3 - 10 c. Aq. unc. 1 - 2. ad collyria gr. 2 - 6 in Aq. destill. unc. $\frac{1}{2}$ - 1.	cochlear unum. (a Remero in malo scrophulos. laudat.) Cave Alkalina, remedia principio adstring. praedit., Aq. font., Sal. et Acid. sulphur., phosphor., carbon., tartar. et succin.
Belladonna (Radix et herba s. folia). Cl. 5, ord. 1. Solaneae.	Pulvis. Pilulae. Infusum interne et extern. ad foment., cataplasmat., inject. et clysmat.	Gr. $\frac{1}{4}$, $\frac{1}{2}$, 1 - 5. Ad Grana 4; Infus. ex scrpl. $\frac{1}{2}$ - 1, unc. 4-6, externe ex dr. 1-2, unc. 6-8; ad clysmma solummodo scrpl. $\frac{1}{2}$ - 1.	In tussi convulsiva nonnisi in minorib. dosib. (ad gr. $\frac{1}{8}$, $\frac{1}{6}$, $\frac{1}{4}$) quippe quod ex abusu hujus medicamin. saepius vel largiori manu porrecti hydrocephalicus morbus (Gölis) et mentis hebetudo (Otto) observabantur; laeto genarum rubore circumscripto exoriente seponatur vel certe dosis imminuatur.
	Extractum pro pilul. et solut., externe ad collyria, liniment., unguent. et emplastr., etiam cuti infricatur.	gr. $\frac{1}{2}$ - 1 - 2. Ad grano Duo! solut. gr. 3-6 in Aq. destill. unc. 1, vel Lauroceras. dr. 2, dat. ad gtt. 10 - 20; pro usu externo. Gr. 5 - 10 (ad dilatandam pupillam.) c. Aq. unc. $\frac{1}{2}$, pro unguent. dr 1. c. un. 1	Multum prodest in spasticis gulae, ventriculi, intestinorum affectionibus nec non in vomitu chronico ex induratione scirrhusa pylori orta liquor Belladonnae cyanicus Hufelandii, constans ex Extract. Belladonn. gr. 4. Aq. Lauroceras. unc. $\frac{1}{2}$ datur ad gtt 30 de die. Pupillam dilatat; Osiander contra intermitt. rebell. pulver. ex fol. Belladon. gr. 2, cort. chin. reg. scrpl. 4 in part. aequal. 4 dispartit. et ter quaterve d. die. ad pulv. 1. sumpt. maxime laudat.
	Extractum herbae recent. (s. Succus inspissatus)	dr. 2, dat. ad gtt. 10 - 20; pro usu externo. Gr. 5 - 10 (ad dilatandam pupillam.) c. Aq. unc. $\frac{1}{2}$, pro unguent. dr 1. c. un. 1 pinguedin.	

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
Benzoe. Asa dulcis (resina). Sty- rax Benzoin. Cl. 10, ord. 1. Styraceae Rich.	Nonnisi pro usu externo; cosmeticis praeparandis et lotionibus inservit. <i>Tinct. Benzoës spl.</i> <i>Tinct. composita s. Bal-</i> <i>samum Commendato-</i> <i>ris:</i> Benzoe, Aloë, Bal- sam. peruv., Spirit. Vin. rftiss. <i>Species ad suffiendum</i> <i>s. pro fumo:</i> Benzoe. Olibanum, Succin., La- vandul. <i>Emplastrum aromati-</i> <i>cum s. stomachicum:</i> Cer. flav., sev. ovill., Terebinthin., liquefactis et semi refrigerat. Benzoe, Oliban., Ol. nucist. Ol. Menth. ppt. et Caryo- phyll. admiscuntur.		Contra cutis pruritus, maculas, ephelides, chloasmata, guttam rosaceam lotiones seq. R. Amyg- dal. amar. excort. unc. $\frac{1}{2}$, Benzoes pulv. dr. 2 tere c. Aq. Rosar. unc. 8. u. f. Emulsio in qua solv. Borac. venet. d. 1, laudantur.
Bismuthum nitricum praecipita- tum. Magisterium Bismuthi, Subnitrabis- muthicus, Marcasita al- ba.	<i>Pulvis</i> c. Magnes. Carbon. et Sacchar. Etiam pro <i>pilul.</i>	gr. $\frac{1}{2}$ - 2 ad gr. 3.	Praecipue in cardialgia et spas- mis intestinorum ex causis mere dynamicis ortis cum pulv. radic. Ipecac. (in dosi refract.) a Koppio lauda- tur.
<i>Boletus Lari-</i> <i>cis</i> , Agaricus albus, Bole- tus Laricis, Jacquin. Cl. 24. Cryp- togamia. Fungi.	<i>Pulvis</i> c. Elaeosacchar. <i>Pilul.</i> <i>Infusum aquos. et vi-</i> <i>nos.</i>	gr. 2, 4, 8, 10 scopo purgand. dr. $\frac{1}{2}$ - dr. 1. ex dr. 2-unc. $\frac{1}{2}$, unc. 4-6.	Contra sudores nocturnos colli- quativ. de Haën gr. 2 c. Elaeosacchar. Citri vespas- cente coelo administrand. com- mendat; vi quoque haemo- statica gaudet.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
Bolus albus: Terra ex argilla, calcaria, magnesia et silicio constans.	Non nisi externe pro cosmetic. et pulv. ophthalm.		Pulvis ophthalmicus Baldingeri constans ex. Bol. alb., Tartar. dep., Sacchar. āā dr. j, contra corneae obscurationes in usu.
Bolus Armena. Terra constans ex Argilla, Silicio, et Ferro oxydat. quod rubrum ei impertit colorem.	Pulvis, etiam pro usu intern. et <i>mixturis</i> addit.	gr. 5-10-15 p. d. dr. 1. in unc. 3.	In diarrhoeis et dysenteris praesertim ex acore primarum viarum proficiscentibus laudatur.
Borax, Natrum boracicum, Boras natricus c. Aqua.	Pulvis. Solutio; etiam externe ad <i>collyria et injection. lotion.</i> Pulvis inspergitur et ad pulv. ophthalmic. et unguent. adhibetur.	scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$, in mixtur. dr. 1 - 3. ad unguent. et linement. dr. 1 c. unc. 1 pinguedin. aut aeq. port. Mellis.	In menstruationis perturbationibus, praesertim in amenorrhoea laudatur; pulvis Wedelii constat ex Borac. dr. j, Croc. scrpl. $\frac{1}{2}$, Ol. Cinnamom. gtt. 2. Div. in part. aeq. 2 DS. Quavis hora pulvis; contra perniones unguent. ex Borac. dr. 2 c. Unguent. rosat. unc. 2 Hufelandus laudat; proprium hoc est Boraci quod mucilaginem radicis Salep, Gummi mimosae, aliorumque principio mucilaginoso praedito. medicaminum indensat; cav. acida mineral. fortiora et sales metallic.
Bryonia (radix). Bryonia alba L. (<i>Bryonia</i>	Succus rec. express. c. Saccharo. Pulvis.	dr. 1 - 2. gr. 5 - 10 - 20.	Nunc minus usitata; alvum fortiter purgat.

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
dioica Jac- quin.) Cl. 21. ord. 8. Cucurbita- ceae.	<i>Infusum</i> aquosum et vi- nosum.	ex dr. 2 unc. 4-6.	
<i>Cacao</i> (semi- na). Theobroma Cacao. Cl. 28. ord. 1. Malvaceae.	<i>Semina tosta</i> diaeteticæ, <i>Oleum Cacao.</i> s. <i>Bu- tyr. Cacao.</i> usui ex- terno dicatum; <i>Pasta Ca- cao.</i> c. <i>Lichene Is- landico.</i>		In morb. phthisic. et tabific. usitat.
<i>Cajeput</i> (Ole- um) Melaleu- ca Leucoden- dron. Cl. 18. ord. 4. Myrtaceae.	Merum cum Saccharo. <i>Pulvis.</i> <i>Pilulae.</i> <i>Electuarium.</i> <i>Solutum</i> — in Liq. Am- mon. succin. et pyro-o- leos., spirit. sulph. - aeth. et Tr. Valer., etiam mix- turis cum sacch. nuptum additur. <i>Externe</i> ad Linim. et Ungt.	gtt. 1-5-10. scrpl. $\frac{1}{2}$ -1.	Pro usu interno non nisi ol. Ca- jep. rftm. adhibetur. Pulv. an- tepilepticus Waitzii constat ex: Rad. Gentian., Flor. au- rant., Visc. quern., Calam. aromat. aā dr. 2, Valer. unc. 1 Ol. Cajeput. gtt. 30. Ammon. muriat. unc. $\frac{1}{2}$ D. ad scatul. S. ter quaterve de die semicochlear. Optimum menstruum Cam- phorae et Phosphori sese prae- bet.
<i>Calamus aro- maticus</i> (Ra- dix) Acorus calamus. Cl. 6. Ord. 1.	<i>Pulvis</i> minus usitat. <i>Infusum</i> aquos. et vinos. <i>Infuso-Decoct.</i> <i>Electuarium.</i> <i>Morsuli.</i> <i>Rotulae.</i> <i>Extractum.</i> <i>Tinctura spl.</i> <i>Tr. composita</i> ; Calam., Zingib., poma Aurant. immatura, alcohol. vini. <i>Ol. Calmi aeth.</i> (ex ru- bro luteum) c. Sacch.	scrpl. 1 - 3. ex unc. $\frac{1}{2}$ - dr. 6. unc. 4-6. scrpl. $\frac{1}{2}$ -1 $\frac{1}{2}$. gtt. 40-80. gtt. 30-60. gtt. 1-4.	Pulvis Calami optimum corri- gens medicamin. acrium vel majori vi in digestionis or- gana agentium v. c. Scillae, Gratiolae, Chinae, Ferri. Ol. Calami gtt. 4 - 12 in Aeth. acet. dr. 1 solut. qua- vis hora vel bihorio ad gtt. 16-20 administrat. a Schnei- dero in arthritide atonica laudatur.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<p>aut in spir. sulph.-aeth. solut.</p> <p>Elaeosaccharum.</p> <p>Externe pulv. inspergitur ulcerib. gangrānōsis, carcinomatosis et cariosis, nec non ad pulv. dentifric. adhibet.</p>	gtt. 4-8-10.	
<p>Calcaria usta.</p> <p>Calx viva.</p> <p>Oxydum calcicum.</p>	<p>Nonnisi extrinsecus pro caustico in usu.</p> <p>Aq. Calcis, s. Aq. calcariae: Calc. p. 1. c. aq. p. 30. interne c. lacte sero lactis, jusculis carneis, et mixturis addit; externe ad ungt. liniment (c. ol. amygd.) fomentat. lotiones et injection.</p>	<p>ad unc. 2-4- Libr. 1.</p> <p>de die, pro mixtur. unc. $\frac{1}{2}$-1.</p> <p>c. aqual. quant. ol. dulcis.</p>	<p>Calx viva ad destruendos naevos maternos commendatur.</p> <p>Aq. Calcis in blennorrhoeis et exulceration. organorum systematis uropoëtici et respirationis c. balsamis naturalibus, myrrha, lichene island. et foliis uvae ursi laudatur.</p> <p>Contra primar. viar. acorem c. atonia ventriculi mixtura ex rasur. ligni quass. dr. 1 c. aq. Calcis unc. 6 saepe agitando per horas 24 macerat. et colaturae expressae Syrup. Cort. aurant. unc. $\frac{1}{2}$ addit. a Richtero laudibus effertur.</p> <p>Cav. acida, succus. acidus. Sales metallicos et remedia principio adstringente instruct.</p>
<p>Calcaria muriatica.</p> <p>Chloretum Calcii.</p> <p>Sal ammoniacum fixum.</p>	<p>Solutio intern. et extern. ad foment., lotion., balnea, collyria, linim. et ungt.</p>	<p>scrpl. 1-dr. 1 in unc. 6-8 fluid. solut. bihorio cochlear; ad lotion. unc. 1-2. ad ungt. dr. 1. c.</p>	<p>Balnea ex unc. $1\frac{1}{2}$ c. Libr. 3 natr. muriat. parat. in affection. scrophulos. glandular. et cutis a Sundelin. laudant.</p> <p>Solutio Calcar. murat. ex dr. 1 in aq. destillat. unc. $\frac{1}{2}$ ter de die ad gtt. 15-30 porrect. in scrophulosi a Remero praedicat.</p>

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<p>Mixtura. Externe ad lotiones, baln. liniment., ungt., fumigation.; inspergitur pulv. ulcerib. phagedaenicis, praesertim gangraenosis et putridis. Spiritus camphoratus pro lotion.</p> <p>Spiritus Camphor.-cro- catus: spirit. Camph. p. 1. c. Tr. croci p. 12. intern. et extern.</p> <p>Ol. camphoratum: Camph. p. 1, Ol. papaver. p. 8. interne ad emuls. et externe ad liniment. et ungt.</p> <p>Mixtura camphorata s. Julep. e Camphor.: Camph. trit. dr. j., aq. fervid. destill. unc. 10. Sacch. unc. $\frac{1}{2}$ — mera aut mixtur. addit.</p> <p>Linimentum saponato- camphoratum s. Balsamum Opodeldoc.: Camph. in alcohol. solut. sapo domestic., hispan., ol. roris marin. et thym. Liq. ammon. caust.</p> <p>Linimentum ammonia- to-camphorat., ol. camphorat., ol. papav. Liq. ammon. caust.</p> <p>Acidum aceticum aro-</p>	<p>ad gtt. 10-20. p. d. Extern. scrpl. 1-dr. $\frac{1}{2}$ in spirit. vin. unc. 2-3; in mixt. scrpl. $\frac{1}{2}$ - 1. Ad clysma scrpl. $\frac{1}{2}$ - 1. c. vitell. ovi subact.</p> <p>intern. scrpl. 1 - dr. j (gtt. 18 = gr. 1. Camph.) scrpl. $\frac{1}{2}$ - 1 (dr. 3 = scrpl. 1 Camph.)</p> <p>mera dr. $\frac{1}{2}$ - 1-2. in mixt. ad unc. $\frac{1}{2}$ - 1.</p> <p>ad ungt. p. 1. c. pinguedinis p. 3.</p> <p>unc. 4 = dr. 1. Camph.</p>	<p>novissime Dupasquier commendat.</p> <p>Habitu plethorico vel erethismo vasorum occurrente nonnisi c. Kali nitrico praescribatur; in seminis fluxu laudem sibi comparavit, sed cave ne noceas.</p> <p>Optimum corrigens pulveris quoad gustum: pulvis gummosus.</p> <p>Mixtura Levisauriana contra choleram sic dictam contagiosam s. orientalem constat ex camphor. trit. Extract. Hyoscyam. āā gr. 24. Gumm. mimos. unc. $\frac{1}{2}$ Emuls. papaverin. concent. unc. 6, liq. Ammon. succin. dr. 2, Sacchar. alb. unc. 1.</p> <p>MDS. morbo incipiente quavis hora cochlear unum, in gravescente post evacuationes singulas ad cochlear 1-2.</p>

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
	<i>matico-camphoratum:</i> Camphor. Ol. Caryophyl- lor., Citri et Acid. aceticum; naribus admoveatur.		
<i>Cannabis</i> (Semen) Can- nabis sativa. Cl. 22, ord. 5. Urticeae.	<i>Emulsio.</i> etiam ad species pro <i>thea</i> c. rad. Liquirit. et Alth. Externe ad cataplasma.	ex unc. $\frac{1}{2}$ - 1 unc. 6 - 12. unc. 1-2.	
<i>Canella alba.</i> (Cortex) Ca- nella alba Murray. Cl. 11, Ord. 1. Meliaceae.	<i>Pulvis.</i> <i>Infusum</i> — aquos. et vinos.	gr. 10 - 20. ex dr. 2 unc. 4.	
<i>Cantharides.</i> <i>Lytta vesica-</i> <i>toria.</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Emulsio.</i> <i>Tinctura</i> mixtur addit. <i>Unguentum Canthari-</i> <i>dum. s. irritans:</i> Can- tharid., Ol. Amygdalar., Cera alb. <i>Emplastrum Cantharid.</i> <i>s. vesicatorium ordi-</i> <i>narium:</i> Cantharid., Ce- ra, Ol. Terebinth., Ol. Olivar. <i>Emplastrum C. perpe-</i> <i>tuum s. Janini:</i> Canth., Cera, Pix burgund., Te- rebinth., Sevum ovill.	gr. $\frac{1}{4}$, $\frac{1}{2}$ - 1. Ad gra- num unum! ex scrpl. $\frac{1}{2}$ - 1. gtt. 5 - 10 - 20. Ad guttas Quinde- cim! mix- tur. ad dr. $\frac{1}{2}$ - 1 additur.	In hydrophobia largori manu ad gr. usque 9 infra hor. 36 porrect. a Rustio nec non in morb. hydrop. cum caractere torpido et paralytico laudan- tur; in intoxication. ex abusu Cantharid. exorta cav. oleo- sa, quippe quae principium a quo vis summa Cantharid. dependet, Cantharidinum sci- licet adhuc magis dissolvunt; optimum antidotum camphora et adjuvantia Clysmata muc- laginosa, involventia; cav. ne majora vesicatoria in renum regione applices, quae huc dys- uriam et stranguriam facile excitant, quo facto ad emulsion. amygdalin. recurrendum est. R. Pulv. Cantharid. Scrpl. $\frac{1}{2}$ - scrpl. 1., Amygdal. dulc. excort. unc. $1\frac{1}{2}$, Sac-

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			<p>char. alb. unc. $\frac{1}{2}$, Aq. calid. unc. 10 M. f. l. a. Emulsio. Colat. sine expressione DS. ter, quaterve de die cochl. $\frac{1}{2}$-1. (Emulsio cantharid. Herwigiana). Linimentum diureticum Koppii constat ex Tr. Canthar. ; Spirit. sal. Ammoniac. āā dr. 1, Ol. Juniper. dr. 3. Unguentum causticum Rustii constat ex Pulv. Cantharid. scrpl. 2. Adip. suill. scrpl. 4. Hydr. mur. corros. Tart. stibiat. āā dr. $\frac{1}{2}$.</p>
<i>Capsicum annuum.</i> (fructus) Class. 5, Ord. 1. Solanaceae.	<i>Pulvis.</i> — raro usitat. <i>Pilulae.</i> <i>Infusum spirituos.</i> <i>Tinctura.</i>	gr. 2-4-6. ex 3 j unc. 4. gtt. 20-30-50. c. pot. mucilag.	Tinctura in paralysi rheumatica laudatur; quam quidem tinctur. dr. 1. c. Tinct. Arnic. dr. 3 et Ol. Sabin. dr. $\frac{1}{2}$. ter quaterve de die ad gtt. 10-15 c. pot. mucilaginos. in paralysi commendat Ph. Horn.
<i>Carbo animalis.</i> Ex carne et ossib. vitulin. parat.	<i>Pulvis.</i>	gr. 1-3-6-10.	Contra scirrhum mammae pulv. qui sequitur sumopere laudatur. R. Carb. animal. gr. 2-3 rad. Liquirit. pulv. scrpl. $1\frac{1}{2}$, M. F. Pulv. DS. bis terve de die pulvis.
<i>Carbo vegetabilis.</i> <i>Carbo Tiliae,</i> <i>Carbo</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Electuarium.</i> <i>Morsuli et Trochisci.</i>	scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$.	Antiseptica vis laudatur; R. Semin. Cacao tost. unc. 3, in mortar. ferreo calid. in mass. redige subti-

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>praeparatus s. purus.</i>	<i>Externe inspergitur et pro unguent. adhibetur. Pulv. dentifric. constituens est.</i>	dr. 3. cum pin- gued. unc. 1.	liss., adde Sacchar. alb. pulv. unc. $1\frac{1}{2}$, Carb. praeparat. unc. $\frac{1}{2}$, Bal- sam. Peruvian. scrpl. $\frac{1}{2}$. M. F. Morsuli pond. dr. 2. DS. Ter quaterve de die Morsul. 1. (Schönlein contra phthis. exulcerat.) Pulvis ex carb. ppt. unc. $1\frac{1}{2}$, Lign. Quass. et Mag- nes. carbon. āā dr. 2. ad cochlear parv. capiend. ab Heimio beato in py- rosi laudatur. Pulvis dentifricius niger constat ex carb. ppt., pan. adust. āā unc. $1\frac{1}{2}$, Myrrh., Natr. mu- riat. āā dr. $1\frac{1}{2}$, rad. Irid. florent. dr. 2, Ca- ryophyll. aromat. dr 1. Ol. Bergamot., Ol. de Ce- dro āā gtt. 20 M. f. Pulv. subtiliss. Externe pulv. carb. cum pulv. Myrrh., Camphor., flor. Chamomill. ulceribus gan- graenos., putrid., carci- nomatos. et cariosis in- spergitur; styptica ejus vis in haemorrhag. ex- tern. profusus laudatur.
<i>Cardamo- mum minus. (Semen) Alpi- nia Cardam. Cl. 1, ord. 1. Scitamineae Rob. Brown.</i>	<i>Pulvis. Infusum</i> — aquos. et vinos.	gr. 5-10-20. ex dr. 2 - unc. $\frac{1}{2}$ unc. 4-6.	

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Carduus benedictus.</i> (Herba) Centaury benedicta. Cl. 19, Ord. 3. Synanthereae.	<i>Succus rec. express.</i> <i>Infus. et Decoct.</i> <i>Extractum</i> — in pil. et mixt.	unc. $\frac{1}{2}$ - 2 c. aliis succ. rec. express. ex dr. 2-unc. $\frac{1}{2}$ unc. 6-8 scrpl. $\frac{1}{2}$ -dr. $\frac{1}{2}$.	
<i>Carex arenaria.</i> (Radix) <i>Carex arenaria.</i> L. Cl. 21, Ord. 3. Cyperaceae.	<i>Decoctum.</i>	ex unc. $\frac{1}{2}$ -1 c. Aq. font. Libr. $1\frac{1}{2}$ ad colat. Libr. 1.	Diaphoretica et diuretica vis laudatur.
<i>Caricae.</i> <i>Ficus Caricus.</i> Class. 23, Ord. 2. Urticeae.	<i>Decoctum.</i>		Ad gargarismat., cataplasmata nec non ad maturandos abscess. adhibetur. In Electuario e Senna occurrit.
<i>Carum.</i> (Semmen) <i>Carum Carvi.</i> Cl. 5, Ord. 2. Umbelliferae.	<i>Integrum</i> deglutitur. <i>Pulvis.</i> <i>Infusum</i> — praesert. ad theae spec. <i>Oleum</i> c. Saccharo vel in Spirit. nitr. aether. solut. et extern. ad <i>liniment.</i>	scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$ ex dr. 2-unc. $\frac{1}{2}$ unc. 6. gtt. 2-4.	Vis carminativa laudatur.
<i>Caryophyllata</i> (Radix). <i>Geum urbanum.</i> Cl. 12, Ord. 5. Rosaceae.	<i>Pulvis</i> et formul. pulverem excipientes. <i>Infusum.</i> <i>Decoctum.</i> <i>Infuso - Decoctum.</i>	dr. $\frac{1}{2}$ -dr. j. ex unc. $\frac{1}{2}$ unc. 6.	<i>Pulvis</i> nonnisi in febr. intermitt. in usu; <i>Infusum</i> , quod partes volatiles continet, magis excitat, <i>Decoctum</i> , quod principium adstringens continet, magis roborat.
<i>Caryophylli aromatici.</i> <i>Eugenia caryophyllata</i>	<i>Integri.</i> <i>Pulvis.</i> <i>Infusum et Decoct.</i> <i>Tinctura.</i>	gr. 5-10. gtt. 10-15.	Optimum chinae corrigens. Mixtur. Boerhaavii contra dentium cariem doloresque exinde ortos

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
Thunberg. Cl. 12. Ord. 1. Myrtaceae.	<i>Oleum</i> c. Saccharo. <i>Elaeosaccharum.</i> <i>Externe pro masticator.</i>	ggt. 1-2.	constat ex: Camphor. dr. j. in Spirit. Vin. rft. dr. 2 solut., Tinct. Op. cro- cat. dr. $\frac{1}{2}$. et Ol. Ca- ryophyll. scrpl. j. cujus ggt. 2-3 c. glosshippio dent. carioso imponuntur.
<i>Cascarilla</i> (cortex) Cro- ton Eluteria. Cl. 21, Ord. 8. Euphorbia- ceae.	<i>Pulvis</i> et formae pulverem excipientes. <i>Infusum</i> , aquos. et vinos. <i>Decoctum.</i> <i>Infuso - Decoctum.</i> <i>Extractum</i> — in pilul. et mixtur.	scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$ nonnisi in febr. intermitt. ex unc. $\frac{1}{2}$ unc. 4 - 6. scrpl. $\frac{1}{2}$ - 1 in mixt. dr. 1-2.	In diarrhoeis et dysenter. asthenic. laudatur. R. Cort. Cascarill. dr. 3. Rad. Colomb., Rad. Ar- nic. aa dr. 2, infund. c. Aq. ferv. s. q. ad Col. unc. 8. Syrup. cort. Au- rant. unc. 1. MDS. bi- horio cochlear, Berend s.
<i>Cassia cin- namomea.</i> Cassia cinna- momea. Cl. 9, ord. 1. Lau- rineae.	<i>Pulvis.</i> <i>Electuarium.</i> <i>Infus.</i> aquos. et vinos. <i>Tinctura.</i> <i>Tinct. aromatica:</i> Cass. cinnamom., Caryophylli, Cardamom. min., Zingib. Galanga et Sprit. <i>Oleum.</i> <i>Elaeosaccharum.</i> <i>Syrupus.</i> <i>Aqua spl.</i> <i>Aq. vinosa:</i> Aq. cinna- mom. c. spirit. Vin. rft. et Aq. <i>Pulvis aromaticus:</i> Cass. cinnamom., Cardamom. min., Zingib., Pip. alb; constituens et opportu- num corrigens medicami- num majori vi in diges- tionis organa agentium.	ex dr. 2 unc. 4. ggt. 15-30-60, in mixt. dr. 1-2. mixtur. ad dr. $\frac{1}{2}$ - 1 superadit. ggt. 1-4. unc. $\frac{1}{2}$ - 1. ad. unc. 1-2 in mixt. ad unc. 1- 2 in mixt.	Mistura, qua usus est van Swieten contra me- trorrhag. profus. constat ex Aq. Menth. ppt. unc. 2. Tinct. Cinnamom. dr. j. Alum. crud. scrpl. 1. Syrup. Papav. alb. unc. 1, D. S. quavis hora coch- lear. Olei Cinnamom. ggt. in Aeth. sulphur. dr. j. solut. et ad ggt. 10- 15 p. d. adminastrat. a. Thilenio in haemorrhag. uterin. mortem minanti- bus laudat.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Castoreum.</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Emulsio.</i> <i>Tinctura spl.</i> <i>Tinct. aetherea.</i> Castor. p. 1. Spirit. sulphur. aether. p. 6. <i>Tinct. Castor. canadens. spl. Tinct. Castor. canadens. aether.</i>	gr. 2-6-10-15. gtt. 20-60 in mixt. dr. $\frac{1}{2}$ -1. gtt. 10-20 in mixt. scrpl. 1- dr. $\frac{1}{2}$. gtt. 40-80. gtt. 30-60.	Optimum adjuvans et corrigens Opii in affectionib. hystericis. Castoreum canadens. longeminus efficax, quam sibiricum.
<i>Catechu s. Terra Japonica.</i>	<i>Pulvis</i> form. et pulverem excipientes. <i>Solutio</i> aquos. et vinos. <i>Tinctura.</i> Externe pulv. dentifric. admiscetur.	scrpl. $\frac{1}{2}$ -1 ex dr. $\frac{1}{2}$ -1 in Aq. unc. 3-4 tinct. ad gtt. 30-60.	Cav. Alkalina, Terreæ, Sales, Sapon.,
<i>Centaurium minus</i> (herba) <i>Erythraea centaurea.</i> Cl. 5, ord. 1. Gentianeae.	<i>Succ. rec. express.</i> <i>Decoctum.</i> <i>Extractum</i> — in pil., solut. et mixtur. addit.,	unc. $\frac{1}{2}$ -1. ex unc. $\frac{1}{2}$ - ad unc. 1 ad col. unc. 6-8. scrpl. $\frac{1}{2}$ -dr. $\frac{1}{2}$, pro solut. dr. 2.; mixtur. ad dr. 1-3 addit.	Clysmata Kaempfiana constant ex: Hb. Cent. min., Rad. Tarax., Saponar., Gramin. āā unc. 2; C. C. S. species, quarum pars octava e. libr. 1 Aq. ad remanent. libr. $\frac{1}{2}$. coct. pro clysmate adhib.
<i>Cera alba et flava.</i>	<i>Unguentum cereum:</i> Cer. alb. p. 1, Ol. Oliv. var. provincial. p. 2 $\frac{1}{2}$. <i>Unguentum simplex:</i> Adip. suill. p. 4, Aq. p. 1, Aq. Rosar. p. 1. <i>Cereoli simplices s. exploratorii:</i> Cer. p. 6. Ol. Olivar. p. 1.		A medicis veteroris temporis et praesert. a Chr. L. Hoffmanno cera flav. pro usu interno contra diarrhoeam habitualement et dysenteriam laudibus effertur.
<i>Cerasa acida:</i> (fructus) Cerasus acida.	<i>Aqua Cerasorum.</i> <i>Aqua Cerasor. amygdalata.</i> <i>Syrupus Cerasorum.</i>	mixtur. ad unc. 1-2. addit.	Optimum vehiculum salium antiphlogisticor. imprimis Kali nitrici.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
Class. 12, ord. 1. Rosaceae.			
<i>Cetaceum</i> , s. <i>Sperma Ceti</i> : materia oleosa quae in cavis cellulosis supra-cap. <i>Physetris macrocephali</i> sitis invenitur.	<i>Ceratum Cetacei alb.</i> s. <i>Ceratum labiale alb.</i> s. <i>Emplastrum Spermat. Ceti</i> : <i>Cera alb.</i> , <i>Cetac.</i> , <i>Ol. Amygdalar.</i> <i>Ceratum cet. rubr.</i> <i>Ceratum labiale rubrum</i> ; eadem. partes constituent. c. <i>Alcanna rubefact.</i>		Alias et interne in affectionib. catarrhalib. organorum respirationis in usu erat.
<i>Chaerophyllum silvestre</i> . (radix) <i>Chaerophyll. sylvestre</i> . Cl. 5, Ord. 2. <i>Umbelliferae</i> .	Succ. rec. express.	ad. unc. 1-2 de die.	Ab Osbekio et Westringio in syphilide commendatur.
<i>Chamomilla</i> (flores) a. <i>Ch. vulgaris</i> . <i>Matricaria chamomilla</i> . Cl. 19, ord. 2. <i>Synanthereae</i> . b. <i>Ch. romana</i> <i>Anthemis nobilis</i> . Class. Ord. et famil. natural. ut supra.	<i>Pulvis</i> — praesert. in febr. intermitt.; externe inspergitur. <i>Infusum</i> . <i>Extractum</i> — in pil. et mixt. <i>Oleum coctum</i> s. <i>infusum</i> — ex chamomill. cum <i>Ol. Olivar.</i> coct. externe ad liniment. <i>Oleum aethereum</i> . (coeruleum). <i>Ol. Chamomill. citratum</i> . <i>Ol. Chamomill. terebinthinatum</i> .	scrpl. $\frac{1}{2}$ -1. ex dr. 2 - unc. $\frac{1}{2}$ unc. 4-6. scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$. saccharo instillatum vel in spirit. sulph.-aether. solut.	<i>Guttae antispasmodicae</i> <i>Heimii</i> constant ex <i>Ol. chamomill.</i> aether. dr. $\frac{1}{2}$. <i>Spirit. muriat.</i> aether. dr. j. D. ter de die gtt. 10. Cum tinctur. <i>Valer.</i> et <i>Spirit. sulphur.</i> aether. in affectionib. flatulent. laudatur. <i>Pulvis ulceribus phagedaenicis</i> inspergitur.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<i>Elaeosaccharum.</i> <i>Syrupus.</i> <i>Aqua.</i>		
<i>Chelidonium</i> (herba) <i>Chelidonium majus</i> , Class. 13. Ord. 1. <i>Papaveraceae</i> .	<i>Succus. rec. express.</i> <i>Extractum</i> — in pilul. solut. et mixtur.	dr. 1-3 p. d. scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$ in solut. et mixt. dr. 1-2.	In lue venerea succ. rec. express. a Wendtio laudatur; externe contra corneae obscurat., maculas et ulcera commendatur.
<i>Chenopodium ambrosiacum</i> <i>s. Botrys mexicana</i> (herba) <i>Chenopod. ambrosioides</i> . Cl. 5. Ord. 2. <i>Chenopodeae</i> .	<i>Pulvis.</i> <i>Infusum.</i>	scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$. ex unc. $\frac{1}{2}$ unc. 4.	In febrib. nervos. mitiorib. commendatur.
<i>China</i> (cortex) a) <i>Cort. Chin. fuscus s. officinalis.</i> <i>Cinchona condaminea Humboldt.</i> b) <i>C. Chin. flavus s. regius.</i> <i>Cinchon. angustifolia Ruiz</i> (C. lancifolia <i>Mutis</i>) c) <i>C. Chin. ruber.</i> <i>Cinchonia angustifolia Ruiz.</i>	<i>Pulvis</i> , et formae pulverem excipientes. <i>Infusum</i> — aquosum frigide parat., vinos. frigid. parat. <i>Decoctum.</i> <i>Infuso Decoctum.</i> <i>Chininum sulphuricum, s. Sulphas quinicus</i> in pulvere, pilul., electuar., solut., mixtur. et externe ad method. endermic. <i>Cinchonium sulphur. s. Sulphas cinchonicus</i> , in eisdem formis. <i>Extractum aquosum.</i>	scrpl. $\frac{1}{2}$ - dr. 1-2 (dos. major. in febr. intermitt.) ex unc. $\frac{1}{2}$ - unc. 1 unc. 6-8. gr. 3-6-10, in febr. intermitt. pernicios. in majori dosi; n solut. gr. vj. - 20. in mixt. gr. 3-10-20. in eadem dosi. scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$	In febr. intermitt. perniciose pulv. ex Chinin. sulphur. gr. 3, Op. gr. j. Sacchar. alb. et Gumm. mimos. aa gr. vj. brevis ante paroxysmum porrectus a Neumanno commendat.; infantib. opportuna formula a Sundelinio commendata (quippe qui multoties a Chinin. sulphur. in pulver. administrat. nauseam. et vomitum observabat) constat ex: Chin. sulphur. gr. 6, Kali acet. dr. j. Aq. Foenic. unc. 3 Syrup. flor. Aurant. unc. j. DS. bihorio cochlear. parv. Extract. frigide parat. nec.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<i>Extract. spirituosum.</i> <i>Extract. frigide paratum</i> — omnia haec extracta in pilul. solut. et mixtur. <i>Tinctura spl.</i> <i>Tinct. composita s. Elixir. roborans Whyttii:</i> Cort. Chin. fusc., Gentian., cort. Aurant., Aq. cinnamom., Spirit. — utraque tinctura mera aut mixturis addit.	gr. 5-10-20. scrpl. 1 - dr. j. gtt. 40 - 80. in mixt. dr. 1-3. gtt. 30-60. in mixt. dr. $\frac{1}{2}$ -1.	Infus. frigid. parat. vim praecipue tonicam praebet. Secundum Henschelium ab acid. sulphur. solutio aquos. Chinin. sulphur., alias difficilior, promovetur, formulamque sequent. hunc ad finem proponit: Chinin. sulph. gr. 12, Mixt. sulphur.- acid. scrpl. $\frac{1}{2}$, Aq. Cinnamom. spl. unc. 6, Syrup. Cinnamom. unc. j. Cav. sal. metallic. praesert. Ferri et Stibii praeparat., Alkalina, Aq. Calcis, Cort. Quercus et Gall. tureic.
<i>Cina seu Santonicum</i> (semen). Artemisia. Contra Cl. 19, ord. 2.	<i>Pulvis.</i> <i>Morsuli.</i> <i>Trochisci.</i> <i>Electuarium et Bolus.</i> <i>Infusum.</i> <i>Externe ad clysmat.</i>	dr. $\frac{1}{2}$ -1. ex unc. $\frac{1}{2}$ - 1 unc. 4.	Electuarium anthelminthicum Störkianum constat e sem. Cin. dr. 2., pulv. rad. Valer. dr. 1., pulv. rad. Jalap. dr. $\frac{1}{2}$, Oxymel. scillit. q.s.u.f. Electuarium molle; det. quavis tertia hora cochlear parvum. Elect. Bremseri autem e sem. Cin. unc. $\frac{1}{2}$, pulv. rad. Jalap. dr. $\frac{1}{2}$ - scrpl. 2, pulv. rad. Valer. dr. 2, Kali sulph. dr. $1\frac{1}{2}$ - 2., Oxymel. scillit. q. s. u. f. Electuarium D. bis terve de die cochlear unum.
<i>Citrus</i> (fructus). Citrus medica. Cl.	<i>Succus. expressus</i> — ad saturation. <i>Aqua.</i>	dr. 1-2.	

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
18, ord. 3. Aurantia- ae.	<i>Elaeosaccharum.</i> <i>Syrupus.</i>	unc. $\frac{1}{2}$ -1.	
<i>Cochlearia</i> (herba). <i>Cochlearia</i> officinalis. Cl. 15, ord. 1.	<i>Succus rec. expressus.</i> <i>Infusum aquos. et vinos.</i> <i>Spiritus-mere aut mix-</i> <i>tur.</i> addit.	dr. 2-unc. $\frac{1}{2}$. cum sacchar. ex unc. 1. unc. 6 in mixtur. unc. 1 - 2.	<i>Spiritus Cochleariae</i> in an- ginis putridis, gangraeno- sis, nec non in scorbuto oris c. infus. Salv. et Alum. laudat. Electuarium an- tiscorbuticum Sydenhami constat e Conserv. <i>Cochlear.</i> unc. 2, Ru- mic. acetos. unc. 1, Pulv. Ari dr. 2 et Syrup. cort. Aur. s. q. u. f. Electua- rium.
<i>Colchicum</i> (radix et se- men). <i>Colchic</i> autumnale. Cl. 5, ord. 3. <i>Colchiaceae.</i>	<i>Pulvis.</i> <i>Infusum.</i> <i>Tinctura</i> (e semine). <i>Vinum</i> (e radice). <i>Acetum</i> — ad saturation. <i>Oxymel.</i>	gr. 2, 6-8. gtt. 10, 20-50. gtt. 20-30 in mixt. dr. 1-2. scrpl. 1 - dr. 1. unc. $\frac{1}{2}$ - 1.	In arthritide inveterat. vi- num sem. Colch. maxi- me laudatur; formicationis sensus in parte affecta bonum signum habetur. Extract. Aconit. scrpl. 1- dr. 1 in Vin. sem. Col- chic. dr. 4 solut., terve d. die ad gtt. 15-40 administrat. contra Rheu- matis. inveterat. et ar- thritid. rheumat. a We- bero maxime laudatur.
<i>Colocynthis</i> (poma). <i>Cu-</i> <i>cumis Colo-</i> <i>cynthis.</i> Cl. 21, ord. 8.	<i>Pulvis</i> — minus usitat.	Excitando gr. $\frac{1}{4}$, $\frac{1}{2}$ -2. Ad gra- num Unum!! leniter purgando gr. 3-6. forti-	<i>Guttae Heimii</i> contra her- petem const. e tinct. <i>Colocynthis.</i> dr. 2. et li- quor. sapon. stibiat. dr. 6. dent. bihorio ad gtt. 30.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Cucurbitaceae.</i>	<p><i>Decoctum.</i></p> <p><i>Extractum</i> — in pilul. et mixtur. exter. ad liniment. et solut. ad clysmat.</p> <p><i>Tinctura:</i> Colocynth., Anis. stellat.</p> <p><i>Colocynthis praeparata s. trochisci Alhandal:</i> pulp. Colocynth., Gummi mimos. pulv. cum aqu. s. q. u. f. pasta.</p>	<p>ter purgando gr. 6-10, dr. 1-2. ad col- lat. unc. 6-8. excitando gr. $\frac{1}{4}$- $\frac{1}{2}$. lenit. pur- gand. gr. 2-4. In solut. et mixt. scrpl. 1. gtt. 5, 10-20. ad guttas vi- ginti!! Ad granum Unum!!</p>	<p>Contra hydropem rebel- lem decoctum ex pulp. Colocynthid. dr. 2. cum cerevisiae libr. 2, ad rema- nent. lib. 1, parat. ter de die ad cochlear unum cum sacch. ab Hufelandio probatum; tinctura Colo- cynth. contra paralyisin commendat. R. Extract. Colocynth. scrpl. 1, Natr. muriat. d. 3, solv. in Infus. flor. Chamomill. unc. 5, adde mellag. Gra- min. unc. $\frac{1}{2}$ MDS. Cly- sma (ab Arnemannio contra graviores cerebri affectiones e laesione ex- terna profect. nec non contra apoplex. sic dic- tam serosam, soporem et melancholiam vel maxi- me commendatur).</p>
<p><i>Conchae.</i> <i>Concha ex- terna Ostreae edulis.</i></p>	<p><i>Pulvis.</i> <i>Pulvis dentifricius:</i> Conch. praeparat., Iris florent., Coccionella, Alu- men, Oleum Cariophyllor.</p>	<p>gr. 5, 10-20.</p>	<p>Contra acorem primarum via- rum laudatur, nec non in affectionibus spasticis in- fantum inde exortis. Ca- ve acida, succus acidus ve- getabiles et sales acidus.</p>
<p><i>Conium ma- culatum</i> (her- ba). <i>Cicuta terrestris</i>. Cl. 5, ord. 2. <i>Umbelliferae.</i></p>	<p><i>Pulvis.</i> <i>Extractum</i> — in pulv. pill., solut. et mixt.; ex- tern. ad collyr. <i>Emplastrum:</i> — Cera flav., Coloph., Ol. olivar. lique- factis et semi refrigera-</p>	<p>gr. 1., 2-4. gr. $\frac{1}{2}$, 1, 4 et sic porro ascen- dendo usque ad gr. 10. solutum gr. 10-20.</p>	<p>Balnea ex herb. Con. Hy- oscyam., Sabin., Digital. et Rhododendri Chrysanth. a Koppio in arthritide et rheumatis. chronic. com- mendantur; ab eodem me- dico extract. Con. gr. 2. c.</p>

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<p align="center">tis Conium additur.</p> <p><i>Externe</i> herbae infusum ad inject., cataplasmata et balnea.</p>	<p>ex unc. $\frac{1}{2}$-unc. 1. unc. 6-8.</p>	<p>sacch. lactis gr. 8. bis terve de die adminis- trat. in photophobia scro- phulosa laudatur. Pilulae anti-scrophulosae Kor- tumianae constant ex Extract. Conii dr. 1, pulv. Digit. dr. $\frac{1}{2}$, Aethiop. an- timonial. scrpl. 1, Hy- drarg. mur. mit. scrpl. $\frac{1}{2}$; Consp. pulv. Liquirit. dent. mane et vespere pil. 8-10. — Efficax cata- plasma ad cancerum aper- tum Dispensat. Fuld. con- stat e succ. Dauc. in- spis. crud. libra $\frac{1}{2}$, pulv. herb. Con. unc. 1, tinct. Op. crocat. dr. $1\frac{1}{2}$. — Ca- taplasma ex extract. Co- nii unc. 1, extract. Hy- oscyam. unc. $\frac{1}{2}$, pulv. fol. Belladonn. dr. 1, Liq. Ammon. acet. q.s. ad consi- stent. Cataplasmat. tenuio- ris, parat. et ad part. dimi- diam. corio illinit. con- tra tumores glandular. in- veterat. et ulcera carci- nomatosa a Richtero commendatur.</p>
<p><i>Convalaria majalis</i>, sive <i>Lilium con- val.</i> Convala- ria majalis. Cl. 6. ord. 1. Asparagi.</p>	<p><i>Pulvis sternutatorius:</i> Majoran., Convalar., Iris florent., herb. Mar.</p>		

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
(Smilaceae R. Brown.)			
<i>Coriandrum</i> (semen). <i>Co-</i> <i>riandrum sa-</i> <i>tivum</i> . Cl. 5, ord. 2. Um- belliferae.	<i>Pulvis.</i> <i>Infusum</i> -aquos. et vinos.	scrpl. 1 - dr. $\frac{1}{2}$. ex unc. $\frac{1}{2}$ un- cias 6.	
<i>Crocus</i> . <i>Cro-</i> <i>cus sativus</i> . Class. 3, ord. 1. Iridaeae.	<i>Pulvis.</i> <i>Pilulae.</i> <i>Infusum</i> — aquos. et vinos. <i>Tinctura</i> — mixtur em- menagogis addit. <i>Syrupus.</i> Externe ad <i>cataplasmat.</i> c. Lact. vaccin.	gr. 5, 10-20. ex dr. 2-unc. $\frac{1}{2}$ unc. 4-6. gtt. 30-60 in mixtur. dr. 1-2 unc. $\frac{1}{2}$ -1.	In febris nervosa versatil. infus. e <i>Croc.</i> dr. 2. et rad. <i>Valer.</i> dr. 3 ad Colat. unc. 5, cum Ae- ther. acet. scrpl. 1, et <i>Syrup.</i> <i>Croc.</i> unc. 1, bi- horio ad cochlear un. <i>Berends</i> commendat.
<i>Croton</i> (ole- um) <i>Croton</i> <i>Tiglium</i> . Cl. 21, ord. 8. Euphorbiace- ae.	<i>Merum</i> c. Sacchar. <i>Pilulae.</i> <i>Bolus.</i> <i>Trochisci.</i> <i>Emulsio.</i> Externe ad <i>liniment.</i> , <i>un-</i> <i>guent.</i> et <i>clysmat.</i>	gtt. $\frac{1}{8}$, $\frac{1}{4}$ - $\frac{1}{2}$ - 2. Ad gtt. unam! ex gtt. 3 c. O- leo Amygdal. et Gummi-mimos; ad liniment. gtt. 6. c. Ol. Nuc. Jugland. unc. 1.	Mixture ex Ol. <i>Croton.</i> gtt. 1. c. Ol. <i>Papav. alb.</i> unc. 1, ad cochlear 1 us- que dum alvus purgetur sumpt. ab <i>Huflandio</i> loco Ol. <i>Ricini</i> commen- datur. In phthisi tra- cheal. externe pro escha- rotico fortiter derivante a <i>Wolfio</i> adhibetur; ad destruenda condylomata commendatur. Sic dic- tum <i>Crotonis Olei</i> sapo- nem ex ol. <i>croton.</i> part. 2 c. <i>Liquor. Kali cau-</i> <i>stic.</i> p. 1 parand. et in pilul. ad gr. 1-2 admi- nistrand. <i>Caventou</i> et <i>Morson</i> proponunt.
<i>Cubebae</i> (fructus). <i>Pi-</i>	<i>Pulvis.</i> <i>Pilulae.</i>	dr. 1-3 ter d. die c. quantit.	In gonorrhoea secundaria lau- dantur; continent princi-

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
per Cubeba. Class. 2, ord. 3. Piperaceae Rich.	<i>Electuarium.</i> <i>Bolus.</i> <i>Trochisci.</i>	aequal. Sacchari. ex unc. $\frac{1}{2}$ -1, c. Syrup. Balsam. peruv. unc. 1.	pium resinosum Copaivae simile. R. Bals. Copaiv. unc. $\frac{1}{2}$, subige c. Vitell. ov. 1, pulv. Cubebar. Conserv. Rosar. āā unc. $\frac{1}{2}$, M. F. Electuarium DS. ter quaterve d. die coch- lear cibarium (V o g t).
<i>Cuprum ace- ticum, Aeru- go Cupri, Cu- pras aceticus, Flores viridis Aeris.</i>	<i>Pulvis et Pilulae</i> pro usu interno raro in usu. <i>Solutio</i> — exter. ad Fo- ment. Externe ad <i>unguent. oph- thalmic., liniment.</i> et <i>gargarismat.</i> et pro <i>caustic.</i> <i>Linimentum Aeruginis</i> <i>s. Oxymel Aeruginis.</i> Aerugo, Acet., Mel despumat — pro gargarismat. <i>Unguentum Aerugin. s.</i> <i>Unguent. aegyptia- cum:</i> Aerug. c. Tart. dep. coct., Mel desp. <i>Ceratum Aeruginis s.</i> <i>Cera-viridis.</i> Cer. flav., Terebinthin., Pix burgund., liquefactis Aerugo admis- cetur. <i>Cuprum aluminatum s.</i> <i>Lapis divinus s. La- pis causticus St. Ives:</i> Aerug. pulv., Kal.-nitric., <i>Alum.,</i> Camphor. — im- primis ad <i>collyria.</i>	gr. $\frac{1}{8}$, $\frac{1}{4}$ - $\frac{1}{2}$. gr. 2-10 in Aq. unc. $\frac{1}{2}$ -1. dr. 1 c. unc. 1 pingued. gr. 1-5 c. Aq. dest. unc. $\frac{1}{2}$ -1.	A Schlegelio contra sy- philid. inveterat. commen- datur. Gargarisma ex liniment. Ae- rug. dr. 1, Aq. destill. unc. 5 et Mell. desp. unc. 1, contra faucium ulcera venerea adhibetur.
<i>Cuprum sul- phuricum,</i> <i>Sulphas cu-</i>	<i>Pulvis</i> — imprimis scopo vomendi; externe insper- gitur.	scopo excitand. gr. $\frac{1}{8}$, $\frac{1}{4}$ -1., ad Gran. Duo!	In angina membranacea a medico H. Hoffmanno commendatum mox no-

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
pricus c. Aqua; Vitriolum Cupri.	<i>Pilulae.</i> <i>Solutio.</i> Externe ad <i>collyria</i> , <i>injection.</i> , <i>unguent. ophthalm.</i>	scopo vomend. gr. 3-6-10. gr. 1-4 c. Aq. unc. 1-2; pro unguent. scrpl. $\frac{1}{2}$, c. pingued. dr. 2.	men sibi paravit. Cav. Alkalina, Sales, Saponet et medicamina adstringentia.
<i>Cuprum sulphurico-ammoniatum.</i> Sulphas triammonicus c. Aqua, Cuprum ammoniacale.	<i>Pulvis.</i> <i>Pilulae.</i>	gr. $\frac{1}{8}$, $\frac{1}{4}$, $\frac{1}{2}$ -1-2. Ad Grana Duo!	In pulvere aegre datur, cum in hacce forma promptius evolet, neque solutio idonea esse videtur; sinempe majorem aquae quantitat. admisceas, quam pro solvend. hoc sale requiratur, facili negotio decomponitur. In morbo epileptico laudatur; pilulae a Richte ro huc commendatae constant e: Cupr. sulph. ammoniat. gr. 4 in Aq. dest. s. q. solut., Pan. alb., Sacchar. alb. āā gr. 12. F. pil. gr. j. Dent. ad vitr. bene claus. S. mane et vespere pil. 1-4-8. A P. Frankio in diabete mellit. fausto c. event. exhibebantur.
<i>Cydonia</i> (semen). <i>Pyrus Cydonia.</i> Cl. 12, ord. 9. Rosaceae.	<i>Emulsio.</i> <i>Mucilago Cydoniorum.</i> Semi - Cydon., Aq. Rosar. inter. et exter. ad collyria.	unc. $\frac{1}{2}$ - 1.	Cav. acida mineralia, Sales metallicos acres (nominatim hydrargyrum muriatic. corrosivum et plumb. acetic.) et fluida spirituosae.
<i>Daucus</i> (radix). <i>Daucus Carota.</i> Cl.	Externe ad <i>cataplasmata.</i> <i>Succus Dauci inspissatus</i> s. <i>Roob Dauci</i> , mixtur. anthelminthic. ad-		Vermibus advers.; contra eandem apert. succus crudus laudatur (confer. Conium macul.).

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
5, ord. 2. Um- belliferae.	dit. vel ad <i>gargaris- mat</i> et <i>Liniment</i> .	unc. $\frac{1}{2}$ - 2.	
<i>Digitalis</i> (fo- lia). <i>Digitalis</i> <i>purpurea</i> . Cl. 14, ord. 2. <i>Scrophulari- neae</i> .	<i>Pulvis</i> . <i>Infusum</i> . <i>Decoctum</i> . <i>Extractum</i> — in pulvere, pilul. et solut. <i>Tinctura spl</i> . <i>Tinctura aetherea</i> : Di- gital. p. 1 c. Spirit. sul- phur. - aether. p. 38. Externe ad <i>liniment</i> . et <i>unguent</i> .	gr. $\frac{1}{4}$, $\frac{1}{2}$, 1 - 5 Ad grana Quinque! ex scrpl. 1-dr. j. unc. 4-6. ex dr. j. unc. 6-8. gr. $\frac{1}{4}$, $\frac{1}{2}$, 1-4. gtt. 10-20-30. Ad guttas Triginta! gtt. 5, 10-20. Ad guttas Viginti! dr. 1 c. unc. 1 pinguedinis,	Imprimis in morbis cordis et vasorum majorum san- guiferorum nec non in hydropo inflammatorio, praesertim scarlatinoso, et in febre hydrocephalica. (cum Calomelane) cum do- sibus autem radic. Ipe- cacuanhae refractis in pneumorrhagiis spasticis laudatur. J. Frankius in hydrocephale acuto un- guentum e pulv. Di- gital. dr. 1 et unguent. Hydrargyr. cinerei unc. 1 parat. capiti raso in- fricari jussit — neque deerat successus. Rich- terus contra in hydropo ascite liniment ex Infus. folior, Digital. (ex dr. 2 unc. 1), Ol. Terebinth. unc. j., Vitell. Ov. 2 et Extract. Scill. dr. j. pa- rato non absque fructu usus est. Pulvis diu- reticus Hufelandii constat e pulv. herb. Digit., pulv. rad. Scill. āā gr. 1, Ol. Junip. gtt. 2, Tartar. boraxat., pulv. rad. Liquirit. āā scrpl. 2, pulv. Cinna- mom. gr. 2 M. F. Pulv. D. S. bis terve d. die pul- vis. R. herb. digit. in- cis. dr. $1\frac{1}{2}$, coq. leni

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			igne c. Adip. suill. unc. 1 et Aq. commun. q. s. donec aquosae partes consumtae sint, tum exprime et cola (unguent. Digital. Pharmacop. Hassic.)
<i>Dulcamara</i> (stipites). Solanum Dulcamara. Class. 5, ord. 1. Solaneae.	<i>Pulvis</i> — raro in usu. <i>Bolus.</i> <i>Decoctum,</i> <i>Extractum</i> in pilul., solut. et mixt. <i>Externe</i> decoctum stipit. ad <i>foment.</i> et <i>lotiones.</i>	scrpl. 1-dr. j. ex unc. $\frac{1}{2}$ -1 unc. 6-8. scrpl. $\frac{1}{2}$ -dr. $\frac{1}{2}$. in mixt. dr. 1-2. ex unc. 1 parat. cum Aq. lib. $1\frac{1}{2}$ ad remanent. libr. 1.	<i>Pilulae Petri Frankii</i> contra arthritid. et scrophulosin constant ex: Hydrargyr. sulphurat. stibiat. dr. j, extract. Dulcamar. et Gumi resin. Guajac. āā dr. 2. Dent. pil. 5-8 de die.
<i>Elemi</i> (resina). Amyris elemifera. Cl. S, ord. 1. Terebinthaceae.	<i>Unguentum Elemi s. Balsamum Arcaei:</i> Elemi, Terebinth. laricin. Seb. ovill., Adipis suill. āā.		
<i>Eruca</i> (semen). Sinapis alba. Cl. 15. Ord. 2. Cruciferae.	In eadem dosi ac forma qua Sinapis nigra ordinatur.		Dietetice contra arthritid. in usu. —
<i>Euphorbium:</i> (succus lacteus inspissatus) Euphorbia officinarum. Cl. 11. ord. 3. Euphorbiaceae.	Nonnisi externe ad unguent. <i>Tinctura Euphorbii.</i>		A veterioribus medicis pro drastico ad gr. 1-5-10 usitatum, hodie nonnisi ad usum externum ordinatur.
<i>Farfara</i> (folia). Tussilago Farfara.	<i>Infusum.</i> <i>Decoctum.</i>	ex unc. 1-2 c. Aq. libr. 2 ad	In affectionib. catarrhalib. et blennorrhoeis pulmonum laudatur; occurrit quo-

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
Cl. 19, ord. 2. Synanthereae.		remanent. libr. 1 $\frac{1}{2}$.	que in Specieb. ad Infus. pectorale.
<i>Ferrum acet- ticum.</i>	<i>Tinctura Ferri acetici aetherea, spiritus ace- tico — aethereus mar- tialis, Tinctura ner- vina Klaprothii — mera aut in mixtur.</i>	gtt. 20-30-60. c. Aq. cinnamom. in mixtur. dr. 1 - 3.	Praestans nervino-tonicum.
<i>Ferrum hy- drocyanicum, Ferrum hy- drocyanicum oxydatum o- xydulatum, Cyanuretum Ferri cum Cyaneto Fer- ri.</i>	<i>Pulvis.</i>	gr. 3-6-8-10.	In febr. intermitt. perti- nacib. saepius redeunti- bus neque cortici ceden- tibus a Zollikofero nec non in prosopalgia a Dupuy commendatur.
<i>Ferrum mu- riaticum, Chloretum Ferri.</i>	<i>Solutio aquos. et vinos.</i> <i>Liquor Ferri muriatic. oxydulati.</i> <i>Liquor Ferri muriatic. oxydati: Ferr. oxydat. c. Acid. muriatic. coct.</i> <i>Tinctura.</i>	dr. 1 in Aq. des- tillat. unc. 4. ad semi cochlear p. d. vel dr. $\frac{1}{2}$ in Aq. Cinnamom. unc. $\frac{1}{2}$ ad gtt. 15 - 30 - 60 ter d. die. gtt. 10-20. gtt. 5 - 10. gtt. 10-20-30.	Dr. 2 in Aq. destill. unc. 3. solut. ter quaterve d. die ad semi vel integrum cochlear a Lessero in Diarrhoea typhosa ab in- testinorum ulceribus de- pendente laudatur.
<i>Ferrum oxy- dulatum fus- cum, Ferrum</i>	<i>Pulvis. Pilulae.</i>	gr. 2-6-10-	In prosopalgia ab Hut- chinson adscrpl. 1-dr. 1 p. d., in scirrhis ute-

Medicam. <i>nomen et orig.</i>	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
carbonicum, Oxydum fer- ricum c. A- qua, Hydras ferricus, Cro- cus Martis aperitivus.			ri, mammae, et ulcerib. car- cinomatos. a C a r m i c h a- e l commendatur. Optimum tutissimumque arsenici an- tidotum probatum (conf. Arsenicum album).
<i>Ferrum oxy-</i> <i>datum ru-</i> <i>brum, Oxy-</i> <i>dum ferri-</i> <i>cum, Crocus</i> <i>Martis ad-</i> <i>stringens.</i>	<i>Pulvis</i> c. Elaeosacchar. <i>Pilulae.</i>	gr. 3-10.	
<i>Ferrum oxy-</i> <i>dulat. ni-</i> <i>grum. Oxy-</i> <i>dum ferrosus</i> <i>nigrum, Ae-</i> <i>thiops mar-</i> <i>tialis.</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Bolus.</i>	gr. 1-5-10. ad pil. formand. dr. $\frac{1}{2}$ - dr. 1.	
<i>Ferrum po-</i> <i>matum.</i>	<i>Extractum</i> in pilul. et so- lut. c. Aq. Cinnamom.	gr. 10-15 in so- lut. dr. $\frac{1}{2}$ -1 ad	
	<i>Tinctura</i> ferr. pomat. in Aq. Cinnamom. solut.	pilul. dr. 1-2. gtt. 20 - 60. in mixtur. dr. 1 - 2.	
<i>Ferrum pul-</i> <i>veratum, Li-</i> <i>matura Mar-</i> <i>tis, Alkohol.</i> <i>Martis.</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Electuarium.</i> <i>Bolus.</i> <i>Vinum ferruginos. s.</i> <i>martiat.: Ferr. pulverat.,</i> <i>Cass. cinnamom., Vin. rhe-</i> <i>nan.</i>	gr. 1-6-10, ad pil. formand. dr. 1 - 2.	Vis anthelminthica laudatur. ad cochlear. 1-3 p. d.
<i>Ferrum sul-</i> <i>phuricum cry-</i> <i>stallisatum.</i>	<i>Pulvis</i> c. Elaeosaccharo. <i>Pilulae.</i> <i>Electuarium et Bolus.</i>	gr. 1-3, in hel- minthiasi gr. 3- 10 infantib. a-	Vis styptica in haemorrh- giis profusis ex atonia ortis laudatur, nec non

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
Supphasferri- cus c. Aqua, Vitriolum Martis.	<i>Morsulli et Trochisci.</i> <i>Solutio</i> extern. et intern. <i>Mixtura.</i> Externe inspergitur; etiam pro lotionib., balneis, in- jectionib. et collyr. in usu.	dult. scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$. pro injectionib. gr. 3-6-10-20 in Aq. dest. unc. 1-2 pro col- lyn. gr. 1-3- 6-8 c. Aq. dest. unc. j.	vi anthelminthica gaudet. Pilulas ex Ferr. sulphur. cryst. Kino pulv. āā dr. 1 $\frac{1}{2}$; Terebinth. larin. . Extract. Gentian. āā dr. 3, c. rad. Liquirit. q. s. u. f. pil. 270. et quidem pil. 10 d. die in Gonor- rhoeis secundariis perti- nacibus Walch com- mendat.
<i>Ferrrum tar-</i> <i>taricum s.</i> Tartarus chalybeatus, Tartras Ka- lico-ferrieus.	<i>Solutio.</i> <i>Tinctura Ferri Tartar-</i> <i>rici, s. Tinct. Mar-</i> <i>tis tartarisata Ludo-</i> <i>vici s. Martis aperi-</i> <i>tiva Glauberi:</i> ferr. sulph. cryst. c. Tart. dep. coct. et colatur. Spirt. Vin. gallic. admixt. <i>Globuli Tartari ferru-</i> <i>ginosi s. martiati,</i> <i>Globuli martiales:</i> Limatur. Martis p. 1. Tart. dep. p. 4, c. Aq. di- gest., pro balneis.	dr. $\frac{1}{2}$ -dr. j. in Aq. unc. 3-4. gtt. 20-60. unc. 1. pro bal- neo.	
<i>Filix (radix).</i> Aspidum Fi- lix mas Swartz. Cryptoga- mia. Filices. Filices Juss. Polypodiace- ae Rob. Brown.	<i>Pulvis.</i> <i>Electuarium.</i> <i>Extractum Felicis ae-</i> <i>thereum s. resinosum,</i> <i>Oleum Felicis maris:</i> rad. Felic. p. 1, Spint. sulph. aether. p. 8, in <i>pilul.</i> et mixtur., exter- ne ad <i>clyisma.</i>	dr. 1-2. ex dr. 3-unc. $\frac{1}{2}$. scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$. ex dr. $\frac{1}{2}$.	Oleum contra Taeniam a Peschiere, medico Gene- vensi, laudatur; praescri- bit hanc formulam: ex- tract. Filic. aether. scrpl. 1, pulv. rad. Filic. mar. q. s. u. f. pil. 20 DS. ad noctem jejuno ventri- culo in portione duab. aequalibus capiatur, (ma- ne autem leniter pur- gans medicamen) horae di-

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			midiae spatio praeterlapso clyisma ex extracto Filic. aether. dr. $\frac{1}{2}$, c. Amyl. unc. $\frac{1}{2}$, contrit. et Aq. font. unc. 12. — Radix Filicis quoque occurrit in Electuario anthelminthico a Mathieu commendato.
<i>Foeniculum</i> (semen). Ane- thum foenicul. L. Foenicul. vulgare Gaertner. Cl. 5, ord. 2. Umbelliferae.	<i>Pulvis.</i> <i>Infusum</i> — imprimis ad Theae species. <i>Oleum aether.</i> c. Sacchar. aut in Spirit. aether. solut. <i>Aqua.</i> <i>Elaeosaccharum.</i>	scrpl. $\frac{1}{2}$ - dr. 2. dr. 2 - unc. $\frac{1}{2}$ - 1 ad Col. unc. 3 - 4 - 6 c. radic. Liquirit.. gti. 1-4.	<i>Pulvis galactopoëus</i> Rosensteinii constat e Magnes. carbon., dr. 3, flaved. cort. Aurant, semin. Foenicul., Sacchar. alb. aā dr. $\frac{1}{2}$, D. ad scatul. S. ter d. die cochlear parvum.
<i>Formica.</i> Formica rufa.	<i>Spiritus</i> — ad lotion. et liniment.	dr. $\frac{1}{2}$ - unc. $\frac{1}{2}$.	In arthritide chronica inveterata balnea et semicupia ex formic. contusis et in saccul. Aq. fervescunt. admixtis laudantur.
<i>Fumaria</i> (herba) officinalis. Cl. 17. ord. 2. Fumariaceae.	<i>Succus rec. express.</i> <i>Extractum</i> in pilul. et mixtur.	unc. $\frac{1}{2}$. scrpl. 1 - dr. 1.	
<i>Galanga</i> radix). <i>Alpinia Galanga</i> . Cl. 1, ord. 1. Scitamineae.	<i>Pulvis.</i> <i>Infusum</i> — aquos. et vinos.	scrpl. $\frac{1}{2}$ - 1. ex unc. $\frac{1}{2}$ - unc. 4-6.	Occurrit in Tinctur. aromatica et aromatica acid. nec non in Tinct. carminativ. (vid. Zedoaria).
<i>Galbanum</i> (gummi - resi-	<i>Pilulae.</i> <i>Emulsio.</i>	scrpl. $\frac{1}{2}$ - 1 p. d. ex dr. 1-2.	<i>Pilulae antihystericae</i> Fuleri constant e Galban. As. foet., Myrrh. aā dr.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
na). Bubon galbanum.	<p><i>Solutio</i> — in Liq. Ammon. acet.</p> <p><i>Tinctura.</i></p> <p><i>Oleum</i> — merum aut in Aether. sulphur. solut.</p> <p><i>Emplastrum de Galbano crocatum</i>: Emplastr. Lithargyr. spl., Cera, Ol. Galban. in Terebinthin. venet. solut, Crocus.</p> <p><i>Emplastr. oxyroceum</i>: Amoniac., Galban., Crocus, Mastix, Myrrh. Oliban, Cer.</p>	<p>gtt. 1-4-8-10.</p> <p>pro solut, gtt. 10-20.</p>	<p>j, Castor. Camphor. Acid. succin. āā scrpl. $\frac{1}{2}$, foment. pil. gr. j. Dent. 10-12 pil.</p> <p>Pilulae Kaempferianae contra chlorosin. c. amenorrhoea constant e: Galban. dep., Myrrh. elect. āā dr. 3, Ferr. sulphur. cryst. dr. j. Syrup. cort. Aurant. q. s. u. f. pil. 210 consp. pulv. Cinnamom. dent. quavis tertia hora pilul. 6.</p>
<i>Galbae turcicae</i> — excrescentiae morbosae foliorum. <i>Quercus infectoria</i> (Querc. infectoria L., Cl. 21, ord. 8. Amentaceae Juss. Cupuliferae Rich.)	<p><i>Decoctum.</i></p> <p><i>Ebullitio</i> pro usu externo ad <i>injection.</i>, <i>fomentation.</i>, et pulvis. Galbar. ad <i>unguent.</i></p> <p><i>Tinctura</i> nonnisi usui chemico dicata.</p>	<p>ex unc. $\frac{1}{2}$ unc. 6-8.</p> <p>dr. 1 c. pingued. unc. 1.</p>	<p>Interne optimum antidotum Tartari stibiati, radic. Ipecacuanh., Nuc. vomic., et salium metallicor. corrosivor.; externe contra varices laudantur.</p>
<i>Gentiana rubra</i> (Radix). <i>Gentiana lutea</i> . Class. 5, ord. 2. <i>Gentianae</i> .	<p><i>Pulvis</i> — minus usitat.</p> <p><i>Infusum</i> — aquos. et vinos.</p> <p><i>Extractum</i> — in pilul. et mixtur.</p> <p><i>Tinctura amara</i>: Gentian., Centaur. min., Poma Aurant. immatur., Zedoaria, Spirit. Vin. rfts.; mixtur. addit.</p>	<p>scrpl $\frac{1}{2}$-dr. $\frac{1}{2}$.</p> <p>ex unc. $\frac{1}{2}$ unc. 4-6.</p> <p>scrpl. $\frac{1}{2}$-scrpl. 1.</p> <p>gtt. 30-60.</p> <p>dr. $\frac{1}{2}$-1.</p>	
<i>Glycyrrhiza</i> (Radix). a)	<i>Pulvis</i> et formae pulverem excipientes.	scrpl. $\frac{1}{2}$ -dr. $\frac{1}{2}$.	Succus Liquiritiae opportunum pilularum constitu-

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
Cl. 12, ord. 1. Granatae Don.			
<i>Graphites</i> s. <i>Plumbago.</i>	<i>Pilulae.</i> <i>Bolus.</i> <i>Electuarium.</i> Externe ad <i>unguent.</i>	scrpl. 1 - dr. $\frac{1}{2}$ p. d. ex unc. $\frac{1}{2}$ parat. dr. 1 c. c. pin- guet. unc. 1.	Contra herpet. a Wein- holdio laudatur: Gra- phit. unc. $\frac{1}{2}$, Mel. desp. unc. 2, f. Electuarium DS. mane et vespere coch- lear parvum; vel Gra- phit. dep., Succ. Juni- per. inspissat. aā dr. $\frac{1}{2}$ M. f. Bol. dent. t. d. N. 4 S. Bol. 2, de die, et externe Graph. dep. dr. 2, unguent. rosat. dr. 10 M. F. unguentum.
<i>Gratiola</i> (her- ba). <i>Gratiola</i> officinalis. Cl. 2, ord. 1. Scrophulari- neae.	<i>Pulvis</i> — minus usitat. <i>Infusum</i> — aquos. et vinos. <i>Decoctum.</i> <i>Extractum</i> — in pilul. et solution.	excitando gr. 2- 4 purgando scrpl. $\frac{1}{2}$ -scrpl. 1. ex dr. 2 unc. 6-8. excitando gr. 4- 10 purgand. gr. 10-20 ad dr. $\frac{1}{2}$ - $1\frac{1}{2}$ in Aq. Lau- roceras. unc. $\frac{1}{2}$ ter d. die. gtt. 20-30.	In mentis alienationibus et melancholia laudatur; con- tra hancce solutionem ex- tract. Gratiol. (dr. 2) et Belladon. (scrpl. $\frac{1}{2}$) in Aq. Lauroceras. (unc. 1) ter d. die ad gtt. 30. Hufeland. commendat.
<i>Guajacum</i> (lignum et resina). <i>Guajacum</i> officinale. Cl. 10, ord. 1. Rutaceae.	<i>Pulvis</i> <i>Pilulae</i> } resinae. <i>Emulsio</i> } <i>Decoctum</i> — ligni.	gr. 5-10-15. p. d. ex dr. 1 c. Mu- cilag. dr. 2 vel Vitell. Ov. 1. rasur. ligni unc. 2, c. Aq. libr. 3 ad libr. $1\frac{1}{2}$.	Praestans in arthritide in- veterata remedium. Spe- cificum antipodagricum Emerigonis constat e resin. Guajac. unc. $\frac{1}{2}$ c. Spir. Sacchar. optimo libr. 1 leni calore in vase bene claus. per dies

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<p><i>Extractum</i> } <i>Tinctura</i> } ligni. <i>Resina</i> } <i>Species ad Decoctum</i> <i>Lignorum</i>: lignum Guajac., Sassafras, Bardana, Saponaria, Liquirit. <i>Tinctura spl.</i> <i>Tinctura Guajaci ammoniata s. volatilis</i> } resinae: resin. Guajac. p. 1. Liq. Ammon. vinos. p. 6. <i>Sapo guajacinus</i> — e resin. Guajac. c. Liq. Ammon. caustic. parat.</p>	<p>non usitat. unc. $\frac{1}{2}$-1 c. Aq. font. libr. 3. ad remanent. libr. 2. gtt. 30-40. gtt. 20-30. mixtur. ad dr. 1-2 addit. serpl. $\frac{1}{2}$-1 p. d. optime in pil. ex unc. $\frac{1}{2}$ c. Sapon. medic. dr. 2 parand. dent. ter d. d. pil. 6.</p>	<p>8 digest. Colat. datur bis de die ad cochleam parvum. <i>Pilulae antarthriticae Quarinii</i> constant e Sulphur. dep. unc. 1, Pulv. resin. Guajac. unc. 2. Stib. sulphurat. nigr. dr. $1\frac{1}{2}$ Extract. Cardui benedict. q. s. u. f. pilul. gr. 2. Dantur ter d. die pil. 8-10.</p>
<p><i>Gutti s. Gummi Guttae.</i> <i>Garcinia Cambogia.</i> Cl. 11, ord. 1. <i>Guttiferae.</i></p>	<p><i>Pulvis</i> — minus usitat. <i>Pilulae.</i> <i>Electuarium.</i> <i>Emulsio.</i> <i>Solutio</i> — in Liq. Kali carbon., Oxymell. scillit. vel Colchici, Liq. Ammon. acet.</p>	<p>excitando gr. $\frac{1}{2}$-2, leniter purgando gr. 2-4, fortiter purgand. gr. 10-20 in dosib. refractis. gr. 8-10 c. Mucilag. scrpl. $\frac{1}{2}$ in Liq. Kali carb. unc. $\frac{1}{2}$ ter d. die gtt. 30-40.</p>	<p>Optimum vehiculum solutionis Liq. Kali carbon.</p>
<p><i>Hedera terrestris</i> (herba). <i>Glechoma hederacea.</i> Cl. 14,</p>	<p><i>Succ. rec. express.</i> <i>Infusum.</i></p>	<p>ad unc. $\frac{1}{2}$-1. ex unc. $\frac{1}{2}$-1 unc. 4-6.</p>	

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
ord. 1. Labiatae.			
<i>Helenium</i> s. <i>Enula</i> . (radix) Cl. 19, Ord. 2. Symplocaraceae. Rich.	<i>Pulvis</i> et formul. pulver. excipientes. <i>Infusum</i> . <i>Decoctum</i> . <i>Infuso - Decoctum</i> . <i>Extractum</i> — in pilul. solut. et mixtur. addit. <i>Externe decoct. radic.</i> pro unguent.	scrpl. 1-2. ex unc. $\frac{1}{2}$ -1. unc. 4-6. ex dr. 2-unc. $\frac{1}{2}$. unc. 6. scrpl. $\frac{1}{2}$ -1. ad dr. 2.	Unguentum Helenii ab Hufeland, contra scabiem tener. infant. maxime laudat. constat e rad. Helen. unc. $1\frac{1}{2}$, coq. c. Aq. font. unc. 3 usque ad mollitiem, tere per cribrium setaceum, et mass. pultaceae adde Axung. Porc. unc. 1; M. F. Unguentum.
<i>Helleborus albus</i> . (radix). <i>Veratrum album</i> Cl. 23, Ord. 1. Colchicaceae De Cand. Melanthaceae. R. Brown.	<i>Pulvis</i> . <i>Infusum</i> . <i>Decoctum</i> . <i>Veratrina</i> . <i>Externe radix</i> pro errhinis, unguent. et lotionib., <i>Veratrina</i> methodo endermica cuti infricatur et pro unguent. adhibetur.	gr. $\frac{1}{2}$ -1 et paulatim. ad gr. 6. Ad grana Decem! ex scrpl. $\frac{1}{2}$ -1 unc. 3-4, ter quaterve d. die cochlear cibari. gr. $\frac{1}{4}$ - $\frac{1}{2}$ - 1. gr. 10-20 c. pingued. unc. j.	<i>Veratrina</i> endermice cuti infricat. in rheumatiss. chronic. inveterat. nec non in forma unguenti illinit. in neuralgiis chronic., paralys. et hydrope torpido a med. anglic. Bardsley et Turnbull commendatur.
<i>Helleborus niger</i> . <i>Helleborus niger</i> (radix). Cl. 13, Ord. 7. Ranunculaceae.	<i>Pulvis</i> — raro in usu. <i>Infusum</i> — aquos. et vinos. <i>Decoctum</i> .	excitando gr. 2-6-8 bis terve d. die; purgando gr. 15-20-30. Ad scrupulum Unum! ex dr. 2-unc. $\frac{1}{2}$ unc. 6-8 ter quaterve d. d. cochlear.	R. Extract. Hellebor. nigr. Extract. Myrrh. aā dr. $\frac{1}{2}$, Pulv. herb. Card. benedict. q. s. u. f. pilul. N. 60, Consperg. pulver. Cinnamom. DS, bis de die pilul. 4-6 (Pilulae Bacheri contra hydrop.). — Radix Helleb. nigri in ma-

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<i>Extractum</i> — in pil. solut. et mixtur.	gr. 2-8-10.	jor. dos. contra melancholia commendatur.
<i>Helminthochortos.</i> Algae.	<i>Pulvis.</i> <i>Electuarium.</i> <i>Infusum.</i> <i>Decoctum.</i> <i>Externe pro clysmat.</i>	scrpl. 1-dr. j. bis terve d. die. ex unc. 1. unc. 8. ex unc. $\frac{1}{2}$ pa- rand.	Vis anthelminthica laudatur. Electuarium contra vermes a Sundelino commendat. ita praescribitur: R. Helminthochort. unc. 1, Ichtyocoll. unc. $\frac{1}{2}$, coq. c. Aq. font. s. q. ad Collat. unc. 4, repone in loc. frigid. ut in gelatinam abeat. DS. cochlear. parv. bis terve d. die.
<i>Hippocastanum.</i> (radix) Aesculus <i>Hippocastanum.</i> Cl. 7, Ord. 1. Hippocastaneae. De Cand.	<i>Pulvis.</i> <i>Decoctum.</i>	scrpl. 1-dr j. ex unc. 1 unc. 6-8.	
<i>Hordeum</i> (semen). Hordeum vulgare. Cl. 3, Ord. 2. Gramineae.	<i>Decoctum.</i> <i>Farina praeparata.</i>	ex unc. 1 unc. 8. diaeteticæ adhibetur.	Farina Hordei praeparata ab Hufeland. in phthisi pulmonum commendatur.
<i>Hydrargyrum ammoniato-muriaticum.</i> Mercurius praecipitatus albus. Chloratum Ammonii cum Oxido hydrargyrico.	Nonnisi <i>externe</i> pro <i>unguent.</i> praesert <i>ophthalmic.</i> adhibetur. <i>Unguentum Hydrarg. album. f. Unguent. mercuriale album Werlhofii s. Unguentum mundificans Zelleri</i> ; — constat ex Hydrarg. ammoniat. mur. p. 1 et pingued. p. 9; cu-	gr. 3-6-10 c. Butyr. rec. insuls. dr. $1\frac{1}{2}$ -2.	<i>Unguentum ophthalmicum</i> efficax Rustii constat ex Hydrargyr. ammoniat. — muriat. gr. 3-6, Butyr. rec. insulsi dr. 2, Acet. plumbic., Tinct. Opii crocat. āā dr. $\frac{1}{2}$. Misce exactissime donec omnis humiditas disparuerit. M. F. <i>Unguentum ophthalmicum.</i>

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
	jus unguenti drachma con- tinet gr. v. Hydr. am- moniat.-muriat.		Unguent. mercurial. quo uti- tur Bielt contra herpet. pustulos. constat ex Hy- drarg. ammoniat. - mu- riat. scrpl. 1. Camphor. trit. gr. 4, Adip., Suill. unc. $\frac{1}{2}$ M. F. Unguen- tum.
Hydrargy- rum muriati- cum corrosi- vum, Mercu- rius sublima- tus corrosi- vus, Bichlore- tum Hydrar- gyri.	Pulvis. Pilulae. Solutio — intern. et ex- tern. Liquor. Hydrarg. mu- riat. corrosiv. (Hy- drarg. mur. corros. c. Ammon. muriatic. in Aq. destill. solut.) Aqua phagedaenica. (Hydrarg. mur. corrosiv. in Aq. Calc. solut.) Externe pro gargaris- mat., collyr., injec- tion., lotion., baln., clysmat., liniment., un- guent. et pro caustic.; pulvis inspergitur ulce- ribus phagedaenicis.	gr. $\frac{1}{12}$, $\frac{1}{8}$, $\frac{1}{4}$ et paulatim sed cau- te adscendendo ad gr. $\frac{1}{2}$ -1. Ad granum Di- midium! gr. 1-2 in Aq. destill. unc. 6- 8; pro us. ex- tern. gr. 6-10 c. unc. 4-6 fluidi. gr. 3. in Aq. destill. unc. 6.	Cav. Alkal. pur. et carbo- nic., Sulphur., Kali sul- phurat., Phosphor., Sa- pon., Sacchar., Mel, A- myl., Mucilag. semin. Cy- donior., Album., Gummi, Olea aether. et pingua. Aq. destillat. aromatic. remedia adstringentia. Pilulae Hufelandii ita praescribuntur: R. Hydrarg. mur. corros. gr. 6, solv. in Aq. dest. q. s. adde Mic. Pan. alb. āā q. s. u. f. bene subi- gendo pilul. 180 (pilul. 30 continent gr. j. Hydr. mur. corrosiv.) Pilulae Dzondianae: R. Hydr. mur. corros. gr. 12, solv. in Aq. des- till. q. s., adde Mic. Pan. alb., Sacchar. alb. q. s. u. f. pil. 240; Con- sparg. pulv. Cinnamom. D. pilul. 4 initio tunc autem secund. typum ter- tian. pilul. 2 huic dos. superadduntur usque dum aeger pil. 30 capiat. Pilula singula continet vi-

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			<p>gesimam grani partem (gr $\frac{1}{28}$). —</p> <p>Liniment. Rustii contra nar., oris et faucium ulcera syphilitic. constat ex Hydrarg. mur. corros. gr. 6. Extract. Conii macul., Extract. Chamomill. āā gr. dr. 2, Tr. Opii spl. dr. 1, Mel. rosat. unc. j. Aqua ophthalmica mercurialis Graefii: R. Hydrarg. mur. corros. gr. $\frac{1}{4}$, Aq. dest. unc. 1, Mucil. Gumm. mimos. dr. 2, Tr. Op. crocat. scrpl. 2, M. cola.</p> <p>Unguentum corrosivum Graefii: R. Hydr. mur. corros. dr. 2, Gumm. mimos. pulv. spl. 2, Aq. dest. scrpl. 1. M. F. Unguentum spissum.</p>
<p>Hydrargyrum muriaticum mite, Mercurius dulcis, Calomelas, Chloratum Hydrargyri.</p>	<p>Pulvis Pilulae. Solutio. Externe ad collyr., liniment. et unguent.</p>	<p>scopo resorbend. gr. $\frac{1}{4}$, $\frac{1}{2}$ bis terve d. die; in morb. acut. gr. $\frac{1}{2}$-1-3 bihorio; scop. purgand. gr. 3-6.</p>	<p>Cave: Alkalina, Sal. sulphuric., Kali sulphurat., Sapon., Acid. sulphur., nitric. et muriatic., nutrita acid. —</p> <p>Pulvis Plummeri: R. Hydrarg. mur. mit. Sulphur. stib. aur. āā gr. j. Sacchar. alb. scrpl. $\frac{1}{2}$, M. F. Pulv. D. S. bis terve d. die pulvis.</p> <p>Decoctum Zittmannii: R. Rad. Sarsaparill. unc. 12, concis. infund. Aq.</p>

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
			<p>commun. mens. 24, di- gerant. per hor. 24; dein infuso immitatur sacculus qui includit. Sacchar. A- lum. unc. $1\frac{1}{2}$, Hydrarg. mur. mit unc. $\frac{1}{2}$, Cin- nabar. fact. dr. j, coq. ad remanent. mens. 8. sub. fin. coct. adde Se- min. Anis., Foenicul. āā unc. $\frac{1}{2}$, fol. Senn. unc. 3, rad. Liquirit. unc. $1\frac{1}{2}$. Colat. S. Decoctum Zittmannii fortius. — Speciebus residuis de- nuo addantur Rad. Sar- saparill. concis. unc. 6. coq. c. Aq. commun. mens. 24 ad remanent. mensur. 8; sub fin. coc- tion. adjiciantur Cort. Ci- tri, Cort. Cinnamom. Rad. Liquirit. āā dr. 3. Colat. S. Decoctum Zittmannii mitius. Aqua phagedaenica nigra Rustii: R. Hydr. mur. mit. dr. $\frac{1}{2}$, Op. pulv. scrpl. 2, Aq. Calcar. unc. 3-4.</p>
<p>Hydrargy- rum nitricum, Mercurius ni- trosus, Nitrus hydrargyri- cus.</p>	<p>Pilulae. Liquor Hydrargyri ni- trici oxydati, s. Li- quor. Bellostii. Liquor Hydrarg. ni- tric. oxydulati. Unguentum Hydrargyr. nitrici, Unguent. ci-</p>	<p>ggt. 1-2. Ad guttas tres! c. Aq. destillat. ggt. 1-3-4. bis d. die.</p>	<p>Cav. Acid. sulphur., phos- phor., Alkalina, Sa- pon., Sulphurat., Adstrin- gentia, Gummi mimosae. Mucilagin. R. Hydrarg. nitr. oxydul. in pauxill. Aq. dest. so- lut. gr. 6, Pulv. Succ.</p>

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<p><i>trinum, Balsamum mercuriale.</i> Hydrargyr. in acid. nitrico solut. a-xungio porc. liquefact. et semi refrigerat. admiscetur.</p>		<p>Liquirit., Pulv. rad. Alth. āā unc. j. M. F. pilul. 96 S. bis de die pilul. 2 et paulatim adscendendo ad pilul. 16. (Sundelin.)</p> <p>R. Liq. Hydrarg. nitric. oxydul. gtt. 20, Opii pur. gr. 5, Aq. Cinnamom. vinos. Mic. Pan. alb. q. s. u. f. pil. 60; consperg. pulv. Cinnamom. D. S. mane et vespere pil. 3, paulat. adscendendo. (Richter.)</p>
<p><i>Hydrargyrum oxydatum rubrum, Mercurius praecipitatus ruber, Oxydum hydrargyricum.</i> —</p>	<p><i>Pulvis.</i></p> <p><i>Pilulae.</i></p> <p><i>Unguentum Hydrargyri rubrum, Balsamum ophthalmicum rubrum:</i> Hydrarg. praecipit. rubr. scrpl. $\frac{1}{2}$ c. unguent. spl. unc. j. contrit., cujus unguent. dr. j. continet Hydr. praec. rubr. gr. $1\frac{1}{3}$.</p> <p><i>Externe pro unguent. praesertim ophthalmicis;</i></p>	<p>gr. $\frac{1}{16}$, $\frac{1}{12}$, $\frac{1}{8}$, $\frac{1}{4}$ et paulat. caute adscendendo</p> <p>Ad granum Dimidium!</p> <p>dr. $\frac{1}{2}$-1 c. ping. unc. j.</p> <p>gr. 3-6-10 c. ping. dr. 2.</p>	<p>Methodus Bergiana contra luem inveterat. imprimis cum morbo cutaneo complicatam: R. Hydrarg. oxydat. rubr. gr. 2, Stib. sulph. nigr. scrpl. 8, Sacchar. alb. scrpl. 2, M. F. Pulv. Div. exact. in part. aequal. 16; D. S. mane et vespere pulvis; simulac. praescribuntur Decocta ex Cort. Mezerei, Stipit. Dulcamar., et rad. Caric. arenar. parat. R. Hydr. oxydat. rubr. ppt. scrpl. 1, Succ. Liquirit. scrpl. 8, Aq. dest. q. s. u. f. pil. 160. DS. Capiat aeger die prima, secunda et tertia brevi post coenam pilulam unam, (quae gr. $\frac{1}{8}$ Hydrarg. praecipit. rubr.</p>
	<p><i>pulvis inspergitur.</i></p>		

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
<i>Hydrargyrum oxydulatum nigrum, Mercurius solubulis Hahnemanni,</i>	<i>Pulvis. Pilulae. Externe pro unguent. ophthalm.</i>	gr. $\frac{1}{4}$ - $\frac{1}{2}$ - gr. 1 - 2. scrpl. 1 - dr. $\frac{1}{2}$ cum pingued. unc. j.	continet) die quarta, quinta et sexta pilul. duas, die nona, decima et undecima, pilul. tres et sic porro caute adscendendo usque dum gr. $1\frac{1}{2}$ - gr. 2 praecipitat. consumpta sint. quo facto eodem modo iterum dosis descendendo imminuitur. Methodus haec imprimis in nosocomio caritatis Berolin. in syphilid. inveterat. ubi respirationis organorum infirmitas Hydrarg. sublimati usum prohibet, fausto cum eventu exhibetur. Unguentum Hydrarg. praecipit. rubr. Rustii contra ophthalmi. serophul., blepharophthalmias, ophthalmi. et blepharophthalmoblenorrhoeas et corneae ulcera constat ex Hydr. praec. rub. gr. 6. Butyr. rec. insuls. dr. 3, Tr. Op. crocat. Acet. plumb. aa scrpl. $\frac{1}{2}$. M. exactissime. donec omnis humiditas disparuerit. D. in olla alba.
			Cav. Acida, Sales acid. Kali sulphurat., lucem et calorem.

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
<i>Nitras ammo- nicus cum Oxyd. hydrar- gyroso</i>			
<i>Hydrargy- rum stibiato- sulphuratum, Aethiops an- timonialis.</i>	<i>Pulvis. Pilulae.</i>	gr. 3-6-10 plu- ries d. die.	Cav. Acida et Sal. acid. R. Hydrarg. stib. sulphur. gr. 6, Herb. Con. ma- cul. gr. 2, Magnes. car- bon. gr. 8, M. F. Pul- vis. Disp. t. d. 10 DS. ter de die pulvis (in sero- phulosi commendat.)
<i>Hydrargy- rum sulphu- raturum ni- grum, Aethi- ops martialis.</i>	<i>Pulvis. Pilulae.</i>	gr. 6-10.	Cav. Acida et Sal. acid.
<i>Hydrargy- rum vivum, Mercurius vi- vus.</i>	<i>Unguentum. Hydrar- gyr. cinereum. Hy- drarg. depurat. c. Seb. ovill. contrit., usque dum omnes Hydrarg. part. ex- tinctae fuerint. Emplastrum Hydrar- gyri, E. mercuriale. Hydrarg. depurat. ad per- fect. Hydrarg. extinctio- nem contritum Emplas- tro Lytharg. spl. et Ceræ flav. liquefactis admis- cetur.</i>		
<i>Hyoscyamus (herba) Hy- oscyamus ni- ger, Class. 5. Ord. 1 Sola- neae.</i>	<i>Pulvis. Pilulae. Extractum — in pil. so- lut. et mixtur.</i>	gr. $\frac{1}{2}$ -2 pluries de die et caute adscendendo. gr. $\frac{1}{2}$. 1 - 3 ; in mixtur. gr. 6- 10-20.	R. Extract. Hyoscyam. scrpl. $\frac{1}{2}$, solv. in Aq. Lauro- ceras. (vel Vin. stibiat.) dr. 2, D. S. bihorio gtt. 10. (ab Hufeland. in

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<i>Tinctura.</i> <i>Oleum coctum</i> c. Ol. Chamomill. pro liniment. <i>Emplastrum.</i> <i>Externe ad collyria, liniment., unguent. et pro cataplasmat.</i>	gtt. 10-20. scrpl. 1. c. Aq. unc. j. scrpl. $\frac{1}{2}$ -j c. pingued. unc. j. unc. $\frac{1}{2}$ -j.	tussi convulsiva commendat.)
<i>Jalapa</i> (Radix). Convolvulus Jalapa, Ipomoea Jalapa. Cl. 5, ord. 1. Convolvulaceae.	<i>Pulvis.</i> <i>Pilulae.</i> <i>Bolus.</i> <i>Electuarium.</i> <i>Rotulae.</i> <i>Resina</i> — e radice c. Spirit. Vin. rft digest. <i>Resina praeparata</i> (resin. Jalap. et amygd. dulc. excorticat.); in <i>pulvere, pilul. et emulsione.</i> <i>Sapo</i> (resin. Jalap. c. Sapon. medicat. āā); in <i>pil. et bol.</i> <i>Pilulae Jalapae, s. Pilulae purgantes:</i> (Sap. Jalap. part. 3 c. radic. Jalap. pulver. part. 1).	gr. 15-20-30. gr. 5-10-15. scrpl. $\frac{1}{2}$ - j.	Optimum corrigens Elaeo saccharum Citri. Vogleri oleum laxativum constat e resin. Jalap. gr. 8, sapon. medicat. gr. 3 c. Amygdal. dulc. unc. $\frac{1}{2}$ contrit. D. ad vitrum. S. Adultis bi-horio cochlear integrum, infantibus semi cochlear usque dum moveatur alvus. — Electuarium anthelminticum Störkianum: R. Pulv. rad. Jalap. Kali sulphur., rad. Valerian. āā dr. 2, oxymel. scillit. unc. 2 M. F. Electuarium. Detur ad cochlear parvum. — <i>Pilulae Graefianae</i> fortiter purgantes: R. Sap. Jalap. unc. $\frac{1}{2}$, Gummi Gutt. gr. 12, M. F. Pilul. gr. 2. D. S. Ter de die pil. 6-8.
<i>Ichtyocollex</i> intestinis Acci-	<i>Emplastrum adhaesivum anglicum.</i>		

Medicam. <i>nomen et orig.</i>	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
penser. Stu- rion. parat.			
<i>Imperatoria</i> (Radix). Im- peratoria O- struthium. Cl. 5, ord. 2. Umbelliferae.	<i>Pulvis</i> et form. pulver. ex- cipientes. <i>Infusum.</i>	scrpl. 1 - dr. $\frac{1}{2}$. ex unc. $\frac{1}{2}$ unc. 4 - 6.	
<i>Jodum s. Jo-</i> <i>dina</i> (praepa- rat. chemic. ex Fuc. sac- charin. aliis- que Fuc.)	<i>Pulvis.</i> <i>Solutio</i> — interna et externa. <i>Tinctura.</i>	gr. $\frac{1}{2}$ -1-2. scrpl. $\frac{1}{2}$ -1 in Aq. dest. unc. 3-4, mane et vespere gtt. 3-5-10. c. patu involvent. (neutiquam vero amylaceo). gtt. 3-5-10. Ad gtt. Decem! et paulat. sed cautissime ad- scendendo ad gtt. 20.	Cav. Amylum et medicami- num amylacea; optime praescribitur solutio aquos. c. Saccharo dulcificat.
<i>Ipecacuanha</i> (Radix). Ce- phaëlis Ipe- cacuanha. Cl. z, ord. 1. Ru- biaceae.	<i>Pulvis</i> — et form. pulv. excipientes. <i>Infusum.</i> <i>Solutio.</i> <i>Trochisci Ipecacuan-</i> <i>hae</i> (Ipecac. pulv., Gumm. mimos., Sacchar. albiss.) <i>Syrupus.</i> <i>Pulvis Ipecac. compo-</i> <i>sit.</i> (vid. <i>Opium</i>).	scopo vomendi gr. 15-20 c. Tart. stibiat. gr. j, ad nauseam provocandam in dos. refract. ad gr. $\frac{1}{6}$, $\frac{1}{4}$, $\frac{1}{2}$. ex scrpl. $\frac{1}{2}$ - 1 - dr. $\frac{1}{2}$ unc. 4-6.	In dos. refract. ad gr. $\frac{1}{6}$, $\frac{1}{4}$, $\frac{1}{2}$, antispasmodicum praestantissimum est; im- primis in spastic. pul- mon., ventricul. et uteri affectionibus laudatur. Linctus emeticus Hu- feland.: R. Pulv. rad. Ipec. scrpl. 1, Tart. sti- biat. gr. j. solv. in Aq. font. unc. $1\frac{1}{2}$, Oxymel. scillit. unc. $\frac{1}{2}$. MDS. Ca- piat aeger part. dimid. una vice tunc autem quav. hor. quadrant. cochlear unum R. Pulv. ad. I pec. gr.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			1, Magister. Bismuth. gr. 8, Magnes. carb. scrpl. 1, Elaeosacchar. Anis. scrpl. 1½. M. F. Pulv. Div. in part. aeq. 4. DS. ter, quaterve d. die pulvis (a Koppio contra dyspepsiam a sola nervorum ventriculi intemperantia profect., nec non in Cardialg. dynamic. laudat.)
<i>Iris florentina</i> (Radix). <i>Iris florentina</i> Cl. 3, ord. 1. Irideae.	<i>Pulvis</i> — pro errhin; pulv. dentifric. superadditur.		Occurrit etiam in pulv. sternutatorio (conf. Majorana) et in pulv. dentifric. officinal.
<i>Juglans</i> (Cortex s. putamen nucis). <i>Juglans regia</i> Cl. 21, ord. 8. Terebinthaceae, <i>Juglandaeae</i> <i>De Cand.</i>	<i>Decoctum.</i> <i>Extractum</i> — in pil., bol. et mixtur. Extern. decoct. cortic. ad lotion., fomentation. et unguenta.	ex unc. ½-1 unc. 6. scrpl. ½ - dr. ½.	<i>Decoctum Pollinii</i> secundum Swediaur. et Rust.: R. Cort. nuc. Jugland. rudit. contus. unc. 10, Macerentur per noctem c. Aq. bulliente: dein mane adde rad. Sarsaparill., rad. Chin. aa unc. 1. Stib. sulphurat. nigr., Lapid. Pumicis petia ligator. aa unc. ½. Coq. c. Aq. libr. 10 in olla bene clausa per aliquot horas, dein adice petia et coque residuum ad Libr. 2. Decantatum non filtratum <i>Decoctum</i> exhibe D. S. Consumatur mane et vespere Libra una.

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
<i>Juniperus</i> (baccae et lignum). <i>Juniperus</i> com- munis Cl. 22. ord. 12. Co- niferae.	<i>Pulvis.</i> <i>Infusum</i> — aquos. et vinos. <i>Decoctum</i> — aquos. et cum cerevis. parat. <i>Spiritus.</i> <i>Oleum.</i> <i>Succus inspissatus</i> s. <i>Roob Juniperi.</i>	scrpl. 1-3. ex unc. $\frac{1}{2}$ -1 unc. 6-8. ex unc. 1 unc. 8- 10. scrpl. 1-dr. j. gtt. 2-4-6. in mixtur. ad unc. $\frac{1}{2}$ -1.	<i>Tinctura diuretica</i> <i>Hufelandii</i> : R. Ol. <i>Junip. dr.</i> $\frac{1}{2}$ Spirit. nitr.- aether. Tinct., Digital. ae- ther. aā dr. 3. MDS. quavis tertia hora gtt. 20-30. <i>Mixtura hydragoga</i> <i>Hufelandii</i> : R. Aq. <i>Petrosel. unc.</i> 6. Spirit. nitr.-aether. dr. 2. Tinct. aromat. dr. j. Oxymel. scillit., Syrup. Spin. cer- vin. aā unc. $\frac{1}{2}$, Roob Ju- nip. unc. j. MDS. bihorio cochlear ci- barium. <i>Mixtura hydragoga</i> <i>van Swietenii</i> : R. Spirit. nitr.-aether dr. j. Spirit. Junip. unc. $\frac{1}{2}$. Roob. Junip. unc. 1. Aq. <i>Petroselin. unc.</i> 6. MDS. bihorio cochlear.
<i>Kali aceti- cum, Acetas kalicus, Ter- ra foliata Tartari.</i>	<i>Pulvis.</i> <i>Solutio</i> aquos. et vinos. <i>Mixtura.</i> <i>Liquor Kali acetici. s.</i> <i>Liquor Terrae folia- tae Tartari</i> (Kali acet. p. j. in Aq. destill. part. 2 solut.)	scrpl. $\frac{1}{2}$ -dr. 1. ex dr. 2-unc. $\frac{1}{2}$ parat. dr. $\frac{1}{2}$ -dr. 2.	<i>Cav. Acida, Succ. et fruct.</i> acidus et Sales nitric., sul- phur., muriat., phosphor. et tartaric. <i>Guttae diureticae</i> <i>Berendsii</i> : R. Kali acet. dr. 2. Spirit. Vin. gallic. unc. $\frac{1}{2}$. MDS. ter, quaterve d. die gtt. 40 80.
<i>Kali carbo- nicum acidu- lum, Bicarbo- nas kalicus cum Aqua.</i>	<i>Pulvis.</i> <i>Solutio.</i>	scrpl. $\frac{1}{2}$ -1.	

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
Kali carbonicum. <i>Carbonas kalicus.</i> a) e <i>Cineribus clavellatis</i> , b) e <i>Tartaro s. Sal Tartari.</i>	Solutio — intern. et extern. Emulsio. Saturatio. Mixtura. Liquor Kali carbonici. Oleum Tartari per deliquium. <i>Liquor carbonatis kalici</i> (solutio aquos. Kali carbon.) Externe pro <i>collyr., injection., lotion., fomentat., baln., liniment. et unguent.</i>	dr. 1-2 in Aq. destill. unc. 4-6 solut. dr. j. cum Succ. Citr. vel Acet. Vin. unc. 2-3. gtt. 5-10-20. in affectionib. spasticis ad gtt. 20-40; contra intoxication. gtt. 40-80. gr. 2-4 in Aq. destill. unc. 1.	Cav. Aq. font., Acid. et Sales acidos. Riverii Potio antemetica: R. Kali carb. e Tart. scrpl. 2, Sacchar. albiss. dr. 2, Aq. dest. unc. 4, Aq. Cinnamom. spl. unc. 2. MDS. cochlear. 3 cum cochlear. j Succ. Citri. Potio antemetica Hulmiana: R. Kali carb. dr. 1 Aq. dest. unc. 6. M. R. Acid. sulphur. solut. unc. $\frac{1}{2}$. Aq. destill. unc. 6. M. Capiat aeger cochlear j. mixtur. prior. tunc extemplo cochl. j. mixtur. alter. Aqua mephitica alkalina Falconeri s. Lithon tripticum Colburnianum: R. Kali carb. dr. 1-2. Aq. Selteran. nativ. unc. 36. Solv. Det. in lagena rite clausa
Kali causticum, Hydras kalicus: a) <i>siccum</i> , b) <i>fusum</i> , s. <i>Lapis Chirurgorum.</i>	Solutio — interne raro in usu. Tinctura kalina s. Tinctura Antimonii acris: Kali caust. cum Spirit. Vin. digest. Liquor. Kali caustici. Externe Kal. caust. fus. pro	gr. $\frac{1}{2}$ -2-3 p. d. in Aq. dest. solut. cum vehicul. involvent. gtt. 10-20-30 cum potu mucilaginoso. gtt. 10-15-30.	

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<i>caustico, sicc. pro injectionib.</i>		
<i>Kali hydroiodicum, Jodetum Kali.</i>	<i>Solutio</i> — intern. et externa. <i>Unguentum Kali hydroiodici.</i>	scrpl. 1 in Aq. destill. vel. Spirit. Vin. alkoholizat. unc. j. ter d. die ad gtt. 3-5-10.	Cav. Amylacea.
<i>Kali muriaticum oxygenatum, oxymuriaticum, s. chloricum, Chloras kalicus.</i>	<i>Pulvis.</i> <i>Solutio.</i>	gr. 3-5-10. dr. j. in unc. 3. Aq. destill.	Contra neuralgiam facialem (Tic douloureux) laudatur.
<i>Kali nitricum, Nitras kalicus, Sal petrae.</i>	<i>Pulvis</i> — cum pulv. gummos. aut Sacchar. Lact. <i>Solutio.</i> <i>Emulsio.</i> <i>Mixtura.</i> <i>Pulvis temperans:</i> Kali nitr. et Kali sulphuric. āā. Extern. pro gargaris. et clysmat.	gr. 5-10-15. dr. 1- $\frac{1}{2}$ -2 in Aq. unc. 4-6 cum Syrup. emulsio. ex dr. 1-2 c. Gumm. Mimos. dr. 2, aut in emulsione amygdalina. scrpl. $\frac{1}{2}$ -1.	Fomenta Schmuckeri: R. Ammon. mur., Kali nit. āā unc. j, Aq. font. libr. 4, Acid. acet. libr. 1 $\frac{1}{2}$. M. Potio antiphlogistica Graefiana. Kali nitr. dep. dr. 1 $\frac{1}{2}$ -dr. 2. Gumm. Mimos. unc. $\frac{1}{2}$. Aq. Rub. Idaei unc. 6. Syrup. Sacchar. unc. 1. MDS. bihorio cochlear. Solutio antiphlogistica Graefiana: R. Tart. dep. unc. $\frac{1}{2}$. Kali nitr. dep. dr. j. Aq. font. unc. 6. Aq. Lauroceras. dr. j. Syrup. Ceras. nigr. unc. 1. MDS. bihorio cochlear.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Kali sulphuratum, Hepar Sulphuris satinum, Trisulphuretum Kali cum Sulphate kalico, immixto Carbonate kalico.</i>	<i>Pulvis</i> — minus usitat. <i>Pilulae.</i> <i>Bolus.</i> <i>Solutio</i> — intern. et extern. <i>Kali sulphuratum pro Balneo.</i> <i>Externe pro lotionibus, balneis et unguentis.</i>	gr. 3-5-10. dr. $\frac{1}{2}$ in Aq. Menth. ppt. unc. 3. dr. 1-unc. 1. c. Aq. unc. 6-8. unc. 2 - 4 pro balneo.	<i>Pilulae Stegmannianae</i> contra phthis. tracheal. et pulmon. pituitos. R. Kali sulphurat. scrpl. 2, Extract. Cardui benedict. dr. 2, Pulv. Carb. Til. dr. $1\frac{1}{2}$, Balsam. Peruvian. scrpl. j. M. F. Pilul. 100 D. ad vitr. bene claus. S. ter de die pil. 10. <i>Pulvis aegre et nonnisi</i> ad chart. cerat. praescribitur; pilul. aut. semp. ad vitr. bene claus. Cav. Aq. font., Acida, Succ. acidos. vegetabil. et medicam. metallic. Optimum pilular. corrigens: Succ. et Extract. Liquirit; solutionis: Syrupus Croci.
<i>Kali sulphuricum. Sulphas kalicus, Tartarus vitriolatus, Arcanum duplicatum, Salpolychrestum Glaseri.</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Electuarium.</i> <i>Solutio.</i> <i>Mixtura.</i>	ad scrpl. $\frac{1}{2}$ -dr. $\frac{1}{2}$ digestivum ad unc. $\frac{1}{2}$ -1 laxans.	<i>Contra Phlegmatiam alb. et</i> in febr. puerper. a Levret laudat. R. Kali sulph. dr. 6. solv. in Infus. Digital. (ex dr. $\frac{1}{2}$) unc. 10, Mel. despu-mat. dr. 6. MDS. bi-horio cochl. 2. (a Martinio contr. phlegm. alb. dol. commendat.). — Cav. Calcar. et Baryt. muriat. Plumb. acet. et Acid. nitr., muriat., tartar. et acet.
<i>Kali tartaricum, Tartras</i>	<i>Pulvis.</i>	<i>Solvendo</i> scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$,	Cav. succ. vegetabil. acid. Sales metall. et sal. sulphur.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>kalicus, Tartarus tartarissatus.</i>	<i>Solutio.</i> <i>Mixtura.</i>	purgando unc. $\frac{1}{2}$ -1. dr. 2-unc. $\frac{1}{2}$ in Aq. unc. 4-6.	phosphor. et muriatic. In stasib. hepat. et venae port., nec non in icter. laudatur.
<i>Kino</i> (gummi).	<i>Pulvis</i> — et form. pulv. excipientes. <i>Solutio</i> — aquos. et vinos. Externe pulv. dentifric. additur.	scrpl. $\frac{1}{2}$ -1. dr. 2 in Aq. unc. 6.	In haemorrhag. profus. laudatur. <i>Pulvis haemostaticus Lentinii</i> : R. Kino dr. $\frac{1}{2}$, Gumm. Mimos. dr. 1 M. F. Pulv. S. Insuperatur pulvis. R. Op. pur. gr. 2, Kino dr. $\frac{1}{2}$, Elaeosacchar. Cinnamon. dr. 1 M. F. Pulv. Div. in part. aequal. 6. DS. bihorio pulvis (a Sundelino in haemorrhag. asthenic. commendat.).
<i>Lactuca virosa</i> (herba) <i>Lactuca virosa</i> , Class. 19, Ord. 1. Synanthereae.	<i>Pulvis</i> et form. pulv. excip. <i>Extractum</i> — in pulv., pilul., solut. et mixtur. <i>Lactucarium.</i>	gr. 1-4. gr. 2-5-10 pro solut. scrpl. $\frac{1}{2}$ -1 in Aq. Lauroceras. unc. $\frac{1}{2}$ ter, quaterve d. die ad gtt. 30. gr. 2-8-10.	<i>Pulv. herb. Lactuc. viros.</i> (gr. 2-4) cum pulv. herb. Digital. (gr. 1) a Toelino in hydrop. pericard. summopere laudatur. <i>Lactucarii vis sedativa</i> a medic. franco-gall. praedicatur.
<i>Lapathum acutum</i> , (radix). <i>Rumex obtusifolius</i> . Cl. 6, Ord. 3. Polygoneae.	<i>Decoctum.</i>	ex unc. $\frac{1}{2}$ -1 unc. 6-8.	
<i>Laurocerasus</i> . (folia). <i>Prunus Laurocerasus</i> , Cl.	<i>Fol.</i> raro in usu. <i>Aqua Lauro-Cerasi</i> — mera aut mixturis addit.; externe pro <i>collyr.</i> , in-	gtt. 10 - 20 ter d. die et paulat. adscendend. ad gtt. 30 - 60.	Unciae 4 Aq. Lauroceras. continent gr. 5. Ferr. hydrocyanic. Optimum menstruum medicamin. narcotic. majori vi in syst.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
12, Ord. 1. Rosaceae.	<i>jection. et fomentationib.</i> <i>Oleum aethereum</i> pro us. inter. et externo.	Ad Guttas Triginta! — in mixtur. dr. 1-2, pro collyr. dr. 1-2, in Aq. unc. $\frac{1}{2}$. gtt. $\frac{1}{4}$ - $\frac{1}{2}$.	vasor. sanguiferor. agentium nec non salium metallic. corrosiv.
<i>Laurus</i> (baccae). <i>Laurus nobilis</i> , Class. 9, Ord. 1. Laurineae.	<i>Oleum</i> — externe ad liniment. et unguent.		
<i>Lavandula</i> , (flores). <i>Lavandula Spica</i> , Cl. 14, Ord. 1 Labiatae.	<i>Infusum</i> — aquos. et vinos. <i>Oleum</i> — ad liniment. <i>Spiritus</i> .		
<i>Ledum palustre</i> , (herba) <i>Ledum palustre</i> , Cl. 10, ord. 1. Rhododendra.	<i>Infusum</i> .	ex dr. 2-unc. $\frac{1}{2}$ unc. 4-6.	In tussi convulsiva infant. laudatur. Formula Buettneriana: R. Herb. Led. palustr. unc. 1, Fol. Senn. dr. 1, Rad. Ipec. gr. 4, Digere. c. Aq. font. fervid. q. s. per. hor. in vas. ben. claus., loco tepido, saepe agitando; Colat. unc. 4 adde Liquor. Ammon. anisat. dr. j, Sacchar. alb. unc. 1. MDS. bihorio semi-cochlear.
<i>Levisticum</i> , (radix). <i>Levisticum</i> <i>Levisticum</i> , Cl. 5, ord. 2. Umbelliferae.	<i>Infusum</i> .	ex unc. $\frac{1}{2}$ unc. 6.	In hydrope laudatur.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Lichen Islandicus</i> (alga) <i>Cetraria Islandica</i> Achar. <i>Cryptogamia. Lichenes.</i>	<i>Decoctum.</i> <i>Gelatina.</i> <i>Pasta.</i> <i>Trochisci.</i>	ex unc. 1 c. Aq. libr. 1½ ad remanent. libr. 1.	In phthisi pulmon. cum Decoct. herb. Polygal. amar. laudatur. Optimum corrigens quoad gust.: Chocolad.
<i>Lignum Campechianum</i> , <i>Haematoxylon Campechianum</i> , Cl. 10, ord. 1. Leguminosae.	<i>Decoctum.</i> <i>Extractum</i> — in pil., mixtur. et solut.	ex unc. ½-unc. j. unc. 6-8. dr. 1-2.	Cav. Alkalia., Aq. Calc., Sales metallic., Gelatin., Albumen.
<i>Linaria</i> (herba). <i>Linaria vulgaris</i> (Antirrhimum <i>Linaria</i>), Class. 14, Ord. 2. Scrophularineae.	<i>Decoctum.</i> <i>Unguentum Linariae.</i>	ex unc. ½ unc. 6.	
<i>Linum</i> , (semen) <i>Linum usitatissimum</i> . Class. 5, ord. 5. Lineae De Cand.	<i>Emulsio.</i> <i>Oleum</i> — inter. et ext. ad liniment., unguent. et clysmat.	ex dr. 2-unc. ½ parand. unc. ½-unc. j.	Occurrit in Specieb. ad Enema.
<i>Lithargyrum</i> , <i>Oxydum plumbic.</i>	<i>Emplastrum Lithargyri spl.</i> <i>Emplastrum Diachylon spl</i> (Lithargyr. pulv. c. Ol. Oliv. var. coct.) <i>Emplastrum Lithargyri compositum</i> , <i>Emplastr. Diachylon composit.</i>		Occurrit praeterea Lithargyrum in Emplastr. consolid. (vid. Plumb. carbon.), de Galbano crocat., Hydrargyr. et in Emplastr. saponat. (vid. Sapo). —

Medicam. <i>nomen et orig.</i>	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
	(Emplastr. Litharg. spl., Cer. flav., Gumm. Ammoniac., Galban., Terebinthin. commun.). — <i>Emplastrum adhaesivum spl.</i> (Emplastr. Lithargyr. spl. cum Terebinth. coct. liquefact. —		
<i>Lupulus</i> , (Strobili) <i>Humulus Lupulus</i> femina. Cl. 22, ord. 5. Urticeae.	<i>Pulvis</i> — minus usitat. <i>Infusum</i> — aquos. et vinos. <i>Decoctum.</i> <i>Lupulinum</i> — in pilul. et ad unguent.	gr. 5-10-15. ex unc. $\frac{1}{2}$ unc. 6.	Cav. Acid. mineral. et Ferri praeparat. R. Lupulin. contus. unc. 1, Spirit. Vin. rfts. unc. 2. Digere in vas. bene claus. Colat. admisc. Spirit. Vin. rfts. q. s. u. f. Massa unc. 3, DS. gtt. 30-40 p. dos.
<i>Lycopodium</i> (semen) <i>Lycopodium clavatum</i> . Cryptogamia. Filices. <i>Lycopodiaceae</i> De Cand.	Non nisi ad pilulas conspergendas adhibetur.		
<i>Macis</i> , <i>Myristica moschata</i> Class. 22, ord. 13. <i>Laurineae</i> .	<i>Oleum</i> — intern. et extern.		R. Mac. unc. 1 Spirit. Vin. rft. libr. j. Digere in vase clauso saep. agitando S. Tinctura Macidis D. gtt. 20-30 d. die (Tinctura haec in diarrhoeis chronic. ex atonia tubi intestinal. ortis summopere laudatur).
<i>Magnesia carbonica</i> , <i>Carbonas magneticus</i> c	<i>Pulvis.</i> <i>Pulvis Magnesia cum Rheo</i> , s. <i>Pulvis pro infantibus.</i> (Magnes.	scrpl. $\frac{1}{2}$ - 1. gr. 5-10.	<i>Pulvis antacidus et antispasmodicus</i> Vogleri: R. Pulv. rad. Ipecac. gr. 3, Ol. de Cedr.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Aqua et Hydrato magnesico.</i>	carb., Ol. Foenicul., rad. Rhei pulv. et rad. Irid. florent.) <i>Pulvis aërophorus e Magnesia carbonica.</i> (Magnes. carb., Acid. Tartar., Elaeosacchar. Citri).	scrpl. $\frac{1}{2}$ -1.	gtt. 6. Magnes. carb. dr. 1., Sacch. alb. gr. 7. M. f. Pulv. D. S. cochlear parv. p. d.
<i>Magnesia sulphurica, Sal amarum, Sulphas magneticus cum Aqua.</i>	<i>Solutio.</i> <i>Mixtura.</i> <i>Emulsio.</i> <i>Externe pro clysmat.</i>	unc. 1-2. dr. 3-4.	Optimum corrigens quoad gustum: Syrupus Succici- tri. Cav. Kalia carb. et caustic., Kali mur., Am- mon. mur., Calcar. et Baryt. mur., Aq. Calc., Plumb. acet., Ammon. et Kali acet., Kali nitric. <i>Mixtura Richteri</i> contra colicam sa- turninam: R. Magnes. sulph. unc. j, solv. in Aq. Chamomill. unc. 6. Ol. Lin. rec. express. unc. 2, Succ. Citri unc. 1. Extract. Op. aquos. gr. 2, Syrup. Rhoead. unc. 1. MDS. bene mixt. hor. quadrant, cochlear usque dum alvus mov.
<i>Majorana</i> (herba) Oli- banum Majo- rana. Cl. 14, ord. 1. Labi- atae.	Nonnisi extern. pro sternu- tator. in usu. <i>Oleum aether.</i> <i>Unguentum s. Butyrum</i> <i>Majoranae</i> — utrum- que ad <i>liniment.</i> et <i>un-</i> <i>guent.</i>		
<i>Malva</i> (folia et flores): a) <i>M. rotun-</i> <i>difolia.</i> — b) <i>M. arbo-</i>	<i>Ebullitio.</i> Extern. ad <i>cataplasmat.</i> et <i>gargarismat.</i> <i>Species ad gargarisma.</i>	ex unc. $\frac{1}{2}$ unc. 6.	

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>rea.</i> (<i>Althaea rosea</i> Cavanilles.) <i>c)</i> <i>M. vulgaris</i> (<i>M. sylvestris</i>). Cl. 16, ord. 8. <i>Malvaceae.</i>	(Malv., Sambuc., Alth. āā). <i>Species ad Cataplasma.</i> (Malv., Alth., Melilot, c. floribus, Linum). —		
<i>Manna</i> (succus indensatus). <i>Fraxinus rotundifolia</i> Aiton. Class. 23, ord. 3. <i>Jasmineae.</i>	<i>Solutio</i> — int. et exter. <i>Syrupus.</i>	unc. $\frac{1}{2}$ -1 in Aq. unc. 3-4 purgand. in unc. 1-2. unc. $\frac{1}{2}$ -2.	Occurrit etiam in Infus. Sennae composit. (vid. Senna).
<i>Marubium vulgare</i> (herba). Cl. 14, ord. 1. <i>Labiatae.</i>	<i>Infusum</i> — rar. usitat. <i>Succus rec. express.</i> <i>Extractum</i> — in pil., solut. et mixt. addit.	ex unc. $\frac{1}{2}$ unc. 6. unc. 1-2 p. d. scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$ in mixt. dr. 1-3.	In blennorrhoeis pulmon. et intestinor. laudatur.
<i>Marum verum</i> (herba). <i>Teucrium Marum</i> . Cl. 14, ord. 1. <i>Labiatae.</i>	<i>Pulvis.</i> <i>Infusum.</i> <i>Externe pro errhinn.</i>	scrpl. 1 - dr. 1. ex unc. $\frac{1}{2}$ - unc. 4.	A medicis veteriorib. in spastic. pulmon. affectionib. et pectoris angina laudabatur.
<i>Mastiche</i> , (succ. inspissat.) <i>Pistacia Lentiscus</i> . Cl. 22, ord. 5. <i>Terebinthaceae.</i>	<i>Spiritus Mastiches compositus s. Spirit. matricalis.</i> (Mast., Myrrh., Thus, Spirit. Vin rft.) pro us. exter. adhibetur.		
<i>Mel</i> (secret. Apis mellificae). a) <i>Mel</i>	<i>Mel despumatum.</i> <i>Oxymel spl.</i> (Mel. desp. c. Acet. Vin. coct.		

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
<i>album s. vir- gineum. b) M. commune s. flavum.</i>			
<i>Melilotus ci- trina, (herba cum floribus) Melilotus of- ficialis Will- den. Cl. 17, ord. 4. Legu- minosae.</i>	Nonnisi extrinsecus ad <i>ca- taplasmat.</i> adhibetur. — <i>Emplastrum Melilot.</i>		
<i>Melissa (her- ba) Melissa officinalis Cl. 14, ord. 1. Labiatae.</i>	<i>Infusum.</i> <i>Aqua.</i> <i>Oleum</i> — saccharo instil- lat. aut in forma Elaeo- sacchar.	ex unc. $\frac{1}{2}$ - 1 unc. 4-6. gtt. 1-4.	
<i>Mentha cris- pa (herba). Mentha cris- pa, Cl. 14, ord. 1. Labiatae.</i>	<i>Infusum.</i> <i>Aqua.</i> <i>Oleum M. crispae te- rebinthinatum.</i> <i>Syrupus.</i>	ex unc. $\frac{1}{2}$ - 1 unc. 4-6. unc. $\frac{1}{2}$ - 1 in mixt.	
<i>Mentha pipe- rita, (herba) Mentha pi- perita, Cl. 14, ord. 1, Labi- atae.</i>	<i>Infusum-aquos. et vinos.</i> <i>Aqua spl.</i> <i>Aqua vinosa.</i> <i>Oleum.</i> <i>Rotulae.</i> <i>Elaeosaccharum.</i>	ex unc. $\frac{1}{2}$ - 1 unc. 4-6. gtt. 1-4.	Liniment. Graefii con- tra visus hebetud. cum torpore oculi: R. Aether. sulph. scrpl. 1. Ol. Menth. ppt. scrpl. 2. Liq. Am- mon. caust. dr. 2. DS. Guttatim in vicinit. o- cul. illinatur. R. Ol. Menth. ppt. gtt. 12. Spirit. Sulph. aeth. dr. 2. MDS. ter d. die gtt. 10. (contra flatulentiam per- tinac. laudatur). —
<i>Mezereum (cortex)</i>	<i>Decoctum.</i> <i>Extern. pro exutorio,</i>	dr. 1-2 ad Col. unc. 4-6.	<i>Species Weikardii</i> contra affectiones

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
Daphne Mezereum , Cl. 8, ord. 1. Thymelaeae .	<i>catapl. et inject.</i> ; pulvis inspergitur.		syphilitic. inveterat.: R. Cort. Mezer., Stip. Dulcamar. āā dr. 1½, Sarsaparill., Bardan., Saponar., Lign. Quass. āā dr. 3 M. F. Species.
Millefolium , (herba et flores) Achillea Millefolium , Cl. 19, ord. 2. Synanthereae .	Infusum. Succus rec. expressus. Extractum.	ex unc. ½ - 1 unc. 4-6. unc. ½ - 1 cum aliis succ. rec. express. dr. 2-3 mixt. addit.	
Mimosa , (gummi) s. Gummi Arabicum , (Succ. indensat.) Acacia Ehrenbergii , Hayn et Nes. Cl. 18, ord. 1. Leguminosae .	Emulsio. Solutionib. et mixtur. additur. Pulvis gummosus: (Gumm. mimos., rad. Liquirit., Sacchar. pulv.) Trochisci bechici: (Gumm. mimos., Iris florent., Succ. et rad. Liquirit., Foenicul., Anisum, Sacchar. et mucil. Tragacanth.) Mucilago Gummi mimosae: (Gumm. mimos. p. 1 in Aq. dest. part. 3 solut.) Pasta gummosa: (Gumm. mimos., Sacchar. albiss., Album. ov., Aq. flor. Aurant.)	unc. ½ c. Aq. unc. 6-8. ad dr. 1-2. scrpl. 1-2.	Cav. Plumb. acet., Hydrarg. mur. corrosiv. et Hydrarg. nitric., Acid. mineral. concentrat., Spirit. Vini et medicamina adstringentia. Decoctum album Sydenhami; R. Cornu Cervi raspat., Pan. alb. āā unc. ½, coq. c. Aquae font. libr. 3 ad tertiae partis consumptionem, Colat, adde Pulv. Gumm. mimos. dr. 2. MDS. Emulsio arabica P. Frankii: R. Pulv. Gumm. mimos. unc. ½, Amygd. dulc. excort. N. 3, Sacchar. alb. dr. 2, terant, sub continuo agitando; adde Ol. Amygd. dulc. rec. express. quantum cum hac massa uniri potest, Aq. font. unc. 1. M. F. l. a. Emulsio.

Medicam. <i>nomen et orig.</i>	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
<i>Minium, Su-</i> <i>peroxydum</i> <i>plumbosum.</i>	<i>Emplastrum Minii ad-</i> <i>ustum, s. Emplastr.</i> <i>fuscum s. nigrum, E.</i> <i>Noricum: Minium, c.</i> <i>Ol. Olivar. coct., Cer. flav.</i> <i>liquefact., Camphor.</i>		
<i>Morrhua. A-</i> <i>sellus (oleum</i> <i>jecoris Gad.</i> <i>Morrh.)</i>	<i>Oleum merum ordinatur.</i>	cochl. 1. p. dos.	In rheumatism. et arthritid. inveterat. commendatur.
<i>Morus, (fruc-</i> <i>tus) Morus</i> <i>nigra, Cl. 21,</i> <i>ord. 4. Urti-</i> <i>ceae.</i>	<i>Syrupus.</i>	unc. $\frac{1}{2}$ -1 mixtur. addit.	In angina catarrhal. garga- rismat. c. Syrup. Moror. laudantur.
<i>Moschus, Mo-</i> <i>schus mo-</i> <i>schiferus.</i>	<i>Pulvis et form. pulv. exci-</i> <i>pientes.</i> <i>Mixtura.</i> <i>Emulsio.</i> <i>Tinctura.</i>	gr. 1-3-6-10 et ultra ad scrpl. 1. (in febr. typhos.) scrpl. $\frac{1}{2}$ -dr. $\frac{1}{2}$ c. Gumm. Mi- mos. dr. 1 et Aq. unc. 3-4., — e scrpl. $\frac{1}{2}$ -1 pa- rand. gtt. 30-60, in mixt, dr. 1-2.	Tinctura Cinnamom. optim. corrigens quoad odor.; cum Liq. Ammon. succin. nupt. majori vi in syst. nerv. agit. Mixtura antispasmo- dica Wendtii con- tra asthma acut. Millari: R. Infus. Va- ler. (ex dr. 3.) unc. 4, Mosch. gr. 8, Liq. Am- mon. pyr.-oleos scrpl. 2, Syrup. flor. Aurant. unc. $\frac{1}{2}$, MDS. bene mixt. quav. hor. dimid. cochlear. parv.
<i>Myrrha(succ.</i> <i>indensat.)</i> <i>Amyris Ka-</i> <i>taf. Forsk.</i> <i>Cl. 8, ord. 1,</i> <i>Terebintha-</i> <i>ceae.</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Electuarium.</i> <i>Emulsio.</i> <i>Solutio.</i> <i>Extractum.</i> <i>Tinctura.</i>	gr. 5-10-20. e dr. 1 parand. gr. 5-10-20. gtt. 20-40.	Saccharum Myrrhae Frider. Hoffmann. contr. phthisin pi- tuitos.: R. Myrrh. unc. $\frac{1}{2}$, Sacchar. Lact. unc. 2. M. F. P. Det. ad

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
	<i>Liquor. s. Liquamen Myrrhae.</i>	dr. 1-2 in mix- tur.	scatul. S. ter quaterve d. d. cochl. parv.
	<i>Oleum.</i>	gtt. 2-4.	<i>Mixtura Griffithii</i>
	Externe pulv. inspergitur. ulcerib. gangraenos. et putrid.		contraphthisin pul- mon.: R. Myrrh. pulv. dr. 1, Kal. carb. e Tart. gr. 15, Aq. Menth. crisp. unc. 8, Ferr. sulph. cryst. scrpl. 1 Sacch. alb. unc. $\frac{1}{2}$, MDS. bene mixt. ter quaterve d. die cochlear cibarium.
			<i>Mixtura P. Frankii</i>
			contra amenorrhoe- am: R. Myrrh. pulv. dr. 1, solv. terendo in In- fus. Chamomill. unc. 6. Aq. Cinnam. spl. unc. 1. Ferr. sulph. cryst. gr. 15. Syrup. cort. Aurant. unc. 1. MDS. Ter d. die coch- lear. cibarium.
			<i>Unguentum Rustii</i>
			contr. ulcera gan- graenos. et putri- da: R. Myrrh. pulv. Camphor. c. Spirit. Vin. trit. āā dr. 1, Cort. Chin. fusc. pulv., Carb. ppt., Unguent. de Styra- ce āā dr. 6, Ol. Tere- binth. q. s. u. f. Unguen- tum.
			<i>Pulvis inspersorius</i>
			<i>Rustii contra gan- graen. humidam:</i> R. Myrrh., Camphor. trit. āā dr. 2, Cort. Chin. fusc., flor. Chamomill. āā

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Natrum acet- ticum, Terra foliata Tar- tari crystalli- sata, Acetas natricus c. Aqua.</i>	<i>Pulvis. Solutio.</i>	scrpl. 1 - dr. 1. dr. 2 - unc. $\frac{1}{2}$ in Aq. unc. 3-4.	unc. $\frac{1}{2}$, Carb. ppt. unc. 1. M. F. Pulvis S. In- spargatur.
<i>Natrum car- bonicum aci- dulum, Bicar- bonas natri- cus c. Aqua.</i>	<i>Pulvis. Pilulae. Saturatio. Solutio. Exter. pro unguent.</i>	gr. 5-10.	<p>Pilulae absorbentes, solventes et lithon- tripticae Berend- sii: R. Natr. carb., Sa- pon. med. aā dr. 2, Extr. Trifol. fibr. q. s. u. f. Pil. gr. 2, Consp. pulv. Liquirit. DS. ter de die pil. 10.</p> <p>Pulvis aërophorus e Natro carb. acid. Pharmacop. Bo- russ.: R. Natr. carb. acid. dr. 1, Acid. tartar. sacch. alb. aā scrpl. 2, Detur. bihorio dr. $\frac{1}{2}$ - dr. $1\frac{1}{2}$.</p> <p>Pulvis aërophorus Vogleri: R. Natr. carb., dr. 2, Tart. dep. dr. 6. Sacch. alb. unc. $\frac{1}{2}$, M. F. Pulv. DS. —</p> <p>Unguentum Riche- randii contra tine- am capitis: R. Natr. carb. dr. 3. Calcar. ex- tinct. dr. 2, Adip. suill. unc. 2. M. F. Unguent.</p>

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			Natr. carbon. contra strumam et glandular. tumor. inveter. a Peschiero et Hufeland. commendatur. —
<i>Natrium chloricum, Chloras natricus, Natrium muriaticum hyperoxygenatum.</i>	<i>Solutio</i> — intern. et extern. <i>Exter. pro lotionib., inject., cataplasmat. et gargarismat.</i>	pro us. intern. dr. $\frac{1}{2}$ - dr. j. c. Aq. libr. 1-libr. $1\frac{1}{2}$ bihorio cochlear. dr. 2-unc. $\frac{1}{2}$ c. Aq. unc. 4-8.	Interne in scrupulos., externe contra caner. a quat. commendatur.
<i>Natrium muriaticum, Chloretum Natrii, Sal culinare.</i>	<i>Solutio</i> — intern. et extern. <i>Exter. pro unguent. et clysmat.</i>	pro us. intern. in haemorrhag. profus. cochl. $\frac{1}{2}$ - 1. c. Aq.	Unguentum Ronchalli contra tumor. scrupulos.: Fel. Taur. rec. unc. $1\frac{1}{2}$. Natr. muriat. dr. 2, Ol. nuc. Jugland. dr. 1. Digere in calore fornacis per hor. 36; tum terendo misce exacte M. F. Unguentum.
<i>Natrium nitricum, Nitras natricus, Natrium cubicum.</i>	<i>Pulvis.</i> <i>Solutio.</i>	scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$. unc. 2-4 in Aq. font. unc. 4-8 c. gumm. mimos., bihorio cochlear.	A Meyero contra dysenteriam summopere laudatur, qui hac usus est formula: R. Decoct. rad. Alth. unc. 8, Gumm. Tragacanth. gr. 8-scrpl. $\frac{1}{2}$. Natr. Nitr. unc. $\frac{1}{2}$ - 1. M. D. S. quavis hora cochlear.
<i>Natrium sulphuricum, Sulphas natricus c. Aqua, Sal mi-</i>	<i>Solutio</i> — interna et externa. <i>Emulsio oleosa.</i> <i>Externe pro clysmat.</i>	scopo purgandi unc. $\frac{1}{2}$ - unc. 2.	Aqua artificialis Carolin. Klapprothi: R. Natr. sulph. cryst. gr. 191, — carb. dep. gr. 127, — mur. gr. 39, solv. in Laguna plus libr.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>rabile Glauberi.</i>			6 capace in Aq. commun fervid. libr. 3, tunc adde Aq. Selteran. nativ. libr. 3. Lagenam rite claude.
<i>Nicotiana</i> (folia), <i>Nicotiana Tabacum</i> , Cl. 5, ord. 1, Solaneae.	<i>Pilulae.</i> <i>Infusum.</i> <i>Decoctum.</i> <i>Externe pro clysmat.</i>	ex dr. 1-3 unc. 4-8. scrpl. 1-dr. 1, pro clysmat. 1.	<i>Mixtura efficax</i> <i>Richteri contra Ileum:</i> R. Fol. Nicot. dr. 3, Rad. Rhei dr. 2, infund. c. Aq. fervid. s. q. ad Colat. unc. 8, Syrup. cort. Aurant. unc. j. MDS. quavis hora cochlear cibarium.
<i>Nux moschata</i> , (fructus) <i>Myristica moschata</i> , Cl. 22, ord. 13, Laurineae.	<i>Pulvis.</i> <i>Balsamum Nucistae:</i> Ol. Nucist., Cer. flav., Ol. Amygdal. liquefactis ol. Macid. additur; pro usu externe ad liniment. <i>Oleum Nucistae aethereum s. destillatum.</i>	gr. 3-6-10. gtt. 1-4.	<i>Emulsio Sundelinii</i> contra diarrhoeam infantum: R. Ol. Nucist. dr. 1, Gumm. mimos. pulv. dr. $\frac{1}{2}$, terendo sensim misce cum Aq. aromat. unc. 4 u. f. l. Emulsio. MDS. quavis tertia hora cochlear.
<i>Nux vomica</i> , (fructus) <i>Strychnos</i> <i>Nux vomica</i> , Cl. 5, ord. 1. <i>Strychneae</i> De Cand.	<i>Pulvis.</i> <i>Extractum aquosum.</i> <i>Extract. spirituosum</i> — utrumque in pulv., pil., solut et mixtur. <i>Strychninum purum.</i>	gr. 1-2 et paulat. caute adscendendo ad gr. 4-8. Ad grana Duo! gr. $\frac{1}{2}$ -1 ter quaterve d. die et paulat. adscendend. ad gr. 5. Ad grana Duo! gr. $\frac{1}{2}$ -1 mane et vespere et paul. ad gr. 3. gr. $\frac{1}{16}$, $\frac{1}{12}$, $\frac{1}{8}$, $\frac{1}{4}$, mane et ves-	<i>Mixtura Hufelandii</i> contra dysenteriam et diarrh. atonic. R. Extract. Nuc. vomic. scrpl. $\frac{1}{2}$ solv. in Aq. flor. Sambuc. unc. 6, Mucil. Gumm. mimos. Syrup. Alth. aā unc. $\frac{1}{2}$. MDS. bihorio cochlear cibarium. <i>Pilulae Magendianae</i> contra paralys.: R. Strychnin. pur. gr. 2, Conserv. Rosar. dr. $\frac{1}{2}$. M. F. pil. 24, DS. mane et vesp. pilul. 1, cau-

Medicam. <i>nomen et orig.</i>	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
	<i>Strychninum nitr-</i> <i>cum</i> — in pil. et so- lut.; externe endermice adhibetur.	pere. Ad gra- ni Quadran- tem! gr. $\frac{1}{4}$ - $\frac{1}{2}$ et pau- lat. adsc. ad gr. 1.	tissime adscendendo us- que dum symptomata te- tanica appareant. Pilulae Trinii con- tra paralys. rheu- matic.: R. Extract. Nuc. vom. Pulv. Nuc. vom. āā dr. 3. M. F. P. gr. 2. DS. mane et vespere pil. 6 et paulat. adscen- dendo.
<i>Oleum ani-</i> <i>male aethere-</i> <i>um s. Dippe-</i> <i>lii.</i>	Merum c. Saccharo aut in Aethere et Spirit. aethe- reo; Ol. Cajeput. vel Ca- ryophyllor. solut. Externe ad <i>liniment.</i> et <i>clys-</i> <i>mat.</i>	gtt. 3-6-10-20 et ultra. dr. j, in Aeth. dr. 3.	Opportunum Phosphori men- struum est; in epilepsia, paralysi et amaurosi lau- datur.
<i>Oleum ani-</i> <i>male foeti-</i> <i>dum s. Cor-</i> <i>nu Cervi foe-</i> <i>tidum.</i>	Merum c. Saccharo aut in Spirit. aether. solut. Ex- terne ad <i>liniment.</i> , <i>clys-</i> <i>mat.</i> , etiam naribus ad- movetur in morbis as- phycticis. <i>Oleum contra Taeniam</i> <i>Chaberti</i> : Ol. Terebinth. et Ol. animal. foetid.	gtt. 10-20-30 dr. 1. ad clysma scrpl. 1-dr. $\frac{1}{2}$ c. Vi- tell. Ov. 1.	Guttae antiparalyti- cae Hornianae: R. Ol. animal. foetid. dr. $\frac{1}{2}$, solv. in Spirit. sulph. ae- ther. dr. 2, MDS. bi- horio gtt. 15-30 paulat. adscendendo.
<i>Oleum Oliva-</i> <i>rum. Oliva</i> <i>Europaea, Cl.</i> <i>2, ord. 1. Jas-</i> <i>mineae.</i>	Merum aut in emulsion., ex- terne ad <i>liniment.</i> ; <i>clys-</i> <i>mat.</i> , inunction. <i>Unguentum basilicum</i> : Ol. Olivar., cera flav., Colophonum, Seb. ovill., Terebinth. commun.	dr. 1-unc. 1. externe unc. 1- unc. 2.	In intoxicationib. salium me- tallicorum corrosivor. lau- datur.
<i>Oleum Papa-</i> <i>veris, Papa-</i> <i>ver somnife-</i> <i>rum. Cl. 13,</i>	Merum aut in emulsione; externe pro <i>liniment.</i> , <i>unction.</i> , <i>injection.</i>	dr. 2-unc. 1. unc. 1-2.	

Medicam. <i>nomen et orig.</i>	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
ord. 1 Papa- veraceae.			
<i>Oleum Ricini</i> s. <i>Palmae</i> <i>Christi</i> , <i>Rici-</i> <i>nus commu-</i> <i>nis</i> , Class. 21, ord. 8 Eu- phorbiaceae.	Merum aut in emulsione; externe ad <i>clysmata</i> .	unc. $\frac{1}{2}$ -1.	Contra Taeniam latam lau- datur; puerperis optimum alvum movens est.
<i>Ononis spino-</i> <i>sa</i> , (radix) <i>Ononis spino-</i> <i>sa</i> , Class. 17, ord. 1. Legu- minosae.	<i>Decoctum.</i>	ex unc. $\frac{1}{2}$ -1 unc. 6-8.	In hydrope c. radic. Levis- tic. et bacc. Juniperi lau- datur.
<i>Opium</i> , Papa- ver somnife- rum. Cl. 13, ord. 1, Papa- veraceae.	<i>Pulvis.</i>	excitando gr. $\frac{1}{4}$ - $\frac{1}{2}$ sopiendo gr. 1-3. Ad gra- na Duo!!	In delirio potatorum sic dicto tremente, nec non in tetano et trismo lar- giori manu datur opium ad gr. 2, quav. hora;
	<i>Pilulae.</i> <i>Bolus.</i> <i>Emulsio.</i>	pro Clysmat. gr. 1-2. ex gr. 2 Op. parat c. mucil- lag. gumm. mi- mos.	in colica saturnina c. alu- mine laudatur; mitiora Opii praeparata sicuti Ex- tract. aquosum et Tinc- tura benzoica infantibus opportuna; morphi- um aceticum minus excitat quam sedat; in doloribus sic dictis osteocopis noctur- nis laudem sibi compa- ravit; endermice contra tussin convulsivam, tris- mum, rheumatismum ner- vos. et neuralgias lauda- tur. Mixtura e liquor.
	<i>Extractum aquosum</i> in pulv., pilul., solut. ex- tern. et intern., mixtur. <i>Morphium aceticum</i> s. <i>Acetas morphi-</i> <i>cus</i> , in pulv., pilul., solut. et ex- terne endermice et pro clysmat.	gr. $\frac{1}{4}$ - $\frac{1}{2}$ -1-2. Ad grana Duo! gr. $\frac{1}{8}$, $\frac{1}{6}$, $\frac{1}{4}$. Ad Grani Qua- drantem! pro clysmat gr. $\frac{1}{4}$ - $\frac{1}{2}$ ad method. endermic. gr. $\frac{1}{8}$, $\frac{1}{4}$, $\frac{1}{2}$ -2-4-6.	Ammon. succin. gtt. 30, Mosch. gr. 3, Tinct. Op. crocat. gtt. 21 et Syrup.
	<i>Pulvis Ipecacuanhae o-</i> <i>piatus</i> s. <i>Doweri</i> : O-		

Medicam. <i>nomen et orig.</i>	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
	<p>pium, Ipecacuanh. aa dr. 1, Kali sulphur. unc. 2.</p> <p><i>Tinctura simplex s.</i></p> <p><i>Thebaica:</i> Opium, Spirit. Vin. rfts. Aq.</p> <p><i>Tinctura crocata s.</i></p> <p><i>Laudanum liquidum Sydenhami:</i> Opium, Crocus, Caryophylli, Cassia cinnamom., Vin. malacense.</p> <p><i>Tinctura benzoica s.</i></p> <p><i>Elixir paregoricum:</i> Opium, Acid. benzoic., Ol. Anisi, Camphora, Spirit. Vin. rfts.</p> <p><i>Electuarium Theriaca:</i> Opium, Angelica, Valeriana, Serpentaria, Scilla, Zedoaria, Ferr. sulphur., Cardamomum, Caryophylli, Myrrha, Mel. desp.; interne (raro) et externe.</p> <p><i>Massa pilularum e Cynoglosso s. Pilulae opiatae:</i> Opium, radix Cynogloss., Hyoscyamus, Myrrha, Storax, Olibanum, Caryophylli, Cinnamom.</p> <p><i>Emplastrum opiatum s. cephalicum.</i></p>	<p>gr. 10-20. (scrpl. 1=gr. 1 Opium.)</p> <p>gtt. 2-4-8-10-20-30. Ad guttas Triginta! ad Clyisma scrpl. 1.</p> <p>in ead. dos. (dr. 1 continet Opii gr. 6.)</p> <p>Uncia continet. Opii gr. 2½.</p> <p>unc. 1 continet gr. 5. Opii.</p> <p>gr. 7. continent gr. 1. Op.</p>	<p>Papaver. dr. 2 ad cochlear parvum p. d. in variolis nervos. a Richtero maxime laudatur. —</p> <p>In intoxicatione: emeticum, tunc Acid. Citri vel Acetum Vini, Coffea coct., Ol. Terebinthinae, Camphora, Aether.</p>
<p><i>Origanum</i> (herba) a) <i>O. creticum</i> Ori-</p>	<p>Nonnisi pro usu extern. adhib.</p> <p><i>Oleum</i> Origani (cretici) —</p>		<p>Origan. vulgare occurrit in Spec. resolvent.</p>

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
gan. cretic. b) <i>O. vulgare</i> , Cl. 14, ord. 1. Labiatae.	pro <i>liniment.</i> et <i>unguent.</i>		
<i>Paeonia</i> , (radix) <i>Paeonia officinalis</i> . Cl. 13, ord. 2. Ranunculaceae.	<i>Pulvis.</i> <i>Infusum.</i>	scrpl. 1-dr. j. ex unc. $\frac{1}{2}$ -unc. 1. unc. 4-6.	In affectionib. spastic. infantum nec non in morbo caduco laudatur.
<i>Papaver</i> (capita et semen), <i>Papaver somniferum</i> . Cl. 13, ord. 1. Papaveraceae.	<i>Decoctum</i> — (capitum) cum Aq. aut Lact. vaccin. parand., extern. pro cataplas. emollientibus. <i>Emulsio</i> (seminum). <i>Oleum</i> (semin.) — pro <i>emulsion.</i> , <i>liniment</i> et <i>unguent.</i> <i>Syrupus</i> (capit.), <i>Syrupus Papaveris albi</i> s. <i>Diacodion</i> : Capit. Papav., Siliq. dule., rad. Liquirit., Sacchar. albiss.	ex dr. 2-unc. $\frac{1}{2}$ unc. 4-6. ex unc. $\frac{1}{2}$ -1 c. Aq. s. q. ad Col. unc. 6-8. dr. 2-unc. $\frac{1}{2}$ in mixtur.	Pro usu interno nonnisi <i>Oleum Papav. rec.</i> parat. praescribatur. R. Ol. Papav. alb. rec. par. unc. 1, Pulv. Gumm. mimos. dr. 1, Aq. Cerasor. nigr. unc. 4, f. <i>Emulsio</i> , cui adde Syrup. Amygdal. dr. 6. MDS. quavis hora cochlear.
<i>Petroleum</i> , <i>Oleum Petrae</i> .	<i>Merum</i> c. Saccharo. <i>Mixtura</i> (c. Ole. aether., Tinctur. aut Aether.) <i>Externe</i> pro <i>lotionib.</i> (cum fluid. spirituos.), <i>liniment.</i> et <i>unguent.</i>	gtt. 5-10-20 contra taeniam gtt. 20-60. pro mixt. dr. 1-2.	Pro usu externo nonnisi <i>Petrol.</i> , rft. praescribatur. <i>Mixtura Schwarzii</i> contra taeniam latam: R. <i>Petrol.</i> rft. unc. $\frac{1}{2}$, Tinct. As. foetid. dr. 6. MDS. ter quaterve die gtt. 40. <i>Liniment. Richteri</i> contra perniones torpid.: R. <i>Petrol.</i> unc. 1, Liq. Ammon. caust. unc. 2. MDS. Pro <i>liniment.</i>
<i>Petroselinum</i> , (semen) <i>Api-</i>	<i>Aqua</i> — mixt. hydragog. additur.		

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
um Petrose- linum, Cl. 5, ord. 2. Um- belliferae.			
<i>Phellandrium aquaticum,</i> Phell. aqua- tic. L., Cl. 5, ord. 2. Um- belliferae.	<i>Pulvis.</i> <i>Pilulae.</i> <i>Infusum.</i>	scrpl. $\frac{1}{2}$ -1. ex dr. 2-unc. $\frac{1}{2}$. unc. 4-6.	<i>Pulvis Jahnii contra</i> phthis. pulmon.: R. Pulv. semin. Phelland. Sacchar. Lact. aa unc. $\frac{1}{2}$. Gummi Myrrh. dr. 2. Kali sulphurat. scrpl. 2. M. F. Pulvis subtiliss. D. ad scatulam. MDS. ter quaterve d. die cochlear parv. R. Decoct. Lichen. Island. (ex unc. 1.) unc. 6, sub fin. coct. adde Phellan- dr. aquat. unc. $\frac{1}{2}$, refri- gerat. adde Extract. Dulc- amar. dr. 2, Syrup. Bal- sam. peruvian. unc. j. MDS. ter quaterve cochl. cibarium. (In phthis. pul- mon. pituitosa).
<i>Phosphorus,</i> <i>Phosphorus</i> <i>urinosus.</i>	<i>Solutio</i> — in Aether. sul- phur., Spirit. sulph. ae- ther., Ol. animal. aether., Caryophyllor., Terebinthi- nae, Rorismarini, Amyg- dalar. dulc. et Papaveris. <i>Solut. externa pro lini-</i> <i>ment. et unguent.</i> <i>Emulsio.</i>	gr. 1-2 in Aeth. sulph. unc. $\frac{1}{2}$, vel Ol. animal. aether. dr. 2 solut., dentur p. dos. gtt. 1-4. pro solut. exter. gr. 4-8-10 in Ol. Papav. unc. j. gr. 2, cum Ol. Amygd. et Gumm. mimos.	Cav. lucem, ignem, nutri- ment. acid. potusque a- cid., refrigeration.; prae- scribatur semper in vitr. chart. nigr. obtect. — Unc. 1 Aether. solvit gr. 6 Phosphor., Ol. aether. unc. 1 gr. 4-6. (Ol. Terebinth. et Rorismarin. gr. 8., Ol. animal. ae- ther. s. Dippelii gr. 12- 16-20), unc. 1 Ol. A-

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
	<p><i>Aether phosphoratus:</i> Phosphor. gr. 6 in Aeth. sulphur. unc. 1 solut. — pro us. intern.</p> <p><i>Oleum phosphoratum:</i> Phosphor. gr. 12 in Ol. Amygdal. dr. 6 solut. — pro <i>liniment.</i> et <i>un-</i> <i>guent.</i></p> <p><i>Externe</i> in substantia pro <i>moxis.</i></p>	<p>gtt. 12-15-20 c. gutt. non- null, Ol. aether.</p>	<p>mygdal. dulc. vel Papa- ver. gr. 10.</p> <p>Mixtura excitans con- tra febr. nervos. torpidam: R. Phos- phor. gr. 1-2 solv. in Ol. animal. aether. dr. 2, Gumm. mimos. pulv. dr. 3, fiat c. Infus. rad. An- gelic. (ex unc. $\frac{1}{2}$) unc. 6. Emulsio; add. Spirit. sulph. aeth. dr. 1, Syrup. Croc. unc. 1. MDS. bihorio cochlear.</p> <p>Mixtura Loebensteini- Loebelii contra e- pilepsiam: R. Phos- phor. gr. 2 solv. in Ol. animal. aether. dr. 1, Ol. Valer. scrpl 1. MDS. bene mixt. bihorio gtt. 2-5-10 c. Sacchar.</p> <p>Mixtura Sundelinii contra paralysin: R. Phosphor. gr. 1, solv. in Ol. Cajeput. dr. $1\frac{1}{2}$, D. in vitr. chart. nigr. obtect. S. bene mixt. ter d. die gtt. 4-6 c. vino.</p>
<p><i>Pimpinella,</i> (radix) <i>Pim-</i> <i>pinella saxi-</i> <i>fraga, Cl. 5,</i> <i>ord. 2. Um-</i> <i>belliferae.</i></p>	<p><i>Pulvis</i> — aegre praescri- bitur.</p> <p><i>Pilulae.</i></p> <p><i>Electuarium.</i></p> <p><i>Infusum</i> — aquos. et vinos.</p> <p><i>Extractum</i> — in pilul. et solut.</p> <p><i>Tinctura.</i></p>	<p>scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$.</p> <p>ex dr. 2-unc. $\frac{1}{2}$, unc. 4-6.</p> <p>scrpl. $\frac{1}{2}$ - scrpl. 1.</p> <p>gtt. 20-40.</p>	

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	Externe Infusum pro gargarismat.		
Pinus, a) resina, (Resina Burgundica) b) Turionnes, Pinus sylvestris. Cl. 21, ord. 8. Coniferae.	Unguentum Resinae Pini Burgundicae (loco unguent. Althaeae): Resin. Burgund., Cera flava, Adeps Suill. liquefact. Tinctura Pini composita (loco Tinct. Lignorum): Turion. Pin., Lign. Guajac., Sassafras., Bacc. Junip. Vin. rft.	dr. $\frac{1}{2}$ -1.	Turionum Pini vis diuretica et diaphoretica laudatur.
Piper, a) album, b) nigrum. Cl. 2, ord. 3. Urticeae.	Integrum. Pulvis. Pilulae. Infusum. Externe pro epispastico et rubefacient. Piperina.	semin. 5-10. gr. 5-10-20. gr. 1-2-4.	A Domenico Meli et L. Frankio Piperina in febr. intermitt. summopere laudatur.
Plumbum aceteticum, Acetas plumbicus c. Aqua, Saccharum Saturni.	Pulvis. Pilulae. Solutio — intern. et extern. Externe pro collyrio et injectionib.	gr. $\frac{1}{4}$, $\frac{1}{2}$ -gr. 2. pluries d. die Ad granum Unum! ex gr. 3-6 parand. gr. 2 in Aq. unc. 4-6 bihorio vel quav. tert. hora cochlear. gr. 2-4 c. Aq. Ros. unc. 1-2, gr. 3-6-10. c. Aq. unc. 3-4.	Cav. Alkalina, Aq. Calcis, Acid. et Sales, sulphur., phosphor., et tartar., Saponnes, Kali sulphuratum, medicamina adstringentia, mucilaginem sem. Cydoniorum, Gummi Mimosae et Althaeae. Pilulae Koppii contra phthisin pulmon. pituitosam: R. Plumb. acet. gr. 6, Pulv. semin. Phellandr., Extract. Quass. aa dr. 1. M. F. pil. gr. 2, DS bihorio pilulae 2. Pilulae Jahnii contra phthis. pulmon.:

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			<p>R. Plumb. acet. s. q. Aq. destill. solut. gr. 5. Op. pur. gr. 10, Extract. Millefol, Pulv. rad. Liquirit. āā dr. 1. M. F. pil. 60. DS, ter quaterve d. die pil. 3.</p> <p>R. Plumb. acet. gr. 6 - 10 solv. in Aq. dest. unc. 3. Aq. Lauroceras. unc. $\frac{1}{2}$. MDS. pro injection. (in gonorrh. torpid.),</p>
<p><i>Plumbum aceticum basicum, Acetum plumbicum, s. saturninum, Subacetas plumbicus.</i></p>	<p><i>Aqua plumbica s. saturnina</i>, (Acet. plumb. c. Aq. destill. mixt.). <i>Aqua vegeto-mineralis Goulardi</i>, (Acet. plumb., Aq. font., Spirit. Vin. rst.). — <i>Unguentum plumbicum s. saturninum</i>, (Acet. plumb., Unguent. spl.). <i>Cereoli plumbici s. mitigantes.</i></p>		<p><i>Collyrium Rustii</i> contra ophthalmias chronicas: Acet. plumb. gtt. 10, Aq. flor. Sambuc. unc. j. Tr. op. spl. gtt. 20, M.</p> <p><i>Fomentationes Rustii</i> contra pernio- nes recentes: R. Aq. vegeto-mineral. Goulard. unc. 4, Tr. Op. crocat. dr. j.</p> <p><i>Unguentum efficax Schwartzii</i> contra combustiones re- centes: R. Ol. Lin. rec. unc. 8. Album. Ov. 6., Acet. plumb. unc. j. Misc. exactissime u. f. Unguentum.</p>
<p><i>Plumbum carbonicum, Plumbas carbonicus, Ce- russa.</i></p>	<p><i>Unguentum Cerussae s. Unguent. album spl.</i> <i>Unguent. Cerussae camphoratum s. Un- guent. album cam- phoratum.</i></p>		

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
	<i>Emplastrum Cerussae,</i> <i>Emplastr. album coc-</i> <i>tum,</i> (Lytharg. pulv. c., Ol. Olivar. coct., Ce- russ. pulv. et Aq. ad- miscetur). <i>Emplastr. consolidans.</i> (Emplastr. Ceruss., Em- plastr. Lithargyr. spl, Calamina pulv., Mastiche, Thus.).		
<i>Polygala a-</i> <i>mara,</i> (her- ba) P. amara L et P ama- rilla Rei- chenb. Cl. 17, ord. 3. Poly- galeae.	<i>Decoctum.</i>	ex unc. $\frac{1}{2}$ - 1 unc. 6-8.	Cum Lichene Islandic. nupt. contra phthis. pulmon. laudatur.
<i>Pulsatilla,</i> (herba) Ane- mone praten- sis, Class. 13, ord. 7. Ra- nunculaceae.	<i>Pulvis.</i> <i>Pilulae.</i> <i>Infus.</i> — aquos. et vi- nosum. <i>Extractum</i> — in pulv. pil. et solut.	gr. 2-4-6. ex dr. $\frac{1}{2}$ - 1 unc. 4-6. gr. $\frac{1}{2}$ - 1-4 pro solut. dr. $\frac{1}{2}$ in Vin. stib. unc. $\frac{1}{2}$, ter d. die gtt. 20-30.	In amaurosi eximie lauda- tur. Guttae Rustii contra amauros. et cataract. arthri- tic.: R. Extr. Pulsat. gr. 10, solv. in Tinct. Guajac. ammoniat. unc. j. D. ter d. die gtt. 20-60. <i>Pilulae Graefia-</i> <i>nae</i> contra ama- uros.: R. Pulv. Pulsat. dr. j, Ex- tract. Pulsat. q. s. u. f. p. 60. DS. pil. 1-7 per nychthem.
<i>Pyrethrum,</i> (radix) <i>An-</i> <i>themis Pyre-</i> <i>thrum,</i> Cl. 19,	<i>Pulvis.</i> <i>Pilulae.</i> <i>Electuarium.</i> <i>Decoctum</i> pro gargaris.	scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$. ex dr. 2 - unc.	In affectionib. paralytic. praesertim tubi intesti- nal., linguae et degluti- tionis organor. laudatur. —

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
ord. 2. Sy- nanthereae.	et radix integra pro <i>mas- ticatorio</i> .	$\frac{1}{2}$ -unc. 6-8.	
<i>Quassia</i> , (lig- num) <i>Q. ama- ra</i> L., <i>Q. ex- celsa</i> Wright. Cl. 10, ord. 1. <i>Magnoliae</i> .	<i>Pulvis.</i> <i>Pilulae.</i> <i>Infusum</i> — <i>aquosum</i> (frigide et calide parat.) et <i>vinosum</i> . <i>Decoctum.</i> <i>Extractum</i> — in pil., so- lut. et mixtur.	scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$. e dr. 2-4, unc. 4-6. gr. 5-10-20. dr. 1-2 mixtur. addit.	Cav. Plumb. acet. et Ar- gent. nitric. Praescriba- tur semper Rasura Ligni Quassiae. Mix- tura Richteri con- tra acorem prima- rum viarum cum atonia ventriculi: R. Rasur. Ligni Quass. dr. 3, Aq. Calc. unc. 6. Macera saepe agitando per hor. 24; colatur. ex- press, adde Syrup. cort. Aurant, unc. $\frac{1}{2}$. MDS. bihorio cochlear cibarium.
<i>Quercus</i> , (cortex) <i>Quercus pe- dunculata</i> , Cl. 21, ord. 7. <i>Amentaceae</i> .	<i>Decoctum</i> intern. et ex- ternum pro <i>fomentat.</i> et <i>injection.</i>	ex unc. $\frac{1}{2}$ - 1 unc. 6-8.	Unguentum efficax Autenriethii con- tra decubitus: R. Cort. Querc. concis. unc. 1. Coq. c. Aq. font. unc. 8, ad remanent. unc. 4, cui admisce guttando Acet. plumb. quamdiu in- de oritur praecipitatum, quod in bibula filtrum ex- hibente ad consistentiam unguenti tenuioris coque et exsicca per calorem aëris.
<i>Ratanha</i> , (ra- dix) <i>Krame- ria triandra</i> , Cl. 4, ord. 1. <i>Polygaleae</i> .	<i>Pulvis</i> — et form. pul- ver. excipientes. <i>Decoctum.</i> <i>Extractum</i> — in pil., sol. et mixtur. <i>Tinctura</i> — mixturis hae-	scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$. ex unc. $\frac{1}{2}$ - 1 unc. 6-8. scrpl. $\frac{1}{2}$ - scrpl. 1. dr. 1-3. gtt. 30 - 60.	Cav. Alkalia, Aq. Calc., Sal. metall., Sapon., Ge- latinam, Albumen. R: Rad. Ratanh. unc. 1, coq. c. Aq. font. unc. 12, ad remanent. unc 6, adde Mixtur. sulphur. -

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	mostatic, et adstringentibus addit. <i>Externe pro pulv. dentifric. Decoctum pro gargarismat. et injectionib. — Pulvis radice inspergitur. —</i>		acid. dr. j. Syrup. Cinnamom. unc. j. MDS. bihorio cochlear cibari. (contra metrorrhagiam passiv.).
<i>Rheum, (radix) Rheum Emodi Wallich, R. australe Don. Cl. 9, ord. 3. Polygoneae.</i>	<i>Pulvis.</i>	scopo resorbendi gr. 2-4-6-8, scop. purgand, scrpl. 1-dr. j.	<i>Pulvis infant. Hufelandii</i> contra acorem primar. viar., flatulentiam, colic., et diarrh. R. Magnes. carb. unc. $\frac{1}{2}$, Pulv. rad. Rhei dr. 1, Pulv. rad. Valer. scrpl. 1. Elaeosacchar. Foenic. dr. 2, M. F. pulv. D. ad scatulam.
	<i>Pilulae.</i>		
	<i>Bolus.</i>		
	<i>Electuarium.</i>		
	<i>Infusum</i> — aquos. et vinos.	ex dr. 2-3, unc. 4-6.	
	<i>Extract. aquos.</i>	gr. 5-20; scop. purg. scrpl. 2-dr. 2.	<i>Pilulae Hufelandii</i> contra obstruct. habitual.:
	<i>Extract. composit.</i> (Extract. Rhei, Extract. Aloës et Sap. Jalapin.). — utrumque extractum in pilul. et mixtur.		R. Pulv. Rhei, Extract. Tarrax., Sapon. venet., Fel. Tauri inspissat. aa dr. 2. M. F. pil. gr. 2, Consperg. pulv. Cinnamom. DS. Mane et vespere pilul. 10.
	<i>Tinctura aquosa.</i>	dr. 1-unc. $\frac{1}{2}$.	
	<i>Tinct. vinosa s. Darelui:</i> Rheum, cort. Aurant., Cardamomum, Vin. malacense, Sacchar. pulv.	dr. in mixt, dr. 3-4.	
	<i>Syrupus.</i>	unc. $\frac{1}{2}$ -1.	
<i>Rhododendron chrysanthum, (herba) R. chrysanth. Pallas. Cl. 10, ord. 1. Ericaceae R. Brown.</i>	<i>Pulvis.</i>	gr. 1, 5, 10 et paulat. adscendendo usque ad gr. 20.	In rheumatis, inveterat. et paralysi inde orta laudatur.
	<i>Pilulae.</i> <i>Infusum.</i>	ex dr. 2 unc. 4.	

Medicam. <i>nomen et orig.</i>	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
<i>Rhoeas</i> , (fo- lia) <i>Papaver</i> <i>Rhoeas</i> . Cl. 13, ord. 1. Pa- paveraceae.	<i>Infusum.</i> <i>Syrupus.</i>	ex unc. $\frac{1}{2}$ un. unc. 4-6. unc. $\frac{1}{2}$ -1.	
<i>Ribes rubrum</i> , (baccae) <i>R.</i> <i>rubrum</i> L. Cl. 5, ord. 1. Grossulariae De Cand.	<i>Syrupus.</i>	unc. $\frac{1}{2}$ -1.	
<i>Rosa</i> , (flores) a) <i>Rosa incar-</i> <i>nata</i> , (<i>R. cen-</i> <i>tifolia</i> , Cl. 12, ord. 5. Ro- saceae) b) <i>R.</i> <i>rubra</i> , (<i>R.</i> <i>gallica</i> , Cl. et ord. ut su- pra). —	<i>Aqua Rosar.</i> <i>Oleum.</i> <i>Conserva.</i> <i>Acetum.</i> <i>Spiritus.</i> <i>Mel rosatum.</i> <i>Tinctura.</i> <i>Unguentum rosat.</i> s. po- madinum, (<i>Adeps suill.</i> , <i>Cer. flav.</i> , <i>Aq. Rosar.</i>).	gtt. 1-2. pro usu externo unc. $\frac{1}{2}$ -2. in mixt. dr. 1-2.	
<i>Rosmarinus</i> , (herba) <i>R. of-</i> <i>ficinalis</i> L. Cl. 2, ord. 1. Labiatae.	<i>Oleum.</i> <i>Unguentum Rorisma-</i> <i>rini compositum s.</i> <i>nervinum</i> (<i>Rosmarin.</i> , <i>Majorana</i> , <i>Ruta</i> , <i>bacc.</i> <i>Lauri</i> , <i>rad.</i> <i>Pyrethri</i> , <i>Ol.</i> <i>Rorismar.</i> et <i>Junip.</i> <i>A-</i> <i>deps suill.</i> et <i>Seb. ovill.</i>) <i>Spiritus Rorismarini s.</i> <i>Spirit. Anthos.</i> <i>Species aromaticae,</i> (<i>Rorismarin.</i> , <i>Majorana</i> , <i>Thymus</i> , <i>Flor. Lavan-</i> <i>dul.</i> , <i>Caryophyll. aromat.</i>)	gtt. 1-4.	
<i>Rubia</i> , (ra- dix) <i>R. tinc-</i>	<i>Decoctum.</i>	ex unc. $\frac{1}{2}$ -1 unc. 6-8.	In morb. ossium laudatur, praesertim contra cariem

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
torum. Cl. 4, ord. 1. Ru- biaceae.			ossium et in rhachitide spinaque ventosa.
<i>Rubus fru- ticosus</i> , (bac- cae) <i>R. fru- ticosus</i> L. Cl. 12, ord. 5. Rosaceae.	<i>Syrupus.</i>	unc. $\frac{1}{2}$ -1.	
<i>Rubus Idae- us</i> , (baccae) <i>R. Idaeus</i> L. Cl et ord. ut supra.	<i>Aqua.</i> <i>Syrupus.</i>	unc. $\frac{1}{2}$ -1.	
<i>Ruta</i> (herba) <i>R. graveo- lens</i> . Cl. 10, ord. 1. Ruta- ceae.	<i>Infusum</i> — aquos. et vinosum pro <i>gargaris- mat</i> <i>Acetum.</i> <i>Aqua.</i>	ex unc. $\frac{1}{2}$ unc. 4.	
<i>Sabadilla</i> , (semen) <i>Ve- ratrium Saba- dilla</i> . Cl. 6, ord. 1. Col- chiaceae.	<i>Pulvis</i> (pro us. interno ra- rissime adhibetur).; <i>ex- terne</i> inspergitur., et pro <i>unguent.</i> adhibetur.		
<i>Sabina</i> , (her- ba) <i>Junipe- rus Sabina</i> . Cl. 22, ord. 12. Conife- rae.	<i>Pulvis</i> — et form. pulv. excipient. <i>Infusum.</i> <i>Oleum</i> — mer. c. Sac- charo, in <i>emulsion.</i> et <i>mixt.</i> <i>Externe pulv.</i> inspergitur ulcerib. carios. et pro <i>unguent</i> ; <i>decoctum</i>	gr. 5-10 et pau- lat. adscendend. scrpl. 1. ex unc. $\frac{1}{2}$ unc. 6. gtt. 1, mane et vespere et causte adscendendo ad gtt. 4.	<i>Mixtura Koppii</i> con- tra dysmenorrhoe- am et amenorrhoe- am: <i>R. Hb. Sabin.</i> dr. 6, infunde c. <i>Aq. font.</i> fervid. q. s. ad Col. unc. 6. <i>Borac. venet.</i> dr. 1. <i>Sacchar. alb.</i> dr. 6. <i>MDS.</i> quavis hora tertia coch- lear cibarium.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	herbae pro gargarismat.		
<i>Saccharum, Saccharum officinarum.</i> Cl. 2, ord. 3. Gramineae.	<i>Syrupus Sacchari s. simplex.</i>	unc. $\frac{1}{2}$ - 1.	
<i>Salep, (radix) Orchis Morio,</i> Cl. 20, ord. 1. Orchideae.	<i>Decoctum.</i> <i>Mucilago.</i> <i>Gelatina.</i>	exscrpl. 1 unc. 6.	<i>Mixtura Lentinii</i> contra diarrhoeam aphthosam infantum: R. Pulv. rad. Salep. dr. 2, tere c. Aq. fervid. unc. 10; in Colat. solve Borac. dr. $\frac{1}{2}$, Extract. Ligni Campechiani, Extract. cort. Chin. fusc. āā dr. j, Syrup. Alth. unc. 1. MDS. bihorio cochlear parvum.
<i>Salix, (cortex) Salix pentandra et S. fragilis,</i> Cl. 22, ord. 2. Amentaceae.	<i>Pulvis</i> — aegre datur. <i>Decoctum.</i> <i>Extractum</i> — in pil. et solut. <i>Salicinum.</i> Externe Decoct. cortic. pro foment., cataplas. et injectionib.	scrpl. 1 - dr. $\frac{1}{2}$. ex unc. $\frac{1}{2}$ - 1 unc. 6 - 8. scrpl. $\frac{1}{2}$ - 2. gr. 6-8 pluries de die.	<i>Salicinum</i> in febr. intermitt. laudatur.
<i>Salvia, (herba) S. officinalis.</i> Cl. 2, ord. 1. Labiatae.	<i>Infusum</i> — aquos. et vinos. — extern. pro gargarismat. <i>Aqua.</i> <i>Aq. aromatica:</i> Salv., Rosmarin., Menth. ppt., Lavandul., Foenicul., Cassia cinnamom., Spirit. Vin. rfts. et Aq. font.	ex unc. $\frac{1}{2}$ - 1 unc. 4-6.	

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
<p><i>Sambucus</i>, (flores) <i>S. ni-</i> <i>gra</i>. Cl. 5, ord. 2. <i>Capri-</i> <i>foliaceae</i>.</p>	<p><i>Infusum</i>. <i>Aqua</i>. <i>Succus inspissatus</i> (<i>Roob Sambuci</i>) pro <i>Species resolventes</i>: <i>Sambuc.</i>, <i>Chamomill.</i>, <i>Me-</i> <i>liss.</i>, <i>Origanum vulgare</i>, <i>Lavandula</i>. Externe infusum flor. pro <i>gargarismat.</i>, <i>inject.</i>, <i>fomentat.</i></p>	<p>ex unc. $\frac{1}{2}$ unc. 4-6. unc. $\frac{1}{2}$ - 1 in mixt. electu- ar. et in mixt.</p>	<p>Mixtura Rustii con- tra hydrop. acutum: <i>R. Roob. Sambuc.</i>, <i>Roob</i> <i>Junip. Syrup. Spin. cer-</i> <i>vin. MDS.</i> ter quaterve d. die cochlear cibar.</p>
<p><i>Sapo</i>.</p>	<p><i>Pilulae</i>. <i>Electuarium</i>. <i>Solutio</i>. <i>Sapo medicatus</i> (Liq. <i>Natr. caustic.</i> p. 1, c. <i>Ol. Provincial.</i> recent. p. 2.). <i>S. Hispanicus, Alican-</i> <i>tinus s. Venetus</i> (Liq. <i>Natr. caustic.</i>, <i>Ol. Olivar.</i>) <i>S. cosmeticus</i> (Sap. <i>Hispanic.</i> pulv., <i>Rad. I-</i> <i>rid. florent.</i>, <i>Ol. Lavan-</i> <i>dul.</i>, <i>Ol. Bergamott.</i>). <i>S. aromaticus pro Bal-</i> <i>neis</i> (<i>S. Hispan.</i>, <i>Rad.</i> <i>Irid. florent.</i>, <i>Balsam.</i> <i>Peruvian.</i>, <i>Ol. Bergamott.</i>, <i>Ol. Lavandul.</i>, <i>Ol. Ci-</i> <i>tri.</i>). <i>Spiritus saponatus</i> (Sap. <i>Hispan.</i>, <i>Spirit. Vin. rft.</i>, <i>Aq. Rosar.</i>) pro <i>lotio-</i> <i>nib.</i> et <i>liniment.</i> <i>Emplastrum saponatum</i>, <i>E. saponat. Barbet-</i> <i>tii</i> (Emplastr. <i>Lithargyr.</i></p>	<p>gr. 5-10-20 p.d.</p>	<p>Pro usu interno nonnisi sa- po medicat. praescriba- tur. — Cave <i>Aq. fon-</i> <i>tis</i>, <i>Acida</i>, <i>succus vege-</i> <i>tabil. acidus</i>, <i>Sales aci-</i> <i>dos</i>, <i>sal. metallic.</i>, <i>Aq.</i> <i>Calcis</i>, <i>medicamina ad-</i> <i>stringentia</i>. Optime cum <i>amaris</i> jungitur. <i>Pilulae Vogelii</i> con- tra hepatis obstruc- tionem: <i>R. Sap. me-</i> <i>dicat.</i> dr. 6. <i>Extract.</i> <i>Tarax.</i> unc. $\frac{1}{2}$, <i>Gumm.</i> <i>Ammoniac.</i> dr. $\frac{1}{2}$, <i>Sy-</i> <i>rup. spl. q. s. u. f. Pi-</i> <i>lul.</i> gr. 2. <i>D. S.</i> ter de die pilul. 10. <i>Pilulae solventes et</i> <i>antispasmodicae</i> <i>Jahnii.</i>: <i>R. Sap. med.</i> <i>dr. 3</i>, <i>As. foetid.</i>, <i>Fell.</i> <i>Taur. inspissat.</i> āā dr. 1. <i>M. F. Pilul.</i> gr. 2. Ca- piat aeger bis de die pi- lul. 10. —</p>

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	spl., Cer. flav., Sap. Hispan., Camphor. in pauxill. Ol. Olivar. solut.).		
<i>Sapo stibiat- us, Sapo antimonialis.</i>	<i>Pilulae.</i> <i>Liquor Saponis stibiat- ti, Sulphur auratum liquidum, Tinctura Antimonii Jacobi</i> (Sulphur stib. aurant. in Liquor. Kali caustic. solut., Sap. medicat., Spirit. Vin. rftiss., Aq. destillat.) mer. aut in mixtur.	gr. 3-6-10. gtt. 10-15-20. dr. $\frac{1}{2}$ -1.	<i>Pilulae Richter</i> contra arthritidem: R. Sapon. stibiat., Resin. Guajac. āā dr. 3. Extract. Aconit. gr. 6. M. F. Pil. gr. 2. L. Capiat aeger ter de die pil. 10.
<i>Saponaria,</i> (radix) S. officinalis. Cl. 10, ord. 2. Caryophylleae.	<i>Decoctum.</i> <i>Succ. rec. express.</i> <i>Extractum</i> — in pilul., solut. et mixtur.	unc. 2 ad Col. libr. 2. scrpl. 1-dr. 1. scrpl. $\frac{1}{2}$ -2. in mixtur. dr. 2-3.	Occurrit in Spec. ad Decoct. Lignorum.
<i>Sarsaparilla,</i> (radix) <i>Smilax syphilitica.</i> Cl. 12, ord. 6. Smilacae.	<i>Pilulae.</i> <i>Decoctum.</i>	ex unc. $\frac{1}{2}$ unc. 8.	<i>Decoctum Felsii</i> contra luem vener.: R. Rad. Sarsaparill. unc. 3, Gumm. Mimos. unc. 2, Icthyocoll. dr. $1\frac{1}{2}$, Stib. sulphurat. nigri (in saccul.) unc. 4, coq. c. Aq. font. libr. 6, ad remanent libr. 3, Cola.
<i>Sassafras,</i> (lignum) <i>Laurus Sassafras.</i> Cl. 11, ord. 1. Laurineae.	<i>Infusum.</i> <i>Decoctum.</i> <i>Oleum.</i>	ex unc. $\frac{1}{2}$ unc. 8. gtt. 1-4.	Occurrit in speciebus ad Decoct. Lignorum; contra syphilit. laudatur.
<i>Scammonium Halepense,</i> (Succ. aëre	<i>Pulvis.</i>	gr. 1-3. Ad granum Unum!	Nunc rarissime adhibetur.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
indensat) Convolvulus Scammonium. Cl. 5, ord. 1. Convolvula- ceae.	<i>Pilulae.</i> <i>Electuarium.</i> <i>Emulsio.</i>		
<i>Scilla</i> , (ra- dix) <i>S. mari-</i> <i>tima</i> . Cl. 6, ord. 1. <i>As-</i> <i>phodeleae</i> Juss., <i>Lilia-</i> <i>ceae</i> Rich.	<i>Pulvis.</i> <i>Pilulae.</i> <i>Bolus.</i> <i>Electuarium.</i> <i>Infusum</i> — vinosum. <i>Decoctum.</i> <i>Extractum</i> , in pil., so- lut. et mixtur., et am externe ad method. endermatic. <i>Tinctura Scillae - ka-</i> <i>lina</i> (<i>Scill.</i> , <i>Kali caust.</i> sicc., <i>Alkohol</i>). <i>Acetum</i> — ad satur. <i>Oxymel.</i> Externe radix pro <i>ungu-</i> <i>ent.</i>	gr. 1-2-3. Ad Grana Tria! ex dr. 1 unc. 6 ex dr. $\frac{1}{2}$ unc. 6. gr. $\frac{1}{2}$ -1 et ad- scendendo ad gr. 3-4. gtt. 10-20. gtt. 20-60. dr. 1-2 in mixt. unc. $\frac{1}{2}$ -1.	<i>Pilulae scilliticae</i> <i>Hufelandii</i> contra hydrop. <i>R. Sap. me-</i> <i>dicat.</i> unc. 1, <i>Gumm.</i> <i>Ammoniac.</i> , <i>Milleped. prae-</i> <i>parat.</i> , rad. <i>Scill.</i> pulv. <i>aa</i> unc. $\frac{1}{2}$, <i>Bals. Co-</i> <i>paiv.</i> q. s. u. f. <i>Pil.</i> gr. 2, <i>Consp. pulv. Cinna-</i> <i>mom.</i> <i>Capiat aeger mane</i> <i>et vespere pilul. 2.</i> <i>Pilulae antihydropsi-</i> <i>cae Heimii</i> : <i>R. Pulv.</i> rad. <i>Scill.</i> , <i>Extract.</i> <i>Pim-</i> <i>pinell.</i> , <i>Sulphur. stib. au-</i> <i>rant.</i> , <i>Gummi Gutt.</i> <i>aa</i> <i>scrpl. 2.</i> <i>M. F. Pil.</i> gr. 2. <i>D. S. bihorio pil. 1.</i> <i>Pulvis diureticus</i> <i>Quarinii</i> : <i>R. Pulv.</i> rad. <i>Scill.</i> gr. 10, <i>Kali</i> <i>nitric.</i> , <i>Bacc. Juniper.</i> <i>Pulv. rad. Zingiber.</i> <i>aa</i> <i>dr. 1.</i> <i>M. F. Pulv. di-</i> <i>vidat. in part. aequal. 9.</i> <i>DS. ter de die pulv. 1.</i>
<i>Scordium</i> , (herba) <i>Teu-</i> <i>crium Scor-</i> <i>dium</i> . Cl. 14, ord. 4. <i>La-</i> <i>biatae.</i>	<i>Infusum</i> — intern. et ex- tern. pro <i>gargarismat.</i>	ex unc. $\frac{1}{2}$ unc. 4.	

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Secale cornutum</i> , (morbos. secal. cereal., excrecentia semin. Cl. 3, ord. 2. Gramineae.)	<i>Pulvis.</i> <i>Pilulae.</i> <i>Infusum.</i> <i>Decoctum.</i>	gr. 5 - 10. ex dr. 1 unc. 4.	R. Secal. cornut. dr. 1, Op. pur. gr. 3. M. F. Pulv. Div. in part. aeq. 10. DS. tertia hora pulvis (Atlee contra metrorrhag. profus.) R. Secal. cornut. dr. $\frac{1}{2}$ -1. Infund. c. Aq. font. fervid. s. q. ad Colat. unc. 4. Syrup. Chamomill. unc. $\frac{1}{2}$. MDS. hora dimidia cochlear. (Prescot).
<i>Senega</i> , (radix) Polygala Senega. Cl. 17, ord. 3. Polygaleae.	<i>Pulvis.</i> <i>Pilulae.</i> <i>Infusum.</i> <i>Decoctum</i> intern. et extern. pro gargarismat.	scrpl. $\frac{1}{2}$ -dr. $\frac{1}{2}$. ex dr. 2 unc. 4. ex dr. 2-unc. $\frac{1}{2}$ unc. 4-6.	Pulvis Richterianus contra pneumoniam typhosam: R. Pulv. rad. Seneg. Sacch. alb. āā gr. 15, Camphor. trit. gr. 3. M. F. Pulv. Dental. dos. 6. DS. Quavis tertia hora pulvis.
<i>Senna</i> , (folia) Cassia lanceolata Forskäl et Nees (Cassia obtusata Hayne) Cl. 10, ord. 1. Leguminosae.	<i>Pulvis</i> — raro in usu. <i>Infusum.</i> <i>Tinctura.</i> <i>Electuarium e Senna.</i> <i>E. lenitivum</i> , (Senna, Caricae, Pulpa Tamarindor., Anis. stellat.) <i>Infusum Sennae compositum s. Aqua laxativa Vienens.</i> (Senna, Manna, Tartar. natronat., Elaeosacchar. Citri). — <i>Syrupus.</i>	scrpl. 1-dr. 1. ex dr. 2-unc. $\frac{1}{2}$, unc. 4-6. in mixtur. dr. $\frac{1}{2}$ -1. scrpl. 1-dr. 1. unc. 1-2 in mixt. unc. $\frac{1}{2}$ -1. in mixt. unc. $\frac{1}{2}$ -1.	Praescribantur folia Sennae sine stipitibus; infusum facile ventris tormina provocat, quam ob rem una c. semin. Carvi praescribatur. — Optimum Electuarii corrigens: Elaeosaccharum Citri. — Mistura laxativa P. Frankii: R. Fol. Senn. dr. 2, Pulv. rad. Rhei dr. 1, infunde cum Aq. fervid. s. q. ad Col. unc. 6, Magnes. sulph. unc. $\frac{1}{2}$, Mann. elect. unc. 1. M.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			D. S. Quavis hora cochlear cibari.
<i>Serpentaria</i> , (radix) <i>Aristolochia Serpentina</i> . Cl. 20, ord. 6. <i>Aristolochiae</i> .	<i>Pulvis</i> — et form. pulv. excipientes. <i>Infusum</i> — intern. et extern. pro <i>gargarismat.</i>	scrpl. $\frac{1}{2}$ -1. ex unc. $\frac{1}{2}$ unc. 4.	In febrib. nervos. cum torpore laudatur.
<i>Serpyllum</i> , (herba) <i>Thymus Serpyllum</i> . Cl. 14, ord. 1. <i>Labiatae</i> .	<i>Infusum</i> . <i>Spiritus</i> . Externe pro <i>foment.</i> et <i>lotionib.</i>	ex unc. $\frac{1}{2}$ -unc. 4.	
<i>Simaruba</i> , (cortex) <i>Quassia Simaruba</i> . Cl. 10, ord. 1. <i>Magnoliae</i> .	<i>Pulvis</i> — raro adhibetur. <i>Decoctum</i> .	scrpl. $\frac{1}{2}$ - dr. $\frac{1}{2}$. ex unc. $\frac{1}{2}$ unc. 4-6.	In diarrhoeis et dysenter. asthenic. laudatur. R. Cort. Simarub. unc. $\frac{1}{2}$. Lichen. Islandic. unc. 1. Coq. c. Aq. font. libr. $1\frac{1}{2}$, ad remanent. libr. 1. Tinct. aromat. unc. $\frac{1}{2}$, Syrup. cort. Aurant. unc. $1\frac{1}{2}$. MDS. ter quaterve d. die cochlear (Vogel).
<i>Sinapis nigra</i> , (semen) Cl. 14, ord. 2. <i>Cruciferae</i> .	<i>Pulvis</i> . <i>Infusum</i> — aquos., spirituos., vel vinos. <i>Sinapismus</i> , (<i>Sinap. nigra</i> , Farina Secal., Acetum). Externe pro <i>rubefaciente</i> , <i>gargarism.</i> , <i>cataplasm.</i> , <i>lotion</i> et <i>balneis</i> .	dr. $\frac{1}{2}$ - 1. ex dr. 2 unc. 4-6.	<i>Sinapismus acerrimus Sundelinii</i> : Farin. Secal. unc. $\frac{1}{2}$, Pulv. Sinap. nigr. unc. $1\frac{1}{2}$. Liq. Ammon. caust. q. s. u. f. Cataplasma. <i>Unguentum P. Frankii</i> contra ephelides et lentigines: R. Pulv. semin. Sinap. subtiliss. unc. 3. Ol. Amygdal. dulc. unc. $\frac{1}{2}$, Succ. Citr. rec. q. s. u. f. Unguentum.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			Cataplasma acre Kerndlianum ad res- solvend. et maturan- dos bubon. syphi- litic.: R. Sapon. nigr. unc. 3, Aq. fervid. unc. 11. Ebulliat per breve tempus; tunc adde Ce- par. sub cinere assatar. unc. 3, Pulv. semin. Si- nap. unc. $\frac{1}{2}$. Ebulliat massa per breve tempo- ris spatium, saepius agi- tando.
<i>Spina cervi- na</i> , (baccae) <i>Rhamnus ca- tharticus</i> . Cl. 5, ord. 1. <i>Rhamneae</i> .	<i>Syrupus Spin. cervin.</i> (<i>S. domesticus</i>).	unc. $\frac{1}{2}$ -1, mixt. hydragog. addit.	<i>Syrupus</i> in hydropse laudatur.
<i>Spongia usta</i> , (s. officina- lis) <i>Zoophyt.</i>	<i>Pulvis.</i> <i>Decoctum.</i>	scrpl. $\frac{1}{2}$ -1. ex unc. $\frac{1}{2}$ -1 unc. 6-8.	<i>Pulvis Rustii</i> contra strumam et scro- phulosin.: Carb. <i>Spong.</i> unc. $\frac{1}{2}$, <i>Pulv.</i> <i>herb. Digit.</i> gr. 4-8, <i>Elaeosacchar. Foenicul.</i> dr. 2. M. F. <i>Pulv.</i> di- vid. in part. aeq. 12. Det. ad chart. cerat. S. Capiat aeger per nycti- hemer. pulv. 3.
<i>Stibium mu- riaticum.</i>	<i>Liquor Stibii muriatici,</i> <i>Liquor Chloreti Sti- bii. Butyrum Antimo- nii</i> — non nisi externe pro caustic. adhibetur.		
<i>Stibium sul- phuratum ni-</i>	<i>Pulvis.</i>	gr. 5-10-15 et paulat. ad gr. 30.	Cav. Acida, Sales acidos.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>grum laevigatum, Sulphuretum Stibii nigrum, Antimonium crudum prae- paratum.</i>	<i>Pilulae.</i> <i>Bolus.</i> <i>Trochisci.</i> <i>Morsuli antimoniales Kunkelii:</i> Stib. sulphur. nigr., Amygdal. dulc. excort., Cassia Cinnamom., Cardamom. min.	Morsula continet Stib. sulph. nigr. gr. 15.	Succ. vegetab. acidus, Alkalia caustic. <i>Pilulae antarthriticae Stollii:</i> R. Stib. sulph. nigr. laevigat. unc. $\frac{1}{2}$, As. foetid. dr. $1\frac{1}{2}$, Extract. Conii macul. dr. 1. Extract. Aconit. dr. $\frac{1}{2}$. M. F. Pilul. gr. 2. Capiat aeger bis de die pilul. 8.
<i>Stramonium, (herba et semen) Datura Stramonium. Cl. 5, ord. 1. Solaneae.</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Extractum</i> — in pulv., pil. et solut. <i>Tinctura</i> (e semine). <i>Externe pro unguent.</i>	gr. $\frac{1}{2}$ -2-4. Ad Grana Quatuor! gr. $\frac{1}{4}$, $\frac{1}{2}$ -2. Ad Grana Quatuor! gtt. 10-15-20. Ad Guttas Viginti!	In rheumatis, inveterat, prosopalgia et mentis alienationib. laudatur.
<i>Styrax calamita, (succ aëre indensat.) Styrax officinalis. Cl. 10, ord. 1. Styracaeae Rich.</i>	Nonnisi ad suffiendum et pro unguent. adhibetur.		
<i>Styrax liquidus, (succus aëre indensat.) Liquidambar styraciflua. Cl. 21, ord. 4. Amentaceae.</i>	<i>Unguentum Styracis,</i> (Styrax, Elemi, Cera flav., Colophonium, Ol. Olivar.)		
<i>Succinum s.</i>	<i>Oleum Succini rft.</i> —	gtt. 5-10-20.	Acid. succin. cum dos lar-

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Electrum, Ambra flava.</i>	<p>Merum sacchar. instillat. vel in Spirit. sulph. - aether. solut.</p> <p><i>Tinctura.</i></p> <p><i>Acidum succinicum depuratum, Sal Succini dep. — in pulv. et solut.</i></p> <p><i>Species ad suffiendum:</i> Succin., Benzoe, Thus, Lavandula.</p>	<p>serpl. 1 - dr. 1, c. tinct. Valer., Castor. vel Spirit. sulph. - aether.</p> <p>gr. 5-10-20 vel dr. 1 in Aq. Cinnam. unc. 4.</p>	<p>giori moschi administrat. contra gangraenam senilem a Lentinio laudatur.</p>
<p><i>Sulphur depuratum:</i> a)</p> <p><i>Sulphur sublimatum</i> s.</p> <p>Flores Sulphuris, b) S.</p> <p><i>praecipitatum</i> s. Lac Sulphuris.</p>	<p><i>Pulvis.</i></p> <p><i>Pilulae.</i></p> <p><i>Electuarium.</i></p> <p><i>Bolus.</i></p> <p><i>Trochisci.</i></p> <p><i>Oleum Lini sulphuratum.</i></p> <p><i>Ol. Terebinthinae sulphuratum.</i></p> <p><i>Unguent. sulphurat. spl.</i></p> <p><i>Unguent. sulph. composit. s. Unguentum ad Scabiem,</i> (Sulph., Zinc. sulphur., Adeps Suill.).</p> <p><i>Emplastrum sulphuratum, E. nigrum sulphurat.;</i> (Ol. Lini sulphurat., Resin. Guajac., Myrrha, Ammoniac., Galban., Sagapen., Terebin-</p>	<p>gr. 3-6-10-15, scopo purgandi serpl. $\frac{1}{2}$-1.</p> <p>pro usu externo.</p>	<p>In affectionib. catarrhal. infant. a Koppio laudatur.</p> <p><i>Unguentum Hufelandii</i> contra scabiem: R. Sulphur. dep. unc. 1, Ammon. mur. dr. 1. Adip. Suill. unc. 2, M. F. Unguentum.</p>

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
	thin., Camphor. in Ol. Olivar. solut.). — Externe ad <i>unguent.</i> et <i>liniment.</i> , <i>lotion.</i> , <i>bal- nea</i> et <i>fumigationes</i> .	dr. 1 c. pin- gued. unc. 1.	
<i>Sulphur sti- biatum auran- tiacum, Sul- phur Antimo- nii auratum. Subbisulphu- retum Stibii.</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Mixtura.</i> <i>Linctus.</i>	gr. $\frac{1}{4}$, $\frac{1}{2}$ et pau- lat. adscendendo ad gr. 1-2, bis terve d. die. gr. 3-6, in Aq. unc. 4-6.	Cav. Acida, succ. vegeta- bil. acid., Sales acidos. Alkalina, Saponos et me- dicamina adstringentia. Pilulae Berendsia- nae fortiter resol- ventes et expecto- rantes: R. Pulv. rad. Seneg. dr. 2, Ammoniac. dep. dr. $1\frac{1}{2}$, Sulph. stib. aur. dr. $\frac{1}{2}$, Pulv. rad. Scill. gr. 15. Extract. Tarax. liquid. q. s. u. f. Pil. 150. Consp. pulv. Irid. florent. DS. ter die pil. 5-6.
<i>Sulphur sti- biatum rube- um, Kermes minerale. Sulphuretum Stibii rubeum, Pulvis Car- thusianorum.</i>	<i>Pulvis</i> et formae pulver. excipientes. <i>Linctus.</i>	gr. $\frac{1}{4}$ - $\frac{1}{2}$ et pau- lat. ad gr. 1-2. e gr. 3-4 pa- rand.	<i>Pulvis expectorans Quarini:</i> R. Sulph. stib. rubr. gr. j, Extract. Liquirit. gr. 3, Sacchar. alb. scrpl. 1. M. F. Pulv. dentur tales dos. n. 6. S. bis de die pulvis.
<i>Sulphuretum Calcii cum Subbisulphu- reto Stibii et Sulphato cal- cico, Calx An- timonii cum Sulphure,</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Solutio.</i> <i>Aqua sulphurato-stibia- ta:</i> Calcar. sulphur. stib. cum Aq. font. coct.	gr. 3-6, pluries d. die. Capiat aeger se- cund. Hu fe- land. ter qua- terve de die libr. 1-2-4 cum	Cav. ut supra. R. Calcar. sulph. stibiat. dr. $\frac{1}{2}$. Mu- cilag. Gummi Tragacanth. q. s. u. f. Pilul. 60. D. ad vitr. bene clausum S. bis de die pilul. 5. (Hu- feland.)

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
<i>Calcaria sul- phurato-sti- biata.</i>		juseul. carn. aut lact. vaccin.	
<i>Tamarindus,</i> (fructus) Ta- marind. indi- ca Cl. 16, ord. 1. Legumino- sae.	<i>Decoctum.</i> <i>Pulpa Tamarindorum</i> — in solut. et pro electuar <i>Serum Lactis tamarin-</i> <i>dinatum.</i>	unc. 2 cum unc. 12 Aq. ad re- manent. unc. 6. unc. $\frac{1}{2}$ - 1, in mixt. unc. 2-3.	Occurrunt Tamarindi etiam in Electuario e Senna. R. Pulp. Tamarind. unc. 3. Mann. elect. unc. 1, solv. in Aq. Chamomill. unc. 1. MDS. quav. hor. coch- lear. 2 (Selle).
<i>Tanacetum,</i> (herba et flor.) T. vul- gare. Cl. 19, ord. 2. Co- rymbiferae.	<i>Pulvis</i> — et form. pulver. excipient. <i>Infusum.</i> <i>Oleum</i> — pro liniment. et unguent. <i>Externe</i> herba pro fo- ment., clysmat et un- guent.	scrpl. 1 - dr. 1. ex unc. $\frac{1}{2}$ unc. 4-6. gtt. 3-6.	<i>Pulvis anthelmint.</i> <i>Rosensteinii:</i> R. Flor. Tanacet., Semin. Cin. āā dr. 1, Ferr. sulph. cryst. scrpl. 2, Ol. Valer. gtt. 10. S. mane et vesp. pulvis. <i>Unguentum anthel-</i> <i>mint. Dörfffurtii:</i> R. Extract. nuc. Jugland. Fel. Taur. inspissat. āā scrpl. 4, Adip. suill. unc. 1, leni calore mixtis et refrigeratis adde Ol. Ta- nacet. scrpl. 1. F. Un- guentum.
<i>Taraxacum,</i> (herba et ra- dix) Leonto- don Taraxa- cum. Class. 10, ord 1. Corymbife- rae.	<i>Decoctum.</i> <i>Succus rec. express.</i> <i>Extractum</i> (radicis). <i>Extract. liquidum</i> s. <i>Mellago Taraxaci</i> — utrumque extract. in pi- lul., solut. et mixtur.	ex unc. 1-2 libr. $1\frac{1}{2}$ -3. unc. 2-4 c. al. succ. rec. ex- press. unc. $\frac{1}{2}$ - dr. 6. unc. $\frac{1}{2}$ - unc. 1.	<i>Pilulae Richteri re-</i> <i>solventes contra</i> <i>hepat. indurat. et</i> <i>icterum:</i> R. Extract. Tarax., Gummi Ammo- niac. āā dr. 3, Sapon. venet. dr. 2, Extract. Chelidon. dr. 1. M. f. Pil. gr. 2, Consp. pulv. rad. Rhei. DS. ter de die pil. 10-20. <i>Mixtura Vogeli</i> <i>contra stases ab-</i>

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			dominal, affection. chronic. hepat. et haemorrhoides: R. Kali tartar. dr. 3, solv. in Aq. flor. Sambuc. unc. 6, Extract. Tarax. liquid. Extract. Gramin. liquid. āā unc. $\frac{1}{2}$, Oxymell. spl. unc. 2. MDS. bihorio cochlear.
Tartarus ammoniatus, Tartras kalico-ammonicus.	Solutio.	dr. $\frac{1}{2}$ -dr. 1.	
Tartarus boraxatus, Cremor Tartari solubilis.	Solutio.	solvendo scrpl. $\frac{1}{2}$ -dr. $\frac{1}{2}$, laxando unc. 1-unc. $1\frac{1}{2}$.	Cav. Sapon., Kali sulphurat., Sales metallic. Mixture hydragoga Bangii: R. Tart. boraxat. dr. 6, solv. in Aq. Petroselin. unc. 6, Spirit. nitr. aether. dr. 2, Oxymell. scillit. unc. 1. MDS. bihorio cochlear.
Tartarus depuratus, Cremor Tartari, Crystalli Tartari, Kali tartaricum acidulum, Bitartras kalicus c. Aqua.	Pulvis. Electuarium. Solutio. Mixtur. addit. Externe pro pulv. ophthalmic. et dentifricio.	solvendo scrpl. $\frac{1}{2}$ -1, laxando unc. $\frac{1}{2}$ -1. dr. 3-6.	R. Tart. dep. unc. $\frac{1}{2}$, Sulph. dep. dr. 2, Elaeosacch. Foenic. dr. 1. M. F. P. Det. ad scatul. S. ter de die cochl. parv. (contra haemorrhoides). Electuarium hydragogum Weikardii: R. Tart. dep. dr. 2-unc. $\frac{1}{2}$, Pulv. rad. Jalapp. dr. 1, Succ. Sambuc. inspissat., Oxymell. scillit. āā dr. 6. M. F.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
			<p>Electuarium. DS. bihorio cochl. parv. 3-4.</p> <p>Serum Lactis dulcificatum Pharmacop. Boruss.: R. Lact. vaccin. libr. 3, ebulliant in vase figulino, tunc admisce Tart. dep. dr. 1, Coagulatione peracta liquorem semirefrigeratum cola, et cum Albuminis ovorum in spumam reducto q. s. ad albuminis coagulationem usque coque et filtra; Colat. adde Conch. ppt. q. s. ad neutralisationem acidi et filtra.</p>
<p><i>Tartarus natronatus, Kali natronato-tartaricum, Tartras natricus c. Aqua, Sal Seignette.</i></p>	<p><i>Pulvis.</i></p> <p><i>Electuarium.</i></p> <p><i>Solutio.</i></p>	<p>solvendo scrpl. $\frac{1}{2}$-1, laxando unc. $\frac{1}{2}$-1.</p> <p>unc. 1-1 $\frac{1}{2}$ in Aq. unc. 4-6.</p>	<p>Cav. Acida et Sal. acid. Occurrit etiam in Infus. Senn. composit. R. Pulv. folior. Senn. dr. 2, Tart. natronat. siccato, unc. $\frac{1}{2}$, Flaved. cort. Aurant., Sacchar. alb. aa dr. 3. M. F. Pulv. Divid. in part. aequal. 18. DS. ter quaterve d. die pulvis (Vogel.) —</p>
<p><i>Tartarus stibiatu, T. emeticu, Tartras kalico-stibicu.</i></p>	<p><i>Pulvis.</i></p>	<p>solvendo (in dos. refract.)-gr. $\frac{1}{16}$, $\frac{1}{8}$, $\frac{1}{4}$-gr. $\frac{1}{2}$; ter quaterve d. die; nauseam provocando gr. $\frac{1}{2}$-1 $\frac{1}{2}$; vomendo gr. 3-4.</p>	<p>Cav. Aq. font., Sulphur., Kali sulphurat., medicamina adstringentia (excepto cortice Chinae). In largiori dosi (gr. 6-8, in Aq. dest. unc. 6) novissime a Peschiero in pneumon. (venaesectione facta) commendatur. Un-</p>

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<p><i>Pilulae.</i> <i>Solutio.</i></p> <p><i>Vinum stibiatum, Vinum Antimonii Huxhami s. Aqua benedicta Rulandi:</i> (Tart. stib. in Vin. malacens. solut.)</p> <p><i>Unguentum Tartari stibiatum:</i> (Tart. stib. unc. $\frac{1}{2}$, Adip. suill. unc. 2).</p> <p><i>Solutio externa pro foment., lotion., balneis, injection, collyr. et clysmat.</i></p>	<p>gr. 1-4-6 in Aq. unc. 3-6.</p> <p>excitando gtt. 10-20-30, vomendo unc. $\frac{1}{2}$-1.</p> <p>Drachma continet Tart. stibiat. gr. 12.</p> <p>pro inject. gr. 2 c. Aq. unc. $\frac{1}{2}$, pro collyr. gr. 2-3 c. Aq. unc. 1, pro clys. gr. 3-6.</p>	<p>guentum Tartar. stibiat. capiti raso infricatum contra mentis alienationes eximie laudatur; pustulae variolis similis inde exoriuntur praesertim in genitalibus.</p> <p>Mixtura efficax Richteri contra pleuresiam venaesectione instituta; R. Tart. stib. gr. 3, Kali nitr. dr. 3, solv. in Infus. Sambuc. unc. 9. Quavis horra, et subsequente vomitu bihorio cochlear cibarium.</p> <p>Mixtura Thilenii contra rheumatismum calidum: R. Kali dep. dr. 2-unc. $\frac{1}{2}$, Aq. flor. Sambuc. unc. 5, Tart. stib. gr. $1\frac{1}{2}$-3, Oxymell. spl. unc. $\frac{1}{2}$. MDS. bihorio cochlear. —</p> <p>Pilulae antarthriticae Pharmacop. paup. Hamburgens.: R. Tart. stib. s. q. Aq. destill. solut. gr. 3, Extract. Aconit. dr. 1, Resin Guajac., Sap. hispan. aa dr. 2, M. F. Pil. gr. 2. DS. ter d. die pil. 10.</p>
<p><i>Tauri Fel,</i> (recens) <i>Bilis bovina.</i></p>	<p><i>Solutio.</i></p> <p><i>Fel Tauri inspissatum</i> — in pilul., solut. et mixt.</p>	<p>dr. 1-unc. $\frac{1}{2}$ in Aq. Menth. ppt. scrpl. 1-dr. 1.</p>	<p>Cav. Acida et Sales acidos.</p> <p>Pilulae Weikardii contra atoniam pri-</p>

Medicam. nomen et orig.	Forma et Prae- parata.	Dosis.	Adnotationes practicae.
	<i>Externe pro collyr., un- guent. ophthalmic., liniment., unguent. et clysmat.</i>		marum viarum in hypochondriasi: R. Fel. Tauri inspissat. unc. $\frac{1}{2}$, Extract. Gentian., Cen- taur. min. aā dr. 2, Pulv. rad. Rhei q. s. u. f. pil. gr. 2. DS. ter de die pil. 8-10.
<i>Terebinthi- na, a) T. com- munis (Pinus sylvestris) b) T. laricina s. veneta (Pinus La- rix). Cl. 15, ord. 5. Co- niferae.</i>	<i>Pilulae.</i> <i>Electuarium.</i> <i>Emulsio.</i> <i>Externe pro clysmat., unguent. et emplas- tris.</i> <i>Unguentum Terebin- thinae</i> (Unguentum di- gestivum): Terebinth. ve- net., Mel., Ol. Olivar., Aloe. — <i>Merum saccharo instillatum.</i> <i>Electuarium.</i> <i>Emulsio.</i> <i>Mixtur. addit.</i> <i>Externe pro lotionib. et liniment.</i> <i>Oleum Terebinthinae.</i> <i>Oleum Tereb. sulphu- ratum s. Balsamum Sulphuris terebinthi- natum</i> (Ol. Tereb. part. 3, Ol. Lini sulphurat. p. 1.) <i>Sapo terebinthinatus</i> (<i>Balsamum Vitae ex- ternum</i>): Ol. Terebinth.	gr. 5-15 et paul. dr. $\frac{1}{2}$ p. d. unc. $\frac{1}{2}$ c. Vitell. ov. 2. et Aq. unc. 6-8. dr. 1-2 c. Mel. unc. 1-2. dr. 1-2 c. Vi- tell. ov. et aq. aromat. unc. 6. gtt. 5-15-20.	Pro usu interno nonnisi Te- rebinth. laricina praes- cribatur. — Pilulae Walchii con- tra gonorrhoeam secundariam: R. Terebinth. laric., Extract. Gentian. aā dr. 3, Ferr. sulphur., Gummi Kino, aā dr. $1\frac{1}{2}$. M. F. Pilul. gr. 2. D. quater de die pilul. 10. — Emulsio diuretica Vogtii: R. Terebinth. laricin. dr. $1\frac{1}{2}$, Vitell. Ov. dr. 2, Aq. Petrosel. unc. 5, Spirit. nitr.-ae- ther. dr. $1\frac{1}{2}$, Syrup. Se- neg. gr. 3. MDS. biho- rio cochlear cibarium. — Pilulae Ditmerianae contra taeniam la- tam: R. Tereb. laricin. dr. 1, Sap. Jalap. dr. $1\frac{1}{2}$, Extract. Hyoseyam., Hy- drarg. mur. mit. aā scrpl. $\frac{1}{2}$, Rad. Filic. mar. pulv. q. s. u. f. Pil. 100. DS. quavis tertia hora pil. 8. Optimum corrigens Ol. Te-

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	Sap. hispan., Kali carbon.		<p>rebinth.: Magnesia calcinata (Martinet), quae etiam optimum pilularum constituens est.</p> <p>Mixtura Durandii contra calcul. fell.: R. Ol. Terebinth. dr. 1, Aether. sulphur. dr. 3. MDS. Mane et vespere gtt. 60.</p> <p>Mixtura Martineti contra Isch. nervos. Cotunni.: R. Ol. Tereb. dr. 2, Mel. Rosar. unc. 4. MDS. Initio cochlear. 3, tunc. 4.</p> <p>Electuarium ab Home et Cheyne contra affectiones rheumatico-arthriticas inveteratas commendatum: R. Ol. Terebinth. dr. 1, Mel. alb. unc. 1. M. F. Electuarium. DS. Mane et vespere cochlear parvum.</p>
<i>Thus. s. Olibanum, (succus aëre indensat.) Boswellia serrata. Cl. 10, ord. 1. Terebinthaceae.</i>	Nonnisi externe ad suffiend. in usu.		
<i>Tormentilla, (radix) T. erecta. Cl. 12, ord. 5. Rosaceae.</i>	<i>Pulvis. Decoctum.</i>	serpl. $\frac{1}{2}$ -1. ex unc. $\frac{1}{2}$ unc. 4.	Decoctum contra diarrhoeas, dysenterias et haemorrhagias asthenic. laudatur. —

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
<i>Tragacantha</i> , (gummi) <i>As-tragulus cre-ticus</i> L. (<i>A. verus</i> Nees ab <i>Esenbeck</i> .) Cl. 17, ord. 4, Legumino-sae.	<i>Pulvis.</i> <i>Emulsio.</i> <i>Mixtura.</i> <i>Trochisci.</i>	scrpl. 1 - dr. 2.	
<i>Trifolium fi-brinum</i> , (her-ba) <i>Menyan-thes trifolia-ta</i> . Cl. 5, ord. 1. Gentia-neae.	<i>Pulvis.</i> <i>Succus rec. express.</i> <i>Infusum.</i> <i>Decoctum.</i> <i>Extractum</i> — in pil., <i>solut et mixt.</i>	scrpl. 1 - dr. 1. unc. 1-2. ex unc. $\frac{1}{2}$ -1 unc. 6-8. dr. 2-3.	
<i>Ulmus</i> , (cor-tex) <i>U. cam-pestris</i> . Cl. 5, ord. 2. Amen-taceae.	<i>Decoctum</i> — intern. et extern. pro <i>foment.</i> <i>inject.</i> et <i>gargaris-</i> <i>mat.</i> —	ex unc. 1 unc. 6.	
<i>Uva Ursi</i> , (folia) <i>Arbu-tus Uva Ur-si</i> . Cl. 10, ord. 1. Ericaeae.	<i>Decoctum.</i>	ex unc. 1 unc. 6.	Contra hydrop. torpid. nec non in asthenic. renum blennorrhagiis et haemorrhagiis laudatur.
<i>Valeriana minor</i> , (her-ba) <i>V. officinalis</i> . Cl. 3, ord. 1. Vale-rianeae De Cand. (<i>Dip-saceae</i> , Juss.)	<i>Pulvis</i> — et form. pul-ver. excipient. <i>Infusum.</i> <i>Extractum</i> — in pil. et mixtur. <i>Tinctura spl.</i> <i>T. aetherea</i> (Val., c. Spirit. sulphur. digest.) <i>T. ammoniata s. vola-tilis</i> (Val., Liq. Ammon. vinos.).	scrpl. 1 - dr. 1. ex unc. $\frac{1}{2}$ unc. 4. scrpl. 1-2. gtt. 30-60. gtt. 20-40. gtt. 15-20.	<i>Pulvis Ragoloi</i> con-tra epilepsiam: R. Pulv. Valer. unc. $\frac{1}{2}$, Mag-nes. carb., Ammon. mu-riat. aa gr. 24, Ol. Ca-jeput. gtt. 32. M. F. Pulv. Det. ad vitrum. S. bis terve d. die pulvis. —
			<i>Pilulae Schubarthii</i> contra cardialgiam nervosam: R. Bis-

Medicam. nomen et orig.	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<p><i>Oleum.</i> <i>Elaeosaccharum.</i> <i>Externe</i> infus. herb. pro <i>clysmat.</i></p>	<p>gtt. 1-4.</p>	<p>muth. nitr. praecipitat. scrpl. $\frac{1}{2}$, Extract. Valer. dr. 1, Ol. Valer. gtt. 10. Pulv. rad. Valer. q. s. u. f. Pil. 60. Consperg. pulv. Macidis. Dent. in vitr. bene clauso. S. Ter de die pil. 6. Mixture Berendsii contra febr. nervos. versatilem: R. Infus. Valer. (ex unc. $\frac{1}{2}$) unc. 5. Acet. concentrat. dr. 2, Aeth. acet. dr. 1, Sy- rup. flor. Aurant. unc. 1. MDS. bihorio cochl. ci- bar. — Guttae Richteri con- tra vomit. spasti- cum cum asthenia ventriculi.: R. Tinct. Valer. aeth. dr. 2, Eli- xir. Cort. Aurant. unc. $\frac{1}{2}$. MDS. ter de die gtt. 30 c. Saccharo.</p>
<p><i>Vanilla</i>, (si- liqua) V. aro- matica. Cl. 20, ord. 1. Orchideae.</p>	<p><i>Pulvis</i> — et form. pulv. excipientes. <i>Infusum.</i></p>	<p>gr. 2-4-8. ex dr. 2-unc. $\frac{1}{2}$ unc. 4-6.</p>	
<p><i>Verbascum</i>, (flores) V. Thapsus. Cl. 5, ord. 1. So- laneae.</p>	<p><i>Infusum</i> — pro thea, ex- ter. pro gargarismat., cataplasmat. et clys- mat.</p>	<p>ex unc. $\frac{1}{2}$ unc. 6.</p>	<p>Occurrit etiam in Spec. ad Infusum pectorale.</p>
<p><i>Viola</i>, (flo- res) <i>Viola</i> odorata. Cl.</p>	<p><i>Syrupus.</i></p>	<p>unc. $\frac{1}{2}$-1 in mixt.</p>	

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
5, ord. 1. Violaceae.			
<i>Viola tricolor, s. Herba Jaceae.</i> V. tricolor. Cl. 5, ord. 1. Violaceae.	<i>Pulvis.</i> <i>Decoctum.</i> <i>Succus rec. express.</i> <i>Externe decoct. pro foment., lotionib. et unguent.</i>	scrpl. 1-dr. $\frac{1}{2}$. ex dr. 1-2 unc. 3-4. dr. 1-dr. 2 per nychthemer.	<i>Pulvis Jahnii contra crustam lacteam:</i> R. Pulv. herb. Jac., Sacchar. Lact. aā dr. 3, Lact. Sulphur., Magnes. carb. aā scrpl. 2. M. F. Pulv. det. ad scat. S. quater. d. die scrpl. 1.
<i>Viscum album.</i> Cl. 22, ord. 1. Caprifoliaceae.	<i>Pulvis.</i> <i>Decoctum.</i> <i>Pulvis antepilepticus:</i> Visc. alb., Paeonia, Conchae ppt.	scrpl. 1-2. ex unc. $\frac{1}{2}$ unc. 6. scrpl. 1-dr. 1.	In morbo caduco laudatur.
<i>Zedoaria, (radix) Curcuma Zedoaria.</i> Cl. 1, ord. 1. Scitamineae.	<i>Pulvis.</i> <i>Infusum.</i>	scrpl. 1-2. ex unc. $\frac{1}{2}$ unc. 4-6.	<i>Tinctura carminativa:</i> Zedoaria, Galanga, Calamus, Chamomill., Anis., Carv., Caryophylli, bacc. tauri, Macis, Cort. Aurant.
<i>Zincum oxydatum album, Flores Zinci, Calx Zinci.</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Unguentum Zinci s. U. de Nihilo.</i> <i>Externe pro liniment, unguent. et collyr.</i>	gr. 1-3 et paulat. ad gr. 10-15.	Cav. acida, succ. vegetab. acid. et sales acidus. <i>Pulvis antispasmodicus Wendtii</i> (pro infantib.) R. Zinc. oxydat. alb. gr. 6, Lapid. Cancror., Pulv. rad. Paeoniae aā dr. 1. M. F. Pulv. Divid. in part. aeq. 12. DS. bihorio pulv.
<i>Zincum sulphuricum, Vitriolum album, Sulphas zincicus.</i>	<i>Pulvis.</i> <i>Pilulae.</i> <i>Solutio.</i>	excitando gr. $\frac{1}{4}$, $\frac{1}{2}$ -1; vomendo gr. 5-10. gr. 3 in Aq. dest. unc. 3-4.	Cav. Alkalia, Adstringentia, Saponess et Kali sulphurat. Optimum intoxicationib. narcoticis emeticum sese praebet; in epilepsia et angina membranacea laudatur.

Medicam. <i>nomen et orig.</i>	Forma et Praeparata.	Dosis.	Adnotationes practicae.
	<i>Externe pro collyr., injectionib. et unguent.</i>	scrpl. 1-2 c. Adipo suill. unc. 1.	<p>Pulvis antepilepticus a Brande commendat.: R. Zinc. sulph. gr. $\frac{1}{2}$, Extract. Chamomill. gr. 5, Elaeosacchar. Valer. gr. 10. M. F. Pulvis. Dentur t. d. 10. S. Mane et vespere pulvis. —</p> <p>Pilulae Sundelinianae contra neuroses: R. Zinc. sulph. scrpl. 1., As. foetid. dr. 1, Extract. Valerian. q. s. u. f. Pil. 30. DS. bis terve de die pil. 1-3.</p> <p>Injectiones Rustii contra gonorrhoeam inveterat. torpid.: R. Zinc. sulph. gr. 4, solv. in Aq. dest. unc. 2, Aq. Lauroceras. unc. $\frac{1}{2}$, Tinct. Op. spl. dr. $\frac{1}{2}$. Mucil. Gumm. arab. unc. $\frac{1}{2}$. MDS. Bene mixt. bis de die injiciatur. —</p>
Zingiber, (radix) Z. officinarum. Cl. 1, ord. 1. Scitamineae.	<i>Integr.</i> <i>Pulvis.</i> <i>Electuarium.</i> <i>Trochisci.</i> <i>Syrupus.</i> <i>Infusum</i> —aquos. vel vinos. <i>Externe pro masticatorio, rubefaciente et gargarismate.</i>	scrpl. $\frac{1}{2}$ -1. unc. $\frac{1}{2}$ -1. ex dr. 2 unc. 4.	

