Prophylactics in fever. : Instructions, antidotes, and precautions requisite to sensibly mitigate the virulency of contagious disease, and effectually prevent its general communication.

Publication/Creation

[Whitehaven] : [printed by John Ware], [1791]

Persistent URL

https://wellcomecollection.org/works/qk38aepz

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

PROPHYLACTICS

IN

FEVER.

INSTRUCTIONS, ANTIDOTES, and PRECAUTIONS

REQUISITE TO SENSIBLY MITIGATE

The VIRULENCY of CONTAGIOUS DISEASE,

AND EFFECTUALLY PREVENT ITS GENERAL COMMUNICATION.

HE frequent, extensive, and baneful Prevalency of EPIDEMIC FEVERS which have long infested this Country, exciting the folicitous Endeavour is rupt their alarming Devastations, was the Motive which perfuasively suggested Expediency of selecting and distributing the following Intimations. It is arden toped, FUTURE uniting with PAST EXPERIENCE will incontessibly prov UTILITY.

PROPHYLACTICS IN FEVER.

This important Subect may be briefly comprised and confidered under t principal Heads of

I. CLEANLINESS. As this Mean has been univerfally accounted moft conducive to the falutary Purpofes of eradicating CONTAGION and preferving HEALTH, a diligent Attention to the Circumftances immediately, or remotely, connected with it, ought to be every where ftrenuoufly enjoined. The Floors, Walls, Cielings and Furniture of the infected Apartments being kept perfectly free from every Impurity. With this View, the Bed Cloaths and Linen of the SICK, frequently changed, fhould be repeatedly immerfed in cold Water; then wafhed and dried in the open Air, in Order to anticipate and prevent the pernicious Effects of contaminated Effluvia.

II. VENTILATION. The frequent Admission of a full Stream of Air will in a great Measure obviate the infalubrious State of it. The Windows and Doors are, therefore, to be occasionally opened; and if distant from the Patient, in fultry Seasons must never be altogether closed.

III. ANTIDOTES. In the Apartments of the Sick the Articles requifite to deftroy the acrimonious Virulency of Contagion ought to be poffeffed of pungent and penetrating, yet inoffenfive Qualities: of these the Vapours of heated Vinegar impregnated with Myrrh, or those of Tar, with the Effluvia of Quick-Lime, occasioned by the gradual Addition of fmall Quantities of Water, and the grateful Odour of aromatic Herbs are the most eligible. The burning moderate Portions of Fuel, and the Explosion of Gun Powder or Nitre may also be ulefully employed; To the above Prefervatives, in the Stair Cafe and other remote Parts of the House might be added the different Modes of

Fumigation by Sulphur, Tobacco, Refins, incense, Juniper Berries, Myrrh and Can These last Ingredients, in the Proportion Ounces of Juniper Berries to one Ounce of and half an Ounce of Camphor, fhould be and burnt upon a Chafing Difh of Coals, ders. To perfectly eradicate PESTILENTIA TAGION, the Chamber (when the Patie moved from it) will require the fame Tr most assiduously executed : Particularly 1 washing with Cold Water, Vinegar, or Inf volatile Vegetables. Every Aperture is th accurately closed, and the Fumes of To rather, as more potent, those of Sulphur c admitted. Laftly, after the room has be white washed, it must be constantly ve and, whilft convenient, remain uninha Perfons fuffering the fatal Effects of fucl calamitous Diftempers are to be privatel red, as foon as Decency and Propriety mit.

The Attendants upon, or Families of the fhould carefully guard against the various of Debility, Relaxation, and Putrescence avoidably exposed to CONTAGION the probably, be preserved from its baneful ence by the regular Employment of a station and cordial DIET; Wine and Spirits be rally taken. Tonic Preparations of the and Bitters are in this Regard peculiar of cious, especially before any necessary for is paid to the Patient. Acids and ftimus dulated BEVERAGES have been also juck recommended. Daily Exercise in the opand occasional Cold Batking, particum night prove advantageous. ANXIETY hould, if poffible, by no Means be much lefs indulged: Tranquillity, fs, and Fortitude of Mind being the reventatives to the deftructive Virualignant Fevers. Many Inftances are rd, and muft have occurred to the n of every Practitioner where the Imliction, excited by the premature Fate ed Friend and Relation, or the imagil of it, has predifpofed to and certainthe immediate Communication of that which, with Impunity, had been prez fuffered.

ern Climates and warm Sealons, or a putrid or bilious Tendency prevails, d Exhibition of *Emetics* is abfolutely In these Circumstances they may, f any Degree of prophylactic Efficacy, be deemed fuitable Preparatives to a urse of Tonics; but also, administered rft scarce perceptible Attack of Disease, most proper REMEDIES to mitigate its and prevent their future powerful Re-

to a Subject manifeftly connected rimary and most beneficial Interests of nunity, several of the above INJUNCom the clearest Conviction of their (y) are anxiously wished to be strictly when even the Apprehension of Dannsectious Disease is totally removed: cially as the best general ANTIDOTE to ON, it is earnestly recommended to the

is of People (with whom these Malaently originate and virulently obtain)

to admit the Application, at leaft twice in the Year, of White-Wash prepared from fresh burnt Quick Lime, to the well scraped Walls and Cielings of their Houses. The Expence, attending this decent and wholesome Practice, is remarkably trivial; one Horse Load of Lime (Value Sevenpence Halfpenny) being perfectly sufficient for the Use of at least Twelve Cottages.

IV. PRECAUTIONS. To those who unfortunately reside in the Neighbourhood of Contagion, the Impropriety and Hazard of visiting the Sick (a Conduct almost universally prevalent) must be very obvious; Experience having, in past Ages, unquestionably proved that this imprudent and unnecessary Attention to infected Perfons and Places is powerfully qualified to certainly communicate and alarmingly diffuse the Distemper. Upon these Accounts all Intercourse and Connection with the Patients, their Habitations, Families, and Cloathing should be effectually precluded.

An exact obedience to the preceding Directions has happily promoted the general HEALTH of the Inhabitants of Whitehaven and Cockermouth; for the occasional Benefit of whole Difpensary Objects they were faithfully extracted from the best ancient and modern Authors. Solicitously inculcated during the accidental Prevalency of epidemic Affections, * they have fentibly alleviated in tuch deplorable Circumstances, the inevitable Distresses of fuffering Humanity.

* Since the Year 1783, the falutary Aids of Medicine in Whitehaven have been administered to 1524 Indigent Fever Patients.

FINIS.

3

PROPHYLACTICS

IN

FEVER.