Pharmacopoeia chirurgica, in usum Nosocomii Londinensis Sancti Thomae.

Contributors

St. Thomas' Hospital (London, England) Long, William, 1747-1818 Royal College of Surgeons of England

Publication/Creation

Londini : Apud T. Cox, 1798.

Persistent URL

https://wellcomecollection.org/works/z2564fuh

Provider

Royal College of Surgeons

License and attribution


This material has been provided by This material has been provided by The Royal College of Surgeons of England. The original may be consulted at The Royal College of Surgeons of England. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

PHARMACOPŒIA CHIRURGICA.



HARMACOPŒIA

2

CHIRURGICA,

IN USUM

NOSOCOMII LONDINENSIS

SANCTI THOMÆ.



LONDINI: APUD T. COX.

1798.

Digitized by the Internet Archive in 2016

https://archive.org/details/b22310125

harmacopæia Chirurgica NOSCOMII SANCTI THOMÆ.

ACETUM. ACETUM CUM SPIRITÛ VINOSÔ RECT. AQUA ALUMINÔ COMPOSITA, P. L. AQUA CURPI AMMONIATI, P. L. AQUA LITHARGYRI ACETATI, P. L. ARGENTUM NITRATUM, P. L.

AQUA CALCIS cum CALOMELANE. Calomelanos drachmam unam; Aquæ Calcis uncias quatuor. M.

QUA CALCIS cum HYDRARGYRO MURIATO. Aquæ Calcis uncias octo; Hydrargyrimuriatidrachmamdimidiam.M.

R

AQUA

AQUA ZINCI VITRIOLATI. R Zinci vitriolati drachmam unam; Aquæ diftillatæ libram unam. M.

BACILLA CAMPHORATA. R Emplaftri è Minio P. L. P. libram unam; Ceræ flavæ uncias duas; Camphoræ drachmas duas. M.

BACILIA TEREBINTHINATA.

R Ceræ albæ uncias fedecim; Terebinthinæ Venetæ uncias quatuor; Liquefac fimul, et adde Hydrargyrii fulphurati rubri, vel Antimonii crudi uncias duas.

CATAPLASMA ex PAPAVERE ALBO.

R Fomenti ex Papavere albo libram unam; Farinæ Lini q. s. Coque ad idoneam craffitudinem, et adde Olei Olivæ uncias duas. M.

CATA-

CATAPLASMA ex CEREVISIA. Cerevifiæ fortis et veteris libram unam; Farinæ Lini q. s. Olei Olivæ uncias duas. M.

CATAPLASMA CUMINI, P. L.

CATAPLASMA è DAUCO. Radicis Dauci fativi recentis libram unam, Comminue radulâ, et adde Farinæ Lini unciam unam; Aquæ calidæ uncias duas. Contunde fimul ad idoneam fpiffitudinem.

CATAPLASMA CUMINI.

Seminis Cumini in pulverem triti Farinæ Lini fingulorum, uncias duas; Baccæ Lauri in pulverem triti, Saponis mollis Gallici fingulorum, unciam unam;

Hifce adjiciatur Fomentum commune cum Olei tantillo donec Cataplasmatis Craffitudinis fit.

(4)

CATAPLASMA è LINO.

R Farinæ Lini

Micæ Panisalbi, fingularum partes equales. Coque in Lactis Vaccini q. s. ad idoneam craffitudinem, et adjiciatur Olei Olivæ pauxillum.

CATAPLASMA ex FÆCIBUS VINI. R Fœcum Vini rubri libram unam; Farinæ Lini q. s. Coque ad Cataplafmatis craffitudinem, et adde Olei Olivæ pauxillum. M.

CAUSTICUM OPIATUM.

R Lixivii Saponis fortis uncias viginti quatuor. Coque ad uncias fex, dum adhuc ebullit, infperge

Calcis vivæ

Opii purificati, fingulorum, uncias duas. Hoc in Vafe optimè claufo fervari debet.

CALX cum KALI PURO, P. L.

CAUSTICUM

CAUSTICUM ARSENICI. Arfenici albi in pulverem triti, Florûm Sulphuris fingulorum drachmas duas; Cerati communis unciam unam.

Terantur fimul, ut fiat Ceratum.

CERATUM COMMUNE. Olei Olivæ uncias octo; Ceræ flavæ uncias quatuor. Liquefac fimul.

CERATUM LITHARGYRI ACETATI.
Cerati communis uncias quatuor;
Olei Olivæ uncias novem;
Aquæ Lithargyri acetati uncias duas cum femiffe.
Camphoræ, drachmam unam.
Liquefiat Cera cum Oleo et fimul ac miftura lentefcere inceperit, affunde gradatim Aquam Lithargyri acetati, affiduè agita, et adde Camphoram cum Oleo tritam.

CERATUM

(6)

CERATUM è CUMINO.

R Emplastri Cumini uncias quatuor; Saponis mollis Gallici,

Ceræ flavæ fingulorum unciam unam. Liquescant fimul ut fiat Ceratum.

CERATUM LAPIDIS CALAMINARIS, P. L. P.

CERATUM MERCURIALE, P. L.

CERATUM SAPONIS.

R Olei Olivæ

Lithargyri fingulorum libras duas; Aceti libras quatuor.

Coque ad debitam craffitudinem, et adde Saponis duri rafi.

Ceræ flavæ incifæ, fingulorum libram

Liquescant fimul.

CERATUM HYDRARGYRI NITRATI RUBRI. & Cerati communis uncias duodecim; Hydrargyri nitrati rubri drachmas quatuor. M.

CERATUM

3

(7)

ERATUM CALCIS HYDRARGYRI ALBÆ. Cerati communis uncias duodecim; Calcis Hydrargyri albæ drachmas duas. M.

CERATUM MELLIS.

Olei Olivæ Mellis, fingulorum libram unam; Ceræ flavæ Emplaftri Lithargyri fingulorum libram dimidiam.

Liquescant fimul.

CERATUM ad LIPPITUDINEM. Unguenti Ceræ unciam unam; Hydrargyri nitrati rubri, drachmam unam; Opii in pulverem triti grana fex. Mifce fiat Ceratum.

MPLASTRUM AMMONIACI cum HY-DRARGYRO, MPLAST. CUMINI, MPLAST. LITHARGYRI, MPLAST. LITHARGYRI cum GUMMI, MPLAST. LITHARGYRI cum HY-DRARGYRO, MPLAST. LITHARG. cum RESINA, MPLAST. SAPONIS,

EMPLASTRUM

(8)

EMPLASTRUM VITRIOLICUM. R Emplaftri Lithargyri libram unam; Colcotharis Vitrioli unciam unam. M.

EMPLASTRUM ex CICUTA cum AMMONIAC
R Ammoniaci colati uncias duodecim;
Succi Cicutæ fpiffati uncias quatuor;
Aceti Scillæ libram unam;
Solvantur Gummi et Extractum Cicut in Aceto Scillæ, dein leni calore æ craffitudinem Emplaftri redigantur.

 EMPLASTRUM SAPONIS cum HYDRARGYR(
 R Emplaftri Saponis uncias duodecim; Hydrargyri uncias tres
 Olei fulphurati, drachmam unam, vel quo fatis fit. M.

FOMENTUM ex CICUTA.

R Foliorum Cicutæ ficcatorum uncias tres Coque ex Aquæ puræ libris fex ad libra quatuor.

DECOCTUM pro FOMENTO, P. L.

FOMENTUM

(9)

FOMENTUM MALVÆ. Foliorum Malvæ uncias duas; Florum Chamæmeli

unam. Sambuci, fingulorum unciam

Coque ex Aquæ puræ quanto fatis fit ad libras quatuor.

FOMENTUM EX PAPAVERE ALBO.

Capfularum Papaveris albi, uncias quatuor;

Coque ex aquæ puræ, libris fex ad libras quatuor. Cola.

FFITUS EX HYDRARGYRO SULPHURATO RUBRO.

Hydrargyri Sulphurati rubri incenfi granorum viginti vapor pro re nata excipiatur.

LINIMENTI SAPONIS, P. L. Jnciis fingulis nonnunquam adjecta fit Tincturæ Opii drachma.

MEL

(10)

MEL ROSACEUM.

HYDRARGYRUS NITRATUS RUBÉR P. L.

CALX HYDRARGYRI ALBÆ P. L.

OLEUM OLIVÆ.

PETREOLEUM SULPHURATUM.

OLEUM TEREBINTH. RECTIFICATUM, P.L.

OXYMEL ÆRUGINIS.

PASTA è CALCE VIVA. R Farinæ Lini

Calcis vivæ fingularum uncias duas; Adipis Suillæ uncias quatuor.

Tere Calcem cum Adipe deinde immiscen Farinam.

PULVIS ARSENICI COMPOSITUS.
R Arfenici albi drachmas duas;
Amyli drachmam unam;
Hydrargyri fulphurati rubri drachmas
quatuor;
Singulatim in pulverem redige dein mifce.
Hujus pauxillum cum Vitello Ovi, mifceatur fiquando adhibere vis.

PULVIS

(11)

PULVIS CERUSSÆ, P. L.

PULVIS è CUMINO COMPOSITUS.
Seminum Cumini, uncias duas;
Baccæ Lauri
Florum Chamœmeli fingulorum uncias tres
Piperis longi unciam unam.

Omnia in pulverem conterantur.

PULVIS CALAMINARIS cum CERUSSA.

Lapidis Calaminaris pp. unciam unam; Ceruffæ unciam dimidiam; Myrrhæ drachmas duas. Simul in pulverem tere.

SOLUTIO OPII.

Opii purificati scapulum Aquæ bullientis unciam, solve.

PIRITUS VINOSUS RECTIFICATUS, P. L.

TINCTURA MYRRHÆ.

UNGUENTUM

(12)

UNGUENTUM TEREBINTHINATUM COMPO SITUM.

R Ceræ flavæ Terebinthinæ Venetæ fingularum uncia duodecim; Elemi uncias octo; Refinæ flavæ uncias quatuor; Olei Seminis Lini expreffi recentis uncias viginti quatuor. Leni igne, liquefcant fimul.

UNGUENTUM ELEMI, P.L.

| TRIPHARMACUM, P. L. P. |
|----------------------------|
| PICIS, P. L. |
| HYDRARGYRI, P. L. |

UNGUENTUM OPIATUM.

R Unguenti Ceræ P. L. unciam unam cum femisse; Opii drachmam unam. M.

UNGUENTUM

(13)


UNGUENTUM AD LIPPITUDINEM.

Axungiæ Viperinæ curatæ drachmas tres, Ceræ albæ incifæ drachmam unam; Hydrargyri nitrati rubri drachmam dimidiam;

Opii in pulverem triti grana tria.

Liquefiat Cera cum Axungiâ in Balneo Arenæ, et fimul ac miftura lentefcere inceperit, infperge Hydrargyrum et Opium, dein bene move donec Unguentum penitùs refrixerit.

MANUALE



15)

MANUALE PRAXIS CHIRURGICÆ.

CAUSTICA.

Antimonium Muriatum. Argentum Nitratum. Ceratum Arfenici. Caufticum Opiatum. Calx cum Kali puro. Pulvis Arfenici compofitus.

DESICCANTIA.

Aqua Lithargyri acetati. — Zinci vitriolati. Ceratum Lapidis Calaminaris. — Lithargyri acetati. Pulvis Calaminaris cum Ceruffà. Tinctura Myrrhæ.

DETERGENTIA.

(10)


EXCITANTIA.


Unguentum Terebinthinatum compofitum. Unguentum Picis. Cataplaíma ex Cerevifià. Cataplaíma è Dauco.

SEDANTIA.

Solutio Opii. Aqua Lithargyri acetati. Cataplaíma è Lino. Cataplaíma ex Papavere albo. Fomentum ex Papavere albo.

PHAR-





PHARMACOPŒIA SYPHILITICA.

C 3

. .

PHARMACOPŒIA SYPHILITICA.

CINCHONA, IN QUAVIS FORMA.

DECOCTUM JUGLANDUM. R Antimonii in pulverem triti, et facculo linteo inclufi, uncias quatuor; Lapidis Pumicis facculo linteo inclufi, uncias duas; Radicis Sarfaparillæ;

Chinæ, fingularum uncias duas;
 Nucûm Juglandis integrarum N° quadraginta, cum helis ac putiminibus
 Aquæ puræ libras viginti;
 Decoque ad libras decem, et colâ. Bibat æger libras duas quotidiè.

ELECTUARIUM BALSAMICUM. R Balfami Canadenfis unciam dimidiam; Pulveris Tragacanthæ compofiti drachmas duas;

Confervæ Rofæ unciam unam : Syrupi tolutani q. s. ut fiat Electuarium. Dofis eft magnitudo Nucis moschatæ. ELECTUARIUM

(20)

ELECTUARIUM SENNÆ COMPOSITUM. R Electuarii Sennæ,

Kali tartarifati fingulorum, unciam unam. M. fiat Electuarium. Detur magnitudo nucis mofchatæ fextâ quaque horâ.

ELECTUARIUM TRAGACANTHÆ COMPOSITUM.

R Tragacanthæ drachmas duas; omnia in pul Arabici gummi drachmas fex; verem con Rhabarbari fcrupulum unum; terantur. Confervæ florum Malvæ uncias duas; Syrupi Althææ q. s. M. fiat Electuarium. Sumatur quantitas Nucis mofchatæ fextis horis.

ENEMA OPIATUM.

R Fomenti ex Papavere albo uncias quatuor; Tincturæ Opii guttas triginta. M.

HAUSTUS CAMPHORATUS cum OPIO. R Mifturæ camphoratæ P. L. uncias duas; Tincturæ Opii guttas triginta. M. fiat Hauftus.

HAUSTUS

HAUSTUS è SENNA.

Infusi Sennæ uncias duas, Tincturæ Sennæ; Kali tartarifati, fingulorum drachmas duas; Syrupi Rofæ drachmam unam. M. ft. Hauftus.

INJECTIO CERUSSÆ ACETATÆ. Cerufíæ acetatæ fcrupulum dimidium; Aquæ puræ uncias quatuor. M. ft. Injectio.

INJECTIO CERUSSÆ COMPOSITA. Ceruffæin pulverem tritædrachmam unam; Zinci vitriolati ferupulum unum; Aquæ puræ uncias octo. Mifce fiat Injectio.

INJECTIO ex CALOMELANE.
Tragacanthæ in pulverem tritæ grana decem;
Calomelanos ferupulos duos;
Aquæ frigidæ, uncias quatuor.
Mifce fiat injectio; bis tervè die ufurpanda.

(22)

INJECTIO ex CALOMELANE cum OPIO.

R Injectionis ex Calomelane uncias qua tuor;

Opii in pulverem triti scrupulum unum. Misce fiat Injectio.

INJECTIO CUPRI.

R Tincturæ Cupri guttas fexaginta; Aquæ puræ uncias duodecim, ft. Injectio fextis horis utenda.

INJECTIO HYDRARGYRI MURIATI.

R Hydrargyri muriati grana tria; Aquæ ferventis libram unam. Solve.

INJECTIO ZINCI VITRIOLATI.

R Zinci vitriolati grana quatuor & ulque ac viginti;

Aquæ Rofæ unciam unam;

jectio.

MISTURA

(23)

MISTURA ARABICA.

Arabici gummi unciam unam; Decocti Hordei uncias decem; Mannæ unciam unam; Mellis unciam dimidiam. M. Sumat æger coch. quatuor larga tertiâ quaque horâ.

PILULÆ ALUMINIS COMPOSITÆ.
Aluminis;
Nuclei fructus myrifticæ torrefacti;
IExtracti Cinchonæ fingulorum drachmam unam;
Syrupo tolutano, ft. Pilulæ numero triginta fex, Sumantur duæ bis die.

PILULÆ ex CALOMELANE COMPOSITÆ.

Calomelanos fcrupulum unum; Opii fcrupulum dimidium; Antimonii tartarifati grana quinque; Syrupo tolutano q. s. ft. Maffa in Pilulas viginti dividenda.

PILULÆ

(24)

PILULÆ GUAIACI COMPOSITÆ.

- R Guaiaci gummi refinæ tritæ drachman unam et femiffe;
 - Terebinthinæ Venetæ, drachmam unam ft. Pil. No. triginta. Sumantur duæ ter die.

PILULÆ è GUMMI COMPOSITÆ. R Olibani

Maftiches

Sarcocollæ fingulorum drachmam unam; Confervæ Cynofbati, q. s. fiat Maffe in Pilulas ex granis quatuor dividenda Sumantur quatuor bis die.

PILULÆ ex HYDRARGYRO, P. L.

PILULÆ TEREBINTHINÆ COMPOSITÆ. R Terebinthinæ Venetæ, drachmas tres; Rhabarbari in pulverem triti drachmam unam;

Boli Gallici;

Aluminis fingulorum drachmam unam; Syrupi tolutani q. s. M. ft. Pilulæ triginta. fex. Sumantur duæ ter die.

PILULE

25)

PILULÆ ex OPIO. Opii purificati fcrupulum unum; Confervæ Rofæ, q. s. ft. Pilulæ viginti.

PILULÆ ZINCI VITRIOLATI.

Extracti Cinchonæ drachmam unam; Zinci vitriolati, drachmam dimidiam; Rhabarbari in pulverem triti drachmam dimidiam;

Syrupi tolutani, q. s. ft. Pilulæ triginta. Sumantur duæ bis die.

TINCTURA BALSAMICA.

Guaiaci ammoniatæ.

----- Balfami Copaivæ. P.L.Tincturæ Benzoës compositæ.

Singulorum drachmas duas. Mifce. Sumantur guttæ quadraginta ter die.

TINCTURA CINCHONÆ COMPOSITA.
Tincturæ Cinchonæ.
ElixirVitrioliacidiāādrachmastres; P.L.P.
Tinct. Opii drachmas duas. M. Sumantur guttæ triginta ter die.

D

TINCTURA

TINCTURA CUPRI.

Cuprum Vitriolatum in Aqua diftillata folve, et liquori claro adde Kali præparati quantum fatis fit, ad dejiciendum pulverem: dein pulverem præcipitatum lava aqua calida, fæpius affufa; denique pulverem fuper chartam emporeticam exficca.

R Calcis Cupri drachmas duas;

Aquæ Ammoniæ (cum Ammoniâ faturata) drachmas quatuor, mifce et ftent in Phialâ obturatâ; fæpius agitans Vafem donec folutio perfecta fit.

UNJ. HYDRARGYRI FORTIUS.

GONOR-

(27)

GONORRHή CURATIO.

SUB STATÚ INFLAMMATIONIS.

Electuarium Tragacanthæ compofitum. Electuarium Sennæ compofitum. Miftura Arabica. Pilulæ ex Calomelane compofitæ.

AD CHORDAM TENSAM.

Hauftus camphoratus cum Opio. Pilulæ ex Opio. Hauftus Sennæ compofitus.

AD ISCHURIAM VESICALEM.

Sanguinis miffio.
Semicupium.
Fomentum ex Papavere albo in vefica bovina Pereneo applicandum.
Enema Opiatum.
Hauftus Sennæ.
Miftura Arabica.

(28)

AD PHLEGMONEM TESTIS.

AD DURITIEM EPIDIDYMIDIS.

- R Emplaftrum Saponis, Emplaftrum Lithargyri cum Hydrargyro fingulorum partes equales. Mifce.
- R Emplastri Cumini,

partes equales. Misce. Electricitas.

AD GLANDULAS INGUINALES TUMENTES. Hauftus Sennæ. Pilulæ ex Calomelane compofitæ. Balneum tepidum. *Elestricitas*.

INFLAM-

(29)

INFLAMMATIONE FINITA. injectio ex Calomelane cum Opio. Pilulæ ex Hydrargyro. injectio ex Calomelane,

AD STILLICIDIA.

Injectio Lithargyri acetati. Injectio Cupri. Injectio Zinci vitriolati. Injectio è Cerufsà compofità. Electuarium Balfamicum. Electuarium Cinchonæ. Pilulæ terebinthinatæ compos. Pilulæ terebinthinatæ compos. Pilulæ è Gummi compos. Pilulæ é Gummi compos. Pilulæ Zinci vitriolati. Tinctura Cinchonæ compofita. Tinctura balfamica.

REME-

(30)


REMEDIA AD MULIERES APTA.

Mistura Arabica. Electuarium Sennæ compositum. Lotio Aquæ Lithargyri acetati.

Injectio Hydrargyri muriati. Injectio Cupri. Pilulæ ex Hydrargyro.

Injectio è Ceruffa composita. Tinctura Cinchonæ composita. Tinctura balfamica. Cinchona.

FINIS.





TERS PAGTES) HI



