

Pharmacopoeia Nosocomii Regalis Ophthalmici Londinensis.

Contributors

Moorfields Eye Hospital.
Dixon, James, 1813-1896
Royal College of Surgeons of England

Publication/Creation

Londini : Apud Gulielmum Dewick, 1853.

Persistent URL

<https://wellcomecollection.org/works/jgejm7sx>

Provider

Royal College of Surgeons

License and attribution

This material has been provided by This material has been provided by The Royal College of Surgeons of England. The original may be consulted at The Royal College of Surgeons of England. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

PHARMACOPŒIA

NOSOCOMII REGALIS

OPHTHALMICI LONDINENSIS.

EDITIO TERTIA.

LONDINI

APUD GULIELMUM DEWICK.

—
MDCCCLIII.

RESERVED BY

James Dixon Esq.



PHARMACOPŒIA

NOBIS COMITI REGIA

PHARMACOPŒIA

PHARMACOPŒIA

PHARMACOPŒIA

PHARMACOPŒIA

PHARMACOPŒIA

Medicus Consultor

JOHANNES RICARDUS FARRE, M.D.

Medicus

FREDERICUS J. FARRE, M.D.

Chirurgi

GILBERTUS MACKMURDO.

JACOBUS DIXON.

GEORGIUS CRITCHETT.

Chirurgi Auxiliares

GULIELMUS BOWMAN.

ALFREDUS POLAND.

JOHANNES C. WORDSWORTH.

Pharmacopœus

MATTHÆUS LEDGER.

THE

AMERICAN

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

THE

INDEX MEDICAMINUM.

Acetum destillatum	Pharm. Lond.
Acidum Hydrochloricum	—
—— Hydrochloricum dilutum	—
—— Hydrocyanicum dilutum	—
—— Nitrico-Hydrochloricum dilutum ..	p. 13
—— Nitricum	P. L.
—— Nitricum dilutum	—
—— Sulphuricum dilutum	—
—— Tannicum	—
—— Tartaricum	—
Adeps	—
Alumen	—
Ammoniæ Sesquicarbonas	—
Anthemis	—
Antimonii Potassio-tartras	—
Aqua Cinnamomi	—
—— Menthæ piperitæ	—
—— Pimentæ	—
Argenti Nitras	—
Atropiæ Sulphas	—
Borax	—

Camphora	P. L.
Chloroformyl	—
Cinchona flava	—
Colchici Cormus	—
Collodium	
Confectio aromatica	—
——— Rosæ	—
Cupri Sulphas	—
Decoctum Quercûs	—
Emplastrum Cantharidis	—
——— Resinæ	—
Extractum Belladonnæ	—
——— Conii	—
——— Gentianæ	—
——— Hyoscyami	—
Ferri Ammonio-citras	—
—— Sesquioxidum	—
—— Sulphas	—
Gargarisma Acidi Hydrochlorici	p. 13
——— Acidi Tannici	13
——— Aluminis	14
——— Sodæ Chlorinatæ	14
Gentiana	P. L.
Glycerina	
Glycyrrhiza	—

Guttæ Acidi Hydrocyanici	p. 14
——— Argenti Nitratis	14
——— Atropiæ Sulphatis	14
——— Belladonnæ	15
——— Cupri Sulphatis	15
——— Hydrargyri Bichloridi	15
——— Potassii Iodidi	15
——— Zinci Sulphatis	15
Hirudo	P. L.
Hydrargyri Bichloridum	—
——— Chloridum	—
Hydrargyrum cum Cretâ	—
Infusum Gentianæ compositum	p. 16
——— Quassiæ	P. L.
Iodinium	—
Jalapa	—
Liquor Ammoniae Acetatis	—
——— Belladonnæ	Battlei
——— Calcis	P. L.
——— Cinchonæ flavæ	Battlei
——— Hydrargyri Bichloridi	P. L.
——— Opii sedativus	Battlei
——— Potassæ	P. L.
——— Sarsæ	Battlei
——— Sodæ Chlorinatæ	P. L.

Lotio Aceti	p. 16
—— Aluminis	16
—— Aluminis fortior	16
—— Hydrargyri Oxidi	17
—— Plumbi Acetatis	17
—— Plumbi cum Opio	17
—— Zinci cum Opio	18
—— Zinci Oxidi	17
—— Zinci Sulphatis	17
Magnesiæ Carbonas	P. L.
—— Sulphas	—
Mistura Acaciæ	—
—— Acidi Sulphurici	p. 18
—— Acidi Sulphurici cum Magnesiæ Sul-	
phate	18
—— Ammoniae Acetatis	18
—— Ammoniae Sesquicarbonatis	19
—— Antimonii Potassio-tartratis	19
—— Camphoræ	P. L.
—— Colchici	p. 19
—— Diuretica	19
—— Ferri composita	20
—— Potassii Iodidi	20
—— Quinæ cum Ferro	20
—— Quinæ Disulphatis	21

Mistura Rhei composita	p. 21
——— Sodæ Tartratis	21
Myrrha	P. L.
Oleum Morrhuæ	—
——— Ricini	—
——— Terebinthinæ	—
Opium	—
Pilula Aloes cum Myrrhâ	—
——— Cambogiæ composita	—
——— Colocynthis composita	—
——— Ferri composita	—
——— Galbani composita	—
——— Hydrargyri	—
——— Hydrargyri Chloridi composita	—
——— Hydrargyri Chloridi cum Colocynthis ..	p. 21
——— Hydrargyri Chloridi cum Opio	21
——— Hydrargyri cum Aloe	22
——— Hydrargyri cum Colocynthis	22
——— Hydrargyri cum Conio	22
——— Hydrargyri cum Cretâ et Conii	22
——— Quinæ cum Ferro	23
——— Quinæ Disulphatis	23
——— Rhei composita	P. L.
——— Saponis composita	—
——— Scillæ composita	—

Pilula Terebinthinæ Chiæ	p. 23
—— Zinci Sulphatis	23
Plumbi Acetas	P. L.
Potassæ Acetas	—
—— Carbonas	—
—— Nitras	—
Potassii Iodidum	—
Pulvis Antimonii compositus	—
—— Cretæ compositus	—
—— Ipecacuanhæ compositus	—
—— Scammonii compositus	—
—— Cinchonæ et Sodæ	p. 23
—— Colchici compositus	24
—— Hydrargyri Chloridi cum Jalapâ	24
—— Hydrargyri Chloridi cum Rheo	24
—— Hydrargyri Chloridi cum Scammonio ..	24
—— Hydrargyri cum Cretâ et Antimonii....	25
—— Hydrargyri cum Cretâ et Rhei	25
—— Jalapæ et Rhei	25
—— Rhei et Magnesiae	25
Quinæ Disulphas	P. L.
Rheum	—
Sacchari Fæx	—
Saccharum	—
Scammonium	—

Sodæ Bicarbonas	P. L.
Spiritus Ætheris Nitrici	—
——— Ammoniaë aromaticus	—
——— rectificatus	—
Syrupus Ferri Iodidi	—
Syrupus Papaveris	—
Terebinthina Chia	—
Tinctura Aconiti	—
——— Aurantii	—
——— Catechu	—
——— Ferri Sesquichloridi	—
——— Gentianæ composita	—
——— Hyoseyami	—
——— Iodinii composita	—
——— Opii	—
Unguentum Antimonii Potassio-tartratis	—
——— Cantharidis	—
——— Cetacei	—
——— Hydrargyri	—
——— Hydrargyri cum Camphorâ	p. 26
——— Hydrargyri cum Opio	26
——— Hydrargyri Nitratis	P. L.
——— Hydrargyri Nitratis mitissimum	p. 26
——— Hydrargyri Nitratis mitius	P. L.
——— Hydrargyri Nitrico-oxidi	—

Unguentum Hydrargyri Nitrico-oxidi dilutum..	p. 26
———— Iodinii compositum	P. L.
———— Plumbi compositum	—
———— Potassii Iodidi	—
———— Sabinæ	—
———— Veratriæ	p. 27
———— Zinci	P. L.
———— Zinci compositum	p. 27
Veratria	P. L.
Vinum Antimonii Potassio-tartratis	—
———— Ferri	—
———— Ipecacuanhæ	—
———— Opii	—
———— Semen Colchici	Battlei
Zinci Chloridum	P. L.
———— Oxidum	—
———— Sulphas	—

F O R M U L Æ.

*ACIDUM.*ACIDUM NITRICO-HYDROCHLORIGUM
DILUTUM.

℞ Acidi Nitrici . . . f 3 i.
 Acidi Hydrochlorici . . . f 3 ij.
 Misce et sepone per aliquot horas,
 intercluso luminis accessu,
 dein adde
 Aquæ . . . f 3 ij.
 In vase vitreo nigro serva.

GARGARISMATA.

GARGARISMA ACIDI HYDROCHLORICI.

℞ Acidi Hydrochlorici diluti . m xv.
 Decocti Quercûs . . . f 3 j.
 Misce.

GARGARISMA ACIDI TANNICI.

℞ Acidi Tannici . . . gr. iij.
 Aquæ . . . f 3 j.
 Liqua.

GARGARISMA ALUMINIS.

R Aluminiſ gr. xvj.
 Aquæ f 3 j.
 Ligua.

GARGARISMA SODÆ CHLORINATÆ.

R Liquoris Sodæ Chlorinatæ . . . f 3 ss.
 Aquæ f 3 j.
 Misce.

GUTTÆ.

GUTTÆ ACIDI HYDROCYANICI.

R Acidi Hydrocyanici diluti . . . f 3 j.
 Aquæ f 3 vij.
 Misce.

GUTTÆ ARGENTI NITRATIS.

R Argenti Nitratis gr. j.
 Aquæ destillatæ f 3 j.
 Ligua.

GUTTÆ ATROPIÆ SULPHATIS.

R Atropiæ Sulphatis gr. ij.
 Aquæ destillatæ f 3 j.
 Ligua.

GUTTÆ BELLADONNÆ.

R Liquoris Belladonnæ . . . ℥ xx.
 Aquæ destillatæ . . . f ʒ j.
 Misce.

GUTTÆ CUPRI SULPHATIS.

R Cupri Sulphatis . . . gr. ij.
 Aquæ destillatæ . . . f ʒ j.
 Ligua.

GUTTÆ HYDRARGYRI BICHLORIDI.

R Hydrargyri Bichloridi . . . gr. $\frac{1}{8}$.
 Aquæ destillatæ . . . f ʒ j.
 Ligua.

GUTTÆ POTASSII IODIDI.

R Potassii Iodidi . . . gr. iij.
 Aquæ destillatæ . . . f ʒ j.
 Ligua.

GUTTÆ ZINCI SULPHATIS.

R Zinci Sulphatis . . . gr. ij.
 Aquæ destillatæ . . . f ʒ j.
 Ligua et cola.

INFUSUM.

INFUSUM GENTIANÆ COMPOSITUM.

℞ Gentianæ concisæ,
 Anthemidis, sing. 3 ij.
 Aquæ ferventis 0 j.
 Macera per horam in vase operto et cola.

LOTIONES.

LOTIO ACETI.

℞ Aceti destillati f 3 ss.
 Aquæ f 3 vijss.
 Misce.

LOTIO ALUMINIS.

℞ Aluminis gr. viij.
 Aquæ f 3 j.
 Liqua.

LOTIO ALUMINIS FORTIOR.

℞ Aluminis ℥ j.
 Aquæ f 3 j.
 Liqua.

LOTIO HYDRARGYRI OXIDI.

(Lotio Nigra).

R̄ Hydrargyri Chloridi . . . gr. iv.
 Liquoris Calcis . . . f 3 j.
 Misce.

LOTIO PLUMBI ACETATIS.

R̄ Plumbi Acetatis . . . gr. ij.
 Aquæ destillatæ . . . f 3 j.
 Liqua.

LOTIO PLUMBI CUM OPIO.

R̄ Lotionis Plumbi Acetatis . . . f 3 j.
 Tincturæ Opii . . . ℥ iij.
 Misce.

LOTIO ZINCI OXIDI.

R̄ Zinci Oxidi . . . gr. xxiv.
 Misturæ Acaciæ . . . f 3 j.
 Aquæ . . . f 3 vij.
 Misce.

LOTIO ZINCI SULPHATIS.

R̄ Zinci Sulphatis . . . gr. j.
 Aquæ . . . f 3 j.
 Liqua.

LOTIO ZINCI CUM OPIO.

R $\&$ Lotionis Zinci Sulphatis . f 3 j.
 Vini Opii m v.
 Misce.

MISTURÆ.

MISTURA ACIDI SULPHURICI.

R $\&$ Acidi Sulphurici diluti . . . m x.
 Sacchari Fæcis f 3 j.
 Aquæ f 3 iij.
 Aquæ Menthæ piperitæ . . . f 3 iv.
 Misce.

MISTURA ACIDI SULPHURICI CUM
MAGNESIÆ SULPHATE.

R $\&$ Magnesiæ Sulphatis . . . 3 j.
 Misturæ Acidi Sulphurici . . f 3 j.
 Liqua.

MISTURA AMMONIÆ ACETATIS.

R $\&$ Liquoris Ammonię Acetatis . . f 3 ss.
 Aquæ f 3 j.
 Misce.

MISTURA AMMONIÆ SESQUICARBONATIS.

R Ammoniæ Sesquicarbonatis . gr. iv.
 Misturæ Camphoræ . f 3 j.
 Liqua.

MISTURA ANTIMONII POTASSIO-TARTRATIS.

R Antimonii Potassio-tartratis . gr. $\frac{1}{6}$.
 Aquæ . f 3 j.
 Crystallos in pulverem tere et liqua.

MISTURA COLCHICI.

R Vini Seminum Colchici . ℥ xx.
 Magnesiæ Carbonatis . gr. x.
 Aquæ Pimentæ . f 3 j.
 Misce.

MISTURA DIURETICA.

R Potassæ Nitratis . gr. x.
 Potassæ Acetatis . ʒ j.
 Spiritus Ætheris Nitrici . f 3 ss.
 Aquæ, .
 Aquæ Menthæ piperitæ, sing. f 3 ss.
 Liqua et Misce.

MISTURA FERRI COMPOSITA.

R Myrrhæ contritæ . . .	gr. vj.
Potassæ Carbonatis . . .	gr. iij.
Ferri Sulphatis . . .	gr. iiss.
Aquæ . . .	f 3 j.
Sacchari . . .	gr. vi.

Myrrham et Carbonatem tere simul; hisque inter terendum cætera adde in aquâ liquata.

MISTURA POTASSII IODIDI.

R Potassii Iodidi . . .	gr. iv.
Iodinii . . .	gr. $\frac{1}{16}$.
Infusi Gentianæ compositi .	f 3 j.

Liqua.

MISTURA QUINÆ CUM FERRO.

R Ferri Sulphatis . . .	gr. j.
Misturæ Quinæ Disulphatis .	f 3 j.

Liqua.

MISTURA QUINÆ DISULPHATIS.

R Quinæ Disulphatis . . .	gr. j.
Acidi Sulphurici diluti . . .	℥ j.
Aquæ Cinnamomi . . .	f 3 j.

Liqua et misce.

MISTURA RHEI COMPOSITA.

℞ Rhei contriti . . . gr. x.
 Confectionis aromaticæ . . . ℥ j.
 Aquæ Cinnamomi . . . f ʒ j.
 Misce.

MISTURA SODÆ TARTRATIS.

℞ Sodæ Bicarbonatis . . . gr. xv.
 Aquæ . . . f ʒ j.
 Liqua et adde
 Acidi Tartarici in Aquæ fluid-
 unciâ liquata . . . gr. x.
 Misce ut inter effervescendum sumatur.

*PILULÆ.*PILULA HYDRARGYRI CHLORIDI CUM
COLOCYNTHIDE.

℞ Hydrargyri Chloridi . . . gr. j.
 Pilulæ Colocynthidis compositæ gr. iv.
 Simul contunde.

PILULA HYDRARGYRI CHLORIDI CUM
OPIO.

℞ Hydrargyri Chloridi . . . gr. ij.
 Opii . . . gr. ʒ.
 Glycyrrhizæ contritæ . . . gr. iss.
 Sacchari Fæcis . . . q. s.
 Simul contunde.

PILULA HYDRARGYRI CUM ALOE.

℞ Pilulæ Hydrargyri . . gr. ij.
 Pilulæ Aloes cum Myrrhâ . gr. iiij.
 Simul contunde.

PILULA HYDRARGYRI CUM
COLOCYNTHIDE.

℞ Pilulæ Hydrargyri . . gr. ij.
 Pilulæ Colocynthidis compositæ gr. iiij.
 Simul contunde.

PILULA HYDRARGYRI CUM CONIO.

℞ Pilulæ Hydrargyri . . gr. ij.
 Extracti Conii . . gr. iiij.
 Simul contunde.

PILULA HYDRARGYRI CUM CRETA ET
CONII.

℞ Hydrargyri cum Cretâ . . gr. iiij.
 Extracti Conii . . gr. ij.
 Simul contunde.

PILULA QUINÆ CUM FERRO.

℞ Quinæ Disulphatis contritæ,
 Ferri Sulphatis contritæ, sing. gr. ij.
 Extracti Gentianæ . . . gr. j.
 Sacchari Fæcis . . . q. s.
 Simul contunde.

PILULA QUINÆ DISULPHATIS.

℞ Quinæ Disulphatis contritæ,
 Extracti Gentianæ, sing. . gr. ij.
 Simul contunde.

PILULA TEREBINTHINÆ CHIÆ.

℞ Terebinthinæ Chiæ . . . 3 j.
 Calefac et divide in pilulas duodecim.

PILULA ZINCI SULPHATIS.

℞ Zinci Sulphatis contritæ . gr. j.
 Confectionis Rosæ , . gr. iij.
 Simul contunde.

PULVERES.

PULVIS CINCHONÆ ET SODÆ.

℞ Cinchonæ flavæ contritæ,
 Sodæ Bicarbonatis, sing. . gr. v.
 Misce.

PULVIS COLCHICI COMPOSITUS.

℞ Pulveris Cinchonæ et Sodæ . gr. x.
 Colchici Cormi contriti . gr. ij.
 Misce.

PULVIS HYDRARGYRI CHLORIDI CUM
JALAPA.

℞ Hydrargyri Chloridi . gr. ij.
 Jalapæ contritæ . gr. viij.
 Misce.

PULVIS HYDRARGYRI CHLORIDI CUM
RHEO.

℞ Hydrargyri Chloridi . gr. ij.
 Rhei contriti . gr. viij.
 Misce.

PULVIS HYDRARGYRI CHLORIDI CUM
SCAMMONIO.

℞ Hydrargyri Chloridi . gr. i.
 Scammonii contriti . gr. iv.
 Misce.

PULVIS HYDRARGYRI CUM CRETA ET
ANTIMONII.

R Hydrargyri cum Cretâ . . . gr. j.
Pulveris Antimonii compositi . . . gr. ij.
Misce.

PULVIS HYDRARGYRI CUM CRETA ET
RHEI.

R Hydrargyri cum Cretâ . . . gr. ijss.
Rhei contriti . . . gr. v.
Misce,

PULVIS JALAPÆ ET RHEI.
(*Pulvis Purgans.*)

R Jalapæ contritæ . . . gr. xij.
Rhei contriti . . . gr. vij.
Misce.

PULVIS RHEI ET MAGNESIÆ.

R Rhei contriti . . . gr. iv.
Magnesiæ Carbonatis . . . gr. viij.
Misce.

UNGUENTA.

UNGUENTUM HYDRARGYRI CUM
CAMPHORA.

R& Camphoræ contritæ . . . 3 j.
 Unguenti Hydrargyri . . . 3 vii.
 Tere simul.

UNGUENTUM HYDRARGYRI CUM OPIO.

R& Opii 3 j.
 Unguenti Hydrargyri . . . 3 vij.
 Tere simul.

UNGUENTUM HYDRARGYRI NITRATIS
MITISSIMUM.

R& Unguenti Hydrargyri Nitratis 3 j.
 Adipis 3 xj.
 Tere simul.

UNGUENTUM HYDRARGYRI NITRICO-
OXIDI DILUTUM.

R& Unguenti Hydrargyri Nitrico-
 oxidi 3 iss.
 Adipis 3 viss.
 Tere simul.

UNGUENTUM VERATRIÆ.

R Veratriæ	gr. iij.
Adipis	℥ j.
Tere simul.					

UNGUENTUM ZINCI COMPOSITUM.

R Unguenti Zinci,	.	.	.	
Unguenti Plumbi compositi,				
singulorum	.	.	.	℥ ss.
Tere simul.				

UNIONISTUM VERNITALE

Adipis
 Adipis
 Adipis

UNIONISTUM KINCI COMPOSITUM

Adipis
 Adipis
 Adipis
 Adipis

