#### A meteorological journal of the year 1799, kept in London / by William Bent.

#### **Contributors**

Bent, William, 1747-1823. Royal College of Surgeons of England

#### **Publication/Creation**

London: Printed for W. Bent, [1800]

#### **Persistent URL**

https://wellcomecollection.org/works/wsg2kfzw

#### **Provider**

Royal College of Surgeons

#### License and attribution

This material has been provided by This material has been provided by The Royal College of Surgeons of England. The original may be consulted at The Royal College of Surgeons of England. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

# METEOROLOGICAL JOURNAL

OF THE YEAR 1799, 6

KEPT IN LONDON,

## BY WILLIAM BENT.

TO WHICH ARE ADDED,

REMARKS ON THE STATE OF THE AIR, VEGETATION, &c.

AND

OBSERVATIONS ON THE DISEASES,

IN THE

CITY AND ITS VICINITY.

LONDON:

PRINTED FOR W. BENT, PATERNOSTER ROW.

AND RESERVATION AND ASSESSMENT OF THE PARTY OF THE PARTY

MORNOS MI TERM

MELBER MALLER VE

ARRIVATION TO SERVICE

AND RESTRICTION AND ADDRESS OF THE RESTREE AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY ADDRESS OF THE

600

THE RESIDENCE OF SHIPLE PARTY AND ADDRESS.

THE RESERVE AND ADDRESS OF THE PARTY NAMED IN

#### EXPLANATION.

THE Journal is kept on the fouth fide, and near the middle of Paternoster row, which is 51 feet higher than the bed of the river Thames. The instruments used are, a perpendicular Barometer with an open cistern, two Fahrenheit's Thermometers, and a De Luc's Hygrometer. The Journal of each month is divided into nine columns, which contain as follow:

- 1. The Day of the month, with the letter N or F affixed to that on which the moon is new or full.
  - 2. The Hour of observation, morning and afternoon.
- 3. The height of the Barometer, in inches and 100 parts: it is placed in a room on the ground floor.
- 4. The degrees of the Thermometer, hung out at a window, up one pair of stairs, facing the north. This instrument when exposed three stories higher, in frosty weather, finks from 2 to 3 degrees.
- 5. The degrees of the Thermometer, placed in a passage at the bottom of a staircase, where there is no fire-place.
- 6. The degrees of the Hygrometer, hung close to an outward door that is constantly open in the daytime.
- 7. The degrees of Cloudiness; the sun being frequently obscured with 3, and seldom visible with 4; but when b is inserted, the atmosphere is so hazy above, and when f, so foggy below, that no distinction of clouds is perceptible.
- 8. The point and force of the Wind; 3 being rather brisk, and 4 blowing strong.
- 9. Further observations and intermediate alterations of the Weather; in which the period [.] and colon [:] are used to denote a space of time between any change, the latter being a distinction for midday and midnight.
- \* The Remarks on Vegetation are obtained from a neighbouring village; the quantity of Rain from the vicinity of Temple bar; and the Observations on Diseases from a medical friend in the city.

### [ 4 ]

# METEOROLOGICAL JOURNAL, January.

D.	H	Baro.	T.out	T.in	н.		Wind.	Weather, &c.
1	8	30,38	33	40	61	h	EO	• foggy
	2	30,40	34,5	40,5	62	h	EI	ALCON E
2	8	30,50	33,5	40,5	60	f	EI	
	2	30,51	34	41	60	h	EI	
3	8	30,49	30	40	64	f	ENE I	
	2	30,43	34	40	62	f	ENE I	
4	8	30,42	32,5	40,5	62	h	NEI	DESCRIPTION OF STREET
	2	30,39	35	41,5	62	5	NNEI	THE RESERVE AND ADDRESS OF THE PARTY OF THE
5	8	30,38	33	40,5	63	f	EI	
	2	30,30	34	41	62	f	EI	AND PERSONS ASSESSMENT OF THE PERSON OF THE
6	8	30,28	30	40	62	f	WI	little fleet, fine
N	2	30,23	37	41	60	I	NW I	hazy. clear night
7	8	30,22	28	40	59	3	NW I	foggy
1	2	30,15	35,5	42	62	4	WNW I	foggy. fleet at night. drizzling
8	8	30,04	37	43,5	66	f	w o	. little wet at times
	2	30,11	39,5	44	65	f	wo	drizzling. fair night: fine
9	8	30,35	34,5	42	64	1	NI	hazy. foggy
1	2	30,35	35,5	44	67	f	NI	thick upward at night
IO	8	30,29	33.5	40	65	2	NO	foggy
10		30,27	38,5	43,5	67	4	WI	little fog. lefs cloudy. drizzling night
II	8	30,19	39,5	45	70	f	so	. not cloudy and wind w
11		30,21	42	46	67	3	WI	foggy- more fog at night
12	8	30,29	31	41	64	F	sw o	very foggy
12		30,27	32,5	43,5	65	f	sw o	. thick upward at night
-	2	30,26	36	43	65	h	wsw I	. not cloudy: thick upward
13	8		40,5	46	62	h	SW I	
	2	30,23		43	62	h	sw I	· not cloudy
14	8	30,28	37	The State of the S	62	4	SW I	foggy. no fog at night
	2	30,32	41,5	45,5	62	4	SI	· fine
15	8	30,39	40	46,5	58	2	8 1	. cloudlefs eve. foggy
1 -	2	30,36	44	47	62	f	SSW I	. fine
16	8	30,26	33	44	60	2	SI	little fog
	2	30,21	39	1000		f	SSE I	· not cloudy
17	8	30,19	33,5	44,5	59	2	SSEI	hazy
1 0	2	30,17	30	44		2	SSE I	. thick upward and little rain
18	8	29,99	34	43	57		5 2	gentle rain at night
1	2	29,96	43	46		5	5 2	. cloudy : fine
19	8	30,03	42,5	47,5	65	f	s 2	. cloudless eve
	2	30,03	42,5	48,5	64	3	S 2	: little wet, fine
20	8	29,89	40	46	61	2		. cloudy eve. rain at times
1	2	29,83	44	48	57	3	8 2	: gentle rain
21	8	29,69	44	48	100000	5	S 2	. fine, cloudlefs night : little rain
F	2	29,68	45,5	49	67	5	SSW I	. not cloudy
22	8	29,85	40	46,5	61	h	SSW I	not cloudy, rainy night: windy, lefs wind
1	2	29,81	45,5	49	62	h	88W 2	. fine. rain at times
23	8	29,34	42,5	49	62	5	sw 3	cloudy and little rain. windy night: lefs
	2	29,34	44,5	49,5	60	3	SW 2	wind
24	8	29,58	37,5	47	59	2	WSW 2	. little rain. fine eve
1	2	29,61	44	49,5	58	2	WSW Z	- Attac rains time ere
25	8	29,72	39	49,5	59	f	WO	. fine. cloudlefs foggy night
	2	29,72	43,5	49,5	61	f	WNW I	little fog
26	8	29,89	39	48	59	2	WI	: much rain
1	2	29,96	45	49	57	3	WNW 2	gentle rain at times
27	8	29,59	41,5	48	63	h	SI	. chiefly drizzling: fnow
1	2	29,44	50,5	50,5	64	h	W I	
28	8	29,56	34	48	56	h	NNW I	. fine
	2	29,71	31,5	47,5	53	1	NW I	little fog
29	8	29,77	28,5	45	56	I	WI	hazy
1	2	29,72	35,5	45	56	3 f	WI	hazy, cloudy night: much fnow
30	8	29,43	31,5	43,5	59	f	NEI	. fine
1	2	29,53	33	44	54	I	NNE 1	hazy
1				10.00	59	f	ENE I	. more wind and much fnow
31	8	29,59	26	41	61	h	E 3	much fnow, lefs wind at night and chiefly fair

### REMARKS on the State of the AIR, VEGETATION, &c. in January.

8. THE frost which commenced on the 24th of December continued till last night, when sleet changed to small rain.—9. Brocoli entirely destroyed by the late frost, and all other kinds of cabbages injured in some degree, except borecole or curled colewort.—31. The coldest day of this month, accompanied with a great fall of snow and a brisk east wind.

Rain 1 inch 2 hundredths.

### OBSERVATIONS on the DISEASES in January.

ASTHMATIC and confumptive complaints continued to prove very fatal, and the mortality among those much advanced in years was great. Small-pox still continued to decline; and from the bills of mortality it appears that fewer deaths have happened from this disease in the present month, than in any month since May last, the whole amounting to 190. Measles likewise have been very favorable; croup has now and then occurred; and toward the end of the month scarlet sever was met with in some districts, where it seemed likely to prevail. The burials from the 1st to the 29th were 1840.

# METEOROLOGICAL JOURNAL, February.

	п.	Baro.	T.out	T. in	H.	C.	Wind.	Weather, &cc.
1	8	29,30	31,5	41	67	h	EI	little fnow at times : fmail hail
	2	29,28	34	42	70	h	EI	chiefly gentle rain or fleet : fair
2	8	29,15	31	41	63	h	EI	. much fnow
10.75	2	29,19	33,5	42	64	h	EI	gentle fnow. more wind Nw and clear nigh
3	8	29,54	24	40	59	0	NW 3	
	2	29,56	28	41	56	0	WNW 2	: thick upward
4	8	29,58	24,5	38	60	h	NW I	. not cloudy. little fnow
N	2	29,60	30,5	38,5	60	3	NW I	· clear night
5	8	29,61	28	-	62	f	NI	The state of the s
9	2	29,61	32	37,5	63	h	ENEI	. more wind at eve : lefs wind
6	8	29,67				h	ENE I	
	2	29,74	27,5	37	59	h		
-	8		31	37,5	100000	f	ENE 2	chiefly and Com
7	100	29,90	27	36,5	60		ENE I	. chiefly gentle fnow
8	8	29,97	30	37	60	h	ENE I	
0		30,12	26,5	36,5	58	f	ENE I	wind ESE
-	8	30,16	29	37	59	h	ESE I	: windy. fnow and hail and lefs wind
9	11500	29,87	31	37	69	f	SEO	
	2	29,91	40	38,5	67	I	wsw I	. clear frofty night
10	8	30,29	35,5	38,5	66	2	WI	thick upward
	2	30,29	40	41,5	64	h	WI	· much rain at night and windy
II	8	29,24	41,5	42	63	h	SW 2	. not cloudy. cloudy: gentle rain
-	2	29,26	39,5	43	64	h	8 1	. rain, little fnow at night, very windy, cle
12	8	29,82	32,5	41,5	58	0	N 3	[and lefs win
	2	30,02	36	44	57	1	N 2	. cloudy night and fome fnow
13	8	29,87	34,5	41,5	63	f	SI	little wet
	2	29,87	40	43,5	62	f	WI	. fine. cloudless night
14	8	29,97	35	43	60	0	w I	hazy
	2	29,92	42,5	44,5	59	4	wsw 1	hazy: gentle rain and more wind
15	8	29,57	44	46	64	1	WSW 2	
	2	29,52	49	48	60	4	SSW 2	. gentle rain. heavy shower. fine night
16	8	29,20	41	46,5	62	f	WSW 1	drizzling, fine: cloudy and little rain
	2	29,21	43,5	48	60	5	WSW 2	hazy. much fmall rain, less cloudy: fine
17	8	29,47	38,5	45	60	2	WSW I	The second secon
	2	29,57	43,5	48	56	2	WNW I	. hazy eve. thick upward : rain
18	8	29,74	39	46	65	h	8 1	continual gentle rain and little fnow
	2	29,64	42	47	69	h	ESE I	chiefly gentle rain
19	8	29,59	50	51	68	h	SSW 2	. chiefly gentle rain
-2	2	29,59	51	53	67	h	SSW 2	. little rain. fine night, cloudy
20	8	29,49	45	50	65	5	SSW O	. chiefly gentle rain : lefs cloudy
F	2	29,52	46,5	51,5	65	4	WSW I	. fine eve. more cloudy
21	8	29,50	48	51	66	h	WSW 2	. fine and more wind
	2	29,55	52,5	51	59	2	ssw 3	. rainy eve. hail and more wind. fine : le
20	8	29,82		100000000000000000000000000000000000000	62	h	8W 3	little wet : fine [win
22	200		47,5	51	62			. lefs wind. cloudy night. fine
	8	29,94	54	53	1000	3	sw 3	foggy
23	200	30,04	45,5	52,5	6.1	3		(100)
4	2 0	30,03	57	54,5	59	3	5 1	· fine: more cloudy
24	8	30,05	49	52	63	5	SSW I	- clear night
	2 0	30,07	54	53	57	4	SW 2	
25	8	30,22	40,5	.50,5	60	0	WI	hazy
	2	30,29	46,5	49	63	2	WNW I	. clear night
26	8	30,20	42	49	59	5	WSW 2	: little wet
	2	30,17	49	51,5	60	5	Wsw 2	continual drizzling
27	8	29,98	50	52,5	65	5	W 2	little wet: lefs cloudy
	2	29,99	55	55,5	63	4	, W 2	. more cloudy, fine night
28	8	30,17	52,5	52,5	60	f	w o	
-	2	30,19	54	54	60	4	WI	jittle rain. more cloudy

REMARKS on the State of the AIR, VEGETATION, &c. in February.

A FROST commenced on the 28th of last month and continued to the 10th, or, with little intermission, to the 14th of this month; the coldest day was the 3d instant, when the thermometer was at 24 and never higher than 28: much snow fell, particularly in the first week, that many roads were rendered impassable; and the snow and rain which fell afterward, caused high sloods and much damage in many places toward the end of the month.—15. Snowdrops in open slower.—20. Crocusses open their slower; and peas sown on the 17th of December, begin to appear above ground.—26. Gooseberry bushes begin to open the leaf.

Rain 2 inches 41 hundredths.

#### OBSERVATIONS on the DISEASES in February.

SCARLET fever continued to increase in frequency, as seemed probable in the last month; it was not now confined to any particular district, but met with here and there throughout the whole metropolis; in fome families it proved very fatal: the writer of this article, faw two inflances in one family, where it proved so within twenty-four hours from the first appearance of disease; one, a child of eight years old, where no eruption ever took place, but where the countenance was pale on the immediate attack, the pulse extremely feeble and frequent. a strong delirium, and almost a total inability to fwallow; the other, an infant of two years old, had a flight efflorescence at first, which was of very short duration, the internal fauces became very much fwelled, and on every attempt to fwallow the child was thrown into fits: in both these cases blisters were applied without any alleviation of the disease, and death took place within the period above stated; four others in the same family recovered from this disease, one of them with difficulty after having been in confiderable danger. Peripneumonic difeases continued to prevail; and, if we may credit the bills of mortality, 451 have died from consumption in the course of the month, a number more than equal to the fourth part of the whole mortality. Smallpox still continued rare; the mortality decreasing, being fill confiderably less than in the last month. Rheumatic affections were very common, and gout fevere and obstinate. The burials from the 29th of January to the 26th of February were 1797.

## METEOROLOGICAL JOURNAL, March.

-						_		
	H.	Baro.	T.out	T.in	H.	C.	Wind.	Weather, &c.
1	7	30,07	47	53	62	h	sw I	. fine
	2	29,92	54,5	55,5	59	3	SI	. clear night
2	7	29,93	43,5	52	59	I	WNW I	clear night
1	2	30,08	49	51	53	2	NNW I	- clear night - foggy. hazy: fine
3	7	30,21	38	48	56	2 2	NNWI	, clear night
	2	30,27	35,5	50,5	52	f	EO	. fine
4	7 2	30,27	47,5	49,5	56	z	EI	
5	7	30,20	38,5	47	61	h	E 2	· more wind and fine
	2	30,22	42	47	57	3	E 4	. lefs wind. cloudy eve
6	7	30,26	37	46	56	6	NE I NNE I	little fleet frequently lefs cloudy, cloudy eve: little fnow
N	2	30,23	37	46	56	5	NNW I	chiefly gentle fnow but lefs cloudy at times
7	7 2	30,21	33,5	44 44,5	58	5	NI	little fleet: fnow
8	7	30,10	34	44	59	h	NNW 0	· very thick upward, foggy: not cloudy
	2	30,01	38	45	57	3	NI	hazy, wind E: fleet
9	7	29,96	32	43	60	3	ENE I	hazy, chiefly gentle fnow and fleet little fnow and fleet: fine
1	2	29,97	36	44	62	5	NI	. hazy
10	7	30,11	34	42	56	3	NE I E I	hazy, clear eve, thick upward
11	7	30,17	34,5	44,5	61	h	NEI	. little foggy
1	2	30,02	39	44	63	5	NE I	little foggy
12	7	30,07	37	43	64	h	NI	not cloudy
	2	30,10	46,5	46	62	2	NI	hazy. thick upward at eve . not cloudy: thick upward
13	7	29,87	34	44	58	h	WI	· much gentle rain. windy night and fome
1.	2	30,09	42,5	46,5	58 58	h	N 3	chiefly gentle fnow [fnow
14	7 2	30,09	34	46	61	5	N 2	gentle fnow, drizzling eve, fair
15	7	30,27	36,5	44	60	4	NNE 2	hazy. lefs cloudy at times
100	2	30,32	40,5	45	56	5	NNE 2	· less cloudy night
16	7	30,35	35	42,5	59	f	NNE 3	thick upward. fine     little fog. thick upward
1	2	30,40	41	44	52	2	NNE 2	. Ittle log. these appears
17	7	30,38	37	42	55	5 4	NI	little foggy, thick upward at eve
18	2	30,28	35	44,5	54	h	NI	. fine and wind s
100	7 2	30,24	43	45	52	4	ssw I	· more cloudy and little rain. fine night
119	7	30,33	33	41,5	58	0	WSW I	little foggy, fine
1	2	30,20	45	46	49	2	5 2	. cloudy eye: gentle rain little gentle rain
130	7	29,87	40	45	58	5	ESE I	. little rain : clear
	2	29,92	43,5	47	62	5 f	NEI	: not cloudy
21 F	7 2	30,17		47,5	62	3	ENEI	hazy, thick upward at eve
22	1 35	30,28		45,5	65	h	ENEI	chiefly gentle rain
1	2	30,27	The second second	47.5	64	h	EI	. little gentle rain . fog: less fog and not cloudy
23	7	30,23		46,5	61	h	SE I	abials amounted at one rain in the night
-	2	30,18		47,5	65	3 h	SI	. little rain. fine
24		30,03		50,5	55	01/20	ESE 2	chiefly cloudy and wet at times
25	7	30,00		49	59		SE I	gentle rain. hazy and wind w: not cloudy
100	2	30,12		50	159	3	WI	hazy. little wet. clear night
26		29,85		47,5	58		SW I	and a sain fine and lefs wind, clear night
100	2	29,73	42	47	60		wsw 2	-lands at times
27		29,71			58		W SW 2	. cloudlefs eve. cloudy
	2	29,69		50	56		WI	hazy, lefs cloudy
28	7 2	29,71		49	54	3	WNWI	hazy. cloudlefs night
29		30,04			-0	I	WNW 1	I to the state and little warm windy highe
1	2	30,04	1 0	49	55		EI	C Ashan of from fine
30	7	30,07	34,5			A CONTRACTOR	ENE 4	-1date
1	12	1 - 2 - 2 - 2		43	54		ENE	l . little fnow. fine
31	7 2	29,83	30	40	152		ENE	to Jo sight and left wind
1	1 "	29,00	24		9 5			A STATE OF THE PARTY OF THE PAR

REMARKS on the State of the AIR, VEGETATION, &c. in March.

8. SINGLE Hyacinths in flower.—12. Apricot begins to bloffom.—26 Lilac begins to unfurl the leaf; peach and nectarine to bloffom.—28. Horse-chestnut begins to soliate; dassocial to open the flower.—This month has been cold and foggy, though but little rain, which, with the destructive frost in January, has rendered vegetables remarkably scarce and dear: the thermometer between 54,5 and 30, and the mean state 40, the same as last month.

Rain 47 hundredths of an inch.

OBSERVATIONS on the DISEASES in March.

SCARLET fever still continued to prevail, with symptoms similar to those of last month: it seemed to be much influenced by the weather; for whenever a mild state of the atmosphere was succeeded by a colder, all the symptoms of the disease were aggravated. Jaundice was very common; and smallpox much on the decline, the mortality being less than at any time within twelve months past. The burials from the 26th of February to the 2d of April were 1768; and during the last three months 5405.

# METEOROLOGICAL JOURNAL, April.

								,
D.	H.	Baro.	T.out	T. in	H.	C.	Wind.	Weather, &c.
1	7	29,83	30	39	54	3	NE 2	· more wind
45	2	29,87	39	41	45	2	ENE 3	. cloudy eve
2	7	29,98	33	40	52	5	ENE 2	. little fnow but chiefly fine
	2	30,02	39	41	49	3	E 2	. little fnow. cloudy night
3	7	29,92	32	40	52	5	E 2	hazy
1000	2	29,88	36,5	41	51	2	E 3	hazy. lefs wind, clear night
4	7	29,86	30,5	40	54	1	EI	Contract of the second
	2	29,79	43	41,5	49	2	SE 2	. cloudy eve and more wind : rain
5	7	29,61	42	42,5	75	5	SSE 3	rain, less wind. fair: fine
N	2	29,61	52	45	65	3	SSE I	hazy. cloudy night: little rain
6	7	29,62	44	45	72	h	NNEI	
T MI	2	29,68	47	46,5	66	5	NI	hazy
7	7	29,81	37	44,5	62	5	NI	
	2	29,87	41	45,5	58	5	N I	: gentle rain
8	7	29,77	39,5	45	65	h	NI	little rain: not cloudy
	2	29,67	49,5	46,5	67	3	wsw I	hazy, rain at times but chiefly fine
9	7	29,69	44,5	47	63	1	SSW 2	. more wind. shower.
	2	29,69	52,5	49,5	55	3	sw 3	. shower, cloudy night: rain
10	7	29,42	46	48	67	5	8 2	chiefly gentle rain but less cloudy at times
	2	29,34		50,5	64	5	wsw 3	. more wind, fine, lefs wind, clear night
II	7	29,76		49	60	2	SW 2	
	2	29,83	50,5	52	53	13	sw 3	rain, fine night
12	7	29,85		47,5	59	3	WSW I	chiefly cloudy and little rain
	2	29,97	47,5	49,5	158	4	NNW I	chiefly fine but little rain at times
13	7	30,12	43	47	61	5	NNE I	· fine. cloudy
	2	30,23		50	152	4	NNE 2	. chiefly fine, cloudless night
14	7	30,28	38	40	155	I	ENE 2	- cloudy
3	2	30,24	47	46,5	154	5	ENE 2	· more wind. fine eve. cloudy: little rain
15	7	30,01	42	45	63	15	ENE 2	. fine
140	2	29,91	54	49	163	I	EI	rain and fine at night: gentle rain
16	7	29,78		49	68	h	NEO	little rain: not cloudy
	2	29,73		52,5	64		WSW I	chiefly cloudy and rain at times
17	7	29,72		51,5	68	5	SSE I	little rain, more wind; fine
1	2	29,77	51	43	55	3	ssw 3	little rain at times
18	7	29,59	41	48,5	59	2	SSW 2	. little rain at times
	2	29,58		50	53		ssw 2	little hail: rain
19	7	29,53		49	64		ESE I	little rain at times: not cloudy
F	2	29,65		51	59		WNW I	. chiefly gentle rain . fine. little rain at times
20	1000	29,82		48,5	61		NNW 2	about a second little win at times
	2	29,90		51	56		NNW 2	The state of the s
21	7	29,97		48	60		NW I	-11 0 C
1	2	30,01		51	56		NI	The state of the s
22		30,03		47	59		WSW 2	1 1 1 C mind
	2	30,00		49	54	15	ssw 3	A CONTRACTOR OF THE PROPERTY O
23		29,90		49,5	68		SE I	The state of the s
	2	29,95			62		E 2	Treat continues
24		30,03		49:5	62		N 3	the state of the s
1	2	30,08		50	58		N 3	I consider
25		30,14		The same of the sa	55		NI	1 0 delegation
1	2	30,14		49	53		NWI	1 12 -1 Tofe alander of times
26	1000	30,05	The state of the s	The second second	66	1 4	NE 2	A CONTRACTOR OF THE PARTY OF TH
1	2	30,00			56	5	NNE 2	1 march at a state of the state
27		30,11	The state of the s	The second second	58	4	NI	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1	2	30.12		49,5	53		NNW I	A C I do at times
28	7	30,08		50,5	60		WI	
1	2	30,07		52	56		NWI	the state of the s
29	7	30,08	41	17	57		NNW 2	de de and litela sain lafe wind
1	2	30,11			57	4	N 3	
30	7	30,15	42	48	58		NI	A STANDARD LAND WINDS
1	2	30,15	48	49	55	15	NI	· Cloudicts many in Site
1			1			1	10.00	
1	1	1	1	1	1	1	1	

REMARKS on the State of the AIR, VEGETATION, &c. in April.

5. THE hygrometer at 75, in the morning, five degrees more than on any other day fince the 15th of December last.—10. Almond tree begins to blofom, and hawthorn to foliate.—Vegetation has been greatly retarded by the unusual coldness and moisture of this month, in which there has not been above nine days free from hail, snow, sleet, or rain: trees, in general, are as naked as in the depth of winter. The range of the thermometer was from 30 to 54, the same as it was in March; but the temperature has been more equal than in that month, its mean state (44,5) being four and a half degrees warmer: seven and a half degrees is all the increase of mean heat since the month of January. The wind was very unsteady and in all points, but most between the north and east, and least between the south and east. The barometer was also unsteady, varying from 29,34 to 30,28, but giving the mean 29,89.

Rain 1 inch 83 hundredths.

### OBSERVATIONS on the DISEASES in April.

SCARLET fever, which had been prevalent in the former months, at the beginning of this was on the decline, and toward the end of it was not often met with: the fymptoms continued nearly the fame as before. A few cases of croup occurred, with a fatal termination. Measles and smallpox were both rare; but hooping cough still very common. Jaundice was prevalent, and with those advanced in life, or with whom it was the consequence of intemperance, very obstinate. Rheumatic fever was often met with, and where evacuations had not been early attended to, was of long duration. The burials, from the 2d to the 30th of April, were 1527; of which 44 only were from smallpox, a number much less than has occurred in the same period within the last twelve months.

## METEOROLOGICAL JOURNAL, May.

D.	H.	Baro.	T.out	T.in	Н.	C.	Wind.	Weather, &c.
-	7	29,99	40	47	58	4	NW I	hazy. lefs cloudy
1	2	29,98	52,5	49,5	51	3	wı	hazy. cloudy. much gentle rain
2	7	29,91	43,5	49	62	h	sw I	chiefly gentle rain: fine
	2	29,87	48	51	-	3	ESE I	. cloudy and little rain
-	220		41,5	48	58	5	NE I	. chiefly fine
3	7	29,93	The second second			4	NEI	
	2	29,94	50	49,5	100	I		more cloudy: fine
4	7	29,90	41,5	48	57	77	EI	hazy: chiefly cloudy
N	2	29:90	51,5	50	2.5	4	E 2	. clear night
5	7	29,84	45	49		4	E 2	. chiefly fine
	2	29,80	54	51	100.00	2	E 3	, lefs wind. cloudy night: little rain
6	7	29,79	50,5	51	100	4	ENE I	. fine
	2	29,78	63	55,5	53	2	EI	. cloudy eve. much gentle rain
7	7	29,67	43	52	2.5	h	NNEI	gentle rain: not cloudy
	2	29,60	57	54.5		3	NNEI	hazy, chiefly cloudy and little rain
8	7	29,62	50	54		h	NEI	: not cloudy. thick upward
	2	29,67	57,5	56	64	h	NE I	. very thick upward, little rain, cloudy
9	7	29,69	53	55,5	61	5	NW I	foggy. little wet at times
1	2	29,70	55,5	57	61	5	WI	. little wet at times : gentle rain
IO	7	29,69	49	55	63	h	wsw I	chiefly gentle rain : chiefly fine
-	2	29,66	53	56	57	4	WI	hazy, little wet, less cloudy, cloudless
7.		29,66	45,5	53,5	60	2	wı	hazy, wind s: cloudy, little rain
11	7	29,65			58	5	SSE I	little rain and chiefly cloudy. fine night
	2	The state of the s	53,5	55	59	I	SE I	. cloudy. diffant thunder: gentle rain
12	7	29,70	47,5	52,5			A CONTRACTOR OF THE PARTY OF TH	little rain. fine : little rain
	2	29,76	53	54	50 61	5	WNW I	
13	7	29,80	50	52			SW I	. little rain at times: fine
	2	29,79	55,5	53,5	56	3	SSW I	. little rain at times
14	17	29,80	48	52	64	5	NI	. little rain at times
1	2	29,88	52	54	62	h	NE I	. little rain: fine
15	7	30,06	42,5	50,5	55	4	NNE I	
1	2	30,13	50,5	51	51	3	N 2	· clear night
16	7	30,45	41	48	57	I	NI	
	2	30,49	53,5	52	49	3	NI	hazy. cloudless night
17	7	30,45	45,5	51,5	53	I	ESE I	hazy. more hazy
-/	2	30,30	1000	53	46	h	WSW 2	fun vifible. brighter. cloudy night: little rain
18		29,90		51	64	5	SW I	1 C C C C C C C C C C C C C C C C C C C
1	2	29,80		53	56	3	SW I	1 1 from sun to make
19	100	29,56	47,5	50	64	5	WI	
F		29,66	60	52,5	57		WSW 2	
1000		29,42			61	h h	NI	
20	100	29,73		57,5	1	4	NW I	The state of the s
1	2				57	I	wı	The state of the s
21	100	29,98	50,5		0.0000			The state of the s
1	2	29,86		57	54	5 2	sw 3 w 2	
22	100	30,08				100	5000	
-	2			58,5			W 2	Constitution Const
23	3 7	30,05		57	60		WSW 2	
1	2	The second second		59,5			WSW 2	
24	17	30,00		55	55	4	SW 2	
1	2	1 76	59,5		10000	1000	WSW 4	
2					53		W I	
	2		-		44		W I	clear night
26				55,5			WSW 1	more cloudy
	2	100000		58,5	The second second		WNW	little rain at night: fine
2		(A) (A) (A) (A) (A)	1000	55,5			NW I	
1	7 7	1 1			48	4	NNW	x - clear night
1	- 10			56	52		E	the state of the s
2	10			58,5			E	
14	2			The second second			E	1
2	100				57			
1	2	12		59,5			ESE	1 . O. martin min
	0 7			58	52		sw	1 West with Con mining
13		1 0	9   56	00	60	5	NNW	1 . Helle failt fine mgm
3	2	Contract of the Contract of th		100000	1000		The state of the s	- lafe cloudy at times
3	2		1 52	57	5 55		NW	

## REMARKS on the State of the AIR, VEGETATION, &c. in May.

6. THE thermometer 63 at two in the afternoon; it had never reached 55 before in this year, except on two days fo far back as February.—Elm begins to foliate; and standard green-gage plum to blossom.—8. Pear and Mayduke cherry in blossom.—10. Asparagus cut.—18. Apple trees blossom.—22. Vine begins to soliate; and lily of the valley to slower.—24. Lilac and horse-chestnut in blossom.—30. Laburnum and hawthorn in blossom.—Though the thermometer was never below 40 in this month, its mean state was no more than 52, which is nearly two degrees colder than any preceding May for at least thirteen years.

Rain 1 inch 89 hundredths.

### OBSERVATIONS on the DISEASES in May.

SMALL aphthous ulcerations of the tongue and fauces were among the most common symptoms of this month; sever in a slight degree, with headach, and its other usual symptoms accompanied them; much languor and debility, with pains in the legs, were added: all these symptoms were evidently owing to acrid accumulations in the first passages; for after the use of purgatives, two or three times repeated, they disappeared, and health was restored. Jaundice and rheumatic sever still continued to prevail; but eruptive severs, such as measses and smallpox, which usually prevailed much at this season of the year, were not very frequently met with; the mortality of the latter was still decreasing, the burials in the course of the month being only 36; and the whole mortality was 1394.

# METEOROLOGICAL JOURNAL, June.

D.	H.	Baro.	T.out	T. in	H.	C.	Wind.	Weather, &c.
1	7	30,08	51,5	57	55	3	SW 2	. cloudy: drizzling
	2	29,98	51,5	56	58	5	SSW I	little rain. chiefly fine
2	7	29,84	50	56	55	3	wsw I	- rain at times
	2	29,79	57	58,5	53	3	SW 2	
3	7	29,64	52,5	57	55	3	SW 1	. showers of hail and rain
N	2	29,64	58	58	52	3	WSW 2	. showers, more wind and showers
1 4	7	29,31	52	56,5	60	1	wsw 3	• gentle showers
1	2	29,39	57,5	58	50	2	wsw 4	. lefs wind . showers
5	7	29,77	58,5	56	53 52	1	SW I W I	. little wet, clear night
6	7	30,27	51,5	57,5	53	3	wo	hazy
1	2	30,32	60,5	65	50	3	wı	. cloudy night
17	7	30,44	58	59,5	58	4	sw o	The state of the s
1	2	30,49	70,5	63,5	53	4	sw o	. lefs cloudy. clear night
8	7	30,50	61	62	57	1	5 1	· wind E
1	2	30,47	7225	66,5	48	1	EI	
9	7	30,30	61	64	55	1	EI	The state of the s
1	2	30,24	76	67,5	46	1	E 2	. calm eve
10	7	30,17	60	64	54	2	NNE I	
1	2	30,13	78	70	48	2	NNEI	· more wind
111	7	30,27	51,5	60	51	3	N 3	. lefs wind. more cloudy night
1	2	30,30	61,5	56	47	I	N 3	· more cloudy. fine
12	7 2	30,33	50,5	60	53	4	NNE I N I	. cloudy night
13	7	30,02	54	57,5	52	4	NW I	- division in the second
100	2	29,88	61,5	60,5	54	4	NWI	· more cloudy night
14	7	29:95	55	58,5	52	4	NNW I	The second secon
1	2	29,98	63	60	55	4	NI	. more cloudy night: fine
15	7	30,10	51	57	50	I	ENE 2	hazy, chiefly cloudy
	2	30,16	60	58,5	48	4	ENE 1	• lefs cloudy
16	7	30,22	48	55	52	2	ENEI	· cloudy
1	2	30,26	58	56	48	5	NEI	· less cloudy
17	7	30,25	49,5	54	50	4	ENE I	. fine
F	2	30,25	62	57	47	2	EI	: cloudy . wind N and fine
18	1	30,28	51	55	52	5	ENEI	cloudy night
1	2	30,30	64	59	50	4	N 2 N I	. fine
19	7 2	30,31	53,5	57	50	I	NNE 2	: cloudy
20	7	30,34		57,5	54	100	NNE I	. fine
1	2	30,33	63,5	60,5	52	I	NI	Control of the Contro
121	7	30,31	0.000	58	58	5	N 2	. fine
1	2	30,31	65,5	61	53	I	N 2	. wind E at eve
22	7	30,31	54,5	58	58	4	ENE I	
1	2	30,21		63	51	2	EI	aloute and mind on a fittle mat
23		30,00	200	60,5	56	2	EI	rain at times. fine eve. wind N E
	2	29,92	The same of the same of	65	53	5	W I	. Tail at times, time ever wind it is
24	1000	30,09		58,5	55	1	NI	. cloudy. little rain. fine eve
1	2	30,10		60,5	55	3	NNE I	hazy
25		30,24		57	51	3	ESE I	. wind ssw. hazy: gentle rain
26	7	30,00	1000	57	56	h	SSW I	little gentle rain
20	2	30,04	1 0	58,5	53	5	ssw I	
27		30,09	0	59,5	55	4	wı	A CONTRACTOR OF THE PARTY OF TH
1 7	2	30,17	22		51	15	NI	
28		30,27	The second second		53	5	NNW	hazy, fultry : little rain
	2	30,31	100	65	53	5	NNW I	fultry. gentle rain : fair
29		30,34	1000	62	58	5		lefs cloudy
1	2	30,33		63	52	4	NI	
30		30,24		59	56	0	WI	I to the tiple sain
	2	30,15	73	65	46	1	W I	
	1	1			1	1		

REMARKS on the State of the AIR, VEGETATION, &c. in June.

6. PEONY flowers, and mulberry tree foliates.—10. Honeysuckle and rose de meux flowers.—23. Elder tree flowers.—27. Scarlet strawberries gathered.—Though but little rain fell in this month, the air was not to be deemed dry, the hygrometer being never less than 46, and its mean state 53.

Rain 59 hundredths of an inch.

OBSERVATIONS on the DISEASES in June.

APHTHOUS ulcerations of the mouth still continued to prevail; and rheumatic fever became more frequent than in the last month. Inslammation of the eyes was very common; in some instances occasioning extreme pain, which did not abate for two or three days, even where local as well as general bleeding was made use of: small ulcerations of the eyelids were also frequent. Erysipelas was occasionally met with, and, on the whole, severe. Toward the end of the month measles began to spread; but as the weather was moderate the symptoms did not run high, and the cough, which is commonly severe, was soon removed. Smallpox was likewise favorable. The burials from the 28th of May to the 2d of July, were 1404; and from the 2d of April to the 2d of July 4325, being 1080 less than in the former three months.

## METEOROLOGICAL JOURNAL, July.

-							de les	
1	Н.	Baro.	T.out	T.in	Н.	C.	Wind.	Weather, &cc.
1 1	-	30,01	59.	63	58	5	sw I	
1 10	7	29,95	66,5	64	59	4	SW.1	. more cloudy, thick upward at night
2	7	29,95	60	63.5	63	h	sw I	drizzling and gentle rain : fine
	2	29,97	68	69	55	3	wsw I	. cloudy night: little rain
3	7	30,08	60	64,5	59	5	WSW I	· fine
N	2	30,19	69,5	67	53	3	WNW I	SECURE ALEXA SELLANDE A
4	7	30,26	61,5	65	57	3	WI	Ralpherries begin to nigen, we had by
	2	30,24	71	07,5	51	3	WSW 2	. cloudy eve
5	7	30.29	62	64.5	57	4	wsw I	alaudiaG hazu ziakit
100	2	30,34	70,5	66	53	h h	WSW I	cloudless hazy night
6	7	30,34	61,5	69	57 52	3	WSW 2	hitherto of the present years The seel
1 -	2	30,34	73 62,5	66,5	57	4	wsw I	. shower: fine
7	7 2	30,27	73	69	52	3	sw I	The state of the s
8	7	30,25	61	64,5	56	2	wı	hazy
1	2	30,18	72,5	68	49	3	SW 2	hazy. cloudy. much rain in the night
19	7	30,16	61,5	66,5	62	5	SW I	continual gentle rain: wind NW. fine
1	2	30,12	65	68	62	5	NI	. little rain. lefs cloudy
to	7	30,20	58,5	65	62	3	NI	hazy. wind E
1	2	30,20	69,5	66,5	45	3	E 2	hazy
II	7	30,08	59	63	52	I	3 I	hazy. cloudy . much gentle fain: chiefly fair
1	2	29,99	67,5	65,5	64	5	SSE I	hazy
12	7	29,71	69	66,5	59	3	SSW I	. thunder and showers, cloudless night
	2	29,69	57	63	56	I	W 2	hazy
13	7	29,84	67	65	53	3	WSW 2	. frequent showers, fine night
14	7	30,02	55	60	56	2	wsw 2	· more cloudy
1 **	2	30,06	67	64	49	3	WSW 2	. cloudy. little rain at times
15	7	29,67	59	62	58	5	SW I	. chiefly cloudy and more wind
1	2	29,69	62	63	53	3	W 3	. little wet at night, lefs wind
16	7	29,96	55	60,5	55	3	wı	. showers
	2	30,02	59	62	52	4	NW I	hazy, cloudy, fine
17	7	30,06	52	62	55	2	SSW 2	hazy. cloudy eve : gentle rain
F	2	29,96	56	61	63	6	SE 2	drizzling at times : fine. cloudy
18	7	29,44	66,5	64	60	5	SW 2	gentle rain in the night in has not become
1	2	29,32	1 /	63	61	4	WNW I	. chiefly cloudy and gentle rain
19	7 2	29.57	61	64	60	5	WNW I	. little wet but chiefly fair
20	CAR	29,84	100	62	58	5	WNW I	· less cloudy: fine
1	2	29,91	1 2 3 -	63	50	3	WI	· more cloudy. thick upward at night
21	7	29,94	56	61,5	57	5	w I	. little wet: fine
1	2	29,94		64,5	52	3	W 1	hazy, thick upward, chiefly cloudy
22	7	29,99		61	59	0	WO	rainy night
1	2	29,92		63	53	4	SSE I	. little rain. fine
23		29,68		64,5	52	3	SW 2	. little wet at times : gentle rain
-	2	29,62	A CONTRACTOR OF THE PARTY OF TH	62,5	61	6	SI	gentle rain: fine
24	7 2	29,59		62	59	3	SSW 2	. little wet at times
25	1980	29,64		1 4 1	58	2	sw I	. little rain at times
-3	2	29,76			55	3	W 2	. fhowers at night
26		30,02	57	61	59	2	WI	cloudy fine
1	2	30,05	65,5	62,5	53	2	NI	wind E: cloudy lefs cloudy: little rain
27	7	29,92		61	64	5	EI	. little rain. fine. rainy night
	2	29,81		63	76	4 h	E 2 ESE I	chiefly gentle rain. fine
28		29,64		62	65	5	N 2	; fine morn
	2	29,73		59	58	2	NNW I	: cloudy
29		29,97		62	53	5	NW I	SECTION AND ADDRESS OF THE PARTY OF THE PART
30	7	30,10	1	60,5	53	5	WNW I	THE CONTRACT OF THE CONTRACT O
130	2	30,15	1 2 1	62	50	5	WNW I	The contract of the contract o
31		30,10	52,5	61	59	h	WNW I	The state of the s
1	12	130,02		62	153	14	8 2	. little wet at times

REMARKS on the State of the AIR, VEGETATION, &c. in July.

2. CURRANTS begin to turn red.—4. Portugal laurel in bloffom.—10. Rafpberries begin to ripen.—14. White lily in flower.—30. Rye cut.—This month has been remarkably rainy: after the 6th, there was only fix days fair, and they for the most part hazy or cloudy; and the 28th was the moistest day hitherto of the present year. The range of the barometer was little more than an inch; never lower than 29,32, and its mean state was 29,95. The greatest height of the thermometer was 73, sive degrees lower than last month; but the mean height, 62,5, was nearly four degrees higher.

Rain 3 inches 14 hundredths.

### OBSERVATIONS on the DISEASES in July.

MEASLES, which began to spread in the last month, continued to prevail; but the symptoms were mild, and the mortality small, considering the number afficted. Smallpox did not prove quite so favorable; malignant symptoms, and a consuent eruption, being rather frequent. Scarlet sever, toward the end of the month, was often met with; the instammatory kind was most prevalent, seldom attended with a low pulse, or with symptoms of typhus; the patients of course required little attention, and soon recovered. No other disease occurred, worthy of notice. The burials from the 2d to the 30th were 1055, which is considerably less than in any preceding month of the year.

## METEOROLOGICAL JOURNAL, August.

D.	H.	Ba	10.	r.out	T. in	H.	C.	Wind.	Weather, &c.
	7	20	,88	60	62	59	5	sw I	. fine
	2				64		2	WSW 2	. flormy shower, fine: cloudy
2	7			57.5	62	59	5	wsw I	. fine: cloudy. little wet
	2			65	64	53	5	SW 2	. little rain. rainy night
3	7			61,5	64	67	h	SSW 2	. little rain. showers and fine
1	2			67,5	65,5	52	3	W 2	· clear night
4	7			58	52	58	2	WSW 2	her or such that begins to the
1	2			67,5	64,5	52	3	SW 2	cloudy night: rain
5	7		1,47	58	63	65	5	S 2	little rain. more wind and fine: shower
110	2		1,50	65	64,5	56	3	sw 4	· cloudy at times. lefs wind: cloudy
6	7		,86	57	62	59	5	WSW 1	: much rain
1	2	29	9,87	62	63	60	h	SW 2	much rain: chiefly fair
7	7	20	9,80	53,5	64,5	73	5	SSW I	little wet at times
1000	2	2	9,99	63	65	67	5	W 2	little wet. hazy but not cloudy. wind N
8	7	3	0,17	57	61,5	72	h	EI	: gentle rain
	2	13	0,05	60	62,5	67	h	EI	chiefly gentle rain
9	7	2	9,84	58,5	61	66	3	SSW 2	. cloudy. much rain
	2		9,78	59,5	61,5	64	3	NW I	hazy
10	7		9,99	56	61	63	2	WI	. more cloudy at times
	2		0,03	67	64	55	4	W I	. little wet
II	7	2	9,96	59	62	61	2	5 2	: cloudy
	2		9,91	67,5	65	57	3	8 2	. much rain. fair night
12	7	2	9,99		59,5	62	2	WI	. flight shower, fine night
	2	_	0,02	2	64	51	3	WI	. Hight mower, the highe
13	7	13	0,11	52,5	59	60	2	WI	STATE OF THE PARTY
	2	3	0,12	67	67	51	2	WSW I	Eulium Suntenantales L
14	7	3	0,07	55	59	59	3	wsw 1	Gue slaude night
	2	2	9,94	68	63,5	54	4	SI	. fine. cloudy night . little rain and more wind
15	7	2	9,48		63,5	59		8 3	. lefs wind: rain, fine
F	2	12	9,61	63,5	64	55	3	sw 4	The contract of the contract o
16	7	2	9,78	56	61,5	60	3	WsW 2	: flight shower. fine . calm. rainy night: wind and rain
1	2	2	19,85	64,5	62,5	150	13	SW 2	listle wain more wind and fine at times
17	7	. 3	9,37	57.5	61	67	h	SE 3	1. Comind Chamere and fine
1	2		19,51	62,5	61,5	55	3	wsw 3	Charmers and windy
18	7	1	19,59	56,5	60	63		SW 2	lafe mind and hazy eye rain
	12		29,59	63	61,5	58		sw 4	harr fine Chowers
19	7		29,67	57	61	6,		SW 2	The state of the s
	1/2		29,72	65	62,5	54		WSW 2	alaudu at timas
20	2007		29,81	52	59,5	59		SW C	
	1 3		29,84		62	153		WSW I	The course
21	1 7	7	30,00		60	155		WSW I	have little wet
1 -	618.0		30,10		62	5		W I	defeating more wind
2.2	-		30,09			6:	3.0	ssw I	chiefly centle rain: fine
1			30,06		63	6		SSW 2	harr cloudy
2	-		30,11		61	6:		SW J	much rain
1	- 20		30,11		63	5		W 2	fine
2			30,05	-	60,5			WI	class night
-	100	2	30,07		63	5		WNW	
2			30,16		60	5		w	A Little Strate, discounter a season
		2	30,24			5		AND RESIDENCE OF THE PARTY OF T	
2			30,28			5		-	shiele unward at night : rain
1		2	30,22		63	5	3 4	The same of the same of	: little fmall rain
2		7	30,02			6	-		The sain fine eve chiefly cloudy
1	-	2	29,94			6			lafe cloudy
		7	29,88			-	_	The State of the last of the l	l Gne eve clear
2		2	29,84	The second second	64	5			
1		7	30,0			6	1000		
2	9	-		N 8 20 W	63	15	3 3	WNW	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1	9	2	30,1						
2	0	7	30,16	5 55	60	5	8 3	w	I day night, little rain
3 ]		20	2000	55 62		5	7 5	w sw	clear night: little rain

REMARKS on the State of the AIR, VEGETATION, &c. in August.

19. AMERICAN lilac begins to flower.—21. Wheat harvest commences. This month was rainy, and very cold for the season. The rain was not so considerable here as in the last month; but 150 miles northward it has been greater, and done much damage by floods. The range of the barometer was only nine tenths of an inch, and its mean state 29,91: the thermometer was never higher than 69,5; its mean state two degrees lower than last month, and not two degrees more than the mean heat of June.

Rain 2 inches 32 hundredths.

OBSERVATIONS on the DISEASES in August.

INFLAMMATION of the eyes was the most prevailing disease of this month; the pain was not in general great, though the enlargement of the vessels of the cornea was very considerable; it was not unusual for it to pass from one eye to the other, and to continue for some time. Pains in the stomach were very common, and generally severe; they were often attended by irritations of the bowels and evacuations of acrid bilious matter, and now and then by diarrhea; the spirits were very much depressed, the heat of the skin considerable, particularly of the hands, though the pulse was very little altered from the natural state: warm purgatives were the best medicines, though it was necessary to repeat them frequently to procure permanent relief. Smallpox was not so common as in the last month, and at the end of this was feldom met with. Measles was more frequent, but still continued mild. Scarlet sever was more prevalent, and attended with more mortality than in any preceding portion of the year. Many instances occurred of sudden death. The burials from the 30th of July to the 3d of September, were 1304.

## METEOROLOGICAL JOURNAL, September.

D.	H	1.	Baro.	T.out	T.in	H.	C.	Wind.	Weather, &c.
1	100000		30,13	53	60	53	0	NWI	Remarks on the State of the Att
1	12		30,24	62	61	49	3	NNWI	
1 2	100	_	30,40	50,5	57,5	57	1	NW I W O	hazy
1	2	- 41	30,42	62,5	60,5	52	3	wo	hazy
1		_	30,42	65	57	57	1	wı	10. PEACHES, nedlarines, and
In.	2		30,39		100000	53	I	WI	
4	100		30,40	49,5	57 60,5	54	0	w 1	hazy
ditto	2	W 1 1	30,41		59	60	2	wo	hazy. fogggy. wind N and fine
1	5 7		30,44	53	65	58	2	EI	. thick upward at eve and one a doubt
1			30,49	60	62,5	70	h	EI	: fine
3 138	7	_	30,48	67	64	57	I	E 2	the 22d day; its mean thire for the
100		100	30,43	56	62	67	2	EI	The same of the sa
1 -	7 7		30,36	64	62,5	55	I	E 2	
13	8 7		30,28	53	60,5	62	1	EI	· more wind
1	2		30,25	63,5	63	49	1	E 2	
	9 7	000	30,00	52	59	64	2	EI	hazy
	2		30,06	65	62	52	3	EI	· rain in the night
I	- 10		30,14	48,5	57	62	h	EI	· cloudy
	2		30,15	61,5	60	63	4	EI	. fine. hazy night
I	- 100		30,05	53:5	59	70	h	ENE I	• cloudy
1	2		29,94	61	61	60	5	EI	. rain. fair night
I	2 7	7	29,57	58	60,5	79	h	E 2	drizzling. much rain
	2		29,53	64	62,5	72	5	E 2	· fhowers, much rain at night
I	3 7	7	29,72	55,5	61	67	4	W 2	· fhowers
		2	29,75	61	62	62	3	W 2	Company of the Compan
1	4 7	70	29,70	52,5	58	67	5	WSW 2	DIARICHCEA, which corgnisain
	200	2	29,79	59,5	60	63	5	w 3	not much met with : but compleants
1	5 7	7	29,96	50	56	65	4	WI	• Talil
n lin		2	29,97	59	60,5	67	5	WSW I	the last month, fill comindatin and
1	6 7	7	29:97	48	56	60	2	WI	gives, now feemed the had respective
		2	29,98	59	60	58	2	W 1	, cloudy at times
T	7 7	7	29,86	56,5	59,5	70	4	SI	little wet li te slot sait banwot berrus
100		2	29,75	60	61,5	64	5	S 2	much rain. fair night wellog and daid
1	8 7	7	29,73	52	60	65	2	WSW I	. cloudy. much rain . heavy flowers. fair night: flowers
010	1	2	29,74	64	62	59	3	55W 2	
I	9 7	7	29,44	56	60	63	2	sw 3	. heavy showers . fine. more wind at night: less wind
1	13	2	29,36	61,5	62	60	4	sw 4	. Har. more wind at inglie: lets wind
2	0	7	29,42	52,5	59	65	3	5W 2	. fhowery
O D	1 3	2	29,47	57,5	60,5	63	5	sw 3	and the state of t
12	I	7	29,73	53	57	64	h	WI	cloudy : much rain out of redenators
1	100	2	29,73	60,5	60	57	3	SSW 2 E 2	. showery : windy a see sedos O to The
2		7	29,21	55,5	59	62	5		. rain and more wind. fair night and less wind
1	-	2	29,17	64	60	67	4	\$ 4 \$ 1	sort see that in the art tore men
2	-	7	29,31	56	60	61	3	N 2	. chiefly cloudy. fine night
1		2	29,63	57,5	56	62	4	SW 2	
2	200	7	29,90	50	59	60	4	SWI	. clear night
1	-	2	29,92	59	58	65	3	ssw 3	
2		7	30,06	54	60,5		3	5W 2	CONTRACTOR OF THE PARTY OF THE
1	- 1	2	30,09	61,5	58	59	2	5 1	: little rain
12	0.0	7	29,90	54	60,5	70	5	8 2	rain. fair night: rain
1	- 1	2	29,75	200		66	4	WSW 2	. fine
12		7	29,63	56,5	59	56	3	SW 2	. clear night: rain
1	- 1	2	29,84	The state of the state of	57	68	h	SI	rain. wind E and continued rain
2		7	29,68	52,5	58,5	77	5	NI	rain. fair eve. clear
1		2 7	29,24	47	57	66	2	sw 1	. thick upward and much rain
		7 2	29,55	52,5	57	72	h	SSE I	rain, more wind w and fine, clear night
- 1	1.4	7	29,41	49	55	62	2	W I	. cloudy at times: hazy
13	_	2	29,62	56,5	58	58	3	wı	hazy. fhower, cloudy night, little rain
		-	33	1000	1 -	100	1000		

REMARKS on the State of the AIR, VEGETATION, &c. in September.

10. PEACHES, nectarines, and mulberries begin to ripen .-- 17. Black cluster grapes begin to change colour .- The former part of the month (for ten days) was fine feafonable weather; but the rest was exceedingly rainy, though a fine day now and then intervened: the hygrometer was at 82 on the 22d day; its mean state for the rainy period was 65, and for the other 57.

Rain 3 inches 5 hundredths.

OBSERVATIONS on the DISEASES in September.

DIARRHŒA, which commonly prevails at this feafon of the year, was not much met with; but complaints of the fromach, fuch as were noticed in the last month, still continued to prevail: calomel, assisted by warm purgatives, now feemed the best remedies. A low kind of fever now and then occurred toward the close of the month; none of the symptoms seemed to run high, the pulse was not very frequent, the tongue not dry, little or no delirium, yet it frequently proved fatal when no danger was suspected. Acute rheumatism was pretty common, and in general obstinate; as were likewise gouty affections. Smallpox rather more prevalent, particularly at the end of the month. The mortality was still lessening; the burials from the 3d of September to the 1st of October were 994; and from the 2d of July to the 1st of October 3353, being 972 less than in the preceding three months, and 2052 less than in the first three months of the year.

1799.

# METEOROLOGICAL JOURNAL, October.

10	. II	Baro	Lon	170 :-	. 7.7		317:-1	
1-	-	Baro.	T.out	1. in	-	0.	Wind.	Weather, &c.
1	7	29,58	43	55	62	2	WI	hazy
1	2	29,66	55	56	57	13	NNW I	hazy. cloudy eve. clear
1 2	7	29,85	42	52	59	1	WI	hazy, cloudy at times
1	2	29,86	55	55	59	3	SW 2	clear and calm night
3	7	29,82	50	54	61	3	SW I	The second secon
1	2	29,79	59	57	57	3	Wsw 2	rain. more wind. fhowers
4	7	29,59	48	55	65	2	sw 3	thowery
1	2	29,59	56	56,5	56	4	W 3	. showers with hail, less wind and clear night . hazy, cloudy
5	7	29,98	46	53	59	3	WI	hazy, lefs cloudy, thick upward at night: rain
1 6	7	29,97	54	55,5	67	5 h	80	. little rain at times
1	2	29,99	62	60	70	5	wı	hazy
7	7	29,99	57.5	59	67	5	sw I	little rain, wet at times
1	2	29,94	61,5	61	66	5	SW 2	. much gentle rain
1 8	7	29,58	58	60,5	68	5	SW 2	drizzling, fine
1	2	29,47	58	60	60	3	SSW 2	. cloudy. little rain at times
1 9	7	29,63	51	57 -	61	4	wsw I	hazy. little rain at times
1	2	29,81	54	58	60	4	wsw 1	hazy. lefs cloudy
10	7	30,02	44	52	60	1	wı	
1	2	30,07	54,5	55	56	3	WSW 2	. little rain at night. clear
II	7	30.19	46,5	54	62	2	SW I	hazy
	2	30,21	57	56	58	3	8W 2	. calm eve
12	7	29,99	49,5	55	65	3	80	. cloudy. rain
1	2	29,82	53	58	72	5	5 1	rain at times and lefs cloudy
13	7	29,81	52	57,5	65	4	WSW I	hazy: lefs cloudy
F	2	29,82	56	58	61	3	WSW 1	. thick upward at night: little rain
14	7	29,78	45	53,5	61	I	wsw I	aleas night
1	2	29,93	53	55	56	3	W Z	. clear night
15	7	30,12	43	51.	100000	2	WSW I	hazy: cloudy
16	7	30,08	55	54,5	57	2 f	50	. fine
1	2	30,04	52,5	53	60	4	SSW I	. foggy eve. gentle rain at times
17	7	29,98	45	52	62	ĥ	NNW I	gentle rain at times
1 7/1	2	29,98	42,5	53	62	h	NNW I	little rain. chiefly cloudy
18	7	29,99	49	51,5	63	f	WNWI	t fine water of helphysic stew dold
1	2	29,91	50	53	60	3	SSW T	hazy, much rain at night
19	7	29,73	49,5	53	68	6	SEI	continual rain
I Is	2	29,76	50	54	67	h	SSW I	much rain, fine night
20	7	29,87	46	52	67	5	ESE O	ndency, particularly improve which
1	2	29,91	49,5	53	63	5	SE I	. fine. hazy: much rain
21	7	29,64	48	52,5	68	6	SEI	much rain : wind w and fine. cloudy
1	2	29,60	50	53.5	66	4	W 2	. cloudlefs eve : cloudy. little rain
22	7	29,72	47	52	6,	6	SSW I	hazy. cloudy. rain
1	2	29,70	51,5	54	68	36	5 2 S I	rain. fine but hazy
23	7	29,72	48,5	53	63	I	5 1	hazy. little rain. cloudlefs night: cloudy
1	2	29,72	53,5	55 52	65	5	N 2	: little fmall rain
24	7 2	29,54	48,5	52,5	65	h	NW 2	drizzling at times. fine night
20	7	29,77	40	51	62	1	WNWI	: cloudy
25	2	29,84	50	52	62	5	NNW 2	. gentle rain. fair night: fine
26	7	30,19	42,5	50	61	i	NI	hazy
	2	30,31	49	51	60	2	NI	hazy
27	7	30,48	36	48	58	f	NO	. brighter and fun vifible
1	2	30,44	43.5	49	61	h	NO	not cloudy. foggy eve. thick upward
28	7	30,38	40	48	63	2	NI	hazy: thick upward
N	2	30,41	51	51,5	65	h	WI	. drizzling night, not cloudy
29	7	30,22	48	52,5	67	h	wo	. fine but hazy
	2	30,18	52	53	61	I	SI	hazy. clear night
30	7	20,80	45	51	68	f	ESEO	have much contle soin fair night fine
	2	29,69	55	53,5	71	4	SI	hazy, much gentle rain, fair night; fine
31	7	29,55	51	53	71	I	5 1	: more cloudy . fine, rainy night
1	2	29,42	56 1	56	67 1	4	5 1	. Inter tainy ingate

REMARKS on the State of the AIR, VEGETATION, &c. in October.

1. HORSE-CHESTNUTS begin to flip the hull.—8. Black cluster grapes gathered.—28. Chryfanthemum Indicum in flower.—This month was more uniformly rainy than the last, but the quantity which fell was nearly three quarters of an inch less. In the course of this and the three preceding months, the fall of rain has been almost eleven inches; and the mean state of the barometer was pretty equal in all of them, not a tenth short of thirty inches.

Rain 2 inches 37 hundredths.

#### OBSERVATIONS on the DISEASES in October.

THE low fever of last month degenerated into typhus, and proved rather fatal: its progress was slow; seldom terminating fatally before the sourteenth day, and frequently going on to the twenty-first before any crisis took place: the symptoms at its commencement were similar to those before observed, which were succeeded by comatose affections and a strong propensity to sleep; in many instances a diarrhea took place, in which the stools were dark and offensive. Febrile diseases of all kinds seemed to put on the same general tendency, particularly smallpox, which proved more fatal than at any period since March last. Dysenteric complaints were very common, and particularly obstinate, not yielding to the usual remedies, but going on to a considerable length, having now and then a fatal termination. Measles and hooping cough were very frequent but rather mild. At the end of the month, scarlet sever began to prevail. The burials from the 1st of October to the 29th, were

## METEOROLOGICAL JOURNAL, November.

D.	H	Baro.	T.out	T. in	H.	C.	Wind.	Weather, &c.
1	8	28,98	54	55	67	3	5 1	· more wind : cloudy
	2	28,94	58	56,5	63	4	ESE 2	little wet. shower, thick upward at night and
2	8	29,32	52	56	67	3	W I	. cloudy [barometer 28,8
	2	29,57	53,5	56,5	64	5	. w 1	. fine night: rain
3	8	29,81	53:5	55	72	3	SW I	cloudy and little wet at times
	2	29,75	57	57	72	5	SSW 2	. drizzling, windy, fine night and lefs wind
4	8	29,75	47	54	64	2	sw 1	· cloudy. rainy
	2	29,59	49	53,5	67	5	SSW I	· little rain. fine night
5	8	30,05	41	49	63	h	wsw I	- much rain
	2	29,81	48	51,5	68	6	SW 2	rain, windy and much rain: fair morn
6	8	29:45	52	54,5	69	5	5sw 4	· little wet, fine and less wind
	2	29,41	55	50	01	5	W 2	little rain, fine eve
7	8	29,48	42	52,5	60	1	WSW 2	: more cloudy
	2	29,51	48	52,5	57	4	w 3	lefs wind and fine: rain
8	8	29,48	39,5	49	61		W I W 2	drizzling. fine hazy. little rain at eve. cloudlefs
	2	29,56	45,5	50,5	62	3 2	WI	foggy. little rain. fine
9	8	29,82	38,5	48	63	2	WI	hazy. cloudlefs night
	2	29,78	44,5	49	63	0	w 1	foggy: thick upward
10	8	30,08	35	48	61	h	WSW I	drizzling, brighter eve. rain
	8	29,77	43	50	65	f	NW I	attacking the state of the stat
II	2	29,80	47	51	61	h	WI	. chiefly fmall rain
**	8	29,70	53,5	52,5	75	f	wsw I	. little wet at times and more wind
12 F	2	29,61	56,5	55	74	5	sw 3	. fine night
	8	29,75	49	52,5	64	0	SW 2	hazy: cloudy and little wet
13	2	29,72	53	54	63	4	sw 3	The control of the co
14	8	29,69	49,5	54	69	5	SI	
34	2	29,77	52	5415	65		SI	the same of the sa
15	8	30,05		53	71	5 f	SI	
.0	2	30,02	51,5	54	71	5	ESE I	hazy. little wet at times : much rain
16	8	30,13		52	69	f	NNW I	
-	2	30,19		53	67	2	NNW I	
17	1000	30,36	40	49.5	72	f	NI	
-	2	30,39	49	51	69	4	ENE I	hazy. lefs cloudy
18		30,38	42,5	49	66	f	NE I	
	2	30,36	48	50	65	h	ENE I	Manager Control of the Party of
19		30,38	45,5	50	66	f	EI	
	2	30,37	49	50,5	64	4	EI	hazy, thick upward : not cloudy
20	8	30,49	42	150	68	f	EI	
	2	30,49	47,5	50	63	I	EI	
21	18	30,50	37	47,5	67	f	EI	
	2	30,47	4215	49	70	f	EI	, thick upward at night
22	8	30,47		47,5	74	f	NEI	drizzling fog. cloudy
	2	30,41	A CONTRACTOR OF THE PARTY OF TH	49	70	5	NE I	
23	8	30,38		48,5	69	100	EI	
	2	30,34		49	66	5	EI	
24	8	30,13		47	67	5	ESE I	
	2	30,04		48	64	h	SSE I	4 4 4
25	8	29,97		47,5	68	f	SI	THE PERSON OF TH
	2	30,01		49	73	f	NNE I	
26	18	30,23	1 100	48,5	75	h	EI	
	12	30,23		50	72	n 1	E 2	
27		30,26			66	I	E 2	
N		30527	ALL CONTRACTOR		68	f	EI	1 1 1 1 1 show clouder
28	1 3	30,35	The second second		67	4	ENE I	
1	2	30,32		50	66	I f	WSW I	, fine
29	1000	30,28		53	69		WSW I	hazy, clear night, hazy
1	2	30,18		48	72	3 f	wsw I	not cloudy, thick upward
130		29,98		The second second	73	h	SW I	I do the altitude companied
	12	29,91	1 7033	17777	1/3			

REMARKS on the State of the AIR, VEGETATION, &c. in November.

METROLOGICAL COURNAL NOVEMBER

12. THE air warmer out of door than in the house the whole of the day.—
25. Provence rose and polyanthus continue to flower. Black cluster grapes, noticed last month, proved finer than ever remembered; but the sweet water kind only grew to a very small size, and did not ripen.—30. Mulberry tree not parted with all its leaves till now.—This month was mild, the mean state of the thermometer being 46,5, and, except three mornings, was never lower than 38,5. It was also moist, the mean state of the hygrometer being 67; but the rain that fell was almost wholly in the sormer half of it, and the latter part was tolerably fine, accompanied with slighter fogs than usual at this season.

Rain 1 inch 71 hundredths.

#### OBSERVATIONS on the DISEASES in November.

THE fever of last month continued to prevail, with similar symptoms. Dysentery became still more frequent, and in many instances, after seeming to give way to different remedies, returned with considerable violence: the most successful mode of treatment appeared to be purgatives of calomel, assisted by rhubarb, giving afterward testaceous medicines and opium, keeping the body warm, assisting perspiration, abstaining from vegetables and fruit, and diluting plentifully with broths made from animal food. Lying-in women suffered much by sever, as well as by dysenteric complaints: these seemed to prevail as much among those in comfortable situations of life, as among the poor. Measles and smallpox were still very frequent, and more severe than during the preceding month. Scarlet sever, although frequent, did not prevail so much as seemed probable at the latter part of last month. The burials from the 30th of Ostober to the 3d of December were 1717.

1799.

26

# METEOROLOGICAL JOURNAL, December.

D.	H.	Baro.	T.out	T. in	H.	C.	Wind.	Weather, &c.
1	8	29,63	49	51	73	f	ssw_r	. little rain
	2	Company of the second	50,5	52	72	h	ssw I	gentle rain
2	8	29,28	46,5	51	73	f	NO	. little rain : very thick upward
	2	29,31	46	51,5	70	h	NO	· chiefly drizzling
3	8	29,46	41,5	SI	73	f.	NO	. fine
	2	29,43	49	52	68	2	NNE I	hazy, drizzling night, not cloudy
4	8	29,54	The second second	50	70	f	NEI	drizzling fog. fair drizzling fog. thick upward: little rain
0	2 8		44,5	50,5	67	h	NE I NNE I	chiefly gentle or drizzing rain
5	100		42	48,5	72	h	NNEI	drizzling at times, cloudy night
6.	8	29,77	44,5	50	71	F	NE I	little wet. brighter
	2	30 12	47	50	70	4	N 2	. more cloudy. drizzling : little rain
7	8	The second second	43,5	49	71	1	NEI	chiefly gentle rain
	2	30,08		50,5	TI	5	NE 2	depeter was council and a second assessment
8	8	29,88	39,5	47	67	h	NEI	. foggy. drizzling: little rain
	2	29,81	41	49	68	h	ENE I	drizzling, thick upward and fair eve
9	8	29,77	41	48,5	68	f	EI	
	2	29.85	45,5	50.5	70	h	EI	, not cloudy, cloudy, fine night
10	8	30,03	43	48,5	70	h	ENEI	. thicker upward
	2	30,10	14.5	48.5	07	h	ENE I	. little wet at night
11	8	30,09		46,5	69	f	ENE I	Goo wight but without plants
	2	30,07		48	67	h	ENEI	. fine night but rather cloudy
12	8	30,16	38,5	46	66	f	NNEI	not cloudy
F	2	30,19	01,5	46,5	65	h h	NE I	hazy, more cloudy night
13	8	30,23	37	45.5	06	h	NE I NE I	Mary Manager Valley
	8	30,18	36	45.5	65	f	NE I	
14	1000	30,09	34	44	65	h	NEI	
15	8	30,04	37,5	44,5	67	f	EI	
	2	29,89		45,5	66	h	EI	A PRODUCTION OF
16	8	29,76		43	65	h	EI	STATE OF STREET, STREE
	2	29,76		41,5	64	h	EI	olegisch einestel bite minge be
17	8	29,71		45,5	63	h	NEI	Marie Comment of the
-	2	29,67		42	63	h	NE I	: little fnow
18	8	29,72	35	43,5	63	3	NNE 2	
	2	29,76	38,5	43,5	65	h	NNE 2	little fnow, fine eve, fnow : fine
19	8	30,23	25,5	40,5	62	f	NI	. little fnow at times
	2	30,30		41,5	64	I	NNE 2	little fnow at times
20	8	30,40	25	38	64	h	NNE I	little fnow, fine
	2	30,39	28	38,5	59	h h	NNE 2	cloudy eve. clear
21	8	30,37	27	38	62	h	NNE 2	. more wind and cloudy night
	8	30,32	31,5	38	61	5	NE 2	. fine
22	2	30,26	33	39	60	3	NE 2	. more cloudy: fine
23	8	30,26	33	38	62	2	NE 2	THE RESERVE OF THE PARTY OF THE
-3	2	30,24		38	61	1	NEI	The second section is a second section of the second secon
24	8	30,17	33,5	39	60	f	NE I	: little fnow. not cloudy
	2	30,10		39,5	63	h	NE I	not cloudy, thick upward
25	8	30,02		40	61	f	I W	AND REAL PROPERTY OF THE PARTY
-	12	30,03	34,5	40,5	61	f	WNW I	. little fnow at times
26	8	30,03	33	40	67	2	NNW I	hazy
N	2	30,00	37	42	65	2	NI	hazy: thick upward
27	8	30,28	31	40	64	f	N I	not cloudy
	2	30,39	34	42	63	3	ENE 2	. clear night and morn
28	18	30,44	23	38	60	f	ENE I	. fine
	2	32,39	28	39	59	1	ENE I	hazy: fnow
29	8	30,22		37	64	f	WI	not cloudy. fine . little fnow. cloudy night
	2	30,26		38	62	3	NNW I	
30	8	30,37	31	38,5	62	f	NNW I	fine night. clear
30			1 22	39	63	1 1	NNW I	I time ingues creat
31	3	30,41	33	35.5	63	f	EI	not cloudy. fine

REMARKS on the State of the AIR, VEGETATION, &c. in December.

THE first fix days were similar to the latter part of last month, after which colder winds commenced, and elms and other trees became wholly divested of their remaining leaves. A severe frost commenced early on the 19th, and continued to remain at the end of the month, the last day of which was the coldest day of the year. Little rain or snow fell, but the moisture of the atmosphere was considerable, and more equably humid than in any other month of the year.

Rain 38 hundredths of an inch.

OBSERVATIONS on the DISEASES in December.

SCARLET fever, which appeared to languish during the last month, revived again, and became not only a very frequent but a very dangerous difease; its progress (particularly at the west end of the town) being marked by the worst fymptoms, and being attended by a considerable mortality. Smallpox likewise proved proportionably fatal. Measles prevailed very generally, and were attended with great mortality, fixty-nine being reported, by the bills of mortality, to have died of this difease in the course of the month. Rheumatism was likewise frequent. Dysenteric complaints were still met with, but were neither fo frequent nor obstinate as during the last month. The burials from the 3d to the 31st were 1739; and for the last three months 4765, being 430 more than in any quarter of the present year. The number of burials for the whole year is 17,848, being 1129 less than last year, of which 1000 are reported to have died of the smallpox, fewer than the former year by 1385. The general bill of mortality is made up from December 11, 1798, to December 10, 1799, by which there appears a diminution of 21 only in the burials of the present year.

Greates, least, and mean State of the Barometer, Thermometer, and Hygrometer, and the Quantity of Rain, in the Year 1799.

Barometer 1					Therm. out			Therm. in 1			Hygrometer		
1799										Trygrometer			Rain
	Great,	Leaft	Mean	G.	L.	M.	G.	L.	М.	G.	L.	M.	Inch.
Jan.	30,51	29,34	30,02	50,5	26	37	50,5	4.0	44,5	70	53	62	1,02
Feb.	30,29	29,15	29,76	57	24	40	54.5	36,5	45	70	56	62	2,41
Mar.	30,40	29,69	30,09	54.5	30	40	55,5	40	46	65	49	58	0,47
April	30,28	29,34	29,89	54	30	44,5	52,5	39	4.7	75	45	59	1,83
May	30,49	29,42	29,63	63,5	40	52	60	47	54	68	44	57	1,89
June	30,50	29,31	30,14	78	48	59	70	54	60	60	46	53	0,59
July	30,34	29,32	29,95	7.3	52	62,5	69	59	65	76	45	56	3,14
Aug.	30,28	29,37	29,91	69,5	51	60,5	67	52	63,5	73	51	55	2,32
Sept.	30,49	29,17	29,89	68	47	56,5	65	55	59,5	82	49	63	3,05
08.	30,48	29,42	29,89	62	36	50	61	48	54	72	56	63	2,37
Nov.	30,50	28,94	29,97	58	34	46,5	57	46	51	75	57	67	1,71
Dec.	30,65	29,28	30,01	50,5	20,5	36,5	52	35,5	44	73	59	66	0,38
Whole Year.			29,85			48,8			52,8			60	21,18

### GENERAL REMARKS on the WEATHER in 1799.

THE distinguishing character of this year is its coldness, the mean temperature being a little short of 49 degrees. There was little appearance of spring at the end of April, and the following month was the coldest May for, at least, thirteen years past. From the 8th of July to the 16th of November was a rainy period, except the first ten days in September, which were fine and seasonable.