De abcessu [sic] linguae : dissertatio anatomico-chirurgicae, quam, Deo juvante, & praeside M. Theobaldo-Stephano Lauverjat ... / tueri conabitur Justus Bodin, dissertationis auctor.

### **Contributors**

Bodin, Justus. Lauverjat, Theodorus Stephanus. Royal College of Surgeons of England

### **Publication/Creation**

[Paris]: Ex-typis Clousier, 1788.

### **Persistent URL**

https://wellcomecollection.org/works/a5bjp57w

### **Provider**

Royal College of Surgeons

### License and attribution

This material has been provided by This material has been provided by The Royal College of Surgeons of England. The original may be consulted at The Royal College of Surgeons of England. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
https://wellcomecollection.org

DE

# ABCESSU LINGUÆ, DISSERTATIO ANATOMICO-CHIRURGICA.

QUAM, Deo juvante, & praside M. THEOBALDO-STEPHANO LAUVERJAT, Artium & Chirurgia Magistro, Regia Chirurgorum Academia Parisiensis, nec non Academia Universitatisque Vilnensis Socio, &c. tueri conabitur JUSTUS BODIN Novicastraus, Diocesis Rothomagensis, in celeberrimà Cadomensis Universitate Doctor Medicus, Dissertationis auctor.

Die Martis 30û mensis Decembris, anno R. S. H. 1788, à sesqui-secundâ post meridiem ad septimam.

### PARISIIS,

### IN REGIIS CHIRURGORUM SCHOLIS.

PRO ACTU PUBLICO, ET MAGISTERII LAUREA.



Ex-Typis CLOUSIER, Regis & Regii Chirurgiæ Collegii, Typographi, viâ Sorbonæ.

M. DCC. LXXXVIII.

## ABOESSU LINGUÆ,

DISSERTATIO

ANATOMICO-GHIRURGICA

Use the Dec juring & profile M. Theoberthological Colors, and I street for the Street of the Street

Die Martis 361 merho Derenbeite, anno R. S. H. 1788, & Affrie Journal post

# Digitized by the Internet Archive in 2016

IN REGIS CHIRURGORUM SCHOLIS.

ET MAGISTERII LAUREA.

En Tapis Cla ou sasa, Regis & Regis Chirurgia Collegii, Typographi, vid Sabona.

https://archive.org/details/b22415300

M. DCC LXXXVIII.



### DISSERTATIO

### ANATOMICO-CHIRURGICA.

De abcessu lingua.

hvall duche habitem, quod quidem circh bafim, &

bent aditum, non mirum igitur, si glandulæ & partes in quibus textus-cellularis sit uberior, stasibus criticis, ac varii generis tumoribus siunt obnoxiæ; mirum è contrà, si densam sibrarum aggeriem, raro cellulari textu coadunatam purulenti latices obsident! Sit in exemplum abcessus linguæ de quo dissertaturi. Organi structuram liceat priùs paucis adumbrare.

A

### EX ANATOMIA.

Præcipuum gustus & loquelæ organum, moles est oblonga, lata & crassa in ore sita, quæ lingua nuncupatur. In basim corpus, & apicem, pro more dividitur; basis posteriorem, corpus mediam partem, anteriorem apex occupat. Ab apice ad basim, linea alba deprehenditur, ab Hippocrate, mediana, undè dextrum latus, & sinistrum.

Si quæris connexiones, laryngi, pharyngi, epiglotidi, ossi hyoides, tonsillis, & gencivis lingua connectitur; inferiùs demùm membranoso ligamento coercetur.

Omnigenis lingua gaudet motibus; equidem si genio-glosses imperas, antrorsum adducitur, si hyo-glosses retrorsum sugit, si stilo-glosses, versus alterutrum latus docilis desertur: horumce musculorum actione simultanea, in omnem sensum slectitur. Nec silentio prætermittendum foramen cœcum, pro salivali ductu habitum, quod quidem circà basim, & partem linguæ superiorem occurit.

Vasis non defraudatur lingua, ejus substantiam irrorantibus à carotidibus arteriæ, venæ à jugularibus; à ramo quintæ conjugationis, & nono pari nervi oriuntur, quibus octavi paris sibræ multiplices consociantur.

Binæ glandulæ à situ sub linguales annotandæ sunt, qua-

rum ope, juvanteque utrâque parotidi, & maxillari glandulâ, fit in ore masticationis tempore, salivæ proventus uberior.

Sunt & adhùc papillæ nerveæ per superficiem linguæ sparsim disseminatæ quarum triplex genus. Quædam conicæ, vel pyramidales, aliæ spongiosæ aut sungulosæ, alteræ demùm, quasi compressæ, & complanatæ deprehenduntur. Hæc varia, vix in homine, in bovillis linguis satis patent conspicua. Communi partium lingua involvitur tegumento, quod quidem si pauca phisicos, clinicos edocet plurima.

È prælibatis, usus linguæ annotavimus primarios, masticationi, deglutitioni, suctioni quoquè inservit lingua, & tanquàm gustus & loquelæ organum habenda est præcipuum (1).

Non mirum elinguis mulier quod verba loquatur, Mirum cum linguâ, quod taceat mulier!

Vid. Portal, Anatom. Tom. 11, pag. 288.

Aurran, Thesis pro Doctoratu Argentinæ, anno 1766.

Attamen talia exempla nostram Thesim minime aversantur, & semper inconcussa manet nostra propositio. Jam brevior in immensum cresceret pagina, si omnia que ad lingue morbos attinent, penitus evolverem, quam plurimos eludimus, tanquam in Thesi a Magistro Lassus, scholarum moderatore perpetuo, Professore regio, dilucide conscriptos, sub hoc titulo De morbis lingue, anno 1765.

<sup>(1)</sup> Non desunt observationes quæ testantur homines verba protulisse, etsi lingua orbarentur. Nostro ævo, plurimas apud mulieres similia observanda venerunt phænomena! Hinc sanè istud dicterium:

### È CHIRURGIA.

Si quid corpori noxium intùs subrepsetit, illud natura foràs eliminare conatur: modò per varia colatoria ejicit, modò ad externas aut ignobiliores partes esslagitat. Hinc tumorum ilias, sede, indole, & exitu insignita.

Omnis tumor humoralis, unum ex infequentibus patitur exitum, vel refolutione absolvitur, vel digesta materies in suppurationem abit, interdùm in scyrrum facessit, ni sphacele, longè pejùs corripiatur. Multiplices tumorum eventus vetant præscripti theseos limites evolvere, de suppurato tantum dicere fert animus, tanquàm ad propositum spectans.

### IV.

Ubi plùs in parte quàm egeruntur, intromittuntur fluidi, vasa turgent, tota compages luxuriat, intumescit. Insuper, febris ardet, calor adaugetur, in molem attolitur tumor, rubro colore perfunditur, æstuat æger, lancinanti dolore premitur, nascitur pus. Stagnantibus attritu solutis, magis ac magis prominet tumor, albescit, prementi obsequitur digito, pus consectum habeto.

Non perperam igitur ab Hippocrate definitur abcessus, recessus materia nociva in quemdam locum. Ad mentem præsto adsit pus reclusum, foras exulare videtur, nescis quas struit

insidias, sugam time, tutam præstat opem Chirurgia, abscindatur tumor, puris latex exiliet, solvetur morbus.

### moder, sur rangedin parti Venemi, in the

Micana fortaffe videri eft indagatori ana

Ex ipsâmet antopsia anatomica, si modò indulgeas, deducenda est ratio, cur abcessus cunctis partibus quasi proprii, linguæ hùc usquè fuerint ignoti (sit saltem pro ratione silentium auctorum). Equidem sit obviàm priùs cellularis textus extraneis humoribus, propter exilitatem impervius: accedit insuper, linguæ mobilitas insignis, quæ eam à prava liquorum scaturigine vindicat. Potest attamen intumescere lingua, quandoquè abscedere; altiùs ne perscruteris, in abstrusis involvitur causa, exemplo præstat propositum absolvere.

Mense Novembris anni 1781, Dominus de B \* \* \*
Eques Ordinis Sancto - Ludovico dicati, consilium à me
petivit ob anguinam, cujus extensa sedes linguam invadebat. Misso è venis sanguine, quantum satis, juvantibus
diætâ, & antiphlogisticis, in usum venerunt, hirudines,
epispastica, pediluvia, sumigationes, &c. Attamen magis ac
magis intumuit lingua, & ut ità dicam cilindrica sacta est.
Os diductum stabat hians, glutinoso sonte irrigabatur. Loquelà penitùs abolità, necessaria vitæ, innuebat æger. Mox
liquidorum deglutitio jam jam difficillima, impossibilis evenit;
huic per biduum juscula in æsophagum inserui. Estlagitatus
prostrabat æger, mors instabat proxima, cùm subitò, die,
ab invasione morbi, quintà decimà, in apicem corpus linguæ
superiùs assurgens, abcessum ominaretur. Tumorem incidis

quamprimum, pus exilit laudabile, & paucos intrà dies, factà pro more medicatione, tenui victus ratione, convaluit æger.

Mirum fortasse videri est indagatori anxio, quòd subrepto modo, aut tanquam parvi momenti, in isto casu recensa fuerit saucium inslammatio; sed annotare expedit, ægrum de quo agitur, tonsillis, propter anginas multiplices, scyrrosis habitis, jam pluribus ab annis à celeberrimo Lecar suisse liberatum. Adeòque, si ex istis, quod sas est, istiusmet curationis successus facilior evenerit, insigniorem hunc patronum, peritissimum artis Magistrum, tot & tantis dotibus commendandum, jure & meritò celebret grata ALUMNI memoria,

### FINIS.

Mende Novembris apar 1781. Dodninus de B \*

Eques Ordinis Sancto - Ludovico dicari, confilium à me
perivir ob auguinam, cetus extenta fodes singuam invadont Mallo è venis fançaine, quancum fais, juvanticus
etari, & amuphlogularis, in alum venerale, lindines,
collpation, pedituvia, furmigationes, Sec Arramen magis se
magus incumunt lingua, & ur ird dicum ciliadeia lada eff.

O desactura talar hime, plannoso fonte irregione. 10coell peniuls, abolici, necellaria vice, inquebri eggs. Mos

hair per bidaum julcula in exlophagum inferul, Efficients profitshort ager, where indebee preximentation fubite, odie, at trevalues morely county decreases in apicem county through

operlar and gene , absellant ominaterat. Temorem incidi-