Pharmacopoeia of St. Bartholomew's Hospital.

Contributors

St. Bartholomew's Hospital (London, England)
Royal College of Surgeons of England

Publication/Creation

London : Printed by J.E. Adlard, 1882.

Persistent URL

https://wellcomecollection.org/works/zt8rdz5k

Provider

Royal College of Surgeons

License and attribution

This material has been provided by This material has been provided by The Royal College of Surgeons of England. The original may be consulted at The Royal College of Surgeons of England. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.

wellcome collection

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
https://wellcomecollection.org

(6)

PHARMACOPŒIA

OF

St. Bartholomew's Hospital.

COLLEGE OF SURGEONS OF ENGLAND
FEB 08
LIBRARY

LONDON:
PRINTED BY J. E. ADLARD,
BARTHOLOMEW CLOSE.

1882.

Medical Officers of the Hospital.

Consulting Physicians.

SIR GEORGE BURROWS, Bart.
DR. FARRE. DR. HARRIS. DR. MARTIN.

Consulting Surgeons.

SIR JAMES PAGET, Bart. MR. HOLDEN.

Physicians.

DR. ANDREW.
DR. SOUTHEY.
DR. CHURCH.
DR. GEE.

Assistant Physicians.

DR. DUCKWORTH.
DR. HENSLEY.
DR. BRUNTON.
DR. LEGG.

Physician-Accoucheur.

DR. M. DUNCAN.

Ophthalmic Surgeons.

MR. POWER.
MR. VERNON.

Dental Surgeon.

MR. COLEMAN.

Surgeons.

MR. SAVORY.
MR. SMITH.
MR. WILLETT.
MR. LANGTON.
MR. BAKER.

Assistant Surgeons.

MR. MARSH.
MR. BUTLIN.
MR. WALSHAM.
MR. CRIPPS.
MR. SHUTER.

Asst. Phys.-Accoucheur.

DR. GODSON.

Aural Surgeon.

MR. CUMBERBATCH.

Asst. Dental Surgeons.

MR. EWBANK.
MR. LYONS.

PREFACE.

THE last edition of the Hospital Pharmacopœia, which appeared in 1869, being now expended, the present one has been prepared to take its place.

Several formulæ have been withdrawn from the book as it stood, and many new ones have been introduced into this edition.

The substances employed in the preparations are, with few exceptions, such as are enjoined in the British Pharmacopœia, 1867, and its Additions, 1874, and the weights and measures are those authorised in those works.

To several of the formulæ the words *Hosp. Phar.* have been subjoined, indicating that these preparations differ from

those of the British Pharmacopœia:—*e. g.* Aq. Carui, Aq. Menth. Pip., Aq. Menth. Viridis, Confect. Sulph., Decoct. Aloës Comp., Linimentum Opii, Spir. Ammon. Aromat., Spir. Ammon. Fœtid. Syr. Papaveris, Syr. Rhœados, Ung. Simplex, Vin. Ferri, and Vin. Ipecac.

Tables have been appended of the New Preparations contained, and of old ones omitted, in the present Pharmacopœia; also of Preparations whose names have been altered, and of those whose composition has been changed in the present edition. A Table has likewise been added which sets forth the doses of all the Officinal Medicines recommended in the British Pharmacopœia, together with those of some remedies which have come prominently into use since that work was issued.

NEW PREPARATIONS

Contained in the present Pharmacopœia.

Confectio Sulphuris Composita.
Guttæ Atropiæ Sulphatis.
— Eserini.
Haustus Aconiti cum Colchico.
— Chloroformi Compositus.
— Cinchoniæ Hydrochloratis.
— Ferri cum Nuce Vomicâ.
— Flavus.
— Hydrargyri Perchloridi.
— Hydrargyri Perchloridi cum Potassii Iodido.
— Menthæ Sulphuricus cum Papavere et Scillâ.
— Opiatus.
— Potassii Bromidi Compositus.
— Potassæ Citratis.
— Potassæ Citratis Effervescens.
— Potassæ cum Hyoscyamo.
— Potassæ cum Magnesiæ Sulphate.

Haustus Senegæ cum Ammoniâ.
— Serpentariæ cum Ammoniâ.
— Sodæ Citratis.
Injectio Morphiæ Hypodermica.
Linctus Acidi Tanno-Gallici.
— Morphiæ cum Chloroformo.
Linimentum Cantharidis.
— Cantharidis cum Ammoniâ.
— Hydrargyri Oleatis (5 p.c.).
— Hydrargyri Oleatis (10 p.c.).
— Hydrargyri Oleatis (15 p.c.).
Liquor Ferri et Ammoniæ Citratis.
Lotio Acidi Carbolici cum Borace.
— Acidi Carbolici cum Borace Fortior
— Acidi Carbolici cum Iodo.
— Acidi Nitrici cum Opio.
— Aluminis Ætherea.
— Argenti Nitratis Ætherea.
— Boracis cum Zinco.
— Sulphuris Composita.
— Zinci Oxidi.
— Zinci Sulpho-Carbolatis.
Pasta Iodi cum Creasoto.
Pilula Atropiæ.
— Belladonnæ.
— Calomelanos cum Colocynthide e
Hyoscyamo.

Pilula Hydrargyri cum Colocynthide.
— Hydrargyri cum Colocynthide et Hyoscyamo.
— Hydrargyri cum Cretâ et Quiniæ.
— Hydrargyri cum Rheo.
— Hydrargyri Iodidi Viridis cum Opio.
— Rhei Composita cum Nuce Vomicâ.
— Stramonii.
Sapo Liquidus.
Solutio Hydrargyri Cyanidi.
— Iodoform.
Spiritus Anisi.
Unguentum Acidi Boracici.
— Acidi Carbolici.
— Acidi Chrysophanici.
— Acidi Salicylici.
— Belladonnæ Compositum.
— Diachyli.
— Hydrargyri cum Belladonnâ.
— Hydrargyri Nitratis Dilutum $\frac{1}{8}$.
— Hydrargyri Nitratis Dilutum $\frac{1}{4}$.
— Hydrargyri Nitratis Dilutum $\frac{1}{2}$.
— Hydrargyri Sulphidi Rubri.
— Hydrargyri Sulphidi Rubri Mitius.
— Iodoformi.
— Petrolei cum Zinco.
— Staphisagriæ.

Unguentum Styracis.
— Sulphuris Compositum.
— Zinci Carbolatum.
Vapor Benzoini.
— Camphoræ.
— Creasoti.
— Pini Sylvestris.
— Thymolis.

Preparations whose Names have been altered in the present Pharmacopœia.

Pharmacopœia 1869.	Pharmacopœia 1882.
Aqua Cassiæ.	Aqua Cassiæ Ligneæ.
Ceratum Simplex.	Unguentum Simplex.
Haustus Ammoniæ Acetatis et Camphoræ.	Haustus Ammoniæ Acetatis cum Camphora.
— Potassæ Effervescens.	— Potassæ Citratis Effervescens.
— Quassiæ cum Ferro.	— Ferri cum Quassiâ.
— Sodæ Effervescens.	— Sodæ Tartratis Effervescens.
Linimentum Plumbi.	Linimentum Plumbi cum Oleo.
— Saponis Compositum.	— Saponis cum Ammonia.
Lotio Aluminis.	Lotio Aluminis Fortior.
— Aluminis Mitissima.	— Aluminis.
— Argenti Nitratis.	— Argenti Nitratis Fortior.
— Argenti Nitratis Mitior.	— Argenti Nitratis.
— Zinci Sulphatis.	— Zinci Sulphatis Fortior.
— Zinci Sulphatis Mitior.	— Zinci Sulphatis.
Pilula Hydrargyri Subchloridi cum Colocynthide.	Pilula Calomelanos cum Colocynthide.
— Hydrargyri Subchloridi cum Jalapâ.	— Calomelanos cum Jalapâ.
— Hydrargyri Subchloridi cum Rheo.	— Calomelanos cum Rheo.
— Hydrargyri Subchloridi cum Scammonio.	— Calomelanos cum Scammonio.
Spiritus Cassiæ.	Spiritus Cassiæ Ligneæ.
Vinum Ferri.	Liquor Ferri et Ammoniæ Citratis.

Preparations whose Composition has bee altered in the present Pharmacopœia.

Pharmacopœia 1869.	Pharmacopœia 1882.
Aqua Carui	2½ min. (nearly) of Oil in o pint *for* 1½ min.
— Caryophylli	
— Cassiæ	
— Menthæ Piperitæ	
— Menthæ Viridis	
Balneum Glutinis	Bran *for* Size.
Confectio Boracis	Honey *for* Treacle (= Mel Boracis, P.B.).
Gargarisma Hydrochloricum .	10 min. Diluted Hydrochlor Acid *for* 15 min.
Haustus Acidi Gallici	25 min. Glycerine of Gall Acid (P.B.) *for* 1 fl. dr. Gl cerine of Gallic Acid (Hos Phar.).
— Calumbæ Alkalinus	20 min. Tincture of Calumb for 1 fl. oz. of Infusion, an 1 fl. oz. of Infusion Orange Peel for 30 min. Tincture.
— Cinchonæ Acidus	Aromatic Sulphuric Acid *fo* Diluted Sulphuric Aci 10 min. Spirit of Chlorofor *added*.
— Ferri et Ammoniæ Citratis	Distilled Water *for* Infusion Quassia.
— Hemidesmi cum Potassii Iodido	5 grs. Iodide of Potassium *fo* 3 grs.
— Ipecacuanhæ Emeticus...	The ½ fl. oz. Water *removed*.
— Morphiæ cum Ferro	Solution Hydrochlorate
— Morphiæ Hydrochloratis .	Morphia *for* the Salt.

Pharmacopœia 1869.	Pharmacopœia 1882.
Haustus Quiniæ cum Potassii Iodido	1 gr. Sulphate of Quinine *for* 2 grs. 1½ min. Diluted Sulphuric Acid *for* 4 min.
— Scoparius Compositus	1 fl. oz. Decoction of Broom *for* 1½ fl. oz.
Lotio Acidi Carbolici	5 grs. Carbolic Acid *for* 15 min. Glycerine of Carbolic Acid.
— Ferri Sulphatis	3 grs Sulphate of Iron *for* 2 grs.
Plumbi cum Opio	½ fl. oz. each of Opium Lotion and Lead Lotion *for* 1 gr. Extract of Opium and 1 fl. oz. Lead Lotion.
Pilula Ferri Redacti	Mucilage of Tragacanth and Liquorice Powder *for* Balsam of Peru and Starch.
Spiritus Carui — Carophylli — Cassiæ — Menthæ Piperitæ — Menthæ Viridis	Contain 1 part of Oil in 50 parts of Spirit.
Vinum Ferri	Ferri et Ammoniæ Citras *for* Ferrum Tartaratum.

PREPARATIONS

Omitted from the present Pharmacopœia

Balneum Acidum.
— Creasoti.
— Marinum.
Confectio Aluminis.
— Cinchonæ Flavæ.
Enema Sodii Chloridi.
Glycerinum Acidi Gallici.
Haustus Aloës et Camphoræ.
— Calumbæ Compositus.
— Gentianæ cum Sennâ.
— Olei Morrhuæ Alkalinus.
— Olei Ricini.
— Olei Ricini Alkalinus.
Liquor Ferri Tartarati.
Lotio Acidi Sulphurosi.
— Aluminis Mitior.
— Plumbi Acetatis.
— Potassæ Permanganatis.
Pilula Hydrargyri Perchloridi cum Belladonnâ.
Pulvis Rhei cum Potassæ Sulphate.

PHARMACOPŒIA.

AQUA CARUI.

(Hosp. Phar.)

Take of

Spirit of Caraway	...	2 fl. drachms,
Distilled Water	...	to 1 pint.

Mix.

AQUA CARYOPHYLLI.

Take of

Spirit of Cloves	...	2 fl. drachms,
Distilled Water	...	to 1 pint.

Mix.

AQUA CASSIÆ LIGNEÆ.

Take of

Spirit of Cassia Lignea		2 fl. drachms
Distilled Water	...	to 1 pint.

Mix.

AQUA MENTHÆ PIPERITÆ.

(Hosp. Phar.)

Take of

Spirit of Peppermint... 2 fl. drachms,
Distilled Water ... to 1 pint.

Mix.

AQUA MENTHÆ VIRIDIS.

(Hosp. Phar.)

Take of

Spirit of Spearmint ... 2 fl. drachms,
Distilled Water ... to 1 pint.

Mix.

BALNEUM ALKALINUM.

Take of

Carbonate of Soda ... 8 ounces,
Water ... ... 30 gallons.

Dissolve.

BALNEUM CALIDUM.

Take of

Water at 96°... ... 30 gallons.

BALNEUM GLUTINIS.

Take of

Bran	... ...	... 5 pounds,
Boiling Water		... 2 gallons.

Mix and add

Water	... ...	to 30 gallons.

BALNEUM SULPHUREUM.

Take of

Sulphurated Potash		... 8 ounces,
Water	... ...	30 gallons.

Dissolve.

BALNEUM TEPIDUM.

Take of

Water at 90°	...	... 30 gallons.

CONFECTIO FERRI TARTARATI.

Take of

Tartarated Iron	... 30 grains,
Acid Tartrate of Potash	180 grains,
Ginger, in powder	... 5 grains,
Treacle ...	... to 1 fl. ounce.

Mix.

Dose.—2 teaspoonfuls.

CONFECTIO JALAPÆ.

Take of

Compound Powder of Jalap	120 grains,
Treacle	to 1 fl. ounce

Mix.

Dose.—2 to 4 teaspoonfuls.

CONFECTIO POTASSÆ TARTRATIS ACIDÆ.

Take of

Acid Tartrate of Potash	240 grains,
Ginger, in powder ...	5 grains,
Treacle	to 1 fl. ounce

Mix.

Dose.—1 to 2 teaspoonfuls.

CONFECTIO SULPHURIS.

(Hosp. Phar.)

Take of

Sublimed Sulphur ...	200 grains,
Acid Tartrate of Potash	50 grains,
Treacle	to 1 fl. ounce.

Mix.

Dose.—1 to 2 teaspoonfuls.

CONFECTIO SULPHURIS COMPOSITA.

Take of

Confection of Sulphur	½ ounce,
Guaiacum Resin, in powder	80 grains,
Rhubarb Root, in powder ...	of each 40 grains.
Nutmeg, in powder	
Treacle	to 1 fl. ounce.

Mix.

Dose.—2 to 4 teaspoonfuls.

DECOCTUM ALOES COMPOSITUM.

(Hosp. Phar.)

Take of

Cape Aloes, in powder	120 grains,
Myrrh, in powder ...	90 grains,
Carbonate of Potash...	60 grains,
Commercial Extract of Liquorice	1 ounce,
Tincture of Ginger ...	¾ fl. ounce,
Rectified Spirit ...	3 fl. ounces,
Distilled Water ...	a sufficiency.

Boil the solids for five minutes in a pint of the water; cool, and add the spirit. Then strain, and add through the strainer sufficient water to make 30 fluid ounces.

DECOCTUM HEMIDESMI COMPOSITUM

Take of

Hemidesmus Root ...	2½ ounces,
Sassafras Root, in chips Guaiacum Wood turnings ... ... Commercial Extract of Liquorice	each ¼ ounce.
Mezereon Bark ...	60 grains,
Boiling Distilled Water	1½ pints.

Digest for one hour, boil for ten minutes, cool, strain, and make up to a pint.

Dose.—1 fluid ounce.

ENEMA OLEI RICINI.

Take of

Castor Oil	2 fl. ounces,
Mucilage of Starch ...	to 1 pint.

Mix.

ENEMA SAPONIS.

Take of

Soft Soap	¾ ounce,
Warm Water ...	to 1 pint.

Mix.

FOTUS BELLADONNÆ.

Take of

Extract of Belladonna 3 grains,
Boiling Distilled Water to 1 fl. ounce.

Mix and filter.

FOTUS PAPAVERIS.

Take of

Poppy Capsules,
bruised ... ... 2 ounces,
Distilled Water ... 1½ pints.

Boil for ten minutes, strain, and make up to a pint.

GARGARISMA ACETICUM.

Take of

Acetic Acid ... ... 15 minims,
Oxymel ... ... 30 minims,
Distilled Water ... to 1 fl. ounce.

Mix.

GARGARISMA ALUMINIS.

Take of

Alum, in powder	...	16 grains,
Distilled Water	...	to 1 fl. ounce

Dissolve.

GARGARISMA ALUMINIS COMPOSITUM.

Take of

Alum, in powder	...	16 grains,
Tincture of Myrrh	...	15 minims,
Distilled Water	...	to 1 fl. ounce

Dissolve and mix.

GARGARISMA CAPSICI.

Take of

Tincture of Capsicum		10 minims,
Diluted Sulphuric Acid		6 minims,
Decoction of Pale Cinchona	... ...	to 1 fl. ounce.

Mix.

GARGARISMA HYDROCHLORICUM.

Take of

Diluted Hydrochloric Acid	...	...	10 minims,
Decoction of Pale Cinchona	...	...	to 1 fl. ounce.

Mix.

GARGARISMA SODÆ CHLORATÆ.

Take of

Solution of Chlorinated Soda	...	...	½ fl. drachm,
Distilled Water	...		to 1 fl. ounce.

Mix.

GUTTÆ ATROPIÆ SULPHATIS.

Take of

Sulphate of Atropia	...	1 grain,
Distilled Water	...	1 fl. ounce.

Dissolve.

GUTTÆ ESERINI.

Take of

Sulphate of Eserin	...	2 grains,
Distilled Water	...	1 fl. ounce.

Dissolve.

HAUSTUS ACIDI GALLICI.

Take of

Glycerine of Gallic Acid	... ...	25 minims,
Distilled Water	...	to 1 fl. ounc

Mix. Contains 5 grains of acid.

HAUSTUS ACIDI HYDROCYANICI.

Take of

Diluted Hydrocyanic Acid	... ...	4 minims,
Bicarbonate of Soda	...	5 grains,
Distilled Water	...	to 1 fl. ounc

Dissolve and mix.

HAUSTUS ACIDI NITRO-HYDROCHLORIC

Take of

Diluted Nitro-hydrochloric Acid	...	10 minims,
Tincture of Orange Peel	... ...	20 minims,
Spirit of Chloroform	...	10 minims,
Distilled Water	...	to 1 fl. ounc

Mix.

HAUSTUS ACONITI CUM COLCHICO.

Take of

Tincture of Aconite...	3 minims,
Tincture of Colchicum Seeds	10 minims,
Sulphate of Quinine...	1 grain,
Diluted Sulphuric Acid	1½ minims,
Spirit of Chloroform...	10 minims,
Distilled Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS ÆTHERIS AMMONIATUS.

Take of

Spirit of Ether ... } Aromatic Spirit of Ammonia ... ... }	of each ½ fl. drachm,
Distilled Water ...	to 1 fl. ounce.

Mix.

HAUSTUS AMMONIACI FŒTIDUS.

Take of

Fetid Spirit of Ammonia (Hosp. Phar.)	15 minims,
Ammoniacum Mixture	to 1 fl. ounce.

Mix.

HAUSTUS AMMONIÆ ACETATIS

Take of

Solution of Acetate of Ammonia ... } of each ½ fl. ounce.
Distilled Water .. }

Mix.

HAUSTUS AMMONIÆ ACETATIS CUM CAMPHORA.

Take of

Solution of Acetate of Ammonia ... ... 2 fl. drachms.
Camphor Water ... to 1 fl. ounce.

Mix.

HAUSTUS AMMONIÆ ACETATIS CUM MAGNESIÆ SULPHATE.

Take of

Sulphate of Magnesia 60 grains,
Draught of Acetate of Ammonia ... ... to 1 fl. ounce.

Dissolve.

HAUSTUS AMMONIÆ ACETATIS CUM SCILLA.

Take of

Vinegar of Squill ... 20 minims,
Draught of Acetate of Ammonia ... ... to 1 fl. ounce.

Mix.

HAUSTUS AMYGDALÆ.

Take of

Almond Oil ... ...
Mucilage of Gum Acacia ... ... } of each 2fl.drachms,
Distilled Water ... to 1 fl. ounce.

Mix.

HAUSTUS ANTIMONII CUM MAGNESIÆ SULPHATE.

Take of

Antimonial Wine ... 30 minims,
Sulphate of Magnesia 60 grains,
Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS CALUMBÆ ALKALINUS.

Take of

Bicarbonate of Soda...	10 grains,
Tincture of Calumba	20 minims,
Infusion of Orange Peel	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS CASCARILLÆ CUM SCILLA.

Take of

Tincture of Squill ...	15 minims,
Infusion of Cascarilla	to 1 fl. ounce.

Mix.

HAUSTUS CHLOROFORMI COMPOSITUS.

Take of

Chloroform	1 minim,
Diluted Hydrocyanic Acid	of each 3 minims,
Solution of Acetate of Morphia	
Diluted Nitric Acid...	10 minims,
Glycerine	1 fl. drachm.
Tincture of Cascarilla	½ fl. drachm.
Distilled Water ...	to 1 fl. ounce.

Mix.

HAUSTUS CINCHONÆ ACIDUS.

Take of

Spirit of Chloroform ...	}	of each 10 minims,
Aromatic Sulphuric Acid	}	
Decoction of Pale Cinchona		to 1 fl. ounce.

Mix.

HAUSTUS CINCHONIÆ HYDROCHLORATIS.

Take of

Hydrochlorate of Cinchonine	1 grain,
Diluted Hydrochloric Acid	1½ minims,
Distilled Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS COLCHICI.

Take of

Tincture of Colchicum Seeds	15 minims,
Carbonate of Magnesia	10 grains,
Spearmint Water ...	to 1 fl. ounce.

Mix.

HAUSTUS COPAIBÆ COMPOSITUS.

Take of

Copaiva	... ...	15 minims,
Mucilage of Gum Acacia	... ...	1 fl. drachm,
Cubebs, in powder	...	30 grains,
Spirit of Nitrous Ether		15 minims,
Camphor Water	...	to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS.

Take of

Aromatic Powder of Chalk	... ...	30 grains,
Cassia Water	...	to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS CUM OPIO.

Take of

Aromatic Powder of Chalk and Opium	...	20 grains,
Cassia Water	...	to 1 fl. ounce.

Mix.

HAUSTUS CRETÆ AROMATICUS CUM RHEO.

Take of

Aromatic Chalk Powder and Rhubarb ...	30 grains,
Cassia Water ...	to 1 fl. ounce.

Mix

HAUSTUS FERRI CUM NUCE VOMICA.

Take of

Solution of Perchloride of Iron	10 minims,
Tincture of Nux Vomica	6 minims,
Diluted Phosphoric Acid	of each 5 minims,
Spirit of Chloroform	
Distilled Water ...	to 1 fl. ounce.

Mix.

HAUSTUS FERRI CUM QUASSIA.

Take of

Solution of Perchloride of Iron	15 minims,
Infusion of Quassia ...	to 1 fl. ounce.

Mix.

HAUSTUS FERRI ET AMMONIÆ CITRATIS.

Take of

Citrate of Iron and Ammonia	8 grains,
Carbonate of Ammonia	2 grains,
Spirit of Chloroform ...	10 minims,
Distilled Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS FLAVUS.

Take of

Caramel	a sufficiency,
Water	to 1 fl. ounce.

Mix.

HAUSTUS GENTIANÆ CUM RHEO.

Take of

Infusion of Rhubarb .	½ fl. ounce,
Compound Tincture of Gentian	30 minims,
Bicarbonate of Soda ...	10 grains,
Spirit of Chloroform .	10 minims,
Peppermint Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS HEMIDESMI CUM POTASSII IODIDO.

Take of

Iodide of Potassium...	5 grains,
Compound Decoction of Hemidesmus ...	to 1 fl. ounce.

Dissolve.

HAUSTUS HYDRARGYRI PERCHLORIDI.

Take of

Solution of Perchloride of Mercury ...	1 fl. drachm,
Syrup of Red Poppies	30 minims,
Distilled Water ...	to 1 fl. ounce.

Mix.

HAUSTUS HYDRARGYRI PERCHLORIDI CUM POTASSII IODIDO.

Take of

Solution of Perchloride of Mercury ...	1 fl. drachm,
Iodide of Potassium ...	5 grains,
Compound Tincture of Cardamoms ...	20 minims,
Distilled Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS IPECACUANHÆ EMETICUS.

Take of

Wine of Ipecacuanha } of each
Oxymel of Squill ... } ½ fl. ounce.

Mix.

HAUSTUS MAGNESIÆ CUM SODA.

Take of

Carbonate of Magnesia } of each
Bicarbonate of Soda ... } 8 grains,
Caraway Water ... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS MENTHÆ SULPHURICUS.

Take of

Diluted Sulphuric Acid 10 minims,
Syrup of Red Poppy . 30 minims,
Spearmint Water ... to 1 fl. ounce.

Mix.

HAUSTUS MENTHÆ SULPHURICUS CUM FERRI SULPHATE.

Take of

Sulphate of Iron ... 1 grain,
Spirit of Chloroform... 10 minims,
Sulphuric Mint Draught to 1 fl. ounce.

Dissolve and mix.

HAUSTUS MENTHÆ SULPHURICUS CUM MAGNESIÆ SULPHATE.

ake of

Sulphate of Magnesia . 60 grains,
SulphuricMint Draught to 1 fl. ounce.

issolve.

HAUSTUS MENTHÆ SULPHURICUS CUM PAPAVERE ET SCILLA.

Syn. Haustus pro Tussi.

ake of

Syrup of Poppies ... ½ fl. drachm,
Tincture of Squill ... 15 minims,
SulphuricMintDraught to 1 fl. ounce.

Mix.

HAUSTUS MORPHIÆ CUM FERRO.

ake of

Solution of Hydrochlorate of Morphia ... 10 minims,
Solution of Perchloride of Iron ... 15 minims,
Diluted Hydrochloric Acid ... ... 3 minims,
Spirit of Chloroform . 10 minims,
Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS MORPHIÆ HYDROCHLORAT

Take of

Solution of Hydrochlorate of Morphia ... 20 minims
Distilled Water ... to 1 fl. ounc

Mix.

HAUSTUS OLEI MORRHUÆ.

Take of

Cod-Liver Oil ... } of each
Mucilage of Gum Acacia ... ... } 2fl.drachm
Refined Sugar, in powder ... ... 30 grains,
Caraway Water ... to 1 fl. ounc

Rub together.

HAUSTUS OPIATUS.

Take of

Tincture of Opium ... } of each
Spirit of Chloroform... } 10 minims
Peppermint Water ... to 1 fl. ounce

Mix.

HAUSTUS PLUMBI ACETATIS.

Take of

Acetate of Lead ...	5 grains,
Oxymel	1 fl. drachm,
Distilled Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS POTASSII BROMIDI COMPOSITUS.

Take of

Infusion of Rhubarb...	½ fl. ounce,
Compound Tincture of Gentian	30 minims,
Bromide of Potassium	10 grains,
Spirit of Chloroform .	10 minims,
Peppermint Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS POTASSÆ CHLORATIS.

Take of

Chlorate of Potash ...	10 grains,
Boiling Distilled Water	to 1 fl. ounce.

Dissolve.

HAUSTUS POTASSÆ CITRATIS.

Take of

Bicarbonate of Potash 20 grains,
Citric Acid ... ... 14 grains,
Distilled Water ... to 1 fl. oun

Dissolve and mix. To be taken af
effervescence has ceased.

HAUSTUS POTASSÆ CITRATIS EFFERVESCENS.

Take of

Bicarbonate of Potash 20 grains,
Distilled Water ... 1 fl. ounce.

Dissolve, and add of

Citric Acid, in fine powder ... ... 14 grains,
Distilled Water ... 1 fl. ounce.

To be taken during effervescence.

HAUSTUS POTASSÆ CUM HYOSCYAM

Take of

Nitrate of Potash ... 10 grains,
Bicarbonate of Potash 20 grains,
Tincture of Hyoscyamus ... ... 20 minims,
Distilled Water ... to 1 fl. ounc

Dissolve and mix.

HAUSTUS POTASSÆ CUM MAGNESIÆ SULPHATE.

Take of

Nitrate of Potash ...	10 grains,
Bicarbonate of Potash .	20 grains,
Tartrate of Soda ...	60 grains,
Peppermint Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS POTASSII IODIDI AMMONIATUS.

Take of

Iodide of Potassium ...	3 grains,
Carbonate of Ammonia	2 grains,
Distilled Water ...	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS QUINIÆ CUM FERRO.

Take of

Sulphate of Quinia ...	1 grain,
Sulphate of Iron ...	½ grain,
Spirit of Chloroform .	10 minims,
Sulphuric Mint Draught	to 1 fl. ounce.

Dissolve and mix.

HAUSTUS QUINIÆ CUM POTASSII IODIDO.

Take of

Sulphate of Quinia ...	1 grain,
Iodide of Potassium ...	5 grains,
Diluted Sulphuric Acid	1½ minims
Distilled Water ...	to 1 fl. oun

Dissolve and mix.

HAUSTUS QUINIÆ SULPHATIS.

Take of

Sulphate of Quinia ...	1 grain,
Diluted Sulphuric Acid	1½ minims,
Distilled Water ...	to 1 fl. oun

Dissolve and mix.

HAUSTUS RHEI CUM MAGNESIA.

Take of

Compound Rhubarb Powder	30 grains,
Caraway Water ...	to 1 fl. oun

Mix.

HAUSTUS SCOPARII COMPOSITUS.

Take of

Tartrate of Potash ... 20 grains,
Spirit of Juniper ... 30 minims,
Decoction of Broom ... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS SENEGÆ CUM AMMONIA.

Take of

Carbonate of Ammonia 5 grains,
Tincture of Squill ... } of each
Tincture of Senega ... } 40 minims,
Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS SENNÆ COMPOSITUS.

Take of

Sulphate of Magnesia ¼ ounce,
Oil of Peppermint ... ¼ minim,
Infusion of Senna ... to 1½ fl. ounces.

Dissolve and mix.

HAUSTUS SERPENTARIÆ CUM AMMONIA

Take of

Carbonate of Ammonia		5 grains,
Spirit of Aniseed	...	10 minims,
Tincture of Serpentary		1 fl. drachm
Spearmint Water	...	to 1 fl. ounce

Dissolve and mix.

HAUSTUS SODÆ CITRATIS.

Take of

Bicarbonate of Soda	...	20 grains,
Citric Acid	... ...	17 grains,
Distilled Water	...	to 1 fl. ounce

Dissolve and mix. To be taken after effervescence has ceased.

HAUSTUS SODÆ TARTRATIS.

Take of

Bicarbonate of Soda	...	20 grains,
Tartaric Acid	... ...	17 grains,
Distilled Water	...	to 1 fl. ounce

Dissolve and mix. To be taken after effervescence has ceased.

HAUSTUS SODÆ TARTRATIS EFFERVESCENS.

Take of

Bicarbonate of Soda... 20 grains,
Distilled Water ... to 1 fl. ounce.

Dissolve, and add of

Tartaric Acid, in fine powder ... ... 17 grains,
Distilled Water ... to 1 fl. ounce.

To be taken during effervescence.

HAUSTUS TEREBINTHINÆ.

Take of

Oil of Turpentine ... 20 minims,
Mucilage of Gum Acacia ... ... 2 fl. drachms,
Caraway Water ... to 1 fl. ounce.

Triturate the mucilage first with the oil, and then with the water added gradually.

HAUSTUS VALERIANÆ CUM HYOSCYAMO

Take of

Ammoniated Tincture of Valerian ...	}	of each
Tincture of Hyoscyamus	}	½ fl. drachm
Camphor Water	...	to 1 fl. ounce

Mix.

HAUSTUS ZINCI EMETICUS.

Take of

Sulphate of Zinc	...	20 grains,
Distilled Water	...	to 1 fl. ounce

Dissolve.

INJECTIO MORPHIÆ HYPODERMICA (P.B.)

One minim contains one twelfth of a grain of Acetate of Morphia.

LINCTUS.

Take of

Confection of Hips	...	100 grains,
Tragacanth, in powder		6 grains,
Syrup of Poppies ...	}	of each
Vinegar of Squill ...	}	36 minims,
Acetic Acid		2 minims,
Boiling Water	...	to 1 fl. ounce.

Mix.

Dose.—1 teaspoonful.

LINCTUS ACIDI TANNO-GALLICI.

Take of

Tannic Acid ...	... 360 grains,
Gallic Acid ...	... 120 grains,
Water ...	... 1 fl. ounce.

Mix. A teaspoonful to be slowly sipped in case of bleeding.

LINCTUS CUM IPECACUANHA.

Take of

Wine of Ipecacuanha	30 minims,
Linctus ...	... to 1 fl. ounce.

Mix.

Dose.—1 teaspoonful.

LINCTUS MORPHIÆ CUM CHLOROFORMO.

Take of

Solution of Hydrochlorate of Morphia	... 24 minims,
Chloroform ...	... 8 minims,
Rectified Spirit	... 72 minims,
Glycerine ...	... to 1 fl. ounce.

Mix.

Dose.—1 teaspoonful.

LINIMENTUM CANTHARIDIS.

Take of

Vinegar of Cantharides	6 fl. drachms
Glacial Acetic Acid ...	40 minims,
Glycerine	6 fl. drachms
Spirit of Rosemary ...	20 minims,
Distilled Water ...	to 4 fl. ounces

Mix.

LINIMENTUM CANTHARIDIS CUM AMMONIA.

Take of

Almond Oil	6 fl. drachms
Strong Solution of Ammonia	160 minims
Glycerine	
Tincture of Cantharides	80 minims,
Spirit of Rosemary ...	20 minims,
Distilled Water ...	to 4 fl. ounces

Mix.

LINIMENTUM HYDRARGYRI OLEATIS (5 p.c.).

Take of

Yellow Oxide of Mercury, freshly prepared	... ...	24 grains,
Oleic Acid	... ...	to 1 fl. ounce.

Dissolve with a gentle heat.

LINIMENTUM HYDRARGYRI OLEATIS (10 p.c.).

Take of

Yellow Oxide of Mercury, freshly prepared	... ...	48 grains,
Oleic Acid	... ...	to 1 fl. ounce.

Dissolve with a gentle heat.

LINIMENTUM HYDRARGYRI OLEATIS (15 p.c.).

Take of

Yellow Oxide of Mercury, freshly prepared	... ...	72 grains,
Oleic Acid	... ...	to 1 fl. ounce.

Dissolve with a gentle heat.

LINIMENTUM OPII.

(Hosp. Phar.)

Take of

Tincture of Opium ...	1 fl. ounce,
Ammoniated Liniment of Soap	to 4 fl. ounces.

Mix.

LINIMENTUM PLUMBI CUM OLEO.

Take of

Solution of Subacetate of Lead	½ fl. ounce.
Olive Oil	to 4 fl. ounces

Mix with agitation.

LINIMENTUM SAPONIS CUM AMMONIA.

Take of

Soft Soap	½ ounce,
Oil of Marjoram ...	6 minims,
Methylated Spirit ...	3 fl. drachms,
Oil of Turpentine ...	1½ fl. drachms,
Solution of Ammonia	1 fl. drachm,
Boiling Distilled Water	to 4 fl. ounces.

Mix.

LIQUOR FERRI ET AMMONIÆ CITRATIS.

Syn.—Vinum Ferri.

(Hosp Phar.)

Take of

Citrate of Iron and Ammonia	... ...	8 grains,
Treacle	... ...	½ fl. drachm.
Cold Distilled Water		to 1 fl. ounce.

Dissolve.

Dose.—1 to 4 teaspoonfuls.

LOTIO ACETI.

Take of

Vinegar	... ...	½ fl. drachm,
Distilled Water	...	to 1 fl. ounce.

Mix.

LOTIO ACIDI CARBOLICI.

Take of

Carbolic Acid, liquefied ...	... ...	5 minims,
Distilled Water	...	to 1 fl. ounce.

Mix. Contains 1 per cent. of acid.

LOTIO ACIDI CARBOLICI CUM BORAC

Take of

Bicarbonate of Soda...	}	of each
Borax, in powder ...	}	20 grains
Glycerine of Carbolic Acid ...	...	1 fl. drachm
Water ...	...	to 1 fl. ounc

Dissolve and mix.

LOTIO ACIDI CARBOLICI CUM BORACI FORTIOR.

Take of

Bicarbonate of Soda...	}	of each
Borax, in powder ...	}	120 grains
Glycerine of Carbolic Acid ...	...	1½ fl. drachr
Water ...	...	to 1 fl. ounc

To be added to a pint of water.

LOTIO ACIDI CARBOLICI CUM IODC

Take of

Carbolic Acid, liquefied...	...	12 minims,
Tincture of Iodine	...	6 minims,
Distilled Water	...	to 1 fl. ounc

Mix.

LOTIO ACIDI HYDROCYANICI.

Take of

Diluted Hydrocyanic Acid	... ...	10 minims,
Distilled Water	...	to 1 fl. ounce.

Mix.

LOTIO ACIDI NITRICI CUM OPIO.

Take of

Diluted Nitric Acid	...	3 minims,
Opium Lotion	...	to 1 fl. ounce.

Mix.

LOTIO ALUMINIS.

Take of

Alum, in powder	...	4 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO ALUMINIS ÆTHEREA.

Take of

Alum ...	... ...	6 grains,
Spirit of Nitrous Ether		1 fl. drachm,
Distilled Water	...	to 1 fl. ounce.

Dissolve and mix,

LOTIO ALUMINIS COMPOSITA.

Take of

Alum, in powder ... } of each
Sulphate of Zinc ... } 8 grains,
Distilled Water ... to 1 fl. ounce

Dissolve.

LOTIO ALUMINIS FORTIOR.

Take of

Alum, in powder ... 16 grains,
Distilled Water ... to 1 fl. ounce

Dissolve.

LOTIO ARGENTI NITRATIS.

Take of

Nitrate of Silver ... 1 grain,
Distilled Water ... to 1 fl. ounce

Dissolve.

LOTIO ARGENTI NITRATIS ÆTHEREA.

Take of

Nitrate of Silver ... 2 grains,
Spirit of Nitrous Ether ½ fl. drachm
Distilled Water ... to 1 fl. ounce

Dissolve.

LOTIO ARGENTI NITRATIS FORTIOR.

Take of

Nitrate of Silver	...	2 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO ARNICÆ.

Take of

Tincture of Arnica	...	1 fl. drachm,
Lead Lotion ...	...	to 1 fl. ounce.

Mix.

LOTIO ATROPIÆ SULPHATIS.

Take of

Sulphate of Atropia	...	2 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO BORACIS CUM POTASSÆ CHLORATE.

Take of

Borax, in powder	..	3 grains,
Chlorate of Potash	...	6 grains,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO BORACIS CUM ZINCO.

Take of

Borax, in powder	...	3 grains,
Sulphate of Zinc	...	4 grains,
Tincture of Opium	...	5 minims,
Glycerine ...	...	1 fl. drachm
Distilled Water	...	to 1 fl. ounce

Dissolve and mix.

LOTIO CUPRI SULPHATIS.

Take of

Sulphate of Copper, in powder ...	...	2 grains,
Distilled Water	...	1 fl. ounce.

Dissolve.

LOTIO FERRI SULPHATIS.

Take of

Sulphate of Iron, in powder ...	...	3 grains,
Distilled Water	...	to 1 fl. ounce

Dissolve.

LOTIO HYDRARGYRI PERCHLORIDI.

Take of

Perchloride of Mercury $\frac{1}{4}$ grain,
Distilled Water ... 1 fl. ounce.

Dissolve.

LOTIO HYDRARGYRI PERCHLORIDI HYDROCYANICA.

Take of

Perchloride of Mercury $\frac{1}{2}$ grain,
Glycerine ... ... 2 fl. drachms,
Diluted Hydrocyanic Acid ... ... 8 minims,
Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

LOTIO OPII.

Take of

Opium ... ... 5 grains,
Boiling Distilled Water to 1 fl. ounce.

Rub together and filter.

LOTIO PLUMBI.

Take of

Solution of Subacetate of Lead ... ... 6 minims,
Water ... ... to 1 fl. ounc

Mix.

LOTIO PLUMBI CUM OPIO.

Take of

Opium Lotion ... } equal part
Lead Lotion ... ... }

Mix.

LOTIO POTASSÆ SULPHURATÆ.

Take of

Sulphurated Potash... 4 grains.
Distilled Water ... to 1 fl. ounc

Dissolve.

LOTIO QUERCUS COMPOSITA.

Take of

Alum, in powder ... } of each
Sulphate of Zinc ... } 4 grains,
Decoction of Oak Bark to 1 fl. ounc

Dissolve.

LOTIO SODÆ CHLORATÆ.

Take of

Solution of Chlorinated Soda	...	... ½ fl. drachm,
Distilled Water	...	to 1 fl. ounce.

Mix.

LOTIO SULPHURIS COMPOSITA.

Take of

Precipitated Sulphur	...	60 grains,
Spirit of Camphor	...	½ fl. drachm,
Lime Water ...	...	to 1 fl. ounce.

Mix.

LOTIO ZINCI OXIDI.

Take of

Oxide of Zinc	...	30 grains,
Glycerine ...	...	½ fl. drachm,
Lime Water ...	...	to 1 fl. ounce.

Mix.

LOTIO ZINCI SULPHATIS.

Take of

Sulphate of Zinc	...	1 grain,
Distilled Water	...	to 1 fl. ounce.

Dissolve.

LOTIO ZINCI SULPHATIS FORTIOR.

Take of

Sulphate of Zinc ... 4 grains,
Distilled Water ... to 1 fl. ounc

Dissolve.

LOTIO ZINCI SULPHOCARBOLATIS.

Take of

Sulphocarbolate of Zinc 4 grains,
Distilled Water ... to 1 fl. ounc

Dissolve.

OLEUM CARBOLATUM.

Take of

Carbolic Acid, liquefied 12 minims,
Olive Oil ... ... to 1 fl. ounc

Mix. Contains 1 part of acid in 40.

PASTA IODI CUM CREASOTO.

Take of

Iodine ... ... 120 grains,
Creasote ... ... to 1 fl. ounc

Dissolve.

PILULA ÁLOES CUM NUCE VOMICA.

Take of

Pill of Barbadoes Aloes $4\frac{1}{2}$ grains,
Extract of Nux Vomica $\frac{1}{4}$ grain,
Treacle ... ... a sufficiency.

Beat together, and form a pill.

PILULA ALOES CUM SAPONE.

Take of

Cape Aloes, in powder } of each
Hard Soap, in powder } 2 grains,
Distilled Water ... a sufficiency.

Beat together, and form a pill.

PILULA ATROPIÆ.

Take of

Atropia ... ... $\frac{1}{200}$ grain,
Rectified Spirit ... $\frac{1}{20}$ minim,
Liquorice Root, in powder ... ... 1 grain,
Treacle ... ... a sufficiency.

Beat together, and form a pill.

PILULA BELLADONNÆ.

Take of

Extract of Belladonna $\frac{1}{3}$ grain,
Liquorice Root, in powder ... ... 2 grains,
Treacle ... ... a sufficiency

Beat together, and form a pill.

PILULA CALOMELANOS CUM COLOCYNTHIDE.

Take of

Subchloride of Mercury ... ... 1 grain,
Compound Extract of Colocynth ... ... 4 grains,

Beat together, and form a pill.

PILULA CALOMELANOS CUM COLOCYNTHIDE ET HYOSCYAMO.

Take of

Subchloride of Mercury 1 grain,
Compound Extract of Colocynth ... ... 3 grains,
Extract of Hyoscyamus 1 grain.

Beat together, and form a pill.

PILULA CALOMELANOS CUM JALAPA.

Take of

Subchloride of Mercury ...	... 1 grain,
Jalap, in powder	... 3 grains,
Treacle ...	... a sufficiency.

Beat together, and form a pill.

PILULA CALOMELANOS CUM RHEO.

Take of

Subchloride of Mercury ...	... 1 grain,
Rhubarb Root, in powder ...	... 4 grains,
Treacle ...	... a sufficiency.

Beat together, and form a pill.

PILULA CALOMELANOS CUM SCAMMONIO.

Take of

Subchloride of Mercury ...	... 1 grain,
Scammony, in powder	3 grains,
Treacle ...	... a sufficiency.

Beat together, and form a pill.

PILULA CAMPHORÆ CUM HYOSCYAMO.

Take of

Camphor, in powder...	of each
Extract of Hyoscyamus	2½ grains.

Beat together, and form a pill.

PILULA CAMPHORÆ CUM OPIO.

Take of

Camphor, in powder...	2 grains,
Opium, in powder ...	½ grain,
Treacle	a sufficiency.

Beat together, and form a pill.

PILULA CREASOTI.

Take of

Creasote	1 minim,
Crumb of Bread ...	a sufficiency.

Beat together, and form a pill.

PILULA CREASOTI CUM ASSAFŒTIDA.

Take of

Creasote	1 minim,
Compound Pill of Assafœtida... ...	of each
Compound Rhubarb Pill...	2 grains.

Beat together, and form a pill.

PILULA ELATERII COMPOSITA.

Take of

Elaterium	¼ grain,
Compound Extract of Colocynth	2 grains,
Subchloride of Mercury	1½ grains,
Capsicum Fruit, in powder	½ grain,
Treacle	a sufficiency.

Beat together, and form a pill.

PILULA FERRI FŒTIDA.

Take of

Saccharated Carbonate of Iron	3 grains,
Compound Assafœtida Pill	2 grains,
Treacle	a sufficiency.

Beat together, and form a pill.

PILULA FERRI REDACTI.

Take of

Reduced Iron ...	3 grains,
Liquorice Root, in powder	1 grain,
Mucilage of Tragacanth	a sufficiency.

Beat together, and form a pill.

PILULA FERRI SULPHATIS.

Take of

Dried Sulphate of Iron } of each
Ginger, in powder ... } 1 grain,
Extract of Gentian ... 3 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM COLOCYNTHIDE.

Take of

Mercurial Pill ... 1 grain,
Compound Extract of Colocynth ... ... 2½ grains,

Beat together, and form a pill.

PILULA HYDRARGYRI CUM COLOCYNTHIDE ET HYOSCYAMO.

Take of

Mercurial Pill ... 1 grain,
Compound Extract of Colocynth ... ... 2½ grains,
Extract of Hyoscyamus ... ... 1 grain.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA COMPOSITA.

Take of

Mercury with Chalk ... } of each
Compound Powder of Ipecacuanha ..... } 2½ grains,
Treacle ... ... a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA ET QUINIÆ.

Take of

Mercury with Chalk . 3 grains,
Sulphate of Quinine . 1 grain,
Treacle ... ... a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM CRETA ET RHEI.

Take of

Mercury with Chalk ... } of each
Rhubarb Root, in powder ... ... } 2½ grains,
Treacle ... ... a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM RHEO.

Take of

Mercurial Pill	... 2 grains,
Compound Rhubarb Pill	... ... 3 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM SCILLA.

Take of

Mercurial Pill	... 3 grains,
Squill, in powder	... 1½ grains.

Beat together, and form a pill.

PILULA HYDRARGYRI IODIDI VIRIDIS CUM OPIO.

Take of

Green Iodide of Mercury	... ... ½ grain,
Opium, in powder	... ⅛ grain,
Treacle	... ... a sufficiency

Beat together, and form a pill.

PILULA RHEI COMPOSITA CUM NUCE VOMICA.

Take of

Compound Rhubarb Pill...	$3\frac{1}{2}$ grains,
Capsicum, in powder	$\frac{1}{6}$ grain,
Extract of Nux Vomica	$\frac{1}{2}$ grain.

Beat together, and form a pill.

PILULA STRAMONII.

Take of

Extract of Stramonium	$\frac{1}{3}$ grain,
Liquorice Root, in powder	2 grains,
Treacle	a sufficiency.

Beat together, and form a pill.

POTASSA CUM CALCE.

Take of

Caustic Potash ... } Lime ... ... }	equal parts,
Glycerine	a sufficiency.

Mix.

POTUS POTASSÆ CHLORATIS.

Take of

Chlorate of Potash ... 60 grains,
Boiling Water ... 1 pint.

Dissolve.

POTUS POTASSÆ TARTRATIS ACIDÆ

Take of

Acid Tartrate of Potash ... ... 60 grains,
Half the fresh Peel of a Lemon,
Boiling Water ... 1 pint.

Infuse in a covered vessel with occasional stirring till cold, and strain.

PULVIS CRETÆ AROMATICUS CUM RHEO

Take of

Aromatic Powder of Chalk ... ... 20 grains,
Rhubarb Root, in powder ... ... 10 grains,

Mix.

PULVIS EMETICUS.

Take of

Ipecacuanha, in powder	20 grains,
Tartarated Antimony, in powder	½ grain.

Mix.

SAPO LIQUIDUS.

Take of

Soft Soap	2 ounces,
Rectified Spirit ...	1 fl. ounce.

Dissolve.

SOLUTIO HYDRARGYRI CYANIDI

Take of

Cyanide of Mercury...	15 grains,
Distilled Water ...	to 1 fl. ounce.

Dissolve.

SOLUTIO IODOFORMI.

Take of

Iodoform, in very fine powder	120 grains,
Glycerine	to 1 fl. ounce.

Mix.

SPIRITUS AMMONIÆ AROMATICUS.

(Hosp. Phar.)

Take of

Carbonate of Ammonia		8 ounces,
Strong Solution of Ammonia	...	4 fl. ounces
Oil of Lemon	...	2 fl. drachm
Rectified Spirit	...	5 pints,
Distilled Water	...	to 7 pints.

Dissolve and mix.

Equal in amount of carbonate of amm nia to Spiritus Ammoniæ Aromaticus the *Brit. Phar.*

SPIRITUS AMMONIÆ FŒTIDUS.

(Hosp. Phar.)

Take of

Tincture of Assafœtida		6 fl. ounces
Rectified Spirit	...	3 fl. ounces
Strong Solution of Ammonia	...	1 fl. ounce

Mix.

Equal in amount of assafœtida and ammonia to Spiritus Ammoniæ Fœtid of the *Brit. Phar.*

SPIRITUS ANISI.

℞ Take of

Oil of Anise	...	1 fl. ounce,
Rectified Spirit		to 50 fl. ounces.

℞ Dissolve.

SPIRITUS CARUI.

℞ Take of

Oil of Caraway	...	1 fl. ounce,
Rectifiéd Spirit		to 50 fl. ounces.

℞ Dissolve.

SPIRITUS CARYOPHYLLI.

℞ Take of

Oil of Cloves...	...	1 fl. ounce,
Rectified Spirit		to 50 fl. ounces

℞ Dissolve.

SPIRITUS CASSIÆ LIGNEÆ.

℞ Take of

Oil of Cassia	...	1 fl. ounce,
Rectified Spirit	...	to 50 fl. ounces.

℞ Dissolve.

SPIRITUS MENTHÆ VIRIDIS.

Take of

Oil of Spearmint ...1 fl. ounce,
Rectified Spirit ...to 50 fl. ounce

Dissolve.

SUPPOSITORIUM OPII.

Take of

Compound Pill of Soap 12 grains.

Make a suppository.

It contains about 2 grains of dri opium.

SYRUPUS PAPAVERIS.

(Hosp. Phar.)

Take of

Poppy Capsules, bruised and freed from Seeds 2¼ pound
Treacle... ... ... 2 pounds
Distilled Water at 170° 3 gallons

Macerate the poppy capsules in t water for 12 hours, draw off and expre the liquor, and evaporate it to two pi and a half, then add the treacle.

Equal in strength to Syrupus Papave of the *Brit. Phar.*

SYRUPUS RHŒADOS.

(Hosp. Phar.)

Take of

Dried Red-Poppy Petals	13 ounces,
Treacle	5¼ pounds,
Boiling Distilled Water	5½ pints.

Infuse the petals in the water for 12 hours, draw off and express the liquor, and add the treacle to it.

UNGUENTUM ACIDI BORACICI.

Take of

Boracic Acid	80 grains,
Ointment of Petroleum	1 ounce.

Mix.

UNGUENTUM ACIDI CARBOLICI.

Take of

Carbolic Acid, liquefied	½ fl. drachm,
Ointment of Petroleum	1 ounce.

Mix.

UNGUENTUM ACIDI CHRYSOPHANIC

Take of

Chrysophanic Acid ... 10 grains,
Ointment of Petroleum 1 ounce.

Mix.

UNGUENTUM ACIDI SALICYLICI.

Take of

Salicylic Acid ... 10 grains,
Ointment of Petroleum 1 ounce.

Mix.

UNGUENTUM BELLADONNÆ COMPOSITUM.

Take of

Extract of Belladonna 30 grains
Camphor ... ... 10 grains,
Rectified Spirit ... a sufficien
Ointment of Petroleum 1 ounce.

Dissolve and mix.

UNGUENTUM DIACHYLI.

Syn.—Unguentum Lithargyri.

Take of

Lead Plaster ... ...
Ointment of Petroleum } equal parts.

Let an ointment be made.

UNGUENTUM HYDRARGYRI CUM BELLADONNA.

Take of

Ointment of Mercury
Ointment of Belladonna } equal
Ointment of Iodide of Potassium ... ... } parts.

Mix.

UNGUENTUM HYDRARGYRI NITRATIS DILUTUM $\frac{1}{8}$.

Take of

Ointment of Nitrate of Mercury ... $\frac{1}{8}$ ounce,
Prepared Lard ... to 1 ounce.

Mix.

UNGUENTUM HYDRARGYRI NITRAT DILUTUM ¼.

Take of

Ointment of Nitrate of Mercury ... ... ¼ ounce,
Prepared Lard ... to 1 ounce

Mix.

UNGUENTUM HYDRARGYRI NITRAT DILUTUM ½.

Take of

Ointment of Nitrate of Mercury ... ... } equal pa
Prepared Lard ... }

Mix.

UNGUENTUM HYDRARGYRI SULPHI RUBRI.

Take of

Red Sulphide of Mercury ... ... } of eac
Red Oxide of Mercury, in very fine powder } 6 grai
Creasote ... ... 2 minims
Prepared Lard ... 1 ounce.

Mix.

UNGUENTUM HYDRARGYRI SULPHIDI RUBRI MITIUS.

Take of

Ointment of Red Sulphide of Mercury ... ½ ounce,
Prepared Lard ... 1 ounce.

Mix.

UNGUENTUM IODOFORMI.

Take of

Iodoform ... ... 120 grains,
Ointment of Petroleum 1 ounce.

Mix.

UNGUENTUM PETROLEI CUM ZINCO.

Take of

Oxide of Zinc ... 30 grains,
Ointment of Petroleum 1 ounce.

Mix.

UNGUENTUM PICIS CUM PLUMBO.

Take of

Ointment of Tar ... } equal parts.
Ointment of Acetate of Lead ... ... }

Mix.

UNGUENTUM SIMPLEX
Hosp. Phar.)

Take of

Yellow Wax ...	...	¼ ounce,
Prepared Lard	...	¾ ounce.

Melt together.

UNGUENTUM STAPHISAGRIÆ.

Take of

Oil of Stavesacre	...	1 fl. drachi
Ointment of Petroleum		1 ounce.

Mix.

UNGUENTUM STYRACIS.

Take of

Prepared Storax, liquefied ...	...	½ ounce,
Prepared Lard	...	1 ounce.

Mix.

UNGUENTUM SULPHURIS COMPOSITU

Take of

Sublimed Sulphur	...	30 grains,
Ammoniated Mercury		10 grains,
Red Sulphide of Merc.		10 grains,
Olive Oil ...	...	2 fl. drachm
Creasote ...	...	4 minims,
Prepared Lard	...	1 ounce.

Mix.

UNGUENTUM ZINCI CARBOLATUM.

Take of

Carbolic Acid, liquefied 1 fl. drachm,
Ointment of Zinc ... 1 ounce.

Mix.

VAPOR BENZOINI.

Take of

Compound Tincture of
Benzoin ... ... 1 fl. drachm.

To be added to a pint of water at the temperature of 140° F. for each inhalation.

VAPOR CAMPHORÆ.

Take of

Spirit of Camphor ... 1 fl. drachm.
Rectified Spirit ... 3 fl. drachms.
Water ... ... to 1 fl. ounce.

Mix. A teaspoonful to be added to a pint of water at the temperature of 140° F. for each inhalation.

VAPOR CREASOTI.

Take of

Creasote	... ...	80 minims,
Light Carbonate of Magnesia	... ...	30 grains,
Water	... ...	1 fl. ounce.

Mix. A teaspoonful to be added to a pint of water at the temperature of 140° F for each inhalation.

VAPOR PINI SYLVESTRIS.

Take of

Oil of Scotch Pine	...	40 minims,
Light Carbonate of Magnesia	... ...	20 grains,
Water	... ...	1 fl. ounce.

Mix. A teaspoonful to be added to a pint of water at the temperature of 140° F for each inhalation.

VAPOR THYMOLIS

Take of

Thymol	...	... 6 grains,
Rectified Spirit		... 1 fl. drachm,
Light Carbonate of Magnesia	...	... 3 grains,
Water	...	... to 1 fl. ounce.

Mix. A teaspoonful to be added to a pint of water at the temperature of 140° F.

VINUM FERRI.

(Hosp. Phar.)

Vide LIQ. FERRI ET AMMONIÆ CITRATIS, p. 39.

VINUM IPECACUANHÆ.

(Hosp. Phar.)

Take of

Ipecacuanha, bruised	...	1 ounce,
Sherry	...	... } of each
Rectified Spirit		... } 4 fl. ounces.
Distilled Water		... 12 fl. ounces.

Macerate the ipecacuanha in the mixed liquids 7 days. Draw off, express, and filter. Then add sufficient water to make 1 pint.

Equal in strength to Vinum Ipecacuanhæ of the *Brit. Phar.*

ST. BARTHO

D.C. D.D. D

Meals.	*Full Diet (Meat).*	*Half Diet (Meat).*
Breakfast.	1 Pint of Tea. Bread and Butter.	1 Pint of Tea. Bread and Butter.
Dinner.	½-pound Meat when dressed. Half-pound Potatoes. Bread and Beer.	¼-pound Meat when dre Half-pound Potatoes Bread and Beer.
Tea.	1 Pint of Tea. Bread and Butter.	1 Pint of Tea. Bread and Butter.
Supper.	Bread and Butter. Beer.	Bread and Butter. Beer.
Daily Allowances to each Patient.	2 Pints of Tea. 14 Ounces Bread. ½-pound Meat when dressed. Half-pound Potatoes. 2 Pints Beer (*Men*). 1 Pint Beer (*Women*). 1 Ounce Butter.	2 Pints of Tea. 12 Ounces Bread. ¼-pound Meat when dres Half-pound Potatoes. 1 Pint Beer. ¾-ounce Butter.

Extras to be specially ordered.—Mutton Chops, Beef Steaks, Be

Each Patient, on Admission, to be placed on Milk

N.B. No Provision or Liquor of any kind whatever is allowed to be br

PATIENTS ARE STRICTLY FORBIDDEN TO G

W'S HOSPITAL.

LE. 3. J. 3. Q.

Broth Diet.	*Milk Diet.*	*Low Diet.*	
1 Pint of Tea.	1 Pint of Tea.	Bread.	Children under Nine Years to receive half Allowances.
int and half Broth. ces Potatoes(mashed) Bread.	1 Pint and half Milk, or 1 Pint Milk with Arrow-root, Rice, or Sago. Bread.	Broth, Gruel, or Barley Water, as may be ordered.	
1 Pint of Tea. read and Butter.	1 Pint of Tea. Bread and Butter.		
read and Butter. Gruel.	Bread and Butter. Gruel.		
2 Pints of Tea. 2 Ounces Bread. int and half Broth. ces Potatoes(mashed) ¾-ounce Butter. Gruel.	2 Pints of Tea. 12 Ounces Bread. 1 Pint and half Milk, or 1 Pint Milk with Arrow-root, Rice, or Sago. ¾-ounce Butter. Gruel.	Bread. Broth, Gruel, or Barley Water.	

Tea, Fish, Eggs, Pudding, Jelly, Porter, Ale, Wine, or Spirits.

Diet is ordered by the Physician or Surgeon.

the Hospital for the Patients, on pain of their immediate dismissal.

PORTION OF THEIR DIET TO OTHERS.

APPENDIX.

TABLE

Of the Ordinary Doses for an Adult.

Acetum	1 to 2 fl. drs.
— Scillæ . . .	15 to 40 min.
Acidum Aceticum Dil. .	1 to 2 fl. drs.
— Arseniosum *in sol.*	$\frac{1}{60}$ to $\frac{1}{12}$ grs.
— Benzoicum . .	10 to 15 „
— Carbolicum . .	1 to 3 „
— Citricum . .	10 to 30 „
— Gallicum . .	2 to 10 „
— Hydrochloricum Dil.	10 to 30 min.
— Hydrocyanicum Dil.	2 to 8 „
— Nitricum Dilutum .	10 to 30 „
— Nitro-hydroch. Dil.	5 to 20 „
— Phosphoricum Dil. .	10 to 30 „
— Sulphuricum Arom.	5 to 30 „
— Sulphuricum Dil. .	5 to 30 „

Acidum Sulphurosum .	30 to 60 min.
— Tannicum . .	2 to 10 grs.
— Tartaric . . .	10 to 30 „
Æther	20 to 60 min
— Aceticus. . .	20 to 60 „
Aloe Barbadensis . .	2 to 6 grs.
— Socotrina . .	2 to 6 „
Alumen . . .	10 to 20 „
Ammoniacum . .	10 to 20 „
Ammoniæ Benzoas .	10 to 20 „
— Carbonas . .	3 to 10 „
— Phosphas . .	5 to 20 „
Ammonii Bromidum .	2 to 30 „
— Chloridum . .	5 to 30 „
Amyl Nitris *vapour of*	2 to 5 min.
Antimonii Oxidum .	1 to 4 grs.
— Sulphuratum . .	1 to 5 „
Antimonium Tartaratum, *diaphoretic*	$\frac{1}{16}$ to $\frac{1}{6}$ „
— — *emetic*	1 to 2 „
Aqua Chloroformi . .	$\frac{1}{2}$ to 2 fl. oz.
— Laurocerasi . .	5 to 30 min.

Areca . .	*in powder*	$\frac{1}{2}$ to $\frac{3}{4}$ oz.
Argenti Nitras . .		$\frac{1}{6}$ to $\frac{1}{3}$ grs.
— Oxidum . . .		$\frac{1}{2}$ to 2 „
Assafœtida . . .		5 to 20 „
Atropia		$\frac{1}{200}$ to $\frac{1}{40}$ „
Balsamum Peruvianum .		10 to 15 min.
— Tolutanum . .		10 to 20 grs.
Beberiæ Sulphas . .		1 to 10 „
Bismuthi Carbonas .		5 to 20 „
— Oxidum . . .		5 to 15 „
— Subnitras . .		5 to 20 „
Borax		5 to 40 „
Calcii Chloridum . .		10 to 20 „
Calcis Carbonas Præcip.		10 to 60 „
— Hypophosphis .		1 to 10 „
— Phosphas . .		10 to 20 „
Calumbæ R.	*in powder*	5 to 20 „
Cambogiæ . . .		1 to 4 „
Camphora . . .		1 to 10 „
Capsici F. . . .		$\frac{1}{2}$ to 1 „
Carbo Animalis . .		20 to 60 „
— Ligni . . .		20 to 60 „

Castoreum . . .	5 to 10 grs.
Catechu Pallidum . .	10 to 30 „
Cerevisiæ Fermentum .	½ to 1 oz.
Cerii Oxalas . . .	1 to 3 grs.
Chloral Hydras . .	5 to 30 „
— Croton . . .	2 to 30 „
Chloroform . . .	1 to 10 min.
Cinchonæ Pallidæ C. *in powder*	10 to 60 grs.
Colchici Cormus . .	2 to 8 „
Colocynthidis Pulpa *in powder*	2 to 8 „
Conf. Ferri Tartarati .	2 fl. drs.
— Jalapæ . . .	2 to 4 „
— Opii . . .	5 to 20 grs.
— Piperis . . .	60 to 120 „
— Potassæ Tartratis Acidæ . .	1 to 2 fl. drs.
— Scammonii . .	10 to 30 grs.
— Sennæ . . .	60 to 120 „
— Sulphuris . .	1 to 2 fl. drs.
— — Composita .	2 to 4 „

Conf. Terebinthinæ .	60 to 120 grs.
Conii Folia . *in powder*	2 to 8 „
Copaiba	30 to 60 min.
Creasotum . . .	1 to 3 drops.
Creta præparata . .	10 to 60 grs.
Cubeba	30 to 120 „
Cupri Sulphas, *astringent*	$\frac{1}{4}$ to 2 „
— — . . *emetic*	5 to 10 „
Cusso	$\frac{1}{4}$ to $\frac{1}{2}$ oz.
Decoctum Aloës Comp. .	$\frac{1}{2}$ to 2 fl. ozs.
— Cinchonæ Pallidæ .	1 to 2 „
— Granati Radicis .	1 to 2 „
— Hæmatoxyli . .	1 to 2 „
— Hemidesmi Comp. .	1 to 2 „
— Pareiræ	1 to 2 „
— Scoparii . . .	2 to 4 „
— Taraxaci . .	2 to 4 „
— Ulmi . . .	2 to 4 „
Digitalin . . .	$\frac{1}{60}$ to $\frac{1}{30}$ gr.
Digitalis Folia, *in powder*	$\frac{1}{2}$ to $1\frac{1}{2}$ „
Elaterium . . .	$\frac{1}{16}$ to $\frac{1}{2}$ „
Ergota	20 to 30 „

Essentia Anisi . .	10 to 20 min.
— Menthæ Piperitæ .	10 to 20 „
Extractum Aconiti .	1 to 2 grs.
— Aloes Barbadensis .	1 to 6 „
— — Socotrinæ . .	2 to 6 „
— Anthemidis . .	2 to 10 „
— Belæ Liquidum .	1 to 2 fl. drs.
— Belladonnæ . .	¼ to 1 grs.
— Calumbæ . .	2 to 10 „
— Cannabis Indicæ .	¼ to 1 „
— Cinchonæ Pall. Liq.	10 to 30 min.
— Colchici . . .	½ to 2 grs.
— — Aceticum . .	½ to 2 „
— Colocynthidis Comp.	3 to 10 „
— Conii . . .	2 to 6 „
— Ergotæ Liquidum .	10 to 30 min.
— Filicis Liquidum	15 min. to 1½ fl. drs.
— Gentianæ . .	2 to 10 grs.
— Glycyrrhizæ Liq. .	1 fl. dr.
— Hæmatoxyli . .	10 to 30 grs.
— Hyoscyami . .	5 to 10 „
— Jalapæ . . .	5 to 15 „

Extractum Krameriæ .	5 to 20 grs.
— Lactucæ . .	5 to 15 „
— Lupuli . . .	5 to 15 „
— Nucis Vomicæ .	½ to 2 „
— Opii . . .	½ to 2 „
— — Liquidum . .	10 to 40 min.
— Papaveris . .	2 to 5 grs.
— Pareiræ . . .	10 to 20 „
— — Liquidum . .	½ to 2 fl. drs.
— Physostigmatis .	1/16 to ¼ gr.
— Quassiæ . . .	3 to 5 „
— Rhei . . .	5 to 15 „
— Stramonii . .	¼ to ½ „
— Taraxaci . .	5 to 30 „
Fel Bovinum Purif. .	5 to 10 „
Ferri Arsenias . .	1/16 to ½ „
— Carbonas Sacch. .	5 to 20 „
— et Ammoniæ Citras	5 to 10 „
— et Quiniæ Citras .	5 to 10 „
— Iodidum . .	1 to 5 „
— Oxidum Magneticum . . .	5 to 10 „

Ferri Peroxidum Humidum	$\frac{1}{4}$ to $\frac{1}{2}$ oz.
— — Hydratum	5 to 30 grs.
— Phosphas	5 to 10 „
— Sulphas	1 to 5 „
— — Exsiccata	$\frac{1}{2}$ to 3 „
— — Granulata	1 to 5 „
Ferrum Redactum	1 to 5 „
— Tartaratum	5 to 10 „
Glycerine	1 to 2 drs.
Guaiaci Resina	10 to 30 grs.
Haustus (omnes)	1 fl. oz.
Hydrargyri Iodidum Rubrum	$\frac{1}{16}$ to $\frac{1}{4}$ gr.
— Iodidum Viride	1 to 3 „
— Perchloridum	$\frac{1}{16}$ to $\frac{1}{8}$ „
— Subchloridum	$\frac{1}{2}$ to 5 „
Hydrargyrum cum Cretâ	3 to 8 „
Infusum Anthemidis	1 to 4 fl. oz.
— Aurantii	1 to 2 „
— — Compositum	1 to 2 „
— Buchu	1 to 4 „

Infusum Calumbæ.	.	1 to 2 fl. ozs.
— Caryophylli	.	1 to 4 „
— Cascarillæ	.	1 to 2 „
— Catechu.	.	1 to 2 „
— Chiratæ.	.	1 to 2 „
— Cinchonæ Pallidæ	.	1 to 2 „
— Cuspariæ	.	1 to 2 „
— Cusso	.	4 to 8 „
— Digitalis.	.	2 to 4 fl. drs
— Dulcamaræ	.	1 to 2 fl. ozs
— Ergotæ	.	1 to 2 „
— Gentianæ Compo.	.	1 to 2 „
— Krameriæ	.	1 to 2 „
— Lupuli	.	1 to 2 „
— Maticæ	.	1 to 4 „
— Quassiæ.	.	1 to 2 „
— Rhei	.	1 to 2 „
— Rosæ Acidum.	.	1 to 2 „
— Senegæ	.	1 to 2 „
— Sennæ	.	1 to 2 „
— Serpentariæ	.	1 to 2 „
— Uvæ Ursi	.	1 to 2 „

Infusum Valerianæ .	1 to 2 fl. ozs.
Injectio Morphiæ Hypodermica, *by subcutaneous injection*	1 to 6 min.
Ipecacuanha, *expectorant*	½ to 2 grs.
— *emetic*	15 to 30 „
Jalapa	10 to 30 „
Jalapæ Resina . .	2 to 5 „
Kamala	30 grs. to ¼ oz.
Kino . . .	10 to 30 grs.
Liquor Ammoniæ Acetatis	2 to 6 fl. drs.
— Ammoniæ Citratis .	2 to 6 „
— Arsenicalis . .	1 to 8 min
— Arsenici Hydrochlor.	1 to 8 „
— Bismuthi et Ammoniæ Citratis. .	30 to 60 „
— Calcis . . .	1 to 4 fl. oz
— — Saccharatus .	15 to 60 min.
— Chlori . . .	10 to 20 „
— Ferri et Ammoniæ Citratis . .	1 to 4 fl. drs.
— — Perchloridi .	10 to 30 min.

Liquor Ferri Pernitratis	10 to 40 min.
— Hydrarg. Perchlor. .	30 to 120 „
— Magnesiæ Carbonat.	1 to 2 fl. oz.
— — Citratis . .	5 to 10 „
— Morphiæ Acetatis .	10 to 60 min.
— — Hydrochlor. .	10 to 60 „
— Potassæ . . .	10 to 60 „
— — Permang. . .	2 to 4 fl. drs.
— Sodæ Arseniatis .	5 to 10 min.
— Sodæ Chloratæ .	10 to 20 „
— Strychniæ . .	2 to 10 „
Lithiæ Carbonas . .	3 to 6 grs.
— Citras . . .	5 to 10 „
Magnesia . . .	10 to 60 „
— Levis . . .	10 to 60 „
— Carbonas . .	10 to 60 „
— — Levis . .	10 to 60 „
— Sulphas . .	60 grs. to ½ oz
Manna	60 grs. to 1 oz
Mistura Ammoniaci .	½ to 1 fl. oz
— Amygdalæ . .	1 to 2 „
— Creasoti . . .	1 to 2 „

Mistura Cretæ . .	1 to 2 fl. ozs.
— Ferri Aromatica .	1 to 2 „
— Ferri Composita .	1 to 2 „
— Gentianæ . .	½ to 1 „
— Guaiaci . . .	½ to 2 „
— Scammonii (*for a child*)	½ to 2 „
— Sennæ Composita .	1 to 1½ „
— Spiritus Vini Gallici	1 to 2 „
Morphiæ Acetas . .	⅛ to ½ gr.
— Hydrochloras . .	⅛ to ½ „
Moschus . . .	5 to 10 „
Oleum Copaibæ . .	5 to 10 min.
— Crotonis. . .	⅓ to 1 „
— Cubebæ . . .	5 to 20 „
— Morrhuæ . .	1 to 8 fl. drs.
— Ricini . . .	1 to 8 „
— Sabinæ . . .	1 to 5 min.
— Terebinthinæ . .	10 to 30 „
— — *anthelmintic*	4 fl. drs.
Opium	½ to 2 grs.
Oxymel	1 to 2 fl. drs.
— Scillæ . . .	½ to 1 „

Pepsin	2 to 5 grs.
Physostigmatis Faba .	1 to 4 „
Picrotoxin . . .	$\frac{1}{150}$ „
Pilocarpine . . .	$\frac{1}{6}$ to $\frac{1}{2}$ „
— *by subcutaneous injection*	$\frac{1}{6}$ to $\frac{1}{2}$ „
Pilula Aloes Barbadensis	5 to 10 „
— — et Assafœtidæ .	5 to 10 „
— — et Ferri . .	5 to 10 „
— — et Myrrhæ .	5 to 10 „
— — Socotrinæ . .	5 to 10 „
— Assafœtidæ Composita	5 to 10 „
— Cambogiæ Composita	5 to 10 „
— Colocynthidis Comp.	5 to 10 „
— — et Hyoscyami .	5 to 10 „
— Conii Composita .	5 to 10 „
— Ferri Carbonatis .	5 to 20 „
— Ferri Iodidi . .	5 to 8 „
— Hydrargyri . .	3 to 8 „
— — Subchloridi Composita . . .	5 to 10 „
— Ipecacuanha cum Scillâ . . .	5 to 10 „

Pilula Phosphori . .	3 to 6 grs.
— Plumbi cum Opio .	3 to 5 „
— Rhei Composita .	5 to 10 „
— Saponis Composita .	3 to 5 „
— Scammonii Composita	5 to 15 „
— Scilla Composita .	5 to 10 „
Plumbi Acetas . .	1 to 4 „
Podophylli Resina . .	¼ to 1 „
Potassæ Acetas . .	10 to 60 „
— Bicarbonas . .	10 to 40 „
— Carbonas . .	10 to 30 „
— Chloras . . .	10 to 30 „
— Citras . . .	20 to 60 „
— Nitras . . .	10 to 30 „
— Sulphas . . .	15 to 60 „
— Tartras . . .	60 gr. to ½ oz.
— Tartras Acida . .	20 to 60 grs.
Potassii Bromidum .	10 to 40 „
— Iodidum . . .	2 to 10 „
Pulvis Antimonialis .	3 to 10 „
— Catechu Compositus	20 to 40 „
— Cinnamomi Comp. .	3 to 10 „

Pulvis Cretæ Aromaticus		10 to 60 grs.
— — cum Opio . .		10 to 40 „
— Elaterii Compositus		½ to 5 „
— Glycyrrhizæ Comp.		30 to 60 „
— Ipecacuanhæ Comp.		5 to 15 „
— Jalapæ Compositus.		20 to 60 „
— Kino Compositus .		5 to 20 „
— Rhei Compositus .		20 to 60 „
— Scammonii Compos.		10 to 20 „
— Tragacanthæ Comp.		20 to 60 „
Quiniæ Sulphas . .		1 to 10 „
Rhei Radix . . .		5 to 20 „
Sabinæ . .	*in powder*	4 to 10 „
Salicinum . . .		2 to 20 „
Santonica . . .		10 to 60 „
Santoninum . . .		2 to 6 „
Scammoniæ Resina .		3 to 8 „
Scammonium . . .		5 to 10 „
Scilla . .	*in powder*	1 to 3 „
Soda Tartarata . .		¼ to ½ oz.
Sodæ Arsenias . .		1/16 to ⅛ grs.
— Bicarbonas . .		10 to 60 „

Sodæ Carbonas . .	5 to 30 grs.
— — Exsiccata . .	3 to 10 „
— Citro-Tartras Effer-vescens . .	60 to $\frac{1}{4}$ oz.
— Hypophosphis .	2 to 10 grs.
— Phosphas . .	$\frac{1}{4}$ to 1 oz.
— Salicylas. . .	5 to 20 grs.
— Sulphas . . .	$\frac{1}{4}$ to 1 oz.
— Valerianas . .	1 to 5 grs.
Spiritus Ætheris . .	30 to 90 min.
— — Nitrosi . .	30 to 120 „
— Ammoniæ Aromaticus	30 to 60 „
— Ammoniæ Fœtidus	30 to 60 „
— Armoraciæ Comp. .	60 to 120 „
— Cajuputi . .	30 to 60 „
— Camphoræ . .	10 to 30 „
— Chloroformi . .	10 to 60 „
— Juniperi . .	30 to 60 „
— Lavandulæ . .	30 to 60 „
— Menthæ Piperitæ .	30 to 60 „
— Myristicæ . .	30 to 60 „
Strychnia . . .	$\frac{1}{30}$ to $\frac{1}{12}$ gr.

Succus Belladonnæ .	5 to 15 min.
— Conii . . .	30 to 60 „
— Hyoscyami . .	30 to 60 „
— Scoparii . . .	1 to 2 fl. drs.
— Taraxaci . . .	1 to 2 „
Sulphur Precipitatum .	20 to 60 grs.
— Sublimatum . .	20 to 60 „
Syrupus Aurantii . .	1 fl. dr.
— Chloral . . .	½ to 2 „
— Ferri Iodidi . .	½ to 1 „
— — Phosphatis .	1 „
— Papaveris . .	1 „
— Rhamni . . .	1 „
— Rhei . . .	1 to 4 „
— Rhœados . .	1 „
— Scillæ . . .	½ to 1 „
— Sennæ . . .	1 to 4 „
— Tolutanus . .	1 „
— Zingiberis . .	1 „
Terebinthina Canadensis	20 to 30 grs.
Tinctura Aconiti . .	3 to 15 min.
— Aloes . . .	60 to 120 „

Tinctura Arnicæ	60 to 120	min.
— Assafœtidæ	30 to 60	,,
— Aurantii	60 to 120	,,
— Belladonnæ	5 to 20	,,
— Benzoini Composita	30 to 60	,,
— Buchu	60 to 120	,,
— Calumbæ	30 to 120	,,
— Camphoræ Comp.	15 to 60	,,
— Cannabis Indicæ	5 to 20	,,
— Cantharidis	5 to 20	,,
— Capsici	10 to 20	,,
— Cardamomi Comp.	30 to 120	,,
— Cascarillæ	30 to 120	,,
— Castorei	30 to 60	,,
— Catechu	30 to 120	,,
— Chiratæ	30 to 120	,,
— Chloroformi Comp.	20 to 60	,,
— Cinchonæ Comp.	30 to 120	,,
— — Flavæ	30 to 120	,,
— — Pallidæ	30 to 120	,,
— Cinnamomi	30 to 120	,,
— Colchici Seminum	10 to 30	,,

Tinctura Conii	20 to 60	min.
— Cubebæ	30 to 120	„
— Digitalis	10 to 30	„
— Ergotæ	10 to 60	„
— Ferri Acetatis	5 to 30	„
— — Perchloridi	10 to 30	„
— Gallæ	30 to 120	„
— Gentianæ Composita	30 to 120	„
— Guaiaci Ammoniata	30 to 120	„
— Hyoscyami	30 to 60	„
— Iodi	5 to 20	„
— Jalapæ	30 to 120	„
— Kino	30 to 120	„
— Krameriæ	30 to 120	„
— Laricis	20 to 30	„
— Lavandulæ Comp.	30 to 120	„
— Lobeliæ	10 to 30	„
— Lobeliæ Ætherea	10 to 30	„
— Lupuli	30 to 60	„
— Myrrhæ	30 to 60	„
— Nucis Vomicæ	10 to 20	„
— Opii	5 to 40	„

Tinctura Opii Ammoniata	30 to	60 min.
— Quassiæ . . .	30 to 120	„
— Quiniæ . . .	30 to 120	„
— — Ammoniata .	30 to 120	„
— Rhei *stomachic*	1 to	2 fl. drs.
— — *purgative*	4 to	8 „
— Sabinæ . . .	20 to	60 min.
— Scillæ . . .	10 to	30 „
— Senegæ . . .	30 to 120	„
— Sennæ . . .	1 to	4 fl. drs.
— Serpentariæ . .	30 to 120	min.
— Stramonii . .	10 to	30 „
— Sumbul . . .	10 to	30 „
— Tolutana . .	20 to	40 „
— Valerianæ . .	60 to 120	„
— Valerianæ Ammon.	30 to	60 „
— Veratri Viridis .	5 to	20 „
— Zingiberis . .	15 to	60 „
— — Fortior . .	5 to	20 „
Valerianæ Rad., *in powder*	10 to	30 grs.
Vinum Aloës . .	60 to 120	min.
— Antimoniale . .	5 to	60 „

Vinum Colchici	.	10 to	30 min.
— Ferri	.	1 to	4 fl. drs.
— Ipecacuanhæ			
	expectorant	5 to	40 min.
— —	*emetic*	3 to	6 fl. drs.
— Opii	.	10 to	40 min.
— Rhei	.	60 to	120 „
Zinci Oxidum	.	2 to	10 grs.
— Sulphas	*tonic*	1 to	3 „
— —	*emetic*	20 to	30 „