Some diseases of the rectum and anus / by Sir William Thomson.

Contributors

Thomson, William Sir)
Royal College of Physicians of London

Publication/Creation

London: Isaac Pitman & Sons, 1899.

Persistent URL

https://wellcomecollection.org/works/d8cswxnd

Provider

Royal College of Physicians

License and attribution

This material has been provided by This material has been provided by Royal College of Physicians, London. The original may be consulted at Royal College of Physicians, London. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

THE PHONOGRAPHIC MEDICAL LIBRARY.

(Issued by the Society of Medical Phonographers.)

VOL. III.

SOME DISEASES OF THE RECTUM AND ANUS.

BY

SIR WILLIAM THOMSON, F.R.C.S.I.,

Late President Royal College of Surgeons, Ireland, Surgeon to the Richmond Hospital, Dublin.

1899.

London:

SIR I. PITMAN & SONS, LTD., Amen Corner, E.C., And GEORGE PULMAN & SONS, LTD., Thayer Street, London, W.


616.35


Price 2/6.


[COPYRIGHT.]

g.L.

5 L/23-3-8-48 616.35







THE PHONOGRAPHIC MEDICAL LIBRARY.

(Issued by the Society of Medical Phonographers.)

VOL. III.

SOME DISEASES OF THE RECTUM AND ANUS.

BY

SIR WILLIAM THOMSON, F.R.C.S.I.,

Late President Royal College of Surgeons, Ireland, Surgeon to the Richmond Hospital, Dublin,

1899.

London:

SIR I. PITMAN & SONS, LTD., Amen Corner, E.C.,
And GEORGE PULMAN & SONS, LTD., Thayer Street, London, W.

Price 2/6.

[COPYRIGHT.]

SOCIETY OF MEDICAL PHONOGRAPHERS.

Officers:

President—Sir W. THOMSON.

Vice-Presidents—Sir W. R. GOWERS and Dr. GRAY, Oxford.

Treasurer—NORMAN PORRITT, Esq.

Hon. Secs.—Dr. NEIL and Dr. FLETCHER BEACH.

Editors of the Record—Dr. TAYLOR and Dr. SPOONER.

Superintendent of the Evercirculators—Dr. BENSON COOKE,

Borstal, Rochester.

SHORTHAND PUBLICATIONS ISSUED BY THE SOCIETY.

The Phonographic Record of Clinical Teaching and Medical Science, the official organ of the Society, pp. 16, Monthly, price 6d., Post Free 6½d. (to Members 4d., Post Free 4½d.). Annual Subscription, Post Free 6s. 6d. Vols. 1, 2, & 3, bound in Cloth, price 4s. 6d. each (to Members, 3s. 6d.). Vol. 4, 6s. 6d. (to Members, 4s. 6d.). Cases, for binding, price 6d. each.

The Use of Shorthand by the Student, pp. 32. Price 8d. The Use of Shorthand by the Practitioner, pp. 32. Price 8d.

Phonographic Outlines of Medical Terms, with an Appendix. A List of Outlines and Contractions for about 3,000 of the more common Medical Terms, and a List of Similar Words, pp. 77. Second Edition. Price 2/-.

THE PHONOGRAPHIC MEDICAL LIBRARY.

- Vol. I. Diagnosis of the Nature of Organic Brain Disease, by Sir W. R. Gowers, pp. 63. Price. 1/6 (post free, 1/7).
- Yol. II. The Work of the Life Assurance Examiner.

 Part I.—Examination and Report, by Sir W. R. Gowers, pp. 56.

 Price 2s. 6d. (post free, 2/7; to members 1/7).
- Vol. III. Some Diseases of the Rectum and Anus, by Sir. WILLIAM THOMSON, pp. 56. Price 2s. 6d. (post tree, 2s. 7d.; to members, 1s. 7d).
- The above are sold by Sir I. Pitman & Sons, 1, Amen Corner, London, E.C., and by George Pulman & Sons, Ltd., Thayer Street, Manchester Square, W. Orders should be accompanied by a remittance.

PREFACE.

These pages do not pretend to be more than the jotting down of a few notes on some of the diseases of the Rectum and Anus. They are written, primarily, for the use of the Members of the Society of Medical Phonographers, in the hope that they may help to improve their knowledge of Shorthand, and perhaps, here and there, present old matters in a new light. To Dr. Spooner, as Editor, the Society and I owe our thanks for his excellent work.

W. THOMSON.

Dublin, February, 1899.

ROYAL ON L. 4 C. P. (PRICIARS	
CLASS.	616.38
AGGM.	25085
SOURCE	
DATE	

CONTENTS.

CHAPTER I.

INTRODUCTION.—The special Liability to Diseases at different Ages, 1; Examination of Patient, 2; Classification according to position of Disease, 3; Grouping according to Age, 4. Some General Symptoms:—Pain, 5; Hæmorrhage, 6; Constipation and Diarrhæa, 6; Pruritus Ani, 8.

CHAPTER II.

AFFECTIONS EXTERNAL TO THE ANUS.—Hæmorrhoids, 10; Treatment, 11; Mucous Patches and Condylomata, 12; Epithelioma, 13: Abscess, 13; Fistula, 14; Treatment, 15; Prolapse of Rectum, 16; Treatment, 18.

CHAPTER III.

PROTRUSIONS THROUGH THE ANUS.—Prolapse, 21; Internal Hæmorrhoids, 21; Polypus, 21.

CHAPTER IV.

AFFECTIONS INVOLVING THE ANUS.—Fissure, 23; Treatment, 24; External Hæmorrhoids, 25; Abscess, 25; Venereal Sores, 25.

CHAPTER V.

DISEASES WITHIN THE BOWEL. — Examination, 26; Internal Hæmorrhoids, 27; Complications, 30; General Treatment, 32; Bleeding, 34; Curative Operations, 35; Cautery, 36; Ligature, 36; Injections, 37; Crushing, 37; Whitehead's Operation, 38.


CHAPTER VI.

CANCER OF THE RECTUM.—Diarrhoea and Constipation, 40; Pain, 41; Hæmorrhage, 42; Urinary Symptoms, 42; Obstruction, 42; Wasting, 43; Examination, 43; Disease high up, 44; Abdomen, 44; Piles, 45; The Question of Operation, 45. Operations:—Perineal, 46; The Sacral Method, 49; Moulonguet's Operation, 51; The Operations compared, 52; Palliation, 52; Strictures, 54; Treatment, 55.

SOME DISEASES OF THE RECTUM AND ANUS.

CHAPTER I.

INTRODUCTION.



\$ > 5, 0, 1, a.c. 5.5 C ~ 10 5 7 6 x 1. 1 V; + 5) . E O, -- C ~ yo' b do; ? ~ ?; , 1 - 000 - 2 s - 00 · 6 c · / ~ ,) / / ~ 1000 x on of 1 + ~ ~ ~ 1 5 6, Mb, 7, - 7 - 5 - 6 4 (1) 6 / - 4 ; (2) 6 / m 2. 00 i (3) 6/ 1. 40; (4) 6 V 6 X 6 x External to the Honus - Vib or to 6 of ~h; . To 'go; ') +. 20 ' 10 Protruding through the Anus - Y

Yo; No ' Th; Yo x

Involving the Anus - Y, Th;

Within the Bowel - Y ; or 27;

Ch 27; - or Th; y or; ho?

Old Age = " & & / 5 ~ 1. イーナイントノノーー 6 1/1 x 7, 2 (° × (5) ~ ta, 1 e b . 1 . (.) + > 5 (アン、」。アー、ノーン 2 px (3) (~ d b = ~ ~ ~ (4) (5.6h ~ ~ (5) f - 2.70 -/ 8. ~ (6) (Lo ~ 7 /6)) トイー/は、しょっ」ナイ、 ~ Les C

1. (To J. J. 6) , 8 -d. 6 / 6 / 6 / 6 / 5 ~ x < 1802, 3, 1 or 6, 1) >> , 5 P T 2 V Hamorrhage 47. かりっつかなが、72と、 F. F. J. Co. F. J. 20 6 / 0. 10, 6 gc. Lx 6 4116.00 p, 26 0 × 1, 5. 1 6 2. 18 -0 2-7.4. - x -, w. Yol & . F - 3 , 6 - 3 , 6 - 0. 5.000 cd , R. 2 5. 5 5. Constitution and Diarrhaa - 5 oro. J. - / .) - / . _ _ (* he) ~ ~ _ _ _ _ (

7. 7. 7. 0 0 p. . 6 1, ~ P. J. C., 2 ~ , () . ~ , & らたとうなノーノノアノイン 16 x 16, 70, 6 ~ (6 % 20 4 ~ ~ d ~ f, ~ (· 24 » » 1 (x 1 (8 · V ~ ~ , 6) F + 7 >; 1 1 6 =, 1' - 8. U. · ros x he, 7, 0 so ~ 5 on, ~, 1, x. . \ o o & y. | · 20) ° 1 col; 1 le 04 16, 20 (16, 2 to) 5 · q. 1, ° 3. 1 C 4 · 0, 5 / - 一人はらり」であるより、か e 20 J. 6 ° Ed Dov . 1 , ~] 5. c. c. o. o. o. o. o. o. 200 1 my x 100, 6 -0 / 100 is of early

Prwitus toni 4 6 5 by " gx" N16 Jo, oux fic. 20 0 p. Not · L. w & d * 1 & c . c . 7 3 A) X x ~ on & c 1. on x x b, 2 ~ ~] / ~ *; ~ « . eq 1. × P . ~ 1. ~ 1. ~ 9. ~ 9. ,607 - 6 M., 10 L. 8 & C. M, 1070, ~ 16 . (' × × × ,) . v 1 aii v or of cy 6. 6 · 8 07 x 10°, x 0 % 1, , 6, 9 x d m - 7 d 10 m/ 6; 20 00 6, 8 W. 7. 65 1 ~ 1 C - 1

-. . do e - 9; 6 - . 1. 7 1, 1.6, 1.6, · e. i, vo o, . v \ 8 / 7. P. . 6. 5 E. 6 2. as 1. 7. 7 do x . 10 = 1 - 6 ~ ハヘー・ヒ、し、つ、コブン、いた 5 ~ 3 . egg x . ~ ~ ~ £ ~ ~ [~] 25, op. 7. 2. Ce 5 € 5). · 30 · · · · · · ·

CHAPTER II.

AFFECTIONS EXTERNAL TO THE ANUS.

Hamorrhoids - 1 ~1 V. 11 C 000 P 2 2 P. 1 1 x 1 (1 - 0) - 7 - 5 6 5., 2 m (or f. & 1 P P x . 1 -9 - 7 1 7 7 8 . 8 5. 1 m. or 6 07 00 1 1 5 1 5 5 7 6) の、つき、つき、シャ , of o M o . 4 ~ . 9 6 ~ 5 6 × 9 05 90 6/66, 700

1 2 6. 4 . m 20) P 20 mo 10. 60 × 2. 20 9 7 16 1 5 , v & 1. 00 00 - 20, かつり、この、そので、(一つ) c. Mr; 16, 6, 0, 0 5 9 %. u んで; こ、しいへのいいい S, A, A x Greatment 4 c 6 Ty Vo 1. - 1. 1. 2 6 No. 2 × 9 つう; て, の, 、>) ~ 、~ ~~ (4) 7. 66, '5 - . C. P. x 9 9 50 P 5. 1 (2 x . or 2 .) o ~ 414~ =0 × 6 CX . + W. M. 6 x 6 = 1 - 1 00 0 6 1 2 6 1 7 7 x 6 × 6 / 8 8 ~ 5 / 9 6 3, (2 0, 6 6, - -1) 1 6 C C . 25 1 x · 6 6 6 4 15 0, . or ondo Mucous Patches and Condylomata 19 > 7. K. d x 1 1 A to lo of the g cox, 2 2 x. v q ... d. oo, 5 177 - 1, 6.8 - 3, ~, «. G : J of b x 2) e ('() , ' .) ors 1. 1 3 x 1 (2).

10, 6 5 1 2 x , V · ~ 5 / ~ 6 m . on 5 Coc 2 7 , 6) Lx (~) . 20 0 0 (x . 0) 8. 0. 6 DOCC - (. d. x 110- w, 66- com o 1,147x19/1920 Epithelioma - ~ TV? - 7 E. > ~ ~ ~ ~ ~ ~ tobocess e 2 1 1 x 6 Co. of A. of a r. o 2 e / - 2 / 3, / -0 % ~ ?. . / on ! o ~ ! ? . .

ra 6 gr, - r b 55 C J on 42, 1 - 1 (, 0) (6.8 7 7 72, June 2. 61 100 100 1. 163:0, 5 p, or, { x 7 7 7 7 イメートつ 中つ 火、、 Fistula = 1 6 c. > 2 J J * 3 6 0;1,000,000

b/160000, 100 Gy y Tx) J. 6 6 . X. P. J. L. J. C. -01 J. . だ、た、りのかしい。」 1 - 7 - 1 . 6 (x) . 5 . 6 / 9-1 N. 4 - - - & 6. 121 2-4; 1.800), 9:606-6 ·ナーをひとか、6年, 7.20 72 cox ~ , = (9. - 92, 5 2 N 2 4 N 1 0 2 4 1 , 2 2 di b. j. > legio x Treatment - 5 Le ? Vi 5 から、いら、イカーラー~x 3. 80, - 6, 1. 0/)-/ EN . h. n. y b, . y b, . w. 一人とりって、)/一十六16

7.5 x 7 0 6 6 1 00 , 4 . 4 x 一つ、「う」、 て ~ つ」(1. 3, 7-17. 3 - 8 x 4 00 e 7 te 2 1/3, 16 ~ 7 - 16 5; - a b 5 - 00 / - 5 p / L d - 10 d. · > ; ~ (1. ~) ; ~ ~ ; 25. C.5. No. 58-1. e, 100 8 1 2, 40 00 > 00; Trolapse of the Rectum - 5 5 6 200 () . T & pl 1 50 d > 0 × 10 3 , . ~ > 100 , 5 / (n, Lohnce y.x y - . so Ind' I so the " x & 8", NO N 3. CO P - M · 9 1 20 7 6 1 1 2 00 x -3 6 60 0 00 - N,1 - 50,1

10, c). . . 6 y m, . 6 ~ 15 W to 2 er 2 x. Nor () + - = = + · 2, 61 - 7 / 6 / 3 mg, c 6 1/62 1 Judox. 2 16/16 7 T. W; , 7 T D D on 1 / Vio 9. - er cox 6, 7,6 e o 1 - 00 7 ら、ア、ア、ト、し、ア、つ 1 / ~ 3 co , ~ x Vo , 3 o y 7; 2008-10, 2. Nox bo, ナペーー (1210); 1、101 5 7 1 6, 0 , 1, 7, x 1°15 0 61. No, 1 011/2, 1° a. 2 1. x. ~. C, -1) ain ~. 1,8 48 6, 1. 1, M. o. 2 1/16. 1. x

2000 P 9 50 C PEN 19 F 22 1 To INO NA JATE of your of or har treatment & 1 ... u & N. ... x & Vo 1600 x 660 2 4 co. 27. 52 6. . h. d =] & c c c d o c d 9 2 100 0 1 1 00 2 VC + 1 c 10 . 4 79 00 . C. 61. 2 de 63, A.V. (. 1) A. J. J. 8. 7 ~ (-). In of - 5 4 Vo o) - - 8 V f. 9. my Con y . 5 . 4 yx. 6 J C 2 1 / 1 / 2 · o x ~ g, . . . o lo 5 - 8 ' p == 1. 1. 0. 0 , 0 , 0 , 12. 7. 6 po .. on w 1x . C. L. Land

3, 1, 10 Je 0 Je 1, 1 8 イノイア。アール、「一」、、、 16, 5 x 6 6 1 m 2, 1) 4 1 2 - - - > - x - 1 6 -> > - , ~ , ~ , ~ 1 3 160,6, WV6, . 6,77, 6 - 8 × 5 · 6 1 m ~ ~ 6) J & ~ 1 ° ~ ~ () J J. J x . 6 9 } J. 20 0 00 00 0000, 1 Co 6 2 2 2 2 2 2 2 ~ ~ , he, ~ ~ ~ . 1 3 - 9 . Y X 5 5 . PC Mr. en, o I do to 1 so 1 x 1 ° P - 7 m - 6 2 6 0

CHAPTER III.

PROTRUSIONS THROUGH THE ANUS.

I. Trolapse (). (II).x II. Internal Hamorrhoids _ _ _ _ I mb of ever, by the t John Mit in the Central f 5 - 10. C. . ~ ~ 6. 17 10 (° 6) 1 (7 (1 x 6 () 2, 2 e , 4, 1 - ~ . (ra . .) en the and in the V , J . C . (* (* III. Polypus 4 6 ~ 1 6 11.5 to do x 2 2 190 So. to . J. J. D. . 0.6

2, 1, 2, 1, 6 ~ 1 × 6 ~ 1

CHAPTER IV.

AFFECTIONS INVOLVING THE ANUS.

· 10 / 10 / 10 / 00 (x + 6 P e) - 5 x x d , - 50 . 4 6. 8 ~ 15°, 1, 8 × ~ ex, 00. 20 1 1 Cg v. Cog x 6 7. -Le V & ? Fissure , 6; 1 :-- > 4600,6000 J. C. C. C. J. V. V. S. 3 F b, ee " L, ", , , , c o e x b ' vee, b)- g, o , y, 6, 10 0 1 × 1 2 0 0 3 2 (do , 1 1 - 2 - 1 -) · 000 , / / / / / × c . - 000 0 1 1 1 4 2 1 - die; ~ ~ 3 e 2 g. e 18 x ~, U. V ~ 6 ! ~ 1. Th 4. John 10 6. 6 , ox . 9/5 1/20 . At. 1 6 00 M 600, 8 , 6 1. of treatment 6 2 6 5 F × 6 00 1 / 1 0,.10,9 x,6 4. 70 () L'O ' 9 !! e x. Dog 1. + 2 y. 1 /2 1. Y. V.O. 2, FO x S, 1 6 c 69 x e, Bore Color Ax

5 c. 1 = 6, 1, 2, ed = 6; 1 100 ID OF (C) VI in つ·か·Vでx External Hamorrhoids (() 3 4 No - - 1. 5 - 20 x (1 8. 1 2 0 0 × . ~ 3 ~ 1 4 93 6 M · of abscess x 60 0 0 1 \ \ \ \ \ \ \ Venereal Pores / 6h ~ 5 , 1 &) be 1 1 x

CHAPTER V.

DISEASES WITHIN THE BOWEL.

t... 2) 2 () .. o .. | .. | 1º 1. 1. 6. 4 - 1. 6 7 1. 1 of n e fi 1 x . com i, 6 m · (b. 4 / , ~ d do ~ y . .) > e 406 Cp 7.50 8 x ナーリッカー で、 ~ y. ~ b 9 - 8 + · · i ; 6. 7 Vi 8 可以可分分。一一一点了了 ~ 1 9 , oz ~ , / h

Internal Hamorrhoids.

() () () () (). (o) x . (o) 2. J . 2: x 1 / 6 / 2 6 / 2 6 / 2 6 / 2 6 / 2 6 / 2 6 / 2 6 / 2 6 71,121001dy . Ce-ey, 762,0,606115~x06, of you and his hab, d Lo 6 x) 6 x 0 01 of 8 ph. o. cat the of dx 6 20, 6 10, 56 0 x 6 t, e; so of olo 4. L & P,)- 50 0 2 (- x ~ , 5 2: 1 - 15 J so 17 J 16369006 * (

1, 8 g, 0 6 6 g, 6) . . 4 1 - 1 16. 0. 6 8 NO 2 NO " "是好,心"是一个一个是是 of that lox gloop con 2 12 1 2 · ~ p. . p. 100) p. [- 2m; 10 20 1.5 1/ 5 5, > . < 0)- L, - Ly 6 Gd x . 2 C. F. . : 6: 1, J. 40, 56 , 61 1. L. he vo ~. b ll gx 2.8/60 x 100 0 0 10 10 7, 6 00 00, 0 7; 116 7.00 F. 0.5 1. 9 120 31 1 7 1 -0 100 x . ~ 1 0 0 f . . . ; 6 ~ 6 ; 1 ° 1; 6 7 - 1 7 2 4 x

. 2 5 , 1 e -0 'Vo. 6 'Y ど~つとう~女」; しよ、いい D& C 26 - 19 6 - 100 ey x 6 00 y ~ ~ ~ d 1 6 3 1 m 1 9 8 2 2 2 . K 10,00, ~ Ex, 1. 5 My 10 mg. 3 - - 1 - 2 o. . . . 61 P. 5; () ~1 conterdo, 1, 1) & to o go x to.). 1956, 6 (8, 1, 2) 8, 87 Complications 4 4 No 1 7 2 7. No x 6. 0. 7. 6. 1. 1. 0. 1 (- j., y '9. 7 t, 1 ~ olo 2 5. c. 9 1.16°. ~ x , 6 ° , x . of 6 70 %, 1 %, ~ 1 6. No

16 6 000 Nov. 5 -3 x 6 9 6 (; (1 1 1 0 6 4 - w 0) . Co . ~ 50, 6 7 · 6, / · · ; , 6 1. mp, 5 e o 1. 1. b to, 16 h , no 10 0 000 , -0 . -6 . 20 . J (e) %; (_! ~, 1 / e -19.9 N (... , c. 2 ~ ~ . 6 me. do la ... 751,482-7. (2,-6) . e . L - - - 62 . . . 7,16° ×.9 dy (E. o. 9, 6 od 2 K 6 P. L Co.) 2 e - (in Lo & 20 1 x. 一、ふ下心がらし。 -c. p. (v. -> 6 0 x 1 8 p. 6 P. 1 1 (1 00 x (10) 00 " 47, 6 co. 5 co. 5 () V,

o (6 1 1 M 5 C) (8 = 6 cox 6 J No 0 0 2 11 0 . 1 8, 1,), b a . L . 1 7:00 600 1 ~, 1 %. A & x 1 6° 6 . M. T. 1 / de 2 / d General Treatment として や、 た と、 一 4., 2, e 1,,)-~ g x 6 2 es. of 6 (· . * ~ ~ / 8,), ~ ! . \ . \ . \ . \ .

- 8. 00 2 6, 1 , 6 p / Co 1. 1. , it) a g . 6 . d . -· P. · - 6 , 5 1 . · · · · · · · , 10 1 0 . 8 . 4 . 1 1 2 . 6 . 6 . 1 7c.2.7.~(,, ~ M 71.1, 1 20. ~ 1 , 2 , ~ (6, ·) 10/10/2 / N x ,6~97.12 × 10, 10, 1 1. 6 6 20 6 x 6 0 00 1 0 0 3-, 1-, 5, 5 1 = 1 - 1 (2 | 100

60 Y 0 - 65 0 3 1. M > 1 / . > or6 x), .) ~ Lo / 4, -1 com, 1, 5 % (8,10) x . 2 . 2 . 2 . 20, -2 ~ , 4/ 7 m, le ~ [b]; ic/ 2 / 7° 2 , ~ 5 J Also 19, 5 (1, y, m, of 6) d. 15. 100 0 J. 6 x 7 1 03. The, " & 1 9 x Gleeding 4 c 5 7 V. o C 7 G 8. 6. La. La. 12 · 6. / ~ ~ · · · · 「一, 16~~~, 16分, 1 () - M . M . J . J

Eurative Operations.

cautery , as } & _ , L , [...] e 6 - 61 x 1 1 6 - 1, - 6 1 - 1 . e / M, 1 6 65 7: , - T \ - D \) . / 1 y 0 p 5 6 p 0.4-6.10 1 6 5 6 . 6 x Jan. 1 - 1

-1 P6-6-- 2 2 Mx 7 6 7 66V 5 i le « de , le e 7 2 2 1 8 7 6. x on of \ injections \) (- - C x 1 - - C 2 x T、 vo Joo Time 6; t. e. o. o. o. o. ~ 3, x ~ , 6 . 6 3 , ~) VV 0 7 1. 1 6 7 6.6 Mx, 10, 100 v, ° ~ (~, 1 ° ~, 1 ~ ~ ~ x crushing, o 9 co o on o o < x

~ Whitehead's V, J. 1 to for the 7, pla (Co. 1. 1 ~ 0), (0) 6 0 000 x 6 2 2, 1 4. . 1 4 1 2 2 2 6 · 6 6 x . 5 0 2 5 0 1 , ~ ~ a, ~ bc o ~ x n. U. ハイングメイン×100.6. 10 1 () 5 D 6 -1 DC 31. C 2., 6 C1, 8 ~ 6.63 Mx T -0. - e, J..., * * (0, 10 ° 10 , 1 × 10 0

Les bornes de la como de la como

CHAPTER VI.

CANCER OF THE RECTUM.

()-/{...\n. 6. 5. 5. M. M. J. J. J. ~ x , e 7 N/8 C e 3 6 2 00 9 to 6 9 ~ 6 0 0 9 37 1. x 4 6 1 6 4 0 ~ 1 · 9 m x 6 2 %, by 9 ° ho, 8 y 1 16 5 18 5 6 1 3 300 9 1 ai /v x Some Symptoms - Diarrhaa & Constitution. of, ~, 8, 1.8, 7 89 C. M. M. 10 3 M. 16) y ~ , ~ , ~ , ~ b ~ G * 6 -

C. 3 px p (10. , UC x 200 6 6 7 . F. 1, 6 - · 57 - . / (b V) x . etc 6, e 6; 1, 00 6, 1, 1 20 6, 2 00 x 1 6 9 00 1 . 7 10 2 20 x 19 P. 7 -0 -0/h - - +1. ()] [(' ~ (' ~ ()) 1, c 7, 6 c by 1 x = 7. Pain 4 5 0 on " 0 83, 6 ce ~ 6h). (- 0 ~ 6. 6 × . 5 0 -106 - 0 0 0 0 0 1 1 0 0 x 0 1 70) 7 ~ 200 % > cl 16 15 ~ J. J. C. X 9 1 70. 300; 259 31.200. イ, とか, 6 2, 50 4. 501.). Th, 6 9 9 5 6 x = 8.4.8. J. S. 5

Dec No Ves x em h 6 × , (20 .)) 5 , (20 M. B) . ON -, / C 3 2 00 ~ かりから, からなに たった Hoemorrhage & of 1 %; ib, . ? · J, s, / 20 - J A M * L 2 4 /8. 0 L' ! / 8 8 3; 1 - T h 6 D 6 3 0 29 x h 8 0 2 -1100. C. C. C. Urinary Lymptoms - - -1, 9 x . 9 ~ W, 6 6 60 - 1 166. 6- ND. 95 > 6. 6 - 5 - 7 - 6 - 7 -·) 7; , pry . - 0 6) - 8 7 Obstruction - 5 0 1 - - / Mg. 7 1, ... 6. 8 7 7 ~; 16 00 , 4, 7. 1, 10 ンし、トラングンで bx Tiles 4 - 1 7 7 1 10 6 7 . o . to E Y, e . o . o . 16. 50 2 - 10 - 10 - 10 w, M & x The Question of Operation - . I'V ., 10, ~ 0 ~ 0 ~ 0 ~ 1 - b 5, 2; 5 6 6 ~ ~ p 9 c h., or. x 4 d o) - ho o V. . L 2/1/2,) Co. 7, G. 7, 600 . . . fx ~ y , g re ~ y . V . V is, wo of of of the s

Operations.

Perineal Operation.

(、オン)・レイしょう。2。 -17 - 00 / (-), ", ", ", 677 Conx C, 7, 2 cm. 7,600000 2 / (P x . C . C .) - ~ 一一をしてでははなり 7-15 × 10 / - x ~ - . J, = 1 , Not 6 5 6 . Just 16 10 E. 6) 3 o of V. o . x 1 6 /6 71 j., le e / - (7 6 x 6 2 . -4 of 6 8 8, - 6 , 10 - 6 5 5 6; 7, 1, 1, 4 C. C. A. A.

211 4 V V X 1 6 - 7 2. 4 ~ 8 C. x ... ~ 1 . ~ 6 (S. F. T. S. X 671.3076.60, 18.6 J. C. M. A. P. M. 12 x 1 6 2 9-い,っし、し、し、一つ~十、分 TX, 18 4 (..., ", ") · イ、イ、イ、イントへか。) rebide, la la la, 7-1-68 d. 2 , 5 , 5 x (7,6 6 . - +. 6 7, 6 ~ ~ ~ ~ (- , > / A ~ Co 6 * _ F ! 5. 1 1 (x 9 1 1 1 , 6 7 7 2, - 1. 6. La

The Pacral Method.

9 / -- ,) 2 / ,) 0 0 (Hraske) " Cy x 6 / 5 1 6 . -e 2 5 - 1 - 2, (" 1 / .) x 167. J. J. J. J. J. youx sines obser, to com W(>, 1, 1 - co, 6, -2 7,607 76x. 6 00 017 7 6 kg, 7, ... xx y b, 6 No, 0 + 2 x . 7 2 -6 . 8 0 - 2 = 3 x 4 d o 9 1 h o . > . W 7

16.9, Jose 12, 50 50, 611 で, とろり、こかったって) ... x . 6 y 9 ° Cq 1 -2 cg ! 19. E. . . G ~ g ~ g ~ [] 7 1 65 -, 1 1 1 1 1 1 1 1 1 1 1 , 1 20× (b. y 6 0 × 6 6 00 0 8 - Pon , 6 10, . 64 / 00), as 1 1 1 on a m ~ ~ ! 6x. 2,7,2 0.2 e, 1 7 6.03. (x 9) , 7 6 7 70. X P 6) 1 4 x c6 (Witzel) 8 4 7. 2. ~ 12 - vois x . / - 4 ~ ~ ~ 4, 1) 2 - 9) > gos a, od it. J. L > -0 Le. poly / 20; 1600. 1 t, , 7 7 + 2 ~ x ~ y ~ ~ , ° ふか,如かえ,,一 てん、り」6つ、り、つっては

Moulonguet's Operation . - id & f. ym 21. We 1666 6 3 0 3 9 m 1 tod x 1 b cy 10 6 26 7 1 1 2 0 1 9 1 . J. 1 1 7 5 N. 4 67 () - 5 7 / 6 x 6 (6) = 5 いっていりんしんりいいいいいい ~ (Le ly = ag x (Moulonguet) 16 5 12 × 1 + 6. ~ 6 1 = { < 1 ~ 62 V . 7 4 11 °, ' ~ ~ ", 100 7 m x ~ ~ 60 6 % o W & x · / ' ~ y ~) , 7 + · 7. 20, 1. 8 T (33 6 x 1 ° 5 * ° e, ', ° h » [, / 1 & =

The Operations Compared. . V V . 9 . C . 2 . ~ 6 - 9 V () - 1 . 9 x 1 9 e o m . 6.78 x 2 L. 6., 1. ノ・>、、」。「十、、」、へ m, , 00. 1 , > 16.00 (o K) ", ' - ' + ' 3 ' } ~ 161 · es, (96.

Palliation.

-0 V,) 5. M. o. o, M. K. M.

7+3/.63~-) Je, d x 1 10.00 / 5 /2 /2 /2 3, 25, - of some of the CX. (o to be colotomy . . . o b M & F = x o of o . ~ J, c e. y v o y x 1 -) -. 1 1 bd x 1 _ 1) _ > C 24 7 48 20 x . O 0 1 1 2 0 9 (e) 2° +0, & 2 m, 00 xx. of s. s. on f. (P) + va, e) 3 - va (e, 7, 00, 00 x . ~ 60, 3 00 cm

Strictures.

27 1 -00/ 10 1 - 2 . 2 (6 4 6 x 6, 4 70, V 1 6 2 co, 2 (-, ~ M) e Je 12 × 10 00 1 3 2 00 A. > 0. 1 x . 000 / 00 5, 5/e, . I W, 16. (. | M J 28, J 2, o] 60, 16 - 27 4 - 1 - MI, 1 6 6 - . NO (V. ~) x 7 / 2 / dd) ~ p (2 / 2 / 2

J.M. 5 N. (17); 192) 10; 6 0° 2 / 2 20, 1 h 2. 6 ~ 6 1 5 6 ~ d x 4. ~ e, 1 200 - 6 - L. 型, "安一了、一个人。" c (- ° · L . L . C . C 6 1 1, 16. 0 V 4) 1. 一一つノレンコ(のは 27 ~ - / 2 1 6 6 - 4, Treatment - C. (-0 1 / M, - eo > My ha? n . " e y er 2 1 1, 2° (6 V 0 7) · 3 7 1 1 66 x (66 ٠٩, 6 1 0 0 ١٠٠٠ ١٠٠٠ ١٠٠٠

b, to be, to be a series of the series of th







