

**The pharmacopoeia of the British hospital for diseases of the skin, London  
/ edited by Balmanno Squire.**

**Contributors**

Squire, Balmanno  
Royal College of Physicians of London

**Publication/Creation**

London : J. & A. Churchill, 1879.

**Persistent URL**

<https://wellcomecollection.org/works/dfjhhdyt>

**Provider**

Royal College of Physicians

**License and attribution**

This material has been provided by This material has been provided by Royal College of Physicians, London. The original may be consulted at Royal College of Physicians, London. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.

**wellcome  
collection**

Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

PHARMACOPŒIA  
OF THE  
BRITISH HOSPITAL  
FOR  
DISEASES OF THE SKIN.

615.11 (42)

SK 615.11(42)

The Royal College of Physicians  
of London.

---

*From the Library of  
Sir Andrew Clark, Bart.*

*Presented by Lady Clark.*

134919





SL/25-5-f-40

THE PHARMACOPŒIA  
OF THE  
BRITISH HOSPITAL  
FOR  
DISEASES OF THE SKIN,  
LONDON.

GREAT MARLBOROUGH STREET (West Branch).  
FINSBURY SQUARE (East Branch).  
NEWINGTON BUTTS (South Branch).

Edited by  
BALMANNO SQUIRE, M.B. LOND.,  
SENIOR SURGEON TO THE HOSPITAL.

LONDON:  
J. & A. CHURCHILL.  
1879.

ROYAL COLLEGE OF PHYSICIANS LIBRARY	
CLASS	615.11(42)
ACCN.	3747
SOURCE	Lady Clark Gift
DATE	



# CONTENTS.

	PAGE
PREFACE .. .. .	5
AQUÆ .. .. .	7
BALNEA .. .. .	7
CAPSULÆ .. .. .	10
CATAPLASMATA .. .. .	10
CAUSTICA .. .. .	11
COLLYRIA .. .. .	15
CONFECTIO .. .. .	17
EMPLASTRUM .. .. .	18
ENEMA .. .. .	19
GARGARISMATA .. .. .	20
GLYCERINUM .. .. .	23
INJECTIO .. .. .	24
LOTIONES .. .. .	24
MISTURÆ .. .. .	31
PESSI .. .. .	40
PIGMENTA .. .. .	41
PILULÆ .. .. .	46
PULVERES .. .. .	48
SAPONES .. .. .	50
SUPPOSITORIA .. .. .	51
UNGUENTA .. .. .	52
INDEX .. .. .	61



SECRET  
CONTENTS

The following is a list of the contents of the document. The information is classified as SECRET and should be handled accordingly. The document contains information of a highly confidential nature and its disclosure to unauthorized persons could be detrimental to the national defense.

1. Introduction

2. Objectives

3. Scope

4. Methodology

5. Results

6. Discussion

7. Conclusions

8. Recommendations

9. References

10. Appendixes

## PREFACE.

---

IN editing this collection of remedies, endeavour has been made to attain simplicity in the formulæ and conciseness in the directions.

It has been thought unnecessary to repeat here any of the prescriptions for skin-treatment which are already provided in the 'British Pharmacopœia.'

The names of the ingredients of the formulæ refer to drugs or preparations of the 'British Pharmacopœia' of 1867, in all cases where those names are there to be found.

With the object of presenting a clear general view, and of aiding the memory, the total quantity of each prescription has been reduced in every possible instance to an ounce.

The directions as to the uses of the formulæ are, as will be plain, mere illustrations selected from the commoner diseases of the skin.

B. S.

LONDON, *May*, 1879.

# REPORT

The first part of the report deals with the general situation of the country and the progress of the work during the year. It is followed by a detailed account of the various projects and the results achieved. The report concludes with a summary of the work done and the recommendations for the future.

The second part of the report deals with the financial aspects of the work. It contains a statement of the income and expenditure for the year, and a comparison of the actual results with the budget. It also contains a list of the assets and liabilities of the organization at the end of the year.



# PHARMACOPŒIA.

---

---

## AQUÆ MEDICATÆ OMNES.

---

℞. Olei Essentialis, ℥ vj.  
Aquæ, ℥̄xvj.

Shake the bottle well five separate times at intervals of a quarter of an hour, and, after a day, filter.

This plan yields as good a result as the official method by distillation, and is less expensive for hospital purposes.

---

## BALNEA—BATHS.

---

To obtain advantage in skin diseases, the use of medicated water baths must always be prolonged, namely, for never less than an hour. In order to render this prolonged employment of water baths practicable, the temperature of the bath must not vary at the most more than within a couple of degrees above or below 90° Fahrenheit.



**Balneum Acidum.**

R. Acidi Nitrici,            ℥iiss.  
Acidi Hydrochlorici, ℥j.  
Aquæ,                    C. xxx.

Mix.

*Used* as a sedative in cases of Prurigo and of Chronic Urticaria.

**Balneum Alkalinum.**

R. Sodæ Carbonatis, ℥iv.  
Aquæ,                    C. xxx.

Dissolve.

*Used* as a solvent to remove scabs and scaly incrustations, and as a sedative in cases of Eczema, Psoriasis, and Chronic Lichen.

**Balneum Creasoti.**

R. Creasoti, ℥ij.  
Aquæ,                    C. xxx.

Dissolve.

*Used* as a mild stimulant in cases of Squamous Eczema and Pityriasis.

**Balneum Diuturnum.**

R. Aquæ, C. xxx.

*Used* (at the temperature of 90° Fahrenheit) for three hours every morning, and three hours every afternoon, in cases of Psoriasis and of Pemphigus.

**Balneum Glutinis.**

R. Glutinis Præparati, lb. viij.

Aquæ, C. xxx.

Dissolve.

*Used* as a demulcent in cases of Acute Lichen.

**Balneum Marinum.**

R. Salis Marini, lb. viij.

Aquæ, C. xxx.

Dissolve.

*Used* as a tonic stimulant in convalescent Eczema and Impetigo.

**Balneum Potassæ Sulphuratæ.**

R. Potassæ Sulphuratæ, ℥iv.

Aquæ, C. xxx.

Dissolve.

*Used* as a solvent and stimulant in cases of Psoriasis, Pityriasis, Acne and Impetigo, and as a specific in Scabies.



CAPSULÆ—CAPSULES.

---

**Capsulæ Olei Phosphorati.**

Containing each gr.  $\frac{1}{30}$  Phosphorus dissolved in Olive Oil.

*Used* in cases of Psoriasis, of Chronic Eczema, and of Chronic Lichen.

*Dose.*—One, two, or three capsules three times a day. *Maximum dose*, four capsules three times a day.

*Note.*—The use of this remedy demands care.

---

CATAPLASMATA—POULTICES.

---

**Cataplasma Micæ Panis.**

℞. Micæ Panis.  
Aquæ ferventis,  $\bar{a}a$  q. s.

**Cataplasma Thymolis.**

℞. Thymolis, gr. x.  
Lini Farinæ,  $\bar{3}ij.$   
Olei Olivæ,  $\bar{3}ij.$   
Aquæ ferventis,  $\bar{3}v.$

*Used* as an antiseptic poultice for foul sores.

## CAUSTICA—CAUSTICS.

## Causticum Acidi Arseniosi.

R. Acidi Arseniosi, gr. xx.  
 Cinnabaris Factitiæ, ʒj.  
 Adipis, ʒj.  
 Mix.

*Used* in cases of Lupus.

The caustic is spread thinly on strips of linen, and thus applied to the affected surface for twenty-four hours. This procedure is renewed for two or three consecutive days if necessary, the skin being well washed after each application. Thus applied, the caustic leaves all islets of healthy skin intact, and destroys only the Lupus-tissue. The extent of surface under treatment at any given time should not exceed double the size of the palm.

## Causticum Acidi Carbolicici.

R. Acidi Carbolicici, ʒj.  
 Aquæ, ʒss.  
 Dissolve.

*Used* in cases of Lupus and in Alopecia Areata.

Carbolic acid, even in this its most concentrated liquid condition, is one of the most superficially acting of caustics, and is of special use when only a very shallow depth of action is desired.



**Causticum Acidi Chromici.**

R. Acidi Chromici.

Aquæ,  $\overline{aa}$   $\overline{3j}$ .

Dissolve.

*Used* in cases of Lupus and for destroying Warts.

This solution, although considerably stronger than those ordinarily used, is not a fully saturated solution ( $\overline{3j}$  of Chromic Acid dissolving in little more than  $\overline{3ss}$  of water).

Chromic Acid, like Nitrate of Silver, is an oxidizing caustic. Its action resembles in many respects that of Nitrate of Silver.

**Causticum Argenti Nitratis.**

R. Argenti Nitratis,  $\overline{3ss}$ .

Spiritûs Vini Rectificati,  $\overline{3j}$ .

Dissolve.

*Used* in cases of Lupus and of circumscribed patches of Psoriasis of limited extent.

This (a saturated spirituous solution of Nitrate of Silver) is preferable for cutaneous purposes to an *aqueous* solution of the Nitrate, which is apt to collect itself into drops immediately after it has been applied to the skin.

Lunar caustic exerts in any form only a very superficial action as an escharotic.

**Causticum Depilatorium.**

R. Calcis Sulphuratæ, ℥iss.  
Zinci Oxidi, ℥vj.  
Carminæ, gr. j.

Mix.

*Used* in cases of "Hirsuties," and as an adjunct in the treatment of some diseases of the scalp.

Mix the powder with water to make a thin paste, allow this to remain on the skin for three minutes, and then wash it off with water.

**Causticum Iodi.**

R. Iodi, ℥iij.  
Potassii Iodidi, ℥i.  
Spiritûs Vini Rectificati, ℥j.

Dissolve.

*Used* in cases of Lupus and of indolent (i. e. non-phagedænic) tertiary syphilitic ulcers.

**Causticum Potassæ cum Calce.**

R. Potassæ Causticæ.  
Calcis, aa ℥ss.

Mix.

*Used* in cases of Lupus, but not in Lupus of the face.

Make the powder into a paste with alcohol



at the time of application, and allow it to remain, on the portion of skin to be attacked, for ten or fifteen minutes. Protect the surrounding skin from the action of the caustic by strips of plaster.

This is a deeply acting caustic, and must be used with caution.

### Causticum Sabinæ.

R. Pulvis Sabinæ, ʒvij.  
Zinci Oxidi, ʒj.

Mix.

*Used* as a caustic to Venereal Warts.

The direct action of this caustic is only very superficial.

### Causticum Sodæ Æthylatis.

R. Sodæ Æthylatis, ʒss.  
Alcohol Absoluti, ʒvj.

Dissolve.

*Used* in cases of Vascular and of Pigmentary Nævus.

The action of this caustic may be checked quickly by dropping upon the part a drop of Chloroform.

The Æthylate of Soda is prepared by treating absolute alcohol with metallic sodium.

Causticum Zinci Chloridi.

R. Zinci Chloridi.  
Zinci Oxidi,  $\overline{aa}$  ʒss.

Mix.

*Used* in cases of Lupus, but not in Lupus of the face.

Make the powder into a thick paste with water at the time of application.

This is a deeply acting caustic, and must be used with caution. It requires, however, to be kept applied to the portion of the skin to be destroyed, for a much longer time than the Causticum Potassæ cum Calce.

---

COLLYRIA—EYE-WATERS.

---

Collyria should be used lukewarm.

All of the Collyria here named are intended to be used three times a day.

The best method of employing the Collyria is to direct the patient to sit, holding his head well back, so that his chin is slightly above the level of his forehead, and, while so, to turn his face a little to one side so that the eye to be treated is slightly above the level of the other. In this position, the lids being shut, the Collyrium is to be poured by the patient or a friend into the cup formed by the inner



half of the orbit with the root of the nose. The patient has now only to blink a few times in order to use in the most efficient manner the Collyrium. This plan is preferable to the use of eye-water-glasses and other customary methods.

**Collyrium Atropiæ Sulphatis.**

R. Atropiæ Sulphatis, gr.  $\frac{1}{8}$ .  
Aquæ,  $\bar{3}j$ .  
Dissolve.

*Used*, to dilate the pupil, in cases of Syphilitic Eruptions complicated with Syphilitic Iritis.

**Collyrium Cupri Sulphatis.**

R. Cupri Sulphatis, gr.  $ij$ .  
Aquæ,  $\bar{3}j$ .  
Dissolve.

*Used* as a stimulant in cases of Eczema, Impetigo, &c., invading the conjunctivæ.

**Collyrium Hydrargyri Perchloridi.**

R. Hydrargyri Perchloridi, gr.  $\frac{1}{8}$ .  
Aquæ,  $\bar{3}j$ .  
Dissolve.

*Used* as a stimulant in cases of Eczema, and as a specific in cases of Syphilitic Eruptions invading the conjunctivæ.

**Collyrium Zinci Sulphatis.**

R. Zinci Sulphatis, gr. ij.  
Aquæ, ʒj.

Dissolve.

*Used* as a stimulant in cases of Eczema and of other eruptions invading the conjunctivæ.

---

**CONFECTIO—CONFECTION.**

---

**Confectio Sulphuris Composita.**

R. Sulphuris Præcipitati, gr. xx.  
Potassæ Tartratis Acidæ, gr. v.  
Theriacæ, ʒj.

Mix.

*Used* as a laxative and diaphoretic in dry Eczema and in Lichen.

## EMPLASTRUM—PLASTER.

**Emplastrum Hydrargyri Compositum.**

R. Hydrargyri,	ʒij.
Terebinthinæ Olei,	ʒ xx.
Ceræ Flavæ,	ʒj.
Resinæ,	ʒij.
Styracis Præparati,	ʒj.
Emplastrum Plumbi,	ʒj.

Mix.

*Used* as a specific in cases of Syphilitic Eruptions, and as a stimulant and absorbent in cases of Acne Rosacea, of Sycosis, and of Chronic Lichen.

*Preparation.*—Triturate together (in a warmed iron mortar till metallic globules have disappeared), the Mercury, Storax, and Turpentine.

Melt together the Lead-plaster with the Wax and Resin, and when it has cooled to the consistence of a soft ointment, add the mercurial mixture and incorporate by agitation.



ENEMA—CLYSTER.



Enema Calcis cum Ferro.

R. Tincturæ Ferri Perchloridi, ℥ xx.  
Liquoris Calcis, ℥̄j.

Mix.

*Used* as a specific in cases of Prurigo Podicis, dependent on the presence of ascari-  
rides in the rectum.

## GARGARISMATA—GARGLES.

---

Gargles should be used, preferably, lukewarm.

All of the Gargles here named should be used at the least three times a day.

In the employment of Gargles, the patient should be directed to take only a small quantity of gargle into the mouth at a time, and to hold his head well back during the act of gargling. He should also be ordered to repeat the process of gargling with a fresh quantity of gargle at least more than once on each occasion.

It is an advantage to precede each occasion of using any of the gargles by first gargling with some mild "mucus-detergent," such as a weak lukewarm solution of the "Sapo Durus cum Glycerino."

It is a further advantage, especially in lesions situated behind the anterior pillars of the fauces, if the patient be directed to follow each act of gargling by making repeated swallowing motions, without however actually swallowing. During this procedure the head must still be held well back.

**Gargarisma Acidi Tannici.**

R. Glycerini Acidi Tannici, ʒij.  
Aquæ, ad ʒj.

Mix.

*Used* as an astringent in cases of Herpes Labialis complicated with simple sore-throat, and in cases of Lupus invading the gums, &c., and accompanied with excessive discharge, also in cases of Syphilitic Eruptions complicated with salivation or with sponginess of the gums arising from mercurialism.

**Gargarisma Hydrargyri Perchloridi.**

R. Hydrargyri Perchloridi, gr.  $\frac{1}{2}$ .  
Aquæ, ʒj.

Dissolve.

*Used* as a specific in cases of Syphilitic Eruptions complicated with mucous patches of the lips, tongue, mouth, or throat.



**Gargarisma Potassæ Chloratis.**

R. Potassæ Chloratis, ʒss.  
Aquæ, ʒj.

Dissolve.

*Used* as a mild stimulant in cases of Syphilitic Eruptions complicated with specific lesions of the lips, tongue, mouth, or throat, and in cases of salivation.

**Gargarisma Sodæ Chloratæ.**

R. Sodæ Chloratæ Liquor, ʒss.  
Aquæ, ad ʒj.

Mix.

*Used* as an antiseptic in cases of Syphilitic Eruptions complicated with sloughing or phagedænic lesions of the lips, tongue, mouth, or throat.

GLYCERINUM—GLYCEROLE.



Glycerinum Guaiaci.

R. Tincturæ Guaiaci, ʒss.  
Glycerini, ad ʒij.

Mix.

*Used* as a stimulant and diaphoretic in cases of eruptions complicated with chronic rheumatism and debility.

Although glycerine will not dissolve the resin of Guaiacum, yet, unlike water, its admixture with the tincture does not precipitate the Guaiacum. It is therefore a more convenient means of diluting the tincture than water, which precipitates the resin from the tincture. The admixture of glycerine with the tincture moreover softens the flavour of the Guaiacum, which water does not. The tincture can be diluted to any extent with *glycerine*, but the mixture of glycerine with tincture cannot be diluted with water, except with precipitation of the resin.

INJECTIO VAGINALIS—VAGINAL  
INJECTION.

---

**Injectio Aluminis et Zinci.**

R. Aluminis, gr. vj.  
Zinci Sulphatis, gr. ij.  
Aquæ, ℥j.

Dissolve.

*Used* as an astringent in cases of Pruritus  
Vulvæ complicated with Leucorrhœa.

---

LOTIONES—LOTIONS.

---

**Lotio Acidi Benzoici.**

R. Acidi Benzoici, gr. ij.  
Aquæ, ℥j.

Dissolve.

*Used* as a sedative in cases of Chronic  
Urticaria.

This is a saturated solution of Benzoic  
Acid in water.



**Lotio Acidi Boracici.**

R. Acidi Boracici, gr. xv.

Aquæ, ℥j.

Dissolve.

*Used* in cases of Eczema and in Prurigo Podicis.

This is nearly a saturated aqueous solution of Boracic Acid, the maximum solubility of Boracic Acid in ℥j of water being about seventeen grains.

**Lotio Acidi Carbolici.**

R. Acidi Carbolici, gr. x.

Aquæ, ℥j.

Dissolve.

*Used* as an antiseptic and stimulant in foul or syphilitic ulcerations, and to allay irritation in Chronic Eczema and Psoriasis.

**Lotio Acidi Hydrocyanici.**

R. Acidi Hydrocyanici Diluti, ℥ x.

Aquæ, ℥j.

Mix.

*Used* as a sedative in various eruptions to allay irritation.

**Lotio Acidi Nitrici.**

℞. Acidi Nitrici Diluti, ℥ x.  
Aquaë, ℥̄j.  
Mix.

*Used* as a sedative in various eruptions to allay irritation.

**Lotio Acidi Sulphurosi.**

℞. Acidi Sulphurosi, ℥ij.  
Aquaë, ad ℥̄j.  
Mix.

*Used* to destroy vegetable parasites in cases of Ringworm (*Tinea Tonsurans*), of Favus, of Chloasma, and of Eczema Marginatum.

The volatility of Sulphurous Acid requires that the otherwise rapid evaporation of the acid from the lotion should be retarded by applying the lotion on lint or rag covered with oilsilk.

**Lotio Aluminis.**

℞. Aluminis, gr. x.  
Aquaë, ℥̄j.  
Dissolve.

*Used* as an astringent in Eczema, in Acne Rosacea, and in Intertrigo.



**Lotio Argenti Nitratis.**

R. Argenti Nitratis, gr. iij.  
Aquæ, ℥j.  
Dissolve.

*Used* as a stimulant in cases of Chronic Eczema and Chronic Lichen.

**Lotio Bismuthi.**

R. Bismuthi Subnitratis, gr. x.  
Aquæ, ℥j.  
Mix.

*Used* as a sedative in cases of Eczema and of Acne associated with Urticaria.

**Lotio Boracis.**

R. Boracis, gr. xv.  
Aquæ, ℥j.  
Dissolve.

*Used* as a detergent and solvent in cases of Lichen, Acne, Eczema, Chloasma, and Tinea Tonsurans.

**Lotio Calcis.**

R. Olei Amygdalæ, ℥j.  
Liquoris Calcis, ℥j.  
Mix.

*Used* as a detergent in cases of Pityriasis of the scalp.



**Lotio Cupri Sulphatis.**

R. Cupri Sulphatis, gr. iij.  
Aquæ, ʒj.  
Dissolve.

*Used* as a stimulant and astringent in cases of Chronic Eczema.

**Lotio Ferri Tartarati.**

R. Ferri Tartarati, ʒss.  
Aquæ, ʒj.  
Dissolve.

*Used* as an application to soft chancres.

**Lotio Glycerini.**

R. Glycerini, ʒj.  
Aquæ, ad ʒj.  
Mix.

*Used* as an emollient in cases of Pityriasis and of Ichthyosis.

**Lotio Hydrargyri Perchloridi.**

R. Hydrargyri Perchloridi, gr. j.  
Aquæ, ʒj.  
Dissolve.

*Used* as a stimulant in cases of Chronic Eczema, of Acne, and of Acne Rosacea.  
The employment of this lotion demands care.

**Lotio Nigra.**

R. Hydrargyri Subchloridi, gr. x.  
Mucilago Tragacanthæ, ʒj.  
Liquoris Calcis, ʒj.

Mix.

*Used* as a specific in cases of Syphilitic Ulceration.

**Lotio Plumbi Subacetatis.**

R. Plumbi Subacetatis Liquoris, ℥ v.  
Aquæ, ʒj.

Mix.

*Used* as a sedative and astringent in cases of Acute Eczema and of Acute Lichen.

**Lotio Potassæ Chloratis.**

R. Potassæ Chloratis, ʒss.  
Aquæ, ʒj.

Dissolve.

*Used* as a stimulant in cases of Chronic Eczema, and as a mildly antiseptic stimulant to foul ulcers.

This is a saturated solution of the salt.

**Lotio Potassæ Sulphuratæ.**

R. Potassæ Sulphuratæ, gr. v.  
Aquæ, ʒj.  
Dissolve.

*Used* to destroy vegetable parasites in cases of Eczema Marginatum, and as a solvent and stimulant in cases of Prurigo and of Psoriasis, and as a specific in cases of Scabies.

**Lotio Sodæ Chloratæ.**

R. Sodæ Chloratæ Liquoris, ʒss.  
Aquæ, ʒj.  
Mix.

*Used* as a bleaching agent in cases of Lentigo, and as an antiseptic to foul ulcers.

**Lotio Zinci Oxidi.**

R. Zinci Oxidi.  
Calamini Præparati.  
Glycerini, aa ʒj.  
Aquæ, ʒj.  
Mix.

*Used* as a mild astringent in cases of Chronic Eczema and of Acne Rosacea.



**Lotio Zinci Sulphatis.**

R. Zinci Sulphatis, gr. ij.  
Tincturæ Lavandulæ Compositæ, ℥ xxv.  
Aquæ, ℥j.  
Dissolve.

*Used as a stimulant and astringent in cases of Chronic Eczema.*

---

**MISTURÆ—MIXTURES.**

---

**Mistura Acidi Nitrohydrochlorici.**

R. Acidi Nitrohydrochlorici Diluti, ℥ xv.  
Caramel, gr. v.  
Aquæ, ℥j.  
Mix.

*Used as an alterative tonic in syphilitic cachexia, and as a tonic in cases of eruptions associated with hepatic disorder.*

**Mistura Alba.**

R. Magnesiæ Carbonatis, gr. x.  
Magnesiæ Sulphatis, ℥j.  
Aquæ Menthæ Piperitæ, ℥j.  
Mix.

*Used as an antacid aperient in cases of acute or chronic eruption associated with constipation.*

**Mistura Arsenicalis.**

R. Liquoris Arsenicalis, ℥ v.  
Aquæ, ℥j.  
Mix.

*Used* as a specific in various chronic eruptions.

**Mistura Assafœtidæ.**

R. Assafœtidæ, gr. v.  
Aquæ, ℥j.  
Mix.

*Used* as an antispasmodic in eruptions associated with hysteria.

**Mistura Bismuthi.**

R. Liquoris Bismuthi et Ammoniaë  
Citratæ, ℥j.  
Acidi Hydrocyanici Diluti, ℥ iij.  
Aquæ Menthæ Piperitæ, ℥j.  
Mix.

*Used* as a gastric sedative in Acne Rosacea and other eruptions of the face associated with irritative dyspepsia or pyrosis.



**Mistura Bismuthi Acida.**

R. Bismuthi Nitratis, gr. v.  
Glycerini, ʒj.  
Aquæ, ʒj.  
Dissolve.

*Used* for the same purposes as the *Mistura Bismuthi*.

*Preparation.*—The nitrate must first be dissolved (*without* the aid of heat) in the glycerine separately. The glycerole thus obtained is not rendered turbid on admixture with the water.

**Mistura Catechu.**

R. Tincturæ Catechu, ʒj.  
Potassæ Bicarbonatis, gr. x.  
Aquæ Cinnamomi, ʒj.  
Dissolve.

*Used* as an astringent in cases of Acute Lichen and other eruptions complicated with diarrhœa.

**Mistura Chloralis Hydratis.**

R. Chloralis Hydratis, gr. x.  
Syrupi Rhœados, ʒj.  
Aquæ, ad ʒj.  
Dissolve.

*Used* as a Hypnotic in cases of eruptions provoking irritation which precludes sleep.



**Mistura Chloroformi.**

R. Aquæ Chloroformi, ℥ss.  
Aquæ, ad ℥j.  
Mix.

*Used* as a cutaneous sedative in cases of Chronic Urticaria.

**Mistura Colchici Alkalina.**

R. Tincturæ Colchici Seminum, ℥vj.  
Potassæ Bicarbonatis, gr. v.  
Aquæ Pimentæ, ℥j.  
Dissolve.

*Used* in cases of Psoriasis, Eczema, and other eruptions when complicated with a gouty habit.

**Mistura Diaphoretica.**

R. Vini Ipecacuanhæ, ℥v.  
Spiritûs Ætheris Nitrosi, ℥xxx.  
Ammoniæ Acetatis Liquoris, ℥ij.  
Aquæ, ℥j.  
Mix.

*Used* in cases of eruptions, but chiefly of acute eruptions attended with febrile disturbance and heat and dryness of the general surface.

**Mistura Diuretica.**

R̄. Potassæ Acetatis, gr. xx.  
Aceti Scillæ, ℥ xx.  
Tincturæ Digitalis, ℥ v.  
Aquæ, ℥̄j.

Dissolve.

*Used* in cases of eruptions complicated with œdema.

**Mistura Ferri cum Opio.**

R̄. Ferri et Ammoniaë Citratis, gr. v.  
Tincturæ Opii, ℥ iv.  
Aquæ, ℥̄j.

Dissolve.

*Used* in cases of Acne and other eruptions complicated with anæmia and gastrodynia.

**Mistura Ferri Perchloridi.**

R̄. Liquor Ferri Perchloridi, ℥ xv.  
Magnesiæ Sulphatis, gr. xv.  
Aquæ, ℥̄j.

Dissolve.

*Used* as a chalybeate tonic in eruptions complicated with anæmia and debility.

**Mistura Hydrargyri Iodidi.**

R. Hydrargyri Iodidi Rubri, gr.  $\frac{1}{8}$ .  
Potassii Iodidi, gr.  $\frac{1}{2}$ .  
Aquæ,  $\bar{3}j$ .

Dissolve.

*Used* as a specific in cases of syphilitic eruptions.

**Mistura Ipecacuanhæ cum Opio.**

R. Vini Ipecacuanhæ,  $\eta$  x.  
Tincturæ Opii,  $\eta$  iv.  
Aquæ,  $\bar{3}j$ .

Mix.

*Used* as a diaphoretic expectorant in Eczema and other eruptions complicated with acute bronchial catarrh.

**Mistura Liquoris Potassæ.**

R. Liquoris Potassæ,  $\eta$  xx.  
Aquæ,  $\bar{3}j$ .

Mix.

*Used* as a gastric sedative in cases of Acne Rosacea and other eruptions of the face attended with dyspepsia.



**Mistura Nucis Vomicae.**

℞. Tincturae Nucis Vomicae, ℥ xx.  
Aquaë, ℥̄j.  
Mix.

*Used as a bitter tonic and laxative in eruptions associated with a cachectic condition.*

**Mistura Potassii Bromidi.**

℞. Potassii Bromidi, gr. x.  
Aquaë Camphoræ, ℥̄ij.  
Aquaë, ad ℥̄j.  
Dissolve.

*Used as a general sedative in cases of chronic eruptions attended with general nervous irritability, and in attacks of acute eruption if apparently determined by anxiety or prolonged mental tension.*

**Mistura Potassii Iodidi.**

℞. Potassii Iodidi, gr. v.  
Aquaë, ℥̄j.  
Dissolve.

*Used in cases of plastic deposit complicating syphilitic or other eruptions.*

**Mistura Quiniæ.**

R. Quiniæ Sulphatis, gr. j.  
Acidi Sulphurici Diluti, m ij.  
Aquæ, ℥j.

Dissolve.

*Used* as a bitter tonic in cases of eruptions associated with atonic dyspepsia or with general atony.

**Mistura Salina.**

R. Potassæ Nitratis, gr. x.  
Theriacæ, gr. x.  
Aquæ, ℥j.

Dissolve.

*Used* as a refrigerant in cases of acute eruption of various kinds.

**Mistura Sarsæ.**

R. Extracti Sarsæ Liquidi, ℥ij.  
Aquæ, ad ℥j.

Mix.

*Used* in cases of syphilitic and other eruptions as an alterative tonic.

**Mistura Scillæ cum Conio.**

R. Tincturæ Scillæ, ℥ x.  
Liquoris Potassæ, ℥ xv.  
Succi Conii, ℥ xxx.  
Aquæ, ad ℥ j.

Mix.

*Used* as a stimulant expectorant in Eczema and other eruptions complicated with chronic bronchial catarrh.

**Mistura Taraxaci.**

R. Succi Taraxaci, ℥ j.  
Acidi Nitrici Diluti, ℥ v.  
Aquæ, ad ℥ j.

Mix.

*Used* as an alterative cholagogue and laxative in cases of eruptions attended with bilious cachexia.

**Mistura Zinci Sulphatis.**

R. Zinci Sulphatis, gr. j.  
Aquæ, ℥ j.

Dissolve.

*Used* as a nerve tonic in cases of eruptions associated with nervous debility.



PESSI—PESSARIES.



**Pessus Acidi Tannici.**

R. Acidi Tannici, gr. xx.  
Gelatinæ, gr. iv.  
Aquæ, q. s.  
Glycerini, ℥ xvj.

Mix.

*Used* as an astringent in cases of Pruritus Vulvæ dependent on or complicated with uterine disorder.

**Pessus Morphicæ.**

R. Morphicæ Acetatis, gr.  $\frac{1}{3}$ .  
Gelatinæ, gr. v.  
Aquæ, q. s.  
Glycerini, ℥ xx.

Mix.

*Used* as a sedative in cases of Pruritus Vulvæ dependent on or complicated with uterine disorder.

PIGMENTA—PIGMENTS.



**Pigmentum Acidi Carbolici.**

R. Acidi Carbolici.  
Glycerini,     aa ʒss.

Dissolve.

*Used* to destroy vegetable parasites in cases of Ringworm (*Tinea Tonsurans*) and of Chloasma; as a stimulant in cases of Psoriasis, of Seborrhœa, and *Tinea Decalvans*; and as a semi-caustic application to indolent ulcers.

**Pigmentum Acidi Tannici.**

R. Acidi Tannici, ʒiij.  
Glycerini,     ʒvj.

Dissolve by aid of heat.

*Used* as a strong astringent in cases of excessive sweating of the feet, of Seborrhœa Oleosa, and of figurate Chronic Eczema, and as an application to the throat in cases of eruptions complicated with simple chronic sore-throat.

**Pigmentum Aloës.**

R. Extracti Aloës Barbadosis, ℥iij.  
Glycerini, ℥vj.

Dissolve.

*Used* as a mild stimulant in cases of Chronic Eczema.

**Pigmentum Benzolis.**

(Benzine.)

*Used* in Seborrhœa, in Acne, and generally for the purpose of dissolving off grease, whether sebaceous or artificially acquired (as ointment, &c.), from the skin.

**Pigmentum Glycerini.**

R. Glycerini.  
Spiritûs Vini Rectificati, aa ℥j.

Dissolve.

*Used* as an emollient in cases of Ichthyosis.



**Pigmentum Hydrargyri Perchloridi.**

R. Hydrargyri Perchloridi, gr. ij.  
Glycerini, ℥ij.  
Spiritus Vini Rectificati, ℥j.

Dissolve.

*Used* to destroy vegetable parasites in cases of Ringworm (*Tinea Tonsurans*), of Chloasma, of Eczema Marginatum, and of Favus.

This is more efficacious as a ringworm lotion than the *aqueous* solution of the sublimate.

The spirit, holding in solution the Glycerole of the Sublimate, enables the latter to be diffused uniformly over the skin. Thus applied, the glycerine solution of sublimate left by the evaporation of the spirit, penetrates efficiently the affected tissues.

**Pigmentum Iodi.**

R. Iodi, ℥ss.  
Potassii Iodidi, ℥ij.  
Glycerini, ℥j.

Dissolve.

*Used* to destroy vegetable parasites in cases of Ringworm, &c., and as a stimulant in cases of Psoriasis and of figurate Chronic Lichen.

**Pigmentum Olei Cadi.**

R. Olei Juniperi Empyreii, q. s.  
(Huile de Cade.)

*Used* as a stimulant in cases of Psoriasis and of Chronic Eczema.

**Pigmentum Olei Ricini.**

R. Olei Ricini, ʒiij.  
Spiritûs Vini Rectificati, ʒvj.

Dissolve.

*Used* as a mildly stimulating application to the scalp in cases of Pityriasis and of Seborrhœa Sicca.

Castor oil is the only fixed oil which dissolves freely in rectified spirit.

**Pigmentum Picis cum Iodo.**

R. Iodi, ʒij.  
Olei Picis Rectificati, ʒj.

Dissolve cautiously.

*Used* to destroy vegetable parasites in cases of Ringworm (*Tinea tonsurans*), of Chloasma, of Eczema Marginatum, and of Favus.

**Pigmentum Picis Liquidæ.**

R. Picis Liquidæ.  
Spiritûs Vini Rectificati,  $\overline{aa}$   $\overline{3}$ ss.

Dissolve.

*Used* as a stimulant in cases of Psoriasis and of Chronic Dry Eczema. Its use in Eczema demands caution.

This solution constitutes a very convenient means of applying tar to the skin.

**Pigmentum Plumbi.**

(Plumbi Subacetatis Glycerinum.)

The Plumbi Subacetatis Liquor made with Glycerine in place of water.

*Used* (diluted to a varying extent with glycerine) as an astringent and sedative in cases of Chronic Eczema.



PILULÆ—PILLS.

---

**Pilula Acidi Arseniosi.**

R. Acidi Arseniosi, gr.  $\frac{1}{12}$ .  
Piperis Nigri, gr.  $\frac{1}{2}$ .  
Extracti Gentianæ, gr. ij.

Mix.

*Used* as a specific in various chronic eruptions.

**Pilula Aloës et Assafœtidæ cum Ferro.**

R. Ferri Sulphatis, gr. j.  
Pilulæ Aloës et Assafœtidæ, gr. iv.

Mix.

*Used* in cases of eruptions associated with Chlorosis.

**Pilula Crotonis Olei.**

R. Crotonis Olei, ℥  $\frac{1}{4}$ .  
Extracti Colocynthis Compositi, gr. v.

Mix.

*Used* as a strong aperient in eruptions complicated with obstinate habitual constipation.

**Pilula Hydrargyri cum Colocynthide.**

R. Pilulæ Hydrargyri, gr. ij.  
Pilulæ Colocynthidis et Hyoscyami, gr. iij.

Mix.

*Used* as an aperient in eruptions complicated with bilious constipation.

**Pilula Hydrargyri Iodidi Viridis.**

R. Hydrargyri Iodidi Viridis, gr.  $\frac{1}{2}$ .  
Pulvis Opii, gr.  $\frac{1}{4}$ .  
Extracti Gentianæ, gr. ij.

Mix.

*Used* as a specific in cases of syphilitic eruptions.

**Pilula Opii et Conii.**

R. Extracti Conii, gr. j.  
Pilulæ Saponis Compositæ, gr. ij.

Mix.

*Used* as a sedative in eruptions associated with nervous irritability.

**Pilula Podophylli cum Nuce Vomicae.**

R. Resinae Podophylli, gr.  $\frac{1}{6}$ .  
Extracti Nucis Vomicae, gr.  $\frac{1}{4}$ .  
Extracti Gentianae, gr. ij.

Mix.

*Used* as an aperient in eruptions complicated with an atonic bilious condition.

**Pilula Zinci Valerianatis.**

R. Zinci Valerianatis.  
Confectionis Rosae Caninae, aa gr. ij.

Mix.

*Used* as a tonic in eruptions associated with nervous languor.

---

**PULVERES—POWDERS.**

---

**Pulvis Amygdalae.**

R. Pulvis Amygdalae dulcis, q. s.

*Used*, after being made into a thin paste with water, as a bland detergent, in place of soap and water, in irritable conditions of the skin.



**Pulvis Bismuthi Compositus.**

℞. Bismuthi Subnitratis, ʒvj.  
Plumbi Chromatis, gr. x.  
Carmini, gr. v.  
Cinnabaris Factitiæ, gr. v.

Mix.

*Used* as a sedative and cosmetic in various eruptions of the face.

**Pulvis Cimoliæ.**

℞. Pulvis Terræ Cimoliæ, q. s.  
(Fuller's Earth.)

*Used* as an absorbent application in Intertrigo and in Eczema.

**Pulvis Lycopodii.**

℞. Pulvis Lycopodii, q. s.

*Used* as a bland application in cases of Acute Eczema.

**Pulvis Zinci Oxidi et Aluminis.**

℞. Zinci Oxidi.  
Pulvis Asbesti.  
Pulvis Iridis Radicis,  $\overline{\text{aa}}$  ʒss.  
Pulvis Amyli, ʒj.

Mix.

*Used* as a mild astringent application in cases of Acute Eczema.

**Pulvis Zinci Oxidi et Calamini.**

R. Zinci Oxidi.  
Calamini Præparati,  $\overline{aa}$   $\bar{z}$ ss.

Mix.

*Used* as a mild astringent application in cases of Intertrigo, of Chronic Eczema, and of Acne Rosacea.

---

SAPONES—SOAPS.

---

**Sapo Durus cum Glycerino.**

Brand "F. A. Sarg" (of Vienna).

This, which is a specially bland and emollient soap, is employed for ordinary use in irritable conditions of the skin, such as Acute Lichen and Chronic Urticaria, and also for the purpose of softening and dissolving off dried or viscid secretion from raw and tender surfaces—for example, inflamed Eczema or sensitive ulcers. Its clean fresh taste permits of its being used also (in solution) as a mouth-wash and gargle for removing mucus previous to the use of other remedies.

**Spiritus Saponis Mollis.**

R. Saponis Mollis Optimi,  $\bar{3}$ j.  
Spiritus Vini Rectificati,  $\bar{3}$ ss.

Dissolve.

*Used*, mixed with warm water, to soften and remove scales and incrustation in the less irritable conditions of the skin—for example, in Psoriasis, in Lupus, in Syphilitic Ulcerations, and in Seborrhœa. Used also as in itself a moderate stimulant in similar conditions.

---

**SUPPOSITORIA—SUPPOSITORY.**

---

**Suppositoria Acidi Tannici cum Opio.**

R. Acidi Tannici, gr. xv.  
Pulvis Opii, gr. j.  
Glycerini, ℥ ij.  
Saponis Duri, gr. viij.

Mix.

*Used* in cases of Prurigo Podicis dependent on or complicated with a congested condition of the rectum.



UNGUENTA—OINTMENTS.



Unguentum Acidi Boracici.

R. Acidi Boracici, ʒj.  
Adipis, ʒj.  
Mix.

*Used* in cases of Eczema.

Unguentum Acidi Chrysophanici.

R. Acidi Chrysophanici, ʒij.  
Adipis, ʒj.

Heat together in a water-bath for half an hour; when set, mix with pestle and mortar.

*Used* in cases of Psoriasis, of Erythema Marginatum, of Chloasma, of Acne Tuberculata, of Acne Rosacea.

*Caution.*—The erythema, which arises after sometimes only a few applications of this ointment, should be watched for, and on its first appearance the use of the ointment should be promptly discontinued. In all cases it is necessary to avoid carefully the immediate neighbourhood of the eyelids, which otherwise are apt to be rendered œdematous.

**Unguentum Acidi Pyrogallici.**

R. Acidi Pyrogallici, gr. x.  
Adipis, ℥j.  
Mix.

*Used in cases of Psoriasis.*

**Unguentum Acidi Salicylici.**

R. Acidi Salicylici, ʒss.  
Adipis, ℥j.  
Mix.

*Used in cases of Eczema.*

**Unguentum Acidi Tannici cum Opio.**

R. Acidi Tannici.  
Pulvis Opii, aa ʒss.  
Adipis, ℥j.  
Mix.

*Used in cases of Prurigo Podicis.*

**Unguentum Alizarini.**

R. Alizarini Factitii, ʒj.  
Adipis, ℥j.  
Mix.

*Used in cases of Chloasma.*

**Unguentum Bismuthi.**

R. Bismuthi Subnitratis, ʒj.  
Adipis, ʒj.

Mix.

*Used* in cases of Eczema and of Lentigo.

**Unguentum Calamini.**

R. Calamini Præparati, ʒij.  
Adipis, ʒj.

Mix.

*Used* in cases of Eczema.

**Unguentum Camphoræ.**

R. Camphoræ, ʒss.  
Adipis, ʒj.

Melt together.

*Used* as a stimulant and sedative in cases of Eczema.



**Unguentum Creasoti Forte.**

R. Creasoti, ʒvj.  
Ceræ Albæ, ʒiij.  
Melt with heat.

*Used* in cases of Psoriasis.

*Caution.*—This ointment should not be used to the face or belly or flexor surfaces of the limbs.

**Unguentum Diachyli.**

R. Emplastri Plumbi, ʒss.  
Vaselini, ʒss.  
Melt with heat.

*Used* in cases of Eczema and of excessive sweating of the feet.

**Unguentum Hydrargyri Iodidi Rubri  
Forte.**

R. Hydrargyri Iodidi Rubri, ʒj.  
Adipis, ʒj.  
Mix.

*Used* in cases of Alopecia Areata and of Acne Tuberculata of the trunk.

*Caution.*—The employment of this ointment demands care.

**Unguentum Hydrargyri Oleatis.**

R. Hydrargyri Oleatis, ʒij.  
(10 p. c.)  
Adipis, ʒj.  
Mix.

*Used* in cases of Eczema of the scalp, of Ringworm (Tinea Tonsurans).

**Unguentum Hydrargyri Oxidi Flavi.**

R. Hydrargyri Oxidi Flavi, gr. xv.  
Adipis, ʒj.  
Mix.

*Used* in cases of Chronic Eczema, of Pityriasis Fusca (of the face and neck), of Psoriasis of the face, of Ringworm (Tinea Tonsurans), of Chronic Lichen, of Syphilitic Eruptions.

**Unguentum Hydrargyri Perchloridi.**

R. Hydrargyri Perchloridi, gr. viij.  
Adipis, ʒj.  
Mix.

*Used* in cases of Ringworm (Tinea Tonsurans).

**Unguentum Iodoformi.**

℞. Iodoformi, ʒj.  
Adipis, ʒij.

Mix.

*Used* in cases of Syphilitic Eruptions.

**Unguentum Olei Betulæ.**

℞. Olei Betulæ Albæ, ʒv.  
Ceræ Flavæ, ʒij.

Melt.

*Used* in cases of Psoriasis and of Dry Eczema.

*Caution.*—The use of this ointment in Eczema demands care.

**Unguentum Olei Staphisagriæ.**

℞. Olei Staphisagriæ, ʒj.  
Adipis, ʒij.

Mix.

*Used* as a non-irritant remedy in Scabies and in Phtheiriasis.



**Unguentum Plumbi Glycerini.**

R. Plumbi Subacetatis Glycerini, ʒss.  
Vaselini, ʒj.

Mix.

*Used* as a bland astringent in cases of  
Acute or Subacute Eczema.

**Unguentum Styracis.**

R. Styracis Præparati, ʒij.  
Adipis, ʒj.

Mix.

*Used* in cases of Scabies.

**Unguentum Sulphuris cum Potassâ.**

R. Sulphuris Præcipitati, ʒij.  
Potassæ Carbonatis, ʒj.  
Cinnabaris Factitiæ, gr. ij.  
Olei Bergamot, ℥ ij.  
Adipis, ʒj.

Mix.


*Used* in cases of Scabies.

**Unguentum Zinci Oleatis.**

R. Zinci Oleatis, ʒij.  
Adipis, ʒj.

Mix.

*Used* in Chronic and in Subacute Eczema.





## INDEX.

	PAGE
ABSOLUTE Alcohol .. .. .	14
Acetate of Ammonia Solution .. .. .	34
Acetate of Morphia .. .. .	40
Acetate of Potash .. .. .	35
Acetum Scillæ .. .. .	35
Acid, Arsenious .. .. .	11
Acid Bath .. .. .	8
Acid, Benzoic .. .. .	24
Acid Bismuth Mixture .. .. .	33
Acid, Boracic .. .. .	25, 52
Acid, Carbolic.. .. .	11, 25, 41
Acid, Chromic.. .. .	12
Acid, Chrysophanic .. .. .	52
Acid, Dilute Hydrocyanic .. .. .	32
Acid, Dilute Nitric .. .. .	26
Acid, Dilute Nitrohydrochloric .. .. .	31
Acid, Dilute Sulphuric.. .. .	38
Acid, Nitrohydrochloric .. .. .	53
Acid, Pyrogallie .. .. .	8
Acid, Salicylic .. .. .	53
Acid, Sulphurous .. .. .	26
Acid, Tannic .. .. .	21, 40, 41, 51, 53
Acid, Tannic, Suppository of .. .. .	51
Acid Tartrate of Potash .. .. .	17
Acidum Arseniosum .. .. .	11, 46
Acidum Benzoicum .. .. .	24
Acidum Boracicum .. .. .	25, 52
Acidum Carbolicum .. .. .	11, 25, 41
Acidum Chromicum .. .. .	12
Acidum Hydrocyanicum Dilutum .. .. .	25, 32

	PAGE
Acidum Nitricum Dilutum .. .. .	26, 39
Acidum Nitrohydrochloricum .. .. .	8
Acidum Nitrohydrochloricum Dilutum .. .. .	31
Acidum Sulphuricum Dilutum .. .. .	38
Acidum Sulphurosum .. .. .	26
Acidum Tannicum .. .. .	21, 40, 41, 51
Ætheris Nitrosi Spiritus .. .. .	34
Æthylate of Soda Caustic .. .. .	14
Alcohol Absolutum .. .. .	14
Alizarine Ointment .. .. .	53
Alizarinum Factitium .. .. .	53
Alkaline Bath .. .. .	8
Almond-meal .. .. .	48
Almond-oil .. .. .	27
Aloes, Assafoetida, and Iron Pills .. .. .	46
Aloës et Assafoetidæ Pilula .. .. .	46
Aloes Paint .. .. .	42
Alum .. .. .	24, 26
Alum Lotion .. .. .	26
Alum and Zinc Injection .. .. .	24
Alumen .. .. .	24, 26
Ammoniaë Acetatis Liquor .. .. .	34
Amygdalæ Oleum .. .. .	27
Amygdalæ Pulvis .. .. .	48
Amylum .. .. .	49
Aqua Camphoræ .. .. .	37
Aqua Chloroformi .. .. .	34
Aqua Cinnamomi .. .. .	33
Aquæ Medicatæ .. .. .	7
Aqua Menthæ Piperitæ .. .. .	31, 32
Aqua Pimentæ .. .. .	34
Argentii Nitras .. .. .	12
Arsenic Caustic .. .. .	11
Arsenic Pills .. .. .	46
Arsenical Mixture .. .. .	32
Arsenical Solution .. .. .	32
Arsenious Acid .. .. .	11, 46
Artificial Cinnabar .. .. .	11



	PAGE
Asbestos .. .. .	49
Assafœtida .. .. .	32, 46
Assafœtida Mixture .. .. .	32
Atropiæ Sulphas .. .. .	16
Atropine Eye-water .. .. .	16
Balnea .. .. .	7
Balneum Acidum .. .. .	8
Balneum Alkalinum .. .. .	8
Balneum Creasoti .. .. .	8
Balneum Diuturnum .. .. .	9
Balneum Glutinis .. .. .	9
Balneum Marinum .. .. .	9
Balneum Potassæ Sulphuratæ .. .. .	9
Barbadoes Aloe Paint .. .. .	42
Baths .. .. .	7
Benzine .. .. .	42
Benzoic Acid .. .. .	24
Benzoic Acid Lotion .. .. .	24
Benzol .. .. .	42
Bergamot, Oil of .. .. .	58
Betulæ Albæ Oleum .. .. .	57
Bicarbonate of Potash .. .. .	33
Birch Tar Ointment .. .. .	57
Bismuth Lotion .. .. .	27
Bismuth Mixture .. .. .	32
Bismuth Mixture (Acid) .. .. .	33
Bismuth Ointment .. .. .	54
Bismuth Powder, Compound .. .. .	49
Bismuthi et Ammoniæ Citratis Liquor .. .. .	32
Bismuthi Nitras .. .. .	33
Bismuthi Subnitras .. .. .	27, 49, 54
Black Pepper .. .. .	46
Black Wash .. .. .	29
Blue Pill with Colocynth .. .. .	47
Boracic Acid .. .. .	25
Boracic Acid Lotion .. .. .	25
Boracic Acid Ointment .. .. .	52



	PAGE
Borax .. .. .	27
Borax Lotion .. .. .	27
Bread-crumbs .. .. .	10
Bread Poultice .. .. .	10
Bromide of Potassium Mixture .. .. .	37
Cade, Oil of .. .. .	44
Calamine Ointment .. .. .	54
Calamine, Prepared .. .. .	30, 50, 54
Calaminum Præparatum .. .. .	30, 50, 54
Calcis Liquor .. .. .	19
Calomel .. .. .	29
Calx .. .. .	13
Calx Sulphurata .. .. .	13
Camphor .. .. .	54
Camphor Ointment .. .. .	54
Camphor-water .. .. .	37
Capsulæ .. .. .	10
Capsulæ Olei Phosphorati .. .. .	10
Capsules .. .. .	10
Caramel .. .. .	31
Carbolic Acid .. .. .	11, 25, 41
Carbolic Acid Caustic .. .. .	11
Carbolic Acid Lotion .. .. .	25
Carbolic Acid Paint .. .. .	41
Carbonate of Magnesia .. .. .	31
Carbonate of Potash .. .. .	58
Carbonate of Soda .. .. .	8
Carmine .. .. .	13, 49
Castor-oil Paint .. .. .	44
Cataplasma Micæ Panis .. .. .	10
Cataplasma Thymolis .. .. .	10
Cataplasmata .. .. .	10
Catechu Mixture .. .. .	33
Catechu Tincture .. .. .	33
Caustic Potash .. .. .	13
Caustica .. .. .	11
Caustics .. .. .	11

	PAGE
Causticum Acidi Arseniosi .. .. .	11
Causticum Acidi Carbolici .. .. .	11
Causticum Acidi Chromici .. .. .	12
Causticum Argenti Nitratis .. .. .	12
Causticum Depilatorium .. .. .	13
Causticum Iodi .. .. .	13
Causticum Potassæ cum Calce .. .. .	13
Causticum Sabinæ .. .. .	14
Causticum Sodæ Æthylatis .. .. .	14
Causticum Zinci Chloridi .. .. .	15
Cera Alba .. .. .	55
Cera Flava .. .. .	18, 57
Chloral Hydrate .. .. .	33
Chloral Mixture .. .. .	33
Chlorate of Potash .. .. .	22, 29
Chlorate of Potash Gargle .. .. .	22
Chlorate of Potash Lotion .. .. .	29
Chloride of Zinc .. .. .	15
Chloride of Zinc Caustic .. .. .	15
Chlorinated Soda Gargle .. .. .	22
Chlorinated Soda Lotion .. .. .	30
Chloroform .. .. .	34
Chloroform Mixture .. .. .	34
Chromate of Lead .. .. .	49
Chromic Acid .. .. .	12
Chromic Acid Caustic .. .. .	12
Chrysophanic Acid Ointment .. .. .	52
Cimolia Terra .. .. .	49
Cinnabar Factitia .. .. .	11, 49, 58
Cinnamon-water .. .. .	33
Citrate of Iron and Ammonia .. .. .	35
Clyster .. .. .	19
Colchicum Mixture .. .. .	34
Colchicum Tincture .. .. .	34
Collyria .. .. .	15
Collyrium Atropiæ Sulphatis .. .. .	16
Collyrium Cupri Sulphatis .. .. .	16
Collyrium Hydrargyri Perchloridi .. .. .	16



	PAGE
Collyrium Zinci Sulphatis .. .. .	17
Colocynth, Compound Extract of .. .. .	46
Colocynth and Henbane Pill .. .. .	47
Compound Bismuth Powder .. .. .	49
Compound Extract of Colocynth .. .. .	46
Compound Mercurial Plaster .. .. .	18
Compound Soap Pill .. .. .	47
Compound Sulphur Confection .. .. .	17
Compound Tincture of Lavender .. .. .	31
Confectio .. .. .	17
Confectio Rosæ Caninæ .. .. .	48
Confectio Sulphuris Composita .. .. .	17
Confection .. .. .	17
Conii Extractum .. .. .	47
Conii Succus .. .. .	39
Copper, Sulphate of .. .. .	16, 28
Corrosive Sublimate .. .. .	16
Corrosive Sublimate Eye-water .. .. .	16
Corrosive Sublimate Gargle .. .. .	21
Corrosive Sublimate Lotion .. .. .	28
Creasote .. .. .	8, 55
Creasote Bath .. .. .	8
Creasote Ointment, Strong .. .. .	55
Creasotum .. .. .	8, 55
Croton-oil Pills .. .. .	46
Crotonis Oleum .. .. .	46
Cupri Sulphas .. .. .	16, 28
Dandelion Mixture .. .. .	39
Depilatory Caustic .. .. .	13
Diachylon Ointment .. .. .	55
Diaphoretic Mixture .. .. .	34
Digitalis, Tincture of .. .. .	35
Dilute Hydrocyanic Acid .. .. .	25, 32
Dilute Nitric Acid .. .. .	26
Dilute Nitrohydrochloric Acid .. .. .	31
Dilute Sulphuric Acid .. .. .	38
Diuretic Mixture .. .. .	35



	PAGE
Emplastrum .. .. .	18
Emplastrum Hydrargyri Compositum .. ..	18
Emplastrum Plumbi .. .. .	18, 55
Enema .. .. .	19
Enema Calcis cum Ferro .. .. .	19
Extract of Gentian .. .. .	47
Extract of Hemlock .. .. .	47
Extractum Aloës Barbadosis .. .. .	42
Extractum Colocynthis Compositum .. ..	46
Extractum Conii .. .. .	47
Extractum Gentianæ .. .. .	46, 48
Extractum Nucis Vomicae .. .. .	48
Extractum Sarsæ Liquidum .. .. .	38
Eye-waters .. .. .	15
Farina Lini .. .. .	10
Ferri et Ammoniaë Citras .. .. .	35
Ferri Perchloridum .. .. .	19
Ferri Sulphas .. .. .	46
Ferrum Tartaratum .. .. .	28
Gargarisma Acidi Tannici .. .. .	21
Gargarisma Hydrargyri Perchloridi .. ..	21
Gargarisma Potassæ Chloratis .. .. .	22
Gargarisma Sodæ Chloratæ .. .. .	22
Gargarismata .. .. .	20
Gargles .. .. .	20
Gelatine .. .. .	40
Gentian Extract .. .. .	46
Gluten Præparatum .. .. .	9
Glycerine .. .. .	23, 28, 30, 33, 40, 41, 42, 43, 51
Glycerine Lotion .. .. .	28
Glycerine Soap .. .. .	50
Glycerinum .. .. .	23, 28, 30, 33, 40, 41, 42, 43, 51
Glycerinum Acidi Tannici .. .. .	21
Glycerinum Guaiaci .. .. .	23
Glycerole .. .. .	23
Glycerole of Guaiacum .. .. .	23

	PAGE
Glycerole of Lead Ointment .. .. .	58
Glycerole of Subacetate of Lead .. .. .	45, 58
Glycerole of Tannic Acid ... .. .	21
Green Iodide of Mercury Pills .. .. .	47
Guaiacum Tincture .. .. .	23
Hemlock, Extract of .. .. .	47
Hemlock Juice .. .. .	39
Henbane .. .. .	47
Huile-de-Cade Paint .. .. .	44
Hydrargyri Iodidum Rubrum .. .. .	36
Hydrargyri Iodidum Viride .. .. .	47
Hydrargyri Perchloridum .. .. .	16, 56
Hydrargyri Oleas .. .. .	56
Hydrargyri Oxidum Flavum .. .. .	56
Hydrargyri Pilula .. .. .	47
Hydrargyri Subchloridum .. .. .	29
Hydrargyrum .. .. .	18
Hydrate of Chloral Mixture .. .. .	33
Hydrocyanic Acid, Dilute .. .. .	25
Hyoscyamus .. .. .	47
Injectio Aluminis et Zinci .. .. .	24
Injectio Vaginalis .. .. .	24
Iodide of Mercury Mixture .. .. .	36
Iodide of Mercury, Red .. .. .	55
Iodide of Potassium .. .. .	13, 36
Iodide of Potassium Mixture .. .. .	37
Iodine .. .. .	13, 44
Iodine Caustic .. .. .	13
Iodine Paint .. .. .	43
Iodoform .. .. .	57
Iodoform Ointment .. .. .	57
Iodum .. .. .	13, 44
Ipecacuanha and Opium Mixture .. .. .	36
Ipecacuanha Wine .. .. .	34, 36
Iridis Radicis Pulvis .. .. .	49
Iris Powder .. .. .	49



	PAGE
Iron and Opium Mixture .. .. .	35
Iron, Perchloride of .. .. .	19
Iron, Sulphate of .. .. .	46
Iron, Tartarated .. .. .	28
 Juniper Tar .. .. .	 44
 Lavender, Compound Tincture of .. .. .	 31
Lead, Chromate of .. .. .	49
Lead, Glycerole of Subacetate of .. .. .	45, 58
Lead Lotion .. .. .	29
Lead Paint .. .. .	45
Lead Plaster .. .. .	18, 55
Lead, Solution of Subacetate of .. .. .	29
Lime .. .. .	13
Lime and Iron Clyster .. .. .	19
Lime Lotion .. .. .	27
Lime Solution .. .. .	19
Lime, Sulphurated .. .. .	13
Lime-water .. .. .	19, 27, 29
Lini Farina .. .. .	10
Linseed Meal .. .. .	10
Liquor Arsenicalis .. .. .	32
Liquor Bismuthi et Ammoniaë Citratis .. .. .	32
Liquor Calcis .. .. .	19, 27, 29
Liquor Ferri Perchloridi .. .. .	35
Liquor Potassæ .. .. .	39
Lotio Acidi Benzoici .. .. .	24
Lotio Acidi Boracici .. .. .	25
Lotio Acidi Carbolici .. .. .	25
Lotio Acidi Hydrocyanici .. .. .	25
Lotio Acidi Nitrici .. .. .	26
Lotio Acidi Sulphurosi .. .. .	26
Lotio Aluminis .. .. .	26
Lotio Argenti Nitratis .. .. .	27
Lotio Bismuthi .. .. .	27
Lotio Boracis .. .. .	27
Lotio Calcis .. .. .	27



	PAGE
Lotio Cupri Sulphatis .. .. .	28
Lotio Ferri Tartarati .. .. .	28
Lotio Glycerini .. .. .	28
Lotio Hydrargyri Perchloridi .. .. .	28
Lotio Nigra .. .. .	29
Lotio Plumbi Subacetatis .. .. .	29
Lotio Potassæ Chloratis .. .. .	29
Lotio Potassæ Sulphuratæ .. .. .	30
Lotio Sodæ Chloratæ .. .. .	30
Lotio Zinci Oxidi .. .. .	30
Lotio Zinci Sulphatis .. .. .	31
Lotiones .. .. .	24
Lotions .. .. .	24
Lycopodium Powder .. .. .	49
Magnesiæ Carbonas .. .. .	31
Magnesiæ Sulphas .. .. .	31, 35
Medicated Waters .. .. .	7
Mercurial Plaster, Compound .. .. .	18
Mercury .. .. .	18
Mercury, Oleate of .. .. .	56
Mercury, Perchloride of .. .. .	16
Mercury, Red Iodide of .. .. .	36, 55
Mercury, Subchloride of .. .. .	29
Mercury, Yellow Oxide of .. .. .	56
Micæ Panis .. .. .	10
Mistura Acidi Nitrohydrochlorici .. .. .	31
Mistura Alba .. .. .	31
Mistura Arsenicalis .. .. .	32
Mistura Assafoetidæ .. .. .	32
Mistura Bismuthi .. .. .	32
Mistura Bismuthi <b>Acida</b> .. .. .	33
Mistura Catechu .. .. .	33
Mistura Chloralis Hydratis .. .. .	33
Mistura Chloroformi .. .. .	34
Mistura Colchici Alkalina .. .. .	34
Mistura Diaphoretica .. .. .	34
Mistura Diuretica .. .. .	35

	PAGE
Mistura Ferri cum Opio .. .. .	35
Mistura Ferri Perchloridi .. .. .	35
Mistura Hydrargyri Iodidi .. .. .	36
Mistura Ipecacuanhæ cum Opio .. .. .	36
Mistura Liquoris Potassæ .. .. .	36
Mistura Nucis Vomicae .. .. .	37
Mistura Potassii Bromidi .. .. .	37
Mistura Potassii Iodidi .. .. .	37
Mistura Quiniæ .. .. .	38
Mistura Salina .. .. .	38
Mistura Sarsæ .. .. .	38
Mistura Scillæ cum Conio .. .. .	39
Mistura Taraxaci .. .. .	39
Mistura Zinci Sulphatis .. .. .	39
Misturæ .. .. .	31
Mixtures .. .. .	31
Morphiæ Acetas .. .. .	40
Mucilage of Tragacanth .. .. .	29
Mucilago Tragacanthæ .. .. .	29
Nitrate of Bismuth .. .. .	33
Nitrate of Potash .. .. .	38
Nitrate of Silver .. .. .	12
Nitrate of Silver Caustic .. .. .	12
Nitrate of Silver Lotion .. .. .	27
Nitric Acid, Dilute .. .. .	26
Nitric Acid Lotion .. .. .	26
Nitrohydrochloric Acid .. .. .	8
Nitrohydrochloric Acid Mixture .. .. .	31
Nitrous Æther Spirit .. .. .	34
Nucis Vomicae Extractum .. .. .	48
Nux Vomica Mixture .. .. .	37
Nux Vomica Tincture .. .. .	37
Oil, Almond .. .. .	27
Oil, Bergamot .. .. .	58
Oil, Castor .. .. .	44
Oil, Croton .. .. .	46



	PAGE
Oil, Olive .. .. .	10
Oil, Phosphorated .. .. .	10
Oil of Stavesacre .. .. .	57
Oil of Tar .. .. .	44
Oil of Turpentine .. .. .	18
Ointments .. .. .	52
Oleate of Mercury Ointment .. .. .	56
Oleate of Zinc Ointment .. .. .	59
Oleum Amygdalæ .. .. .	27
Oleum Bergamot .. .. .	58
Oleum Betulæ Albæ .. .. .	57
Oleum Crotonis .. .. .	46
Oleum Juniperi Empyreum .. .. .	44
Oleum Olivæ .. .. .	10
Oleum Phosphoratum .. .. .	10
Oleum Picis Rectificatum .. .. .	44
Oleum Ricini .. .. .	44
Oleum Staphisagriæ .. .. .	57
Oleum Terebinthinæ .. .. .	18
Olive Oil .. .. .	10
Opium Pulvis .. .. .	47, 51, 53
Opium and Hemlock Pill .. .. .	47
Opium, Tincture of .. .. .	35, 36
Oxide of Mercury, Yellow .. .. .	56
Oxide of Zinc .. .. .	13, 14, 15, 30
Oxide of Zinc and Alum Powder .. .. .	49
Oxide of Zinc and Calamine Powder .. .. .	50
Oxide of Zinc Lotion .. .. .	30
Paints .. .. .	41
Pepper, Black .. .. .	46
Peppermint-water .. .. .	31, 32
Perchloride of Iron .. .. .	19
Perchloride of Iron Mixture .. .. .	35
Perchloride of Mercury .. .. .	16
Perchloride of Mercury Eye-water .. .. .	21
Perchloride of Mercury Gargle .. .. .	21
Perchloride of Mercury Lotion .. .. .	28



	PAGE
Perchloride of Mercury Ointment .. .. .	56
Perchloride of Mercury Paint .. .. .	43
Pessaries .. .. .	40
Pessi .. .. .	40
Pessus Acidi Tannici .. .. .	40
Pessus Morphiæ .. .. .	40
Phosphorated Oil .. .. .	10
Phosphorus Oil Capsules .. .. .	10
Picis Oleum Rectificatum .. .. .	44
Pigmenta .. .. .	41
Pigmentum Acidi Carbolici .. .. .	41
Pigmentum Acidi Tannici .. .. .	41
Pigmentum Aloës .. .. .	42
Pigmentum Benzolis .. .. .	42
Pigmentum Glycerini .. .. .	42
Pigmentum Hydrargyri Perchloridi .. .. .	43
Pigmentum Iodi .. .. .	43
Pigmentum Olei Cadi .. .. .	44
Pigmentum Olei Ricini .. .. .	44
Pigmentum Picis cum Iodo .. .. .	44
Pigmentum Picis Liquidæ .. .. .	45
Pigmentum Plumbi .. .. .	45
Pills .. .. .	46
Pilula Acidi Arseniosi .. .. .	46
Pilula Aloës et Assafoetidæ .. .. .	46
Pilula Aloës et Assafoetidæ cum Ferro .. .. .	46
Pilula Colocynthidis cum Hyoscyamo .. .. .	47
Pilula Crotonis Olei .. .. .	46
Pilula Hydrargyri .. .. .	47
Pilula Hydrargyri cum Colocynthide .. .. .	47
Pilula Hydrargyri Iodidi Viridis .. .. .	47
Pilula Opii et Conii .. .. .	47
Pilula Podophylli cum Nuce Vomicae .. .. .	48
Pilula Saponis Composita .. .. .	47
Pilula Zinci Valerianatis .. .. .	48
Pilulæ .. .. .	46
Pimento-water .. .. .	34
Piper Nigrum .. .. .	46

	PAGE
Pix Liquida .. .. .	45
Plaster .. .. .	18
Plaster, Lead .. .. .	18
Plumbi Chromas .. .. .	49
Plumbi Emplastrum .. .. .	18, 55
Plumbi Subacetatis Glycerinum .. .. .	45, 58
Plumbi Subacetatis Liquor .. .. .	29
Podophylli Resina .. .. .	48
Podophyllin and Nux Vomica Pills .. .. .	48
Potassa Caustica .. .. .	13
Potassa Sulphurata .. .. .	9, 30
Potassæ Acetas .. .. .	35
Potassæ Bicarbonas .. .. .	33, 34
Potassæ Chloras .. .. .	22, 29
Potassæ Carbonas .. .. .	58
Potassæ Nitras .. .. .	38
Potassæ Tartras Acida .. .. .	17
Potash, Acetate of .. .. .	35
Potash, Bicarbonate of .. .. .	33
Potash, Carbonate of .. .. .	58
Potash, Caustic .. .. .	13
Potash, Chlorate of .. .. .	22, 29
Potash Lime Caustic .. .. .	13
Potash Mixture .. .. .	36
Potash, Nitrate of .. .. .	38
Potash, Solution of .. .. .	36
Potash, Sulphurated .. .. .	9, 30
Potassii Bromidum .. .. .	37
Potassii Iodidum .. .. .	13, 36, 37, 43
Potassium, Iodide of .. .. .	13, 36, 37, 43
Poultices .. .. .	10
Powder, Bismuth .. .. .	49
Powdered Opium .. .. .	47, 51
Powders .. .. .	48
Precipitated Sulphur .. .. .	17, 58
Prepared Calamine .. .. .	30, 50, 54
Prepared Storax .. .. .	18, 58
Prolonged Water-bath .. .. .	9



	PAGE
Prussic Acid Lotion .. .. .	25
Pulveres .. .. .	48
Pulvis Amygdalæ .. .. .	48
Pulvis Amyli .. .. .	49
Pulvis Asbesti .. .. .	49
Pulvis Bismuthi Compositus .. .. .	49
Pulvis Cimoliæ .. .. .	49
Pulvis Iridis Radicis .. .. .	49
Pulvis Lycopodii .. .. .	49
Pulvis Opii .. .. .	47, 51
Pulvis Sabinæ .. .. .	14
Pulvis Zinci Oxidi et Aluminis .. .. .	49
Pulvis Zinci Oxidi et Calamini .. .. .	50
Pyrogallic Acid Ointment .. .. .	53
Quinine Mixture .. .. .	38
Rectified Oil of Tar .. .. .	44
Rectified Spirit of Wine .. .. .	12, 13, 42, 43, 51
Red Iodide of Mercury .. .. .	36
Red Iodide of Mercury Ointment .. .. .	55
Red Poppies, Syrup of .. .. .	33
Resin .. .. .	18
Resina .. .. .	18
Resina Podophylli .. .. .	48
Rhœados Syrupus .. .. .	33
Ricini Oleum .. .. .	44
Rosæ Caninæ Confectio .. .. .	48
Sabinæ Pulvis .. .. .	14
Sal Marinus .. .. .	9
Salicylic Acid Ointment .. .. .	53
Saline Mixture .. .. .	38
Sapo Durus .. .. .	51
Sapo Durus cum Glycerino .. .. .	50
Sapo Mollis .. .. .	51
Sapones .. .. .	50



	PAGE
Saponis Mollis, Spiritus .. .. .	51
Sarg's Glycerine Soap .. .. .	50
Sarsæ Extractum Liquidum .. .. .	38
Sarsaparilla Mixture .. .. .	38
Savin Caustic .. .. .	14
Savin Powder .. .. .	14
Scillæ Acetum .. .. .	35
Sea-salt .. .. .	9
Sea-water Bath .. .. .	9
Silver, Nitrate of .. .. .	12
Size .. .. .	9
Size Bath .. .. .	9
Soap, Glycerine .. .. .	50
Soap, Hard .. .. .	51
Soap Pill, Compound .. .. .	47
Soap, Soft .. .. .	51
Soaps .. .. .	50
Sodæ Æthylas .. .. .	14
Soda, Chlorinated .. .. .	22
Sodæ Carbonas .. .. .	8
Sodæ Chloratæ Liquor .. .. .	22
Solution of Chlorinated Soda .. .. .	22
Solution of Citrate of Bismuth and Ammonia ..	32
Solution of Perchloride of Iron .. .. .	35
Solution of Potash .. .. .	36, 39
Solution of Subacetate of Lead .. .. .	29
Spirit of Soft Soap .. .. .	51
Spirit of Wine .. .. .	12, 13, 42, 43, 51
Spiritus Ætheris Nitrosi .. .. .	34
Spiritus Saponis Mollis .. .. .	51
Spiritus Vini Rectificati .. .. .	12, 13, 42, 43, 51
Squill and Hemlock Mixture .. .. .	39
Squill Tincture .. .. .	39
Squills, Vinegar of .. .. .	35
Staphisagriæ Oleum .. .. .	57
Starch .. .. .	49
Stavesacre-oil Ointment .. .. .	57
Storax Ointment .. .. .	58

	PAGE
Storax, Prepared .. .. .	18
Strong Creasote Ointment .. .. .	55
Styrax Præparata .. .. .	18, 58
Subacetate of Lead, Glycerole of .. .. .	45
Subacetate of Lead, Solution of .. .. .	29
Subchloride of Mercury .. .. .	29
Subnitrate of Bismuth .. .. .	27, 49, 54
Succus Couii .. .. .	39
Succus Taraxaci .. .. .	39
Sulphate of Atropia .. .. .	16
Sulphate of Copper .. .. .	16, 28
Sulphate of Copper Lotion .. .. .	28
Sulphate of Copper Eye-water .. .. .	16
Sulphate of Iron .. .. .	46
Sulphate of Magnesia .. .. .	31
Sulphate of Quinine .. .. .	38
Sulphate of Zinc .. .. .	17, 31
Sulphate of Zinc Eye-water .. .. .	17
Sulphate of Zinc Lotion .. .. .	31
Sulphate of Zinc Mixture .. .. .	39
Sulphur Bath .. .. .	9
Sulphur Confection .. .. .	17
Sulphur and Potash Ointment .. .. .	58
Sulphur, Precipitated .. .. .	17, 58
Sulphur Præcipitatum .. .. .	17, 58
Sulphurated Lime .. .. .	13
Sulphurated Potash .. .. .	9, 30
Sulphurated Potash Lotion .. .. .	30
Sulphuric Acid, Dilute .. .. .	38
Sulphurous Acid .. .. .	26
Sulphurous Acid Lotion .. .. .	26
Suppositoria .. .. .	51
Suppositoria Acidi Tannici cum Opio .. .. .	51
Suppository .. .. .	51
Syrup of Red Poppies .. .. .	33
Syrupus Rhœados .. .. .	33
 Tannic Acid .. .. .	 21, 40, 51



	PAGE
Tannic Acid Gargle .. .. .	21
Tannic Acid and Opium Ointment .. .. .	53
Tannic Acid Paint .. .. .	41
Tannic Acid Suppository .. .. .	51
Tar .. .. .	45
Tar, Birch .. .. .	57
Tar, Oil of .. .. .	44
Tar-oil and Iodine Paint .. .. .	44
Tar Paint .. .. .	45
Taraxacum Juice .. .. .	39
Tartarated Iron .. .. .	28
Tartarated Iron Lotion .. .. .	28
Tartrate of Potash, Acid .. .. .	17
Terræ Cimoliæ, Pulvis .. .. .	49
Terebinthinæ Oleum .. .. .	18
Theriaca .. .. .	17, 38
Thymol .. .. .	10
Thymol Poultice .. .. .	10
Tinctura Catechu .. .. .	33
Tinctura Colchici Seminum .. .. .	34
Tinctura Digitalis .. .. .	35
Tinctura Ferri Perchloridi .. .. .	19
Tinctura Guaiaci .. .. .	23
Tinctura Lavandulæ Composita .. .. .	31
Tinctura Nucis Vomiciæ .. .. .	37
Tinctura Opii .. .. .	35, 36
Tinctura Scillæ .. .. .	39
Tincture of Guaiacum .. .. .	23
Tincture of Steel .. .. .	19
Tragacanth Mucilage .. .. .	29
Tragacanthæ Mucilago .. .. .	29
Treacle .. .. .	17, 38
Turpentine Oil .. .. .	18
Unguenta .. .. .	52
Unguentum Acidi Boracici .. .. .	52
Unguentum Acidi Chrysophanici .. .. .	52
Unguentum Acidi Pyrogallici .. .. .	53



	PAGE
Unguentum Acidi Salicylici.. .. .	53
Unguentum Acidi Tannici cum Opio .. ..	53
Unguentum Alizarini .. .. .	53
Unguentum Bismuthi .. .. .	54
Unguentum Calamini .. .. .	54
Unguentum Camphoræ .. .. .	54
Unguentum Creasoti Forte .. .. .	55
Unguentum Diachyli .. .. .	55
Unguentum Hydrargyri Iodidi Rubri Forte ..	55
Unguentum Hydrargyri Oleatis .. .. .	56
Unguentum Hydrargyri Oxidi Flavi .. ..	56
Unguentum Hydrargyri Perchloridi .. ..	56
Unguentum Iodoformi .. .. .	57
Unguentum Olei Betulæ .. .. .	57
Unguentum Olei Staphisagriæ .. .. .	57
Unguentum Plumbi Glycerini .. .. .	58
Unguentum Styracis .. .. .	58
Unguentum Sulphuris cum Potassâ .. ..	58
Unguentum Zinci Oleatis .. .. .	59
Vaginal Injection .. .. .	24
Valerianate of Zinc Pills .. .. .	48
Vaseline .. .. .	55
Vinegar of Squills .. .. .	35
Vinum Ipecacuanhæ .. .. .	34, 36
Water-bath, Prolonged .. .. .	9
Water, Camphor .. .. .	37
Water, Cinnamon .. .. .	33
Water, Peppermint .. .. .	31
Water, Pimento .. .. .	34
Waters, Medicated.. .. .	7
Wax, White .. .. .	55
Wax, Yellow .. .. .	18, 57
White Mixture .. .. .	31
White Wax .. .. .	55
Wine, Spirit of .. .. .	12, 13, 42, 43, 51

	PAGE
Yellow Oxide of Mercury Ointment .. .. .	56
Yellow Wax .. .. .	18, 57
Zinc, Chloride of .. .. .	15
Zinc, Oleate of .. .. .	13, 59
Zinc, Oxide of .. .. .	13, 14, 15, 30, 49, 50
Zinc, Sulphate of .. .. .	17, 31, 39
Zinci Chloridum .. .. .	15
Zinci Oleas .. .. .	13, 59
Zinci Oxidum .. .. .	13, 14, 15, 30, 49, 50
Zinci Sulphas .. .. .	17, 24, 31
Zinci Valerianas .. .. .	48

