

An improved method of extraction of cataract : with results of 107 operations / by J.R. Wolfe.

Contributors

Wolfe, J. R. 1824-1904.
University of Glasgow. Library

Publication/Creation

London : John Churchill, 1868.

Persistent URL

<https://wellcomecollection.org/works/jmrgk28k>

Provider

University of Glasgow


License and attribution

This material has been provided by This material has been provided by The University of Glasgow Library. The original may be consulted at The University of Glasgow Library. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



No.


13959-e. 24

1875.

GLASGOW
UNIVERSITY
LIBRARY.

EUING COLLECTION.





AN IMPROVED METHOD
OF
EXTRACTION OF CATARACT,
WITH
RESULTS OF 107 OPERATIONS.

BY
J. R. WOLFE, M.D., F.R.C.S.E.,

OPHTHALMIC SURGEON IN THE ABERDEEN ROYAL INFIRMARY, AND THE ABERDEEN EYE INSTITUTION;
LECTURER ON OPHTHALMIC SURGERY IN THE ABERDEEN MEDICAL SCHOOL.


WITH ILLUSTRATIONS.



LONDON:
JOHN CHURCHILL AND SONS.

1868.

No 4420



TO


L. A. DESMARRES,

PROFESSOR OF OPHTHALMOLOGY AT PARIS,
OFFICER OF THE LEGION OF HONOUR,
KNIGHT OF VARIOUS ORDERS OF SWEDEN, BELGIUM,
SICILY, AND ROME,
&c., &c.,

THESE PAGES ARE INSCRIBED

BY HIS FORMER PUPIL,

THE AUTHOR



P R E F A C E.

THE very favourable notice which these papers received from the French Medical Press on their appearance in the columns of *The Lancet*, encourages me to republish them in this collected form.

The discovery of the Ophthalmoscope, by enabling us to ascertain accurately the condition of the deep-seated structures of the eye, has given an impulse to the cultivation of all branches of ophthalmic science, from which, so important an operation as that for the cure of cataract could not remain excluded.

Indeed, so numerous have been the modifications introduced within a short period, that no small amount of confusion has resulted. Operation after operation has been brought forward, lauded as an improvement, and then abandoned, so that only a careful study of the progress of this branch of surgery will prevent one practising operations which had been abandoned as useless by their projectors. I have, therefore, in the first place, given a succinct account of the various operations that have from time to time been introduced, and have

given an estimate, which I have tried to render as impartial as possible, of the advantages and disadvantages of each.

In the revolution which has taken place, I have endeavoured to preserve the really valuable ideas that have been suggested, from being lost amidst the waste in which, in many cases, they have been imbedded.


The operation which I have proposed, and to which I have given a fair trial—extending over a period of four years—has proved so encouraging in its results, as, I think, fairly to warrant me in hoping that it may prove of permanent advantage, and by diminishing the risk of failure, be an acquisition in the treatment of this affection.

UNION STREET, ABERDEEN,

August, 1868.

CONTENTS.

	Page.
History,	9
Daviel's Method, or Flap Extraction,	12
Risks and Inapplicability,	14
Solution or Absorption,	17
Depression and Couching,	18
Dangers,	20
Glaucoma,	21
Pathology of Glaucoma,	25
Operation of Iridectomy— Author's Modification,	31
Schust's Method,	36
Bowman and Critchett's Modification,	38
Appreciation—Cases,	39
Mooren's Method,	44
Jacobson's Method,	45
Appreciation,	46
Graefe's Operation,	48
Knapp's Results,	52
Arlt's Results,	52
Appreciation,	53
Hasner's Criticism,	55
The Author's Method,	56
Table of Results,	68
Remarks,	68
Case of Tobacco Delirium,	69
Concluding Remarks,	71



IMPROVED METHOD

OF

EXTRACTION OF CATARACT.

MY object in these pages is to submit to the profession the results of 107 cases of cataract, which I have extracted by a new method ; to compare this method with the ordinary flap extraction, and with the other procedures lately introduced by the German ophthalmologists.

For a period of five years I tried these various methods in a considerable number of cases, in the public institutions with which I am connected, as well as in my private practice ; but during the last four years I have adopted the procedure which I call Extraction by "*Iridectomy and Small Corneo-Conjunctival Flap*,"¹ and which I find highly encouraging in its results.

In order to avoid a hasty generalisation, and to arrive at a satisfactory conclusion, I have not restricted my observations to the experience obtained within the scope of my own practice, but have frequently visited

¹ It is very difficult to give a short definition which shall sufficiently express the distinctive characteristics of such an operation ; that which I have adopted appears to me to define it sufficiently for practical purposes.

the different Ophthalmic Hospitals in this country and on the continent, with the view of seeing as many patients as possible at different stages; and it is only after a long study and comparison of the relative advantages and disadvantages of the different methods that I venture now to recommend my modification to others for trial.

To give a connected view of the whole subject, it will be best to submit a short outline of the history of the operation of extraction, and to trace the different stages of its development. It will thus be interesting to see how we have progressed step by step in our course of improvement; how we have turned a hazardous operation—an operation fraught with anxiety to the surgeon and risk to the patient—into one of comparative ease and security.

The history of extraction of cataract can, according to Rhazes, be traced as far back as the end of the first century, when it was performed by Antyllus, and at a later period by Lathyrion. Ali-Abas, in the tenth century, knew also of the operation, and later, Abulkasem, having found it dangerous, tried to make the cataract disappear by suction, a method generally employed by the Persians.¹ But if the operation ever was performed

¹ The suction method was introduced by Professor Laugier of Hotel Dieu of Paris in 1847, performed by means of a very ingenious pump-needle made by Charrier. Desmarres practised it also in many cases, but had to give it up as a bad procedure. In cases of *liquid* cataract it is very enticing to use that instrument, because an immediate result is produced, but such cataracts are comparatively rare, and a *soft* cataract cannot be thus got rid of. We are apt to pump out the vitreous, which has a less density than the lens, and thus cause collapse of the globe, whilst no impression whatever can be made upon the nucleus. Charrier's instrument is constructed

at that remote period, it had fallen into oblivion, and was practically unknown till 1707, when Saint-Yves, in the presence of Méry, made an incision in the cornea, and by means of a curette extracted a cataract, which, after depression, had risen up again, and passed through the pupil into the anterior chamber. The following year Pourfour du Petit performed the same operation upon a priest in the presence of Saint-Yves and Méry. The latter submitted an account of these operations to the Académie des Sciences,¹ in which he proposed to extract a cataract through a corneal incision, not only when dislocated into the anterior chamber, but also when lying *in situ* behind the iris. As the author, however, never performed the operation which he so ingeniously suggested, his advice was fruitless, and nothing further was made known on the subject until the hint was reduced to practice, and the whole particulars of the process published by Daviel, a French surgeon, in 1745.² To Daviel, therefore, belongs the credit of having obtained that new conquest to science,

so as at the same time to depress the nucleus if necessary, rendering the operation a compound one—suction and depression.

Mr. Teal, Jun., of Leeds, has within the last few years revived that method. Mr. Bowman, who adopted this operation, devised a very elegant suction instrument for the purpose. From my personal experience, and from what I have seen of it as practised by others, I do not think that it offers much encouragement: A *liquid* cataract can easily be removed by a small corneal puncture, or it disappears in a few days from the anterior chamber after opening the capsule with a needle; a *soft* cataract can be removed by a linear incision, after a few days' maceration of the lens, with more ease and safety than can be effected by the introduction of pumping instruments, which are not without their own risks. All such devices appear to me to serve the object of despatch at the expense of the safety of the organ.

¹ Mémoires de l'Académie des Sciences, 1708, p. 310.

² Daviel: Sur une Nouvelle Méthode de Guérir la Cataract par l'Extraction du Crystallin (Mémoire de l'Académie de Chirurgie, t. ii., p. 336, 4to ed., 1753).

in systematising the process of extraction of the crystalline lens through an incision in the cornea. Daviel's procedure has subsequently been modified by Lafaye, Wenzel, Richter, Barthe, and Beer. It would be out of place here to mention all the modifications which Daviel's method has undergone; they refer partly to the size and direction of the flap, and partly to the form of the various instruments used.

Daviel's Method, or Flap Extraction.

THE object of this operation, then, is the removal of the opaque crystalline lens from the eye, through the pupil, and through a semicircular opening made in the cornea, either in its upper or in its lower half. The incision must be made large enough to allow easy exit to the lens without the use of much pressure, which would do violence to the iris, or would rupture the hyaloid membrane, and force out the vitreous humour. On the other hand, it must not be made too large, lest it should prevent coaptation of the flap, and interfere with union by first intention. The size must be regulated by the nature and density of the cataract. If it has a hard large nucleus, the section should commence at the transverse diameter of the cornea, the twentieth of an inch from its sclerotic junction, thus opening the half of its circumference; but when the cataract is of a homogeneous softish consistency, or with a small nucleus, a section of five-twelfths of the circumference is sufficient, as such

a cataract can mould itself and pass through a smaller opening. Mackenzie advises to make the incision "at least one-half the circumference of the cornea," and mentions Ware as proposing even the nine-sixteenth part.¹ After the incision is duly made, the anterior hemisphere of the capsule is to be lacerated as widely as possible with the cystotome, and the lens to be gently squeezed out through the opening.

When this operation is well performed, and the healing process proceeds regularly, it leaves nothing to be desired; it is so beautiful in its results and appearance that it may be called the *chef-d'œuvre* of surgery. So high was my appreciation of this method, that four years ago, when exhibiting to the Aberdeen Medico-Chirurgical Society four of my first cases operated on by my improved method, I stated: "Of all the new methods which have lately been proposed for the extraction of cataract, none is, in my opinion, ever destined to supersede the ordinary flap extraction. Any given case of hard cataract without complications runs the best chance of success by the old classic operation, which is, moreover, so brilliant in its results that I should never look for another operative procedure. But cases, like those which I have the honour of presenting to you, do occur which are associated with local or constitutional complications, rendering the old method either too hazardous, or impossible. To overcome such difficulties we must devise new plans for the removal of the opaque lens."

But it must be allowed that, besides the inapplicability

¹ Mackenzie: *Practical Treatise on the Diseases of the Eye*. 4th edit., p. 788.

of the flap operation to some cases, it carries a host of contingencies in its train. Not to mention the accidents which may occur during the operation, but which may be overcome by dexterity and coolness of judgment, there are others beyond the control of the operator, and which may undo his best executed work. It is evident that the ordinary flap extraction is inapplicable to a cataractous eye complicated with—

1. An adherent pupil, with or without pseudo-membranous exudations.
2. Confluence of the vitreous humour (synchysis).
3. Dropsy of the anterior chamber (hydrophthalmus).
4. Central opacity of, or conical cornea.
5. Posterior staphyloma.
6. Glaucoma.

Moreover, as the patient is required, after such an operation, to remain perfectly quiescent for about four, six, or eight days, it is impracticable to those who are suffering from—

1. Rheumatism or sciatica.
2. Disease of the bladder or bowels.
3. Bronchitis.
4. Hysterical or epileptiform attacks.

M. Desmarres tells of a patient, Baron V—— (an important political personage), in whom, on examining the eye the third day after extraction, he found the sight good and the flap united; all of a sudden when he was about to leave, the patient was seized with a fit of sneezing, which burst the flap, and the eye was completely destroyed. Every ophthalmic surgeon will be able to supply instances from his own experience where such an

untoward accident as coughing, straining, starting, &c., saddened his brightest prospects.

Let us briefly analyse the principal factors which render the operation *per se* hazardous, and see how we can eliminate them.

1. *The large corneal incision* requires some days before it heals, and a few additional days before the cicatrix is out of risk of being burst open. Now, in a patient of strumous habit, or in a state of senile marasmus, such a large flap is apt to suppurate, independent of other contingencies or mal-coaptation; although it must be admitted that primary suppuration of the cornea is very rare indeed.

2. *The lens may be found unnaturally adhering to the capsule*—one of those cataracts which come slowly to maturity; and instead of coming out entire, the nucleus alone comes through, leaving the cortical substance in the equator of the eye, which no coaxing can entirely remove. The fragments which remain within the interstices of the capsule may cause proliferation of its epithelial cells and those of the membrane of Descemet, and thus act as a focus of inflammation. But,

3. *The iris* is the most fruitful source of subsequent mischief. The sphincter iridis sometimes contracts so much that the capsule cannot be sufficiently opened, or even after it had been opened the iris may close upon the lens, preventing its easy exit; inordinate pressure is used, and contusion is the result. Now, if this membrane has been wounded by the knife, or lacerated by the cystotome, and particularly if it has been contused by undue pressure during the *accouchement* of the lens, a form of

iritis develops itself, which may either close the pupil, or extend its inflammatory process to the wound, causing the latter to burst, and so produce hernia iridis and anterior adhesions, or it may even extend to the ciliary circle and to the deep membranes, causing panophthalmitis and complete destruction.

With so much anxiety did our classic writers caution us against lesion of the iris, which they considered as the starting-point of nearly all the ills that befall the eye after extraction, that Mackenzie's advice is, in case "the iris has fallen under the edge of the knife, an attempt must be made to push it back by pressing with the point of the forefinger on the cornea; but if the iris does not retire on pressure of the cornea, the *knife must be withdrawn, and either the operation deferred to a future day*, or a small probe-pointed knife introduced through the aperture which has been made, pushed gently through the anterior chamber to the nasal edge of the cornea, and over the end of it an opening made with another knife, so as to allow it to come through, after which the incision is to be finished exactly in the same way as if the sharp-pointed knife only had been employed." As far as I know, M. Desmarres was the first to advise us that when a fold of the iris has fallen upon the knife, it is better to run the knife through it; for although in cases of contusion or laceration we must expect some mischief, yet when a slice of the iris has been cleanly cut off, the healing process is far easier, and no iritis need be apprehended. This doctrine seems to me to contain the germ of many of the improvements which of late years have been introduced in ophthalmic operations.

IN submitting an outline of the progress and development of the operation of extraction of cataract, I cannot avoid touching, though briefly, on the other two methods of removing the lens from the axis of vision—namely, that by solution and that by depression.

Solution or Absorption.

This operation consists in lacerating the capsule with a needle introduced either through the sclerotic or through the cornea, and thus leaving the lens exposed to the action of the aqueous humour to be dissolved and absorbed. It is an excellent and safe method, but its employment must be restricted to—

1. Cataract of infants, excepting zonular, where artificial pupil is to be preferred.
2. Adults before the age of forty.
3. Fluid cataracts at all ages.

In these cases the operation by solution is more than likely to keep its ground amidst all innovations. But after the age of forty or forty-five, when the lens is generally of a denser consistency, and absorption less vigorous, it requires long time and frequent introduction of the needle, and thus becomes a tedious and unsafe procedure. Indeed, in old people, the chance of inducing blindness during the process of solution is very great, on account of the condition of the tissues, altered by senile metamorphosis, which, coming in contact with the swollen lens, are apt to take on inflammatory action. Neither is the process of solution to be thought of in traumatic cataract, even in young persons, when the internal mem-

branes have suffered by the injury. In fact, in every case the operator must keep himself in readiness to remove the lens whenever dislocated fragments or great swelling of the lens cause irritation and assume a threatening aspect! The following case will illustrate this:—

R. A., age 9, was sent to me by Dr. Polson, of Friockheim, with a traumatic cataract in his left eye, caused by a stroke four weeks before admission. I introduced the needle through the sclerotic to enlarge the capsular opening, and at the same time liberate the iris. The case went on to my best expectation for about three weeks, when one morning he presented himself with pain in the eye, and the anterior chamber full of blood. He had gone to bed quite well, but was roused during the night by pain, and in the morning was found in this condition. I put him under chloroform, performed iridectomy, and extracted the lens. Dismissed June 24, 1868, ten days after operation, cured; sees small objects.

Depression and Couching.

THE operations of *depression* and *couching* have played a most conspicuous part in ophthalmic surgery. They are performed by introducing a needle through the sclerotic or cornea, and by thrusting the lens directly downwards (*depression*), or by pressing it downwards, backwards, and outwards, so that it should recline with its anterior face directed upwards; hence *reclination* or *couching*. In either case a bed is made for the lens in the interior of the eye at the expense of the broken-up

cells of the vitreous humour. The result is, that when the lens is soft, it cannot be depressed at all, but is merely broken up, and is partly dissolved and partly remains in the aqueous humour, forming a nucleus for a secondary cataract, or for something more serious.

This operation originated at a period when the doctrine of Celsus and Galen was prevailing—viz., that the lens was the essential organ of vision, and that cataract was a pellicle formed in front of it, which could easily be depressed and removed from the pupil.¹ Yet even after Kepler (1604) proved that the lens was merely a refracting medium, and Maître-Jan, Heistre, Saint-Yves, and Brisseau had established by demonstration that cataract was an opacity of the lens itself surgeons still continued depressing on account of the facility of execution. At one period of its history, indeed, it seemed as if this operation was to take precedence of extraction. But, thanks to our better means of diagnosis, and to improvements in our operative procedures, couching has well-nigh disappeared from British practice, and will very soon have only a historic existence. Couching owes its long existence to the facility with which it can be performed. Nothing can be more easy than to put in a needle and push the lens out of sight; but alas for the consequences!

In instituting a comparison between these two methods by authenticated statistics on a large scale—*i.e.*, in 2073 extractions and 177 depressions—we find that,

¹ Fabricius ab Aquapendente interprets thus :—Suffusio latinis *ὑποχύμα* Græcis, vulgo cataracta dicitur, sumpta, uti opinor denominatione ab illis portis quæ in oppidis et castris superna deorsum cadunt. *Op. Chir. de Suff.*, p. 57.

whilst 1 eye in every 10 is lost in extraction, 1 in every $3\frac{1}{2}$ is lost in couching or depression.¹ Further, the worst issue of extraction are suppuration, panophthalmitis, and—loss of vision; but depression records four deaths in such able hands as Dupuytren,² and, what is worse, the miserable existence of some victims of that method caused by chronic irido-choroiditis. For the depressed lens may act as a foreign body, irritate the retina, or roll forward against the ciliary processes and iris, and thus act as a constant focus of inflammation to harass the patient's life. "Irido-choroiditis is the most obstinate and cruel affection that I know. It not only makes the patient desperate by the often-recurring pain, but may even compromise life, as in the case of old people. It is impossible to mistake that terrible disease when, after couching, redness of the eye present itself with interminable neuralgie, against the return and duration of which all means remain ineffectual—bleeding, leeches, cupping, opiates, quinine—nothing can arrest the progress of the disease; and after months, sometimes even more than a year, the eye shrinks or is struck with amauresis. Fortunate is the patient whose constitution resists all these sufferings!" For the arresting of this terrible issue of couching Desmarres first applied excision of a portion of the iris. "We cannot too soon," he says, "resort to that measure as the only means of relieving the pain, and of, sometimes, saving the eye from certain destruction through slow atrophy."³

¹ Rivaud-Landrau : *Annales d'Oculistiques*, 1862.

² *Leçons Orales*, t. iii., p. 335.

³ *Maladies de l'Œil*, t. iii., p. 371. When iridectomy proves unavailing, and the eye is already amaurotic, enucleation is the only alternative to save the other eye from destruction by sympathetic ophthalmia.

Professor v. Graefe achieved a great improvement in this department of ophthalmology, which entitles him to a fair claim on our gratitude, by extending the doctrine of excision of the iris (iridectomy) to the cure of glaucoma, on which he published a memoir in 1857.¹

As the extension of iridectomy has in reality formed the basis of the modern improvements in the operation of extraction, and as a great deal has been written of late years on the cure of glaucoma by iridectomy—a subject over which much obscurity still hangs,—it may not be out of place, in view of its proper elucidation, to give here a *résumé* of the present state of the science in connection with it.

Glaucoma.

THE disease called glaucoma, on account of the peculiar sea-green or bottle-green reflection from the background of the eye, is characterised by attacks of excruciating paroxysmal throbbing pains in the eye-ball, radiating thence to the various parts supplied by the fifth pair—great sense of fulness, and tension of the globe—sensation of fiery prismatic spectra—*muscæ volitantes*—flashes or scintillations; very soon vision becomes misty, the density of the mist increases, whilst perception of the natural light diminishes. The sight may thus be abolished by one violent attack even within twenty-four hours, or it may be lost gradually after several recurrent invasions, with weeks or months of interval. These

¹ Archiv fur Ophthalmologie, vol. iii. part 2.

symptoms may set in either suddenly without warning, or with indistinct premonitory symptoms. There is constitutional fever, and the local symptoms are marked by the appearance of large tortuous veins traversing the subconjunctival cellular tissue, close to the corneal margin. These are developed as auxiliary veins from the compression of the *vasa vorticosa*.

The *cornea* has lost its transparency, and presents the appearance of glass when breathed upon, and is insensible to touch ; its convexity is also diminished.

The *iris* is paler and drier than in its natural state, is atrophied and arched forwards ; this, with the diminished convexity of the cornea, causes flattening of the anterior chamber.

The *pupil* is fixed and dilated, sometimes of a transversely oval shape.

The *aqueous chamber* appears as if filled with smoke, or milky, which gets thicker and thicker, until it assumes its characteristic sea-green coloration. It may change its aspect several times a day.

Such being the symptoms of a typical case of well-marked glaucoma, it will be understood that, these, may occur in any less degree of intensity, or that many, or even most, may be absent. But one characteristic symptom which never fails, and may be considered as pathognomonic, is *tension* of the globe, rendering it as hard as marble when touched through the eyelid.¹ In an ad-

¹ Graefe, Donders, and Hammer have constructed instruments for the measurement of the degree of hardness. The one invented by M. Dor is the most perfect of the kind. For clinical purposes, the application of the two fingers through the eyelids elicits the surest indication of the degree of hardness, as well as that of softness of the eye.

vanced stage, when the cornea is hazy, or when there exists a state of syrous chemosis, lachrymation, with spasm of the orbiculars, ophthalmoscopic examination becomes impossible ; but under more favourable circumstances, the ophthalmoscope reveals a depression of the optic disc, the retinal vessels dilated, and tortuous dipping into a hollow to reach the disc, and sometimes also pulsation of the arteria contralis and veins. It must be remarked, however, that the ophthalmoscopic signs in themselves are not quite conclusive, because the papilla is cupped in other amaurotic affections, and the arterial pulsations may be observed even in a healthy eye under certain circumstances of excitement ; but they certainly are corroborative evidence when in connection with *anæsthesia of the cornea, atrophied and slate-coloured iris, dilated and fixed pupil, and hardness of the globe.*

All these symptoms are caused by intraocular pressure. This is proved by the circumstance that the media clears up, and corneal sensibility returns, by the evacuation of the aqueous humour. In a healthy state of the parts, the pressure of the external tunics on the one hand, and of the humours on the other, are so balanced as to permit the nutrition of all the parts to go on with regularity ; but when from any cause whatever the volume of the humours is increased, the exaggerated intraocular pressure interferes with the functions of the parts, inasmuch as the sclerotic cannot yield to this pressure, except with extreme slowness. When, therefore, tension is exerted rapidly, its action on the nerves and vessels is productive of the severe pain and the other acute symptoms. But when the tension has come on gradually, so that the

sclerotic has had time to distend, and so to accommodate the hypersecretion of the affected parts, then we have the same train of pathological changes only in a *chronic form*. This latter steals on invidiously, with dimness of vision, accompanied with little or no pain. It may take some months, or even a year or two, for its development, when it may betray its existence by suddenly breaking out into an acute attack, or by simple loss of vision. Now, if we happen to examine an eye under such conditions, we find nothing but *tension* discernible. There is one difference, however, between the acute and the chronic form, viz., whilst the acute attack induces a state of hypermetropia, or augments the pre-existing presbyopia, the chronic form, on the other hand, has the effect of enabling presbyopic persons to read without spectacles, and nearer than they could do before, even with convex glasses.

Owing to the different phases which this disease may assume, the circle of glaucoma has been, perhaps, too widely extended by some modern ophthalmologists, who put under this category every diseased condition of the eye which in its *ensemble* gives rise to the rapid or slow development of intraocular pressure, from whatever cause it may arise. According to this view, irido-choroiditis, ectasis of the sclerotic, anterior adhesions, amaurosis with excavation of the optic nerve, &c., when associated with tension of the globe—yea, even hardness of the eye in consequence of mechanical injury, is called glaucoma or glaucomatous. As these differences have a practical bearing, we must examine the question in its pathological as well as in its therapeutic aspect.

Pathology of Glaucoma.

GLAUCOMA, according to Graefe, is a choroiditis or irido-choroiditis with effusion by endosmosis into the vitreous and aqueous humours, the augmentation of which causes intraocular pressure, producing excavation of the optic nerve and iridoplagia. The latter is caused by pressure on the ciliary nerves in their passage to the iris; hence also anæsthesia of the cornea, &c. Now, finding that iridectomy produced good results in chronic iritis, in irido-choroiditis, and especially in lessening the tension in sclerotic staphyloma, he tried it also in glaucoma with successful results.

This pathological basis has been very much called in question. Thus, Mr. Dixon "could not fail to be struck with the apparent absence of all causal connection between the morbid changes of glaucoma and the means proposed for arresting them. We were told that the intraocular pressure was the cause of all the phenomena of glaucoma, without any very clear account being given as to what was pressed, and what effected the pressure."¹

In a paper which I published about the same time,² I ventured to question the soundness of the theory advanced by the distinguished Berlin Professor. I urged that there was no trace of iritis in typical glaucoma; that the iris, on the contrary, was atrophied to such an extent as to make it often difficult to seize it with the forceps for excision, nor is there choroiditis strictly so called. On the other hand, it appeared to me, at that

¹ Diseases of the Eye, 2nd Ed., 1859.

² *The Lancet*, Dec., 1859.

time, that the disease has its origin in the derangement of the fifth pair. More recently, however, in the course of an extensive discussion, I suggested that the whole range of glaucomatous symptoms may be accounted for on the hypothesis, that, it is the result of hyperæsthesia and spasmodic irritation of the sympathetic within the orbit. This will accord with Claude Bernard's experiments on the vaso-motor system. There is, in the first place, the dilatation of the pupil, caused by the irritation of the sympathetic, which, in junction with the pneumogastric, furnishes filaments to the radiating fibres of the iris; there is also engorgement (nervous congestion) of the choroid, which gives rise to pressure upon all the ciliary nerves (both those proceeding from the ophthalmic ganglion to the sphincter iridis and cornea, and those from the nasal nerve), hence anæsthesia of the cornea, vitiated nutrition of the organ, tension, &c., rendering the phenomena more complex, and the *ensemble* tending to inevitable blindness.¹

As applicable to this subject may be quoted the explanation of the pathology of exophthalmic goitre as given by Trousseau, who regards the triad of symptoms present in Graves' disease—viz., hypertrophy of the thyroid gland, protrusion of the eyes, and transitory cardiac hypertrophy, as a "*nevrose a congestion locale*," having its proximate cause in the modification of the vaso-motor apparatus.²

¹ See my paper in the British Medical Journal, Feb., 1864.

² There is a preparation in the Aberdeen Infirmary Museum of a case of exophthalmic goitre, published by my excellent friend and colleague, Dr. Reith (*Medical Times and Gazette*, Nov., 1865), in which the disease of the cervical ganglia was the principal lesion discoverable. A similar case is recorded in the *Gazette des Hôpitaux*, March 21st, April 16th, 1865.

According to this view the *modus operandi* of iridectomy in the cure of glaucoma is easily explained :—

1. The removal of a portion of the iris, by removing the nervous loops therein distributed, has the effect of a genuine neurotomy, and is strictly analogous to the removal of a part of the portio dura in tic douloureux, as first suggested by Allen Burns,¹ and recently adopted by Nélaton and others.

2. By removing a portion of the iris, we relieve the constriction which it and the ciliary muscle produce round the zonula of Zinn and the protruding lens, thus keeping up the disease.

3. The evacuation of the aqueous humour has undoubtedly its share in relieving the over-distension of the eyeball.

The same explanation would also apply to the advantages derived by Prof. Hancock's operation—section of the ciliary muscle. With reference to the theory of this operation, Nunneley's criticism² seems to me to be in the main correct. It is not the section of the constricted muscle which gives relief, but the division of the nerves which meet there, and the tapping of the vitreous. It is well known, however, that to render the effects of neurotomy lasting, it is requisite to remove a portion of the nerve; hence my preference for iridectomy.

Most recent opinions seem to tend in the direction of regarding glaucoma as a nervous lesion. Thus Donders considers it as hyperæsthesia of the fifth pair.³

Prof. Magne of Bologna, after combating the views of

¹ Surgical Anatomy of the Head and Neck, p. 287.

² *The Lancet*, Jan. 16th and 26th, 1861.

³ *Annales d'Oculistique*, 1865, p. 121.

Graefe for the reasons stated by me—namely, that there was no trace of iritis or choroiditis, but, on the contrary, an atrophied condition of those membranes,—ascribes glaucoma to an atrophy of the ciliary nerves.¹


Mr. Hart adopts my theory of glaucoma.²

Now that more than a decade has elapsed since the introduction of iridectomy for the cure of glaucoma, abundance of materials has been collected for estimating its value ; and it appears to me probable that more harm has been done by performing it in unsuitable cases than by undervaluing its advantages. My first trials of it, shortly after its introduction, convinced me of its value ; but subsequent experience has proved to me that the extent of its utility is limited. I find it of greatest service in acute and subacute forms of the disease, especially in their early stages, and before the eye has become in any way disorganised by the progress of the disease. In short, whenever ciliary pain is present the operation is useful : either optically, in the view of restoring vision ; or, at the lowest estimate, therapeutically, with the view of allaying suffering, which it can very nearly always be trusted to effect.

In purely chronic or non-inflammatory cases, however, when blindness steals on gradually without pain or other acute symptoms, it is absolutely useless, whatever the degree of tension may be ; as either no good result is obtained by its performance, or, at best, a very transitory one. Those who acted on the principle of performing iridectomy in every case where tension was present, must,

¹L'Union Médicale, 1862 ; Ann. d'Ocul., 1863.

²Ophthalmic Hospital Reports, 1866, p. 30.






FIG. 1.

Iridectomy—First Period.

I conceive, by this time have been convinced that this position is untenable. For the credit of the operation, I find it best to avoid all surgical interference, except where decided benefit may fairly be looked for.

Those who are opposed to the operation expatiate on the mutilation of the eye, and on the various accidents accompanying it. As to the deformity of the pupil, there is absolutely none where the coloboma is made upwards. With regard to the risk, I am in a position, after having performed several hundreds of iridectomies for various purposes, to state most emphatically that I am unable to call to mind a single case of distressing consequences.

Operation of Iridectomy.

AS iridectomy forms part of our cataract operations, I shall explain my manner of performing it, which differs in some respects from the methods usually adopted.

I administer chloroform only to highly nervous patients, and in cases where the eye is much distressed by pain. The patient being in a recumbent position upon a couch, and the eyelids kept open by a spring speculum—the operation is divided into two periods.

The first period is shown in Fig. 1: I stand behind the patient, whom I order to look downwards; with the conjunctiva forceps in the left hand, I seize a part of the conjunctiva and subjacent tissue, and steady the eye; and with the curved lance in the right hand I enter in the anterior chamber through the conjunctiva, half a line or one

line from the corneo-sclerotic junction ; if the opening be insufficient, I enlarge it on either side in withdrawing the lance.


Second period : I take the curved iris forceps in my left hand and the scissors in the right, and order the patient to look down, when I introduce the former into the anterior chamber, seize the iris and withdraw it, into which I first make a vertical incision from the pupillary margin to its ciliary attachment ; a flap of the iris thus remains between my forceps, which I put upon the stretch, and by other two cuts with the scissors in a horizontal direction I finish the section. Fig. 2 shows the second period, where the iris hangs only by a small pedicle before receiving the finishing cut. By this method I can measure the precise portion of the iris which I intend to remove, instead of making a random cut. When there is some blood in the aqueous chamber, slight pressure with Daviel's spoon upon the upper lip of the wound is sufficient to cause it to escape.

All the duties of my assistant in this operation are : to hold the speculum a little forward to prevent the pain caused by its pressure upon the orbit, and to hand me the instruments. I dispense also with an ophthalmostat in the second period. The operation is thus performed with the minimum of pain, most of which is caused by the pressure of speculum and fixation forceps.

To save description of the instruments, I have given in the engravings the precise size and form as drawn to a scale.


After trying various specula, I have returned to that without screws, which are in the way, and are besides in-

FIG. 2.




Iridectomy—Second Period.

FIG. 3.



Liebreich's Fixed Eye-Bandage.



convenient when there is occasion to remove it quickly. Of scissors I use the small form, as it is easy to insinuate the probe-pointed ends under the conjunctiva, to finish the section, when a fold of it has fallen upon a portion of the iris.

The dressing consists in three layers of lint or jeweller's wadding, secured by Liebreich's eye-bandage (Fig. 3), the circular part, made of broad tape, being fixed upon the back of the head, and the knitted part carried over the eyes. Rest for twelve hours is all the subsequent treatment.

I have only to add, that I consider the risk of the operation so trifling that, in cases of emergency, I should apprehend no bad consequences from sending the patient some distance by train six hours after the operation.

Schuft's Method.

THE introduction of iridectomy for the cure of irido-choroiditis and glaucoma had the effect of familiarising us with the operation, and of extending its application to the extraction of cataract. The practice of combining the operation of extraction with that of iridectomy, performed either at the same sitting or at a previous period, had already been adopted by Desmarres in 1856, when, in the presence of Nélaton and others, he operated on Baroness Folgosa of Lisbon, and on General Lopez, in both which cases the cataracts were complicated with posterior adhesions. Von Graefe practised it also in some cases of soft cataract. But, whilst these able operators regarded it only as a means to be resorted to in complicated cases, and while Desmarres, as shown in his subsequent writings,¹ considered the integrity of the pupil as an essential point, Dr. Adolph Schuft (now Waldau) published a paper in 1860² proposing its general adoption, with the view of superseding the ordinary flap extraction.

Waldau's operation consists in the removal of the cataract through a small corneal incision and a coloboma iridis, aided by a spoon which he devised for that purpose. Of this spoon he has four sizes, made of silver, so as to allow of its being easily bent to suit the prominence of the brow, &c. This method, which he calls "spooning out the cataract," is performed in the following manner:—

¹ *Clinique Européenne*, 1859, p. 59. ² *Die Auslöfflung des Staars*. Berlin.

1. The patient being in a recumbent position, and the eyelids being held up by an assistant, the operator fixes the ball with the forceps, and introduces a broad lance through the temporal side of the cornea, making the incision of about three lines.

2. With the pupil forceps the iris is seized, withdrawn, and excised. From the slit thus made the cornea is cut through vertically : hence the iris cannot be incised to its periphery, as is done for the cure of glaucoma, but there is left a narrow fringe behind, which protects the vitreous from prolapsing.

3. The capsule is opened with a cystotome.

4. The spoon, the size of which is regulated by the size of the nucleus, is introduced behind the lens, which is seized and withdrawn. If any fragments remain behind, a clean spoon is again introduced, and they are seized and withdrawn. On no account ought there to be a stirring about in the interior of the eye, to fish for floating fragments. By means of these spoons the author proposed to remove every lens, whatever may be its size and consistency, entirely, and without much damage to the organ, through a small wound extending through less than one-fourth of the corneal circumference.

Whatever may be the drawbacks of Waldau's method—and, indeed, it has many,—he certainly is entitled to the credit not only of having enriched us with an instrument which is an acquisition in ophthalmic practice, but also of having been the first to popularise the procedure based upon the principle of sacrificing a portion of the iris, for the sake of lessening the risk of a hazardous operation.

Bowman and Critchett's Modification.

WALDAU'S method has been introduced with great *éclat* into this country by Bowman and Critchett, who practised it for upwards of three years since 1860 with the following modifications:¹—


1. They both administer chloroform in every case where practicable.

2. They make the incision at the upper part.

3. Mr. Critchett's incision, like that of Waldau, is in the corneal substance, not, however, close to the border, but half a line from its sclerotic junction; whilst Mr. Bowman makes the wound curvo-linear, passing through the sclerotic junction, in a plane about parallel to the iris. The incision thus made is near to the equator of the lens, and the iris is removed to its ciliary attachment. The size of the incision is from a quarter to nearly one-third of the circumference. After trial of this operation for upwards of three years these able surgeons became convinced that Waldau's spoon was seriously defective. Owing to its thick frontage and the sharp edges of its dish-like cavity, it is apt to break up the lens when soft, and dislocate it when hard, bruise the iris and lacerate the edges of the corneal wound. Mr. Critchett accordingly devised a new form of spoon, of which he published the details in *The Lancet*, Jan. 11th, 1864. His slipper-shaped spoon, which acts like a wedge, is more readily inserted behind the lens. Mr. Bowman proposed another form, which he considers as taking a better hold of the nucleus.

¹ Ophthalmic Hospital Reports, 1865.

FIG. 4.



Showing a front and a profile view of Waldau's largest spoon.
C represents Critchett's vectis ; *B* that of Bowman.

Appreciation.

With regard to my own experience of this method, I may state that my first two cases proved brilliant successes. In the next I had a layer of cortical substance left behind, which took three weeks to absorb—sight good. In a very short time, however, I had two cases of panophthalmitis, and one of iridocyclitis, which caused me grief and annoyance. For it must be remembered that in a small town the bad cases are not lost in the crowd, but rise before us like so many Banquo's ghosts. I did not fare much better with Critchett's spoon. It is more easily insinuated behind the lens, but if it has a hard large nucleus, it rebounds just when one is on the point of withdrawing it, even if the wound extends to

nearly one-third of the circumference. In short, I shared the experience of many others who tried it—namely, that it is one thing to catch a lens upon a spoon, but it is another to deliver it safely and entirely through a narrow outlet without damaging the internal membranes or lacerating the cornea. Thus the traction method has fallen into disrepute in Germany, and is now abandoned even by its English advocates.

In reviewing the rise and decline of that method, it appears to me that there are two component elements in its failure which have not been noticed by ophthalmic writers. In the first place, there is the liability to the admission of air into the interior of the organ, especially when the spoon has to be repeatedly introduced. Secondly, the shock which the organ may receive, and the consequent irritation, by the sojourn of such a large foreign body in its interior. Some organisms are so delicately constituted that they resent such an intrusion even for a few seconds, apart altogether from the damage done to the eye by clumsy ferreting about in its interior. I shall make this plain by the following cases, which will show that, in some, a great amount of mischief may be done which will be quickly recovered from, whilst in others a comparatively trifling injury may be followed by the most serious consequences. On February 13th, 1868, I operated on four cases of traumatic cataract in the Royal Infirmary, assisted by my friend Surgeon-Major Black, in the presence of the President of the Medico-Chirurgical Society and another medical manager of the Infirmary, and a large number of students, of the details of which the following is a short summary.

1. R. W——, aged fifty-nine, labourer. Thirty-six days ago, in breaking stones, a piece struck him on the eye. Iris discoloured; lower segment atrophied and adhering to capsule; lens opaque, part floating in anterior chamber. Iridectomy and extraction under chloroform.

2. F. Y——, aged sixteen, stone-dresser. Fourteen days ago, when at his employment, a chip of granite struck the eye, lacerating the cornea and iris, and producing opacity of the lens. When the stone was withdrawn I was informed that the iris protruded, but subsequently receded, and it is now simply adherent to the site of the lacerated cornea. Iridectomy and extraction under chloroform.

3. G. M——, sixty-three, labourer. Thirteen days before he came under treatment he was struck with a stone from a sling. At first the anterior chamber was filled with blood, on the absorption of which the iris was found partially adhering to the capsule, lower segment tremulous, lens opaque; ciliary pain. Cured by iridectomy six weeks prior to extraction.

4. F. B——, aged twenty-six, shoemaker. About a year ago he received an injury by a blow from a ramrod, which produced laceration of the cornea, extending from its centre to two lines beyond the sclerotic junction on the inner side. Partial anterior adhesion and cataract followed. Preliminary iridectomy and extraction.

In the first two cases, where there was pain and partial dislocation of the lens, I performed iridectomy and extraction under chloroform; but in the other two cases, where the lens was *in situ*, I made an iridectomy at a

previous period, and extracted without the aid of chloroform. The above-named gentlemen examined the patients previous to their leaving the hospital. In none of the cases were there any pain or lachrymation six hours after the operation. After forty-eight hours I removed the dressings, and found the wound healed; the patients were then allowed to walk in the ward. Vision eight days after the operation:

1. Sees features and minute objects, as little finger and ring.
2. Sees ditto ditto.
3. Reads No. 16 of Jaeger with $2\frac{1}{2}$ cataract lenses.
4. Reads No. 6 with ditto.

Here are four cases which, in addition to the serious injuries inflicted, have undergone an operation of iridectomy and extraction, and are thereby relieved of their suffering without much inconvenience to vision. Now, contrast these with some cases of slight injury, as the thrust of a penknife or fork in the centre of the cornea, where no injury has been done to the lens, and no surgical interference has been resorted to, and yet the globe shrinks. What is the cause of this disparity of result?

Take another instance. A boy is brought in, who has the whole contents of a squib lodged under his upper eyelid; the upper part of the cornea is singed, but he recovers vision, with only slight opacity and partial symblepharon, caused by the conjunctival burn. Another boy, again, meets with a similar accident, apparently very slight—only a few particles of powder being upon the cornea; hypopion presents itself, resulting in com-

plete disorganisation. In explaining such phenomena, we must fall back upon the admission that some organisms are so constituted, that, the slightest injury destroys their vitality.

In experimenting on animals, we find that, whilst operations performed upon dogs and horses of the lower breeds seem scarcely to impair their appetite or derange their normal secretions—the various functions of the economy pursuing their natural course—the same operations, when performed upon those animals of a higher breed, with an irritable, sensitive, and more highly organised nervous system, possessing qualities of a nobler kind, invariably prove fatal. Now, as every organ has, to a certain extent, its own history and life independent of the general organism, so there are idiosyncrasies of parts whereby some are more easily affected and their vitality interfered with by certain agents. Rigour caused by the introduction of a catheter in the bladder may be cited as an example of this. I submit, therefore, that a large corneal incision may be a great demand upon the reparative powers of nature, but the introduction of a large spoon through a narrow opening may impart a shock to the organ. The one, if gently and artistically done, leaves the parts in good condition for repair, whilst the other may produce concussion, and thus materially disturb its vitality.

Mooren's Method.

THE first alarm against Waldau's spoon operation was raised by Dr Albert Mooren of Dürseldorff, in a brochure which he published in 1862.¹ "Of all the splendid hopes," says he, "which I had placed upon Waldau's method, I have not realised one. Of thirty-two cases which I have operated by the spoon, ten eyes have been destroyed, some through inflammation of the cornea and choroid, and some through panophthalmitis." Mooren therefore proposed another method, which is simply the ordinary flap extraction, with an iridectomy performed two or three weeks previously. His results are of fifty-nine extractions:—²

Immediate success, with good sight,	39
Do. medium sight,	3
Healed well, but no sight,	7
Required secondary operation, successful issue,	2
Do. do. with medium sight,	2
Do. do. no sight,	1
Do. do. but not operated,	3
Complete loss by corneal suppuration,	2
	—
	59

From the analysis given in a previous paper of the causes of failure which attend the old operations, we

¹ Die verminderten Gefahren einer Hornhaut Vereiterung bei der Staar-Extraction.—Berlin.

² In estimating the value of these results it must be borne in mind that some of those cases have been operated on by this method which would not have been attempted by Daviel's operation.

cannot but regard this method as a step in the right direction. The coloboma iridis made at a previous period, allows free issue to the cataract, and lessens *pro tanto* the risk. But there are still remaining those contingencies connected with the large flap.

Jacobson's Method.

IN 1863, Professor Jacobson of Königsberg, proposed a new operation,¹ the leading peculiarities of which consisted in the administration of chloroform, and in the performance of iridectomy after extraction. The following are the details :—

The patient is put completely under chloroform, and kept so during the whole time ; to prevent retching and vomiting, he is not allowed any substantial meal for twenty-four hours previously, and no solid food for several hours before the operation. He makes a lower flap with Beer's knife, which is entered at the corneo-sclerotic junction, half a line under the horizontal meridian of the globe and the counter-puncture on the same level on the other side. The capsule is opened, and the lens is easily pressed out with Daviel's spoon or with the thumb—a large segment of the iris is then excised. If the lens cannot be pressed out, iridectomy is done first to facilitate its passage.

¹ Ein neues Operations-Verfahren zur Heilung des grauen Staares. Berlin.

Notwithstanding the success of this operation in Professor Jacobson's hand—(the loss being only two per cent.), he has found no imitators.¹

In addition to the remarks made upon Mooren's method, with regard to the risks of the large flap, the following serious objections present themselves :—

1. If contusion of the iris be dangerous, why contuse it first and then excise it? Why not rather perform iridectomy at once?

2. In making a large flap, why go so far as the corneo-sclerotic junction? If a section at the vascular portion lessens the risk of suppuration and gangrene of the cornea caused by isolation, it must be remembered that this accident is comparatively rare, and hardly to be taken into account, compared with the enhanced risk of hernia of the remaining portion of the iris, which is thus left without support.

3. The administration of chloroform in flap extraction, and *à fortiori*, in a flap of the nature just alluded to, is a serious venture. Who can ensure against emptying the eye by vomiting? Who can reckon upon such favourable results as Professor Jacobson met with among the Russian borderers? In reading Jacobson's paper on the use of chloroform in his operation, where he states that some of his patients took the enormous quantities of from twelve to sixteen ounces to pro-

¹ Since this was published there appeared an Article in the *Annales d'Oculistique* (April, 1868) by M. Wecker of Paris, who, after 3 years' trial of Jacobson's method, speaks in high terms of its advantages. The only modification which M. Wecker had adopted is in performing iridectomy immediately after the section of the cornea, and in removing but a very small portion of the iris.

duce anæsthesia,¹ and bearing in mind that the napkin used is covered with wax-cloth to prevent evaporation, I could not help being impressed with the conviction that he has to do with patients of a different organisation from that usually met with, and therefore that his results cannot be safely referred to as a guide for practice elsewhere.

¹ Archiv. f. O. 1865, tom. i. p. 119.

Graefe's Operation.

THE most important business before the International Ophthalmic Congress, at its meeting in Paris in August, 1867, was to hear and discuss reports on the results of Graefe's operation, which has at present a great run on the continent. I will therefore enter into a detailed account of it. Von Graefe was induced to try "the English modification" of Waldau's method, as described above, consisting in a larger opening and in an improved form of spoon, but obtained the following rather discouraging results:—Of 118 cases—

Destroyed through panophthalmitis, 7.

Nearly lost through iritis, 4.

Required subsequent iridectomy and capsular laceration, from 28 to 30:

Thus giving a decidedly less favourable result than the old operation. He consequently abandoned the spoon, and in May, 1865, commenced a new operation, which he calls "modified linear extraction."¹

Availing himself of the advantages noted by Jacobson in his peripheral section, he proceeds as follows:—

1. The patient being in a recumbent position, and the eyelids separated by a speculum, he stands at the side of the patient when operating on the left eye, and behind him when on the right. With the forceps in the left hand, the lower part of the conjunctiva is seized at the insertion of the tendon recti inferioris, and with the right he makes


¹ Archiv. fur Ophthalmologie, 1865, t. iii.

the upper section by introducing the narrow knife (Fig. 5) into the conjunctiva and sclerotic at A (Fig. 6), entering

Fig. 5.



Fig. 6.



at the extreme periphery of the anterior chamber. He first directs the point of the knife downwards as if wishing to reach C ; but, after penetrating about three lines in that direction, he lowers the handle so as to carry the point horizontally to reach the counter-puncture B ; then he makes two or three sawing motions, to complete the section of the sclerotic. This being done, and the knife being still under the conjunctiva, he directs the edge forwards, so as to cut it about two lines from the cornea. He thus obtains a section approaching to a straight line, which closes without any tendency to gaping. The dotted lines in Fig. 6 show the direction of the knife and the extent of the incision. The object of introducing the knife first in a downward direction is to enlarge the internal opening, and so to avoid the small shelf or corner at the commencement of the wound, which is necessarily left when the knife is carried throughout in a horizontal direction, and which presents an obstacle to the passage of the lens.

2. The fixation forceps being then given to an assistant, he raises the conjunctival covering with small forceps, and,

reflecting it upon the cornea, whereby the iris remains exposed, with the same forceps he seizes the prolapsed iris in the middle and excises it.

3. He takes again the forceps from the assistant into his own left hand, and, with the right, he opens the capsule by means of the cystotome.

4. When the cataract is soft, gentle pressure with the flat end of the curette upon the sclerotic lip of the wound, and counter-pressure with the fixation forceps, is generally sufficient to cause its expulsion ; but when the cataract is hard, he introduces a small hook flatly behind the lens, then he turns the hook upon it and so drags it out.

In his later writings¹ Von Graefe improved upon this last stage of the operation. He does not trust to the *vix expellens* of the forceps ; he applies the forceps about two lines towards the nasal side of the conjunctiva, so as to be out of the way, and with the back of a smooth spoon, made of caoutchouc, he first presses upon the lower margin of the cornea, and then gradually slides it upwards, whilst no counter-pressure is applied to the upper part. When the cataract is advancing, the back of the spoon is pressed more strongly upwards until it has reached the centre of the cornea, thus chasing the cataract towards and through the wound.

5. When cortical débris has remained behind, as happens in the majority of cases, he waits a little until the aqueous humour is collected, when he makes an attempt to dislodge them towards the wound by gentle circular friction through the closed eyelids ; then, opening the eyelids, the fragments are either removed by gentle sliding

¹ Arch. f. Oph., 1867, t. ii.

pressure, or, if this be insufficient, by means of a small spoon introduced into the anterior chamber.

FIG. 7.




Fig. 7 represents the instruments required in the different stages of the operation.

a Is my cystotome, having a blunt convex surface and a sharp edge at its convexity.

b Is Graefe's small curette.

c Is my hook.

He avoids the use of chloroform as, in general, disadvantageous, and therefore administers it only to very timid patients.

The principal accident in this operation is the loss of the vitreous. This accident may happen immediately after the section, by the incision being carried so far back that the zonula is left unsupported, and so may arch forward and burst; or by the point of the scissors touching the zonula in excising the iris; or by strong backward pressure of the cystotome upon the hard cataract; or by too firm pressure in attempting to expel the lens; or by spasm of the orbicularis; or, finally, by a pre-existing diseased condition of the zonula, caused by choroiditis with softening of the vitreous. The following are the results:—In the first 69 cases he had 62

complete successes and 7 incomplete. In 14 there was escape of the vitreous ; of these only 4 numbered among the incomplete successes ; thus giving a decided advantage over the spoon. At a subsequent period he lost vitreous only in 13 per cent., and more recently in only 6 per cent. In short, his present successes are so great that he expresses himself positive that this operation is to supersede the ordinary flap extraction.

The first to follow Von Graefe in this operation was Professor Knapp of Heidelberg,¹ with only the difference that, instead of making a straight incision, he makes it a little arched in the sclerotic, and consequently more easy for the exit of the lens. His results are : out of 100 operations he had the loss of vitreous in 25 cases, of which 11 resulted favourably ; in all, he had 15 bad cases.

Foremost among the communications before the Ophthalmic Congress in August last was that of M. Otto Becker of Vienna.² It is a model of a concise and comprehensive report of 217 operations performed in the Vienna Clinique, 150 by Professor Arlt, and the rest by himself and assistants. Of these 217 cases, 117 progressed favourably, and 45 were accompanied by more or less serious accidents : thus—

Slight iritis, 30.

Irido-choroiditis, 9.

Hæmorrhage in anterior chamber, 4.

Phlegmon of the globe, 5. *Résumé*: Lost, $5\frac{1}{2}$ per cent. ; required secondary operations, 10 per cent. ; acuity of

¹ Op. cit. 1867, t. i.

² Comptes Rendu, p. 72.

vision particularly favourable ; length of sojourn in hospital diminished by one-third ; unripe cataracts could be operated on as well as ripe ones with the same chance of success.

Most of the speakers who followed seemed to regard this method as an improvement on the old operation. Notwithstanding the recommendations from such authorities, I was not induced to give it a trial, inasmuch as there is a *prima facie* case against it, tending rather to favour the conclusion arrived at by one of the speakers, M. Quaglino of Pavia¹—viz., that this operation does not lessen the risk of panophthalmia, secondary cataract, and especially loss of the vitreous. From the large number of cases which I have examined in the different clinics of Paris and elsewhere, I am confirmed in my conviction. I have noticed in some a considerable quantity of cortical substance left behind, and vision, after some weeks, either imperfect or deficient. In other cases, again, in which the wound healed well and vision was good, there were marks of cystoid union, showing that the eye had run a risk during the operation. In some cases the pupil was dragged upwards. This, I may remark, is invariably the case when lenticular substance is left behind to be absorbed.

That Graefe's section in the sclerotic exposes too much to the risk of loss of vitreous is sufficiently apparent from the fact that Arlt, Liebreich, and Critchett have modified it by making the section terminate in the corneal substance ; this, of course, lessens the outlet, and the section will have to be carried further downwards,

¹ Op. cit. p. 85.

thus approaching more to a small flap. It appears to me, therefore, that Graefe did not succeed in the attempt he proposed to himself, to steer clear of the Scylla of contusing the internal parts by pressing a hard cataract through a small incision, without falling into the Charybdis of carrying the incision so far back as to endanger the vitreous. Loss of vitreous in itself is of no great consequence, but such an accident, when occurring before the exit of the lens, is highly embarrassing, as shown by the following quotation from Knapp's paper:—

“The escape of the vitreous was especially unfavourable when it occurred before the exit of the lens, for I was then obliged to introduce a traction instrument through the torn-up vitreous to drag out the lens. I succeeded almost in every case, but nearly always there remained behind a greater or less amount of fragments, which gave rise in one case to panophthalmia, in others to more or less violent iritis, resulting in secondary cataract or closed pupil; in other cases, again, there was very little irritation and good sight.”

Since the above was written, the last number of the *Annales d'Oculistique* came to hand, in which I observe a notice of an unseemly attack by Professor de Hasner,¹ of Prague, on Von Graefe and his method of cataract extraction. I feel myself the more at liberty to express an opinion on this, inasmuch as in these papers I have freely criticised and stated my views on all the operations that have of late years been brought forward. When treating of iridectomy for the cure of glaucoma, or on the modified linear extraction, I have shown that

¹ Die Neueste Phase der Staar-operation. Prague, 1868.

I have not implicitly followed Von Graefe's or any other man's theory or practice, but have endeavoured, by careful observation, to test the practical value of each method irrespective of the authority from which it had emanated. From my remarks on Daviel's method it will be seen how highly I appreciated the old classic operation. It was only necessity that, in the first instance, led me to seek for a new operative procedure. The first case in which I did so was one of traumatic cataract with closed pupil by plastic exudations, which had been declared hopeless by the father of ophthalmic surgery in this country (the late Dr. Mackenzie), and to which the old flap method was certainly inapplicable. At first I restricted my method of iridectomy and extraction to those cases only where the flap operation was impracticable, and it was only gradually that I glided into it as a general method, after becoming convinced of its unquestionable superiority.

While, therefore, I highly appreciate M. de Hasner's zeal for Daviel's operation and his opposition to other methods, of which he has no experience, I must here enter my earnest protest against his novel system of polemics which he has imported into scientific discussions. Such a system of warfare will, I trust, find no admirers in this country, and is peculiarly *mal-a-propos* when directed against one to whom ophthalmic science owes so much. It is indeed refreshing to turn from the flippant declamation of the attack to the characteristic calm strength and dignity of Von Graefe's reply which follows in the same number.

The Author's Method.

SINCE the autumn of 1864 I have practised an operation which, I think, combines the advantages of all recent improvements without their risks. My object is, to remove the cataract through an incision sufficiently large to give free exit to the entire lens, of whatever size and consistency, without bruising the internal parts or the corneal wound, and without incurring the loss of vitreous; and at the same time to ensure rapid union, so as to make it applicable to all possible local or constitutional complications. *Easy exit of the entire lens, and sparing the vitreous, I consider to be the essential elements of perfect extraction*—perfect both in its immediate and in its prospective results.

I perform iridectomy and extraction at the same sitting, under chloroform, only in traumatic cataract with dislocated lens; but, as a rule, I make iridectomy six weeks prior to extraction. I rather avoid doing both operations at the same time, because in some cases iridectomy cannot be satisfactorily performed with a large opening—the corners of the section in the iris are apt to be invaginated in the corneal wound, thus giving rise to a larger pupil than the operator intended, which interferes subsequently with distinctness of vision—because the fresh wound of the iris may be irritated by the *débris* of the lens; because the blood from the iris may conceal the lens from view, and so render its removal a sort of groping in the dark; and, finally, because when there is a glaucomatous tendency, or softening of the





FIG. 8.



Author's Method—First Period.



The Author's Cataract Knife.

vitreous, the simultaneous performance of the two operations may cause internal hæmorrhage or collapse of the eye.

As a rule, then, the eye can more easily bear the operation when thus divided into two periods, and the different stages of the operation can be performed with more regularity and precision.

In old people I perform iridectomy and the subsequent flap downwards, and find the optical effects perfectly satisfactory ; and in middle-aged persons, where regard must be had to appearances, I make them upwards. In either case I perform iridectomy exactly in the vertical meridian of the eye, so that the coloboma iridis shall correspond with the centre of the subsequent corneal section. The extraction is done as follows:—

The patient being in a recumbent position upon a high couch, and the eye-lids being held aside by an assistant, I stand behind the patient, operating with the right hand on the right eye and with the left hand on the left eye. Fig. 8 shows the right eye operated on by a superior flap thus:—

1. With the right hand I fix the globe by means of the pique de Pamand, which I consider the most suitable instrument ; with the narrow Beer's knife in my right I enter the external margin of the cornea close to its sclerotic junction, perpendicular to the surface, as if wishing to reach the iris, in order to prevent the knife running between the layers of the cornea, and also in a downward direction, after Graefe's example, in order to enlarge the internal opening. After the point is seen in the anterior chamber, I carry the


handle backwards and pass to the counter-puncture, which is made directly opposite on the inner side. The points of puncture and counter-puncture are so made that the corneal flap extends to a line more than one-third of its circumference. The knife is then pushed on in a plane parallel to the iris, until the corneal section is nearly completed, when its edge is inclined a little backwards, so as to carry it under the conjunctiva, and it is then withdrawn, leaving a conjunctival bridge in the centre.

2. At this stage I take entire charge of the eye, as shown in Fig. 9. My two fingers of the left hand serving the purpose of a speculum, I order the patient to look down, and introduce one blade of the probe-pointed scissors in the track of the knife, and, carrying it to the conjunctival flap, divide it. When operating on the left eye I must here change my position, as the scissors cannot conveniently be used with the left hand, and it is not advisable to divide the conjunctiva with the knife, as it is apt to peel off.

3. The capsule is then largely opened with the cystotome. To facilitate this process, gentle pressure with my fingers upon the ball is necessary to make the capsule tense.


4. After a few seconds of rest, I seize a fold of the upper eyelid between my fingers (Fig. 10), and the lower I depress with the other thumb, and, directing the patient to look down, I exercise pressure on the lower part, exactly in the vertical meridian facing the middle of the coloboma iridis, and with the other fingers through the eyelid I press upon the wound to make it gape, when

FIG. 9.




Author's Method—Second Period.

FIG. 10.



Author's Method—Third Period.



the cataract advances through the corneal and conjunctival flap.

Due attention must be paid to this direction: pressure must be made at the point just indicated, otherwise the lens is pushed sideways, and may rupture the hyaloid or damage the ciliary processes. This is, indeed, the most critical stage of the operation, for the surgeon must have his art literally at his fingers' ends. If inordinate pressure is used, the vitreous may come out and the lens fall backwards. The pressure must be steady and graduated, and with due co-operation of both hands. If the cataract be found adherent (which can be easily diagnosed beforehand), I introduce the hook in the same manner as I introduce the cystotome, first in a horizontal direction; with it I lacerate again the anterior capsule, to make sure that there is no impediment from that source; then I slip it flatly behind the lens, turn the point forwards, and draw the lens out. If cortical fragments remain behind, the ordinary friction and sliding manœuvre, as adopted in Graefe's operation, is used to extrude them; should this fail, a small curette is used.

A glance at Fig. 9 will show the advantages of this method.

1. Previous iridectomy prevents many risks during and subsequent to the operation, as already pointed out.

2. No contracted pupil preventing its exit, the lens can be extracted by a smaller incision than one-half of the circumference, as shown by the equatorial line in the same figure; indeed, a section of this extent has no tendency to gape, as can be readily proved by section on

the dead body, and by the liberty which I can take with the eye immediately after the operation.

3. The exposed meridian of the lens, represented by the black shading at the margin, shows that we are able to look through the suspensory ligament and clear of the margin of the lens, which enables us to introduce with exactness a small hook behind it, if necessary, thus avoiding the risk from inordinate pressure. I may add, however, that, with my section, I have only eight times had occasion to resort to the hook or curette. In short, we avoid to a great extent the whole string of accidents which may happen at each stage of the ordinary flap operation. The additional security is in the conjunctival flap, which heals in a few hours, and secures against bursting of the wound from muscular exertion, &c.; it is also a guarantee against suppuration of the cornea, and thus renders the operation available in feeble and cachectic patients, in whom such an accident is to be apprehended.

I must here remark that, while I think the conjunctival flap, originally introduced by Desmarres in 1849, to be a great advantage in cachectic cases, and in others where rapid union is of importance, I do not consider it an essential part of the operation; in some cases, indeed, it is rather to be avoided, as, for instance, in pterygion, where it might give rise to excessive hæmorrhage, or in old people with a loose unhealthy conjunctiva, and in those cases where, after iridectomy, there has been found a tendency to serous chemosis. When the conjunctival flap is not to be made, the first stage of the operation is finished by turning the edge of the knife slightly forwards, so as to round off the corneal flap.

I administer chloroform only in cases of traumatic cataract, when the eye is tender to the touch, or in cases where special circumstances render it absolutely unavoidable: thus I have administered it in a case of an imbecile whose steadiness I could not trust to, and in some cases where the patients refused to submit to the operation except under chloroform, all of which cases proved perfectly successful. My objection to chloroform, as a rule, is because it embarrasses me in the fourth stage. With the *vis expellens* of the ocular muscles I can so graduate my pressure as to extrude the lens with ease; but when these muscles are flaccid, I am at a loss as to the amount of pressure requisite. It also deprives me of the opportunity of testing the result at once, which is always desirable. Moreover, in some cases of softened vitreous and of thinning of the cornea, strong pressure upon a flaccid eye may cause collapse. Perhaps those who are in the habit of extracting under chloroform may give a more favourable verdict.

Dressing consists in two strips of court plaster, wadding, and Liebriech's bandage. I never used leeches, and only very rarely have I had to paint belladonna round the eyelids. I take the same precaution with regard to perfect quiescence, avoidance of mastication, &c., as after the ordinary flap extraction. At the second visit—*i.e.*, forty-eight hours after the operation, I remove the dressings, examine the wound, and allow the patient to be out of bed. In several cases I had to open the eyes twenty-four or thirty hours after extraction, and found union complete.

The cases to which I have already alluded, as leading

to the adoption of this method, occurred in 1864, when the spoon operation was still in vogue, and may be briefly detailed thus:—

1. *Double cataract, with dropsy of the anterior chamber, and the largest cornea pellucida on record; vision restored.*

—W. B——, aged fifty-nine, weaver. Always remarkable for exaggerated shining goggle eyes, but vision perfect until three years ago, when cataract began; both corneæ highly transparent, glittering, hemispherical, measuring seven-eighths of an inch in diameter, with a diffused bluish haze in the centre, where they seemed thinned; sclerotic also thinned; iris slate-coloured, slightly depressed; pupil irregular in outline, sluggish. Right eye, which was considered the best, had been operated on by Waldau's method; wound healed well, but the cornea collapsed and became opaque.

Nov. 23rd.—Iridectomy performed on the left eye, which was followed by sinking of the cornea, which lasted for a few hours, but rose again under hot fomentations. Six weeks subsequently extraction was performed, lens being removed by a hook; wound healed without a bad symptom. Sees large type without glasses, and is now employed as a porter; is not benefited by spectacles.

2. *Traumatic cataract, with closed pupil; cured.*—

J. S——, aged twenty-four, engineer. Four years ago left eye injured by a piece of steel; sight instantly abolished. Inflammation lasted three weeks. Iris discoloured, adherent to capsule; lymph filling pupil and part of anterior chamber. Was for some time under the treatment of a celebrated oculist (Dr. Mackenzie), who declared the eye as incurable. Patient consulted me for muscæ

volitantes in the other eye. Iridectomy and subsequent extraction by my method. Was out the third day after extraction. Reads No. 16 of Jaeger with 2 convex.

3. *Traumatic, cataract, with hypopion and posterior adhesions; cured.*—A. D——, aged sixty-three, mason. Left eye struck with a piece of granite, resulting in inflammation and hypopion. After three months' treatment, iridectomy and subsequent extraction by my method. Reads No. 12 with $2\frac{1}{2}$ convex.

4. *Double cataract, with undilatable pupil, in an epileptic; cured.*—Mrs. B——, aged sixty-five. Subject for some years to epileptic fits, coming on irregularly. Operation by my method. Had a fit the day after extraction, which, however, did not interfere with perfect recovery. Read No. 10 four weeks after extraction.

These cases (which I exhibited at the time to the Aberdeen Medico-Chirurgical Society) having proved so satisfactory, induced me to give the plan an extended trial, with the result of the loss of only 4 out of 107 cases, as shown in the following table:—

	Hospital Cases.	Private Cases.	Total.
Senile ...	57	32	89
Traumatic ...	12	3	15
Glaucomatous	3	0	3
	72	35	107

RESULTS.

	Senile.	Traumatic.	Glaucomatous.	Total.
Healed well, with perfect vision .	81	12	1	94
Healed well, but no vision . . .	2	3	2	7
Healed well, requiring subsequent operation. . .	2	0	0	2
Loss by internal hæmorrhage . .	1	0	0	1
Loss by suppuration	2	0	0	2
Loss by iritis . . .	1	0	0	1
	89	15	3	107

Remarks.

1.—The case lost by internal hæmorrhage was a lady, aged eighty-two, for many years subject to rheumatism. The hæmorrhage was profuse, lasting for two hours, the result probably of a diseased condition of the choroidal vessels.

2.—One of the cases of suppuration, which came on the next day after the operation of iridectomy and extraction done simultaneously, was that of a pauper woman of premature senility with all the joints distorted by rheumatism; small sunken eyes, with granular lids, and blephero-adenitis—a case, in short, in which I operated

against my judgment, circumstances having, in a measure, compelled me to attempt it. This will serve to show that many cases have been operated on by this method which would never have been attempted by the old operation.

The only objection that can fairly be made to this method—namely, that it makes two operations instead of one—may be met by the fact that Graefe's operation, in the hands of Professor Arlt, has required subsequent operation in 10 per cent. Of these secondary operations, according to Wecker, only 50 per cent. recover sight; if, therefore, two operations are to be performed, it is infinitely preferable that the secondary one should precede, and not follow, the extraction. Besides which, it is frequently of essential importance to become acquainted with the habit of the patient's system, which we do during the previous iridectomy. As an example of this I may cite an instance of tobacco delirium which nearly produced serious results:—

In February, 1862, Miss E. C——, aged sixty-eight, was brought to me affected with double cataract. I extracted the cataracts from both eyes by the ordinary superior flap at the same sitting, assisted by her medical attendant, Dr. B——, of M——. All went on well for the first thirty hours after the operation, when we were suddenly summoned, as the patient was delirious, and fighting with the nurse to get out of bed. On our arrival we found her half out of bed, and talking incoherently. On inquiry, we learned that she was a confirmed smoker, and that since the operation the nurse had refused to allow her accustomed smoke. A full opiate quieted the

symptoms at the time, and the allowance of her pipe prevented a return. She recovered without any other bad symptom, with excellent vision of both eyes.

Notwithstanding my conviction of the advantages of my operation, I have not altogether abandoned the old flap extraction, but still perform it in a few exceptional cases, such as the following :—

A venerable city clergyman, aged eighty-one, cataractuous, was affected with such extreme tenderness of the skin that a slight scratch, or even rough friction with a cravat, produced erysipelas. A drop of a solution of atropine on the eye caused serous chemosis and œdema of the eyelid, lasting for a considerable time; and the least touch on the eye made him shrink, producing spasm of the orbicularis. In this case it was evident that, if the cataract was to be removed, it must be done quickly through the cornea. Accordingly, I extracted by Daviel's method, which proved highly successful.


A lady, about seventy years of age, was brought to me from the country. I wished to operate by my own method; but her medical adviser, Dr. Kilgour, represented that her mind was so made up to have her operation finished within a few days that the delay would be unendurable, and, in the then condition of her nervous system, unadvisable. I therefore operated by the ordinary flap. Six hours after the operation a fit of retching and vomiting occurred, caused probably by nervous excitement, notwithstanding which she made an excellent recovery, with perfect vision.

But considering the great anxiety which these cases cause, the care which they require, and the uncertainty

which they involve, even after the best executed work, I am more than ever determined to reserve it for very exceptional cases, and, as a rule, to adhere to the operation which I proposed.

In conclusion, the advantages of the procedure which I now advocate may be summed up as follows :—

1. It is the safest; all the different stages of the operation may be gone through with precision, safety, and almost certainty of success.
2. The chances of success being so high, we need not put off the operation until blindness of both eyes is complete, but may perform it as soon as one eye is blind and the other becoming so.
3. It does not require long confinement, and does not distress the patient.
4. It is applicable to cases of local and constitutional complications in which Daviel's operation is inadmissible.



London, New Burlington Street,
October, 1868.

MESSRS. CHURCHILL & SONS'

Publications,

IN

M E D I C I N E

AND THE VARIOUS BRANCHES OF

NATURAL SCIENCE.



"It would be unjust to conclude this notice without saying a few words in favour of Mr. Churchill, from whom the profession is receiving, it may be truly said, the most beautiful series of Illustrated Medical Works which has ever been published."—*Lancet*.

"All the publications of Mr. Churchill are prepared with so much taste and neatness, that it is superfluous to speak of them in terms of commendation."—*Edinburgh Medical and Surgical Journal*.

"No one is more distinguished for the elegance and *recherché* style of his publications than Mr. Churchill."—*Provincial Medical Journal*.

"The name of Churchill has long been a guarantee for the excellence of illustrated works, and it would be superfluous to repeat the admiration that we have several times expressed in this respect, of the spirit with which this firm engages in these costly but valuable series."—*Medical Press and Circular*.

"The typography, illustrations, and getting up are, in all Mr. Churchill's publications, most beautiful."—*Monthly Journal of Medical Science*.

"Mr. Churchill's illustrated works are among the best that emanate from the Medical Press."—*Medical Times*.

"We have before called the attention of both students and practitioners to the great advantage which Mr. Churchill has conferred on the profession, in the issue, at such a moderate cost, of works so highly creditable in point of artistic execution and scientific merit."—*Dublin Quarterly Journal*.

MESSRS. CHURCHILL & SONS are the Publishers of the following Periodicals, offering to Authors a wide extent of Literary Announcement, and a Medium of Advertisement, addressed to all Classes of the Profession.

THE BRITISH AND FOREIGN MEDICO-
CHIRURGICAL REVIEW,
AND
QUARTERLY JOURNAL OF PRACTICAL MEDICINE
AND SURGERY.

Price Six Shillings. Nos. I. to LXXXIV.

THE QUARTERLY JOURNAL OF
SCIENCE.

Price Five Shillings. Nos. I. to XX.

THE QUARTERLY JOURNAL OF
MICROSCOPICAL SCIENCE,
INCLUDING THE TRANSACTIONS OF THE ROYAL
MICROSCOPICAL SOCIETY OF LONDON.

Edited by DR. LANKESTER, F.R.S., and GEORGE
BUSK, F.R.S. Price 4s. Nos. I. to XXXII.
New Series.

THE JOURNAL OF MENTAL SCIENCE.

By authority of the Medico-Psychological
Association.

Edited by C. L. ROBERTSON, M.D., and HENRY
MAUDSLEY, M.D.
Published Quarterly, price 3s. 6d. *New Series.*
Nos. I. to XXXI.

ARCHIVES OF MEDICINE:

A Record of Practical Observations and Anatomical and Chemical Researches, connected with the Investigation and Treatment of Disease. Edited by Dr. LIONEL S. BEALE, F.R.S. Published Quarterly; Nos. I. to VIII., 3s. 6d.; IX. to XII., 2s. 6d., XIII. to XVI., 3s.

THE ROYAL LONDON OPHTHALMIC HOSPITAL
REPORTS, AND JOURNAL OF OPHTHALMIC
MEDICINE AND SURGERY.

Vol. VI., Part 2, 2s. 6d.

JOURNAL OF CUTANEOUS MEDICINE.

Edited by ERASMUS WILSON, F.R.S.
Published Quarterly, price 2s. 6d. No. I. to VII.

THE MEDICAL TIMES & GAZETTE.

Published Weekly, price Sixpence, or Stamped,
Sevenpence.

Annual Subscription, £1. 6s., or Stamped,
£1. 10s. 4d., and regularly forwarded to all
parts of the Kingdom.

THE PHARMACEUTICAL JOURNAL,
CONTAINING THE TRANSACTIONS OF THE PHAR-
MACEUTICAL SOCIETY.

Published Monthly, price One Shilling.

♦♦ Vols. I. to XXVII., bound in cloth, price
12s. 6d. each.

THE BRITISH JOURNAL OF DENTAL
SCIENCE.

Published Monthly, price One Shilling. Nos.
I. to CXLVI.

THE MEDICAL DIRECTORY FOR THE
UNITED KINGDOM.

Published Annually. 8vo. cloth, 10s. 6d.

THE HALF-YEARLY ABSTRACT OF THE MEDICAL SCIENCES.

BEING A DIGEST OF BRITISH AND CONTINENTAL MEDICINE,

AND OF THE PROGRESS OF MEDICINE AND THE COLLATERAL SCIENCES.

Post 8vo. cloth, 6s. 6d. Vols. I. to XLVII.

"American physicians may be congratulated that they are once more favoured with the reprint of 'Ranking's Abstract.' If any doctor is so busy that he can read but a single volume a year, then, assuredly, he should make this his book; for here are collected and condensed the most valuable contributions to periodical medical literature—French, German, British, and American—for the year; and, on the other hand, no physician—it matters not how wide the range of his reading—can fail to find, in this volume, truths that will enlarge his medical knowledge, and precepts that will help him in some of his daily professional needs."—*Cincinnati Journal of Medicine*, April, 1867.

"We have only space to say that this volume is rich in valuable articles, among which there are many on materia medica and therapeutics. Gathered from all sources in the new books and medical journals of Europe and America, this work may be viewed as the cream of that class of medical essays, and is a useful occupant of the physician's office-table, to keep him reminded of the progress of medicine."—*American Journal of Pharmacy*, May, 1867.

A CLASSIFIED INDEX TO MESSRS. CHURCHILL & SONS' CATALOGUE.

ANATOMY.

	PAGE
Anatomical Remembrancer ..	7
Flower on Nerves ..	16
Hassall's Micros. Anatomy ..	19
Heale's Anatomy of the Lungs ..	19
Heath's Practical Anatomy ..	20
Holden's Human Osteology ..	20
Do. on Dissections ..	20
Huxley's Comparative Anatomy ..	21
Jones' and Sieveking's Pathological Anatomy ..	22
MacDougal—Hirschfeld on the Nervous System ..	v
MacLise's Surgical Anatomy ..	25
St. Bartholomew's Hospital Catalogue ..	31
Sibson's Medical Anatomy ..	33
Waters' Anatomy of Lung ..	37
Wheeler's Anatomy for Artists ..	38
Wilson's Anatomy ..	39

CHEMISTRY.

Bernays' Notes for Students ..	9
Bloxam's Chemistry ..	10
Bowman's Practical Chemistry ..	10
Do. Medical do. ..	10
Fownes' Manual of Chemistry ..	16
Do. Actonian Prize ..	16
Do. Qualitative Analysis ..	16
Fresenius' Chemical Analysis ..	16
Galloway's First Step ..	17
Do. Second Step ..	17
Do. Analysis ..	17
Do. Tables ..	17
Griffiths' Four Seasons ..	18
Horsley's Chem. Philosophy ..	21
Mulder on the Chemistry of Wine ..	27
Plattner & Muspratt on Blowpipe ..	28
Shuttleworth's Modern Chemistry ..	32
Speer's Pathol. Chemistry ..	34
Sutton's Volumetric Analysis ..	34

CLIMATE.

Bennet's Winter in the South of Europe ..	9
Chambers on Italy ..	12
Dalrymple on Egypt ..	14
Francis on Change of Climate ..	16
Hall on Torquay ..	19
Haviland on Climate ..	19
Horton on West Coast of Africa ..	21
Lee on Climate ..	24
Do. Watering Places of England ..	24
McClelland on Bengal ..	25
McNicol on Southport ..	25
Martin on Tropical Climates ..	26
Moore's Diseases of India ..	26
Patterson's Egypt and the Nile ..	28
Scoresby-Jackson's Climatology ..	32
Shapter on South Devon ..	32
Siordet on Mentone ..	33
Taylor on Pau and Pyrenees ..	35
Williams on South of France ..	38
Adams on Spinal Curvature ..	6
Do. on Clubfoot ..	6

DEFORMITIES, &c.

	PAGE
Bigg's Orthopraxy ..	10
Bishop on Deformities ..	10
Do. Articulate Sounds ..	10
Brodhurst on Spine ..	11
Do. on Clubfoot ..	11
Godfrey on Spine ..	17
Hugman on Hip Joint ..	21
Salt on Lower Extremities ..	31
Tamplin on Spine ..	35

DISEASES OF WOMEN AND CHILDREN.

Ballard on Infants and Mothers ..	7
Bennet on Uterus ..	9
Bird on Children ..	10
Bryant's Surg. Diseases of Child ..	11
Eyre's Practical Remarks ..	15
Harrison on Children ..	19
Hood on Scarlet Fever, &c. ..	21
Kiwisch (ed. by Clay) on Ovaries ..	13
Lee's Ovarian & Uterine Diseases ..	24
Do. on Speculum ..	24
Ritchie on Ovaries ..	31
Seymour on Ovaria ..	32
Tilt on Uterine Inflammation ..	36
Do. Uterine Therapeutics ..	36
Do. on Change of Life ..	36
Underwood on Children ..	37
Wells on the Ovaries ..	38
West on Women ..	38
Do. (Uvedale) on Puerp. Diseases ..	38
Wright on Uterine Disorders ..	39

GENERATIVE ORGANS, Diseases of, and SYPHILIS.

Acton on Reproductive Organs ..	6
Coote on Syphilis ..	14
Gant on Bladder ..	17
Hutchinson on Inherited Syphilis ..	22
Judd on Syphilis ..	23
Lee on Syphilis ..	24
Oppert on Syphilis ..	27
Parker on Syphilis ..	27
Wilson on Syphilis ..	39

HYGIENE.

Armstrong on Naval Hygiene ..	7
Beale's Laws of Health ..	8
Do. Health and Disease ..	8
Carter on Training ..	12
Chavasse's Advice to a Mother ..	13
Do. Advice to a Wife ..	13
Dobell's Germs and Vestiges of Disease ..	15
Fife & Urquhart on Turkish Bath ..	16
Gordon on Army Hygiene ..	17
Granville on Vichy ..	18
Hartwig on Sea Bathing ..	19

HYGIENE—continued.

	PAGE
Hartwig on Physical Education ..	19
Hufeland's Art of prolonging Life ..	21
Hunter on Body and Mind ..	21
Lee's Baths of France, Germany, and Switzerland ..	24
Lowndes on the Maintenance of Health ..	25
Moore's Health in Tropics ..	26
Parkes on Hygiene ..	27
Parkin on Disease ..	28
Pearse's Notes on Health ..	28
Pickford on Hygiene ..	28
Robertson on Diet ..	31
Routh on Infant Feeding ..	31
Tunstall on Bath Waters ..	36
Wells' Seamen's Medicine Chest ..	38
Wife's Domain ..	38
Wilson on Healthy Skin ..	39
Do. on Mineral Waters ..	39
Do. on Turkish Bath ..	39

MATERIA MEDICA and PHARMACY.

Bateman's Magnacopia ..	8
Beasley's Formulary ..	9
Do. Receipt Book ..	9
Do. Book of Prescriptions ..	9
Birch on Oxygen ..	10
Brunton on Digitalis ..	11
Frazer's Materia Medica ..	16
Nevins' Analysis of Pharmacop. ..	27
Pereira's Selecta & Præscriptis ..	28
Prescriber's Pharmacopœia ..	29
Royle's Materia Medica ..	31
Squire's Hospital Pharmacopœias ..	34
Do. Companion to the Pharmacopœia ..	34
Steggall's First Lines for Chemists and Druggists ..	34
Stowe's Toxicological Chart ..	34
Taylor on Poisons ..	35
Waring's Therapeutics ..	37
Wittstein's Pharmacy ..	39

MEDICINE.

Adams on Rheumatic Gout ..	6
Addison on Cell Therapeutics ..	6
Do. on Healthy and Diseased Structure ..	6
Aldis's Hospital Practice ..	6
Anderson (Andrew) on Fever ..	7
Austin on Paralysis ..	7
Barclay on Medical Diagnosis ..	8
Do. on Gout ..	8
Barlow's Practice of Medicine ..	8
Basham on Dropsy ..	8
Brinton on Stomach ..	11
Do. on Intestinal Obstruction ..	11
Budd on the Liver ..	11

MEDICINE—continued.

	PAGE
Budd on Stomach	11
Camplin on Diabetes	12
Catlow on Aesthetic Medicine	12
Chambers on the Indigestions	12
Do. Lectures	12
Cockle on Cancer	13
Dale's Practical Medicine	14
Davey's Ganglionic Nervous Syst.	15
Day's Clinical Histories	15
Eyre on Stomach	15
Fenwick on the Stomach	16
Foster on the Sphygmograph	16
Fuller on Rheumatism	17
Gairdner on Gout	17
Gibb on Throat	17
Do. on Laryngoscope	17
Granville on Sudden Death	18
Griffith on the Skin	18
Gully's Simple Treatment	18
Habershon on the Abdomen	18
Do. on Mercury	18
Hall (Marshall) on Apnœa	18
Do. Observations	18
Headland—Action of Medicines	19
Do. Medical Handbook	19
Hooper's Physician's Vade-Mecum	18
Inman's New Theory	22
Do. Myalgia	22
James on Laryngoscope	22
Jencken on Cholera	22
Jones (Bence) on Pathology and Therapeutics	22
MacLachlan on Advanced Life	25
MacLeod on Acoholic Diseases	25
Macleod's Ben Rhydding	25
Marcet on Chronic Alcoholism	25
Macpherson on Cholera	26
Markham on Bleeding	26
Morris on Germinal Matter	26
Meryon on Paralysis	26
Musket on Apoplexy	27
Nicholson on Yellow Fever	27
Parkin on Cholera	28
Pavy on Diabetes	28
Do. on Digestion	28
Peet's Principles and Practice of Medicine	28
Roberts on Palsy	31
Robertson on Gout	31
Sansom on Cholera	32
Savory's Domestic Medicine	32
Semple on Cough	32
Seymour on Dropsy	32
Shaw's Medical Remembrancer	32
Shrimpton on Cholera	32
Smee on Debility	33
Steggall's Medical Manual	34
Thomas' Practice of Physic	35
Thudichum on Gall Stones	35
Todd's Clinical Lectures	36
Tweedie on Continued Fevers	36
Walker on Diphtheria	37
What to Observe at the Bedside	25
Williams' Principles	38
Wright on Headaches	39

MICROSCOPE.

Beale on Microscope in Medicine	8
Carpenter on Microscope	12
Schacht on do.	32

MISCELLANEOUS.

Acton on Prostitution	6
Barclay's Medical Errors	8

MISCELLANEOUS—cont'd.

	PAGE
Barker & Edwards' Photographs	8
Bascome on Epidemics	8
Buckle's Hospital Statistics	11
Cooley's Cyclopædia	13
Gordon on China	17
Graves' Physiology and Medicine	17
Guy's Hospital Reports	17
Harrison on Lead in Water	19
Hingeston's Topics of the Day	20
Howe on Epidemics	21
Lane's Hydropathy	23
Lee on Homœop. and Hydrop.	24
London Hospital Reports	25
Mayne's Medical Vocabulary	26
Oppert on Hospitals	27
Part's Case Book	28
Redwood's Supplement to Pharmacopœia	30
Ryan on Infanticide	31
St. George's Hospital Reports	31
Simms' Winter in Paris	33
Snow on Chloroform	33
Waring's Tropical Resident at Home	37
Whitehead on Transmission	38
Wise's Med. amongst Asiatics	38

NERVOUS DISORDERS AND INDIGESTION.

Althaus on Epilepsy, Hysteria, &c.	7
Birch on Constipation	10
Carter on Hysteria	12
Downing on Neuralgia	15
Hunt on Heartburn	21
Jones (Handfield) on Functional Nervous Disorders	22
Leared on Imperfect Digestion	23
Lobb on Nervous Affections	24
Morris on Irritability	26
Radcliffe on Epilepsy	30
Reade on Syphilitic Affections of the Nervous System	30
Reynolds on the Brain	30
Do. on Epilepsy	30
Rowe on Nervous Diseases	31
Sieveking on Epilepsy	33
Turnbull on Stomach	36

OBSTETRICS.

Barnes on Placenta Prævia	8
Hodges on Puerperal Convulsions	20
Lee's Clinical Midwifery	24
Do. Consultations	24
Leishman's Mechanism of Parturition	24
Pretty's Aids during Labour	29
Priestley on Gravid Uterus	30
Ramsbotham's Obstetrics	30
Do. Midwifery	30
Sinclair & Johnston's Midwifery	33
Smellie's Obstetric Plates	33
Smith's Manual of Obstetrics	33
Swayne's Aphorisms	34
Waller's Midwifery	37

OPHTHALMOLOGY.

Cooper on Injuries of Eye	13
Do. on Near Sight	13
Dalrymple on Eye	14

OPHTHALMOLOGY—cont'd.

	PAGE
Dixon on the Eye	15
Hogg on Ophthalmoscope	20
Hulke on the Ophthalmoscope	21
Jago on Entoptics	22
Jones' Ophthalmic Medicine	23
Do. Defects of Sight	23
Do. Eye and Ear	23
Macnamara on the Eye	25
Nunneley on the Organs of Vision	27
Power's Illustrations of Diseases of the Eye	29
Solomon on Glaucoma	33
Walton on the Eye	37
Wells on Spectacles	38

PHYSIOLOGY.

Carpenter's Human	12
Do. Manual	12
Heale on Vital Causes	19
Richardson on Coagulation	30
Shea's Animal Physiology	32
Virchow's (ed. by Chance) Cellular Pathology	12

PSYCHOLOGY.

Arlidge on the State of Lunacy	7
Bucknill and Tuke's Psychological Medicine	11
Conolly on Asylums	13
Davey on Nature of Insanity	15
Dunn on Psychology	15
Hood on Criminal Lunatics	21
Millingen on Treatment of Insane	26
Murray on Emotional Diseases	27
Noble on Mind	27
Sankey on Mental Diseases	31
Winslow's Obscure Dis. of Brain	39

PULMONARY and CHEST DISEASES, &c.

Alison on Pulmonary Consumption	6
Bright on the Chest	10
Cotton on Stethoscope	14
Davies on Lungs and Heart	14
Dobell on the Chest	15
Do. on Tuberculosis	15
Do. on Winter Cough	15
Do. First Stage of Consumption	15
Fenwick on Consumption	16
Fuller on the Lungs	17
Do. on Heart	17
Jones (Jas.) on Consumption	22
Laennec on Auscultation	23
Markham on Heart	26
Peacock on the Heart	28
Pirrie on Hay Asthma	29
Salter on Asthma	31
Skoda on Auscultation	26
Thompson on Consumption	35
Timms on Consumption	36
Turnbull on Consumption	36
Waters on the Chest	37
Do. on Emphysema	37
Weber on Auscultation	38

**RENAL and URINARY
DISEASES.**

	PAGE
Acton on Urinary Organs ..	6
Beale on Urine ..	8
Bird's Urinary Deposits ..	10
Coulson on Bladder ..	14
Hassall on Urine ..	19
Parkes on Urine ..	27
Thudichum on Urine ..	35
Todd on Urinary Organs ..	36

SCIENCE.

Baxter on Organic Polarity ..	8
Bentley's Manual of Botany ..	9
Brooke's Natural Philosophy ..	11
Craig on Electric Tension ..	14
Hardwich's Photography ..	19
Hinds' Harmonies ..	20
Howard on the Clouds ..	21
Jones on Vision ..	23
Do. on Body, Sense, and Mind ..	23
Mayne's Lexicon ..	26
Noad on the Inductorium ..	27
Pratt's Genealogy of Creation ..	29
Do. Eccentric & Centric Force ..	29
Do. on Orbital Motion ..	29
Do. Astronomical Investigations ..	29
Do. Oracles of God ..	29
Price's Photography ..	30
Ralney on Shells ..	30
Reymond's Animal Electricity ..	30
Taylor's Medical Jurisprudence ..	35
Unger's Botanical Letters ..	37
Vestiges of Creation ..	36

SURGERY.

	PAGE
Adams on Reparation of Tendons ..	6
Do. Subcutaneous Surgery ..	6
Anderson on the Skin ..	7
Ashton on Rectum ..	7
Brodhurst on Anchylosis ..	11
Bryant on Diseases of Joints ..	11
Do. Clinical Surgery ..	11
Callender on Rupture ..	12
Chapman on Ulcers ..	12
Do. Varicose Veins ..	12
Clark's Outlines of Surgery ..	13
Collis on Cancer ..	13
Cooper (Sir A.) on Testis ..	14
Do. (S.) Surg. Dictionary ..	14
Coulson on Stone in Bladder ..	14
Curling on Rectum ..	14
Do. on Testis ..	14
Druitt's Surgeon's Vade-Mecum ..	15
Fayrer's Clinical Surgery ..	15
Fergusson's Surgery ..	16
Do. Progress of Surgery ..	16
Gamgee's Amputation at Hip-joint ..	17
Gant's Principles of Surgery ..	17
Heath's Minor Surgery and Bandaging ..	20
Higginbottom on Nitrate of Silver ..	20
Hodgson on Prostate ..	20
Holt on Stricture ..	21
James on Hernia ..	22
Do. on Inflammations ..	22
Jordan's Clinical Surgery ..	23
Lawrence's Surgery ..	23
Do. Ruptures ..	23
Lee on the Rectum, &c. ..	24
Liston's Surgery ..	24
Logan on Skin Diseases ..	24

SURGERY—continued.

	PAGE
Macleod's Surgical Diagnosis ..	25
Do. Surgery of the Crimea ..	25
MacLise on Fractures ..	25
Maunder's Operative Surgery ..	26
Nayler on Skin Diseases ..	27
Nunneley on Erysipelas ..	27
Pirrie's Surgery ..	29
Pirrie & Keith on Acupressure ..	29
Price on Excision of Knee-joint ..	29
Salt on Rupture ..	31
Sansom on Chloroform ..	32
Smith (Hy.) on Stricture ..	33
Do. on Hemorrhoids ..	33
Do. on the Surgery of the Rectum ..	33
Do. (Dr. J.) Dental Anatomy and Surgery ..	33
Sponder on Ulcers ..	34
Squire on Skin Diseases ..	34
Steggall's Surgical Manual ..	34
Teale on Amputation ..	35
Thompson on Stricture ..	35
Do. on Prostate ..	35
Do. Lithotomy and Lithotripsy ..	35
Tomes' Dental Surgery ..	36
Wade on Stricture ..	37
Webb's Surgeon's Ready Rules ..	37
Wilson on Skin Diseases ..	39
Do. Portraits of Skin Diseases ..	39
Yearsley on Deafness ..	39
Do. on Throat ..	39

VETERINARY MEDICINE.

Blaine's Veterinary Art ..	10
Bourguignon on the Cattle Plague ..	10

TO BE COMPLETED IN TWELVE PARTS, 4to., AT 7s. 6d. PER PART.

PARTS I. & II. NOW READY.

A DESCRIPTIVE TREATISE
ON THE
NERVOUS SYSTEM OF MAN,

WITH THE MANNER OF DISSECTING IT.

By **LUDOVIC HIRSCHFELD,**

DOCTOR OF MEDICINE OF THE UNIVERSITIES OF PARIS AND WARSAW, PROFESSOR OF ANATOMY TO THE
FACULTY OF MEDICINE OF WARSAW;

Edited in English (from the French Edition of 1866)

By **ALEXANDER MASON MACDOUGAL, F.R.C.S.,**

WITH

AN ATLAS OF ARTISTICALLY-COLOURED ILLUSTRATIONS,

Embracing the Anatomy of the entire Cerebro-Spinal and Sympathetic Nervous Centres and Distributions in their accurate relations with all the important Constituent Parts of the Human Economy, and embodied in a series of 56 Single and 9 Double Plates, comprising 197 Illustrations,

Designed from Dissections prepared by the Author, and Drawn on Stone by

J. B. LÉVEILLÉ.

MR. ACTON, M.R.C.S.

I.

A PRACTICAL TREATISE ON DISEASES OF THE URINARY AND GENERATIVE ORGANS IN BOTH SEXES. Third Edition. 8vo. cloth, £1. 1s. With Plates, £1. 11s. 6d. The Plates alone, limp cloth, 10s. 6d.

II.

THE FUNCTIONS AND DISORDERS OF THE REPRODUCTIVE ORGANS IN CHILDHOOD, YOUTH, ADULT AGE, AND ADVANCED LIFE, considered in their Physiological, Social, and Moral Relations. Fourth Edition. 8vo. cloth, 10s. 6d.

III.

PROSTITUTION: Considered in its Moral, Social, and Sanitary Bearings, with a View to its Amelioration and Regulation. 8vo. cloth, 10s. 6d.

DR. ADAMS, A.M.

A TREATISE ON RHEUMATIC GOUT; OR, CHRONIC RHEUMATIC ARTHRITIS. 8vo. cloth, with a Quarto Atlas of Plates, 21s.

MR. WILLIAM ADAMS, F.R.C.S.

I.

ON THE PATHOLOGY AND TREATMENT OF LATERAL AND OTHER FORMS OF CURVATURE OF THE SPINE. With Plates. 8vo. cloth, 10s. 6d.

II.

CLUBFOOT: its Causes, Pathology, and Treatment. Jacksonian Prize Essay for 1864. With 100 Engravings. 8vo. cloth, 12s.

III.

ON THE REPARATIVE PROCESS IN HUMAN TENDONS AFTER SUBCUTANEOUS DIVISION FOR THE CURE OF DEFORMITIES. With Plates. 8vo. cloth, 6s.

IV.

SKETCH OF THE PRINCIPLES AND PRACTICE OF SUBCUTANEOUS SURGERY. 8vo. cloth, 2s. 6d.

DR. WILLIAM ADDISON, F.R.S.

I.

CELL THERAPEUTICS. 8vo. cloth, 4s.

II.

ON HEALTHY AND DISEASED STRUCTURE, AND THE TRUE PRINCIPLES OF TREATMENT FOR THE CURE OF DISEASE, ESPECIALLY CONSUMPTION AND SCROFULA, founded on MICROSCOPICAL ANALYSIS. 8vo. cloth, 12s.

DR. ALDIS:

AN INTRODUCTION TO HOSPITAL PRACTICE IN VARIOUS COMPLAINTS; with Remarks on their Pathology and Treatment. 8vo. cloth, 5s. 6d.

DR. SOMERVILLE SCOTT ALISON, M.D. EDIN., F.R.C.P.

THE PHYSICAL EXAMINATION OF THE CHEST IN PULMONARY CONSUMPTION, AND ITS INTERCURRENT DISEASES. With Engravings. 8vo. cloth, 12s.

DR. ALTHAUS, M.D., M.R.C.P.

ON EPILEPSY, HYSTERIA, AND ATAXY. Cr. 8vo. cloth, 4s.

THE ANATOMICAL REMEMBRANCER; OR, COMPLETE
POCKET ANATOMIST. Sixth Edition, carefully Revised. 32mo. cloth, 3s. 6d.

DR. MCCALL ANDERSON, M.D.

I.
PARASITIC AFFECTIONS OF THE SKIN. With Engravings.

8vo. cloth, 5s.

II.

ECZEMA. Second Edition. 8vo. cloth, 6s.

III.

PSORIASIS AND LEPRO. With Chromo-lithograph. 8vo. cloth, 5s.

DR. ANDREW ANDERSON, M.D.

TEN LECTURES INTRODUCTORY TO THE STUDY OF FEVER.

Post 8vo. cloth, 5s.

DR. ARLIDGE.

ON THE STATE OF LUNACY AND THE LEGAL PROVISION
FOR THE INSANE; with Observations on the Construction and Organisation of
Asylums. 8vo. cloth, 7s.

DR. ALEXANDER ARMSTRONG, R.N.

OBSERVATIONS ON NAVAL HYGIENE AND SCURVY.

More particularly as the latter appeared during a Polar Voyage. 8vo. cloth, 5s.

MR. T. J. ASHTON.

I.
ON THE DISEASES, INJURIES, AND MALFORMATIONS
OF THE RECTUM AND ANUS. Fourth Edition. 8vo. cloth, 8s.

II.

PROLAPSUS, FISTULA IN ANO, AND HÆMORRHOIDAL
AFFECTIONS; their Pathology and Treatment. Second Edition. Post 8vo. cloth 2s. 6d.

MR. THOS. J. AUSTIN, M.R.C.S.ENG.

A PRACTICAL ACCOUNT OF GENERAL PARALYSIS:

Its Mental and Physical Symptoms, Statistics, Causes, Seat, and Treatment. 8vo. cloth, 6s.

DR. THOMAS BALLARD, M.D.

A NEW AND RATIONAL EXPLANATION OF THE DIS-
EASES PECULIAR TO INFANTS AND MOTHERS; with obvious Suggestion
for their Prevention and Cure. Post 8vo. cloth, 4s. 6d.

DR. BARCLAY.

I.

A MANUAL OF MEDICAL DIAGNOSIS. Second Edition.
Foolscap 8vo. cloth, 8s. 6d.

II.

MEDICAL ERRORS.—Fallacies connected with the Application of the
Inductive Method of Reasoning to the Science of Medicine. Post 8vo. cloth, 5s.

III.

GOUT AND RHEUMATISM IN RELATION TO DISEASE
OF THE HEART. Post 8vo. cloth, 5s.

DR. T. HERBERT BARKER, M.D., F.R.S., & MR. ERNEST EDWARDS, B.A.
PHOTOGRAPHS OF EMINENT MEDICAL MEN, with brief
Analytical Notices of their Works. Vol. I. (24 Portraits), 4to. cloth, 24s.

DR. BARLOW.

A MANUAL OF THE PRACTICE OF MEDICINE. Second
Edition. Fcap. 8vo. cloth, 12s. 6d.

DR. BARNES.

THE PHYSIOLOGY AND TREATMENT OF PLACENTA
PRÆVIA; being the Lettsomian Lectures on Midwifery for 1857. Post 8vo. cloth, 6s.

DR. BASCOMB.

A HISTORY OF EPIDEMIC PESTILENCES, FROM THE
EARLIEST AGES. 8vo. cloth, 8s.

DR. BASHAM.

ON DROPSY, AND ITS CONNECTION WITH DISEASES OF
THE KIDNEYS, HEART, LUNGS AND LIVER. With 16 Plates. Third
Edition. 8vo. cloth, 12s. 6d.

MR. H. F. BAXTER, M.R.C.S.L.

ON ORGANIC POLARITY; showing a Connexion to exist between
Organic Forces and Ordinary Polar Forces. Crown 8vo. cloth, 5s.

MR. BATEMAN.

MAGNACOPIA: A Practical Library of Profitable Knowledge, commu-
nicating the general Minutiae of Chemical and Pharmaceutic Routine, together with the
generality of Secret Forms of Preparations. Third Edition. 18mo. 6s.

MR. LIONEL J. BEALE, M.R.C.S.

I.

THE LAWS OF HEALTH IN THEIR RELATIONS TO MIND
AND BODY. A Series of Letters from an Old Practitioner to a Patient. Post 8vo.
cloth, 7s. 6d.

II.

HEALTH AND DISEASE, IN CONNECTION WITH THE
GENERAL PRINCIPLES OF HYGIENE. Fcap. 8vo., 2s. 6d.

DR. BEALE, F.R.S.

I.
URINE, URINARY DEPOSITS, AND CALCULI: and on the
Treatment of Urinary Diseases. Numerous Engravings. Second Edition, much Enlarged.
Post 8vo. cloth, 8s. 6d.

II.
THE MICROSCOPE, IN ITS APPLICATION TO PRACTICAL
MEDICINE. Third Edition. With 58 Plates. 8vo. cloth, 16s.

III.
ILLUSTRATIONS OF THE SALTS OF URINE, URINARY
DEPOSITS, and CALCULI. 37 Plates, containing upwards of 170 Figures copied
from Nature, with descriptive Letterpress. 8vo. cloth, 9s. 6d.

MR. BEASLEY.

I.
THE BOOK OF PRESCRIPTIONS; containing 3000 Prescriptions.
Collected from the Practice of the most eminent Physicians and Surgeons, English
and Foreign. Third Edition. 18mo. cloth, 6s.

II.
THE DRUGGIST'S GENERAL RECEIPT-BOOK: comprising a
copious Veterinary Formulary and Table of Veterinary Materia Medica; Patent and
Proprietary Medicines, Druggists' Nostrums, &c.; Perfumery, Skin Cosmetics, Hair
Cosmetics, and Teeth Cosmetics; Beverages, Dietetic Articles, and Condiments; Trade
Chemicals, Miscellaneous Preparations and Compounds used in the Arts, &c.; with
useful Memoranda and Tables. Sixth Edition. 18mo. cloth, 6s.

III.
THE POCKET FORMULARY AND SYNOPSIS OF THE
BRITISH AND FOREIGN PHARMACOPŒIAS; comprising standard and
approved Formulæ for the Preparations and Compounds employed in Medical Practice.
Eighth Edition, corrected and enlarged. 18mo. cloth, 6s.

DR. HENRY BENNET.

I.
A PRACTICAL TREATISE ON INFLAMMATION AND
OTHER DISEASES OF THE UTERUS. Fourth Edition, revised, with Additions.
8vo. cloth, 16s.

II.
A REVIEW OF THE PRESENT STATE (1856) OF UTERINE
PATHOLOGY. 8vo. cloth, 4s.

III.
WINTER IN THE SOUTH OF EUROPE; OR, MENTONE, THE
RIVIERA, CORSICA, SICILY, AND BIARRITZ, AS WINTER CLIMATES.
Third Edition, with numerous Plates, Maps, and Wood Engravings. Post 8vo. cloth,
10s. 6d.

PROFESSOR BENTLEY, F.L.S.

A MANUAL OF BOTANY. With nearly 1,200 Engravings on Wood.
Fcap. 8vo. cloth, 12s. 6d.

DR. BERNAYS.

NOTES FOR STUDENTS IN CHEMISTRY; being a Syllabus com-
piled from the Manuals of Miller, Fownes, Berzelius, Gerhardt, Gorup-Besanez, &c.
Fourth Edition. Fcap. 8vo. cloth, 3s.

MR. HENRY HEATHER BIGG.

ORTHOPRAXY: the Mechanical Treatment of Deformities, Debilities, and Deficiencies of the Human Frame. With Engravings. Post 8vo. cloth, 10s.

DR. S. B. BIRCH, M.D., M.R.C.P.

I.

OXYGEN: ITS ACTION, USE, AND VALUE IN THE TREATMENT OF VARIOUS DISEASES OTHERWISE INCURABLE OR VERY INTRACTABLE. Second Edition. Post 8vo. cloth, 3s. 6d.

II.

CONSTIPATED BOWELS: the Various Causes and the Different Means of Cure. Third Edition. Post 8vo. cloth, 3s. 6d.

DR. GOLDING BIRD, F.R.S.

URINARY DEPOSITS; THEIR DIAGNOSIS, PATHOLOGY, AND THERAPEUTICAL INDICATIONS. With Engravings. Fifth Edition. Edited by E. LLOYD BIRKETT, M.D. Post 8vo. cloth, 10s. 6d.

MR. BISHOP, F.R.S.

I.

ON DEFORMITIES OF THE HUMAN BODY, their Pathology and Treatment. With Engravings on Wood. 8vo. cloth, 10s.

II.

ON ARTICULATE SOUNDS, AND ON THE CAUSES AND CURE OF IMPEDIMENTS OF SPEECH. 8vo. cloth, 4s.

MR. P. HINCKES BIRD, F.R.C.S.

PRACTICAL TREATISE ON THE DISEASES OF CHILDREN AND INFANTS AT THE BREAST. Translated from the French of M. BOUCHUT, with Notes and Additions. 8vo. cloth. 20s.

MR. BLAINE.

OUTLINES OF THE VETERINARY ART; OR, A TREATISE ON THE ANATOMY, PHYSIOLOGY, AND DISEASES OF THE HORSE, NEAT CATTLE, AND SHEEP. Seventh Edition. By Charles Steel, M.R.C.V.S.L. With Plates. 8vo. cloth, 18s.

MR. BLOXAM.

CHEMISTRY, INORGANIC AND ORGANIC; with Experiments and a Comparison of Equivalent and Molecular Formulæ. With 276 Engravings on Wood. 8vo. cloth, 16s.

DR. BOURGUIGNON.

ON THE CATTLE PLAGUE; OR, CONTAGIOUS TYPHUS IN HORNED CATTLE: its History, Origin, Description, and Treatment. Post 8vo. 5s.

MR. JOHN E. BOWMAN, & MR. C. L. BLOXAM.

I.

PRACTICAL CHEMISTRY, including Analysis. With numerous Illustrations on Wood. Fifth Edition. Foolscap 8vo. cloth, 6s. 6d.

II.

MEDICAL CHEMISTRY; with Illustrations on Wood. Fourth Edition, carefully revised. Fcap. 8vo. cloth, 6s. 6d.

DR. JAMES BRIGHT.

ON DISEASES OF THE HEART, LUNGS, & AIR PASSAGES; with a Review of the several Climates recommended in these Affections. Third Edition. Post 8vo. cloth, 9s.

DR. BRINTON, F.R.S.

- I.
THE DISEASES OF THE STOMACH, with an Introduction on its Anatomy and Physiology; being Lectures delivered at St. Thomas's Hospital. Second Edition. 8vo. cloth, 10s. 6d.
 II.
INTESTINAL OBSTRUCTION. Edited by DR. BUZZARD. Post 8vo. cloth, 5s.

MR. BERNARD E. BRODHURST, F.R.C.S.

- I.
CURVATURES OF THE SPINE: their Causes, Symptoms, Pathology, and Treatment. Second Edition. Roy. 8vo. cloth, with Engravings, 7s. 6d.
 II.
ON THE NATURE AND TREATMENT OF CLUBFOOT AND ANALOGOUS DISTORTIONS involving the TIBIO-TARSAL ARTICULATION. With Engravings on Wood. 8vo. cloth, 4s. 6d.
 III.
PRACTICAL OBSERVATIONS ON THE DISEASES OF THE JOINTS INVOLVING ANCHYLOSIS, and on the TREATMENT for the RESTORATION of MOTION. Third Edition, much enlarged, 8vo. cloth, 4s. 6d.

MR. BROOKE, M.A., M.B., F.R.S.

- ELEMENTS OF NATURAL PHILOSOPHY**. Based on the Work of the late Dr. Golding Bird. Sixth Edition. With 700 Engravings. Fcap. 8vo. cloth, 12s. 6d.

DR. T. L. BRUNTON, B.Sc., M.B.

- ON DIGITALIS**. With some Observations on the Urine. Fcap. 8vo. cloth, 4s. 6d.

MR. THOMAS BRYANT, F.R.C.S.

- I.
ON THE DISEASES AND INJURIES OF THE JOINTS. CLINICAL AND PATHOLOGICAL OBSERVATIONS. Post 8vo. cloth, 7s. 6d.
 II.
THE SURGICAL DISEASES OF CHILDREN. The Lettsomian Lectures, delivered March, 1863. Post 8vo. cloth, 5s.
 III.
CLINICAL SURGERY. Parts I. to VII. 8vo., 3s. 6d. each.

DR. BUCKLE, M.D., L.R.C.P. LOND.

- VITAL AND ECONOMICAL STATISTICS OF THE HOSPITALS, INFIRMARIES, &c., OF ENGLAND AND WALES**. Royal 8vo. 5s.

DR. JOHN CHARLES BUCKNILL, F.R.S., & DR. DANIEL H. TUKE.

- A MANUAL OF PSYCHOLOGICAL MEDICINE**: containing the History, Nosology, Description, Statistics, Diagnosis, Pathology, and Treatment of Insanity. Second Edition. 8vo. cloth, 15s.

DR. BUDD, F.R.S.

- I.
ON DISEASES OF THE LIVER. Illustrated with Coloured Plates and Engravings on Wood. Third Edition. 8vo. cloth, 16s.
 II.
ON THE ORGANIC DISEASES AND FUNCTIONAL DISORDERS OF THE STOMACH. 8vo. cloth, 9s.

MR. CALLENDER, F.R.C.S.

FEMORAL RUPTURE: Anatomy of the Parts concerned. With Plates.
8vo. cloth, 4s.

DR. JOHN M. CAMPLIN, F.L.S.

ON DIABETES, AND ITS SUCCESSFUL TREATMENT.
Third Edition, by Dr. Glover. Fcap. 8vo. cloth, 3s. 6d.

MR. ROBERT B. CARTER, M.R.C.S.

I.
ON THE INFLUENCE OF EDUCATION AND TRAINING
IN PREVENTING DISEASES OF THE NERVOUS SYSTEM. Fcap. 8vo., 6s.
II.
THE PATHOLOGY AND TREATMENT OF HYSTERIA. Post
8vo. cloth, 4s. 6d.

DR. CARPENTER, F.R.S.

I.
PRINCIPLES OF HUMAN PHYSIOLOGY. With numerous Illustrations on Steel and Wood. Sixth Edition. Edited by Mr. HENRY POWER. 8vo. cloth, 26s.
II.

A MANUAL OF PHYSIOLOGY. With 252 Illustrations on Steel and Wood. Fourth Edition. Fcap. 8vo. cloth, 12s. 6d.

III.
THE MICROSCOPE AND ITS REVELATIONS. With more than 400 Engravings on Steel and Wood. Fourth Edition. Fcap. 8vo. cloth, 12s. 6d.

MR. JOSEPH PEEL CATLOW, M.R.C.S.

ON THE PRINCIPLES OF ÆSTHETIC MEDICINE; or the Natural Use of Sensation and Desire in the Maintenance of Health and the Treatment of Disease. 8vo. cloth, 9s.

DR. CHAMBERS.

I.
LECTURES, CHIEFLY CLINICAL. Fourth Edition. 8vo. cloth, 14s.

II.
THE INDIGESTIONS OR DISEASES OF THE DIGESTIVE ORGANS FUNCTIONALLY TREATED. Second Edition. 8vo. cloth, 10s. 6d.

III.
SOME OF THE EFFECTS OF THE CLIMATE OF ITALY.
Crown 8vo. cloth, 4s. 6d.

DR. CHANCE, M.B.

VIRCHOW'S CELLULAR PATHOLOGY, AS BASED UPON PHYSIOLOGICAL AND PATHOLOGICAL HISTOLOGY. With 144 Engravings on Wood. 8vo. cloth, 16s.

MR. H. T. CHAPMAN, F.R.C.S.

I.
THE TREATMENT OF OBSTINATE ULCERS AND CUTANEOUS ERUPTIONS OF THE LEG WITHOUT CONFINEMENT. Third Edition. Post 8vo. cloth, 3s. 6d.

II.
VARICOSE VEINS: their Nature, Consequences, and Treatment, Palliative and Curative. Second Edition. Post 8vo. cloth, 3s. 6d.

MR. PYE HENRY CHAVASSE, F.R.C.S.

I.
ADVICE TO A MOTHER ON THE MANAGEMENT OF
HER CHILDREN. Ninth Edition. Foolscep 8vo., 2s. 6d.

II.
ADVICE TO A WIFE ON THE MANAGEMENT OF HER
OWN HEALTH. With an Introductory Chapter, especially addressed to a Young
Wife. Eighth Edition. Fcap. 8vo., 2s. 6d.

MR. LE GROS CLARK, F.R.C.S.

OUTLINES OF SURGERY; being an Epitome of the Lectures on the
Principles and the Practice of Surgery delivered at St. Thomas's Hospital. Fcap. 8vo.
cloth, 5s.

MR. JOHN CLAY, M.R.C.S.

KIWISCH ON DISEASES OF THE OVARIES: Translated, by
permission, from the last German Edition of his Clinical Lectures on the Special Patho-
logy and Treatment of the Diseases of Women. With Notes, and an Appendix on the
Operation of Ovariectomy. Royal 12mo. cloth, 16s.

DR. COCKLE, M.D.

ON INTRA-THORACIC CANCER. 8vo. 6s. 6d.

MR. COLLIS, M.B.DUB., F.R.C.S.I.

THE DIAGNOSIS AND TREATMENT OF CANCER AND
THE TUMOURS ANALOGOUS TO IT. With coloured Plates. 8vo. cloth, 14s.

DR. CONOLLY.

THE CONSTRUCTION AND GOVERNMENT OF LUNATIC
ASYLUMS AND HOSPITALS FOR THE INSANE. With Plans. Post 8vo.
cloth, 6s.

MR. COOLEY.

COMPREHENSIVE SUPPLEMENT TO THE PHARMACOPŒIAS.

THE CYCLOPŒDIA OF PRACTICAL RECEIPTS, PRO-
CESSES, AND COLLATERAL INFORMATION IN THE ARTS, MANU-
FACTURES, PROFESSIONS, AND TRADES, INCLUDING MEDICINE,
PHARMACY, AND DOMESTIC ECONOMY; designed as a General Book of
Reference for the Manufacturer, Tradesman, Amateur, and Heads of Families. Fourth
and greatly enlarged Edition, 8vo. cloth, 28s.

MR. W. WHITE COOPER.

I.
ON WOUNDS AND INJURIES OF THE EYE. Illustrated by
17 Coloured Figures and 41 Woodcuts. 8vo. cloth, 12s.

II.
ON NEAR SIGHT, AGED SIGHT, IMPAIRED VISION,
AND THE MEANS OF ASSISTING SIGHT. With 31 Illustrations on Wood.
Second Edition. Fcap. 8vo. cloth, 7s. 6d.

SIR ASTLEY COOPER, BART., F.R.S.

ON THE STRUCTURE AND DISEASES OF THE TESTIS.

With 24 Plates. Second Edition. Royal 4to., 20s.

MR. COOPER.

A DICTIONARY OF PRACTICAL SURGERY AND ENCYCLO-
PÆDIA OF SURGICAL SCIENCE. New Edition, brought down to the present
time. By SAMUEL A. LANE, F.R.C.S., assisted by various eminent Surgeons. Vol. I.,
8vo. cloth, £1. 5s.

MR. HOLMES COOTE, F.R.C.S.

A REPORT ON SOME IMPORTANT POINTS IN THE
TREATMENT OF SYPHILIS. 8vo. cloth, 5s.

DR. COTTON.

PHTHISIS AND THE STETHOSCOPE; OR, THE PHYSICAL
SIGNS OF CONSUMPTION. Third Edition. Foolscap 8vo. cloth, 3s.

MR. COULSON.

ON DISEASES OF THE BLADDER AND PROSTATE GLAND.

New Edition, revised. *In Preparation.*

MR. WALTER COULSON, F.R.C.S.

STONE IN THE BLADDER: With Special Reference to its Prevention,
Early Symptoms, and Treatment by Lithotrixy. 8vo. cloth, 6s.

MR. WILLIAM CRAIG, L.F.P.S., GLASGOW.

ON THE INFLUENCE OF VARIATIONS OF ELECTRIC
TENSION AS THE REMOTE CAUSE OF EPIDEMIC AND OTHER
DISEASES. 8vo. cloth, 10s.

MR. CURLING, F.R.S.

I.
OBSERVATIONS ON DISEASES OF THE RECTUM. Third
Edition. 8vo. cloth, 7s. 6d.

II.
A PRACTICAL TREATISE ON DISEASES OF THE TESTIS,
SPERMATIC CORD, AND SCROTUM. Third Edition, with Engravings. 8vo.
cloth, 16s.

DR. WILLIAM DALE, M.D. LOND.

A COMPENDIUM OF PRACTICAL MEDICINE AND MORBID
ANATOMY. With Plates, 12mo. cloth, 7s.

DR. DALRYMPLE, M.R.C.P., F.R.C.S.

THE CLIMATE OF EGYPT: METEOROLOGICAL AND MEDI-
CAL OBSERVATIONS, with Practical Hints for Invalid Travellers. Post 8vo. cloth, 4s.

MR. JOHN DALRYMPLE, F.R.S., F.R.C.S.

PATHOLOGY OF THE HUMAN EYE. Complete in Nine Fasciculi:
imperial 4to., 20s. each; half-bound morocco, gilt tops, 9l. 15s.

DR. HERBERT DAVIES.

ON THE PHYSICAL DIAGNOSIS OF DISEASES OF THE
LUNGS AND HEART. Second Edition. Post 8vo. cloth, 8s.

DR. DAVEY.

I.
THE GANGLIONIC NERVOUS SYSTEM: its Structure, Functions,
and Diseases. 8vo. cloth, 9s.

II.
ON THE NATURE AND PROXIMATE CAUSE OF IN-
SANITY. Post 8vo. cloth, 3s.

DR. HENRY DAY, M.D., M.R.C.P.

CLINICAL HISTORIES; with Comments. 8vo. cloth, 7s. 6d.

MR. DIXON.

A GUIDE TO THE PRACTICAL STUDY OF DISEASES OF
THE EYE. Third Edition. Post 8vo. cloth, 9s.

DR. DOBELL.

I.
DEMONSTRATIONS OF DISEASES IN THE CHEST, AND
THEIR PHYSICAL DIAGNOSIS. With Coloured Plates. 8vo. cloth, 12s. 6d.

II.
LECTURES ON THE GERMS AND VESTIGES OF DISEASE,
and on the Prevention of the Invasion and Fatality of Disease by Periodical Examinations.
8vo. cloth, 6s. 6d.

III.
ON TUBERCULOSIS: ITS NATURE, CAUSE, AND TREAT-
MENT; with Notes on Pancreatic Juice. Second Edition. Crown 8vo. cloth, 3s. 6d.

IV.
LECTURES ON WINTER COUGH (CATARRH, BRONCHITIS,
EMPHYSEMA, ASTHMA); with an Appendix on some Principles of Diet in
Disease. Post 8vo. cloth, 5s. 6d.

V.
LECTURES ON THE TRUE FIRST STAGE OF CONSUMP-
TION. Crown 8vo. cloth, 3s. 6d.

DR. TOOGOOD DOWNING.

NEURALGIA: its various Forms, Pathology, and Treatment. THE
JACKSONIAN PRIZE ESSAY FOR 1850. 8vo. cloth, 10s. 6d.

DR. DRUITT, F.R.C.S.

THE SURGEON'S VADE-MECUM; with numerous Engravings on
Wood. Ninth Edition. Foolsap 8vo. cloth, 12s. 6d.

MR. DUNN, F.R.C.S.

PSYCHOLOGY—PHYSIOLOGICAL, 4s.; MEDICAL, 3s.

SIR JAMES EYRE, M.D.

I.
THE STOMACH AND ITS DIFFICULTIES. Fifth Edition.
Fcap. 8vo. cloth, 2s. 6d.

II.
PRACTICAL REMARKS ON SOME EXHAUSTING DIS-
EASES. Second Edition. Post 8vo. cloth, 4s. 6d.

DR. FAYRER, M.D., F.R.C.S.

CLINICAL SURGERY IN INDIA. With Engravings. 8vo. cloth, 16s.

DR. FENWICK.

I.
THE MORBID STATES OF THE STOMACH AND DUODENUM, AND THEIR RELATIONS TO THE DISEASES OF OTHER ORGANS. With 10 Plates. 8vo. cloth, 12s.

II.
ON SCROFULA AND CONSUMPTION. Clergyman's Sore Throat, Catarrh, Croup, Bronchitis, Asthma. Fcap. 8vo., 2s. 6d.

SIR WILLIAM FERGUSSON, BART., F.R.S.

I.
A SYSTEM OF PRACTICAL SURGERY; with numerous Illustrations on Wood. Fourth Edition. Fcap. 8vo. cloth, 12s. 6d.

II.
LECTURES ON THE PROGRESS OF ANATOMY AND SURGERY DURING THE PRESENT CENTURY. With numerous Engravings. 8vo. cloth, 10s. 6d.

SIR JOHN FIFE, F.R.C.S. AND MR. URQUHART.

MANUAL OF THE TURKISH BATH. Heat a Mode of Cure and a Source of Strength for Men and Animals. With Engravings. Post 8vo. cloth, 5s.

MR. FLOWER, F.R.S., F.R.C.S.

DIAGRAMS OF THE NERVES OF THE HUMAN BODY, exhibiting their Origin, Divisions, and Connexions, with their Distribution to the various Regions of the Cutaneous Surface, and to all the Muscles. Folio, containing Six Plates, 14s.

DR. BALTHAZAR FOSTER, M.D., M.R.C.P.

THE USE OF THE SPHYGMOGRAPH IN THE INVESTIGATION OF DISEASE. With Engravings. 8vo. cloth, 2s. 6d.

MR. FOWNES, PH.D., F.R.S.

I.
A MANUAL OF CHEMISTRY; with 187 Illustrations on Wood. Ninth Edition. Fcap. 8vo. cloth, 12s. 6d.

Edited by H. BENCE JONES, M.D., F.R.S., and A. W. HOFMANN, PH.D., F.R.S.

II.
CHEMISTRY, AS EXEMPLIFYING THE WISDOM AND BENEFICENCE OF GOD. Second Edition. Fcap. 8vo. cloth, 4s. 6d.

III.
INTRODUCTION TO QUALITATIVE ANALYSIS. Post 8vo. cloth, 2s.

DR. D. J. T. FRANCIS.

CHANGE OF CLIMATE; considered as a Remedy in Dyspeptic, Pulmonary, and other Chronic Affections; with an Account of the most Eligible Places of Residence for Invalids, at different Seasons of the Year. Post 8vo. cloth, 8s. 6d.

DR. W. FRAZER.

ELEMENTS OF MATERIA MEDICA; containing the Chemistry and Natural History of Drugs—their Effects, Doses, and Adulterations. Second Edition. 8vo. cloth, 10s. 6d.

PROFESSOR FRESENIUS.

A SYSTEM OF INSTRUCTION IN CHEMICAL ANALYSIS, Edited by LLOYD BULLOCK, F.C.S.

QUALITATIVE. Sixth Edition, with Coloured Plate illustrating Spectrum Analysis. 8vo. cloth, 10s. 6d.—QUANTITATIVE. Fourth Edition. 8vo. cloth, 18s.

DR. FULLER.

I.
ON DISEASES OF THE LUNGS AND AIR PASSAGES.
Second Edition. 8vo. cloth, 12s. 6d.

II.
ON DISEASES OF THE HEART AND GREAT VESSELS.
8vo. cloth, 7s. 6d.

III.
ON RHEUMATISM, RHEUMATIC GOUT, AND SCIATICA:
their Pathology, Symptoms, and Treatment. Third Edition. 8vo. cloth, 12s. 6d.

MR. GALLOWAY.

I.
THE FIRST STEP IN CHEMISTRY. With numerous Engravings.
Fourth Edition. Fcap. 8vo. cloth, 6s. 6d.

II.
A KEY TO THE EXERCISES CONTAINED IN ABOVE. Fcap.
8vo., 2s. 6d.

III.
THE SECOND STEP IN CHEMISTRY; or, the Student's Guide to
the Higher Branches of the Science. With Engravings. 8vo. cloth, 10s.

IV.
A MANUAL OF QUALITATIVE ANALYSIS. Fourth Edition.
Post 8vo. cloth, 6s. 6d.

V.
CHEMICAL TABLES. On Five Large Sheets, for School and Lecture
Rooms. Second Edition. 4s. 6d.

MR. J. SAMPSON GAMGEE.

HISTORY OF A SUCCESSFUL CASE OF AMPUTATION AT
THE HIP-JOINT (the limb 48-in. in circumference, 99 pounds weight). With 4
Photographs. 4to cloth, 10s. 6d.

MR. F. J. GANT, F.R.C.S.

I.
THE PRINCIPLES OF SURGERY: Clinical, Medical, and Opera-
tive. With Engravings. 8vo. cloth, 18s.

II.
THE IRRITABLE BLADDER: its Causes and Curative Treatment.
Second Edition, enlarged. Crown 8vo. cloth, 5s.

SIR DUNCAN GIBB, BART., M.D.

I.
ON DISEASES OF THE THROAT AND WINDPIPE, as
reflected by the Laryngoscope. Second Edition. With 116 Engravings. Post 8vo.
cloth, 10s. 6d.

II.
THE LARYNGOSCOPE IN DISEASES OF THE THROAT,
with a Chapter on RHINOSCOPY. Second Edition, enlarged, with Engravings. Crown
8vo., cloth, 5s.

MRS. GODFREY.

ON THE NATURE, PREVENTION, TREATMENT, AND CURE
OF SPINAL CURVATURES and DEFORMITIES of the CHEST and LIMBS,
without ARTIFICIAL SUPPORTS or any MECHANICAL APPLIANCES.
Third Edition, Revised and Enlarged. 8vo. cloth 5s.

DR. GORDON, M.D., C.B.

I.
ARMY HYGIENE. 8vo. cloth, 20s.

II.
CHINA, FROM A MEDICAL POINT OF VIEW; IN 1860
AND 1861; With a Chapter on Nagasaki as a Sanatorium. 8vo. cloth, 10s. 6d.

DR. GAIRDNER.

ON GOUT; its History, its Causes, and its Cure. Fourth Edition. Post
8vo. cloth, 8s. 6d.

DR. GRANVILLE, F.R.S.

I.
THE MINERAL SPRINGS OF VICHY: their Efficacy in the
Treatment of Gout, Indigestion, Gravel, &c. 8vo. cloth, 3s.

II.

ON SUDDEN DEATH. Post 8vo., 2s. 6d.

DR. GRAVES M.D., F.R.S.

STUDIES IN PHYSIOLOGY AND MEDICINE. Edited by
Dr. Stokes. With Portrait and Memoir. 8vo. cloth, 14s.

DR. S. C. GRIFFITH, M.D.

ON DERMATOLOGY AND THE TREATMENT OF SKIN
DISEASES BY MEANS OF HERBS, IN PLACE OF ARSENIC AND
MERCURY. Fcap. 8vo. cloth, 3s.

MR. GRIFFITHS.

CHEMISTRY OF THE FOUR SEASONS—Spring, Summer,
Autumn, Winter. Illustrated with Engravings on Wood. Second Edition. Foolscap
8vo. cloth, 7s. 6d.

DR. GULLY.

THE SIMPLE TREATMENT OF DISEASE; deduced from the
Methods of Expectancy and Revulsion. 18mo. cloth, 4s.

DR. GUY AND DR. JOHN HARLEY.

HOOVER'S PHYSICIAN'S VADE-MECUM; OR, MANUAL OF
THE PRINCIPLES AND PRACTICE OF PHYSIC. Seventh Edition, consider-
ably enlarged, and rewritten. Foolscap 8vo. cloth, 12s. 6d.

GUY'S HOSPITAL REPORTS. Third Series. Vol. XIII., 8vo. 7s. 6d.

DR. HABERSHON, F.R.C.P.

I.

ON DISEASES OF THE ABDOMEN, comprising those of the
Stomach and other Parts of the Alimentary Canal, Œsophagus, Stomach, Cæcum,
Intestines, and Peritoneum. Second Edition, with Plates. 8vo. cloth, 14s.

II.

ON THE INJURIOUS EFFECTS OF MERCURY IN THE
TREATMENT OF DISEASE. Post 8vo. cloth, 3s. 6d.

DR. C. RADCLYFFE HALL.

TORQUAY IN ITS MEDICAL ASPECT AS A RESORT FOR
PULMONARY INVALIDS. Post 8vo. cloth, 5s.

DR. MARSHALL HALL, F.R.S.

I.

PRONE AND POSTURAL RESPIRATION IN DROWNING
AND OTHER FORMS OF APNŒA OR SUSPENDED RESPIRATION.
Post 8vo. cloth, 5s.

II.

PRACTICAL OBSERVATIONS AND SUGGESTIONS IN MEDI-
CINE. Second Series. Post 8vo. cloth, 3s. 6d.

MR. HARDWICH.

A MANUAL OF PHOTOGRAPHIC CHEMISTRY. With Engravings. Seventh Edition. Foolscap 8vo. cloth, 7s. 6d.

DR. J. BOWER HARRISON, M.D., M.R.C.P.

I.
LETTERS TO A YOUNG PRACTITIONER ON THE DISEASES OF CHILDREN. Foolscap 8vo. cloth, 3s.

II.

ON THE CONTAMINATION OF WATER BY THE POISON OF LEAD, and its Effects on the Human Body. Foolscap 8vo. cloth, 3s. 6d.

DR. HARTWIG.

I.

ON SEA BATHING AND SEA AIR. Second Edition. Fcap. 8vo., 2s. 6d.

II.

ON THE PHYSICAL EDUCATION OF CHILDREN. Fcap. 8vo., 2s. 6d.

DR. A. H. HASSALL.

I.

THE URINE, IN HEALTH AND DISEASE; being an Explanation of the Composition of the Urine, and of the Pathology and Treatment of Urinary and Renal Disorders. Second Edition. With 79 Engravings (23 Coloured). Post 8vo. cloth, 12s. 6d.

II.

THE MICROSCOPIC ANATOMY OF THE HUMAN BODY, IN HEALTH AND DISEASE. Illustrated with Several Hundred Drawings in Colour. Two vols. 8vo. cloth, £1. 10s.

MR. ALFRED HAVILAND, M.R.C.S.

CLIMATE, WEATHER, AND DISEASE; being a Sketch of the Opinions of the most celebrated Ancient and Modern Writers with regard to the Influence of Climate and Weather in producing Disease. With Four coloured Engravings. 8vo. cloth, 7s.

DR. HEADLAND, M.D., F.R.C.P.

I.

ON THE ACTION OF MEDICINES IN THE SYSTEM. Fourth Edition. 8vo. cloth, 14s.

II.

A MEDICAL HANDBOOK; comprehending such Information on Medical and Sanitary Subjects as is desirable in Educated Persons. Second Thousand. Foolscap 8vo. cloth, 5s.

DR. HEALE.

I.

A TREATISE ON THE PHYSIOLOGICAL ANATOMY OF THE LUNGS. With Engravings. 8vo. cloth, 8s.

II.

A TREATISE ON VITAL CAUSES. 8vo. cloth, 9s.

MR. CHRISTOPHER HEATH, F.R.C.S.

I.

PRACTICAL ANATOMY: a Manual of Dissections. With numerous Engravings. Fcap. 8vo. cloth, 10s. 6d.

II.

A MANUAL OF MINOR SURGERY AND BANDAGING, FOR THE USE OF HOUSE-SURGEONS, DRESSERS, AND JUNIOR PRACTITIONERS. With Illustrations. Third Edition. Fcap. 8vo. cloth, 5s.

MR. HIGGINBOTTOM, F.R.S., F.R.C.S.E.

A PRACTICAL ESSAY ON THE USE OF THE NITRATE OF SILVER IN THE TREATMENT OF INFLAMMATION, WOUNDS, AND ULCERS. Third Edition, 8vo. cloth, 6s.

DR. HINDS.

THE HARMONIES OF PHYSICAL SCIENCE IN RELATION TO THE HIGHER SENTIMENTS; with Observations on Medical Studies, and on the Moral and Scientific Relations of Medical Life. Post 8vo. cloth, 4s.

MR. J. A. HINGESTON, M.R.C.S.

TOPICS OF THE DAY, MEDICAL, SOCIAL, AND SCIENTIFIC. Crown 8vo. cloth, 7s. 6d.

DR. HODGES.

THE NATURE, PATHOLOGY, AND TREATMENT OF PUERPERAL CONVULSIONS. Crown 8vo. cloth, 3s.

DR. DECIMUS HODGSON.

THE PROSTATE GLAND, AND ITS ENLARGEMENT IN OLD AGE. With 12 Plates. Royal 8vo. cloth, 6s.

MR. JABEZ HOGG.

A MANUAL OF OPHTHALMOSCOPIC SURGERY; being a Practical Treatise on the Use of the Ophthalmoscope in Diseases of the Eye. Third Edition. With Coloured Plates. 8vo. cloth, 10s. 6d.

MR. LUTHER HOLDEN, F.R.C.S.

I.

HUMAN OSTEOLOGY: with Plates, showing the Attachments of the Muscles. Third Edition. 8vo. cloth, 16s.

II.

A MANUAL OF THE DISSECTION OF THE HUMAN BODY. With Engravings on Wood. Second Edition. 8vo. cloth, 16s.

MR. BARNARD HOLT, F.R.C.S.

ON THE IMMEDIATE TREATMENT OF STRICTURE OF THE URETHRA. Third Edition, Enlarged. 8vo. cloth, 6s.

DR. W. CHARLES HOOD.

SUGGESTIONS FOR THE FUTURE PROVISION OF CRIMINAL LUNATICS. 8vo. cloth, 5s. 6d.

DR. P. HOOD.

THE SUCCESSFUL TREATMENT OF SCARLET FEVER; also, OBSERVATIONS ON THE PATHOLOGY AND TREATMENT OF CROWING INSPIRATIONS OF INFANTS. Post 8vo. cloth, 5s.

MR. JOHN HORSLEY.

A CATECHISM OF CHEMICAL PHILOSOPHY; being a Familiar Exposition of the Principles of Chemistry and Physics. With Engravings on Wood. Designed for the Use of Schools and Private Teachers. Post 8vo. cloth, 6s. 6d.

DR. JAMES A. HORTON, M.D.

PHYSICAL AND MEDICAL CLIMATE AND METEOROLOGY OF THE WEST COAST OF AFRICA. 8vo. cloth, 10s.

MR. LUKE HOWARD, F.R.S.

ESSAY ON THE MODIFICATIONS OF CLOUDS. Third Edition, by W. D. and E. HOWARD. With 6 Lithographic Plates, from Pictures by Kenyon. 4to. cloth, 10s. 6d.

DR. HAMILTON HOWE, M.D.

A THEORETICAL INQUIRY INTO THE PHYSICAL CAUSE OF EPIDEMIC DISEASES. Accompanied with Tables. 8vo. cloth, 7s.

DR. HUFELAND.

THE ART OF PROLONGING LIFE. Second Edition. Edited by ERASMUS WILSON, F.R.S. Foolscap 8vo., 2s. 6d.

MR. W. CURTIS HUGMAN, F.R.C.S.

ON HIP-JOINT DISEASE; with reference especially to Treatment by Mechanical Means for the Relief of Contraction and Deformity of the Affected Limb. With Plates. Re-issue, enlarged. 8vo. cloth, 3s. 6d.

MR. HULKE, F.R.C.S.

A PRACTICAL TREATISE ON THE USE OF THE OPHTHALMOSCOPE. Being the Jacksonian Prize Essay for 1859. Royal 8vo. cloth, 8s.

DR. HENRY HUNT.

ON HEARTBURN AND INDIGESTION. 8vo. cloth, 5s.

MR. G. Y. HUNTER, M.R.C.S.

BODY AND MIND: the Nervous System and its Derangements. Fcap. 8vo. cloth, 3s. 6d.

PROFESSOR HUXLEY, F.R.S.

LECTURES ON THE ELEMENTS OF COMPARATIVE ANATOMY.—ON CLASSIFICATION AND THE SKULL. With 111 Illustrations. 8vo. cloth, 10s. 6d.

MR. JONATHAN HUTCHINSON, F.R.C.S.

A CLINICAL MEMOIR ON CERTAIN DISEASES OF THE EYE AND EAR, CONSEQUENT ON INHERITED SYPHILIS; with an appended Chapter of Commentaries on the Transmission of Syphilis from Parent to Offspring, and its more remote Consequences. With Plates and Woodcuts, 8vo. cloth, 9s.

DR. INMAN, M.R.C.P.

I.
ON MYALGIA: ITS NATURE, CAUSES, AND TREATMENT;
being a Treatise on Painful and other Affections of the Muscular System. Second Edition. 8vo. cloth, 9s.

II.
FOUNDATION FOR A NEW THEORY AND PRACTICE
OF MEDICINE. Second Edition. Crown 8vo. cloth, 10s.

DR. JAGO, M.D. OXON., A.B. CANTAB.

ENTOPTICS, WITH ITS USES IN PHYSIOLOGY AND
MEDICINE. With 54 Engravings. Crown 8vo. cloth, 5s.

MR. J. H. JAMES, F.R.C.S.

I.
PRACTICAL OBSERVATIONS ON THE OPERATIONS FOR
STRANGULATED HERNIA. 8vo. cloth, 5s.

II.
ON THE DISTINCTIVE CHARACTERS OF EXTERNAL
INFLAMMATIONS, AND ON INFLAMMATORY OR SYMPATHETIC
FEVER. 8vo. cloth, 5s.

DR. PROSSER JAMES, M.D.

SORE-THROAT: ITS NATURE, VARIETIES, AND TREAT-
MENT; including the Use of the LARYNGOSCOPE as an Aid to Diagnosis. Second
Edition, with numerous Engravings. Post 8vo. cloth, 5s.

DR. JENCKEN, M.D., M.R.C.P.

THE CHOLERA: ITS ORIGIN, IDIOSYNCRACY, AND
TREATMENT. Fcap. 8vo. cloth, 2s. 6d.

DR. HANDFIELD JONES, M.B., F.R.C.P.

CLINICAL OBSERVATIONS ON FUNCTIONAL NERVOUS
DISORDERS. Post 8vo. cloth, 10s. 6d.

DR. H. BENGE JONES, M.D., F.R.S.

LECTURES ON SOME OF THE APPLICATIONS OF
CHEMISTRY AND MECHANICS TO PATHOLOGY AND THERA-
PEUTICS. 8vo. cloth, 12s.

DR. HANDFIELD JONES, F.R.S., & DR. EDWARD H. SIEVEKING.

A MANUAL OF PATHOLOGICAL ANATOMY. Illustrated with
numerous Engravings on Wood. Foolsap 8vo. cloth, 12s. 6d.

DR. JAMES JONES, M.D., M.R.C.P.

ON THE USE OF PERCHLORIDE OF IRON AND OTHER
CHALYBEATE SALTS IN THE TREATMENT OF CONSUMPTION. Crown
8vo. cloth, 3s. 6d.

MR. WHARTON JONES, F.R.S.

I.
A MANUAL OF THE PRINCIPLES AND PRACTICE OF
OPHTHALMIC MEDICINE AND SURGERY; with Nine Coloured Plates and
173 Wood Engravings. Third Edition, thoroughly revised. Foolsap 8vo. cloth, 12s. 6d.

II.
THE WISDOM AND BENEFICENCE OF THE ALMIGHTY,
AS DISPLAYED IN THE SENSE OF VISION. Actonian Prize Essay. With
Illustrations on Steel and Wood. Foolsap 8vo. cloth, 4s. 6d.

III.
DEFECTS OF SIGHT AND HEARING: their Nature, Causes, Pre-
vention, and General Management. Second Edition, with Engravings. Fcap. 8vo. 2s. 6d.

IV.
A CATECHISM OF THE MEDICINE AND SURGERY OF
THE EYE AND EAR. For the Clinical Use of Hospital Students. Fcap. 8vo. 2s. 6d.

V.
A CATECHISM OF THE PHYSIOLOGY AND PHILOSOPHY
OF BODY, SENSE, AND MIND. For Use in Schools and Colleges. Fcap. 8vo.,
2s. 6d.

MR. FURNEAUX JORDAN, M.R.C.S.

AN INTRODUCTION TO CLINICAL SURGERY; WITH A
Method of Investigating and Reporting Surgical Cases. Fcap. 8vo. cloth, 5s.

MR. JUDD.

A PRACTICAL TREATISE ON URETHRITIS AND SYPHI-
LIS: including Observations on the Power of the Menstruous Fluid, and of the Dis-
charge from Leucorrhœa and Sores to produce Urethritis: with a variety of Examples,
Experiments, Remedies, and Cures. 8vo. cloth, £1. 5s.

DR. LAENNEC.

A MANUAL OF AUSCULTATION AND PERCUSSION. Trans-
lated and Edited by J. B. SHARPE, M.R.C.S. 3s.

DR. LANE, M.A.

HYDROPATHY; OR, HYGIENIC MEDICINE. An Explanatory
Essay. Second Edition. Post 8vo. cloth, 5s.

SIR WM. LAWRENCE, BART., F.R.S.

I.
LECTURES ON SURGERY. 8vo. cloth, 16s.

II.
A TREATISE ON RUPTURES. The Fifth Edition, considerably
enlarged. 8vo. cloth, 16s.

DR. LEARED, M.R.C.P.

IMPERFECT DIGESTION: ITS CAUSES AND TREATMENT.
Fourth Edition. Foolsap 8vo. cloth, 4s.

DR. EDWIN LEE.

I.
THE EFFECT OF CLIMATE ON TUBERCULOUS DISEASE,
with Notices of the chief Foreign Places of Winter Resort. Small 8vo. cloth, 4s. 6d.

II.
THE WATERING PLACES OF ENGLAND, CONSIDERED
with Reference to their Medical Topography. Fourth Edition. Fcap. 8vo. cloth, 7s. 6d.

III.
THE PRINCIPAL BATHS OF FRANCE. Fourth Edition.
Fcap. 8vo. cloth, 3s. 6d.

IV.
THE BATHS OF GERMANY. Fourth Edition. Post 8vo. cloth, 7s.

V.
THE BATHS OF SWITZERLAND. 12mo. cloth, 3s. 6d.

VI.
HOMŒOPATHY AND HYDROPATHY IMPARTIALLY AP-
PRECIATED. Fourth Edition. Post 8vo. cloth, 3s.

MR. HENRY LEE, F.R.C.S.

I.
ON SYPHILIS. Second Edition. With Coloured Plates. 8vo. cloth, 10s.

II.
ON DISEASES OF THE VEINS, HÆMORRHOIDAL TUMOURS,
AND OTHER AFFECTIONS OF THE RECTUM. Second Edition. 8vo. cloth, 8s.

DR. ROBERT LEE, F.R.S.

I.
CONSULTATIONS IN MIDWIFERY. Foolscap 8vo. cloth, 4s. 6d.

II.
A TREATISE ON THE SPECULUM; with Three Hundred Cases.
8vo. cloth, 4s. 6d.

III.
CLINICAL REPORTS OF OVARIAN AND UTERINE DIS-
EASES, with Commentaries. Foolscap 8vo. cloth, 6s. 6d.

IV.
CLINICAL MIDWIFERY: comprising the Histories of 545 Cases of
Difficult, Preternatural, and Complicated Labour, with Commentaries. Second Edition.
Foolscap 8vo. cloth, 5s.

DR. LEISHMAN, M.D., F.F.P.S.

THE MECHANISM OF PARTURITION: An Essay, Historical and
Critical. With Engravings. 8vo. cloth, 5s.

MR. LISTON, F.R.S.

PRACTICAL SURGERY. Fourth Edition. 8vo. cloth, 22s.

MR. H. W. LOBB, L.S.A., M.R.C.S.E.

ON SOME OF THE MORE OBSCURE FORMS OF NERVOUS
AFFECTIONS, THEIR PATHOLOGY AND TREATMENT. Re-issue,
with the Chapter on Galvanism entirely Re-written. With Engravings. 8vo. cloth, 8s.

DR. LOGAN, M.D., M.R.C.P. LOND.

ON OBSTINATE DISEASES OF THE SKIN. Fcap. 8vo. cloth, 2s. 6d.

LONDON HOSPITAL.

CLINICAL LECTURES AND REPORTS BY THE MEDICAL
AND SURGICAL STAFF. With Illustrations. Vols. I. to IV. 8vo. cloth, 7s. 6d.

LONDON MEDICAL SOCIETY OF OBSERVATION.

WHAT TO OBSERVE AT THE BED-SIDE, AND AFTER
DEATH. Published by Authority. Second Edition. Foolscap 8vo. cloth, 4s. 6d.

MR. HENRY LOWNDES, M.R.C.S.

AN ESSAY ON THE MAINTENANCE OF HEALTH. Fcap.
8vo. cloth, 2s. 6d.

MR. M'CLELLAND, F.L.S., F.G.S.

THE MEDICAL TOPOGRAPHY, OR CLIMATE AND SOILS,
OF BENGAL AND THE N. W. PROVINCES. Post 8vo. cloth, 4s. 6d.

DR. MACLACHLAN, M.D., F.R.C.P.L.

THE DISEASES AND INFIRMITIES OF ADVANCED LIFE.
8vo. cloth, 16s.

DR. A. C. MACLEOD, M.R.C.P. LOND.

ACHOLIC DISEASES; comprising Jaundice, Diarrhœa, Dysentery,
and Cholera. Post 8vo. cloth, 5s. 6d.

DR. GEORGE H. B. MACLEOD, F.R.C.S.E.

I.
OUTLINES OF SURGICAL DIAGNOSIS. 8vo. cloth, 12s. 6d.

II.
NOTES ON THE SURGERY OF THE CRIMEAN WAR; with
REMARKS on GUN-SHOT WOUNDS. 8vo. cloth, 10s. 6d.

DR. WM. MACLEOD, F.R.C.P. EDIN.

THE THEORY OF THE TREATMENT OF DISEASE ADOPTED
AT BEN RHYDDING. Fcap. 8vo. cloth, 2s. 6d.

MR. JOSEPH MACLISE, F.R.C.S.

I.
SURGICAL ANATOMY. A Series of Dissections, illustrating the Prin-
cipal Regions of the Human Body. Second Edition, folio, cloth, £3. 12s.; half-morocco,
£4. 4s.

II.
ON DISLOCATIONS AND FRACTURES. This Work is Uniform
with "Surgical Anatomy;" folio, cloth, £2. 10s.; half-morocco, £2. 17s.

MR. MACNAMARA.

ON DISEASES OF THE EYE; referring principally to those Affections
requiring the aid of the Ophthalmoscope for their Diagnosis. With coloured plates.
8vo. cloth, 10s. 6d.

DR. MONICOLL, M.R.C.P.

A HAND-BOOK FOR SOUTHPORT, MEDICAL & GENERAL;
with Copious Notices of the Natural History of the District. Second Edition. Post 8vo.
cloth, 3s. 6d.

DR. MARCET, F.R.S.

ON CHRONIC ALCOHOLIC INTOXICATION; with an INQUIRY
INTO THE INFLUENCE OF THE ABUSE OF ALCOHOL AS A PRE-
DISPOSING CAUSE OF DISEASE. Second Edition, much enlarged. Foolscap
8vo. cloth, 4s. 6d.

DR. J. MACPHERSON, M.D.

CHOLERA IN ITS HOME; with a Sketch of the Pathology and Treatment of the Disease. Crown 8vo. cloth, 5s.

DR. MARKHAM.

I.
DISEASES OF THE HEART: THEIR PATHOLOGY, DIAGNOSIS, AND TREATMENT. Second Edition. Post 8vo. cloth, 6s.

II.
SKODA ON AUSCULTATION AND PERCUSSION. Post 8vo. cloth, 6s.

III.
BLEEDING AND CHANGE IN TYPE OF DISEASES. Gulstonian Lectures for 1864. Crown 8vo. 2s. 6d.

SIR RANALD MARTIN, K.C.B., F.R.S.

INFLUENCE OF TROPICAL CLIMATES IN PRODUCING THE ACUTE ENDEMIC DISEASES OF EUROPEANS; including Practical Observations on their Chronic Sequelæ under the Influences of the Climate of Europe. Second Edition, much enlarged. 8vo. cloth, 20s.

MR. C. F. MAUNDER, F.R.C.S.

OPERATIVE SURGERY. With 158 Engravings. Post 8vo. 6s.

DR. MAYNE, M.D., LL.D.

I.
AN EXPOSITORY LEXICON OF THE TERMS, ANCIENT AND MODERN, IN MEDICAL AND GENERAL SCIENCE. 8vo. cloth, £2. 10s.

II.
A MEDICAL VOCABULARY; or, an Explanation of all Names, Synonymes, Terms, and Phrases used in Medicine and the relative branches of Medical Science. Second Edition. Fcap. 8vo. cloth, 8s. 6d.

DR. MERYON, M.D., F.R.C.P.

PATHOLOGICAL AND PRACTICAL RESEARCHES ON THE VARIOUS FORMS OF PARALYSIS. 8vo. cloth, 6s.

DR. MILLINGEN.

ON THE TREATMENT AND MANAGEMENT OF THE INSANE; with Considerations on Public and Private Lunatic Asylums. 18mo. cloth, 4s. 6d.

DR. W. J. MOORE, M.D.

I.
HEALTH IN THE TROPICS; or, Sanitary Art applied to Europeans in India. 8vo. cloth, 9s.

II.
A MANUAL OF THE DISEASES OF INDIA. Fcap. 8vo. cloth, 5s.

DR. JAMES MORRIS, M.D. LOND.

I.
GERMINAL MATTER AND THE CONTACT THEORY: An Essay on the Morbid Poisons. Second Edition. Crown 8vo. cloth, 4s. 6d.

II.
IRRITABILITY: Popular and Practical Sketches of Common Morbid States and Conditions bordering on Disease; with Hints for Management, Alleviation, and Cure. Crown 8vo. cloth, 4s. 6d.

PROFESSOR MULDER, UTRECHT.

THE CHEMISTRY OF WINE. Edited by H. BENCE JONES, M.D.,
F.R.S. Fcap. 8vo. cloth, 6s.

DR. W. MURRAY, M.D., M.R.C.P.

EMOTIONAL DISORDERS OF THE SYMPATHETIC SYSTEM OF NERVES. Crown 8vo. cloth, 3s. 6d.

DR. MUSHET, M.B., M.R.C.P.

ON APOPLEXY, AND ALLIED AFFECTIONS OF THE BRAIN. 8vo. cloth, 7s.

MR. NAYLER, F.R.C.S.

ON THE DISEASES OF THE SKIN. With Plates. 8vo. cloth, 10s. 6d.

DR. BIRKBECK NEVINS.

THE PRESCRIBER'S ANALYSIS OF THE BRITISH PHARMACOPEIA of 1867. 32mo. cloth, 3s. 6d.

DR. THOS. NICHOLSON, M.D.

ON YELLOW FEVER; comprising the History of that Disease as it appeared in the Island of Antigua. Fcap. 8vo. cloth, 2s. 6d.

DR. MOAD, PH.D., F.R.S.

THE INDUCTION COIL, being a Popular Explanation of the Electrical Principles on which it is constructed. Third Edition. With Engravings. Fcap. 8vo. cloth, 3s.

DR. NOBLE.

THE HUMAN MIND IN ITS RELATIONS WITH THE BRAIN AND NERVOUS SYSTEM. Post 8vo. cloth, 4s. 6d.

MR. NUNNELEY, F.R.C.S.E.

I.
ON THE ORGANS OF VISION: THEIR ANATOMY AND PHYSIOLOGY. With Plates, 8vo. cloth, 15s.

II.
A TREATISE ON THE NATURE, CAUSES, AND TREATMENT OF ERYSIPELAS. 8vo. cloth, 10s. 6d.

DR. OPPERT, M.D.

I.
HOSPITALS, INFIRMARIES, AND DISPENSARIES; their Construction, Interior Arrangement, and Management, with Descriptions of existing Institutions. With 58 Engravings. Royal 8vo. cloth, 10s. 6d.

II.
VISCERAL AND HEREDITARY SYPHILIS. 8vo. cloth, 5s.

MR. LANGSTON PARKER.

THE MODERN TREATMENT OF SYPHILITIC DISEASES, both Primary and Secondary; comprising the Treatment of Constitutional and Confirmed Syphilis, by a safe and successful Method. Fourth Edition, 8vo. cloth, 10s.

DR. PARKES, F.R.S., F.R.C.P.

I.
A MANUAL OF PRACTICAL HYGIENE; intended especially for the Medical Officers of the Army. With Plates and Woodcuts. 2nd Edition, 8vo. cloth, 16s.

II.
THE URINE: ITS COMPOSITION IN HEALTH AND DISEASE, AND UNDER THE ACTION OF REMEDIES. 8vo. cloth, 12s.

DR. PARKIN, M.D., F.R.C.S.

I.
THE ANTIDOTAL TREATMENT AND PREVENTION OF
THE EPIDEMIC CHOLERA. Third Edition. 8vo. cloth, 7s. 6d.

II.
THE CAUSATION AND PREVENTION OF DISEASE; with
the Laws regulating the Extrication of Malaria from the Surface, and its Diffusion in the
surrounding Air. 8vo. cloth, 5s.

MR. JAMES PART, F.R.C.S.

THE MEDICAL AND SURGICAL POCKET CASE BOOK,
for the Registration of important Cases in Private Practice, and to assist the Student of
Hospital Practice. Second Edition. 2s. 6d.

DR. PATTERSON, M.D.

EGYPT AND THE NILE AS A WINTER RESORT FOR
PULMONARY AND OTHER INVALIDS. Fcap. 8vo. cloth, 3s.

DR. PAVY, M.D., F.R.S., F.R.C.P.

I.
DIABETES: RESEARCHES ON ITS NATURE AND TREAT-
MENT. 8vo. cloth, 8s. 6d.

II.
DIGESTION: ITS DISORDERS AND THEIR TREATMENT.
8vo. cloth, 8s. 6d.

DR. PEACOCK, M.D., F.R.C.P.

I.
ON MALFORMATIONS OF THE HUMAN HEART. With
Original Cases and Illustrations. Second Edition. With 8 Plates. 8vo. cloth, 10s.

II.
ON SOME OF THE CAUSES AND EFFECTS OF VALVULAR
DISEASE OF THE HEART. With Engravings. 8vo. cloth, 5s.

DR. W. H. PEARSE, M.D. EDIN.

NOTES ON HEALTH IN CALCUTTA AND BRITISH
EMIGRANT SHIPS, including Ventilation, Diet, and Disease. Fcap. 8vo. 2s.

DR. PEET, M.D., F.R.C.P.

THE PRINCIPLES AND PRACTICE OF MEDICINE
Designed chiefly for Students of Indian Medical Colleges. 8vo. cloth, 16s.

DR. PEREIRA, F.R.S.

SELECTA E PRÆSCRIPTIS. Fourteenth Edition. 24mo. cloth, 5s.

DR. PICKFORD.

HYGIENE; or, Health as Depending upon the Conditions of the Atmo-
sphere, Food and Drinks, Motion and Rest, Sleep and Wakefulness, Secretions, Excre-
tions, and Retentions, Mental Emotions, Clothing, Bathing, &c. Vol. I. 8vo. cloth, 9s.

PROFESSOR PIRRIE, F.R.S.E.

THE PRINCIPLES AND PRACTICE OF SURGERY. With numerous Engravings on Wood. Second Edition. 8vo. cloth, 24s.

PROFESSOR PIRRIE & DR. KEITH.

ACUPRESSURE: an excellent Method of arresting Surgical Hæmorrhage and of accelerating the healing of Wounds. With Engravings. 8vo. cloth, 5s.

DR. PIRRIE, M.D.

ON HAY ASTHMA, AND THE AFFECTION TERMED HAY FEVER. Fcap. 8vo. cloth, 2s. 6d.

PROFESSORS PLATTNER & MUSPRATT.

THE USE OF THE BLOWPIPE IN THE EXAMINATION OF MINERALS, ORES, AND OTHER METALLIC COMBINATIONS. Illustrated by numerous Engravings on Wood. Third Edition. 8vo. cloth, 10s. 6d.

MR. HENRY POWER, F.R.C.S., M.B.LOND.

ILLUSTRATIONS OF SOME OF THE PRINCIPAL DISEASES OF THE EYE: With an Account of their Symptoms, Pathology and Treatment. Twelve Coloured Plates. 8vo. cloth, 20s.

DR. HENRY F. A. PRATT, M.D., M.R.C.P.

I.
THE GENEALOGY OF CREATION, newly Translated from the Unpointed Hebrew Text of the Book of Genesis, showing the General Scientific Accuracy of the Cosmogony of Moses and the Philosophy of Creation. 8vo. cloth, 14s.

II.
ON ECCENTRIC AND CENTRIC FORCE: A New Theory of Projection. With Engravings. 8vo. cloth, 10s.

III.
ON ORBITAL MOTION: The Outlines of a System of Physical Astronomy. With Diagrams. 8vo. cloth, 7s. 6d.

IV.
ASTRONOMICAL INVESTIGATIONS. The Cosmical Relations of the Revolution of the Lunar Apesides. Oceanic Tides. With Engravings. 8vo. cloth, 5s.

V.
THE ORACLES OF GOD: An Attempt at a Re-interpretation. Part I. The Revealed Cosmos. 8vo. cloth, 10s.

THE PRESCRIBER'S PHARMACOPŒIA; containing all the Medicines in the British Pharmacopœia, arranged in Classes according to their Action, with their Composition and Doses. By a Practising Physician. Fifth Edition. 32mo. cloth, 2s. 6d.; roan tuck (for the pocket), 3s. 6d.

DR. JOHN ROWLISON PRETTY.

AIDS DURING LABOUR, including the Administration of Chloroform, the Management of Placenta and Post-partum Hæmorrhage. Fcap. 8vo. cloth, 4s. 6d.

MR. P. C. PRICE, F.R.C.S.

AN ESSAY ON EXCISION OF THE KNEE-JOINT. With Coloured Plates. With Memoir of the Author and Notes by Henry Smith, F.R.C.S. Royal 8vo. cloth, 14s.

MR. LAKE PRICE.

PHOTOGRAPHIC MANIPULATION: A Manual treating of the Practice of the Art, and its various Applications to Nature. With numerous Engravings. Second Edition. Crown 8vo. cloth, 6s. 6d.

DR. PRIESTLEY.

LECTURES ON THE DEVELOPMENT OF THE GRAVID UTERUS. 8vo. cloth, 5s. 6d.

DR. RADCLIFFE, F.R.C.P.L.

LECTURES ON EPILEPTIC, SPASMODIC, NEURALGIC, AND PARALYTIC DISORDERS OF THE NERVOUS SYSTEM, delivered at the Royal College of Physicians in London. Post 8vo. cloth, 7s. 6d.

MR. RAINEY.

ON THE MODE OF FORMATION OF SHELLS OF ANIMALS, OF BONE, AND OF SEVERAL OTHER STRUCTURES, by a Process of Molecular Coalescence, Demonstrable in certain Artificially-formed Products. Fcap. 8vo. cloth, 4s. 6d.

DR. F. H. RAMSBOTHAM.

THE PRINCIPLES AND PRACTICE OF OBSTETRIC MEDICINE AND SURGERY. Illustrated with One Hundred and Twenty Plates on Steel and Wood; forming one thick handsome volume. Fifth Edition. 8vo. cloth, 22s.

DR. RAMSBOTHAM.

PRACTICAL OBSERVATIONS ON MIDWIFERY, with a Selection of Cases. Second Edition. 8vo. cloth, 12s.

DR. READE, M.B.T.C.D., L.R.C.S.I.

SYPHILITIC AFFECTIONS OF THE NERVOUS SYSTEM, AND A CASE OF SYMMETRICAL MUSCULAR ATROPHY; with other Contributions to the Pathology of the Spinal Marrow. Post 8vo. cloth, 5s.

PROFESSOR REDWOOD, PH.D.

A SUPPLEMENT TO THE PHARMACOPŒIA: A concise but comprehensive Dispensatory, and Manual of Facts and Formulæ, for the use of Practitioners in Medicine and Pharmacy. Third Edition. 8vo. cloth, 22s.

DR. DU BOIS REYMOND.

ANIMAL ELECTRICITY; Edited by H. BENGE JONES, M.D., F.R.S. With Fifty Engravings on Wood. Foolscap 8vo. cloth, 6s.

DR. REYNOLDS, M.D.LOND.

I.
EPILEPSY: ITS SYMPTOMS, TREATMENT, AND RELATION TO OTHER CHRONIC CONVULSIVE DISEASES. 8vo. cloth, 10s.

II.
THE DIAGNOSIS OF DISEASES OF THE BRAIN, SPINAL CORD, AND THEIR APPENDAGES. 8vo. cloth, 8s.

DR. B. W. RICHARDSON.

ON THE CAUSE OF THE COAGULATION OF THE BLOOD. Being the ASTLEY COOPER PRIZE ESSAY for 1856. With a Practical Appendix. 8vo. cloth, 16s.

DR. RITCHIE, M.D.
ON OVARIAN PHYSIOLOGY AND PATHOLOGY. With
Engravings. 8vo. cloth, 6s.

DR. WILLIAM ROBERTS, M.D., F.R.C.P.
AN ESSAY ON WASTING PALSY; being a Systematic Treatise on
the Disease hitherto described as ATROPHIE MUSCULAIRE PROGRESSIVE.
With Four Plates. 8vo. cloth, 5s.

DR. ROUTH.
INFANT FEEDING, AND ITS INFLUENCE ON LIFE;
Or, the Causes and Prevention of Infant Mortality. Second Edition. Fcap. 8vo. cloth, 6s.

DR. W. H. ROBERTSON.
I.
THE NATURE AND TREATMENT OF GOUT. 8vo. cloth, 10s. 6d.
II.
A TREATISE ON DIET AND REGIMEN. Fourth Edition. 2 vols.
12s. post 8vo. cloth.

DR. ROWE.
NERVOUS DISEASES, LIVER AND STOMACH COM-
PLAINTS, LOW SPIRITS, INDIGESTION, GOUT, ASTHMA, AND DIS-
ORDERS PRODUCED BY TROPICAL CLIMATES. With Cases. Sixteenth
Edition. Fcap. 8vo. 2s. 6d.

DR. ROYLE, F.R.S., AND DR. HEADLAND, M.D.
A MANUAL OF MATERIA MEDICA AND THERAPEUTICS.
With numerous Engravings on Wood. Fifth Edition. Fcap. 8vo. cloth, 12s. 6d.

DR. RYAN, M.D.
INFANTICIDE: ITS LAW, PREVALENCE, PREVENTION, AND
HISTORY. 8vo. cloth, 5s.

ST. BARTHOLOMEW'S HOSPITAL.
A DESCRIPTIVE CATALOGUE OF THE ANATOMICAL
MUSEUM. Vol. I. (1846), Vol. II. (1851), Vol. III. (1862), 8vo. cloth, 5s. each.

ST. GEORGE'S HOSPITAL REPORTS. Vols. I. & II. 8vo. 7s. 6d.

MR. T. P. SALT, BIRMINGHAM.
I.
ON DEFORMITIES AND DEBILITIES OF THE LOWER
EXTREMITIES, AND THE MECHANICAL TREATMENT EMPLOYED
IN THE PROMOTION OF THEIR CURE. With Plates. 8vo. cloth, 15s.

II.
ON RUPTURE: ITS CAUSES, MANAGEMENT, AND CURE,
and the various Mechanical Contrivances employed for its Relief. With Engravings.
Post 8vo. cloth, 3s.

DR. SALTER, F.R.S.
ASTHMA. Second Edition. 8vo. cloth, 10s.

DR. SANKEY, M.D. LOND.
LECTURES ON MENTAL DISEASES. 8vo. cloth, 8s.

DR. SANSON, M.D.LOND.

I.

CHLOROFORM: ITS ACTION AND ADMINISTRATION. A Handbook. With Engravings. Crown 8vo. cloth, 5s.

II.

THE ARREST AND PREVENTION OF CHOLERA; being a Guide to the Antiseptic Treatment. Fcap. 8vo. cloth, 2s. 6d.

MR. SAVORY.

A COMPENDIUM OF DOMESTIC MEDICINE, AND COMPANION TO THE MEDICINE CHEST; intended as a Source of Easy Reference for Clergymen, and for Families residing at a Distance from Professional Assistance. Seventh Edition. 12mo. cloth, 5s.

DR. SCHÄCHT.

THE MICROSCOPE, AND ITS APPLICATION TO VEGETABLE ANATOMY AND PHYSIOLOGY. Edited by FREDERICK CURREY, M.A. Fcap. 8vo. cloth, 6s.

DR. SCORESBY-JACKSON, M.D., F.R.S.E.

MEDICAL CLIMATOLOGY; or, a Topographical and Meteorological Description of the Localities resorted to in Winter and Summer by Invalids of various classes both at Home and Abroad. With an Isothermal Chart. Post 8vo. cloth, 12s.

DR. SEMPLE.

ON COUGH: its Causes, Varieties, and Treatment. With some practical Remarks on the Use of the Stethoscope as an aid to Diagnosis. Post 8vo. cloth, 4s. 6d.

DR. SEYMOUR.

I.

ILLUSTRATIONS OF SOME OF THE PRINCIPAL DISEASES OF THE OVARIA: their Symptoms and Treatment; to which are prefixed Observations on the Structure and Functions of those parts in the Human Being and in Animals. On India paper. Folio, 16s.

II.

THE NATURE AND TREATMENT OF DROPSY; considered especially in reference to the Diseases of the Internal Organs of the Body, which most commonly produce it. 8vo. 5s.

DR. SHAPTER, M.D., F.R.C.P.

THE CLIMATE OF THE SOUTH OF DEVON, AND ITS INFLUENCE UPON HEALTH. Second Edition, with Maps. 8vo. cloth, 10s. 6d.

MR. SHAW, M.R.C.S.

THE MEDICAL REMEMBRANCER; OR, BOOK OF EMERGENCIES. Fifth Edition. Edited, with Additions, by JONATHAN HUTCHINSON, F.R.C.S. 32mo. cloth, 2s. 6d.

DR. SHEA, M.D., B.A.

A MANUAL OF ANIMAL PHYSIOLOGY. With an Appendix of Questions for the B.A. London and other Examinations. With Engravings. Foolscap 8vo. cloth, 5s. 6d.

DR. SHRIMPTON.

CHOLERA: ITS SEAT, NATURE, AND TREATMENT. With Engravings. 8vo. cloth, 4s. 6d.

MR. U. J. KAY-SHUTTLEWORTH.

FIRST PRINCIPLES OF MODERN CHEMISTRY: a Manual of Inorganic Chemistry. Crown 8vo. cloth, 4s. 6d.

DR. SIBSON, F.R.S.
MEDICAL ANATOMY. With coloured Plates. Imperial folio. Fasci-
 culi I. to VI. 5s. each.

DR. E. H. SIEVEKING.
ON EPILEPSY AND EPILEPTIFORM SEIZURES: their
 Causes, Pathology, and Treatment. Second Edition. Post 8vo. cloth, 10s. 6d.

DR. SIMMS.
A WINTER IN PARIS: being a few Experiences and Observations
 of French Medical and Sanitary Matters. Fcap. 8vo. cloth, 4s.

MR. SINCLAIR AND DR. JOHNSTON.
PRACTICAL MIDWIFERY: Comprising an Account of 13,748 Deli-
 veries, which occurred in the Dublin Lying-in Hospital, during a period of Seven Years.
 8vo. cloth, 10s.

DR. SIORDET, M.B.LOND., M.R.C.P.
MENTONE IN ITS MEDICAL ASPECT. Foolscep 8vo. cloth, 2s. 6d.

MR. ALFRED SMEE, F.R.S.
GENERAL DEBILITY AND DEFECTIVE NUTRITION; their
 Causes, Consequences, and Treatment. Second Edition. Fcap. 8vo. cloth, 3s. 6d.

DR. SMELLIE.
OBSTETRIC PLATES: being a Selection from the more Important and
 Practical Illustrations contained in the Original Work. With Anatomical and Practical
 Directions. 8vo. cloth, 5s.

MR. HENRY SMITH, F.R.C.S.
 I.
ON STRICTURE OF THE URETHRA. 8vo. cloth, 7s. 6d.
 II.
HÆMORRHOIDS AND PROLAPSUS OF THE RECTUM:
 Their Pathology and Treatment, with especial reference to the use of Nitric Acid. Third
 Edition. Fcap. 8vo. cloth, 3s.
 III.
THE SURGERY OF THE RECTUM. Lettsomian Lectures. Second
 Edition. Fcap. 8vo. 3s. 6d.

DR. J. SMITH, M.D., F.R.C.S. EDIN.
HANDBOOK OF DENTAL ANATOMY AND SURGERY, FOR
 THE USE OF STUDENTS AND PRACTITIONERS. Fcap. 3vo. cloth, 3s. 6d.

DR. W. TYLER SMITH.
A MANUAL OF OBSTETRICS, THEORETICAL AND PRAC-
 TICAL. Illustrated with 186 Engravings. Fcap. 8vo. cloth, 12s. 6d.

DR. SNOW.
ON CHLOROFORM AND OTHER ANÆSTHETICS: THEIR
 ACTION AND ADMINISTRATION. Edited, with a Memoir of the Author, by
 Benjamin W. Richardson, M.D. 8vo. cloth, 10s. 6d.

MR. J. VOSE SOLOMON, F.R.C.S.
TENSION OF THE EYEBALL; GLAUCOMA: some Account of
 the Operations practised in the 19th Century. 8vo. cloth, 4s.

DR. STANHOPE TEMPLEMAN SPEER.

PATHOLOGICAL CHEMISTRY, IN ITS APPLICATION TO THE PRACTICE OF MEDICINE. Translated from the French of MM. BECQUEREL and RODIER. 8vo. cloth, reduced to 8s.

MR. J. K. SPENDER, M.B.LOND.

A MANUAL OF THE PATHOLOGY AND TREATMENT OF ULCERS AND CUTANEOUS DISEASES OF THE LOWER LIMBS. 8vo. cloth, 4s.

MR. BALMANNO SQUIRE, M.B.LOND.

CLINICAL LECTURES ON SKIN DISEASES. Illustrated by Coloured Photographs from Life. Complete in 36 Numbers, price 1s. 6d. each. Nos. I.—XXX. are now ready.

A MANUAL OF THE DISEASES OF THE SKIN. Illustrated by Coloured Plates of the Diseases, and by Woodcuts of the Parasites of the Skin. Post 8vo. cloth, 24s.

MR. PETER SQUIRE.

A COMPANION TO THE BRITISH PHARMACOPŒIA. Sixth Edition. 8vo. cloth, 8s. 6d.

THE PHARMACOPŒIAS OF THIRTEEN OF THE LONDON HOSPITALS, arranged in Groups for easy Reference and Comparison. 18mo. cloth, 3s. 6d.

DR. STEGGALL.

A MEDICAL MANUAL FOR APOTHECARIES' HALL AND OTHER MEDICAL BOARDS. Twelfth Edition. 12mo. cloth, 10s.

A MANUAL FOR THE COLLEGE OF SURGEONS; intended for the Use of Candidates for Examination and Practitioners. Second Edition. 12mo. cloth, 10s.

FIRST LINES FOR CHEMISTS AND DRUGGISTS PREPARING FOR EXAMINATION AT THE PHARMACEUTICAL SOCIETY. Second Edition. 18mo. cloth, 3s. 6d.

MR. STOWE, M.R.C.S.

A TOXICOLOGICAL CHART, exhibiting at one view the Symptoms, Treatment, and Mode of Detecting the various Poisons, Mineral, Vegetable, and Animal. To which are added, concise Directions for the Treatment of Suspended Animation. Twelfth Edition, revised. On Sheet, 2s.; mounted on Roller, 5s.

MR. FRANCIS SUTTON, F.C.S.

A SYSTEMATIC HANDBOOK OF VOLUMETRIC ANALYSIS; or, the Quantitative Estimation of Chemical Substances by Measure. With Engravings. Post 8vo. cloth, 7s. 6d.

DR. SWAYNE.

OBSTETRIC APHORISMS FOR THE USE OF STUDENTS COMMENCING MIDWIFERY PRACTICE. With Engravings on Wood. Fourth Edition. Fcap. 3vo. cloth, 3s. 6d.

MR. TAMPLIN, F.R.C.S.E.

LATERAL CURVATURE OF THE SPINE: its Causes, Nature, and Treatment. 8vo. cloth, 4s.

SIR ALEXANDER TAYLOR, M.D., F.R.S.E.

THE CLIMATE OF PAU; with a Description of the Watering Places of the Pyrenees, and of the Virtues of their respective Mineral Sources in Disease. Third Edition. Post 8vo. cloth, 7s.

DR. ALFRED S. TAYLOR, F.R.S.

I.
THE PRINCIPLES AND PRACTICE OF MEDICAL JURISPRUDENCE. With 176 Wood Engravings. 8vo. cloth, 28s.

II.
A MANUAL OF MEDICAL JURISPRUDENCE. Eighth Edition. With Engravings. Fcap. 8vo. cloth, 12s. 6d.

III.
ON POISONS, in relation to MEDICAL JURISPRUDENCE AND MEDICINE. Second Edition. Fcap. 8vo. cloth, 12s. 6d.

MR. TEALE.

ON AMPUTATION BY A LONG AND A SHORT RECTANGULAR FLAP. With Engravings on Wood. 8vo. cloth, 5s.

DR. THEOPHILUS THOMPSON, F.R.S.

CLINICAL LECTURES ON PULMONARY CONSUMPTION; with additional Chapters by E. SYMES THOMPSON, M.D. With Plates. 8vo. cloth, 7s. 6d.

DR. THOMAS.

THE MODERN PRACTICE OF PHYSIC; exhibiting the Symptoms, Causes, Morbid Appearances, and Treatment of the Diseases of all Climates. Eleventh Edition. Revised by ALGERNON FRAMPTON, M.D. 2 vols. 8vo. cloth, 28s.

SIR HENRY THOMPSON, F.R.C.S.

I.
STRICTURE OF THE URETHRA; its Pathology and Treatment. The Jacksonian Prize Essay for 1852. With Plates. Second Edition. 8vo. cloth, 10s.

II.
THE DISEASES OF THE PROSTATE; their Pathology and Treatment. With Plates. Third Edition. 8vo. cloth, 10s.

III.
PRACTICAL LITHOTOMY AND LITHOTRITY; or, An Inquiry into the best Modes of removing Stone from the Bladder. With numerous Engravings, 8vo. cloth, 9s.

DR. THUDICHUM.

I.
A TREATISE ON THE PATHOLOGY OF THE URINE, Including a complete Guide to its Analysis. With Plates, 8vo. cloth, 14s.

II.
A TREATISE ON GALL STONES: their Chemistry, Pathology, and Treatment. With Coloured Plates. 8vo. cloth, 10s.

DR. TILT.

I.
ON UTERINE AND OVARIAN INFLAMMATION, AND ON
THE PHYSIOLOGY AND DISEASES OF MENSTRUATION. Third Edition.
8vo. cloth, 12s.

II.
A HANDBOOK OF UTERINE THERAPEUTICS, AND OF
MODERN PATHOLOGY OF DISEASES OF WOMEN. Second Edition.
Post 8vo. cloth, 6s.

III.
THE CHANGE OF LIFE IN HEALTH AND DISEASE: a
Practical Treatise on the Nervous and other Affections incidental to Women at the Decline
of Life. Second Edition. 8vo. cloth, 6s.

DR. GODWIN TIMMS.

CONSUMPTION: its True Nature and Successful Treatment. Re-issue,
enlarged. Crown 8vo. cloth, 10s.

DR. ROBERT B. TODD, F.R.S.

I.
CLINICAL LECTURES ON THE PRACTICE OF MEDICINE.
New Edition, in one Volume, Edited by DR. BEALE, 8vo. cloth, 18s.

II.
ON CERTAIN DISEASES OF THE URINARY ORGANS, AND
ON DROPSIES. Fcap. 8vo. cloth, 6s.

MR. TOMES, F.R.S.

A MANUAL OF DENTAL SURGERY. With 208 Engravings on
Wood. Fcap. 8vo. cloth, 12s. 6d.

DR. TUNSTALL, M.D., M.R.C.P.

THE BATH WATERS: their Uses and Effects in the Cure and
Relief of various Chronic Diseases. Fourth Edition, revised. Crown 8vo. cloth, 2s.

DR. TURNBULL.

I.
AN INQUIRY INTO THE CURABILITY OF CONSUMPTION,
ITS PREVENTION, AND THE PROGRESS OF IMPROVEMENT IN THE
TREATMENT. Third Edition. 8vo. cloth, 6s.

II.
A PRACTICAL TREATISE ON DISORDERS OF THE STOMACH
with FERMENTATION; and on the Causes and Treatment of Indigestion, &c. 8vo.
cloth, 6s.

DR. TWEEDIE, F.R.S.

CONTINUED FEVERS: THEIR DISTINCTIVE CHARACTERS,
PATHOLOGY, AND TREATMENT. With Coloured Plates. 8vo. cloth, 12s.

VESTIGES OF THE NATURAL HISTORY OF CREATION.
Eleventh Edition. Illustrated with 106 Engravings on Wood. 8vo. cloth, 7s. 6d.

DR. UNDERWOOD

TREATISE ON THE DISEASES OF CHILDREN. Tenth Edition,
with Additions and Corrections by HENRY DAVIES, M.D. 8vo. cloth, 15s.

DR. UNGER.

BOTANICAL LETTERS. Translated by Dr. B. PAUL. Numerous
Woodcuts. Post 8vo., 2s. 6d.

MR. WADE, F.R.C.S.

STRICTURE OF THE URETHRA, ITS COMPLICATIONS
AND EFFECTS; a Practical Treatise on the Nature and Treatment of those
Affections. Fourth Edition. 8vo. cloth, 7s. 6d.

DR. WALKER, M.B.LOND.

ON DIPHTHERIA AND DIPHTHERITIC DISEASES. Fcap.
8vo. cloth, 3s.

DR. WALLER.

ELEMENTS OF PRACTICAL MIDWIFERY; or, Companion to
the Lying-in Room. Fourth Edition, with Plates. Fcap. cloth, 4s. 6d.

MR. HAYNES WALTON, F.R.C.S.

SURGICAL DISEASES OF THE EYE. With Engravings on
Wood. Second Edition. 8vo. cloth, 14s.

DR. WARING, M.D., M.R.C.P.LOND.

I.
A MANUAL OF PRACTICAL THERAPEUTICS. Second Edition,
Revised and Enlarged. Fcap. 8vo. cloth, 12s. 6d.

II.
THE TROPICAL RESIDENT AT HOME. Letters addressed to
Europeans returning from India and the Colonies on Subjects connected with their Health
and General Welfare. Crown 8vo. cloth, 5s.

DR. WATERS, F.R.C.P.

I.
DISEASES OF THE CHEST. CONTRIBUTIONS TO THEIR
CLINICAL HISTORY, PATHOLOGY, AND TREATMENT. With Plates.
8vo. cloth, 12s. 6d.

II.
THE ANATOMY OF THE HUMAN LUNG. The Prize Essay
to which the Fothergillian Gold Medal was awarded by the Medical Society of London.
Post 8vo. cloth, 6s. 6d.

III.
RESEARCHES ON THE NATURE, PATHOLOGY, AND
TREATMENT OF EMPHYSEMA OF THE LUNGS, AND ITS RELA-
TIONS WITH OTHER DISEASES OF THE CHEST. With Engravings. 8vo.
cloth, 5s.

DR. ALLAN WEBB, F.R.C.S.L.

THE SURGEON'S READY RULES FOR OPERATIONS IN
SURGERY. Royal 8vo. cloth, 10s. 6d.

DR. WEBER.

A CLINICAL HAND-BOOK OF AUSCULTATION AND PERCUSSION. Translated by JOHN COCKLE, M.D. 5s.

MR. SOELBERG WELLS, M.D., M.R.C.S.

ON LONG, SHORT, AND WEAK SIGHT, and their Treatment by the Scientific Use of Spectacles. Second Edition. With Plates. 8vo. cloth, 6s.

MR. T. SPENCER WELLS, F.R.C.S.

I.
DISEASES OF THE OVARIES: THEIR DIAGNOSIS AND TREATMENT. Vol. I. 8vo. cloth, 9s.

II.
SCALE OF MEDICINES FOR MERCHANT VESSELS.

With Observations on the Means of Preserving the Health of Seamen, &c. &c. Seventh Thousand. Fcap. 8vo. cloth, 3s. 6d.

DR. WEST.

LECTURES ON THE DISEASES OF WOMEN. Third Edition. 8vo. cloth, 16s.

DR. UVEDALE WEST.

ILLUSTRATIONS OF PUERPERAL DISEASES. Second Edition, enlarged. Post 8vo. cloth, 5s.

MR. WHEELER.

HAND-BOOK OF ANATOMY FOR STUDENTS OF THE FINE ARTS. With Engravings on Wood. Fcap. 8vo., 2s. 6d.

DR. WHITEHEAD, F.R.C.S.

ON THE TRANSMISSION FROM PARENT TO OFFSPRING OF SOME FORMS OF DISEASE, AND OF MORBID TAINTS AND TENDENCIES. Second Edition. 8vo. cloth, 10s. 6d.

DR. WILLIAMS, F.R.S.

PRINCIPLES OF MEDICINE: An Elementary View of the Causes, Nature, Treatment, Diagnosis, and Prognosis, of Disease. With brief Remarks on Hygienics, or the Preservation of Health. The Third Edition. 8vo. cloth, 15s.

DR. CHARLES T. WILLIAMS, M.B. OXON.

THE CLIMATE OF THE SOUTH OF FRANCE, AND ITS VARIETIES, MOST SUITABLE FOR INVALIDS; with Remarks on Italian and other Winter Stations. Crown 8vo. cloth, 3s. 6d.

THE WIFE'S DOMAIN: the YOUNG COUPLE—the MOTHER—the NURSE—the NURSING. Post 8vo. cloth, 3s. 6d.

DR. WINSLOW, M.D., D.C. OXON.

OBSCURER DISEASES OF THE BRAIN AND MIND. Fourth Edition. Carefully Revised. Post 8vo. cloth, 10s. 6d.

MR. ERASMUS WILSON, F.R.S.

I.
THE ANATOMIST'S VADE-MECUM: A SYSTEM OF HUMAN ANATOMY. With numerous Illustrations on Wood. Eighth Edition. Foolscep 8vo. cloth, 12s. 6d.

II.
ON DISEASES OF THE SKIN: A SYSTEM OF CUTANEOUS MEDICINE. Sixth Edition. 8vo. cloth, 18s.
THE SAME WORK; illustrated with finely executed Engravings on Steel, accurately coloured. 8vo. cloth, 36s.

III.
HEALTHY SKIN: A Treatise on the Management of the Skin and Hair in relation to Health. Seventh Edition. Foolscep 8vo. 2s. 6d.

IV.
PORTRAITS OF DISEASES OF THE SKIN. Folio. Fasciculi I. to XII., completing the Work. 20s. each. The Entire Work, half morocco, £13.

V.
THE STUDENT'S BOOK OF CUTANEOUS MEDICINE AND DISEASES OF THE SKIN. Post 8vo. cloth, 8s. 6d.

VI.
ON SYPHILIS, CONSTITUTIONAL AND HEREDITARY; AND ON SYPHILITIC ERUPTIONS. With Four Coloured Plates. 8vo. cloth, 16s.

VII.
A THREE WEEKS' SCAMPER THROUGH THE SPAS OF GERMANY AND BELGIUM, with an Appendix on the Nature and Uses of Mineral Waters. Post 8vo. cloth, 6s. 6d.

VIII.
THE EASTERN OR TURKISH BATH: its History, Revival in Britain, and Application to the Purposes of Health. Foolscep 8vo., 2s.

DR. WISE, M.D., F.R.C.P. EDIN.

REVIEW OF THE HISTORY OF MEDICINE AMONG ASIATIC NATIONS. Two Vols. 8vo. cloth, 16s.

DR. G. C. WITTSTEIN.

PRACTICAL PHARMACEUTICAL CHEMISTRY: An Explanation of Chemical and Pharmaceutical Processes, with the Methods of Testing the Purity of the Preparations, deduced from Original Experiments. Translated from the Second German Edition, by STEPHEN DARBY. 18mo. cloth, 6s.

DR. HENRY G. WRIGHT.

I.
UTERINE DISORDERS: their Constitutional Influence and Treatment. 8vo. cloth, 7s. 6d.

II.
HEADACHES; their Causes and their Cure. Fourth Edition. Fcap. 8vo. 2s. 6d.

DR. YEARSLEY, M.D., M.R.C.S.

I.
DEAFNESS PRACTICALLY ILLUSTRATED; being an Exposition as to the Causes and Treatment of Diseases of the Ear. Sixth Edition. 8vo. cloth, 6s.

II.
ON THROAT AILMENTS, MORE ESPECIALLY IN THE ENLARGED TONSIL AND ELONGATED UVULA. Eighth Edition. 8vo. cloth, 5s.

CHURCHILL'S SERIES OF MANUALS.

Fcap. 8vo. cloth, 12s. 6d. each.

"We here give Mr. Churchill public thanks for the positive benefit conferred on the Medical Profession, by the series of beautiful and cheap Manuals which bear his imprint."—*British and Foreign Medical Review.*

AGGREGATE SALE, 150,000 COPIES.

ANATOMY. With numerous Engravings. Eighth Edition. By ERASMUS WILSON, F.R.C.S., F.R.S.

BOTANY. With numerous Engravings. By ROBERT BENTLEY, F.L.S., Professor of Botany, King's College, and to the Pharmaceutical Society.

CHEMISTRY. With numerous Engravings. Ninth Edition. By GEORGE FOWNES, F.R.S., H. BENICE JONES, M.D., F.R.S., and A. W. HOFMANN, F.R.S.

DENTAL SURGERY. With numerous Engravings. By JOHN TOMES, F.R.S.

MATERIA MEDICA. With numerous Engravings. Fifth Edition. By J. FORBES ROYLE, M.D., F.R.S., and F. W. HEADLAND, M.D., F.L.S.

MEDICAL JURISPRUDENCE. With numerous Engravings. Eighth Edition. By ALFRED SWAINE TAYLOR, M.D., F.R.S.

PRACTICE OF MEDICINE. Second Edition. By G. HILARO BARLOW, M.D., M.A.

The MICROSCOPE and its REVELATIONS. With numerous Plates and Engravings. Fourth Edition. By W. B. CARPENTER, M.D., F.R.S.

NATURAL PHILOSOPHY. With numerous Engravings. Sixth Edition. By CHARLES BROOKE, M.B., M.A., F.R.S. *Based on the Work of the late Dr. Golding Bird.*

OBSTETRICS. With numerous Engravings. By W. TYLER SMITH, M.D., F.R.C.P.

OPHTHALMIC MEDICINE and SURGERY. With coloured Plates and Engravings on Wood. Third Edition. By T. WHARTON JONES, F.R.C.S., F.R.S.

PATHOLOGICAL ANATOMY. With numerous Engravings. By C. HANDFIELD JONES, M.B., F.R.S., and E. H. SIEVEKING, M.D., F.R.C.P.


PHYSIOLOGY. With numerous Engravings. Fourth Edition. By WILLIAM B. CARPENTER, M.D., F.R.S.


POISONS. Second Edition. By ALFRED SWAINE TAYLOR, M.D., F.R.S.

PRACTICAL ANATOMY. With numerous Engravings. (10s. 6d.) By CHRISTOPHER HEATH, F.R.C.S.

PRACTICAL SURGERY. With numerous Engravings. Fourth Edition. By Sir WILLIAM FERGUSSON, Bart., F.R.C.S., F.R.S.

THERAPEUTICS. Second Edition. By E. J. Waring, M.D., M.R.C.P.







BOUND BY
EDMOND & REMMANTS
LONDON

