

Pharmacopœia collegi medicorum Regis et Reginae in Hibernia.

Contributors

Royal College of Physicians of Ireland.
University of Glasgow. Library

Publication/Creation

Dublinii, 1820.

Persistent URL

<https://wellcomecollection.org/works/ac4j48ht>

Provider

University of Glasgow


License and attribution


This material has been provided by This material has been provided by The University of Glasgow Library. The original may be consulted at The University of Glasgow Library. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>






Bibliotheca Universitatis Glasguensis

~~XII.~~ 15.
N^o. 6. 2.









PHARMACOPŒIA
COLLEGII MEDICORUM

REGIS ET REGINAE

IN

HIBERNIA.

DUBLINI:
APUD HODGES ET MC. ARTHUR,
COLLEGE-GREEN.

LONDINI:
APUD LONGMAN ET CO.

1826.

[Entered at Stationers' Hall.]

PHARMACOPŒIA
COLLEGIUM MEDICORUM

PHARMACOPŒIA COLLEGIUM MEDICORUM
DUBLINENSIS
40. 1. 5

DUBLINII:
EXCUDĒBAT R. GRAISBERRY.

113
59
—
213

IMPRIMATUR

Hic Liber cui titulus,
PHARMACOPŒIA COLLEGII MEDICORUM
REGIS ET REGINÆ IN HIBERNIA.

Datum ex Aulâ Collegii in Comitibus Solennibus,
JANUARIi mensis die 16, 1826.

JACOBUS J. LEAHY, *Præses.*

ROBERTUS GRAVES,
JONATHAN OSBORNE,
SAMUEL LITTON,
ROBERTUS BELL, } CENSORES.

PHARMACEUTICAL

The Library and Museum

PHARMACEUTICAL COLLEGE, MEDICAL DEPARTMENT

RECORDS OF RECEIPTS IN HERBARIUM

Donated to this College by Charles Johnston

January twenty five 1850

Jacques J. ...

} Censures	Boerhaave Graves
	Jorajans Ordonne
	Baron Latton
	Boerhaave Hall

*By the Lord Lieutenant of Ireland
in Council,*

WELLESLEY

G E O R G I O
QUARTO
BRITANNIARUM REGI, &c. &c.

PHARMACOPŒIAM SUAM

QUA PAR EST REVERENTIA

DICAT

COLLEGIUM MEDICORUM

REGIS ET REGINÆ IN HIBERNIA.

By the Lord Lieutenant of Ireland
in Council

W H I T T I N G S

the Board the Memorial of James
Lecturer, Doctor QUARTERMASTER and Royal
dent of the King and Queen's College
HISTORICAL MEDICAL SOCIETY
FOURTH - That the President and
PHARMACEUTICAL SOCIETY
bans of said College have, with great care
been carefully examined and corrected
ed a Book by them published in the year
One thousand eight hundred and seven
and entitled "Pharmaceutical College
Medicines Used at Kesh in Ulster
ARGUMENTS IN FAVOR OF THE
manner of preparing all sorts of Medicines
therein contained together with the
Weights and Measures by which said
Medicines ought to be made

*By the Lord Lieutenant of Ireland
in Council.*

WELLESLEY.

WHEREAS there was this day read at the Board the Memorial of James John Leahy, Doctor in Medicine, and President of the King and Queen's College of Physicians in Ireland, **SETTING FORTH**, "That the President and Fellows of said College have, with great Care, Pains, and Industry, revised and corrected a Book by them published in the year One thousand eight hundred and seven, and entitled, 'Pharmacopœia Collegii Medicorum Regis et Reginae in Hibernia,' which prescribes and directs the manner of preparing all sorts of Medicines therein contained, together with the true Weights and Measures by which said Medicines ought to be made."

“**THAT** it is conceived said Book will contribute to the public good of His Majesty’s Subjects, by preventing all deceits, differences and uncertainties in making or compounding of Medicines, if for the future the manner and form prescribed therein should be practised by Apothecaries and others in their Composition of Medicines.”

The Memorialist, therefore, most humbly prays that **WE** will be pleased to enforce the observance thereof in such manner as to **US** shall seem meet.

NOW WE RICHARD Marquess **WELLESLEY**, Lord Lieutenant General and General Governor of Ireland, having taken the said Memorial into our Consideration, and being desirous to provide in all Cases for the common good of His Majesty’s People, and being persuaded that the establishing the general use of the said Book may tend to the prevention of such deceits in the making and compounding

Medicines, in which the Lives and Health of His Majesty's Subjects are so highly concerned, have therefore thought fit, by and with the advice of His Majesty's Most Honorable Privy Council of Ireland, hereby to notify to all Apothecaries and others concerned, to the intent that they may not pretend ignorance thereof, that the said Book called "Pharmacopœia Collegii Medicorum Regis et Reginae in Hibernia," revised and corrected as aforesaid, is perfected and ready to be published; AND WE do therefore strictly require, charge, and command, all and singular Apothecaries and others whose business it is to compound Medicines, or distil Oils or Waters, or make other Extracts, within this part of His Majesty's United Kingdom called Ireland, that they and every of them, immediately after the said "Pharmacopœia Collegii Medicorum Regis et Reginae in Hibernia" shall be printed and published, do not compound or make

any Medicine or Medicinal receipt or prescription, or distil any Oil or Waters, or make other Extracts, that are or shall be in the said “Pharmacopœia Collegii Medicorum Regis et Reginae in Hibernia” mentioned or named, in any other manner or form than is or shall be directed, prescribed and set down in the said Book, and according to the Weights and Measures that are or shall be therein limited, except it shall be by the special direction or prescription of some learned Physician in that behalf.

AND WE do hereby declare, that the offenders to the contrary shall be proceeded against for such their contempt and offence, according to the utmost severity of Law.

Given at the Council Chamber in Dublin,
the 29th day of April, 1826.

By His Excellency's Command,

JOHN EBBS.

ORDO SECTIONUM.

Sectio I. Acida.

II. Alkalia.

III. Terræ.

IV. Sales Alkalini.

V. Sales Terrei.

VI. Sulphurea.

VII. Metallica.

VIII. Præparata e plantis.

IX. Composita.

X. Extemporalia.

XI. Miscellanea.

YOMIXA

ORDO SEPTIMUM. EN.

COLLEGIUM MEDICORUM REGIS ET REGINAE

LIBER V.

I. Acria.

II. Alkali.

III. Ferri.

IV. Salis Alkali.

V. Salis Ferri.

VI. Sulfuris.

VII. Metallica.

VIII. Preparata et plumbis.

IX. Composita.

X. Extemporanea.

XI. Miscellanea.

iix.

SOCIORUM ET PERMISSORUM

NOMINA

SOCIORUM ET PERMISSORUM

COLLEGII MEDICORUM REGIS ET REGINÆ

IN HIBERNIA.

SOCII.

- Jacobus J. Leahy, Præses.
- Robertus J. Graves, Vice Præses et Censor.
- Jacobus Cleghorn, Medicus Statûs in Hibernia.
- Thos. Herbert Orpen, Thesaurarius.
- Hugo Ferguson.
- Samuel Litton, Censor.
- Thomas Taylor.
- Johannes O'Brien.
- Ricardus Grattan.
- Gulielmus Stack.
- Carolus Lendrick.
- Jonathan Osborne, Censor et Registrarius.
- Gulielmus Brooke.
- Johannes Cheyne, Exercitûs in Hiberniâ Medicus primarius
- Gulielmus Harty.
- Robertus Bell, Censor.
- Carolus Farren.

SOCII HONORARII.

- Robertus Perceval.
 Johannes Gul. Boyton, Med. Institut. Prof. Reg.
 Johannes Crampton, Mater. Med. Prof. Reg.
 Josephus Clarke.
 Martinus Tuomy, Medicinæ practicæ, Prof. Reg.
 Franciscus Barker, Chemiæ Professor, T. C. D.
 Gulielmus Allman, Botanices Professor, T. C. D.
 Thomas Evory.
 Whitley Stokes.
 Matthæus Johannes Tierney, Baronettus, Regis Medicus.
 Ricardus Hunter.
 Johannes Pentland.
 Alexander Jackson, Medicus Statûs in Hibernia.
 Jacobus Macartney, Anatomiae Professor, T. C. D.

 PERMISSI.

- Edvardus Hill, Bibliothecarius.
 Bartholomæus Dillon.
 Gulielmus Stoker.
 Thomas Mills.
 Johannes J. Burke.
 Samuel Bell Labatt.
 Jacobus Callanan.
 Grant David Yeates.
 Georgius Clarke.
 Andræus Armstrong.

Henricus Blennerhassett.
 Jacobus Macabe.
 Georgius F. Todderick.
 Johannes C. Douglass.
 Patricius Sharkey.
 Thomas Burnside.
 Robertus Reid.
 Nicholas Archer.
 Christophorus Teeling.
 Patricius Harkan.
 Johannes O'Reardon.
 Johannes Breen.
 Robertus Lloyd.
 Henricus Edvardus Joly.
 Johannes Byrn.
 Carolus Frizell.
 Samuel Black.
 Farrell O'Reilly.
 Jacobus Sullivan.
 Alexander Jaffray Nicholson.
 Robertus Healy.
 Cornelius Daly.
 Daniel Falloon.
 Edvardus Sheridan.
 Henricus Marsh.
 Ricardus Stanley Ireland.
 Thomas Lee.
 Johannes Mollan.
 Gulielmus Harrison.
 Henricus G. Douglass.

Henricus Hudson.
Thomas Cuming.
Johannes Beatty.
Gulielmus Burke.
Neason Adams.
Marcus W. Daly.
Gulielmus Isaac Morgan.
Robertus Ashburner Thetford.
Samuel Stratten.
Jacobus Henry.
Alexander Erck.
Robertus Collins.
Thomas Tuke.
Georgius A. Kennedy.
Johannes Eustace.
Gulielmus Fetherston H. Montgomery.
Gulielmus Stokes.

PRÆFATIO.

IN hâc editione, ab ordine Pharmacopœiæ prioris aliquantulum discessimus, opus Chemiæ hodiernæ accommodatum in lucem proferre connitentes. Medicamenta quædam experientiâ comprobata, vel exactiùs quam antea parata, introduximus, pauca vix usitata rejecimus. Experimentis plurimis a nobis institutis, et nuper inventis de constitutione *atomicâ* corporum nixi, rationem principiorum in præparatis quibusdam mutavimus.

Plurima nomina usu sancita, interdum brevitati consulentes, interdum periculum erroris in præscribendis vel componendis medicamentis evitantes, retinuimus.

Pondera et Mensuras in Pharmacopoeiis hactenùs præscripta commutare non ausimus, rationem autem quam habent mensuræ ad normam, Statuto regni, Anno 5^{to} Georgii IV. Regis decreto definitam, indicavimus.

Nomina Plantarum a SPECIE PLANTARUM Linnaei a Willdenow editâ desumuntur, his exceptis quorum genus vel speciem auctoritas recentiorum mutavit: in hoc casu, nomini plantae nomen auctoris subjicitur.

Medicamenta quaedam Medicorum suffragiis commendata ex Pharmacopoeiis peregrinis in nostram transferre non dubitavimus, quibuscum ut Pharmacopœia nostra, quantum fieri potest congrueret operam dedimus. Nonnulla simplicia et composita, nuperrimè comperta, vel ad Sectiones antecedentes non ritè pertinentia, in Sectione Miscellaneorum finem versùs complectuntur.

PHARMACOPŒIA
COLLEGII MEDICORUM

REGIS ET REGINAE

IN

HIBERNIA.

IN medicamentis componendis Libra quâ
utimur, Anglicè **Troy Pound** dicta, grana
valet 5760 et hoc modo dividitur.

Libra in Uncias duodecim.

Uncia - Drachmas in octo.

Drachma - Scrupula tria.

Scrupulum - grana viginti.

Pollicis cubici Aquae distillatae pondus
valet, granorum supradictorum 252.458, ad
gradum caloris 62^m.; vel, 252.5, quam
proximè, ad gradum caloris 60^m.

Modulus mensuræ liquidorum est Congius, pollices cubicos 231 continens.

Congius continet	Libras octo.
Libra <i>mensurâ</i>	Uncias sexdecim.
Uncia <i>mensurâ</i>	Drachmas octo.
Drachma <i>mensurâ</i>	Scrupula tria.

Congius continet	Aquæ distillatæ, ad gradum caloris 60 ^m .	-	Grana 58327.5
Libra <i>mensurâ</i>	-	-	7291 q.p.
Uncia <i>mensurâ</i>	-	-	455. 6
Drachma <i>mensurâ</i>	-	-	57
Scrupulum <i>mensurâ</i>	-	-	19
Granum <i>mensurâ</i>	-	-	1

Harum mensurarum quaelibet ad mensuram novam ejusdem nominis, statuto anno quinto Georgii Quarti determinatam, rationem eandem habet quam 5 : 6; et addendo partem quintam, quantitas fluidi in quâlibet ex his mensuris, ad quantitatem in mensurâ novâ ejusdem nominis contentam augeri potest.

Quoniam medicamentorum præparations aliæ alios caloris gradus requirunt, hos, quatenus fieri potest, thermometro Fahrenheitiano metimur, et cum *Calorem Superiorem* adhiberi præcipimus, gradum designamus quemlibet 200 inter et 212; cum *Medium*, 100 inter et 200; cum *Inferiorem*, 90 inter et 100.

In digestionem adhibendus est calor *inferior* nisi aliter præcipiatur; in maceratione, calorem a gradu 60^{mo} ad 90^{um}, intelligi volumus.

Quotiescunque de pondere specifico cujusvis materiæ mentio est, calorem ejus gradus esse 60^{mi} ejusdem thermometri intelligimus.

Ubicunque liquidorum *Libra* præcipitur, hoc de *Librâ, mensurâ* sumptâ, intelligi volumus.

Mortaria, mensuras infundibula et vasa exhalationi liquorum, decoctis et infusis inservientia, e vitro, aut e materie aliquâ cujus nec Cuprum nec Plumbum vel minima pars sit, conflari statuimus.

Quoniam in medicamentorum preparationibus alie alios caloris gradus requirunt, hos, quantum fieri potest, thermometro Fahrenheitiano metimur, et cum Calorem Superiorem adhiberi precipimus, gradum designamus quemlibet 200 inter et 212; cum Medium, 100 inter et 200; cum Inferiorem, 50 inter et 100.

In digestionibus adhibendus est calor inferior, nisi aliter precipiatur; in macerationibus, calorem a gradu 60^{mo} ad 90^{mo}, intelligi volumus.

Quotiescunque de pondere specifico cuiusvis materie mentio est, calorem eius gradus esse 60^{os} eundem thermometri intelligimus.

Ubi quandoque liquidorum Libra precipitur, hoc de Libra mensura sumpta, intelligi volumus.

Mortaria, mensuras intrandibula et vasa exhalationi liquorum, decoctis et infusis inseruientia, e vitro, aut e materie aliqua cujus nec Cuprum nec Plumbum vel minima pars sit, constari statuimus.

MATERIA MEDICA.

ACACIA arabica et A. vera. *Gummi.*

Acacia Catechu. *Extractum ex Ligno.*

Acetum vini.

Acidum sulphuricum venale.

*Hujus pondus specificum est ad
pondus Specificum aquæ dis-
tillatæ ut 1850 ad 1000.*

Aconitum paniculatum. *Folia.*

DE CANDOLLE.

Adeps ovillus. *Ex Ove Ariete.*

Adeps suillus. *Ex Sue Scrofâ.*

Allium Cepa. *Bulbus.*

Allium sativum. *Bulbus.*

Aloe hepatica. *Ex A. vulgari.*

DE CANDOLLE.

Aloe socotorina. *Ex A. spicatâ.*

PERSOON.

Althæa officinalis. *Folia et Radix.*

Alumen. *Aluminæ et potassæ sulphas.*

Ammoniæ Murias.

Amomum Cardamomum. *Semina.*

Amomum Zingiber. *Radix.*

Ammoniacum Gummi. *Vide Heracleum.*

Amygdalæ amaræ. }
 Amygdalæ Communis
 Amygdalæ dulces. } *nuclei.*

Amygdalus Persica. *Folia.*

Amyris elemifera. *Resina.*

Anethum Foeniculum. *Semina.*

Angelica Archangelica. *Semina.*

Angustura. *Vide Bonplandia trifoliata.*

Anisum. *Vide Pimpinella.*

Anthemis nobilis. *Flores.*

Anthemis Pyrethrum. *Radix.*

Antimonii Sulphuretum.

Arbutus Uva Ursi. *Folia.*

Arctium Lappa. *Semina. Radix.*

Argentum.

Aristolochia Serpentaria. *Radix.*

Arnica montana. *Flores. Folia. Radix.*

Arsenici Oxydum album.

Artemisia Absinthium.

Summitates florentes.

Artemisia chinensis et A. indica.

Folia. Moxa.

Artemisia Santonica. *Semina.*

Assafœtida. *Vide Ferula.*

Asarum europæum. *Folia.*

Aspidium Filix mas. *Radix.*

Astragalus creticus. *Gummi.*

DE CANDOLLE ASTRAGOLOGIA.

Atropa Belladonna. *Folia et radix.*

Avena sativa. *Farina ex seminibus.*

Balsamum canadense. *Vide Pinus.*

Barilla. *Vide Sodæ Carbonas Venale.*

Barytæ Sulphas.

Bismuthum.

Bitumen Petroleum. *Petroleum barbadense.*

Bonplandia trifoliata. *Cortex Angustura.*

HUMBOLDT ET BONPLAND. PLANTÆ ÆQUINOCTIALES.

Borax. *Vide Sodæ Boras.*

Boswellia serrata. *Gummi-Resina.*

ROXBURGH.

Bubon Galbanum. *Gummi-Resina.*

Calamina. *Vide Zinci Carbonas impurum.*

Calcis Carbonas. { Creta alba.
Marmor album.

Calx. *Recens usta.*

Camphora. *Vide Laurus.*

Canella alba. *Cortex.*

Cantharis Vesicatoria.

LATREILLE GEN. CRUSTAC. ET INSECTORUM.—LAMARCK.

HIST. NAT. DES ANIMAUX SANS VERTEBRES.

Capsicum annuum. *Capsulæ cum seminibus.*

Carbo Ligni.

Cardamine pratensis. *Flores.*

Caryophyllus. *Vide Eugenia.*

Carum Carui. *Semina.*

Cascarilla. *Vide Croton.*

Cassia Fistula. *Pulpa leguminis*

Cassia. *Vide Laurus.*

Cassia Senna. *Folia.*

Castor Fiber. *Castoreum.*

Catechu. *Vide Acacia.*

Centaurea benedicta. *Vide Cnicus.*

Centaureum. *Vide Erythræa.*

Cephaelis Ipecacuanha. *Radix.*

RICHARD.

Cera alba.

Cera flava.

Cerevisiæ Fermentum.

Cerussa. *Vide Plumbi Carbonas.*

Cetaceum.

Cetraria islandica. *Planta.*

Chamæmelum. *Vide Anthemis nobilis.*

Chironia. *Vide Erythraea.*

Cinchona cordifolia. *Cortex.*

Cinch. flava. Cortex.

Cinchona lancifolia. *Cortex.*

Cinch. officinalis. Cortex.

Cinchona oblongifolia. *Cortex.*

Cinch. rubra. Cortex.

Zea, Annales du Museum d'Hist. Naturelle.

Cinnamonum. *Vide Laurus.*

Citrus Aurantium. *Fructus succus et tunica exterior. Flores. Folia.*

Citrus medica. *Fructus succus tunica exterior et ejus Oleum volatile.*

Cnicus benedictus. *Folia.*

GAERTNER.

Cocculus suberosus. *Fructus.* *Vulgo*

Cocculus indicus.

DE CANDOLLE.

Coccus Cacti.

Cochlearia Armoracia. *Radix.*

Cochlearia officinalis. *Herba.*

Colchicum autumnale. *Bulbus.* *Semina.*

Colomba. *Radix.*

Conium maculatum. *Folia.*

Convolvulus Jalapa. *Radix.*

Convolvulus Scammonia. *Gummi resina.*

Copaifera officinalis. *Resina liquida.*

Coriandrum sativum. *Semina.*

Cornua cervina. *Ramenta.*

Creta. *Vide Calcis Carbonas.*

Crocus sativus. *Stigmata.*

Croton Cascarilla. *Cortex.*

Croton Tiglium. *Oleum ex seminibus
expressum.*

DE CANDOLLE.

Cubeba. *Vide Piper.*

Cucumis Colocynthis. *Fructûs pulpa.*

Cupri Acetas. *Crystalli.*

Cupri Subacetas.

Cupri Sulphas.

Curcuma longa. *Radix.*

Daphne Mezereum. *Cortex.*

Datura Stramonium. *Herba. Semina.*

Daucus Carota. *Radix.*

Daucus Carota. *Var. Sylvestris. Semina.*

Delphinium Staphisagria. *Semina.*

Dianthus Caryophyllus. *Flores.*

Digitalis purpurea. *Folia.*

Diosma crenata. *Folia. Buchu.*

Dolichos pruriens. *Pubes leguminis.*

Drimys aromatica. *Cortex.*

DE CANDOLLE.

Dryobalanops Camphora.

COLEBROOKE.

Dulcamara. *Vide Solanum.*

Elaterium. *Vide Momordica.*

Elemi. *Vide Amyris.*

Erythræa Centaureum. *Folia.*

PERSOON.

Euphorbia Canariensis. *Gummi Resina.*

Eugenia caryophyllata. *Flores nondum
expliciti et Oleum volatile.*

Fœniculum. *Vide Anethum.*

Ferrum. *Fila. Scobs. Oxydi squamæ.*

*

Ferri Cyanuretum, *anglicè Prussian Blue.*

Ferula Assafœtida. *Gummi Resina.*

Ficus Carica. *Fructus siccatus.*

Filix mas. *Vide Aspidium.*

Fraxinus Ornus. *Succus concretus.* Manna.

Fucus vesiculosus. *Herba cum fructu.*

Galbanum. *Vide Bubon.*

Gallæ. *Vide Quercus infectoria.*

Gambogia. *Vide Stalagmitis.*

Gentiana lutea. *Radix.*

Geoffroya inermis. *Cortex.*

Geum urbanum. *Radix.*

Glycyrrhiza glabra. *Radix.*

Guaiacum officinale. *Lignum. Resina.*

Hæmatoxylum campechianum. *Lignum.*

Helleborus niger. *Radix.*

Heracleum gummiferum. *Gummi-Resina.*

Hirudo medicinalis.

Hordeum distichon. *Semina decorticata.*

Humulus Lupulus. *Strobili siccati.*

Hydrargyrum.

Hyoscyamus niger. *Folia.*

Jalapa. *Vide* Convolvulus.

Inula Helenium. *Radix.*

Iodinium.

Juniperus communis. *Baccæ. Cacumina.*

Juniperus Sabina. *Folia.*

Kino.

Krameria triandra. *Radix et extractum.*

Lactuca sativa. *Herba.*

Lactuca virosa. *Folia.*

Lavandula Spica. *Flores.*

Laurus Camphora. *Camphora. Vide etiam*
Dryobalanops.

Laurus Cassia. *Cortex.*

Laurus Cinnamomum. *Cortex et Oleum.*
volatile.

Laurus nobilis. *Folia, Baccæ.*

Laurus Sassafras. *Lignum. Radix et*
Oleum volatile.

Leontodon Taraxacum. *Herba. Radix.*

Lichen islandicus. *Vide Cetraria.*

Limones. *Vide Citrus medica.*

Linum usitatissimum. *Semina. Oleum ex*
seminibus expressum.

Lythargyrum. *Vide* Plumbi oxydum
semivitreum.

Litmus. *Vide* Roccella.

Lixivus cinis. *Anglicè* potashes, pearlashes.

Lythrum Salicaria. *Herba.*

Magnesia Sulphas.

Manna. *Vide* Fraxinus Ornus.

Manganesii oxydum.

Marrubium vulgare.

Mastiche. *Vide* Pistacia.

Mel.

Melaleuca Leucadendron. *Oleum volatile*
Cajeput.

Melissa officinalis. *Herba.*

Mentha piperita. *Herba.*

Mentha viridis. *Herba.*

Mentha Pulegium. *Herba.*

Menyanthes trifoliata. *Folia.*

Mezereon. *Vide Daphne.*

Momordica Elaterium. *Fructus. Fæcula.*

Folia.

Morus nigra. *Baccæ.*

Moschus moschiferus. *Concretum Moschus.*
dictum.

Moxa. *Vide Artemisia.*

Myristica moschata. *Nucleus. Oleum volatile*
et Involucrum MACIS dictum.

Myroxylum peruvianum. *Balsamum.*

Myrrha.

Myrtus Pimenta. *Fructus.*

Nicotiana Tabacum. *Folia.*

Nitrum. *Vide Potassæ nitras.*

Nux moschata. *Vide. Myristica.*

Nux vomica. *Vide Strychnos.*

Olea europæa. *Oleum ex fructu.*

Olibanum. *Vide Boswellia serrata.*

Opium. *Vide Papaver.*

Opoponax. *Vide Pastinaca.*

Origanum Majorana. *Herba.*

Origanum vulgare. *Oleum ex herba.*

Ossa.

Papaver Rhoëas *petala.*

Papaver somniferum. *Capsularum succus
proprius concretus. Capsulæ maturæ.*

*

Pastinaca Opoponax. *Gummi Resina.*

Petroleum. *Vide Bitumen.*

Pimenta. *Vide Myrtus.*

Pimpinella Anisum. *Semina.*

Pinus Abies. *Resina. Thus.*

Pinus Balsamea. *Resina liquida.*

Pinus Larix. *Resina liquida.*

Pinus sylvestris. *Resina. Oleum volatile.*
Terebinthina vulgaris.

Piper Cubeba. *Fructus.*

Piper nigrum. *Semina.*

Piper longum. *Semina.*

Pistacia Lentiscus. *Resina.*

Pistacia Terebinthinus. *Resina liquida.*

Pix burgundica. *Vide Pinus Abies.*

Pix liquida. *E speciebus Pini diversis.*

Plumbi Carbonas.

Plumbi oxydum semivitreum.

Polygala Senega. *Radix.*

Polygonum Bistorta. *Radix.*

Potassæ Nitras.

Potassæ Bitartras.

*

Prunus domestica. *Fructus siccatus.*

Prunus Lauro. Cerasus. *Folia.*

Pterocarpus santalinus. *Lignum.*

Pulegium. *Vide Mentha.*

Punica Granatum. *Baccæ tunica exterior.*
Radicis cortex. Flores.

Pyrethrum. *Vide Anthemis.*

Pyrola umbellata. *Herba.*

Quassia excelsa. *Lignum.*

Quassia Simaruba. *Cortex radicis.*

Quercus infectoria.

Quercus Robur. *Cortex.*

Ranunculus acris. *Folia.*

Ranunculus Flammula. *Herba recens.*

Rhamnus catharticus. *Baccæ.*

Rhatania. *Vide Krameria.*

Rheum palmatum et R. undulatum. *Radix.*

Rhus Toxicodendron. *Folia.*

Ricinus communis. *Oleum e seminibus.*

Roccella tinctoria. *Litmus.*

ACHARIUS.

Rosa canina. *Fructus.*

Rosa centifolia. *Petala.*

Rosa gallica. *Petala.*

Rosmarinus officinalis. *Cacumina.*

Rubia tinctorum. *Radix.*

Rumex acetosa. *Folia.*

Rumex aquaticus. *Radix.*

Ruta graveolens. *Folia.*

Saccharum officinarum. *Succus concretus,*
a. non purificatus.

b. purificatus.

Syrupus empyreumati-
cus, anglicè molasses.

Sagapenum. *Gummi resina.*

Salix fragilis. *Cortex.*

Salix alba. *Cortex.*

Salix caprea. *Cortex.*

Sambucus nigra. *Flores. Baccæ. Cortex
interior.*

Santalum rubrum. *Vide Pterocarpus.*

Sapo durus.

Sapo mollis.

Sarsaparilla. *Vide Smilax.*

Sassafras. *Vide Laurus.*

Scammonium. *Vide Convolvulus.*

Scilla maritima. *Bulbus.*

Scrophularia nodosa. *Folia.*

Senna. *Vide Cassia.*

Sinapis alba. *Semina.*

Sinapis nigra. *Seminum pulvis.*

Smilax Sarsaparilla. *Radix.*

Sodæ Boras.

Sodæ Carbonas venale. *Barilla.*

Sodæ Murias.

Solanum Dulcamara. *Caules.*

Spartium Scoparium. *Cacumina.*

Spigelia marilandica. *Radix.*

Spiritus rectificatus, *anglicé* Rectified Spirit.

*Hujus pondus specificum sit 844,
ad gradum caloris 51^m vel 840 ad
gradum caloris 60^m.*

Spiritus tenuior, *anglicé* Proof Spirit.

*Hujus pondus specificum sit 923,
ad gradum caloris 51^m vel 919
ad gradum caloris 60^m.*

Spiritus fere omnis qui sub nomine **Proof Spirit** prostat
venalis oleo empyreumatico inquinatus et ad usum
medicum ineptus est: Spiritus ejusdem ferè ponderis
specifici conficitur commiscendo partes 5½ Spiritûs
rectificati, mensurâ sumptas, cum partibus tribus,
itidem mensurâ, aquæ distillatæ, ad gradum caloris
60^m.

Spongia officinalis.

Stalagmitis Cambogia.

Stannum.

Stramonium. *Vide Datura.*

Strychnos Nux vomica.

Styrax Benzoin. *Resina.*

Styrax officinale. *Resina.*

Succinum.

Sulphur sublimatum.

Tamarindus indicus. *Leguminis pulpa.*

Tanacetum vulgare. *Folia.*

Tartari Crystalli. *Vide Potassæ Bitartras.*

Terebinthina chia. *Vide Pistacia.*

Terebinthina veneta. *Vide Pinus Larix.*

Toluifera Balsamum. *Resina.*

Tormentilla officinalis.

SMITH FLORA BRITANNICA.

Tragacantha Gummi. *Vide Astragalus.*

Triticum hybernum. *Seminum farina.*

Tussilago Farfara. *Folia. Flores.*

Valeriana officinalis. *Radix.*

Veratrum album. *Radix.*

Verbascum Thapsus. *Folia.*

Vinum album hispanum.

Viola odorata. *Flores.*

Vitis vinifera. *Fructus siccatus.*

Ulmus campestris. *Cortex interior.*

Uva Ursi. *Vide Arbutus.*

Wintera Aromatica. *Vide Drimys.*

Zincum.

Zinci Carbonas impurum.

Zingiber. *Vide Amomum.*

PRÆPARATA:

SECTIO I.

ACIDA.

ACETUM DISTILLATUM.

℞ Aceti Vini *mensurâ* partes decem.

Distillent lento igne *mensurâ* partes octo.
In distillatione adhibeantur vasa vitrea, et
rejiciatur pars una quæ primum prodit.

Hujus acidi pondus specificum est ad pondus aquæ distillatæ ut 1005 ad 1000.

ACIDUM ACETICUM.

℞ Potassæ Acetatis partes centum,
Acidi Sulphurici partes quinquaginta duo.

Immittatur Acidum in retortam tubo instructam, tunc paulatim et diversis vicibus adde Potassæ Acetas, expectans, post singula additamenta, ut frigescat mistura. Denique modico calore distillet Acidum ad siccitatem usque residui.

Pondus hujus Acidi specificum est ad pondus aquæ distillatæ ut 1074 ad 1000.

ACIDUM BENZOICUM.

℞ Benzoes partes quinque,
Calcis recens ustæ,
Acidi Muriatici utriusque partem unam,
Aquæ partes ducentas.

Tere Benzöen cum Calce, dein per horam dimidiam in Aquæ partibus centum et triginta spathâ perpetuò agitans coque; quiescat vas, liquorem frigefactum effunde. Quod reliquum est coque in Aquæ partibus septuaginta et liquorem frigefactum iterùm effunde. Liquores inter se mistos decoque ad dimidium; per chartam cola et frigefactis instilla gradatim Acidum Muriaticum. Denique effuso liquore, pulverem priùs aquæ frigidæ parcâ quantitate lotum, calore leni exsicca, et in vas idoneum immitte, tum lento igne sublima Acidum Benzoicum.

ACIDUM CITRICUM.

℞ Succi Limonum quantum opus sit,
Cretæ præparatæ quantum satis sit.

Succo Limonum fervefacto cretam paulatim adjice tum liquorem Citrate Calcis residuo effunde. Hoc aquâ calidâ pluries

ablue dein sicca. Pulveri siccato adde Acidum Sulphuricum Dilutum Cretæ prius adjectæ octuplum: misturam coque, per linteum fortiter exprime dein per chartam cola. Vaporet liquor ut refrigeratione fiant Crystalli. Solutione et Crystallizatione repetitis hæ puriores evadunt.

ACIDUM MURIATICUM.

℞ Muriatis Sodæ siccati partes centum,
 Acidi Sulphurici venalis partes octoginta
 septem,
 Aquæ partes centum et viginti quatuor.

Aquæ partem dimidiam cum Acido misce, et misturam frigefactam Muriati Sodæ retortæ vitreæ indito adde. Aquæ quod reliquum est in excipulum, retortæ ita annexum ut aquâ absorbeatur aura elastica, immitte, et distillet liquor donec siccum fiat residuum.

Pondus hujus acidi specificum est ad pondus aquæ distillatæ ut 1160 ad 1000.

ACIDUM MURIATICUM DILUTUM.

℞ Acidi muriatici *mensurâ* partes decem,
Aquæ distillatæ *mensurâ* partes undecim,
misce.

Pondus hujus acidi specificum est ad pondus aquæ distillatæ ut 1080 ad 1000.

ACIDUM NITRICUM.

℞ Potassæ Nitratæ partes centum,
Acidi Sulphurici venalis partes nonaginta
septem.

In retortâ vitreâ misce, et excipulo appo-
sito distilla cum apparatû ad auras elasticas
excipiendas idoneo donec residuum in re-
tortâ concreseat iterùmque liquefiat.

Pondus hujus acidi specificum est ad pondus aquæ distillatæ ut 1490 ad 1000.

ACIDUM NITRICUM DILUTUM.

℞ Acidi Nitrici *mensurâ* partes tres,
Aquæ distillatæ *mensurâ* partes quatuor,
Misce, vapores noxios cavens.

Pondus hujus acidi specificum est ad pondus aquæ distillatæ ut 1280 ad 1000.

ACIDUM NITROMURIATICUM.

℞ Acidi Nitrici *mensurâ* partem unam,
Acidi Muriatici *mensurâ* partes duas.

In vase refrigerato misceantur et in phialâ quam optimè obturandâ loco frigido et obscuro servetur mistura.

ACIDUM PRUSSICUM.

℞ Cyanureti Hydrargyri Unciam,
Acidi Muriatici *mensurâ* Drachmas sep-
tem,
Aquæ *mensurâ* Uncias octo.

E retortâ vitreâ in vas recipiens refrige-
ratum distillent *mensurâ* Unciæ octo, in vase
probè obturando, loco frigido et obscuro as-
servandæ.

Pondus hujus acidi specificum est ad
pondus specificum Aquæ distillatæ ut 998
ad 1000.

ACIDUM SUCCINICUM ET OLEUM
SUCCINI.

℞ Succini in pulverem crassum redacti,
Arenæ puræ singulorum partem unam.

Distillent calore gradatim aucto, liquor

acidus, Oleum et Acidum sub forma crystallorum. Hoc chartâ bibulâ exceptum prelo subjiciatur ad expellendum oleum iterumque sublimetur. Colando per chartam bibulam, Oleum a liquore acido separari potest.

ACIDUM SULPHURICUM PURUM.

℞ Acidi Sulphurici venalis libram.

In retortam, e vitro coloris experte confectam, immitte ; excipulum ejusdem generis appone, et juncturis vasorum apertis calefiat retorta donec pars liquoris duodecima extillaverit, quam utpote aquosam rejicere oportet. Excipulo iterum apposito ad siccitatem usque distillet residuum.

Laminæ aliquot Platinæ acido in retortâ immissæ ebullitionem aliter nimis vehementem sedare possunt.

Pondus hujus Acidi specificum est ad pondus specificum aquæ distillatæ ut 1845 ad 1000.

Servetur Acidum in vasis probè clausis.

ACIDUM SULPHURICUM DILUTUM.

℞ Acidi Sulphurici puri partem unam,
Aquæ distillatæ partes septem.
Acidum aquæ gradatim adjice.

Pondus hujus acidi specificum est ad pondus aquæ distillatæ ut 1084 ad 1000.

ACIDUM TARTARICUM.

℞ Potassæ Bitartratis in pulverem triti partes decem,
Cretæ præparatæ partes quatuor,
Acidi Sulphurici partes septem,
Aquæ partes centum et viginti.

Misceatur Potassæ Bitartras cum aquæ ferventis partibus centum, et gradatim adjiciatur Creta præparata, tum postquam cessaverit effervescentia, transfundatur liquor limpidus supernatans. Lavetur Tartras Calcis residuum, donec saporis expers fiat. Liquori limpido transfuso instilletur Aquæ Muriatis Calcis quantum sufficiat ad Tartras Calcis dejiciendum: hoc quoque aquâ lavetur, donec saporis expers fiat, et misceatur cum sedimento priori. Tum addatur Acidum Sulphuricum aquæ partibus viginti dilutum, et calore medio digeratur mistura sæpius agitanda per dies tres. Effundatur liquor acidus supernatans et sedimento eluatur acidum. Liquores, cum liquor acidus tum posterior ad lotionem adhibiti, leni calore vaporent ad crystallizationem. Crystalli, solutione et crystallizatione repetitis puriores redditi, in vase vitreo clauso serventur.

PRÆPARATA.

SECTIO II.**ALKALIA.****AMMONIÆ CAUSTICÆ AQUA.**

- ℞ Muriatis Ammoniæ in pulverem triti
partes tres,
Calcis recens ustæ partes duas,
Aquæ partes decem.

*

Calci vasi figulino inditæ inspergatur aquæ calidæ pars una et operiatur vas.

In aquâ residuâ calefactâ solvatur sal. Calci jam in pulverem dilapsæ frigefactæ et retortæ inditæ addatur, postquam refrixerit liquor salinus; Distillent calore medio in excipulum refrigeratum, partes quinque.

Pondus hujus liquoris specificum est ad pondus aquæ distillatæ ut 950 ad 1000.

POTASSÆ CAUSTICÆ AQUA.

℞ Potassæ Carbonatis e Lixivo Cinere,
Calcis recens ustæ singulorum partes
duas,
Aquæ partes quindecim.

Calci vasi figulino inditæ inspergatur aquæ calefactæ pars una, eidemque extinctæ statim immisceatur sal, tum addatur aquæ

quod reliquum est. Mistura frige facta in phialam probè obturandam immittatur et subinde agitanda per dies tres servetur. Postquam subsiderit carbonas calcis, effundatur liquor supernatans et vasis e vitro viridi conflatis quam optimè clausis includatur.

Pondus hujus liquoris specificum est ad pondus aquæ distillatæ ut 1080 ad 1000.

POTASSA CAUSTICA.

℞. Aquæ Potassæ causticæ quantum velis.

Super ignem in vase argenti vel ferri mundissimo vaporet aqua, donec ebullitione peractâ materies salina aucto calore in vase quiescat. Potassa liquefacta effundatur super laminam argenti vel ferri, atque inter concrescendum secetur in massas idoneas

quæ illicò in phialam probe obturandam immittendæ sunt.

Inter vaporandum caveat operarius a guttulis e vase ejectis.

POTASSA CAUSTICA CUM CALCE.

Vaporet aqua Potassæ Causticæ ad quartam partem, dein adde Calcis recens ustæ in pulverem redactæ quantum satis sit ut fiat massa spissitudinis idoneæ, in vase probè obturato servanda.

PRÆPARATA.

SECTIO III.**TERRÆ.****AQUA CALCIS.**

℞ Calcis recens ustæ,

Aquæ ferventis utriusque partem unam.

Vasi figulino immittatur calx, eique in-
spargatur aqua, clauso vase dum calx in-
calescit et in pulverem dilabitur; affundan-
tur dein aquæ frigidæ partes triginta. Iterùm

occludatur vas et per horas viginti quatuor sæpius agitetur mistura, dein post subsiderit calx, transfundatur liquor limpidus et vasis probè obturatis servetur.

MAGNESIA.

℞ Magnesiae Carbonatis quantum velis.

Crucibulo indatur et igni forti subjiciatur per horas duas. Magnesia frigefacta in vase vitreo reponatur.

PRÆPARATA.**SECTIO IV.****SALES ALKALINI.**

AMMONIÆ ACETATIS AQUA.

℞ Ammoniæ Carbonatis partem unam.

Adde paulatim, sæpius agitans, aceti distillati calefacti quantum satis sit ut saturetur ammonia nempè partes circiter triginta.

Hoc Litmi ope innotescit.

AMMONIÆ CARBONAS.

℞ Ammoniæ Muriatis in pulverem redacti
et probe siccati,
Sodæ Carbonatis siccati utriusque partem
unam.

Commista retortæ immittito figulinæ; et
calore gradatim aucto sublima in excipu-
lum refrigeratum Ammoniæ Carbonas.

AMMONIÆ CARBONATIS AQUA.

℞ Ammoniæ Carbonatis partes quatuor,
Aquæ distillatæ partes quindecim.

Ammoniæ Carbonas in aquâ solve et
per chartam cola.

Pondus hujus aquæ specificum est ad
pondus aquæ distillatæ ut 1090 ad 1000.

AMMONIÆ BICARBONAS.

℞ Ammoniæ Carbonatis Aquæ quantum
velis.

Apparatu idoneo, rivo Gas Acidi Carbo-
nici, quod erumpit dum solvitur Marmor
album in Acido Muriatico Diluto, exponatur
aqua donec saturetur alkali; tum quiescat
et fiant Crystalli sine calore exsiccandæ et
vase clauso servandæ.

POTASSÆ ACETAS.

℞ Potassæ Carbonatis e Tartari Crys-
tallis quantum velis.

Repetitis vicibus adde acetum distillatum,
caloris medii, pondere plus minus quintu-
plum. Cum peracta fuerit effervescentia et
aliquamdiù vaporaverit liquor, denuò adj-
ciatur per intervalla Acetum distillatum,

donec in totum effervescere desierit mistura: continuatâ vaporatione, prodibit sal siccus, auctâ aliquantisper vi ignis, cautè liquefaciendus. Sal frigefactus in Aquâ solvatur; coletur liquor, et decoquatur donec ab igne amotus jamque frigescens in massam abeat Crystallorum quæ albissima esse debet. Hæc quamprimùm phialis immittatur probe obturandis.

POTASSÆ CARBONAS E TARTARI
CRYSTALLIS.

℞ Crystallorum Tartari quantum velis.

In crucibulo argenteo leviter operculato igne rubescat, donec vapores emittere desinat. Materies residua in pulverem crassum redigatur, et in eodem crucibulo sine operculo, sæpius agitata per horas duas torreatur. Aquæ deinde duplo pondere coque per horæ quadrantem et post justam subsi-

dentiam effundatur liquor purus. Hoc ter fiat. Lixivia commista colentur et in vase argenteo vaporent; Sal residuus dum siccessit crebrâ agitatione in grana subigatur dein igne obscurè rubeat. E vase eximatur antequam penitùs refrixerit et in phialis probe obturatis servetur.

POTASSÆ CARBONAS E LIXIVO CINERE.

℞ Lixivorum Cinerum in pulverem crassum tritorum,
Aquæ frigidæ, singulorum partem unam.

Misce conterendo, et macera per hebdomadam in vase patenti subinde agitans. Coletur dein lixivium et vaporet ad siccitatem in vase argenti vel ferri mundissimo. Sub finem vaporationis, massa salina assidue ope Spathæ ferreæ agitetur. Hoc modo in crassum redacta pulverem, reponatur vasis oclusis. Priusquam in aqua solvan-

tur cineres, si minus puri sint, torreantur in crucibulo donec albi evaserint.

POTASSÆ CARBONATIS AQUA.

℞ Potassæ Carbonatis e Tartari Crystallis
partem unam,
Aquæ distillatæ partes duas,
Solve et Cola.

Pondus hujus aquæ specificum est ad pondus Aquæ distillatæ ut 1320 ad 1000.

POTASSÆ BICARBONAS.

℞ Potassæ Carbonatis e Lixivo Cinere
partem unam,
Aquæ distillatæ partes duas.
Solve.

Apparatu idoneo, rivo Gas Acidi Carbonici, quod erumpit dùm solvitur Marmor

album in Acido Muriatico diluto, exponatur Aqua, donec turbidus fiat liquor, tùm coletur et denuò exponatur rivo Gas Acidi Carbonici donec saturetur alkali; denique quiescat loco frigido ut fiant Crystalli sine calore exsiccandæ et vase clauso servandæ.

POTASSÆ NITRAS PURIFICATUM.

℞ Potassæ Nitratis partem unam.

Solvatur in Aquæ ferventis partibus duabus, coletur liquor et seponatur ut refrigeratione fiant Crystalli.

POTASSÆ SULPHAS.

Sal qui restat post distillationem Acidi Nitrici Aquæ ferventis copiâ satis amplâ solvatur: adde Potassæ Carbonatis e Lixivo Cinere quod satis sit ut saturetur Acidum

Superfluum. Liquor colatus calore vaporet
ut fiant Crystalli.

POTASSÆ BISULPHAS.

℞ Acidi Sulphurici venalis partes duas,
Potassæ Carbonatis e Lixivo Cinere
quantum satis sit,
Aquæ partes sex.

Acidi Sulphurici pars una cum Aquâ
mista, Potassæ Carbonate saturetur, tùm ad-
datur Acidi Sulphurici pars altera, et vapo-
ret liquor donec refrigeratione fiant Crystalli.

POTASSÆ TARTRAS.

℞ Potassæ Carbonatis e Lixivo Cinere
partes quinque,
Potassæ Bitartratis partes quatuorde-
cim,
Aquæ ferventis partes quadraginta quin-
que.

Potassæ Carbonati in Aquâ soluto Potassæ Bitartras in pulverem subtilissimum tritum gradatim adde; liquor per chartam colatus vaporet, et seponatur ut per refrigerationem fiant Crystalli.

SODÆ ACETAS.

℞ Sodæ Carbonatis quantum opus erit,
Aceti distillati quantum satis est ut saturetur alkali.

Liquor colatus vaporet donec pondus specificum 1276 attigerit.

Refrigeratione fiant Crystalli cautè exsiccandæ et vase obturato servandæ.

SODÆ CARBONAS.

℞ Barillæ in pulverem tritæ partem unam,
Aquæ partes duas.

Barillam in Aquâ coque per horas duas in vase cooperto, identidem agitans; liquorem cola, et quod Barillæ reliquum erit triturato, iterùmque in pari aquæ quantitate coque: hoc tertio fieri potest. Lixivia colata et commista in vase ferreo patenti donec siccum fiat residuum vaporent, curâ adhibitâ ne, aucto nimium calore, iterùm liquescat massa salina quæ restabit; agitetur hæc spathâ ferreâ donec alba evaserit: aquâ ferventi denique solve et vaporet liquor donec pondus specificum 1220 attigerit, et aeri, aquæ congelanti temperaturâ accedenti exponatur, ut refrigeratione fiant Crystalli siccandæ et vase obturato servandæ.

Salis, si minus purus sit, repetatur solutio, iterùmque fiant Crystalli.

SODÆ CARBONATIS AQUA.

℞ Sodæ Carbonatis quantum velis.

In Aquâ distillatâ solvatur, et sit liquoris pondus specificum ad pondus aquæ distillatæ ut 1024 ad 1000.

Liquor ejusdem ponderis specifici fit solvendo Carbonatis Sodæ unciam in Aquæ distillatæ librâ.

SODÆ BICARBONAS.

℞ Sodæ Carbonatis partes duas,

Aquæ partes quinque.

Solve.

Idoneo apparatusu rivo Gas Acidi Carbonici, quod erumpit dum solvitur Marmor album in Acido muriatico diluto, exponatur liquor, donec Gas absorbere cessaverit et quiescat

donec fiant Crystalli : tum Calore gradus 120 non superante vaporet liquor et refrigeratione iterùm fiant Crystalli prioribus commiscendæ, siccandæ et vase clauso servandæ.

SODÆ CARBONAS SICCATUM.

Crystalli Sodæ Carbonatis in Crucibulo argenteo super ignem liquefiant. Aucto dein calore, agitetur sal liquefactus donec absumptâ aquâ siccus evaserit. Hic in pulverem tritus phialis servetur clausis.

AQUA CARBONATIS SODÆ ACIDULA.

℞ Carbonatis Sodæ quantum velis.

In aquâ solvatur, ita ut singulæ libræ *mensurâ*, Carbonatis Sodæ drachmam continent. Tum in apparatus ad Gas cohibendum apto, rivo subjiciatur Gas acidi carbonici; quod ebullit dum solvuntur frustula Marmoris albi in Acido Muriatico Aquæ quantitate

sextuplâ diluto; donec præpolleat acidum carbonicum in liquore.

SODÆ PHOSPHAS.

℞ Ossium crematorum et in pulverem tritorum partes decem,
Acidi Sulphurici venalis partes septem.

Pulverem in vase figulino cum Acido Sulphurico misce; adde paulatim aquæ partes septem et agitetur mistura. Digere per dies tres, plus aquæ identidem adjiciens ne inarescat materies, et continuâ agitatione: tum adde insuper aquæ bullientis partes septem et per pannum linteum cola, aquam ferventem repetitis vicibus affundens donec acidum omne eluatur. Liquorem sepone ut fæces subsidant, tum defæcatum et effusum per vaporationem minue ad dimidium; dein adde Carbonatis Sodæ in aquâ calidâ soluti

partes octo; cola, vaporationeque et refrigeratione alternatis fiant crystalli in vase probè obturato reponendæ. Salis si minus purus sit, repetatur solutio iterùmque fiant Crystalli.

SODÆ SULPHAS.

Sal qui restat post distillationem Acidi Muriatici aquæ ferventis sufficiente quantitate solvatur. Liquorem colatum, post debitam exhalationem, sepone ut refrigeratione lentâ fiant Crystalli.

SODÆ ET POTASSÆ TARTRAS.

℞ Sodæ Carbonatis partes quinque,
Potassæ Bitartratis in pulverem subtilis-
simum triti partes septem,
Aquæ ferventis partes quinquaginta.

Sodæ Carbonati in aqua soluto gradatim adde Potassæ Bitartras ; liquor per chartam colatus vaporet et seponatur ut lentâ refrigeratione fiant Crystalli.

PRÆPARATA.

SECTIO V.

SALES TERREI.

ALUMEN SICCATUM.

℞ Aluminis quantum velis.

Igni forti in vase fictili exponatur donec
ebullire desinat. Dein in pulverem teratur.

BARYTÆ MURIAS.

℞ Barytæ Sulphatis partes decem.

Carbonis Ligni in pulverem subtilissimum triti vel lampadis fuliginis partem unam.

Igne torreatur Barytæ Sulphas et candens in aquam mittatur tum in pulverem subtilissimum teratur, modo pro Cretâ Præparatâ præcepto.

Pulveres intimè commisti, crucibulo immittantur et igni forti donec candeant per horas quatuor exponantur. Massa refrigerata in aquæ distillatæ bullientis, quantitate Sulphatis Barytæ decuplâ, solvatur et coletur liquor. Huic adjiciatur, cavendo vapores, Acidi Muriatici quantum satis sit ut saturetur Baryta. Tum coletur liquor, e quo vaporazione et refrigeratione fiant Crystalli.

BARYTÆ MURIATIS AQUA.

℞ Barytæ Muriatis partem unam,
Aquæ distillatæ partes tres.
Solve.

Pondus hujus liquoris specificum sit 1230.

CALCIS MURIAS.

℞ Liquoris qui restat post distillationem
Ammoniaë Causticæ Aquæ quantum velis
coletur liquor et in vase patenti igni exponatur donec Calcis Muriæ penitè inarescat.
Vasis quam optimè clausis servetur.

CALCIS MURIATIS AQUA.

℞ Calcis Muriatis partes duas,
Aquæ distillatæ partes septem.
Solve.

Sit liquoris pondus specificum ad pondus
aquæ distillatæ ut 1202 ad 1000.

CALCIS CARBONAS PRÆCIPITATUM.

℞ Aquæ Muriatis Calcis partes quinque.

Adde Sodæ Carbonatis, quadruplo aquæ distillatæ pondere soluti, partes tres : materia quæ fundum petit ter per subsidentiam lavetur ; affundendo singulis vicibus, aquæ copiam satis amplam ; collecta denique, super lapidem cretaceum chartamve sicce-
tur.

CRETA PRÆPARATA.

℞ Cretæ quantum velis,

In mortario fictili, pauxillâ aquâ adjectâ, teratur in pulverem, hic cum aquâ satis largâ agitando commisceatur ; brevi dein interpositâ morâ scilicet ut particulæ crassiores subsidant, effundatur liquor. Idem, iteratâ triturâ sæpius fieri potest ; pulvis denique subtilissimus, qui in liquore effuso post aliquod tempus subsederit, colligatur, et

super lapidem bibulum chartamve exsicce-
tur.

CALCIS PHOSPHAS PRÆCIPITATUM.

℞ Ossium crematorum et in pulverem tri-
torum partem unam,
Acidi Muriatici diluti,
Aquæ utriusque partes duas.

Simul digerantur per horas duodecim et
coletur liquor: cui addatur Aquæ Ammo-
niæ causticæ quantum satis sit ut dejiciatur
Calcis Phosphas. Hoc aquæ copiâ sat largâ
lavetur et denique siccetur.

MAGNESIÆ CARBONAS.

℞ Magnesiæ Sulphatis partes viginti quinque,
Potassæ Carbonatis partes quatuordecim,
Aquæ ferventis partes quadringentas.

Sulphas Magnesiæ et Potassæ Carbonas
solvantur singula in Aquæ partibus ducentis.
Commisceantur liquores defæcati, dein co-
quatur mistura paulisper et coletur adhuc ca-

lida, per linteum extensum Magnesiæ colligendæ aptum. Abluatur Potassæ Sulphas aquâ ferventi sæpius affusâ ; denique siccetur Magnesiæ Carbonas.

MAGNESIÆ SULPHAS PURUM.

℞ Acidi Sulphurici venalis partes viginti quinque.

Aquæ partes centum.

Magnesiæ Carbonatis partes viginti quatuor vel quantum sufficiat ad acidum saturandum.

Misceantur Acidum Sulphuricum et aquatum gradatim addatur Magnesiæ Carbonas. Denique vaporet colatus liquor ut refrigeratione fiant Crystalli.

PRÆPARATA.

SECTIO VI.

SULPHUREA.

AMMONIÆ HYDROSULPHURETUM.

- ℞ Ferri Sulphureti in crassum pulverem
redacti partes quinque,
Acidi Sulphurici partes septem,
Aquæ partes triginta duas,
Aquæ Ammoniacæ Causticæ partes qua-
tuor.

Immitte Sulphuretum retortæ, dein paulatim affunde acidum aquâ prius dilutum, apparatusque ad id opus apto, transeat aura elastica per Aquam Ammoniæ. Sub finem operis foveatur retorta calore modico.

ANTIMONII SULPHURETUM PRÆPARATUM.

℞ Antimonii Sulphureti quantum velis.

In pulverem redigatur, et modo quo præceptum est in præparatione Cretæ, particulæ subtilissimæ in usum servandæ comparentur.

FERRI SULPHURETUM.

Virga ferrea igne fortissimo, furni folle excitato, candeat, et igne detracta illicò massæ sulphuris solidæ applicetur. In aquâ excipiatur Ferri Sulphuretum et a Sulphure

sejunctum et siccatum vasis clausis servetur.

HYDRARGYRI SULPHURETUM NIGRUM.

℞ Hydrargyri purificati,

Sulphuris sublimati utriusque partem unam.

Terantur simul in mortario fictili donec globuli visum effugerint.

HYDRARGYRI SULPHURETUM RUBRUM.

℞ Hydrargyri purificati partes undeviginti,

Sulphuris sublimati partes tres,

Sulphuri liquefacto immisce Hydrargyrum et si inflammetur mistura, vas obtegendo restingue flammam : materies deinde in pulverem trita sublimetur.

POTASSÆ SULPHURETUM.

℞ Potassæ Carbonatis partes quatuor,
Sulphuris sublimati partem unam.

Commista crucibulo indantur, et operculo adaptato igni gradatim aucto exponantur donec in unum coeant. In vase probè clauso servetur Sulphuretum.

POTASSÆ SULPHURETI AQUA.

℞ Sulphuris loti partem unam,
Potassæ Causticæ Aquæ partes undecim.

Coque per horæ sextantem et per chartam cola. Servetur liquor in vasis probè obturatis.

Pondus hujus liquoris specificum sit, 1117.

*

K

SULPHUR ANTIMONIATUM FUSCUM.

℞ Antimonii Sulphureti præparati partem
unam,
Potassæ causticæ aquæ partes octodecim,
Acidi Sulphurici diluti partes undecim,
vel quantum satis sit.

Antimonii Sulphuretum Potassæ Causticæ
aquæ adde et per horam coque. Liquo-
rem ferventem per linteum duplicatum cola,
eique instilla Acidum Sulphuricum dilu-
tum. Aquâ calidâ Potassæ Sulphas ablu-
e. Sulphur Antimoniatum fuscum exsicca et
in pulverem subtilem tere.

SULPHUR LOTUM.

Sulphuri sublimato affundatur aqua calida,
et iteretur lotio quamdiù aqua effusa acido
inquinata fuerit. Hoc litmi ope innotescit.
Siccetur Sulphur super chartam bibulam.

PRÆPARATA.

SECTIO VII.

METALLICA.

PULVIS ANTIMONIALIS.

℞ Antimonii Sulphureti præparati partem
unam,

Ramentorum Cornu cervini partes duas.

Misce et ollæ ferreæ patienti ad rubedi-
nem calefactæ injice, assiduè agitans donec

vapores Sulphuris extricari cessaverint et materiae color cinereus evaserit. Materiem frigefactam in pulverem tere et crucibulo immitte. Huic aliud inversum cui parvum sit in fundo foramen, adaptetur. Calore sensim aucto, igni tandem candenti per horas duas exponatur materia. Frigefacta denique in pulverem subtilissimum teratur.

ANTIMONII OXYDUM
NITROMURIATICUM.

℞. Antimonii Sulphureti præparati partes viginti,
Acidi Muriatici partes centum,
Acidi Nitrici partem unam.

Sulphuretum acidis priùs in vase vitreo commistis paulatim adde, cavens a vaporibus; tum digere calore gradatim aucto, donec effervescere desinat mistura, dein coque per horam. Liquorem frigefactum, et colatum aquæ congio excipe. Antimonii Oxydum postquam ad imum subsiderit aquâ satis largâ lavetur donec liquor effusus acidi inquinamenti expers fuerit, quod

Litmi ope innotescit; denique exsiccetur oxydum super chartam bibulam.

ANTIMONII ET POTASSÆ TARTRAS
SIVE
TARTARUM EMETICUM.

℞ Antimonii Oxydi Nitromuriatici partes
quatuor,

Potassæ Bitartratis in pulverem subtilissi-
mum triti partes quinque,

Aquæ distillatæ partes triginta quatuor.

Calore adhibito bulliat aqua in vase vi-
treo; tum Oxydum et Potassæ Bitartras,
priùs commista, injice paulatim in aquam,
et coque per semihoram; dein per chartam
cola liquorem, qui lentè frigescat ut fiant
Crystalli.

LIQUOR TARTARI EMETICI.

℞ Antimonii et Potassæ Tartratis scrupulum,
Aquæ distillatæ ferventis *mensurâ* un-
cias octo,

Spiritûs Vini rectificati *mensurâ* uncias
duas.

Antimonii et Potassæ Tartras in aquâ solve et liquori colato spiritum adjice.

ARGENTI NITRATIS CRYSTALLI.

℞ Argenti in laminas extensi, atque concisi partes triginta septem,
Acidi Nitrici diluti partes sexaginta.

Vasi vitreo immittatur Argentum et superfundatur acidum aquâ prius dilutum. Calore gradatim aucto, solvatur metallum; tum vaporatione et refrigeratione fiant Crystalli sine calore siccandæ et in vase vitreo loco obscuro asservandæ.

ARGENTI NITRAS FUSUM.

Argentum in Acido Nitrico diluto, modo supradicto solvatur; dein vaporet liquor ad siccitatem. Materia quæ restiterit crucibulo immissa liquefiat lento super igne; in

formas denique idoneas effundatur et in vase vitreo servetur.

ARSENICI OXYDUM ALBUM SUBLIMATUM.

Arsenici Oxydum in pulverem crassum tritum, vase idoneo, vapores cavendo, calori exponatur ut sublimetur Arsenici Oxydum album.

LIQUOR ARSENICALIS.

℞ Arsenici Oxydi Albi Sublimati in pulverem triti,

Potassæ Carbonatis e Tartaro singulorum grana sexaginta,

Spiritûs Lavandulæ compositæ mensurâ drachmas quatuor,

Aquæ distillatæ *mensurâ* semilibram.

Arsenici Oxydum et Potassæ Carbonas simul in Aqua vase vitreo coque, donec solvatur Oxydum. Liquori frigefacto adjice Spiritum Lavandulæ compositum, et aquæ

distillatæ quantum satis sit ut totius quantitas
ex Librâ unâ *mensurâ* constet.

BISMUTHI SUBNITRAS.

℞ Bismuthi in pulverem triti partes septem,
Acidi Nitrici diluti partes viginti,
Aquæ distillatæ partes centum.

Bismuthum Acido gradatim adde et calore
solve. Liquorem cum aquâ misce et se-
pone ut subsidat pulvis, quem aquâ distillatâ
ablue et supra chartam bibulam leni calore
exsicca.

CUPRI SUBACETAS PRÆPARATUM.

In pulverem teratur Cupri Subacetas et
separentur partes subtilissimæ, modo quo
præparatione Cretæ præceptum est.

CUPRUM AMMONIATUM.

℞ Sulphatis Cupri partes duas,
Carbonatis Ammoniaë partes tres.

Subigantur in mortario fictili donec cessante omni effervescentiâ in massam coeant, quæ chartâ bibulâ obvoluta exsiccetur et in phialâ vitreo epistomio obturatâ servetur.

a glass cork

CUPRI AMMONIATI AQUA.

℞ Cupri Ammoniaci partem unam,
Aquæ distillatæ partes centum.

Cuprum Ammoniacum in aquâ solve et per chartam cola.

FERRI RUBIGO.

℞ Ferri in fila deducti quantum velis, Concidatur in particulas quæ aeri expositæ aquâ humectentur donec in rubiginem exesæ fuerint: deinde in mortario ferreo terantur,

et affusâ aquâ abluatur pulvis subtilissimus,
qui exsiccetur.

FERRI SULPHAS.

℞ Ferri in fila deducti partes quatuor,
Acidi Sulphurici partes septem,
Aquæ partes sexaginta.

Calore adhibito, solvatur metallum et per
chartam coletur liquor. Denique post debi-
tam exhalationem seponatur, ut lentâ refri-
geratione fiant Crystalli.

FERRI CARBONAS.

℞ Ferri Sulphatis partes viginti quinque,
Sodæ Carbonatis partes viginti sex,
Aquæ partes octingentas.

Ferri Sulphas in aquâ solve dein adde
Sodæ Carbonas priùs ex aquæ quantitate
sufficiente solutum, et permisce.

Lavetur Ferri Carbonas quod fundum detit aquâ tepidâ, et postea siccetur.

FERRI OXYDUM NIGRUM.

Oxydi Ferri Squamæ ad fabrorum incudes reperiundæ aquâ laventur, et siccatae, magnete admoto a sordibus purificentur. In pulverem dein redigantur, cujus partes subtilissimæ separentur, modo quo præceptum est in præparatione Cretæ.

FERRI OXYDUM RUBRUM.

Sulphas Ferri calori exponatur donec aqua crystallorum expulsa fuerit, dein igne vehementi torreatur quamdiù vapor acidus prodeat. Lavetur Oxydum rubrum donec Litmi indicio aqua effusa acidi expers reperiatur denique super chartam bibulam siccetur.

*

MURIATIS FERRI LIQUOR.

℞ Rubiginis Ferri partem unam,
Acidi Muriatici,
Spiritus rectificati utriusque partes sex.

Rubigini vasi vitreo inditæ affunde acidum et per triduum subinde agita, dein sepone ut fæces subsidant, et liquorem purum effunde ; hunc per lentam exhalationem ad partem tertiam absume et frigefacto spiritum adde.

FERRI TARTARUM.

℞ Ferri in fila tenuia deducti partem unam,
Potassæ Bitartratis in pulverem subtilissimum triti partes quatuor.

Aquæ distillatæ partes octo vel quantum satis sit.

Simul misceantur et in vase patulo aeri per dies quindecim exponantur. Mistura subindè agitanda, aquâ quotidie adjectâ, sem-

per humida servetur, curâ adhibitâ ne liquore prorsûs tegatur **Ferrum**. Denique in aquæ distillatæ quantitate sufficiente coquatur, et liquor colatus **Balneo Aquoso** vaporet ad siccitatem. In vase benè obturato servetur **Ferri Tartarum**.

FERRI ACETAS.

℞ **Ferri Carbonatis** partem unam,
Acidi acetici partes sex,
Digere per dies tres et cola.

FERRI ACETATIS TINCTURA.

℞ **Potassæ Acetatis** partes duas,
Ferri Sulphatis partem unam,
Spiritûs rectificati partes viginti sex.

Potassæ Acetas et **Ferri Sulphas** in mortario fictili conterantur donec in massam coeant; tum calore medio siccentur et cum spiritû terantur; in phialâ probè obturatâ, mistura subinde agitanda, per dies septem digeratur;

denique a fæcibus effundatur Tinctura in vase probè clauso servanda.

HYDRARGYRUM PURIFICATUM.

℞ Hydrargyri partes sex.
Lentè distillent partes quatuor.

HYDRARGYRUM CUM MAGNESIA.

℞ Hydrargyri purificati,
Mannæ utriusque partes duas,
Magnesiæ Carbonatis partem unam.

Tere Hydrargyrum cum Mannâ in mortario fictili, addendo guttas aliquot aquæ ut crassitudinem Syrupi habeat mistura et globuli metallici continuatâ triturâ visum effugiant: dein adde, semper terens, Magnesiæ Carbonatis partem octavam; omnibus probè permistis adjicito aquæ calidæ partes sexdecim et agitetur mistura, tum quiescat et simul ac subsederit sedimentum effundatur liquor: repetatur lavatio iterùm et

tertiò ut in totum abluatur Manna ; sedimento adhuc humido immisce Magnesiæ Carbonatis quod reliquum est. Denique siccetur pulvis super chartam bibulam.

HYDRARGYRUM CUM CRETA.

Simili præparandum est modo, nisi quod Magnesiæ Carbonatis vice adhibendum sit Calcis Carbonas præcipitatum.

HYDRARGYRI OXYDUM NIGRUM.

℞ Calomelanos Sublimati partem unam,
Potassæ Causticæ Aquæ calefactæ partes quatuor.

Simul terantur donec oxydum coloris nigri obtineatur et aquâ sæpe lavetur : denique siccetur oxydum calore medio supra chartam bibulam.

HYDRARGYRI OXYDUM RUBRUM.

℞ Hydrargyri purificati quantum velis.
In vas vitreum apertum, cui os angustum

fundus latior sit, immissum, calori gradûs circiter sexcentesimali exponatur, donec in squamas abeat rubras.

HYDRARGYRI OXYDUM NITRICUM.

℞ Hydrargyri Purificati partes duas,
Acidi Nitrici Diluti partes tres.

Solvatur Hydrargyrum et adhibeatur calor donec materia exsiccata in squamas rubras abeat.

HYDRARGYRI PERSULPHAS.

℞ Hydrargyri purificati,
Acidi Sulphurici utriusque partes sex,
Acidi Nitrici partem unam.

Calori exponantur in vase vitreo et augeatur ignis donec materia penitùs exsiccata alba fiet.

HYDRARGYRI OXYDUM SULPHURICUM.

℞ Hydrargyri Persulphatis partem unam,
Aquæ calidæ partes viginti.

In mortario fictili simul terantur et effundatur liquor supernatans ; Aquâ distillatâ calidâ lavetur pulvis flavus, quamdiù ex instillatis guttis aliquot Potassæ Causticæ Aquæ sedimentum dejiciat liquor effusus ; denique siccetur Hydrargyri Oxydum Sulphuricum.

HYDRARGYRI MURIAS CORROSIVUM.

℞ Hydrargyri Persulphatis partes quinque,
Sodæ Muriatis exsiccati partes duas.

Probè conterantur in mortario fictili ut fiat pulvis subtilissimus, tum e vase idoneo, calore gradatim aucto, in vas recipiens vaporet Hydrargyri Murias Corrosivum.

CALOMELAS SUBLIMATUM.

℞ Hydrargyri Persulphatis partes viginti
quinque,

Hydrargyri purificati partes septemdecim,

Sodæ Muriatis exsiccati partes decem.

Hydrargyri Persulphas et Hydrargyrum purificatum in mortario fictili conterantur donec globuli metallici visum penitè effugiant tùm addatur Sodæ Murias exsiccatum; probè commisceantur, et e vase idoneo, calore gradatim aucto, in vas recipiens vaporent: materies sublimata in pulverem subigatur et aquâ lavetur quamdiù ex adjectis guttis aliquot Potassæ Causticæ Aquæ sedimentum dejiciat effusus liquor; denique siccetur Calomelas sublimatum.

CALOMELAS PRÆCIPITATUM.

℞ Hydrargyri purificati partes septemdecim,

Acidi Nitrici diluti partes quindecim.

Hydrargyro vasi vitreo indito, affunde acidum, et cum primúm effervescere desierit mistura, digere calore medio per horas sex subinde agitans; dein augeatur calor ut paulisper ebulliat liquor, qui ex Hydrargyro residuo effundatur, et celeriter commisceatur cum aquæ bullientis partibus quadringenis in quibus Sodæ Muriatis partes septem priùs solutæ fuerint; pulvis fundum petens aquâ calidâ distillatâ tandiù lavetur, quamdiù liquor effusus ex adjectis guttis aliquot Potassæ Causticæ Aquæ sedimentum dejiciat; denique siccetur.

HYDRARGYRI SUBMURIAS AMMONIATUM.

Adde liquori, qui effusus fuerit ex Calomelane præcipitato, Ammoniæ Causticæ Aquæ quantum sufficiat ut in totum dejiciatur sal metallicus, qui aquâ frigidâ distillatâ lavetur et super chartam bibulam siccetur.

HYDRARGYRI ACETAS.

℞ Hydrargyri purificati,
Potassæ Acetatis utriusque partes
novem,
Acidi Nitrici diluti partes undecim,
Aquæ distillatæ bullientis partes cen-
tum,
Aceti distillati quantum sufficiat.

Hydrargyro adjiciatur Acidum nitricum, et peractâ effervescentiâ digeratur mistura ut solvatur metallum : In aquâ solvatur Potassæ Acetas et addatur Acetum distillatum donec prævaleat Acidum in liquore ; huic ebullienti adjiciatur Hydrargyrum in Acido Nitrico solutum et per linteum duplex celerimè trajiciatur mistura ; frigescat ut fermentur crystalli ; has aquâ distillatâ frigidâ lotas, calore lenissimo super chartam exsicca.

In toto hoc opere, adhibeantur vasa vitrea.

HYDRARGYRI CYANURETUM.

℞ Ferri Cyanureti partes sex,

Hydrargyri Oxydi Nitrici partes quinque,

Aquæ distillatæ partes quadraginta.

Misceantur Ferri Cyanuretum et Hydrargyri Oxydum, tum Aquæ calefactæ ad-
jiciantur. Per semihoram, continuâ agita-
tione, ebulliat mistura, et per chartam bibu-
lam coletur. Aquâ calidâ distillatâ sæpe la-
vetur residuum. Denique vaporent liquores
colati et refrigeratione fiant crystalli.

PLUMBI ACETAS.

℞ Plumbi Carbonatis *Cerussa* dicti quan-
tum velis,

Acetum distillatum decuplum.

Digere in vase vitreo, donec dulcescat
Acetum, quo effuso ampliùs adhuc affunde
donec dulcescere desinat. Liquorem cola et
lentâ vaporatione et refrigeratione alternatis
fiant Crystalli in umbrâ siccandæ.

PLUMBI SUBACETATIS LIQUOR.

℞ Plumbi Oxydi semivitrei partem unam,
Aceti distillati partes duodecim.

In vase vitreo decoquatur mistura donec
restent fluidi partes undecim ; dein seponatur
liquor postquam subsederint fæces colandus.

PLUMBI SUBACETATIS LIQUOR
COMPOSITUS.

℞ Plumbi Subacetatis Liquoris Drach-
mam,
Aquæ distillatæ libram,
Spiritus tenuioris Drachmam,
Misc.

STANNI PULVIS.

℞ Stanni purissimi quantum velis,
Igne liquatum inter frigesendum fortiter
agitetur, donec in pulverem abeat, qui
frigefactus cribro decutiatur.

ZINCI CARBONAS IMPURUM
PRÆPARATUM.

Zinci Carbonas impurum ustum in pulverem redigatur et separentur partes subtilissimæ, modo quo præceptum est in præparatione Cretæ.

ZINCI OXYDUM.

℞ Zinci in frustula fracti, quantum velis.

Injiciatur, per intervalla, crucibulo, ab igne candenti, et satis alto, cujus os furni ostium versus paulò inclinet, cuique post singulas injectiones, imponatur crucibulum aliud inversum, laxè tamen, ne excludatur aer; pulvis sublimatus levis et candidissimus in usum servetur.

ZINCI ACETATIS TINCTURA.

℞ Zinci Sulphatis,
Potassæ Acetatis utriusque partem
unam,
Tere simul et adde Spiritûs rectificati
partes sexdecim.

Macera per hebdomadam, subinde agi-
tans, et per chartam cola.

ZINCI SULPHAS.

℞ Zinci in frustula fracti partes tredecim,
Acidi Sulphurici partes viginti,
Aquæ partes centum et viginti.

Zinco vasi vitreo indito, paulatim affunde
Acidum aquâ prius dilutum : cessante effer-
vescentiâ, digere aliquandiù : dein vaporet
liquor colatus et post debitam exhalationem
seponatur ut concrecant crystalli.

Crystalli Salium, si fæcibus ullis inquinentur, laventur primum liquore relicto, dein pauxillo aquæ distillatæ vel Spiritûs rectificati. Sæpe post primam crystallorum formationem aliæ insuper obtineri possunt exhalatione et refrigeratione liquoris relicti; hæ autem plerumque minus sinceræ esse solent.

Ad pulveres et Sales metallicos lavandos, primò quidem aqua pluvialis vel fluviatilis adhiberi potest; ultimò autem aquâ distillatâ uti oportet.

PRÆPARATA,

E PLANTIS.

SECTIO VIII.

OLEA EXPRESSA.

OLEUM AMYGDALARUM.

Amygdalas recentes in mortario tere;
dein exprime Oleum prelo, citra calorem.

Eodem modo exprimendum est Oleum
Lini.

HERBARUM EXSICCATIO.

Immittantur folia vel flores recentes herbæ
jam flores centis in sacculos chartaceos, et
foveantur calore inferiore per horam; dein
leviter super cribrum strata quam citissimè
exsiccentur, curâ adhibitâ ne color calore
nimis aucto depravetur; quòd si herbæ sub
forma pulveris in usum requirantur, continuò
in pulverem redigendæ sunt; hunc in phialis
clausis et opacis conservare oportet.

Herbas floresque e quibus olea et aquæ
distillatæ elicienda sunt, simul ac collectæ
fuerint, sicari oportet.

OLEA ESSENTIALIA.

OLEUM.

SEMINUM,
calore medio
siccatorum.

ANISI.

CARUI.

FŒNICULI DULCIS.

CORTICIS ET LIGNI SASSAFRAS,

BACCARUM { JUNIPERI,
PIMENTÆ,

FLORUM LAVANDULÆ,

FOLIORUM ET FLORUM,
HERBÆ FLORESCENTIS,

MENTHÆ PIPERITIDIS,

MENTHÆ VIRIDIS,

ORIGANI,

PULEGII,

RORISMARINI,

RUTÆ,

FOLIORUM SABINÆ.

Horum quodvis in Aquâ priùs maceratum Alembico immitte: tum calore adhibito, vaporis aquæ bullientis ope, in vas recipiens distillet liquor, e quo, vel ad superficiem vel ad imum, prout aquâ levius vel gravius sit, idoneo apparatus separatur Oleum. In distillatione Seminum Carui, Fœniculi, Foliorum M. piperitidis M. Viridis, M. pulegii et Baccarum Pi-

mentæ, liquor qui in distillatione cum Oleo prodit, in usum servandus est, eâ lege quâ in capite sequenti præcipitur.

OLEUM SUCCINI RECTIFICATUM.

℞ Olei quod ascendit in præparatione Acidi Succinici Libram,

Aquæ *mensurâ* Libras sex.

Distillent donec aquæ duo trientes in excipulum transierint; dein separetur oleum.

OLEUM TEREBINTHINÆ.

℞ Terebinthinæ vulgaris *pondere* Libras quinque,

Aquæ *mensurâ* Libras quatuor,

Distillet Oleum ex Alembico cupreo.

Resina flava post distillationem manebit.

OLEUM TEREBINTHINÆ RECTIFICATUM.

℞ Olei Terebinthinæ *mensurâ* Libras duas, Aquæ *mensurâ* Libras quatuor.

Distillet Oleo *mensurâ* Libra cum semisse.

AQUÆ DISTILLATÆ.

Singulis libris aquæ, e materie quâcun-
que vegetabili distillatione elicita, addatur
Spiritus rectificati *mensurâ* semiuncia.

AQUA DISTILLATA.

℞ Aquæ libras viginti,

Retortæ immittantur vitreæ et rejectâ librâ
quæ primùm prodit, calore medio distil-
let congius unus.

AQUA CARUI.

℞ Semen Cari Carui contusorum libram,
Affundatur aquæ quod satis sit ad præca-
vendum empyreuma,
Distillet congius unus.

AQUA CINNAMOMI.

℞ Corticis Lauri Cinnamomi contusi libram,
Aquæ quod satis sit ad præcavendum em-
pyreuma.

Macera per diem et distillet congius
unus.

AQUA FŒNICULI.

℞ Seminum, Anethi Fœniculi contusorum
libram,
Aquæ quod satis sit ad præcavendum em-
pyreuma.

Distillet congius unus.

AQUA LAURO CERASI.

℞ Foliorum recentium Pruni Lauro-Cerasi
libram,

Aquæ *mensurâ* libras tres,

Distillet libra una, et vice Spiritûs Recti-
ficati addatur Spiritûs Lavandulæ com-
positi Uncia.

AQUA MENTHÆ PIPERITIDIS.

℞ Herbæ Menthæ piperitidis libram cum
semisse,

Aquæ quod satis sit ad præcavendum em-
pyreuma.

Distillet Congius unus.

Eodem modo ex herbis Menthæ viridis et
Menthæ Pulegii parantur Aqua Menthæ
viridis et Aqua Pulegii.

AQUA ROSÆ.

℞ Petalorum Rosæ Centifoliæ Libras octo,

Aquæ quod satis sit ad præcavendum
empyreuma.

Distillet Congius unus.

AQUA PIMENTÆ.

℞ Baccarum Myrti Pimentæ contusarum
semilibram,

Aquæ quod satis sit ad præcavendum em-
pyreuma.

Macera per horas viginti quatuor et dis-
tillet congius.

Aqua Cinnamomi, A. Menthæ piperitidis, A. Menthæ viridis et A. Menthæ pulegii alio modo parari possunt, scilicet addendo singulis congiis aquæ, vice herbæ, olei essentialis ejusdem Drachmas tres, dein apparatus idoneo calorem adhibendo ut distillet mistura.

ÆTHEREA.

LIQUOR ÆTHEREUS SULPHURICUS.

℞ Spiritûs rectificati,

Acidi sulphurici utriusque *pondere* uncias triginta duo.

Infundatur Spiritus retortæ vitreæ calori subitaneo ferendo aptæ, et continuo rivo affundatur acidum; commisceantur paulatim et in excipulum refrigeratum distillent liquoris *mensurâ* Unciæ viginti, calore subitaneo et satis valido.

Acido in retortâ residuo si affundantur Spiritûs rectificati Unciæ sexdecim, iterùm distillatione prodibit Liquor Æthereus sulphuricus.

ÆTHER SULPHURICUS.

℞ Liquoris Ætherei Sulphurici *mensurâ*

Uncias viginti,

Potassæ Carbonatis siccati et in pul-
verem triti, Drachmas duas.

Misceantur, et e retortâ præaltâ distil-
lent, calore lenissimo, in excipulum refri-
geratum *mensurâ* Unciæ duodecim.

Pondus hujus liquoris specificum est ad
pondus aquæ distillatæ ut 765 ad 1000.

LIQUOR ÆTHEREUS OLEOSUS.

℞ Quod restat in retortâ post distillatum
Ætherem Sulphuricum.

Distillet calore medio ad dimidiam par-
tem.

ÆTHER NITROSUS.

℞ Potassæ Nitratis purificati siccati et
in crassum pulverem redacti, Libram
cum semisse.

Acidi Sulphurici Libram unam.

Spiritûs rectificati *mensurâ* Uncias
novemdecim.

Immittatur Potassæ Nitras in retortam
tubulatam, in balneo aquæ frigidæ positam,
et affundantur paulatim et diversis vicibus,
Acidum Sulphuricum et Spiritus priûs
cômmista et e mixturâ frigefacta. Calore
externo forsan nullo vel saltem levissimo,
aquæ scilicet tepidæ balneo additæ, distil-
lare incipiet liquor æthereus, sine igne sup-
posito; brevique in retortâ calor spontè
augebitur, æstusque insignis orietur, qui
moderandi sunt temperando balneum aquâ
frigidâ; oportet quoque excipulum aquâ
vel nive refrigerari, apparatusque idoneo

instrui ut transeat aura summè elastica, e
misturâ, si fortè nimium intendatur calor
magna vi erumpens, per libram spiritûs
rectificati phialâ refrigeratâ exceptam.

Liquor æthereus sponte distillatus, phialâ
cui vitreum adaptetur epistomium, excipia-
tur, indeturque paulatim (occlusâ post sin-
gulas injectiones phialâ) Potassæ Carbonatis
siccissimi et in pulverem triti quantitas ido-
nea ut acidum præpollens, litmi indicio, satu-
retur; hoc fiet, additâ salis circiter drachmâ;
brevique interpositâ morâ æther nitrosus su-
pernatabit, per infundibulum separandus.

Si purissimus requiratur, Æther iterum
distillet e balneo aquoso, caloris graduum
140, ad partem dimidiam.

Pondus ejus specificum est ad pondus
aquæ distillatæ ut 900 ad 1000.

SPIRITUS ÆTHEREUS NITROSUS.

Addatur materiæ quæ residua erit post
distillatum Liquorem Æthereum Nitrosum,

Spiritus Rectificatus in isto opere ad auram elasticam recipiendam destinatus; et distillet, calore superiore balnei aquosi, ad siccitatem residui. Liquorem distillatum cum liquore alkalino, qui restiterit post separationem Ætheris Nitrosi, commisce, et adde insuper Potassæ Carbonatis siccissimi quod satis sit ad acidum præpollens saturandum. Hoc Litmi ope innotescit. Denique distilla, quamdiù calore medio balnei aquosi, prodibunt guttæ.

Pondus hujus liquoris specificum est ad pondus aquæ distillatæ ut 850 ad 1000.

Parari quoque potest Spiritus æthereus nitrosus, gradatim addendo libræ *mensurâ* spiritûs rectificati, acidi nitrici Uncias duas, et apparatus idoneo lenem calorem adhibendo ut distillent Unciæ duodecim.

ALCOHOL.

℞ Spiritûs rectificati Congium,
Lixivi Cineris exsiccati et adhuc calentis Libras tres cum semisse,
Calcis Muriatis exsiccati Libram.

Spiritui adde Lixivum Cinerem in pulverem tritum et in vase clauso digeratur mistura sæpè agitanda per dies septem. Spiritum supernatantem exprome, eique immisce Calcis Murias: denique calore medio distillet mistura, donec in retortâ spissescere incipiat.

Hujus liquoris pondus specificum sit 810.

SPIRITUS AMMONIÆ.

℞ Spiritûs Rectificati *mensurâ* Libras tres,

Ammoniæ Carbonatis, in pulverem crassum triti, Uncias tres cum semisse.

Misceantur et calore medio solvatur sal: dein coletur liquor.

*

SPIRITUS AMMONIÆ AROMATICUS.

℞ Spiritûs Ammoniæ *mensurâ* Libras
duas,
Olei essentialis limonum Drachmas duas,
Nucum moschatarum contusarum Semi-
unciam,
Corticis Cinnamomi contusi Drachmas
tres.

Macera in vase clauso per dies tres subinde agitans : dein distillet **Libra** una cum semisse.

SPIRITUS AMMONIÆ FŒTIDUS.

℞ Spiritûs Ammoniæ *mensurâ* Libras
duas,
Assæfœtidæ **Unciam** cum quadrante.

Macera in vase clauso per dies tres subinde agitans : dein effundatur liquor purus, et distillet *mensurâ* **Libra** una cum semisse.

SPIRITUS ANISI COMPOSITUS.

℞ Seminum Anisi contusorum,
Seminum Angelicæ contusorum, sin-
gulorum Libram dimidiam,
Spiritus tenuioris Congium unum,
Aquæ quod satis sit ad præcavendum
empyreuma.

Macera per horas viginti quatuor et
distillet Congius unus.

SPIRITUS ARMORACIÆ COMPOSITUS.

℞ Radicis Cochleariæ Armoraciæ re-
centis,
Citri Aurantii fructus tunicæ exterioris
exsiccatae, utriusque Libram unam,
Nucum Moschatarum contusarum Se-
miunciam,
Spiritus tenuioris Congium,
Aquæ quod satis sit ad præcavendum
empyreuma.

Macera per horas viginti quatuor et distillet Congius unus.

SPIRITUS CARUI.

℞ Seminum Cari Carui contusorum Libram,
 Spiritûs tenuioris Congium,
 Aquæ quod satis sit ad præcavendum
 empyreuma.

Macera per horas viginti quatuor dein distillet congius unus.

SPIRITUS CINNAMOMI.

℞ Corticis Cinnamomi contusi Libram,
 Spiritûs tenuioris Congium,
 Aquæ quod satis sit ad præcavendum
 empyreuma.

Macera per horas viginti quatuor dein distillet Congius unus.

SPIRITUS JUNIPERI COMPOSITUS.

℞ Baccarum Juniperi contusarum Li-
bram,
Seminum Carui contusorum,
Seminum Fœniculi contusorum singu-
lorum Unciam cum semisse,
Spiritus tenuioris Congium.

Macera per horas viginti quatuor tùm
adde aquæ quod satis sit ad præcavendum
empyreuma, et distillet Congius unus.

SPIRITUS LAVANDULÆ.

Florum recentium Lavandulæ Spicæ
Libras duas,
Spiritus tenuioris Congium,
Aquæ quod satis sit ad præcavendum
empyreuma.

Macera per horas viginti quatuor, tum dis-
tillent calore medio *mensurâ* Libræ quinque.

SPIRITUS LAVANDULÆ COMPOSITUS.

℞ Spiritûs Lavandulæ *mensurâ* Libras
tres,
Spiritûs Rorismarini *mensurâ* Libram.
Nucum moschatarum contusarum,
Corticis Cinnamomi contusi, singulo-
rum Semiunciam,
Caryophyllorum aromaticorum Drach-
mas duas,
Scobis ligni Santali rubri Unciam
unam.

Digere per dies decem : dein cola.

SPIRITUS MENTHÆ PIPERITÆ.

℞ Olei Menthæ piperitæ *pondere* semi-
unciam,
Spiritûs rectificati Congium.

Oleo Spiritum adde et aquæ tantum af-
funde quantum distillatione peractâ satis sit

ad prohibendum empyreuma ; tùm lento igne distillet Congius.

SPIRITUS MENTHÆ VIRIDIS.

℞ Olei Menthæ viridis *pondere* Semi-
unciam,
Spiritûs rectificati Congium.

Oleo spiritum adde et aquæ tantum affunde quantum distillatione peractâ satis sit ad prohibendum empyreuma : tùm lento igne distillet Congius.

SPIRITUS NUCIS MOSCHATÆ.

℞ Nucum Moschatarum contusarum Un-
cias duas,
Spiritûs tenuioris Congium,
Aquæ quod satis sit ad præcavendum
empyreuma.

Macera per horas viginti quatuor dein distillet Congius unus.

SPIRITUS PIMENTÆ.

℞ **Baccarum Myrti Pimentæ contusarum**
Uncias tres,
Spiritûs tenuioris Congium,
Aquæ quod satis sit ad præcavendum
empyreuma.

Macera per horas viginti quatuor, dein
distillet Congius unus.

SPIRITUS RORISMARINI.

℞ **Cacuminum Rorismarini officinalis re-**
centium Libram cum semisse,
Spiritûs tenuioris Congium.

Distillent calore medio **Libræ quinque.**

Spiritus Cinnamomi, S. Menthæ pulegii
et S. Rorismarini obtineri possunt, addendo
Spiritûs tenuioris Congio, vice herbæ, olei
essentialis ejusdem, scrupulos sex et apparatus
idoneo calorem adhibendo ut distillet mis-
tura

TINCTURA ALOËS.

℞ Aloës Socotorinæ in pulverem tritæ
Unciam dimidiam,
Extracti Glycyrrhizæ, aquæ ferventis
unciis octo soluti, Unciam unam
cum semisse,
Spiritus tenuioris *mensurâ* Uncias octo.

Digere per dies septem ; dein cola.

TINCTURA ALOËS COMPOSITA.

℞ Tincturæ Myrrhæ, *mensurâ*, Libras
duas,
Aloës Socotorinæ in pulverem redactæ
Uncias tres.

Macera per dies quatuordecim, dein cola.

TINCTURA ANGUSTURÆ.

℞ Corticis Bonplandiæ trifoliatæ in pul-
verem crassum redacti, Uncias duas,
Spiritûs tenuioris *mensurâ* Libras duas.

Macera per dies quatuordecim, dein cola.

TINCTURA ASSAFŒTIDÆ.

℞ Assæfœtidæ Uncias quatuor,
Spiritûs rectificati *mensurâ* Libras
duas,
Aquæ *mensurâ* Uncias octo,

Assæfœtidæ cum aquâ contritæ adde Spi-
ritum.

Macera per dies quatuordecim; dein
cola.

TINCTURA BALSAMI TOLUTANI.

℞ Resinæ Toluiferæ Balsami Unciam,
Spiritus rectificati *mensurâ* Libram.

Digere vase clauso donec solvatur resina,
dein cola.

TINCTURA BENZOËS COMPOSITA.

℞ Resinæ Styracis Benzoin Uncias tres,
Styracis purificati Uncias duas,
Resinæ Toluiferæ Balsami Unciam,
Aloës Socotorinæ Semiunciam,
Spiritus rectificati *mensurâ* Libras.
duas.

Digere per dies septem, dein cola.

TINCTURA CAMPHORÆ

SIVE

SPIRITUS CAMPHORATUS.

℞ Camphoræ Unciam,
Spiritus rectificati *mensurâ* Uncias octo.

Misce ut solvatur Camphora.

TINCTURA CANTHARIDIS.

℞ Cantharidum in pulverem tritarum
Drachmas duas,
Spiritus tenuioris *mensurâ* Libram cum
semisse.

Digere per dies septem ; dein cola.

TINCTURA CAPSICI.

℞ Capsici annui capsularum Unciam,
Spiritus tenuioris Libras duas.

Macera per dies quatuordecim et cola.

TINCTURA CARDAMOMI COMPOSITA.

℞ Seminum Cardamomi capsulis exuto-
rum et contusorum,
Seminum Carui contusorum singulorum
Drachmas duas,
Corticis Cinnamomi contusi, Semiun-
ciam,
Spiritus tenuioris *mesurâ* Libras duas.

Macera per dies quatuordecim ; dein cola.

TINCTURA CASCARILLÆ.

℞ Corticis Crotonis Cascarillæ in pulve-
rem crassum triti, Uncias quatuor,
Spiritus tenuioris *mesurâ* Libras duas.

Macera per dies septem ; dein cola.

TINCTURA CASTOREI ROSSICI.

℞ Castorei Rossici in pulverem redacti
Uncias duas,

Spiritûs tenuioris *mensurâ* Libras duas.

Macera per dies septem ; dein cola.

TINCTURA CATECHU.

℞ Catechu Uncias tres,

Corticis Cinnamomi contusi Uncias
duas,

Spiritûs tenuioris *mensurâ* Libras duas.

Macera per dies septem ; dein cola.

TINCTURA CINCHONÆ.

℞ Corticis Cinchonæ lancifoliæ in pulve-
rem crassum redacti Uncias quatuor,

Spiritûs tenuioris *mensurâ* Libras duas.

Digere per dies septem ; dein cola.

TINCTURA CINCHONÆ COMPOSITA.

℞ Corticis Cinchonæ lancifoliæ in cras-
sum pulverem redacti Uncias duas,
Tunicæ exterioris fructûs Citri aurantii
exsiccatæ, semiunciam,
Radicis Aristolochiæ Serpentariæ con-
tusæ Drachmas tres,
Crocī Drachmam,
Coccinellarum in pulverem tritarum
Scrupula duo,
Spiritûs tenuioris *mensurâ* Uncias vi-
ginti.

Macera per dies quatuordecim; dein
cola.

TINCTURA CINNAMOMI.

℞ Corticis Cinnamomi contusi Uncias tres
cum semisse,

Spiritûs tenuioris *mensurâ* Libras duas.

Macera per dies quatuordecim ; dein
cola.

TINCTURA SEMINUM COLCHICI.

℞ Seminum Colchici autumnalis Uncias
duas,

Spiritûs tenuioris Libram.

Macera per dies quatuordecim ; dein cola.

TINCTURA COLOMBÆ.

℞ Colombæ consicæ Uncias duas cum
semisse,

Spiritûs tenuioris Libras duas.

Macera per dies quatuordecim et cola.

TINCTURA CONII.

℞ Foliorum Conii maculati siccatorum
Uncias duas,
Seminum Cardamomi contusorum Un-
ciam,
Spiritûs tenuioris *mensurâ* Libram.

Macera per dies septem et cola.

TINCTURA DIGITALIS.

℞ Foliorum Digitalis purpureæ (gran-
dioribus rejectis) siccatorum et in
crassum pulverem redactorum, Uncias
duas,
Spiritûs tenuioris *mensurâ* Libram.

Macera per dies septem ; dein cola.

TINCTURA GALBANI.

℞ Galbani minutim concisi **Uncias** duas,
Spiritus tenuioris *mensurâ* **Libras**
duas.

Digere per dies septem ; dein cola.

TINCTURA GALLARUM.

℞ Gallarum in pulverem tritarum **Uncias**
quatuor,
Spiritus tenuioris *mensurâ* **Libras**
duas.

Digere per dies septem ; dein cola.

TINCTURA GENTIANÆ COMPOSITA.

℞ Radicis Gentianæ concisæ et contusæ
Uncias duas,

Tunicæ exterioris fructûs Citri aurantii
siccatae Unciam unam,

Seminum Cardamomi demptis capsulis
Semiunciam,

Spiritûs tenuioris *mensurâ* Libras duas.

Macera per dies quatuor decim; dein cola.

TINCTURA GUAIACI.

℞ Guaiaci Uncias quatuor,

Spiritûs rectificati *mensurâ* Libras
duas.

Macera per dies septem; dein cola.

TINCTURA GUAIACI AMMONIATA.

℞ Guaiaci Uncias quatuor,
 Spiritûs Ammoniæ Aromatici Libram
 cum semisse.

Macera per dies septem ; dein cola.

TINCTURA HELLEBORI NIGRI.

℞ Radicis Hellebori nigri in pulverem
 crassum redactæ Uncias quatuor,
 Spiritûs tenuioris *mensurâ* Libras duas.

Macera per dies septem ; dein cola.

TINCTURA HUMULI.

℞ Humuli strobilorum siccatorum Uncias
 quinque,
 Spiritûs tenuioris Libras duas.

Macera per dies quatuordecim sæpiùs agi-
 tans et cola.

TINCTURA HYOSCYAMI.

℞ Hyoscyami nigri foliorum exsiccatō-
rum Uncias quinque,
Spiritus tenuioris Libras duas.

Digere per dies septem ; dein cola.

TINCTURA JALAPÆ.

℞ Radicis Convolvuli Jalapæ in pulve-
rem crassum redactæ Uncias octo,
Spiritus tenuioris *mensurâ* Libras duas.

Macera per dies quatuordecim ; dein cola.

TINCTURA KINO.

℞ Kino in pulverem triti Uncias tres,
Spiritus tenuioris *mensurâ* Libras duas.

Macera per dies septem ; dein cola.

TINCTURA MOSCHI.

℞ Moschi in pulverem redacti Drachmas
duas,
Spiritus rectificati *mensurâ* Libram.

Digere per dies septem ; dein cola.

TINCTURA MYRRHÆ.

℞ Myrrhæ contusæ Uncias tres,
Spiritus tenuioris *mensurâ* Libram unam
cum semisse,
Spiritus rectificati *mensurâ* Semilibram.

Digere per dies septem ; dein cola.

TINCTURA NUCIS VOMICÆ.

- ℞ Fructûs Strychnos nucis vomicæ rasi
Uncias duas,
Spiritûs rectificati Uncias octo.
Macera per dies septem ; dein cola.

TINCTURA OPII.

- ℞ Opii *Turcici* in crassum pulverem re-
dacti Drachmas decem,
Spiritûs tenuioris *mensurâ* Libram.
Macera per dies quatuordecim ; dein cola.

TINCTURA OPII CAMPHORATA.

SIVE

ELIXIR PAREGORICUM.

℞ Opii *Turcici* in pulverem redacti,
Acidi Benzoici, utriusque Drachmam,
Camphoræ Scrupula duo,
Olei essentialis Anisi Drachmam,
Spiritus tenuioris *mensurâ* Libras duas.

Macera per dies quatuordecim; dein
cola.

TINCTURA PIPERIS CUBEBAE.

℞ Fructus piperis Cubebæ Uncias qua-
tuor,
Spiritus tenuioris Libras duas.

Macera per dies quatuordecim et cola.

TINCTURA QUASSIÆ.

℞ Scobis ligni Quassiæ excelsæ Unciam,
Spiritus tenuioris *mensurâ* Libras duas.
Macerâ per dies septem ; dein cola.

TINCTURA RHEI COMPOSITA.

℞ Radicis Rhei incisæ Uncias duas,
Seminum Cardamomi capsulis exuto-
rum et contusorum,
Glycyrrhizæ contusæ, singulorum Se-
miunciam,
Crocî Drachmas duas,
Spiritus tenuioris *mensurâ* Libras duas.
Macerâ per dies septem ; dein cola.

*

TINCTURA SCILLÆ.

℞ Bulbi Scillæ maritimæ exsiccati Uncias
quatuor,
Spiritus tenuioris *mensurâ* Libras duas.

Macera per dies septem ; dein sepone et
cum subsederint fæces, liquorem purum
effunde.

TINCTURA SENNÆ COMPOSITA.

℞ Foliorum Cassiæ Sennæ Libram,
Seminum Carui contusorum Unciam
unam cum semisse,
Seminum Cardamomi capsulis exutorum
et contusorum Semiunciam,
Spiritus tenuioris *mensurâ* Congium
unum.

Macera per dies quatuordecim ; dein
cola.

TINCTURA SERPENTARIÆ.

℞ Radicis Aristolochiæ Serpentariæ incisæ et contusæ Uncias tres,
Spiritus tenuioris *mensurâ* Libras duas.

Macera per dies septem ; dein cola.

TINCTURA VALERIANÆ.

℞ Radicis Valerianæ officinalis in pulverem tritæ Uncias quatuor,
Spiritus tenuioris *mensurâ* Libras duas.

Macera per dies septem ; dein cola.

TINCTURA VALERIANÆ AMMONIATA.

℞ Radicis Valerianæ officinalis in pulverem tritæ Uncias duas,
Spiritus Ammoniacæ *mensurâ* Libram.

Macera per dies septem ; dein cola.

**

TINCTURA ZINGIBERIS.

℞ Radicis Amomi Zingiberis in crassum
pulverem redactæ Uncias duas cum
semisse,

Spiritûs rectificati *mensurâ* Libras duas.

Macera per dies septem ; dein cola.

Tincturæ præcedentis capitis parari de-
bent in vasis clausis quæ inter digerendum,
sæpius agitari oportet.

Plantæ Conii maculati, Digitalis, et
Hyoscyami, florescentes colligi debent in
locis ubi spontè crescunt.

ACETA MEDICATA.

ACIDUM ACETICUM CAMPHORATUM.

℞ Acidi Acetici *mensurâ* Uncias sex,
Camphoræ Semiunciam,
Spiritûs rectificati quantum satis sit.

Camphoram redige in pulverem ope
Spiritûs ; dein adde acidum et solve.

ACETUM COLCHICI.

℞ Bulbi Colchici Autumnalis recentis
concisi Unciam,
Aceti distillati Libram unam,
Spiritûs tenuioris Unciam.

Colchici Bulbum cum Acido macera in vase vitreo clauso per dies tres; dein exprime, et sepone, ut fæces subsidant; denique liquori defæcato Spiritum adjice.

ACETUM OPII.

℞ Opii *Turcici* Uncias quatuor,
Aceti distillati Libram.

Teratur in pulpam Opium cum Aceti pauxillo, dein adjiciatur Aceti quod reliquum est. Vase obturato maceretur mistura sæpiùs agitanda per dies septem. Effundatur liquor supernatans: denique coletur.

ACETUM SCILLÆ.

℞ Bulbi Scillæ concisi et recens exsiccati
 Semilibram,
 Aceti distillati *mensurâ* Libras tres,
 Spiritûs rectificati *mensurâ* Uncias
 quatuor.

Bulbum Scillæ cum Aceto per dies septem macera in vase vitreo, sæpius agitans; dein Acetum exprome, cui, postquam subsederint fæces, effuso, Spiritum adjice.

VINA MEDICATA.

VINUM ALOES.

℞ Aloës Socotorinæ Uncias quatuor,
 Corticis Canellæ albæ Unciam,
 Vini albi Hispanici *mensurâ* Libras
 tres,
 Spiritûs tenuioris Libram *mensurâ*
 unam.

Aloë et Canella seorsim in pulverem reductæ commisceantur, et affundatur vinum

spiritû commistum ; macera deïn per dies quatuordecim, vas sæpiùs agitans ; denique liquorem cola.

VINUM IPECACUANHÆ.

℞ Radicis Ipecacuanhæ contusæ Uncias
duas,
Vini albi Hispanici, *mensurâ* Libras
duas.

Macera per dies quatuordecim ; dein
cola.

VINUM OPII.

℞ Opii *Turcici* Unciam,
Corticis Cinnamomi contusi,
Caryophyllorum contusorum, singulo-
rum Drachmam,
Vini albi Hispanici *mensurâ* Libram.

Macera per dies octo et cola.

*

MEL DESPUMATUM.

Mel in balneo aquoso liqua ; tum spumam aufer.

MEL BORACIS.

℞ Boracis contriti Drachmam,
Mellis despumati Unciam.
Misc.

MEL ROSÆ.

℞ Petalorum Rosæ Gallicæ nondum explicatorum, quæ demptis unguibus prius exsiccata fuerint, Uncias quatuor,

Aquæ ferventis *mensurâ* Libras tres,
Mellis *pondere* Libras quinque.

Aquâ macerentur petala per horas sex ; liquori colato immisce mel, et decoque ad Syrupi crassitudinem, spumam auferens.

OXYMEL.

℞ Mellis, *pondere* Libras duas,
Aceti distillati, *mensurâ* Libram unam.

Decoque in vase vitreo, lento igne, ad
syrupi crassitudinem, spumam auferens.

OXYMEL COLCHICI.

℞ Bulbi recentis Colchici in laminas te-
nues secti Unciam,
Aceti distillati *mensurâ* Libram,
Mellis despumati *pondere* Libras duas.

Colchicum cum Aceto in vase vitreo ma-
cera per biduum; liquori a radice fortiter
expresso et colato adde mel; denique mistu-
ram baccillo ligneo sæpius agitans, decoque
ad syropi crassitudinem.

OXYMEL CUPRI SUBACETATIS.

℞ Cupri Subacetatis præparati Unciam
unam,
Aceti distillati *mensurá* Uncias septem,
Mellis despumati *pondere* Uncias qua-
tuordecim.

Solve Cupri Subacetas in Aceto, et per
linteum cola: adde mel et decoque ad ido-
neam crassitudinem.

OXYMEL SCILLÆ.

℞ Mellis despumati *pondere* Libras tres,
Aceti Scillæ *mensurá* Libras duas.

In vase vitreo decoque, lento igne, ad
Syrupi crassitudinem.

CONFECTIO AMYGDALARUM.

℞ Amygdalarum dulcium Unciam,
 Gummi Arabici contriti Drachmam,
 Sacchari purificati Unciam dimidiam.

Amygdalas priùs in aquâ maceratas decorticatas, cum Gummi et Saccharo contundendo probè misce.

CONFECTIO AROMATICA.

℞ Corticis Cinnamomi,
 Nucum Moschatarum singulorum Uncias duas,
 Caryophyllorum Unciam,
 Seminum Cardamomi Unciam dimidiam,
 Croci exsiccati Uncias duas,
 Cretæ præparatæ Uncias sexdecim,
 Sacchari purificati in pulverem redacti
 Libras duas,
 Aquæ Libram.

Arefacta in pulverem subtilissimum conterere, tum aquam paulatim adjice et in pulpam contunde.

CONFECTIO OPII.

℞ Opii duri contriti Drachmas sex,
 Piperis longi fructûs Unciam,
 Radicis Zingiberis Uncias duas,
 Seminum Carui Uncias tres,
 Gummi Tragacanthæ contriti Drachmas duas,
 Syrupi Libram.

Opium cum Syrupo calefacto conterere ;
 tum cætera contrita adjice et misce.

CONFECTIO PIPERIS NIGRI.

℞ Piperis nigri,
 Inulæ Helenii radicis, singulorum Libram,
 Seminum Fœniculi Libras tres,
 Mellis,
 Sacchari purificati singulorum Libras duas.

Arida simul in pulverem subtilissimum tere; dein adjecto melle, contunde, donec corpus unum sit.

CONSERVA ROSÆ.

℞ Petalorum Rosæ Gallicæ nondum explicatorum, unguibus abjectis, Libram,

Sacchari purificati Libras tres.

Petala in Mortario lapideo contunde; tum adjecto Saccharo, iterum contunde ut intimè misceantur.

CONSERVA RUTÆ.

℞ Foliorum Rutæ Graveolentis,
 Seminum Carui,
 Baccarum Lauri nobilis singulorum
 Unciam cum semisse,
 Sagapeni Unciam dimidiam,
 Fructûs Piperis nigri Drachmas duas,
 Mellis despumati Uncias sedecim.

Simul in pulverem subtilissimum tere;
tum adjecto melle permisce.

SYRUPI.

Syrupi secundum formulam sequentem
conficiendi sunt, quandocunque nec pondus
nec modus liquandi præcipitur.

℞ Sacchari purificati in pulverem tenuem
redacti Uncias novem et viginti,
Liquoris præscripti *mensurâ* Libram.

Paulatim adde Saccharum et digere ca-
lore medio in vase clauso donec solvatur,
sæpiùs agitans; sepone dein per horas qua-
tuor et viginti, spumam aufer, et e fæcibus
si quæ sint, syrupum effunde.

SYRUPUS ALTHEÆ.

℞ Radicis Athææ recentis contusæ Li-
bram dimidiam,
Sacchari purificati Libras duas,
Aquæ *mensurâ* Libras quatuor.

Decoque Aquam cum radice ad dimi-
dium, et liquorem frigefactum exprime.
Sepone per horas viginti quatuor ut fæces
subsident; tum liquorem effunde, atque,
adjecto Saccharo, ad idoneam crassitudinem,
decoque.

SYRUPUS AURANTII.

℞ Citri Aurantii fructûs recentis tunicæ
exterioris Uncias octo,
Aquæ ferventis *mensurâ* Libras sex.

Macera per horas duodecim in vase oper-
culato; in liquore dein colato solve Saccha-
rum et fiat Syrupus.

SYRUPUS BALSAMI TOLUTANI.

℞ Syrupi simplicis Libram cum semisse,
Tincturæ Toluiferæ Balsami Unciam.

Syrupo recens parato et ab igne remoto,
cùm ferè refrixerit, immisce paulatim
Tincturam assiduè agitans.

SYRUPUS LIMONIS.

℞ Succi Limonum recentium *mensurâ*
Libras duas.

Succus simul ac fæces subsederint, immit-
tatur matraccio et foveatur calore aquæ bul-
lientis per horæ quadrantem; frigefactus
per cribrum trajiciatur et fiat Syrupus.

SYRUPUS PAPAVERIS SOMNIFERI.

℞ Papaveris Somniferi Capsularum ex-
siccatarum et contusarum, demptis
seminibus, Uncias septemdecim,
Aquæ ferventis Congios duos.

Macera Capsulas in Aqua per horas viginti quatuor, tum Balneo aquoso ad congium redige et fortiter exprime: liquorem colatum iterum redige ad Libras duas, et adhuc ferventem cola. Sepone per horas duodecim ut fæces subsidant; tum liquorem defæcatum decoque ad Libram et fiat Syrupus.

SYRUPUS PAPAVERIS RHŒADIS.

℞ Petalorum Papaveris Rhœadis recentium Libram,

Aquæ ferventis *mensurâ* Uncias viginti.

Aquæ ferventi petala gradatim adjice; dein, vase ab igne amoto, macera calore inferiore per horas duodecim; tum exprime liquorem et sepone ut fæces subsidant; denique addatur Saccharum et fiat Syrupus.

*

SYRUPUS RHAMNI.

℞ Succi recentis **Baccarum Rhamni Cathartici** *mensurâ* Libras duas cum semisse,
Radici Zingiberis concisæ,
Baccarum Pimentæ contritarum, singularum **Drachmas tres.**

Sepone Succum ut fæces subsidant, et cola. Succi defæcati **Unciis** decem **Zingiber** et **Pimentam** adjice; macera per horas viginti quatuor et cola: quod restat ad libram *mensurâ* decoque et fiat Syrupus.

SYRUPUS ROSÆ.

℞ **Rosæ centifoliæ** petalorum exsiccatorum **Uncias** septem,
Aquæ ferventis *mensurâ* Libras quatuor.

Macera Petalas in Aquâ per horas duodecim et cola. Liquor colatus balneo aquoso vaporet ad Libras duas cum semisse, dein addatur Saccharum et fiat Syrupus.

SYRUPUS SARSAPARILLÆ.

℞ Sarsaparillæ Radicis concisæ Libram,
Aquæ ferventis Congium.

Macera radicem in aquâ per horas viginti quatuor; tum decoque ad Libras quatuor, et liquorem adhuc calentem cola; dein modo suprâ dicto fiat Syrupus.

SYRUPUS SIMPLEX.

℞ Sacchari purificati in pulverem tenuem
redacti Uncias viginti novem,
Aquæ *mensurâ* Libram.

Saccharum Aquæ gradatim adjice, et ca-

lore medio in vase clauso donec solvatur, sæpiùs agitans, digere. Denique a fæcibus si quæ sint effunde.

SYRUPUS VIOLÆ.

℞ Petalorum Violæ recentium Libras
duas,
Aquæ ferventis *mensurâ* Libras quin-
que.

Macera per horas quatuor et viginti; de-
inde cola liquorem per linteum tenue, sine
expressione; adde demum Saccharum et
fiat Syrupus.

SYRUPUS ZINGIBERIS.

℞ Radicis Zingiberis contusæ Uncias
quatuor,
Aquæ ferventis *meusnrâ* Libras tres.

Macera per horas quatuor et viginti; colato deinde liquori adde Saccharum et fiat Syrupus.

SUCCI SPISSATI.

Folia ad Succos spissatos parandos adhibita colligi debent sub herbæ florescentiam floribus jam apparentibus. Meliùs spissabuntur Succi si calore medio, ope vaporis aquæ bullientis, absumatur humor superfluus, et finem versùs vaporationis spathâ assiduè moveantur.

SUCCUS SPISSATUS ACONITI.

℞ Aconiti foliorum recentium Libram,

Folia aquâ madefacta in mortario contunde. Dein succum exprime eumque non defæcatum ad idoneam spissitudinem modo supra dicto redige.

SUCCUS SPISSATUS BELLADONNÆ.

Ex Atropæ Belladonnæ foliis recentibus eodem modo præparetur.

SUCCUS SPISSATUS CONII.

E foliis recentibus Conii maculati eodem modo præparetur.

SUCCUS SPISSATUS HYOSCYAMI.

Ex herbâ recenti Hyoscyami nigri eodem modo præparetur.

SUCCUS SPISSATUS SAMBUCCI.

E Baccis maturis recentibus Sambuci nigri eodem modo præparetur.

EXTRACTA SIMPLICIORA.

Extracta omnia simpliciora, nisi aliter præcipiatur, secundum formulam sequentem conficienda sunt. Materia vegetabilis decoquatur in aquæ octuplo pondere ad dimidii liquoris consumptionem; tum exprimat liquor et postquam subsederint fæces, coletur; dein vaporet calore superiore donec lentescere incipiat; denique calore medio, vaporis aquæ bullientis ope, sæpius agitatus spissescat ut crassitudinem habeat pilulis formandis aptam.

Ad hunc modum præparantur,

EXTRACTUM Artemisiæ Absynthii,

Aloës hepaticæ,

Florum Chamæmeli,

Cacuminum Spartii Scoparii,

Radicis Gentianæ luteæ,

EXTRACTUM Glycyrrhizæ glabræ,
 Scobis Hæmatoxyli Campe-
 chiani,
 Strobilorum Humuli lupuli,
 Corticis Quercûs,
 Foliorum Rutæ,
 Herbæ et radicis Taraxaci.

EXTRACTA CINCHONÆ.

℞ Corticis Cinchonæ lancifoliæ in pulve-
 rem crassum triti Libram,
 Aquæ *mensurâ* Libras sex.

Coque per horæ quadrantem in vase fere clauso; dein liquore adhuc fervente per linteum colato sepositoque, corticem in pari aquæ quantitate iterum coque et eodem modo cola; idem tertio fieri potest: liquores denique omnes commistos ad idoneam crassitudinem per exhalationem redige.

Extractum hoc duplici sub forma asservari oportet ; molle, ad pilulas formandas aptum et durum, quod in pulverem redigi possit.

EXTRACTUM COLOCYNTHIDIS SIMPLEX.

℞ Medullæ Colocynthidis Libram,
Aquæ Congium.

Decoque ad *mensurâ* Libras quatuor et liquorem adhuc calentem cola ; denique vaporet ad idoneam spissitudinem.

EXTRACTUM COLOCYNTHIDIS
COMPOSITUM.

℞ Medullæ Colocynthidis minutim concisæ Uncias sex,
Aloës Hepaticæ Uncias duodecim,
Scammonii contriti Uncias quatuor,
Cardamomi seminum contritorum Unciam,
Saponis duri Uncias tres,
Spiritûs tenuioris Congium.

Macera Colocynthis medullam in Spiritu, calore medio, per dies quatuor. Liquori expresso et colato adde Aloën Scammonium et Saponem: vaporet dein mistura donec habeat spissitatem ad pilulas formandas aptam et sub finem Cardamomi semina admisce.

EXTRACTUM ELATERII.

Elaterii pepones maturos vase supposito scinde et succum levissimè expressum trajice per cribrum setaceum tenuissimum in vas vitreum; sepone dein per aliquot horas, donec crassior pars subsederit: rejecto liquore supernatante, fæculas panno linteo exceptas alioque coopertas calore medio exsicca.

EXTRACTUM JALAPÆ.

℞ Radicis Jalapæ contritæ Libram,
 Spiritûs rectificati *mensurâ* Libras quatuor,
 Aquæ Congium.

Radice[m] Jalapæ in Spiritu per dies quatuor macera et Spiritum effunde. Quod restat in aquâ decoque ad Libras duas. Dein tincturam et decoctum separatim cola, et hoc vaporet, illa distillet donec utrumque spissescat. Postremò Extractum cum Resina misce, et caloris ope aquæ bullientis consume, donec idoneam spissitudinem habeat.

EXTRACTUM OPII AQUOSUM.

℞ Opii concisi Uncias duas,
Aquæ ferventis *mensurâ* Libram.

Tere Opium cum aquâ per horæ sextantem et post brevem moram liquorem effunde: Opium residuum cum pari aquæ ferventis quantitate et per idem tempus tere, liquorem similiter effundens; hoc tertio fiat: liquores effusos commisce, et misturam per biduum in vase patenti aëri expone. Denique per

lintheum cola et exhalatione lentâ fiat extractum.

EXTRACTUM RHEI.

℞ Radicis Rhei contritæ Libram,
 Spiritûs tenuioris *mensurâ* Libram,
 Aquæ *mensurâ* Libras septem.

Digere per dies quatuor ; dein cola et se-
 pone ut fæces subsidant. Liquor effusus ad
 idoneam spissitudinem vaporet.

EXTRACTUM SARSAPARILLÆ.

℞ Radicis Sarsaparillæ incisæ Libram,
 Aquæ ferventis Congium.

Macera per horas viginti quatuor ; tum
 decoque ad Libras quatuor, et liquorem ad-
 huc calentem cola ; denique ad idoneam
 spissitudinem calore consume.

EXTRACTUM SARSAPARILLÆ FLUIDUM.

℞ Radicis Sarsaparillæ incisæ Libram,
Aquæ *mensurâ* Libras duodecim.

Coquantur simul per horam et effundatur liquor. Denûo addantur aquæ *mensurâ* Libræ duodecim et repetantur coctio et effusio. E materie residuâ fortiter exprimatur liquor. Seponantur liquores commisti ut subsidant fæces; tum continuâ ebullitione vaporet mistura ad Uncias triginta et addantur spiritûs rectificati Unciæ duæ.

EXTRACTUM STRAMONII.

℞ Seminum Stramonii Libram,
Aquæ ferventis Congium.

Digere per horas quatuor in vase leviter clauso: dein semina exime et contunde in mortario fictili; contusa liquori redde. Tum decoque ad Libras quatuor. Decoctum colatum ad idoneam spissitudinem redige.

EXTRACTUM NUCIS VOMICÆ.

℞ Nucis Vomicæ rasæ Uncias octo,
Spiritus tenuioris *mensurâ* Libras duas.

Digere vase clauso per triduum, cola liquorem et quod residuum est prelo exprime; huic adjice spiritus tenuioris Libram unam cum semisse, per triduum misturam digere, et residuum exprime. Liquores commistos, ad quartam partem distillatione consumptos, ad spissitudinem idoneam redige.

Extracta omnia, dum spissescunt sæpiùs agitari oportet. Ad idoneam spissitudinem redigi possunt calore medio, vaporis aquæ bullientis ope. Ita asservari debent ut contactus aeris, quantum fieri potest, prohibeatur; molliora spiritû rectificato inspergenda sunt.

COMPOSITA.

SECTIO IX.**PULVERES.**

Materia in pulverem redigenda priùs siccata in mortario ferreo contundatur ; pulvis dein cribro serico decutiatur et in vasis probè clausis asservetur.

PULVIS ALOËS CUM CANELLA.

℞ Aloës Hepaticæ Libram unam,
Canellæ albæ Uncias tres.

Seorsim in pulverem tere ; dein misce.

PULVIS ALOËS COMPOSITUS.

℞ Aloës Hepaticæ Unciam unam cum
semisse,

Guaiaci Gummi resinæ Unciam unam,
Pulveris Aromatici Semunciam.

Aloën et Guaiacum separatim in pulverem tere, dein cum Pulvere Aromatico misce.

PULVIS AROMATICUS.

℞ Corticis Cinnamomi Uncias duas,
Seminum Cardamomi capsulis exutorum,
Zingiberis utriusque Unciam,
Piperis longi Drachmam.

Simul in pulverem tere.

PULVIS ASARI COMPOSITUS.

℞ Foliorum Asari exsiccatorem Unciam,
Florum Lavandulæ exsiccatorem
Drachmam.

Simul in pulverem tere.

PULVIS CRETÆ COMPOSITUS.

℞ Cretæ præparatæ Libram dimidiam,
Cinnamomi Corticis Uncias quatuor,
Tormentillæ radicis,
Gummi Arabici utriusque Uncias
tres,
Piperis longi fructûs Unciam dimi-
diam.

Separatim in pulverem tere dein probè
misce.

PULVIS CRETÆ COMPOSITUS CUM OPIO.

℞ Pulveris Cretæ compositi Uncias sex
cum semisse,
Opii duri contriti Scrupula quatuor.

Misce.

PULVIS CORNU CERVINI USTI.

Cornu Cervini frustula urantur donec alba evaserint; deinde in pulverem quam subtilissimum terantur.

PULVIS IPECACUANHÆ COMPOSITUS.

℞ Radicis Ipecacuanhæ,
Opium *Turcici*, utriusque in pulverem
redacti Drachmam unam,
Potassæ Sulphatis, Unciam unam.

Potassæ Sulphas cum Opio in pulverem tere dein Ipecacuanham admisce.

PULVIS JALAPÆ COMPOSITUS.

℞ Pulveris radicis Jalapæ Semilibram,
Potassæ Bitartratis Libram.

Tere simul in pulverem tenuissimum.

PULVIS KINO COMPOSITUS.

℞ Kino Drachmas quindecim,
Corticis Cinnamomi Unciam dimidiam,
Opii duri Drachmam.

Separatim in pulverem subtilissimum tere ;
dein misce.

PULVIS SALINUS COMPOSITUS.

℞ Sodæ Muriatis purioris,
Magnesiæ Sulphatis utriusque partes
quatuor,
Potassæ Sulphatis partes tres.

Sales leni calore exsiccatos in pulverem
tenuem primò seorsim, dein simul tere et in
vase probè obturato serva.

PULVIS SCAMMONII COMPOSITUS.

℞ Scammonii,

Extracti Jalapæ duri, singulorum Un-
cias duas,

Zingiberis Unciam dimidiam.

Separatim in pulverem subtilissimum tere ;
dein misce.

PULVIS SCILLÆ.

Bulbum Scillæ, detractis integumentis
membranaceis, transversim in taleolas sec-
tum, calore inferiore exsicca ; fiat dein pulvis
in phialis vitreis epistomiis instructis asservan-
dus.

PULVIS SPONGIÆ USTÆ.

Spongiam in frustula concisam contunde ut liberetur a lapillis: dein in vase ferreo cooperto comburito, donec nigrescat et friabilis fiat: denique in pulverem redige.

PILULÆ ALOES COMPOSITÆ.

℞ Aloës Hepaticæ Unciam,
Extracti Gentianæ Unciam dimidiam,
Olei Carui guttas quadraginta,
Syrupi simplicis quantum satis sit.

In massam simul contunde.

PILULÆ ALOES CUM MYRRHA.

℞ Aloës Hepaticæ Uncias duas,
Crocii stigmatum,
Myrrhæ singulorum Unciam,
Syrupi simplicis quantum satis sit.

Aloën et Myrrham separatim in pulverem tere, dein omnia simul in massam contunde.

PILULÆ CALOMELANOS COMPOSITÆ.

℞ Calomelanos,
Sulphuris Antimoniati fusci singulorum
Drachmam,
Guaiaci resinæ in pulverem tritæ
Drachmas duas.

Tere simul ut probè misceantur, dein adde
Sacchari Syrupi Empyreumatici quantum
satis sit ut fiat massa idoneæ crassitudinis.

PILULÆ COLOCYNTHIDIS COMPOSITÆ.

℞ Aloës Hepaticæ,
Scammonii utriusque Unciam,
Medullæ Colocynthidis Semunciam,
Saponis Hispanici Drachmas duas,
Potassæ Sulphatis,
Olei volatilis Eugeniæ caryophyllatæ
utriusque Drachmam,
Syrupi Empyreumatici quantum satis
sit.

Aloën et Scammonium cum Potassæ Sulphate in pulverem redige: tum Medullam Colocynthidis et Oleum commisce denique omnia cum Sapone et Syrupo empyreumatico in massam simul tere.

PILULÆ FERRI COMPOSITÆ.

℞ Myrrhæ in pulverem tritæ Drachmas
duas,
Sodæ Carbonatis,
Ferri Sulphatis,
Sacchari rubri singulorum Drachmam.

Myrrham cum Sodæ Carbonate tere, dein
Ferri Sulphas et Saccharum adjice, et cum
Syrupo empyreumatico fiat massa.

PILULÆ GALBANI COMPOSITÆ.

℞ Galbani Unciam,
Myrrhæ,
Sagapeni utriusque Unciam cum se-
misse,
Assæfœtidæ Unciam dimidiam,
Syrupi empyreumatici quantum satis
sit.

Omnia simul in massam contunde.

PILULÆ GAMBOGIÆ COMPOSITÆ.

℞ Gambogiæ Drachmam,
Aloës Hepaticæ Drachmam cum se-
misse,
Zingiberis Drachmam dimidiam,
Saponis Drachmas duas.

Gambogiam Aloën et Zingiber separatim
in pulverem trita, commisce, et cum Syrupo
Empyreumatico fiat massa.

PILULÆ HYDRARGYRI.

℞ Hydrargyri purificati Drachmas duas,
Conservæ rosæ Drachmas tres,
Extracti Glycyrrhizæ in pulverem te-
nuem redacti Drachmam unam.

Tere Hydrargyrum cum conservâ Rosæ

donec globuli visum penitùs effugerint; dein addito Glycyrrhizæ pulvere omnia simul misce.

PILULÆ SAPONIS CUM OPIO.

℞ Opii *Turcici* Semunciam,
Saponis duri Uncias duas.

Simul contunde, ut fiat massa.

PILULÆ SCILLÆ COMPOSITÆ.

℞ Pulveris Scillæ recens exsiccatae Drachmam,
Pulveris Radicis Zingiberis,
Saponis duri, utriusque Drachmas tres,
Gummi Ammoniacy Drachmas duas.

Pulveres commisce; dein Saponem et

Ammoniacum adjice et cum Syrupo empyreumatico fiat massa idoneæ spissitudinis.

PILULÆ E STYRACE.

℞ Resinæ Styrcis officinalis Drachmas
tres,
Opii *Turcici*,
Croci utriusque Drachmani.

Contundendo probè misce.

ELECTUARIA.

Fructus quorum pulpæ extrahendæ sunt, si immaturi fuerint, vel maturi et siccati, paululâ coquantur aquâ ut mollescant; pulpæ dein, per cribrum expressæ, lentâ exhalatione redigantur ad debitam spissitatem.

ELECTUARIUM CASSIÆ.

℞ Pulpæ Cassiæ recens expressæ Semilibram,
Mannæ Uncias duas,
Pulpæ Tamarindorum Unciam,
Syrupi Aurantii Semilibram.

Manna contusa, calore medio Syrupo solvatur, dein addantur pulpæ et lentâ exhalatione vaporet mistura ad debitam spissitatem.

ELECTUARIUM CATECHU COMPOSITUM.

℞ Catechu Uncias quatuor,
Corticis Cinnamomi Uncias duas,
Kino Uncias tres,
Tere in pulverem, dein adde,
Opii *Turcici*, vino albo Hispano diluti, Drachmam cum semisse,
Syrupi Zingiberis ad mellis spissitatem cocti *pondere* Libras duas cum quadrante.

Misce.

ELECTUARIUM SCAMMONII.

℞ Scammonii in pulverem triti Unciam
cum semisse,
Caryophyllorum contusorum,
Radicis Zingiberis in pulverem tritæ
utriusque Drachmas sex,
Olei Carui Semidrachmam,
Syrupi Rosæ quantum satis sit.

Pulveribus Syrupum instilla, dein adjecto
Oleo Carui, omnia permisce.

ELECTUARIUM SENNÆ.

℞ Foliorum Sennæ in pulverem subtilis-
simum tritorum, Uncias quatuor,
Pulpæ Prunorum Gallicorum Libram,
Pulpæ Tamarindorum Uncias duas,
Syrupi Sacchari rubri *mensurâ* Libram
cum semisse,
Olei essentialis Carui Drachmas duas.

Syrupo incoquantur pulpæ ad mellis spissitatem, addatur dein pulvis et cum refrixerit mistura, oleum ; omnia denique probè commisceantur.

UNGUENTA ET EMPLASTRA.

Calamina ad unguenta conficienda adhibita, eodem quo Creta modo præparetur.

In unguentis et emplastris componendis, cera, resinosa et pinguia calore medio liquescant ; dein ab igne amota, assiduè agitentur donec frigescentia riguerint, inspersis simul aridis, si quæ sint, in pulverem tenuissimum tritis.

ADEPS SUILLUS PRÆPARATUS.

Adeps recens, in frustula concisus calore medio liquetur et per pannum linteum exprimendo coletur. Adipem ab iis apud quos prostat venalis, præparatum, et qui sale conditur, cum duplici pondere aquæ bullientis liqua, probè agitans misturam; dein sepone donec frigescat, et auferatur adeps.

ADEPS OVILLUS PRÆPARATUS.

℞ Eodem modo præparatur.

UNGUENTUM ACIDI NITRICI.

℞ Olei Olivæ Libram,

Adipis suilli præparati Uncias quatuor,

Acidi Nitrici *mensurâ* Drachmas quin-

que cum semisse,

Oleo adipique in vase vitreo liquefactis et fere concrenentibus adde Acidum ; dein assiduè agitentur bacillo vitreo donec rigescant.

UNGUENTUM ACIDI SULPHURICI.

℞ Acidi Sulphurici Drachmam,
Adipis Suilli præparati Unciam.

Misce.

UNGUENTUM CALAMINÆ.

℞ Unguenti Ceræ flavæ Libras quinque,
Zinci Carbonatis impuri præparati ex-
siccati Libram.

Tere Zinci Carbonas ut in totum com-
minuatur ; tum Unguento Ceræ flavæ adde,
et commisce.

UNGUENTUM CANTHARIDIS.

℞ Cantharidum in pulverem subtilissimum
redactarum Uncias duas,

Aquæ distillatæ *mensurâ* Uncias octo,

Unguenti Resinæ Albæ Uncias octo.

Aquam cum Cantharide decoque ad di-
midium, et cola. Liquori colato immisce
Ceratum, dein vaporet mistura ad idoneam
crassitudinem.

UNGUENTUM CERÆ ALBÆ.

℞ Cæræ albæ Libram,

Adipis suilli præparati Libras quatuor.

Fiat Unguentum.

UNGUENTUM CERÆ FLAVÆ.

Fit eodem modo nisi quod adhibeatur
Cera flava.

UNGUENTUM CETACEI.

℞ Ceræ albæ Semilibram,
Cetacei Libram,
Adipis suilli præparati Libras tres.

Calore liquata inter concrendum spat-
thâ lignâ agita.

UNGUENTUM CONII.

℞ Foliorum Conii recentium,
Adipis suilli præparati utriusque Libras
duas.

Adipi folia Conii incoque donec crispentur ; tum per linteum exprime.

UNGUENTUM CUPRI SUBACETATIS.

℞ Cupri Subacetatis præparati Semunciam,
Olei Olivarum Unciam,
Unguenti Resinæ albæ Libram.

Tere Cupri Subacetas cum Oleo, dein Unguento Resinæ albæ liquefacto adde et misce.

UNGUENTUM ELEMI.

℞ Resinæ Elemi Libram,
Ceræ albæ Semilibram,
Adipis suilli præparati Libras quatuor.

Fiat unguentum, quod adhuc fervidum per cribrum coletur.

UNGUENTUM GALLARUM.

℞ Gallarum in pulverem subtilissimum
tritarum Unciam,
Adipis suilli præparati Uncias octo.

Misce ut fiat Unguentum.

UNGUENTUM HYDRARGYRI.

℞ Hydrargyri purificati,
Adipis suilli præparati pondera æqua-
lia.

Terantur simul in mortario marmoreo
aut ferreo donec globuli Hydrargyri visum
effugerint.

UNGUENTUM HYDRARGYRI MITIUS.

Fit adipis pondere duplo.

UNGUENTUM HYDRARGYRI OXYDI
NITRICI.

℞ Hydrargyri Oxydi Nitrici Unciam,
Ceræ albæ Uncias duas,
Adipis suilli præparati Uncias sex.

Ceræ et adipi, simul liquefactis, adjice
Hydrargyri Oxydum Nitricum in pulverem
subtilissimum tritum et permisce.

UNGUENTUM HYDRARGYRI SUBMU
RIATIS AMMONIATI.

℞ Hydrargyri Submuriatis Ammoniati
Drachmam,
Adipis suilli præparati Unciam cum
semisse.

Adipi liquefacto et jam concrefcenti,
adde Hydrargyri Submurias et permisce.

UNGUENTUM HYDRARGYRI NITRATIS.

VEL

UNGUENTUM CITRINUM,

℞ Hydrargyri purificati *pondere* Unciam,
Acidi Nitrici Drachmas undecim cum
semisse,
Olei Olivæ *mensurâ* Libram,
Adipis suilli præparati Uncias quatuor.

Solve Hydrargyrum Acido, tum admisce
oleum et adipem simul liquefacta et fiat Un-
guentum eodem quo Unguentum Acidi
nitrici modo.

UNGUENTUM IODINII.

℞ Iodini scrupulum,
Adipis suilli præparati Unciam.

Tere simul ut fiat Unguentum.

UNGUENTUM PICIS LIQUIDÆ.

℞ Picis liquidæ,
Adipis ovilli, utriusque Semilibram.

Simul liquefacta per cribrum colentur.

UNGUENTUM PIPERIS NIGRI.

℞ Adipis suilli præparati Libram,
Piperis nigri in pulverem triti Uncias
quatuor.

Fiat Unguentum.

UNGUENTUM PLUMBI ACETATIS.

℞ Unguenti Cerae albæ Libram cum se-
misse,
Plumbi Acetatis Unciam.

Fiat Unguentum.

UNGUENTUM PLUMBI CARBONATIS.

℞ Plumbi Carbonatis, in pulverem subtilissimum redacti, Uncias duas,
Unguenti Ceræ Albæ Libram.

Fiat Unguentum.

UNGUENTUM POTASSÆ HYDRIODATIS.

℞ Potassæ Hydriodatis scrupulum,
Adipis suilli præparati Unciam.

Tere simul et fiat Unguentum.

UNGUENTUM RESINÆ ALBÆ.

℞ Ceræ flavæ Libram,
Resinæ albæ Libras duas,
Adipis suilli præparati Libras quatuor.

Fiat Unguentum, quod adhuc fervidum per cribrum coletur.

UNGUENTUM SABINÆ.

℞ Foliorum Sabinæ recentium e caulibus decerptorum et contusorum Semilibram,

Adipis suilli præparati Libras duas,
Ceræ flavæ Semilibram.

Adipe incoque folia donec crispentur, dein exprimendo cola; denique Ceram adde et simul liquefac.

UNGUENTUM SAMBUCCI.

℞ Foliorum Sambuci recentium Libras tres,

Adipis suilli præparati Libras quatuor,
Adipis ovilli præparati Libras duas,

Fiat Unguentum eodem quo Unguentum Sabinæ modo.

UNGUENTUM SCROPHULARIÆ.

℞ Foliorum recentium Scrophulariæ no-
dosæ,
Adipis suilli præparati, utriusque Libras
duas,
Adipis ovilli præparati Libram.

Adipe incoque folia donec crispentur, dein
exprimendo cola.

UNGUENTUM SULPHURIS.

℞ Adipis suilli præparati Libras qua-
tuor,
Sulphuris sublimati Libram.

Terendo Sulphur comminue, dein cum
adipe misce.

UNGUENTUM TARTARI EMETICI.

℞ Antimonii et Potassæ Tartratis Drachmam,

Adipis suilli præparati Unciam.

In pulverem subtilissimum salem tere, dein cum adipe misce.

UNGUENTUM VERATRI.

℞ Radicis Veratri albi in pulverem redactæ Uncias tres,

Adipis suilli præparati Libram.

Fiat Unguentum.

UNGUENTUM ZINCI OXYDI.

℞ Unguenti Ceræ albæ Libram,

Zinci Oxydi, eodem quo Creta modo præparati, Uncias duas.

Calore liquescat Unguentum et immisceatur Oxydum probè comminutum.

EMPLASTRA.

EMPLASTRUM AMMONIACI.

℞ Gummi Ammoniaci puri Uncias quinque,
Aceti Scillæ Semilibram.

Ammoniacum in Aceto Solve; dein liquorem calore consume, assiduè agitans, donec crassitudo idonea sit.

EMPLASTRUM AMMONIACI CUM
HYDRARGYRO.

℞ Gummi Ammoniaci puri Libram,
Hydrargyri purificati Uncias tres,
Terebinthinæ vulgaris Drachmas duas.

Hydrargyrum cum Terebinthinâ tere donec globuli visum fugerint, dein paulatim adde Ammoniacum liquefactum et calore medio simul tere donec in unum coëant.

EMPLASTRUM AROMATICUM.

℞ Thuris Uncias tres,
Ceræ flavæ Unciam dimidiam,
Corticis Cinnamomi in pulverem triti
Drachmas sex,
Olei essentialis Pimentæ,
Olei Essentialis Limonum, utriusque
Drachmas duas.

Thus et Ceram simul liquefac et cola ; refrigeratione jam lentescentibus admisce pulverem Cinnamomi cum Oleis contritum, et fiat Emplastrum.

EMPLASTRUM BELLADONNÆ.

℞ Succi spissati Belladonnæ Unciam,
Emplastri Saponis Uncias duas.

Fiat Emplastrum.

EMPLASTRUM CANTHARIDIS.

℞ Cantharidum in pulverem subtilissi-
mum tritarum,

Ceræ flavæ, utriusque Libram,

Resinæ flavæ Uncias quatuor,

Adipis ovilli,

Adipus suilli, utriusque Semilibram.

Ceræ Adipi Resinæque simul liquatis,
paulo antequam refrigeratione concrecant,
insperge Cantharides et immisce ut fiat Em-
plastrum.

EMPLASTRUM GALBANI.

℞ Emplastri Lithargyri Libras duas,
Gummi Galbani Semilibram,
Ramentorum Cerae flavæ Uncias qua-
tuor.

Galbano calore liquefacto adjiciantur
Emplastrum Lithargyri et Cera, dein calore
medio simul liquata colentur.

EMPLASTRUM LITHARGYRI.

℞ Lithargyri in pulverem tenuissimum
triti, Libras quinque,
Olei Olivarum Congium,
Aquæ bullientis *mensurâ* Libras duas.

Calore superiore agitando misce donec
Oleum et Lithargyrum in emplastri crassi-

tudinem coëant, aquæ absumptioni novis subindè affusionibus occurrens.

EMPLASTRUM LITHARGYRI CUM RESINA.

℞ Emplastri Lithargyri Libras tres cum semisse,

Resinæ flavæ Semilibram.

Emplastro Lithargyri calore medio liquato, resinam in pulverem tenuissimum tritam, injice, et fiat Emplastrum.

EMPLASTRUM OPII.

℞ Opii in pulverem redacti Semunciam,
Picis Burgundicæ Uncias tres,
Emplastri Lithargyri Libram.

Emplastro liquefacto Opium et Picem ad-
jice curâ adhibitâ ut penitùs coeant.

EMPLASTRUM CALEFACIENS.

℞ Emplastri Cantharidis partem unam,
Picis Burgundicæ partes septem.

Calore medio simul liquefacta commis-
ceantur et fiat Emplastrum.

EMPLASTRUM SAPONIS.

℞ Emplastri Lithargyri Libras tres,
Ramentorum Saponis duri Semilibram.

Emplastro calore leni liquefacto immis-
ceatur sapo, dein coque ut fiat Emplastrum.

EMPLASTRUM SAPONIS COMPOSITUM
VEL ADHÆRENS.

℞ Emplastri Saponis Uncias duas,
Emplastri Lithargyri cum Resinâ Un-
cias tres.

Fiat Emplastrum, quod calore liquatum
linteo illinatur.

EMPLASTRUM THURIS.

℞ Emplastri Lithargyri Libras duas,
Thuris Semilibram,
Oxydi Ferri rubri Uncias tres.

Emplastro Thurique simul liquefactis in-
sperge oxydum, simul agitans, et fiat Em-
plastrum.

PRÆPARATA.

SECTIO X.

EXTEMPORALIA.

AQUA CALCIS COMPOSITA.

℞ Ramentorum Ligni Guaiaci Semilibram,
Glycyrrhizæ radicis incisæ et contusæ,
Unciam,
Corticis Sassafras contusi Semunciam,
Seminum Coriandri Drachmas tres,
Aquæ Calcis *mensurâ* Libras sex.

Macera sine calore per biduum, vase
clauso subindè agitans et cola.

AQUA PICIS LIQUIDÆ.

℞ Picis liquidæ *mensurâ* Libras duas,
Aquæ Congium.

Misce agitans cum bacillo ligneo per horæ quartam partem; dein, postquam pix subsederit, coletur liquor, et in lagenis probè obturatis servetur.

CATAPLASMATA.

CATAPLASMA ALUMINIS.

℞ Ovorum duorum Albumen,
Aluminis Drachmam,
Simul agita ut fiat Coagulum.

CATAPLASMA CARBONIS LIGNI.

℞ Carbonis ligni, ab igne candentis, arenâ siccâ superfusâ recens extincti, et in pulverem subtilissimum triti, quantum sufficiat.

Addatur Cataplasmati simplici tepido.

CATAPLASMA CONII.

℞ Foliorum Conii maculati exsiccatorum Unciam,

Aquæ *mensurâ* Libram cum semisse.

Decoque ad Libram et liquori colato adde pulveris ejusdem quantum sufficiat ut fiat Cataplasma.

CATAPLASMA DAUCI.

℞ Dauci Carotæ hortensis Radicis quantum velis.

Radice in aqua coque donec ita mollescat ut fiat Cataplasma.

CATAPLASMA FERMENTI CEREVISIÆ.

℞ Fermenti Cerevisiæ Semilibram,
Farinæ Tritici Libram.

Misce et calore inferiore foveatur donec
intumescat mistura.

CATAPLASMA SIMPLEX.

℞ Pulveris pro Cataplasmate quantum
velis,

Aquæ ferventis quantum satis sit, ut
fiat Cataplasma tepidum Oleo Oliva-
rum illinendum.

CATAPLASMA SINAPIS.

℞ Sinapis Seminum,
Lini Seminum, singulorum contritorum
Libram dimidiam,
Aceti calidi quantum satis sit.

Fiat Cataplasma, quod acrius fieri potest
addendo ramentorum radicis Cochleariæ
Armoraciæ Uncias duas.

DECOCTA.

DECOCTUM ALOËS COMPOSITUM.

℞ Extracti Glycyrrhizæ Semunciam,
Potassæ Carbonatis Scrupulos duas,
Aloës Hepaticæ contritæ,
Myrrhæ contritæ,
Crocī, utriusque Drachmam,
Aquæ *mensurâ* Libram.

Simul decoque ad Uncias duodecim et
cola dein adde,

Tincturæ Cardamomi compositæ Uncias
quatuor.

DECOCTUM ALTHEÆ.

℞ Herbæ et radicis Althææ officinalis ex-
siccatae et contusæ Uncias quatuor,
Fructûs Vitis exsiccati, demptis acinis,
Uncias duas,
Aquæ *mensurâ* Libras septem.

Decoque ad Libras quinque: liquorem co-
latum sepone donec fæces subsederint et
effunde.

DECOCTUM CHAMÆMELI COMPOSITUM.

℞ Florum Chamæmeli siccatorum Se-
munciam,
Seminum Anethi fœniculi Drachmas
duas,
Aquæ *mensurâ* Libram.

Coque paulisper et cola.

DECOCTUM CINCHONÆ.

℞ Corticis Cinchonæ lancifoliæ in cras-
sum in pulverem triti Unciam,
Aquæ quantum satis sit ut coletur
mensurâ Libra.

DECOCTUM DULCAMARÆ.

℞ Ramulorum Solani Dulcamaræ inciso-
rum Unciam,
Aquæ *mensurâ* Libram cum semisse.

Decoque ad Libram et cola.

DECOCTUM GEOFFROYÆ.

℞ Corticis Geoffroyæ inermis contusi
Unciam,
Aquæ Libras duas.

Decoque ad Libram et liquori colato
adde,
Syrupi Aurantii Uncias duas.

DECOCTUM GLYCYRRHIZÆ.

℞ Radicis Glycyrrhizæ contusæ Unciam
cum semisse,
Aquæ *mensurâ* Libram.

Coque per horæ sextam partem et cola.

DECOCTUM GUAIIACI COMPOSITUM.

℞ Ligni Guaiaci rasi Uncias tres,
Radicis Sassafras concisæ Drachmas
decem,
Radicis Glycyrrhizæ contusæ Uncias
duas cum semisse,
Aquæ *mensurâ* Libras decem.

*

Guaiacai lignum in aquâ coque et vaporet liquor ad dimidium; sub finem coctionis Glycyrrhizam et Sassafras adjice et liquorem cola.

DECOCTUM HÆMATOXYLI.

℞ Ramentorum Ligni Hæmatoxyli Unciam cum semisse,
Corticis Cinnamomi contusi Drachmam,
Aquæ *mensurâ* Libras duas.

Lignum in aquâ coque et vaporet liquor ad Libram; sub finem coctionis corticem Cinnamomi adjice, dein cola.

DECOCTUM HORDEI.

℞ Hordei Seminum decorticatorum Uncias duas.

Hordeum Aquâ frigidâ priùs mundat^{ita}~~um~~, aquæ semilibrâ *mensurâ*, paulisper incoque:

abjecto dein liquore, immitte **Hordeum** in aquæ bullientis *mensurâ* **Libris** quinque; denique decoque donec dimidia pars aquæ absumpta fuerit et cola.

DECOCTUM HORDEI COMPOSITUM.

℞ **Decocti Hordei** *mensurâ* **Libras** quatuor,

Fructûs Vitis siccati, exemptis acinis,

Ficûs Caricæ fructûs siccati incisi,

utriusque **Uncias** duas,

Radicis Glycyrrhizæ incisæ et contusæ

Semunciam.

Inter coquendum **Uvas** primum adde, dein **Caricas** atque postremo **Glycyrrhizam**, paulò ante finem coctionis, quæ tum demum perfecta erit, cum liquoris colati mensura duarum librarum restiterit.

DECOCTUM LICHENIS ISLANDICI.

℞ Cetrariæ Islandicæ Semunciam,
Aquæ ferventis *mensurâ* Libram.

Digere per horas duas in vase clauso
dein coque per horæ quadrantem et liquo-
rem adhuc ferventem cola.

DECOCTUM MEZEREI.

℞ Corticis Daphnes Mezerei Drachmas
duas,
Radici Glycyrrhizæ contusæ Semun-
ciam,
Aquæ Libras tres.

Decoque ad Libras duas et cola.

DECOCTUM PAPAVERIS.

℞ Papaveris somniferi capsularum concisarum Uncias quatuor,
Aquæ *mensurâ* Libras duas.

Coque per horæ quadrantem et cola.

DECOCTUM PYROLÆ.

℞ Pyrolæ umbellatæ Unciam,
Aquæ *mensurâ* Libras duas.

Macera per horas sex; dein Pyrolam exime et contusam liquori redde. Misturam per evaporationem redige ad colaturæ expressæ *mensurâ* Libram.

DECOCTUM QUERCUS.

℞ Corticis Quercûs roboris Unciam,
Aquæ Libras duas.

Decoque ad Libram et cola.

DECOCTUM SARSAPARILLÆ.

℞ Radicis Sarsaparillæ incisæ et aquâ
frigidâ mundatæ, Uncias quatuor,
Aquæ ferventis Libras quatuor.

Calore medio digere per horas quatuor
in vase leviter clauso, dein Sarsaparillam
exime et contunde. Contusam liquori red-
de ; ad Libras duas *mensurâ* decoque et
cola.

DECOCTUM SARSAPARILLÆ COMPOSITUM.

℞ Decocti Sarsaparillæ ferventis *mensurâ*
Libras quatuor,
Radicis Sassafras incisæ et contusæ,
Ligni Guaiaci rasi,
Radicis Glycyrrhizæ contusæ, utriusque
Unciam,
Corticis radicis Mezerei Drachmas
tres.

Decoque per horæ quadrantem et cola.

DECOCTUM SENEGÆ.

℞ Radicis Polygalæ Senegæ Drachmas
tres,
Aquæ Libram cum semisse.

Decoque ad Uncias octo et cola.

DECOCTUM TARAXACI.

℞ Leontodontis Taraxaci recentis herbæ
et radicis Uncias quatuor,
Aquæ Libras duas.

Decoque ad Libram ; liquorem expressum
cola.

DECOCTUM VERATRI.

℞ Radicis contritæ Veratri albi Unciam,
Aquæ *mensurâ* Libras duas,
Spiritus rectificati *mensurâ* Uncias duas.

Aquæ radicem Veratri adjice, liquorem ad Libram *mensurá* decoque, et frigefacto Spiritum adde.

DECOCTUM ULMI.

℞ Corticis interioris Ulmi recentis contusi Uncias duas,
Aquæ *mensurá* Libras duas.

Decoque ad Libram et cola.

EMULSIO ARABICA.

℞ Gummi Arabici in pulverem triti Drachmas duas,
Amygdalarum dulcium, pelliculis demptis,
Sacchari purificati, singulorum Semunciam,
Aquæ *mensurá* Libram.

Solve Gummi in aquâ calidâ, et simul ac penitùs refrixerit mistura, eam amygdalis, cum saccharo priùs contusis, paulatim affunde, simul terens ut lactis speciem præ se ferat liquor ; dein cola.

ENEMATA.

ENEMA CATHARTICUM.

℞ Mannæ Unciam,

Solve in Decocti Chamæmeli compositi
mensurâ Unciis decem dein adde,

Olei Olivarum Unciam,

Sulphatis Magnesiæ Semunciam.

Misce.

ENEMA FÆTIDUM.

Fit addendo Enemati cathartico Tincturæ Assæfœtidæ Drachmas duas.

ENEMA OPII.

℞ Tincturæ Opii Drachmam,
Aquæ tepidæ Uncias sex.

Misce.

ENEMA TEREBINTHINÆ.

℞ Terebinthinæ vulgaris Semunciam.
Ovi unius vitellum,
Tere simul et adde gradatim,
Aquæ gradum caloris 100^m non su-
perantis Uncias decem.

INFUSA.

INFUSUM ANGUSTURÆ.

℞ Corticis Bonplandiæ trifoliatæ contusi
Drachmas duas.
Aquæ ferventis Semilibram.

Digere per horas duas in vase operculato
et cola.

INFUSA.

INFUSUM ARMORACIÆ COMPOSITUM.

- ℞ Radicis Cochleariæ Armoraciæ recentis
 concisæ,
 Seminum Sinapis contusorum, utriusque,
 Unciam,
 Spiritus Armoraciæ compositi Unciam,
 Aquæ ferventis Libram.

Digere radicem in aquâ per horas sex vase operculato et cola ; dein adde Spiritum Armoraciæ compositum.

INFUSUM AURANTII COMPOSITUM.

- ℞ Aurantii corticis exsiccati Drachmas
 duas,
 Limonum corticis recentis Drachmam,
 Caryophyllorum aromaticorum contu-
 sorum Semidrachmam,
 Aquæ ferventis *mensurâ* Libram dimi-
 diam.

Digere per horæ quadrantem in vase operculato et cola.

INFUSUM CARYOPHYLLORUM.

℞ Florum exsiccatorum Eugeniæ caryophyllatæ contusorum Drachmam,
Aquæ ferventis *mensurâ* Semilibram.

Digere per horas duas in vase clauso, et cola.

INFUSUM CASCARILLÆ.

℞ Corticis Cascarillæ contusi Semunciam.
Aquæ ferventis Semilibram.

Digere per horas duas in vase operculato et cola.

INFUSUM CATECHU COMPOSITUM.

℞ Extracti Catechu Drachmas duas cum
semisse,

Corticis Cinnamomi contusi Semidrach-
mam,

Aquæ ferventis Semilibram.

Digere per horam in vase operculato et
per linteum cola.

INFUSUM CHAMÆMELI.

℞ Florum Anthemidis nobilis Drachmas
duas,

Aquæ ferventis *mensurâ* Semilibram.

Digere per horas viginti quatuor in vase
operculato et per linteum cola.

INFUSUM CINCHONÆ.

℞ Corticis Cinchonæ lancifoliæ in pulve-
rem crassum redacti Unciam,
Aquæ frigidæ *mensurâ* Uncias duode-
cim.

Cum aquæ pauxillo Corticem tere et inter
*Tritur*erendum quod superest affunde; macera
dein per horas viginti quatuor subinde agi-
tans, et effundatur liquor purus.

INFUSUM COLOMBÆ.

℞ Radicis Colombæ concisæ Drachmas
duas,
Aquæ ferventis *mensurâ* Semilibram.

Digere per horas duas in vase operculato
et cola.

INFUSUM DIGITALIS.

℞ Foliorum Digitalis purpureæ exsiccatōrum Drachmam,
Spiritus Cinnamomi Semunciam,
Aquæ ferventis *mensurâ* Semilibram.

Digere per horas quatuor in vase operculato et cola, dein Spiritum adjice.

INFUSUM BUCHU.

℞ Foliorum Diosmæ crenatæ Semunciam,
Aquæ ferventis *mensurâ* Semilibram.

Digere per horas quatuor et per linteum cola.

INFUSUM GENTIANÆ COMPOSITUM.

℞ Radicis Gentianæ concisæ,
Fructûs Aurantii tunicæ exterioris ex-
siccatae, utriusque Drachmam,
Fructûs Limonis tunicæ exterioris re-
centis Drachmam unam,
Aquæ ferventis Uncias duodecim.

Digere per horam in vase operculato et
cola.

INFUSUM LINI COMPOSITUM.

℞ Seminum Lini usitatissimi contusorum
Unciam,
Radicis Glycyrrhizæ concisæ Semun-
ciam,
Aquæ ferventis Libras duas.

Digere per horas quatuor vase operculato
et cola.

INFUSUM MENTHÆ SIMPLEX.

- ℞ Foliorum Menthæ viridis siccatorum
Drachmas duas,
Aquæ ferventis quantum satis sit ut co-
lentur *mensurâ* Unciæ sex.

INFUSUM MENTHÆ COMPOSITUM.

- ℞ Foliorum Menthæ viridis siccatorum
Drachmas duas,
Aquæ ferventis quantum satis sit ut co-
lentur *mensurâ* Unciæ sex.

Digere per semihoram in vase operto et
liquorem frigefactum cola ; dein adde,

Sacchari purificati Drachmas duas,
Olei Menthæ viridis guttas tres, solu-
tas in

Tincturæ Cardamomi compositæ Se-
munciâ.

Misce.

INFUSUM QUASSIÆ.

℞ Ligni Quassiæ excelsæ rasi Scrupu-
lum,

Aquæ ferventis *mensurâ* Libram dimi-
diam.

Digere per horas duas in vase operculato
et cola.

INFUSUM RHEI.

℞ Radicis Rhei concisæ Drachmam,
Aquæ ferventis *mensurâ* Semilibram.

Digere per horas duas in vase operculato
et cola.

INFUSUM ROSÆ ACIDUM.

℞ Petalorum Rosæ Gallicæ exsiccat-
orum, demptis unguibus, Semun-
ciam,

Acidi Sulphurici diluti *mensurâ* Drach-
mas tres,

Aquæ ferventis *mensurâ* Libras tres,
Sacchari purificati Unciam cum se-
misse.

Aquam primò petalis affunde in vase vitreo; dein adde acidum et digere per semihoram; liquorem frigefactum cola et adjice Saccharum.

INFUSUM SARSAPARILLÆ COMPOSITUM.

℞ Radicis Sarsaparillæ, priùs aquâ fri-
gidâ mundatæ et dein incisæ, Unciam,
Aquæ Calcis *mensurâ* Libram.

Macera per horas duodecim in vase clauso subinde agitans, dein cola.

INFUSUM SENNÆ COMPOSITUM.

℞ Foliorum Cassiæ Sennæ Unciam,
Radiciis Zingiberis concisæ Drach-
mam,
Aquæ ferventis Libram.

Digere per horam in vase operculato et
liquorem cola.

INFUSUM SENNÆ CUM TAMARINDIS.

℞ Foliorum Cassiæ Sennæ Drachmam,
Fructûs Tamarindi Indici Unciam,
Seminum Coriandri contusorum Drach-
mam,
Sacchari non purificati Semunciam,
Aquæ bullientis Uncias octo,
In vase fictili clauso, cujus superficies
interna vitro plumbeo non obtegitur,
digere per horas quatuor et cola.
Fit quoque cum duplici Sennâ.

INFUSUM SIMARUBÆ.

℞ Corticis Quassiæ Simarubæ contusi
Semidrachmam,
Aquæ ferventis *mensurâ* Semilibram.

Digere per horas duas in vase operculato
et cola.

INFUSUM TABACI.

℞ Foliorum Nicotianæ Tabaci Drach-
mam,
Aquæ ferventis *mensurâ* Libram.

Digere per horam in vase operculato et
cola.

INFUSUM VALERIANÆ.

℞ Radicis Valerianæ Sylvestris in cras-
sum pulverem tritæ, Drachmas duas,
Aquæ ferventis *mensurâ* Uncias septem.

Digere per horam, et liquorem frigefac-
tum cola.

LINIMENTA.

LINIMENTUM AMMONIÆ.

℞ Ammoniæ causticæ Aquæ *mensurâ*
Drachmas duas,
Olei Olivæ *mensurâ* Uncias duas.

Agitando commisce.

LINIMENTUM CALCIS.

℞ Aquæ Calcis,
Olei Olivæ, utriusque *mensurâ* Uncias
tres.

Agitando commisce.

LINIMENTUM CAMPHORÆ COMPOSITUM.

℞ Camphoræ Uncias duas,
Ammoniaë causticæ aquæ *mensurâ* Un-
cias sex,
Spiritus Lavandulæ *mensurâ* Libram.

Ammoniaë aquam cum Spiritu misce;
tum e retortâ vitreâ lento igne, distillet
mensurâ Libra; denique in hac Campho-
ram solve.

LINIMENTUM SAPONIS.

℞ Saponis Uncias tres,
Camphoræ Unciam unam,
Spiritus Rorismarini *mensurâ* Libram
unam.

Digere Saponem in Spiritu Rorismarini
donec solvatur, dein adde Camphoram.

LINIMENTUM SAPONIS CUM OPIO

VEL

LINIMENTUM ANODYNUM.

℞ Linimenti Saponis *mensurâ* partes
quatuor,
Tincturæ Opii partes tres.

Misce.

LINIMENTUM TEREBINTHINÆ.

℞ Unguenti Resinæ albæ Libram,
Olei Terebinthinæ Semilibram.

Unguento liquefacto Oleum Terebinthinæ
gradatim immisce.

MISTURÆ.

MISTURA AMMONIACI.

℞ Gummi Ammoniaci Drachmam,
Aquæ Pulegii *mensurâ* Uncias octo.

Tere Gummi cum Aquâ Pulegii gradatim affusâ, donec lactis speciem præ se ferat mistura, quæ per linteum coletur.

MISTURA AMYGDALARUM.

℞ Amygdalarum dulcium, pelliculis dempti, Unciam cum semisse,
Amygdalarum amararum Scrupula duo,
Sacchari purificati Semunciam,
Aquæ *mensurâ* Libras duas cum semisse.

Amygdalas cum Saccharo tere, aquam paulatim adjiciens; dein cola.

MISTURA ASSÆFŒTIDÆ.

℞ Assæfœtidæ Drachmam,
Aquæ Pulegii *mensurâ* Uncias octo.

Tere Assamfœtidam cum Aquâ paulatim affusâ, donec fiat emulsio.

MISTURA CAMPHORÆ.

℞ Camphoræ Scrupulum,
Spiritus rectificati Guttas decem,
Sacchari purificati Semunciam,
Aquæ calidæ *mensurâ* Libram.

Camphoram primùm cum Spiritû tere,
dein cum Saccharo, denique aquam inter
terendum adde, et misturam per chartam
bibulam cola.

MISTURA CAMPHORÆ CUM MAGNESIA.

℞ Camphoræ Grana duodecim,
Magnesiæ Carbonatis Semidrachmam,
Aquæ Uncias sex.

Tere Camphoram cum Magnesiâ, adjectâ
gradatim aquâ et misce.

MISTURA CRETÆ.

℞ Cretæ præparatæ Semunciam,
Sacchari purificati Drachmas tres,
Mucilaginis Gummi Arabici Unciam,
Aquæ mensurâ Libram.

Misce.

MISTURA FERRI COMPOSITA.

℞ Myrrhæ in pulverem subtilem tritæ
Drachmam,
Potassæ Carbonatis Grana viginti quin-
que,
Aquæ Rosæ Uncias septem cum se-
misse,
Ferri Sulphatis in pulverem triti Scru-
pulum,
Spiritûs Nucis moschatae Semunciam,
Sacchari purificati Drachmam.

*

G G

Myrrham, Spiritum Nucis Moschatae et Potassae Carbonas simul tere, hisque, inter terendum, primùm aquam Rosae cum Saccharo, deinde Ferri Sulphas adjice. Misturam statim in vas vitreum idoneum immitte, idque obtura.

MISTURA FERRI AROMATICA.

℞ Pulveris Cinchonae lancifoliae in pulverem crassum redacti Unciam,
Radici Colombae concisae Drachmas tres.

Caryophylli Aromatici contusi Drachmas duas,

Limaturae Ferri Semunciam.

Digere per dies tres vase clauso subinde agitans, cum aquae Menthae piperitidis quantum satis sit ut colentur Unciae duodecim; dein adde,

Tincturæ Cardamomi compositæ Un-
cias tres,

Tincturæ Aurantii Drachmas tres.

MUCILAGINES.

MUCILAGO AMYLI.

℞ Amyli Drachmas sex,
Aquæ *mensurâ* Libram.

Amylum tere, paulatim addens aquam
dein coque paulisper.

MUCILAGO GUMMI ARABICI.

℞ Gummi Arabici in pulverem crassum
triti uncias quatuor,
Aquæ calidæ *mensurâ* Uncias qua-
tuor.

Digere agitans frequenter ut solvatur
Gummi :

Mucilaginem dein per linteum cola.

MUCILAGO GUMMI TRAGACANTHÆ.

℞ Gummi Tragacanthæ in pulverem
redacti Drachmas duas,
Aquæ mensurâ Uncias octo.

Macera in vase clauso donec solvatur
Gummi; Mucilaginem dein per linteum
cola.

OLEUM CAMPHORATUM.

℞ Camphoræ Drachmam,
Olei Olivæ Unciam.

Tere simul ut solvatur Camphora, dein
cola.

PULVIS PRO CATAPLASMATE.

℞ Semen Lini, quæ restant post Oleum
expressum, partem unam,
Farinæ avenaceæ partes duas.

Misce.

PRÆPARATA.

SECTIO XI.

MISCELLANEA.

ACIDUM SULPHURICUM AROMATICUM.

℞ Spiritûs rectificati *mensurâ* Libras duas,
Acidi Sulphurici *pondere* Uncias sex.

Acidum Spiritui gradatim adjice ; misturam digere calore inferiore in vase clauso per triduum ; dein adde,

Corticis Cinnamomi contusi Unciam
cum semisse,

Radiciis Zingiberis contusæ Unciam.

Misturam denuò in vase clauso digere per dies sex ; dein per chartam infundibulo vitreo impositam cola.

AQUA CHLORINII.

℞ Sodæ Muriatis siccati partes centum,
Manganesii Oxydi partes triginta,
Acidi Sulphurici partes octoginta sep-
tem,
Aquæ partes centum et viginti quatuor.

Acidum aquæ gradatim adjice et
misturam frigefactam Sodæ Muriati et
Manganesii oxydo in pulverem tenuem
tritis, probè commistis et retortæ immissis
affunde: dein apparatu idoneo, calore mo-
dico sensim aucto, transeat aura elastica e
misturâ ebulliens, per aquæ distillatæ partes
ducentas, finito opere simul ac cessaverit
effervescentia in retortâ.

Servetur aqua Chlorinii in vasis vitreis
probè obturatis et in loco radiis lucis im-
pervio.

IODINII TINCTURA.

℞ Iodini Scrupula duo,
Spiritus rectificati Unciam.

Misce et calore Iodinium solve.

Misturam in vase probè clauso conserva.

POTASSÆ HYDRIODAS.

℞ Iodini partem unam,
Ferri Sulphureti in pulverem crassum
triti partes quinque,
Acidi Sulphurici partes septem,
Aquæ distillatæ partes quadraginta
octo,
Potassæ Carbonatis Aquæ quantum sa-
tis sit,
Spiritus rectificati partes sex.

Iodinium aquæ partibus sexdecim te-
rendo misce, et misturam vasi vitreo injice.
Sulphureto matraccio immisso acidum priùs

aquæ partibus triginta duabus dilutum affunde, et e tubo, matraccii collo aptato, et ad fundum vasis Iodinium et aquam continentis pertinente, transeat Gas per misturam donec prorsùs dispareat Iodinium. Liquor colatus calore superiore ad partem octavam calore illicò vaporet, et denuò coletur. Tum adde gradatim Potassæ Carbonatis Aquæ quantum sufficiat ad acidum saturandum, quod cessante effervescentiâ innotescit. Misturam dein calori expone donec siccus et coloris albi fiat sal residuus; huic spiritum affunde et calore solve. Denique e sale residuo liquor effusus ad siccitatem vaporet et vase clauso servetur residuum.

QUININÆ SULPHAS.

℞ Corticis Cinchonæ cordifoliæ in pulverem crassum tritæ Libras quatuor.
Aquæ distillatæ *mensurâ* Libras octo.
Acidi Sulphurici diluti Uncias duas.

Misce et vase idoneo, calore superiore, sæpe agitans, simul digere per horas quatuor, dein cola: Corticis quod restat iterùm cum aquæ pari quantitate misce et cola: hoc ter fiat. Liqueoribus commistis adjiciatur Calcis recens ustæ et extinctæ quantum sufficiat ut saturetur Acidum. Chartæ bibulæ ope separetur pulvis fundum petens; huic adjice Spiritûs rectificati *mensurâ* Libras tres et, sæpiùs agitans, per horas sex simul digere et cola: pulverem residuum cum Spiritûs rectificati pari quantitate iterùm digere et cola. Hoc ter fiat. Liqueores Spirituosi commisti ad siccitatem ferè Balneo aquoso vaporent. Materiæ residuæ gradatim adde, Acidi Sulphurici diluti quantum sufficiat ut vix prævaleat acidum in liquore; dein evaporatione et refrigeratione fiant Crystalli.

TINCTURA BUCHU.

℞ Foliorum Diosmæ crenatæ Uncias duas,
Spiritûs tenuioris *mensurâ* Libram,
Macera per dies septem et cola.

TINCTURA ACETATIS FERRI CUM
ALCOHOL.

℞ Ferri Sulphatis,
Potassæ Acetatis utriûsque Unciam,
Alcohol *mensurâ* Libras duas.

Potassæ Acetas et Ferri Sulphas in mortario fictili contere donec in massam coeant mollem; tum sicca calore medio, et simul ac frigescat, tere eam cum Alcohol. Immittatur mistura phialæ probè obturandæ, et digere per horas viginti quatuor, subindè agitans; denique tincturam limpidam a facibus effunde et vase obturato conserva.

TABULA,

OSTENDENS QUANTITATEM IODINII, OPII, ARSE-
NICI, ANTIMONII ET HYDRARGYRI IN ME-
DICAMENTIS QUISBUSDAM COMPOSITIS.

IODINII TINCTURÆ *mensurá* Drachma
continet Iodini grana quinque.

PULVIS IPECACUANHÆ COMPOSITUS in gra-
nis decem continet Opii granum.

PULVERIS KINO COMPOSITI scrupulum
continet Opii granum.

ACETI OPII Singulæ Drachmæ, ut vapo-
ratione constat, continent Extracti grana
septem cum semisse et Guttæ viginti Aceti
eandem vim habent quam guttæ triginta
Tincturæ Opii.

CONFECTIO OPII in granis circiter viginti
quinque continet Opii Granum unum.

TINCTURA OPII in mensurâ Drachmæ
continet Opii grana quatuor cum semisse
circiter.

TINCTURA OPII CAMPHORATA sive ELIXIR
PAREGORICUM in mensurâ Drachmarum
quatuor cum semisse continet Opii granum
unum quam proximè.

ELECTUARIUM CATECHU COMPOSITUM sin-
gulis Unciis continet Opii grana duo cum
semisse.

PILULÆ SAPONIS cum OPIO in granis
quinque continet Opii granum unum.

PILULÆ E STYRACE in granis quinque continent **Opii granum unum.**

PULVERIS CRETÆ COMPOSITI CUM OPIO Scrupula duo continent **Opii granum unum circiter.**

LIQUOR ARSENICALIS in mensurâ **Drachmæ unius** continet **Arsenici Oxydi albi** ferè **semigranum.**

LIQUOR TARTARI EMETICI in singulis **Unciis** continet **Tartari Emetici grana duo.**

PILULÆ HYDRARGYRI in granis sex continent **Hydrargyri grana duo.**

HYDRARGYRI CUM MAGNESIA et **HYDRARGYRI CUM CRETA** singulorum grana quinque continent **Hydrargyri grana duo.**

PILULÆ CALOMELANOS COMPOSITÆ in granis quinque vel sex continent **CALOMELANOS** et **SULPHURIS ANTIMONIATI FUSCI** utriusque granum unum.

UNGUENTUM HYDRARGYRI fortius in Drachmis duabus continet **Hydrargyri** Drachmam.

UNGUENTUM HYDRARGYRI MITIUS in Drachmis duabus continet **Hydrargyri** semidrachmam.

UNGUENTUM HYDRARGYRI OXYDI NITRICI in singulis Drachmis continet **Hydrargyri Oxydi Nitrici** grana sex cum semisse circiter.

UNGUENTUM HYDRARGYRI SUBMURIATIS AMMONIATI in singulis Drachmis continet

Hydrargyri Submuriatis Ammoniaci grana
quinque circiter.

UNGUENTUM HYDRARGYRI NITRATIS in
singulis Drachmis continet Hydrargyri gra-
na tria circiter.

Hydrargyri sublimatis. Ammoniaci. Gummi
 guaiaci. Gummi arabici. Gummi senegalensis.
 Unguentum Hydrargyri Nitratum in
 singulis Drachmis continet Hydrargyri gra-
 ni. Gummi arabici. Gummi senegalensis.
 Drachma.

Unguentum Hydrargyri Nitratum in
 Drachmis continet Hydrargyri gra-
 ni. Gummi arabici. Gummi senegalensis.


Unguentum Hydrargyri Oxidi Nitri
 in singulis Drachmis continet Hydrargyri
 Oxidi Nitri gra- ni. Gummi arabici.
 Gummi senegalensis.

Unguentum Hydrargyri Sulfuratum
 in singulis Drachmis continet Hydrargyri
 Sulfuratum gra- ni. Gummi arabici.
 Gummi senegalensis.

NOMINUM MUTATORUM INDICES.

INDICUM SEQUENTIUM, PRIMUS, LITERA **A** NOTATUS, EXHIBET NOMINA *MUTATA* :

SECUNDUS, LITERA **B** NOTATUS, NOMINA *NOVA*, ORDINE ALPHABETICO DISPOSITA.



INDEX A.

NOMINA MUTATA.

Pharmacopœiæ Dublinensis, 1807.

Acetas Kali.

Acidum Nitrosum.

Acidum nitrosum dilutum.

Ærugo præparata.

Alumen ustum.

Aqua Foeniculi dulcis.

Aqua Kali caustici.

NOMINA NOVA.

Pharmacopœiæ Dublinensis, 1826.

Potassæ Acetas.

Acidum nitricum.

Acidum nitricum dilutum.

Cupri Subacetas præparatum.

Alumen siccatum.

Aqua Foeniculi.

Potassæ causticæ aqua.

NOMINA MUTATA.

NOMINA NOVA.

Pharmacopœiæ Dublinensis, 1807. *Pharmacopœiæ Dublinensis, 1826.*

<i>Submurias Hydrargyri Sublimatum.</i>	Calomelas sublimatum.
<i>Succus spissatus Cicutæ.</i>	Succus spissatus Conii.
<i>Sulphas Kali.</i>	Potassæ Sulphas.
<i>Sulphur sublimatum lotum.</i>	Sulphur lotum.
<i>Sulphuretum Kali.</i>	Potassæ sulphuretum.
<i>Syrupus Papaveris albi.</i>	Syrupus Papaveris somniferi.
<i>Syrupus Papaveris erratici.</i>	Syrupus Papaveris Rhoeadis.
<i>Tartarum Antimoniatum sive emeticum.</i>	Antimonii et Potassæ Tartras, sive Tartarum emeticum.
<i>Tartaras Kali.</i>	Potassæ Tartras.
<i>Tartaras Sodæ et Kali.</i>	Sodæ et Potassæ Tartras.
<i>Tinctura Colombo.</i>	Tinctura Colombæ.
<i>Tinctura Muriatis Ferri.</i>	Muriatis Ferri liquor.
<i>Tinctura Sennæ.</i>	Tinctura Sennæ composita.
<i>Unguentum Acidi nitrosi.</i>	Unguentum Acidi nitrici.
<i>Unguentum Æruginis.</i>	Unguentum Cupri Subacetatis.
<i>Unguentum Calaminaris.</i>	Unguentum Calaminæ.
<i>Unguentum Cerussæ.</i>	Unguentum Plumbi Carbonatis.
<i>Unguentum Spermatis Ceti.</i>	Unguentum Cetacei.

NOMINA MUTATA.

NOMINA NOVA.

Pharmacopœiæ Dublinensis, 1807.

Pharmacopœiæ Dublinensis, 1826.

Unguentum Subnitratæ Hydrargyri.

Unguentum Hydrargyri Ox-ydi nitrici.

Unguentum Supernitratæ Hydrargyri.

Unguentum Hydrargyri nitratæ vel Unguentum citrinum.

NOTICE TO THE READER

THE UNIVERSITY OF CHICAGO PRESS

NOTIUM MUTATIONUM

CHICAGO, ILLINOIS, 1900

PRINTED BY THE UNIVERSITY OF CHICAGO PRESS

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

CHICAGO, ILLINOIS, 1900

NOMINUM MUTATORUM

INDEX B.

NOMINA NOVA.

NOMINA MUTATA.

Pharmacopœiæ Dublinensis, 1826.

Pharmacopœiæ Dublinensis, 1807.

Acidum Nitricum.

Acidum Nitrosum.

Acidum Nitricum dilutum.

Acidum Nitrosum dilutum.

Alumen siccatum.

Alumen ustum.

Ammoniæ Hydrosulphuretum.

Aqua Sulphureti ammoniæ.

Antimonii et Potassæ Tartras
sive Tartarum Emeticum.

*Tartarum Antimoniatum sive
emeticum.*

Aqua Chlorinii.

Aqua Oxymuriatica.

Aqua Fœniculi.

Aqua Fœniculi dulcis.

Aqua Menthæ viridis.

Aqua Menthæ Sativæ.

Calcis Carbonas præcipitatum.

Creta præcipitata.

Calomelas præcipitatum.

Submurias Hydrargyri præcipitatum.

NOMINA NOVA.

NOMINA MUTATA.

Pharmacopœiæ Dublinensis, 1826.	<i>Pharmacopœiæ Dublinensis, 1807.</i>
Calomelas sublimatum.	<i>Submurias Hydrargyri sublimatum.</i>
Cupri Subacetatis præcipitatum.	<i>Ærugo præparata.</i>
Extractum Elaterii.	<i>Elaterium.</i>
Infusum Cinchonæ.	<i>Infusum Cinchonæ sine Calore.</i>
Infusum Rosæ acidum.	<i>Infusum Rosæ.</i>
Infusum Sennæ compositum.	<i>Infusum Sennæ.</i>
Magnesiae Carbonas.	<i>Magnesia.</i>
Magnesia.	<i>Magnesia usta.</i>
Mentha viridis.	<i>Mentha sativa.</i>
Mistura Ammoniaci.	<i>Lac Ammoniaci.</i>
Mistura Amygdalarum.	<i>Lac Amygdalæ.</i>
Mistura Assæfoetidæ.	<i>Lac Assæfoetidæ.</i>
Oxydum Hydrargyri rubrum.	<i>Oxydum Hydrargyri.</i>
Oxymel Cupri Subacetatis.	<i>Oxymel Æruginis.</i>
Pilulæ Galbani compositæ.	<i>Pilulæ Myrrhæ compositæ.</i>
Pilulæ Scillæ compositæ.	<i>Pilulæ Scillæ cum Zingibere.</i>
Plumbi Subacetatis Liquor.	<i>Liquor Subacetatis Lithargyri.</i>
Plumbi Subacetatis Liquor compositus.	<i>Liquor Subacetatis Lithargyri compositus.</i>

NOMINA NOVA.

Pharmacopœiæ Dublinensis, 1826.

Potassæ Acetas.
 Potassæ Carbonatis aqua.
 Potassæ Carbonas e Tartari
 Crystallis.
 Potassa Caustica.
 Potassa Caustica cum calce.
 Pulvis Aloës compositus.
 Sodæ et Potassæ Tartras.
 Spartium Scoparium.
 Spiritus Armoraciæ compositus.
 Spiritus Pimentæ.
 Succus spissatus Conii.
 Sulphur lotum.
 Syrupus papaveris Rhæadis.
 Syrupus papaveris somniferi.
 Tinctura Camphoræ.
 Tinctura Colombæ.
 Tincturæ Sennæ composita.
 Unguentum Acidi Nitrici.
 Unguentum Calaminæ.
 Unguentum Cetacei.
 Unguentum Hydrargyri Ox-
 ydi Nitrici.

NOMINA MUTATA.

Pharmacopœiæ Dublinensis, 1807.

Acetas Kali.
Aqua Subcarbonatis Kali.
Potassæ Subcarbonas.
Kali causticum.
Kali causticum cum calce.
Pulvis Aloës cum Guaiaco.
Tartaras Sodæ et Kali.
Genista.
Spiritus Raphani compositus.
Spiritus Pimento.
Succus spissatus Cicutæ.
Sulphur sublimatum lotum.
Syrupus papaveris erratici.
Syrupus papaveris albi.
Spiritus Camphoratus.
Tinctura Colombo.
Tinctura Sennæ.
Unguentum Acidi Nitrosi.
Unguentum Calaminaris.
Unguentum Spermatis Ceti.
*Unguentum subnitratis Hy-
 drargyri.*

NOMINA NOVA.

NOMINA MUTATA.

Pharmacopœiæ Dubli- *Pharmacopœiæ Dubli-*
 nensis, 1826. *nensis, 1807.*

Unguentum Hydrargyri Ni- *Unguentum Supernitratis Hy-*
 tratis vel Unguentum Citri- *drargyri.*
 num.

Unguentum Plumbi Carbona- *Unguentum Cerussæ.*
 tis.

Unguentum Cupri Subaceta- *Unguentum Æruginis.*
 tis.

NOMINUM MUTATORUM

INDEX A.

NOMINA MUTATA.

*Pharmacopœiæ Londi-
nensis, 1824.*

Acidum Aceticum dilutum.

Adeps præparata.

Æther rectificatus.

Æther Sulphuricus.

Alumen exsiccatum.

Ammoniæ subcarbonas.

*Antimonii Sulphuretum præ-
cipatum.*

Antimonium Tartarizatum.

Aqua Menthæ piperitæ.

Argenti Nitras.

Arsenicum album sublimatum.

NOMINA NOVA.

*Pharmacopœiæ Dubli-
nensis, 1826.*

Acetum distillatum.

Adeps suillus præparatus.

Æther Sulphuricus.

Liquor aethereus Sulphuricus.

Alumen siccatum.

Ammoniae Carbonas.

*Sulphur antimoniatum fus-
cum.*

*Antimonii et Potassæ Tartras
sive Tartarum Emeticum.*

Aqua Menthae piperitidis.

Argenti Nitras fusum.

*Arsenici Oxydum sublima-
tum.*

NOMINA MUTATA.

NOMINA NOVA.

*Pharmacopœiæ Londi-
nensis, 1824.*

*Pharmacopœiæ Dubli-
nensis, 1826.*

Calamina præparata.

Zinci Carbonas impurum præ-
paratum.

Cataplasma Fermenti.

Cataplasma Fermenti Cerevi-
siae.

Ceratum Calaminæ.

Unguentum Calaminæ.

Ceratum Cantharidis.

Unguentum Cantharidis.

Ceratum Cetacei.

Unguentum Cetacei.

Ceratum Plumbi Acetatis.

Unguentum Plumbi Acetatis.

Ceratum Resinæ.

Unguentum Resinæ albae.

Ceratum Sabinæ.

Unguentum Sabinæ.

Ceratum Saponis.

Emplastrum Saponis composi-
tum vel adhaerens.

Confectio Rosæ Gallicæ.

Conserva Rosæ.

Confectio Scammoneæ.

Electuarium Scammonii.

Confectio Sennæ.

Electuarium Sennæ.

Decoctum Lichenis.

Decoctum Lichenis Islandici.

Emplastrum Cerae.

Unguentum Cerae flavae.

*Emplastrum Galbani compo-
situm.*

Emplastrum Galbani.

Emplastrum Plumbi.

Emplastrum Lithargyri.

Emplastrum Resinæ.

Emplastrum Lithargyri cum
Resinâ.

Extractum Aconiti.

Succus spissatus Aconiti.

NOMINA MUTATA.

NOMINA NOVA.

*Pharmacopœiæ Londi-
nensis, 1824.*

*Pharmacopœiæ Dubli-
nensis, 1826.*

Extractum Anthemidis.

Extractum Chamaemeli.

Extractum Belladonnæ.

Succus Spissatus Belladonnæ.

Extractum Conii.

Succus Spissatus Conii.

Extractum Hyoscyami.

Succus Spissatus Hyoscyami.

Ferri Subcarbonas.

Ferri Carbonas.

Ferrum Tartarizatum.

Tartarum Ferri.

Hydrargyri Nitrico-Oxydum.

Hydrargyri Oxydum Nitricum.

Hydrargyri Oxymurias.

*Hydrargyri Murias corrosi-
vum.*

Hydrargyri Submurias.

Calomelas sublimatum.

*Hydrargyrum præcipitatum
album.*

*Hydrargyri Submurias Ammo-
niatum.*

Infusum Anthemidis.

Infusum Chamaemeli.

Infusum Calumbæ.

Infusum Colombæ.

Infusum Cuspariæ.

Infusum Angusturæ.

Infusum Rosæ compositum.

Infusum Rosæ acidum.

Linimentum Camphoræ.

Oleum Camphoratum.

*Linimentum Saponis compo-
situm.*

Linimentum Saponis.

Liquor Ammoniæ.

Ammoniæ Causticæ Aqua.

Liquor Ammoniæ Acetatis.

Ammoniæ Acetatis Aqua.

*Liquor Ammoniæ Subcarbo-
natis.*

Ammoniæ Carbonatis Aqua.

NOMINA MUTATA.

NOMINA NOVA.

*Pharmacopœiæ Londi-
nensis, 1824.*

*Pharmacopœiæ Dubli-
nensis, 1826.*

Liquor Calcis.

Calcis Aqua.

Liquor Calcis Muriatis.

Calcis Muriatis Aqua.

Liquor Cupri Ammoniati.

Cupri Ammoniati Aqua.

*Liquor Plumbi Subacetatis
dilutus.*

Plumbi Subacetatis liquor
compositus.

Liquor Potassæ.

Potassæ causticæ aqua.

*Liquor Potassæ Subcarbona-
tis.*

Potassæ Carbonatis aqua.

Magnesiae Subcarbonas.

Magnesiae Carbonas.

Mucilago Acaciæ.

Mucilago Gummi Arabici.

Oleum Æthereum.

Liquor æthereus oleosus.

Oleum Menthæ piperitæ.

Oleum Menthæ piperitidis.

Oxymel simplex.

Oxymel.

Pilulæ Cambogiæ compositæ.

Pilulæ Gambogiæ compositæ.

*Pilulæ Hydrargyri Submuri-
atis compositæ.*

Pilulæ Calomelanos compo-
sitæ.

Potassa fusa.

Potassa caustica.

Potassa cum Calce.

Potassa caustica cum Calce.

Potassæ Carbonas.

Potassæ Bicarbonas.

Potassæ Subcarbonas.

Potassæ Carbonas.

Potassæ Supersulphas.

Potassæ Bisulphas.

Pulvis Scammonæ compositus.

Pulvis Scammonii compositus.

NOMINA MUTATA.

NOMINA NOVA.

Pharmacopœiæ Londi- *Pharmacopœiæ Dubli-*
nensis, 1824. *nensis, 1826.*

<i>Sevum præparatum.</i>	Adeps ovillus præparatus.
<i>Soda tartarizata.</i>	Sodæ et Potassæ Tartras.
<i>Sodæ Carbonas.</i>	Sodæ Bicarbonas.
<i>Sodæ Subcarbonas.</i>	Sodæ Carbonas.
<i>Sodæ Subcarbonas exsiccata.</i>	Sodæ Carbonas siccatum.
<i>Spiritus Ætheris nitrici.</i>	Spiritus Æthereus Nitrosus.
<i>Spiritus Camphoratus.</i>	Tinctura Camphoræ.
<i>Spiritus Myristicæ.</i>	Spiritus Nucis Moschatae.
<i>Syrupus Aurantiorum.</i>	Syrupus Aurantii.
<i>Syrupus Limonum.</i>	Syrupus Limonis.
<i>Syrupus Papaveris.</i>	Syrupus Papaveris somniferi.
<i>Syrupus Rhoeados.</i>	Syrupus Papaveris Rhoeadis.
<i>Tinctura Benzoini composita.</i>	Tinctura Benzoës composita.
<i>Tinctura Calumbæ.</i>	Tinctura Colombæ.
<i>Tinctura Castorei.</i>	Tinctura Castorei Rossici.
<i>Vinum Antimonii Tartarizati.</i>	Liquor Tartari Emetici.
<i>Unguentum Hydrargyri fortius.</i>	Unguentum Hydrargyri.
<i>Unguentum Hydrargyri Nitratiss.</i>	Unguentum citrinum.
<i>Unguentum Hydrargyri Nitrico-Oxydi.</i>	Unguentum Hydrargyri Oxidi Nitrici.

NOMINA MUTATA.

NOMINA NOVA.

Pharmacopœiæ Londinensis, 1824. *Pharmacopœiæ Dublinensis, 1826.*

Unguentum Hydrargyri præcipitati albi. *Unguentum Hydrargyri Submuriatis Ammoniati.*
Unguentum Zinci. *Unguentum Zinci Oxydi.*

NOMINUM MUTATORUM

INDEX B.

NOMINA NOVA.

Pharmacopœiæ Dubli-
nensis, 1826.

Acetum distillatum.
Adeps suillus præparatus.
Adeps ovillus præparatus.
Æther Sulphuricus.
Alumen siccatum.
Ammoniæ Acetatis Aqua.
Ammoniæ Carbonas.
Ammoniæ Carbonatis aqua.
Ammoniæ causticæ aqua.
Antimonii et Potassæ Tartras.
Aqua Calcis.
Aqua Calcis Muriatis.

NOMINA MUTATA.

*Pharmacopœiæ Londi-
nensis, 1824.*

*Acidum Aceticum dilutum.
Adeps præparata.
Sevum præparatum.
Æther rectificatus.
Alumen exsiccatum.
Liquor Ammoniae Acetatis.
Ammoniae Subcarbonas.
Liquor Ammoniae Subcarbo-
natis.
Liquor Ammoniae.
Antimonium Tartarizatum.
Liquor Calcis.
Liquor Calcis Muriatis.*

NOMINA NOVA.

NOMINA MUTATA.

Pharmacopœiæ Dubli-
nensis, 1826.

*Pharmacopœiæ Londi-
nensis, 1824.*

Aqua Carbonatis Ammoniaë.

*Liquor Ammoniaë Subcarbo-
natis.*

Aqua Menthæ piperitidis.

Aqua Menthæ piperitæ.

Aqua Potassæ Carbonatis.

*Liquor Potassæ Subcarbona-
tis.*

Aqua Potassæ Causticæ.

Liquor Potassæ.

Argenti Nitras fusum.

Argenti Nitras.

Arsenici Oxydum Sublimatum.

Arsenicum album sublimatum.

Bicarbonas Potassæ.

Potassæ Carbonas.

Bicarbonas Sodæ.

Sodæ Carbonas.

Bisulphas Potassæ.

Potassæ Supersulphas.

Calcis Aqua.

Liquor Calcis.

Calcis Muriatis Aqua.

Liquor Calcis Muriatis.

Calomelas sublimatum.

Hydrargyri Submurias.

Carbonas Ammoniaë.

Ammoniaë Subcarbonas.

Carbonas Ferri.

Ferri Subcarbonas.

Carbonas Magnesiæ.

Magnesiæ Subcarbonas.

Carbonas Potassæ e lixivo ci-
nere.

Potassæ Subcarbonas.

Carbonas Sodæ.

Sodæ Subcarbonas.

Carbonas Sodæ siccatum.

Sodæ Subcarbonas exsiccata.

Carbonas Zinci impurum præ-
paratum.

Calamina præparata.

NOMINA NOVA.

Pharmacopœiæ Dubli-
nensis, 1826.

Cataplasma Fermenti Cerevi-
siæ.

Conserva Rosæ.

Conserva Rutæ.

Cupri Ammoniati Aqua.

Decoctum Lichenis Islandici.

Electuarium Cassiæ.

Electuarium Scammonii.

Electuarium Sennæ.

Emplastrum Galbani.

Emplastrum Lithargyri.

Emplastrum Lithargyri cum
Resinâ.

Emplastrum Saponis composi-
tum.

Extractum Chamaemeli.

Extractum Colocynthisidis sim-
plex.

Ferri Carbonas.

Ferri Tartarum.

Hydrargyri Murias corrosi-
vum.

NOMINA MUTATA.

*Pharmacopœiæ Londi-
nensis, 1824.*

Cataplasma Fermenti.

Confectio Rosæ caninae.

Confectio Rutæ.

Liquor Cupri Ammoniati.

Decoctum Lichenis.

Confectio Cassiæ.

Confectio Scammoneae.

Confectio Sennæ.

*Emplastrum Galbani compo-
situm.*

Emplastrum Plumbi.

Emplastrum Resinae.

Ceratum Saponis.

Extractum Anthemidis.

Extractum Colocynthisidis.

Ferri Subcarbonas.

Ferrum Tartarizatum.

Hydrargyri Oxymurias.

NOMINA NOVA.

NOMINA MUTATA.

Pharmacopœiæ Dubli- *Pharmacopœiæ Londi-*
 nensis, 1826. *nensis, 1824.*

Hydrargyri Oxydum Nitricum.	<i>Hydrargyri Nitrico-Oxydum.</i>
Hydrargyri Murias corrosivum.	<i>Hydrargyri Oxymurias.</i>
Hydrargyri Submurias Ammo- niatum.	<i>Hydrargyrum præcipitatum album.</i>
Infusum Angusturæ.	<i>Infusum Cuspariæ.</i>
Infusum Chamaemeli.	<i>Infusum Anthemidis.</i>
Infusum Colombæ.	<i>Infusum Calumbæ.</i>
Infusum Rosæ acidum.	<i>Infusum Rosæ compositum.</i>
Liquor æthereus oleosus.	<i>Oleum Aethereum.</i>
Liquor æthereus Sulphuricus.	<i>Æther Sulphuricus.</i>
Liquor Muriatis Ferri.	<i>Tinctura Ferri Muriatis.</i>
Liquor Plumbi Subacetatis compositus.	<i>Liquor Plumbi Subacetatis dilutus.</i>
Liquor Tartari emetici.	<i>Vinum Antimonii Tartarizati.</i>
Magnesiae Carbonas.	<i>Magnesiae Subcarbonas.</i>
Mucilago Gummi Arabici.	<i>Mucilago Acaciæ.</i>
Muriatis Ferri liquor.	<i>Tinctura Muriatis Ferri.</i>
Murias Hydrargyri corrosivum.	<i>Hydrargyri Oxymurias.</i>
Nitras Argenti fusum.	<i>Argenti Nitras.</i>
Oleum Camphoratum.	<i>Linimentum Camphoræ.</i>
Oleum Menthæ piperitidis.	<i>Oleum Menthæ piperitæ.</i>
Oleum Rorismarini.	<i>Oleum Rosmarini.</i>

NOMINA NOVA.

NOMINA MUTATA.

Pharmacopœiæ Dubli-
nensis, 1826.

*Pharmacopœiæ Londi-
nensis, 1824.*

Oleum Succini rectificatum.

Oleum Succini.

Oxydum Arsenici sublima-
tum.

*Arsenicum Album sublima-
tum.*

Oxydum Hydrargyri Nitricum.

*Hydrargyri Nitrico-Oxy-
dum.*

Pilulæ Calomelanos compo-
sitæ.

*Pilulæ Hydrargyri Submuri-
atis compositæ.*

Plumbi Subacetatis Liquor
compositus.

*Liquor Plumbi Subacetatis
dilutus.*

Potassæ Bicarbonas.

Potassæ Carbonas.

Potassæ Bisulphas.

Potassæ Supersulphas.

Potassæ Carbonas e lixivo
Cinere.

Potassæ Subcarbonas.

Potassæ Carbonas e Tartari
Crystallis.

Potassæ Subcarbonas.

Potassæ Carbonatis aqua.

*Liquor Potassæ Subcarbona-
tis.*

Potassa Caustica.

Potassa fusa.

Potassa Caustica cum Calce.

Potassa cum Calce.

Potassæ causticæ aqua.

Liquor Potassæ.

Pulvis Aromaticus.

Pulvis Cinnamomi compositus.

Pulvis Scammonii compositus.

*Pulvis Scammonicæ Composi-
tus.*

Sodæ Bicarbonas.

Sodæ Carbonas.

Sodæ Carbonas.

Sodæ Subcarbonas.

Sodæ Carbonas siccatum.

Sodæ Subcarbonas exsiccata.

Sodæ et Potassæ Tartras.

Soda Tartarizata.

NOMINA NOVA.

Pharmacopœiæ Dublinensis, 1826.

Spiritus Æthereus Nitrosus.
 Spiritus Camphoratus.
 Spiritus Nucis Moschatae.
 Submuriæ Hydrargyri Ammoniatum.
 Succus spissatus Aconiti.
 Succus spissatus Belladonnæ.
 Succus Spissatus Conii.
 Succus Spissatus Hyoscyami.
 Sulphur antimoniatum fuscum.
 Syrupus Aurantii.
 Syrupus Balsami Tolutani.
 Syrupus Limonis.
 Syrupus Papaveris somniferi.
 Syrupus Papaveris Rhœadis.
 Tartari emetici liquor.
 Tartarum emeticum.
 Tartarum Ferri.
 Tinctura Benzoës composita.
 Tinctura Camphoræ.
 Tinctura Castorei Rossici.
 Tinctura Colombæ.
 Tinctura Sennæ Compositæ.
 Unguentum Calaminæ.

NOMINA MUTATA.

Pharmacopœiæ Londinensis, 1824.

Spiritus Ætheris Nitrici.
Spiritus Camphoræ.
Spiritus Myristicæ.
Hydrargyrum præcipitatum album.
Extractum Aconiti.
Extractum Belladonnæ.
Extractum Conii.
Extractum Hyoscyami.
Antimonii Sulphuretum præcipitatum.
Syrupus Aurantiorum.
Syrupus Tolutanus.
Syrupus Limonum.
Syrupus Papaveris.
Syrupus Rhœados.
Vinum Antimonii Tartarizati.
Antimonium Tartarizatum.
Ferrum tartarizatum.
Tinctura Benzoini composita.
Spiritus Camphoratus.
Tinctura Castorei.
Tinctura Calumbæ.
Tinctura Sennæ.
Ceratum Calaminæ.

NOMINA NOVA.

NOMINA MUTATA.

Pharmacopœiæ Dubli-
nensis, 1826.

*Pharmacopœiæ Londi-
nensis, 1824.*

Unguentum Citrinum.

*Unguentum Hydrargyri Ni-
tratis.*

Unguentum Cantharidis.

Ceratum Cantharidis.

Unguentum Elemi.

*Unguentum Elemi composi-
tum.*

Unguentum Hydrargyri Ox-
ydi Nitrici.

*Unguentum Hydrargyri Ni-
trico-Oxydi.*

Unguentum Hydrargyri Sub-
muriatis Ammoniati.

*Unguentum Hydrargyri præ-
cipitati albi.*

Zinci Carbonas impurum præ-
paratum.

Calamina præparata.

M M

Pharmacopoeia Dublinensis 1824
Pharmacopoeia Dublinensis 1824

NOBILISSIMUM MENTATORUM

INDEX A
Pharmacopoeia Dublinensis 1824

Pharmacopoeia Dublinensis 1824
Pharmacopoeia Dublinensis 1824

Pharmacopoeia Dublinensis 1824
Pharmacopoeia Dublinensis 1824

Pharmacopoeia Dublinensis 1824
Pharmacopoeia Dublinensis 1824

Pharmacopoeia Dublinensis 1824
Pharmacopoeia Dublinensis 1824

Pharmacopoeia Dublinensis 1824
Pharmacopoeia Dublinensis 1824

Pharmacopoeia Dublinensis 1824
Pharmacopoeia Dublinensis 1824

NOMINUM MUTATORUM

INDEX A.

NOMINA MUTATA.

*Pharmacopœiæ Edin-
burgensis, 1817.*

Acetum.

Acidum aceticum forte.

Acidum aceticum scilliticum.

Acidum aceticum tenue.

Acidum nitrosum dilutum.

Alumen exsiccatum.

Ammoniaretum Cupri.

Aqua Ammoniæ.

Aqua Lauri Cinnamoni.

Aqua Myrti Pimentæ.

Aqua Supercarbonatis Sodæ.

Carbonas Calcis præparatus.

*Carbonas Ferri præcipita-
tus.*

NOMINA NOVA.

*Pharmacopœiæ Dubli-
nensis, 1826.*

Acetum vini.

Acidum aceticum.

Acetum Scillæ.

Acetum distillatum.

Acidum Nitricum dilutum.

Alumen siccatum.

Cuprum Ammoniatum.

Aqua Ammoniæ caustica.

Aqua Cinnamomi.

Aqua Pimentæ.

*Aqua Carbonatis Sodæ aci-
dula.*

Creta præparata.

Ferri Carbonas.

NOMINA MUTATA.

*Pharmacopœiæ Edin-
burgensis, 1817.*

Carbonas Potassæ.
Carbonas Sodæ.
*Ceratum Carbonatis Zinci
impuri.*
Ceratum Juniperi Sabinæ.
Decoctum Polygalæ Senegæ.
*Electuarium Sennæ composi-
tum.*
*Elixir paregoricum Anglo-
rum.*
Emplastrum adhaesivum.
Emplastrum Gummosum.
*Emplastrum Oxydi Ferriru-
bri.*
*Emplastrum Oxidi Plumbi
semivitrei.*
Emplastrum simplex.
*Extractum Anthemidis no-
bilis.*
*Extractum Convolvuli Jala-
pæ.*
Infusum Lini usitatissimi.
Infusum Sennæ compositum.

NOMINA NOVA.

*Pharmacopœiæ Dubli-
nensis, 1826.*

Potassæ Bicarbonas.
Sodæ Bicarbonas.
Unguentum Calaminæ.
Unguentum Sabinæ.
Decoctum Senegæ.
Electuarium Sennæ.
*Tinctura Opii Camphorata
sive Elixir paregoricum.*
Emplastrum Lithargyri.
Emplastrum Galbani.
Emplastrum Thuris.
Emplastrum Lithargyri.
Unguentum Resinae albae.
Extractum Chamaemeli.
Extractum Jalapæ.
Infusum Lini compositum.
*Infusum Sennæ cum Tama-
rindis.*

NOMINA MUTATA.

*Pharmacopœiæ Edin-
burgensis, 1817.*

Linimentum Aquæ $\frac{1}{2}$ *Calcis.*

Linimentum $\frac{1}{2}$ *Saponaceum.*

Mel Sub-Boratis Sodæ.

Mucilago Acaciæ Arabicæ.

*Mucilago Astragali Traga-
canthæ.*

Nitras Argenti.

Oleum Ammoniatum.

Oleum Lini cum Calce.

Oleum Succini purissimum.

Oleum Juniperi Sabinæ.

Oleum Lauri Sassafras.

Oleum Myrti Pimentæ.

Oleum Pimpinellæ Anisi.

*Oleum volatile Pini purissi-
mum.*

*Oxidum Antimonii cum Phos-
phate Calcis.*

*Oxidum Ferri nigrum purifi-
catum.*

Pilulæ Aloës et Myrrhæ.

NOMINA NOVA.

*Pharmacopœiæ Dubli-
nensis, 1826.*

Linimentum Calcis.

Linimentum Saponis.

Mel Boracis.

Mucilago Gummi Arabici.

*Mucilago Gummi Tragacan-
thæ.*

Nitras Argenti fusum.

Linimentum Ammoniæ.

Linimentum Calcis.

Oleum Succini rectificatum.

Oleum Sabinæ.

Oleum Sassafras.

Oleum Pimentæ.

Oleum Anisi.

*Oleum Terebinthinæ rectifi-
catum.*

Pulvis Antimonialis.

Ferri Oxydum nigrum.

Pilulæ Aloës cum Myrrhâ.

NOMINA MUTATA.

NOMINA NOVA.

*Pharmacopœiæ Edin-
burgensis, 1817.*

*Pharmacopœiæ Dubli-
nensis, 1826.*

Pilulæ Scilliticæ.

Pilulæ Scillæ compositæ.

*Pilulæ Submuriatis Hydrar-
gyri compositæ.*

*Pilulæ Calomelanos compo-
sitæ.*

Potassa.

Potassa caustica.

Potassa cum Calce.

Potassa caustica cum Calce.

Potio Carbonatis Calcis.

Mistura Cretæ.

*Pulvis Carbonatis Calcis
compositus.*

Pulvis Cretæ compositus.

Pulvis Ipecacuanhæ et Opii.

*Pulvis Ipecacuanhæ compo-
situs.*

Scilla maritima exsiccata.

Pulvis Scillæ.

Solutio Arsenicalis.

Liquor Arsenicalis.

Solutio Calcis.

Calcis Aqua.

Solutio Muriatis Barytæ.

Barytæ Muriatis Aqua.

Solutio Muriatis Calcis.

Calcis Muriatis Aqua.

*Solutio Subcarbonatis Ammo-
niæ.*

Ammoniaë Carbonatis aqua.

Spiritus Ætheris nitrosi.

Spiritus Æthereus nitrosus.

Spiritus Cari Carui.

Spiritus Carui.

Spiritus Lauri Cinnamomi.

Spiritus Cinnamomi.

*Spiritus Myristicæ moscha-
tæ.*

Spiritus nucis moschatae.

Spiritus Myrti Pimentæ.

Spiritus Pimentæ.

Subcarbonas Ammoniaë.

Ammoniaë Carbonas.

NOMINA MUTATA.

NOMINA NOVA.

<i>Pharmacopœiæ Edin- burgensis, 1817.</i>	<i>Pharmacopœiæ Dubli- nensis, 1826.</i>
<i>Subcarbonas Ferri præpara- tus.</i>	Ferri Rubigo.
<i>Subcarbonas Potassæ.</i>	Potassæ Carbonas e lixivo cinere.
<i>Subcarbonas Potassæ purissi- mus.</i>	Potassæ Carbonas e Tartari Crystallis.
<i>Subcarbonas Sodæ.</i>	Sodæ Carbonas.
<i>Submurias Hydrargyri mitis.</i>	Calomelas sublimatum.
<i>Submurias Hydrargyri præ- cipitatus.</i>	Calomelas præcipitatum.
<i>Subsulphas Hydrargyri fla- vas.</i>	Oxydum Hydrargyri Sulphu- ricum.
<i>Succus Spissatus Atropæ Belladonnae.</i>	Succus spissatus Belladonnae.
<i>Sulphur sublimatum lotum.</i>	Sulphur lotum.
<i>Sulphuretum Antimonii præ- cipitatum.</i>	Sulphur Antimoniatum fus- cum.
<i>Syrupus Amomi Zingiberis.</i>	Syrupus Zingiberis.
<i>Syrupus Citri Aurantii.</i>	Syrupus Aurantii.
<i>Syrupus Citri medicæ.</i>	Syrupus Limonis.
<i>Syrupus Toluiferæ Balsami.</i>	Syrupus Balsami Tolutani.
<i>Tartras Antimonii.</i>	Antimonii et Potassæ Tartras.
<i>Tartras Potassæ et Ferri.</i>	Ferri Tartarum.

NOMINA MUTATA.

NOMINA NOVA.

*Pharmacopœiæ Edin-
burgensis, 1817.**Pharmacopœiæ Dubli-
nensis, 1826.*

<i>Tinctura Acaciae Catechu.</i>	Tinctura Catechu.
<i>Tinctura Aloës et Myrrhae.</i>	Tinctura Aloës composita.
<i>Tinctura Amomi Zingiberis.</i>	Tinctura Zingiberis.
<i>Tinctura Aristolochiae Ser- pentariae.</i>	Tinctura Serpentariae.
<i>Tinctura Bonplandiae trifo- liatae.</i>	Tinctura Angusturae.
<i>Tinctura Castorei.</i>	Tinctura Castorei Rossici.
<i>Tinctura Convolvuli Jalapae.</i>	Tinctura Jalapae.
<i>Tinctura Crotonis Eleuthe- riæ.</i>	Tinctura Cascarillæ.
<i>Tinctura Ferulae Assæfoeti- dae.</i>	Tinctura Assaefœtidae.
<i>Tinctura Lauri Cinnamomi.</i>	Tinctura Cinnamomi.
<i>Tinctura Muriatis Ferri.</i>	Ferri Muriatis liquor.
<i>Tinctura Saponis campho- rata.</i>	Linimentum Saponis.
<i>Tinctura Saponis et Opii.</i>	Linimentum Anodynum.
<i>Tinctura Thebaica.</i>	Tinctura Opii.
<i>Tinctura Toluiferæ Balsami.</i>	Tinctura Balsami Tolutani.
<i>Unguentum Acidi Nitrosi.</i>	Unguentum Acidi nitrici.
<i>Unguentum Infusi Canthari- dis Vesicatoriæ.</i>	Unguentum Cantharidis.

NOMINA MUTATA.

NOMINA NOVA.

Pharmacopœiæ Edin- *Pharmacopœiæ Dubli-*
burgensis, 1817. *nensis, 1826.*

<i>Unguentum Oxydi Hydrar-</i>	<i>Unguentum Hydrargyri Ox-</i>
<i>gyri rubri.</i>	<i>ydi nitrici.</i>
<i>Unguentum Oxydi Zinci im-</i>	<i>Unguentum Calaminæ.</i>
<i>puri.</i>	
<i>Unguentum resinosum.</i>	<i>Unguentum Resinæ albae.</i>
<i>Vinum Tartratis Antimonii.</i>	<i>Liquor Tartari emetici.</i>

N N

NOMINUM MUTATIONUM

TYPUS B

Pharmaceuticum Publicum
Genevae 1817

Acetum Vinum	Acetum
Acetum distillatum	Acetum distillatum
Acetum Sulfuris	Acetum Sulfuris
Acetum extractum	Acetum extractum
Acetum triticeum dilutum	Acetum triticeum dilutum
Alumen acetatum	Alumen acetatum
Ammoniac Carbonas	Ammoniac Carbonas
Ammoniac Carbonatis aqua	Solutio Subcarbonatis Ammoniac
Ammoniac carbonis aqua	Aqua Ammoniac
Antidoti et Potassae Tinctura	Tinctura Antidoti
Aqua Carbonis Subcarbonatis	Aqua Solutio Carbonis Subcarbonatis
Aqua Cinnamon	Aqua Solutio Cinnamon

NOMINUM MUTATORUM

INDEX B.

NOMINA NOVA.

Pharmacopœiæ Dubli-
nensis, 1826.

Acetum Vini.

Acetum distillatum.

Acetum Scillae.

Acidum aceticum.

Acidum nitricum dilutum.

Alumen siccatum.

Ammoniae Carbonas.

Ammoniae Carbonatis aqua.

Ammoniae causticae aqua.

Antimonii et Potassae Tartras.

Aqua Carbonatis Sodae acidula.

Aqua Cinnamomi.

NOMINA MUTATA.

*Pharmacopœiæ Edin-
burgensis, 1817.*

Acetum.

Acidum Aceticum tenue.

Acidum aceticum Scilliticum.

Acidum aceticum forte.

Acidum nitrosum dilutum.

Alumen exsiccatum.

Subcarbonas Ammoniae.

*Solutio Subcarbonatis Am-
moniae.*

Aqua Ammoniae.

Tartras Antimonii.

Aqua Supercarbonatis Sodae.

Aqua Lauri Cinnamomi.

NOMINA NOVA.

Pharmacopœiæ Dublinensis, 1826.

Aqua Pimentæ.

Barytæ Muriatis aqua.

Calcis Aqua.

Calcis Muriatis Aqua.

Calomelas præcipitatum.

Calomelas sublimatum.

Creta præparata.

Cuprum Ammoniatum.

Decoctum Senegæ.

Electuarium Sennæ.

Emplastrum Galbani.

Emplastrum Lithargyri.

Emplastrum Thuris.

Extractum Chamæmeli.

Extractum Jalapæ.

Ferri Carbonas.

Ferri Muriatis liquor.

NOMINA MUTATA.

Pharmacopœiæ Edinburgensis, 1817.

Aqua Myrti Pimentæ.

Solutio Muriatis Barytæ.

Solutio Calcis.

Solutio Muriatis Calcis.

Submuriæ Hydrargyri præcipitatus.

Submuriæ Hydrargyri mitis.

Carbonas Calcis præparatus.

Ammoniaretum Cupri.

Decoctum Polygalæ Senegæ.

Electuarium Sennæ compositum.

Emplastrum gummosum.

Emplastrum adhæsivum.

Emplastrum Oxydi Ferri rubri.

Extractum Anthemidis nobilis.

Extractum Convolvuli Jalapæ.

Carbonas Ferri præcipitatus.

Tinctura Muriatis Ferri.

NOMINA NOVA.

Pharmacopœiæ Dublinensis, 1826.

Ferri Oxydum nigrum.

Ferri Rubigo.

Ferri Tartarum.

Infusum Lini compositum.

Infusum Sennæ cum Tamarindis.

Linimentum Ammoniaë.

Linimentum Anodynum.

Linimentum Calcis.

Linimentum Saponis.

Liquor Arsenicalis.

Liquor Tartari emetici.

Mel Boracis.

Mistura Cretæ.

Mucilago Gummi Arabici.

Mucilago Gummi Tragacanthæ.

NOMINA MUTATA.

Pharmacopœiæ Edinburgensis, 1817.

Oxydum Ferri nigrum purificatum.

Subcarbonas Ferri præparatus.

Tartras Potassæ et Ferri.

Infusum Lini usitatissimi.

Infusum Sennæ compositum.

Oleum Ammoniatum.

Tinctura Saponis et Opii.

Oleum Lini cum Calce.

Tinctura Saponis Camphorata.

Solutio Arsenicalis.

Vinum Tartratis Antimonii.

Mel Sub-Boratis Sodæ.

Potio Carbonatis Calcis.

Mucilago Acaciae Arabicae.

Mucilago Astragali Tragacanthæ.

NOMINA NOVA.

NOMINA MUTATA.

Pharmacopœiæ Dublinensis, 1826.

Pharmacopœiæ Edinburgensis, 1817.

Nitras Argenti fusum.

Nitras Argenti.

Oleum Anisi.

Oleum Pimpinellæ Anisi.

Oleum Pimentæ.

Oleum Myrti Pimentæ.

Oleum Sabinae.

Oleum Juniperi Sabinae.

Oleum Sassafras.

Oleum Lauri Sassafras.

Oleum Succini rectificatum.

Oleum Succini purissimum.

Oleum Terebinthinae rectificatum.

Oleum volatile Pini purissimum.

Oxydum Hydrargyri Sulphuricum.

Subsulphas Hydrargyri flavus.

Pilulae Aloës cum Myrrha.

Pilulae Aloës et Myrrhae.

Pilulae Calomelanos compositae.

Pilulae Submuriatis Hydrargyri compositae.

Pilulae Scillae compositae.

Pilulae Scilliticae.

Potassae Bicarbonas.

Carbonas Potassae.

Potassae Carbonas e lixivo cinere.

Subcarbonas Potassae.

Potassae Carbonas e Tartari crystallis.

Subcarbonas Potassae purissimus.

Potassa caustica.

Potassa.

Potassa caustica cum Calce.

Potassa cum Calce.

NOMINA NOVA.

Pharmacopœiæ Dublinensis, 1826.

Pulvis Antimonialis.

Pulvis Cretæ compositus.

Pulvis Ipecacuanhæ compositus.

Sodæ Bicarbonas.

Sodæ Carbonas.

Spiritus Æthereus nitrosus.

Spiritus Carui.

Spiritus Cinnamomi.

Spiritus Nucis Moschatae.

Spiritus Pimentae.

Succus Spissatus Belladonnæ.

Sulphur Antimoniatum fuscum.

Sulphur lotum.

Syrupus Aurantii.

Syrupus Balsami Tolutani.

Syrupus Limonis.

Syrupus Zingiberis.

NOMINA MUTATA.

Pharmacopœiæ Edinburgensis, 1817.

Oxidum Antimonii cum

Phosphate Calcis.

Pulvis Carbonatis Calcis compositus.

Pulvis Ipecacuanhæ et Opii.

Carbonas Sodæ.

Subcarbonas Sodæ.

Spiritus Ætheris nitrosi.

Spiritus Cari Carui.

Spiritus Lauri Cinnamomi.

Spiritus Myristicæ Moschatae.

Spiritus Myrti Pimentae.

Succus Spissatus Atropae Belladonnae.

Sulphuretum Antimonii præpitatum.

Sulphur Sublimatum lotum.

Syrupus Citri Aurantii.

Syrupus Toluiferæ Balsami.

Syrupus Citri medicae.

Syrupus Amomi Zingiberis.

NOMINA NOVA.

Pharmacopœiæ Dublinensis, 1826.

Tinctura Aloës composita.

Tinctura Angusturæ.

Tinctura Assaefœtidæ.

Tinctura Balsami Tolutani.

Tinctura Cascariillæ.

Tinctura Castorei Rossici.

Tinctura Catechu.

Tinctura Cinnamomi.

Tinctura Jalapæ.

Tinctura Opii.

Tinctura Opii Camphorata.

Tinctura Serpentariæ.

Tinctura Zingiberis.

Unguentum Acidi Nitrici.

Unguentum Calaminæ.

NOMINA MUTATA.

Pharmacopœiæ Edinburgensis, 1817.

Tinctura Aloës et Myrrhae.

Tinctura Bonplandiae trifoliatae.

Tinctura Ferulae Assaefœtidæ.

Tinctura Toluiferae Balsami.

Tinctura Crotonis Eleutheriæ.

Tinctura Castorei.

Tinctura Acaciæ Catechu.

Tinctura Lauri Cinnamomi.

Tinctura Convolvuli Jalapæ.

Tinctura Thebaica.

Elixir Paregoricum Anglorum.

Tinctura Aristolochiæ Serpentariæ.

Tinctura Amomi Zingiberis.

Unguentum Acidi Nitrosi.

Ceratum Carbonatis Zinci impuri.

NOMINA NOVA.

NOMINA MUTATA.

Pharmacopœiæ Dubli-
nensis, 1826.

*Pharmacopœiæ Edin-
burgensis, 1817.*

Unguentum Cantharidis.

*Unguentum Infusi Cantha-
ridis vesicatoriæ.*

Unguentum Hydrargyri oxydi
nitrici.

*Unguentum Oxydi Hydrar-
gyri rubri.*

Unguentum Resinae albae.

Unguentum resinosum.

Unguentum Sabinae.

Ceratum Juniperi Sabinae.

INDEX GENERAL

INDEX GENERAL

Pharmacopoeia Dublin

INDEX GENERAL

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

Pharmacopoeia Dublin

INDEX GENERALIS.

	Pag.		Pag.
ACETA MEDICATA .	136	Acidum Sulphuricum di-	
Acetas Ferri .	85	lutum .	41
Hydrargyri .	92	Sulphuricum	
Plumbi .	93	purum .	40
Potassæ .	51	Tartaricum	41
Sodæ .	57	Adeps suillus præpa-	
Acetum Colchici .	137	ratus .	180
distillatum .	33	Adeps ovillus præpa-	
Opii .	137	ratus .	ib.
Scillæ .	138	Ætherea	104
Acida	33 et seq.	Æther nitrosus .	106
Acidum Aceticum .	34	sulphuricus .	105
Aceticum cam-		Alcohol	108
phoratum	136	Alkalia	43 et seq.
Benzoicum	34	Alumen siccatum .	64
Citricum .	35	Ammoniæ Acetatis aqua	49
Muriaticum	36	Bicarbonas	51
Muriaticum dilu-		Carbonas	50
tum .	37	Carbonatis aqua	ib.
Nitricum .	ib.	causticæ aqua	43
Nitricum dilutum	38	Hydrosulphu-	
Nitromuriaticum	ib.	retum	70
Psrusicum .	39	Antimonii Oxydum nitro-	
Succinicum .	ib.	muriaticum	76
Sulphuricum aro-		Sulphuretum	
maticum	237	præparatum	71

	Pag.		Pag.
Antimonii et Potassæ Tar-		Barytæ Muriatis Aqua	66
tras . . .	77	Bicarbonas Ammoniaë	51
Aqua Ammoniaë causticæ	43	Potassæ	54
Barytæ Muriatis	66	Sodæ .	59
Calcis .	47	Bismuthi Subnitræ	80
Calcis composita	200	Bisulphas Potassæ	56
Calcis Muriatis	66		
Carbonatis Ammo-		Calcis Aqua .	47
niæ . . .	50	Carbonas præci-	
Carbonatis Sodæ		pitatum .	67
acidula . . .	60	Murias .	66
Carui . . .	101	Muriatis Aqua	ib.
Chlorinii . . .	238	Phosphas præci-	
Cinnamomi . . .	102	pitatum .	68
Cupri Ammoniati	81	Calomelas præcipitatum	90
distillata . . .	101	sublimatum	ib.
Aquæ distillatæ . . .	ib.	Carbonas Ammoniaë	50
Aqua Fœniculi . . .	102	Calcis præcipi-	
Lauro Cerasi . . .	ib.	tatum	67
Menthæ piperitæ	103	Ferri .	82
Menthæ Pulegii	104	Magnesiaë	68
Menthæ viridis	ib.	Potassæ e Lixi-	
Picis liquidæ . . .	201	vo Cinere	53
Pimentæ . . .	103	Potassæ e Tar-	
Potassæ causticæ	44	tari Crystallis	52
Potassæ Carbonatis	54	Sodæ .	57
Pulegii . . .	104	Sodæ siccatum	60
Rosæ . . .	ib.	Zinci impurum	
Sulphureti potassæ	73	præparatum	95
Aquas distillatas modus		Carbonatis Potassæ aqua	54
parandi . . .	104	Sodæ aqua	59
Argentii Nitratis Crystalli	78	Sodæ aqua	
Nitræ fusum	ib.	acidula .	60
Arsenici Oxydum sub-		Cataplasmata	201 et seq.
limatum . . .	79	Cataplasma aluminis	201
Barytæ Murias . . .	65	Carbonis ligni	202

	Pag.		Pag.
Cataplasma Conii . . .	202	Decoetum Hordei compo-	
Dauci . . .	ib.	situm . . .	209
Fermenti Ce-		Lichenis Is-	
revisiæ . . .	203	landici . . .	210
simplex . . .	ib.	Mezerei . . .	ib.
Sinapis . . .	ib.	Papaveris . . .	211
Confectio Amygdalarum . . .	143	Pyrolæ . . .	ib.
Aromatica . . .	ib.	Quercûs . . .	ib.
Opii . . .	144	Sarsaparillæ . . .	212
Piperis nigri . . .	ib.	Sarsaparillæ	
Confectiones . . .	143	compositum . . .	ib.
Conservæ . . .	145	Senegæ . . .	213
Conserva Rosæ . . .	ib.	Taraxici . . .	ib.
Rutæ . . .	ib.	Veratri . . .	ib.
Creta præparata . . .	67	Ulmi . . .	214
Cupri Subacetis præpa-		Electuaria . . .	176
ratum . . .	80	Electuarium Cassiæ . . .	177
ammoniatæ Aqua . . .	81	Catechu com-	
Cuprum ammoniatum . . .	ib.	positum . . .	ib.
Cyanuretum Hydrargyri . . .	93	Scammonii . . .	178
		Sennæ . . .	ib.
Decocta . . . 204 et seq.		Elixir Paregoricum . . .	132
Decoetum Aloes compo-		Emplastra . . .	193
situm . . .	204	Emplastrum Ammoniaci . . .	ib.
Althææ . . .	205	Ammoniaci	
Chamæmeli . . .		cum Hy-	
compositum . . .	ib.	drargyro . . .	ib.
Cinchonæ . . .	206	Aromaticum . . .	194
Dulcamaræ . . .	ib.	Belladonnæ . . .	195
Geoffroyæ . . .	ib.	calefaciens . . .	198
Glycyrrhizæ . . .	207	Cantharidis . . .	195
Guaiaci compo-		Galbani . . .	196
situm . . .	207	Lithargyri . . .	ib.
Hæmatoxyli . . .	208	Lithargyri	
Hordei . . .	ib.	cum resinâ . . .	197

	Pag.		Pag.
Emplastrum Opii . . .	197	Extractum Rutæ . . .	156
Saponis . . .	198	Sarsaparillæ . . .	160
Saponis com-		Sarsaparillæ	
positum vel		fluidum . . .	161
adhærens . . .	199	Spartii Scoparii . . .	155
Thuris . . .	ib.	Stramonii . . .	162
Emulsio Arabica . . .	214	Taraxici . . .	156
Enema Catharticum . . .	215		
foetidum . . .	ib.	Ferri Acetas . . .	85
Opii . . .	216	Acetatis Tinctura . . .	ib.
Terebinthinæ . . .	ib.	Carbonas . . .	82
Enemata . . .	215 et seq.	Muriatis liquor . . .	84
Extemporalia . . .	200 et seq.	Oxydum nigrum . . .	83
Extracta simpliciora . . .	155	Oxydum rubrum . . .	ib.
Extractum Aloës hepa-		Rubigo . . .	81
ticae . . .	ib.	Sulphas . . .	82
Artemisiæ . . .		Sulphuretum . . .	71
Absinthii . . .	ib.	Tartarum . . .	84
Chamæmeli . . .	ib.		
Cinchonæ . . .	156	Herbarum Exsiccatio . . .	98
Colocynthis . . .		Hydrargyri Acetas . . .	92
compositum . . .	157	Cyanuretum . . .	93
Colocynthis . . .		Murias corro-	
simplex . . .	ib.	sivum . . .	89
Elaterii . . .	158	Oxydum ni-	
Gentianæ luteæ . . .	155	grum . . .	87
Glycyrrhizæ . . .		Oxydum ni-	
glabræ . . .	156	tricum . . .	88
Hæmatoxyli . . .		Oxydum ru-	
Campechiani . . .	ib.	brum . . .	87
Humuli lupuli . . .	ib.	Oxydum Sul-	
Jalapæ . . .	158	phuricum . . .	89
Nucis Vomicae . . .	162	Persulphas . . .	88
Opii aquosum . . .	159	Submurias . . .	
Quercûs . . .	156	ammoniatum . . .	91
Rhei . . .	160		

	Pag.		Pag.
Hydrargyri Sulphuretum		Infusum Menthæ simplex	223
nigrum	72	Menthæ compo-	
Sulphuretum		situm .	223
rubrum	72	Quassiæ .	224
Hydrargyrum purificatum	86	Rhei .	224
cum Cretâ	87	Rosæ acidum	225
cum Magnesia	86	Sarsaparillæ	
Hydriodas Potassæ	239	compositum	ib.
Hydrosulphuretum Am-		Sennæ compo-	
moniaë	70	situm	226
		Sennæ cum Ta-	
Index nominum mutatorum,		marindis	ib.
Pharm. Dublin.		Simarubæ .	227
247 et seq.		Tabaci .	ib.
Pharm. Londin.		Valerianæ .	ib.
257 et seq.		Iodini Tinctura .	239
Pharm. Edinb.			
271 et seq.		Linimenta .	228 et seq.
Infusa	216 et seq.	Linimentum Ammoniaë	228
Infusum Angusturæ	216	Anodynum	230
Armoraciæ com-		Calcis .	228
positum	217	Camphoræ	
Aurantii compo-		compositum	229
situm .	ib.	Saponis	229
Buchu .	221	Saponis cum	
Caryophyllorum	218	Opio	230
Cascarillæ .	218	Terebinthinæ	ib.
Catechu compo-		Liquor Æthereus Oleosus	105
situm .	219	Æthereus Sulphu-	
Chamæmeli	ib.	ricus .	104
Cinchonæ .	220	Arsenicalis .	79
Colombæ .	ib.	Muriatis Ferri	84
Digitalis	221	Plumbi Subacetatis	94
Gentianæ com-		Plumbi Subaceta-	94
positum	222	tis compositus	94
Lini compositum	ib.	Tartari emetici	77

	Pag.		Pag.
Magnesia	48	Olea essentialia	98 et seq.
Magnesiæ Carbonas	68	expressa	97
Sulphas purum	69	Oleum Amygdalarum	ib.
Materia medica	1 et seq.	Anisi	98
Mella medicata	140 et seq.	Camphoratum	236
Mel despumatum	140	Carui	98
Boracis	ib.	Fœniculi dulcis	ib.
Rosæ	ib.	Juniperi	99
Metallica	75 et seq.	Lavandulæ	ib.
Miscellanea	237 et seq.	Lini	97
Misturæ	230 et seq.	Menthæ piperi-	
Mistura Ammoniaci	ib.	tidis	99
Amygdalarum	231	Menthæ viridis	ib.
Assæfoetidæ	ib.	Origani	ib.
Camphoræ	232	Pimentæ	ib.
Camphoræ cum		Pulegii	ib.
Magnesia	ib.	Ricini	25
Cretæ	233	Rorismarini	99
Ferri composita	ib.	Rutæ	ib.
Ferri aromatica	234	Sabinæ	ib.
Mucilagines	235	Sassafras	ib.
Mucilago Amyli	ib.	Succini	39
Gummi Arabici	ib.	Succini rectificatum	99
Gummi Traga-		Terebinthinæ	100
canthæ	236	Terebinthinæ rec-	
Murias Barytæ	65	tificatum	ib.
Calcis	66	Oxydum Antimonii nitro-	
Hydrargyri cor-		muriaticum	76
rosivum	89	Arsenici subli-	
Muriatis Ferri liquor	84	matum	79
Nitratis Argenti Crystalli	78	Ferri nigrum	83
Nitras Argenti fusum	ib.	Ferri rubrum	83
Potassæ purificatum	55	Hydrargyri ni-	
		grum	87

	Pag.		Pag.
Oxydum Hydrargyri nitri-		Potassae Bicarbonas	54
cum .	88	Bisulphas .	56
Hydrargyri ru-		Carbonas a lixivo	
brum .	87	cinere	53
Hydrargyri Sul-		Carbonas e Tar-	
phuricum	89	tari crystallis	52
Zinci .	95	Carbonatis Aqua	54
Oxymel . . .	141	Causticae Aqua	44
Colchici .	ib.	Potassa Caustica .	45
Cupri subacetatis	142	Caustica cum	
Scillæ .	ib.	Calce .	46
		Potassæ Hydriodas	239
Persulphas Hydrargyri	88	Nitras purificatum	55
Phosphas Calcis præcipita-		Sulphas .	ib.
tum .	68	Sulphureti aqua	73
Sodæ .	61	Sulphuretum	ib.
Pilulæ . . .	170 et seq.	Tartras .	56
Aloës compositae	ib.	Pulveres	164
Aloës cum Myrrhâ	ib.	Pulvis Aloës cum Canellâ	ib.
Calomelanos compo-		Aloës compositus	ib.
sitae .	171	Antimonialis	75
Colocynthidis com-		Aromaticus	165
positæ .	172	Asari compositus	ib.
Ferri compositae	173	pro Cataplasmate	236
Galbani compositae	ib.	Cretæ compositus	166
Gambogiae compo-		Cretæ compositus	
sitae .	174	cum Opio	ib.
Hydrargyri .	ib.	Cornu cervini usti	167
Saponis cum Opio	175	Ipecacuanhæ com-	
Scillæ compositae	ib.	positus .	ib.
e Styrace .	176	Jalapæ compositus	ib.
Plumbi Acetas .	93	Kino compōsitus	168
Subacetatis liquor	94	Salinus compositus	ib.
Subacetatis liquor		Scammonii compo-	
compositus	ib.	situs .	169
Potassae Acetas	51		

	Pag.		Pag.
Pulvis Scillæ	169	Spiritus Menthæ piperitæ	114
Spongizæ ustæ	170	Menthæ viridis	115
Stanni	94	nucis moschatae	ib.
Quininæ Sulphas	240	Pimentæ	116
Rubigo Ferri	81	Pulegii	ib.
Sales alkalini	49 et seq.	Rorismarini	ib.
Sales Terrei	64 et seq.	Stanni Pulvis	94
Sodæ Acetas	57	Subacetæ Cupri præpara-	
Bicarbonas	59	tum	80
Carbonas	57	Submurias Hydrargyri	
Carbonas siccatum	60	ammoniatum	91
Carbonatis aqua	59	Succi spissati	153
Phosphas	61	Succus spissatus Aconiti	ib.
Sulphas	62	spissatus Bella-	
et Potassæ Tartras	ib.	donnae	154
Spiritus distillatos modus		spissatus Conii	ib.
parandi	116	spissatus Hyoscy-	
Æthereus nitrosus	107	ami	ib.
Ammonizæ	109	spissatus Sambuci	ib.
Ammonizæ aroma-		Sulphas Ferri	82
ticus	110	Magnesizæ purum	69
Ammonizæ foetidus	ib.	Potassæ	55
Anisi compositus	111	Quininæ	240
Armoracizæ com-		Sodæ	62
positus	ib.	Zinci	96
Camphoratus	120	Sulphur Antimoniatum fus-	
Carui	112	cum	74
Cinnamomi	ib.	Sulphur lotum	ib.
Juniperi compo-		Sulphurea	70 et seq.
situs	113	Sulphuretum Antimonii	
Lavandulæ	ib.	præparatum	71
Lavandulæ compo-		Ferri	ib.
situs	114	Hydrargyri	
		nigrum	72
		Hydrargyri	
		rubrum	ib.

	Pag.		Pag.
Sulphuretum Potassæ	73	Tinctura Balsami Tolutani	119
Syrupi	146	Benzoës com-	
Syrupus Altheæ	147	posita	ib.
Aurantii	ib.	Buchu	241
Balsami Tolutani	148	Camphoræ	120
Limonis	ib.	Cantharidis	ib.
Papaveris somni-		Capsici	ib.
feri	ib.	Cardamomi com-	
Papaveris Rhœ-		posita	121
adis	149	Cascarillæ	ib.
Rhamni	150	Castorei Rossici	122
Rosæ	ib.	Catechu	ib.
Sarsaparillæ	151	Cinchonæ	ib.
Simplex	ib.	Cinchonæ com-	
Violæ	152	posita	123
Zingiberis	ib.	Cinnamomi	124
Tabula rationem Opii, &c.		Seminum Colchici	ib.
in compositis exhibens	243	Colombæ	ib.
Tabula nominum muta-		Conii	125
torum	247 et seq.	Digitalis	ib.
Tartari emetici liquor	77	Galbani	126
Tartarum emeticum	ib.	Gallarum	ib.
Ferri	84	Gentianæ com-	
Tartras Potassæ	56	posita	127
Sodæ et Potassæ	62	Guaiaci	ib.
Terræ	47	Guaiaci Am-	
Tincturæ	117 et seq.	moniata	128
Tinctura Acetatis Ferri	85	Hellebori nigri	ib.
Acetatis Ferri		Humuli	ib.
cum Alcohol	242	Hyosycami	129
Acetatis Zinci	96	Iodinii	239
Aloës	117	Jalapæ	129
Aloës composita	117	Kino	ib.
Angusturæ	118	Moschi	130
Assæfœtidæ	118	Myrrhae	ib.
		Nucis Vomicae	131

	Pag.		Pag.
Tinctura Opii	131	Unguentum Hydrargyri	185
Opii Camphorata	132	Hydrargyri	
Piperis Cubebae	ib.	mitius	ib.
Quassiae	133	Hydrargyri	
Rhei composita	ib.	Nitratis	187
Scillæ	134	Hydrargyri	
Sennæ composita	ib.	Oxydi nitrici	186
Serpentariae	135	Hydrargyri	
Valerianæ	ib.	Submuriatis	
Valerianæ Am-		Ammoniati	ib.
moniata	ib.	Iodini	187
Zingiberis	136	Picis liquidæ	188
Vina medicata	138	Piperis nigri	ib.
Vinum Aloes	ib.	Plumbi Ace-	
Ipecacuanhae	139	tatis	ib.
Opii	ib.	Plumbi Car-	
Unguenta	179	bonatis	189
Unguentum Acidi nitrici	180	Potassæ	
Acidi Sulphu-		Hydriodatis	ib.
rici	181	Resinae albae	ib.
Calaminae	ib.	Sabinae	190
Cantharidis	182	Sambuci	ib.
Cerae albae	ib.	Scrophulariae	191
Cerae flavae	183	Sulphuris	ib.
Cetacei	ib.	Tartari emetici	192
Citrinum	187	Veratri	ib.
Conii	183	Zinci Oxydi	ib.
Cupri Subace-		Zinci Acetatis Tinctura	96
tatis	184	Carbonas impurum	
Elemi	ib.	praeparatum	95
Gallarum	185	Oxydum	ib.
		Sulphas	96

FINIS.

