The gentleman's stable directory; or, modern system of farriery.: comprehending the present entire improved mode of practice: likewise all the most valuable prescriptions and approved remedies ... interspersed with occasional remarks upon the dangerous and almost obsolete practice of Gibson, Bracken, Bartlet, Osmer, and others. Also directions for feeding, bleeding, purging, and getting into condition for the chase. To which are now added, useful instructions for buying and selling; with an appendix, containing experimental observations upon the management of draft horses, their blemishes and defects. Inscribed to Sir John Lade, Bart. / by William Taplin.

Contributors

Taplin, William, 1740?-1807. University of Glasgow. Library

Publication/Creation

London: Printed for G. Kearsley, at Johnson's Head, No. 46, in Fleet Street, 1788.

Persistent URL

https://wellcomecollection.org/works/m6dbbxef

Provider

University of Glasgow


License and attribution

This material has been provided by This material has been provided by The University of Glasgow Library. The original may be consulted at The University of Glasgow Library. Where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



Glasgow University Library



RØ 1777





A. C. Hamilton Shalf 4th 1819.

THE

Gentleman's Stable Directory;

OR,

MODERN SYSTEM

OF

FARRIERY.

The FIFTH EDITION much Enlarged.

[PRICE SIX SHILLINGS IN BOARDS.]

Entered at Stationers Ball;

James murphy, M.R.C. V.S.,

THE FIFTH EDITION,

THE

Gentleman's Stable Directory;

O R,

MODERN SYSTEM

OF

FARRIERY.

COMPREHENDING THE

Present entire improved Mode of Practice:

LIKEWISE

All the most valuable PRESCRIPTIONS and approved REMEDIES, accurately proportioned and properly adapted to every known DISEASE to which the HORSE is incident.

Interspersed with occasional REMARKS upon the dangerous and almost obsolete PRACTICE of GIBSON, BRACKEN, BARTLET, OSMER, and OTHERS.

Also directions for feeding, eleeding, purging and getting into condition for the chase.

To which are now added,

USEFUL INSTRUCTIONS FOR BUYING AND SELLING;

WITH AN APPENDIX,

Containing experimental Observations upon the MANAGEMENT of DRAFT Horses, their BLEMISHES and DEFECTS.

INSCRIBED TO

SIR JOHN LADE, BART.

BY WILLIAM TAPLIN, SURGEONS

LONDON:

PRINTED FOR G. KEARSLEY, AT JOHNSON'S HEAD, NO. 46, IN FLEET STREET, 1783.

TO THE TREE PROPERTY OF THE PARTY.

SIR JOHN LADE, BART.

THE very distinguished character and eminent situation you support in the Sporting world, to the great pleasure and admiration of those who surround you in the field and accompany you in the chase, will, in the opinion of every experienced SPORTSMAN, fufficiently justify the confistency and propriety of inscribing to you this earnest endeavour to rescue from the frequent and dreadful effects of STABULARIAN ignorance, and EM-PIRICAL confidence, the future ease, safety, and preservation, of an animal that not only constitutes to every sportsman one of the noblest blessings in life, but, in the splendour of your stud, stables, and equipage, affords ample display

display of your TASTE, JUDGMENT, and LIBERALITY. It is a gratification highly flattering, that I have the present opportunity to subscribe myself,

With respect and admiration,

SIR JOHN,

Your most obedient,

And very humble fervant,

derivation on the milaters were

THE AUTHOR

Nov. 1, 1787.

TO THE READER

ON THE PUBLICATION OF THE

FOURTH EDITION.

I'm would be a tacit acknowledgment of the author's total infensibility to every gratification of ambition, was he to omit the communication of acknowledgments that, in their general diffusion, contribute so very much to his own honour. And he must ever consider it no small compliment to his endeavours that the work is universally known to have been crowned with the most perfect success. The very great and almost unlimited portion of support that has so singularly sanctioned its birth, sufficiently demonstrates the absolute want of such publication.

This pleafing incense to literary vanity could be increased only by the constantly accumulating encomiums and most substantial proofs

proofs of private approbation, from some of the sirst characters within the circle of The Royal Hut and Favour. Sportsmen, the propitious omen of whose patronage not only reslects rays of additional honour, but whose judgment, equestrian knowledge, and practical experience, jointly establish a criterion of equity, that will ever render the author invulnerable to the barbed and envenomed arrows of menstrual criticism.

The rapid circulation of the first, second, and third editions, has forcibly influenced the author to make such additions and improvements to the fourth, as will, he has every reason to believe, render it of still greater utility, by the introduction of many useful observations for the preservation of bealth and promotion of condition, as well as the treatment and cure of disease.

The proper management of draft borses is more particularly attended to, their blemishes and and defects are in many instances evidently accounted for, and the modes of prevention, in general, clearly pointed out. Several efficacious prescriptions are likewise added, and a variety of useful instructions introduced, for the distinct and separate information of metropolitan jockies, juvenile purchasers, and inexperienced sportsmen; with very interesting hints for the purposes of buying and selling, including (among many other striking and advantageous particulars) a superficial survey of that immaculate mart of integrity—a Modern Repository.

PREFACE.

state dell'acceptive diser amply to plan and the decimage feet feeting and feeture, in cooling (among many celter seal on the action your ground)

a made of latters and, from the

PREFACE.

-pare to abom stoletche florete bee speione Sit

ties y or a fingle attentia and de from dreger ant-

the intiguate the medera improvement

T is a truth generally acknowledged and univerfally lamented that, amidst all the improvements of the prefent age, none has received so little advantage from the rays of refinement as the Art of Farriery. And, it must be likewise confessed, it is an ill compliment to a country abounding with sportsmen, and those remarkable for their extreme liberality, that the intellectual faculties of many distinguished members of the different learned focieties should be absorbed in abstruse contemplations and intense lucubrations upon the antiquity of a coin, the proboscis of an elephant, the genus of an exotic, or the beautiful variegations of a butterfly; whilst a branch of science and study, involving the health, safety, and preservation, of the most beautiful and esteemed animal this kingdom has to boaft, is neglected as derogatory to the A 2

the dignity of a man of letters; and, from this mistaken idea of degradation, a subject of so much consequence has been for many years submitted to the arbitrary dictation of the most illiterate part of the community, without a fingle effort of weight or influence to abolish the ancient and almost obsolete mode of practice; or a fingle attempt made, from proper authority, to introduce the modern improvements and discoveries in every branch of medicine. It is most certain there is no one period of hiftory where the horse has been ranked so high in general estimation, or rendered of such intrinsic worth, by a display of his various powers, as in the present age of experiment and refinement.

To this cause may undoubtedly be attributed the very great attention paid for some years past to the breed of the distinct and separate classes for the turf, sield, road, or drast; and as their value has, in a very short space of time, absolutely doubled their former worth, surely we ought to be proportionally anxious for their preservation, whether for sport, convenience, or emolument. The almost incredible number of this truly valuable part of the creation that annually fall victims to the invincible confidence of those rustic sons of vulcan, self-denominated farriers, (with the thunder of whose ignorance almost every village resounds), has for years seemed to implore the assistance of some intelligent member of society to come forward; and, by blending the administration of medicines with a practical knowledge of their properties and effects, rescue the poor suffering animals from the constant, invariable, and unrelenting, depredations of illiterate practitioners and experimental persecutors.

Well aware of the arduous task of attempting to eradicate vulgar and habitual prejudices in favour of ancient practice, or the improbability of reconciling attachments of long standing to the rational system of modern composition; and the little chance of exploding entirely the heterogeneous and inconsistent farrage so long in use, universal satisfaction is not to be expected, or approbation obtained. But when a clear, open, and candid comparison is drawn by the more enlightened, between the accumulation of contrarieties in the laboured preferiptions "of Gibson and Bracken," with

the indigested observations of the more intelligent, though less prolix and digressive, "BARTLET," the least doubt is not entertained but every degree of favour will be shewn to a system of practice founded on reason, supported by experience, and justified by a general knowledge of medicines, their principles, properties, preparations and effects.

To dispel the gloom of ignorance from the brow of obstinacy would be a task of Herculean labour; I therefore wave every idea of lanimadversion upon the intuitive knowledge of those, who, wrapt up in the warm and happy consolation of their own wisdom, never suffer their folid judgments to be warped by the intrusion of new opinions; and proceed to make the necessary remarks upon the qualifications of those country practitioners who rank very high in SELF-ESTIMATION.

And such observations as are rendered unavoidable shall occasionally appear with all possible delicacy, wishing to irritate, as little as may be, the feelings of any individual, whose want of cultivation and improvement must be considered considered a misfortune, not a crime; but, in whose desiciency of professional knowledge consists the danger which so often occurs and exposes him to that labyrinth of perplexity, that dilemma of distress, from which no brilliant fertility of genius, no idea of the structure of parts, no corresponding knowledge of medicines, or their effects, can possibly arise to extricate him, whilst the suffering animal (in perhaps the most excruciating agonies) expires at the feet of this "learned judge," jury, and executioner.

Experience justifies the affertion, that nine times out of ten the complaint (if internal) remains a matter of hypothesis and conjecture, without one explanatory note, sentence, shrug, or ejaculation, by which we may be led to understand or discover the cause; but, as professional stupidity must be defended, we are at last told (with a systematic simplicity and vacuity of countenance) "the horse is in a "great deal of pain."

This first point being (not without some difficulty and seeming depth of thought) at length A 4 discovered

discovered, the remedy is then to be obtained; and as, in general, cowards once pushed on become bold in proportion to the danger, fo, according to the exigency, some powerful " Mandragora" of the " Materia Medica" is instantly procured; and, as reputation must be supported, so "kill or cure," (time out of mind the ancient and modern medical motto) is compulfively adopted, and the whole arcana of equestrian knowledge is let loose, from the very simple preparation of " sugar sops," to the more remote, active, and dangerous mercury, till relief is fortunately obtained, or the falling favourite expires, in tortures, a martyr to the ignorance of the practitioner and the credulity of its owner!

To corroborate this fact one self-evident observation only is necessary to give it due weight,
in opposition to a mind even prejudiced against
the innovations of improvement in practice
or rectification in judgment. For instance—Is
it possible—can it (after a moment's reslection)
be supposed—that these men, totally uncultivated in understanding and the most common
occurrences in life, whose minds are as rude and
uncivilized

uncivilized as their manners, can be at all conversant or acquainted with the different properties, qualities, operations or effects, of a long list of medicines, to all of which they are strangers even in appearance; possessing no other knowledge of the very articles specified but what they have acquired from books and prescriptions, long fince become obsolete and useless from their inefficacy? Can they be expected to understand the chemical processes of mercury, antimony, and other dangerous medicines they constantly put into use, without knowing their origins, preparations, combination of principles, or the exact line of distinction that renders them falutary remedies or powerful poisons?

It is also highly necessary to introduce a matter perfectly applicable to the subject of investigation, as an imposition very little known (except to the faculty); and is a palpable disgrace to that body, of which every professor of medicine constitutes a member. It is the common and scandalous adulteration of drugs, a practice too prevalent amongst the druggists in the metropolis, as well as the country; who, from the predominant passion of gain, so curiously

ously adulterate, as to deceive even those who consider themselves adepts in deception. And this, to be the better enabled to undersell their competitors, convinced, by experience, the majority of FARRIERS admit the medicines that can be purchased CHEAPEST to be much THE BEST.

These circumstances are not introduced or hazarded as matters of opinion, but as palpable facts that speak home to every reader of judgement or experience; and fufficiently indicate the necessity of circulating, from medical authority, the present improved system of modern composition, universally adopted and generally approved, to the approaching extermination of empirical practice and dangerous experiment. This publication being undertaken to render as plain and familar as possible a subject that has, through almost every differtation, been obscured by the mist of ignorance and mask of mystery; it is anxiously to be defired in future, that every gentleman who has occasion to elucidate or illustrate his own understanding, by calling to his affistance any of the learned tribe before described, so remarkable for their extent of communication,

munication, will (previous to their administration of medicine) require an explanatory prelude, with satisfactory information upon what operations they frame their expectations of relief and success. With the very necessary and additional recommendation, to be particularly careful to obtain their medicines from Dispensaries of repute, where the proprietor is reported or supposed to have formed a fair, bonourable, and equitable contract with emolument and reputation.

And this caution is rendered more immediately worthy confideration, by the multiplicity of specious advertisements so constantly held forth to promote the lucrative fale of innumerable balls, powders, and pastes, individually infallible for every diforder to which the horse is incident. But what renders the circumstance still more extraordinary, is their being prescribed and prepared, by those very metropolitan practitioners in medicine, whose equestrian possessions never amounted to a fingle steed; whose journies or experimental practice, never exceeded the diurnal progreffions of a backney-coach; and whose great anxiety for the general good never surpassed the

the idea of cent. per cent. in the circulation. This observation comes with a much better grace, when I can affure the public one of the very first advertisers in this way was a medical adventurer, who having failed as a pharmacopolist at the west end of the town (as did his fuccessor also), they, in rotation, adopted the alternative of necessity, in pompoully advertising "Horse medicines for the " use of the nobility and gentry;" how well they succeeded the creditors of both can most feelingly testify: and of their compositions the reader will be best enabled to form a competent opinion, when, in the course of the work, nostrums and quack medicines become the neceffary subjects of animadversion.

CONTENTS.

		FAI		Page
Biervation				I
Feeding	, 700			29
Condition,			* 4	32
Bleeding,	-	-	-	34
Purging,	-	-		36
	CLA	SS	I.	
Splents,	-	Seller.		49
Spavins,		-	*	55
Windgalls,		-	100	6 _L
Lameness,	7 .	-	no,	68
Strains,	- *	-	San Face	76
	CLA	SSI	I.	
Cracks, &c.		**		Televera de la constante de la
Thrush,	2	-		91,
Greafe,			1	94
	CLA	SSI	n'o	99
Hidebound,		2 2 1		Sugnetical
Surfeit,			180	114
Mange,		-	A	118
Aviange,	THE PARTY OF THE P		100	125
			US IS HOUSE	CLASS

CLASS IV.

			Page
Wounds,	1-		146
Ulcers,	THE DO SHAT	V.0	161
Fiftula,	-		168
Poll Evil,		-	173
	CLASS	v.	
Tumours,		309	180
Warbles,	4	4	187
Navel Galls,	-		- 189
Sitfast,		4 17 2	192
Diciari,		***	Sankar
	CLASS	VI.	
Colds,		-	195
Coughs,			199
Pleurify, &c.			- 211
Broken Wind,	-		219
Confumption,		*	227
	CLASS	VII.	No.
Fevers,	110 000 11	-	230
Worms,			255
Jaundice,	-	-	266
160	CLASS	VIII.	famous
	C L A S S	VIII.	
Strangles,		-	- 276
Glanders,	E	-	- 287
Staggers, &c.		-	- 308
			CLASS

CONTENTS.	xxiii
CLASS IX.	
	Page
Flatulent Cholic,	328
Inflammatory Cholic,	- 335
Scouring or Loofeness,	- 342
Molten Grease,	- 353
CLASS X.	
Strangury, &c. &c.	359
CLASS XI.	
Diseases of the Eyes	- 373
CLASS XII.	
Mallenders,	388
Sallenders,	390
Lampas,	390
Quittor,	- 392
Curbs,	394
Ringbones,	- 395

S.B.A.FO.

MODERN SYSTEM

OF

FARRIERY.

THE very great discoveries made in the present century have certainly extended to every art and science that could be materially improved by intense study and application; and to none more than the administration of medicine, and its effects upon the HUMAN BODY, by some of the most learned men in every part of Europe: and, from the rapid and universally acknowledged improvements in this system, the most admirable advantages have been obtained, and incredible cures performed. In such general refinement, the ancient mode of practice is not only exploded, but its origin and advocates nearly buried in oblivion. Those stupendous solios,

B

the

the voluminous herbals in the libraries of the botanical votaries, have reluctantly given place to various differtations on the diffinguished efficacy of those grand specifics, mercury, opium, antimony, bark, &c. of which so many experimental and efficacious preparations have been discovered by chymical process, as to render of little use or respect any prescription of ancient date, when put in competition with the rational and approved system of modern improvements. The obstinate and invincible advocates for the ancient mode of practice, whether in physic or farriery, are at length obliged to acquiesce in the change; for, what they by inclination were not willing to acknowledge, TIME, TRUTH, and EXPERIENCE, have fully confirmed. But, strange as it may appear (yet shamefully true it is!) notwithstanding this rectification of judgment, very little has yet been done to improve, or produce a change in, the long standing, abfurd, and ridiculous SYSTEM of FARRIERY; a change as equally necessary, just, laudable, equitable, and useful, as any that can be adopted for the general fafety and advantage of our own species. And this becomes more necesfaily and immediately the object of ferious confideration.

confideration, when circumstances daily evince to the medical practitioner (or compounder of prescriptions) the very great danger to which fome of the FINEST HORSES in the world are constantly exposed, by the ignorance and obstinacy of the parties to whose care they are too generally intrufted; every STABLE BOY, aping the groom his superior, and the GROOM the felf-instructed FARRIER, all have their heads and pockets stuffed with the quintessence of stupidity; collected from the various productions of antiquity, whose very PRESCRIPTIONS are in themselves so obsolete, that many of the articles included have been long fince rejected as of no utility. But, as variety must be obtained to effect the necessary purpose, the invention is instantly set at work to substitute new ingredients, for those long fince abandoned as superfluous and unnecessary, in medicinal composition. These alterations and substitutes frequently form a most curious collection of contrarieties-purgatives and restringents, cordials and coolers, mercurials, antimonials and diuretics, are indifcriminately blended in one mass, as a specimen of these wonderful improvements in the ART of FARRIERY! And those who are most acquainted with this practice

practice wonder least how the DOG-KENNELS in every part of the kingdom are so amply furnished with HORSE FLESH.

As an elucidation of this circumstance, and to corroborate the confishency of these observations, we need only advert to the treatment of the human species in the time of that luminary, the famous Sydenham, who was so much the celebrated favourite of his day, it was almost supposed he could do no wrong. It being then a common practice of his-to order boldly THIRTY ounces of blood to be taken from the arm of a man, without fear of murder, or danger of punishment. And this is not altogether likely to create wonder, when we recollect there is no law existing to hang a physician for error in judgment. Time and experience has fixed the standard, according to cases, circumstances, and exigencies, from six ounces to SIXTEEN, which is nearly one half the original evacuation; fo that we find by this change of quantity the modern human body is supposed to contain no more than one half the proportion of blood that ran in the veins of the HEROES of ANTIQUITY, unless the whole system is entirely changed, as observed by Gregory, in the Mock DOCTOR,

Doctor, who fays " The heart was for-" merly on the left side, but the COLLEGE " have altered all that, and placed it on the " right."

To produce a case exactly similar in the World of FARRIERY, let us take a survey of the medical abilities of GIBSON, who certainly wrote much better on the subject than BRACKEN; where we shall find ordered, in a fingle prescription for a purging ball, two ounces of aloes, with the addition of the other usual purging articles, though modern practice and experience fixes the established proportion at exactly balf, or at most five eighths, to the frongest horses, with the cathartic aids before mentioned. He also most courageously recommends half an ounce of calomel, or sublimed mercury, in a fingle ball; and speaks of the internal administration of most powerful poifons, corrosive sublimate or red precipitate, as a matter of courie: the proportion for a dofe being curiously ascertained by the sublime mensuration of a "filver two-pence," as if a premium had been absolutely provided by an act of parliament for the general extirpation of the breed of HORSES, as destructive to the interests.

interests of society. Though, after prescribing these dreadful remedies, he modestly confesses in the administration there is great danger; and, unless a horse is very strong, he may not be able to recover from the experiment."

This is doctrine (and doctoring) with a witnes! These are the kind of experiments, and this the kind of language that has for two centuries been held forth in almost every tract upon the subject: and, under these absurd, ridiculous, dangerous, and contemptible burlesques upon the application of medicine, will any man, who wishes well to the cause of bumanity, say some rational system of rectification and improvement is not necessary, to rescue from the danger of perpetual experiments the noblest and most valuable quadruped in the creation!

The palpable necessity for such improvement having been universally admitted previous to the first edition of this work, it is fince rendered more absolutely needful by the recent refurrection of ancient practice, modernized in a different form and periodical appearance. It has evidently

evidently undergone a kind of regeneration by its new birth, and is now become the child of adoption; sanctioned with the authority of a nominal voucher for the confiftency of its imperfections, and the propriety of introducing the most incredible accumulation of prescriptive abfurdities that ever difgraced a medical work offered to public inspection for the purpose of information. And what renders the imposition of still greater magnitude, is the very confidential manner of proclaiming to the world what every professor of medicine will instantaneoully refuse his affent to the belief of, viz. that it is the joint production of an operative farrier, physicians, anatomists, and professors of furgery.

The task of criticism must at all times be an unpleasant performance, but much more particularly upon the present occasion, where it will be absolutely impossible for me to discharge my obligation to an indulgent public (with the necessary precision and impartiality) without encountering, by this decision, the pique or resentment of all parties interested in the sate of such publication, or its effect upon the multitude. However, the predicament I now standard the same standard standa

stand in compels me to proceed to a thorough explanation, feeling myself pledged by a public promise not only to investigate, make clear, and endeavour to explode, the cruelties of ancient practice, but to point out the equal danger of modern composition even in its infancy; more particularly when ushered into the world by such high sounding authority as may give it temporary weight with unthinking injudicious readers, or experimental adventurers.

Previous to farther animadversion upon the elaborate periodical work in question, I shall, without the least intentional gratification of my own vanity, offer to the present reader one congratulatory fact beyond the power of sophistry to confute, or criticism to condemn. Amidst the paltry productions that have been obtruded upon the public under various titles (those servile imitations or wretched mutilations of what have gone before) it is a most flattering circumstance to the author, and no indifferent consolation to the publisher, that this work will ever support itself upon the basis of its own origin. The great success and rapid circulation of the former editions have totally exculpated

exculpated every page from the least accusation of plagiarism, as it will be found to differ very materially from other publications upon the same subject, and the exact reverse of those in circulation. The studious inquirer will be most seriously disappointed if he expects to find in these pages a literal imitation and repetition of Gibson's anatomical structure, with the identical plates and corresponding references, or a dangerous combination of destructive articles beterogeneously blended and cruelly applied.

Saying thus much to corroborate the intent and meaning of our own work, it becomes immediately applicable to repeat our affertions respecting the danger of others; particularly in those truly wonderful prescriptive parts, so modestly affirmed to be the conjunctive efforts of learned physicians, studious anatomists, and proficients in surgery. That the practical knowledge of these nominal physicians "in buckram" has far exceeded every thing prescribed before their time, the magnitude and almost unlimited number of dangerous articles introduced in their recipes will sufficiently demonstrate to those who are so truly unfortunate as to have the perusal fall to their lot; but more particu-

larly those who still more unfortunately fall into the practice.

It is impossible (without taking too much time from the reader, or too much room in the work) to indulge a most predominant wish of enlarging upon the unaccountable abfurdities and aftonishing proofs of ignorance in the properties, power, and use of medicine, that might be justly quoted (from this monstrous prodigy of modern instruction) to rescue from the rapacity of literary imposition that class of mankind who so frequently become the dupes of specious plausibility. As it would afford but little information or amusement to enumerate the follies or copy the illiterate prescriptions to justify my own observations, or court a coincidence from others, I shall content myfelf with one affurance to the public, that, having taken the opinions of some of the faculty, (upon the recipes already promulgated in the trifling part of the production hitherto gone forth) they perfectly agree with me-there are a variety introduced that would in a very few hours inevitably relieve the subject from every pessibility of future pain, suffering, or disquietuae.

I shall only convey an oblique hint at those catchpenny shifts, or abridgments, from the authors before spoken of, published under the titles of "Ten Minutes Advice;" "The " Pocket Farrier," &c. &c. and proceed to a few observations upon the wonderful discoveries, prolix descriptions, tedious digressions, and aftonishing tales, of HENRY BRACKEN (medicinæ doctor), who, to his diploma, which he boasts of in his preface, adds the strangest complication of language, for a medical author and physician, that ever disgraced a candidate for critical diffection. However bad the compliment may be to my own understanding, or largely it may tend to display my want of taste, I can neither condescend to imitate him in the fublimity of his style or the fertility of his medical invention; nor shall I presume to copy fo great an original, by introducing " A Tale of a Tub" in every page foreign to the matter in question, merely for the purpose of swelling this work to a fize that may contribute to its difgrace; referving to myfelf one consolation-if it does not become entitled to approbation for its utility, neither pique or prejudice shall have just cause to condemn it for its prolixity.

It has been hitherto customary, in the introductory part of tracts upon this subject, to enlarge upon the shape, make, figure, and qualifications, of a horse for the turf, field, road, &c. And all this might be very applicable and proper, even now, could we for a moment suppose that a sportsman does not know a HORSE from an Ass, or that a gentleman attends a repository, fair, market, or sale, with a book in his hand, or his pocket, by way of remembrancer. Exclusive of this consideration, in the present stage of refinement, we are become fo truly enlightened, that every juvenile devotee to Diana, who has just escaped from the tender anxiety of his mamma, and the fuccessful attention of his tutor, talks loudly and confidently of the "full eye," " small ear," " deep chest," " close fillet," " short back," " strong pastern," " sound boof," &c. In short, all those qualifications that are at present univerfally understood, and in constant request, by the best judges, are very hard to obtain; and it is by no means an uncommon thing to observe a horse with very few good points, in the possession of those we are apt to believe (from a combination of circumstances) have

it in their power to be much better accom-

Since the original publication of this work objections having been started to the above mode of explanation, as not only too concife for the magnitude of the subject, but equally inadequate to the expectation of the young and inexperienced, who become inquirers more from the motive of information than amusement; I shall endeavour to obviate that disappointment by entering more minutely into the descriptive qualifications, and clearly point out the advantages arising from circumspection to juvenile adventurers in the equestrian field of fortune. Exclusive of the before mentioned class of enlightened pupils, who have improved their theoretic knowledge by practical experience and disquisition upon the well-worn hacks of Eton, Oxford, and Cambridge, (enabling themselves to animadvert upon splents, spavins, windgalls, and strains), it must be confessed there are innumerable inferiors who having unluckily no experimental knowledge to improve upon, no advantage to avail themfelves of but literary instruction, or dear bought experience, it is undoubtedly just such advice should

should be inculcated as may tend to prevent their becoming dupes to the various traps of imposition eternally open to plunder the unwary.

In respect then to the absolute shape, make, and figure, of a horse, such rules shall be laid down for the selection, or choice in purchase, as it will be indispensably necessary to adhere to, if speed, strength; or beauty, (commonly termed fashion) are the objects of consideration; though it may be justly believed an almost entire impossibility to procure a horse with all those points and advantages the eye of caution and experience constantly has in view. In fuch furvey the primary and predominant confideration (if found) is the state of age, but much more particularly if required for immediate use, at least that kind of use termed constant work; as no horse whatever can be supposed adequate to such task at an earlier age than rifing fix years.

To the very necessary conviction of age should follow a most minute and attentive inspection, or rather strict examination, of those points constituting the distinction between imperfections,

tions, blemishes, and defects; in general doubtfully implied, and not always perfectly understood, by the common assurance of "Sound "wind and limb." To ascertain the veracity of which technical phraseology much nicety of discrimination appertains.

Amongst sportsmen (who are justly entitled to the appellation of gentlemen, and possess a high and proper fense of honour and the principles of equity) the general acceptation of the word " found" has ever been, and still is, intended to convey an bonourable, unequivocal affurance of the perfect state of both the frame and bodily health of the subject without exception or ambiguity. It is meant to imply the total absence of blemishes as well as defects, (unless particularly pointed out and explained); and is really intended to confirm a bona fide declaration of the horse's being (at the time) free from every imperfection, labouring under no impediment to fight or action. This is the established intent and meaning of the word " found" amongst gentlemen and sportsmen; its explication and various uses, for the convenient purposes and impositions of grooms, dealers, black legs, and jobbing itinerants, is too perfectly understood

understood (by those who have run the gauntlet of experience and deception) to require further animadversion.

However, as you can but very seldom posfess the good fortune to purchase of a gentleman, it will prove no contemptible practice to adopt the sage old maxim, and "deal with an bonest man as you would with a rogue;" this precaution may prevent a probable repentance, and palpably urges the necessity of putting your own judgment and circumspection in competition with the integrity of your opponent, however he may be favoured by fortune or sanctioned by situation.

The prudent or experienced purchaser consequently commences his task of inspection with care, caution, and circumspection, first accurately ascertaining the shape, make, bone, and strength; collecting sufficient information from such observation, whether his qualifications are properly adapted to the purposes of acquisition. He sees him go all his paces, and forms his own opinion upon each; or perhaps more judiciously avoids every possibility of trick or deception, by riding the horse and thoroughly investigating

tigating his properties; thereby escaping bad action, lameness, starting, restiveness, and other incidental impersections. He then most attentively proceeds to the more minute and necessary examination of the state of the eyes, wind, knees, splents, spavins, windgalls, ringbones, quittors, cracks or grease; descending lastly to the seet, thereby avoiding corns, running thrush, canker, and additional desects that young and inexperienced purchasers frequently suppose unworthy consideration or reslection, sacrificing the whole at the shrine of sigure and saskien.

In the choice and purchase of a horse, selected for whatever purpose, it is an invariable and established custom with the best judges to come as near the following points and advantages as circumstances will permit, thereby gaining in each an additional step to the summit of persection. For the desired or intended height, size, and sigure, being ascertained and procured, all other necessary points so strictly correspond (in a certain degree of uniformity,) that what gives speed and strength to a large horse will proportionably contribute similar advantages to a smaller.

To constitute that uniformity the head and ears should both be small and short, with a large full eye and open extended nostril; a long well proportioned neck, rifing gradually upon the withers, forming what is generally termed "a fine forehand," having great depth from thence to the point of the breaft, which being wide affords ample proof of frength, as does the necessary declination of the shoulder (or blade bone) to the point of the withers another of speed. This combination forms a well made horse before, which is continued to the remaining parts of the frame, by the backs being short and even, not finking at all in the loins, or rifing higher behind, upon what is termed " the crupper bone;" the carcafe should be round, and well ribbed up to the hip bones, (forming as trifling a hollowness or concavity in the flank as possible) these being by nomeans pointedly prominent. The legs should not be too long for the height of the horse, but short in the joints, and particularly so upon the pasterns.

These instructions respecting stape, make and figure, will (with very few exceptions) prove leading traits to the necessary and desirable qualifications.

lifications. To ascertain the whole of which, no invariable rules can be laid down as an infallible guide to certain perfection; for there are many inflances of very well shaped horses having proved indifferent goers, and others fo entirely cross made as to possess hardly a good point, being equal in action to some of the finest figures in the kingdom. Rules or instructions thus liable to exception, (though they are established by custom, and in a great degree justified by experience), have yet some claim to contribution from the personal observation and deliberate judgment of the purchaser; for furely it can require no extraordinary portion of genius, or extent of penetration, to distinguish between "a good goer" and a bad one; if fo, the adventurers may as probably stand in need of an instructor to point out the difference between a borse and a mare.

Notwithstanding these instructions may contribute to form the judgment of a juvenile and inexperienced purchaser, yet he should never attempt to obtain a high priced horse from the hammer of a modern repository, without the advantage of an assistant, perfectly adequate to the arduous task of discrimination. Let it be remembered, at such mart of integrity, a horse is seldom, if ever, displayed in a state of nature; he is thrown into a variety of alluring attitudes, and a prosusion of false sire, by the powerful intermediation of art—that predominant incentive the whip before, and the aggravating stimulus of the ginger behind, (better understood by the appellation of "figging") giving to the horse all the appearance of spirit, (in fact fear) that the injudicious spectator is too often imprudently induced to believe the spontaneous effort of nature.

During the superficial survey, in those sew minutes allowed for inspection and purchase, much satisfactory investigation cannot be obtained; for, in the general hurry and confusion of "shewing out," the short turns and irregular action of the horse, the political and occasional smacks of the whip, the effect of emulation in the bidders, the loquacity of the orator, and the sascinating slourish of the hammer, the qualifications of the object is frequently forgotten, and every idea of perfection buried in the spirit of personal opposition.

Such a combination of circumstances, tending so much to perplex and consuse, urges the necessity of care, caution, and circumspection. The eyes of Argus would hardly prove too numerous upon the occasion, a bridle being as necessary upon the tongue as a padlock upon the pocket; for, amidst the great variety of professional manœuvres in the art of borse dealing, a purchaser must be in possession of a great share of good fortune, or sound judgment, to elude the ill effects of deception and imposition; a circumstance so universally admitted that government considered a substantial tax no improper compliment to their iniquities.

The institution was undoubtedly originally good, and for some years proved of the greatest public utility; whether, like many other of the most valuable institutions, it has been prostituted to the worst of purposes, remains with the opinion of every reader to decide. For my own part however highly they may be extolled, or extensively pussed, by the parties interested in their success, I must consess I am never included within their walls but I conceive myself in the very centre of Chestersield's "fink of iniquity," and consider a found horse

from a repository equally rare with a capital prize in the lottery.

In the midst of these very necessary considerations it must be remembered such hebdomadal fales are not without their acknowledged conveniencies; for although they are by no means calculated to buy at, they are most admirably adapted for felling. Here you may, in compliance with custom and the full force of fashion, get rid of the blind, lame, restive, broken winded, splented, spavined, or glandered horse, without remorfe or fear of punishment. The feller, whether a nominal gentleman without bonour, or the dealer without principle, is entitled to every degree of duplicity he can bring into practice; they lay equal claim to the privilege of obliquely puffing their own borses (as standers-by praising their unequalled qualifications), and bidding for them with an affected enthusiasm, thereby inducing the unwary to proceed in the purchase very much beyond the intrinsic value. The credulous dupe becomes in a short time convinced of the bubble, and is in possession of no consolation but the law of retaliation, by a repetition of transfer; necessity compels him to fell at the same or a similar market

market with an equal degree of deception, in which he now becomes initiated; and the perpetual routine of crippled hospital horses is thus supported by the very predominant plea of felf-preservation.

These facts being well established, and amongst the experienced universally known, it is generally admitted that the most probable method of acquiring a young, found, perfect horse, must be by purchasing in the country, before they have made a "trading voyage" to the metropolis; where, with the joint effects of indifferent riders, indolent grooms or oftlers, bot stables, irregular feeds, and the plentiful hay and water system that frequently constitutes livery fublistence, we soon perceive fluctuating humours, depraved appetite, inflamed eyes, swelled legs, cracked heels, tender feet, and a multiplicity of those stable comforts that instantly strike the eye of an experimental observer, when taking an occasional survey of the public stables in London; where they conceive they execute every degree of equestrian duty in the highest perfection, though a lad, of even the second class, from a common hunting stable in the

C4

the country would instantly demonstrate the contrary.

My very worthy and learned predecessor BRACKEN, in his digressions for the PUBLIC GOOD, has introduced stories and similies of all descriptions and denominations, from the funeral of his "favorite mare with ale and " rosemary," to the " comparison between a " rider of fixteen stone and a Scotchman's " pack;" strictly enjoining every man (who had not a rational idea of his own corpulence, or circumference) to be careful in adapting the strength of his horse to his own weight; with many other observations of equal fagacity and penetration. But, as I indulge a much higher opinion of the understandings of those to whose serious inspection this treatife will become subject, I shall not irritate the feelings of any sportsman, who unluckily rides a great weight, by reminding him what kind of horse is most likely to reconcile the inconvenience, but naturally conclude every reader will exert his judgment for the procuration of fuch purchase as will prove most likely to become adequate to the purposes for which he is intended.

He also (from an universality of genius, no doubt), animadverts upon the art of riding and qualifications of horsemen, their tempers, dispositions, agility, alacrity, fear, fortitude, "wry "faces, and losing of leather;" descants largely upon the apparatus of bits, bridles, saddles, &c. entering into the very minutiæ of the riding school, which now would be not only degrading the experimental knowledge of every sportsman in the kingdom, but absolutely smuggling a subject the acknowledged property of Angelo, Astley, Hughes, and Jones.

In respect to the anatomical structure of a horse, nothing can be added upon that subject to excite attention; it has been already fo minutely investigated and accurately explained by GIBSON and SNAPE, that the least room for addition or enlargement is not left for any fucceeding writer who does not (as before obferved) admit the capacities of the folids to be more enlarged, the fluids increased, or the heart changed from one fide to the other, fince the days of those authors, who so well fulfilled to the public the tasks they had undertaken. And as the operative part of FARRIERY is not intended to come within the purpose of our present plan, but is entirely submitted to those

those whose immediate profession it is to be most clearly informed of; to the excellent anatomical works of the above writers I refer them for a completion of their studies, and come to such a system as it is absolutely necessary for every sportsman to understand, that he may be not only enabled to prescribe for his own horses upon emergencies, but to judge of the propriety of their treatment when, by the severity of circumstances, submitted to the superintendence of others.

Much multifarious matter has constantly been introduced relative to the age of a horse by his mouth; where (after all the observations upon the subject) it becomes an acknowledged fact, by every writer, each sign is doubtful, and liable to deception in the various arts and designs of the dealers, who, by engraving and burning artificial marks in some teeth, and totally extracting (or beating out) others, render the horse of any seeming age most applicable to their purpose. And these faults cannot be easily discovered but by grooms or judges who are in the constant habit and practice of making such remarks and observations.

Nor is there any matter in a horse requiring a nicer discrimination in judgment than to ascertain to a certainty the age of a horse by his teeth only, having absolutely seen two men of abilities and experience, on the opposite sides of a horse's mouth, at the same time declare him of different ages; when, by exchanging fides, each changed his opinion, and the horse proved, by the common rule, to be coming a year older on one fide than the other. These doubts in respect to the certainty of age being admitted, one fixed rule is incontrovertiblethat, after the mark (which is the general guide) is obliterated, the longer the teeth are, and the narrower the under jaw is towards its extremity, the more the horse is advanced in years.

But, as the age of the horse is so distinctly abstracted from, and unconnected with, the description of disease which becomes more immediately the subject of discussion, I shall leave the former to the subtle decision of the stable disputants, to whose province it may be said to belong, and whom it more materially concerns,

There can be but little doubt that whoever becomes a purchaser, at the present high price of found, fresh, and fashionable horses, will proportion the price to such deficiencies as times and circumstances render unavoidable; and make pecuniary allowances for advanced age, broken wind, bad eyes, spavins, splents, and a long detail of incidental imperfections. But, as fuch necessary circumspection does not always take place with the young and inexperienced purchaser, a concise hint not to acquire too many infirmities at a high price, merely to gratify a little personal oftentation in an external display of BLOOD and FASHION, cannot be amis. More particularly when we so frequently see an accidental fall, and consequent laceration upon the knees, prove the transient value of what was (a few minutes before) the object of admiration and possession with every beholder, now become blown upon, and of no greater estimation than to be unrelentingly torn to pieces, by that most merciful and humane invention

A MAIL COACH OF PALMERIAN MEMORY.

Previous to the treatment of diseases, it cannot be inapplicable to point out such things

as are strictly necessary, and absolutely conducive to the preservation of health, though perhaps not at all times properly attended to. For instance, no subject is more highly entitled to a distinct and separate investigation than the article of

FEEDING,

as a peculiar attention to the qualities and quantities of aliment is particularly necessary to secure the horse in a state of health and condition, fit for the immediate purpose to which he may be destined. To produce him at all times ready for the turf, field, or road, becomes necessary the complete style of cleanliness, dressing, exercise, and various minutiæ, that constitute the present perfect state of stable discipline; which never arose to so high a pitch of excellence, and can have originated only in a laudable emulation, that feems (by a kind of sympathetic inspiration or enthusiasm) to have taken possession of every groom in stables of repute, and renders unnecessary the most trifling observations upon this ceremony, where where the horses are thought worthy the at-

And it is equally so in respect to the articles of food. Horses are as often out of condition (in inferior stables) from the effect of improper food as from natural diseases. Respecting the most proper food to a horse in health, no diversity of opinions can be supported unless by FOOLS OF MADMEN.

Experience, that inevitable touchstone of truth, demonstrates, to an indisputable certainty, the acknowledged preference of springgrass in the field; or sweet oats, sound beans, and fragrant bay, in the stable; to every other article that imagination can invent or novelty supply.

And here it becomes unavoidably necessary to introduce a circumstance that constantly occurs in the course of observation; at least to those who, entering a multiplicity of stables, wish to enlarge their information or exercise their judgment. How very common is it to find a consultation held upon the appearance of a favourite horse, who, to the surprise of the

the parties, loses flesh, becomes dull and heavy in the stable, languid in action, fickly in coat, and foul in excrement; doomed to a course of purgatives, then diuretics; and, lastly, a tedious administration of alteratives, as fickly and unfound! And all for what?-because the poor emaciated animal, being destitute of the powers of speech, could not better inform his persecutors than by his emphatical and misinterpreted looks, that his HAY was musty, and confequently laying the foundation of many diforders. For, being thus deprived of more than half his support, the trifling quantity he did take (being against the disposition of nature and appetite) afforded little nutriment; nor of course could, when fourteen pounds of hay only had perhaps passed the intestinal canal in four days, instead of fifty-fix; the accustomed and proper proportion being rated at fourteen pound for twenty-four hours, where horses are regularly corn fed. To bring this defect in the quality and quantity of this part of the aliment home to every comprehension, let any reader conceive the idea (or try the experiment) of fitting down with an excellent appetite (after a more excellent chase) to a beef steak nearly approaching putrefaction, with no fauce but

bunger, no alternative but necessity, and I believe I may venture to affert—the feelings of the MAN and the BEAST will not be dissimilar on the occasion.

These circumstances attending both hay and corn I have repeatedly been witness to; and do affirm, in opposition to any opinion that may be formed against me, most horses will shew, in less than a fortnight, both in their sless, coat and spirits, when hay or corn do not yield or convey their proper nutriment, if given in fair and just proportions. I consequently avail myself of this fact, to urge the necessity of sound corn, sweet hay, soft water, regular feeds, and as regular exercise, if a horse is defired or expected to appear in good

CONDITION.

The word condition, in the phraseology of the turf, is supposed to imply a horse's being in such a state of perfection, and in strength and power so much above the purpose he is destined to, that he displays it in figure and appearance. Fine in coat, sirm.

in flesh, high in spirits, and fresh upon his legs. To be in this defirable state, if a young horse, and stranger to hard work, may be readily expected, and naturally concluded; but, on the contrary, where a horse has been subject to a proportion of duty, either on the turf, field, or road, a great degree of good fortune must have attended him through all his journies, not to have fuffered from some one of the many dangers to which he has been fo repeatedly exposed. By way therefore of introducing directions for getting a horse into condition, it will be most proper to fix the criterion of commencement at that feason when a hunter, having had what is called a summer's run, is taken up with an intent to get him into proper condition for the field. The horse being taken up, if he is free from lameness, and there is no blemish, infirmity, or any other obstacle, to forbid such proceedings, put him first upon a very moderate proportion of hay and corn, and increase it gradually, according to the fize and constitution. At the expiration of three or four days, when the hard food may naturally be supposed to have dislodged the grass, and supplied its place, a proportion of blood may be taken away according to the

fize, state, strength, and temperament of the horse, with due attention to the sless he may have gained, or the impurities he may have imbibed with his pasture.

And here let me particularly caution the operator and the owner against that slovenly, infernal, and contemptible (not to add dangerous) practice of suffering the blood to fall indiscriminately, in respect to quantity and quality, upon the ground or dungbill. This self-sufficient manner of

BLEEDING

the farrier always considers a striking proof of his consequence, and a never-failing mark of his infallibility; but it never can be too much discouraged, and in fact ought by no means to be countenanced, or indeed permitted. If no particular plethora or fulness appears, to render large evacuations necessary, three pints will prove sufficient for a stender or delicate subject; two quarts for the more advanced in strength or size; but from the very large and strong, or remarkably foul horses,

and,

may be safely drawn full five pints. However these distinctions should be carefully made by measure, to avoid the inconvenience and danger of too much relaxing the whole system; an impropriety in conduct that may not be fo eafily remedied as imagined. After this evacuation let the same regular system of food, and gentle exercise, be continued for three clear days; and on the fourth prepare his body for the physic intended to be taken on the following morning, by giving him in the course of the day three mashes of equal parts of bran and oats, scalded with boiling water, and given, at a proper degree of warmth, morning, noon, and night; putting on the necessary body clothes, at the time of giving the first mash, to prevent the least hazard of cold from the relaxation of either body or pores. In the morning give one of the following purging balls, of which four different proportions are specified, and calculated for the horses before mentioned, in respect to strength, size, and constitution. But as we shall, in the course of the work, have occasion to introduce references to these CATHARTIC BALLS, under the heads of various diseases, it will be more convenient to distinguish them by numbers; D 2

and, beginning with the weakest, the reference need not only be made to the number in future, without a repetition of the ingredients.

PURGING BALL.

(No. 1.)

TAKE of succotrine aloes one ounce;
India rhubarb two drachms;
Jalap and cream of tartar each one drachm;
Ginger in powder two scruples;
Essential oil of cloves and aniseed each twenty drops;

Syrup of buckthorn a fufficient quantity to form the ball.

(No. 2.)

TAKE of succotrine aloes ten drachms;
Of rhubarb, jalap, and ginger, each two drachms;
Cream of tartar three drachms, and syrup of buckthorn to make the ball.

(No. 3.)

TAKE Barbadoes aloes nine drachms;

Jalap, Castile soap, and cream of tartar, of each two drachms;

Diagrydium and ginger (in powder) each a drachm;

Syrup of buckthorn sufficient to make the ball.

(No. 4.)

TAKE Barbadoes aloes ten drachms;
Castile soap and jalap (in powder) of each half
an ounce;

Cream of tartar and ginger each two drachms; Oil of aniseed forty drops; of cloves twenty drops; which form into a ball, with syrup of roses or buckthorn.

It is almost unnecessary to observe these BALLS are gradually increased in their purgative qualities, so as to be selected by the judgement of the reader, according to the state of strength and soulness the subject may be in; and are so carefully guarded with warm aromatics, that the operation will (by a strict ad-

herence to the following RULES) in general proceed without the least alarm or danger. The BALL being given early in the morning, let ito be washed down with a quart of water slightly warm, to take off the nausea as much as posfible; leave in his rack a little fweet hay; and, in about three hours after, give a warm mash of scalded bran, containing one fourth of oats; upon which let the water be poured boiling hot, and stand a proper time to cool, before it is put into the manger; as by placing it there too hot the fumes produce an antipathy which the horse does not easily get over; on the contrary, by touching the mash, and being burnt, will not be prevailed upon to attempt it in future. In case of a fixed aversion to mashes, a feed of BRAN may be given at the stated periods, in which may be mixed one quart of GROUND OATMEAL. Water proportionally warm may be given him to the quantity of half a pail thrice in the day; and let his mash be repeated twice that day alfo, and early on the following morning, about which time the physic may be expected to begin its operation; but if the mash should be refused, a pail of warm water may be substituted; and in two hours after the horse (well

(well clothed) walked out for half an hour at least. Frequent supplies of warm water must be given, and two other mashes at their proper times; by no means omitting to take him out, and walk him gently twice or thrice in the course of the day. But, as purgatives administered to quadrupeds of this description cannot, from the great continuation of the intestinal canal, be expected to commence their operation in less than twenty-four hours, no hurrying or forcing methods must be taken to agitate the animal, or produce preternatural effects. So foon as the medicine begins to operate, kindly and patiently affift the work by the means before mentioned, at stated periods, or at such times as the appetite will permit them to be taken; continuing the mashes no longer than the physic is faid to be fet, or (in other words) the excrements become firm, and resume their original form.

Indeed the management of horses, during a course of physic, is at present so well understood, that little more need be added upon that subject; excepting the very necessary precaution to avoid cold during these operations, by a proper attention to the variations of the

weather, and proportional clothing to the horse: for a cold caught at the season we speak of, and particularly during a course of physic, by fixing on the eyes or lungs, becomes an inveterate enemy to sport, and sometimes for the whole winter.

Six clear days should be allowed between the first and second dose, and the same space between the second and third. The entire course being regularly gone through, it will undoubtedly remove every degree of soulness, resulting from sull feeding at grass: and, unless some palpable desect or latent obstacle indicates the contrary, he will (in little more than a fortnight) by his sless, coat, and spirits, prove his ability to undertake any moderate chase in which his rider may be inclined to engage.

Though in the attainment of this state of perfection much depends upon the care and punctuality of the groom or superintendent; the increase in food and length (as well as strength) of exercise, should be very gradual from the setting of the last dose of physic; as for instance, the horse should be regularly taken

taken out (if the weather permit) morning and evening, walking him half an hour before his water, and the same after; which should be taken at a pond of foft water, in preference to a spring or running stream, if posfible. His dreffings should be as constant and regular as his exercise, which having been gradually lengthened for the first five or fix days; he may then, after walking his usual time, have a moderate gallop (increasing it daily in length and speed, according to state and strength) before he is taken to water; walking him a proper time, both before and after; by no means adopting that most ridiculous, contemptible, and pernicious practice of galloping your horse immediately after, in servile subjection to the illiterate opinion of " warming the water in the horse's belly;" a custom that has, through the ignorance or folly of servants, proved the absolute ruin of many bundreds, as will be clearly explained in the course of our future remarks, when we come to speak of broken winded horses.

This mode of exercise must be constantly perfevered in without relaxation; his gallops night and morning should be increased as well as his walking walking exercise, which should by this time be lengthened to a full hour in the morning, and the same in the evening; not only during the time of promoting condition, but regularly continued to preserve him so; if the owner is prompted by the least spark of emulation to appear in the field with a portion of that eclat, so very much the ton in every sporting county in the kingdom.

A proper respect to the abilities of BART-LET (who has very considerably improved and modernized the system of Gibson and BRACKEN) induces me to give a literal copy of his preparation for "a cooling purging "drink;" which, as he observes, "is cooling, easy, and quick in its operation, and greatly preferable, in all inflammatory cases, to any other purge, as it passes into the blood, and operates also by urine."

[&]quot;TAKE senna two ounnes; insuse in a pint of boiling water two hours, with three drachms of salt of tartar; pour off and dissolve in it four ounces of glauber salts, and two or three drachms of cream of tartar."

In inflammatory cases, where a cathartic is required to operate expeditiously; or where a horse, by his rejecting powers, compels a ball to regurgitate, and it cannot be eafily or properly passed, this drink may be admitted with propriety. But where a dose of physic is given merely as a purgative, without any indication of instantaneous necessity, I must, in justice, certainly recommend a ball in preference: and for this reason, which I doubt not will prove perfectly confistent and satisfactory to every mind prepared for information. - The ball being given, is twenty-four hours in its gradual diffolution in the stomach, and subsequent passage through the intestinal canal; this, by its gentle and regular folution of the excrements, and lubrication of the parts, accounts most readily for the great ease any of the preceding balls work off with in general, without the least necessity for all that alarm and apprehension betrayed by so many, who prefer the chance of spoiling, or at least injuring, a capital horse, to seeing him under the temporary disquietude of a salutary course of physic.

The same ease is not to be expected in the operation of a cathartic medicine conveyed in a liquid

liquid form; for, the joint qualities and force of the different ingredients being let loose at the same moment upon the internal coat of the stomach, without their stimulative powers being covered by aromatic or carminative ingredients, may (exclusive of the disagreeable sensation excited by their action upon the irritability of the stomach) be productive of spasms, or very severe griping pains, previous to the laxation of the hardened seces in the intestines.

And where such pains are evidently predominant, the (proper time being more than expired,) and there is no palpable sign of the physic's beginning to operate kindly, (which, for the consolation of those unacquainted with the ceremony, is very seldom the case, particularly if the medicines are carefully and accurately prepared) so far from applauding the rashly recommended system of oiling "a small" hand," and extracting the excrement from the fundament, I relinquish every expectation of finding "a very small hand" among farriers or grooms, and consequently disclaim the idea of encouraging any such practice, unless the rectum should be absolutely plugged up, so as

to prevent the passing of the pipe for the injection of a glyster, which should be given immediately with a large bag and pipe procured for the purpose, and repeated if necessary; making not the least doubt but this subrication and stimulus will remove all obstructions, and afford every advantage that can be obtained from the favourite and long standing practice of RAKING.

To prepare the GLYSTER.

Take of camomile flowers, fweet fennel, and coriander feeds bruised, of each one ounce; carraway seeds half an once; boil in two quarts of water till reduced to three pints; then strain, and add for solution, while hot, of Epsom salts two ounces; and, when nearly cool enough to administer, add of olive oil, and tincture of senna, commonly called Daffy's Elixer, of each a quarter of a pint.

On the contrary, where the constitutional stamina does not prove so strong as imagined, the bowels in a weaker state than expected, or the medicines are found to irritate or purge more than is requisite or desired; and the physic does not set at the usual time, (the horse being

being consequently low, and off his appetite)
let the following CORDIAL RESTRINGENT
BALL be prepared and given immediately,
repeating it in fix or eight hours if necessary:

TAKE mithridate one ounce, Armenian bole, gum arabic, and prepared chalk (in fine powder), each half an ounce; ginger (in powder) two drachms; syrup of diacodium quantity sufficient to make a ball.

In three hours after let the following RE-STRINGENT MASH be given, properly prepared, and kept occasionally stirring when over the fire, to prevent its burning: or this may be given, if necessary, without the ball, where the operation has not been so violent as to require both.

RESTRINGENT MASH.

Take two pounds of rice, and half an ounce of cinnamon, bruised to a gross powder, and tied up loose in a piece of linen, (fine enough to prevent its passing through); boil in five quarts of water till reduced to the consistence of a mash; take out the cinnamon, and stir in a quart of ground oatmeal, and let it be placed in the manger when of a proper warmth. This may be repeated if necessary.

It cannot be inapplicable, after these prescriptions, to make a remark upon one observation of Bartlet, who seemed to think it
unavoidably necessary to omit a designed part
of his prescription at some times, on account
of the expense; but I must confess, in all my
experience, I have observed, and happy I
am to acknowledge it to the honour of the
sporting world at large, I never remember to
have seen an instance of penury, or even hesitation in the article of expense, where a horse
has been in pain or danger.

Having gone through the process universally established for getting horses into proper condition, it becomes necessary to proceed to the long list of accidents and diseases to which they are subject: and to introduce such medical system as (after a gradual succession from generation to generation, and from grandsire to grandson, in the old style) has at length acquired a degree of reformation and approbation, by the experimental rejection of the ancient botanical practice, believed infallible; and the innumerable discoveries made in the world of medicine, by some of the most learned, judicious, and enlightened characters in every part of the globe.

globe. And where the applications of modern invention are introduced, as much more adequate and applicable to the cause of complaint than the practice of former writers, the reason shall be constantly adduced, and supported by incontrovertible proof, why the present mode of treatment is entitled to every degree of preference and respect.

Without becoming a convert to the usual style of dividing and subdividing chapters, cases, and remedies, as has in general been the custom, introducing a large proportion of extraneous matter, merely by way of fwelling the work (as a compliment to the pecuniary sensations of the publisher) I shall proceed, as in many other respects, the direct contrary way, and contract the plan as much as the confiftency of circumstances will permit, by bringing into classes fuch accidents or difeases as bear a degree of affinity to each other, or come under a fimilar mode of treatment; and shall likewise (as much as possible) divest each case and explanation of technical terms, that every part may be the more univerfally comprehended.

CLASS I.

ma be only

on Maple Hope

SPLENTS, SPAVINS, WINDGALLS, LAMENESS, AND STRAINS.

SPLENTS;

Or which various accounts have been given, without any thing satisfactory as to their origin or cure, except that "they are hard ex"crescences of different shapes and sizes on the shank bone, which often disappear of themselves;" that "they are not dangerous but when situated near the joints, or appear very large upon the back part of the bone, and press against the back sinew." All this is most certainly true, and generally believed to be so. Now let us remark what follows as directions for cure: "That the hair is to be shaved, the part to be rubbed with a "round"

"round stick till it is almost raw, and then touched with oil of origanum sublimate, "arsenic, or oil of vitriol." You are then told "these may produce an ulcer a rottenness of "the bone, and, when cured, an ugly scar!" Another says "It is to be soundly rubbed "with the handle of a hammer, till it is so "much bruised as to bring on an imposshume, "and consequent suppuration or discharge of "matter!" And there can be no doubt but this is rubbing it soundly with the imposshume for a witness!

Another tells you "they are to be destroyed "with actual cauteries, or flat instruments of "iron, made red hot, and applied to the "splents, placing a piece of the rind of bacon between, with the sat side outwards; and, having a second iron heating alternately with the first, the operation is to be repeated till the splent is dissolved." To these, in case of failure, they acknowledge the necessary aid of "blistering, siring," &c. &c. Now, upon a candid investigation of this accumulated variety of opinions, we shall find them amount to a verification of an observation not long since made; a paltry practice of swelling their writings

writings at the expense of a reader's UNDER-STANDING as well as his PURSE. From circumstances the most predominant it absolutely appears that neither of the authors here quoted (notwithstanding the degree of estimation they may be held in) gave himself time, even for a moment, to consider the nature of the "ex-" crescence" he means or wishes to describe, or the method of cure he may be naturally anxious to recommend.

And this the more powerfully appears, by the ridiculous attempt to destroy what they acknowledge an apparent offification, or bony substance, seated upon a solid body, under the integuments, without a destruction of the integuments themselves, or a palpable injury to the component parts. But to bring this matter as near the truth as conjecture can justify, we will (by allowing an alternative), take one or other for the fact, and draw what must appear a very natural and just conclusion; that is, whether the protuberance upon any part of the shank-bone, called a Splent, is an enlargement of the periosteum (or membrane covering the bone), by an original rupture of the fmall vessels, and the extravasated fluid collected and become indurated by time? or, a callofity originally formed upon the bone, (as hinted by GIBSON) and becoming offified, constitutes a bony substance, seeming a deformed part of the bone itself? In either case the only expectation of cure without anxiety and difficulty, is to be careful in observing such appearances, in their earliest state; and then seeing that frequent friction is used for a considerable time, twice every day, with the utmost force of the operator's hands, letting the part be well moistened, after each time of rubbing, with a proportion of the following liniment, leaving a pledget of tow wet with the same, bound on pretty firm with two yards of wide tape as a roller:

TAKE camphorated spirits of wine, and spirits of turpentine, of each four ounces (a quarter of a pint). Mix together.

Or,

OIL of origanum and spirits of turpentine, each half an ounce; camphorated spirits of wine, two ounces. — Mix.

When this plan has been persevered in for ten days or a fortnight, you will then be able

to judge whether any perceptible advantage has been obtained from the force of these powerful repellents: if not, procure two ounces of the strongest mercurial ointment, and let the fize of a hazel nut be well rubbed in upon the part affected, every night and morning, till the whole is confumed, using the roller each night, and taking it off in the morning. If this does not succeed, the best and most speedy method will be the immediate extirpation, by making a longitudinal incision (" without bruising, " bammering," &c.) through the integuments, diffecting and extracting the substance, completing the cure by taking up a couple of stitches, and treating it as a superficial wound; for which directions will be found under that head.

Notwithstanding the variety of opinions inculcated, and instructions laid down, to obtain a radical cure, it becomes a matter of doubt whether a little deliberation, previous to a rash execution, may not prove the most useful monitor of the two; that is, if the splent is not productive of lameness or disquietude, forming no inconvenience but an external appearance, whether it may not be most adviseable (at any rate most prudent) to let it remain in its pacific state of inactivity, rather than provoke it to a certain degree of active virulence, by the premature application of blisters or burning caustics. This reflection renders a former observation of greater weight, by adverting to the necessity of attacking them in their first state of appearance; when there is not the least doubt but the beforementioned early course of friction, with the mild disfolvents and repellents, will, if applied with care and punctuality, effect their total obliteration, without any perceptible eschar, or even the least loss of hair.

In respect to the auxiliaries of purging balls and diuretic drinks, slightly recommended by BARTLET, they form no part of my opinion; nor can I see the least reason for encountering that expense and trouble, as they cannot contribute in any degree to the removal of such substances, so remote from the centre of action, without injuring the general system to a greater degree than adequate to any proportional local relief that can be obtained. But to reduce this mysterious and technical explanation to a more simple and less complex idea,

idea, BARTLET's system may be adopted by those whose credulity can conceive that a course of purgatives and diuretics will contribute to the removal of corns or warts from the seet or hands of the human species.

SPAVINS.

Or these there are two kinds, very distinctly explained by most authors on the subject, and justly denominated a BLOOD and BONE SPAVIN. They both take their feats in nearly the same situation, and proceed from the following causes - a BLOOD SPAVIN is a preternatural enlargement of the vein running on the infide the hough, and by the accumulated fluid forms a swelling that is pliant to the touch, submitting to pressure, becoming, in the course of time, productive of lameness. These appearances, were they attended to in their infancy, would (as observed in the preceding article) immediately fubmit to a frequent application of the following embrocation; rubbing in about two table spoonfuls twice every day, and keeping on (when in the E 4 stable)

stable) a pledget of tow, wet with the same, and confined with an elbow bandage, that is, the elbow part of an old waistcoat sleeve, opened and surnished with tape strings, at equal distances, to confine it upon the part affected.

TAKE of strong white wine vinegar four ounces; Camphorated spirits of wine three ounces;

Extract of faturn, commonly called Goulard's Extract, one ounce.

Shake well together at every time of using.

In almost all cases of short standing the cause of complaint will submit to the power of these constant applications, that, by their action upon the solids, so restore their elasticity and contract their circumference, as to repel the internal expanding sluid, and reduce the vein to its natural and original size. But where the defect is of long standing, and will not submit to this mode of treatment (the attempt having been sufficiently persevered in to ensure a fair probability of success), the sollowing had better be adopted.

TAKE of cantharides in (powder) one drachm and a half;

Of olive oil two ounces .- Mix together.

And let this be gradually rubbed upon the part till absorbed by the seat of disease; then place over it a piece of flannel, and fasten on with the elbow-bandage as before described. In every eight-and-forty hours repeat this operation for a week (with the same proportion), which has been attended with certain success in a multiplicity of cases, particularly in the metropolis of Ireland, where the most eminent practitioners (and very able there are) prefer it to our general method, which will be hereafter described. The great advantage resulting from this kind of blister is its immediate stimulus upon the parts, from which is derived a very speedy and plentiful discharge. The hair is raised up, and becomes what is termed pen-feathered during the efflux of ferum in large proportion; which, subsiding, forms a kind of scurf, and may be all brought away in a few days by washing two or three times with foap and water; leaving no fear or trace of external application behind. And furely this method, justified by fuccess and experience, must be preferable to the long standing opinion of instrumental extirpation. As for instance, an incision is to be made through the skin, of fufficient.

fufficient length to admit of the vein's being taken up, above and below the enlargement, by paffing a crooked needle, furnished with a wax thread underneath the vein, and making the ligatures at the parts most applicable to the extirpation intended. Should any inflammation or extreme swelling attend the parts after operation, warm fomentations and mild poultices must be made use of till they fubfide; after which the wound must be treated with digestives till the exuberance is floughed off with the dreffings, and the cicatrization, or skinning over, is accomplished, as in the case of abscesses and wounds, which will be treated of hereafter, when we come to that class.

Every degree of information, observation, and experimental investigation, defines a Bone spavin to be exactly in a greater degree be-bind what a splent is acknowledged to be before; formed nearly by the same means, fed nearly in the same manner, differing only in its critical situation; which, from a contiguity to the joints, and ligamentary appendages, becomes so much the more an object of concern and attention, to avoid the certain impediment

impediment of lameness, which will in time inevitably ensue, if not prevented by reduction or extirpation. Much advice, and many directions, might here be obtruded of blistering, firing, &c. but they all come so immediately within the department of the OPERATIVE FARRIER, that further animadversion upon the subject will be totally foreign to the prefent intention - one observation and recommendation only excepted, viz. the necessity, in operations, of applying to practitioners of EMINENCE, whose judgment and execution will require no greater pecuniary compensation than those whose comparative abilities entitle them to no more than a mere manual assistance in furnishing the apparatus.

Previous to the dismission of this article, I shall, for the accommodation of those who have never seen the publication, introduce the directions given by Osmer, for the cure, as they literally appear in a tract of his committed to public inspection about sive-and-twenty years ago; but, I believe I may venture to assirm, the elaborate operation procured very sew converts to the practice.

"First clip the hair from the diseased part; " make several punctures on the same, through " the skin, with a sharp-pointed instrument: " make a longitudinal incision through the " skin, above the diseased part, about the " middle thereof: there introduce a cornet, " and dilate the skin with it, as far as the " fwelling reaches. - Make another smaller " longitudinal incision, through the skin, be-" low the swelled part, directly opposite to "the wound above; in doing which, your " probe introduced at top will direct you. -"At the superior wound a caustic wrapped "up in a piece of lint is to be introduced, " and there left. The caustic dissolved is " carried off by the inferior wound, the " whole is directly to be covered with a warm " adhesive charge, and this is the whole of "the operation.—The caustic thus introduced " under the skin acts both ways, namely, on " the membrane underneath it, and the outer " tegument upon it. Thus the membrane, " outer tegument, and the charge, throw " themselves off together, and the diseased or " swelled part becomes fair and smooth. The " horse should be turned out, or kept in a "loose stable; and if the charge comes off " before

"before the wound is well, another should be immediately applied. But in spite of this, and all other methods used for this disorder, the horse will very frequently remain sull as lame as he was before, although the appearance of the disease is removed: the reason of which is, that the periosteum only is sometimes diseased; at other times the bone itself, and its cellular part. Yet I dare say there is not one farirrier in this kingdom but has an infallible and certain cure for these disorders."

WINDGALLS

A R E those prominences situate on both sides the tendons (commonly called the back sinews) above the setlock joints on the forelegs, and not unfrequently upon the hind-legs likewise. They are much larger on some horses than others; and as they never appear but upon those that have been constantly worked too young, or proportionally over-worked when older, the cause will be the more readily explained. For the tendons, by their perpetual

petual action in constant labour, are so preternaturally extended, that some of the sine and delicate sibres of which the aggregate is composed, are, by such extension, actually ruptured or broken; from the mouths of which (minute as they are) ooze a very trisling portion of serum, or sluid, which, when extravasated, forms a gelatinous substance, and, combining itself with the included air, becomes, to external appearance, a kind of bladder between the tendon and integuments.

This being the exact system of principle and action that constitutes the cause, we proceed to the received notion (and our own opinion) of cure. Perhaps it may not be thought intrusive or inapplicable first to introduce a sew words upon the subject of prevention, which will convey a much stronger proof of judgment in the rider than any subsequent advice that can possibly be offered on the part of the FARRIER; that is, no more than to recommend it to every man in the possession of a good borse to reslect a little upon the nature of his own superiority, that it is but temporary, and of sleeting duration; to ruminate upon this circumstance in the career

of his journey, and, feeling proportionally for the animal who bears his burthen, take no more of his strength in the field, or upon the road, than Nature intended, or prudence may dictate.

For so beautiful a beast, constituting almost the centrical point of every good, (whether in pleasure or profit), is certainly entitled to the utmost exertion of tenderness and humanity: and I will venture to affirm, that no man, whose line of conduct is regulated by the principles of unsullied rectitude (or whose heart is open to those finer feelings that are even in enjoyment or possession a gratification), ever did, or ever will, after a chase or journey, indulge the calls of appetite till the partner of his pleasure, or the companion of his labour, has had every attention paid to his wants; which Nature has formed equally numerous and necessary with those of his (often unnatural) RIDER.

The frequent boasting of every unfeeling puppy who has rode thirty or forty miles in "fo many hours and so many minutes, with"out bating," and other equestrian exploits, equally

equally wonderful, leaving the jaded object of his persecution to the affected diligence of idle grooms or drunken offlers, not only accounts, in a variety of cases, for the appearance of windgalls, but for very many of the long list of diseases upon which we proceed to expatiate.

But from this digression we return to the cure, respecting which various opinions have been promulgated, "vinegar, or verjuice, and " bandage; red wine lees; curriers' shavings " wetted with vinegar; blistering;" and, lastly, " opening with a knife, a fleam, or a cobler's " awl, and applying to the orifice a plaster of " rosin, pitch, mastic, oil of bays, and white "of egg." I shall not add a fingle observation upon this most curious plaster, or wonderful arcanum of variety, but declare I have feen but very few instances of a perfect cure by any means. For whether a temporary completion has been obtained by repellents, bliftering, perforation, or rest, a repetition of the ordinary work has foon produced a repetition of the defect. It is a confolation, however, to be informed that, in most horses, no lameness is produced by this appearance; and the only inconvenience

inconvenience it constitutes, is the disagreeable effect upon the eye (and indeed no inconsiderable one upon the pocket) when the horse comes to be sold. Windgalls are always very much enlarged after severe work, and again reduced by exercise and constant friction, or substantial rubbing down in the stable. And this circumstance is mentioned only to corroborate the thesis advanced to establish their origin.

Although a total eradication is but seldom experienced, it will be necessary to introduce the most approved and rational methods now in practice to obtain the desirable object of relief; and this can be effected only by rare-faction, repulsion, and bandage, to promote the intentional operations of which

TAKE oil of origanum and spirits of turpentine each half an ounce;

Camphorated spirits of wine one ounce.—Mix well together;

And with a small portion of tow sufficiently moisten the tumors twice every day, leaving a pledget wet upon each; and immediately upon the centre fix a circular piece of lead F about

about the thickness and circumference of a half-crown piece, binding it down with a roller of wide tape or linen, nearly or quite three yards long, and continue this method for a fortnight at least without omission; to which treatment (if not of too long standing) they may perhaps luckily submit: but should that not happen, and it is determined to attempt a cure by perforation, which operation is simple, and may be easily performed, the incision should be made with a strong abscess lancet, or bistory, and be performed in a fingle motion, by elevating or raising the instrument from the moment of penetration at the lower part of the swelling. The confined gelatinous matter, and cyst or bag, being perfectly extracted, prevent its becoming a wound by bringing the edges in contact; and dress with a pledget of lint or tow plentifully impregnated with Traumatic (or Friar's balfam), and bandage as before. In most cases the cicatrix will form, and the part heal without farther trouble: on the contrary, should any discharge of matter come on, or temporary inflammation enfue, dress as directed when we come to the treatment of wounds.

In this case it will be but candid to point out the probable difficulties that may occur in such earnest attempt to obtain a radical extirpation; for, notwithstanding the theoretical plaufibility of this system, some inconveniencies may possibly occur, and a satisfactory cure not enfue; in fuch instance the remedy will most affuredly prove worse than the disease, and there can be no doubt but a prudent or compassionate man will much rather submit to a flight and almost infignificant inconvenience, than encounter by the attempt an evil of much greater magnitude.

Should, by any mismanagement in the operation or want of dexterity in the operator, the tendon be at all injured, lameness-may be the inevitable consequence; should the edges of the separated parts not display a tendency to union, but on the contrary, become disposed to foulness, engendering fungus, it may degenerate to a fistulous wound, and be ultimately productive of infinite trouble and confiderable expense. These attendant evils upon the experiment thus pointed out and taken into confideration, it will then become worthy the attention of the owner, whether the gentler methods methods of cure before prescribed, with every possible portion of rest, (and when used, that use exceedingly moderate) will not prove the most advantageous and least dangerous system that can be pursued to effect the defired purpose.

LAMENESS

Is a subject of so much universality, in fact an event arising from such a variety of causes, that it can never be thought inapplicable to enumerate the most probable from which such defect may be occasioned; thereby exciting a proper degree of investigation, ascertaining to a certainty by these means what very frequently from want of care, accuracy, and attention in the examination, is fixed erroneously on an improper part, or attributed to a wrong cause, as a mere matter of opinion, and consequently liable to the full force of injudicious or inconsistent treatment, with its long train of inconveniencies.

Exclusive of the distinct kind of lameness proceeding from STRAINS, very different de-

grees may be occasioned by BLOWS OF BRUISES upon particular parts; splents, spavins, windgalls, thrush, ringbone, quittor, and a variety of additional causes that have already, or will be bereafter sufficiently explained under their different heads, and the most expeditious and efficacious method of cure pointed out. Lameness from wounds or injuries sustained by shoeing come so immediately and properly under the inspection of the OPERATIVE FARRIER, that the least enlargement upon those subjects here might be very justly considered a matter of superfluity.

I shall therefore advert to that peculiar kind of lameness, produced in general by the inattention or inhumanity of the owner; which, unattended to in its first state, (and the original cause continued) insures to a certainty, the annual destruction of many of the most serviceable horses in the kingdom. I allude, in this description, to such lameness, or rather universal debilitation of the legs and seet, as is the palpable effect of too constant labour without the least rest or intermission.

By incessant labour, I mean to be understood that diurnal routine of slavery through F 2 the the severities of every season, whether the bad roads, frost and snow of winter, or the sultry beat, burning sands, and flinty roads, in summer, without a literal or relative consideration to the necessary, and indeed indispensable article of REST.

This perpetual drudgery a horse of spirit and bottom will (from the instinctive power of emulation) bear up against with almost incredible fortitude, particularly, if well supplied with a sufficiency of hay and corn; but the repeated struggles and efforts of nature being at length totally subdued by the extremity of fatigue, the is compelled to fink under the burthen of inhuman persecution, and a general inability or universal lameness becomes the inevitable consequence. The cause requires but very little animadversion for the purpose of either explanation or comprehenfion, as it may be with trifling attention and reflection universally understood; for the tendons, by their almost perpetual extension and contraction (without the least portion of rest or inaction to restore their tone and elasticity) become fo extremely relaxed, as to be rendered not only totally inadequate to the purposes poses of motion and flexibility for which they were formed, but to produce a general tenfion upon all the furrounding parts. The legs become full, round, inflamed, and exceedingly painful; the horse alternately easing one leg or the other, when standing, which he is observed to do as little as possible, except when up for the purpose of feeding. This kind of lameness remains in general little attended to, till, by a too constant repetition of the cause, the horse is so far disabled, that his daily labour becomes a work of mifery; inadequate to the rapidity of motion or action required, he is rode or driven, till (finking under the burthen), with repeated falls, broken knees, and a perseverance in perpetual drudgery, he is literally brought to " a stand still," and rendered unfit for every purpose but the cart; where they are too frequently observed dying wretched martyrs to the horrid combination, or rather joint effect, of HARD WORK, WHIPCORD, AND POVERTY.

To avert this calamity from so deservedly great and universal a favourite of mankind, is a duty incumbent upon every individual, who (prompted by his reslections, becomes consci-

ous of the uncertainty of his own state, and the admirable fervices of this dependant), wishes by a contribution of his endeavours, however disproportionate, to render himself of fome utility, to that fociety of which he constitutes a member. This consideration, blended with a perfect knowledge of the various, not to add almost inexpressible, sufferings of an animal so truly valuable, first roused me from the lethargy of oblivion, and prompted me to undertake a task of reformation, which (divested of every personal paltry idea of ambition) I should have been far happier to have feen from an abler hand, and more extensive abilities. Whatever might have been my original suspense, I am now justified in making confession, such portion of disfidence is in a great degree obliterated; the fostering hand of public favour having removed every doubt, rendered every consolation, and I must ever consider it, one of the most fortunate occurrences of my life, that I have been enabled to mitigate the inconveniencies of so general a want by the present publication.

From this sentimental digression, it will be thought prudent to advert to the case in question.

tion. It is therefore (even in the first instance) most earnestly recommended to let every horse have such proportion of rest from his daily employment or purposes as nature evidently stands in need of. That invariable rule will prove a practice highly advantageous to the proprietor, for he may be then experimentally convinced prevention is ever preferable to a cure, by precluding its necessity. But when fuch failure is perceived, every kind of work should be instantly set aside, if the least defire is indulged to restore the horse to his former state of purity or pertection. Such defect being attended to in proper time, moderate restringent applications, with a loose stable, if in winter, or a similar method, with turning out in summer, will, in a short time, generally restore the tone of the whole system affected by these means. In this class of medicine the following is entitled to the preference:

TAKE rectified spirits of wine one pint; Camphor two ounces; Best vinegar half a pint,

Let the camphor be totally dissolved in the spirits before the vinegar is added, which being

being shaken well together, the parts affected must be properly and patiently bathed with a sufficient quantity every night and morning, till the whole is consumed, leaving that grand specific, REST, to crown this prelude with success.

This treatment may suffice when taken in its early state, but where the evil has been suffered to increase, and accumulate to a certain degree of lameness, attended with visible tension, inflammation, and extreme pain as before described, let the above embrocation be used as there directed, it being a proper preparative to the following stimulative application, which will most certainly and infall bly effect the cure, if the instructions here laid down are strictly adhered to.

Take cantharides (in powder) one ounce;
Oil of olives fix ounces;
Spirits of turpentine two ounces.
Mix the spanish slies with the olive oil, then add the turpentine.

Half of this composition to be well rubbed into the fore-legs, and the other half in four-and-

and-twenty hours after, taking care to employ proper time in each operation; rubbing in a fmall quantity at once, and continuing fo to do by substantial friction, till the portion prescribed is absorded by the seat of disease. After which process the halter must be shortened, or the parts covered, so as to prevent a probability of the effects being destroyed by the natural exertions of the horse, when finding himself disagreeably affected by the stimulus of the application. In three or four days after which he should be turned out and left to enjoy the advantage of gentle motion for a length of time, adapted to the original cause and present severity of complaint. If a radical cure is anxiously defired or meant to be promoted, prudence will readily point out the confistency of a three months run, when a horse may be expected to come into hand perfectly found, and as fuch (no fymptoms appearing to indicate the contrary) may be got into proper condition, as directed under that head.

There are undoubtedly some, who, from different motives of interest or impatience, will not permit so long a respite from business or pleasure, let what may prove the consequence; notwithstanding

notwithstanding which I shall presume to introduce my farther advice, and recommend it most strenuously to such owners as have horses in this predicament, to extend their lenity for six weeks at least in the former case, and two months in the latter, lest by an almost immediate relapse, they may have reason to repent their folly or impatience.

STRAINS

ARE a part of this treatife to which such frequent application will be made for information, that they cannot be too accurately explained for the purpose of being well understood. And as I would much rather appeal to the taste and critical inquiries of the intelligent and enlightened reader than the caprice of the prejudiced vulgar, I shall be more anxious to obtain the approbation of the judicious by a minute and explanatory investigation, than the sanction of the multitude by such a superficial account as would best come into compact with the standard of their comprehension.

Previous to farther animadversion, it becomes unavoidably necessary to combat the promulgated opinion of Osmer, who, in his remarks, ventures an affertion that "tendons are unelastic" bodies," though, in the very same page, (and frequently after) he says "the tendon is often "elongated and strained."—How this writer, or his readers, could reconcile such palpable absurdity and contradiction, I am at a loss to conceive; or how a tendon can be elongated that has no elasticity, I am yet to learn. Nor does the introduction of this observation prove of greater utility than to corroborate the propriety of my former remarks upon the singularity of anches.

To understand this subject clearly, it is unavoidably necessary to be informed, not only of the causes from which such complaints proceed, but the parts that constitute the seat of disease itself. To acquire which let it be observed STRAINS are of two forts, the one originating in the ligamentary parts, by which the different joints are preserved in contact, the other by a relaxation of the muscles, or tendons, whose purposes are the direct office of motion. Hence it is that the farrier and groom

groom are so frequently at a loss for their definition or explanation of any particular lameness, fixing it by conjecture upon any part (attributing it to any cause) but the right; and to this they are seldom directed by any mental information, possessing a very barren conception of the structure of parts, their purposes, or appropriations. The muscles or tendons (by farriers generally termed finews) are strong elastic substances, composed of innumerable threads or fibres, possessing the properties of extension and contraction to a certain degree, beyond which their flexibility or elasticity cannot be extended without palpable injury, and certain lameness; for, by overstraining, their elastic quality (or affinity to catgut) is in a great measure destroyed in proportion to the injury sustained. To render this idea so clear that it cannot be misunderstood, let us suppose that a horse is going at his rate, and in so doing his toe covers a prominence, or the edge of one, where the heel has no support, it confequently extends the tendons beyond the diftance afforded by nature, and inftantly constitutes what is called a letting down of the back finews, a circumstance that constantly happens upon the turf in running for a heat, and

and the horse is then said to have been "broken down."

This being supposed to have happened, the principal indication of cure will immediately strike every reader, so far as the gradual contraction and tone of the tendon is concerned; but the previous and instantaneous consideration will be to prevent, as much as possible, any consequent inflammation that may fall upon the part. To which end take away, fo foon as convenient after the injury is fustained, a proportion of blood adequate to the state and strength of the subject from a vein as contiguous to the part affected as may be confistent; and as your fuccess will in a great degree depend upon the earliest applications, procure a quart of the best white wine vinegar, or very strong verjuice; and, after making it hot over the fire, add one ounce of the extract of Saturn; and with this foment the leg every night and morning, bandaging the part with a broad roller of a fufficient length, straining it pretty firm. After using this fomentation for two nights and mornings, begin with the following. embrocation; and let two or three table spoonfuls be gently and gradually rubbed into the affected

affected part every night and morning, never omitting the use of the bandage tolerably firm.

TAKE of Barbadoes tar and spirits of turpentine each two ounces;

Opodeldoc four ounces.—Mix well together and keep stopped.

Previous to the use of this, should any degree of inflammation have been productive of fwelling, a poultice may be applied twice a day, prepared with a proper quantity of oatmeal, rendered of a necessary consistence, with a strong decoction of wormwood and camomile (boiling a large handful of each in three pints of water and straining off); this, by its emollient tendency, will contribute to the early reduction of the inflammation, without a farther relaxation of the tendinous parts: but the poultice must be immediately discontinued so foon as the fwelling subsides, and the embrocation taken into use, as above directed. To this very constant application must be added rest: too much stress cannot be laid upon this most predominant and necessary article; from which the greater good must certainly result. To the want of patience and mercy only it is to be attributed that fuch an infinite number

of fine horses have been staked to the burning cautery, that, with proper time in the field, would have been as certainly faved from the heat of the iron. And it is no less astonishing that, in the present age of equestrian sagacity and penetration, few can be found whose reafon will sufficiently demonstrate the absolute necessity of time and rest to restore the tone of a relaxed muscle or tendon; a system of knowledge as clear as any mechanical principle that can be produced. When the horse has continued in the stable, under the treatment here mentioned, for a fortnight, he should, if in the winter, have his liberty in a large stable or barn where he will, by a natural attention to his own ease and safety, (unless hurried, driven, or disturbed, which should be prevented) sufficiently guard the injured part. On the contrary, if in the summer he should be turned into a pasture alone, and at a distance from other horses, where he cannot, by their neighings, be excited to any exertion of spirit or extravagance that may occasion a relapse. But, in either case, if the enlargement of the part (that generally attends) does not subside, and the lameness bear visible marks of amendment, so soon as may reasonably be expected,

take the horse up and immediately apply the following liquid blister:

Take Spanish slies (in powder) three drachms; euphorbium and oil of origanum, each two drachms; corrosive sublimate (in powder) one drachm; olive oil, four ounces— Mix well together.

This must be deliberately and gradually rubbed over the whole part for at least half an hour, letting it be entirely absorbed by the feat of pain if poslible; then cover it with a woollen bandage, and shorten the halter to prevent its being forced off: the ceremony and effect of this kind of application is before defcribed under the article of blood spavin. At the expiration of three or four days he should be turned out, and not have even a halter upon him for fix weeks, or two months, at least: and, however found he may feem to be, his exercise, or work, should be very gentle; first boiling half a pint of common sea-salt in a quart of the best and strongest vinegar that can be procured: this keep in a bottle in the stable, and let the necessary part, or parts, be well bathed with this restringent (and a very

useful one it will be found) for a quarter of an hour every night and morning, till double the quantity has been used. Under this practice I have feen the complete cure of many, without instantly recurring to a perpetual blemish by the present rage for FIRING, which is in general by much too frequently adopted; and no doubt upon most occasions hurried on by the pecuniary propenfity and dictation of the interested operator, anxious to display his dexterity, or (as SCRUB fays) " his newest "flourish," in the operation; which, when performed, and the horse is turned out (as must be), if taken up sound, I shall ever attribute much more of the cure to that grand Specific, REST, than to the effect of his fire. Nothing can be more truly contemptible than the ridiculous and absurd adoption of the ancient practice of cold charges, compounded of articles calculated in some degree to what they call brace the parts, it is true, but tending much more to form a kind of bandage by its firmness of adhesion, than medical relief by its power of penetration. And this will be the more readily credited when a moment's confideration is afforded to the fact: for what inherent restringent virtues can be possessed by

"doe's hair, Armenian bole, rye flour, or oatmeal," more than the properties of forming a cement (equal to a bandage) for keeping the parts in a firm and certain position, constituting a pompous prelude to the general idea of REST.

No one advocate for cold charges, or firengthening poultices, will be confident enough to declare they retain a fufficient portion of flimulus to penetrate the integuments; and, by their restringent or contracting powers, affect the tone or elasticity of the relaxed tendon. If fo I will venture to hazard an opinion that what efficacy they may hold individually is entirely locked up in the mass of compofition, and forms no other merit as a corroborant than a medical substitute for a bandage of rollers, &c. with this exception only, that it bears the appearance of business, or fagacity extraordinary, in the farrier and groom employed in the elaborate preparation; who may prevent their loss of time, and proftitution of judgment, by methods much more eminently entitled to approbation, as founded upon principles of reason, and sanctioned by fuccess. The same observations hold good in respect to poultices; they never should be applied to strains but in cases of swelling and inflammation; as they can only contribute to the very reverse of the general intention, by relaxing the system they are employed to contract.

I can have no doubt (notwithstanding the dictatorial manner in which instructions were formerly conveyed, amounting almost to a degree of infallibility,) but the majority of readers who condescend to ruminate at all upon the subject, will instantly admit the great probability of receiving a greater portion of relief from active liquids, that, by their volatile and penetrative power, (affifted by frequent and industrious application) rush immediately into contact with the feat of pain, than from a compound of mere fimples formed into elaborate poultices or cataplasms, that are prevented by the nature of the parts, (as the hair, and thickness of the skin,) from bringing so inactive a mass into effect, with parts requiring restringents of much greater power and penetration.

Strains in the ligamentary parts are in general occasioned by sudden jerks, short turns,

or finking in deep ground, and forcible exertions to get extricated. These being situated at the junction of the bones, and in most cases fo covered with the muscles and soft parts, that no great expectation of relief can be formed upon the efficacy of external application, when the feat of pain is unluckily fo remote from the furface. But as these cases are very frequently productive of internal heat, exciting symptomatic inflammation, wash well with the following Lotion, three or four times every day, adhering still closely to the article of rest, already repeatedly mentioned, and never can be fufficiently attended to; remembering also the great utility of bandage, where it can be conveniently applied:

TAKE best white wine vinegar one pint; Extract of Saturn one ounce; Camphorated spirits of wine four ounces; And rain or pond water one pint.

Mix the extract with the camphorated spirits; then add the vinegar, shaking well together; and, lastly, add the water for frequent use.

To enumerate the variety of strains, and particularize the different symptoms constituting

ing each, would be an endless undertaking; such information or knowledge must always depend upon the judgment and attention of the operator; for the directions from books are always doubtful, and seldom decisive. Nor can it be believed that different horses lamed in this part, or strained in that, will all step, halt, or retreat, in the same manner; if so, I may venture to affirm the idea will be frequently as lame as the horse!

To ascertain the seat of disease to a certainty, the judicious investigator will depend much on the EYE, more on the TOUCH; and, if assisted by observation and experience, he will very rarely err in the effect of his judgment: for, his minute examination being made with a necessary attention to concurring circumstances, he will seldom fail to convey a true state of the case upon almost every investigation.

Previous to the final dismission of this article, it may not be inapplicable to introduce the composition of a BLISTER in great estimation, and of a different form, calculated for those who may be in some degree attached to he former mode of practice, and indulge their G4.

doubts of the efficacy of the liquid blifter before described.

TAKE of Venice turpentine and quickfilver each one ounce; rub together in a mortar till the quickfilver is no longer visible; then add

Of the ointment of marshmallows and yellow digestive, commonly called basilicon, each two ounces; and, lastly,

Of cantharides (or Spanish flies), three drachms; Of corrosive mercury one drachm; both in fine powder, mixing the whole well together.

A portion of this to be carefully rubbed into every part upon which the blifter is required to take effect; and the remainder to be laid on as thick as judgment may dictate or the case require, covering the whole with a piece of sheep or lambskin leather, having a margin spread with sticking diachylon; over this may be placed any other convenient bandage, making it sirm, and using every precaution to prevent its being stripped off by the horse, so soon as its stimulating power makes him sensible of his situation.

The operation of FIRING is so much the rage at present (without a relative consideration to his

his becoming disfigured), that a fingle observation on the subject is rendered unnecessary, one offer of advice only excepted, viz.—Never to adopt an alternative so truly disagreeable and distressing till all the more gentle applications have repeatedly sailed in essect; amongst which do not let the following be omitted:

Take oil of wormwood one ounce

Amber and origanum of each half an ounce;

Camphorated spirits of wine and opodeldoc of each four ounces; and let a proportion (according to the injury sustained) be gently rubbed into the part twice every day.

Or,

TAKE extract of Saturn and camphorated spirits each two ounces;

Opodeldoc four ounces.—Mix the extract and camphorated spirits together; then add the opodeldoc, and use as above, never omitting the use of proper bandage.

In corroboration of my own remarks upon the inconfistency of rashly bringing into use the burning cautery, I must beg to introduce the judicious opinion of OSMER upon the operation of siring, which I shall quote exactly in his own words, from a treatise of his that never fell into my hands till many weeks after the original publication of this work.

" Between the tendon and the skin of the leg, " as nothing intervenes but a thin membrane, " what hand can determine betwixt the boun-"daries of those bodies, whose appearance, by " the heat of the iron, is made undistinguish-"able to the eye. Now mark the event of " firing .- If the fire reaches no further than " the skin, little advantage can accrue to the " tendon, but the fibres of the skin will become " contracted and less pliant; if the fire reaches "the membrane or sheath of the tendon, " some of its glands are destroyed, and the ten-"don becomes more or less rigid. If the ten-" don be burnt the consequence will be still "worse, and in either case the velocity of " motion will be impeded; on all these occa-" fiens the horse should be turned to grass and " indulged with proper rest, that the diseased " parts may recover their former firmnes, " tone, and strength."

CLASS II.

CRACKS, SCRATCHES, THRUSH, AND GREASE.

CRACKS and SCRATCHES

In the heels are so evidently children of the same samily, that not being able to reap any advantage from their separation, it would be very unfair to part them. Every reader well knows, without information from me, that, in the general search for cures in the books gone before upon this subject, they have been most plentifully surnished with remedies, and those very concise too. The whole class of corresives, detergents, repellents, and restringents, have been let loose, affording ample FOOD to indulge the most extensive appetite for experiment. But modern and experimental practice abandons this beaten

beaten barren tract of alum, lead, vitriol, mercury, and a long list of inveterate poisons, coming immediately to a rational system founded on common observation and long experience.

CRACKS and SCRATCHES, in nine cases out of every ten, are undoubtedly produced by negligence and a want of care in the SUPERINTENDENT; and not, as is too frequently supposed, from a bad habit, or an acrimonious state of the blood.

In many stables, (particularly where the master seldom pays a visit), so as the carcass is fleek, the feet and heels are left to take care of themselves. From this circumstance in severe weather (when the parts below the fetlock are left in a wet, dirty, and flovenly condition), do these complaints originate, evidently resulting more from bad grooms than bad habit. It is likewise remarkable that the mode of treatment for a century past has been in direct opposition to the EFFORTS of NATURE, without the introduction of a fingle attempt to co-operate in her endeavours. Instead of correfive washes, detergent lotions, repelling liniments, or restringent embrocations, calculated to form rigid

rigid eschars, or painful callosities, I shall communicate, and earnestly recommend, a safe, simple, and essectual METHOD of CURE, which I have never yet seen once fail in an experience of twenty years.

In every twenty-four hours, but more particularly at each time of the horse's returning from the road or exercise, let the CRACKS or SCRATCHES be washed for a considerable time with foap and warm water, making a lather, and continuing to rub them tenderly with the fuds, till they become pliable, and perfectly clear from every degree of fcurf, or hardness at the edges, and the stiffened mucus, or oozing, is entirely washed away; then wipe very dry with a linen cloth, and when perfectly fo, rub in a sufficient quantity of campborated spermacæti ointment: there is no doubt but they will foon submit to this simple treatment, if regularly persevered in. On the contrary, if in some days after this method has been adopted, you perceive the CRACKS to be deep, the discharge copious, and the smell fœtid or stinking, you may naturally conclude there is a foulness in the habit, or an acrimony in the blood, requiring rectification; in that case continue

tinue your washings with soap and warm water every night and morning; take away a proportion of blood, according to the directions before given under that head, rubbing in a small quantity of the strong mercurial ointment, (instead of the camphorated spermacæti), administering two purging balls; and if necessary afterwards a diuretic ball, every other morning for a fortnight, as will be hereaster described, under the article Grease, when we come to that subject.

THRUSH,

Commonly called "the Running Thrush," is a varicous state of the frog, which, becoming perforated in different parts, bears the appearance of rapid decay and rottenness; occasioned by an ichorous corrosive discharge, frequently the evident effect of neglect in suffering the horse to go badly shod, till the frog, by repeated bruises, loses its original property, and becomes diseased. To inattention the complaint is generally owing, and by early care is as generally cured. Though there are undoubtedly instances

instances of such defects being what are termed natural blemishes; but the mode of treatment will be similar and effective. The putrid, ragged, or rotten part of the frog should be constantly pared away, as should also the hoof that bears upon the defective parts. The bottom of the foot should be frequently washed with warm water, particularly after coming into the stable; and, when dry, the whole frog moistened slightly with tincture of myrrh. The feet should be constantly stopped with a composition of the following proportion:

Cow dung, seven pounds; Vinegar and chamber-lye, of each one pint.— Mix.

If the complaint displays (by its depth or fætidity) a degree of inveteracy, assist with the following diuretic balls:

Take white foap eight ounces;
Nitre and rofin (in powder) of each three ounces;
Camphor and oil of juniper, of each three drachms; form the mass into half a dozen balls, and let one be given every, or every other morning, as the state of the case requires.

But should the horse be visibly foul, and, by his whole appearance, indicate a tendency to fluctuating humours, from an impurity in the blood, a course of physic is first to be adopted, preceded by a proportional bleeding, regulating both by the directions given under those distinct heads. These instructions properly attended to, no doubt need be entertained of a perfect cure; yet it had in most cases (particularly where the defect has been severe, or the frog very much impaired) much better be fully confirmed by turning out to grafs for an adequate length of time, where the foftness of the pasture may act as a natural cataplasm, promoting the growth of the frog to its original state of strength and perfection.

GREASE.

We are told by an author of the latest date; what is almost universally understood by those at all acquainted with the animal economy, that "the blood is conveyed from the heart" to the extremeties by the arteries, and re"turned by the veins; in which latter the blood

blood is to rife in perpendicular columns, to return the circulating fluids from the ex-" tremities. Hence swellings in the legs of "horses may be easily accounted for, from a " partial stagnation of the blood and juices in "the finer vessels, where the circulation is " most languid; and especially where there is " a want of due exercise, and a proper muscu-" lar compression upon the vessels to push for-" ward the returning blood, and propel the " inert or half-stagnating fluid through their " vessels." This is one reason (where a reason is wanting and must be obtained); and is quoted entirely for the service of those who require no other. But, as many may wish to receive more fatisfactory information upon the subject, it will be necessary to afford it a nicer elucidation.

Indeed it cannot be supposed that any reader possessing the smallest degree of rational conception will fall into this ridiculous idea, and implicitly believe NATURE has perverted her own laws, by appropriating to certain offices vessels inadequate to the purposes for which they were formed. That the vessels are small in the extremities must be acknowledged;

that the contents are proportional, cannot be denied; these positions being admitted, it certainly shall follow the less the weight or substance the less must be the force required to give it motion: this force is retained in the contracting power of the vessels acting upon their own contents, exclusive of the affisting muscular compression mentioned by the author above quoted, which (in the fystem of circulation) can only prove the fecondary confider-I do not mean to enter into tedious and ation. unentertaining disquisitions upon the laws of nature and motion, but hope (and naturally conclude) every reader will coincide with me in one opinion-that these vessels are as fully adequate to the offices affigned them in the extremities, as those whose capacities have fixed them in the more noble parts.

This truth being allowed (as by every intelligent reader it must be), I consider NATURE totally exculpated from the accusation of insufficiency in the execution of her own laws; and doubt not, in the investigation of the subject, we shall be able to produce more satisfactory reasons for the appearance and progress

of this disease than any we have yet seen offered to public consideration.

That "a partial stagnation of the blood and "juices in the finer vessels, where the circulation is most languid," may and does happen, I readily admit, but by no means so often as to constitute the disease we now treat of; if so, (the extremities in most horses being the same, as well as the circumference or capacity of the vessels and force of circulation), there can be no doubt but nineteen out of every twenty would be afflicted with this malady, from an "ERROR in NATURE," that no human fore-fight can prevent or judgment remove.

BARTLET (who is the author before alluded to), says, in the passage there quoted, "the "horses most subject to it are those where "there is a due want of exercise." In compliment to an author of merit and repute, we will admit this for a moment; but the better to establish my own point, I shall claim the privilege of making one observation in direct opposition to an affertion that has acquired some authority by remaining so long uncontradicted. And as I, from the first moment of my embarkation

barkation in this treatife, have totally difclaimed the very idea of implicit obedience to the dictation of those who have preceded me on the subject, I now come to the declaration of an opinion directly opposite to what we have just quoted; and (as no bad prelude to what is to follow) wrest the attention of the reader to the following circumstance, well worthy of note.-That the horses having the most regular and temperate exercise, food, air, and water, ARE the very subjects that are in general more severely afflicted with this disease than any other, no one will attempt to disprove: For instance, those passing under the denomination of "cart horses," employed in teams, agriculture, road waggons, &c.; and this circumstance alone, if unassisted with other testimony, would very much warp the opinion before-mentioned, and prove both the vessels and circulation to be less culpable in this business than that writer feemed to imagine.

It is a circumstance known to the most superficial observer, that enormous quantities of hair are permitted to remain upon the heels of drast borses of the above description without exception; and it is in vain to expostulate upon the absurdity, by enlarging upon the heat it occasions in summer, or the dirt and filth it harbours in winter. You are told, in return, " of " its utility in preventing injuries from flints, " bruises from stones," &c. this is the evident effect of instinctive obstinacy and ignorance, transmitted from sire to son; and is one of the most palpable reasons that can be produced for the frequent appearance and progress of this complaint, whether proceeding originally from a hidden accumulation of external nastiness or internal impurity.

As I mean however to give the explanation of this disease the face of novelty, I shall hint only at the impossibility of removing, from under the loads of hair just described, the quantity of dirt and extraneous matter that must inevitably lodge there, and continue to accumulate without even a probability of extirpation; and proceed to hazard an opinion, or perhaps a fact, that the proportion of secreted perspirable matter, making its efforts here (as elsewhere) for a natural discharge, is obstructed by the mass of filth caked upon the surface, as before explained; and becomes, in the course of time, too viscid and substantial to be again H 3 absorbed

absorbed and carried into the circulation. This is palpably the state of the case, and NATURE, faid by BARTLET to be deficient in her own office, is not so but upon compulsion; the constant flow of perspirable matter to the parts so evidently obstructed, totally overpower every effort of Nature; and, from the accumulation of matter, the veffels certainly become inadequate to the task of conveying TREBLE the proportion for which they were intended: the extremities being by these means overloaded and distended, the contents not only become, from their stagnation, putrid and corrosove, but at length, by their acrimonious quality, perforate the integuments in a fætid ichor; and, by a peculiar sharpness in its cutaneous oozing, gives a callosity or bardness to the edges of the apertures, small as they are, constituting, in this difease, a greater or less degree of inveteracy, according to the state and temperament of the blood at the time of attack.

The disorder having once made its appearance will, in its progress, beyond every admission of doubt, be almost entirely regulated by the favourable or unfavourable state of the habit, which must now be more minutely inquired

inquired into. But as it appears very little amongst horses of the first or second class, appropriated to either turf or field, and is confined chiefly to those before described, or such as are unluckily destined to a hard road, and a harder master, fall in for a much greater proportion of work than CARE; I avail myself of this additional observation to corroborate any former affertion, or opinion—that this complaint frequently originates much more in the ill humours of the groom than the HORSE; to which the carelessness and inattention of the master does not sometimes a little contribute.

But as an ancient adage instructs us to believe "There is no rule without an exception,"
so I am willing to admit the exception, and
allow that a viscidity or tenacity in the blood
may engender foulness; and impurities may be
produced by omitting to correct and purify
acrimony on the one part, or a sluggish cohesion
on the other. Collections of matter may be
formed, and are undoubtedly the efforts of
NATURE to disburthen herself of the morbid
affection; and she, most wisely, makes those
efforts as remote as possible from the vital principle of action, and in the parts best qualified
to bear the operation.

Thus much produced to inculcate the doctrine of the disease, let us endeavour to establish (contrary to the custom of a century past) the most rational and least objectionable mode of obtaining relief in cases of so much pain and trouble. So foon as the attack is discovered, or the appearance of disease is ascertained, let blood be taken away with a proper reference to the directions given under that head; letting your quantity be proportioned to the fize, state, and strength of your horse; and fo foon as the blood is cold, let an examination be made of its state, and proceed accordingly. If you find the BLOOD is firmly coagulated with a small proportion of ferum or liquid, that the crassamentum, or mass, is livid, with a coat of fize, or gelatinized matter, upon the furface, you may immediately conclude there is too great a tenacity and adhesion in the BLOOD for the office of circulation through the smaller veffels; and that such quality has contributed to the cause of obstruction under which the subject is discovered to labour. the disease is in its earliest state, and does not feem to indicate rapid figns of inveteracy; and the horse is not remarkably foul or out of condition, it may probably submit to the mildest method

method of treatment; as for instance, let the parts affected be well washed twice every day with soft water made warm, and plentifully impregnated with soap, so as to form a substantial lather; with which every defective or offensive spot should be most patiently rubbed, so as to clear the surface of all scurf, scabs, or indurated matter; then wipe the parts gently dry with a linen cloth; and so soon as well dried, wash where necessary with as much as is requisite of the following LOTION:

TAKE tincture of myrrh and camphorated spirits of wine, each one ounce;

Of best white wine vinegar and spring water, each two ounces.—Mix together;

And when well dried in slightly rub over with a small quantity of the following OINTMENT:

TAKE of white diachylon platter and olive oil of each three ounces; melt together over the fire; then keep stirring till cold, and mix upon a stone with three drachms of the sugar of lead, first powdered very fine in a mortar.

And let ONE of the following DIURETIC BALLS be given every other morning for a course course of one dozen: but if the horse is evidently gross in habit, and foul in excrement, this course must be preceded by two doses of physic, prepared according to his strength and condition, from some of those prescribed under the directions for purging. See page 36.

DIURETIC BALLS.

TAKE of Castile, or best Bristol soap, twelve ounces;

Yellow rosin and nitre (in powder) each eight ounces;

Camphire (in powder) one ounce; Oil of Juniper six drachms;

Mix with as much fyrup or honey as required, and divide into a dozen balls, and roll up in liquorice or anifeed powder.

If the disease is farther advanced, and displays a palpable inveteracy, the parts considerably enlarged, and the discharge both sætid in smell and copious in quantity, (the blood being as before described,) bleed again in sour or five days; giving in two days, or three at most, one of the purging balls, adding of

mercurius dulcis, (commonly called calomel) two drachms; working it off as before described, and using every precaution to avoid cold: at the expiration of four or five clear days repeat the purging ball, adding or diminishing (that is changing the number), so as to render it effectual in respect to strength. In three days after the fetting of which fecond dose begin a course of the above DIURETIC BALLS, and let one be given every morning for a fortnight, three weeks, or month, as may be found necessary. The washing with the folution of foap in warm water to be regularly and substantially repeated twice every day; the parts to be fomented after each washing with flannels dipped into a hot decoction of camomile, wormwood, marshmallows and rosemary, for a quarter of an hour or more; and this to be followed, if necessary, by the application of a POULTICE prepared with equal parts of rye meal and oatmeal; with garlic and white lily root, of each two ounces; both beat to a paste, and all mixed together to a proper confistence, with a part of the decoction prepared for the fomentation; and then stir in a quarter of a pound of lard, and apply as warm as may be with fafety.

On the contrary, if circumstances should not be so severe as to require the poultice, the following OINTMENT may be plentifully applied after the fomentation (when rubbed dry); or, in worse cases, when the poultice is left off:

TAKE ointment of elder four ounces:

Camphire, powdered and molified with a little olive oil, fix drachms;

Of liquid laudanum and extract of Saturn, each two drachms:

Mix well together, and keep close stopped for use.

But when the case is so obstinate as to bear no figns of submission either in a reduction of the discharge, or a decrease of the swelling, let longitudinal and transverse scarifications be made superficially with a fleam, in number and distance proportioned to the distension of the parts, (or inveteracy of appearance), so as to insure a plentitul discharge of blood and sanies. Immediately after the discharge apply a poultice very warm, and fufficiently large to cover all the parts, compounded of the following ingredients:

TAKE of coarse brown bread and boiled turnips equal parts, and mash well over the fire; adding a sufficient quantity of stale strong beer, to give it a proper consistence; and stir in of best flour of mustard one ounce, turpentine two ounces, linseed powder three ounces, and lard six ounces, or sufficient to keep it from getting too stiff.

This must be continued night and morning till a change in appearance renders a variation in treatment necessary, regulating the use of purgatives or diuretics by the face of disease, and the discretion of the prescriber, farrier, or groom; adopting such choice of the various methods pointed out as may rationally appear most applicable to the state and changes of the subject. During the whole progress of cure such proportion of gentle motion or exercise should be adopted as the nature and circumstances of the disease will bear: and the horse, if at a proper season of the year, be turned out to enjoy the advantages of gradual and voluntary motion, so soon as his state will admit, first observing however mild or severe this disease may have been. So soon as the discharge has declined, its fœtidity (or offensive (mell)

finell) is fubdued, and the swelling totally subfided, the cure may be completed by well washing the parts with equal proportions of soap lees and good vinegar, once every day, occasionally moistening with a small quantity of the ointment before-mentioned, compounded of diachylon plaster, olive oil, and sugar of lead, page 105.

Having treated largely upon that degree of foulness termed GREASE, originating in a palpable combination of neglect and nastiness, strengthened by internal grossness and viscidity of blood, with the various methods of treatment adapted to each distinct stage of disease, let us revert to the same disease, formed by a very distinct and separate cause, where, from the kind of horse and the care constantly taken, we are instantly convinced it must arise from an acrimonious state of the blood and juices, or an hereditary retention or taint from SIRE or DAM.

In this case the first step to cure must be the same as with the other; that is, bleed to a proper quantity, according to the state of your subject:

fubject: if he is full of flesh, bigh in condition, and has had no forced evacuations for a length of time, take sufficient in proportion to strength: if the symptoms are powerful and threaten obstinacy, give him a couple of the following purging balls six days apart. The management being strictly regulated by the directions given under the article of purging, page 35.

Take succotrine aloes nine drachms;

Æthiop's mineral and Castile soap, of each half an ounce;

Jalap two drachms;

Ginger one drachm;

Oil of juniper forty drops;

Syrup of buckthorn sufficient to make the ball.

If this proportion does not purge quite so much as desired, add another drachm of aloes; if on the contrary it is thought to relax too much, take off a drachm of the jalap. In four days after the last dose begin with one of the following BALLS, and repeat it every morning for fifteen days, three weeks, or a month, as the urgency or mildness of the case may require.

TAKE of antimony finely levigated, fulphura nitre, and Æthiop's mineral, each three ounces:

Caftile foap ten ounces;

Oil of juniper three drachms;

Syrup or honey fufficient to make the mass, which divide into a dozen balls, rolling them in liquorice or anifeed powder.

This disease has been so fully explained; and every method of cure so minutely entered into, that the reader can be at no loss for farther instructions under this head, having such a variety of prescriptions to affist his endeavours if he will but industriously exert his judgment on the occasion:

And this in fact becomes necessary even in its earliest state; for, by remaining long uncorrected it soon assumes a degree of virulence, particularly in subjects remarkably foul and out of condition; occasioning a greater portion of trouble and inconvenience than can possibly happen in almost any other disease. To obviate this difficulty, and counteract the tendency as much as possible, such hints will be found in the Appendix respecting the management

ment of draft hors, as taken into consideration and properly attended to, may, in a great measure, reduce the number constantly labouring under this distemper; many of whom, by neglect and injudicious treatment, are doomed to perpetual punishment, and relinquished as incurable.

CLASS III.

HIDEBOUND, SURFEIT, MANGE,
AND FARCY.

HIDEBOUND

Is a subject that has hitherto been very little treated of, and by no means at all satisfactorily. It has been attributed to many causes, but, from every observation I have been able to make, I must confine it to few. The signs are, a want of slexibility in the skin, which is pervaded by a general stiffness that seems to form an entire adhesion to the sless, without the least partial separation or distinction. There is a kind of dusty scurs, plainly perceived underneath the hair, that raises it up in different parts; and, giving it another hue, the coat in many places forms an appearance of two or three colours; conveying, even in this

this trifling circumstance, a very forcible idea of POVERTY in both food and raiment. The horse is generally languid, dull, heavy, and weak; his excrement is dark, foul, and offenfive; he fweats much upon very moderate exertion; then his coat stares, the hair turns different ways, (which in its effluvia is disagreeable,) and affords evident proof of weakness and The cause requires very little debilitation. animadversion, as it bears the face of poverty (in food and attention) upon every trait of its countenance.

Bad food and want of stable care are, in general, the only probable reasons that can be affigned for this complaint, or defect. Long lank grass, in low swampy land in autumn, and musty hay or bad oats at any season, may in some degree allay the hunger, but not gratify the appetite; for, being in itself destitute of the effect and quality of superior food, no nutritive contribution can be conveyed for the generating of blood or formation of flesh. The fources for the supply of chyle being thus obstructed, the lymphatics are deprived of their due proportion of nutrive fluid that should pass through these smaller vessels, and they

they become not only in some measure contracted, but in a great degree inactive, which, with the want of proper external care and dressing, contribute to an almost universal obstruction of the cutaneous pores. These, from the preternatural debilitation of the general system, are compulsively thrown open upon the most moderate exercise, when a horse that is (from excellent food, care, and attention) in what is termed good condition will not display the least moisture upon his skin, even in undergoing a much greater proportion of satigue.

Thus much is introduced to prove its existence as an original complaint, probably
caused by these means, when abstracted from
its consideration as a symptomatic attendant
upon any other. And when that is really the
case, by effectually removing the cause, the
effect will cease; or in other words, cure the
disease on which it is an attendant, and you
will of course get rid of its concomitant likewise. In respect to its cure very little instruction will be necessary, for (under judicious
management) it is hardly entitled to the appellation of disease, being in fact no more than
a temporary

HIDEBOUND, &c. 117

a temporary inconvenience. Therefore, by way of affording some little change to the circulation of the blood, take away a small quantity, and in three or four hours after increase its impetus by a mash of malt, oats, and bran, equal parts; continuing it every night for a fortnight, stirring in two ounces of flour of brimstone every other night; giving his other feeds, (morning and noon) equal parts of oats and bran, with half a pint of old beans in each, to prevent relaxing the body too much by the mashes. To give this method of cure fome certainty of success, regular and substantial dreffing, air, exercise, sound oats, sweet hay, and good foft water, will greatly contribute. And when by these means he has visibly improved in hide, coat, and condition, let him have twice in a week a brushing gallop, to produce a tolerable sweat and enliven the circulation; taking great care not to let him stand still till he is perfectly cool; when his dreffings should be thoroughly gone through with attention, care, and perseverance, every night and morning. If this method should be unattended with success, there must be some unknown cause lurking behind; in which case go through a mild course of physic, feeding

feeding well between the doses, or a regular administration of diuretics, as described in the last class.

SURFEIT.

This word has been the constant friend and frequent resource of all country farriers, and may, with great truth, be termed "The "Farrier's Vade Mecum," abridged to a word of two fyllables, for the convenience of technical explanation and vulgar comprehension. For certainly fo foon as a cutaneous eruption appears, indicating an acrimonious state of the blood, or a degeneracy of habit, it is (with a wonderful degree of fagacity, and almost incredible penetration), confidently pronounced " A SURFEIT;" but what a furfeit is, unless as Captain le Brush, in the Register Office, defines chaos to be " a fort of-a, kind of " a-chaos;" they filently acknowledge they cannot tell. And what makes it the more unfortunate for them is, that BARTLET, the great "god of their idolatry," to whom they look for every information, omitted to give them the least clue by which they might gloss their

their ignorance. "For," fays he, in toto, " furfeits arise from various causes: but are " commonly the effects of some some diseases " not attended to, or that have been ill cured." Whether this can be called an elucidation, or is entitled to the compliment of "multum in "parvo," I leave to the discerning reader, anxious for instruction; and gladly submit to his impartial decision alone, whether we are not likely to derive greater gratification to our inquiries from a more minute investigation.

As the before mentioned writer has been indulgingly concise, another has been most tediously prolix, who, after taking a trip through almost every known disease, feeling for the cause, plainly tells you, " it may originate in " ALL or ANY; but it most commonly pro-" ceeds from a horse's constantly feeding till "he can feed no longer." We thank him heartily for fuch very USEFUL information; and proceed to our own part of the task, but not without the necessary compliment of making one observation upon bis-That it is very natural to suppose a horse constantly supplied with food, even to fatiety, must be fat, (at least in tolerable condition), whereas on the

contrary it is univerfally feen, that horses labouring under the difease known by the appellation of SURFEIT, are generally poor.

There is no rational unprejudiced man living who will not most cheerfully subscribe his opinion to a fair investigation and demonstration of TRUTH, rather than every fallacious conjecture that may be forcibly seized on by a POST HASTE author, impatient to arrive at the goal of his undertaking.

Of surferts then there are two kinds, originating from different causes, one being no more than a very advanced stage of the case last described; which being long neglected, continues to increase, with all its symptoms before-mentioned, till the entire mass of blood being at last affected, displays itself upon the furface of the body with a degree of virulence that forcibly appeals to the fensations of the owner; and necessity, by the plea of SELF-IN-TEREST, prompts him to yield, in his own defence, what the dictates of bumanity had in vain endeavoured to obtain. This I confider one embellishment to the FARRIER's abstruse abridgment; to which I shall add an additional definition

definition of this disease, that has for ages occasioned infinite looks of surprise, and exertions of wisdom, when invoking the interpolition of Minerva or Somnus, to elucidate a matter that even their IMMACULATE BARTLET did not condescend to explain. And as his great predecessor (who he has most incessantly and implicitly copied), after ringing the changes upon almost EVERY disease, fixed his opinion of the cause upon " immoderate feeding;" I shall avail myself of the privilege afforded me in the ancient adage of " Doctors differ," and declare I attribute the cause to HARD DRINKING. And although he declined faying much in favour of HIS opinion, I shall not omit to advance a thefis in confirmation of MINE.

The kind of surfeit differing from the former in cause, but very little in effect, is that kind where, from ignorance, intoxication, or inattention, a horse is suffered to drink immoderately of cold water, when in a violent perspiration, and the blood consequently in the highest degree of circulation.

The shock nature sustains by this revulsion will be instantly conceived, even by a mind

not at all accustomed to search into the abstruse recesses of Nature. The blood, in its greatest velocity is so instantaneously checked by the flyptic influence of the frigid element, and the sudden contraction of the folids, that the CRASSAMENTUM, or balfamic part of the blood, becomes immediately thickened and inflamed, separating itself from the serum or watery part, which (being, from the inflammatory particles, impregnated with its proportion of acrimony) extravalates itself; and by an effort of Nature, is propelled to the skin for transpiration, where the pores (having been instantly collapsed at the time of the water's taking effect) are so closely obstructed that its passage to the surface is absolutely prevented and rendered impracticable. This fixed, it becomes united with the perspirable matter already confined there (forming a morbid combination); and is, in the course of time, compelled by the progress of internal inflammation to make its way through the skin; upon which it at last appears in a variety of FORMS and different SYMPTOMS, affuming diffinct degrees of malignancy, according to the state, babit, and constitution of the subject at the time of attack.

This being the exact PHYSICAL demonstration and regular process of the disease, the indications of cure aptly arise from our investigation. For instance, to resolve the instammatory crudities, remove cutaneous obstruction, correct the acrimonious state of the blood, and gently quicken the circulation. The better to effect these, take away a moderate portion of blood that the impetus may be encouraged; open the body with a few warm mashes; and, according to the mildness or inveteracy of its appearance, give (as the case requires) either two or three of the following PURGING BALLS, allowing sufficient time between each dose, and exerting more than usual precaution to avoid cold, on account of the mercurial preparation contained in its composition; though it is not only remarkably gentle in the operation, but small in quantity, and may be administered with the greatest safety and effect:

Take Barbadoes aloes one ounce;

Jalap (in powder) three drachms;

Mercurius dulcis, alias calomel, cream of tartar,

Castile soap, and ginger (in powder) of each
two drachms;

Syrup of buckthorn sufficient to make the ball.

After

124 SURFEIT.

After the course of physic is regularly gone through, and properly conducted, let strict attention be paid to the very necessary directions of FOOD, dressings, water, &c. given under the last article of "HIDEBOUND;" and in three days after the last dose of physic begin the following course of ALTERATIVES, perfevering for a month with unremitting punctuality, if you wish to succeed in the acquisition of events fully enumerated in the indications of cure:

TAKE of antimony levigated and fulphur, each half a pound;

Æthiop's mineral and cream of tartar, each four ounces.

Mix well together, and divide into twelve equal parts of two ounces each, giving one every night with the feed of corn; which being first sprinkled with water, will retain the powders and insure their consumption. Two ounces of nitre must be given every morning in a pail of soft water, and continued during the whole time of giving the powders. Should any trisling eschars, scabs or excoriations, prove obstinate upon any part of the body, they may be washed with equal parts of lye (procured from the soap boilers) and lime water. After a regular

regular continuation of the above proportions, should no considerable advantages appear, the doses must be gradually increased of each, from two ounces to two and an half; and in another week to three ounces for each dose, of both the composition and the nitre.

MANGE.

This distemper is so universally known that a general description of its most predominant features would be a very indifferent compliment both to the time and understanding of the reader; suffice it therefore to say, a mere superficial view of it instantly conveys to the spectator a very strong idea of general wretch-For furely nothing can convey it Aronger than EXHAUSTED NATURE finking under a complication of disease and poverty. And in this case so true it is one missortune Seldom comes alone, that the latter feems in combination to go hand in hand with this distemper wherever it makes an appearance. And as a proof of the truth in this observation, it is very little feen amongst Horses of any ESTIMATION; on the contrary, is almost entirely confined to the lower class of stables and proprietors.

It is observed to fall chiefly upon those that have been almost strangers to the TASTE of oats, and are kept entirely on the refuse of provender, barren pasture, musty hay, separated haybands, swampy mosfy ground, or rushy moors; from all which NATURE may receive a wretched EXISTENCE, but cannot be furnished with support; at least the support neceffary to contribute nutritive juices for the constant healthy subsistence of so large a frame. From this mode of living (or rather starving) originates so severe and inveterate a disease; the economy and law of NATURE demonstrates it to a certainty, and renders farther ANI-MADVERSION upon the subject tedious and unnecessary. For the blood being by this barren contribution robbed of what it was by nature intended to receive, becomes impoverished even to a degree of incredibility (by those who are unacquainted with the system of repletion and circulation); it loses its tenacity and balfamic adhesive quality, degenerating to an acrid ferous vapour that requires malignity by its preternatural separation from its original corrector. Thus extravasated and unrestrained, its morbid effects and virulence foon display themselves upon the surface, with a severe

and constant IRRITATION OF ITCHING; to allay which the poor beast is eternally exerting himself in perpetual rubbings, till with those, and the loss of hair from the different parts, he bears the universal appearance of approaching excoriation. In this predicament it has been the constant practice to get rid of one devil by the application of MANY; for instance, quicksilver, aquasortis, oil of vitriol, corrosive mercury, spirit of turpentine, sulphur of vivum, sal armoniac, tar, train oil, and all the combustibles that could well be invented for the support of an everlasting conflagration in the lower regions.

Without enlarging upon this desperate mode of PRACTICE, I shall only acknowledge it brings to my memory a passage from that justly celebrated writer who says

"Where the greater malady is, the leffer is not felt."

And I naturally conclude from the purport of this sentence, their mode of practice was adopted to extirpate an itching by a course of cauterization; and there is no doubt but a poor devil would feel very little uneasiness from a cutaneous irritation when burning alive with a combination of the most powerful caustics.

That THESE PRESCRIPTIONS were in full practice upon the principle of "kill or cure" no one will deny; for, as GIBSON fays, when he speaks of the internal administration of corrofive mercury, or other Poisons, "the " horse must have a very strong constitution " to recover it :" and I will, in opposition to the confidence and felf-sufficiency of ANY FAR-RIER in the kingdom, declare the above course of unction (and extreme unction it certainly is) has fent more HORSEFLESH to the different dog-kennels than the disease itself. That the poor diffressed and emaciated subjects may in future be in some degree RESCUED from fuch a dreadful scene of unmerited MISERY and PERSECUTION, fuch methods are pointed out as will certainly eradicate the disease, with proper attention and punctuality, unless it has been suffered by a long and neglected continuance to assume a degree of inveteracy; if fo, and the horse is not of great value, I will venture to hazard an IRICISM, and affure the owner that the most merciful, certain, and least expensive CURE will be by instantly cutting his throat, or shooting him through the bead.

The first step to be taken is a constant supply of WARM mashes, prepared with half malt and half bran; or equal parts of oats and bran, with four ounces of boney dissolved in each; let these be given night and morning, with a feed of dry corn every day at noon. During this treatment (which must be continued a week, to sheath the acrimony and foften the rigidity of the skin) give one ounce of fulphur in each mash, and one ounce of nitre in water every night and morning. In a week or ten days, when the frame becomes more invigorated, discontinue the mashes, and let the diet be changed to good oats and sweet bay; giving, in the morning and evening feeds, one of the following POWDERS intermixed with the corn, first sprinkled with water:

TAKE fulphur and prepared antimony, of each a pound; rub well together in a mortar, and divide in twenty-four equal parts.

Or,

Antimony levigated, and fulphur, of each twelve ounces;

Liver of antimony and cream of tartar each half a pound.—Mix well together and divide into twenty-four equal parts, and let them be given as above directed. Upon first taking the subject in hand, and previous to the commencement of the mashes, procure a pail of warm water, and a quarter of a pound of soft soap (tied up in a linen rag); and with this let every infected part be thoroughly washed and cleansed, by forming a substantial lather, so that no scurf or filth remains upon the surface; then rub tenderly dry with a coarse cloth or separated haybands; and on the following morning begin to rub in a necessary portion of this ointment, and repeat it for seven, ten days, or a fortnight, (as the urgency of symptoms may require) upon every part affected:

TAKE of the weak mercurial ointment half a pound;

Sulphur vivum four ounces;

White hellebore (in powder) three ounces;

Black pepper (in powder) and oil of tartar, each one ounce;

Olive oil as much as necessary to make it sufficiently soft.

Continue the use of the powders before mentioned, with the nitre also, for three weeks or a month; and so soon as it is conceived by the horse's condition he is in a state to bear it, take away a moderate portion of blood, and give him afterwards two very mild doses of physic, selected from the prescriptions under the article of purging, and this will be the more necessary, for reasons that cannot require the least explanation.

FARCY.

I MUST confess I have heard, seen, and read, less to prove satisfactory upon this distemper than any other to which the horse is subject. Every writer has described the symptoms, but no author, farrier, or groom, has ascertained the cause. Their opinions upon the subject forming a very great similitude to Scrub's allusion in the comedy, where he says "Some say one thing, and some say "another; but, for my part, I believe he's a Jesuit." This is strictly the state of the case with the FARCY; some attribute it to one cause, some to another; most declare it a bad cause, and all acknowledge the "FAULT" (as usual) to be in the blood.

That they are right must be admitted; and that they are so is the less extraordinary, when a very superficial survey of the case will evidently prove it would be a difficult task to be wrong. One author gives us many pages replete with figurative, descriptions, and runs through the whole animal mechanism to demonstrate the cause very clearly, but unluckily never draws nearer the point than to prove what a writer of more modern authority LEARNEDLY tells us in two lines, that "the " true FARCY is properly a distemper of the " blood veffels, which generally follows the " track of the veins." What infinite satisfaction must it afford every reader, to be informed from the fountain-head of instruction, that "the blood veffels generally follow the " track of the veins!" Anxious for information, and open to conviction, I receive the intelligence with gratitude; and, although my retentive faculties are deceptive and imperfect, I shall exert their utmost influence to preferve, in high esteem, so excellent a monitor; making no doubt but it will prove highly fatisfactory to the curious to be informed they need not look for a distemper of the blood veffels in the "TRACK" of the intestines.

intestines. But to pursue this vein of irony no farther, and come to the subject in discussion, let it be observed that, from the begining of this class, we have had occasion to ENLARGE so much upon the acrimony, viscidity, putridity, and tenacity of the blood, under the separate articles of HIDEBOUND, SURFEIT, and MANGE, it is but natural to conclude, the intelligent reader is by this time enabled to form a competent judgment of its circulation, qualities, dispositions, and effects: from rules so clear and explanatory, the system is absolutely reduced to the most minute demonstration, and cannot possibly be misunderstood.

Every reader being by these means put into possession of such reasons as may tend to form bis own opinion, perhaps it may be the most prudent to say nothing peremptorily decisive upon the matter, but introduce my opinion, leaving each observer open to an exertion of his own judgment, to which of the three preceding distempers this is allied; or whether it bears the least similitude to the severity of the whole. It would be a very indifferent compliment to the patience of the enlightened

reader to repeat the technical jargon that was unavoidably necessary to explain the original causes of grease, bidebound, surfeit, or mange. An hypothetical explanation of the nature and origin of this complaint, would be to go over the same ground, introducing the same law of nature in the fystem of circulation: the conveyance of chyle by the lymphatics or small veffels, for the generating of blood, the partial coagulation of the craffamentum, and its consequent effects; as obstruction, putrefaction, and the appearances that follow upon different parts of the body, or in general over the whole. That this DISEASE has its different stages or degrees of malignity according to the state, babit, blood, age, keep, and condition of the borse, is certain; but generally that circumstance is misunderstood, and the different degrees of the distemper are supposed to constitute distinct kinds of the same disease,

That the distemper originates in an inflammatory state of blood in the first instance, gradually increasing to the greatest pitch of acrimony, and affecting the system by degrees, till the whole mass is corrupted, is too evidently clear

clear to admit of a doubt. The gradual and general affection of the frame may be eafily reconciled to any comprehension, by the idea of a fingle spark of fire giving life to a combination of combustibles that soon constitute a general flame. To fay the FARCY is or can be long partial to any particular spot is a very ridiculous supposition; for although the attack may be local, (the cause being inflammatory) it must soon be universal from the very nature of the circulation. Certain folid parts of the body may be individually affected by inflammation, but we naturally infer, from a knowledge of the circulation, one part of the blood cannot imbibe a temporary affection without a speedy communication to the whole.

If, as it has been before observed, "the " Farcy is a distemper of the blood vessels," I cannot indulge a momentary doubt but such distemper in the vessels must have received the full force of disease from the acrimonious state of the blood itself; which, by its accumulating force and morbid pungency, foon exceeds the bounds prescribed by nature, making its way to the furface, by a corrofion of the veffels in which it was contained. The coat is raised in

different parts (as they become affected) with various small prominences, bearing the appearance of bunches of berries, branching off in direct uniformity with the veins. Soon after their appearance they are generally covered with a small scab or eschar, which, as they advance to maturation, peel off, and the pustules discharge a sharp serous ichor, or a gelatinous adhesive, putrid matter, forming ulcers of a more or less inveterate appearance, according to the degree of disease.

Previous to the present improved and rational system of cure, it may be applicable to introduce one of the promised observations upon the dangerous and almost obsolete practice of others, or rather the most cruel experiments and infernal persecutions that were ever invented, or could be supposed to enter into the mind of man, for the prevention or cure of disease. In the last article treated on we produced a tolerable system of cruelty; but in the farcy (as a more perplexing disease and greater excitement to judgment or madness) we have FIRE UPON FIRE, or effectual cauterization treble refined.

As they advanced in danger they increased in courage; and adhering invariably to the general intention of " kill or cure," they dealt about them with the fire of Mars and the strength of Hercules. Began with oil of vitriol, and oil of turpentine; then euphorbium, hellebore, quickfilver, oil of origanum, double aquafortis; and, to fum up the whole scene of confistency, made open passages with fmall hot irons, and touched with oil of vitriol or aquafortis; or, opening the buds, put in a fmall quantity of corrofive mercury, arfenic, or Roman vitriol and fublimate, equal quantities. "But," fays the writer, "let it be remem-" bered that many a horse has been poisoned " by these medicines ignorantly used, and in "too large quantities." This very acknowledgment (for which I confess I am under infinite obligations) will ferve to corroborate my former affertion—that some system has long been necessary to rescue this most useful and fuffering animal

FROM STABULARIAN IGNORANCE AND EMPIRICAL CONFIDENCE.

Can it be supposed, will reason or reflection for a moment support the idea, that the most severe

severe and burning caustics, very little short of actual fire, were ever calculated, when laid on by loads, to rectify the blood, or promote an incarnation of the flesh? It must create astonishment in every mind made calm by time, or cool by experience, that men have lived who, from a want of knowledge in the properties of medicines, could so prostitute their uses; or others prove so weak as to transmit that proftitution to posterity! But so deeply has the injurious and dangerous system taken root among the illiterate, who flick to a ruftic maxim never to be obliterated, that "old laws, " old times, old fongs, and old books, are " best," and consequently fly to the latter upon every occasion; in whose instructions they have fo much faith, and to whose contents they pay such implicit obedience, that the very DEVIL, however great his influence be in other respects, will never prevail upon that class to change their system.

That MERCURIALS and ANTIMONIALS internally, with necessary and occasional caustics externally, will (dictated by judgment, and proportioned with discretion), work wonders, experience and indefatigable attention from men of the most extensive abilities has sufficiently ciently proved. But the abundant, unlimited, and injudicious application of such destructive poisons, either externally or internally, no reafon can justify, or prudence direct. And what confirms it a danger of still greater magnitude is, the predominant desire to increase the doses and applications, upon a most contemptible but very common supposition; "if a small or even "a moderate dose does much, a large one "will CERTAINLY do a great deal more."

The very frequent application of caustics and repellents is a custom evidently too abfurd to require animadversion. Every common observer must instantly perceive the folly of repelling a morbid and malignant putrid matter to be again absorbed into the circulation, at the very time nature has arrived at the critical effort of relieving herfelf from the morbid affection or preternatural load with which she is oppressed. To prevent therefore a misconception, let it be once-for all understood, that in diseases of the blood or juices, however externals may occasionally alleviate as auxiliaries, the very fountain of relief must take its course from the effect of medicines internally administered. But forry I am to believe, and have

have every reason to declare, penury on the one side, and a want of common humanity on the other, has in general countenanced and promoted the burning practice formerly adopted; a few ounces of oil of vitriol, turpentine, aquafortis, or a RED HOT IRON, being, in the difference of expense, much more applicable to the constitution of the POCKET than a regular course of alteratives.

These observations being made to point out the danger and deter the practice, more than to condemn the authors, who, to their exculpation be it remembered, wrote in times of less refinement, I shall conclude them for this class with one REMARK-That where the cure is not to be effected by the course of bleeding, purging, mercurials, antimonials, and alteratives hereafter described, I perfectly coincide in opinion with a writer before quoted, who fays "When the disease is so inveterate as to " refift every application, that the fymptoms " not only continue predominant, but evi-" dently increase, it is incurable." And to this information I suspect he meant (but omitted) to recommend what I now most heartily do, the putting a period to a scene of pain and mifery,

misery, by taking away a life that every degree of assiduity and effort of art cannot render worthy preservation.

In respect to cure, upon the very earliest appearance take away blood in quantity as before described, and after so doing attend minutely to the quality, which circumstance will enable you to form a very decifive judgement how foon, and to what proportion, the subject will bear this evacuation, should it again be necessary; for, according to the extra proportion of the crassamentum, or coagulum, and the fize (or gelatinized fubstance upon the furface), with the disproportion of the serum, or watery part, it may be very readily afcertained how much the blood is certainly above or below the standard of mediocrity necessary for the absolute PRESERVATION of health. If the horse is in a high state of condition and full of flesh, give him mashes through the day of bleeding, and the next; on the following morning let this purging ball be given:

TAKE fuccotrine aloes ten drachms;

Of calomel and jalap (in powder) each two drachms and a half;

Rhubarb and ginger of each a drachm and half; Syrup of buckthorn or roses sufficient to form the ball.

Let it be carefully attended to, and worked off as specified under the direction for purging. If the physic works favourably and sets well, let his feed (if his appetite is keen) for four clear days, be plentiful; and on the fifth, or fixth at farthest, repeat his purging ball, conducting the operation as before. If the diftemper has attacked him with violence, or makes rapid progress, a third dose must be given in like manner; on the contrary, if the disease is mild, and early discovered, the two may do. In two days after your course of physic is completed begin upon the following antimonial alteratives, affisted by a regular administration of nitre; both being continued a month without the most trifling intermission:

Take of prepared antimony one pound; Common sulphur twelve ounces; Cream of tartar eight ounces; Cinnaber of antimony six ounces.

Incorporate well in a mortar, and divide into twenty equal parts, giving one every night in the corn, first sprinkling with water to insure its adhesion; giving two ounces of nitre in the water every morning, at which time he will

will generally drink it with the greater avidity, as being most thirsty. This proportion is meant for the distemper in its mildest state; when the buds or swelling, upon their first appearance, may be well washed with the following lotion twice every day:

TAKE extract of Saturn two ounces;
Camphorated spirits of wine eight ounces;
Distilled vinegar a pint;
Mix well together and keep close stopt for use.

Should the distemper be in a more advanced or inveterate stage, bleeding should be repeated. in proper time, between the physic in a moderate degree; and upon the scabs or eschars peeling from the buds, with a degree of inveterate malignity, wash them well occasionally with the following:

Take corrosive mercury two drachms, dissolve in half a pint of British brandy; then add of white wine vinegar a pint; half a pint of spring water, and two ounces of tincture of myrrh; shaking well together;

Or,

TAKE sugar of lead and white vitriol each an ounce;

Distilled vinegar and spring water each one pint; Styptic tincture three ounces.—Mix together.

Should

Should the ulcers continue foul, and their edges becomes callous, very small quantities of the strong mercurial ointment must be gently rubbed into the centre of the most inveterate, once in three or four days, cleansing them occasionally with one of the washes before mentioned. In this case one of the following mercurial ALTERATIVE BALLS must be given regularly every morning for a month, or longer, if necessary; altering your proportion of nitre to three ounces; which must in the arrangement of this course, be given in the water every evening, upon the visible necessity of introducing your ball in the morning:

TAKE Æthiop's mineral four ounces;

Of milk of brimstone, prepared antimony, cream of tartar, and cinnaber of antimony, each five ounces;

Honey sufficient to make a mass; divide into a dozen equal balls, and roll up in liquorice or aniseed powder.

These remedies are sounded upon a system of certainty to effect all that alteratives can do; and are directed in such proportions as may be given with the greatest safety, and calculated to bear some additions to their more active ingredients,

ingredients, at the discretion of the prescriber, should an unexpected resistance render it necessary. And upon the introduction of such additions, and a perseverance in the alteration for a proper length of time, should the whole mass prove so virulently corrupted as to display no sign of submission to such treatment, there can be no doubt but death would put a very desirable period to the business, and had much better be solicited than rejected.

CLASS IV.

WOUNDS, ULCERS, FISTULA,
AND POLL EVIL.

WOUNDS

ARE a species of injury to which horses are not only perpetually liable, but of so many different kinds, and requiring such various modes of treatment, (according to the cause, appearance, situation, depth, and state of the wound, or habit of the subject) that, to enumerate the whole, with all possible or probable circumstances, would be to write a volume on the article alone; which is certainly entitled to every degree of attention and instruction, from the simple and complex cases that so frequently occur. And though it may naturally be supposed that wounds of size, depth, or danger, must consequently come under the immediate

Immediate care and inspection of the operative FARRIER, whose judgmentor experience should direct him upon all cases of emergency, as time will not admit of reference to books; and even with such assistance, much more will depend upon his experimental dexterity, or expertness in manual operation, than any information he may derive from literary instruction, when a sudden exertion of judgment or fortitude is immediately necessary.

Wounds may be divided into such a variety, that to enumerate the list of probabilities would be to encounter the work of an age, and serve more to perplex than enlighten those not altogether adequate to the task of defining technical terms or professional descriptions. To enlarge upon every probable means by which a wound may be received, and from the variety of weapons, or stable instruments, is an absolute impracticability; we will therefore " take up " the mangled matter at the best," and endeavour, by a very fair and extensive explanation, to give fuch DIRECTIONS as shall enable the professional superintendent, or occasional assistant, to form a proper idea of the business, and make such effectual APPLICATIONS

as may prevent the necessity of calling in extraassistance, or running into any extremes of practice not warranted by REASON or justified by NECESSITY.

Finding how very difficult it is to describe the multiplicity of wounds that may probably occur, and the many changes to which they are liable, I shall be studiously attentive to inculcate such information and directions as will, I am induced to believe, exculpate me from the accusation of treating the subject worse than it deserves.

In all wounds the danger is greatest, or the cure most difficult, where large blood vessels are separated, the tendons injured, or the vital parts affected. The regular process of NATURE constituting the cure of wounds, is the suppression of blood, the subsequent digestion, or discharge of matter, the incarnation or filling up with sless, and the cicatrization or skining over. To effect the first; if the injury sustained has separated any blood vessel of sufficient magnitude to produce a hemorrhage or bleeding of consequence, let the mouth be taken up, by passing a proper needle underneath,

meath, furnished with a waxed thread, and made fast according to art or professional knowledge. The person, whose immediate province it is to execute this task, should, no doubt, be amply furnished with the necessary apparatus, (as a variety of needles both crooked and straight) ready provided for the faculty by every instrument maker in London. This operation depends so much upon professional skill and experimental practice, that it is in vain to enlarge upon a subject, to comprehend which would require an entire knowledge of the blood vessels, an Acquisition only to be obtained by theoretical study and practical experience.

When the mouths of the bleeding vessels are obscured, or so surrounded with soft parts that it is impossible to secure the orisice by the assistance of the needle, (which must be absolutely accomplished if an artery is separated) apply immediately a pledget of lint or tow, plentifully impregnated with tincture of myrrh, friar's balsam, or campborated spirits; relying in this instance upon the advantage and safety of a bandage (judiciously adapted, and properly applied,) as much as the medical efficacy of STYPTIC applications. NATURE in this business

bufiness (as immost others) is, in a great degree, adequate to her own work; and will, by the very balfamic property of the blood, do more in nine superficial cases out of ten than a long lift of ill-formed unguents, reported to have effected the most miraculous cures. In addition to this circumstance it must be remembered that a speedy cure depends upon bringing the edges of the wound into early contact, which should (particularly if the case is alarming) be immediately performed, by taking up the necessary stitches at proper distances (according to circumstances and discretion) with such needle as the case may require; an operation so very trifling, that it may be most readily executed by any person not at all proficient in the practice; should an emergency render fuch exertion unavoidably necessary. Taking great care, in large wounds, not to draw the edges too close to each other, and hazard the breaking out of the stitches or bringing on an inflammation by an accumulation of confined matter, in not leaving sufficient room for a proper digestion. But in general, where the edges are expeditiously secured, and brought into tolerable contact, the wound is very little mouble; the foft parts unite favourably by the adhefive

adhesive quality of the blood, and the cicatrix is speedily formed, without application to the elaborate preparations of art. In cases of this kind the dressings should not be taken off in less than eight-and-forty hours; and, if a large wound, (where the bleeding was difficult to suppress) not less than three days, unless the part has begun to digest, and a perceptible discharge is come on; or the parts surrounding the wound are very much instance, in which case the following mild POULTICE may be applied:

TAKE of bread and barley meal equal parts;
Goulard's vegeto mineral water sufficient to make
it of a proper consistence; and add
Lard four or six ounces, at least enough to keep
it sufficiently moist.

Let this be renewed twice every day till the swelling or inflammation subsides, and the wound begins to digest or discharge favourably. To make the VEGETO MINERAL WATER.

Take extract of Saturn one ounce;

Camphorated spirits of wine two ounces.

Mix together, and add of rain or river water one quart.

So foon as the swelling subsides, and the wound begins to display favourable signs of digestion, dress with the following, which may, without more mention, be always understood as the general stable digestive ointment, and is thus prepared;

Yellow wax and black rosin each four ounces;
Burgundy pitch and turpentine each two ounces.
Melt the wax, rosin, and Burgundy pitch, in the oil, over a slow fire; when taken off stir in the turpentine. For large wounds, where a plentiful discharge is required, stir into this quantity three ounces of the spirits of turpentine, that it may incorporate in getting cool.

It is here necessary to observe nothing can be more truly ridiculous than the idea of applying greafy or unctuous substances to recent wounds merely superficial, and by which none

of the large vessels are affected. For most superficial wounds, or simple lacerations, proceeding from what cause soever, may in general be very foon made perfectly found, by a fingle application of the tineture or balfam before mentioned, or equal parts of campborated spirits and vinegar, bandaging up properly, and not opening for some days, that the mouths of the veffels may be sufficiently constringed and hardened before they are exposed to the air; using every precaution to prevent a relaxation of the parts, by the admission of water, or applications of ointment. On the contrary, should a slight discharge come on, keep the wound clean, and drefs with the DIGESTIVE in very small quantities till the cure is complete.

The spirituous or restringent APPLICA-TIONS, by their stypticity so constringe the mouths of the smaller vessels near the surface, (acting in concert with the natural cement of the blood), as to render, in many instances, the officious intrusions of ART totally unnecessary: but this method of cure is frequently rejected as too easy, and the salutary course of Nature is often obstructed and perverted by the SELF-SUFFICIENT sagacity of THOSE prothemselves upon a family receipt, or nostrum of antiquity, had rather prolong the complaint for weeks or months, merely to obtain the reputation of curing what, intrusted to NATURE, would have absolutely cured itself.

Should wounds happen from complicated causes, where the adjacent or surrounding parts have received additional injury (from a fall or bruise), an inflammation and larger discharge of matter may consequently ensue, than from a fimple wound where no fudden or violent impression upon the vessels or soft parts has taken place: large wounds proceeding from any cause where an evident destruction and loss of parts has been occasioned, can only receive substantial cure from the regeneration and incarnation: being a work of Nature, and to be effected only by the co-operation of time, it must be waited for with care and patience; as it can originate in no other feature than granulations of new flesh, which, with proper application, will daily continue to increase till the wound or cavity is entirely filled up; when the cicatrix is foon formed, and the cure complete. In wounds of THIS class, the first object is to extract

tract any foreign or extraneous substance, and promote a good digestion; by which not only every degree of foulness is carried off, but the ragged and injured parts themselves putrefy and flough off, being brought away with the dreffings fo foon as the wound is in a healthy promising state. Here the granulations begin to form and sprout out; and a proportion of judgement is required, but little possessed or exerted upon these occasions; for, instead of nourishing an appearance fo much to be folicited (and without which you can obtain no cure) it is often most injudiciously mistaken for fungus, and scouted accordingly: instead of a bed of dry lint to footh and encourage this effort of nature caustics and escharotics are loudly called for, and plentifully bestowed; the very basis of cure is thus destroyed; the mouths of the vessels are imprudently closed by the worst means; the difcharge contributing to the constant improvement is most unnaturally suppressed; and callofities or eschars follow of course.

Ignorance now becomes foiled with its own weapons, the operator standing bewildered in a labyrinth, from which he is in possession of no clue to escape. No day produces a change

but for the worse; the wound is dressed, dressed, and DRESSED AGAIN! still no fign of relief, no favouring power prefides, nor any prevailing GENIUS appears, but the predominant GENIUS of DULNESS, who, anxious to increase the "mischief she has made," prompts him to finish with fortitude what he had commenced in stupidity! To confess the least degree of inability would be a degradation of dignity, therefore, on he goes (Ranger like) "NECK " OR NOTHING!" ftrong digeftives (and those scalding too) follow, but follow in vain. No improvement, no enlivening ray, longer to keep up the face of professional infallibility; no lucky alternative but mercury, vitriol, and all the family of fire renewed, till the serious ceremony terminates in an inveterate ulcer, or confirmed fistula, as will be separately treated on under those heads.

There are certain wounds that occur much more frequently than any other; and though in themselves not at all dangerous, yet something may be expected upon a treatment proper to be adopted in cases that so constantly happen. Among these are broken knees, over-reaches, and lacerations between bair and boof. In respect

to the first, it is a misfortune whenever it happens that not only reduces the horse very much in his value, but is confidered an indelible stigma of imperfection, that (with connoisfeurs) renders him at first fight unworthy a fecond confideration. This being a circumstance universally understood and admitted, there is no doubt but every prudent man will think a certain PREVENTATIVE preferable to a doubtful cure, and admit the propriety of a short observation, without any unfair digression from the subject before us. Not indulging the shadow of fear, by offending the shallow EQUESTRIAN HEROES of ROTTEN-ROW, or the more expert and courageous, who (for once in their lives) have joined the royal chase; including that ser who reach London in an hour and fifteen minutes, " All " Lombard-street to an egg-shell!" I will ven+ ture to affirm, that nineteen of every twenty are brought to the ground by unfair and most unmerciful usage.

For thosedoubtful compositions, whose heads are as light as the heels of their horses, and whose form, by the hurry of conception and ambiguity of generation, are destitute of the more noble

noble parts necessary to the power of reflect. ing, can form no idea of the strength of the animal they bestride; but each concluding his steed a Pegasus, formed of a substantial material called labour evelrafting, and gifted with perpetual motion, they continue to ride or drive the oppressed object till Nature being (after a thoufand spirited exertions) at length quite exhausted, can move no farther. And I am convinced it requires no uncommon share of penetration, at least no magical affistance from BRESLAW, or his cotemporaries, to discover so great a palpability as that all things certainly fall when, being deprived of support, they can stand no longer. From this trifling digression I infer (and enforce my opinion) that more horses are thrown down and irremediably injured by the carelessiness and shameful inattention of bad riders on bad roads, and over rolling stones, or when they are most cruelly exhausted with labour and fatigue, than by any other means in the whole lift of accidents.

From what cause soever this misfortune may arise, the first step to RELIEF will be still the same. Wash the part well with a sponge and warm water, thoroughly cleanfing the wounds

wounds or lacerations from every retention of gravel or fand; for these will evidently irritate and inflame the tender parts, and be productive of a discharge which may often be entirely prevented by gently wiping dry after the use of the sponge, and plentifully embrocating the parts with either of the liquids before mentioned, bandaging over a pledget of tow wet with the same, repeating it once or twice if circumstances should render it necessary. This should be continued, that an eschar or cicatrix may be formed to render unctuous or greafy applications unnecessary; but should the wound or laceration be fo violent as to produce great inflammation, suppuration must ensue, and ought to be encouraged: to this end apply a poultice of the ingredients before mentioned, and let the cure be afterwards performed by regular applications of the flable digestive ointment.

OVER-REACHES are the injuries sustained by the throwing in of the hind-toe upon the back part or heel of the fore-soot, in the hollow below the setlock joint, and above the hoof. They are sometimes very violent, and subject to great discharges from the bruises and laceration

laceration in conjunction; at others they are merely superficial; and the treatment must be exactly the same as laid down for other wounds, making such allowances and alterations as circumstances may require, or emergencies dictate.

The same system must be adopted in all injuries sustained between hair and hoof, except where a horse has been stubbed in hunting, as sometimes happens in a leap or in covert; when a stump coming in immediate contact with the upper edge of the hoof, a laceration or penetration is effected, in which case the membrane is almost instantly protruded; and unless speedily prevented soon constitutes the origin of what is afterwards denominated a QUITTOR. To effect this dissolve a drachm of corrosive fublimate in one ounce of camphorated spirits; and, after touching the prominence well with the folution, bind up firm, (covering the protruded part with a small piece of card or thin sheet lead), and repeat it once a day for three or four days, not neglecting the bandage, and taking care the foot be not immerfed in water. As this subject will come under farther difcuffion in the article of TUMOURS OF IMPOST- when by improper treatment, or bad habit, they are degenerated into ulcers.

ULCERS

ARE wounds or abscesses become inflexible either by an imprudent course of management, an indifferent habit, or an acrimonious difposition of the juices; but in general much more the effect of the former than either of the other two. It has been a practice with farriers of almost every denomination, upon a wound's not inclining to heal fo foon as expected, to increase the strength of the digestive application, as if the very tendons were to be extracted. This effort of art not succeeding is followed by a corrofive, that, increasing the evil, a caustic in general crowns the whole of country practice. The wound (that perhaps at first required only the necessary time for incarnation, and the most simple treatment) not having kept pace in its cure with the imagination or impatience of the DOCTOR, (for so we all are from the president in Warwicklane to the thill borse of the worst team in the parish), is destined to undergo the changes in treatment just described.

Thus the wound, that would in all probability have submitted to a degree of regular and confistent treatment, is retarded, or rather obstructed, in its natural progress and proper discharge, by means directly opposite to the dictates of reason and discretion. The application of a corrofive (that is generally made with a heavy hand of iron) instantly collapses the mouths of the finer vessels, and destroys the sprouting granulations of new flesh; nature being thus checked, displays an evident change for the worfe, and the DOCTOR is now (to make use of his own expressive language) out of the frying pan into the fire." By this new disappointment his indignation is excited against both disease and the diseased; in the fervour of his wrath he determines, asit wont submit to " fair means, it shall to foul." The whole body of caustics before mentioned become subservient to his purpose; and are so liberally poured in as to constitute fo great a degree of callofity upon the furface, that a confiderable length of time and portion

of judgment are absolutely necessary to remove what ignorance and obstinacy have so firmly established.

To extirpate the callosity, and procure a proper discharge, are the leading indications, and must be obtained before the cure can proceed to your wish. To effect this, soment with a decoction of camomile and mallows, as hot as can be conveniently applied; then scarify superficially the whole part, both longitudinally and transversely, with a sleam or abscess lancet, so as to entirely penetrate the callous substance upon the surface; after which it must be dressed with the following ointment twice every day; the somentation and superficial incisions to be repeated occasionally, if necessary, till the callosity is quite sloughed off, and comes away with the dressings:

TAKE of yellow basilicon two ounces;

Turpentine and black basilicon of each one ounce;

Red precipitate (powdered very fine) half an ounce.

The two basilicons to be melted together over the fire; when taken off, stir in the turpentine;

M 2 and,

and, lastly, when cool, add the precipitate (very finely powdered), and let them be minutely incorporated upon a stone or marble slab.

So foon as this obstacle is perfectly removed, and the discharge come to its proper consistence, dress in general with a small portion of lint, thinly covered with either of the bafilicons, placed under a pledget of tow, spread with the stable digestive mentioned in the last article. Should the wound incarnate too fast, and fill with fungus (commonly called proud flesh), flightly touch such parts with a piece of unflacked lime, regulating the mode and application by the necessity, repeating it as occasion may require. When the cicatrix, or skinning over, is nearly accomplished, the cure may be completed by hardening the furface with a little tincture of myrrb.

This is the direct and rational MODE OF cure established in every kind of ulcer, as well as those originating in the cause already enlarged on; but where the obstacle to cure arises from some defect in the constitution, or acrimony in the fluids, the affiftance of mercurial physic and subsequent course of mild alteratives

alteratives must be called in, to ensure effect from the whole. Without descending to a particular formulæ for this purpose alone, I refer the reader to a VARIETY (prescribed under the distinct heads of GREASE, SURFEIT, and FARCY) for such selection as may best coincide with his opinion upon the constitution and bodily state of the subject diseased.

It is a rule established in surgery, and should be in farriery, where there is a finus or cavity leading to a remote or hidden cause of complaint, and from whence a palpable discharge issues, the course and depth should be accurately ascertained by the probe; and, if no tendinous parts present to forbid the operation, the finus, cavity, or vacuum, should be instantly LAID OPEN (with a bistory) to its utmost extent, and properly filled with a pledget of lint, well impregnated with warm digestive, and plentifully covered with tow spread with the fame. After a fecond or third dreffing, should the infide of fuch cavity prove callous, or hard in substance, it must be taken away by the KNIFE, or destroyed by the means before described. If it be so situated that the parts forbid an entire separation, found with the M 3 probe, probe, and at its extremity make a counter incision through the integuments to meet the probe, till by passing through it removes any lodgment that may have been lest for the matter to corrode, which it will very soon do, so as in many cases to effect the bone itself:

As a very good DETERGENT WASH for the cleanling inveterate ulcers, or injecting into fuch passages as from the disposition of the parts cannot be laid open, I have reason to recommend the following, it retaining every advantage without one of the prejudicial qualities so predominant in the mercurial and vitriolic compositions:

Take honey and vinegar each two ounces; Liquefy over the fire; and when cool add tincture of myrrh and tincture of cantharides each one ounce.—Mix.

When the ulcer is by these means divested of its virulence and cadaverous smell, the callosity is sloughed off or extracted, and a favourable appearance of incarnation come on, the dressings may be changed from the precipitate digestive, before prescribed, to pledgets spread with

with Locatellus's balfam, or the following EPULOTIC CERATE:

TAKE of white diachylon plaster and olive oil, each two ounces;

Locatellus's balfam and balfam of capivi, each one ounce;

Melt the plaster and Locatellus in the oil over the fire; take off, and when nearly cool stir in the capivi, a little at a time, till it is all incorporated.

In short, cases of THIS kind come so frequently under the hands of the FARRIER, that little might have been thought necessary upon the subject: but I have been thus explicit, for the information and advantage of those who are STRANGERS to both THEORY and PRACTICE; that, being "forewarned they may be forearmed," and not fuffer a fimple accident to be gradually ripened to a ferious misfortune; but, availing themselves of this requisite instruction, so destroy the prevalence of MYSTERY and power of PREJUDICE, as to ensure a cure under their own superintendence upon a basis rational, clear, and comprehensive, divested of the folly of experiments and cruelty of ancient practice.

FISTULA.

A FISTULA is the palpable consequence of general neglect in more instances than one; first in not perceiving the saddle's being too wide in the tree, and fuffering the infide of the pummel to press so much as not only to pinch, but, by its constant friction, to bruise the parts, and render an imposthumation or formation of matter inevitable. I am very forry to observe, this is feldom taken notice of in time, till the EVIL has been repeated and constitutes bruise upon bruise, when an inflammation and fwelling enfue, threatening an unavoidable fuppuration. To this a still greater error sucfeeds; for during the time the process of Nature is going on, and the matter contained in the tumour is undergoing concoction, or change from inflammatory or grumous blood, and extravasated lymph, to its state of systematic perfection for discharge, (in general termed a proper degree of ripenets) strong repellents or powerful spirituous compositions are brought into constant use; and, by their peculiar properties, form one universal obstacle to the

great effort of NATURE for relief. Here begins a terrible fruggle between the contending powers of NATURE and ART; for those applications failing in their intentional effect of repulsion upon the contents, distribute their properties upon the integuments, where, by their repeated application, an induration is effected very unfavourable to the abscess in its more advanced state. NATURE at last effects her purpose, the tumour is at length brought to suppurate, and a discharge comes on; but without one of those advantages that would have been acquired, had the efforts of Nature been attended to and properly encouraged, instead of opposed.

From this inconsistent mode of treatment the edges of the wound, when enlarged,
become unkind, the feat of a foul or callous
complexion; and instead of a substantial, favourable, healthy matter, the discharge is a
complication of blood, sanies, and a kind of
indurated half concocted matter, intermixed
with an acrid or corrosive ichor.

This is in general the origin and progress of what (with additional bad treatment) consti-

tutes a confirmed fiftula, and comes directly under the very method of cure described in the last article; with renewed instruction, and remembrance to lay open all finuses or cavities into which the probe can be passed, taking care to make no transverse opening across the withers to divide the ligament, but making the incisions longitudinal on either side or both, as occasion may require. the discharge continue sluggish or incomplete, enlarge the proportion of turpentine or precipitate in the ointment, adding an ounce of the spirit of turpentine, if the matter is very offensive; making also a considerable addition in the tinctures of myrrh and cantharides to the the DETERGENT LOTION before prescribed. When the applications are required to exert their digestive powers more effectually, in consequence of any particular languor upon the part, or deficiency in the discharge, let the ointment be applied with a degree of warmth fufficient to infinuate itself into the interstices or openings, but not so hot as to fcald or harden the furface.

Incisions, or scarifications, must be made whenever necessary, and the callosities extirpated

pated exactly as before described; using neither corrofives or caustics, but adhering to the method of keeping down fungus, or excrescences, by the application of unflacked lime in the lump, (for a few minutes), or previously powdered, where the wound will not admit of its use in the OTHER form. THIS method should have the preference on all occasions; for which a very predominant reason may be urged, that, receiving its power only from the moisture it imbibes from the part, it immediately performs the purpose it is intended to execute, and becomes directly inactive: whereas the favourite articles of aquafortis, oil of vitriol, and mercury, not only absolutely CAU-TERIZE or BURN all the part, but raise a great degree of inflammation upon the furrounding vessels, and evidently increase the mischief they were intended to prevent. The detergent WASH before mentioned, cannot be too frequently used till the wound bears marks of amendment; and care must be taken in the feparation of all fiftulous finuses to leave the orifice or opening as much declining as poffible, that the matter may naturally pass downwards, without being subject to a probability of retention.

Thus much by way of INSTRUCTION for CURING, what may mostly be prevented by a very moderate share of care and attention, or, more properly speaking, an exertion of that reason, generally distinguished by the appellation of common fense. LET IT BE REMARKED, the frequent application of repellents is a palpable abfurdity, unless in an early state of the fwelling, before the veffels are fufficiently bruised and inflamed to eject the fluids that, becoming extravasated and stagnant, form the tumour; which, being once accumulated, is too viscid in substance, and large in quantity, to be again rarified and absorbed into the circulation. The fwelling, being too far advanced to admit a hope of repulsion, should be promoted by softening poultices (as will be particularized in the next class, under the difcuffion of TUMOURS); the course of suppuration will then go on in a natural way, the concoction will be perfect, and the discharge consequently effectual. Upon its first rupture or breaking, the orifice from which the matter oozes will be but trifling: this should be immediately enlarged, as much as is necessary for the discharge and admission of applications. If the usual method of infinuating a tent is found

found at all necessary, NEVER let it by any means be too LONG continued, lest the parts by a tedious separation become divested of their disposition to unite, and the edges grow callous from their constant depression. The judgment may be much assisted upon this subject by frequent references to the two preceding articles of WOUNDS and ULCERS; remembering in all, after the necessary and proper discharges, to conduct the cure according to the variety of circumstances clearly pointed out in this and the subjects last treated on.

POLL EVIL.

ALTHOUGH this comes most properly under the unavoidable inspection, occasional dressings, and intentional cure, of the operative farrier, and consequently rather out of the line first drawn for the plan of this work; yet as the subject has been so infamously treated by (an author before quoted) that indignation becomes too justly excited to pass it over without such Animadversion as may tend to enlighten the mind, and restify the judgment of such, as (from absolute want of comprehension or restection)

pay an implicit obedience to every absurdity, folly, or falsebood, sanctioned with the AUTHORITY of the press; and conceive a certain degree of infallibily appertains to whatever makes its appearance in print. That these are the sentiments of the lower class, is too well known to require corroboration; and I am induced to introduce a sew REMARKS upon this subject by the inconsistent and unmerciful (not to add infernal) advice held forth to practice, in a publication that would alone entitle it to the FLAMES and perpetual OBLIVION.

We are there told "the poll evil is an abscess "near the poll of a horse, formed in the sinews "between the noll bone and the uppermost "vertebræ of the neck." You are then instructed to scald with a compound of "oil of "turpentine, corrosive mercury, verdigrease, "Roman vitriol, green copperas, and train "oil:" these are to be poured "SCALDING" HOT into the wound, and stitched up for "feveral days; and, if matter slows in great "abundance, and of a thin consistence, it must be scalded again;" &c. &c. This ignorand impose upon the understanding, is almost

pliment to the less informed reader, it is impossible to pass it over without branding the very thought with the epithet it is so justly entitled to.

What are we to think of the professional knowledge or abilities of an author, who could fanction with his NAME the recommendation of a practice so infamous and detestable, that no one rational or confistent idea can be produced or pleaded to prove its propriety. Will any advocate for fuch INFERNAL PRACTICE, (and infernal it certainly is in every meaning of the word) venture to affirm the writer conceived or possessed a competent, or even a tolerable knowledge of the structure of parts or property of medicine; that when the membranous system is locally injured, and the lacerated vessels rendered highly irritable, could venture to promulgate the confishency of glutting them with the most powerful Poisons, as if he felt some invincible antipathy to the species, and had attentively studied the most likely means of effecting their total extirpation. For the completion of this business, lest the most destructive poisons should prove ineffectual, you are inftructed.

structed to ADD fuel to their natural fire, by combining their whole force, and pouring them " fealding bot," nearest to one of the most vital parts, (nay nearest the original nervous seat of pain,) even the brain itself. Sorry I am to acknowledge this genuine and unadulterated fpecimen of the immaculate perfection of the "PRACTICAL TREATISE" has been repeatedly PUT IN PRACTICE by fools or knaves, whom ignorance has misled or confidence betrayed; to the evident destruction of numbers that have died in the most excruciating agonies, finking under the load of accumulated mifery and persecution, devoted victims to a system replete with the most unparalleled cruelty that the HEART could dictate, or the HAND direct.

Need I, can it be possibly necessary for me, to point out for the information of even the most superficial or least considerate observer, the destruction of parts that must inevitably ensue; no combination of nature can stand against this accumulation of cruelty and infliction of punishment. The finer vessels, the veins, arteries, muscles, nay the offissed structure or bony parts themselves, must nearly submit to this elaborate and studied work of devastation. The

bumane reader, whose judgment is not biassed by prejudice, or his reason blinded by an adherence to custom, and whose feelings move in concert with my own, will shudder at the reflection; and to every sportsman looking with the eye of extreme pleasure upon the excellencies of the animal (whose sufferings I lament), do I appeal for a justification of the warmth I have been naturally prompted to display on the occasion. And in PITY to a species so eminently entitled to every degree of MERCY, CARE, and ATTENTION, let us hope (as we are now become more reformed in our minds, and rectified in our judgments) that this DAMNABLE doctrine may be universally exploded and buried in EETRNAL OBLIVION.

Let it then be understood the poll-evil originates in a tumour situate as before described; and generally proceeds from injuries sustained on that part by blows, bruises, or such frequent and excessive friction from large or heavy harnels as may sufficiently irritate the part to provoke a formation of matter, as has been explained in the preceding article. If it is early observed, let the seat of pain be very frequently fomented with vinegar made warm, for at

least a quarter of an hour, rubbing upon the part immediately after about an ounce of camphorated spirits of wine, and then bandaging over the part a double flannel dipped in the vinegar, warm as before.

Should the swelling resuse submission to this treatment, after a regular perseverance for eight-and-forty hours, continuing to enlarge itself, and display invincible symptoms of maturation, make no farther attempt by REPELLENTS to oppose the progress of NATURE, such obstinacy will never prevail; therefore contribute your early and cheerful affishance to promote a speedy suppuration. For this purpose let the following poultice be immediately applied and repeated twice every day, till an aperture or opening is effected in the abscess.

Take of camomile flowers, turnips, and coarse bread, about equal quantities; boil the camomile and turnips in a sufficient quantity of water, till the latter are soft enough to bruise all together; then stir in four ounces of white lily root, (beat to a paste in the mortar); and, lastly, add, while hot, three or four ounces of lard, and two of common turpentine.

This application should be made as warm as the nature of the case will admit, that it may the better fulfil the intent of relaxing the veffels, increasing their circumference, and promoting the speedy flux of matter to this particular part. So foon as an opening appears, let it be enlarged sufficiently to insure a discharge, and prevent the retention of any improper portion of matter; and continue to proceed with the cure according to the state of the case, collecting your informations from the variety of directions extensively given under the different heads of wounds, ulcers, fiftula, and tumours; to the last of which we now proceed.

CLASS V.

TUMOURS, WARBLES, NAVEL-GALLS, AND SITFASTS.

TUMOURS

ARE of many and various kinds, according to their different causes and situations; as the cedematous, steatomous, encysted, and scrosulous; but as the separate and distinct explanations of these would lead the reader into anatomical disquisitions foreign to, and very far beyond, the limits prescribed for the completion of this work (which is intended for general comprehension), I shall make a cursory REMARK upon each, and proceed to a minute investigation of the SIMPLE TUMOUR coming so constantly under common observation and management.

management. The adematous and encysted tumours are nearly synonymous, originating in a
cyst or bag, containing a kind of ichorous,
bloody sanies, or gelatinous sluid; which being
evacuated, the cyst does not always submit to
digestives or escharotics, but must be extirpated with the knife, and cured as a common
wound; for the completion of which ample
DIRECTIONS may be found in the preceding
class under that head.

The STEATOMOUS are those tumours that form on different parts, and pass in general under the denomination of wens, containing, when opened or extracted, a substance not unlike fuet in its earliest state, when hardly cold: neither of the above are expected to submit to any topical application, unless upon the very first observation; when an attempt may be made by the most powerful repellents, specified in many of the preceding pages, and a small portion of the strongest mercurial ointment rubbed in every night, for a confiderable length of time; but even to this there is no hope of submission, unless in the first stage of its infancy; nor can any RADICAL CURE be in general o' tained but by instrumental extirpation. As this N 3 must

must be unavoidably attended with loss of time, and a proportional share of danger, if seated upon or intersected by the muscular parts, perhaps it may be most prudent to omit the experiment and submit it to chance.

Scrofulous Tumours are such as originate in scorbutic or hereditary taints, and increase or diminish according to the state or acrimony of the blood; they are therefore more than any of the others dependent upon external application, and particularly the mercurial unguent just before described, assisted by a course of mercurial or antimonial ALTERATIVES, as may be discretionally selected from the chapters on those subjects. As the mercurial ointment has been repeatedly recommended, it may not be inapplicable to introduce the mode of preparation:

TAKE quickfilver two ounces; Lard fix ounces; Balsam of sulphur half an ounce.

Rub the quicksilver with the balsam in a metal mortar till the globules disappear; then add the lard by degrees, first made warm, and keep in a pot for use.

I now proceed to the explanation of a SIM-PLE TUMOUR, or ABSCESS, taken in its fingle view, as one effort of nature to relieve itself from the weight of an extravafated fluid collected, and (the cause being inflammatory) become too tenacious for transpiration through the cutaneous passages or pores of the skin, and too viscid to be again absorbed or taken into the circulation. This is the principle of action, whether proceeding from a grumous state of the blood obstructing the finer passages, accumulating and acting by its ftimulus upon the irritable parts, or from an extravalation of fluid ejected from the veins or lymphatics, in consequence of laceration from bruises, or ruptures from strains. It has been a predominant and established practice to attempt repulsion, even after the decifive formation of matter, by the most powerful spirituous applications, thereby inflaming the integuments and indurating the contents; not without a very great probability of producing an inveterate ulcer or long-standing fistula.

In all applications, whether external or internal, REASON will prove a very useful assistant; pay due respect to the indications

of NATURE, solicit the INTERPOSITION of REASON, and in conjunction they will be found most admirable auxiliaries to the judicious exertions of ART. All tumours (proceeding from what cause soever) tending to certain maturation should be expeditiously assisted with very warm fomentations, composed of camomile, marshmallows, rosemary, lavender, wormwood, elder flowers, or any two or three of the whole, the properties of slimulus and heat being still the same, and to be effected by a part as well the entire.

After each time of using the fomentation apply a poultice of the suppurating kind; selecting from the following articles such ingredients as may prove most applicable to the purpose:

Coarse bread, boiled turnips, pollard or bran, camomile slowers, flour of mustard, white lily-root, (beat to a paste) with an addition of turpentine, yellow basilicon, and lard sufficient to keep it moist.

These applications must be regularly continued till the pliability of the tumour, and the fluctuation of matter, prove it in a proper state for perforation. Let it then be carefully opened by a superficial incision sufficiently large to admit of such discharge as the fize of the abfcess may require; dreffing with the necessary introduction of dossils of lint, well impregnated with the following DIGESTIVE, and covered with a POULTICE of mild ingredients for a few days, to encourage the discharge and form a convenient bed or covering for the wound.

STRONG DIGESTIVE.

TAKE bees wax three ounces, turpentine, Burgundy pitch, and spirits of turpentine, each two ounces; olive oil fix ounces; melt the wax and Burgundy pitch in the oil over a flow fire; then take off and flir in the turpentine; and, when nearly cool, add the spirit by degrees, and incorporate well.

The tents to be infinuated, furnished with a portion of THIS unguent moderately warm, and introduced no larger than will leave fufficient room to be placed in and extracted easily, thereby not impeding the incarnation. Should any fungus or proud flesh render it necessary, dress occasionally with the PRECIPITATE OINTMENT (under the article of wounds), and cover with a pledget of this STABLE DIGES- TIVE, keeping your bandage always neat and firm, that the sides or edges may be encouraged in their disposition to unite or come into contact. So soon as the last stage of cure, the skinning over, is complete, immediately throw aside all greasy applications, and harden the surface first with equal parts of tincture of myrrb and vinegar, afterwards with tincture of myrrb alone. Should any eschar of consequence remain, and the hair not sollow kindly, rub the part gently every night with a small quantity of campborated spermaceti ointment, the best article known to promote the return of the hair upon the knees or any other part.

So much has been faid, and so many instructions advanced, for the various dressings that may be found necessary, under the articles of wounds, ulcers, fistula, Poll-Evil, and tumours, immediately succeeding each other, there cannot be (omitted) any thing more to add upon the subject; naturally concluding every PRACTITIONER or SUPERINTENDENT will regulate his applications and vary his dressings according to the state or disposition of the case before him.

WARBLES

ARE those small swellings or tumours formed on the fides, or some part of the back of a horse, either by the excessive heat and friction in a long chase, the extreme pressure of some hard or protuberant part in the stuffing of the faddle, or the edge of a narrow faddle cloth coming directly under the feat of the rider; and very frequently by the cent. per cent. care and caution of the fadler, in the economical length of his girths; for, being fometimes by much too short, the buckles at either one side or the other, fet below the pad; or what is still worse, half on and half off; by which means the lower corners of the buckles constitute this inconvenience to a certainty, as I have repeatedly experienced. But let them proceed from which of these causes they may, I shall in the cure pass over the sublimity of CAPT. BURDON's fertile invention of the " hot greafy "dishclout," as unnecessary; also BARTLET's fervility and sterility in echoing fo GREASY an idea; but as every extensive reader upon this subject must have observed " A Practical Treatise"

may be compiled from GIBSON, BURDON, BRACKEN, and others, without coining a NEW THOUGHT, I shall forbear to animadvert upon the advantages of PLAGIARISM, and come to the proper treatment of the subject now before us; not omitting to observe how very difficult it may be to make it convenient in SOME COUNTRIES (and to SOME POCKETS) to boil a rump of beef or gammon of bacon, merely for the procuration of " a hot greafy dishclout" to effect the purpose: upon the force of this natural reflection, I relinquish the idea of enforcing so difficult a process, and shall endeavour to furnish such SUBSTITUTES as will certainly prove more efficacious and satisfactory.

So foon as the faddle is taken off, after a fevere chase, or hard journey, a good groom or hostler will be very minute in his examinations to discover whether an injury has been sustained in this part or any other. He will instantly perceive, by the horse's wincing, whether there is any defect from which a warble may speedily ensue; if so, upon the first appearance, or earliest discovery, bathe three or four times a day with the following RE-PELLENT:

Take extract of Saturn half an ounce; Camphorated spirits of wine, two ounces; Soft water, a quarter of a pint.

Mix the extract with the spirits, by shaking well together, and then add the water; or if these cannot be easily procured just at the time, substitute, for the moment, of vinegar and brandy equal parts; but the stronger must be obtained so soon as possible, and persevered in till the tumour is dispelled.

The original cause of the warble must be likewise discovered and removed, to prevent a repetition upon the same part, from which, or the continuation, a SITFAST will inevitably ensue.

NAVEL GALLS

ARE, in the first instance, tumours formed upon the vertebræ or spine, and caused by a deficiency (or scarcity of stuffing on each side the pad, at the back part of the saddle; which letting the tree come into close contact with the back bone the parts become bruised by the severe pressure and constant friction; an in-

to this mode of application.

mation succeeds, and produces a swelling of the encysted kind, containing a gelatinous fluid, which, if not treated with frequent repetitions of the following repellent lotions, upon the earliest discovery, will not submit

Take Mindererus's spirit,

Camphorated spirits,

Common brandy,

And verjuice or best vinegar, of each equal parts.

Or,

Take fal armoniac three drachms; Distilled vinegar four ounces; British brandy half a gill.—Mix.

Should these sail of success, the evacuation must be solicited by gentle emollients, as warm fomentations (before described), and softening poultices; upon its arriving at a proper degree of maturity, let the necessary incision be made superficially (not in the style recommended by GIBSON, of "cutting down to the quick,") and the cyst or bag, extracted with its contents, if EASILY practicable; if not the present extraction (mentioned by some as necessary) is in sact superfluous and nugatory; as it becomes immediately

immediately extraneous, and of course putrifies and floughs off with the dreffings. After all the various instructions laid down for the different applications, under a multiplicity of preceding articles, forming a regular chain of connexion, any farther addition must be unnecessary, one hint only excepted, viz. In the treatment of any, or all, where the vacuums are large, and the discharge sluggish from the mouths of the veffels being plugged by a vifcidity of the matter; or thin and ichorous from a languor and coldness of the parts, a frequent use of the following DETERGENT will both cleanse and stimulate, so as to remove the obstruction in the first instance, and promote a proper discharge in the other:

TAKE of white vitriol and fugar of lead each three drachms;

Spring water half a pint;

Tincture of myrrh one ounce.—Mix.

And in all cases where the fungus or proud stell does not submit to the precipitate ointment, pledges of dry lint under the digestives, or applications of the above lotion, a small portion of the red precipitate, white or blue vitriol (very

(very finely powdered), must be occasionally sprinkled over the excrescences, but not with the usual hand of indiscretion, otherwise your corrosive in that case becomes a caustic; a callosity is consequently occasioned, and your imprudent and misapplied remedy becomes worse than the disease.

ASITFAST

Is the integument or hide of a horse become entirely callous or insensible, after the tumour called a WARBLE is repelled and taken up into the circulation, or has transpired in a natural evacuation, or circular oozing, surrounding the callosity termed a sirrast. In some little time the hair comes off, and it bears the appearance of a foreign solid substance, sixed in the centre of what seems to be a superficial wound. For this simple and very trisling complaint there is but one certain and expeditious cure. All applications to soften the eschar will prove of no utility, scarifications will be tedious, and often ineffectual;

fectual; to prevent therefore a loss of time by fuch fruitless attempts, let it be clearly and finally understood, it can be effected only by EXTIRPATION; an operation fo very trifling, it will not admit of a moment's hefitation, and may be taken off with a common penknife, and healed as a superficial wound. But the most ready and least painful method of taking it off, is by just raising either edge till it can be taken hold of with a pair of common pincers; when, by leaning them to any fide, you have an immediate fulcrum, or lever, and separate it instantaneously without pain or inconvenience. After the extirpation it may be treated as a simple superficial laceration, and may in general be healed by a frequent application of Friar's balfam, tineture of myrrb, or, in very trifling cases, with a little common brandy.

But after the cure care should always be taken to guard the cicatrix in its infancy, and prevent the buckle of the girth from coming into direct contact with the injured part, not only till the surface is sufficiently hardened to render a repetition unlikely, but upon all suture occafions. And here it cannot prove inapplicable to remind every borseman the buckle of the girth should never be permitted below the pad of the saddle on either side; a circumstance that never occurs with experienced sportsmen, who well know, from the extreme pressure, and constant friction of so sharp a body upon the integuments in hard chases, or long journies, warbles, or sittasts, must inevitably ensue.

CLASS VI.

COLDS, COUGHS, PLEURISY, INFLAMMATION OF THE LUNGS, BROKEN WIND, AND CONSUMPTION.

COLDS

ARE a species of disease not only acquired by different means, but likewise very different in their effects; both which we shall endeavour to elucidate in a manner much more extensive and satisfactory than any that have gone before us. Colds are in general more frequently the effect of neglect than chance, and are mostly acquired by the stupidity, or inattention of those to whose care the horse is unavoidably intrusted. The various means by which colds are caught, in either man or beast, we naturally suppose to be so

well understood, that a minute investigator of the operations of nature would conclude any explanation upon this subject entirely superfluous. But as there doubtless are many juvenile sportsmen, who, in the very zenith of sublunary enjoyment and constant pursuit of pleasure, never afforded the subject a moment's consideration, I shall point out such CAUSES as are most likely to produce the variety of effects we shall afterwards proceed to explain.

When a HORSE, after being rode hard, and in a high state of perspiration, is suffered to stand still (particularly in the winter season, or in bad weather) to drink cold water in this state; placed in an open stable in such situation; left after a wet and dirty journey to dry in that condition; or his clothing left off at an improper season; it is very natural to conclude the groom is a KNAVE, the boftler a FOOL, or the master a MADMAN. although these circumstances seem little likely to occur by the frailty of one, or the folly of the other, yet the experienced sportsman and traveller, who feldom move without the eye of observation, will convince you they (among a variety

a variety of additional impositions) happen every day. Having here obliquely remarked what I naturally conclude is almost universally known, I shall be studiously anxious to explain the nature of colds, and their different effects, so as to urge the necessity of their being perfectly understood, that prevention in suture may become an object of attention.

The process of Nature we allude to, in the appellation of COLD, is a general obstruction of the cutaneous passages or pores of the skin, formed for the transpiration of perspirable matter, proportionally emitted from every part of the frame, and intended to expel that superstuous moisture by an almost insensible evacuation. But this exertion of Nature being totally suppressed, by a sudden collapsion, or closing of the pores, from one of the causes before described, the perspirable matter is prevented in its natural course, and returned upon the body in a preternatural and morbid state.

We now come to the mischievous effect, according to the degree of inveteracy or infection of the attack. The most penetrating and acrimonious particles immediately make their

passage to the blood vessels; and, intermixing with the mass, produce different degrees of disease, acting differently upon different subjects; the injury sustained being in some respects regulated by the degree of heat or perspiration the horse was in at the time of being expesed to the original cause. This circumstance once collected, upon the foundation of fuch inquiries, some idea may be formed of its probable duration and feverity. The effects of cold are not only foon discovered where there is a constant attention and care, but an observation may be very early made to what part it more immediately directs its attack. For instance, if the nervous system is the most irritable, you speedily perceive it in the EYES; if the glandular, upon the NECK, THROAT, under the EARS, or in the MEAD; if more particularly upon the blood (in which both the veffels and their contents are concerned) the whole sysstem of circulation being affected, you soon discover its feat to be taken upon the LUNGS; and will perceive it displayed more or less in a COUGH, or difficulty of breathing, according to the feverity of attack, from the proportion of perspirable matter repelled (become morbid) and compulfively absorbed into the circulation.

So foon as the horse is in this state a symptomatic fever attends, which is to be understood no more than a degree of febrile heat, or irritability dependant on the original cause, which gradually ceases as the primary disease is found to decline.

The blood in all these instances becomes languid and enfeebled by its increase and incumbrance, whilst its velocity is preternaturally compelled in the stricture of the vessels, upon their over-accumulated contents, which palpably constitute the obstruction and produce the fever. Having traced the very principle of colds to their original cause, and pointed out their different effects upon the eyes, glands, lungs, and circulation, I shall proceed first to that kind of cold fixed on the lungs, diftinguished by COUGH, and its confequences, enlarging upon the other two, when we come to treat upon their separate classes, under the disorders of the eyes and strangles, or tumours upon the glands. I shall therefore take this complaint in its first stage, when it is early discovered by an industrious servant or attentive mafter, and generally submits to immediate care and fimple remedies; particularly 04

larly if proper respect is paid to the excellent maxim of "never letting alone till to-mor-"row what may be done to-day;" for blood should be instantly taken away according to fymptoms, fize, state, and condition. Be accurate in quantity, and preserve it a few hours to ascertain its state; if livid, or black, with a coat of fize upon its furface, you have evident demonstration of its VISCIDITY and obstructed circulation through the finer vessels of the LUNGS. In three or four hours after bleeding give a mash of bran and oats equal parts, upon which pour boiling water sufficient; then stir in unadulterated anifeed and liquorice powders each one ounce, and of honey four. In two hours after the mash give a gallon or fix quarts of foft water moderately warm, in which has been dissolved two ounces of NITRE. Let the mashes be continued every night and morning, giving a moderate feed of dry oats in the middle of the day, good fweet hay in fmall quantities, and the same proportion of nitre to be repeated in the water after each mash. To these must be added the necessary regulations of GOOD dreffing and GENTLE exercise, which in general soon effect

effect the cure of such COLDS as are counteracted upon the first attack.

On the contrary, should time or circumstances have prevented those early advantages, the attack has been neglected, and the diforder made a rapid progress; should the cough be violent and constant, the horse very dull and heavy, declining his food, and the fymptomatic fever run high, the blood will confequently prove as before described. In fuch case the symptoms will perhaps not immediately submit to the above plan so soon as may be wished or expected, therefore repeat your bleeding in two or three days at farthest, according to the state and necessity, altering the mashes to equal parts of malt and bran, fcalded with boiling water; when nearly cool enough for the manger, stir in of elecampane, aniseed and liquorice powders, each one ounce; let this be repeated every night and morning, continuing the noon-feed dry, and the nitre two ounces in the water, as before directed.

Let it be remembered, for consolation, that colds or coughs thus treated, before they have

have been suffered by neglect or penury to become obdurate by long standing, generally fubmit to a very short course of trouble or expense; whilst tardiness in procuring expeditious relief is often productive of events that no future affiduity can relieve. By immediate bleeding the obstruction is consequently reduced, and the circulation promoted; rarefaction is effected, and the stricture upon the veffels removed by the warm mashes and cordials; the irritating mucus engendered by the inflamed glands is likewise divested of its acrimony, and the pressure upon the lungs reduced by relaxing and leffening the contents of the body. Under these advantages you are eased of the complaint almost immediately, or a critical discharge comes on at the nostrils, and terminates in a few days, what neglected soon constitutes a confirmed cough, ASTHMA, BROKEN WIND, OF CONSUMPTION.

In respect to these disorders, their descriptions (or rather the different conjectures) have been so extended, turned, twisted, and mutilated, in their transmissions from one author to another, that it is natural to suppose no true state of either could be ascertained, or any thing

thing fatisfactory advanced upon the subject. We have the authority of a century past to prove they are caused by " the impetuosity of "the blood's rushing into the lungs," or, "in "the air vessels," or, "in blood vessels," or, "in tubercles," or, "in ulcers," or, "in too "full feeding," &c. BARTLET quotes from GIBSON, who refers you to MARKHAM, or Soleysell, and Bracken to Burdon, and so on ad infinitum. We are likewise told " the three last distempers are in general in-" curable:" you are then instructed to proceed with mercurial physic, giving, in the intermediate days, the "cinnaber balls; if they " fail try alterative purges; to these follow " cordial balls, with balfams of Peru and ful-" phur, flowers of Benjamin, squills, tar, &c. "One to be continued a week or ten days, " another a fortnight, and a third for two " months or longer." When having made this hopeful and expensive tour through almost all the MATERIA MEDICA to cure what is "in general incurable," you may enjoy the pleasing sensation of knocking your horse on the head, and most feelingly acknowledge "the remedy worse than the disease."

I shall endeavour to avoid this beaten track of duplicity, and not amuse my readers in every

every page with "GIBSON directs this," or "BARTLET the other," but communicate some instructions from the dictates of NA-TURE AND REASON, who have been hitherto most infamously treated, and most shamefully abandonded through every system of equestrian medical practice. In conjunction with this it may not be inapplicable to introduce a few observations respecting the mode of administration I have long fince adopted, and endeavoured to strengthen upon every opportunity. For instance, to condemn and explode upon every possible occasion the old and flovenly method of giving medicines of almost every kind in DRINKS (and the equally favourite administration of GLYSTERS) where they can by any means be avoided; (which forty-nine times out of fifty they very well may) always preferring their incorporation with a mash, or the contents in a ball, where circumstances will permit.

But this plan generally meets opposition from the VULCANIAN ADVOCATES for ancient practice, who would as soon relinquish their leathern aprons as their opinions. The prodigious and consequential ceremony of providing

viding the ale, powders, twitch, born, and apparatus, with the additional pleasure of wasting or spilling half the contents, are professional DIGNITIES not to be readily given up; more particularly the operator's privilege of drinking a part of the ale or frong beer, to be perfectly convinced it is not TOO STALE for the purpose. To bring this digression to a speedy crisis, I shall only beg leave to add that twenty years fince, observing the general plague in giving drinks, the constant and unavoidable waste in the operation, added too the palpable absurdity of giving the most nauseous medicines in a liquid form, to constitute an unneceffary fickness to the animal, made me reject the practice, determining to adopt a method more rational, neat, and confistent, so far as my own advice or influence extended. To this circumstance may be attributed the very few drinks prescribed or recommended in the course of this work: the aukward administration of glysters is likewise rejected, but where they are palpably necessary, and even then the bag and pipe should be the vehicle for injection; the syringe being an invention of absolute absurdity, and fit only for such practitioners

tioners as are professed advocates for FUN-DAMENTAL ELECTRICITY.

We come immediately from this digreffion to the treatment of obstinate coughs, of which there are two distinct kinds in effect, though proceeding from the very same cause; whether the refult of neglect at the original attack, or inflexibility and non-fubmission to the mode of practice before recommended, and regularly persevered in. The one may be considered a loose and almost continual cough, increasing to violence upon the least motion, whilst the distinction is easily made by attending to fymptoms: the other is a short dry cough, preceded by a husky hollow kind of wheezing, as if respiration was shortened or obstructed by fragments of bay, or corn retained in the passage. This is the kind of cough called afthma by those writers who have preceded us, and for which mercurial purges have been recommended, and may perhaps come forward with more propriety after the administration of a course of the following balls, should they fall in the defired effect. BLEEDING must be first performed, and occasionally repeated in fmall quantities, till the glandular inflammation

mation and irritability is reduced, and the blood is so attenuated or divested of its viscidity, by the constant and invariable repetition of the nitre, that the circulation may be more freely promoted through the finer vessels of the lungs; as from the obstructions in those finer passages all the difficulties proceed. Bleeding having been performed with the neceffary circumspection as to quantity, let your two ounces of nitre be given without the most trifling remission, every night and morning in the water, as particularized in the first stage of the disorder, continuing one of the following balls every morning for a fortnight or three weeks, that a fair and decifive trial may be obtained.

THE DETERGENT PECTORAL BALL,

TAKE of Castile soap, aniseed, and liquorice powders, each five ounces;

Barbadoes tar fix ounces;

Gum ammoniacum three ounces;

Balfam of Tolu one ounce;

Honey (if required) to make a mass; which divide into a dozen balls.

If the complaint should continue predominant in all its symptoms, notwithstanding these efforts efforts to relieve, BLEEDING must be repeated; two doses of mercurial physic may be given eight days apart, and prepared by the addition of a drachm and a half of casomel to either of the balls (under the articles of purging) best calculated for the horse's strength and condition. After which repeat the above pectoral balls, with the addition of gum myrrh, Benjamin, and Venice turpentine, each two ounces; dividing the mass into balls of two ounces each, repeating them every morning till the above proportion (with these addition) are totally consumed.

The long loud hollow cough that is almost incessant, and continually increasing upon motion or the least hurry in exercise, proceeds equally from irritability and the action of the slimy mucus upon the glands in respiration, as well as the viscidity and cohesion of the blood through the siner passages. This kind of cough I have ever observed to submit with much less difficulty than the ASHTMATIC, requiring only steady and regular perseverance in the plan now laid down to obtain a certain, and, in all probability, a speedy cure. The improvement upon the cordial ball of BRACKEN, (so rigidly adhered

adhered to by all those advocates incapable of leaving the beaten track, or judging for themselves) will be cheerfully acknowledged by every judicious and impartial observer, who will readily coincide with me in rejecting the brimstone, turmeric, and sugar-candy, as articles very little adequate to the task they were assigned. In this case, as in the other, bleeding must take the lead, followed by a mask compounded of equal parts of bran and oats, into which must be stirred and dissolved, while hot, boney four ounces; and this repeated every night with the two ounces of nitre in the water, (as repeatedly directed) without intermission every night and morning.

THE PECTORAL CORDIAL BALL.

TAKE Turkey figs, Spanish liquorice, aniseed, and liquorice powders, each four ounces;

Carraway seeds, elecampane, and anisated balfam, each two ounces;

Saffron, ginger (in powder), and oil of anifeed, each fix drachms;

Honey sufficient to form the mass; and divide into twelve balls; of which let one be given every morning.

The figs and saffron are to be beat to a paste in the mortar, previous to their incorporation with

the other articles, the Spanish liquorice is to be softened over the fire, by boiling in a small quantity of spring water, and the whole of the ingredients mixed in a manner well understood by those generally concerned in such prepara-These balls are powerfully cordial and restorative; they promote glandular excretion, warm and stimulate the stomach to the expulfion of wind, enliven the circulation, and invigorate the whole frame, as has been sufficiently ascertained by their instantaneous effect in the chase, where their excellence has been repeatedly established; but more particularly in deep swampy countries, when, after a severe burst, or a repetition of strong leaps, the horse has been so off his wind, or, in fact, Nature so exhausted, as not to be able to proceed a stroke farther; the immediate administration of a SINGLE BALL has not only afforded instant relief, but the horse gone through the day with his usual alacrity. To say precisely in what time the cure will be complete, is absolutely impossible; the treatment here laid down, and the class of medicines prescribed, will, with care and proper attention, perform all that can be expected from warm cordial pectorals.

PLEURISY AND INFLAMMATION OF THE LUNGS.

To avoid those unnecessary distinctions generally made to swell the work, as well as the tedious repetitions introduced to form a plaufible but FALLACIOUS difference between difeases bearing the strictest affinity, (not only originating in the same cause, but depending on the very same treatment for cure) I shall, in this class, proceed to the necessary observations upon what is termed PLEURISY, IN-FLAMMATION of the LUNGS, BROKEN WIND, and, lastly, consumption. The gradations or circumstances of connection are so regular from a simple cold, in the first instance, to the disagreeable effects of the latter, as to form a fufficient reason for bringing the whole into rational investigation.

To steer clear of the trammels of imitation, I must avoid the beaten track of BART-LET, who tells you "GIBSON says the pleu-

P 2

rify

" rify is an inflammation of the pleura;" but, as " no ghost need come from the grave to " tell us that" we will go a little farther, and, inflead of diversifying and mutilating the fymptoms to form a deceptive appearance of two distinct diseases, I shall clearly prove them to be not only of the same family, but very nearly related; for, as the pleura is in the medical world univerfally known to be the membrane immediately covering the lungs, every reader may instantly form his own judgment whether the latter can become the principal feat of inflammation without the pleura's being proportionally affected by the distention. I have not the least doubt but this thesis will fufficiently establish its own weight to prevent a diversity of opinions.

To exclude occasion for more medical or anatomical definitions than are absolutely unavoidable, it must suffice to say the distinction between the diseases are too nice (in this animal) for certain discrimination; either displays symptoms common to both; and, as the treatment is exactly similar in each, no inconvenience can arise from not decisively sixing it upon one or the other, as in general they are

both affected. I shall, in treating of both, enumerate the certain prognostics; but cannot so far attempt an imposition upon the judgment as to form a string of imaginary symptoms, and fay (as some have done) that " he looks " to the right with the pleurify, and to the " left with the peripneumony; that he tries to " lay down, then he ftarts up;" and a multiplicity of certainties equally curious. But as MEN or WOMEN, labouring under the most acute diseases, do not display the same attitudes, or indulge in the same positions, no more do the different animals of which we now treat; but there are other predominant fymptoms, and certain prognostics, that sufficiently enable us to ascertain the seat of disease, particularly in the inflammatory disorders before us.

For instance—the horse is exceedingly dull, heavy in the eyes, drops his head, is restless, perpetually shifting his legs alternately; the sever comes on suddenly, and increases rapidly; his breathing is extremely difficult, the cough short and laboured, exciting great pain. The mouth at first is parched and dry; but when a critical discharge issues from the nos-

trils, in consequence of a reduction of the symptomatic inflammation upon the glands of the head and throat, a slimy moisture appears in the mouth likewise; his whole frame bearing evident proofs of universal oppression, that seriously indicates the necessity of expeditious relief.

Having taken a concife but accurate view of the distemper in its external appearance, it becomes immediately necessary to go out of the usual track, and explain the cause as well as the symptoms of disease. As the LUNGS are known to emit in health a greater proportion of perspirable matter for transpiration than any other part, it consequently follows that, upon either a partial or universal obstruction or suppression, they become (by the compulfive absorption of that very proportion) the immediate feat of disease; and, where the blood is previously viscid, or in an indifferent state, its tendency to inflammation is instantly promoted by the morbidity of the obstructed perfpirable matter, which being thrown back upon the lungs, they are so overloaded as to be rendered incapable of performing their functions, and passing it into the circulation; inflammation is then produced; which, according to the nature of the case and certainty of circumstances, must terminate in suffocation, if suffered long to continue its progress without effectual attempts to relieve Nature from the burthen she has accumulated. This disease may also be produced by violent exercise upon the turf, or exertion in the field, when the increased rapidity of circulation (by the action of the folids upon their contents), propels the blood to the smaller passages with so great a degree of velocity as not only to produce immediate inflammation but sometimes to rupture some of the finer vessels, from which BROKEN WIND or consumption frequently proceeds.

A sufficient quantity of blood must be instantly taken away, to unload the vessels as much as the strength will bear. After this operation have ready fome bran and very fweet hay cut small, and scalded together, which place bot in the manger, that the FUMES may be imbibed as an internal fomentation to relax the rigidity of the glands, and excite a discharge from the nostrils so soon as possible. The very nature of this case, and the danger to which the horse is exposed, sufficiently of exerting all possible alacrity to obtain relief, or counteract the disease in its first stage; therefore let the fumigation of scalded bran and hay be repeated every four or five hours, and the following decoction prepared without delay:

TAKE pearl barley, raisins split, and Turkey figs sliced, each six ounces;

Stick liquorice bruised, two ounces;

Boil in a gallon of water till reduced to three quarts; strain off; and, while hot, stir in one pound of honey, and, when cold, a pint of distilled vinegar; giving an ounce of nitre in a pint of this decoction every four, sive, or six hours, according to the state and inveteracy of disease.

If relief is not obtained so soon as expected, and the horse is costive, give a glyster, with

Two quarts of common gruel;
Coarse sugar six ounces;
Glauber salts sour ounces;
Tincture of jalap two ounces;
And a quarter of a pint of olive oil.
This must be repeated in twenty-four hours, or oftner, if necessary.

Should (notwithstanding these efforts to relieve) the symptoms continue equally predominant and alarming, not displaying the least tendency to submission, after waiting a proper time for the desirable effect of previous administrations, let the bleeding be repeated, and that in quantity proportioned to the necessity or severity of symptoms, continuing the decoction and nitre every three or four hours, repeating the glyster, if plentiful evacuations have not been obtained by the former injection.

The diluting drink, before prescribed, is introduced here in preference to a ball, that its medicinal efficacy may be expeditiously conveyed to the seat of disease. So soon as the wished-for advantages are observed, and the predominant and dangerous symptoms begin to subside, when he labours less in respiration, is brisker in appearance, heaves less in the slank, dungs frequently, stales freely, runs at the nose, eats his warm mashes of scalded bran, with four ounces of honey to each, and will drink thin gruel for his common drink (in each draught of which should be dissolved two punces of cream of tartar;) in short, so soon

as every appearance of DANGER is dispelled, the management may be regulated in every particular by the instructions given under the article of COLD, in its earliest stage; giving one of the following balls every morning for a fortnight, leaving off the mashes and diluting drink by degrees, varying the mode of treatment as circumstances may dictate, or occasion may require:

TAKE Castile soap six ounces;
Gum ammoniacum two ounces;
Annise and cummin seeds in powder, each four ounces;

Honey fufficient to form the mass, which divide into a dozen balls.

To prevent any ill-effects that may arise from the viscidity of matter that has so long overloaded the vessels of the lungs, or its acrimony, that may, by its retention there, so corrode or lacerate as to form an ulcer, or promote the growth of knots or tubercles, the best method will be, so soon as the horse (with great care, gentle exercise, moderate and regular feeding) has acquired a tolerable proportion of his natural strength, to put him upon the following gentle course of physic. And it will

BROKEN WIND. 219

will become more immediately necessary, where the horse bears about him remnants of the distemper, either in a gleet from the nose, rattling in his throat, difficulty of breathing, or beaving in the flanks.

TAKE succotrine aloes nine drachms;
Rhubarb and jalap each a drachm and a half;
Gum ammoniacum, calomel and ginger, each
a drachm;
Oil of juniper sixty drops;

Syrup of buckthorn sufficient to make a ball.

Six clear days or more, if the horse is weak, should be allowed between each dose, and the mode of management regulated by the instructions given under the article of purging.

BROKEN WIND

Is a defect in the part of which we last treated, so that the transition from one to the other is both quick and natural; and sorry I am to acknowledge, that, amidst all the diffections and minute investigations that have taken

220 BROKEN WIND.

taken place, no IMPROVEMENTS or DIS-COVERIES have been made that can at all elucidate to a certainty the opinions long fince gone forth and communicated upon this subject. The most eminent writers, as if determined in this particular to let us remain in "darkness visible," tell us no more than that all their strict inquiries, all their attentive assiduity and inspection will furnish them with no better information than, "they BE-" LIEVE or SUSPECT the lungs by some " means are too large for the cavity of the " chest, or the chest too narrow for the lungs." If this curious HYPOTHESIS can be once admitted, the preternatural enlargement of the lungs is, by fuch reasoning, confirmed a paradoxical natural deformity. An attempt to establish so frail an idea would be ridiculous in the extreme; for horses are in general so little seen with external deformities, that it would be a palpable proof of sterility in intellest to suppose a constant and invariable deformity upon any part of the viscera; particularly upon the same in every horse labouring under this defect, and the very part so immediately necessary to all the offices in life. It is an opinion I shall never accede to, but am inclined

to believe, by examining the matter a little more attentively, two very probable reasons may be adduced tending to lead us to a much more RATIONAL opinion of the cause.

For instance, whether horses who have been in the habit of full or foul feeding, with a very trifling portion of exercise, and without any internal cleanfing from evacuations, compulfively obtained by purgatives or diuretics, may not constantly engender a quantity of viscid, tough, phlegmatic matter; which accumulating by flow degrees may fo clog and fill up fome of that infinity of minute passages with which the lungs are known to abound, as probably to obstruct the air vessels in their necessary expansion for the office of respiration. And whether this very probable obstruction, or partial suppression, may not in sudden, hasty, and long continued exertions, rupture others, and by fuch local deficiency affect the elasticity of the whole? The probability, and indeed great appearance of this progress, has ever influenced me most forcibly to believe that, such obstructions once formed, the evil accumulates, till a multiplicity of the vessels become impervious, and render the lungs, by their confant

222 BROKEN WIND.

stant accumulation and distention, too rigid for the great and necessary purpose of respiration.

How far this probable system of obstruction may come into immediate contact with the judgment of others, I am yet to learn; the conjecture naturally arising from a serious and attentive investigation of the case, is submitted to public opinion, as a far more rational mode of explanation than to TRUMPET or RE-ECHO an absurdity that "the lungs are too large for "the chest," or a still greater, that "foul "feeding has made the lungs fat," when a survey of the subject shall instantly demonstrate the carcass to be evidently poor.

Which soever conjecture may be right respecting the cause, one opinion is universal upon
the cure, if it originates in a natural deformity;
for, should (according to the credulity of former writers) "the lungs be too large for the
"chest," or "the chest too narrow for the
"lungs," the effect being directly the same, it
is not in the power of art to surnish a cure;
the expense to obtain it being therefore supershuous, it had better be avoided. That such a
defect

defect may fometimes occur, as a cheft too narrow for lungs of an uncommon extension, that constitute naturally what are called thickwinded horses, cannot be denied; and in those cases very little is to be expected from a hope of mitigation or cure.

It cannot but be observed what an anxious desire a BROKEN-WINDED horse always displays to obtain water—a self-evident conviction he is rendered uneasy by some glutinous adhesive internal substance, that instinct alone prompts the animal to expect drinking may wash away: on the contrary, if, as BARTLET and GIBSON suppose, "the lungs are too large "for the chest," every thing that increases the bulk of the abdomen or viscera (and consequently the pressure upon the diaphragm) must increase the disquietude, which it is natural to believe from the sagacity of animals in other instances, they would in this most carefully avoid.

If my HYPOTHESIS is founded in fact, (which circumstances will not allow me the least reason to doubt) a cure may certainly be expected, provided the attempt is made upon the dawn of the disease; but I will by no means admit the probability where the original cause has been of long standing and no attempts made to relieve. A little deliberation will convince every reader that a cure can originate only in such administrations or class of medicines as are evidently calculated in their operations or effects to reach, cleanse, and remove, obstructions in the very remote seat of disease.

BLEEDING naturally arises out of this obfervation, and must be repeated at proper intervals, in moderate quantities, till divested of the coat of fize and livid appearance, that are certain prognostics when the lungs are obstructed either by viscidity or inflammation. To promote the necessary evacuations in the first instance, to attenuate the viscidity of the glutinous obstructed matter, and to deterge the passages by a stimulation of the solids, are the only foundations upon which the hope or probability of a cure may be formed; therefore after bleeding go through a regular courf of the mild purging balls (prescribed after the horse's recovery from the article last treated on;) they are flightly impregnated with mercurial

form a most excellent medicine for the purpose. In three days after the operation of the third dose begin upon the following detergent balsamics, and continue to give one ball every morning, so long as may be thought necessary to form a fair opinion whether advantage is gained or relief likely to be obtained:

TAKE of the best white soap eight ounces; Gums guaicum and ammoniacum each three ounces;

Myrrh and Benjamin, aniseed and liquorice, each two ounces;

Balsam of Peru, tolu, and oil of aniseed, each half an ounce;

Barbadoes tar sufficient to make a mass, which divide into twenty balls.

It is necessary to be strictly observed that, during this course, hay and water are to be dispensed with a very sparing hand, so as to prevent too great an accumulation in the stomach or intestines, that an observation may be made with the greater certainty, whether any hopes of success from medicine may be justly entertained; if not, farther expense will be unadviseable, as it will appear, after such

trial, an incurable malady at all events. The better to reconcile us to which, such PAL-LIATIVES may be occasionally put into use as will naturally be suggested by an attentive perusal of this class, in which the diseases of the lungs are the principal objects of investigation.

At all events when a cough is become of long standing, or the horse perceived to labour under any of those wheezings in exercise, or violent heaving in the flanks, that indicate an oppressed state of the lungs or difficulty of respiration, the mode of feeding should be regulated accordingly; upon a proper attention to which circumstance, many of the consequences evidently depend. For, whether as a preventative or cure, mashes should be occafionally given, and gradually declined, till the food becomes regularly dry; hay should be distributed in small quantities, that the contents of the stomach may not be too much increased for gradual digestion. To horses of this description, food should be given that will afford the greatest nutriment with the smallest quantity: on the contrary, fo foon as the probability of fuch defect is perceived, the horse

is too generally concluded of the least value, and treated accordingly. Instead of mitigating the symptoms, they are constantly increased by the very means that should be avoided; the foulest and most injurious food is liberally supplied-gross clover hay-mixed chaff, and as much water as the animal chuses to carry, are too often permitted, even without restraint, and the defect absolutely encouraged to become habitual, instead of being alleviated, by the very means that reason dictates and discretion directs.

CONSUMPTION

Is a disease or complication upon which very little need be introduced, but to keep up the appearance of form, and pay the necesfary and expected compliment to custom. No appellation, no description of disease, has been more backneyed more prostituted and perverted, than the very name of CONSUMPTION; it has for ages been an excellent mask of mystery for the doubts of the FACULTY, and no bad explanatory substitue for the meaning of the vul-

gar, in all those internal decays of the human species, where the chasm in the countenance of the DOCTOR, and the ambiguous shake of the head) including the alternate construction of hope and fear), is intended to convince the anxious attendant that fymptoms are obscured by circumstances, and certainty not to be ascer-

tained.

A confumption may proceed from a nonperformance of the functions to which many parts of the animal structure may be destined, not only from ruptures of the blood, or air veffels in the lungs, (originating in causes repeatedly described), terminating in ulcers, tubercles, and callosities; but in a scirrhosity of the liver, and induration of some of the glandular parts, and many other internal complaints or injuries to which the references, by fymptoms remote from the feat of pain or disease, must be often deceptive, fo as in some cases to perplex more than direct. This being a very fair and candid state of the case before us, the reader will do well to collect what information he can from his attentive observations; then compare them with the most predominant symptoms described under the heads of different difeases.

diseases, and so adjust his decision as to bring it into that class to which it bears the greatest similitude, and adopt a mode of treatment accordingly. To take this subject in as concise a view as possible, (let it proceed from whatever cause), the course of balsamic restoratives and detergent pectorals, found under the heads of COLDS, COUGHS, and succeeding articles, with the aids of bleeding, mashes, and such other assistance as may be selected from the variety of prescriptions and instructions so often repeated, render unnecessary any farther observation or animadversion upon this head.

CLASS VII.

FEVERS, WORMS, AND JAUNDICE.

FEVERS.

THE observations and reflections that first induced me to perceive the absolute necessity of some reformation in the practice of FAR-RIERY, never influenced me more in a conviction of that want, than did a thorough investigation of the subject before us. For BARTLET, in his usual kind and easy way, says " he purposely avoids giving descriptions of dis-" eases, or so much as guessing at the causes " within which bring them about." What could have been his motive for "purpofely" concealing what in "A Practical Treatife" had every right to be revealed, I know not; and what his reasons could be, I leave entirely to the private opinions of others, making public (upon

(upon THAT circumstance) only ONE of my own; that whoever is a stranger to the origin of disease must be consequently so to every method and rational system of cure.

This being evidently clear to the meaest and most uncultivated comprehension, I must beg leave to observe how much on the contrary GIBSON has superlatively obliged us in the very quintessence of prolixity and complication; for, with the reverse of BARTLET's reason and want of patience, he has most elaborately gone through what may be termed a complete system of imaginary severs; and regularly transferred the observations and language of ancient authors upon the difeases of the human species to the constitution of quadrupeds. He not only tediously describes the simple and continued fever; the bectic, putrid, and pestilential; but, to prove his attachment to the subject, animadverts upon quotidians, tertians, and quartans, enlarging separately upon each; and concludes in an inexplicable jargon upon the whole.

As indeed does OSMER, (who, as before obferved, wrote in later times) in what he calls Q 4 "A Treatife "Horses;" though an attentive in pection and perusal, proves it decidedly a treatise upon the feet and shoeing; nothing being introduced either sull or explanatory upon the origin or cure of any disease to which the horse is subject, or any precise or regular method of treatment pointed out, the very sew remedies slightly recommended, being lest (in respect to quantity and proportion) entire y at the discretion of the reader.

In respect to severs he includes all under the denomination of a distemper, and then gives you a description of what he calls "five dis-"ferent classes or degrees of this disease;" but, after minutely investigating his explanations, I must confess them so replete with suppositious alternatives, and theoretical uncertainties, that they seem much more evidently calculated to perplex than enlighten a subject, that has hitherto been too much obsected or political abstrusity of others. In fact the purport of the inquiry is so entirely lost in a variety of inapplicable digressions and incoherent stories, that not a single clue is left by which the least rational and authentic information is to be acquired, except "plen"tiful bleedings, the unlimited use of salt
petre, and the insertion of rowels," even to
the number of six or eight upon the same
subject.

Every intelligent observer must be well convinced of the absurdity of such accumulation as GIBSON describes, and the improbability (not to fay, what might be very well justified, the impossibility) of discovering, by no other means than filent symptoms and ocular inspection (amounting to no kind of demonstration) the origin, cause, or indeed distemper itself, to which there is no certain distinction, or palpable proof of existence. And when it is remembered there is no agency in the animal by which the particulars of his pain or distress can be communicated, every judicious and candid reader will admit the impracticability of discriminating between the variety of fymptoms, by which alone all this FAMILY OF FEVERS are to be ascertained. It may also be taken into consideration, that animals of this class, from their simple diet and regular mode of living, cannot be subject to such complicated disorders, most of which, in the human species, evidently result from irregularity and indiscretion. Bringing this combination of circumstances into one point of view, I shall avail myself of the advantages naturally arising from observations upon the political abstrucity of one, and the paradoxical brightness or technical obscurity of the other; reducing the whole class of febrile disquietudes simply to two kinds, the symptomatic and inflammatory only.

A symptomatic fever is a degree of inflammation and increased circulation, occasioned by some distinct or local pain, and is not a distorder (ab origine) within itself, but palpably the effect of, and dependent upon, some other for its production. This sever is so influenced by the cause, and so entirely regulated by its changes, either for better or worse, as to be constantly reduced by an alleviation of the original complaint, and totally dispelled by a removal of the disease, to which it is a concomitant. This sever being only a symptom of some other, (the mere effect of preternatural heat

heat excited by extreme pain) and not a distinct disease, stands in need of no elucidation; let the original cause be removed, and the effect will cease of course.

It has been repeatedly urged by authors of repute, that every fever is one and the fame disorder, appearing differently according to the various circumstances it meets with in different constitutions. Much may be advanced in favour of this affertion; but, it not being our present purpose to enter upon the discussion of so extensive a subject, we will contract it as much as the nature of the disease will admit, and venture to affirm the fever to which horses are most subject is that distinct kind called inflammatory. To produce that preternatural heat or increased circulation, constituting what is termed fever, there must be some pre-existing cause, to discover the true seat of which great nicety of discrimination is unavoidably necessary; here is no information to be collected but by the band and the eye; the first should be fanctioned by JUDGMENT and EXPERIENCE, the latter regulated by REA-SON and OBSERVATION.

For want of due attention to these falutary confiderations, many fine and valuable horses have been hastily and dictatorially sentenced to pass that " bourn from whence no traveller "returns!" And here it can neither be thought inapplicable or intrusive to remind every perfon employed in the practice, under the denomination of FARRIER, that frequently upon his learned decision alone depends the LIFE or DEATH of this most valuable animal. should not only be accurately nice in the difcrimination of disease; but, by attending minutely to circumstances, endeavour to develope the mysterious indications of Nature, cover all her wants, and strengthen every effort; for the is tenacious of her many powerful privileges, and will not bear too "infolent a moni-" tor. To become the more adequate to this task of integrity, he should be anxiously careful to improve his judgment, and adopt the known qualities of medicines to the expectation of their effects; to have in view, upon every emergency, the operations from which certain or probable relief is to be obtained; and to promote those ends by every fair and gentle means that may be justified by circumstances or dictated by discretion.

To enter into a tedious medical disquisition upon the origin of severs, their different degrees and effects, would exhaust the patience of the most patient inquirer; I shall consequently avoid so unentertaining a detail, and adhere to such explanatory parts as become more immediately the objects of information. To enumerate the possible causes in which a sever may originate would be, in this work, equally impracticable; they are so much more symptomatic than self-existing, that circumstances and careful attention only must lead to the discovery.

There is not the least doubt but a general cutaneous obstruction, or sudden constriction upon the perspirable pores, (proceeding from what cause soever,) will constitute the foundation of every sever to which the animal can possibly be subject: the matter destined for perspiration, being forcibly returned upon the vessels, is absorbed into the circulation; the blood being thus corrupted becomes viscid, the passages are evidently overloaded, and Nature, by an increase of circulation in the velocity of the blood, endeavours to relieve herself from the oppression, which in this disease she so evidently labours under.

In respect to symptoms, the inspection should be made with care and attention; the general modes of inquiry are SUPERFICIAL, and the decision often FALLACIOUS. The pathognomonic, or certain figns, are an universal heat and disordered pulse, a palpable disquietude and uneafiness, shifting from place to place; the horse labours under difficult respiration, his mouth is very dry, his tongue parched and hot, he declines food, but receives water; sometimes seizes his hay with seeming eagerness, then drops it in disappointment: the body is generally costive, and in the early state of disease, there is a proportional obstruction of urine. Let a fever proceed from whatever cause, the indications of cure are still the same; diminish the preternatural heat to the degree that constitutes its healthy state, remove all internal obstructions; and, by a proper and judicious administration of medicines (calculated to fubdue the original cause), all dependent symptoms will certainly fubfide.

The first necessary step to a rectification of such instammatory or diseased state of the blood is a reduction in quantity, therefore instantly bleed according to strength and circumstances.

If

If the horse is costive in body, the excrements hard, dark in colour, and foul in smell; the symptoms of disease powerful, with strong heaving in the slanks, do not delay the assistance of the following emollient glyster, which, being composed of ingredients entirely DOMESTIC, may be most expeditiously provided.

Take water gruel two quarts;

Coarse sugar half a pound;

Common salt sour ounces (or single handful);

Olive oil a quarter of a pint.—Mix together,

and inject moderately warm.

This, by its gentle relaxing property, will probably promote defirable evacuations in both stool and urine; being equal to any other that can be prescribed for the purpose, however prepared with articles remote from present practice, or dissicult to be obtained. If obstructions should not be removed, or the necessary evacuations ensue, repeat the operation in four hours after; strengthening your injection with two ounces of lenitive electuary, and three ounces of glauber salts, both being dissolved in the gruel. This will produce certain evacuations, as the

first by its retention will have relaxed the indurated contents of the intestines; and rendered them ready for immediate expulsion; by the active power of the additional stimulants here prescribed. In two or three hours after such evacuations (or fooner if feemingly requifite) let a mash of scalded bran be placed in the manger, to which, if he refuses, a handful of oats may be added by way of inducement; if still declined, let them be removed and a small quantity of very sweet hay be left in the rack. Let him be gently rubbed over, moderately clothed, and well littered up with clean dry straw, after giving him one ounce of nitre dissolved in a fmall draught of warm water, flightly impregnated with a proportion of thin gruel.

Previous to farther DIRECTIONS for the treatment of fevers, or INSTRUCTIONS for the preparation of medicine, it becomes unavoidably necessary to say something upon the quality and indiscriminate use of that excellent article nitre, the purposes of which are so frequently prostituted in its general application by all classes, and in all cases, in compliment to BARTLET's unpimited eulogiums; who has not only, in a variety

variety of instances, blended it in composition with its opposites in effect, but stamped it with bis opinion so great a specific, that a few observations on its virtues and real uses become immediately necessary to the propriety of its suture administration being better understood.

Osmer was likewise so infatuated with its reported perfections, that he became an advocate for its unlimited utility, and, like his predecessors, pronounced it an infallible specific for all those disorders he condescended to take a superficial survey of; urging the administration of it to almost any proportion upon every occasion, though, in the very same page, he confesses some horses "shall not be able to take the smallest quantity without being affected with gripes, or cholic, therefore it is always best to begin with a small quantity."

That it is cooling, allays thirst, promotes the secretions, and is an useful affishant likewise in a course of alteratives, is admitted; but how far it is eligible to give it in severs, in the very large proportions recommended by BARTLET and OSMER, will be best decided by giving the R matter

matter a farther investigation. For instance, he urges the administration of it to attenuate and thin the dense sizy blood, during the effect of instandant in the dense sizy blood, during the effect of instandant in being allowed, what must be the natural conclusion or consequence of giving such large quantities as "three or four ounces three times a "day?" Why every professional man, knowing the mode by which it must inevitably affect the system of circulation, would naturally expect it to dissolve the very crassamentum of the blood, and reduce it to an absolute serum or aqueous vapour.

That nitre has its peculiar good qualities and falutary effects, when prudently administered, no rational practitioner will ever deny; but the variety of experiments repeatedly made upon its efficacy, by the most eminent professors since the practice of Gibson, Bracken, and Bartlet, has undoubtedly deprived it of a considerable portion of its former estimation, and it is now reduced to that rank of merit only experimentally found to fall to its share. Taking it therefore with the properties it is possessed in a considerable portion of infallibility or medical idolization,

effects can only be obtained by judicious adminifications of such proportions as are properly calculated to promote the purposes for which they are designed. Its properties and effects being now more generally ascertained than FORMERLY, the inconsistency of blending it (in large quantities) with medicines intended to promote perspiration is palpably striking; as it is well known to every medical practitioner its intermediation would rather tend to destroy the earnest intent of the whole.

On the contrary, given in small quantities of balf an ounce or ounce, once or twice a day in the beginning of severs, with good nursing, moderate clothing, warm mashes, and diluting drinks of thin gruel, it may frequently have a very good effect; but, should the predominant symptoms not submit to that treatment, no larger doses of nitre should be ventured upon to hazard a too great and sudden dissolution of the blood, or an obstruction to the critical perspiration, upon which a speedy cure very much depends.

Upon the non-submission of symptoms to these means, the following gentle system must be adopted and regularly continued, to relax the rigidity of the pores, and produce a pliability of the furface, preparatory to the perspirable crisis, which it is now become necessary to solicit, by every proper medicine that can be offered for that purpose. To promote this, give one of the following balls, and let it be repeated every fix or eight hours as may be found necessary:

Take mithridate fix drachms;
Anifeed and compound contrayerva powders each half an ounce;
Snake root (in powder) two drachms;
Salt of hartshorn one drachm;
Syrup of saffron sufficient to make a ball.

But where the administration of medicine in this form may be objected to, or a drink thought more convenient, the following may be substituted in its stead:

TAKE of the strong infusion of camomile (commonly called camomile tea) half a pint;
Mindererus's spirit a quarter of a pint;
Saffron wine two ounces;
Antimonial wine one ounce.—Mix together.

This drink, or one of the above balls, may be continued every fix or eight hours according to the emergency, till relief is obtained, or circumstances urge an alteration in the mode of treatment. Small quantities of drink (about two quarts) should be given once in three or four hours, prepared in the proportion of a quart of thick gruel to a gallon of water; in each draught of which may be given half an ounce of nitre, or an ounce of cream of tartar, with the farther addition of a quarter of a pint of the following acidulated liquid, separately prepared for the purpose.

TAKE of good honey one pound;
Best vinegar a pint and a half; boil over the fire
a few minutes, taking off the scum, and set by
for use.

Should any swellings appear upon the glands of the head or neck, a cough come on, or a critical discharge be perceived at the nostrils, keep the head warm that the flux may be promoted to that part.

If the predominant symptoms should not submit in four-and-twenty, or six-and-thirty R 3 hours,

hours, attend to those most alarming, and proceed to their mitigation accordingly; if still costive, repeat the laxative glyster, or the following drink.

Take Epsom salts and cream of tartar, each three ounces;

Solubile tartar one ounce; dissolve in three quarters of a pint of thin gruel; then add tincture of jalap half an ounce, and tincture of senna two ounces—Mix.

Should the cough increase bleed in proportion: if the urine is small in quantity, high in colour, or deposit a turbid sediment upon being saved, give nitre frequently, and in small proportions, as before directed. During all the tedious ceremony of indisposition wait with patience, and attend to the indications of Nature more than the bewildered doubts and prognostics of the FARRIER, who, knowing little of the anatomical structure, less of the animal economy, and totally incapable of forming any consistent idea of the properties of medicine, stands a perplexed stranger to both causes and events, professionally insensible the foundation of either bope or fear.

In difficult and alarming cases recourse must always be had to the different prescriptions introduced under their proper classes, varying, increafing, and diminishing, the articles or proportions, according to the state of symptoms or disease for which they are prescribed. Upon a horse's improvement, every sign in food, water, ease, and rest, is so evidently calculated to give ample proof of speedy recovery, that any recital of circumstances so readily distinguished would be entirely superfluous. Therefore naturally concluding every intelligent observer will plainly perceive, when his horse is getting out of danger, how foon medicine is unnecessary, and when perfectly recovered, I confider it only neceffary to observe, where the distemper has been violent, and the inflammatory symptoms ran high, fo as to leave any perceptible taint upon either eyes or lungs, in a heaviness upon the first, or an oppression upon the latter, a course of mild purgatives selected from the purging balls, (No. 1. or 2.) p. 36, will be very necessary and advantageous; letting it be clearly understood that no fuch plan is to be adopted if a termination of the disorder should happen in the severe part of the winter, when a course of mild diureremembering that neither can be proceeded upon till the horse is so much recovered in strength and appearance as to render unnecessary any fear of local or constitutional weakness. The mode of treatment here laid down, and strenuously recommended, is a system established upon the principles of reason and reformation; not the effusion of wild chimerical experiments, engendered by folly and promoted by ignorance, but a course of practice (exposed to no lottery of chance or certainty of danger) the result of attentive study, accurate OBSER-VATION, and long EXPERIENCE.

Having thus unavoidably enlarged upon the nature and treatment of such febrile complaints as frequently come under common observation, I shall advert to the necessary consideration of those diseases called epidemic or malignant; and are so termed from their being in general contagious or infectious, and at certain times local or fixed to particular parts of the kingdom; at other seasons almost universal, bearing in either case the common term of "a distemper among "the horses." As epidemic diseases appear differently at different seasons, varying in symptoms,

toms, for which no exact cause can be ascertained or reason supported, but the excessive drought of one season, or dense atmosphere of another, it must evidently appear that, under such circumstances, no accurate description of corresponding symptoms can be collected from books, without a very minute and proper attention to the nature of attack,

To these leading traits all the judgment and penetration of the FARRIER, or superintendant, must be directed; for, as fuch disorders are in general complicated, and not distinguishable under any particular head, but partaking of many, every striking symptom should be well observed and distinguished from its opposite, or classed with its concomitant, till a parallel being drawn between its most predominant features, some degree of certainty is ascertained, to which class it bears the greatest affinity, or to what head it properly belongs. And as this work abounds with medicinal aids, carefully adapted to every purpose, the reader cannot poffibly be so destitute of comprehension, as not to be enabled (upon particular occasions) to make some necessary alterations, as the intent and effect

effect of the medicines prescribed are in general pointed out and explained.

We will, therefore, in consequence of the great fatality attending EPIDEMIC diforders, conclude they are more entitled to confideration as pestilential disease than any other: admitting this conception to be clear, it becomes necessary to fay enough to make the subject sufficiently understood, without protracting it to an extreme of medical minutiæ that cannot tend to render the matter more profitable or entertaining. In those diseases where the origin cannot be ascertained the cure becomes a matter of greater obscurity; but, in general, proceeding from whatever cause, the blood is in an impoverished state, and the crassamentum found upon evacuation, to be diffolved (or liquefied) very much below the standard of health; for, being deprived of the due proportion of its stimulative property, it becomes consequently inadequate to its peculiar purpose of circulation. The whole arterial system being thus deprived of its natural supply that should be conveyed in proportional distributions to every part of the frame, becomes too feeble to fustain the shock; and,

and, finking under the putrid or malignant miasma, displays the degree of oppression nature labours under in symptoms so very uncertain, that no literary description can accurately correspond with.

It will therefore (as repeatedly recommended) prove highly necessary to attend particularly to fymptoms, and proceed accordingly. At any rate blood should be immediately drawn upon. the very first appearance of disease (in QUAN-TITY corresponding with condition), that its quality may be the better ascertained. Should obstructions be observed in the body, they must be directly removed by gently stimulating or emollient glysters; the appetite should be attended to, and gratified in mashes of malt and bran, bran and oats, or plain bran, stirring into either of the last, while hot, four ounces of boney. Common drink of gruel water, impregnated with nitre or cream of tartar, as before directed, may be given as occasion requires. Every five, fix, eight, or ten hours, (according to the state and danger of the disease), let one of the following ALEXIPHARMIC BALLS be administered, first removing any intestinal obstruction

obstruction of stool or urine, should such be present:

TAKE of Venice treacle fix drachms;

Compound powder of contrayerva, snake-root, fassron, and London philonium, each two drachms;

Syrup (if necessary) to make the ball.

Or where, in compliment to ancient practice, a drink may be preferred as more applicable or convenient, the following may be prepared:

TAKE of genuine Peruvian bark (in powder) fix drachms;

Compound contrayerva and fnake-root (in powder) each two drachms;

Saffron and ginger each a drachm;
Best brandy a quarter of a pint;

Boiling water half a pint.

Let the faffron be cut very small, and insused in the boiling water, covered close for a quarter of an hour; then having the other ingredients ready in a mortar, add the brandy first; and, lastly, mix with the insusson of saffron, and give without waste if possible.

In an hour after either the ball or liquid two or three quarts of the gruel drink may be given warm,

warm, and future proceedings regulated by fymptoms and circumstances: increasing appearances of DANGER must justify exertions of ALACRITY and FORTITUDE. Enlarge your quantities, and multiply your doses, aiding your judgment by frequent references to the different prescriptions under similar symptoms: proportion your medicines by the dictates of reason and the degree of hazard to which the patient is exposed.

Should any critical swellings or formations of matter appear at the decline of fever or epidemic disease, their suppuration and discharge must be promoted by the rules laid down under those heads; observing if a horse displays in his general habit (as eyes, beels, &cc.) a great degree of foulness, to embrace the first opportunity of carrying it off by the insertion of a rowel, and regular course of either antimonial or mercurial alteratives, whichever upon inquiry may appear most applicable to the case.

On the contrary, should the original complaint so relax the stomach, impair the digestive powers, or debilitate the system, as to produce an irregularity in habit, bearing alternate appearance pearance of HEALTH and SICKNESS, corresponding in some degree with the intermittents or agues of our own species, cordial stomachic restoratives are the medicines upon which the expectation of cure may be with most certainty formed; therefore prepare the following balls:

Take of Peruvian bark in powder four ounces; Mithridate (or diacordium) two ounces;

Winter's bark, fnake-root, and camomile (in powder) each one ounce;

Honey sufficient to make a mass, which divide into six balls.

Of these let one be given every night and morning when the horse is in a state of temperance, perceptibly free from every appearance of extreme heat or cold, continuing them till double the above are taken, should the case require it. Where a drink is preferred one of the balls may be gradually dissolved in three quarters of a pint of thin gruel, to which may be added a common glass of good brandy. As here are no more cases coming into an exact line of similitude with those we have now treated on, we of course come to such as (from their

their frequent occurrence) rank in equal esti-

WORMS.

What inveterate obstacles these insects are to a horse's improvement, where they have unluckily gained possession, time and experience have sufficiently demonstrated. They are of so pernicious and destructive a tendency that, having once secured a settlement in either stomach or intestines, the horse becomes a prey to perpetual depredation till effectual methods are taken for their total extirpation. The worms with which horses are so frequently persecuted, are, to appearance, of many different sorts and shapes; but the kinds most generally known and observed are the two distinct kind of Bots and the Ascarides or small short worm.

The different BOTS are remarkable for taking their feats as opposite to each other in the animal as they are in their own formation; for the

the BOT, whose residence seems fixed in the stomach, and in the interstices or folds, of which the eggs are faid to have been discovered upon diffection, is not at all unlike (in shape and make) the earth GRUB WORM, fo fingularly remarkable for its destructive havock upon the roots of the strawberries, in large plantations, in the early part of the feafon, particularly in dry springs. They are furnished not only with a complete pair of prominent tulks, that grow horizontally from the head, having great power of compression, and exceedingly sharp at the point, but an infinity of legs fo minutely fine, that even a momentary inspection will instantly remove every degree of furprise at their causing fuch excruciating pain upon a part fo exquifitely irritable as the nervous coat with which the internal membrane of the stomach is most delicately covered.

The second fort are seen frequently adhering to the rectum, or internal part of the fundament, in the action of voiding the excrements; and are often forced away with the contents. To give the reader a conception of these perfectly clear, it is impossible to communicate or receive a stronger idea than a formation directly midway

midway between a very small earth worm and a millepedes, or woodlouse, partaking of the length of the former, and the seet of the latter, extremely sharp, and exceedingly numerous. Immediately after their ejection they continue to writhe and twirl most rapidly upon the surface of the dung, bearing great affinity to the action of an eel when taken from its natural element and placed upon land.

There is also sometimes seen adhering closely to the same parts, and discharged in the same manner, an indolent kind of Bot, appearing almost inanimate, that keeps its hold only by a point like the leech, and is, in form, exactly like the grub, or worm, that may be so plentifully extracted (by pressure only) from those prominences perceptible upon the backs of horned cattle during the hot months in the summer season.

Thus much is introduced to prove the variety of those insects, in general so prejudicial to the frame when once they have gained admission, or secured their seats; respecting which such a diversity of opinions have been broached, and nothing finally satisfactory ascertained of their origin, either in the human species or brute

creation. Some avow their animalculæ, or eggs, to take place in the impurities of slimy mucus, accumulated in the stomach, and there brought to perfection; others affert their formation and consequent progress to be carried on in the intestines; and many are not without belief that the animalculæ, or eggs, are conveyed into the body with a part of the vegetable world upon which they subsist, and there brought to their state of perfection.

I shall barely venture to hint at the possibility of their undergoing (in shape or appearance) in the different parts of the body, as the flomach, intestines, or rectum, those changes that we well know take place in the filk worm, caterpillar, &c. seeming to constitute a different fpecies, though the contrary is univerfally proved by even ocular demonstration of the very act of mutation. As enlarging upon the great confistency and probability of this circumstance can only extend the field for imagination, without adding at all to the utility or elucidation of the subject, that indeterminate point shall remain undisturbed, while we proceed to the more material investigation of consequences and cure.

Whatever doubts or opinions may have been held, or gone forth, respecting their origin or different kinds, one opinion has been long universal upon their effects; that is, where they have taken possession for any length of time, or in any great degree as to number, no care, art, or attention, can give your horse the appearance of HILARITY, HEALTH, and CONDI-He is in perpetual anxiety for a constant supply of either food or water, and in return but poorly repays the gratification; for, in the midst of all, he seldom, or indeed never, looks well; after having been some time a prey to them he gets low in flesh, hard in his hide, his coat stares, he always feems dejected, sweats upon trifling exercise, and that sweat perceptibly unhealthy, and remarkably foul in effluvia.

The smaller kind of Bots, and the Asca-RIDES, or small round worms, are attended in general with no other symptoms or inconveniences than the last described; on the contrary the Bots, whose station is supposed (hitherto) to be confined to the stomach, when strong in number and come to maturity, are so severe in their operations that the great irritability of the part occasions the most excruciating pain and predominant appearance of distress. The horse is not only distressed with all the before mentioned proofs of bad state of body and internal decay, but likewise to violent periodical pains, approaching to convulsions or seeming madness; he displays all the external symptoms of gripes, spasms in the stomach, strangury, nay even of a complication of disorders; but where the evacuations of stool and urine are not suppressed, the original complaint may be attributed to this cause.

the midft of all, he feldom, or indeed m

Of all the various methods that have been adopted in rational and regular practice (or the experiments under adventurous fanction), none can lay such claim to approbation as that certain and indubitable cure — a course of mercurial physic. Antimonials and preparations of tin have had each their advocates, as well as those botanical deceptives, rue, garlie, tansy, savin, and box; all calculated to amuse, but none to convince. Experience has determined the specific effects of mercurials in this case absolutely infallible; before the power of which every species of worms, and their oviparous remains, indiscriminately fall, and are totally extirpated without admitting the shadow of doubt.

So foon therefore as they are suspected, or at least so soon as they are ascertained, to have taken possession, it will be prudent to prevent a horse being hurt in appetite, reduced in slesh, or altered in condition (by their constantly preying upon the internal coat of the stomach, and injuring those minute passages through which the chyle or nutritive parts of the aliment is conveyed into the circulation, for the general support of the frame), to proceed upon some one of the sollowing courses without delay.

Prepare your horse for the course of physic by the instructions given under that head, page 35; and let your dose be adapted to the strength, size, and condition of your subject, by these rules; if the horse is thorough bred and delicate in shape and make,

To the purging ball, No. 1, add calomel one drachm and a half.

If the horse is beyond this pitch of delicacy, stronger in make, and more entitled to the appellation of HUNTER, shewing some proportion of BLOOD,

Take the purging ball, No. 2, to which add calomel two drachms.

Should the subject be of a still stronger make, constituting what we term a STOUT ROAD HORSE,

To the purging ball, No. 3, add calomel two drachms and a half.

If on the contrary very large, strong, soul waggon horses, or powerful coach horses, should become the subjects, they will very well bear the following, to produce the proper and desired effects:

TAKE the purging ball, No. 4, to which add calomel three drachms.

By the operation of the first dose upon either subject, observation may be made whether diminution in the purgative articles is required, or any addition found necessary. Proper care must be used to avoid every probability of taking cold, and the regular course of three doses gone through, at the distance of six or eight

eight clear days between each. But, as the prevalent love of novelty may with some produce the expectation of an alternative, the following PURGING BALL will be as certainly efficacious; observing to add of jalap two drachms to the present prescription, if the horse should be either of the two last classes described.

Take of Barbadoes aloes ten drachms;
Æthiop's mineral fix drachms;
Cream of tartar and India rhubar's each two drachms;
Ginger in powder one drachm;
Oil of anifeed and favin each thirty drops;
Syrup of buckthorn or roses to make the ball.

The course of operation to be managed with the same care and precaution as those before prescribed; the least doubt of their efficacy need not be indulged, as a course of either will certainly obliterate them from every part of the intestinal canal, and the subject will, in a very few days, with proper care, attention, food, and exercise, evidently demonstrate his advantage in being perfectly relieved from such disagreeable company. But as there will most undoubtedly be horses troubled with worms

111

in the possession of those who, from the nature of their avocations, cannot submit them to so long a respite from business, as is necessary for a regular course of purging medicines, it will naturally be expected an effectual substitute should be held forth for the gratification of all parties.

To those therefore who cannot render the administration of MERCURIAL purgatives a matter of perfect convenience, the following course may be adopted with the greatest certainty of equal effect.

TAKE of Æthiop's mineral six ounces; Levigated antimony, four ounces; Sulphur, prepared steel, and aniseed powder, each three ounces;

Honey fufficient to make a mass, which divide into nine balls.

Of these let one be given every morning for three in succession, then omit three, and repeat for three more in succession; then omit for three mornings, a second time, and repeat your remaining balls on the three successive mornings, when

when the whole nine will be consumed, and certainly productive of the purpose for which they are intended. The great advantage attending this method of destroying worms, is the horse's being enabled to pursue his constant work, but care should be taken he is not too much exposed to severe cold or rainy weather, during the time of taking the balls.

For the accommodation of those to whom the business of giving a ball may be a work of trouble or difficulty, the honey may be omitted; and the other ingredients, being well incorporated in a mortar, must be divided into nine equal parts, and mixed with the night or morning feeds of corn, (it being first sprinkled with water in the manger, to ensure adhesion and prevent waste) being given with the same distinctions and variations in respect to time, as specified in the above instructions, when given in the form of balls.

ducks or raides for the pulling of this are

directed by since, macer, or visited

JAUNDICE,

COMMONLY CALLED

THE YELLOWS.

This is a disorder common to horses of every description, to which they are subject from various causes; the most material of these we shall accurately explain. The more simple and least dangerous complaint, passing under this denomination, arises solely from an obstruction in the biliary ducts, or in the gall bladder, situated between the two lobes of the liver; whose immediate purpose it is to assist in secreting the bile from the blood, and promote its conveyance to the intestines, where (by its acrid and stimulating property) it is destined to excite the peristaltic motion, by which they expel their contents.

In the jaundice arising from this cause, the ducts or pipes for the passage of bile are obstructed by slime, mucus, or viscid coagulum; the

the fluid, thus impeded in its usual progress, regurgitates, becomes immediately incorporated with the blood, and, through the fystem of circulation, diffuses itself to every part of the frame, denoting its presence by an early appearance of yellowness in the eyes, mouth, tongue, and faliva. To these pathognomonic or invariable symptoms may be added those not altogether so certain in its early state; the horse generally feems heavy, dull, and dejected, with loss of appetite and consequent rejection of food, more than will barely subsist nature; a flight symptomatic fever soon comes on, and keeps pace with the disease; a sluggishness or aversion to motion is plainly perceptible; a foul, faint sweat appears upon the least exercise; and the urine is of a dark faffron tinge, resembling an infusion of that article: the dung varies much in different subjects, but is IN ALL many degrees paler, and more indigested, than the excrements of horses in high condition.

The indications of cure naturally arise out of the very description of the disease; to affect which there will be but little difficulty, provided it is taken upon its first appearance, when it may most probably be totally removed by

the following interpolition of MILD DEOBSTRU-ENTS, without recurring to a course of purgatives, which may not at all times be perfectly convenient. If, on the contrary, the diforder should have been observed some time, a course of physic must precede other intentions of cure, as will be hereafter explained. If discovered in its earliest state, let two or three mashes of scalded malt be given at proper periods, to relax the indurated contents of the intestines, these being affisted, if necessary, with an emollient, or the domestic laxative glyster, as mentioned page 239. The body being sufficiently relaxed to remove every probability of obstruction, let the following plan be adopted and regularly persevered in:

Take of Castile soap eight ounces;

Turmeric (in powder) six ounces;

Soluble tartar three ounces;

India rhubarb two ounces;

Long pepper (in powder) one ounce;

Saffron half an ounce;

Syrup or honey sufficient to make the mass;

Which divide into ten balls, and give one every morning.

bovenior vilated ad

During this course, every requisite attention must be paid to appetite, food, and gentle exercise; mashes of malt and bran may be given every or every other night, to keep the body properly lax, and regular in evacuation; to affish which two ounces of cream of tartar may be added once a day, in the morning or evening water, being previously dissolved in a pint over the fire, and added to the remainder.

The disease, if arising from the cause beforementioned, and attacked in its infancy, will generally submit to the above course and treatment only; but in more advanced cases double the quantity may be found necessary, with the addition of mild physic or moderate bleeding. This is certain, where the complaint has not been attended to in its early state, and symptoms are so high as to substantiate a degree of virulence, the physic, and a repetition of the above proportion, had better be adopted. Although there is no very predominant reason to be urged in favour of bleeding, yet a small quantity may be lost, not only to ascertain its present state, but to promote a flight change in the circulation. Two or three mashes must be given on the two fuccessive days after bleeding: on the third morning

morning give the first of the following PURGETING BALLS, repeating it at the distance of six or eight days between each dose, till three are taken, regulating the whole course by the treatment so often repeated, and the precaution necessarily urged to avoid cold; more particularly where the cathartics are impregnated with mercury, as in the present instance.

TAKE succotrine aloes one ounce;
India rhubarb and jalap each three drachms;
Saffron two drachms;
Calomel and ginger each a drachm;
Syrup of saffron sufficient to form the ball for one dose.

This ball is so accurately proportioned as to be nearly applicable in strength to any subject for this distemper, where no violent effects are to be required; but should any alteration in force be desired for a horse remarkably strong, or delicate in constitution, increase or diminish its strength, by an addition to, or diminution of, the jalap; the other ingredients remaining in their present proportions.

In three days after the last dose is completely fet, and the horse recovered his appetite, begin upon

upon the following course of warm deobstruent restoratives, giving one every morning without remission till the whole are taken:

Take Castile soap eight ounces;

Turmeric and filings of iron each four ounces;

Aniseed and elecampane each two ounces;

Vitriolated tartar one ounce and a half;

Oil of aniseed three drachms.—Honey sufficient to make the mass; and divide into a dozen balls.

During the time of taking these, let the former instructions relative to food, exercise, dressing, &c. be strictly adhered to, with such other little attentions as circumstances require; remembering to relinquish the medicines by gradations, as every other morning, or once in three, but not to discontinue them entirely till all symptoms totally disappear.

The distinct kind of this disease, arising from a remote and very discouraging cause, is that species originating in an induration of (or scir-rhosities upon) the liver. I say discouraging, because LITTLE or no hope of permanent relief can be entertained, as may very naturally be concluded from even a superficial consideration of the case, not only by its remote situation,

fo distant from the power of the most active medicine; the great certainty of no advantage being obtained but by the circuitous communication through the medium of the blood, and the additional reflection, palpably clear to the judgment of every reader, that no folvent can probably be conveyed through the circulation only, sufficiently powerful to resolve or extirpate either swelling, scirrbosity, or tubercle, upon a part so distant from the seat of action as that we now treat of.

As the necessary steps for Palliation of symptoms, or hope of cure, will consequently be expected, bleeding is of course premised to reduce the contents and take off some degree of stricture from the vessels; remove obstructions in the body by mashes of malt and bran, for two or three days, as before directed, then proceed to the course of mercurial purging balls here recommended, attending to the mode of treatment so often repeated:

TAKE Barbadoes aloes one ounce;

Castile soap half an ounce;

Jalap and calomel each two drachms;

Ginger one drachm;

Oils of juniper and aniseed each twenty drops;

Syrup sufficient to form the ball for one dose.

This

This course (of three doses) and their operations being minutely attended to, let no care or attention be omitted to bring him as near his former pitch of strength, appetite, and appearance, as possible; so soon as he has resumed which, a beginning may be made upon the last resources, and from these only can the most distant hope of MITIGATION or CURE be formed.

TAKE of Castile soap ten ounces;

Gum ammoniacum and turmeric each four ounces;

Salt of tartar three ounces;

Extract of black hellebore and oil of savin each fix drachms;

Syrup or honey sufficient to make twelve balls.

Of these let one be given regularly every other morning; on the intermediate days give one of the following mercurial alterative powders, calculated to give joint assistance without delay, and promote every advantage that can be expected by all possible means, adapted to this distant cause of complaint:

Take Æthiop's mineral, prepared antimony, fulphur and cream of tartar, of each three ounces.—Mix together in the mortar, and divide into twelve papers, giving one, with the feed of corn, every other morning, sprinkling the corn with water to prevent its waste in the manger.

The above balls are calculated (by their peculiar efficacy) to strike at the very root of disease; the reputation of each article having been long established either as a folvent or deobstruent, and evidently adapted to act in concert for the general purpose; no farther experiments or changes need be attempted or undertaken, as this course will absolutely effect all that is in the power of medicine to perform. And should they fail (after fair trial) in the intent for which they may be given, a rupture of the tumour, and its becoming ulcerated, or a scirrhofity of the liver constantly increasing, will (in opposition to all art and every human endeavour, usher in death to close the scene, and demonstrate the fallibility of all our boasted specifics.

Horses are said also to be subject to a regurgitation of bile, from an inflammatory affection of the liver, when occasioned by the bite of any venomous

venomous infect or animal, as the viper, flowworm, land-eft, &c. whether fuch inflammation or bilious appearance is produced by the bite or not, if there are other local fymptoms, as swelling, pain, and inflammation, bleeding becomes immediately proper; then let the part be well washed with soap and warm water, so as to raise a substantial lather; wipe dry with a cloth, and bathe the furrounding parts for fome minutes with equal portions of fine olive oil and white wine vinegar; afterwards apply a poultice of emollient ingredients, as may be selected by referring to the index, and let it be repeated twice a day till the fwelling or fymptoms fubfide. Should the horse be attacked with violent symptomatic fever to a great degree, adopt the methods recommended in that class; at any rate give one ounce of nitre twice a day in his water, and affift in cooling the body by mashes to relax, prepared with malt and bran equal parts, or oats, bran, and a few ounces of boney.

CLASS VIII.

THE STRANGLES, GLANDERS, STAGGERS, AND CONVULSIONS.

STRANGLES.

Not one feasible reason has ever been adduced why this disease is so general that any horse is hardly ever known to escape; they are even subject to it at all times of life; but the periods of attack are mostly when sising three, four, or five years old. Soleysell and Gibson vainly conceived they threw great light upon the subject, by comparing it to the small-pox, "because," say they, "young horses are gene"rally its subjects." "For," says Gibson, "the blood of young horses may reasonably "enough be supposed unequally sluid, having "not

not as yet been sufficiently comminuted by " frequent circulations." His meaning may be poffibly right, but most unhappily expressed to make clear his intention: to demonstrate this, let us diffect the phraseology, not assuming the unpleasing task of criticism, but as a prelude to the establishment of our own system hereafter explained. He fays "the blood having not " as yet been sufficiently comminuted," that is, in plain terms, or found English, not properly pulverized or reduced to powder: however, I am willing to give him credit for a meaning he did not think fit to explain, and acknowledge he intended to have faid (had it not smelt too strong of vulgarity) " sufficiently mixed," To this remark, notwithstanding its sublimity, I enter my PROTEST; and cannot avoid expressing surprise, that any professional considerate author could suppose the blood should incessantly flow for three, four, or five years, without the craffamentum and ferum being fufficiently incorporated or " comminuted."

I will, upon the occasion, so far suppress my resentment at this feeble attack upon the system of circulation, as to forego the great inclination. I feel to enlarge much more upon so preposte-

rous a position, and acknowledge, as no one found reason has ever been given for the cause in question, I shall not presume to introduce any thing dictatorially decifive upon the subject, but submit to the consideration of others what appears to me to contain every just reason that can be affigned for the appearance of a diftemper, attacking each subject to a certainty, at different periods without contagion, or any cause hitherto established, but that it is so. For my own part, after affording it every degree of confideration, there is absolutely but one rational cause to be offered why horses, at the periods before mentioned, become then subject to this diftemper, in a greater or less degree according to circumstances; as for instance,

Those horses (or colts) that have been constantly well sed without restraint for three, sour, or five years, must, with their sood, have imbibed an accumulation of impurities; these having never been once agitated by evacuations, excited by art, or perspiration promoted by exercise, must consequently remain stagnant in the blood, till the horse being brought into use for the purpose he is intended, when the grossness and viscidity that has so long lain dormant soon becomes perceptible; the sluids are too thick, sluggish, and heavy, for their distinct appropriations; the lungs are first overloaded, a languor follows, to that a difficulty of breathing or short cough succeeds; and, lastly, the grand effort of NATURE displays itself in the disease before us: and that is most judiciously made in the glandular parts, where she is nearly adequate to her own work.

This rational progress of the morbid matter has ever affected me so forcibly with the idea of conviction, that nothing but a judicious, clear, and comprehensive elucidation, (divested of surmises and conjectures) demonstrating an opposite cause, can ever reconcile me to another opinion. I appeal, without subterfuge or ambiguity; to the professional and enlightened reader, whether this is not the regular process; if this lurking viscidity, this glutinous impurity, is not roused from its latent communication with the juices, and called into action by bringing the frame into fudden exertions and constant exercise, loaded (in circulation) with the weight that has been fo long accumulating without interruption, from either purgatives, diuretics, or even perspiration? if

this is not the true cause, why does it not appear before they come within the tree of the saddle, or the trammels of harness? for, experience demonstrates the truth of this observation, that twenty horses for either saddle or cart have this distemper after being taken into work, to every one attacked with it previous to their being broke and brought into use.

Having introduced thus much to gratify the expectation of every reader anxious for the elucidation of the cause, it becomes necessary to advert to the disease itself; the first attack of which is perceived in a dull fluggish heaviness and inactivity; the horse becomes difpirited, loses his appetite, is seized with a hollow husky cough, occasioned by the irritability of the inflamed glandular parts in the throat and about the root of the tongue; to excite a degree of moisture in the mouth that may allay this difagreeable fensation he is often picking his hay, but eats little or none; a degree of symptomatic heat comes on, and a confequent clamminess and thirst is perceptible. As the distemper advances he becomes proportionally languid and inattentive; a swelling (sometimes two or three smaller surrounding) is now discovered to have formed itself underneath the jaw, and in general midway between the bones, which is at first very hard, exceeding painful, and visibly increasing; he now swallows with difficulty, heaves in the flanks, and his whole APPEARANCE evidently urges the necessity of an immediate attempt to relieve Nature from the oppression of her own weight.

The first object for consideration is the state of the subject: if the evacuations are regular (as they generally are) and the severish symptoms moderate, (not approaching to violence) let the swelling be examined, and its suppuration promoted. First clip away all the long or superstuous bairs that cover or surround the part, then soment with small double slannels, dipt in a strong decoction of camomile, marshmallows, or rosemary, for ten minutes, as hot as can be conveniently submitted to, and prepare the following poultices:

TAKE of coarse bread, barley meal, and camomile or elder flowers, each a handful; boil over the fire in a sufficient quantity of milk, or the decoction for the fomentation; into which thir about a third (of the whole quantitity) of white white lily root, washed clean and pounded to a paste; adding thereto of linseed and fœnugrec (in powder) of each an ounce; stirring in, while hot, of turpentine two ounces, and of lard four, laying it on moderately warm, and bandaging firm.

This proportion is meant for two poultices, as the fomentation should be repeated, and the application of poultice renewed, every night and morning till an opening in the swelling is effected; upon which appearance of discharge let the aperture be a little enlarged with a bistory, or the point of any sharp instrument adequate to the purpose; afterwards dreffing with tow, spread with the stable digestive ointment, or common yellow basilicon, first made warm, and some of the unguent, (in preference to a tent) plentifully infinuated within the orifice, to facilitate its effect. Over this digestive, for the first two or three dreffings, continue the poultice; by which treatment, though attended with a little more trouble, you will most affuredly shorten the difease: by this method your discharge will be copious, every fymptom will gradually decline, and the cure, under the following aids and regulations, become speedily complete.

Though

Though bleeding is in general a very indifferent practice where a flux of matter is folicited to any particular part for suppuration, yet circumstances of danger (sometimes) not only justify but powerfully direct a deviation from the path of cuftom. For instance, should the fever run high, and all other symptoms equally violent, either in the beginning, or during a more advanced state, bleeding must be constantly submitted to, but not in too large quantity. Mashes must be the constant food, in small proportions, to prevent waste; in each of which put of liquorice and anifeed powders half an ounce, and about two ounces of boney, unless a quart of malt is introduced, when the honey may be omitted. The drink should be given little and often, impregnating the warm water with a portion of scalded bran or water-gruel; the head to be kept well covered with a hood, or other temporary substitute, as the warmth will greatly tend to affift in promoting the necessary discharge. When circumstances and weather will permit, the horse should have the advantage of air and short gentle exercise, regular dressing, and the accustomed course of stable discipline, only in a less degree than usual.

It is a consolation in this distemper that a fymptom of danger feldom occurs, unless from neglect or absolute cruelty in using or driving a horse to extremity in the height of disease, fo as to produce great fever and inflammation. The disorder generally terminates with a runing at the nose, in a greater or less degree, which should be frequently cleansed from the infide of the nostrils, by means of a sponge fufficiently moistened in warm water to prevent its acquiring an adhesion to those parts, or a foulness and fœtidity that would shortly become acrimonious and corrofive. When the wound is entirely healed, the horse has regained his appetite, and may be confidered perfectly recovered from the languor and debilitation which this complaint constantly produces, he should be put upon a gentle course of mild mercurial physic, if there are no circumstances to forbid it: this should be prepared with due attention to his state and condition, selecting it from the variety of purging prescriptions afforded by the index under that head. And this becomes the more immediately necessary should a copious and offenfive discharge continue from the nostrils after healing the abscess, and leave room to suspect the

the cause is seated upon those internal parts hereafter described in the next article of Glanders.

The disorder nearly related to this, and passing under the denomination of VIVES, is no other than the same species of disease, only attacking the subject in an infinite less degree; the juices being less corrupted inflammation is not fo readily excited, nor does it arrive at the pitch necessary to produce suppuration. The swellings thus fixed continue some time in a dormant state, the symptoms often light, and indicating no certainty of conclusion by maturation or absorption. If these fwellings evidently increase (however flowly) and feem to threaten a discharge, it is a critical effort of Nature, and must be promoted by the methods already pointed out. On the contrary should they recede and begin to difappear, embrace the first opportunity to carry off any ill effects that may arise, by a dose or two of physic; avoiding, by all means, the illadvised method of driving them into the circulation by an external application of mercurials. But should such a ridiculous custom be adopted, in compliance with old books or ancient

ancient practice, palliate the impropriety by physic, or a course of alteratives.

Where the glandular parts are affected from the palpable effects of cold, and a flight obfiruction of the pores by a fudden check in perspiration (as in removing from a warm stable to a cold one on a journey, or some such circumstance that is not always discoverable), constituting small tumours (called kernels) under the ears or throat, bleed in proper quantity, clothe moderately, give warm comfortable mashes for a few nights, and an ounce of nitre every night and morning in the water.

It is necessary to be remarked and well remembered that the disease we now treat of, by neglect and inattention, sometimes degenerates to a confirmed GLANDERS; a distemper well known to be attended with the inconveniences of dissiculty, certain expense, and inevitable danger; and where the circumstance does really occur from the above cause, if the sufferings of the animal were not involved in the event, the loss of the horse would be a very applicable PUNISHMENT to the inbumanity of the master.

GLANDERS.

GLANDERS.

This disease has ever been to the fraternity of Farriers what the gout, stone, and consumption, have proved to the FACULTY, a neverfailing fource for constant attendance, long bills, and large fums total. And though, like all other distempers, considered incurable, "too " ferious to make a joke of," I must be indulged in the effusions of fancy naturally arifing from a very minute investigation of the case and its consequences. We are told by those who have preceded us that " the cause " and feat of the glanders have been till lately " fo imperfectly bandled, and so little under-" flood by the writers of this distemper, that " it is no wonder it should be ranked among " the incurables: but a new light having been " thrown upon the whole afair by the study of " M. LA Fosse, the King of France's farrier, " who has been at the pains to trace out and " discover, by DISSECTIONS, the source and " cause of this disorder, we hope the method " he has proposed, with some farther experi-" ments and improvements, will foon bring to " a certainty

" a certainty of cure (in most cases at least) a

" diftemper so dangerous to our horses, and

" that hitherto has eluded the force of art."

We are then informed M. La Fosse's work " has the approbation of the Royal Academy " of Sciences;" that " he has distinguished " feven different kinds of glanders, four of " which are incurable;" much more is introduced to corroborate his opinions, and give weight to the very nice distinctions that constitute this great variety of glanders. He then introduces a most elaborate description of the necessary operation of trepanning, with an explanatory plate, so invitingly finished that the appearance of the apparatus is almost sufficient to induce any man to have his horse's head perforated (or laid open) merely to indulge in the happiness of becoming a voluntary dupe to M. La Fosse's experiments.

His cures, almost incredible, are then enumerated; you are told of three horses he trepanned, each in two places: the internal parts were constantly syringed, and they were perfectly recovered; "the wound and persora"tion filling up in twenty-six days, the horses suffering no inconvenience from the operation, though after this experiment they were PUT TO DEATH." Many quotations might be introduced upon which I could much enlarge, but, in so doing, such observations would unavoidably extend to too great a length; and, as some just satire upon such unaccountable absurdities must appear, I shall endeavour to render it perfectly applicable to the subject before us.

In the first instance, it may not be amiss to make proper acknowledgments to the French king's farrier, and his trumpeter, Mr. BART-LET, for dividing and subdividing one into seven distinct (or imaginary) diseases; in short, upon accurate investigation, we find the fertile M. LA Fosse (and his echo) have defined fix different discharges from the nostrils to constitute so many (nominal) glanders, and then describe a seventh, and tell us that is the " real " glanders." It is impossible to pass over the finesse of the Frenchman, or the kindness and credulity of his copiest, without faying something in animadversion upon this attempt to impole upon the world in general, without even

even the basis of consistency for a founda-

To take this business a little methodically, it may not be inapplicable (without any offence to M. LA Fosse or the Royal Academy of Sciences, who so generously patronized his great discoveries) to introduce a short story, many years in circulation, of the celebrated witty dean of St. Patrick, who, holding in great contempt the learned acquisition of F. R. S. addressed a letter to the PRESIDENT, " requesting him to take the fense of the body " upon the peculiar properties of hemp, that it " should, upon application, immediately cure a " fractured leg!" This letter (from so great a man), being communicated to the "FEL-" Lows," in full affembly, was productive of sequestered studies, nocturnal lucubrations, and various experiments to almost every individual; numerous meetings were held; but confultation and emulation producing no difcovery, at the end of three weeks a fecond letter arrived from the dean, " foliciting pardon " for an omission in his last, which was " to inform the society that the LEG was of " woop." I introduce this circumstance not

as a burlesque upon so great and learned a, body, but to prove that such, as well as individuals, are liable to error and miscon-struction.

My predecessor (as I have before remarked) then fays " with some farther experiments " and improvements he hopes this distemper " will be brought to a certainty of cure." Now what he can wish or defire by "farther " experiments and improvements," is beyond my abilities to discover; he descends most minutely to the operation of trepanning; or, in plainer terms, taking two pieces of bone out of different parts of the scull by perforation, then plentifully foaking with detergent lotions, adding a variety of instructions for injections, dressings, &c. to complete a cure of what (till then) had been confidered incurable. To keep up the farce of inconfistency, we are at last confidently affured that fuch operations being performed, " after opening the cavities, should " it by probing be discovered that the bones " are carious, (or, in other words, rotten) the " best way then will be to dispatch the horse, " to fave unnecessary trouble and expense." I cannot refift the temptation I feel to transpose

pose this language, and display it in plain English thus. In fact, deprive the horse of half his head, in compliment to the pecuniary seelings of the farrier, and if you find the remaining half will not answer the purpose of the whole, cut his throat, or shoot him through the head, to save the operator's credit. Previous to the serious investigation of this case, I must be permission (in imitation of my learned predecessor H. Bracken, M. D.) to introduce a second story not altogether inapplicable to this complicated chapter upon heads.

A certain chymist having dedicated much time, trouble, and expense, to the preparation of a balsamic elixir, brought it at last to so great a degree of persection that it would, upon the first application, instantaneously incarnate, cicatrize and cure a wound of the most dreadful appearance; having confirmed the discovery by a number of inferior instances, he applied to his friend and servant John to sit down and have his head taken off and replaced with the elixir, to demonstrate its efficacy. But John, knowing his duty better, declined in compliment to his master, who he insisted

infifted upon it, was entitled to the PREFER-ENCE, as the original inventor, and confequently to all the credit and emolument; the master, (but not without some reluctance) submitted to the equity of John's decision, who separated his master's head from the body most chirurgically; when, having plentifully bafted both bead and trunk with the elixir of all elixirs, he instantly replaced it; when, to the happy admiration of both mafter and man, the former (after a temporary torpitude) recovering, walked towards the looking-glass, where, finding his face turned towards the shoulders? accused his confidant of having put his head on the wrong way; who most prudently and judiciously replied, he had so placed it to ensure his master's credit; for he was very certain if he had not, the world would never have believed it had been off.

I am induced once more to solicit pardon of the Academy of Sciences, M. La Fosse, and the admirers of Bartlet's theory, for the introduction of this "experiment and im"provement," submitting the inference entirely to those gentlemen who have (unluckily at this moment glandered horses in their possessions.

It would be rather inattentive and remiss in me to pass over the uncharitableness, or rather cruelty, of dooming to death the three horses so trepanned, syringed, and completely cured by M. La Fosse "in twenty-six days;" unless we are to conceive the possibility of putting "them "to death" on the twenty-sixth day, to avoid their natural dissolution on the twenty-seventh, the better to ensure the honour of the boasted discovery, and the additional "approbation "of the Royal Academy of Sciences."

This possibility may be very probable, and indeed is no injustifiable or unfashionable policy in physician, farrier, or quack, as every newfpaper amply testifies; they daily abound with fingular, miraculous, incredible, (imaginary) cures, constantly effected by mercurial or antimonial nostrums, but not a fingle word of the HUNDREDS that annually fall victims to the necessities of medical adventurers, who, with fortune sufficient to pay for an advertisement, half a score phials, a solution of mercury, or a quart of soap lees, boldly commence their depredations upon the public; and this they are now the more entitled to do by their extensive contribution to the exigencies of government

vernment, whose STAMP of approbation they are in possession of; and a report is in circulation that one is at present preparing at the office for their sole dispensation, with the very emphatical inscription of "Kill or cure by "act of parliament."

A long experience, and want of fashionable slexibility, has established in me so great a degree of incredulity, that I am totally insensible to the novelty of a man in a quart bottle, a ghost in Cock-lane, the taking off one half of a horse's head to relieve the other, or curing every (incurable) disease to which human nature is liable, by a mercurial drop, an antimonial pill, a vegetable syrup, or an æthereal spirit: I shall descend therefore from the sublimity of so much eminence, and, gently gliding into the vale of reason, resume the original path from which it will be undoubtedly thought by some I have digressed much too long.

It consequently becomes necessary to observe that, upon whatever part this disease has taken its seat, it has been considered by almost all parties, and through almost all experiments, U 4 absolutely

absolutely incurable. To corroborate an opinion fo univerfally received and admitted, it does not appear to me that a tedious technical description of its true seat, ascertaining it to be in "the pituitary membrane, the maxillary "finusses, the frontal finusses, or cavities " above the orbits of the eyes," can give additional weight, or enlighten the understanding of the reader. The dull discouraging description of a misfortune, to evade the ultimate force of which there is no probable (or indeed possible) appearance, can prove but a very flender consolation; I therefore disclaim the idea of attempting imposition upon any application that may be made to this work for information, and heartily condemn the ridiculous belief of seven distinct kinds of glanders, and the still more ridiculous discrimination by which they are pretended to be brought about. They are fo truly puerile and nugatory that a medical man may (with as much appearance of truth and reason) madly attempt to justify the absolute existence of seven kinds of smallpox or measles, according to their different stages or gradations. The true state of bis representation (divested of its necessary ambiguity) is plainly this; he has mutilated, separated, and complicated, complicated, a variety of symptoms, endeavouring to form distinctions that may keep up the
farce, and support the opinion he advances,
which neither the case or circumstances will
admit; for the obtruding penetration of any
professionist instantly plucks off the mask of
speculation, and the intentional deception recoils upon the author with additional disgrace.

To demonstrate the case more comprehenfively or clearly, the fact appears, that any corrofive matter discharged from the nostrils, and fuffered to continue for a length of time, fo as to constitute ulcerations and corrode the bones, will inevitably degenerate into, and constitute, the disease generally understood by the appellation of glanders; every stagnant, acrimonious, or putrid matter, is possessed of this property, and more particularly when lodged (or by finuses confined) upon any particular part. Divested of professional TRICK. CHICANERY, and DECEPTION, this is the incontrovertible explanation, whether proceeding from an ulceration of the lungs, or the inveterate glandular discharges from the head (where the case is of long standing, and the bone carious) they are equally incurable. Perfevering

fevering in my opinion, long fince quoted, that prevention is preferable to cure, I shall point out such methods as are the most eligible to adopt, upon the bare apprehension of such complaint, or any disorder that may be likely to terminate in a disease of so much difficulty, expense, and danger.

In respect to the medical and domestic management; where the lungs are the feat of disease, as in the first attack of coughs, &c. directions fo clear and explanatory are laid down through the whole of the fixth class, that there is not the least room to add a fingle addition upon the subject; to that class, under its different heads, I refer the reader for any instructions that a variety of symptoms may render necessary. But where a swelling of tumour gives ocular proof that matter is forming under the ears, jaws, or between the bones, (about the root of the tongue) take every possible method to produce a suppuration and discharge of matter; for, in most cases, an external evacuation becomes the crifis, and greatly preferable to the chance of mischiefs that may be the result of repulsion, particularly where the matter is in an unhealthy state, and calculated

calculated to communicate is morbid effects with virulence wherever it takes its feat; which, upon being repelled and compulfively absorbed into the circulation, it will of course be empowered to do, if not speedily carried off, by mercurial or antimonial preparations.

Should cough, or difficulty of breathing, attend, draw blood from a remote vein in moderate quantity, to mitigate either of those symptoms; but neither being present let the operation be omitted, unless particularly urged or indicated by a great degree of inflammatory heat. So soon as the swellings about the neck, head, or throat, have acquired a palpable prominence, soment twice a day with the following decoction:

Take camomile, wormwood, marshmallows, and elder flowers, of each a large handful; boil in three quarts of water for a quarter of an hour; then strain off, and foment the sweling well with flannels dipped in the hot liquid, and apply the herbs warm by way of poultice to the parts, confining them on, and repeating the ceremony for two or three days.

By this time some degree of observation may be made whether the tumours tend to suppuration, if so, they will increase in fize, becoming pliable or foft to pressure in the middle; in which case apply the poultice, and proceed as directed in the Strangles, p. 281 On the contrary, should the swellings continue hard and immoveable, a running coming on at the nose, let notice be taken whether the matter is of a kind, white, healthy appearance, without fmell, and discoloured; or bearing different tinges, and streaked with blood; if the former, it is favourable, and the complaint may be first treated as directed under the articles of cold and cough, p. 200; but should it prove of the last description, care should be taken to afcertain the fact, that every precaution may be used in its infancy to prevent what may foon become a case of trouble and disquietude. At any rate the following plan should be adopted without delay:

Take rosemary, lavender flowers, southernwood and marjoram, of each a handful; boil in two or three quarts of water; and, putting into a pail, let the horse's head be fixed over it as near as possible, so long as the sumes passing up the nostrils can be supposed to take effect as an internal fomentation.

By this method the viscid and glutinous matter may be softened in the passages, and the inflammatory stricture taken off the tumified glands. This operation should be repeated twice every day: all the practice and preparations recommended under the heads of coughs and strangles, with glandular discharges from the nostrils, may be referred to, and such methods persevered in as are there pointed out, most applicable to prevalent symptoms and concurring circumstances.

Should the discharge continue to increase in quantity and virulence, becoming very offensive both in colour and smell, not only continue the before-mentioned sumigation, but throw up either nostril, (or both, if the matter should be so discharged) with a strong forcible syringe, half a gill of the following injection three or sour times a day, first made milk warm, and then thrown up with the full power of the instrument:

TAKE of linfeed one ounce;

Camomile and elder flowers each half an ounce;
Boil in three pints of water for some minutes,
then strain off and add mel Ægyptiacum (or
Egyptian honey), four ounces, mixing well
together at each time of using.

If the matter bears all those appearances of malignancy that threaten a corrofion and rottenness of the bones, continue incessant in the use of both fumigation and injection, putting the horse immediately upon a mild course of unction in the following way: Let two, or at most three, drachms of the strong mercurial ointment be very well rubbed into the glandular tumours, under the throat or ears, every night for a fortnight; first taking away with the sciffars all superfluous or long hairs, that the mercurial particles may be with more certainty absorbed by the vessels, and taken into the circulation. If the owner of a horse labouring under this difficulty wishes, like a drowning man, to avail himself of ANOTHER twig, he may call in the aid of mercurial physic, or alterative medicines; from a variety of which choice may be made by referring to the index, and making examination under those heads; an exact repetition of the numerous prescriptions being evidently unnecessary where so little can be expected from their effects.

Opinions have ever been different respecting this disease being communicated by infection; and though some have affected to oppose the

the idea, they obliquely coincide in opinion by acknowledging it is much the fafest way to " separate the found from the unfound, and or not run any hazard with a good horse when " it may be so easily avoided." Whether we confider this as a necessary caution, or a proof of conviction, the maxim is equally respectable, and should be constantly retained in the memory. Where there is the least reason to fuspect even a probability of danger from the very chance of contagion; and more particularly fince the prevalence of opinion has reduced the belief of infection to almost a certainty, no person can hardly be found sufficiently fool-bardy to place a found horse in a stable where one stands, or is said to have lately stood, with this distemper upon him.

It again becomes unavoidably necessary to make a few additional remarks upon the boasted operation and discovery of M. La Fosse, from which such great and extensive advantages would have probably been obtained, had the ungenerous act been prevented of taking away the lives of his three patients, after they had withstood the glanders, a double perforation

foration in (or drilling of) the scull, repeated washings of the brains with detergent injections, and a subsequent regeneration of parts. That the operations may have been performed as described, and the horse (or three horses) may have lived twenty-six days, I do not attempt to deny, nor is it in my power to disprove; but this I will boldly venture to affirm, that the certain expense and bazard can be but a very slender lottery chance, for any proprietor who may unluckily have a horse labouring under the extremity of this dreadful disease.

I cannot believe, nor indeed do I expect, difinterestedness can ever become so truly triumphant, as to permit any farrier to be so great an enemy to his own interest as to recommend DEATH, or discourage the expectation of CURE, so long as circumstances and the persuasive power of his rhetoric can justify the idea of hope; but how far it may be worth while to encounter the difficulties of anxiety, tedious expense, long sickness, attendance, perpetual nursing, and the danger of infecting whatever horses remain in, or may come

come to the stable, is more the duty of others to consider than me to point out.

Contracting therefore all the attending confiderations into one point of view, I shall openly and fairly enter my opinion against the operation of trepanning, so plausibly held forth with all its specious advantages. For what does the whole amount to more than this?—If the horse should absolutely recover, and (what is still more unlikely) become adequate to the very purposes he was destined to before the attack; when the long illness, support, attendance, and farrier's bill, are balanced against his VALUE, he must be a most excellent horse, and very much above the line of mediocrity, to have the credit accompt in his favour. In fact, the most probable conjecture is, his inevitable diffolution; but, should he miraculously escape from both the distemper and operator, ranking under the denomination of a cured borse, he may, perhaps, be then qualifted to linger out a wretched existence in some park or pasture, but never enabled to encounter labour or fatigue.

X

The

The "talk of justice thus performed," I take leave of this subject, with an earnest recommendation to all classes never to neglect horses, in the flightest degree, when attacked with colds, coughs, strangles, a running at the nose, or indeed any other complaint that may, either by a rapid or gradual progression, degenerate to a difeate of fo much trouble, difficulty, and danger. The rational fystem of practice in this diforder may be forcibly repeated, and inculcated in a very few words. So long as the attack continues in its early and fimple state, be industriously attentive to the execution of fuch instructions as are given under the different heads of those symptoms that are then most predominant; but, should patience and fair trial demonstrate the non-submission of disease and inefficacy of medicine, the glands or kernels under the jaw-bone continuing during the whole course inflexible, the matter first tinged with blood, then becoming deep in colour and most offensive in smell, the carcass emaciated, and the whole frame finking under universal depression, the first loss will be ultimately best, in a refignation of his hide to the collarmaker, and his remains to the hounds.

Before I close my observations upon this difease, let it be well understood that, during the whole course of management, the head of the horse is to be kept as warm as possible, and in proportion much more fo than the body, either in a double kersey hood, or a single external, and a flannel (or feat cotton) one underneath; for, it may readily be conceived (without much information) nothing can contribute more to a folution of the humours and promotion of their discharge, than a critical relaxation of the pores, particularly upon the very feat of disease: from this consideration arises conviction that affisting circumstances co-operate with and are as necessary as the external or internal administration of medicine; experience having afforded ample proof that a combination may effect what is not in the power of individuals to perform.

The strong mercurial ointment directed for the repulsion of Glandular tumours under this head, as also in the Farcy, (p. 143) may be procured at any medical dispensary by that name, or thus prepared: TAKE quickfilver four ounces; Hog's lard half a pound;

Balsam of suphur (or turpentine) half an ounce.
Rub the quicksilver well in a mortar, with the balsam of sulphur or turpentine, till they are so well incorporated that the globules disappear, then add the lard (just warm and liquessied) by small quantities, that it may be sufficiently smooth, and let it be kept close covered for use.

STAGGERS AND CONVULSIONS.

A MULTIPLICITY of long standing distinctions, constituting a variety of different diseases in former practice, have, by nice attention, in modern improvement, been nearly reduced to the two heads under which we now write; that is, such disorders as principally affect the head, having their seat in the brain or vessels leading thereto. In this description are included those that have been formerly distinguished under separate heads, as Apoplexy, Convulsions, Epilepsy, Stag-Evil, Palsy, &c. but as such investigations (founded as they must be mostly upon conjecture) will evidently extend the thread of information to an indeterminate

minate degree of refinement, I shall decline entering into the explanatory parts, so minutely and tediously defined upon former occasions, reciting only the general system upon which the cause is founded, and then proceed to quote from other circumstances that may justify the bringing such a variety of disorders into a single point of view.

How far the pretended accuracy of formerly distinguishing one of these diseases from another may be reconciled to modern comprehension, or generally credited, I know not; but confess, where the whole formation of judgment and decision is to rest upon the penetration of the observer only, and no information come from the patient, circumstances could or can but very seldom combine to form so singular a distinction. Experience and observation may undoubtedly do much in a collection of fimilitudes and probabilities, but never enough to afcertain the distinct invariable causes and effects of diseases, where the most trifling difference is hardly acknowledged; more particularly when it is reconfidered that the cause of nearly all these disorders are in the original feat of nervous irritability, X 3

tability, the brain; or in those parts connected with, or dependent upon, its structure and purposes; except when they are understood to be symptomatic or depending upon some original remote cause; as the effect of bots preying upon the stomach or intestines; internal ulcerations, or complaints not immediately discoverable; these may sometimes happen, but very rarely to effect the frame with symptoms so truly alarming.

To avoid entering into new descriptions and unentertaining definitions, that must be technical to be accurate, and consequently extended to a length that can neither gratify the expectation or improve the judgment of the general reader, I shall, in as concise a way as the subject will permit, introduce an abridgment from the opinions of GIBSON, which is in fact furnishing the whole advanced by his fucceffors; who, without exception, generously transmitted his ideas and informations, forgetting (or omitting) to elucidate the subject with any brilliant observations of their own. "APOPLEXY (fays he) is usually defined "a privation of fense and motion, excepting " only a languid one in the heart and breaft; " and

s and this either proceeds from a cause with-" out the veffels, viz. when the blood or any other fluid happens to break out of some " vessel within the brain, or when there hap-" pens to be preternatural bones or tumours " bred and contained within the fcull, or " any other extraneous matter that may, in " any fort, press upon the foft substance of the " brain, caufing those deadly disorders. But " this is a species that is incurable, and, for " the most part, seizes suddenly without any " foregoing tokens or warnings. Thus in an " APOPLEXY fense and motion are in a man-" ner quite loft, because of the pressure that " is made upon the origin of all the nerves " that arise from the head: but, in a VER-"TIGO, objects that are at rest appear as " if they were turning round, and by that " means occasion any creature to reel and " ftagger; and this proceeds from the vibra-" tions and tremors of the optic nerve, where-" by the images falling not directly but fuc-" ceffively upon the different parts of the re-" tina, an object that is at rest will therefore " appear as if turning round; and this may " be occasioned either when an animal is " fearful of falling, or from a repletion or " overfulness X 4

"overfulness of those arteries which are situ"ated near the optic nerve, which, by pressing
"upon the brain, will cause a shaking in that
"nerve.

" Now (fays he) if we examine a little care-" fully into all the different appearances of " that distemper which farriers call the stag-" gers, we shall find them reducible to one " of these maladies above described." He then proceeds to prove that the staggers may be the effect of either; then mentions an attack when the horse is first turned to grass, after a day or two's full feeding, and defines that apoplectic; and a fourth, that is, " either "a true apoplexy, or a vertigo, or perhaps " both." I omit enlarging here upon these palpable absurdities and direct contradictions, quoting them to demonstrate the inconsistency of following him through all these turnings and windings, to establish a professional mystery in deceptively attempting to ascertain diftinctions where none can with truth or certainty be formed.

"The following evil, or convulsions, (he fays) is that which, in the physician's terms, comes

" comes under the denomination of an Epi-" lepfy, and feems to be no other than an " APOPLEXY or VERTIGO, accompanied with " convultions, either as the cause or effect." This being a kind of fynonymous ambiguity, I shall so consider it, and revert to his definition of convulsions at large; where he fays, "The cause of convulsions are first whatever " wastes and exhausts the body, or any of "its parts; as the taking away too much " blood, violent purging, hard labour, or long " fickness. Secondly, whatever fills the body " too much, and gives origin to obstructions "in the blood veffels or nerves, or brings " a debility and weakness into the stomach; " and, lastly, wounds, or whatever else causes " pain and inflammation: as to the cure it is " the same with that of APOPLEXY and VER-"TIGO." He has thus technically and abstrusely laboured through a multiplicity of close written pages to perplex the mind and confound the judgment, misleading his readers by repeated attempts to prove the distinct existence of all these separate diseases; though at the conclusion of each description, he acknowledges they are nearly fynonymous, and come directly under the same methods of cure.

This is absolutely the fact brought into the compass of truth, and will exculpate me from the accusation of neglect or deception in not treating feparately upon fuch difeases; and, by introducing a train of imaginary fymptoms, endeavour to give the appearance of weight to what must be termed a mere matter of conjecture. As they are disorders that luckily happen but feldom, I shall confine myself to their description and treatment as the staggers and convulsions only; the instructions necessary for the management of those being universally admitted adequate to the intentional cure of the long lift of et ceteras.

Horses, upon the approach of any of those disorders, whose feat is directly in the brain, or nervous system, display a previous weakness and inactivity, seeming to move reluctantly, reeling or staggering in their walk, frequently blinking their eyes, as feeling some aukward depression or uneasiness from the effect of light; they are averse to handling, and brought out of the stable with difficulty; in time a visible tremor comes on, and after reeling (or frequently turning round, if loose)

they fall almost lifeless to the ground, having the perceptible power of breathing only, but that in a degree of violence and agitation; this is termed the APOPLEXY, or STAGGERS, admitted synonymous and similar in cause, symptoms, and effects.

The great variety of symptoms that have been hitherto worked up to a pitch of extravagance, exciting a degree of credulity to the discrimination of these diseases, would render it a palpable burlesque upon the subject to go over a fimilar ground; they having included and enumerated every possible symptom (common to all distempers) in the description of this class, determined to include the whole, that no one circumstance might be wanting to justify their affertions, or confirm their judgment. Whether it is Epilepsy, Palfy, Convulfions, or Stag-evil, fymptoms are amply furnished: we are repeatedly told "The " horse reels and staggers; his eyes are fixed " in his head; he has no fense of what he is " doing; he stales and dungs insensibly; he " runs round and falls suddenly; fometimes " he is immoveable, with his legs stretched out

" as if he was dead, except only a quick motion of his heart and lungs, which causes a violent " working of his flanks; fometimes he has in-" voluntary motions and shaking of his limbs " fo strong, that he has not only beat and " spurned his litter but the pavement with it." Here is ample proof how much I might indulge myself in playing upon the alternatives they admit, fo cautioufly guarded with their adverb of possibility; I could introduce a very long chain of quotations in the same style of ambiguity or duplicity, plentifully interspersed with their favourite safeguard " sometimes he is up, and " fometimes he his down; and fometimes he is hot, " and sometimes he is cold;" sometimes they recover, and fometimes they prove mortal, &c. but it has ever been the intent of this work to make the CAUSE, SYMPTOMS, and CURE of every disease as clear as the nature of each case will admit; being unavoidably interspersed with medical remarks and occasional explanations, where technical terms could not be evaded; I shall therefore revert no more to a fuccession or repetition of fymptoms, where enough has been already pointed out to explain to any rational observer a case originating in the causes we

now treat of; and whichever it is, or to what denomination it is most properly entitled, the seat of disease being the same, the cure must be corresponding: but in these, and in all other disorders, a little judgment must be exerted to regulate the treatment by circumstances, as symptoms cannot on every occasion be collected from books, or be found in one distemper always the same.

Diseases originating in the most abstruse recesses of nature, and that will admit such a complication of constructions, may proceed from a variety of causes clearly comprehended; as, in all probability, they may likewise from many that we are entirely unacquainted with. Among the former is that cause originating in the preternatural increase of the velocity of the blood, instantaneously affecting the brain; as is annually confirmed by the loss of hundreds, in madly exceeding the bounds of humanity, and exhausting the strength and power of an animal made by Nature sufficiently strong to bear almost every task the degeneracy or avarice of man could be supposed to invent. In corroboration of this circumstance of the premature deaths occasioned by increasing the velocity of

the blood beyond the limits prescribed by Nature, I present to the reader's imagination that infinity of most beautiful horses that upon every principal road in England constantly fall victims to the rapidity of MAIL COACHES, FLYING MACHINES, DILLIES, and POST TRAVELLERS; more particularly in the extreme heat of summer, when they are feen daily dying martyrs to the eagerness of impatient travellers, or the innate cruelty of inhuman drivers. To these some (but a very few) of private property may be added, hard drove upon long and speedy journies, and others imprudently rode, and improperly managed, during chases of great length, in strong deep countries, with fleet hounds.

Others become the subjects of these disorders from great irritation (with severe and excruciating pains) in the stomach and bowels; the powerful effects of worms or bots in the intestinal canal; sharp acrid medicines; a repulsion of any morbid matter from the surface, without its being carried off by proper evacuations; or wounds, dislocations, &c. They are frequently known to attack very suddenly, and terminate in death very speedily; at others the approach approach is indicated by the symptoms before recited. The most rational methods of cure will be to correct or discharge the primary cause, to allay the spasms, and to reduce the extreme degree of irritability, by strengthening the nervous system; the causes of irritation are not only remote but various, and relief must consequently be occasionally obtained by different means.

The first step to cure will be, at all events, to draw blood, and that in quantity according to exigencies and the state of your subject. In cases of real alarm and danger, bleed in two veins remote from each other, to cause the greater revulsion: although it becomes absolutely necessary to stimulate and rouse the animal powers after the paroxism, little can be done during the sit; however a glyster may be prepared, according to the following directions, and given as soon as possible.

If the cause is ascertained (or supposed) to proceed from an increased velocity of the blood, and consequent inflammation upon the brain, give the glyster prescribed in p. 45: if from extreme irritation in the stomach and bowels,

give the domestic glyster, p. 239, with the addition of liquid laudanum half an ounce. If the continual preying and depredations of bots, or worms, are the cause, give, for the present, the following glyster; and so soon as the horse is sufficiently recovered to go through the course; proceed as directed under that head:

TAKE of rue, favin, and wormwood, each a handful; boil a quarter of an hour in two quarts of water, with four ounces of common falt; then strain and add tincture of asafætida two ounces, olive oil a quarter of a pint, and let it be thrown up moderately warm.

If the complaint proceeds from a too free use of sharp or acrid medicines, make an addition of two ounces of Venice treacle, and three drachms of liquid laudanum to the common domestic glyster before specified. For similar complaints proceeding from indeterminate causes, the glyster p. 45 will be undoubtedly applicable.

Should spassms or convulsions prove so violent that, by a contraction of the muscles, the jaws are locked, or fixed, for any considerable length of time (the fit being of long duration), recourse recourse must be had to nutritive glysters, that the frame may be supported, notwithstanding its inability to receive aliment by other means. These may be prepared of different kinds, as broths, gruel, milk pottage, calf's feet jelly, thin; or a decoction of ground rice mixed with starch. So soon as the fit is sufficiently off, to admit the advantage of medicine, give the following BALL, if it can be conveniently administered:

TAKE myrrh, ammoniacum, and asafætida, of each three drachms;
Russia castor and camphire each a drachm;
Syrup sufficient to make the ball.

This should be repeated every ten or twelve hours, for two or three days, or till the absence of the fit leaves no apprehension of return. Where circumstances or symptoms may render a drink more convenient, the following may be prepared and given at the above stated intervals:

TAKE of valerian root and horseradish root (scraped or sliced) each two ounces;

Virginian snake root and mustard seed (bruised) each one ounce; upon these pour three pints of boiling water; let them be covered close; and when nearly cold enough for use strain through a cloth, using pressure to the ingredients, that the whole may be extracted. Half of this to be given for one dose, and repeated in six, eight, or ten hours, as circums stances may require.

In cases of danger, and at a great distance from towns where the above articles cannot be immediately obtained, substitute a strong infusion of rue, camomile, horseradish, mustard, or pennyroyal; taking two ounces of each of the three that can be most expeditiously procured, and pour upon them three pints of boiling water; let them stand till nearly cool, strain off, and give the proportion above directed, repeating it as there specified; remembering this is prescribed only as a temporary substitute till more powerful reliefs can be obtained; and not by any means to be put in competition with the efficacious stimulants before recommended.

When the fit is gone off, should the subject be left in a kind of stupor or nervous debilitation, with spasms or twitchings in the stomach and bowels that occasion great pain, it will be readily perceived, and more particularly ascertained by his frequent looking back to one side or the other, with his nose towards the seat of pain, and his uneasy shifting from place to place. In such case anodynes will afford the greatest certainty of relief; therefore give either the following ball or drink so soone-nient:

TAKE galbanum, asafætida, and storax pill, each half an ounce;

Syrup of diacodium sufficient to make the ball.

Or,

Take of valerian root one ounce and a half, snake root half an ounce; let both be bruised to a gross powder, and insuse in boiling water a pint and a quarter, with saffron two drachms; when sufficiently cool strain off, and add tincture of asafætida one ounce, liquid laudanum two drachms, giving the whole a little warm.

If the spasms or twitchings are frequent and violent, the drink will be preferable to the ball,

as coming by much the readiest into action and effect. Where this medicine cannot be given as a drink, it may as a glyster, either with or without the saffron, repeating it at any distance of time that occasion or circumstances may require.

Should any local paralytic affection, or contraction of the muscle, produce a stiffness or inactivity upon any particular part, friction, with strong penetrating embrocations, must be immediately brought into use and persevered in; of that class are the following:

Take oil of Barbadoes tar eight ounces;

Ætherial oil of turpentine and camphorated fpirits of wine, each four ounces.—Mix together, and let the affected parts be substantially bathed with such proportion as may be adequate to the case every night and morning.

Or,

Take opodeldoc fix ounces;

Oils of origanum, amber, and wormwood, of each half an ounce.—Mix well together, and use as above.

Whichever is adopted (though the former is certainly the first in power and highest in estimation) must be rubbed into whatever part may be affected with great patience and affiduity, as nothing but length of time and perfeverence in the operation can effect a sufficient penetration to the remote feat of complaint. Horses that are of a full plethoric habit, when attacked with this disease, should, fo foon after recovery as they are able to bear it, be brought under a course of regular evacuations, fuch as are most applicable to their fize, state, constitution, and condition. If they are inclined to fluctuating acrimonious humours, or viscid heavy foulness, let purges be foon brought into use; and introduce a rowel, if the case indicates the propriety, taking off somewhat of their former high feeding. If the stomach and bowels have been the feat of disease from irritability, either by internal weakness or improper treatment, affift the general system with a dozen of the restorative cordial balls, (p. 209), after a proper continuance of the nervous medicines, letting one be given every morning. If from worms, for foon as he is sufficiently recovered from the Y 3 alarming

alarming state of disease, give one of the mercurial purging balls, according to his state and temperament, regulating the course as particularly explained in p. 261 and 262.

The general and proper mode of treatment in every stage of these complaints having been explicitly introduced, I shall beg leave to observe, prescriptions and compositions innumerable might be added, in compliance with custom, to give the subject an appearance of greater weight, by prolonging, extending, and varying the methods of cure. But the fact is, fuch class of medicines are at once brought forward for every disease as are well established and high in estimation, for their different effects, that paltry, extraneous, deceptive aids, may be totally rejected to prevent unnecessary trouble, expense, and disappointment. In the present we have nearly abandoned the ancient practice, we applaud no "burning fetons with " red hot irons," recommend no "chewing " balls to champ upon," composed of asafætida, Savin, and a combination of articles to create a nausea, and render the stomach eternally uneasy; nor do we adopt the system of " stitch-" ing

"ing up in the ears garlic, rue, aquavitæ, " cloves, ginger, and bay falt," either as remedies or provocatives to madness; but submit to public consideration and practice such methods of treatment and cure as are founded on the basis of safety, reason, and experience. CHOILC, SCOULLING, AND MOLICE

GREASE,

CHOLLC.

and the anti-color serve after and the state of the

I willing been a professional culture time inte

the targle and bosvell partilling expenses pain,

cures, This deficiency, is much be adenow-

form one; on the continue, they been been

more liberally difficulty but when the great

CLASS IX.

CHOLIC, SCOURING, AND MOLTEN GREASE.

CHOLIC.

It has been a professional custom, time immemorial, to distinguish every disorder of the stomach and bowels producing extreme pain, by the denomination or GRIPES, or THE FRET; though little has been produced by the best writers to explain the different causes, and still less to establish a consistent method of cure. This desiciency, it must be acknowledged, has not arisen from a want of prescriptions; on the contrary, they have been most liberally dispensed; but when the great variety of recipes that have been offered to public experiment become subject to the accurate

curate inspection of the enlightened practitioner, they may perhaps appear to be more the collected effusions of fancy than the effect of judgement. As it is not, however, the present intention to divert the mind to former modes of practice, let us endeavour to make the distinct causes of complaint properly understood, previous to the introduction of such course of medicines as experience has clearly demonstrated most safe and applicable to the relief of diseases, upon which we proceed to treat.

The disorders to which horses are most subject in the stomach and bowels (exclusive of those occasioned by worms and bots, already separately treated on) are those kinds of Cholic which it will be necessary to distinguish as the statulent and inflammatory. The Flatulent Cholic is that species of intestinal pain, occasioned by an accumulation and retention of wind, which, by its expanding force, in a constant sluctuation and effort for discharge, extends the stomach and intestines to a certain degree (or perhaps their utmost elasticity); when coming into direct opposition with the contracting power of the abdominal muscles, certain pain is excited in a greater or less de-

gree, according to the circumference and extenfion of the parts, the collection of confined air, and the proportional spasm produced by its effects.

This kind of Cholic comes on fuddenly, and may, in general, be readily diffinguished by the rumbling of the imprisoned air through the intestines for vent or discharge. It is occasioned by hafty and full feeding after long fasting; drinking cold water when hot, or in too large quantity; or when the obstructed perspirable matter is thrown immediately upon the bowels by a powerful revulsion, effected in a change from heat to extreme cold, &c. There is no gradual progression in this complaint from slight fymptoms; its appearance is mostly sudden, and attack violent; the subject becomes in more measure outrageous; he strikes his belly with his feet, looks wildly on either fide towards his hind parts, lies down unexpectedly, and rifes as fuddenly. When the pain is excruciating, vibrations of the whole frame are perceptible; to these a palpable moisture or fweat fucceed, but not of long duration; a rigour or shivering frequently follows the perspiration; he repeatedly lies down, rolls himfelf upon his litter, and, seeming exhausted with pain, stretches himself out as in a dying state. The first step to relief must be regulated, in some measure, by the ease or difficulty of obtaining those articles that are rendered by circumstances most adequate to the purpose. If in or near a town where the medicines can be readily procured, let the following BALL be prepared and given so soon as possible:

Take aniseed powder one ounce;

Mithridate half an ounce;

Grain of Paradise and ginger (both in powder)

of each two drachms;

Oils of juniper and aniseed each a drachm;

Syrup sufficient to make the ball.

This ball to be repeated in two hours if the urgency of the case should render it necessary; on the contrary, if the symptoms are much alleviated by the first, repeat it in sour or six hours as circumstances may require. Where a drink is thought preferable, or the administration more convenient, and the ingredients can be easily obtained, prepare the following:

ing the time we ever a second and

0)

Jamaica pepper, bruised, each an ounce and half; grains of Paradise half an ounce; ginger two drachms. Bruise separately in a mortar; then boil in three pints of thin gruel for ten minutes; strain and add of compound aniseed water, or, in want of that, Geneva or brandy half a pint: of this composition let half be given so soon as possible, and the remainder in two, four, or six hours, as the mitigation or severity of symptoms may dictate.

If the distance from a town, or difficulty of obtaining the above preparations, should render a substitute unavoidable, the following attempt to relieve should be instantly adopted:

Take of ginger, carraways, nutmegs, Jamaica pepper; or, in fact, of any two spices (the house affords in the emergency,) each an ounce; bruise together in a mortar, and boil a few minutes in three quarters of a pint of gruel or ale, with two or three ounces of sugar; then strain and add a gill of Geneva or brandy, giving the drink moderately warm.

This, in country places, and remote farmhouses, may be found an useful and convenient substitute during the time unavoidably necessary to procure more powerful and efficacious re-

After a repetition of either of the two former compositions, should the horse not be relieved either by evacuations of stool, urine, or expulsion of wind, let the body undergo a gentle motion, by leading about for a quarter of an hour (or longer), if it can be justified by circumstances.

Should this combination of endeavours to relieve fail in effect, the thoughts must be immediately diverted from a continuation of warm cordial stimulants to a relaxation of the intestines; to promote which the following glyster should be prepared and administered with the greatest expedition.

Take camomile, marshmallows, wormwood, elder flowers, or rosemary, of any two most convenient, each a large handful; Jamaica pepper, and senna, of each one ounce; ginger (bruised with the pepper) half an ounce: boil in two quarts of water for a quarter of an hour, strain off, pressing the ingredients; then add of olive oil and Geneva, or brandy, each a quarter of a pint, and let the whole be thrown moderately warm into the passage by gradual and gentle pressure.

This

This is to be repeated in three or four hours, if by the evacuation of foul indurated excrements and expulsion of wind a proportion of relief is obtained, but the subject not perfectly at ease; on the contrary, should no relief be obtained, and the horse continue in extreme pain, recourse must be instantly had to the following laxative drink, which, if circumstances require, must be occasionally repeated, till relief is obtained by great expulsions of wind or plentiful evacuations.

Take senna two ounces; boil a sew minutes in three quarters of a pint of water, with three drachms of ginger bruised; then strain and dissolve in the liquid sour ounces of lenitive electuary, and six drachms of soluble tartar; adding three ounces of tincture of senna, and one of the tincture of jalap.

So foon after this as the horse is inclined supply him frequently with small quantities of substantial gruel moderately warm; and when he is so much relieved that the pains have evidently subsided, in consequence of either of the above modes of treatment, let him be supplied with comfortable mashes, and warm water (slightly impregnated with gruel) at proper intervals,

intervals, for a few days; confirming the cure and strengthening the stomach and bowels, by giving, for a few mornings, one of the restorative cordial balls, prescribed in p. 209? The judicious inquirer will observe, the former fiery practice (of pepper, gin, turpentine, brine, and a long lift of et ceteras) is rejected, as founded upon the basis of uncertainty and danger; consequently not entitled to a place in the Modern System of Farriery. The WONDER-FUL variety of prescriptions commonly obtruded for the particular purposes of appearance, are here intentionally avoided to prevent deception; the above method of treatment, with the progreffional alternatives, being absolutely adequate to every possibility of relief, where the collection and retention of wind are supposed to constitute the disorder passing under the general denomination of FRET, or CHOLIC.

The distinct Kind of CHOLIC

I now proceed to explain is distinguished, in common practice, by the appellation of Gripes; but, for the better comprehension of all parties, I shall consider it an inflammatory Cholic, without

without reverting to the language of others, terming that " bilious," to which, in my humble opinion, there can, in this instance, be no bilious explanation appertaining. In the predominant symptoms of these kinds of Cholic there is but little difference; in the inflammatory, of which we now treat, they however run higher, or, in other terms, more violent; the pain is evidently excruciating, and proceeds from costiveness, with great accumulation of indurated fæces, or hardened excrements. The rectum, feems loaded, and vifibly preffed to the fundament, which appears prominent; a constant straining and endeavour to expel dung, with no other discharge than a discoloured hot, sharp liquid; a frequent position is formed for staling without fuccess; and the extreme pain foon produces symptomatic fever, with short breathing, heaving in the flanks, extravagant actions, and general exertions, that very much alarm with the apprehension of immediate danger. To allay which, it will be adviseable to take off the spasm or stricture from the intestines, by an expeditious folution and discharge of their contents, thereby preventing inflammation, and its certain, if not immediate, consequences. This desirable event must be folicited

folicited by a combination of efforts, without inconsiderately waiting hour after hour for the result of a single administration; a junction of aid must therefore be formed for the occasion, and the following glyster prepared and injected without delay:

TAKE of common gruel three pints;

Epsom salts four ounces;

Tincture of senna and olive oil each a quarter of a pint.

This being administered let a laxative drink be prepared with the following ingredients, and given so soon as circumstances will permit:

TAKE fenna one ounce;

Carraway feeds bruised, and cream of tartar, each half an ounce.—Boil for ten minutes in three quarters of a pint of water, in which dissolve four ounces of Glauber salts, then strain and add tincture of jalap one ounce.

If relief and plentiful evacuations are not obtained by these means so soon as may reasonably be expected, prevent (if possible) the increase of inflammatory symptoms, by taking

away a moderate proportion of blood from the neck; for, in this advanced stage of the disorder, appearances of danger can only be fubdued by a removal of obstructions. It may therefore be naturally inferred (without introducing, in compliance with custom, a multiplicity of prescriptions to embarrass the mind and perplex the judgment) that these effects can only be produced by perseverance in a repetition of either or both the above, as exigencies may direct or dictate, till the necessary discharges are obtained; without which, inflammation and mortification will inevitably ensue. Glysters must consequently follow each other, without much intermission, till the point is carried; to promote which, let fmall quantities of warm thin gruel be frequently offered, with one ounce of nitre in each; warm mashes may also be given, if the horse should be inclined or enabled to receive them.

Immediate eafe generally fucceeds the necesfary evacuations, the subject then only labouring under the laffitude that is so constantly the concomitant of extreme pain. All obstructions therefore being removed, and plentiful discharges

discharges obtained, contribute the support that Nature will so evidently stand in need of, by preparing a comfortable warm mash of oats and bran equal parts; into which stir of aniseed, liquorice, and elecampane powders, each one ounce. In two or three hours after this mash is consumed give the following cordial stomachic ball, or drink, as may be most applicable to the intent or opinion of the operator or superintendent; washing down either with two or three quarts of very thin gruel, if the horse be inclined to take it:

TAKE mithridate and aniseed (in powder) of each half an ounce;

Saffron and London philonium each two drachms;

Oil of aniseed one drachm; Syrup (if necessary) to make the ball.

THE CORDIAL CARMINATIVE DRINK.

TAKE anise, coriander, and sweet sennel seeds, of each one ounce; carraway seed and ginger each half an ounce. Let them all be reduced to a gross powder, and boiled in a pint and half of gruel till reduced to a pint; then strain, pressing the ingredients, and let it be given of a proper warmth.

This

This will prove, upon most occasions, all the medical assistance the subject will require; but after recovery his state and condition should be attended to; no strong exercise or cold water can be proper for the first two or three days; his feeds should likewise be regulated by appetite or inclination; rather feeding often, and in small quantities, than to hazard a relaxation of the tone of the stomach, and a debilitation of the digestive powers, by large feeds at distant periods. If there are any indications of weakness, languor, inactivity, loss of appetite, heaviness and aversion to motion, or flight symptoms of pain, proceed to a course of the cordial balls, p. 209, giving one every morning, or every night and morning, should any of the above recited circumstances render it necessary. Previous to the final dismission of this article, it cannot be inapplicable to enforce an exertion of the attention absolutely requisite in the management of horses, where cases of imminent danger (as in the prefent instance) may almost instantly arise from what at first may appear trifling and superficial.

Invariable resolutions should therefore be formed and adhered to, strictly avoiding whatever may constitute the foundation of either trouble or danger. A horse should never be fuffered to stand long in a wet and dirty condition, after chase or journey; to drink cold water when hot, or spring water from well or pump when pond or river can be obtained: his feeds should be likewise regularly dispensed, with proper respect to equation in time and proportion in quantity. The quality as well as quantity of both hay and corn must ever be held in constant remembrance; these being jointly and individually necessary to a permanent establishment of health, strength, and condition. To possess all which in a high degree, and to be produced for strong and powerful exertions in the field or on the road, his regular confumption should be two bushels of oats and two truffes of hay per week.

The state of the body respecting evacuations should not be neglected; regularity in these will be equally necessary with punctuality in food: the state of a horse's body may be most accurately ascertained by the appearance of his dung; if it is ejected of a fine bright

colour (inclining to that of a new guinea), moderate in confiftence, regular and adhefive in form, coming away without great efforts and an extension of the fundament, approaching to pain, the body may then be confidered in a proper and healthy state; but when the dung comes away with feeming labour, is remarkably hard in substance, very dark in colour upon falling, and strong or fætid in fmell, it may be fairly concluded the contents of the intestines are indurated, and nearly approaching a state of disease. When they are observed to be in this condition a gentle promotion of evacuations, or course of purgatives, may be premised, as very salutary preventatives to danger, expense, and trouble.

SCOURING, or LOOSENESS.

enfumption (nouth be tu

An aphorism of the justly celebrated Boerbaave, that "Nature never purges herself but "when she wants purging," is so firmly fixed upon the basis of truth, that it has been very seldom subject to exception. But there are, in fact, fact, rules so few, (either physical or moral) that will not admit of some, it can create no surprise that the maxims of so great a man should be entitled to their trisling proportion. To elucidate a text from authority so truly respectable, and bring the matter into a fair discussion for every comprehension, it will be unavoidably necessary to enlarge a little upon the subject we wish clearly to explain.

The fact is, when a quantity of gross food and collected impurities are accumulated and pent up within the confined limits of the intestinal canal, whether obstructed in the first or last passages, the inconvenience (though different in symptoms) may be ultimately the fame in effect. For the aliment, by the obstruction in its natural progress, through the stomach or intestines, and preternatural retention there, acquires a degree of acrimonious malignity, that, at a certain period, (depending upon the habit and constitution) stimulates and begins to act upon the internal coat of the intestines, till by the stimulus of one, and the irritability of the other, a folution of the excrements ensue; and Nature is enabled to relieve herself, by throwing off that load which

the attention of the master, and the interpofition of art, would sometimes do well to remove. And this is the more necessary to be retained in memory, when it is recollected that where Nature fails in, or is inadequate to, the production and completion of this effort, in her own defence, she becomes gradually overpowered; the intestines are enormously loaded, and the over-repletion at length inevitably constitutes the Gripes, or Inflammatory Cholic, on which we last treated. But where Nature is fortunately adequate to her own work, and the accumulation is spontaneously carried off, Boerhaave's maxim is strictly verified; and it becomes palpably clear to every observer Nature does not purge herfelf till she wants purging.

This kind of Lax, or Looseness, is most readily distinguished from such as arise from other causes; the horse is previously dull, heavy, and inactive, seemingly oppressed and visibly overloaded, though without any appearance of extreme pain, but subject to a general disquietude; the dung first comes away with a degree of solidity; the evacuations then become more frequent, and at last loose; the discharges

are at length rapid in succession, large in quantity, dark in colour, fætid in smell; bearing the appearance of impregnation with greafe, as if with some foul oily substance in the intestines, fimilar to the last discharge after the injection of a glyster. Nature, in the present instance, generally performs her own work with so much ease, that the least appearance of pain is hardly perceptible. In preference to the custom of waiting day after day for its termination, thereby giving it an opportunity, by its acrimonious quality, (which may irritate and affect more or less, according to circumstances and the state of the subject acted upon) to debilitate the frame, it will be most prudent to give the following laxative drink, and affist Nature in carrying off what it would be highly improper to restrain:

TAKE senna and cream of tartar each two ounces; Epsom salts three ounces;

Ginger bruised half an ounce.—Boil in a pint of thin gruel for ten minutes; then strain and let it be given a little warm, and the gentle operation encouraged by frequent small quantities of gruel water.

On the contrary, should this plan be rejected as unnecessary, and the looseness or scouring continue continue for any length of time, so as not only to expel the accumulated contents, but, by its sharp and acrid quality, to stimulate the intestines and cause an expulsion of the mucus, (with which they are internally guarded) with ineffectual strainings and painful sensations, warm cordial restringents will be highly necessary, and may be administered in the following forms:

A CORDIAL RESTRINGENT BALL.

TAKE diascordium six drachms, gum arabic, prepared chalk, and armenian bole, each half an ounce; ginger (in powder) one drachm; oil of aniseed forty drops; syrup, a small quantity, to complete the ball.

This may be repeated fix, eight, or twelve hours, as the severity of the case may require; the restringent mash (p. 46) may be occasionally brought into use. If solid sood is refused, a gruel should be given for drink, made
so thick as to be but barely liquid. If the expected relief be not soon obtained, and the
subject is affected with spasms or twitchings
in the intestines, add to the above ball two
drachms

drachms of liquid laudanum, or ten grains of opium. If the horse is inclined to drink fre-frequently, (as in all probability he will be) give one ounce of gum arabic dissolved in a small quantity of water, and added to his gruel once in every five or six hours.

Where a ball is found inconvenient, or a drink preferred, let the following be prepared:

TAKE calcined (commonly called burnt) hartshorn three ounces;

Gum arabic one ounce;

Cinnamon half an ounce;

Ginger two drachms. Boil in a quart of water till it will produce a pint clear of the ingredients; then strain and add tincture of Japan earth one ounce and a half; liquid laudanum two drachms.

The above ball and drink are powerfully restringent, and, with the cordial aromatic assistants, are admirably calculated to restore the tone of the intestines, and reduce their irritability. No larger sield for relief need be explored; increase or diminish any of the different ingredients, as circumstances may require or judgment direct; and bring the doses

of either nearer to each other, if appearances of danger justify the necessity.

Should the predominant symptoms refuse submission to a repetition of the medicines here prescribed, prepare the following anodyne glyster, and repeat it once in eight or twelve hours till success attends the joint administration:

THE ANODYNE GLYSTER.

Take linseed two ounces; gum arabic one ounce. Boil in two quarts of gruel for some time; then strain and add of diascordium one ounce and a half; liquid laudanum half an ounce, and cold drawn linseed oil four ounces. Let it be thrown into the body with a proper bag and pipe, using gentle pressure.

So foon as the intestinal acrimony is obtunded by these means, and the excrements resume their original form, let the return of natural strength be solicited by every care and attention; give occasionally warm comfortable mashes, as most applicable to the state of appetite, and let no water entirely cold be drank for some days; introduce your dry feeds by degrees, degrees, and let half a dozen of the cordial balls, (p. 209), be brought into use; giving one every morning or evening to prevent flatulence, and act as a warm restorative stimulant to the stomach and intestines.

Having so much enlarged upon this distinct kind of Lax, or Scouring, proceeding from repletion, it becomes necessary to animadvert upon the same disorder, when originating in a different cause. A severe laxation, or looseness, then is known frequently to arise from a depraved state of the stomach, and a debility or weakness of the powers necessary to the purposes of digestion. The loss of appetite is occasioned by a relaxation of the elasticity or natural tone of the Romach; the blood is impoverished by a deficiency in its nutritious support of chyle through the lacteals; and the bile becomes equally defective, in being deprived of its due proportion of stimulus, consequently inadequate to the task it is destined to perform.

The chain of operation being thus obstructed, the whole system is in a great measure deranged, and the has digested aliment soon engenders fermentation by its acidity; and, in

an effort of Nature, prepares itself for approaching expulsion. The intestines, from the crude indigested aliment, and inert state of the bile, soon become relaxed, and their contents run off almost spontaneously, the horse seeming little prepared for or concerned in the event. The discharges continuing, become in a few days almost incessant, and constitute frequent irritations, and severe strainings to dung, with no other effect than an ichorous scalding liquid, or trisling evacuations of slimy mucus, from the internal coat (or lining) of the intestines.

In this particular case there requires a general relief to the univerval debility of the intestinal track; the first step to which must be to sheath the acrimony, and reduce irritability in both the first and last passages; then gradually restore the powers of digestion, and invigorate the whole system by a course of stomachic restoratives.

THE ANODYNE RESTRINGENT BALL.

TAKE of India rhubarb, and compound powder of gum dragon, each half an ounce; columbo root (in powder) two drachms; ginger (in powder)

powder) one drachm; opium fifteen grains; conserve of orange peel six drachms; syrup of diascordium sufficient to form a ball.

This to be repeated in twelve, eighteen, or twenty-four hours, as exigencies may require: for a substitute the following drink will prove equally applicable and efficacious.

THE ANODYNE DRINK.

TAKE linseed, burnt hartshorn, and gum arabic, of each one ounce; boil in a pint and half of water to a pint; then strain and add tincture of cinnamon two ounces; liquid laudanum two drachms.

Let this be given every morning for three in fuccession; the restringent mash (p. 46) may be occasionally offered, or, in refusal of that and dry corn, give a warm mash at proper periods, compounded of bran and ground oatmeal equal parts; if the stimulus and irritation continue, without any perceptible remission or submission of symptoms, let the following glyster be given once in every twenty-four hours.

THE ANODYNE STARCH GLYSTER.

TAKE boiled starch, of moderate consistence, three pints; gum arabic (in powder) two ounces; liquid laudanum half an ounce; cold drawn linseed-oil four ounces.

So foon as the purging (or rather irritation and straining) is subdued, the appetite will consequently increase, and become in some measure restored; attend to that circumstance, and promote it by every possible means, assisting for three or six mornings with one of the following restorative stomachic balls.

THE RESTORATIVE BALL.

Take Venice treacle half an ounce; Peruvian bark fix drachms; columbo root and camomile flowers (in powder) of each two drachms; oil of carraways five and-twenty drops; honey fufficient to make the ball.

If the horse should be very much reduced in sless, continue weak in body and appetite, forming the appearance of general debilitation, let the frame be universally assisted, and the cure completed by a dozen of the balls prescribed (p. 209); giving one every morning either in the state there directed or dissolved in a sufficient portion of gruel.

MOLTEN

t in the spelene infrances we placedy noc-

MOLTEN GREASE

Is a diforder produced in general by too great, fudden, or powerful exertions, when a horse is not in proper condition: as strong and fevere hunting, long and speedy journies, or hard driving in carriages, when first taken from grass loaded with impurities; just out of a dealer's possession, full of light flatulent food; or when too full of flesh for violent exercise. In fuch cases, from the internal heat, increased circulation, and temporary inflammation, the fat seated upon the membranes in various parts of the body undergoes rarefaction and rapid folution, making distinct efforts for difcharge by the different emunctories. The proportion nearest the vessels becomes absorbed by the blood (retarding circulation,) thereby producing some degree of fever; another part makes its appearance with the excrements; a third portion fixes upon the lungs, and obstructs respiration; to these a laxation of the intestinal contents succeed; and, lastly, a looseness, or scouring, of which we last treated;

fo that in the present instances we plainly perceive the possibility of almost a complication of disorders, originating in a single cause, and the foundation of THAT CAUSE indiscretion.

A little reflection upon the incontrovertible truth of this observation will surely point out to every bumane master and faithful servant the great danger of over-riding, driving, or fatiguing, any horse whatever beyond the line of prudence and confistency, when not in high condition for the service he may be engaged in, whether turf, field, or road. Let it be constantly held in remembrance, more horses are ruined and destroyed by cruelty and neglect than by chance or accident. The fubject we now treat on proves (more than any other) the absolute necessity of insuring con-DITION previous to a course of constant business; this must be obtained by a proper removal of those impurities or viscidities that lay the foundation of what the lineal descendants from Vulcan have, time out of mind, denominated bumours.

That process, when first taken up from grass, or too full of flesh, is particularly explained

plained under the heads of feeding, bleeding, and purging, in the early part of this work; including instructions that cannot be too much respected or persevered in, by those who wish to produce their horses at all times, in such style (for services of difficulty or danger) as has long been the source of equestrian emulation in the sporting world, from the lucky possessor for of a numerous stud to the more humble dependant whom fortune persuades to be compulsively content with one.

The symptoms are in different subjects more or less violent, according to the state and condition at the time of attack; varying in all, either in a greater or leffer degree, in proportion to the parts most affected by the fudden revulfion and original caufe. Whereever the folution has proved most partial, the effect will become most predominant; as for instance, upon the bowels, lungs, or circulation of the blood by absorption; in the first great pain attends the laxation or loofeness; in the fecond great difficulty of breathing from the expansion of the lungs, may produce symptoms of inflammation there, as explained in p. 214. And when the mass of blood is ge-Aa 2 nerally

nerally affected, and preternaturally loaded, fever must consequently ensue. These symptoms, as before observed, all vary in different subjects; but one is pathognomonic or invariable in all, which is the general incorporation of a greasy substance with the excrements, nearly similar to the separated particles of congealed oil in frosty weather; previous to the entire solution of the intestinal contents, and so long as the dung retains its usual form, the greasy hue appears only upon the surface, but as it advances in disease it becomes more intimately united.

more on less violent, according to the fiate

So foon as ever the indications are perceived, proper methods should be instantly taken to relieve Nature from the threatened oppression, by such evacuations as predominant symptoms direct; at any rate let plentiful bleeding be the first step to reduce present, or prevent approaching, inflammation. If sever has not come on too rapidly, give, so soon as circumstances will permit, the mild laxative drink prescribed under the head of flatulent ebolic, p. 334; but, should the horse be strong and powerful, (the disease being in its infancy) give without delay the purging drink, p. 42, repeating

repeating it in three or four days, if present appearances justify the propriety of the practice;

If the subject is greatly depressed with palpable fever, disquietude, loss of appetite, and internal painful fensations, glysters must be substituted; but as these need not be composed of variety, make use of the glyster, p. 239, which may be most easily prepared. To attenuate the blood, relieve the lungs and take off the heterogeneous load from the circulation, as well as to mitigate all symptoms of fever (if such there are) adopt the mode of treatment particularly described, p. 245, taking in the affistance of the pectoral decoction, p. 216, if the lungs are very much oppressed, and symptoms of approaching inflammation there at all apprehended. The appetite must be attended to and folicited in every stage of the disease, by comfortable mashes, and the trifling minutiæ so often repeated in the preceding part of the work.

So foon as alarming or predominant symptoms subside, proceed to a course of the mild purging balls, p. 219, going regularly through three doses, at such periods as are best adapted

to the strength of the horse. In a few days, after working off the last dose, begin upon the following warm diuretics, (well guarded with aromatics) giving one every morning till the whole are taken:

THE CORDIAL DIURETIC BALLS,

Take Castile or pure white soap ten ounces;
Nitre and rosin each six ounces;
Aniseed (in powder) sour ounces;
Camphor and ginger (in powder), each one ounce;

Oil of juniper fix drachms—Honey sufficient to form the mass; which divide into balls of two ounces each.

The above medicines and treatment are singularly adapted to every purpose in the cure of this disease; the purging balls before mentioned will prove much more adequate to this case than any that can be selected. The work begun by the alterative purges will be completed by the gradual effects of the diuretics; and with proper attention to the rules laid down in the first pages of this work, the horse may be soon produced in good state and condition.

CLASS

CLASS X.

STRANGURY AND OTHER DISORDERS OF THE PARTS NECESSARY TO THE SECRE-TION AND EVACUATION OF URINE.

STRANGURY.

The parts that by some desect or injury constitute the cause of these complaints are so nicely constructed and so remotely situated from every possible means of inspection, that a great degree of judgment and delicate discrimination must be exerted before a distinction can be made, or a just and decisive opinion obtained. The Strangury is an obstruction or temporary suppression of urine, and may arise from different causes; for, as before observed, the variety

of parts appropriated to the fecretion and excretion are fo numerous as to render the exact cause of disease a matter of ambiguity and uncertainty, with even those who ought to be the best enabled to form a decisive opinion (or rather a certain conjecture) from their course of extensive practice. The STRANGURY is fometimes a concomitant to the inflammatory cholic, and is then the effect of pressure from the indurated fæces or hardened dung retained in the rectum, or straight gut. When it arises not from this cause, it may proceed from inflammation in the kidnies, ulcerations there, fpasms upon any particular part, or inflammation of the neck, or the bladder itself. When it is the consequence of Cholic, and proceeds only from that original cause, it may be considered merely symptomatic, and will be entirely subdued with the first complaint, to which the faline medicines and stimulus of glysters there prescribed will very much contribute.

The figns of this suppression are too palpable to be mistaken; the subject is (after a long retention of urine) in an almost perpetual position to stale without effect, indicating by action action and attitude the expectation of an unufual discharge; when, after frequent straining, the effort terminates in a groan of feeming difappointment. The horse in general is not in a great degree of acute pain, appears full in the flank, somewhat dejected, and, to a minute observer, seems not only conscious of his inability, but to supplicate affistance and relief. The ancient practice of inflaming the parts by an immediate use of violent stimulants, as cantharides, turpentine, and large quantities of camphire, is with the strictest justice exploded; having been experimentally found, upon most occasions, to increase, by their powerful stimulus and irritation, what they were intended to remove; by fuch ill advised and mistaken application of medicine, frequent inflammation has been produced and much mischief ensued.

The most rational and certain means of obtaining speedy relief will be to lessen the stricture upon the parts, by a moderate loss of blood; then reduce inflammation by emollient internals, promoting the secretion and evacuation of urine by very gentle stimulants and mild diuretics. This systematic method

of obtaining a cure will not be so satisfactory to many of the rustic learned practitioners, who, closely adhering to old customs, old rules, and old books, would rather attempt to force the very blood unsecreted through the urinary passages, by a course of Spanish flies, or oil of turpentine, than adopt any method, however improved, in the formation of which their extensive abilities have not been consulted.

By this abominable and infamous practice the lives of many valuable horses have been taken away, the proprietor attributing to disease what nine times out of ten is the effect of ignorance. From an observation so just, or, in fact, a reflection so alarming, arise the palpable necessity of this work, and the propable utility of its publication, to the very great number of gentlemen and sportsmen, who, residing in remote spots, or distant parts of the kingdom, cannot have constant recourse to farriers of judgment, extensive practice, and nice discrimination. To prevent therefore the frequent dreadful effects of confidence and ignorance on one hand, or an injudicious use of powerful and dangerous medicines on the other, every man will do well to interpose

his authority, and be well and clearly informed of the cause and intended method of cure, previous to the administration of a single medicine for any complaint whatever.

On the contrary, in the more populous and enlightened parts of the kingdom farriers are known whose abilities and practice rank them high in estimation; but as these are certainly not the growth of every soil, or produce of every parish, most owners of horses constantly in their possession will not find either their time or attention entirely wasted, by endeavouring occasionally to form a tolerable acquaintance with the subject matter of the work before us. In a convenient or proper time, after bleeding, throw up the following emollient glyster:

Take of thin gruel three pints;
Nitre two ounces;
Gum arabic one ounce and an half;
Olive oil four ounces.
Let it be injected moderately warm, and retained in the body as long as possible.

So foon after this glyster as the horse is inclined by appetite to receive it, give a mash of two parts malt and one bran, they having been scalded together and stirred till of a moderate warmth; after this, if the subject has not staled in consequence of bleeding, glyster, and mash, have the following balls expeditiously prepared to forward the evacuation:

Take Castile soap ten drachms;
Sal prunella one ounce;
Camphire two drachms;
Aniseed powder six drachms;
Oil of juniper one drachm and a half;
Syrup of marshmallows sufficient to make the mash, which divide into two equal parts, giving one in six hours after the other, if the former is not successful.

These are very safe, mild, and efficacious, in general producing the desired effect without any uneasy sensations. Where a drink is preferred, as coming into a more applicable mode of administration, the following will prove equally serviceable:

TAKE juniper berries (bruised) two ounces; boil in a pint and a half of water for some time, then strain (to produce by squeezing the berries three quarters of a pint); to this add of nitre and gum arabic (in powder) each an ounce.

This drink, or the above ball, to be repeated at distinct periods of sour hours each
(if a repetition of the first at the end of six
hours does not effect the desired purpose) till
relief is obtained by plentiful evacuations.

Thus much by way of instruction where strangury is occasioned by spasm, or instammation of the bladder or neck; but, as it may also proceed from an inflammation or ulceration of the kidnies, and a paralytic affection or palsy of the same parts; in either of which symptoms are frequently doubtful, and seldom certain; circumstances may consequently vary in different subjects, so as to render the true seat of disease a matter of conjecture only.

cure take to induleed , but more particularly

The only fymptoms to which some certainty may be attributed are the following: if proceeding from spasm on either part, there may be frequent periodical relaxations that will permit the urine to flow in small quantities for a very short time, when it may as suddenly stop; in this case the urine will be of its usual colour, or at times rather deeper, as if not perfectly complete in its fecretion from the blood. In such case the treatment is exactly as already pointed out; but with the additional directions to repeat the glyster and bleeding occasionally, till the point is carried. The gentle diuretic medicines must be likewise continued at less distant periods; that is, their distinct doses must be brought an hour nearer to each other, till the purpose is effected; this method being found greatly preferable to the "kill or cure" practice, frequently producing inflammation, convultions, and all their dreadful consequences.

But where the cause originates in a palsy of, or ulceration upon, any parts necessary to the offices of evacuation, no great expectation of cure can be indulged; but more particularly

dom ou sin a circumstances may confequent-

in the former, with which approaches certain death. When the kidnies become totally inadequate to their general purpose, a suppression and general stagnation consequently enfue, the lofs of the animal becoming inevitable; and although relief is fometimes most expeditiously obtained, in an inflammation of the parts, by a gentle method above directed, yet in an ulceration much is not left to hope. In this case there is visible pain and disquietude, the evacuation is not totally suppressed, being only at times temporarily obstructed; it frequently alters its appearance, being fometimes thick, depositing a turbid sediment, as if impregnated with membranous matter; at other times tinged with blood, the evident effect of a corroded folution of the difeafed part. In this instance the following balls or drink only can be relied on, for any expectation of permanent relief or probable mitigation: necedity to be concerned in feers

custion, they can only be allayed or removed

by time and opiates, to relex the feat of

disease, and reduce the intrability. The toly

a it at fucil times as the creating is at

Take of myrrh one ounce, Castile soap and Locatelli's balsam each three ounces; nitre and aniseed (in powder) each two ounces; balsam of Peru six drachms — Mix together with syrup of marshmallows, and divide into six balls, giving one every morning.

The diet should be both nutritive and balfamic, confifting of warm mashes impregnated with honey or malt; both or either of which will greatly contribute to the general purpofe. If fymptoms are mitigated, and relief obtained, by these means, surely farther instructions must be unnecessary to recommend a perseverance till the cure is completed; to which rest, gentle exercise, and stable care, will prove very useful aids. When an obstruction, or partial suppression of urine, arises from spasm, convulsion, or stricture, upon any of the parts necessary to be concerned in secretion or evacuation, they can only be allayed or removed by time and opiates, to relax the feat of disease, and reduce the irritability. The following ball will be applicable to that intention, repeating it at such times as the circumstances

of the case may render necessary and un-

TAKE of Castile soap half an ounce; nitre, rosin, and compound powder of gum tragacanth, each two drachms; opium (in powder) ten grains; oil of juniper thirty drops.—
Mix.

The following drink may be substituted, if a liquid is required, as it will prove equally efficacious:

TAKE thin gruel three quarters of a pint; gum arabic, and nitre (in powder) each one ounce; liquid laudanum three drachms.—Mix.

This (as the ball above) may be occasionally repeated.

Horses are likewise liable to, and often suftain, injuries upon the parts we now treat of, by being overloaded with solid heavy substances upon the loins, strains in drawing great weights, and many other incidental circumstances, to which they are constantly subject in their different employments. The defects arising from such causes originate in a relaxation or rupture of some one or more of that infinity of membranous fibres that, in in such case, constitute the seat of disease. These injuries display themselves by an evident wincing and local debility, perceptible upon the least motion to the most common observer; they are also attended with great variations in the evacuation of urine, either by temporary suppression or partial obstruction, according to the original seat of pain and its effect upon the neighbouring parts. In these disorders the urine is seldom copious, its discharge frequent, but in small quantities; generally of a very high colour, and in many cases tinged with blood.

Arifing from whichever of the before-mentioned causes, a revulsion may be made by drawing blood from the neck; not more to prevent stagnation and consequent inflammation, (if from a bruise) than to constringe the mouths of the finer vessels, if lacerated or ruptured.

The following balfamic restoratives, blended with gentle diuretics, may be then proceeded upon, with the assistance of stimulative corroborants;

corroborants; as an external application, if the muscular parts are suspected to have suffered some degree of relaxation by any of the means before described, an embrocation sollows:

TAKE Locatelli's balfam ten drachms; myrrh (in powder) three drachms; balfam of tolu a drachm and a half; oil of juniper a drachm; liquorice powder to make a ball.

This to be given every other morning for a fortnight or three weeks, affisted with an ounce of gum arabic, dissolved and given in the water a little warm, and well impregnated with gruel, twice every day. If the case is so severe as to require (by its visible debility) external aid, let a portion of the following embrocation be gently and patiently bathed upon the part affected twice or thrice every day.

TAKE opodeldoc and camphorated spirits, of each three ounces; oil of origanum two drachms; extract of Saturn one ounce: mix the extract with the spirits, then add the opodeldoc; and, lastly, the origanum, shaking well together every time of using.

The medicines in this class are particularly efficacious, and will (by bringing the doses nearer to each other in respect to time, as occasion or exigencies may require) be found greatly preferable to the dangerous system of powerful stimulants, so forcibly recommended in former practice, when the administration of medicine was destitute of the numerous advantages resulting from the indefatigable investigations of modern improvement.

define and the state of the desire

CLASS XI.

DISORDERS OF THE EYES.

THERE is no one part of this tract more entitled to ferious investigation than the subject now before us; for as no blemish or defect can take so much from the original value of a horse as the loss of his eyes, so it unluckily happens there are few cases less understood or more improperly treated. The rays of information can be but trifling to the general reader, from a dull anatomical description of the globe, tunica cornea; the aqueous, crystalline, and vitreous humours; the distinct anterior or posterior chambers; the action of the muscles or the optic nerve. The elaborate study of so complicate and delicate a structure, (in the formation of which such an infinity of Bb 3 parts

parts and technical terms are included) can afford but very slender intelligence to the literary inquirer; as such a wonderful variety of minute distinctions cannot be comprehended by description, a just and accurate discrimination of parts being only to be acquired by attentive and repeated dissections.

We shall, therefore, for the advantage of general comprehension, consider the eye in its external appearance only, with the diseases and injuries to which it is liable, reverting occasionally to the great delicacy of its structure, and the exquisite sensibility of the parts that constitute the whole. This superficial description, taken into consideration, becomes divested of technical jargon, and distinctly comprehended by every individual in possession of the bleffing of fight; upon which basis may be formed a very fair idea, blending an occafional reference to their own fensations; with fuch explanations as will be introduced to make the different degrees of disease sufficiently understood.

Previous to every additional observation, it becomes indispensably necessary to introduce some

some few remarks upon the cruelty and inconfistency of ancient practice; submitting such conclusions and inferences as will naturally arise to those readers who recur to this work for information, amusement, or to fink a tedious hour in the ferious task of criticism. It has been before mentioned how exquisitely fensible this organ is of irritation; and it must be admitted, no argument whatever can undergo a more candid discussion than in an application to our own feelings, inconveniencies, and disquietudes. To the sensations therefore of every individual I submit the reflection, and venture to believe there are none who may honour me with a perufal of thefe pages but will, by a momentary retrospection, communicate to memory the recollection of some acute pain, or excruciating anguish, he must, in all probability, have experienced from either the obtrusion of an almost impalpable particle of dust, or the attack of an invisible insect.

Revolving such circumstance for a few moments in remembrance, I claim his attention to the following corroboration of that infamous practice I have, in the course of this Bb4 work,

work, fo repeatedly, and (I flatter myfelf) justly, condemned. For instance GIBSON directs an infusion of unflacked lime powerfully impregnated with fal armoniac; and tells you at the same time "it is an excellent wash for " all old obstinate ulcers." Let any patient reader draw an imaginary parallel between the almost inexpressible irritability of this delicate structure and the callous surface of an "ob-"flinate ulcer," he will then, no doubt, form a proper judgment to decide upon the confiftency of the practice. With a wonderful variety of alternatives, prescribed in all possible forms, we are directed by BARTLET " to take " of the film by blowing into the eye equal " parts of white vitriol and fugar candy finely " powdered." And BRACKEN most judiciously recommends "glass finely powdered, mixed " up with honey and a little fresh butter."

A number of similar instances might be introduced from different authors to justify the observations already made upon a practice so strange in its original adoption, and so infamous in its effects: I shall however draw the attention only to a few remarks, first upon the prescription of Gibson, whose composition must

must possess incredible virtue to prove equally applicable to an organ of fuch exquisite sensibility, and the foul surface of an inveterate ulcer. BARTLET's wonderful nostrum of white vitriol and fugar candy is also most fingularly entitled to admiration; for the corrofive quality of it's ingredients, and the mode of application taken into the confideration, will render it unnecessary for me to obtrude a single thought of my own upon the occasion. But the infallible specific of BRACKEN cannot be fuffered to pass without proper respect, as it must afford matter of speculation to the curious, to inquire by what means an established composition for even the destruction of rats, shall be so magically divested of its pernicious effects, as to be admitted a falutary application to that part of the frame endowed with the greatest portion of sensibility.

These remarks submitted to public consideration, we proceed to expatiate upon the different diseases of the eyes, whether as natural blemishes, hereditary defects, or proceeding from external injuries. Such list might be very much extended by enlarging distinctly upon the remote and separate disorders; as the

gutta serena, cataract, film, &c.; but as relief is rarely obtained in these cases, a very minute and extensive description of the component parts that constitute the cause, can add but little, if any, to the general information.

The gutta serena is a partial or universal loss of fight, where no palpable defect or fault appears in the eye, except that the pupil is a little more enlarged or contracted. The appearances of this blemish are various, as well as the causes and effects, some of its subjects being totally blind, and others barely enabled to distinguish between light and darkness. The figns are a blackness of the pupil of the eye, its fize being larger or less than usual, according to the cause, and its not contracting or dilating upon a fudden exposure to any degree of light. In order to the cure attend to the cause as the first step to an administration of medicine, from which, in truth, no great expectation can be formed either internally or externally; more particularly from the former, as the feat of difease is so very remote from the centre of medicinal action. If the defect should originate in a contraction of or compression

compression upon the optic nerve, very little can be done with an expectation of success; and much less if it arises from a palfy of that or any neighbouring part.

A cataract, like many other diseases, is attributed by different practitioners to different causes, though the greater part coincide in opinion that the defect is in the cryftalline humour of the eye, which, becoming opaque, prevents the admission of those rays upon the retina that constitute vision. To enter at large into the professional definition of these distinct diseases, and most minutely into the probable or possible means of relief, would be to extend this subject beyond the limits or compass of the work itself. I shall therefore reconcile to myself the communication of a fact almost universally acknowledged—that little even in the human species is now expected from the famous operation of couching; an experiment that is, taking it " all in all," productive of advantages fo very trifling, the recommendation of it here can avail but little, particularly as the expenses added to the hazard and uncertainty of cure could

380 DISORDERS

could gain but few proselytes to the prac-

In all blemishes or defects where a thickening of some one of the coats, membranes, or humours of the eye, has formed an appearance of cataract or film, it has been an established and most contemptible custom to bestow a plentiful application of corrofive powders, unguents, and folutions, for the purposes of obliteration; without a fingle reflection upon the absurdity of endeavouring to destroy by corrofion, what is absolutely separated from the surface by a variety of membranous coverings, according to the distinct seat of disease; with which it is impossible to bring the intended remedy into contact, without first destroying the intervening or furrounding parts by which the inner delicate structure is so numerously guarded. It may not be inapplicable to Arengthen this remark, by reverting to the great difficulty of folving a stone in the human body, to effect which so many unsuccessful attempts have been made; the mere folution of the calculus out of the body is a matter univerfally known to the Faculty; but the great and difficult

difficult object of cure is to discover a folvent that will act upon the stone in the bladder of the patient without injury to the parts in its passage or where it is contained.

This is a bleffing too great, I fear, ever to be obtained by even the noblest exertions of human study and application. Seeing therefore the cause just treated on in nearly a fimilar point of view, with the almost palpable impossibility of removing such obstacles, without increasing the malady, I am confequently prevented from introducing a chain of prescriptions that can positively only amuse or deceive, as the methods hereafter pointed out for the relief of different causes or external injuries may be in the above cases adopted as palliatives according to circumstances; but forry I am to acknowledge, that in fuch instances NATURE will, in all probability, prove the least dangerous and expensive FARRIER.

The cases that most frequently occur, requiring medical aid or topical application, are generally the effects of cold, blows, bites, or other external injuries. In those proceeding immediately

immediately from cold, you perceive a visible inflammation upon the globe of the eye, and internal furrounding parts, as the edges of the eye-lids, &c. The eye feems divested of its former transparency, bearing a thick cloudy appearance upon its outer covering, and is constantly discharging an acrid serum or sharp water that in a short time almost exceriates the parts in its passage. The horse drops his ears, becomes dull and fluggish, is frequently shaking his head, as if to shake off the ears, becomes low and depressed, displaying, in every action, pain and disquietude.

Here a revulsion of the perspirable matter has by some obstruction (either partial or universal) been thrown upon these parts, to the effects of which they become more liable from their extreme delicacy and confequent irritability. To remove which bleeding (in proper proportion) must precede every other consideration; to this succeeds a speedy adoption of, and perseverance in, the methods directed, p. 198, with occasional references to p. 243, and the following pages for instructions, should fymptomatic fever attend. To cool the parts parts and allay the irritability occasioned by the scalding serum, prepare the following lotion:

TAKE sugar of lead one drachm;
White vitriol two scruples;
Spring water half a pint;
Brandy or camphorated spirits one ounce or two table spoonsful.

Let the eyes and furrounding parts be gently washed with a sponge or tow, impregnated with the above solution, twice or thrice every day.

Should the inflammation not feem likely to fubfide, but continue fixed on the part threatening violence, have recourse to a dozen of diuretic balls, p. 106, using gentle work or moderate exercise.

The effects arising from blows or bites may be displayed by different appearances, according to the severity of the injury sustained. Should inflammation and swelling proceed from either cause, bleeding will be a preparatory step to an early reduction of both; a repetition

nodine

petition of which, at proper distances of time, may always be justified by a non-submission of symptoms. The following preparation from Goulard's Extract, for the purpose of external application, becomes immediately necessary, and is accurately proportioned for this particular occasion:

TAKE extract of Saturn (commonly called Goulard's) three drachms;

River or pond water one pint; Camphorated spirits one ounce;

Mix the extract with the spirits, then add the water, and let the parts affected be plentifully embrocated three or four times a day, according to the emergency.

If a large fwelling, laceration, or wound, attends, after washing with the above, apply a warm poultice of bread, milk, and a little of the lotion, softened with a small portion of lard or olive oil, bandaging on, and covering with a hood, to secure its position. In cases of less danger, and in remote situations, distant from towns, and the easy procuration of medicines, the following may be substituted, and plentifully used:

TAKE best white wine vinegar half a pint; Spring water a quarter of a pint; Best brandy a wine glass or half a gill .- Mix.

A wound upon any of the external parts, occasioned by an instrument or severe bite, must be treated as directed under that head. The above compositions are properly adapted to every purpose for which they are prescribed; nor can more powerful or efficacious repellents or aftringents be applied to those parts, unless by the rude hands and ruder heads of uncultivated adventurers and desperate practitioners.

The former elaborate and destructive compositions of corrosive powders, blended with greafy substances, in the form of unguents, as well as the poisonous lotions, are long fince exploded, as totally inadequate to the purpofes for which they were so learnedly displayed; even that infallible of all infallibles, the great fecret of Sir HANS SLOANE, is at length buried in oblivion, and has given place to more modern improvements. In all cases where the globe and pupil of the eye retain their transparency, subject only to surrounding inflammation,

mation, that not seeming inclined to submit, occasional bleedings, a course of diuretics, as before prescribed, or three doses of mild physic, may be adopted; assisting the whole with a frequent use of either lotion, as most applicable to reigning symptoms.

The HAWs are a preternatural enlargement of the corners of the eyes, become horny, and, being overgrown, approaches the pupil, giving the eye the external appearance of bad formation. The instrumental extirpation of these substances has been a favourite practice of long standing, and, like all others, has had its alternate proportion of failure and success. After separation has been effected by the hand, needle, and instrument, of the operative FARRIER, any fimple styptic or aftringent is generally applied, and it is then just an even bet, or chance, whether you succeed in the intentional effect of your operation; for, having feen it repeatedly productive of inflammation, and, laftly, total blindness, I cannot conscientiously recommend the practice; on the contrary, to establish my own want of taste, confess I would encounter the leffer evil of the two, and rather (for my own riding) prefer a horse with

large haws to one without eyes. This opinion may appear fingular to the professors of far-riery, to whom I have so particularly addressed a variety of passages in the early part of this work, and indeed to whose approbation it cannot lay claim, being in direct contradiction to the pecuniary preponderation of their professional judgment and execution.

ALLENDER

nious, in others it forms a gladdoon accumu

lation in its cosing, and beers the appearance

of filell feebs of toury clohars upon the far-

1206 scontinuing a want of flexibility or from-

ing lamenets in the joint. The first thep to

care is, to have the parts well washed with

toap and warm water, (forming a mbfiantial

lather) repeating the operation night and

a orning till the elchars relax from their ri-

Age cracier or cocines, ficunte dis

CLASS XII.

MALLENDERS, SALLENDERS, LAM-PAS, CURBS, QUITTORS, AND RING-BONES.

gipent and execution.

MALLENDERS

ARE cracks, or oozings, fituate directly upon the back part of the knee joint, occasioned, in general, more by neglect than any casual or constitutional defect in the subject. The matter they discharge is, in some, thin and acrimonious, in others it forms a glutinous accumulation in its oozing, and bears the appearance of small scabs or scurfy eschars upon the surface, constituting a want of flexibility or feeming lameness in the joint. The first step to cure is, to have the parts well washed with foap and warm water, (forming a substantial lather) repeating the operation night and morning till the eschars relax from their ri-CLASS gidity,

gidity, and separate of themselves. And this will be the more readily promoted by rubbing in a proper proportion of the following ointment, in an hour after the washing, when, by time and wiping, they are tolerably dry.

TAKE camphorated spermacæti ointment two ounces;

Cinnaber of antimony and oil of tartar, per deliquium, each half an ounce;—Mix, and use plentifully twice a day.

So foon as the cracks are perfectly free from scabs or scurf a cure may reasonably be expected, by washing with equal parts of vinegar and tincture of myrrh, moistening the surface occasionally with the unguent before-mentioned. But where, from long neglect, or an acrimony of the juices, they have acquired a degree of virulence, not submitting to the above treatment, let them be dreffed twice a day with the strong mercurial ointment, previously washing them well with a compound of vinegar, water, and foap lees, equal parts. Should a perceptible foulness in the subject justify the measure, take away a proper quantity of blood, and give an ounce of nitre dissolved in water twice a day for a fortnight, or a short course of the diuretic

balls, p. 106. Where humours are attendant upon other parts likewise, a gentle course of mercurial physic, succeeded by antimonial alteratives, may be preserved; selecting both from the variety of prescriptions under those heads, taking care to proportion your quantities to the strength of the subject.

SALLENDERS

ARE upon the infide of the hough, or hock, what the MALLENDERS are upon the back-fide of the knee; they originate in the same cause, and are cured by the same means, rendering unnecessary and superstuous any farther observations under this head.

LAMPAS

Is an enlargement of the roof of the mouth, particularly in young horses; and sometimes becomes so prominent as to project below the teeth of the upper jaw, preventing the teeth of the lower from coming into contact for the purpose of mastication. The horse is by these means not only deprived of a great propor-

but becomes poor, weak, dejected, and out of condition. Custom has established an useful and expeditious extirpation, by the actual cautery or RED HOT IRON; and, though I am no advocate for such fiery remedies, where they can be avoided, yet this is a cure so speedily essected by an expert operator, and the horse's suffering is so very trisling, that when a comparison is drawn between the temporary inconvenience, and the immediate advantage, no hesitation can be made respecting the operation.

It is admitted, against the operation, that the LAMPAS appearing in young borses the roof constantly continues to flatten and the teeth to rise, consequently time alone may and consequently would surmount the obstruction; but where they are very prominent, the poor animal must patiently wait many months for a good meal; and will soon prove, by his emaciated appearance, the applicable transposition of the ancient adage, that "while the teeth grow the STEED starves."

araket, from impare tunbe digora

A fooled out miw but plante

When the operation is performed, wash the part twice or thrice with the following:

TAKE honey of roses and tincture of myrrh, each one ounce.—Mix.

QUITTOR.

A QUITTOR may originate in a blow, bruise, laceration, or what is called a stub between hair and hoof. An injury sustained, likely to constitute this blemish or defect, cannot be too soon submitted to the inspection of a FARRIER of extensive practice, whose conduct will be consequently regulated by a proper respect to his own reputation. I mean such application should be early made where the case is alarming; or, in more superficial concerns, when by circumstances or neglect it becomes the immediate business of the operative FARRIER.

As injuries of this kind open a large field for instructions, many of which must consequently depend upon the appearances of the parts when injured, I can impart such directions only as correspond with the defect in

its state of infancy: - So soon as the accident is discovered, (which it ought soon to be, in the general examination of a borfe's feet, that should always take place upon his return from chase or journey) wash well with a sponge and warm water, to ensure a thorough cleansing; then apply a pledget of tow, moistened with friar's balfam, tincture of myrrh, or camphorated spirits, repeating it once in twenty-four hours, covering the exact fpot with a portion of sheet tea lead, enclosed in a small piece of linen, bandaging firm. All unctuous or greafy applications should be avoided, and great care taken not to immerse the foot in dirt or water till the part is perfectly united, and the furface fufficiently hardened not to admit particles of fand, gravel, or any other extraneous matter. And this caution becomes the more necessary when it is remembered that real QUITTORS have originated from this very want of attention more than in any other circumstance; many having been formed and confirmed in what, properly managed, would have been merely a superficial and temporary inconvenience. See p. 160.

CURBS.

A CURB is too univerfally known to require a minute description; it is a considerable swelling below the hough, rather on the infide and back part of the hind leg, and feems to have been formed by an accumulation of extravafated fluids that, in their stagnation, have acquired a callofity. It is productive of perceptible pain in action, and soon establishes different degrees of lameness in different subjects. In its early state attempts may be made with some of the powerful repellents, p. 80 or 89; but, upon non-submission, after fair trial, recourse must be had to one of the following blisters, care being taken to secure the application by bandage, the better to infure a probability of success.

Take mercurial ointment fix drachms;

Cantharides and euphorbium (in powder) each two drachms;

Oil of origanum a drachm and a half;

Corrofive mercury one drachm;

Mix the ointment with the powders, and add the oil.

Or,

Or,

TAKE spirit of turpentine and olive oil each one ounce;

Euphorbium and cantharides each two drachms;
Oil of origanum three drachms.—Mix.

Where these applications are unattended with the desired success, the ceremony of siring by an expert and judicious operator, with the additional aid of long rest, are the only alternatives that can be adopted.

RINGBONES.

THE extirpation and cure of these come so immediately into the line of description and mode of treatment with the last article, as to render animadversion entirely unnecessary; they constitute an inconvenience very rarely to be surmounted in private practice, consequently fall to the inspection and management of the OPERATIVE FARRIER.

Docking, cropping, nicking, and shoeing, are so immediately the concerns of the smith and farrier, that they claim no part of our attention in this publication, being totally unconnected with the investigation of disease or method of cure. It has been the intention, through the course of this work, to render both the original cause of complaint, and necessary administration of medicine, as clear as the nature of each case would admit; such explanatory passages having been blended with the different parts as must perfectly reconcile the whole to every comprehension. Enough has been faid under the distinct heads of GREASE, HIDE-BOUND, SURFEIT, MANGE, and FARCY, to inculcate not only a just idea of the blood's circulation, its changes and defects; but to establish a clear and perfect conception of all those causes that constitute the foundation of diseases so long fagaciously distinguished by the denomination of "HUMOURS," in failure of a more scientific or satisfactory explanation,

Influenced originally in the plan and formation of this work by no other motive than the general

general good; and after twenty years experience and observation, being more perfectly convinced of the growing necessity for such publication, it is now submitted to public inspection, as a prelude to future improvement; with an anxious wish that it may prove an excitement to some more powerful agent, whose superior abilities may do the subject greater JUSTICE.

temaining a variety of remarks, that chariot,

with any degree of proposity be blanded with

cither, it becomes marchably necessary to

complete the tubicch by the addition of an

Appendic containing the whole

in is now librarited to paid

angious with this it may prov

in the force more more than agent when

the a prelude to future improvement

descent of the twenty years cape.

L obtervation, being more perfectly

of the growing necessity for I and

APPENDIX.

THE author having found it most applicable to the intentional utility of the preceding work to form the different diseases, consequent effects, and resulting observations, into distinct classes, rendering the whole a chain of unprecedented convenience to the inquirer anxious for information; yet, there remaining a variety of remarks, that cannot with any degree of propriety be blended with either, it becomes unavoidably necessary to complete the subject by the addition of an Appendix containing the whole.

A circumstance

A circumstance no less worthy observation than many of those already enlarged on is, the very little respect paid to neatness and confistency in the management of draft horses, who, beyond every possibility of contradiction, not only earn their living more laboriously, but contribute more to the opulence and support of the natives than any other breed of horses in the kingdom. When I advert to the management of draft horses, I wish not to be understood the pampered carriage horses of the great, supported in the style of hunters, for the various purposes of public parade and personal oftentation, but that infinity of useful animals universally employed in agriculture, road waggons, the barge and coal trade, as well as many other purposes equally laborious and equally advantageous to commerce and the community. These horses have undoubtedly the greatest portion of labour, and most probably the least of care and attention; from the extensive concerns of the proprietors they are more generally entrusted to the very indifferent management of fervants; to whose accounts may be justly placed a majority of those defects or misfortunes that so frequently occur from blows, bruises, bruises, and a long train of probable indiscretions. From such variety of carelessness, inattention, and improper management, proceed bad eyes, broken wind, grease, cholic, and many other incidental disquietudes: but what renders it a matter of still greater regret is, their falling under the unavoidable medical superintendance of those very village farriers whose brilliancy of imagination and fertility of invention are so particularly displayed in different parts of the work.

Difeases so evidently resulting from neglect and bad management, may be as certainly prevented by proper care and attention; taking them therefore in rotation, we may venture to affirm—that by far the greater part of those defects in the eyes, frequently terminating in a loss of fight, are more the effect of external injuries than internal deficiencies. The multiplicity of horses, particularly of the cart kind, whose respiration is attended with so much difficulty upon all occasions, (but fingularly so upon increased exertion) as to be termed "broken winded," may be most readily and clearly accounted for in the following manner. Exclusive of what has been already faid upon this **fubject**

subject under its distinct head (and to which the reader is referred), a few additional observations become immediately applicable upon a subject of so much consequence, which cannot be too clearly explained, or too perfectly understood. For time, observation, and experience, having fufficiently demonstrated how very much the viscidity of the blood is increased by coarfe, full, and foul feeding, there need be no hesitation in affirming the state of the lungs, (or, in a more familiar phrase, the state of the wind), to be more or less affected by the large or small quantities of chaff, or gross latter crop of clover hay, confumed by this breed of horses during their constant work; particularly in farmers' stables, where a great part of their aliment confifts of those articles with a small proportion of corn. Of chaff thus used and intermixed with the corn, let it be understood there are different kinds, as the chaff of wheat, oats, and a compound of hay and wheat straw cut together; of all which it is hardly possible to ascertain the most prejudicial. To these the winter confumption of peas-haum and barley-straw may be reckoned no inconsiderable additions, the great quantity massicated to gratify the appetite, affording fo little nutri-Dd ment

ment in proportion to the accumulation, that the stomach is perpetually overloaded with gross and heavy impurities, which, by its evident pressure upon the diaphragm, not only affects the elasticity of the lungs, (see p. 221,) but engenders a large portion of viscid glutinous matter, with which the finer vessels of the lungs, in broken winded horses, are found to abound, upon inspection after death.

To such strange and inconsistent manner of feeding may be added an absurdity of equal magnitude, in constant practice with the rustic world in general, but farmers' servants in particular, of permitting their horses to drink an immoderate and unrestrained quantity of water after full feeding, and the usual rotational abstrance of twelve hours; by which mode of practice the tendency to this defect is very much increased.

In respect to the similar failure in horses of a superior class, I will, without the least cause for hesitation, venture to pronounce more have been injured in this respect by the carelessness of boys, or inadvertency of servants, (in that infernal system of hard galloping immediately

whatever; in fact, it is a plan so palpably contradictory and destructive, that it should never be permitted by the master, or adopted by the groom. And there can remain no shadow of doubt but this complaint in every class of horses may be mostly prevented by proper care and attention in the superintendents; the irregularities in food, water, and the inconsistencies already pointed out, contributing much more to the original cause of such defect, than the erroneous formation of parts so bypothetically afferted by those who have wrote before upon this subject.

Another circumstance requiring the minute inspection and attentive observation of every proprietor of draft horses is, that injurious practice of country servants (called carters) in giving large quantities of aniseed, diapente, sanuagrec, elecampane, and other powders intermixed with their food, upon a weak and ill-sounded opinion that those articles make their teams appear fine in coat, and full in sless: indeed so strongly are they bigoted to the opinion in many (but particularly the western) parts of England, that they expend (unknown to their D d 2 employers)

employers) a very considerable portion of their earnings to gratify this strange infatuation. But the evil does not rest here, mischievous invention has gone still further, and they frequently apply oil of vitriol, and even aquafortis, upon the tongue of the horse, to prevent, as they say, "his "taking cold by the use of the before-mentioned "ingredients." However abfurd, inconfistent, cruel, or unnatural, this practice may appear, to fuch as are unacquainted with the low cuning or rustic finesse of those employed in the management of what are called " cart flables," I aver the fact, as repeatedly brought home to personal knowledge and experience; afferting likewise its having occasionally cost me much trouble in endeavouring to deter the parties from so injurious and destructive a practice, by which alone many fine and valuable horses have been doomed to disquietude, disease, and fometimes death, the cause remaining a matter of mystery to all but the inhuman perpetrators. So palpable a fact stands in need of no farther animadversion, being introduced merely to prove that " fuch things are," and how evidently necessary the eye of circumspection becomes in the master, to counteract the mischievous imprudence of the fervant.

We now come to a cause of disease very fully treated upon and clearly explained in the fecond class; and as there are few diseases productive of more trouble, expense, and disappointment (or so frequently relinquished as incurable), the necessary advice by way of prevention cannot be considered obtrusive. For minute observations upon the greafe in cart borfes the reader is referred to page 100 of the work; in continuation of which it is absolutely necessary to recommend a total reduction of the enormous quantities of hair that is (in compliment to ancient custom) permitted to remain upon the legs and heels of horses of this description, that does, beyond every degree of doubt, contribute greatly to the original cause of this disease. For such predominant reason it is earnestly recommended to the proprietors of all draft horses whatever, to keep their heels as closely trimmed as possible; the advantages are numerous and striking, the harbour for dirt and filth in winter, and the formation of sweat and dust in summer, will be equally avoided; to which confiderations may be added the legs being more readily and perfectly cleaned at all seasons of the year, and the indolence or Dd3 neglect

neglect of servants will, by these means, be more particularly counteracted.

No just cause can be assigned by the most obstinate why the heels should not be kept equally clean with the carcass; it is a mode of conduct universally adopted with horses of a superior class, and reason justifies the affertionthat it is as absolutely proper and conducive to health with the one as the other. In addition to this precaution, there is another equally necesfary upon the least appearance of crack, scratch, or eruption; the parts should be immediately washed well with a substantial lather of soap and foft water, then wiped dry, and managed as directed, p. 93, affifting with a course of DI-URETIC BALLS selected from the index; for which purpose no medicine can be more admirably adapted, as they gently stimulate and gradually promote the fecretions, carrying off by the mildness of their operation those sluggish vitcidities that found the origin of disease. It is also a circumstance of material consolation to the owner, that, during this course, the horse is perfectly adequate to his ordinary employment, free from the restraint he must be consequently

fequently laid under by the usual purging medicines; and the least doubt need not be entertained but such seasonable administration will obliterate the soundation of much disquietude and trouble.

The last subject we shall enlarge upon of this kind is very frequently both dangerous and alarming, being in general caused more by the inexperience or indifcretion of boys, neglect of fervants, or want of knowledge in the master, than any other complaint in the long lift of difeases to which the horse is incident. Experience and accurate observation fully justifies the declaration that nineteen out of every twenty attacked with the flatulent cholic, or fret, become so from the previous and uncertain quantity of water inconfiderately given, or permitted to be taken, either when they are exceedingly hot, and the blood in a state of increased circulation, or after being kept a confiderable time in extreme thirst; when, in either case, it is generally known they will fwallow very large quantities with the greatest avidity. may not be confidered inapplicable to observe, that, fince the former editions of this work appeared in public, I have been twice requested

of the flatulent choic, occasioned by the inadvertency of servant boys who had unluckily brought on the complaint in its utmost severity, by the very m and before-mentioned, as well as a singular case of the strangury, by the horse's being continued his round in a mill, without permission to stale, notwithstanding his indications and frequent attempts for that purpose. These allusions are introduced merely to prove the indubitable sact, that such instances occur much more from inattention and neglect than the effect of chance.

Having communicated such information upon the cause of these diseases as may probably contribute, in some degree, to their prevention, it becomes equally necessary to introduce a sew additional remarks upon casual inconveniencies that very frequently occur, and yet could not possibly be ranked in any of the particular classes that constitute the body of the work. The disagreeable consequences that sometimes happen from the common operation of bleeding (by an injudicious or inexperienced practitioner) seem first entitled to observation; more particularly as instances are not wanting of very alarming

alarming swellings forming immediately on the part of incision, some of which terminate very unfavourably, either in an indurated tumour, a painful inflammation, tedious suppuration, and consequent discharge of matter; a loss of the vein, or (by imprudent and injudicious treatment) more distressing events than either. Such cases should always be particularly attended to upon their earliest appearance, when there is little doubt but they will soon submit to the following mode of management, which I have never yet known once to fail in a great variety of cases.

TAKE extract of Saturn, commonly called Goulard, one ounce; Pond or river water half a pint; Camphorated spirits two ounces.

The extract and camphorated spirits to be first well shaken together, then add the water, letting the tumour and surrounding parts be most plentifully bathed with the composition three times a day, bandaging on a stannel or substantial pledget of tow wet with the same, till the swelling subsides and is nearly obliterated.

The opposite opinions that have been confidently promulgated upon the properties of Goulard's extract of Saturn, affords applicable opportunity to venture a few words upon its qualities, and the estimation it is held in and entitled to, among those whose extensive practice must have enabled them to decide upon the certainty of its effects. Every valuable discovery unavoidably meets its opponents from either pique, prejudice, obstinacy, or ignorance; the virtues of this medicine as an external, may therefore not be universally acknowledged; but so far as a long and attentive experience will permit me to decide, I feel myself fully justified in contributing my mite of approbation to the extent of its efficacy upon numerous occasions. Particularly as a very powerful corroborant in deep feated strains; a repellent in the early state of inflammatory and painful fwellings, as well as a general specific in most injuries to the eye, by blows, bruises, or external accidents: its peculiar property of preventing gangrene or mortification, by plentiful incorporation with poultices or other topical applications, will be fully proved by those who have occasion to make the experiment. By

By this small and disinterested tribute to its excellencies, I mean not to be considered its immaculate panegyrist, extolling its efficacy to a degree of unlimited infallibility, ranking it with the nostrums of the day, and publishing a fashionable certificate of its possessing the property of banishing every possible ill; but to bring its properties fairly into the scale of public investigation, upon the foundation of my own recommendation, justified by accurate observation, affording me every reason to believe that where it has been brought into use without any good effects being produced by the application, it has failed more from the injudicious dilution of the prescriber, or inferior quality of the preparation, than any want of efficacy in the medicine alone; and this I am the more readily induced to believe by the repeated discoveries of erroneous proportions in composition, even upon the confessions of those whose want of practice had left them totally inadequate to the task of forming a competent opinion upon the different cases they had undertaken.

From this medical animadversion we return to the consideration of tumours before described, which,

which, having taken a view of in their early state, we proceed to consider in the more advanced and dangerous stages. Upon their non-fubmission to the treatment already explained, a tendency to induration or suppuration may naturally be expected, and in fact discovered upon close examination: this being perceived, the latter had better be folicited by every possible means, beginning with the poultices and fomentations selected from the Index; where a variety may be found under their different heads. If appearances are favourable, promising speedy maturation, let the treatment be regulated by the directions, p. 185, the progress and cure being promoted by the very means fo minutely described. But should these endeavours be productive of disappointment, and no step gained towards a discharge of matter, the swelling retaining its original firmness, without the least indication of fluctuation, an induration of the tumour may be apprehended; to prevent which, flimulating spirituous applications become immediately necessary, and should be plentifully bestowed:

TAKE spirits of wine half a pint;

Camphire six drachms;

Oil of origanum two drachms;

Dissolve the camphire in the spirits of wine (by frequent shaking), then add the oil of origanum.

The part tumefied to be well bathed with a fufficient proportion of this liniment twice or thrice a day, leaving a flannel or pledget of tow upon the part wet with the same, bandaging up warm; this, by its penetrative property, will so resolve and rarefy the contents of the tumour, and stimulate the vessels, as to leave but little doubt of a gradual repulsion. Should that however not take place so soon as expected, two drachms of the strong mercurial ointment had better be well rubbed upon the part every morning, about two hours preceding the use of the spirituous application before prescribed. If the swelling has been permited to remain so long unattended to, that this mode of treatment becomes ineffectual, there is very little hopes of removing the blemish by any other means, and, in all probability, they had better never be attempted.

There are other instructions necessary to introduce upon certain complaints, that, like those before-mentioned, have not been definable under any of the distinct classes that form the body of the work. Of these a canker in the foot feems entitled to preference, as a defect or miffortune attended with great pain and disquietude to the horse, as well as constant anxiety and loss of labour to the master. This complaint is in general occasioned by neglect, in suffering the thrush (by its unchecked continuance) to assume a degree of inveteracy, corroding the furrounding parts and confuming the frog by its acrimonious and penetrative property; promoting the growth of fungus in proportion to the destruction of parts originally sound. The fafest and most expeditious method of reducing which, will be by occasional applications of lint well impregnated with the following lotion, and properly fecured upon the part, till, being entirely subdued, the cure may be effected with dreffings of the precipitate digestive (p. 163), and the surface afterwards hardened by washing with tincture of myrrh:

TAKE of corrofive sublimate and Roman vitriol, of each one drachm;

Spirits of wine one ounce;

Spring water half a gill.

Let the sublimate and vitriol be reduced to a very fine powder in a mortar; then add the spirits by small proportions; and, lastly, the water, keeping the whole closely stopped for use.

To prevent defects in the feet good stable management is at all times necessary, but more particularly that kind of management distinctly adapted to the foot of the horse; for every experienced sportsman or judicious observer must have perceived how very much the state of the feet vary in different subjects, the hoofs of some horses being exceedingly hard and brittle, others equally foft and spongy. It is worthy observation that the feet of all horses are generally managed in the same way, without reverting to this material confideration; that is, by stopping the bottom and oiling the hoof; a mode of treatment exceedingly proper with the hard footed horse, but by no means with the other. Horses whose hoofs are soft and spongy,

or the frog impaired, should have their feet stopped, as directed in p. 95, and the hoof frequently hardened with vinegar, chamber-lye, or salt and water.

A canker in the mouth is frequently very troublesome from its situation, and sometimes productive of great disquietude by the length of its continuance; it originates in any excoriation or wound in the mouth, becoming foul, and containing a corroding flough (in the nature of a fitfast) that must be brought away or destroyed before a cicatrix can be formed to perfect a cure. Various ancient rules and prescriptions have been transmitted from generation to generation for the performance of this elaborate business; some totally inadequate to the intent, and others so efficaciously powerful as to render the remedy worse than the disease. To remove every degree of suspense, as well as prevent trouble and disappointment in the pursuits of nostrums and far-fetched remedies, the following method of cure may be relied upon:

Take borax and burnt alum of each half an ounce; let them be reduced to a very fine powder and dissolved in a quarter of a pint of boiling water; when cold add one ounce of styptic tincture, and let the parts be plentifully touched with the solution twice every day, till the slough comes away; when the cure may be completed, by touching occasionally with tincture of myrrh and white wine vinegar equal parts.

SANDCRACKS are cavities or cracks in fome part of the hoof that are in general longitudinal, and the effect of a spontaneous separation occasioned by the hardness of the hoof, or some external injury upon the part. Such defect, whether from chance or accident, should be well examined fo foon as perceived, and the mode of management regulated by appearances. The leading points are to prevent the admission of dirt or gravel, and to harden the furface with frequent applications of tincture of myrrh; avoiding all unctuous and greafy applications till the cure is completed. On the contrary, should the case prove internal and deep feated, the affistance of an operative farrier of extensive practice cannot be too soon Ee obtained,

418 APPENDIX.

obtained, to prevent (if possible) those blemishes and defects of the feet that inevitably reduce a horse to little or no value whenever they happen.

The necessary and unavoidable remarks upon the management of draft horses in the Appendix, and the additional observations interspersed with the work, render unnecessary every apology for their introduction; particularly when it is known to have originated in an anxious desire of the author to render the whole as persect as possible, in gratitude for its very flattering reception through several large editions.

INDEX.


A

ADDITIONS to this edition, Introduction, &c.
page 6 to 11.
12 to 24.
40 to 42.
52, 53, 54, 59, 60, 61, 67.
68 to 76, 77, 89, 90, 95, 96.
112, 191, 226, 231, 232, 241.
The Appendix, from page 398 to 418, both inclusive.
Argus, eyes of, 21.
Ancient practice, 5, 50, 175. Resurrection of, 6.
Angelo, 25. Aftley, 25.
Age, certain figns of, 27.
proper for work, 14.
Aliment, proper quantity, 31, 341. Of cart horfes, 401.
Alteratives, 112, 124, 129, 142, 144, 274.
Afthma, 204.

Appetite, 31, 269.

Air, 283. Apoplexy, 315.

B



Blistering, ointment, 88, 394, 395.
Balfam, traumatic, the use of, 66, 193.
Bites, poisonous, 274.
Breslaw, 158.
Boerhaave, aphorism of, 342.
Burdon, mentioned, 203.

C

Cambridge, pupils of, p. 13. Composition, modern, 8, 10. Comparison of Bracken, 24. ___ in aliment, 31. Condition, what, 32. Cold charges, remarks upon, 83. Cracks, what and how cured, 91. Caustics, how misapplied, 127, 137, 162, 171. Cerate, healing, 167. Colds, principal causes of, 196. - effects explained, 198. --- how cured, 200. Coughs, different kinds, 206. ---- confequence of, 202. Circulation confidered, 277. Chymist, story of, 292. Convulfions, 308.

Ee 3

Convulsions, fymptoms of, 318.

Cholic, or fret, 328. How occasioned, 407.

—— fymptoms, 330.

—— treatment and cure, 331 to 335.

Cholic, or gripes, 335.

Cataract, 379.

Curbs, 394.

Treatment and cure, 337.

Canker in the mouth, 416.

—— in the foot, 414.

Criticism, task of, 7.

Cold water, effect of, 121, 196, 330.

D

Dog-kennels, how implied, p. 4, 128,
Drink, purging, 42.
laxative, 334, 337, 345.
fevers, 244, acidulated, 245,
anti-putrescent, 252.
nervous stimulative, 322.
nervous anodyne, 323.
cordial carminative, 332, 339.
diuretic, 365.
anodyne, 351, 369.
Dressings, proper, requisite, 29, 117, 200, 283.
Dishclout, greafy, use of, burlesqued, 187.

Decoction, pectoral, 216.

Doctors, how numerous, 16.

Doctrine (and doctoring) 6.

Dillies, mentioned, 318.

Draft horses, management of, 399.

E

F

Farrier's infallibility, p. 34.

— operative, 25, 59.

— judgment, 120, 249.

— dilemma, 155, 162, 246.

E e 4

Farrier's privilege, 205.

of eminence and abilities, 59, 363.

Feeding, 29. Figging, 20.

Fomentations, 163, 184, 299.

Fumigation, 300.

Firing, remarks upon, 83, 89.

Farcy, 131.

Former practice, cruelty of, 136.

Fistula, 168. Fungus, 190.

Fevers, 230.

explained, 237.

epidemic, 250. Treatment, 252.

Fallibility of specifics, 274.

Fosse, M. La, remarks upon, 287, 290, 293, 303.

Farmer's stables, remarks upon, 400.

---- fervants, conduct of, 403.

Flatulent cholic, or fret, 329.

how occasioned, 407.

G

Goulard's extract of Saturn, p. 56, 86, 89, 108, 143, 152, 189, 384, 409.

its properties explained, 410.

Gibson, remark upon, 5, 9, 25, 52, 137, 204, 211, 231, 276, 310.

Glanders, 287. - infectious, 302. - incurable, 304. Greafe, 96, 405. ---- cause of, 101, 110. Groom's indolent, 23, 92. ill humours of, 103. --- duty, 188, 192, 403, 407. Genius of dulnefs, 156. Glands, induration of, 228. Gutta serena, 378. Glyfters, laxative, 45, 216, 337. ____ domestic, 239. against worms, 320. ---- anodyne, 320, 348, 352. - carminative, 333. emollient diuretic, 363.

H

Hughes, mentioned, p. 25. Health, remark on, 29. Hay, musty, 31. Hay, sparing in, 225.

— proper quantity, 341.

Heroes, equestrian, 63, 157.

Hidebound, 82.

Horse exposed to danger, 3, 318.

Humanity enjoined, 63.

Horse dealers, a tax upon, 21.

Hercules, strength of, 137.

Humours, 118, 354, 396.

Horsemen, every, a caution to, 194.

Haws what, and how extirpated, 386.

I

Injection, detergent, p. 301.

Ignorance, stabularian, 137, 174.

Jones mentioned, 25.

Jaundice, 266.

Instructions, various, 17, 19, 63, 341, 354.

K

L

Lameness, p. 68.

Liniment, repellent, 56, 65, 143.

Lotion, detergent, 105, 143, 417.

— repellent, 86, 413.

— for the eyes, 383, 385.

— drying, 105.

— mercurial, 160.

Livery, subsistence, 23.

Le Brush, Capt. quoted, 118.

Liver, the, a schirrosity of, 128, 271.

London stables, comforts of, 23.

Lampas, or Lampards, 390.

Lungs, the, inflammation of, 211.

M

Mock Doctor, quoted, p. 5.

Mail coaches, 28, 318.

Mash, restringent, 46.

— balfamic, 200.

Mercury, remarks upon the use of, 5.

Mange, 125. Mars, fire of, 137.

Myrrh, tincture of, 164, 193.

Medicines, quack, remarks on, 295.

Molten greafe, 353.

_____ fymptoms, 355.

treatment and cure, 357.

Machines, flying, mentioned, 318.

Mallenders, 388.

Mercurial folution, 160, 415.

N

Nitre recommended, p. 124, 129, 142, 200, 207, 217, 240, 246.

___ its properties explained, 241.

Nature considered, 150, 204.

Navel galls, 189.

Nostrums, infallibility of, ridiculed, 295.

New publication diffected, 7.

0

Ofmer quoted, p. 60, 90.

remarks on, 77, 232, 241.

Oxford; pupils of, 13.

Ointment, emollient, 105.

P

Publications, modern periodical, p. 6, 10.

Plagiarism, remarks on, 9, 188.

Poisons, 5, 143.

Physic, 36.

—— management of, 38.

—— operation explained, 43.

Powders, alterative, 124, 129, 142, 274.

—— worm, 265,

Poultice, emollient, 80, 151.

—— suppurative, 109, 178, 184, 281.

Prevention preferable to cure, 62, 298.

Practice, ancient, modernized, 7.

—— remarks on, 50, 174.

Penury of some, 140.

Poll evil, 173.

Practice, infernal, 175.

Pleurify, 211. Palfy, 323.

Puppies, remarks on, 63.

Powders, pernicious, given, 403.

Q

Quackery, the danger of, p. 154.

Quack medicines, stamp upon, 295.

Quittor, original cause of, 160.

explained.

R

Rowel recommended, 253. Ringbones, 395.

S

Sydenham, remark upon, p. 4. " Sound wind and limb," explained, 15. Shape and make, necessary, 12, 14, 16, 18. Splents explained, 51. Cure, 53. Spavins blood, 55. Bone, 58. ____ treatment, 56, 60. Spirits, repellent, 65, 189. Strains, 76. Causes explained, 78. Scratches, 91. Cure, 93. Stopping, 95. Surfeit, 118. True cause of, 122. Stables, London, remark upon, 23. Scrub's allufion, 131. Solleyfell mentioned, 201. Swift, Dean, story of, 290. Staggers, 308. General caufe, 317. Scouring from repletion, 343. from weakness, 349. Sportsmen, an appeal to, 177.

Snape, mentioned, 25.
Strangles, 276. Caufe, 278. Cure, 281.
Spafins, 323. Strangury, 359.
Saturnine folution, 190, 383.
Sallenders, 390.
Sloane, Sir Hans, ointment, 385.
Sandcracks, 417.

T

Teeth, age by, p. 26.
Thrush, running, 94.
Tumours, 180, 280, 307.
Traps for the unwary, 14.

U

Ulcers in farcy, p. 144.

— in general, 161.

Vade Mecum, Farriers, 118.

Vegeto mineral, 151.

— to make, 152.

Vulcanian advocates, 204.

Vives, explained, 285. Vertigo, 313.

W

Genuine Horse Medicines,

PREPARED BY

WILLIAM TAPLIN, SURGEON.

(Author of - " The Gentleman's Stable Directory,")

At his Medical Dispensary,

AND SOLD BY

Mr. Kearsley, No. 46, Fleet-street, London; Mr. Baddison, Newmarket; Mr. Hodson, Cambridge; Mr. Jackson, Oxford; Messrs. Smart and Cowstade, Reading; Mr. Blakeney, Windsor; Mr. Collins, Salisbury; Mr. Gumm, Guildsord; and by one agent in every principal city or town in England, as soon as an arrangement of such extent can be properly formed.

Mild Purging Balls,	15. 6d. each.
Stronger ditto,	29.
Mild Mercurial Purging Balls,	25.
Stronger ditto,	- The Market of the second
Cordial Rhubarb Purging Balls, }	2s. 6d.
Purging Balls for Worms, }	
Mild Diuretic Balls for Cracks, Scratches,	
Surfeit, Hidebound, or fluctuating \$	6s. per dozen.
Humours,]	
Stronger ditto for Perceptible Foulness, De-	
fects of the Eyes, Swelled Legs, }	85.
and Greafe,	
Pectoral Cordial Balls for Recent Colds or]	8s.
Coughs, }	
Pectoral Detergent Balls for Obstinate	
Coughs, or Afthmatic and Thick }	9s.
Winded Horses, }	
Fever Balls,	1s. 6d.
Balls for Loofeness or Scouring,	1s. 6d.
Balls for the Flatulent Cholic, or Fret,	25.
Ditto for the Inflammatory Cholic, or Gripes,	, 25.
Ditto for the Strangury, or Suppression of]	1s. 6d.
Urine,	
Bliftering Ointment for four legs,	3s. per pot.
Embrocation for Strains,	2s. 6d. per bottle.
Alterative Powders, for Cracks, Scratches,	1000
Surfeit, Hidebound, Mange, or	4s. per dozen.
Grease,	

The almost unprecedented portion of public favour that has sanctioned the appearance of "The Gentleman's Stable Directory," and rendered the publication of the fourth edition unavoidably necessary within the space of seven months, may be candidly considered the incontrovertible criterion of its utility. The very flattering marks of approbation that have reached the Author from some of the most distinguished characters, added to the pressing perfuasions of others equally high in the sporting world, have at length influenced him to render the whole a complete chain of convenience to the kingdom in general, by the perfonal preparation of his most efficacious prescriptions, a plan so evidently calculated to eradicate the very foundation of

EMPIRICAL IMPOSITION AND MEDI-CAL ADULTERATION;

that he cannot indulge a doubt, but the promotion of a general good will be honoured with the stamp of

PUBLIC APPROBATION.

N. B. The above Medicines are so particularly prepared and carefully enclosed, that they retain their efficacy for any length of time; and the Cordial Pectoral, Fever, and Balls for Scouring, Gripes, or Fret, may be dissolved in ale or gruel, and given as a drink, if thought more applicable or convenient.

BOOKS

LATELY PUBLISHED

By G. KEARSLEY.

The VIRTUOSI'S MUSEUM;

A Collection of Elegant Views, in ENGLAND, SCOTLAND, and WALES; Engraved from the Drawings of

PAUL SANDBY, Efq.

With Descriptions to each Plate; of which there are One Hundred and Eight.

Price Five Pounds Eight Shillings.

The TOUR THROUGH GREAT BRITAIN,

Divided into Rours.

In Four Volumes. Price Fourteen Shillings.

Continental Excursions,

A TOUR thro' HOLLAND, DUTCH BRABANT' The AUSTRIAN NETHERLANDS, And Part of FRANCE:

In which is included a Description of Paris and its Environs. The 4th Edition, Price 3s. 6d. half bound.

With an accurate Map of the Low Countries.

By the late HARRY PECKHAM, Esq.
One of his Majesty's Counsel, and Recorder of the City of
Chichester.

The TOUR of FRANCE, with a Map, price 3s. 6d.

TOUR of ITALY, with a Map, 4s. 6d.

TOUR of SWITZERLAND, including M. De SAUSSURE's Account of his Expedition to the Summit of MONT BLANC, which has been often attempted, but never before accomplished, with a Map, 28. 6d.

Each of these TOURS contains all the Information that can be useful to TRAVELLERS and entertaining to READERS; among which are the Expences upon the Road, regulated by the Mode of

travelling.

THE FLOWERS of MODERN TRAVELS.

Being elegant, entertaining, and instructive Extracts, selected from the Works of the most celebrated Travellers; such as Lord Lyttelton, Sir W. Hamilton, Baron de Tott, Dr. Johnson, Dr. Moore, Dr. Troil, Addison, Brydone, Coxe, Wraxall, Savary, Topham, Sherlock, Douglas, Lady M. W. Montague, &c. &c.---Intended chiefly for young People of both Sexes.

By the Rev. JOHN ADAMS, A.M.

Delectando, pariterque monendo. Hor.

Travels are the most instructive School of Man. SAVARY.

Here you may range the world from pole to pole,
Increase your knowledge, and delight your soul;
Travel all nations, and inform your sense,
With ease and safety, at a small expense. Anon.

Two Vols, Price Six Shillings sewed,

The FOURTH EDITION, much Enlarged,

(Ornamented with a confiderable Number of new Plates, containing feveral Views in the newly discovered Islands, fundry Animals, an exact Representation of an Human Sacrifice, Captain Cook's Head from Pingo's Medal, and a Chart of the new Discoveries with the Tracks of the Ships)

In Two Volumes,

An accurate ABRIDGMENT of Captain COOK's VOYAGE round the WORLD.

Containing a faithful Account of all the Discoveries, with the Transactions at each Place, a Description of the Inhabitants with their Manners and Customs, a full Detail of the Circumstances relative to Capt, Cook's Death, and an Account of his Life by Capt. King.

Those who superintend the Education of Youth of either Sex cannot put into their Hands a more acceptable Work, for the Amusement of leisure Hours, than these late Voyages of Discovery, which abound with Matter highly interesting and entertaining.

Price Eight Shillings in Boards.

* Either Volume may be had separate, Price Four Shillings,

The FLOWERS of ANCIENT and MODERN HISTORY.

Comprehending, on a new Plan, the most remarkable and interesting Events, as well as ancient and modern Characters; defigned for the Improvement and Entertainment of Youth.

By the Rev. JOHN ADAMS, A.M.

Omne tulit punctum, qui miscuit utile dulce. Hor.

Two Volumes, Price Six Shillings fewed. Either Volume may be had separate.

The following Collection was compiled by a Person of distinguished Abilities, for the Use of young People, and as a Guide to the curious Traveller.

A Description of SICILY and MALTA.

With an Account of the late Earthquake at Messina; the Eruptions of Mount Etna; the Destruction of Hybla; the present State of Palmyra; the Customs and Manners of the Sicilian, their Marriages, Amusements, Carriages, &c. Account of Syracuse, and the Knights of Malta; with a great Variety of curious and fingular Descriptions, extracted from the Travels of Brydone. Swinburne, Sir William Hamilton, and several other respectable One Volume, Price Three Shillings and Sixpence Writers. bound.

JOHNSON'S DICTIONARY,

In Quarto. Price Two Guineas. Ditto, in Octavo, Nine Shillings.

The BRITISH CHRONOLOGIST.

Comprehending every material Occurrence relating to GREAT BRITAIN, from the Invafion of the Romans to the prefent Time; with the Prices of the various Articles of Provision at different Periods. Also a complete INDEX.

In Three large Octavo Volumes. Price One Guinea bound.

The BIOGRAPHICAL DICTIONARY.

Containing the Lives of Eminent Men in various parts of Europe
In Twelve Volumes Octavo,
Price Four Pounds Four Shillings.

A SHORT ACCOUNT of the MARATTA STATE.

Written in Persian by a MUNSHY,
Who accompanied Col. Upton on his Embassy to Poonah.
Translated by WILLIAM CHAMBERS, Esq. Counsel at Fort
William, in Bengal.

To which are added, The Voyages and Travels of M. Cæfar Frederick into and beyond the East Indies.

Price Two Shillings.

Useful principally to Magistrates and Lawyers.

A new Edition, Corrected and Enlarged, of

A COMPENDIOUS DIGEST of the STATUTE LAW, comprising the Substance and Effect of all the Public Acts of Parliament in force from Magna Charta to the twentyseventh Year of his present Majesty inclusive.

By THOMAS WALTER WILLIAMS, of the Inner Temple,
Barrifter at Law.

FEATURES from LIFE, or a SUMMER VISIT,

By Mifs BLOWER,

Author of Maria and George Bateman. Two Volumes, Price Six Shillings, fewed,

The LYRIC ODES, and other Productions, of PETER PINDAR, Eiq.

Price of the whole One Pound Eleven Shillings, viz.

a new Edit on, Price One Shilling.

2. LYRIC ODES to the ROYAL ACADEMICIANS, for 1782,

Fifth Edition, Price Two Shillings.

3. Ditto for 1783, Third Edition, Price One Shilling and fix-

4. Ditto for 1785, a new Edition, Price Two Shillings and

5. FAREWELL ODES, 1786, Third Edition, Price Three Shillings.

6. The LOUSIAD, Canto I. Seventh Edition, Price Two Shillings and Sixpence.

7. The LOUSIAD, Canto II. Fifth Edition, Price Two Shil-

lings and Sixpence.

8. CONGRATULATORY EPISTLE to JAMES BOSWELL,
Efq. Third Edition, Price Two Shillings.

9. BOZZY and PIOZZI, a Town Eclogue, Fifth Edition, Price Three Shillings.

ro. ODE upon ODE, or a PEEP at St. JAMES's, Sixth Edition, Price Three Shillings.

Third Edition, Price One Shilling and Sixpence.

Two Shillings and Sixpence.

3. BROTHER PETER to BROTHER TOM, Price Three Shillings.

14. PETER PINDAR's PENSION, Price Three Shillings.

Any of the above Pieces may be had separate.

METHOD of CHYMICAL NOMENCLATURE, Proposed by Mess. de Morveau, Lavosier, Bertholet, and de Fourcroy,

To which is added, a NEW SYSTEM of CHYMICAL CHARACTERS, adapted to the Nomenclature, by Mess. Hassenfratz and Adet. Translated from the French, and the New Chymical Names adapted to the genius of the English Language, with the approbation, and under the immediate inspection of Mr. de Fourcroy.

By JAMES ST. JOHN, M. D. Price Five Shillings.

RAPIN'S HISTORY of ENGLAND,

With TINDAL's Continuation.

Price Six Guineas.

In Twenty-one Volumes Octavo.

The WORKS of

ALEXANDER POPE, Esq.

In Six Volumes. Price Eighteen Shillings.

Ornamented with a neat Frontispiece, from an original Drawing.

The GENTLEMAN ANGLER.

Containing plain Instructions, by which a Beginner may in a short time become a perfect Artist in Angling for all kinds of Fish.

With feveral Observations on Rods and Artificial Flies: Also the Method of chusing the best Hair and Indian Grass; of the proper Times and Seasons for River and Pond Fishing; when Fish Spawn; and what Baits are chiefly to be used.

With an APPENDIX,

Containing the Art of Rock and Sea Fishing; and an Alphabetical Explanation of the Technical Words used in the Art of Angling.

By a GENTLEMAN who has made it his Diversion upwards of Fourteen Years.

Price One Shilling and Sixpence.

LOVE AND MADNESS,

A Story too true, in which is introduced an authentic account of CHATTERTON: The Fourth Edition with Improvements.

Price Four Shillings fewed.

LOUISA, or the COTTAGE on the MOOR.
In Two Volumes, the Fourth Edition,
By Mrs. HELME,
Price Six Shillings, fewed.

CLARA and EMMELINE, or the MATERNAL BENEDICTION.

Two Volumes, by the same Author. Price Six Shillings, sewed.

The ADVENTURES of a WATCH!

I strike at Vice, be't where it will!
And what if great Folks take it ill?
Think you the Law (let who will take it)
Can Scandalum Magnatum make it?
I vent no Slander, owe no Grudge,
Nor of another's Conscience judge;
At him, or him, I take no Aim,
Yet dare against all Vice declaim.

GAY.

Price Three Shillings fewed.

RECREATION for YOUTH.

An useful and entertaining EPITOME of GEO-GRAPHY and BIOGRAPHY.

The first Part comprising a general View of the several Empires, Kingdoms, Republics, States, remarkable Islands, Mountains, Seas, Rivers, and Lakes, with their Situation, Extent. Capitals, Population, Produce, Arts, Religion and Commerce, Including the Discoveries of Captain Cook and others.

The second Part including the LIVES of the most eminent MEN who have sourished in Great Britain and its Dependencies.

By JOHN PATERSON SERVICE.
Price Three Shillings and Sixpence bound.

Ornamented with Plates, and improved by a confiderable Number of the most admired Scenes in Othello, Romeo and Juliet, Lear, Julius Cæsar, Macbeth, Timon of Athens, Henry the Fourth, Fisth, Sixth, and Eighth, Richard the Third, Hamlet, &c. &c. which were never attempted in any former Selection of this great Bard.

With his LIFE, and a Medallion of his Profile and GARRICK's in Shade,

The BEAUTIES of SHAKESPEARE,
Alphabetically digested, with a copious Index.
Price Three Shillings sewed.

A new Edition, being the Seventh, of The BEAUTIES of Dr. SAMUEL JOHNSON,

Confisting of Maxims and Observations, Moral, Critical and Miscellaneous. To which are now added, BIOGRAPHICAL ANECDOTES, selected from the late Productions of Mrs. Piozzi, Mr. Boswell, and other authentic Testimonies.

This Edition is embelished with an Etching of the Head of Dr. Johnson, taken from the Life about two Months before his last Illness.

Price only Three Shillings and Sixpence fewed.

With five new Plates, from the Designs of Mr. Nixon,
The Tenth Edition of that pleasing Selection,

The BEAUTIES of STERNE.

Calculated for the Heart of Senfibility.

This Volume contains a Selection of Mr. Sterne's Familiar Letters, the Story of Le Fevre and Uncle Toby, Maria, Shandy's Bed of Justice, Yorick's Horse, Corporal Trim's Brother, the Dwarf, the Pulse, the Pye-man, the Sword, the Supper, the Starling, the Ass, Dr. Slop and Obadiah, Dr. Slop and Susan, &c. &c.

&c. &c.
Alfo feveral of his most celebrated Sermons and elegant

Sentiments.

Price Three Shillings and Sixpence fewed.

Illustrated by a great Number of Plates, which include above One Thousand Examples,

The Sixth Edition, including a Variety of Additions and Improvements, both in the Plates and Letter press,

A Short and Easy INTRODUCTION to HERALDRY, in Two Parts.

Part I. The Use of Arms and Armory, Rules of Blazon and Marshalling Coats of Armour, with engraved Tables upon a new Plan, for the Instruction of those who wish to learn the Science.

Part II. A Dictionary of Heraldry, with an Alphabetical List of the Terms in English, French, and Latin; also the different Degrees of the Nobility and Gentry of England, with Tables of Precedency.

The whole compiled from the most approved Authorities.

By HUGH CLARK and THOMAS WORMULL.

Price Four Shillings in boards.

The POEMS of Mr. GRAY.

With Notes by Gilbert Wakefield, B. A. late Fellow of Jesus College, Cambridge.

Ingenium cui fit, cui mens divinior, atque os Magna fonaturum, des nominis bujus bonorem. HORAT.

Creative Genius; and the glow divine, That warms and melts the enthusiastic foul; A pomp and prodigality of phrase: These form the poet, and these shine in thee!

The POETICAL WORKS of DAVID GAR-

Now first collected with Explanatory Notes,

With a complete List of his Works, and the different Characters he performed, arranged in Chronological Order; also a short Account of his Life, and the Monody on his Death, written by Mr. Sheridan, and spoken by Mrs. Yates, of Drury Lane Theatre.

In Two Volumes, price Seven Shillings.

The POETICAL WORKS of SAMUEL JOHN-SON, LL. D.

Containing London, a Satire, and the Vanity of Human Wishes, both imitated from JUVENAL; Irene, a Tragedy; the Winter's Walk; Stella in Mourning; the Midsummer's Wish; an Evening Ode to Stella; Vanity of Wealth; the Natural Beauty; Translation of Pope's Messiah, and sundry other Pieces.

Price Two Shillings and Sixpence.

On a new Set of Plates, brought down to the present Time, Price 1s. 6d.

KEARSLEY's Arms of the Peers and Peeresses of England, Scotland, and Ireland, neatly Engraved, with an English Tranflation of the Mottos.

They may likewise be had bound with the annual Court Calendar.

A new Edition, including the BENCH of BISHOPS,

(Which was originally intended for a separate Work)

The HERALDRY of NATURE; or TEMPORARY

ARMS.

Adapted to the present House of Peers, and emblematical of each of the Lord's present hobby borses either in the fashionable and dissipated pursuits of pleasure, or the more confined Walks of business; including their domestic amusements and connections, with upwards of Eighty Examples, neatly Etched, by an

eminent Engraver.

"This is a new and excellent method of delineating Characters, and faying more in the compass of a Shilling than can generally be conveyed by mere awords in a whole Sheet! How the present House of Peers will approve of these new Armorial Bearings, which are drawn in the true Hogarthian Style, with great Humour, and no small degree of Satire, is not for us to determine; we must however acknowledge, in justice to the Author, the Examination of these whimsical Arms has afforded us great Entertainment,"

Vide Review for November,

A cheap and correct Edition of the Works of GEORGE ALEXANDER STEVENS.

Containing a complete Collection of his SONGS, Printed verbatum from his last Corrections; also his celebrated Lecture upon Heads, as delivered originally by himself, with additions as spoken by Mr. Lee Lewes, at the Theatre Royal, in Covent-Garden, and the Royalty-Theatre. To which is added, an Essay on Satire, by the late Mr. Pilon.

There are spurious and incorrect Editions of Stevens's Works in Circulation, against which it is necessary to Caution the Public. The Songs may be had separate, Price One Shilling and Sixpence, and the Lecture on Heads, price One Shilling, or bound together, Three Shillings.

Printed on a Writing Paper,

The Fifth Edition, of MUSICAL TRAVELS through England.

By the late JOEL COLLIER, Licentiate in Music-

Dear to the Muse, she gave his days to pass, With little filver, but with store of brass; Botian clouds did o'er his genius sling, But gave him skill to siddle, and to sing.

Price Two Shillings and Sixpence.

The contemptible Vice of LYING properly displayed.

With confiderable Additions, particularly a new and short Paffage of a few hours into the South sea! also an Account of two new Voyages, one of them through the Centre of Mount Etna and the Globe; the other to the Island of Ceylon. With a Frontispiece, representing the Baron's Triumph over a Lion and a Crocodile, who both attacked him at the same instant.

BARON MUNCHAUSON'S TRAVELS and AD-VENTURES in Russia, Iceland, Turkey, Egypt, Gibraltar, the Mediterranean, Atlantic Ocean, and by a subterraneous Passage into the Caspian Sea.

Upon the Continent these Travels are more read than any Production that has appeared for some Years. This Fifth Edition, exclusive of the above Improvements, is embellished with Nineteen Plates.

*** This is a very pleasant Companion; it is also an excellent Piece of Irony, well calculated to expose the Writings of fabulous Adventurers, for which Purpose it has evidently been published. It may be fairly said to put even liars out of Countenance!

The Fifth Edition, Price Half-a-Crown.

Upon the following entertaining Collection several of our Modern Romances, Novels, and Dramatic Pieces are founded.

TALES of the TWELFTH and THIRTEENTH

Translated from the French of Mr. LEGRAND.

Among which are

The Devil and the Hermit,

The Minstrel turned out of Hell,

The Reformed Dame,

The Wife that tried her Husband,

The Three Thieves,

The Pedlar.

The Norman Bachelor,

The Tradesman and the Clown,

The Knight and the Trap-door, The Three Hunch-back Minstrels,

The Parson's Cow,

The Woman that made twice the circuit of the Church,

The Woman that enfnared a Priest, a Provost, and a Ranger,

The Queen that killed her Seneschal, The Knight that confessed his Wife,

The Wife of Orleans,

The Parson's Legacy, The Citizen of Abbeville,

The Three Beggars of Compeigne,

And feveral others.

Two Volumes, Price Six Shillings fewed.

The following Collection has frequently enlivened the brilliant Circles at St. James's, Buckingham House, and Windsor.

The Birth of the Rose, the Geranium, the Pastime of Venus, the Devil's Tail, the Kiss of Lydia, Life's a Joke, and several other celebrated Poems are now added, which were formerly handed about only in Manuscript.

The FESTIVAL of WIT; selected by G-K-Summer Refident at Windfor; and carefully copied from the Common-place Book, with the Names of the Parties who introduced them to the R---- E---.

" This is, beyond all Comparison, the best Collection of good "Things we ever read: it is not a delicate Morceau for the polite

"Circles only, it must suit the Taste of every Man who loves " cheerful Conversation and Attic Wit. Were we to bestow on

" it as much praise as it really merits, we should cover more " paper than we can spare." Review for September.

Price Three Shillings fewed.

A new Edition, with a Frontispiece displaying the Essects of Industry, and the Folly of Idleness; also many useful Additions, particularly the LAWS between MASTERS and APPRENTICES; Information relative to Servants of all Denominations, with the Wages commonly paid to each; the only Method of obtaining good ones, and the proper Manner of treating them. A few necessary Hints at the Beginning the World, relative to Rent, Furniture, Housekeeping, Infurance, &c. with Tables ready calculated of Wages and Salaries for any Portion of Time,

Price Eighteen-pence,

KEARSLEY'S TABLES OF TRADE,

For the Information of Parents and Guardians, and the Affistance of young Men who wish to prosper in the World, and become respectable Members of Society; shewing at one View what a Master requires in taking an Apprentice, what a Journeyman in each Trade can earn, and the Sums required to set up as a Master. The Whole containing a View of upwards of Three Hundred Professions.

KEARSLEY'S TAX-TABLES,

Printed annually; containing Abstracts of the most general and interesting Acts, including the last that passed; likewise the Stamp Duties complete, corrected by the Office List.

Price Sixpence.

This Publication contains the Substance of upwards of 180 Acts; among which are the Taxes upon Retail Shops, Houses, Windows, Bachelors, Attornies, Servants, Gloves, Hats, Notes, Bills of Exchange, Receipts, Perfumery, Insurance, Game, Horses, Carriages, Hawkers and Pedlars, New Rates of Hackney Coaches, &c.

ESSAYS ON SUICIDE, AND THE IMMORTALITY OF THE SOUL.

By the late DAVID HUME, Efg.

With Remarks, intended as an Antidote to the Poison contained in these Performances.

By the EDITOR.

To which are added, Two Letters on Suicide, from Rousseau's Eloisa.

These Essays have been for some Time clandestinely circulated at a very extravagant Price, without any Comment. This mysterious Mode of Sale, by rendering them an Object of Request, has considerably enhanced their Value. The Notes which accompany and improve this Edition, are written by a Clergyman of the Church of England, and will appear to every serious Reader of Taste and Discernment a satisfactory Answer to every Thing exceptionable in the Text.

ELEGANT ORATIONS, Ancient and Moderns

For the Use of Schools,
Originally compiled for his own Pupils.

By the Reverend J. MOSSOP, A.M.
Master of the Boarding School at Brighthelmstone.

Price Three Shillings and Sixpence bound.

ADVICE to the OFFICERS of the BRITISH ARMY.

With the Addition of some Hints to the DRUMMER and PRIVATE SOLDIER.

Ridiculum acri
Fortius et melius plerumque secat res.
Safe from the Bar, the Pulpit, and the Throne,
Yet touch'd and mov'd by ridicule alone.

The EIGHTH EDITION.

To which is now added, some Advice to the Officers of the Ordnance, and the Secretary at War.

Price Half-a-Crown.

AN HISTORICAL RELATION of the Origin, Progress, and Final Dissolution of the Government of the ROHILLA AFGANS, in the Northern Provinces of INDOSTAN; compiled from a Persian Manuscript, and other original Papers.

By CHARLES HAMILTON, Efq.

An Officer in the Service of the Hon. East India Company, on the Bengal Establishment.

Price Five Shillings.


THE BEAUTIES of the SPECTATOR, TATLER, GUARDIAN, RAMBLER, ADVENTURER, CONNOISSEUR, WORLD, and IDLER.


** To accommodate the Purchasers of these entertaining Volumes, they are sold together, or in the following Manner:


The Selections from the SPECTATOR, TATLER, and GUARDIAN, are comprised in the two first Volumes, and fold separate for Six Shillings.

The third and fourth Volumes contain those from the RAM-BLER, CONNOISSEUR, ADVENTURER, WORLD, and IDLER, and are fold separate for Six Shillings also, or the four Volumes for Twelve Shillings, complete.









Constip cemin Givet Cascarc

