

Pharmacopoeia of St Bartholomew's Hospital.

Contributors

St. Bartholomew's Hospital (London, England)
Moore, Norman, 1847-1922
Royal College of Physicians of London

Publication/Creation

London : Adlard and Son, 1887.

Persistent URL

<https://wellcomecollection.org/works/aueq2wrn>

Provider

Royal College of Physicians

License and attribution

This material has been provided by Royal College of Physicians, London. The original may be consulted at Royal College of Physicians, London. where the originals may be consulted.
This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.





Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

PHARMACOPÆIA
OF
ST. BARTHOLOMEW'S
HOSPITAL.
—
1888.

Sept 6/5. 11 (42)

1200 h







Normandloore

PHARMACOPŒIA

OF

St. Bartholomew's Hospital.



LONDON:

PRINTED BY ADLARD AND SON,

BARTHOLOMEW CLOSE.

—
1887.

ROYAL COLLEGE OF PHYSICIANS
LIBRARY

CLASS


615.11(42)


ACCN.

3750

SOURCE

DATE





Medical Officers of the Hospital.

Consulting Physician.

DR. MARTIN.

Consulting Surgeons.

SIR JAMES PAGET, BART. MR. HOLDEN.

Physicians.

DR. ANDREW.
DR. CHURCH.
DR. GEE.
SIR DYCE DUCK-
WORTH, M.D.

Assistant Physicians.

DR. HENSLEY.
DR. BRUNTON.
DR. SAMUEL WEST.
DR. NORMAN MOORE.

Physician-Accoucheur.

DR. M. DUNCAN.

Asst. Phys.-Accoucheur.

DR. GODSON.

Ophthalmic Surgeons.

MR. POWER.
MR. VERNON.

Dental Surgeons.

MR. EWBANK.
MR. PATERSON.

Surgeons.

MR. SAVORY.
MR. SMITH.
MR. WILLETT.
MR. LANGTON.
MR. BAKER.

Assistant Surgeons.

MR. MARSH.
MR. BUTLIN.
MR. WALSHAM.
MR. CRIPPS.
MR. BRUCE CLARKE.

Aural Surgeon.


MR. CUMBERBATCH.


Med. Officer in Charge of Electrical Depart- ment.


DR. STEAVENSON.

Asst. Dental Surgeons.

MR. ACKERY.
MR. MACKRELL.







PHARMACOPŒIA.

AQUA CARUI.

(Hosp. Pharm.)

Take of

Spirit of Caraway ... 2 fl. drachms.

Distilled Water ... to 1 pint.

Mix.

AQUA CARYOPHILLI.

Take of

Spirit of Cloves ... 2 fl. drachms.

Distilled Water ... to 1 pint.

Mix.

AQUA CASSIÆ LIGNEÆ.

Take of

Spirit of Cassia Lignea 2 fl. drachms.

Distilled Water ... to 1 pint.

Mix.

AQUA CHLOROFORMI.**Take of**

Spirit of Chloroform... 10 minims,

Distilled Water ... 1 ounce.

Mix.**AQUA MENTHÆ PIPERITÆ.**

(Hosp. Pharm.)

Take of

Spirit of Peppermint... 2 fl. drachms,

Distilled Water ... to 1 pint.

Mix.**AQUA MENTHÆ VIRIDIS.**

(Hosp. Pharm.)

Take of

Spirit of Spearmint ... 2 fl. drachms,


Distilled Water ... to 1 pint.


Mix.**BALNEUM ALKALINUM.****Take of**

Carbonate of Sodium 8 ounces,

Water 30 gallons.

Dissolve.





BALNEUM CALIDUM**Take of**

Water at 96°... ... 30 gallons.

BALNEUM GLUTINIS.**Take of**

Bran 5 pounds,

Boiling Water ... 2 gallons.

Mix and add

Water to 30 gallons.

BALNEUM SULPHUREUM.**Take of**

Sulphurated Potash ... 8 ounces,

Water 30 gallons.

Dissolve.**BALNEUM TEPIDUM.****Take of**

Water at 90°... ... 30 gallons.

CONFECTIO FERRI TARTARATI.**Take of**

Tartarated Iron	...	30 grains,
Acid Tartrate of Potassium	...	180 grains,
Ginger, in powder	...	5 grains,
Treacle by weight	...	to 1 ounce.


Mix.*Dose.—2 teaspoonfuls.***CONFECTIO JALAPÆ.****Take of**


Compound Powder of		
Jalap	...	120 grains,
Treacle by weight	...	to 1 ounce.

Mix.*Dose.—2 to 4 teaspoonfuls.***CONFECTIO POTASSII TARTRATIS
ACIDÆ.****Take of**

Acid Tartrate of Potassium	...	240 grains
Ginger, in powder	...	5 grains,
Treacle by weight	...	to 1 ounce.

Mix.*Dose.—1 to 2 teaspoonfuls.*





CONFECTIO SULPHURIS.

(Hosp. Pharm.)

Take of

Sublimed Sulphur ... 200 grains,
 Acid Tartrate of Potassium ... 50 grains,
 Treacle by weight ... to 1 ounce.

Mix.*Dose.—1 to 2 teaspoonfuls.***CONFECTIO SULPHURIS COMPOSITA.****Take of**

Confection of Sulphur $\frac{1}{2}$ ounce,
 Guaiacum Resin, in
 powder 80 grains,
 Rhubarb Root, in }
 powder ... } of each
 Nutmeg, in powder } 40 grains.
 Treacle by weight ... to 1 ounce.

Mix.*Dose.—2 to 4 teaspoonfuls.*

DECOCTUM HEMIDESMI COMPOSITUM.**Take of**

Hemidesmus Root ...	$2\frac{1}{2}$ ounces,
Sassafras Root, in chips	
Guaiacum Wood turn- ings ...	each $\frac{1}{4}$ ounce
Commercial Extract of Liquorice ...	
Mezereon Bark ...	$\frac{1}{8}$ ounce
Boiling Distilled Water	$1\frac{1}{2}$ pints.

Digest for one hour, boil for ten minutes,
cool, strain, and make up to a pint.

Dose.—1 fluid ounce.


ENEMA OLEI RICINI.**Take of**


Castor Oil ...	2 fl. ounces,
Mucilage of Starch ...	to 1 pint.

Mix.**ENEMA SAPONIS.****Take of**

Soft Soap ...	$\frac{3}{4}$ ounce,
Warm Water ...	to 1 pint.

Mix.





FOTUS BELLADONNÆ.**Take of**

Extract of Belladonna 3 grains,
 Boiling Distilled Water to 1 fl. ounce.

Mix and filter.**GARGARISMA ACETICUM.****Take of**

Acetic Acid 15 minims,
 Oxymel 30 minims,
 Distilled Water ... to 1 fl. ounce.

Mix.**GARGARISMA ALUMINIS.****Take of**

Alum, in powder ... 16 grains,
 Distilled Water ... to 1 fl. ounce.

Dissolve.**GARGARISMA ALUMINIS COMPOSITUM.****Take of**

Alum, in powder ... 16 grains,
 Tincture of Myrrh ... 15 minims,
 Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

GARGARISMA BORACIS.*Vide Lotio, p. 46.***GARGARISMA CAPSICI.**

Take of

Tincture of Capsicum 10 minims,
 Diluted Sulphuric Acid 6 minims,
 Decoction of Pale Cin-
 chona to 1 fl. ounce.

Mix.

GARGARISMA HYDROCHLORICUM.

Take of

Diluted Hydrochloric
 Acid 10 minims,
 Decoction of Pale Cin-
 chona to 1 fl. ounce.


Mix.


GARGARISMA POT. CHLOR.*Vide Haust. Pot. Chlor., p. 28.***GARGARISMA SODÆ CHLORATÆ.**

Take of

Solution of Chlorinated
 Soda $\frac{1}{2}$ fl. drachm,
 Distilled Water ... to 1 fl. ounce.

Mix.





GLYCERINUM FERRI DIALYSATI.

Take of

Solution of Dialised

Iron	20 minims,
Glycerine	40 minims.

Mix.

GLYCERINUM IODOFORMI.

Take of

Iodoform, in very fine

powder	$\frac{1}{4}$ ounce,
--------	-----	-----	----------------------

Glycerine	to 1 fl. ounce.
-----------	-----	-----	-----------------

Mix.

GUTTÆ ATROPINÆ SULPHATIS.

Take of

Sulphate of Atropine 1 grain,

Distilled Water ... 1 fl. ounce.

Dissolve.

GUTTÆ PHYSOSTIGMINÆ.

Take of

Sulphate of Physostig-

mine	2 grains,
------	-----	-----	-----------

Distilled Water	1 fl. ounce,
-----------------	-----	-----	--------------

Dissolve.

HAUSTUS ACIDI GALLICI.

Take of

Glycerine of Gallic

Acid 25 minims,

Distilled Water ... to 1 fl. ounce.

Mix. Contains 5 grains of acid.

HAUSTUS ACIDI HYDROCYANICI.

Take of

Diluted Hydrocyanic

Acid 4 minims,

Bicarbonate of Sodium 5 grains,

Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

**HAUSTUS ACIDI NITRO-HYDROCHLORICI
DILUTI.**

Take of

Diluted Nitro-hydro-

chloric Acid ... 10 minims,


Tincture of Orange


Peel 20 minims,

Spirit of Chloroform ... 10 minims,

Distilled Water ... to 1 fl. ounce.

Mix.





HAUSTUS ACONITI CUM COLCHICO.

ake of

Tincture of Aconite... 3 minims,

Tincture of Colchicum

Seeds 10 minims,

Sulphate of Quinine... 1 grain,

Diluted Sulphuric

Acid $1\frac{1}{2}$ minims,

Spirit of Chloroform... 10 minims,

Distilled Water ... to 1 fl. ounce.

issolve and Mix.

HAUSTUS ÆTHERIS AMMONIATUS.

ake of

Spirit of Ether ... } of each

Aromatic Spirit of } $\frac{1}{2}$ fl. drachm,
 Ammonia }

Distilled Water ... to 1 fl. ounce.

[ix.]

HAUSTUS AMMONIACI FŒTIDUS.

ake of

Fetid Spirit of Am-

monia (Hosp. Phar.) 15 minims,

Ammoniacum Mixture to 1 fl. ounce.

[ix.]

HAUSTUS AMMONII ACETATIS.**Take of**

Solution of Acetate of Ammonium	... } of each
Distilled Water	... } $\frac{1}{2}$ fl. ounce.


Mix.**HAUSTUS AMMONII ACETATIS CUM
CAMPHORA.****Take of**


Solution of Acetate of Ammonium	... 2 fl. drachms.
Camphor Water	... to 1 fl. ounce.

Mix.**HAUSTUS AMMONII ACETATIS CUM
MAGNESII SULPHATE.****Take of**

Sulphate of Magnesium	... 60 grains,
Draught of Acetate of Ammonium	... to 1 fl. ounce.

Dissolve.





**HAUSTUS AMMONII ACETATIS CUM
SCILLA.**

Take of

Vinegar of Squill ... 20 minims,
Draught of acetate of
Ammonium ... to 1 fl. ounce.

Mix.

HAUSTUS AMYGDALÆ.

Take of

Almond Oil } of each
Mucilage of Gum } 2 fl. drachms.
Acacia }
Distilled Water ... to 1 fl. ounce.


Mix.

**HAUSTUS ANTIMONII CUM MAGNESII
SULPHATE.**

Take of

Antimonial Wine ... 30 minims,
Sulphate of Magnes-
sium 60 grains,
Distilled Water ... to 1 fl. ounce.

Dissolve and mix.



HAUSTUS CINCHONÆ ACIDUS.

Take of

Spirit of Chloroform...	} of each
Aromatic Sulphuric Acid ...	

10 minims,

Decoction of Pale Cinchona ... to 1 fl. ounce.

Mix.

HAUSTUS CINCHONINÆ HYDRO-CHLORATIS.

Take of

Hydrochlorate of Cinchonine ...	1 grain,
---------------------------------	----------

Diluted Hydrochloric Acid ...	$1\frac{1}{2}$ minims,
-------------------------------	------------------------

Distilled Water ...	to 1 fl. ounce.
---------------------	-----------------

Dissolve and mix.

HAUSTUS COLCHICI.

Take of

Tincture of Colchicum Seeds ...	20 minims,
---------------------------------	------------

Carbonate of Magnesium ...	10 grains,
----------------------------	------------

Spearmint Water ...	to 1 fl. ounce.
---------------------	-----------------

Mix.

HAUSTUS COPAIBÆ COMPOSITUS.

Take of

Copaiva	15 minims,
Mucilage	of	Gum	
Acacia	1 fl. drachm,
Cubebs, in powder	...	30 grains,	
Spirit of Nitrous Ether	15 minims,		
Camphor Water	...	to 1 fl. ounce.	

Mix.

HAUSTUS CRETÆ AROMATICUS.

Take of

Aromatic Powder of		
Chalk	...	30 grains,
Cassia Water	...	to 1 fl. ounce.

Mix.

**HAUSTUS CRETÆ AROMATICUS CUM
OPIO.**

Take of

Aromatic Powder of		
Chalk and Opium	...	20 grains,
Cassia Water	...	to 1 fl. ounce.


Mix.

THIS FORM IS A TRADE MARK

REGD. U.S. PAT. OFF. NO. 1,000,000

TRADE MARK REGISTRATION

REG. U.S. PAT. OFF.



HAUSTUS FERRI CUM NUCE VOMICA.

Take of

Solution of Perchloride

of Iron 10 minims,

Tincture of Nux Vomica 6 minims,

Diluted Phosphoric }
Acid } of each
Spirit of Chloroform } 5 minims,

Distilled Water ... to 1 fl. ounce.

Mix.

HAUSTUS FERRI CUM QUASSIA

Take of

Solution of Perchloride

of Iron 15 minims,

Infusion of Quassia ... to 1 fl. ounce.

Mix,

HAUSTUS FERRI ET AMMONII CITRATIS.**Take of**

- Citrate of Iron and
 Ammonium ... 8 grains,
 Carbonate of Ammo-
 nium ... 2 grains,
 Spirit of Chloroform 10 minims,
 Distilled Water ... to 1 fl. ounce.

Dissolve and mix.**HAUSTUS FLAVUS.****Take of**

- Caramel ... a sufficiency,
 Water ... to 1 fl. ounce.

Mix.**HAUSTUS GENTIANÆ CUM RHEO.****Take of**

- Infusion of Rhubarb . $\frac{1}{2}$ fl. ounce,
 Compound Tincture of
 Gentian ... 30 minims,
 Bicarbonate of sodium 10 grains,
 Spirit of Chloroform . 10 minims,
 Peppermint Water ... to 1 fl. ounce.

Dissolve and mix.

ANALYSIS OF A COMPOUND
OF POTASSIUM IODIDE

oxide of Potassium. 5 grams.

Compound obtained by heating

of Potassium iodide with

Hydrogen peroxide.

Product of Potassium iodide

and Hydrogen peroxide.

Compound obtained by

heating of Potassium iodide

and Hydrogen peroxide.

Product obtained by

heating of Potassium iodide

and Hydrogen peroxide.

Product obtained by

heating of Potassium iodide

and Hydrogen peroxide.

Product obtained by

heating of Potassium iodide

and Hydrogen peroxide.

Product obtained by

heating of Potassium iodide

and Hydrogen peroxide.

Product obtained by

heating of Potassium iodide

August 22nd 1849
W. H. & J. M. Raymond
Montgomery, N.Y.
Dear Sirs,
I have the pleasure to inform you
that I have sold my
Library of Chivalry, Romance,
Drama, Poetry, &c.,
to Mr. Wm. H. & J. M. Raymond,
Montgomery, N.Y.
Yours very truly,
A. C. L.

**HAUSTUS HEMIDESMI CUM POTASSII
IODIDO.**

Take of

Iodide of Potassium... 5 grains,
Compound Decoction
of Hemidesmus ... to 1 fl. ounce.

Dissolve.

HAUSTUS HYDRARGYRI PERCHLORIDI.

Take of

Solution of Perchloride
of Mercury ... 1 fl. drachm,
Compound Tincture of
Cardamoms ... 20 minims,
Distilled Water ... to 1 fl. ounce.

Mix.

**HAUSTUS HYDRARGYRI PERCHLORIDI
CUM POTASSII IODIDO.**

Take of

Solution of Perchloride
of Mercury ... 1 fl. drachm,
Iodide of Potassium... 5 grains,
Compound Tincture of
Cardamoins ... 20 minims,
Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS IPECACUANHÆ EMETICUS.

Take of

Wine of Ipecacuanha	of each
Oxymel of Squill	... } $\frac{1}{2}$ fl. ounce.

Mix.

HAUSTUS ALBUS.

Take of

Carbonate of Magnesium	of each
... ...	8 grains,
Bicarbonate of Sodium	
Peppermint Water	... to 1 fl. ounce.


Dissolve and mix.


HAUSTUS MENTHÆ SULPHURICUS.

Take of

Diluted Sulphuric Acid	10 minims,
Syrup of Red Poppy	. 30 minims,
Spearmint Water	... to 1 fl. ounce.

Mix,





**HAUSTUS MENTHÆ SULPHURICUS
CUM FERRI SULPHATE.**

Take of

Sulphate of Iron ... 1 grain,
Spirit of Chloroform... 10 minims,
Sulphuric Mint Draught to 1 fl. ounce.

Dissolve and mix.

**HAUSTUS MENTHÆ SULPHURICUS
CUM MAGNESII SULPHATE.**

Take of

Sulphate of Magnesium 60 grains,
Sulphuric Mint Draught to 1 fl. ounce.

Dissolve.

**HAUSTUS MENTHÆ SULPHURICUS
CUM PAPAVERE ET SCILLA.**

Syn. Haustus pro Tussi.

Take of

Syrup of Poppies ... $\frac{1}{2}$ fl. drachm.
Tincture of Squill ... 15 minims,
Sulphuric Mint Draught to 1 fl. ounce.

Mix,

HAUSTUS MORPHINÆ CUM FERRO.

Take of

Solution of Hydrochlo-
rate of Morphine ... 10 minims,
Solution of Perchlo-
ride of Iron ... 15 minims,
Diluted Hydrochloric
Acid ... 3 minims,
Spirit of Chloroform . 10 minims,
Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

**HAUSTUS MORPHINÆ HYDRO-
CHLORATIS.**

Take of

Solution of Hydrochlo-
rate of Morphine ... 20 minims,
Distilled Water ... to 1 fl. ounce.

Mix.

MORPHIUS OR MORPHIA.

Cocaine oil ... 10 grains of each

Mixture of Gum Arabic and Ammonium

chloride

Rocked Gum in powder

ether

20 grains,

Cinnamon Water ... to 1 fl. ounce.

rub together.

CAUSTIC OPIATUS.

Opium.

Theatre of Opium ... ? drachm each

Spirit of Chloroform ... 10 minims

Peppermint Water ... to 1 fl. ounce

rub together.

PLUMBEUS OPIATUS.

Aspirine of Lead

Opiate ... 10 drachms

Chloroform ... to 1 fl. ounce

rub together.

ride of Troc

HAUSTUS OLEI MORRHUÆ.

Take of

Cod-Liver Oil	... } of each
Mucilage of Gum Aca-	} 2 fl. drachms,
cia	
Refined Sugar, in pow-	
der	30 grains,
Caraway Water	... to 1 fl. ounce.

Rub together.

HAUSTUS OPIATUS.

Take of

Tincture of Opium	... }	of each
Spirit of Chloroform	... }	10 minims,
Peppermint Water	... to 1 fl. ounce.	

Mix.

HAUSTUS PLUMBI ACETATIS.

Take of

Acetate of Lead	... 5 grains,
Oxymel	... 1 fl. drachm.
Distilled Water	... to 1 fl. ounce.

Dissolve and mix.

**HAUSTUS POTASSII BROMIDI
COMPOSITUS.**

Take of

Infusion of Rhubarb... $\frac{1}{2}$ fl. ounce,
 Compound Tincture of
 Gentian 30 minims,
 Bromide of Potassium 10 grains,
 Spirit of Chloroform . 10 minims,
 Peppermint Water . to 1 fl. ounce.

Dissolve and mix.

HAUSTUS POTASSII CHLORATIS.

Take of

Chlorate of Potassium 10 grains,
 Boiling Distilled Water to 1 fl. ounce.

Dissolve.

HAUSTUS POTASSII CITRATIS.

Take of

Bicarbonate of Potas-
 sium 20 grains,
 Citric Acid 14 grains,
 Distilled Water ... to 1 fl. ounce.


Dissolve and mix. To be taken after
 effervescence has ceased,

ANNALES BOTANICAE HUNGARIENSIS

EDITIONE QUADRAGESIMA

1909. BUDAPEST. M. F. KERESZTES

LIBRERIA UNIVERSITATIS



**HAUSTUS POTASSII CITRATIS
EFFERVESCENS.**

Take of

Bicarbonate of Potassium 20 grains,
Distilled Water ... 1 fl. ounce,

Dissolve, and add of

Citric Acid, in fine
powder 14 grains,
Distilled Water ... 1 fl. ounce,

To be taken during effervescence.

HAUSTUS POTASSII CUM HYOSCYAMO.

Take of

Nitrate of Potassium 10 grains,
Bicarbonate of Potassium 20 grains,
Tincture of Hyoscyamus... ... 20 minims,
Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

**HAUSTUS POTASSII IODIDI
AMMONIATUS.**

Take of

- | | |
|---------------------------|-----------------|
| Iodide of Potassium... | 3 grains, |
| Carbonate of Ammonium ... | 2 grains, |
| Distilled Water ... | to 1 fl. ounce. |

Dissolve and mix.

**HAUSTUS POTASSII CUM SODA
TARTARATA.**

Take of

- | | |
|------------------------------|-----------------|
| Nitrate of Potassium . | 10 grains, |
| Bicarbonate of Potassium ... | 20 grains, |
| Tartarated Soda ... | 60 grains, |
| Peppermint Water ... | to 1 fl. ounce. |


Dissolve and mix.


**HAUSTUS QUININÆ SULPHATIS CUM
FERRO.**

Take of

- | | |
|------------------------|----------------------|
| Sulphate of Quinine... | 1 grain, |
| Sulphate of Iron ... | $\frac{1}{2}$ grain, |
| Spirit of Chloroform . | 10 minims, |
| Sulphuric Mint Draught | to 1 fl. ounce. |

Dissolve and mix.





HAUSTUS QUININÆ SULPHATIS.

Take of

Sulphate of Quinine... 1 grain,
 Diluted Sulphuric Acid $1\frac{1}{2}$ minims,
 Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

**HAUSTUS QUININÆ SULPHATIS CUM
POTASSII IODIDO.**

Take of

Sulphate of Quinine... 1 grain,
 Iodide of Potassium... 5 grains,
 Diluted Sulphuric Acid $1\frac{1}{2}$ minims,
 Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS RHEI CUM MAGNESIA.

Take of

Compound Rhubarb
 Powder 30 grains,
 Caraway Water ... to 1 fl. ounce.

Mix.

HAUSTUS SCOPARII COMPOSITUS.

Take of

- Tartrate of Potassium 20 grains,
 Spirit of Juniper ... 30 minims,
 Decoction of Broom... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS SENEGÆ CUM AMMONIO.

Take of

- Carbonate of Ammonium 5 grains,
 Tincture of Squill ... } of each
 Tincture of Senega ... } 40 minims.
 Distilled Water ... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS SENNAE COMPOSITUS.(Syn. *House Physic.*)


Take of

- Sulphate of Magnesium $\frac{1}{4}$ ounce,
 Spirit of Peppermint... 10 minims,
 Infusion of Senna ... to $1\frac{1}{2}$ fl.ounces.

Dissolve and mix.

EXPERIMENT WITH AMMONIA

AMMONIUM CHLORIDE AND AMMONIUM SULPHATE



HAUSTUS SERPENTARIÆ CUM AMMONIO.

Take of

Carbonate of Ammon-

ium ... 5 grains,

Spirit of Aniseed ... 10 minims,

Tincture of Serpentary 1 fl. drachm,

Spearmint Water ... to 1 fl. ounce.

Dissolve and mix.

HAUSTUS SODII CITRATIS.

Take of

Bicarbonate of Sodium 20 grains,

Citric Acid ... 17 grains,

Distilled Water ... to 1 fl. ounce.

Dissolve and mix. To be taken after effervescence has ceased.

HAUSTUS SODII TARTRATIS.

Take of

Bicarbonate of Sodium 20 grains,

Tartaric Acid ... 17 grains,

Distilled Water ... to 1 fl. ounce.

Dissolve and mix. To be taken after effervescence has ceased.

**HAUSTUS SODII TARTRATIS
EFFERVESCENT.**

Take of

Bicarbonate of Sodium 20 grains,
Distilled Water ... to 1 fl. ounce.

Dissolve, and add of

Tartaric Acid, in fine
powder 17 grains,
Distilled Water ... to 1 fl. ounce.

To be taken during effervescence.

HAUSTUS TEREBINTHINÆ.


Take of

Oil of Turpentine ... 20 minims,
Mucilage of Gum
Acacia 2 fl. drachms,
Caraway Water ... to 1 fl. ounce,

Triturate the mucilage first with the
oil, and then with the water added
gradually.

MASTUS VALERIANUS AND HIS SON AMO

and Valerianus and his son Amo



HAUSTUS VALERIANÆ CUM HYOSCYAMO.

Take of

Ammoniated Tincture	... } of each
of Valerian ...	
Tincture of Hyoscy-	$\frac{1}{2}$ fl. drachm.
amus ...	
Camphor Water ...	to 1 fl. ounce.

Mix.

HAUSTUS ZINCI EMETICUS.

Take of

Sulphate of Zinc	... 20 grains,
Distilled Water	... to 1 fl. ounce.

Dissolve.

INJECTIO MORPHINÆ HYPODERMICA.

(B.P.)

One minim contains one tenth of a grain of the Acetate of Morphine.

LINCTUS.

Take of

Confection of Hips ...	100 grains,
Tragacanth, in powder	6 grains,
Syrup of Poppies ...	} of each
Vinegar of Squill ...	} 36 minims,
Acetic Acid 2 minims,
Cold Water to 1 fl. ounce.

Mix.


Dose.—1 teaspoonful.

LINCTUS ACIDI TANNO-GALLICI.

Take of

Tannic Acid 360 grains,
Gallic Acid 120 grains,
Distilled Water ...	1 fl. ounce.

Mix. A teaspoonful to be slowly sipped in case of bleeding.



NOTES

NOTES

NOTES

LINCTUS CAMPHORÆ COMPOSITUS.

Take of

Compound Tincture of	}	equal parts.
Camphor		
Oxymel of Squill ...		

Syrup of Tolu ...

Mix.

LINCTUS CUM IPECACUANHA.

Take of

Wine of Ipecacuanha	30 minims,
Linctus	to 1 fl. ounce.

Mix.

Dose.—1 teaspoonful.

LINCTUS MORPHINÆ CUM CHLOROFORMO.

Take of

Solution of Hydrochlo-	}	equal parts.	
rate of Morphine ...			24 minims,
Chloroform			8 minims,
Rectified Spirit ...			72 minims,

Glycerine to 1 fl. ounce.

Mix.

Dose.—1 teaspoonful,

LINIMENTUM CANTHARIDIS.

Take of

Vinegar of Cantharides 6 fl. drachms,
 Glacial Acetic Acid ... 40 minims,
 Glycerine ... 6 fl. drachms,
 Spirit of Rosemary ... 20 minims,
 Distilled Water ... to 4 fl.ounces.

Mix.

**LINIMENTUM CANTHARIDIS CUM
AMMONIA.**

Take of

Almond Oil ... 6 fl. drachms,
 Strong Solution of }
 Ammonia } of each-
 Glycerine } 160 minims,
 Tincture of Cantha-
 rides ... 80 minims,
 Spirit of Rosemary ... 20 minims,
 Distilled Water ... to 4 fl.ounces.

Mix.

LITERATURE REVIEW OF THE

STRUCTURE AND PROPERTIES OF POLY(1,3-PHENYLENE SULFONE)

AND POLY(1,4-PHENYLENE SULFONE)

AND POLY(1,4-PHENYLENE SULFONE) COPOLYMERS

WITH POLY(1,3-PHENYLENE SULFONE)

AND POLY(1,4-PHENYLENE SULFONE) COPOLYMERS

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA
ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

ANNESTUM CANTABRICA

LINIMENTUM HYDRARGYRI OLEATIS
 (5 p.c.).

Take of

Yellow Oxide of Mer-
 cury, freshly pre-
 pared 24 grains,
 Oleic Acid to 1 fl. ounce.

Dissolve with a gentle heat.

LINIMENTUM HYDRARGYRI OLEATIS
 (10 p.c.).

Take of

Yellow Oxide of Mer-
 cury, freshly pre-
 pared 48 grains,
 Oleic Acid to 1 fl. ounce.

Dissolve with a gentle heat.

LINIMENTUM HYDRARGYRI OLEATIS
 (15 p.c.).

Take of

Yellow Oxide of Mer-
 cury, freshly pre-
 pared 72 grains,
 Oleic Acid to 1 fl. ounce.

Dissolve with a gentle heat.

LINIMENTUM OPII.

(Hosp. Pharm.)

Take of

Tincture of Opium ... 1 fl. ounce.

Ammoniated Liniment

of Soap to 4 fl.ounces.

Mix.

LINIMENTUM PLUMBI CUM OLEO.

Take of

Solution of Subacetate

of Lead $\frac{1}{2}$ fl. ounce,

Olive Oil to 4 fl.ounces.

Mix with agitation.

LINIMENTUM SAPONIS CUM AMMONIA

Take of

Soft Soap $\frac{1}{2}$ ounce,

Oil of Marjoram ... 6 minims,

Methylated Spirit ... 3 fl. drachms.

Oil of Turpentine ... $1\frac{1}{2}$ fl. drachms.

Solution of Ammonia 1 fl. drachm,

Boiling Distilled Water to 4 fl.ounces.

Mix.

WATER FLOW BY CITRUS FRUIT EXTRACTS

LIBRARY OF
THE STATE OF CONNECTICUT
AT HARTFORD
FOR THE USE OF
THE STATE LIBRARIES
AND
THE STATE MUSEUM
OF HISTORICAL MONUMENTS
AND
THE STATE HERITAGE
COMMISSION

LIQUOR FERRI ET AMMONII CITRATIS.*Syn.—Vinum Ferri.*

(Hosp. Pharm.)

Take of

Citrate of Iron and
 Ammonium ... 8 grains,
 Cold Distilled Water to 1 fl. ounce.

Dissolve.

*Dose.—1 to 4 teaspoonfuls.***LIQUOR HYDRARGYRI CYANIDI.**

Take of

Cyanide of Mercury... 15 grains,
 Distilled Water ... to 1 fl. ounce.

Dissolve.

LOTIO ACETI.

Take of

Vinegar $\frac{1}{2}$ fl. drachm.
 Distilled Water ... to 1 fl. ounce.

Mix.

LOTIO ACIDI BORICI.

Take of

Boric Acid 10 grains,
 Distilled Water ... to 1 fl. ounce.

Dissolve.

LOTIO ACIDI BORACI CUM ÆTHERIS.

Take of

Boric Acid $\frac{1}{2}$ ounce,
Spirit of Ether ...	5 ounces,
Rectified Spirit ..	20 ounces.

Dissolve and mix.

LOTIO ACIDI BORICI CUM ZINCO.

Take of

Boric Acid 3 grains,
Sulphate of Zinc ...	4 grains,
Tincture of Opium ...	5 minims,
Glycerine ...	1 fl. drachm,
Distilled Water ...	to 1 fl. ounce.

Dissolve and mix.

LOTIO ACIDI CARBOLICI.

Take of

Carbolic Acid, liquefied 5 minims,
Distilled Water ...	to 1 fl. ounce.

Mix. Contains 1 per cent. of acid.

CHILD LANGUAGE AND MEMORY.

the number of children in each of the three groups of subjects examined. In addition to the data on the proportion of children in each age group that had normal memory for the new material, the following data were collected:

(a) Mean number of errors made

(b) Mean time taken for recall of the new material

(c) Mean time taken for recall of the old material

(d) Mean time taken for recall of the old material.


The results of the analysis of the data will be presented below.

Table I gives the mean number of errors made by the children in the three age groups for each of the three types of material.

Table II gives the mean time taken by the children in each age group for recall of each type of material.

Table III gives the mean time taken by the children in each age group for recall of each type of material.

Table IV gives the mean time taken by the children in each age group for recall of each type of material.



LOTIO ACIDI CARBOLICI CUM BORACE.

Take of

Bicarbonate of Sodium	of each
Borax, in powder	... } 20 grains.

Glycerine of Carbolic

Acid	... 1 fl. drachm,
Distilled Water	... to 1 fl. ounce.

Dissolve and mix.

**LOTIO ACIDI CARBOLICI CUM BORACE
FORTIOR.**

Take of

Bicarbonate of Sodium	of each
Borax, in powder	... } 120 grains,
Glycerine of Carbolic	

Acid	... 1 $\frac{1}{2}$ fl. drachm,
Distilled Water	... to 1 fl. ounce.

Mix. To be added to a pint of water,
before use.

LOTIO ACIDI CARBOLICI CUM IODO.

Take of

Carbolic Acid, liquefied	... 12 minims,
Tincture of Iodine	... 6 minims,
Distilled Water	... to 1 fl. ounce.

Mix.

• **LOTIO ACIDI HYDROCYANICI.**

Take of

Diluted Hydrocyanic

 Acid ... 10 minims,

 Distilled Water ... to 1 fl. ounce.

Mix.

LOTIO ACIDI NITRICI CUM OPIO.

Take of

Diluted Nitric Acid ... 3 minims,

Opium Lotion ... to 1 fl. ounce.

Mix.

LOTIO ALUMINIS.

Take of

Alum, in powder ... 4 grains,

Distilled Water ... to 1 fl. ounce.

Dissolve.

LOTIO ALUMINIS ÆTHEREA.


Take of

Alum 6 grains,

Spirit of Nitrous Ether 1 fl. drachm,

Distilled Water ... to 1 fl. ounce.

Dissolve and mix.



LOTIO ARNICÆ**Take of**

- Tincture of Arnica ... 1 fl. drachm,
 Lead Lotion to 1 fl. ounce.

Mix.**LOTIO ATROPINÆ SULPHATIS.****Take of**

- Sulphate of Atropine 2 grains,
 Distilled Water ... to 1 fl. ounce.


Dissolve.**LOTIO BORACIS.****Take of**

- Borax, in powder ... 10 grains,
 Distilled Water ... to 1 fl. ounce.

Dissolve.**LOTIO BORACIS CUM POTASSII
CHLORATE.****Take of**

- Borax, in powder ... 3 grains,
 Chlorate of Potassium 6 grains,
 Distilled Water ... to 1 fl. ounce.

Dissolve.



Take 10 grains of
Lotto Aeropine Sulphate
Dissolve in 10 grains of
Water - 10 grains of
Lotto Boracic Acid
Dissolve in 10 grains of
Water - 10 grains of
Lotto Chloride
Dissolve in 10 grains of
Water - 10 grains of
Lotto Phosphate of Lime

LOTIO CALAMINÆ CO.

Take of

Calamine }	of each
Oxide of Zinc ...	}	$\frac{1}{2}$ ounce,
Glycerine 1	drachm,
Solution of Subacetate of Lead 2	drachms,
Lime Water 2	ounces,

Mix.

LOTIO CUPRI SULPHATIS.

Take of

Sulphate of Copper, in powder 2	grains,
Distilled Water ...	1 fl.	ounce.

Dissolve.

LOTIO FERRI SULPHATIS.

Take of

Sulphate of Iron, in powder 3	grains,
Distilled Water ...	to 1	fl. ounce.

Dissolve.

LOTIO HYDRARGYRI PERCHLORIDI.**Take of**

Perchloride of Mercury	$\frac{1}{4}$ grain,
Distilled Water	... 1 fl. ounce.


Dissolve.**LOTIO HYDRARGYRI PERCHLORIDI
HYDROCYANICA.****Take of**


Perchloride of Mercury	$\frac{1}{2}$ grain,
Glycerine	... 2 fl. drachms,
Diluted Hydrocyanic Acid	... 8 minims,
Distilled Water	... to 1 fl. ounce.

Dissolve and mix.**LOTIO OPII.****Take of**

Liquid Extract of Opium	... 1 drachm,
Distilled Water	... to 1 fl. ounce.

Mix.





LOTIO PLUMBI.**Take of****Solution of Subacetate**

of Lead	6 minims,
Water	to 1 fl. ounce.

Mix.**LOTIO PLUMBI CUM OPIO.****Take of**

Opium Lotion	... } ...	equal parts.
Lead Lotion	... }	

Mix.**LOTIO POTASSÆ SULPHURATÆ.****Take of**

Sulphurated Potash	... 4 grains,
Distilled Water	... to 1 fl. ounce.

Dissolve.**LOTIO QUERCUS COMPOSITA.****Take of**

Alum, in powder	... } ...	of each
Sulphate of Zinc	... }	4 grains,
Decoction of Oak Bark	to 1 fl. ounce.	

Dissolve.

LOTIO SODÆ CHLORINATÆ.

Take of

Solution of Chlorinated

Soda $\frac{1}{2}$ fl. drachm,

Distilled Water ... to 1 fl. ounce.

Mix.

LOTIO SULPHURIS COMPOSITA.

Take of

Precipitated Sulphur ... 60 grains,

Spirit of Camphor ... $\frac{1}{2}$ fl. drachm,

Lime Water to 1 fl. ounce.

Mix.

LOTIO ZINCI OXIDI.

Take of

Oxide of Zinc ... 30 grains,

Glycerine $\frac{1}{2}$ fl. drachm,

Lime Water to 1 fl. ounce.

Mix.

LOTIO ZINCI SULPHATIS.


Take of

Sulphate of Zinc ... 1 grain,

Distilled Water ... to 1 fl. ounce.

Dissolve.

LOTTO ZAŁOGI RĘCZNEJ
DOSTĘPNEJ W MIASTACH
Województwa Śląskiego
W DNIU 15.01.2010 R.



LOTIO ZINCI MEDIA.

Take of

- | | |
|------------------|---------------------|
| Sulphate of Zinc | ... 2 grains, |
| Distilled Water | ... to 1 fl. ounce. |

Dissolve.

LOTIO ZINCI SULPHATIS FORTIOR.

Take of

- | | |
|------------------|---------------------|
| Sulphate of Zinc | ... 4 grains, |
| Distilled Water | ... to 1 fl. ounce. |

Dissolve.

LOTIO ZINCI SULPHOCARBOLATIS.

Take of

- | | |
|-------------------------|---------------------|
| Sulphocarbonate of Zinc | 4 grains, |
| Distilled Water | ... to 1 fl. ounce. |

Dissolve.

OLEUM CARBOLATUM.

Take of

- | | |
|--------------------------|-------------------------|
| Carbolic Acid, liquefied | 12 minims, |
| Olive Oil | to 1 fl. ounce. |

Mix. Contains 1 part of acid in 40.

PASTA IODI CUM CREASOTO.

Take of

Iodine 120 grains,
Creasote to 1 fl. ounce.

Dissolve.

PILULA ALOES CUM NUCE VOMICA.

Take of

Pill of Barbadoes Aloes	$4\frac{1}{2}$	grains,
Extract of Nux Vomica	$\frac{1}{4}$	grain,
Treacle a sufficiency.

Beat together, and form a pill.

PILULA ALOES CUM SAPONE.

Take of

Cape Aloes, in powder	of each
Hard Soap, in powder	2 grains,
Distilled Water	... a sufficiency.

Beat together, and form a pill.

PHYLUM ARACHNIDA
CLASS SPIDEROPTERA
SUBCLASS SPIDEROPTERA
SUPERORDER SPIDEROPTERA
ORDER SPIDEROPTERA
SUBORDER SPIDEROPTERA
SUPERFAMILY SPIDEROPTERA
FAMILY SPIDEROPTERA
SUBFAMILY SPIDEROPTERA
SUPERGENUS SPIDEROPTERA
GENUS SPIDEROPTERA
SUBGENUS SPIDEROPTERA
SUPERSPECIES SPIDEROPTERA
SPECIES SPIDEROPTERA

PILULA ATROPINÆ.**Take of**

- Atropine $\frac{1}{200}$ grain,
 Rectified Spirit ... $\frac{1}{20}$ minim,
 Liquorice Root, in
 powder 2 grains,
 Treacle a sufficiency.

Beat together, and form a pill.**PILULA BELLADONNÆ.****Take of**

- Extract of Belladonna $\frac{1}{3}$ grain,
 Liquorice Root, in
 powder 2 grains,
 Treacle a sufficiency.

Beat together, and form a pill.**PILULA CALOMELANOS CUM COLO-
CYNTHIDE.****Take of**

- Subchloride of Mer-
 cury 1 grain,
 Compound Extract of
 Colocynth 4 grains,

Beat together, and form a pill.

PILULA CALOMELANOS CUM COLO-
CYNTHIDE ET HYOSCYAMO.

Take of

Subchloride of Mercury 1 grain,

Compound Extract of

Colocynth 3 grains,

Extract of Henbane... 1 grain.

Beat together, and form a pill.

PILULA CALOMELANOS CUM JALAPA.

(*Syn.* House Pills.)

Take of

Subchloride of Mercury 1 grain,

Jalap, in powder ... 3 grains,

Treacle a sufficiency.

Beat together, and form a pill.

PILULA CALOMELANOS CUM RHEO.

Take of

Subchloride of Mercury 1 grain,

Rhubarb Root, in

powder 4 grains,

Treacle a sufficiency.

Beat together, and form a pill.

PICTURES OF
THE
WORLD'S
GREATEST
MUSEUMS
AND
ART
COLLECTIONS
IN
THE
UNITED
STATES
AND
CANADA
BY
CHARLES
F. LUCAS
WITH
A
MAP
OF
THE
UNITED
STATES
AND
CANADA
AND
A
LIST
OF
USEFUL
ADRESSES

ONTOLOGIA CON CERCA
HYPERBOLICO

DE LA MATERIA Y SU ALCALINIDAD.

CON UNA INTRODUCCION AL ESTUDIO DE LAS

PROPIEDADES QUIMICAS DE LOS ELEMENTOS.

PARA CALMARLOS CON EL MUNDO.

PILULA CALOMELANOS CUM SCAMMONIO.

Take of

Subchloride of Mer-

cury 1 grain,

Scammony, in powder 3 grains,

Treacle a sufficiency.

Beat together, and form a pill.

PILULA CAMPHORÆ CUM HYOSCYAMO.

Take of

Camphor, in powder... } of each

Extract of Henbane... } $2\frac{1}{2}$ grains.

Beat together, and form a pill.

PILULA CAMPHORÆ CUM OPIO.

Take of

Camphor, in powder... 2 grains,

Opium, in powder ... $\frac{1}{2}$ grain,

Treacle a sufficiency.

Beat together, and form a pill.

PILULA CREASOTI.

Take of

Creasote 1 minim,
 Crumb of Bread ... a sufficiency.

Beat together, and form a pill.

PILULA CREASOTI CUM ASAFOETIDA.

Take of

Creasote 1 minim,
 Compound Pill of
 Asafœtida } of each
 Compound Rhubarb } 2 grains.
 Pill

Beat together, and form a pill.

PILULA ELATERII COMPOSITA.

Take of

Elaterium $\frac{1}{4}$ grain,
 Compound Extract of
 Colocynth 2 grains,
 Subchloride of Mercury $1\frac{1}{2}$ grains,
 Capsicum Fruit, in
 powder $\frac{1}{2}$ grain,
 Treacle a sufficiency.

Beat together, and form a pill.

100 grms. of dried Cinnamon

100 grms. of dried Cardamom

100 grms. of dried Cloves

100 grms. of dried Nutmeg

100 grms. of dried Saffron

100 grms. of dried Pepper

100 grms. of dried Sassafras

100 grms. of dried Sichuan Pepper

100 grms. of dried Star Anise

100 grms. of dried White Pepper

100 grms. of dried Black Pepper

100 grms. of dried Coriander

Dried Saffron oil (100 grms.)

Dried Sichuan Pepper (100 grms.)

Dried White Pepper (100 grms.)

1
C. 1860. 1000.
A. 1860. 1000.
B. 1860. 1000.
C. 1860. 1000.
D. 1860. 1000.
E. 1860. 1000.
F. 1860. 1000.
G. 1860. 1000.
H. 1860. 1000.
I. 1860. 1000.
J. 1860. 1000.
K. 1860. 1000.
L. 1860. 1000.
M. 1860. 1000.
N. 1860. 1000.
O. 1860. 1000.
P. 1860. 1000.
Q. 1860. 1000.
R. 1860. 1000.
S. 1860. 1000.
T. 1860. 1000.
U. 1860. 1000.
V. 1860. 1000.
W. 1860. 1000.
X. 1860. 1000.
Y. 1860. 1000.
Z. 1860. 1000.

PILULA FERRI FŒTIDA.

Take of

Saccharated Carbonate

of Iron 3 grains,

Compound Asafœtida

Pill... 2 grains,

Treacle a sufficiency.

Beat together, and form a pill.

PILULA FERRI REDACTI.

Take of

Reduced Iron ... 3 grains,

Liquorice Root, in

powder 1 grain,

Mucilage of Tragacanth a sufficiency.

Beat together, and form a pill.

PILULA FERRI SULPHATIS.

Take of

Dried Sulphate of Iron } of each

Ginger, in powder ... } 1 grain,

Extract of Gentian ... 3 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM COLO-CYNTHIDE.

Take of

Mercurial Pill ... 1 grain,

Compound Extract of
Colocynth $2\frac{1}{2}$ grains,

Beat together, and form a pill.

PILULA HYDRARGYRI CUM COLO-CYNTHIDE ET HYOSCYAMO.

Take of

Mercurial Pill ... 1 grain,

Compound Extract of
Colocynth... ... $2\frac{1}{2}$ grains,

Extract of Henbane... 1 grain.

Beat together, and form a pill.


PILULA HYDRARGYRI CUM CRETA COMPOSITA.

Take of

Mercury with Chalk... } of each
Compound Powder of } $2\frac{1}{2}$ grains,
Ipecacuanha ... }

Treacle a sufficiency.

Beat together, and form a pill.



PILULA HYDRARGYRI CUM CRETA ET
QUININÆ.

Take of

Mercury with Chalk...	3 grains,
Sulphate of Quinine...	1 grain,
Treacle a sufficiency.

Beat together, and form a pill.

PILULA 'HYDRARGYRI CUM :CRETA ET
RHEI.

Take of

Mercury with Chalk...	} of each
Rhubarb Root, in pow- der	
Treacle	a sufficiency.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM RHEO.

Take of

Mercurial Pill	... 2 grains,
Compound Rhubarb Pill 3 grains.

Beat together, and form a pill.

PILULA HYDRARGYRI CUM SCILLA.

Take of

- | | |
|-------------------|----------------------------|
| Mercurial Pill | ... 3 grains, |
| Squill, in powder | ... $1\frac{1}{2}$ grains. |

Beat together, and form a pill.

PILULA HYDRARGYRI IODIDI VIRIDIS
CUM OPIO.

Take of

- | | |
|----------------------|------------------------------|
| Green Iodide of Mer- | |
| cury | $\frac{1}{2}$ grain, |
| Opium, in powder | ... $\frac{1}{8}$ grain, |
| Treacle | a sufficiency. |

Beat together, and form a pill.

PILULA RHEI COMPOSITA CUM
NUCE VOMICA.

Take of

- | | |
|-----------------------|--------------------------------|
| Compound Rhubarb | |
| Pill... | $3\frac{1}{2}$ grains, |
| Capsicum Fruit, in | |
| powder | $\frac{1}{6}$ grain, |
| Extract of Nux Vomica | $\frac{1}{2}$ grain, |

Beat together, and form a pill.

PHILIP STRANDBERG
Extract of St. John's Wort
Saponin + opium
Aniseed
Parsley
Horehound
Balsam of Sassafras
at together, and form a pill.

POTASSA CALCAREA
of
Caustic Potash
Lime
Cinnamon
and form paste.

CHIN. POTASSA CALCAREA
Balsam of Sassafras
Saponin
Aniseed
Parsley
Horehound
Balsam of Sassafras
Cinnamon
Lime
Cinnamon
and form paste.

COMPOSIUM *COLLE*

PILULA STRAMONII.

Take of

Extract of Stramo-
nium $\frac{1}{3}$ grain,
Liquorice Root, in
powder 2 grains,
Treacle a sufficiency.

Beat together, and form a pill.

POTASSA CUM CALCE.

Take of

Caustic Potash ... } equal parts,
Lime }
Glycerine a sufficiency.

So as to form a paste.

POTUS POTASSII CHLORATIS.

Take of

Chlorate of Potassium 60 grains,
Boiling Water ... 1 pint.

Dissolve.

POTUS POTASSII TARTRATIS ACIDÆ
Take of

Acid Tartrate of Potassium ... 60 grains,
 Half the fresh Peel of a Lemon,
 Boiling Water ... 1 pint.

Infuse in a covered vessel with occasional stirring till cold, and strain.

PULVIS ALUMINIS ET ZINCI.
Take of

Alum, in powder ... 2 ounces,
 Sulphate of Zinc, in powder ... 1 ounce.

Mix. One teaspoonful to be dissolved in a pint of water, and used as a lotion.

PULVIS BORACIS CUM ACIDO TANNICO.
Take of


Borax, in powder ... 4 drachms,
 Tannic Acid, in powder ... 5 grains.

Mix thoroughly.

PUBLIC DOMAIN CO.

ALL RIGHTS RESERVED

PRINTED IN U.S.A. BY THE GOVERNMENT



PULVIS BORACIS CO.

Take of

Borax, in powder ... 3 drachms,
 Tannic Acid, in powder ... 4 grains,
 Iodoform, in powder 1 drachm,
 Hydrochlorate of Morphine, in powder ... 5 grains.

Mix thoroughly.

PULVIS CRETÆ AROMATICUS CUM RHEO.

Take of

Aromatic Powder of
 Chalk 20 grains,
 Rhubarb Root, in powder ... 10 grains.

Mix.

PULVIS EMETICUS.

Take of

Ipecacuanha, in powder 20 grains,
 Tartarated Antimony,
 in powder $\frac{1}{2}$ grain.

Mix.

PULVIS MORPHINÆ CUM BORACE.

Take of

Hydrochlorate of Mor-
 phine, in powder ... $\frac{1}{6}$ grain,
 Borax, in powder ... 2 grains.


Mix. This powder is also kept in the
 strengths of $\frac{1}{4}$ and $\frac{1}{3}$ grain of Morph.


PULVIS MORPHINÆ CUM IODOFORMO

Take of

Hydrochlorate of Mor-
 phine, in powder ... $\frac{1}{6}$ grain,
 Iodoform, in powder 1 grain,
 Borax, in powder ... 2 grains.

Mix thoroughly.





SAPO LIQUIDUS.

Take of

Soft Soap	... 2 ounces,
Rectified Spirit	... 1 fl. ounce.

Dissolve.

SPIRITUS AMMONIÆ AROMATICUS.

(Hosp. Pharm.)

Take of

Carbonate of Ammonium	... 8 ounces,
Strong Solution of Ammonia	... 4 fl. ounces,
Oil of Lemon	... 2 fl. drachms.
Rectified Spirit	... 5 pints,
Distilled Water	... to 7 pints.

Dissolve and mix.

Equal in amount of carbonate of ammonium to Spiritus Ammoniæ Aromaticus of the *Brit. Pharm.*

SPIRITUS AMMONIÆ FŒTIDUS.

(Hosp. Pharm.)

Take of

Tincture of Asafœtida	12 fl. ounces,
Rectified Spirit	... 6 fl. ounces,
Strong Solution of	
Ammonia 2 fl. ounces.

Mix.

Equal in amount of asafœtida and of ammonia to Spiritus Ammoniæ Fœtidus of the *Brit. Pharm.*


SPIRITUS ANISI.**Take of**


Oil of Anise	... 1 fl. ounce,
Rectified Spirit	... to 50 fl. ounces.

Dissolve.**SPIRITUS CARUI.****Take of**

Oil of Caraway	... 1 fl. ounce,
Rectified Spirit	... to 50 fl. ounces

Dissolve.





SPIRITUS CARYOPHYLLI.**Take of**

- | | |
|------------------|----------------------|
| Oil of Cloves | ...1 fl. ounce, |
| Rectified Spirit | ...to 50 fl. ounces. |

Dissolve.**SPIRITUS CASSIÆ LIGNEÆ.****Take of**

- | | |
|------------------|----------------------|
| Oil of Cassia | ...1 fl. ounce, |
| Rectified Spirit | ...to 50 fl. ounces. |

Dissolve.**SPIRITUS MENTHÆ VIRIDIS.****Take of**

- | | |
|------------------|----------------------|
| Oil of Spearmint | ...1 fl. ounce, |
| Rectified Spirit | ...to 50 fl. ounces. |

Dissolve.**SUPPOSITORIUM OPII.****Take of**

- Compound Pill of Soap 12 grains.

Make a suppository.

It contains about 2 grains of dried opium.

SYRUPUS PAPAVERIS.

(Hosp. Pharm.)

Take of

Poppy Capsules, bruised
 and freed from Seeds $2\frac{1}{4}$ pounds,
 Treacle... 2 pounds,
 Distilled Water at 170° 3 gallons.

Macerate the poppy capsules in the water for 12 hours, draw off and express the liquor, evaporate it to two pints and a half, and add the treacle.

Equal in strength to Syrupus Papaveris of the *Brit. Pharm.*


SYRUPUS RHŒADOS.


(Hosp. Pharm.)

Take of

Dried Red Poppy Petals 13 ounces,
 Treacle... $5\frac{1}{4}$ pounds,
 Boiling Distilled Water $5\frac{1}{2}$ pints.

Infuse the petals in the water for 12 hours, draw off and express the liquor, and add the treacle.





UNGENTUM ACIDI BORICI.**Take of**

Boric Acid 80 grains,
Soft Paraffin 1 ounce.

Mix.**UNGENTUM ACIDI CARBOLICI.****Take of**

Carbolic Acid, liquefied $\frac{1}{2}$ fl. drachm,	
Soft Paraffin 1 ounce.

Mix.**UNGENTUM ACIDI CHRYSOPHANICI.****Take of**

Chrysophanic Acid ...	10 grains,
Soft Paraffin 1 ounce.

Mix.**UNGENTUM ACIDI SALICYLICI.****Take of**

Salicylic Acid ...	10 grains,
Soft Paraffin 1 ounce.

Mix.

**UNGENTUM BELLADONNÆ COM-
POSITUM.**

Take of

Extract of Belladonna	30 grains,
Camphor 10 grains,
Rectified Spirit	... a sufficiency,
Soft Paraffin 1 ounce.

Dissolve and mix.

UNGENTUM DIACHYLI.

Syn.—Unguentum Lithargyri.

Take of

Lead plaster } equal parts.
Soft Paraffin }


Let an ointment be made.


UNGENTUM FERRI SULPHATIS.

Take of

Sulphate of Iron (in fine powder)	... 10 grains,
Lard 1 ounce.

Mix.





**UNGENTUM HYDRARGYRI CUM
BELLADONNA.**

Take of

Ointment of Mercury	}	equal parts.
Ointment of Belladonna		
Ointment of Iodide of Potassium		

Mix.

**UNGENTUM HYDRARGYRI NITRATIS
DILUTUM $\frac{1}{8}$.**

Take of

Ointment of Nitrate of Mercury ...	$\frac{1}{8}$ ounce,
Prepared Lard ...	to 1 ounce.

Mix.

**UNGENTUM HYDRARGYRI NITRATIS
DILUTUM $\frac{1}{4}$.**

Take of

Ointment of Nitrate of Mercury ...	$\frac{1}{4}$ ounce,
Prepared Lard ...	to 1 ounce.

Mix.

**UNGuentum HYDRARGYRI NITRATIS
DILUTUM $\frac{1}{2}$.**

Take of

Ointment of Nitrate of Mercury ... }
Prepared Lard ... } equal parts.

Mix.

UNGuentum HYDRARGYRI SULPHIDI RUBRI.

Take of

Red Sulphide of Mercury ... } of each
Red Oxide of Mercury, } 6 grains,
in very fine powder
Creasote ... 2 minims,
Prepared Lard ... 1 ounce.

Mix.

UNGuentum HYDRARGYRI SULPHIDI RUBRI MITIUS.

Take of

Ointment of Red Sulphide of Mercury ... $\frac{1}{2}$ ounce,
Prepared Lard ... 1 ounce.

Mix.

1. *Solventum Petroleum*
2. *Ammoniated Mineral Oil*

3. *Ammoniated Mineral Oil* +
Ammoniated Nitrobenzene

4. *Ammoniated Nitrobenzene*
5. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

6. *Ammoniated Nitrobenzene*
7. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

8. *Ammoniated Nitrobenzene*
9. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

10. *Ammoniated Nitrobenzene*
11. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

12. *Ammoniated Nitrobenzene*
13. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

14. *Ammoniated Nitrobenzene*
15. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

16. *Ammoniated Nitrobenzene*
17. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

18. *Ammoniated Nitrobenzene*
19. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

20. *Ammoniated Nitrobenzene*
21. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

22. *Ammoniated Nitrobenzene*
23. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

24. *Ammoniated Nitrobenzene*
25. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

26. *Ammoniated Nitrobenzene*
27. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

28. *Ammoniated Nitrobenzene*
29. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

30. *Ammoniated Nitrobenzene*
31. *Ammoniated Nitrobenzene* +
Ammoniated Mineral Oil

UNGuentum IODOFORMI.

Take of

Iodoform $\frac{1}{4}$ ounce,
Soft Paraffin 1 ounce.

Mix.

UNGuentum PETROLEI CO.

Take of

Ammoniated Mercury	10 grains,
Solution of Coal Tar	1 drachm,
Soft Paraffin	... to 1 ounce.

Mix.

UNGuentum PETROLEI CUM ZINCO.

Take of

Oxide of Zinc	... 30 grains.
Soft Paraffin	... 1 ounce.

Mix.

UNGuentum PICIS CUM PLUMBO.

Take of

Ointment of Tar	...	equal parts.
Ointment of Acetate of Lead	...	

Mix.

UNGENTUM SIMPLEX.

(Hosp. Pharm.)

Take of

Yellow Wax $\frac{1}{4}$ ounce,
Prepared Lard	... $\frac{3}{4}$ ounce.

Melt together.**UNGENTUM STAPHISAGRIÆ.**

(Hosp. Pharm.)


Take of


Oil of Stavesacre	... 1 fl. drachm,
Soft Paraffin...	... 1 ounce.

Mix.**UNGENTUM STYRACIS.****Take of**

Prepared Storax, liquefied $\frac{1}{2}$ ounce,
Prepared Lard	... 1 ounce.

Mix.





UNGENTUM SULPHURIS COMPOSITUM.

Take of

Sublimed Sulphur	... 30 grains,
Ammoniated Mercury	10 grains,
Red Sulphide of Mer-	
cury	... 10 grains,
Olive Oil	... 2 fl. drachms,
Creasote	... 4 minims,
Prepared Lard	... 1 ounce.

Mix.

UNGENTUM ZINCI CARBOLATUM.

Take of

Carbolic Acid, liquefied	1 fl. drachm,
Ointment of Zinc	... 1 ounce.

Mix.

VAPOR BENZOINI.

Take of

Compound Tincture of	
Benzoin	... 1 fl. drachm.

To be added to a pint of water at the temperature of 140° F. for each inhalation.

VAPOR CREASOTI.

Take of

Creasote ... 80 minims,

Light Carbonate of

Magnesium ... 30 grains,

Water ... 1 fl. ounce.

Mix. A teaspoonful to be added to a pint of water at the temperature of 140° F. for each inhalation.

VAPOR PINI SYLVESTRIS.

Take of

Oil of Scotch Pine ... 40 minims,

Light Carbonate of

Magnesium ... 20 grains,

Water ... 1 fl. ounce.


Mix. A teaspoonful to be added to a pint of water at the temperature of 140 F. for each inhalation.


VINUM FERRI.

(Hosp. Pharm.)

Vide LIQ. FERRI ET AMMONII CITRATIS,

p. 41.





VINUM IPECACUANHÆ.

(Hosp. Pharm.)

Take of

Ipecacuanha, bruised...	1 ounce,
Sherry	... } of each
Rectified Spirit	... } 4 fl. ounces,
Distilled Water	... 12 fl. ounces.

Macerate the ipecacuanha in the mixed liquids 7 days. Draw off, express, and filter. Then add sufficient water to make 1 pint.

Equal in strength to Vinum Ipecacuanhæ of the *Brit. Pharm.*


ST. BARTHOLOMEW'S

	No. 1. FULL DIET (Men). [<i>Dieta carnis.</i>] D. C.	No. 2. FULL DIET (Women). [<i>Dieta carnis.</i>] D. C.
BREAKFAST {	Tea (5 times a week), $\frac{3}{4}$ pint. Cocoa (twice a week), $\frac{3}{4}$ pint. Butter..... $\frac{1}{2}$ oz.	Tea (5 times a week), $\frac{3}{4}$ pint Cocoa (twice a week), $\frac{3}{4}$ pint Butter..... $\frac{1}{2}$ oz.
TEA {	Tea $\frac{3}{4}$ pint. Butter..... $\frac{1}{2}$ oz.	Tea $\frac{3}{4}$ pint Butter..... $\frac{1}{2}$ oz.
DURING REMAINDER OF 24 HOURS {	Meat (6 times a week), 6 oz dressed. Fish (once a week) ... 10 oz. dressed. Potato (5 times a week), 8 oz. Potato and Fresh Vege- table (twice a week), 4 oz. of each. Pudding..... 4 oz. Milk (5 times a week), 1 pint. Soup (twice a week), 1 pint.	Meat (6 times a week), 4 oz dressed. Fish (once a week)..... 8 oz dressed. Potato (5 times a week), 6 oz Potato and Fresh Vege- table (twice a week), 3 oz of each. Pudding..... 4 oz Milk 1 pint
	Bread 16 oz.	Bread 14 oz

MEAT AND FISH:

Sunday	Roast Beef.	Thursday	Boiled Mutton
Monday.....	Boiled Mutton.	Friday	Fish.
Tuesday.....	Irish Stew.	Saturday	Roast Mutton
Wednesday	Roast Mutton.		

Patients on admission are to be placed on Spoon Diet.
It is particularly requested that, in ordering Diets, the Medical Office be ordered for a Patient unless the Medical Officer considers Stimulants, are to be re-written weekly.



OSPITAL.—DIET SCALE.

No. 3. CONVALESCENT DIET. [<i>Dieta dimidia.</i>] D. D.	No. 4. MILK DIET. [<i>Dieta lactis.</i>] D. L.	No. 5. SPOON DIET. [<i>Dieta tenuis.</i>] D. T.
a (5 times a week), $\frac{3}{4}$ pint.	Tea (5 times a week), $\frac{1}{2}$ pint.	TEA..... $\frac{1}{2}$ pint.
coa (twice a week), $\frac{3}{4}$ pint.	Cocoa (twice a week), $\frac{1}{2}$ pint.	
itter $\frac{1}{2}$ oz.	Butter $\frac{1}{2}$ oz.	
a $\frac{3}{4}$ pint.	Tea $\frac{1}{2}$ pint.	TEA..... $\frac{1}{2}$ pint.
itter $\frac{1}{2}$ oz.	Butter $\frac{1}{2}$ oz.	
oast Mutton or Chop (6 times a week) ... 4 oz. dressed.	Beef Tea 1 pint. <i>or, one of the following:</i> <i>Mutton Broth</i> ...1 pint. <i>Pudding</i> 8 oz. <i>Fish</i> { 6 oz. <i>Roast Mutton</i> } 4 oz. <i>or Chop</i> { dressed.	BEEF TEA, 1 pint.
atto (5 times a week), 4 oz.		
atto and Fresh Vege- table (twice a week), 2 oz. of each.		
dding 8 oz.		
lk 1 pint. <i>or, 1 pint of one of the following:</i> <i>Beef Tea.</i>	Milk 2 pints. <i>or, Milk</i> 1 pint, and 1 pint of one of the following in ad- dition: <i>Corn Flour</i> } made <i>Arrowroot</i> } with <i>Rice</i> } Milk. ead 14 oz.	MILK, 2 pints. <i>or, Milk</i> , 1 pint, and 1 pint of one of the following in addition: <i>Corn Fl.</i> } made <i>Arrowr.</i> } with <i>Rice</i> ... } Milk. Bread 4 oz.
DDINGS:	CHILDREN'S DIET:	
Rice Twice a week.	For young Children { <i>Spoon or Milk</i> <i>Diet, without Tea</i> <i>or Cocoa.</i>	
Sago ,		
Capioca... ,		
Macaroni Once a week.		
Custard... Only when spe- cially ordered.	For older Children, <i>Women's Full Diet.</i>	

il a Diet is ordered by the Physician or Surgeon.


l adhere as closely as possible to the above Diet Scale. No extra is to
ential to the Patient's proper treatment. All Diets, as well as


APPENDIX.

TABLE

Of the Ordinary Doses for an Adult.

Acacia Gum	ad lib.
Acetum	1 to 8 fl. drs.
— Scillæ	15 to 40 min.
Acidum Aceticum Dil. .	1 to 8 fl. drs.
— Arseniosum <i>in sol.</i>	$\frac{1}{60}$ to $\frac{1}{12}$ grs.
— Benzoicum	10 to 15 ,,
— Boricum	5 to 30 ,,
— Carbolicum	1 to 3 ,,
— Carbolicum Liquefactum	1 to 4 min.
— Citricum	10 to 30 grs.
— Gallicum	2 to 10 ,,
— Hydrobromicum Dil.	15 to 50 min.
— Hydrochloricum Dil.	10 to 30 ,,
— Hydrocyanicum Dil.	2 to 8 ,,
— Lactic. Dil. . . .	$\frac{1}{2}$ to 2 fl. drs.







Acidum Meconicum	*
— Nitricum Dilutum	10 to 30 min.
— Nitro-hydroch. Dil. . . .	5 to 20 ,,
— Phosphoric. Conc. . . .	2 to 5 ,,
— Phosphoricum Dil. . . .	10 to 30 ,,
— Salicylicum	5 to 30 grs.
— Sulphuricum Arom. . . .	5 to 30 min.
— Sulphuricum Dil. . . .	5 to 30 ,,
— Sulphurosum	$\frac{1}{2}$ to 1 fl. dr.
— Tannicum	2 to 10 grs.
— Tartaricum	10 to 30 ,,
Aconitina	$\frac{1}{240}$ to $\frac{1}{60}$ gr.
Æther	20 to 60 min.
— Aceticus	20 to 60 ,,
Aloë Barbadensis	2 to 6 grs.
— Socotrina	2 to 6 ,,
Aloin	$\frac{1}{2}$ to 2 ,,
Alumen	10 to 20 ,,
Ammoniacum	10 to 20 ,,
Ammonii Benzoas	10 to 20 ,,
— Bromidum	2 to 20 ,,

* Used only in the preparation of Liquor
Morphinæ Bimeconatis.


Ammonii Carbonas . .	3 to 10	grs.
— Chloridum . .	5 to 20	„
— Phosphas . .	5 to 20	„
Amyl Nitris <i>vapour of</i>	2 to 5	min.
In mixtures, to be taken $\frac{1}{2}$ to 1 min., with caution.		
Antimonii Oxidum . .	1 to 4	grs.
— Sulphuratum . .	1 to 5	„
Antimonium Tartaratum, <i>diaphoretic</i>	$\frac{1}{16}$ to $\frac{1}{6}$	„
— — <i>emetick</i>	1 to 2	„
Apomorphinæ Hydrochl., by mouth $\frac{1}{16}$ to $\frac{1}{4}$ gr., vide Injectio Apomorph. Hy- podermica, p. 88.		
Aqua Camphoræ . .	1 to 2	fl. oz.
Aqua Chloroformi . .	$\frac{1}{2}$ to 2	„
— Laurocerasi . .	5 to 30	min.
Argenti Nitratas . .	$\frac{1}{6}$ to $\frac{1}{3}$	gr.
— Oxidum . .	$\frac{1}{2}$ to 2	grs.
Arsenii Iodidum <i>in sol.</i>	$\frac{1}{30}$	gr.
Asafœtida . .	5 to 20	„
Atropina . .	$\frac{1}{120}$ to $\frac{1}{60}$	„






Atropina Sulphas	$\frac{1}{20}$ to $\frac{1}{40}$	gr.
Balsamum Peruvianum	10 to 15	min.
— Tolutanum	10 to 20	grs.
Beberinæ Sulphas	1 to 10	„
Bismuthi Carbonas	5 to 20	„
Bismuthi Citras	2 to 5	„
— et Amm. Cit. . . .	2 to 5	„
— Oxidum	5 to 15	„
— Subnitras	5 to 20	„
Borax	5 to 40	„
Butyl Chloral Hydras	5 to 15	„
Caffeina	1 to 5	„
Caffeinæ Citras	2 to 10	„
Calcii Carbonas Præcip. . . .	10 to 60	„
— Chloridum	3 to 10	„
— Hypophosphis	5 to 10	„
— Phosphas	10 to 20	„
Calumbæ Rad., <i>in powder</i>	5 to 20	„
Calx Sulphurata	$\frac{1}{10}$ to 1	gr.
Cambogia	1 to 4	grs.
Camphora	1 to 10	„
Capsici Fr. . . .	$\frac{1}{2}$ to 1	„

Carbo Animalis Pur.	.	20 to 60 grs.
— Ligni	20 to 60 ,,
Catechu Pallidum .	.	10 to 30 ,,
Cerevisiæ Fermentum .	.	$\frac{1}{2}$ to 1 oz.
Cerii Oxalis	1 to 3 grs.
Chloral Hydras . .	.	5 to 30 ,,
Chloroform	3 to 10 min.
Chrysarobinum	$\frac{1}{6}$ to $\frac{1}{2}$ gr.
Cinchonæ Pallidæ Cort.		
	<i>in powder</i>	10 to 60 grs.
Cinchonidinæ Sulphas .	.	1 to 10 ,,
Cinchoninæ Sulphas .	.	1 to 10 ,,
Coca	30 to 120 ,,
Cocaine Hydrochlor.	.	$\frac{1}{5}$ to 1 ,,
Codeina	$\frac{1}{4}$ to 2 ,,
Colchici Cormus .	.	2 to 8 ,,
Colocynthidis Pulpa		
	<i>in powder</i>	2 to 8 ,,
Conf. Ferri Tartarati .		2 drs.
— Jalapæ	2 to 4 ,,
— Opii	5 to 20 grs.
— Piperis	1 to 2 drs.







Conf. Potassii Tartratis

Acidæ	1 to 2 drs.
— Scammonii	10 to 30 grs.
— Sennæ	1 to 2 drs.
— Sulphuris	1 to 2 ,,
— Sulphuris Composita	2 to 4 ,,
— Terebinthinæ	1 to 2 ,,
Conii Folia . <i>in powder</i>	2 to 8 grs.
Copaiba	30 to 60 min.
Creasotum	1 to 3 drops.
Creta Præparata	10 to 60 grs.
Cubeba	30 to 120 ,,
Cupri Sulphas, <i>astringent</i>	$\frac{1}{4}$ to 2 ,,
— — <i>emetic</i>	5 to 10 ,,
Cusso	$\frac{1}{4}$ to $\frac{1}{2}$ oz.
Decoctum Aloës Comp. .	$\frac{1}{2}$ to 2 fl. oz.
— Cetrariæ	1 to 4 ,,
— Cinchonæ Pallidæ . .	1 to 2 ,,
— Granati Radicis . .	2 to 4 ,,
— Hæmatoxyli	1 to 2 ,,
— Hemidesmi Comp. .	1 to 2 ,,
— Hordei	1 to 4 ,,


Decoctum Pareiræ . . .	1 to 2 fl. oz.
— Sarsæ	2 to 10 ,,
— Sarsæ Co. . . .	2 to 10 ,,
— Scoparii	2 to 4 ,,
— Taraxaci	2 to 4 ,,
Digitalin	$\frac{1}{60}$ to $\frac{1}{30}$ gr.
Digitalis Folia, <i>in powder</i>	$\frac{1}{2}$ to $1\frac{1}{2}$,,
Elaterinum	$\frac{1}{40}$ to $\frac{1}{10}$,,
Elaterium	$\frac{1}{16}$ to $\frac{1}{2}$,,
Ergota	20 to 30 grs.
Ergotinum	2 to 5 ,,
Essentia Anisi	10 to 20 min.
— Menthæ Piperitæ .	10 to 20 ,,
Extractum Aconiti .	$\frac{1}{4}$ to 1 gr.
— Aloës Barbadensis .	1 to 6 grs.
— — Socotrinæ . .	2 to 6 ,,
— Anthemidis . . .	2 to 10 ,,
— Belæ Liquidum .	1 to 2 fl. drs.
— Belladonnæ . .	$\frac{1}{4}$ to 1 gr.
— — Alcoholic. .	$\frac{1}{16}$ to $\frac{1}{4}$,,
— Calumbæ . . .	2 to 10 grs.
— Cannabis Indicæ .	$\frac{1}{4}$ to 1 ,,






Extractum Cascaræ Sagradæ	2 to 8	grs.
— — Liquidum . . .	$\frac{1}{2}$ to 2	fl. drs.
— Cimicifugæ Liq. . .	3 to 30	min.
— Cinchonæ Pall. Liq.	10 to 30	,
— Cocæ Liq. . . .	$\frac{1}{2}$ to 2	fl. drs.
— Colchici	$\frac{1}{2}$ to 2	grs.
— — Aceticum . . .	$\frac{1}{2}$ to 2	,
— Colocynthidis Comp.	3 to 10	,
— Conii	2 to 6	,
— Ergotæ Liquidum .	10 to 30	min.
— Filicis Liquidum .	15 to 60	,
— Gelsemii Alcoholic.	$\frac{1}{2}$ to 2	grs.
— Gentianæ	2 to 10	,
— Glycyrrhizæ . . .	5 to 60	,
— — Liquidum . . .	1 fl. dr.	
— Hæmatoxyli . . .	10 to 30	,
— Hyoscyami	5 to 10	,
— Jaborandi	2 to 10	,
— Jalapæ	5 to 15	,
— Krameriæ	5 to 20	,
— Lactucæ	5 to 15	,
— Lupuli	5 to 15	,

Extractum Nucis Vomicæ	:	$\frac{1}{2}$ to 2 grs.
— Opii	:	$\frac{1}{2}$ to 2 ,,
— — Liquidum . . .	:	10 to 40 min.
— Papaveris	:	2 to 5 grs.
— Pareiræ	:	10 to 30 ,,
— — Liquidum . . .	:	$\frac{1}{2}$ to 2 fl. drs.
— Physostigmatis . . .	:	$\frac{1}{6}$ to $\frac{1}{4}$ gr.
— Quassiæ	:	3 to 5 grs.
— Rhamni Frangulæ .	:	15 to 60 ,,
— Rhei	:	5 to 15 ,,
— Sarsæ Liquidum .	:	2 to 4 fl. drs.
— Stramonii	:	$\frac{1}{4}$ to $\frac{1}{2}$ gr.
— Taraxaci	:	5 to 30 ,,
— — Liquidum . . .	:	$\frac{1}{4}$ to 2 fl. drs.
Fel Bovinum Purif.	:	5 to 10 grs.
Ferri Arsenias . . .	:	$\frac{1}{6}$ to $\frac{1}{2}$,,
— Carbonas Sacch. .	:	5 to 30 ,,
— et Ammonii Citras .	:	5 to 10 ,,
— et Quininæ Citras .	:	5 to 10 ,,
— Peroxidum Hydratum	:	5 to 30 ,,
— Phosphas	:	5 to 10 ,,
— Sulphas	:	1 to 5 ,,







Ferri Sulphas Exsiccata		$\frac{1}{2}$ to 3	grs.
— — Granulata . . .		1 to 5	„
Ferrum Redactum . . .		1 to 5	„
— Tartaratum . . .		5 to 10	„
Gelsemium . . .		5 to 30	„
Glycerinum . . .		1 to 2	drs.
Guaiaci Resina . . .		10 to 30	grs.
Hydrargyri Iodidum Rubrum . . .		$\frac{1}{3}\frac{1}{2}$ to $\frac{1}{8}$	„
— Iodidum Viride . . .		1 to 3	„
— Perchloridum . . .		$\frac{1}{16}$ to $\frac{1}{8}$	„
— Subchloridum . . .		$\frac{1}{2}$ to 5	„
Hydrargyrum cum Cretâ		3 to 8	„
Infusum Anthemidis . . .		1 to 4	fl. oz.
— Aurantii . . .		1 to 2	„
— — Compositum . . .		1 to 2	„
— Buchu . . .		1 to 4	„
— Calumbæ . . .		1 to 2	„
— Caryophylli . . .		1 to 4	„
— Cascarillæ . . .		1 to 2	„
— Catechu . . .		1 to 2	„
— Chiratæ . . .		1 to 2	„

Infusum Cinchonæ Pal-


lidæ . . .	1 to 2 fl. oz.
— — — Acid. . .	1 to 2 ,,
— Cuspariæ . . .	1 to 2 ,,
— Cusso . . .	4 to 8 ,,
— Digitalis . . .	2 to 4 fl. drs.
— Ergotæ . . .	1 to 2 fl. oz.
— Gentianæ Comp. . .	1 to 2 ,,
— Jaborandi . . .	1 to 2 ,,
— Krameriæ . . .	1 to 2 ,,
— Lini . . .	ad lib.
— Lupuli . . .	1 to 2 fl. oz.
— Maticæ . . .	1 to 4 ,,
— Quassiaæ . . .	1 to 2 ,,
— Rhei . . .	1 to 2 ,,
— Rosæ Acidum . . .	1 to 2 ,,
— Senegæ . . .	1 to 2 ,,
— Sennæ . . .	1 to 2 ,,
— Serpentariæ . . .	1 to 2 ,,
— Uvæ Ursi . . .	1 to 2 ,,
— Valerianæ . . .	1 to 2 ,,






Inj. Apomorphinæ Hypo-			
dermica, by subcu-			
<i>taneous injection</i>	2 to 8 min.		
— Ergotini Hypoder-			
mica, by subcu-			
<i>taneous injection</i>	3 to 10 ,,		
— Morphinæ Hypo-			
dermica, by subcu-			
<i>taneous injection</i>	1 to 5 ,,		
Iodoformum	$\frac{1}{2}$ to 3 grs.		
Ipecacuanha, expectorant	$\frac{1}{2}$ to 2 ,,		
—	15 to 30 ,,		
Jaborandi	<i>in powder</i>	5 to 60	,,
Jalapa		10 to 30	,,
Jalapæ Resina	.	2 to 5	,,
Kamala	30 grs. to $\frac{1}{4}$ oz.	
Kino	10 to 30 grs.	
Lamellæ Physostigminæ	$\frac{1}{1000}$ gr. in each.		
Liquor Ammonii Acetatis	2 to 6 fl. drs.		
— — — Fort.	.	25 to 75 min.	
— Ammonii Citratis	.	2 to 6 fl. drs.	
— — — Fort.	.	$\frac{1}{2}$ dr. to $1\frac{1}{2}$,,

Liquor Arsenicalis . . .	2 to 8 min.
— Arsenici Hydrochlor. . .	2 to 8 ,,
— Arsenii et Hydrarg. Iodidi . . .	10 to 30 ,,
— Atropinæ Sulphatis . . .	1 to 4 ,,
— Bismuthi et Ammo- nii Citratis . . .	30 to 60 ,,
— Calcii Chloridi . . .	15 to 30 ,,
— Calcis . . .	1 to 4 fl. oz.
— — Saccharatus . . .	15 to 60 min.
— Chlori . . .	10 to 20 ,,
— Ferri Acetatis . . .	5 to 30 ,,
— — — Fort. . .	1 to 8 ,,
— — Dialysatus . . .	10 to 30 ,,
— Ferri et Ammonii Citratis . . .	1 to 4 fl. drs.
— — Perchloridi . . .	10 to 30 min.
— — Pernitratis . . .	10 to 40 ,,
— Hydrarg. Perchlor. .	30 to 120 ,,
— Lithiæ Effervescentia	5 to 10 fl. oz.
— Magnesii Carbonat. .	1 to 2 ,,
— — Citratis . . .	5 to 10 ,,







Liquor Morphinæ Acetatis 10 to 60 min.

— — Bimeconatis . . .	5 to 40	,
— — Hydrochlor. . .	10 to 60	,
— Potassæ	15 to 60	,
— Potassii Permang. .	2 to 4 fl. drs.	
— Sodii Arseniatis .	5 to 10	min.
— Sodæ Chlorinatæ .	10 to 20	,
— — Effervescens . .	5 to 10	oz.
— — Hydrochloratis .	5 to 10	min.
Lithii Carbonas . . .	3 to 6	grs.
— Citras	5 to 10	,
— Supulinum	2 to 5	,
Magnesia Levis . . .	10 to 60	,
— Pond. . . .	10 to 60	,
— Carb. Levis . . .	10 to 60	,
— — Pond. . . .	10 to 60	,
— Sulphas	60 grs. to $\frac{1}{2}$ oz.	
Manna	60 grs. to 1	oz.
Menthol	$\frac{1}{2}$ to 2	grs.
Mistura Ammoniaci . .	$\frac{1}{2}$ to 1	fl. oz.
— Amygdalæ	1 to 2	,
— Creasoti	1 to 2	,


Mistura Cretæ . .	1 to 2 fl. oz.
— Ferri Aromatica . .	1 to 2 ,,
— — Composita . .	1 to 2 ,,
— Guaiaci . .	$\frac{1}{2}$ to 2 ,,
— Scammonii . .	1 to 3 ,,
— Sennæ Composita . .	1 to $1\frac{1}{2}$,,
— Spiritus Vini Gallici	1 to 2 ,,
Morphinæ Acetas . .	$\frac{1}{8}$ to $\frac{1}{2}$ gr.
— Hydrochloras . .	$\frac{1}{8}$ to $\frac{1}{2}$,,
— Sulphas . .	$\frac{1}{8}$ to $\frac{1}{2}$,,
Moschus . . .	5 to 10 ,,
Oleo Resinæ Cubebæ . .	5 to 30 min.
Oleum Anethi . .	1 to 4 ,,
— Anisi . . .	1 to 4 ,,
— Anthemidis . .	1 to 4 ,,
— Cajuput. . .	1 to 4 ,,
— Carui . . .	1 to 4 ,,
— Caryophylli . .	1 to 4 ,,
— Cassiæ Ligneæ . .	1 to 4 ,,
— Copaibæ . . .	5 to 20 ,,
— Coriandri . . .	1 to 4 ,,
— Crotonis . . .	$\frac{1}{3}$ to 1 ,,






Oleum Cubebæ	5 to 20 min.
— Eucalypti	1 to 4 ,,
— Juniperi	1 to 4 ,,
— Lavandulæ	1 to 4 ,,
— Limonis	1 to 4 ,,
— Menthæ Piperitæ	1 to 4 ,,
— — viridis	1 to 4 ,,
— Morrhuæ	1 to 8 fl. drs.
— Myristicæ	1 to 4 min.
— Phosphoratum	5 to 10 ,,
— Pimentæ	1 to 4 ,,
— Ricini	1 to 8 fl. drs.
— Rosmarini	1 to 4 min.
— Rutæ	1 to 4 ,,
— Sabinæ	1 to 4 ,,
— Santali	10 to 30 ,,
— Terebinthinæ	10 to 30 ,,
— — <i>anthelmintic</i>	4 fl. drs.
Opium	$\frac{1}{2}$ to 2 grs.
Oxymel	1 to 2 fl. drs.
— Scillæ	$\frac{1}{2}$ to 1 ,,
Pepsin	2 to 5 grs.

Physostigmatis Semen . .	1 to 4 grs.
Picrotoxin	$\frac{1}{130}$ gr.
Pilocarpine	$\frac{1}{6}$ to $\frac{1}{2}$,
— <i>by subcutaneous injection</i>	$\frac{1}{6}$ to $\frac{1}{2}$,
Pilocarpinæ Nitras . .	$\frac{1}{20}$ to $\frac{1}{2}$,
Pilula Aloës Barbadensis	5 to 10 grs.
— — et Asafœtidæ . .	5 to 10 ,
— — et Ferri . .	5 to 10 ,
— — et Myrrhæ . .	5 to 10 ,
— — Socotrinæ . .	5 to 10 ,
— Asafœtidæ Composita	5 to 10 ,
— Cambogiæ Composita	5 to 10 ,
— Colocynthidis Com-	
posita . .	5 to 10 ,
— — et Hyoscyami . .	5 to 10 ,
— Conii Composita . .	5 to 10 ,
— Ferri Carbonatis . .	5 to 20 ,
— Ferri Iodidi . .	3 to 8 ,
— Hydrargyri . .	3 to 8 ,
— — Subchloridi Com-	
posita . .	5 to 10 ,







Pilula Ipecacuanhæ cum

Scillâ . . .	5 to 10	grs.
Pilula Phosphori . . .	2 to 4	„
— Plumbi cum Opio . . .	3 to 5	„
— Rhei Composita . . .	5 to 10	„
— Saponis Composita . . .	3 to 5	„
— Scammonii Composita	5 to 15	„
— Scillæ Composita . . .	5 to 10	„
Plumbi Acetas . . .	1 to 4	„
Podophylli Resina . . .	$\frac{1}{4}$ to 1	„
Potassii Acetas . . .	10 to 60	„
— Bicarbonas . . .	10 to 40	„
— Bromidum . . .	5 to 30	„
— Carbonas . . .	10 to 30	„
— Chloras . . .	10 to 30	„
— Citras . . .	20 to 60	„
— Iodidum . . .	2 to 20	„
— Nitrás . . .	10 to 30	„
— Permanganas . . .	1 to 5	„
— Sulphas . . .	15 to 60	„
— Tartras . . .	60 gr. to $\frac{1}{2}$ oz.	
— — Acida . . .	20 to 60	grs.

Pulvis Amygdalæ Com-


positus . . .	ad lib.	
— Antimonialis . . .	3 to 5 grs.	
— Catechu Compositus	20 to 40	,
— Cinnamomi Comp. .	3 to 10	,
— Cretæ Aromaticus .	10 to 60	,
— — cum Opio . . .	10 to 40	,
— Elaterii Compositus	$\frac{1}{2}$ to 5	,
— Glycyrrhizæ Comp.	30 to 60	,
— Ipecacuanhæ Comp.	5 to 15	,
— Jalapæ Compositus .	20 to 60	,
— Kino Compositus .	5 to 20	,
— Opii Compositus .	2 to 5	,
— Rhei Compositus .	20 to 60	,
— Scammonii Compos.	10 to 20	,
— Tragacanthæ Comp.	20 to 60	,
Quininæ Hydrochloras .	1 to 10	,
— Sulphas . . .	1 to 10	,
Rhei Radix . . .	5 to 20	,
Sabinæ Cacumina		
	<i>in powder</i>	
	4 to 10	,
Salicinum . . .	3 to 20	,






Santonica		10 to 60 grs.
Santonium		2 to 6 ,,
Scammoniæ Resina		3 to 8 ,,
Scammonium		5 to 10 ,,
Scilla <i>in powder</i>		1 to 3 ,,
Soda Tartarata		$\frac{1}{4}$ to $\frac{1}{2}$ oz.
Sodii Arsenias		$\frac{1}{16}$ to $\frac{1}{8}$ gr.
— Bicarbonas		10 to 60 grs.
— Bromidum		10 to 30 ,,
— Carbonas		5 to 30 ,,
— — Exsiccata		3 to 10 ,,
— Citro-Tartras Effer-		
vescens		60 to $\frac{1}{4}$ oz.
— Hypophosphis		2 to 10 grs.
— Iodidum		3 to 10 ,,
— Phosphas		$\frac{1}{4}$ to 1 oz.
— Salicylas		10 to 30 grs.
— Sulphas		$\frac{1}{4}$ to 1 oz.
— Sulphis		5 to 20 grs.
Sodii Sulphocarbolas		10 to 15 ,,
— Valerianas		1 to 5 ,,
Spiritus Ætheris		30 to 90 min.


<i>Spiritus Ætheris Comp.</i>	30 to 120 min.
— — Nitrosi . . .	30 to 120 ,,
— Ammoniæ Aromaticus	30 to 60 ,,
— Ammoniæ Fœtidus	30 to 60 ,,
— Anisi	10 to 20 ,,
— Armoraciæ Comp. .	60 to 120 ,,
— Cajuputi	30 to 60 ,,
— Camphoræ	10 to 30 ,,
— Carui	10 to 30 ,,
— Caryophylli	10 to 30 ,,
— Cassiæ Ligneæ . .	30 to 60 ,,
— Chloroformi . . .	20 to 60 ,,
— Juniperi	30 to 60 ,,
— Lavandulæ	30 to 60 ,,
— Menthæ Piperitæ . .	30 to 60 ,,
— — Viridis	30 to 60 ,,
— Myristicæ	30 to 60 ,,
— Rosmarini	30 to 60 ,,
<i>Strychnia</i>	$\frac{1}{30}$ to $\frac{1}{12}$ gr.
<i>Succus Belladonnæ . .</i>	5 to 15 min.
— Conii	30 to 60 ,,
— Hyoscyami	30 to 60 ,,






Succus Scoparii . . .	1 to 2 fl. drs.
— Taraxaci . . .	1 to 2 ,,
Sulphur Precipitatum . .	20 to 60 grs.
— Sublimatum . . .	20 to 60 ,,
Syrupus Aurantii . . .	1 fl. dr.
— Aurant. Florium . .	1 ,,
— Chloral . . .	$\frac{1}{2}$ to 2 ,,
— Ferri Iodidi . . .	$\frac{1}{2}$ to 1 ,,
— — Phosphatis . .	1 ,,
— Hemedesmi . . .	1 ,,
— Limonis . . .	1 ,,
— Mori . . .	1 ,,
— Papaveris . . .	1 ,,
— Rhei . . .	1 to 4 ,,
— Rhœados . . .	1 ,,
— Rosæ Gallicæ . .	1 ,,
— Scillæ . . .	$\frac{1}{2}$ to 1 ,,
— Sennæ . . .	1 to 4 ,,
— Tolutanus . . .	1 ,,
— Zingiberis . . .	1 ,,
Tabellæ Nitroglycerini .	1 or 2 tablets, $\frac{1}{100}$ gr. in each.

Thymol	$\frac{1}{2}$ to 2 grs.
Terebinthina Canadensis	20 to 30 ,,
Tinctura Aconiti	5 to 15 min.
— Aloës	60 to 120 ,,
— Arnicæ	30 to 60 ,,
— Asafœtidæ	30 to 60 ,,
— Aurantii	60 to 120 ,,
— — Recentis	60 to 120 ,,
— Belladonnæ	5 to 20 ,,
— Benzoini Composita	30 to 60 ,,
— Buchu	60 to 120 ,,
— Calumbæ	30 to 120 ,,
— Camphoræ Comp.	15 to 60 ,,
— Cannabis Indicæ	5 to 20 ,,
— Cantharidis	5 to 20 ,,
— Capsici	10 to 20 ,,
— Cardamomi Comp.	30 to 120 ,,
— Cascarillæ	30 to 120 ,,
— Cassiæ Ligneæ	30 to 120 ,,
— Catechu	30 to 120 ,,
— Chiratae	30 to 120 ,,
— Chloroformi Comp.	20 to 60 ,,





Tinctura Chloriformi Comp.

et Morphinæ . . .	5 to 10 min.
— Cimicifugæ . . .	15 to 60 ,,
— Cinchonæ . . .	30 to 120 ,,
— — Comp. . . .	30 to 120 ,,
— Cinnamomi . . .	30 to 120 ,,
— Colchici Seminum .	10 to 30 ,,
— Conii	20 to 60 ,,
— Cubebæ	30 to 120 ,,
— Digitalis	10 to 30 ,,
— Ergotæ	5 to 30 ,,
— Ferri Acetatis . . .	5 to 30 ,,
— — Perchloridi . . .	10 to 30 ,,
— Gallæ	30 to 120 ,,
— Gelsemii	5 to 20 ,,
— Gentianæ Composita	30 to 120 ,,
— Guaiaci Ammoniata	30 to 60 ,,
— Hyoscyami	30 to 60 ,,
— Iodi	5 to 20 ,,
— Jaborandi	30 to 60 ,,
— Jalapæ	30 to 120 ,,
— Kino	30 to 120 ,,

Tinctura Krameriae	.	30 to 120 min.
— Laricis	20 to 30 ,,
— Lavandulæ Comp.	.	30 to 120 ,,
— Lobeliæ	10 to 30 ,,
— — Ætherea	10 to 30 ,,
— Lupuli	30 to 120 ,,
— Myrrhæ	30 to 60 ,,
— Nucis Vomicæ	.	10 to 20 ,,
— Opii	5 to 40 ,,
— — Ammoniata	.	30 to 60 ,,
— Podophyllin .	.	15 to 60 ,,
— Quassiæ	30 to 120 ,,
— Quininæ	30 to 120 ,,
— — Ammoniata	.	30 to 120 ,,
— Rhei <i>stomachic</i>	1 to 2 fl. drs.	
— — <i>purgative</i>	4 to 8 ,,	
— Sabinæ	20 to 60 min.
— Scillæ	10 to 30 ,,
— Senegæ	30 to 120 ,,
— Sennæ	1 to 4 fl. drs.
— Serpentariæ .	.	30 to 120 min.
— Stramonii	10 to 30 ,,

Tinctura Sumbul . . .		10 to 30	min
— Tolutana . . .		20 to 40	,
— Valerianæ . . .		60 to 120	,
— — Ammon. . .		30 to 60	,
— Veratri Viridis . .		5 to 20	,
— Zingiberis . . .		15 to 60	,
— — Fortior . . .		5 to 20	,
Valerianæ Rad., <i>in powder</i>		10 to 30	grs.
Vinum Aloës . . .		60 to 120	min.
— Antimoniale . . .		5 to 60	,
— Colchici . . .		10 to 30	,
— Ferri . . .		1 to 4	fl. drs.
— Ipecacuanhæ			
	<i>expectorant</i>	5 to 40	min.
— —	<i>emetic</i>	3 to 6	fl. drs.
— Opii . . .		10 to 40	min.
— Rhei . . .		60 to 120	,
— Quininæ . . .		$\frac{1}{2}$ to 1	oz.
Zinci Acetas . . .	<i>tonic</i>	1 to 2	grs.
— —	<i>emetic</i>	10 to 20	,
— Oxidum . . .		2 to 10	,
— Sulphas . . .	<i>tonic</i>	1 to 3	,

Zinci Sulphas *emetic* 20 to 30 grs.
— Valerianas . . . 1 to 3 ,

