

The nomenclature of diseases, drawn up by a Joint Committee appointed by the Royal College of Physicians of London.

Contributors

Royal College of Physicians of London.
American Medical Association.
Royal College of Physicians of London

Publication/Creation

Philadelphia, Pennsylvania : Collins, 1869.

Persistent URL

<https://wellcomecollection.org/works/pbxx89qk>

Provider

Royal College of Physicians

License and attribution

This material has been provided by This material has been provided by Royal College of Physicians, London. The original may be consulted at Royal College of Physicians, London. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

DISEASES

R.C.P.L.

1869

C 616

4105

R5

£100
£50

COLL STA

C 616
1869



THE
NOMENCLATURE OF DISEASES,

DRAWN UP BY

A JOINT COMMITTEE

APPOINTED BY

THE ROYAL COLLEGE OF PHYSICIANS

OF

LONDON.

(Subject to Decennial Revision.)

REPRINTED BY ORDER OF THE AMERICAN MEDICAL ASSOCIATION.

PHILADELPHIA:
COLLINS, PRINTER, 705 JAYNE STREET.
1869.

THE UNIVERSITY OF CHICAGO

PHYSICS DEPARTMENT

PHYSICS 311

1970

THE
NOMENCLATURE OF DISEASES,

DRAWN UP BY

A JOINT COMMITTEE

APPOINTED BY

THE ROYAL COLLEGE OF PHYSICIANS

OF

LONDON.

(Subject to Decennial Revision.)

REPRINTED BY ORDER OF THE AMERICAN MEDICAL ASSOCIATION.

PHILADELPHIA:
COLLINS, PRINTER, 705 JAYNE STREET.
1869.

coll

ROYAL COLLEGE OF PHYSICIANS LIBRARY	
CLASS	C 616 1869
ACCN.	46538 16
SOURCE	G. Wamer £50.00
DATE	6 January 1994

1504 WALNUT STREET, PHILADELPHIA.

DEAR SIR:—

At the last meeting of the AMERICAN MEDICAL ASSOCIATION, at New Orleans, a committee was appointed with instructions to reprint, through the Committee of Publication, the Latin and English portions of the "Provisional Nomenclature of the Royal College of Physicians" of London, and to distribute it under the designation of the proposed Nomenclature; "prefacing the same with such remarks as may be deemed necessary to secure the criticism and co-operation of as large a number of American medical men as practicable."

This Committee was desired to report, at the next meeting, "what alterations, if any, are necessary to adapt the proposed Nomenclature to general use in the United States."

Your aid and co-operation are respectfully and earnestly solicited, together with such criticisms, or modifications, as your experience, or familiarity with the subject may suggest.

It is hoped, that by thus inviting the assistance and judgment of prominent gentlemen, such a Nomenclature will be reached as will be adopted by the entire medical profession of the United States, as well as by the medical departments of the army and navy, general hospitals, boards of health, and the census bureau.

The importance of such a uniform system need not be dwelt upon here.

Will you give the subject your careful consideration, and transmit to the Chairman of the Committee, *at as early a date as practicable*, any suggestions, criticisms, or alterations you may see fit to make?

Very respectfully, your obedient servant,

FRANCIS G. SMITH, M. D.,
Chairman of Committee on Nomenclature.

August, 1869.

NOTE.

The reader will especially bear in mind that the references to paging in this work are exclusively to the asterisk folios inserted in the text, which indicate in all cases the pagination of the English edition.

NOMENCLATURE OF DISEASES.

GENERAL DISEASES.

[*3]

MORBI CORPORIS UNIVERSI.

A.

- Latin Eq.*
- | | |
|--|--|
| 1. Variola..... | Smallpox. |
| Species A. — Simplex | Group A (unmodified). |
| Species B. — Modificata | Group B (modified). <i>Definition:</i> Pustules cut short in their development by vaccination or previous attack of smallpox. |
| | <i>Varieties, applicable to both groups:</i> |
| a. V.—Confluens.... | a. Confluent. <i>Definition:</i> Pustules running together over the greater part of the body. |
| b. V.—Semiconfluens | b. Semi-confluent. |
| c. V.—Discreta..... | c. Distinct. <i>Synonym, Discrete. Definition:</i> All the pustules separate. |
| d. V.—Curta. <i>Idem valet</i> Varicelliformis | d. Abortive. <i>Synonym, Varicelloid. Definition:</i> Comparatively few pustules, the general eruption scarcely passing beyond the stage of vesicle. |
| | <i>Subordinate Varieties:</i> |
| e. V.—Petechialis.. | e. Petechial. |
| f. V.—Hemorrhagica | f. Hemorrhagic. <i>Definition:</i> Blood effused into the vesicles or pustules, with a tendency to hemorrhage from the mucous surfaces. |
| g. V.—Corymbosa.. | g. Corymbose. <i>Definition:</i> Some of the pustules assume the form of clusters, like a bunch of grapes (<i>corymbus</i>). This is a rare variety of the disease. |
| 2. Vaccinia | Cow-pox. |
| 3. Varicella..... | Chicken-pox. |
| 4. Morbilli..... | Measles. |
| 5. Febris rubra..... | Scarlet fever. <i>Synonym, Scarlatina.</i> |
| | <i>Varieties:</i> |
| a. V.—Simplex..... | a. Simple. <i>Definition:</i> A scarlet rash, with redness of the throat, but without ulceration. |
| b. V.—Anginosa.... | b. Anginose. <i>Definition:</i> A more severe form of the disease with redness and ulceration of the throat, and a tendency to the formation of abscess in the neck. |
| | |
| | c. Malignant. <i>Definition:</i> The throat tends to slough; the scarlet rash is scarcely, if at all, visible, petechiæ are often seen on the surface, and the fever is of a low form. |
| | <i>Note.</i> —Scarlet fever occurs occasionally without any rash or sore throat being observed. |

[*5]

- Latin Eq.*
6. Denguis Dengue. *Definition:* An ephemeral continued fever or febricula, characterized by frontal headache, and by severe pains in the limbs and trunk, and sometimes by an eruption, resembling that of measles, over the body; occurring in the West Indies.
7. Typhus..... Typhus fever. *Definition:* A continued fever, characterized by great prostration, and a general dusky, mottled rash, without specific lesion of the bowels.
8. Febris cerebrospinalis. *Idem valet* Febris purpurea pestifera. Meningitis epidemica cerebrospinalis
Cerebro-spinal fever. *Synonyms,* Malignant purpuric fever; Epidemic cerebro-spinal meningitis. *Definition:* A malignant epidemic fever attended by painful contraction of the muscles of the neck, and retraction of the head. In certain epidemics it is frequently accompanied by a profuse purpuric eruption, and, occasionally, by secondary effusions into certain joints. Lesions of the brain and spinal cord and their membranes are found on dissection.
9. Febris enterica. *Idem valet* Febris typhodes
Enteric fever. *Synonym,* Typhoid fever. *Definition:* A continued fever, characterized by the presence of rose-colored spots, chiefly on the abdomen, and a tendency to diarrhœa, with specific lesion of the bowels.
- Febris infantum remittens
Enteric fever occurring in the child is often named Infantile remittent fever.
Note.—Fever symptomatic of worms, teething, or other sources of irritation should not be included under this head.
10. Febris recidiva..... Relapsing fever. *Definition:* A continued fever of short duration, characterized by absence of eruption, and an abrupt relapse, occurring after an interval of about a week.
11. Febris continua simplex
Simple continued fever. *Definition:* Continued fever having no specific character.
12. Febricula Febricula. *Definition:* Simple fever, of not more than three or four days' duration.
- [*7]
13. Febris flava Yellow fever. *Definition:* A malignant epidemic fever, usually continued, but sometimes assuming a paroxysmal type, characterized by yellowness of the skin, and accompanied, in the severest cases, by hemorrhage from the stomach (black vomit), nares, and mouth.
14. Pestilentia..... Plague. *Definition:* A specific fever, attended with bubo of the inguinal or other glands, and occasionally with carbuncles.
15. Febris intermittens
Ague. *Synonym,* Intermittent fever.
Varieties:
a. V.—Quotidiana.. a. Quotidian.
b. V.—Tertiana.... b. Tertian.
Sub-variety:
Tertiana duplex Double tertian.
c. V.—Quartana... c. Quartan.
Sub-variety:
Quartana duplex Double quartan.
d. V.—Inordinata.. d. Irregular.
(101b.) Brow ague.
16. Febris remittens... Remittent fever. *Definition:* A malarious fever, characterized by irregular repeated exacerbations, the remissions being less distinct in proportion to the intensity of the fever. It is accompanied by functional disturbance of the liver, and frequently by yellowness of skin.
Note.—The malignant local fevers of warm climates are usually of this class.
- Febres pestiferæ singularum regionum

- Latin Eq.*
17. Cholera simplex... Simple cholera.
18. Cholera pestifera. Malignant cholera. *Synonyms*, Serous cholera; Spasmodic cholera; Asiatic cholera. *Definition*: An epidemic disease, characterized by vomiting and purging, with evacuations like rice-water, accompanied by cramps, and resulting in suppression of urine and collapse.
- Idem valent*
Cholera serosa,
Cholera spastica,
Cholera Asiatica
- a. Diarrhœa cholericæ a. Choleraic diarrhœa.
- [*9]
19. Diphtheria..... Diphtheria. *Definition*: A specific disease, with membranous exudation on a mucous surface (generally of the mouth, fauces, and air passages), or occasionally on a wound.
- Paralysis diphtherica a. Diphtheritic paralysis.
20. Pertussis..... Hooping-cough.
21. Parotides..... Mumps. *Definition*: An epidemic and contagious affection of the salivary glands.
22. Catarrhus epidemicus Influenza.
23. Equinia..... Glanders. *Definition*: An inflammatory affection of the nasal mucous membrane, produced by the contagion of matter from a glandered horse.
24. Farciminum..... Farcy. *Definition*: An inflammatory affection of the skin and of the absorbent system, produced by the contagion of matter from a horse having glanders or farcy.
25. Equinia mitis..... Equinia mitis. *Synonym*, Grease. *Definition*: A pustular eruption, produced by the contagion of matter from a horse affected with the grease.
26. Pustula maligna... Malignant pustule. *Definition*: A spreading gangrenous inflammation, commencing as a vesicle on exposed skin, attended with peculiar hardness and fetor, and derived from cattle similarly diseased.
27. Phagedæna..... Phagedæna. *Definition*: A condition of wounds or ulcers in which they spread with a sloughy surface.
28. Phagedæna putris Sloughing phagedæna. *Definition*: A severe form of phagedæna, in which the slough extends deeper than the surface.
29. Gangræna nosocomiorum Hospital gangrene. *Definition*: Sloughing phagedæna, occurring endemically in hospitals.
30. Erysipelas..... Erysipelas. *Definition*: Inflammation of the integument, tending to spread indefinitely.
- Varieties*:
- a. V.—Simplex. a. Simple. *Synonym*, Cutaneous.
Idem valet In summo
- b. V.—Phlegmonodes. *Idem valet* In summo et infra cutem
- c. V.—Inflammatio diffusa membræ cellulosæ c. Diffuse inflammation (of cellular tissue). *Definition*: Inflammation of the cellular tissue, tending to spread indefinitely.

[*11]

Note I.—In slighter cases, occurring on the surface of the body, diffuse inflammation is identical with phlegmonous erysipelas.

Note II.—In registering cases of phlegmonous erysipelas and of diffuse inflammation arising from injury, surgical operation, or local disease, the cause should be specified.

- Latin Eq.*
31. Pyæmia Pyæmia. *Definition:* A febrile affection, resulting in the formation of abscesses in the viscera and other parts.
Note.—In returning cases of pyæmia, specify the affected organs.
32. Febris puerperarum Puerperal fever. *Definition:* A continued fever, communicable by contagion, occurring in connection with child-birth, and often associated with extensive local lesions, especially of the uterine system.
Note.—In returning cases of puerperal fever, the more important local lesions, such as peritonitis, effusions into serous and synovial cavities, phlebitis, and diffuse suppuration, should be specified.
33. Ephemera puerperarum Puerperal ephemera. *Synonym,* Weed. *Definition:* A fever consisting of one or more paroxysms, occurring a few days after delivery, generally attended by diminution of the milk and lochia, and unaccompanied by local lesions.

B.

34. Rheumatismus acutus. *Idem valet* Febris rheumatica
Rheumatismus subacutus
Acute rheumatism. *Synonym,* Rheumatic fever. *Definition:* A specific febrile disorder, characterized by non-suppurative inflammation of the fibrous tissues surrounding the joints, of which many are affected at the same time, or in succession.
Sub-acute rheumatism.
35. Rheumatismus gonorrhœicus
Gonorrhœal rheumatism. *Definition:* An analogous affection, associated with gonorrhœa.
- [*13]
36. Rheumatismus synovialis
Synovial rheumatism. *Definition:* A rheumatic affection, in which an accumulation of non-purulent fluid occurs in the synovial sacs, and especially in those of the knee-joints.
37. Rheumatismus musculorum
Muscular rheumatism. *Definition:* Pain in the muscular structures, increased by motion.
Local varieties.
a. V. — Lumbago... a. Lumbago.
b. V. — Cervix rigida b. Stiff neck.
38. Rheumatismus longus
Chronic rheumatism. *Definition:* Chronic pain, stiffness and swelling of various joints.
Note.—Cases attended with deposit of urate of soda are to be returned as chronic gout, and those in which there is marked distortion as chronic osteo-arthritis.
39. Podagra acuta..... Acute gout. *Definition:* A specific febrile disorder, characterized by non-suppurative inflammation, with considerable redness of certain joints—chiefly of the hands and feet, and especially in the first attack, of the great toe—and attended with excess of uric acid in the blood.
40. Podagra longa..... Chronic gout. *Definition:* A persistent constitutional affection, characterized by stiffness and swelling of various joints, with deposits of urate of soda.
41. Inflammatio synovialis podagrica
Podagra retrocedens
Gouty synovitis.
Note.—Retrocedent gout is a term applied to cases of gout in which some internal organ becomes affected on the disappearance of the disease from the joints. It should be referred to acute or chronic gout.

- Latin Eq.*
42. Ostoarthritis longa. Chronic osteo-arthritis. *Synonym*, Chronic rheumatic arthritis. *Definition*: An affection characterized by pain, stiffness, and deformity of one or more of the joints, associated with deposition of new bone around them.
Idem valet Arthritis rheumatica longa
43. Syphilis..... Syphilis.
Syphilis primigenia
A. Primary syphilis. *Definition*: Syphilis while limited to the part inoculated, and the lymphatic glands connected with it.
Varieties:
Ulcus venereum durum Hard chancre.
Inguen induratum Indurated bubo.
[*15]
Ulcus venereum molle Soft chancre.
Inguen suppurans Suppurating bubo.
Ulcus phagedænicum Phagedænic sore.
Ulcus putre..... Sloughing sore.
Syphilis secundaria B. Secondary syphilis. *Definition*: Syphilis, when it affects parts not directly inoculated.
Tertiary syphilis is a term sometimes applied to the latter symptoms, when separated by an interval of apparent health from the ordinary secondary syphilis.
Syphilis inveterata C. Hereditary syphilis. *Definition*: Constitutional syphilis of the child, derived during foetal life from one of the parents.
Syphilis ingenita... 1. Local syphilitic affections.
- *1. Mala syphilitica partium singularum
44. Carcinoma. *Idem valet* Morbus malignus Cancer. *Synonym*, Malignant disease. *Definition*: A deposit or growth that tends to spread indefinitely into the surrounding structures, and in the course of the lymphatics of the part affected, and to reproduce itself in remote parts of the body.

* In returning local syphilitic affections, specify whether the case be one of primary syphilis, secondary syphilis, syphilitic deposit, or syphilitic inflammation.

Local syphilitic affections, local cancer, local colloid, and local scrofulous affections, are to be returned in the following order:—

- | | | |
|--------------------------|-------------------------------------|--------------------------|
| 1. Brain. | 24. Lips. | 45. Kidney. |
| 2. Spinal cord. | 25. Mouth. | 46. Bladder and urethra. |
| 3. Nerve. | 26. Cheek. | 47. Prostate gland. |
| 4. Eye. | 27. Jaws. | 48. Penis. |
| 5. Eyelid. | 28. Gum. | 49. Scrotum. |
| 6. Orbit. | 29. Tongue. | 50. Testicle. |
| 7. Auricle. | 30. Fauces. | 51. Ovary. |
| 8. Internal ear. | 31. Tonsils. | 52. Fallopian tube. |
| 9. Face. | 32. Salivary glands. | 53. Uterus. |
| 10. Nose. | 33. Pharynx. | 54. Vagina. |
| 11. Pericardium. | 34. Œsophagus. | 55. Vulva. |
| 12. Heart. | 35. Stomach. | 56. Female breast. |
| 13. Lymphatics. | 36. Intestines. | 57. Male mamma. |
| 14. Lymphatic glands. | 37. Rectum. | 58. Bone. |
| 15. Bronchial glands. | 38. Anus. | 59. Skull. |
| 16. Thyroid gland. | 39. Liver. | 60. Joint. |
| 17. Thymus gland. | 40. Hepatic ducts and gall bladder. | 61. Spine. |
| 18. Supra-renal capsule. | 41. Pancreas. | 62. Muscle. |
| 19. Larynx. | 42. Spleen. | 63. Tendon. |
| 20. Bronchi. | 43. Peritoneum. | 64. Fascia. |
| 21. Lungs. | 44. Mesenteric glands. | 65. Cellular tissue. |
| 22. Pleura. | | 66. Skin. |
| 23. Mediastinum. | | |

[*17]

Latin Eq.

a. V. — Scirrhus.
Idem valet Carcinoma durum

b. V. — Carcinoma medullosum.
Idem valet Carcinoma molle

Fungus hæmatodes

Carcinoma encephaloides durum

c. V. — Carcinoma epitheliosum.
Idem valet Morbus canceriformis, Epithelioma

d. V. — Carcinoma nigrum. *Idem valet Melanosis*

e. V. — Carcinoma ostoides

Carcinoma villosum

[*19]

1. Carcinoma partium singularum.

45. Morbus collodes. *Idem valet Carcinoma alveolare*

1. Morbus collodes partium singularum

Note I.—In returning cases of cancer in more than one organ, specify in which the disease is primary, and in which secondary.

Note II.—State also the kind and duration of the disease in each case, and the nature of all operations, with their dates and results.

Varieties.

a. Scirrhus. *Synonym, Hard cancer. Definition:* Cancer characterized by hardness of the primary tumor, and by a tendency to draw to itself the neighboring soft structures. When ulcerated, the sore is commonly deep, uneven, and bounded by a thick everted hard edge.

b. Medullary cancer. *Synonym, Soft cancer. Definition:* Cancer characterized by a smoothly-lobed surface, soft irregular consistence, great vascularity, and usually rapid growth and reproduction. When ulcerated, it protrudes in large masses, which bleed copiously.

Fungus hæmatodes is a term applied to some cases of medullary cancer, which are more than usually vascular.

Hard encephaloid is a designation sometimes applied to medullary cancers of unusually firm consistence. These two forms of the disease should be returned under the title of medullary cancer.

c. Epithelial cancer. *Synonyms, Cancroid; Epithelioma. Definition:* Cancer characterized by its occurrence chiefly in parts naturally supplied with epithelium, and by the resemblance of its cells to those of the epithelium.

d. Melanotic cancer. *Synonym, Melanosis. Definition:* A cancer characterized by the presence of pigment.

e. Osteoid cancer. *Definition:* A tumor usually commencing in the bones, consisting almost entirely of bone, and followed by similar growths in the glands and viscera.

Note.—Cancer in mucous membranes, when covered by a villous growth, has received the name of Villous cancer.

1. Local cancer.*

Colloid. *Synonyms, Colloid cancer; Alveolar cancer. Definition:* A new growth, a great part of which is formed of transparent or gelatinous substance.

1. Local colloid.†

* In returning cases of local cancer, specify the variety of cancer, by adding, after "44," the letter *a, b, c, d, or e*, according to the nature of the case. They are to be returned in the order specified in the foot-note at page 21.

† Cases of local colloid are to be returned in the order specified in the foot-note at page 21.

ARRANGEMENT OF NON-MALIGNANT TUMORS AND CYSTS.

TUMORES NON MALIGNI. CYSTES NON MALIGNÆ.

Latin Eq.

Tumor fibrosus.....	Fibrous tumor. <i>Definition:</i> A growth, consisting of fibrous tissue, circumscribed, or not involving surrounding structures.
Tumor fibrocysticus	When the tumor contains cysts, it has received the name of Fibrocystic.
Tumor fibrocalcareus	When it contains earthy matter, it has been named Fibro-calcareous.
Ostosarcoma.....	When it grows from bone, and is partly ossified, it constitutes the non-malignant form of the disease known as Osteo-sarcoma.
Tumor fibromusculosus	When it contains involuntary muscle, as when growing in the uterus, it has received the name of Fibro-muscular.
Tumor fibroadiposus	When it contains fat, it has been named Fibro-fatty.
Neuroma. Tumor subcutaneus dolens.	Other fibrous tumors have been named according to their seat, <i>e. g.</i> Neuroma. Painful subcutaneous tumor.
Tumor fibrocellulosis	Fibro-cellular tumor. <i>Definition:</i> A growth consisting of loose fibrous or areolar tissue.
Polypus.....	<i>Note.</i> —When occurring as a pendulous outgrowth from a mucous surface, it constitutes the chief varieties of Polypus.
Tumor fibronucleosus	Fibro-nucleated tumor. <i>Definition:</i> A tumor composed of fibrous tissue, mixed with elongated nuclei.
[*21] Tumor fibroplasticus	Fibro-plastic tumor. <i>Definition:</i> A rapidly growing tumor, composed in great part of fusiform nucleated cells.
Tumor fibrosus repetens	<i>Note.</i> —When the fibro-cellular or fibro-plastic tumor, but more especially the latter, slowly involves the adjacent soft structures, and returns after removal, it has received the name of Recurrent fibroid.
Tumor myelodes...	Myeloid tumor. <i>Definition:</i> A tumor growing generally in the ends of the bones, having a red color, and containing a large proportion of many-nucleated cells.
Tumor adiposus...	Fatty tumor. <i>Synonym,</i> Lipoma.
Tumor osseus	Osseous tumor.
<i>a.</i> Ossis. <i>Idem valet</i> Exostosis	<i>a.</i> Of bone. <i>Synonym,</i> Exostosis.
1.—Eberneus...	<i>Varieties:</i>
2.—Cancellatus	1. Ivory.
3.—Diffusus ...	2. Cancellated.
<i>b.</i> Partium mollium	3. Diffused.
Tumor cartilagineus. <i>Idem valet</i> Enchondroma	<i>b.</i> Of the soft parts.
Tumor fibrocartilagineus	Cartilaginous tumor. <i>Synonym,</i> Enchondroma.
	Fibro-cartilaginous tumor.

	<i>Lat. Eq.</i>	
	Tumor glandulosus. <i>Idem valet</i>	Glandular tumor. <i>Synonym</i> , Adenocèle. <i>Definition</i> : A tumor growing in or near a gland, and more or less perfectly resembling it in structure.
	Adenocèle	
	Tumor vasculosus..	Vascular tumor.
	Nævus.....	Nævus.
	Tumor sebaceus ...	Sebaceous tumor.
	Cholesteatoma...	Cholesteatoma.
	Molluscum	Molluscum.
	Tumor verrucosus et verrucæ	Warty tumor and warts.
	Condyloma.....	Condyloma.
	Tumor cheloides...	Cheloid.
	Tumor villosus.....	Villous tumor.
	[*23]	
	Cystes simplices	Simple or barren cysts.
	<i>sive infœcundæ</i>	
	a. Cystis serosa	a. Serous.
	b. Cystis synovialis. <i>Idem valet</i>	b. Synovial. <i>Synonym</i> , Bursal.
	byrsalis	
	c. Cystis mucosa	c. Mucous.
	d. Cystis suppurans	d. Suppurating.
	e. Cystis sanguinea	e. Sanguineous.
	f. Cystis hæmorrhagica	f. Hæmorrhagic.
	g. Cystis aneurysmica	g. Aneurismal.
	h. Cystis oleosa	h. Oily.
	i. Cystis collodes <i>sive</i> glutinosa	i. Colloid or gelatinous.
	j. Cystis seminalis	j. Seminal.
	Cystes compositæ	Compound or proliferous cysts.
	<i>sive fœcundæ</i>	
	a. Tumor cysticus multiplex. <i>Idem valet</i>	a. Complex cystic tumor. <i>Synonym</i> , Cysto-sarcoma.
	Cystisarcoma	
	1. Intus innascente materia morbida	1. With intracystic growths.
	b. Cystis cutigera <i>sive</i> pilosa. <i>Idem valet</i>	b. Cutaneous or piliferous cyst. <i>Synonym</i> , Dermoid.
	dermatodes	
	c. Cystis dentigera	c. Dentigerous cyst.
46.	Lupus	Lupus. <i>Definition</i> : A spreading tuberculous inflammation of the skin usually of the face, tending to destructive ulceration.
		<i>Varieties</i> :
	a. V.—Lupus longus	a. Chronic lupus.
	b. V.—Lupus exedens	b. Lupus exedens. <i>Definition</i> : This variety is characterized by the rapidity, depth, and extent of the ulceration, and by appearing in rare cases on other parts of the face.
47.	Ulcus erodens	Rodent ulcer. <i>Definition</i> : A destructive ulcer, characterized by the extent and depth to which it spreads in the adjoining structures, and by the absence of preceding hardness, and of constitutional affection.

Latin Eq.

48. *Lepræ veræ. Syn.* True leprosy. *Synonym, Elephantiasis Græcorum.*
Elephantiasis Græcorum

[*25]

49. *Struma*..... Scrofula. *Definition:* A constitutional disease, resulting either in the deposit of tubercle, or in specific forms of inflammation or ulceration.

Varieties:

- a. *Struma cum tuberculis* a. Scrofula with tubercle.
- b. *Struma sine tuberculis* b. Scrofula without tubercle.

Habitus strumosus

Note.—The constitutional tendency which has received the name of the Scrofulous Diathesis, when unattended by local lesions, is not to be returned as a disease.

1. *Mala strumosa partium singularum* Local scrofulous affections.

Meningitis tuberculosa Tubercular meningitis.

Ophthalmia strumosa Scrofulous ophthalmia.

Pericarditis tuberculosa Tubercular pericarditis.

Morbus strumosus glandularum Scrofulous disease of glands.

Phthisis pulmonalis Phthisis pulmonalis.

Hæmoptysis * Hæmoptysis.

Tubercula miliaria acuta Acute miliary tuberculosis.

Tabes mesenterica Tabes mesenterica.

Peritonitis tuberculosa Tubercular peritonitis.

Note.—These and all other cases of local scrofulous affection are to be returned in the order specified in the foot-note at page 21.

50. *Rachitis*..... Rickets. *Definition:* A constitutional disease of early childhood, manifested by curvature of the shafts of the long bones, and enlargement of their cancellous extremities.

51. *Cretismus*..... Cretinism. *Definition:* A condition of imperfect development and deformity of the whole body, especially of the head, occurring in the valleys of certain mountainous districts, and attended by feebleness or absence of the mental faculties and special senses, and often associated with goitre.

Varieties:

a. *Cretismus perfectus. Idem valet. Cretismus insanabilis* a. Complete cretinism. *Synonym, Incurable cretinism. Definition:* Cretinism, characterized by idiocy, deaf-dumbness, deficiency of general sensibility, and absence of the reproductive power.

[*27]

b. *Cretismus imperfectus. Idem valet Cretismus sanabilis* b. Incomplete cretinism. *Synonym, Curable cretinism. Definition:* A degree of cretinism in which the mental faculties, though limited, are capable of development, the head is moderately well formed and erect, the special senses, the faculty of speech, and the reproductive powers are present

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

- Latin Eq.*
52. Diabetes. *Idem* Diabetes. *Synonym*, Diabetes mellitus.
valet Diabetes mellitus
- Ergotismus* (935a.) *Ergotism*.
53. Purpura Purpura. *Definition*: A disease not usually attended by fever, characterized by purple spots of effused blood, which are not effaced by pressure, and are of small size, except where they run together in patches.
Varieties:
 a. V.—Simplex..... a. Simple.
 b. V.—Hæmorrhagica b. Hemorrhagic. *Definition*: The disease when accompanied by hemorrhage from a mucous surface.
54. Scorbutus Scurvy. *Definition*: A chronic disease, characterized by sponginess of the gums, and the occurrence of livid patches under the skin of considerable extent, which are usually harder to the touch than the surrounding tissue.
55. Anæmia..... *Anæmia. *Definition*: Deficiency of red corpuscles in the blood.
56. Chlorosis. *Idem* Chlorosis. *Synonym*, Green Sickness.
valet Pallor luteus
 fœminarum
57. Anasarca *General dropsy. *Definition*: An accumulation of serum in the areolar tissue, with or without effusion into the serous cavities.
Note.—Local dropsies, such as ovarian, and effusions into the serous cavities, as hydrothorax or ascites, when not connected with anasarca, should be returned as local diseases.
58. Beriberia Beri-Beri.

LOCAL DISEASES.

[*29]

MORBI PARTIUM SINGULARUM.

ARRANGEMENT OF LOCAL DISEASES.

ORDO MORBORUM.

The diseases printed in italics are to be returned, not among the local diseases, but under the headings referred to by number.

The local diseases have been drawn up in accordance with the following arrangement:—

<i>Latin eq.</i>	
Catarrhus	Catarrh.
Inflammatiô	Inflammation.
Inflammatiô exulcerans	Ulcerative inflammation.
Inflammatiô suppurans	Suppurative inflammation.
Inflammatiô plastica ...	Plastic inflammation.
<i>Inflammatiô pyæmica</i> ...	(31.) <i>Pyæmic inflammation.</i>
Inflammatiô rheumatica	Rheumatic inflammation.
Inflammatiô podagrica	Gouty inflammation.
<i>Inflammatiô syphilitica.</i>	(43'.) <i>Syphilitic inflammation.</i>

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

Latin Eq.

<i>Inflammati strumosa</i> ...	(49 ¹ .)	<i>Scrofulous inflammation.</i>
Inflammati gonorrhœica		Gonorrhœal inflammation.
Gangræna.....		Gangrene.
Congestio passiva.....		Passive congestion.
Suffusio sanguinis.		Extravasation of blood. Hemorrhage.
Hæmorrhagia		
Hydrops.....		Dropsy.
Fibrina deposita.....		Fibrinous deposit.
[*31]		
Magnitudo mutata.....		Alteration of dimensions.
Dilatatio.....		Dilatation.
Contractio.....		Contraction.
Hypertrophia.....		Hypertrophy.
Atrophia.....		Atrophy.
Degeneratio.....		Degeneration.
Adiposa et calcarea.		Fatty and calcareous. <i>Syn.</i> Atheroma.
Idem valent Atheroma, Conversio in calcem		Ossification.
Fibrosa.....		Fibroid.
Morbus lardaceus. Idem valent Morbus amyloides, morbus cereus		Lardaceous disease. <i>Syn.</i> Amyloid disease. Waxy disease.
<i>Morbus syphiliticus</i>	(43 ¹ .)	<i>Syphilitic disease.</i>
<i>Carcinoma</i>	(44 ¹ .)	<i>Cancer.</i>
<i>Morbus collodes</i>	(45 ¹ .)	<i>Colloid.</i>
Tumores non maligni...		Non-malignant tumors.
Cystis.....		Cyst.
<i>Struma</i>	(49 ¹ .)	<i>Scrofula.</i>
a. <i>Cum tuberculis</i>	(49 ^{1a} .)	a. <i>With tubercle.</i>
b. <i>Sine tuberculis</i>	(49 ^{1b} .)	b. <i>Without tubercle.</i>
Morbus parasiticus.....		Parasitic disease.
Calculus et concreta...		Calculus and concretion.
Deformitas ingenta.....		Malformation.
<i>Injuria</i>	(992, &c.)	<i>Injury.</i>
<i>Corpus adventitium</i>	(1014, &c.)	<i>Foreign body.</i>
Vitia naturalium actionum		Functional diseases.

The attention of those making use of the Nomenclature is especially called to this "Arrangement of Local Diseases," which includes nearly all the important forms of disease that affect the various organs, and is therefore a key to the general arrangement of those diseases adopted throughout the work.

DISEASES OF THE NERVOUS SYSTEM.

[*33]

MORBI NERVORUM APPARATUS.

The diseases printed in *italics* under this heading, are inserted for the sake of local classification only, and are not to be registered here, but at the place referred to in each instance by number.

DISEASES OF THE BRAIN AND ITS MEMBRANES.

MORBI CEREBRI MEMBRANARUMQUE.

Latin eq.

59. Encephalitis..... Encephalitis. *Definition:* Inflammation of the brain or of its membranes.

Note.—This term is to be used only when the precise seat of the inflammation has not been ascertained by post-mortem examination.

- Latin Eq.*
60. Meningitis..... Meningitis. *Definition*: Inflammation of the membranes of the brain.
1. Inflammatio duræ matris 1. Inflammation of the dura mater.
Note—This form of inflammation is almost invariably the result of injury or disease of the bones of the skull; in such cases, the injury or disease by which it is caused ought to be specified.
2. Inflammatio piæ matris et membranæ arachnoidis 2. Inflammation of the pia mater and arachnoid.
3. *Meningitis tuberculosa*. Idem valet *Hydrocephalus acutus*
Febris cerebrospinalis (49¹.) 3. *Tubercular meningitis*. Synonym, *Acute hydrocephalus*.
(8.) *Cerebro-spinal fever*.
61. Inflammatio cerebri Inflammation of the brain. *Definition*: Inflammation of the brain substance, with or without implication of the membranes, usually partial, and in many cases dependent on local injury, or foreign deposit.
62. Cerebrum fluidum rubens Red softening (of the brain).
63. Cerebrum fluidum flavens Yellow softening (of the brain).
64. Abscessus cerebri Abscess (of the brain).
65. Apoplexia..... Apoplexy.
Varieties:
a. Ex congestione... a. Congestive.
b. Ex hæmorrhagia b. Sanguineous. Synonym, Cerebral hemorrhage.
66. Solis ictus..... Sunstroke.
67. Hydrocephalus longus Chronic hydrocephalus.
68. Hypertrophia cerebri Hypertrophy (of the brain).
69. Atrophia cerebri... Atrophy (of the brain). *Definition*: Diminution of brain substance without induration or softening.
- [*35]
70. Cerebrum fluidum albens. Idem valet *Mollities atrophica*
Morbis syphiliticus (43¹.) *Syphilitic disease*.
Carcinoma..... (44¹.) *Cancer*.
71. Tumor fibrosus..... Fibrous tumor.
72. Tumor osseus..... Osseous tumor.
Tubercula deposita (49¹.) *Tubercular deposit*.
a. *Tubercula miliaria sive granulosa* a. *Miliary or granular tubercle*.
Note.—To be referred to tubercular meningitis.
b. *Tubercula flava* b. *Yellow tubercle*.
73. Morbus parasiticus Parasitic disease.
Return cases of this class according to the list at p. 233. (Nos. 14, 22.)
- 73*. Deformatates ingentiæ Malformations.
Return such cases here according to the list at pp. 237, 245.
74. Morbi arteriarum cerebri Diseases of the cerebral arteries.

<i>Latin Eq.</i>	
a. Degeneratio adiposa et calcarea. <i>Idem valet</i> Atheroma, Conversio in calcem	a. Fatty and calcareous degeneration. <i>Synonyms</i> , Atheroma, ossification.
b. Aneurysma.....	b. Aneurism.
c. Coagula impacta	c. Impaction of coagula.
1. Thrombosis.....	1. Thrombosis (local coagulation).
2. Embolus.....	2. Embolism (coagula conveyed from a distance).

DISEASES OF THE SPINAL CORD AND ITS MEMBRANES.

MORBI MEDULLÆ ET MEMBRANARUM IN SPINA.

75. Inflammatio.....	Inflammation. <i>Note.</i> —This term is to be used only when the precise seat of the inflammation has not been ascertained by post-mortem examination. <i>Varieties:</i>
V.—a. Meningitis spinalis	a. Spinal meningitis. <i>Definition:</i> Inflammation of the membranes of the spinal cord.
[*37] V.—b. Myelitis.....	b. Myelitis. <i>Definition:</i> Inflammation of the substance of the spinal cord.
76. Hæmorrhagia spinalis. <i>Idem valet</i> Apoplexia spinalis	Hæmorrhage (spinal). <i>Synonym</i> , Spinal apoplexy.
77. Atrophia spinalis. <i>Idem valet</i> Tabes dorsalis	Atrophy (spinal). <i>Synonym</i> , Tabes dorsalis.
78. Medulla fluida albena Carcinoma.....	White softening (of the spinal cord). (44 ¹ .) <i>Cancer</i> .
79. Tumores non maligni	Non-malignant tumors. Return such tumors here according to the list at p. 21.
80. Deformatates ingentitæ	Malformations. Return such cases here according to the list at p. 243.
a. Spina bifida.....	a. Spina bifida.

DISEASES OF THE NERVES.

MORBI NERVORUM.

81. Inflammatio.....	Inflammation.
82. Atrophia..... Carcinoma.....	Atrophy. (44 ¹ .) <i>Cancer</i> .
83. Neuroma.....	Neuroma. <i>Definition:</i> A fibrous tumor, of innocent nature, growing on or between the fasciculi of a nerve.
84. Paralysis.....	*Paralysis.
1. Paralysis insanorum. <i>Idem valet</i> Paralysis ex toto	(108.) 1. <i>Paralysis of the insane</i> . <i>Synonym</i> , <i>General paralysis</i> .
85. 2. Hemiplegia.....	2. *Hemiplegia.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

	<i>Latin Eq.</i>	
86.	3. Paraplegia	3. *Paraplegia.
87.	4. Ataxia motus...	4. *Locomotor ataxy.
	5. <i>Atrophia musculorum ingravescens</i> (797.)	5. <i>Progressive muscular atrophy.</i>
88.	6. Paralysis infantilis	6. *Infantile paralysis.
89.	7. Paralysis ex parte	7. *Local paralysis.
	[*39]	
	a. Paralysis faciei	a. Facial paralysis.
	b. Paralysis notariorum	b. Scrivener's palsy.
8.	<i>Paralysis diphtherica</i> (19 ^a .)	8. * <i>Diphtheritic paralysis.</i>
9.	<i>Paralysis ex plumbo</i> (908 ^b .)	9. <i>Lead palsy.</i>
10.	<i>Paralysis ex lathyro</i> (966 ^{a1} .)	10. <i>Paralysis from lathyrus.</i>

FUNCTIONAL DISEASES OF THE NERVOUS SYSTEM.

VITIA NERVORUM APPARATUS NATURALIUM ACTIONUM.

90.	Tetanus	Tetanus.
91.	Hydrophobia.....	Hydrophobia.
92.	Membrorum distentio infantilis	Infantile convulsions.
93.	Epilepsia.....	Epilepsy.
	a. Vertigo epileptica. <i>Idem valet Malum minus</i>	a. Epileptic vertigo. <i>Synonym, Petit mal.</i>
94.	Membrorum distentio	*Convulsions.
95.	Spasmus musculorum	Spasm of muscle.
96.	Laryngismus stridulus. <i>Idem valet Spasmus gliottidis, angina spastica, clangor infantium</i>	Laryngismus stridulus. <i>Synonyms, Spasm of the glottis, spasmodic croup, child-crowing.</i>
97.	Paralysis agitans. <i>Tremor ex hydrargyro</i>	Shaking palsy. (907 ^a .) <i>Mercurial tremor.</i>
98.	Chorea.....	Chorea. <i>Synonym, St. Vitus's dance.</i>
	a. Acuta.....	a. Acute.
	b. Longa.....	b. Chronic.
99.	Hysteria.....	Hysteria.
100.	Catalepsis.....	Catalepsy.
	<i>Defectio animæ ...</i>	(243.) <i>Syncope.</i>
101.	Neuralgia	Neuralgia.
		<i>Principal varieties:</i>
	a. V.-Neuralgia faciei	a. Facial. <i>Synonym, Tic douloureux.</i>
	[*41]	
	b. V.-Neuralgia frontis. <i>Idem valet Hemicranium</i>	b. Brow ague. <i>Synonym, Hemicrania.</i>

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

- Latin Eq.*
- | | |
|--|---|
| c. V.-Ischias..... | c. Sciatica. |
| d. Pleurodynia..... | d. Pleurodynia. |
| e. Cicatrix membri
truncati irritabilis | e. Irritable stump. |
| 102. Hyperæsthesia.... | *Hyperæsthesia. |
| 103. Anæsthesia..... | *Anæsthesia. |
| <i>Delirium alcoholicum</i> | (938 ^a) <i>Delirium tremens.</i> |
| 104. Hypochondriasis | Hypochondriasis. <i>Definition:</i> Some disturbance of the bodily health, attended with exaggerated ideas or depressed feelings, but without actual disorder of the intellect. |

DISORDERS OF THE INTELLECT.

AFFECTUS MENTIS.

- | | |
|--|---|
| 105. Mania..... | Mania. <i>Definition:</i> Disorder of the intellect, with excitement. |
| a. Mania acuta.... | a. Acute mania. |
| b. Mania longa.... | b. Chronic mania. |
| 106. Melancholia..... | Melancholia. <i>Definition:</i> Disorder of the intellect, with depression, often with suicidal tendency.
<i>Note.</i> —Cases of so-called monomania are to be classed under chronic mania or melancholia, according to their character. |
| 107. Dementia..... | Dementia. <i>Definition:</i> Disorder of the intellect characterized by loss or feebleness of the mental faculties. |
| a. Dementia acuta | a. Acute dementia. |
| b. Dementia longa | b. Chronic dementia. |
| 108. Paralysis insanorum. <i>Idem valet</i>
Paralysis ex toto | Paralysis of the insane. <i>Syn.</i> General paralysis. |
| 109. Amentia(ingenita) | Idiotcy. (Congenital) |
| 110. Insipientia (ingenita) | Imbecility. (Congenital.) |

DISEASES OF THE EYE.

[*43]

MORBI OCULORUM.

Register the diseases printed here in *italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF THE CONJUNCTIVA.

MORBI CONJUNCTIVÆ.

- Latin eq.*
- | | |
|--|---|
| 111. Inflammatio conjunctivæ. <i>Idem valet</i> Ophthalmia | <i>Idem</i> Conjunctivitis. <i>Synonym,</i> Ophthalmia. |
| 112. Ophthalmia cum catarrho..... | Catarrhal ophthalmia. |
| 113. Ophthalmia pustulosa..... | Pustular ophthalmia. |
| 114. Ophthalmia purulenta..... | Purulent ophthalmia. |

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

- Latin Eq.*
115. Ophthalmia infantium purulenta. Purulent ophthalmia of infants. *Synonym,*
Idem valet Ophthalmia recens
natorum Ophthalmia neonatorum.
Ophthalmia strumosa..... (49^l.) *Scrofulous ophthalmia.* *Synonym, Stru-*
mous ophthalmia
116. Ophthalmia exanthematica Exanthematous ophthalmia..
117. Ophthalmia gonorrhœica..... Gonorrhœal ophthalmia.
118. Lippitudo Chronic ophthalmia.
119. Œdema sub conjunctiva. *Idem* Œdema of the subconjunctival tissue. *Syno-*
valet Chemosis *nym, Chemosis.*
120. Pinguecula..... Pinguecula.
121. Unguis Pterygium.
122. Tumor adiposus..... Fatty tumor.
123. Morbus parasiticus..... Parasitic disease.
- Return cases of this class accord-
ing to the list at p. 233 (No. 6.)
124. Maculæ metallicæ in conjunc- Metallic stains.
tiva
a. Ex argenti nitrate..... a. From nitrate of silver.
b. Ex plumbo..... b. From lead.

DISEASES OF THE CORNEA.

MORBI CORNEÆ.

- [*45]
125. Keratitis..... Keratitis.
126. Keratitis interior longa..... Chronic interstitial keratitis.
127. Keratitis suppurans. *Idem valet* Keratitis with suppuration. *Synonym, Onyx.*
Onyx
128. Ulcus..... Ulcer.
129. Cornea opaca. *Idem valet* Al- Opacity. *Synonym, Leucoma.*
bugo
130. Cornea cacuminata Conical cornea.
131. Arcus senilis..... Arcus senilis.
132. Uva..... Staphyloma.
133. Morbus parasiticus cavi ceteri- Parasitic disease in the anterior chamber.
oris
Return cases of this class accord-
ing to the list at p. 232. (Nos. 6, 14.)

DISEASES OF THE SCLEROTIC.

MORBI SCLEROTICÆ.

134. Sclerotitis..... Sclerotitis.
135. Uva..... Staphyloma.

DISEASES OF THE IRIS.

MORBI IRIDIS.

136. Iritis..... Iritis.
137. Iritis ex vulnere..... Traumatic iritis.
138. Iritis rheumatica..... Rheumatic iritis.
139. Iritis arthritica Arthritic iritis.
Iritis syphilitica (43^l.) *Syphilitic iritis.*
Iritis strumosa..... (49^l.) *Scrofulous iritis.*
140. Iritis gonorrhœica..... Gonorrhœal iritis.
141. Consequentia ex iritide..... Sequelæ of iritis.
142. Deformitates ingentis Malformations.
- Return such cases here according
to the lists at p. 241.

[*47]

DISEASES OF THE CHOROID AND RETINA.

*MORBI CHOROIDIS ET RETINÆ.**Latin Eq.*

143. Choroiditis.....	Choroiditis.
144. Inflammatio retinæ.....	Retinitis.
145. Apoplexia choroidea.....	Choroidal apoplexy.
146. Amaurosis.....	Amaurosis.
147. Visus deterior.....	Impaired vision.
148. Muscæ volitantes.....	Muscæ volitantes.
149. Albitudo.....	Albinism.

DISEASES OF THE VITREOUS BODY.

MORBI CORPORIS VITREI.

150. Synchysis.....	Synchysis.
151. Deposita morbida varia.....	Various morbid deposits.

DISEASES OF THE LENS AND ITS CAPSULE.

MORBI LENTIS CAPSULÆQUE.

152. Suffusio.....	Cataract.
	<i>Varieties :</i>
<i>a.</i> Dura.....	<i>a.</i> Hard.
<i>b.</i> Mollis.....	<i>b.</i> Soft.
<i>c.</i> Liquida.....	<i>c.</i> Fluid.
153. Morbus parasiticus.....	Parasitic disease.
	Return cases of this class according to the list at p. 233 (Nos. 6, 26.)
154. Deformitates ingenitæ.....	Malformations.
	Return such cases here according to the list at p. 245.
<i>a.</i> Suffusio ingenita.....	<i>a.</i> Congenital cataract.
155. Suffusio ex vulnere.....	Traumatic cataract.

GENERAL AFFECTIONS OF THE EYE.

AFFECTUS OCULI UNIVERSI.

156. Glaucoma.....	Glaucoma.
157. Hydrophthalmia.....	Hydrophthalmia.
[*49] <i>Carcinoma</i>	(44 ¹ .) <i>Cancer.</i>
<i>Struma interior</i>	(49 ¹ .) <i>Scrofulous deposit within the eyeball.</i>
158. Oculus funditus injuriâ convulsus	Total disorganization of the eye from injury.
158*. Deformitates ingenitæ.....	Malformations.
	Return such cases here according to the list at pp. 237, 243.

VARIOUS DEFECTS OF SIGHT.

DEFECTIONES VARIE VISUS.

159. Visus brevior.....	Short sight.
160. Visus longior.....	Long sight.
161. Falsa colorum cognitio. <i>Idem valet Colores indiscreti</i>	Faulty perception of colors. <i>Synonym, Color blindness.</i>
162. Hemeralopia.....	Hemeralopia.
163. Nyctalopia.....	Nyctalopia.
164. Astigmatismus.....	Astigmatism.

DISEASES OF THE LACHRYMAL APPARATUS.

MORBI LACRYMARUM APPARATUS.

Latin Eq.

- | | |
|---|--|
| 165. Lacrymarum cursus interclusus | Lachrymal obstruction. |
| 166. Abscessus et fistula..... | Abscess and fistula. |
| 167. Dacryolithi..... | Dacryolith. |
| 168. Morbi glandulæ lachrymarum et ductuum ejus | Diseases of the lachrymal gland and its ducts. |

DISEASES OF THE EYELIDS.

MORBI PALPEBRARUM.

- | | |
|---|--|
| 169. Inflammatio | Inflammation. |
| 170. Hordeolus..... | Hordeolum. |
| 171. Abscessus glandularum Meibomianarum | Abscess in the Meibomian glands. |
| 172. Epicanthis | Epicanthis. |
| 173. Entropion | Entropium. |
| 174. Ectropion..... | Ectropium. |
| [*51] | |
| 175. Trichiasis..... | Trichiasis. |
| 176. Madarosis. <i>Idem valet</i> Defluxio ciliarum | Madarosis. <i>Synonym</i> , Loss of the eyelashes. |
| 177. Ophthalmia tarsi..... | Tarsal ophthalmia. |
| 178. Blepharospasmus..... | Blepharospasmus. |
| <i>Carcinoma</i> | (44 ¹ .) <i>Cancer</i> . |
| 179. Cystis palpebrarum..... | Cyst of the lids. |
| <i>Phthiriasis</i> | (895.) <i>Phthiriasis</i> . |
| 179*. Deformatates ingenitæ..... | Malformations. |

Return such cases here according to the list at p. 237.

DISEASES WITHIN THE ORBITS.

MORBI PARTIUM INTRA ORBITAS SITARUM.

- | | |
|---|--|
| 180. Abscessus orbitæ..... | Abscess in the orbit. |
| 181. Strabismus..... | Strabismus. |
| 182. Procidencia oculi. <i>Idem valet</i> Proptosis | Protrusion of the eyeball. <i>Synonym</i> , Proptosis. |
| <i>Bronchocele exophthalmica</i> | (282.) <i>Exophthalmic bronchocele</i> . |
| <i>Aneurysma orbitæ</i> | (250.) <i>Orbital aneurism</i> . |
| <i>Carcinoma</i> | (44 ¹ .) <i>Cancer</i> . |
| 183. Tumores non maligni..... | Non-malignant tumors. |
| | Return such tumors here according to the list at p. 19. |
| 184. Morbus parasiticus orbitæ..... | Parasitic disease. |
| | Return cases of this class according to the list at p. 233. (Nos. 14, 22.) |
| 185. Affectus nervorum orbitæ..... | Affections of the orbital nerves. |
| | (<i>Injuries of the eye are given at p. 193, and operations on the eye at p. 215.</i>) |

DISEASES OF THE EAR.

MORBI AURIS.

Register the diseases printed here in *italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF THE AURICLE.

MORBI AURICULÆ.

Latin Eq.

186. *Deposita ex podagrâ et aliis morbis* Gouty and other deposits.
187. *Hæmatoma auris*..... *Hæmatoma auris*.
- [*53] *Carcinoma*..... (44¹.) *Cancer*.
188. *Tumores non maligni*..... Non-malignant tumors.
Return such tumors here according to the list at p. 19.
- Affectus cutis*..... (827, &c.) *Cutaneous Affections*.
189. *Deformitates ingenitæ*..... Malformations.
Return such cases here according to the list at p. 237.
- Injurix*..... (1012.) *Injuries*.

DISEASES OF THE EXTERNAL MEATUS.

MORBI FORAMINIS AURIS.

190. *Inflammatiô*..... Inflammation.
- a. Acuta*..... *a. Acute*.
- b. Longa*..... *b. Chronic*.
191. *Abscessus*..... Abscess.
192. *Sordium coitus*..... Accumulation of wax.
193. *Polypus*..... Polypus.
194. *Tumor sebaceus. Idem valet Tumor molluscus* *Sebaceous tumor. Synonym, Molluscous tumor.*
195. *Tumor osseus. Idem valet Exostosis* *Osseous tumor of bone. Synonym, Exostosis.*
- 195*. *Deformitates ingenitæ*..... Malformations.
Return such cases here according to the list at p. 237.
- Corpora adventitia*..... (1014) *Foreign bodies*.

DISEASES OF THE MEMBRANA TYMPANI.

MORBI MEMBRANÆ TYMPANI.

196. *Inflammatiô*..... Inflammation.
197. *Exulceratiô*..... Ulceration.
198. *Membrana perforata*..... Perforation.
- Injurix*..... (1012) *Injuries*.

DISEASE OF THE EUSTACHIAN TUBE.

MORBUS TUBI EUSTACHIANI.

199. *Obstructiô*..... Obstruction.

DISEASES OF THE TYMPANUM.

MORBI TYMPANI.

200. *Morbi membranæ mucosæ*..... Disease of the mucous membrane.
201. *Morbi ossiculorum*..... " " ossicles.
202. *Morbi cellarum mastoidearum*... " " mastoid cells.

[*55]

DISEASES OF THE INTERNAL EAR.

*MORBUS AURIS INTERIORIS.**Lat. Eq.*

- | | |
|---|--|
| 203. Morbus inhærens..... | Organic disease. |
| 204. Ossis petrosi necrosis | Necrosis of the petrous bone. |
| 205. Surditas | Deafness. |
| | <i>Varieties:</i> |
| <i>a.</i> Naturalium actionum sive nervorum vitio | <i>a.</i> Functional or nervous. |
| <i>b.</i> Ex morbo..... | <i>b.</i> From disease. |
| <i>c.</i> Mutorum | <i>c.</i> Deaf-dumbness. |
| <i>Carcinoma</i> | (44 ¹ .) <i>Cancer.</i> |
| | <i>Note.</i> —When any of these affections implicate the brain, carotid artery, or lateral sinus, the fact should be stated. |
| 205*. Deformatates ingenitæ..... | Malformations. |
| | Return such cases according to the list at p. 237. |

DISEASES OF THE NOSE.

MORBI NASI.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

- | | |
|---|--|
| 206. Hypertrophia..... | Hypertrophy. <i>Synonym, Lipoma.</i> |
| 207. Verruca..... | Wart. |
| 208. Cystis sebacea..... | Sebaceous cyst. |
| <i>Carcinoma cutis</i> | (44 ¹ .) <i>Cancer of the Skin.</i> |
| <i>Lupus</i> | (46.) <i>Lupus.</i> |
| 209. Ozæna..... | Ozæna. |
| 210. Exulceratio membranæ pituitosæ | Ulceration of the pituitary membrane. |
| 211. Abscessus septi..... | Abscess of the septum. |
| 212. Septum perforatum..... | Perforation of the septum. |
| 213. Epistaxis | *Epistaxis. |
| 214. Hypertrophia membranæ pituitosæ | Hypertrophy of the pituitary membrane. |
| <i>Carcinoma. Idem valet Polypus malignus</i> | (44 ¹ .) <i>Cancer. Synonym, Malignant polypus.</i> |
| 215. Polypus nasi..... | Polypus nasi. |
| | <i>Varieties:</i> |
| <i>a.</i> Glutinosus | <i>a.</i> Gelatinous. |
| <i>b.</i> Fibrosus..... | <i>b.</i> Fibrous. |
| Nasi et pharyngis..... | 1. Naso-pharyngeal polypus. |
| [*57] | |
| 216. Tumores septi non maligni..... | Non-malignant tumors of the septum. |
| 217. Rhinolithi | Rhinoliths. |
| 217*. Deformatates ingenitæ..... | Malformations. |
| | Return such cases here according to the list at pages 237-241. |
| <i>Corpora adventitia</i> | (1015.) <i>Foreign bodies.</i> |
| 218. Odoratus perditus vel perversus | *Loss or perversion of the sense of smell. |

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

DISEASES OF THE CIRCULATORY SYSTEM.

MORBI SANGUINIS APPARATUS.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by the number.

DISEASES OF THE HEART AND ITS MEMBRANES.

MORBI CORDIS ET MEMBRANARUM EJUS.

DISEASES OF THE PERICARDIUM.

MORBI PERICARDII.

Lat. Eq.

- | | |
|---------------------------------------|--|
| 219. Pericarditis | Pericarditis. |
| 220. Pericarditis suppurans..... | Suppurative pericarditis. <i>Definition</i> : An accumulation of pus in the pericardium. |
| <i>Pericarditis tuberculosa</i> | (49 ¹) <i>Tubercular pericarditis.</i> |
| 221. Pericardium adhærens..... | Adherent pericardium.
(This term includes partial adhesions and calcareous and ossific deposits.) |
| 222. Hydrops | Dropsy. |
| <i>Carcinoma</i> | (44 ¹) <i>Cancer.</i> |
| 223. Deformatates ingenitæ..... | Malformations.
Return such cases here, according to the list at p. 239. |
| <i>Injurix</i> | (1056.) <i>Injuries.</i> |

DISEASES OF THE ENDOCARDIUM.

MORBI ENDOCARDII.

- | | |
|--|--|
| 224. Endocarditis..... | Endocarditis.
<i>Note</i> —In returning such cases, state, if possible, the valve or valves affected. |
| 225. Morbi valvarum | Valve-disease. |
| 1. Aorticarum | 1. Aortic. |
| 2. Mitralium..... | 2. Mitral. |
| [*59] | |
| 3. Pulmonalium..... | 3. Pulmonic. |
| 4. Tricuspidum..... | 4. Tricuspid. |
| | <i>Varieties</i> : |
| a. V.—Excrecentia..... | a. Vegetations. |
| b. V.—Crassior habitus et fibrosior | b. Fibroid thickening. |
| c. V.—Degeneratio adiposa et calcarea. <i>Idem valent</i> Atheroma, Conversio in calcem. | c. Fatty and Calcareous degeneration.
<i>Synonyms</i> , Atheroma, Ossification. |
| d. V.—Aneurysma..... | d. Aneurism. |
| e. V.—Laceratio | e. Laceration. |
| f. V.—Dilatatio simplex ostiorum | f. Simple dilatation of orifice. |
| g. V.—Deformatates ingenitæ..... | g. Malformations.
Return such cases here according to the list at pages 239, 243. |
| Iter sanguinis impeditum..... | Obstruction to the circulation and |
| Iter sanguinis refluxum | Regurgitation should be specially noted when they accompany the valve disease. |
| 226. Coagula cordis fibrinosa | Fibrinous concretions in the cavities of the heart. |

Lat. Eq.

Note.—Cases are to be returned under this head only when the condition has evidently existed during life, and is believed to have been the cause of death.

DISEASES OF THE MUSCULAR STRUCTURE OF THE HEART.

MORBI MUSCULORUM CORDIS.

- | | |
|--|--|
| 227. Myocarditis..... | Myocarditis. |
| 228. Abscessus..... | Abscess. |
| | <i>Note.</i> —Abscess dependent on pyæmia should be referred to that disease. |
| 229. Hypertrophia..... | Hypertrophy. |
| <i>a.</i> Lateris sinistri..... | <i>a.</i> Of left side. |
| <i>b.</i> Lateris dextri | <i>b.</i> Of right side. |
| 230. Dilatio..... | Dilatation. |
| <i>a.</i> Lateris sinistri..... | <i>a.</i> Of left side. |
| <i>b.</i> Lateris dextri | <i>b.</i> Of right side. |
| 231. Atrophia | Atrophy. |
| 232. Obesitas..... | Excess of fat. |
| [*61] | |
| 233. Degeneratio adiposa..... | Fatty degeneration. |
| 234. Degeneratio fibrosa..... | Fibroid degeneration. |
| 235. Aneurysma..... | Aneurism. |
| 236. Aneurysma acutum..... | Acute aneurism. This term has been applied to those cases in which blood becomes effused into the substance of the heart owing to inflammatory softening and rupture of the endocardium and muscular tissue. |
| 237. Diruptio..... | Rupture. |
| | <i>Note.</i> —In returning cases of aneurism and rupture, the situation ought to be stated. |
| <i>Carcinoma</i> | (44 ¹) <i>Cancer</i> . |
| 238. Morbus parasiticus | Parasitic disease. |
| | Return cases of this class according to the list at p. 232 (Nos. 4, 14, 22). |
| 239. Morbus arteriarum coronariorum | Disease of the coronary arteries. |
| 240. Deformatates ingenitæ | Malformations. |
| | Return such cases here according to the list at pp. 239, 243, 245. |
| 241. Cyanosis..... | Cyanosis. |
| <i>Injurix</i> | (1056)
(1058.) <i>Injuries of the heart</i> . |
| 242. Angina pectoris..... | *Angina pectoris. |
| 243. Defectio animæ..... | *Syncope. <i>Synonym</i> , Fainting fit. |
| 244. Palpitatio et tumultus cordis.... | *Palpitation and irregularity of the action of the heart. |

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

DISEASES OF THE BLOODVESSELS.

MORBI VASORUM SANGUIFERORUM.

Note.—The vessel affected should in all cases be specified.

DISEASES OF THE ARTERIES.

MORBI ARTERIARUM.

Latin Eq.

- | | |
|---|--|
| 245. Arteritis | Arteritis. |
| 246. Degeneratio, adiposa et calcarea. <i>Idem valent</i> Atheroma, Conversio in calcem | Fatty and Calcareous degeneration. <i>Synonyms</i> , Atheroma, Ossification. |
| [*63] | |
| 247. Arteriæ coarctatæ et oblitteratæ | Narrowing and obliteration. |
| 248. Arteriæ oclusæ..... | Occlusion. |
| <i>a.</i> Ex compressu | <i>a.</i> from compression. |
| <i>b.</i> Ex impactis coagulibus..... | <i>b.</i> from impaction of coagula. |
| Thrombosis | 1. Thrombosis (local coagulation). |
| Embolus..... | 2. Embolism (coagula conveyed from a distance). |
| 249. Dilatatio..... | Dilatation. |
| 250. Aneurysma..... | Aneurism. |
| | In returning such cases, state whether the aneurism be— |
| <i>a.</i> Fusiforme | <i>a.</i> Fusiform, |
| <i>b.</i> Sacculatum | <i>b.</i> Saccular, or |
| <i>c.</i> Diffusum..... | <i>c.</i> Diffused (sac formed by the surrounding tissues). |
| | <i>Note.</i> —When the aneurism has burst, state the part or viscus into or through which the rupture has taken place. |
| 251. Diruptio arteriæ | Rupture of artery. |
| <i>a.</i> Ex ipsius vitio | <i>a.</i> from disease of artery. |
| <i>b.</i> Ex morbo extraneo..... | <i>b.</i> from disease external to artery. |
| 252. Dirupta ex parte arteria. <i>Idem valet</i> Aneurysma dissecans | Partial rupture of artery. <i>Synonym</i> , Dissecting aneurism. |
| 253. Aneurysma ex vulnere..... | Traumatic aneurism. |
| 254. Aneurysma arteriam inter venamque | Arterio-venous aneurism. |
| 255. Varix aneurysmicus | Aneurismal varix. |
| | <i>Varieties:</i> |
| <i>a.</i> Ex vulnere..... | <i>a.</i> Traumatic. |
| <i>b.</i> Sponte sua ortus | <i>b.</i> Spontaneous. |
| [*65] | |
| 256. Aneurysma varicosum..... | Varicose aneurism. |
| | <i>Varieties:</i> |
| <i>a.</i> Ex vulnere..... | <i>a.</i> Traumatic. |
| <i>b.</i> Sponte sua ortum..... | <i>b.</i> Spontaneous. |
| 257. Aneurysma cirroides. <i>Idem valet</i> Varix arteriosus | Cirroid aneurism. <i>Synonym</i> , Arterial varix. |
| 258. Aneurysma exanastomosi | Aneurism by anastomosis. |
| 259. Deformatates ingenitæ..... | Malformations. |
| | Return other cases of this class here according to the list at p. 239. |
| <i>a.</i> Caput aortæ descendentis coarctatum vel oclusum | <i>a.</i> Commencement of the descending aorta (contracted or obliterated). |
| <i>Injurix in arteriis</i> | (1009,* INJURIES OF ARTERIES, &c.) |

* Return these among the Local Injuries under the Injuries of Vessels, and in the order here employed. (See Nos. 1009, 1013, 1043, 1057, 1072, 1087, 1095, 1119.)

Latin Eq.

Contusum.....
Laceratio.....
a. Vasis universi.....
b. Tunicæ exterioris.....
c. Tunicæ interioris.....
Vulnus.....

*Contusion.**Laceration.*

a. Of the whole vessel.
b. Of the outer coat.
c. Of the inner coat.

Wound.

DISEASES OF THE VEINS.

MORBIVENARUM.

260. Phlebitis.....	Phlebitis.
	<i>Varieties :</i>
<i>a. Plastica</i>	<i>a. Adhesive.</i>
<i>b. Suppurans</i>	<i>b. Suppurative.</i>
261. Phlegmasia dolens.....	Phlegmasia dolens.
262. Coagula venarum fibrinosa.....	Fibrinous concretions in the veins.
263. Venæ obstructæ.....	Obstruction.
264. Venæ obliteratedæ.....	Obliteration.
265. Phlebolithi.....	Phlebolithes.
[*67]	
266. Varices.....	Varicose veins.
267. Nævus vasculosus.....	Nævus vascularis.
268. Morbus parasiticus.....	Parasitic disease.
	(Return cases of this class according to the list at p. 232. Nos. 28, 30.)
<i>Injuræ in venis</i>	(1009,* <i>Injuries of veins.</i> &c.)
<i>Diruptio, sine vulnere extraneo</i> ...	<i>Rupture, without external wound.</i>
<i>Vulnus venæ cum aeris introitu</i> ...	<i>Wound of vein, with entrance of air.</i>

DISEASES OF THE ABSORBENT SYSTEM.

MORBI ORGANORUM ABSORBENTIIUM.

Register those diseases printed here in *italics*, not under this heading, but at the place referred to in each instance by number.

269. Inflammatio vasorum lymphiferorum	Inflammation of lymphatics.
270. Suppuratio vasorum lymphiferorum	Suppuration of lymphatics.
271. Inflammatio glandularum.....	Inflammation of glands.
272. Suppuratio glandularum.....	Suppuration of glands.
273. Hypertrophia glandularum.....	Hypertrophy of glands.
<i>Amplificatio glandularum longa</i>	<i>a. Chronic enlargement of glands.</i>
274. Atrophia glandularum.....	Atrophy of glands.
275. Fistula lymphalis.....	Lymphatic fistula.
<i>Corpora adventitia et concreta</i>	(1142.) <i>Foreign bodies and concretions.</i>
276. Ductus thoracis obstructus.....	Obstruction of the thoracic duct.
	<i>Note.</i> —The cause of the obstruction should be stated.
277. Vasa lymphifera obstructa, obliterateda, in varices ampliata	Obstruction, obliteration, and varicosity of lymphatics.
[*69]	
278. Vasa lymphifera rupta.....	Bursting of lymphatics.
<i>Inguen syphiliticum</i>	(43 ¹ .) <i>Syphilitic bubo.</i>

* Return these among the local injuries, under the *Injuries of Vessels*, and in the order here employed. (See Nos. 1009, 1013, 1043, 1057, 1072, 1087, 1095, 1119.)

Latin Eq.

<i>Inflammati syphilitica glandularum</i>	(43 ¹ .)	<i>Syphilitic inflammation of glands.</i>
<i>Carcinoma</i>	(44 ¹ .)	<i>Cancer.</i>
<i>Morbus strumousus glandularum</i> ...	(49 ¹ .)	<i>Scrofulous disease of glands.</i>
<i>Suppuratio</i>	(49 ¹ .)	<i>Suppuration.</i>
<i>Vulnus vasorum lymphiferorum</i> ...	(1143.)	<i>Wound of lymphatics.</i>

DISEASES OF THE BRONCHIAL GLANDS.

MORBI GLANDULARUM BRONCHIALIUM.

<i>Inflammati</i>	(340.)	<i>Inflammation.</i>
<i>Abscessus</i>	(341.)	<i>Abscess.</i>
<i>Amplificatio</i>	(342.)	<i>Enlargement.</i>
<i>Carcinoma</i>	(44 ¹ .)	<i>Cancer.</i>
<i>Tumores non maligni</i>	(343.)	<i>Non-malignant tumors.</i>
<i>Tubercula</i>	(49 ¹ .)	<i>Tubercle.</i>

DISEASES OF DUCTLESS GLANDS.

MORBI GLANDULARUM CÆCARUM.

Register those diseases printed here in *italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF THE THYROID GLAND.

MORBI GLANDULÆ THYROIDIS.

279. <i>Inflammati</i>	Inflammation.
<i>a. Acuta</i>	<i>a. Acute.</i>
<i>b. Longa</i>	<i>b. Chronic.</i>
280. <i>Bronchocele</i>	Goître. <i>Definition: Enlargement of the thyroid gland endemic in certain mountainous districts, but not limited to them.</i>
281. <i>Cystis</i>	Cyst.
282. <i>Bronchocele exophthalmica</i>	Exophthalmic bronchocele. <i>Definition: Enlargement, with vascular turgescence, of the thyroid gland, accompanied by protrusion of the eyeballs, anæmia, and palpitation.</i>
283. <i>Bronchocele pulsans</i>	Pulsating bronchocele.
<i>Carcinoma</i>	(44 ¹ .) <i>Cancer.</i>

DISEASES OF THE THYMUS GLAND.

[*71]

MORBI GLANDULÆ THYMI.

284. <i>Hypertrophia</i>	Hypertrophy.
<i>Carcinoma</i>	(44 ¹ .) <i>Cancer.</i>
285. <i>Tumores non maligni</i>	Non-malignant tumors.

Return such tumors here according to the list at p. 19.

DISEASES OF THE SUPRA-RENAL CAPSULES.

MORBI CAPSULARUM SUPRARENALIUM.

Latin Eq.

<i>Carcinoma</i>	(44 ¹ .)	<i>Cancer.</i>
<i>Degeneratio tuberculosa</i>	(49 ¹ .)	<i>Tubercular degeneration.</i>
286. Morbus Addisoni. <i>Idem valet</i>		Addison's disease. <i>Synonyms,</i> Bronzed skin.
Cutis ærea, melasma Addisoni		Melasma Addisoni. <i>Definition:</i> Disease of the supra-renal capsules, with discoloration of the skin.

DISEASES OF THE RESPIRATORY SYSTEM.

MORBI SPIRITUS ORGANORUM.

Register those diseases printed here in *italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF THE RESPIRATORY SYSTEM NOT STRICTLY LOCAL.

MORBI SPIRITUS ORGANORUM NON PRIVATIM SINGULORUM.

287. Asthma ex fœnisicio.....		Hay asthma.
<i>Catarrhus epidemicus</i>	(22.)	<i>Influenza.</i>
<i>Pertussis</i>	(20)	<i>Whooping-cough.</i>
288. Angina trachealis.....		Croup.
<i>Diphtheria</i>	(19)	<i>Diphtheria.</i>
<i>Asphyxia</i>	(995.)	* <i>Asphyxia.</i>

DISEASE OF THE NOSTRILS.†

MORBUS NARIUM.

289. Gravedo. <i>Idem valet</i> Catarrhus narium		Coryza. <i>Synonym,</i> Nasal catarrh.
--	--	--

DISEASES OF THE LARYNX.

MORBI LARYNGIS.

290. Inflammatio epiglottidis.....		Inflammation of the epiglottis.
291. Exulceratio epiglottidis.....		Ulceration of the epiglottis.
292. Catarrhus laryngis.....		Laryngeal catarrh.
[*73]		
293. Laryngitis		Laryngitis.
<i>a.</i> Acuta		<i>a.</i> Acute.
<i>b.</i> Longa.....		<i>b.</i> Chronic.
294. Ulcus		Ulcer.

Note.—When chronic laryngitis, ulcer of the larynx, or necrosis of cartilage (see below), is due to phthisis or syphilis, the terms

<i>Ex syphilide</i>	(43 ¹ .)	<i>Syphilitic</i> or
---------------------------	---------------------	----------------------

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

† For the diseases of the nose, see p. 55.

<i>Latin Eq.</i>	
<i>Ex phthisi</i>	(49 ¹ .) <i>Phthisical</i> should be prefixed to the designation of the disease, and the case ought to be returned under the head of the primary affection.
295. Abscessus.....	Abscess.
296. Œdema glottidis.....	Œdema of the glottis.
297. Necrosis cartilaginum.....	Necrosis of cartilage (see the previous note).
298. Coarctatio.....	Contraction.
<i>Carcinoma epitheliosum</i>	(44 ¹ c.) <i>Epithelial cancer</i> .
299. Tuber verrucosum.....	Warty growth.
300. Polypus.....	Polypus.
301. Cystis.....	Cyst.
301*. Deformitates ingenitæ.....	Malformations. Return such cases here according to the list at p. 239.
<i>Injurix</i>	(992, <i>Injuries</i> . 1039.)
<i>Corpora adventitia in larynge</i>	(1044.) <i>Foreign bodies in the larynx</i> .
302. Aphonia.....	*Aphonia.
303. Paralysis glottidis.....	*Paralysis of the glottis.
304. Spasmus glottidis.....	*Spasm of the glottis.
<i>Laryngismus stridulus</i>	(96.) <i>Laryngismus stridulus</i> .

DISEASES OF THE TRACHEA AND BRONCHI.

MORBI TRACHEÆ ET BRONCHIORUM.

305. Catarrhus bronchiorum.....	Bronchial catarrh.
[*75]	
306. Bronchitis.....	Bronchitis.
a. Acuta.....	a. Acute.
b. Longa.....	b. Chronic.
308. Ulcus.....	Ulcer.
308. Plasmata bronchiorum.....	*Casts of the bronchial tubes.
309. Necrosis cartilaginum tracheæ..	Necrosis of the cartilages of the trachea. <i>Note.</i> —When this affection is due to phthisis or syphilis, the terms
<i>Necrosis syphilitica</i>	(43 ¹ .) <i>Syphilitic</i> or
<i>Necrosis phthisica</i>	(49 ¹ .) <i>Phthisical</i> should be prefixed to the designation of the disease, and the case ought to be returned under the head of the primary affection.
310. Dilatio.....	Dilatation.
311. Coarctatio.....	Contraction.
<i>Carcinoma</i>	(44 ¹ .) <i>Cancer</i> .
312. Tumores non maligni.....	Non-malignant tumors. Return such tumors here according to the list at p. 19.
<i>Tubercula</i>	(49 ¹ .) <i>Tubercle</i> .
313. Morbus parasiticus.....	Parasitic disease. Return cases of this class according to the list at p. 232 (No. 7).
313*. Deformitates ingenitæ.....	Malformations. Return such cases here according to the list at p. 239.
<i>Corpora adventitia in bronchiis</i> ...	(1044.) <i>Foreign bodies in the bronchi</i> .
314. Asthma.....	Asthma.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

DISEASES OF THE LUNG.

MORBI PULMONIS.

Latin Eq.

- | | | |
|-------|---|---|
| 315. | Peripneumonia..... | Pneumonia. |
| | <i>a. V.-Lobularis</i> | <i>a. Lobular.</i> |
| | | <i>Note.</i> —The term Secondary has been applied to pneumonia when it occurs as a complication of some other disease: such cases ought to be returned under the head of the primary affection. |
| 316. | Abscessus | Abscess. |
| | <i>Inflammatio pyæmica et abscessus</i> | (31.) <i>Pyæmic inflammation and abscess.</i> |
| 317. | Gangræna | Gangrene. |
| | [*77] | |
| 318. | Congestio passiva..... | *Passive congestion. |
| | <i>a. Hæmoptysis</i> | <i>a. *Hæmoptysis.</i> |
| 319. | Hæmorrhagia pulmonalis | *Pulmonary extravasation. <i>Synonym, Pulmonary apoplexy.</i> |
| | <i>Idem valet Apoplexia pulmonalis</i> | |
| | <i>a. Hæmoptysis</i> | <i>a. *Hæmoptysis.</i> |
| 320. | Œdema..... | *Œdema. |
| 321. | Cirrhosis..... | Cirrhosis. |
| 322. | Emphysema..... | Emphysema. |
| | <i>a. Vesiculare</i> | <i>a. Vesicular.</i> |
| | <i>b. Interlobulare</i> | <i>*b. Interlobular.</i> |
| 323. | Imperfecta explicatio..... | Atelectasis. <i>Definition: Imperfect expansion of the lung, in a new-born child.</i> |
| 324. | Collapsio..... | *Collapse. |
| | <i>Deposita ex syphilide</i> | (43 ^l) <i>Syphilitic deposit.</i> |
| | <i>Carcinoma</i> | (44 ^l) <i>Cancer.</i> |
| | <i>Phthisis</i> | (49 ^l) <i>Phthisis.</i> |
| | <i>Tubercula miliaria acuta</i> | (49 ^l) <i>Acute miliary tuberculosis.</i> |
| 325. | Phthisis peripneumonica acuta.. | Acute pneumonic phthisis. |
| 326. | Phthisis peripneumonica longa.. | Chronic pneumonic phthisis. |
| 327. | Morbus parasiticus | Parasitic disease. |
| | | Return cases of this class according to the list at p. 233 (Nos. 14, 22). |
| 327*. | Deformitates ingenitæ..... | Malformations. |
| | | Return such cases here according to the list at pp. 239, 245. |
| | <i>Injurix</i> | (1054, <i>Injuries.</i>
1058) |
| | <i>Corpora adventitia</i> | (1044) <i>Foreign bodies.</i> |
| 328. | Phthisis fabrum molariorum.... | Millstone makers' phthisis. |
| 329. | Asthma cultrariorum..... | Grinders' asthma. |
| 330. | Asthma metallariorum..... | Miners' asthma. |

DISEASES OF THE PLEURA.

MORBI PLEURÆ.

- | | | |
|------|----------------------|-------------------|
| 331. | Pleuritis | Pleurisy. |
| | [*79] | |
| 332. | Pleuritis longa..... | Chronic pleurisy. |
| 333. | Empyema..... | Empyema. |

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

- Latin Eq.*
334. Adhærentia Adhesions including thickening and ossification.
335. Hydrothorax..... *Hydrothorax. *Definition:* Passive dropsy of the pleura.
336. Pneumothorax Pneumothorax.
Carcinoma..... (44¹) *Cancer*.
337. Tumores non maligni..... Non-malignant tumors.
Return such tumors here according to the list at p. 19.
- Pleuritis tuberculosa*..... (49¹) *Tubercular pleurisy*.
Injurix..... (1053 *Injuries*.
—54.)

DISEASES OF THE MEDIASTINUM.

MORBI MEDIASTINI.

338. Abscessus Abscess.
Carcinoma..... (44¹) *Cancer*.
339. Tumores non maligni..... Non-malignant tumors.
Return such tumors here according to the list at p. 19.
- Morbi glandulæ thymi*..... (284 *Diseases of the thymus gland*.
—5.)

DISEASES OF THE BRONCHIAL GLANDS.

MORBI GLANDULARUM BRONCHIALIUM.

340. Inflammatio..... Inflammation.
341. Abscessus Abscess.
342. Amplificatio..... Enlargement.
Carcinoma..... (44¹) *Cancer*.
343. Tumores non maligni..... Non-malignant tumors.
Return such tumors here according to the list at p. 19.
- Tubercula*..... (49¹) *Tubercle*.

DISEASES OF THE DIGESTIVE SYSTEM.

[*81]

MORBI CONCOCTIONIS APPARATUS.

Register the diseases printed here in *italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF THE LIPS.

MORBI LABIORUM.

The affected lip ought to be specified.

344. Ulcus Ulcer.
Ulcus syphiliticum..... (43¹) *Syphilitic ulcer*.
345. Fissuræ..... Fissures.
Carcinoma..... (44¹) *Cancer*.
Hypertrophia strumosa..... (49¹) *Scrofulous hypertrophy*.
346. Cystis Cyst.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

Latin Eq.

347. Deformitates ingenitæ..... Malformations.
 Return such cases here according
 to the list at p. 241.
- a. Labium leporinum..... a. Hare-lip.

DISEASES OF THE MOUTH.

MORBI ORIS.

Note.—Whenever any affections of the mouth, throat, or parts connected therewith depend on syphilis, scurvy, local irritants, or any other specific cause, the fact should be stated.

348. Stomatitis..... Stomatitis.
349. Stomatitis exulcerans Ulcerative stomatitis.
350. Aphthæ. *Idem valet* Stomatitis vesiculosa Thrush. *Synonyms*, Aphtha, vesicular stomatitis.
- *352. Abscessus buccarum..... Abscess of the cheek.
353. Gangræna oris. *Idem valet* Stomatitis gangrænosa Cancrum oris. *Synonym*, Gangrenous stomatitis.
354. Cystis buccarum..... Cyst of the cheek.
355. Ranula Ranula.
Carcinoma..... (44'.) *Cancer*.
356. Morbus parasiticus..... Parasitic disease.
 a. Aphthæ parasiticæ..... a. Parasitic thrush. *Synonym*, Parasitic aphthæ. The name of the thrush parasite is given at p. 234, No. 45.
 Return cases of this class according to the list at p. 234. (Numbers 44, 45.)

DISEASES OF THE JAWS, INCLUDING THE ANTRUM.

[*83]

MORBI MAXILLARUM ANTRIQUE.

The affections of the alveoli are to be returned with those of the teeth. See p. 85.

357. Maxillarum cohærentia ex cicatrice Adhesions of the jaws by cicatrix.
358. Abscessus antri..... Abscess of the antrum.
Carcinoma..... (44'.) *Cancer*.
359. Tumor fibrosus..... Fibrous tumor.
360. Tumor myeloides..... Myeloid tumor.
361. Tumor osseus..... Osseous tumor.
 a. Hypertrophia ossium faciei..... a. Hypertrophy of the bones of the face.
362. Tumor cartilagenosus..... Cartilaginous tumor.
363. Tumor vasculosus..... Vascular tumor.
364. Cystis Cyst.
Corpora adventitia in antro..... (1016.) *Foreign bodies in the antrum*.

DISEASES, MALFORMATIONS, AND INJURIES OF THE TEETH, GUMS,
AND ALVEOLI.MORBI, DEFORMITATES, INJURIE QUIBUS DENTES ET GINGIVÆ
ET ALVEOLI OPPORTUNI.

365. Dentitio..... Teething.
Note.—Any affection, such as convulsions and paralysis, induced by this condition should be specified.

* 351 has been accidentally omitted.

DISEASES OF THE DENTAL TISSUE.

*MORBI DENTIIUM IPSORUM.**Latin Eq.*

366. Caries	Caries.
367. Necrosis	Necrosis.
368. Exostosis	Exostosis.
369. Extenuatio	Absorption.

DISEASES OF THE DENTAL PULP.

MORBI MEDULLÆ DENTIIUM.

370. Irritatio	Irritation.
371. Inflammatio	Inflammation.
372. Exulceratio	Ulceration.
373. Gangræna	Gangrene.

DISEASES OF THE DENTAL PERIOSTEUM.

[*85]

MORBI PERIOSTEI DENTIIUM.

374. Carunculæ sive polypus.....	Granulation or polypus.
375. Membrana in calcem conversa...	Calcification.
376. Inflammatio	Inflammation.
377. Abscessus alveolaris.....	Gum-boil.
378. Diu aucta crassitudo.....	Chronic thickening.
379. Inflammatio rheumatica.....	Rheumatic inflammation.

DISEASES OF THE GUMS.

MORBI GINGIVARUM.

380. Inflammatio.....	Inflammation.
381. Exulceratio	Ulceration.
382. Hypertrophia.....	Hypertrophy.
383. Atrophia.....	Atrophy.
384. Durities (infantis).....	Induration (in infancy).
<i>Carcinoma</i>	(44 ¹ .) <i>Cancer</i> .
385. Tumores non maligni.....	Non-malignant tumors.
	Return such tumors here according to the list at p. 19.
<i>a.</i> Polypus	<i>a.</i> Polypus.
<i>b.</i> Tumor cartilagenosus.....	<i>b.</i> Cartilaginous tumor.
<i>c.</i> Tumor vasculosus.....	<i>c.</i> Vascular tumor.
386. Epulis	Epulis.

DISEASES OF THE ALVEOLI.

MORBI ALVEOLORUM.

387. Inflammatio.....	Inflammation.
388. Necrosis	Necrosis.
389. Caries	Caries.
390. Exostosis	Exostosis.
391. Cystis dentigera.....	Dentigerous cyst.
392. Extenuatio.....	Absorption.

SPECIFIC DISEASES AFFECTING THE DENTAL PERIOSTEUM, GUMS, OR ALVEOLI.

MORBI SINGULARES DENTIIUM PERIOSTEI, GINGIVARUM, ALVEOLORUM.

393. Inflammatio ex hydrargyro.....	Mercurial inflammation.
[*87]	
394. Inflammatio et necrosis ex phosphoro	Phosphoric inflammation and necrosis.

Latin Eq.

<i>Cœrulea ex plumbo gingiva</i>	(908 ^c .)	<i>Blue gum from lead.</i>
<i>Scorbutus</i>	(54.)	<i>Scurvy.</i>

IRREGULAR DENTITION.

DENTITIO INORDINATA.

395. Eruptionis tempora dentium priorum	inuitata	Irregularity in the time of eruption of the temporary teeth.
396. Eruptionis tempora dentium novorum	inuitata	Irregularity in the time of eruption of the permanent teeth.
397. Positura inordinata dentium priorum	dentium	Irregularity in the position of the temporary teeth.
398. Positura inordinata dentium novorum	dentium	Irregularity in the position of the permanent teeth.
399. Numerus inuitatus dentium priorum	dentium	Irregularity in the number of the temporary teeth.
400. Numerus inuitatus dentium novorum	dentium	Irregularity in the number of permanent teeth.
401. Forma inordinata dentium priorum	dentium pri- orum	Irregularity in the form of the temporary teeth.
402. Forma inordinata dentium novorum	dentium novo- rum	Irregularity in the form of the permanent teeth.
403. Dentes ipsi extra ordinem evoluti		Abnormal development of the dental tissue.
[*89]		
404. Cortex dentium extra ordinem evolutus		Abnormal development of the enamel.
405. Materia propria dentium extra ordinem evoluta		Abnormal development of the dentine.
406. Cæmentum dentium extra ordinem evolutum		Abnormal development of the cementum.
407. Maxillarum circa alveolos extra ordinem evoluta magnitudo		Abnormal development of the alveolar portions of the jaws, in size.
408. Forma maxillarum circa alveolos extra ordinem evoluta		Abnormal development of the alveolar portions of the jaws, in form.
409. Maxilla inferior curta		Defective growth of lower jaw.
410. Læsi extrinsecus alveoli dentiumque periosteum		Mechanical injuries of the alveoli and dental periosteum.
<i>a. Hæmorrhagia</i>		<i>a. Hemorrhage.</i>
<i>b. Fractura</i>		<i>b. Fracture.</i>
411. Læsi extrinsecus dentes.....		Mechanical injuries of the teeth.
<i>a. Fractura</i>		<i>a. Fracture.</i>
<i>b. Dilaceratio</i>		<i>b. Dilaceration.</i>
<i>c. Loco moti dentes</i>		<i>c. Dislocation.</i>
<i>d. Attritus</i>		<i>d. Friction.</i>

DISEASES OF THE TONGUE.

MORBI LINGUÆ.

412. Glossitis	Glossitis.
[*91]	
413. Ulcus.....	Ulcer.
414. Ulcus aphthodes	Aphthous ulcer.
415. Abscessus	Abscess.
416. Hypertrophia.....	Hypertrophy.
<i>Syphilis primigenia</i>	(43 ^{1A} .) <i>Primary syphilis.</i>
<i>Syphilis secundaria</i>	(43 ^{1B} .) <i>Secondary syphilis.</i>
<i>Carcinoma epitheliosum</i>	(44 ¹ .) <i>Cancer.</i>
417. Tumor vasculosus.....	Vascular tumor.

- Latin Eq.*
 418. Lingua frenata..... Tongue-tie.
Paralysis (83.) **Paralysis*.

DISEASES OF THE FAUCES AND PALATE.

MORBI FAUCIUM ET PALATI.

419. Dolor faucium..... Sore throat.
 420. Resolutio faucium..... Relaxed throat.
 421. Fauces ulcerosæ..... Ulcerated throat.
 422. Cynanche tonsillaris..... Quinsy. *Synonym*, Cynanche tonsillaris.
 423. Inflammatio tonsillarum..... Tonsillitis.
 424. Angina putris. *Idem valet* Cynanche maligna..... Sloughing sore throat. *Synonyms*, Putrid sore throat. Cynanche maligna.
Note.—This affection must be distinguished from malignant scarlet fever.
Diphtheria..... (19.) *Diphtheria*.
 425. Tonsillæ intumescentes..... Enlarged tonsils.
Carcinoma tonsillarum..... (44¹.) *Cancer of the tonsils*.
 [*93]
Morbus strumosis tonsillarum..... (49¹.) *Scrofulous disease of the tonsils*.
 426. Uva descendens..... Elongated uvula.
 427. Palatum perforatum..... Perforation of the palate.
 428. Strictura faucium..... Stricture of the fauces.
Mala syphilitica faucium et tonsillarum..... (43¹.) *Syphilitic affection of the fauces and tonsils*.
Carcinoma..... (44¹.) *Cancer*.
 429. Tumores non maligni..... Non-malignant tumors.
 Return such tumors here according to the list at p. 19.
a. Tumor fibrocellulosus *a.* Fibro-cellular tumor.
b. Tumor fibrocysticus..... *b.* Fibro-cystic tumor.
 430. Deformatates ingenitæ..... Malformations.
 Return such cases here according to the list at p. 241.
a. Palatum fissum..... *a.* Cleft palate.

DISEASES OF THE PHARYNX.

MORBI PHARYNGIS.

431. Pharyngitis..... Pharyngitis.
 432. Ulcus..... Ulcer.
a. In summo..... *a.* Superficial ulcer.
b. Perforans..... *b.* Perforating ulcer.
 433. Abscessus..... Abscess.
 434. Sphacelus..... Sloughing.
 435. Palatum molle adhærens..... Adhesion of the soft palate.
 436. Dilatio..... *Dilatation.
Vitia syphilitica..... (43¹.) *Syphilitic affection*.
Carcinoma..... (44¹.) *Cancer*.
Injurix exedentium..... (1047.) *Injury by corrosive substances*.
Corpora adventitia..... (1045.) *Foreign bodies*.
Paralysis (89.) **Paralysis*.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

DISEASES OF THE SALIVARY GLANDS.

[*95]

MORBI GLANDULARUM SALIVOSARUM.

Latin Eq.

- | | |
|---|--|
| 437. Inflammatio..... | Inflammation. |
| 438. Saliva frequens. <i>Idem valet</i>
Ptyalismus | *Salivation. <i>Synonym, Ptyalism.</i> |
| 439. Abscessus..... | Abscess. |
| 440. Fistula salivosa..... | Salivary fistula. |
| <i>Parotides</i> | (21.) <i>Mumps.</i> |
| <i>Carcinoma</i> | (44 ¹ .) <i>Cancer.</i> |
| 441. Tumores non maligni..... | Non-malignant tumors.
Return such tumors here according to the list at p. 19. |
| 442. Calculus salivosus..... | Salivary calculus. |

DISEASES OF THE ŒSOPHAGUS.

MORBI ŒSOPHAGI.

- | | |
|---------------------------------|---|
| 443. Œsophagitis..... | Œsophagitis. |
| 444. Exulceratio..... | Ulceration. |
| 445. Œsophagus perforatus..... | *Perforation. |
| 446. Strictura..... | *Stricture. |
| <i>Carcinoma</i> | (44 ¹ .) <i>Cancer.</i> |
| <i>Corpora adventitia</i> | (1046.) <i>Foreign bodies.</i> |
| 447. Deformatæ ingenitæ..... | Malformations.
Return such cases here according to the list at p. 239. |
| <i>Injuria exedentium</i> | (1047) <i>Injury by corrosive substances.</i> |
| <i>Paralysis</i> | (89.) * <i>Paralysis.</i> |
| 448. Devorandi difficultas..... | Dysphagia. |

DISEASES OF THE STOMACH.

MORBI VENTRICULI.

- | | |
|---|--|
| 449. Inflammatio..... | Gastritis. |
| <i>a. Ex venenis irritantibus</i> | (906, &c) <i>a. From irritant poisons.</i>
For the list of poisons, see p. 177 |
| [*97] | |
| 450. Ulcus longum..... | Chronic ulcer. |
| 451. Hæmatemesis..... | *Hæmatemesis. |
| 452. Ventriculus perforatus..... | Perforation.
<i>Note.</i> —The cause of the perforation, when ascertained, should be stated. |
| 453. Dilatio..... | *Dilatation. |
| 454. Strictura..... | *Stricture. |
| 455. Fistula..... | Gastric fistula. |
| 456. Hernia..... | Hernia. |
| <i>Carcinoma</i> | (44 ¹ .) <i>Cancer.</i> |
| <i>Morbus collodes</i> | (45 ¹ .) <i>Colloid.</i> |
| 457. Tumores non maligni..... | Non-malignant tumors.
Return such tumors here according to the list at p. 19. |
| 458. Morbus parasiticus..... | Parasitic disease.
Return cases of this class according to the list at p. 232. (Nos. 46, 47.) |

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

Latin Eq.

<i>Injurix</i>	(1066 <i>Injuries.</i> -71.)
<i>Corpora adventitia</i>	(1074.) <i>Foreign bodies.</i>
459. Laceratio.....	Spontaneous laceration.
460. Dyspepsia.....	Dyspepsia.
461. Gastrodynia.....	Gastrodynia.
462. Pyrosis.....	Pyrosis.
463. Vomitus.....	*Vomiting.

DISEASES OF THE INTESTINES.

MORBI INTESTINORUM.

464. Enteritis.....	Enteritis.
465. Inflammatio cæci intestini.....	Typhlitis.
466. Dysentaria.....	Dysentery.
467. Exulceratio.....	Ulceration.
468. Intestina perforata.....	Perforation.
469. Abscessus sub peritonæo ortus..	Abscess in the sub-peritoneal tissue.
470. Abscessus stercorosus.....	Fecal abscess.
[*99]	
471. Fistula.....	Fistula.
Fistula stercorosa. <i>Idem valet</i>	<i>a.</i> Fecal fistula. <i>Synonym,</i> Artificial
Anus nothus	anus.
<i>Fistula vesicam inter et intestinam.</i>	(561.) <i>Vesico-intestinal fistula.</i>
472. Hæmorrhagia.....	Hæmorrhage.
473. Melæna.....	Melæna.
474. Dilatatio.....	*Dilatation.
475. Tympanites.....	*Tympanites.
476. Obstructio.....	*Obstruction.
477. Strictura.....	Stricture.
478. Intestina in se suscepta.....	Intussusception.
479. Strangulatio interna.....	Internal strangulation.
<i>a.</i> Mesenterii.....	<i>a.</i> Mesenteric.
<i>b.</i> Mesocoli.....	<i>b.</i> Mesocolic.
480. Hernia.....	Hernia.
<i>a.</i> Reponendi patiens.....	<i>a.</i> Reducible.
<i>b.</i> Reponendi non patiens.....	<i>b.</i> Irreducible.
<i>c.</i> Obstructa.....	<i>c.</i> Obstructed.
<i>d.</i> Inflammata.....	<i>d.</i> Inflamed.
<i>e.</i> Strangulata.....	<i>e.</i> Strangulated.
1. Diaphragmatica.....	1. Diaphragmatic.
2. Epigastrica.....	2. Epigastric.
3. Ventralis.....	3. Ventral.
4. Umbilicaris.....	4. Umbilical.
5. Lumbaris.....	5. Lumbar.
6. Inguinalis.....	6. Inguinal.
<i>a.</i> Obliqua.....	<i>a.</i> Oblique.
<i>b.</i> Recta.....	<i>b.</i> Direct.
<i>c.</i> Imperfecta.....	<i>c.</i> Incomplete.
<i>d.</i> Scrotalis.....	<i>d.</i> Scrotal.
<i>e.</i> Ingenita.....	<i>e.</i> Congenital.
<i>f.</i> Infantilis.....	<i>f.</i> Infantile.
[*101]	
7. Femoralis.....	7. Femoral.
8. Obturatoria.....	8. Obturator.
9. Perinealis.....	9. Perineal.
10. Pudendalis.....	10. Pudendal.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

<i>Latin Eq.</i>	
11. Vaginalis.....	11. Vaginal.
12. Ischiadica.....	12. Ischiatic.
481. Morbi velamentorum herniarum	Diseases of hernial sacs.
<i>a.</i> Inflammatio.....	<i>a.</i> Inflammation.
<i>b.</i> Interclusa hernia fibrinæ pro-	<i>b.</i> Fibrinous effusion with closure.
fluvio	
<i>c.</i> Suppuratio.....	<i>c.</i> Suppuration.
<i>d.</i> Hydrops.....	<i>d.</i> Dropsy.
<i>e.</i> Corpora mobilia.....	<i>e.</i> Movable bodies.
<i>f.</i> Laceratio.....	<i>f.</i> Laceration.
<i>Carcinoma</i>	(44 ¹ .) <i>Cancer.</i>
<i>Morbus collodes</i>	(45 ¹ .) <i>Colloid.</i>
482. Tumores non maligni.....	Non-malignant tumors.
	Return such tumors here accord-
	ing to the list at p. 19.
<i>a.</i> Polypus.....	<i>a.</i> Polypus.
483. Morbus parasiticus.....	Parasitic disease.
	Return cases of this class accord-
	ing to the list at p. 232 (Nos. 1-3,
	8-13, 15-20, 24, 25, 27, 32, 34, 35.)
<i>Concreta</i>	(1075.) <i>Concretions.</i>
483*. Deformitates ingenitæ.....	Malformations.
	With the exception of hernia,
	which will appear under 480, return
	such cases here according to the list
	at pages 239, 245.
<i>Corpora adventitia</i>	(1075.) <i>Foreign bodies.</i>
<i>Injurix</i>	(1066 <i>Injuries.</i>
	-71.)
484. Alvus soluta.....	Diarrhœa.
<i>Cholera simplex</i>	(17.) <i>Simple cholera.</i>
<i>Cholera pestifera</i>	(18.) <i>Malignant cholera.</i>
<i>a.</i> <i>Diarrhœa cholericæ</i>	<i>a.</i> <i>Choleraic diarrhœa.</i>
485. Paralysis.....	*Paralysis.
486. Colum.....	Colic.
<i>Colum ex plumbo</i>	(908 ^a .) <i>Lead colic.</i>
487. Alvus adstricta.....	Constipation.

DISEASES OF THE RECTUM AND ANUS.

MORBI RECTI INTESTINI ET ANI.

488. Exulceratio.....	Ulceration.
[*103]	
489. Abscessus.....	Abscess.
490. Fistula in ano.....	Fistula in ano.
<i>Fistula rectum inter et vesicam</i> ...	(562) <i>Recto-vesical fistula.</i>
<i>Fistula rectum inter et iter urinæ.</i>	(600.) <i>Recto-vesical fistula.</i>
<i>Fistula rectum inter et vaginam</i> ...	(676) <i>Recto-vaginal fistula.</i>
491. Hæmorrhoides.....	Hemorrhoids.
<i>a.</i> Interiores.....	<i>a.</i> Internal.
<i>b.</i> Exteriores.....	<i>b.</i> External.
492. Hæmorrhagia e recto intestino..	Hemorrhage from the rectum.
493. Rhagades ani.....	Fissure of the anus.
494. Prolapsio.....	Prolapsus.
495. Strictura.....	*Stricture.
<i>Syphilis recti intestini</i>	(43 ¹ .) <i>Syphilis of the rectum.</i>
496. Condyloma ani.....	Condyloma of the anus.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

<i>Latin Eq.</i>	
<i>Carcinoma recti intestini</i>	(44 ¹ .) <i>Cancer of the rectum.</i>
<i>Carcinoma ani</i>	(44. ¹) <i>Cancer of the anus.</i>
497. Tumores non maligni recti intestini	Non-malignant tumors of the rectum. Return such tumors here according to the list at p. 19.
497*. Morbus parasiticus.....	Parasitic disease. Return cases of this class according to the list at p. 233. (See No. 10.)
497†. Deformitates ingenitæ.....	Malformations. Return such cases here according to the list at p. 239.
<i>Injurix</i>	(1081 <i>Injuries.</i> -82).
<i>Corpora adventitia</i>	(1089.) <i>Foreign bodies in the rectum.</i>
498. Neuralgia.....	Neuralgia.
499. Spasmus ani.....	Spasm of the sphincter ani.
500. Pruritus ani.....	Pruritus ani.

DISEASES OF THE LIVER.

[*105]

MORBI JECINORIS.

501. Hepatitis.....	Hepatitis.
502. Abscessus.....	Abscess. <i>Note</i> —When abscess of the liver is associated with dysentery, injury, or any other condition, the fact should be stated.
<i>Inflammatiopyæmica et abscessus</i>	(31.) <i>Pyæmic inflammation and abscess.</i>
503. Atrophia acuta.....	Acute atrophy.
504. Amplificatio simplex. <i>Idem valet</i> Congestio jecinoris	Simple enlargement. <i>Synonym</i> , Congestion of the liver.
505. Crassitudo velamenti aucta.....	Thickening of the capsule.
506. Cirrhosis.....	Cirrhosis.
507. Jecur adiposum.....	Fatty liver.
508. Deposita fibrosa.....	Fibroid deposit.
509. Jecur lardaceum. <i>Idem valet</i> Morbus jecinoris amyloides, jecur cereum	Lardaceous liver. <i>Synonyms</i> , Amyloid disease of the liver. Waxy liver <i>Note</i> .—Such cases have been described under the name of scrofulous disease of the liver.
<i>Deposita ex syphilide</i>	(43 ¹ .) <i>Syphilitic deposit.</i>
<i>Carcinoma</i>	(44 ¹ .) <i>Cancer.</i>
<i>Morbus Collodes</i>	(45 ¹ .) <i>Colloid.</i>
510. Tumores non maligni.....	Non-malignant tumors. Return such tumors here according to the list at p. 19.
511. Cystis.....	Cyst.
<i>Tubercula</i>	(49 ¹ .) <i>Tubercle.</i>
512. Morbus parasiticus.....	Parasitic disease. Return cases of this class according to the list at p. 233. (Nos. 14, 21-23, 25, 28, 34, 35.)
512*. Deformitates ingenitæ.....	Malformation. Return such cases here according to the list at p. 239.
<i>Injurix</i>	(1066 <i>Injuries.</i> -71.)
513. Morbus regius.....	Jaundice. <i>Synonym</i> , Icterus.
514. Vena portarum interclusa.....	Obstruction of the vena portæ.

DISEASES OF THE HEPATIC DUCTS AND GALL BLADDER.

[*107]

*MORBI DUCTUUM JECINORIS ET VESICULÆ FELLIS.**Latin Eq.*

515. Inflammatio.....	Inflammation.
516. Ulcus.....	Ulcer.
517. Membranæ perforatæ.....	Perforation.
Fistula biliosa.....	a. Biliary fistula.
518. Obstructio.....	Obstruction.
<i>Carcinoma</i>	(44 ¹ .) <i>Cancer</i> .
519. Morbus parasiticus.....	Parasitic disease.
	Return cases of this class according to the list at p. 233. (No. 25.)
520. Calculi fellei.....	Gallstones.
a. Transitus per ductus calculorum felleorum	a. Passage of gallstones through the duct.
520*. Deformitates ingentitæ.....	Malformations.
	Return such cases here according to the list at pp. 239, 241.
<i>Injuriae</i>	(1066 <i>Injuries</i> . —71.)

DISEASES OF THE PANCREAS.

MORBI PANCREATIS.

521. Abscessus.....	Abscess.
522. Obstructio ductus.....	Obstruction of the duct.
<i>Carcinoma</i>	(44 ¹ .) <i>Cancer</i> .
<i>Morbus collodes</i>	(45 ¹ .) <i>Colloid</i> .
523. Calculi.....	Calculi.

DISEASES OF THE SPLEEN.

MORBI LIENIS.

524. Splenitis.....	Splenitis.
525. Abscessus.....	Abscess.
<i>Inflammatiō pyæmica et abscessus</i>	(31.) <i>Pyæmic inflammation and abscess</i> .
526. Congestio.....	Congestion. <i>Synonym</i> , Ague cake.
527. Deposita fibrinosa.....	Fibrinous deposit.
528. Hypertrophia.....	Hypertrophy.
a. Leucocythæmia.....	a. Leucocythemia.
529. Lien lardaceus. <i>Idem valent</i> , Morbus amyloides, lien cereus	Lardaceous spleen. <i>Synonyms</i> , Amyloid disease. Waxy spleen.
[*109]	
<i>Carcinoma</i>	(44 ¹ .) <i>Cancer</i> .
<i>Morbus collodes</i>	(45 ¹ .) <i>Colloid</i> .
<i>Tubercula</i>	(49 ¹ .) <i>Tubercle</i> .
530. Morbus parasiticus.....	Parasitic diseases.
	Return cases of this class according to the list at p. 233. (No. 22.)
<i>Diruptio</i>	(1066.) <i>Rupture</i> .

DISEASES OF THE PERITONEUM.

MORBI PERITONÆI.

- Latin Eq.*
531. Peritonitis Peritonitis.
a. Metroperitonitis. Idem valet Peritonitis puerperarum (719.) *a. Metro-peritonitis. Syn. Puerperal peritonitis.*
b. Peritonitis longa..... *b. Chronic peritonitis.*
c. Peritonitis suppurans..... *c. Suppurative peritonitis.*
d. Peritonitis tuberculosa..... (49¹.) *d. Tubercular peritonitis.*
e. Peritonæum adhærens..... *e. Adhesions of the peritoneum.*
532. Ascites *Ascites.
- 532*. Tumores non maligni..... Non-malignant tumors.†
 Return such tumors here according to the list at p. 19.
- Carcinoma*..... (44¹.) *Cancer.*
Morbûs collodes..... (45¹.) *Colloid.*
533. Morbus parasiticus..... Parasitic disease.
 Return cases of this class according to the list at p. 233. (Nos. 4, 14, 22.)
- Injurix*..... (1067 *Injuries.*
 —70.)

DISEASES OF THE MESENTERIC GLANDS.

MORBI GLANDULARUM MESENTERII.

534. Inflammatio..... Inflammation.
535. Abscessus Abscess.
536. Amplificatio Enlargement.
Carcinoma..... (44¹.) *Cancer.*
537. Tumores non maligni..... Non malignant tumors.
 Return such tumors here according to the list at p. 19.
- Tubercula*..... (49¹.) *Tubercle.*
Tabes Mesenterica..... (49¹.) *Tabes mesenterica.*

DISEASES OF THE URINARY SYSTEM.

[*111]

MORBI URINÆ APPARATUS.

Register the diseases printed here in *italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF THE KIDNEY.

MORBI RENUM.

538. Morbus Brightii. *Idem valet* Bright's disease. - *Synonym*, Albuminuria.
 Albuminuria *Definition*: A generic term including several forms of acute and chronic disease of the kidney, usually associated with albumen in the urine, and frequently with dropsy, and with various secondary diseases resulting from deterioration of the blood.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

† Non-malignant tumors in the abdomen of uncertain seat must be returned under this heading.

Latin Eq.

- | | |
|--|--|
| 1. Morbus Brightii acutus. <i>Idem valet</i> Albuminuria acuta, nephritis desquamans acuta, anasarca renalis acuta | 1. Acute Bright's disease. <i>Synonyms</i> , Acute albuminuria, acute desquamative nephritis, acute renal dropsy. |
| 2. Morbus Brightii longus. <i>Idem valet</i> Albuminuria longa..... | 3. Chronic Bright's disease. <i>Synonym</i> , Chronic albuminuria. |
| | <i>Sub-divisions :</i> |
| a. V.—Renes granulosi. <i>Idem valet</i> Renes granulatim contracti, nephritis desquamans longa, renes podagrici | a. Granular kidney. <i>Synonyms</i> , Contracted granular kidney, chronic desquamative nephritis, gouty kidney. |
| b. V.—Renes adiposi..... | b. Fatty kidney. |
| c. V.—Renes lardacei. <i>Idem valet</i> Morbus amyloides, renes cerei | c. Lardaceous kidney. <i>Synonyms</i> , Amyloid disease, waxy kidney. |
| 539. Nephritis suppurans..... | Suppurative nephritis. <i>Definition</i> : Inflammation with suppuration of the substance of the kidney. |
| 540. Abscessus..... | Abscess. |
| 541. Pyelitis..... | Pyelitis. |
| 542. Deposita fibrinosa..... | Fibrinous deposit. |
| 543. Hydrops renum..... | Hydronephrosis. <i>Definition</i> : A dilatation of the pelvis and glandular substance of the kidney into one or more cysts by retained secretion. |
| [*113] | |
| 544. Hypertrophia..... | Hypertrophy. |
| 545. Atrophia..... | Atrophy. |
| | (44.) <i>Cancer</i> . |
| 546. Tumores non maligni..... | Non-malignant tumors. |
| | Return such tumors here according to the list at p. 19. |
| 547. Cystis simplex..... | Simple cyst. |
| 548. Cystis urinialis (ex injuriâ)..... | Urinary cyst (from injury). |
| | (49.) <i>Tubercle</i> . |
| 549. Morbus parasiticus..... | Parasitic disease. |
| | Return cases of this class according to the list at p. 232 (Nos. 8, 14, 22, 29). |
| 550. Calculus..... | Calculus. |
| 551. Descensus calculi per ureteres.. | Calculus in the ureter. |
| 552. Deformatates ingenitæ..... | Malformations. |
| | Return cases of this class according to the list at pp. 241, 243. |
| <i>Injurix</i> | (1066 <i>Injuries</i> .
—71.) |
| 553. Hæmaturia renalis..... | *Hæmaturia renalis. |
| 554. Urina suppressa. <i>Idem valet</i> Ischuria renalis | *Suppression of urine. <i>Synonym</i> , Ischuria renalis. |
| | (52.) <i>Diabetes</i> . Syn. <i>Diabetes mellitus</i> . |
| <i>Diabetes</i> . <i>Idem valet</i> <i>Diabetes mellitus</i> | |
| 555. Urina frequens..... | *Diuresis. |
| 556. Renes mobiles..... | Movable kidney. |

DISEASES OF THE BLADDER.

MORBI VESICÆ.

557. Cystitis. *Idem valet* Catarrhus vesicæ Cystitis. *Synonym*, Catarrh of the bladder.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

<i>Latin Eq.</i>	
a. Acuta.....	a. Acute.
b. Longa	*b. Chronic.
558. Exulceratio	Ulceration.
[*115]	
559. Suppuratio.....	Suppuration.
560. Sphacelus	Sloughing.
561. Fistula vesicam inter et intesti- nam.	Vesico-intestinal fistula.
562. Fistula rectum inter et vesicam <i>Fistula uterum inter et vesicam ...</i> <i>Fistula vesicam inter et vaginam..</i>	Recto-vesical fistula. (660.) <i>Utero-vesical fistula.</i> (675.) <i>Vesico-vaginal fistula.</i>
563. Hypertrophia.....	Hypertrophy.
564. Distentio.....	*Distension.
a. Vesica in sacculos partita	a. Sacculated bladder.
b. Vesica rupta.....	b. Rupture.
565. Vesica inversa.....	Inversion.
566. Vesica foras patens.....	Extroversion.
567. Hernia	Hernia.
<i>Carcinoma.....</i>	(44'.) <i>Cancer.</i>
568. Tumor fibrosus.....	Fibrous tumor.
569. Tumor villosus.....	Villous tumor.
570. Calculus	Calculus.
a. Acidum uricum.....	a. Uric acid.
b. Ammoniaë uras.....	b. Urate of ammonia.
c. Oxidum uricum. <i>Idem valet Ox-</i> <i>idum xanthicum.....</i>	c. Uric oxide. <i>Synonym, Xanthic oxide.</i>
d. Calcis oxalate.....	d. Oxalate of lime.
e. Oxidam cysticum.....	e. Cystic oxide.
f. Calcis phosphas.....	f. Phosphate of lime.
g. Phosphas triplex.....	g. Triple phosphate.
h. Calculus fusilis.....	h. Fusible.
i. Calcis carbonas.....	i. Carbonate of lime.
k. Calculus fibrinosus.....	k. Fibrinous.
l. Urosteatoma.....	l. Urostealith.
m. Calculus sanguineus.....	m. Blood calculus.
Corpora adventitia.....	Foreign bodies.
571. Hæmaturia (ex vesicâ).....	*Hæmaturia (vesical).
571*. Deformatates ingenitæ.....	Malformations.
	Return such cases according to the list at pp. 243, 245.
Injuriaë.....	(1083, <i>Injuries.</i> 1091.)
[*117]	
572. Paralysis	*Paralysis.
573. Vesica irritabilis.....	*Irritability.
574. Spasmus.....	*Spasm.
575. Neuralgia.....	*Neuralgia.
576. Incontinentia urinæ.....	*Incontinence of urine.
577. Retentio urinæ.....	*Retention of urine.

DISEASES OF THE PROSTATE GLAND.*†

MORBI GLANDULÆ PROSTATÆ.

578. Inflammatio.....	Inflammation.
a. Acuta	a. Acute.
b. Longa	b. Chronic.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

† These diseases, which rank properly under the diseases of the generative system, are inserted here on anatomical grounds.

<i>Latin Eq.</i>	
579. Exulceratio	Ulceration.
580. Abscessus	Abscess.
581. Atrophia	Atrophy.
<i>Carcinoma</i>	(44 ¹) <i>Cancer</i> .
582. Tumores non maligni. <i>Idem valet</i> Lobus prostatæ amplificatus	Non-malignant tumors. <i>Synonym</i> , Enlarged lobe of the prostate.
582*. Amplificatio longa	Chronic enlargement.
583. Cystis	Cyst.
<i>Tubercula</i>	(49 ¹) <i>Tubercle</i> .
584. Calculi	Calculi.

GONORRHŒA AND ITS COMPLICATIONS.*†

GONORRHŒA ET ADDITAMENTA GONORRHŒÆ.

585. Gonorrhœa	Gonorrhœa.
<i>a.</i> Marium	<i>a.</i> In the male.
<i>b.</i> Fœminarum	<i>b.</i> In the female.
586. Balanitis	Balanitis.
<i>Herpes præputii</i>	(841.) <i>Herpes præputialis</i> .
587. Phimosis	Phimosis.
588. Paraphimosis	Paraphimosis.
589. Inguen	Bubo.
590. Abscessus lacunarum	Lacunar abscess.
<i>Abscessus prostatæ</i>	(580.) <i>Prostatic Abscess</i> .
[*119]	
591. Epididymitis. <i>Idem valet</i> Orchi- tis gonorrhœica	Epididymitis. <i>Synonym</i> , Gonorrhœal orchitis.
<i>a.</i> Abscessus	<i>a.</i> Abscess.
592. Abscessus funiculi seminalis ...	Abscess of the spermatic cord.
593. Condyloma	Condyloma.
<i>a.</i> Marium	<i>a.</i> In the male.
<i>b.</i> Fœminarum	<i>b.</i> In the female.
594. Gonorrhœa mucosa	Gleet.
<i>Inflammati ovarii</i>	(631.) <i>Inflammation of ovary</i> .
595. Abscessus vulvæ	Abscess of the vulva.
<i>Ophthalmia gonorrhœica</i>	(117.) <i>Gonorrhœal ophthalmia</i> .
<i>Iritis gonorrhœica</i>	(140.) <i>Gonorrhœal iritis</i> .
<i>Rheumatismus gonorrhœicus</i>	(35.) <i>Gonorrhœal rheumatism</i> .

DISEASES OF THE MALE URETHRA.

MORBI ITINERIS URINÆ VIRILIS.

595*. Inflammatio	Urethritis.
596. Strictura	Stricture.
<i>Note.</i> —When the cause of this stricture is known it should be stated.	
<i>a.</i> Ex morbo inhærenti	<i>a.</i> Organic.
<i>b.</i> Ex vulnere	<i>b.</i> Traumatic.
<i>c.</i> E spasmò	<i>c.</i> Spasmodic.
<i>d.</i> Ex inflammatione	<i>d.</i> Inflammatory.
597. Ulcus	Ulcer.
598. Abscessus urinalis	Urinary abscess.
599. Fistula urinalis	Urinary fistula.
600. Fistula rectum inter et iter urinæ	Recto-urethral fistula.
601. Suffusio urinæ	Extravasation of urine.

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

† These diseases, which rank properly under the diseases of the generative system, are inserted here on anatomical grounds.

<i>Latin Eq.</i>	
601*. Calculus <i>inhærens</i>	Impacted calculus.
<i>a. Corpora adventitia</i>	<i>a. Foreign bodies.</i>
601‡. Deformitates ingeniitæ.....	Malformations.
	Return such cases according to the list at pp. 243, 245.
<i>Injurix</i>	(1078, <i>Injuries.</i> 1091.)

DISEASES OF THE GENERATIVE SYSTEM.

[*121]

MORBI GENITALIUM.

Register the diseases printed here in *italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF THE MALE ORGANS OF GENERATION.

MORBI GENITALIUM VIRILIUM.

It has been found convenient, on anatomical grounds, to place the diseases of the prostate, and gonorrhœa, which rank properly under diseases of the generative system, at p. 117, between the diseases of the bladder and those of the urethra.

DISEASES OF THE PENIS.

MORBI COLIS.

602. Inflammatio.....	Inflammation.
603. Abscessus.....	Abscess.
<i>Gonorrhœa</i>	(585 ^a .) <i>Gonorrhœa.</i>
<i>Condyloma</i>	(593 ^a .) <i>Condyloma.</i>
604. Gangræna.....	Gangrene.
605. Priapismus.....	*Priapism.
<i>Syphilis</i>	(43 ^l .) <i>Syphilis.</i>
<i>Carcinoma</i>	(44 ^l .) <i>Cancer.</i>
<i>a. Præputii</i>	<i>a. Of the prepuce.</i>
<i>b. Corporis</i>	<i>b. Of the body.</i>
606. Tumores non maligni.....	Non malignant tumors.
	Return such tumors here accord- ing to the list at p. 19.
<i>Injurix</i>	(1078.) <i>Injuries.</i>
607. Deformitates ingeniitæ.....	Malformations.
	Return such cases according to the list at p. 241.
<i>a. Phimosis—ingenita</i>	<i>a. Phimosis—congenital.</i>

DISEASES OF THE SCROTUM.

MORBI SCROTI.

608. Sphacelus.....	Sloughing.
609. Œdema.....	Œdema.
610. Elephantiasis.....	Elephantiasis.
<i>Prurigo</i>	(834) <i>Prurigo.</i>
<i>Syphilis</i>	(43 ^l .) <i>Syphilis.</i>
<i>Carcinoma</i>	(41 ^l .) <i>Cancer.</i>
<i>Carcinoma epitheliosum. Idem</i> <i>valet Carcinoma caminos pur-</i> <i>gantium</i>	(44 ^l .) <i>Epithelial cancer. Synonym, Chimney-</i> <i>sweeper's cancer.</i>

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

Latin Eq.

611. Tumores non maligni..... Non-malignant tumors.
Return such tumors here according to the list at p. 19.
- 611*. Deformatates ingenitæ..... Malformations.
Return such cases here according to the list at p. 243.

DISEASES OF THE CORD.

MORBI FUNICULI SEMINALIS.

612. Hydrocele..... Hydrocele.
[*123]
- Varieties:*
- a. Cystica..... a. Encysted.
b. Diffusa..... b. Diffused.
613. Cirsocele..... Varicocele.
614. Tumores non maligni..... Non-malignant tumors.
Return such tumors here according to the list at p. 19.
615. Neuralgia..... Neuralgia.

DISEASES OF THE TUNICA VAGINALIS.

MORBI TUNICÆ VAGINALIS.

616. Inflammatio..... Inflammation.
617. Hydrocele..... Hydrocele.
- Varieties:*
- a. Ingenita..... a. Congenital.
b. Infantilis..... b. Infantile.
c. Cystica..... c. Encysted.
618. Hæmatocele..... Hæmatocele.
619. Corpora libera..... Loose bodies.

DISEASES OF THE TESTICLE.

MORBI TESTICULI.

620. Orchitis..... Orchitis.
a. Acuta..... a. Acute.
b. Longa..... b. Chronic.
- 620*. Epididymitis..... Epididymitis.
621. Abscessus..... Abscess.
622. Procidencia tubulorum. *Idem* Protrusion of tubuli. *Synonyms*, Hernia testis; Fungus testis.
valent Hernia testiculi, Fungus testiculi
623. Atrophia..... Atrophy.
Morbus syphiliticus..... (43¹.) *Syphilitic disease*.
Carcinoma..... (44¹.) *Cancer*.
624. Tumores non maligni..... Non-malignant tumors.
Return such tumors here according to the list at p. 19.
625. Morbus cysticus..... Cystic disease.
Tubercula..... (49¹.) *Tubercle*.
Injurix..... (1078.) *Injuries*.
626. Deformatates ingenitæ..... Malformations.
Return such cases according to the list at pp. 241, 245.
- a. Residua ex partu in testiculis... a. Fœtal remains in the testicle.
b. Positura prava..... b. Malposition.

Latin Eq.

[*125]

627. Spermatorrhœa	Spermatorrhœa.
628. Inopia virilitatis.....	Impotence.
629. Neuralgia.....	Neuralgia.

DISEASES OF THE FEMALE ORGANS OF GENERATION
IN THE UNIMPREGNATED STATE.

MORBI LOCORUM VIRGINALIUM.

DISEASES OF THE OVARY.

OVARIÏ.

630. Inflammatio.....	Inflammation.
631. Abscessus	Abscess.
632. Hæmorrhagia.....	Hemorrhage.
633. Atrophia.....	Atrophy.
634. Hypertrophia.....	Hypertrophy.
<i>Carcinoma</i>	(44 ¹) <i>Cancer</i> .
635. Tumor fibrosus.....	Fibrous tumor.
636. Hydrops cysticus.....	Encysted dropsy.
637. Tumor cysticus multiplex. <i>Idem</i> <i>valent</i> Tumor alveolaris, glu- tinosus, collodes; Cystisar- coma	Complex cystic tumor. <i>Synonyms</i> , Alveolar, gelatinous, and colloid tumor; Cys- tosarcoma.
<i>a.</i> Intus innascente materia mor- bida	<i>a.</i> With intracystic growths.
638. Cystis tegumentorum ad simili- tudinem structa	Cyst, containing tegumentary structures.
<i>a.</i> Cystis cutigera sive pilosa. <i>Idem</i> <i>valet</i> dermatodes	<i>a.</i> Cutaneous or piliferous cyst. <i>Syno-</i> <i>nym</i> , Dermoid cyst.
<i>b.</i> Cystis dentigera.....	<i>b.</i> Dentigerous cyst.
<i>Tubercula</i>	(49 ¹) <i>Tubercle</i> .
639. Morbus parasiticus	Parasitic disease.
	Return cases of this class accord- ing to the list at p. 233. Nos. 22, 31.
640. Ovarium loco motum.....	Dislocation.
<i>a.</i> Translatum.....	<i>a.</i> Transplantation.
641. Hernia	Hernia.
642. Deformitates ingenitæ.....	Malformations.
	Return such cases according to the list at p. 241.

[*127]

DISEASES OF THE FALLOPIAN TUBE.

MORBI TUBI FALLOPIANI.

643. Abscessus	Abscess.
644. Hydrops.....	Dropsy.
645. Strictura.....	Stricture.
646. Foramen oclusum.....	Occlusion.
<i>Carcinoma</i>	(44 ¹) <i>Cancer</i> .
647. Cystis	Cyst.
<i>Tubercula</i>	(49 ¹) <i>Tubercle</i> .
648. Tubus loco motus	Dislocation.
649. Hernia	Hernia.

DISEASES OF THE BROAD LIGAMENT.

MORBI LIGAMENTI LATI.

Latin Eq.

650. Inflammatio.....	Inflammation.
<i>a.</i> Peritonitis pelvica.....	<i>a.</i> Pelvic peritonitis.
<i>b.</i> Phlegmone pelvica.....	<i>b.</i> Pelvic cellulitis.
651. Abscessus.....	Abscess.
652. Cystis.....	Cyst.
653. Hæmatocele circumuterina sive pelvica	Periuterine or pelvic hæmatocele.

DISEASES OF THE UTERUS, INCLUDING THE CERVIX.

MORBI UTERI CERVICISQUE.

654. Catarrhus. <i>Idem valet</i> Leucor- rhœa	Catarrh. <i>Synonym,</i> Leucorrhœa.
<i>a.</i> Hydrorrhœa.....	<i>a.</i> Hydrorrhœa.
655. Inflammatio.....	Inflammation.
656. Inflammatio granulosa.....	Granular inflammation.
657. Uterus abrasus.....	Abrasion.
658. Ulcus.....	Ulcer.
658*. Ulcus erodens.....	Rodent ulcer.
659. Abscessus.....	Abscess.
660. Fistula uterum inter et vesicam	Utero-vesical fistula.
661. Stricture oris.....	Stricture of the orifice.
[*129]	
662. Stricture canalis.....	Stricture of the canal.
663. Os oclusum.....	Occlusion of the orifice.
664. Canalis oclusus.....	" of the canal.
665. Hypertrophia.....	Hypertrophy.
<i>a.</i> Cervix producta.....	<i>a.</i> Elongation of the cervix.
666. Atrophia.....	Atrophy.
<i>Carcinoma</i>	(44 ¹ .) <i>Cancer.</i>
<i>a.</i> Scirrhus.....	<i>a.</i> Scirrhus.
<i>b.</i> <i>Carcinoma medullosum</i>	<i>b.</i> <i>Medullary Cancer.</i>
<i>c.</i> <i>Carcinoma epitheliosum</i>	<i>c.</i> <i>Epithelial Cancer.</i>
667. Tumores non maligni.....	Non-malignant tumors.
<i>a.</i> Tumor fibrosus.....	<i>a.*</i> Fibrous tumor.
<i>b.</i> Polypus.....	<i>b.*</i> Polypus.

Note.—Under this head should be returned all pedunculated tumors growing from the cavity or neck of the uterus, whether mucous, cellular, or fibrous.

<i>Tubercula</i>	(49 ¹ .) <i>Tubercle.</i>
669. Uterus loco motus et distortus...	Displacements and distortions.
<i>a.</i> Uterus pronus.....	<i>a.</i> Anteversion.
<i>b.</i> Uterus resupinatus.....	<i>b.</i> Retroversion.
<i>c.</i> Uterus provolutus.....	<i>c.</i> Anteflexion.
<i>d.</i> Uterus retroflexus.....	<i>d.</i> Retroflexion.
<i>e.</i> Uterus inversus.....	<i>e.</i> Inversion.
<i>f.</i> Uterus prolapsus.....	<i>f.</i> Prolapsus.
1. Procidentia.....	1. Procidentia.
<i>g.</i> Hernia.....	<i>g.</i> Hernia.
669*. Deformatates ingentæ.....	Malformations.

Return such cases according to the list at pp. 241, 243.

* Letters have been here substituted for the omitted numbers.

DISEASES OF THE VAGINA.

MORBI VAGINÆ.

Latin Eq.

- | | |
|--|---|
| 670. Catarrhus. <i>Idem valet</i> Leucorrhœa | Catarrh. <i>Synonym</i> , Leucorrhœa. |
| 671. Inflammatio | Inflammation. |
| 672. Abscessus | Abscess. |
| [*131] | |
| <i>Gonorrhœa</i> | (585 ^b .) <i>Gonorrhœa</i> . |
| 673. Cicatrix vel hæbenua..... | Cicatrix or band. |
| 674. Fistula in vagina | Vaginal fistula. |
| 675. Fistula vesicam inter et vaginam | Vesico-vaginal fistula. |
| 676. Fistula rectum inter et vaginam | Recto-vaginal fistula. |
| 677. Hernia | Hernia. |
| <i>a.</i> Cysticele..... | <i>a.</i> Cystocele. |
| <i>b.</i> Enterocèle recti..... | <i>b.</i> Rectocele. |
| <i>Carcinoma</i> | (44 ¹ .) <i>Cancer</i> . |
| 678. Tumores non maligni..... | Non-malignant tumors. |
| <i>a.</i> Polypus | <i>a.</i> Polypus. |
| 679. Laceratio | Laceration. |
| 679*. Deformitates ingenitæ..... | Malformations. |

Return such cases here according to the list at pp. 241, 243.

DISEASES OF THE VULVA.

MORBI VULVÆ.

- | | |
|--------------------------------------|--|
| 680. Inflammatio labiorum | Inflammation of the labia. |
| 681. Pruritus | Pruritus. |
| <i>Eczema labiorum</i> | (843.) <i>Eczema of the Labia</i> . |
| 682. Edema labiorum..... | Edema of the labia. |
| 683. Abscessus | Abscess. |
| 684. Gangræna | Gangrene. |
| 685. Hypertrophia..... | Hypertrophy. <i>Note</i> .—Specify the part. |
| 686. Foramen oclusum..... | Occlusion. |
| 687. Membrana vulvæ impervia..... | Imperforate hymen. |
| <i>Varices</i> | (266.) <i>Varicose veins</i> . |
| <i>Syphilis</i> | (43 ¹ .) <i>Syphilis</i> . |
| <i>Carcinoma</i> | (44 ¹ .) <i>Cancer</i> . |
| 688. Tumor vasculosus urinæ itineris | Vascular tumor of the meatus urinarius. |
| 689. Cystis mucosa..... | Mucous cyst. |
| <i>Condyloma</i> | (593 ^b .) <i>Condyloma</i> . |
| 689*. Deformitates ingenitæ..... | Malformations. |

Return such cases here according to the list at p. 241.

FUNCTIONAL DISEASES OF THE FEMALE ORGANS OF GENERATION.

[*133]

VITIA NATURALIUM ACTIONUM LOCORUM VIRGINALIUM.

- | | |
|--|--|
| 690. Amenorrhœa | Amenorrhœa. <i>Synonym</i> , Absent menstruation. |
| <i>Idem valet</i> Menstrua non provenientia | |
| <i>Varieties:</i> | |
| <i>a.</i> V.—Ex defectione partium ingenitâ | <i>a.</i> From original defective formation. |
| <i>b.</i> V.—Ex incrementi inopiâ sub puberem ætatem | <i>b.</i> From want of development at the time of puberty. |
| <i>c.</i> V.—Ex interclusionione profluvii.... | <i>c.</i> From mechanical obstruction. |
| <i>d.</i> V.—E suppressis in tempus menstruis | <i>d.</i> From temporary suppression. |

Latin Eq.

691. Menstrua exilia.....	Scanty menstruation. <i>Synonym</i> , Deficient menstruation.
692. Menstrua vicaria.....	Vicarious menstruation.
693. Menstrua difficilia.....	Dysmenorrhœa. <i>Synonym</i> , Painful menstruation.
694. Menstrua immodica.....	Menorrhagia. <i>Synonym</i> , Excessive menstruation.
694*. Hæmorrhagia.....	Hæmorrhage.
<i>Chlorosis. Idem valet Pallor luteus fœminarum</i>	(56.) <i>Chlorosis. Synonym</i> , <i>Green sickness.</i>

AFFECTIONS CONNECTED WITH PREGNANCY.

MALA GRAVIDIS INCIDENTIA.

*DISORDERS OF THE NERVOUS SYSTEM.

MALA NERVORUM APPARATUS.

Neuralgia.....	Neuralgia.
	<i>Varieties:</i>
a. V.-Dolor dentium.....	a. Odontalgia.
b. V.-Dolor capitis.....	b. Cephalalgia.
c. V.-Dolor mammarum.....	c. Mastodynia.
Chorea.....	Chorea.
[*135]	
Membrorum distentio.....	Convulsions.
Hypochondriasis.....	Hypochondriasis.
Mania.....	Mania.

*DISORDERS OF THE CIRCULATORY SYSTEM.

MALA SANGUINIS APPARATUS.

Varices.....	Varicose veins—
a. Membrorum inferiorum.....	a. of the lower extremities.
b. Labiorum.....	b. of the labia.
c. Recti intestini Hæmorrhoides.....	c. of the rectum. Hæmorrhoids.
Profusio seri.....	Serous exudation.
	<i>Varieties:</i>
a. V.-Ascites.....	a. Ascites.
b. V.-Œdema labiorum.....	b. Œdema of the labia.
c. V.-Œdema membrorum inferiorum.....	c. Œdema of the lower extremities.
Defectio animæ.....	Syncope.
Palpitatio cordis.....	Palpitation.

*DISORDERS OF THE RESPIRATORY SYSTEM.

MALA SPIRITUS APPARATUS.

Dyspnœa.....	Dyspnœa.
Orthopnœa.....	Orthopnœa.
Tussis.....	Cough.

*DISORDERS OF THE DIGESTIVE SYSTEM.

MALA CONCOCTIONIS APPARATUS.

Saliva frequens.....	Salivation.
Cupiditas cibi prava et inconstans.....	Depraved and capricious appetite.

* These affections are secondary, and are therefore not numbered.

Latin Eq.

Nausea et vomitus.....	Nausea and vomiting.
Cardialgia sive ardor ventriculi.....	Cardialgia or Heartburn.
Pyrosis.....	Pyrosis.
Tormina—colici dolores.....	Intestinal cramp—colic.
Alvus adstricta.....	Constipation.
[*137]	
Alvus soluta.....	Diarrhœa.
Morbus regius.....	Jaundice.

*DISORDERS OF THE URINARY SYSTEM.

MALA URINÆ APPARATUS.

Albuminuria.....	Albuminuria.
Difficultas urinæ.....	Dysuria.
Incontinentia urinæ.....	Incontinence of urine.
Retentio urinæ.....	Retention of urine.

DISORDERS OF THE GENERATIVE SYSTEM.

MALA GENITALIUM APPARATUS.

695. Metritis.....	Metritis. <i>Synonym</i> , Hysteritis.
696. Profluvium aquosum ex utero.	Discharge of watery fluid from the uterus.
Hydrorrhœa	Hydrorrhœa.
697. Rheumatismus uteri.....	Rheumatism of the uterus.
698. Metralgia.....	Hysteralgia.
699. Dolores et spasmi nothi.....	Spurious pains and cramp.
<i>Catarrhus vaginæ. Idem valet</i>	(670.) <i>Catarrh of the vagina. Synonym, Leu-</i>
<i>Leucorrhœa</i>	<i>corrhœa.</i>
700. Profluvium sanguineum. <i>Idem</i>	Sanguineous discharge. <i>Synonym</i> , Menstrua-
<i>valet Menstrua</i>	<i>tion.</i>
701. Hæmorrhagia.....	Hæmorrhage.
702. Uterus loco motus.....	Displacements of the uterus.
	<i>Varieties:</i>
<i>a. V.-Prolapsio.....</i>	<i>a. Prolapsus.</i>
<i>b. V.-Hernia.....</i>	<i>b. Hernia.</i>
<i>c. Uterus resupinatus.....</i>	<i>c. Retroversion.</i>
<i>Pruritus vulvæ.....</i>	(681.) <i>Pruritus of the vulva.</i>
703. Abortus.....	Abortion.
[*139]	
704. Partus intempestivus.....	Premature labor.
705. Fœtus extra uterum gestatus....	Extra-uterine gestation.

AFFECTIONS CONNECTED WITH PARTURITION.

MALA PARTURIENTIBUS INCIDENTIA.

706. Resolutio uteri.....	Atony of the uterus.
707. Uterus supra modum distentus..	Over-distension of the uterus.
<i>a. Ex immodico liquore amnii.....</i>	<i>a. From excess of liquor amnii.</i>
<i>b. Ex geminis, trigeminis, etc.....</i>	<i>b. " twins, triplets, etc.</i>
708. Impedimenta corporea partui	Mechanical obstacle to the action of the
<i>obstantia.</i>	uterus.
<i>a. Os uteri oclclusum.....</i>	<i>a. From occlusion of the os uteri.</i>
<i>b. Os uteri rigidum.....</i>	<i>b. " rigidity (1) of the os uteri.</i>
Vagina rigida.....	(2) " vagina.
Perineum rigidum.....	(3) " perineum.
<i>c. Carcinoma cervicis uteri.....</i>	<i>c. From cancer of the cervix uteri.</i>
<i>d. Vagina coarctata.....</i>	<i>d. " narrowness of the vagina.</i>
<i>e. Cicatrix vel habenula in vaginâ</i>	<i>e. " cicatrix or band in the vagina.</i>

* These affections are secondary, and are therefore not numbered.

Latin Eq.

- | | |
|---|---|
| f. Cystis vaginalis | f. From vaginal cyst. |
| g. Vesica prolapsa..... | g. " prolapsus of the bladder. |
| h. Calculus vesicæ..... | h. " stone in the bladder. |
| i. Distentio recti intestini | i. " distended rectum. |
| k. Rectum prolapsum | k. " prolapsus of the rectum. |
| [*141] | |
| l. Tumor..... | l. From tumor. |
| | <i>Varieties:</i> |
| 1. V.-Uteri..... | 1. Uterine. |
| 2. V.-Ovarii..... | 2. Ovarian. |
| 3. V.-Pelvis..... | 3. Pelvic. |
| 4. V.-Partium exteriorum..... | 4. of external parts. |
| m. Polypus..... | m. From polypus. |
| n. Fractura ossis coxarum..... | n. From fractured pelvis. |
| o. Exostosis..... | o. From exostosis. |
| p. Distortum vel constrictum os coxarum | p. From distorted or contracted pelvis. |
| q. Loco motæ in pelvim lumborum vertebræ. <i>Idem valet Spondylolisthesis</i> | q. From dislocated lumbar vertebræ into pelvis. <i>Synonym, Spondylolisthesis.</i> |
| r. Ankylosis coccygis..... | r. From ankylosed coccyx. |
| s. Pelvis angusta..... | s. From diminutive pelvis. |
| t. Uterus penitus in pronum versus pendente abdomine | t. From extreme anteversion of the uterus (with pendulous abdomen). |
| u. Fœtus prægrandis..... | u. From excessive size of the fœtus. |
| v. Fœtus male collocatus | v. From malposition of the fœtus. |
| w. Deformitas fœtus..... | w. From malformation of the fœtus. |
| x. Fœtus morbo adauctus..... | x. From enlargement of the fœtus from disease. |
| y. Crassitudo inusitata membranarum fœtus | y. From unusual thickness of the fœtal membranes. |
| z. Brevitas inusitata funis | z. From unusual shortness of the funis. |
| 709. Hæmorrhagia..... | Hæmorrhage. |
| [*143] | |
| a. E secundis præviis. <i>Idem valet Hæmorrhagia inevitabilis</i> | a. From placenta prævia. <i>Synonym, Unavoidable hæmorrhage.</i> |
| b. E secundis casu separatis. <i>Idem valet Hæmorrhagia fortuita</i> | b. From accidental detachment of the placenta. <i>Synonym, Accidental hæmorrhage.</i> |
| c. Ex thrombosi cervicis uteri vel labii | c. From thrombus of the cervix uteri or labium. |
| 710. Diruptio vel laceratio uteri..... | Rupture or laceration of the uterus. |
| 711. Diruptio vel laceratio vaginæ... | Rupture or laceration of the vagina. |
| 712. Diruptio vel laceratio vesicæ.... | Rupture or laceration of the urinary bladder. |
| 713. Diruptio vel laceratio perinei... | Rupture or laceration of the perineum. |
| 714. Retentio secundarum..... | Retention of the placenta. |
| a. Ex resolutione uteri..... | a. From atony of the uterus. |
| b. Ex contracto sine ordine vel ad similitudinem horologii utero | b. From irregular or hour-glass contraction. |
| c. Præter naturam adhærentium... | c. From preternatural adhesions. |
| 715. Uterus inversus..... | Inversion of the uterus. |
| 716. Membrorum distentio..... | Convulsions. |

AFFECTIONS CONSEQUENT ON PARTURITION.

MALA PUERPERIS INCIDENTIA.

- | | |
|------------------------------------|----------------------------------|
| 717. Hæmorrhagia post partum | Post-partum hæmorrhage. |
| <i>Ephemera puerperarum.....</i> | (33.) <i>puerperal ephemera.</i> |
| 718. Febris lactantium | Milk fever. |
| <i>Febris puerperarum.....</i> | (32.) <i>Puerperal fever.</i> |

Latin Eq.

- [*145]
719. Metroperitonitis. *Idem valet* Metro-peritonitis. *Syn.* Puerperal peritonitis.
Peritonitis puerperarum
- a. Metritis..... a. Metritis.
b. Peritonitis (531.) b. Peritonitis.
Phlebitis (260.) Phlebitis.
Phlegmasia dolens..... (261.) Phlegmasia dolens.
Phlegmone pelvica (650^b.) Pelvic cellulitis.
720. Abscessus iliorum et pelvis..... Iliac and pelvic abscesses.
721. Sphacelus cervicis uteri..... Sloughing of the cervix uteri.
722. Sphacelus vaginae..... Sloughing of the vagina.
723. Sphacelus perineei..... Sloughing of the perineum.
724. Sphacelus vesicae..... Sloughing of the bladder.
725. Sphacelus recti intestini..... Sloughing of the rectum.
Fistula uterum inter et vesicam... (660.) Utero-vesical fistula.
Fistula vesicam inter et vaginam. (675.) Vesico-vaginal fistula.
Fistula rectum inter et vaginam... (676.) Recto-vaginal fistula.
Inflammatio mammæ femineæ... (729.) Inflammation of the female breast.
Abscessus mammæ femineæ..... (730.) Abscess of the female breast.
726. Mania puerperarum..... Puerperal mania.
a. A partu..... a. Connected with parturition.
b. Lactantium..... b. Connected with lactation.
727. Membrorum distensio in puerperis. *Idem valet* Eclampsia... Puerperal convulsions. *Synonym*, Eclampsia.
- [*147]
728. Mors repentina post partum Sudden death after delivery.
a. Ex concussu vel nervorum vi exinanita a. From shock or nervous exhaustion.
b. Ex impactione coagulorum in corde arteriaque pulmonali b. From impaction of coagula in the heart and pulmonary artery.
1. Thrombosis..... 1. Thrombosis.
2. Embolus 2. Embolism.
c. Ex introitu aëris in venas separatis secundis c. From entrance of air into veins (from separation of the placenta).
Partus emortuus..... (902.) Still-born.
Partus intempestivus..... (903.) Premature birth.

DISEASES OF THE FEMALE BREAST.

MORBI MAMMÆ FÆMINEÆ.

729. Inflammatio..... Inflammation.
a. Acuta a. Acute.
b. Longa b. Chronic.
730. Abscessus..... Abscess.
731. Fistula Sinus.
732. Profluvium lactis..... Galactorrhœa.
733. Inopia lactis..... Deficiency of milk
734. Hypertrophia..... Hypertrophy.
735. Atrophia..... Atrophy.
736. Papilla depressa..... Depressed nipple.
737. Papilla scissa..... Chapped nipple.
738. Papilla exulcerata..... Ulcerated nipple.
Carcinoma..... (44¹.) Cancer.
a. Scirrhus..... a. Scirrhus.
b. Carcinoma medullosum..... b. Medullary Cancer.

Latin Eq.

- [*149]
- | | |
|--|---|
| c. <i>Carcinoma epitheliosum</i> | c. <i>Epithelial cancer.</i> |
| <i>Morbus collodes</i> | (45 ¹ .) <i>Colloid.</i> |
| 739. Tumores non maligni..... | *Non-malignant tumors. |
| a. Tumor fibrosus. <i>Idem valet</i> Tu-
mor subcutaneus dolens | a. Fibrous tumor. <i>Synonym</i> , Painful sub-
cutaneous tumor. |
| b. Tumor fibroplasticus..... | b. Fibro-plastic tumor. |
| c. Tumor adiposus..... | c. Fatty tumor. |
| d. Tumor osseus..... | d. Osseous tumor. |
| e. Tumor cartilagenosus. <i>Idem valet</i>
Enchondroma | e. Cartilaginous tumor. <i>Synonym</i> , Enchon-
droma. |
| f. Tumor mammarum longus. <i>Idem</i>
<i>valet</i> Tumor adenoïdes | f. Chronic mammary tumor. <i>Synonym</i> ,
Adenoid tumor. |
| g. Tumor vasculosus..... | g. Vascular tumor. |
| 746. Cystis | Cyst. |
| 747. Tumor cysticus multiplex. <i>Idem</i>
<i>valet</i> Cystisarcoma. | Complex cystic tumor. <i>Synonym</i> , Cysto-
sarcoma. |
| 748. Morbus parasiticus..... | Parasitic disease.
Return cases of this class accord-
ing to the list at p. 232. (Nos. 14, 22.) |
| 749. Hyperæsthesia..... | Hyperæsthesia. |
| 750. Dolor mammarum. <i>Idem valet</i>
Neuralgia | Mastodynia. <i>Synonym</i> , Neuralgia. |

DISEASES OF THE MALE MAMMILLA.

[*151]

MORBI MAMMILLÆ VIRILIS.

Register the disease printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

- | | |
|-------------------------------|---|
| 751. Inflammatio..... | Inflammation. |
| 752. Hypertrophia..... | Hypertrophy. |
| <i>Carcinoma</i> | (44 ¹ .) <i>Cancer.</i> |
| 753. Tumores non maligni..... | Non-malignant tumors.
Return such cases according to
the list at p. 19. |
| 754. Cystis | Cyst. |

DISEASES OF THE ORGANS OF LOCOMOTION.

MORBI ORGANORUM CORPUS MOVENTIUM.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

DISEASES OF BONES.

MORBI OSSIUM.

Note.—In all cases the bones affected must be specified.

- | | |
|---------------------|-----------------|
| 755. Ostitis..... | Ostitis. |
| a. Periostitis..... | a. Periostitis. |
| 1. Nodi ossium..... | 1. Nodes. |

* Letters have been here substituted for the omitted numbers.

Latin Eq.

756. Periostitis diffusa. *Idem valet* Diffuse periostitis. *Synonym*, Acute periosteal abscess.
Abscessus periosteii acutus
a. Necrosis acuta..... a. Acute necrosis.
757. Ostomyelitis..... Osteo-myelitis.
758. Abscessus longus..... Chronic abscess.
759. Caries..... Caries.
760. Necrosis..... Necrosis.
761. Mollities ossium..... Mollities ossium.
762. Hypertrophia..... Hypertrophy.
763. Atrophia..... Atrophy.
764. Fractura sponte orta..... Spontaneous fracture. (The cause, if known, should be stated.)
- [*153]
- Morbus syphiliticus*..... (43¹) *Syphilitic disease*.
- Carcinoma*..... (44¹) *Cancer*.
765. Tumores non maligni..... Non-malignant tumors.
a. Tumor fibrosus et fibrocysticus. a. Fibrous and fibro-cystic.
b. Tumor myelodes..... b. Myeloid.
c. Tumor cartilagenosus. *Idem valet* Enchondroma. c. Cartilaginous. *Synonym*, Enchondroma.
d. Tumor osseus. *Idem valet* Exostosis. d. Osseous tumor. *Syn.* Exostosis.
Varieties.
1. Ivory.
2. Cancellated.
3. Diffused.
766. *Cystis*..... Cyst.
Rachitis..... (50.) *Rickets*.
Struma..... (49.) *Scrofulous disease*.
767. Morbus parasiticus..... Parasitic disease.
Return cases of this class according to the list at p. 232. (Nos. 14, 22, 48.)
- 767* Deformatates ingenitæ..... Malformations.
Return such cases here according to the list at pp. 237, 243.

DISEASES OF JOINTS.

MORBI ARTICULORUM.

Note.—In all cases the joint affected is to be specified.

768. Inflammatio synovialis acuta.... Acute synovitis.
769. Inflammatio synovialis longa.... Chronic synovitis.
a. Degeneratio in pulpam membranae synovialis a. Pulpy degeneration of synovial membrane.
b. *Struma articularis*..... (49¹) b. *Scrofulous disease of the joints*.
1. *Morbus coxæ*..... (49¹) 1. *Morbus coxæ*.
770. Exulceratio cartilaginis..... Ulceration of cartilage.
771. Abscessus..... Abscess.
a. *Abscessus pyæmicus*..... (31.) a. *Pyæmic abscess*.
772. Ankylosis..... Ankylosis.
a. Deformatas ex ankylosi..... a. Deformity from ankylosis.
773. Hydrops articulorum..... Dropsy of joints.
Rheumatismus gonorrhœicus..... (35.) *Gonorrhœal rheumatism*.
- [*155]
- Rheumatismus synovialis*..... (36.) *Synovial rheumatism*.
- Inflammatio synovialis podagrica*. (41.) *Gouty synovitis*.
- Osteoarthritis longa*. *Idem valet* (42.) *Chronic osteo-arthritis*. *Synonym*, *Chronic rheumatic arthritis*.
774. Degeneratio cartilaginis et summorum ossium articularium... Degeneration of cartilage, and of the articular surfaces of bones.

Latin Eq.

775. Articuli perforati..... Perforation of joints.
Note.—This refers to perforation by disease, and in returning it the original affection should be stated.
776. Cartilago libera. *Idem valet* Loose cartilage. *Synonym*, Loose body.
 Corpus liberum
777. Resolutio ligamentorum..... Relaxation of ligaments.
778. Cartilago articularis loco mota. Displacement of articular cartilage.
779. Genua introrsum flexa..... Knock-knee.
780. Genua arcuata..... Bow-leg, or out-knee.
Carcinoma..... (44¹.) *Cancer*.
781. Tumores non maligni..... Non-malignant tumors.
 Return such cases here according to the list at p. 19.
782. Neuralgia articularum Neuralgia of joints.

DISEASES OF THE SPINE.

MORBI SPINÆ.

783. Exulceratio ligamentorum et cartilaginum Ulceration of ligaments and cartilages.
784. Caries et necrosis Caries and necrosis.
 a. Fractura sponte orta processus odontoïdis a. Spontaneous fracture of the odontoid process.
- [*157]
785. Abscessus psoadici, lumbares aliique Psoas, lumbar, and other abscesses.
786. Deformitas angularis. *Idem valet* Kyphosis Angular deformity. *Synonym*, Kyphosis.
787. Curvatura ex transverso. *Idem valet* Skoliosis Lateral curvature. *Synonym*, Skoliosis.
788. Curvatura in frontem. *Idem valet* Lordosis Anterior Curvature. *Synonym*, Lordosis.
Curvatura rachitica..... (50.) *Rickety Curvature*.
789. Ankylosis Ankylosis.
Osteoarthritis longa..... (42.) *Chronic osteo-arthritis*.
790. Tumores non maligni..... Non-malignant tumors.
 Return such cases here according to the list at p. 19.
Carcinoma..... (44¹.) *Cancer*.
791. Morbus parasiticus Parasitic disease.
 Return cases of this class according to the list at p. 232. (No. 14.)
792. Deformitates ingenitæ..... Malformation.
 Return such cases here according to the list at p. 243.
 a. Deformity from malformation.
Spina bifida..... (80^a.) b. *Spina bifida*.

DISEASES OF THE MUSCULAR SYSTEM.

MORBI MUSCULORUM APPARATUS.

Note.—In all cases the affected muscle or muscles should be stated.

DISEASES OF THE MUSCLES.

MORBI MUSCULORUM.

793. Inflammatio..... Inflammation.
794. Abscessus Abscess.
795. Gangræna..... Gangrene.

Latin Eq.

- | | |
|------------------------------------|---|
| 796. Atrophia..... | Atrophy. |
| 797. Atrophia ingravescens | Progressive muscular atrophy. |
| 798. Degeneratio adiposa..... | Fatty degeneration. |
| 799. Conversio in calcem..... | Ossification. |
| <i>Deposita ex syphilide</i> | (43 ¹ .) <i>Syphilitic deposit.</i> |
| <i>Carcinoma</i> | (44 ¹ .) <i>Cancer.</i> |
| [*159] | |
| <i>Morbus collodes</i> | (45 ¹ .) <i>Colloid.</i> |
| 800. Tumores non maligni..... | Non-malignant tumor. |
| <i>a. Tumor spongiosus</i> | <i>a. Erectile tumor.</i> |
| 801. Cystis | Cyst. |
| <i>Diruptio</i> | (1144.) <i>Rupture.</i> |
| <i>Paralysis infantilis</i> | (88.) <i>Infantile paralysis.</i> |
| 802. Morbus parasiticus..... | Parasitic disease. |
| | Return such cases here according
to the list at p. 232. (No. 4.) |
| <i>a. Trichinosis</i> | <i>a. Trichinosis.</i> |
| <i>Spasmus</i> | (95.) <i>Spasm.</i> |
| 803. Exinanitio virium..... | *Exhaustion. |
| <i>Paralysis notariorum</i> | (89 ^b .) <i>Scrivener's palsy.</i> |
| <i>Paralysis diphtherica</i> | (19 ^a .) <i>Diphtheritic paralysis.</i> |

DISEASES OF TENDONS.

MORBI TENDINUM.

- | | |
|--|--|
| 804. Inflammatio..... | Inflammation. |
| <i>Abscessus thecarum</i> | (865 ^a .) <i>Thecal abscess.</i> |
| 805. Tendo adhærens..... | Adhesion of tendons. |
| <i>Carcinoma</i> | (44 ¹ .) <i>Cancer.</i> |
| 806. Tumores non maligni..... | Non-malignant tumors. |
| 807. Coarctatio tendinum, fasciarum,
musculorum | Contraction of tendons, fasciæ, or muscles. |
| 808. Talipes..... | Club-foot |
| <i>a. Talipes varus</i> | <i>a. Talipes varus.</i> |
| <i>b. Talipes valgus</i> | <i>b. Talipes valgus.</i> |
| <i>c. Talipes equinus</i> | <i>c. Talipes equinus.</i> |
| <i>d. Talipes calcaneus</i> | <i>d. Talipes calcaneus.</i> |
| <i>e. Talipes calcaneo-varus</i> | <i>e. Talipes calcaneo-varus.</i> |
| <i>f. Talipes equino-valgus. Idem valet</i>
<i>Pes planus</i> | <i>f. Talipes equino-valgus. Synonym,</i>
<i>Flat-foot.</i> |
| 809. Manus curta..... | Club-hand. |
| 810. Arcus palmaris contractus..... | Contracted palmar fascia. |
| 811. Caput obstipum..... | Wry-neck. |
| <i>Disruptio</i> | (1145.) <i>Rupture.</i> |

DISEASES OF THE APPENDAGES OF THE MUSCULAR SYSTEM.*

[*161]

MORBI APPENDICUM MUSCULORUM.

- | | |
|---|---|
| 812. Byrsa patellæ amplificata | Enlarged bursa patellæ. <i>Synonym, House-</i>
<i>maid's knee.</i> |
| 813. Byrsarum aliarum amplificatio.. | Enlargement of other bursæ (specify which.) |
| 814. Tumor byrsæ..... | Bursal tumor. <i>Definition: A solid tumor, the</i>
<i>result of old enlargement of a</i>
<i>bursa.</i> |
| 815. Abscessus byrsæ..... | Bursal abscess. |
| 816. Bunion..... | Bunion. |
| 817. Ganglion..... | Ganglion. |
| <i>a. Ganglion palmare diffusum</i> | <i>a. Diffused palmar ganglion.</i> |

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

DISEASES OF THE CELLULAR TISSUE.
MORBI MEMBRANÆ CELLULOSÆ.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by the number.

Latin Eq.

818. Inflammatio.....	Inflammation.
819. Abscessus.....	Abscess.
820. Durities ex inflammatione in recens natis	Inflammatory induration in the newly born.
821. Sphacelus.....	Slough.
<i>Erysipelas phlegmonodes</i>	(30 ^b .) <i>Phlegmonous erysipelas.</i>
<i>Carbunculus</i>	(862.) <i>Carbuncle. Syn. Anthrax.</i>
822. Obesitas.....	Obesity.
823. Hæmorrhagia.....	*Hæmorrhage.
<i>a. Hæmatocele pelvica</i>	(653.) <i>a. Pelvic hæmatocele.</i>
824. Tumores non maligni.....	Non-malignant tumors.
	Return such cases according to list at p. 19.
<i>Carcinoma</i>	(44 ¹ .) <i>Cancer.</i>
825. Morbus parasiticus.....	Parasitic disease.
	Return cases of this class according to list at p. 232. (Nos. 4, 5, 14, 21, 22, 43, 48.)
<i>Corpora adventitia</i>	(1146.) <i>Foreign substances.</i>
826. Emphysema.....	*Emphysema.

DISEASES OF THE CUTANEOUS SYSTEM.

[*163]

MORBI CUTIS APPARATUS.

Register the diseases printed here in *Italics*, not under this heading, but at the place referred to in each instance by number.

Note.—Where the disease is local, its situation should be specific.

<i>Erysipelas</i>	(30.) <i>Erysipelas.</i>
827. Erythema (sub hoc nomine comprehenduntur	Erythema. (This term includes
1. Erythema læve.....	1. Erythema læve.
2. “ fugax.....	2. “ fugax. <i>Synonym, E. volaticum.</i>
3. “ marginatum.....	3. “ marginatum.
4. “ papulatum.....	4. “ papulatum.
5. “ tuberculatum.....	5. “ tuberculatum.
6. “ nodosum).....	6. “ nodosum.)
828. Intertrigo.....	Intertrigo.
829. Roseola (sub hoc nomine comprehenduntur	Roseola. (This term includes
1. Roseola æstiva.....	1. Roseola æstiva.
2. “ autumnalis.....	2. “ autumnalis.
3. “ symptomatica.....	3. “ symptomatica.
4. “ annulata).....	4. “ annulata.)

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

Latin Eq.

<p>830. Urticaria</p> <p>a. Urticaria acuta.....</p> <p>b. " longa</p> <p>(sub horum nominum alterutro comprehenduntur</p> <p>1. Urticaria febrilis.....</p> <p>2. " evanida</p> <p>3. " perstans.....</p> <p>4. " conferta.....</p> <p>5. " subcutanea.....</p> <p>6. " tuberculata)</p> <p>[*165]</p> <p>831. Dermatagra.....</p> <p>832. Acrodynia</p> <p>833. Rosa Asturica.....</p> <p>834. Prurigo</p> <p>835. Lichen (sub hoc nomine comprehenduntur</p> <p>1. Lichen simplex</p> <p>2. " pilaris</p> <p>3. " circumscriptus</p> <p>4. " ferox.....</p> <p>5. " tropicus)</p> <p>(Lichen lividus quem appellant in genus purpuræ cadit)</p> <p>836. Strophulus (sub hoc nomine comprehenduntur</p> <p>1. Strophulus intertinctus.....</p> <p>2. " confertus.....</p> <p>3. " candidus)</p> <p>(Strophulus albidus ad Acnen refertur</p> <p>Strophulus volaticus ad Erythema)</p> <p>837. Pityriasis (sub hoc nomine comprehenditur Pityriasis capitis)</p> <p>(Pityriasis versicolor ad Parasiticos affectus refertur, tanquam idem valens quod Tinea versicolor)</p> <p>838. Psoriasis (sub hoc nomine comprehenduntur Lepræ)</p> <p>[*167]</p> <p>a. Psoriasis vulgaris. <i>Idem valet</i> Lepræ vulgares</p> <p>b. Psoriasis guttata.....</p> <p>c. " diffusa</p> <p>d. " gyrata.....</p> <p>e. " inveterata</p> <p>*840. Miliaria.....</p> <p>a. Sudamina</p> <p>841. Herpes.....</p> <p>a. Herpes phlyctenodes</p>	<p>Urticaria. <i>Synonym</i>, Nettle rash.</p> <p>a. Urticaria acuta.</p> <p>b. " chronica.</p> <p>(Under one or other of these heads are included</p> <p>1. Urticaria febrilis.</p> <p>2. " evanida.</p> <p>3. " perstans.</p> <p>4. " conferta.</p> <p>5. " subcutanea.</p> <p>6. " tuberculata.)</p> <p>Pellagra.</p> <p>Acrodynia.</p> <p>Asturian rose.</p> <p>Prurigo.</p> <p>Lichen. (This term includes</p> <p>1. Lichen simplex.</p> <p>2. " pilaris.</p> <p>3. " circumscriptus.</p> <p>4. " agrius.</p> <p>5. " tropicus. <i>Synonym</i>, Prickly heat.)</p> <p>(The so-called lichen lividus is really a form of purpura.)</p> <p>Strophulus. <i>Synonyms</i>, Red gum, tooth rash.</p> <p>(This term includes</p> <p>1. Strophulus intertinctus.</p> <p>2. " confertus.</p> <p>3. " candidus.)</p> <p>(Strophulus albidus is referred to Acne.</p> <p>Strophulus volaticus to Erythema.)</p> <p>Pityriasis. (This term includes Pityriasis capitis. <i>Synonym</i>, Dandruff.)</p> <p>(Pityriasis versicolor is referred to Parasitic affections as a <i>Synonym</i> of Tinea versicolor.)</p> <p>Psoriasis. (This term includes Lepra.)</p> <p>a. Psoriasis vulgaris. <i>Synonym</i>, Lepra vulgaris.</p> <p>b. Psoriasis guttata.</p> <p>c. " diffusa.</p> <p>d. " gyrata.</p> <p>e. " inveterata.</p> <p>Miliaria.</p> <p>a. Sudamia.</p> <p>(This affection is almost invariably symptomatic.)</p> <p>Herpes. (All the varieties which have been named from their locality only are to be included under the term herpes.)</p> <p>a. Herpes phlyctenodes.</p>
--	--

* No. 839 has been accidentally omitted.

Latin Eq.

- b. Herpes circinatus
- c. " iris.....
- d. " zoster. *Idem valet* Cingulum
842. Pompholyx.....
- a. Pompholyx acuta.....
- b. " longa
- c. " solitaria
843. Eczema
- a. Eczema simplex.....
- b. " rubrum.....
- c. " impetiginosum.....
- d. " longum.....
844. Impetigo.....
- a. Impetigo sparsa.....
- b. " confluens.....
1. Impetigo figurata.....
2. " larvalis
- [*169]
845. Rupia
- a. Rupia simplex.....
- b. " prominens
- c. " escharotica. *Idem valet* Pompholyx gangrænosa
846. Ecthyma.....
847. Acne
- a. Acne punctata
- b. " indurata
- c. " rosacea
- d. " strophulosa. *Idem valet* Strophulus albidus
848. Sycosis. *Idem valet* Mentagra..
849. Steatorrhœa
- a. Steatorrhœa simplex.....
- b. " nigricans.....
850. Ichthyosis.....
- a. Ichthyosis vera.....
- b. " cornea.....
851. Xeroderma. *Idem valet* Scleroderma, Scleriosis
852. Leucoderma (sub hoc nomine comprehenditur Vitiligo)
853. Albitudo.....
854. Canities.....
855. Melasma.....
- Melasma Addisoni*.....
856. Lentigo et ephelis.....
- [*171]
857. Pernio.....
858. Ambusta ex frigore.....
859. Ulcus.....
- b. Herpes circinatus.
- c. " iris.
- d. " zoster. *Synonym*, Shingles.
- Pemphigus. *Synonym*, Pompholyx.
- a. Pemphigus acutus.
- b. " chronicus.
- c. " solitarius.
- Eczema.
- a. Eczema simplex.
- b. " rubrum.
- c. " impetiginodes.
- d. " chronicum.
- Impetigo.
- a. Impetigo sparsa.
- b. " confluens.
1. figurata.
2. larvalis. *Synonym*, Porrigo larvalis.
- Rupia.
- a. Rupia simplex.
- b. " prominens.
- c. " escharotica. *Synonym*, Pemphigus gangrænosus.
- Ecthyma.
- Acne.
- a. Acne punctata.
- Note.*—When the Demodex folliculorum is discovered, its presence should be stated.
- b. Acne indurata.
- c. " rosacea.
- d. " strophulosa. *Synonym*, Strophulus albidus.
- Sycosis. *Synonym*, Mentagra.
- Note.*—When the microsporon mentagrophytes or the Demodex folliculorum is discovered, its presence should be stated.
- Steatorrhœa.
- a. Steatorrhœa simplex.
- b. " nigricans.
- Ichthyosis.
- a. Ichthyosis vera.
- b. " cornea.
- Xeroderma. *Synonyms*, Scleroderma, Scleriosis.
- Leucoderma. (This term includes Vitiligo.)
- Albinismus.
- Canities.
- Melasma.
- (286.) *Melasma Addisoni*. English name, Addison's disease. *Synonym*, Bronzed skin.
- Lentigo and ephelis. *Synonym*, Freckles.
- Chilblain.
- Frostbite.
- Ulcer.

- Latin Eq.*
860. Fissuræ Rhagades..... Fissures.
Gangræna oris..... (353.) *Cancrum oris.*
861. Furunculus..... Boil.
862. Carbunculus..... Carbuncle. *Synonym, Anthrax.*
Pustula maligna..... (26.) *Malignant pustule.*
863. Onychia..... Onychia. *Definition: Inflammation of the matrix of the nail.*
864. Onychia maligna..... Onychia maligna.
865. Paronychia..... Whitlow.
a. Abscessus thecarum..... *a. Thecal abscess.*
866. Gangræna..... Gangrene.
867. Hypertrophia..... Hypertrophy.
868. Clavus..... Corn.
Bunion..... (816.) *Bunion.*
869. Elephantiasis Arabum. *Idem valent Crus Barbadicum; Elephas*
Lepre veræ. Idem valet Elephantiasis Græcorum..... (48.) *True Leprosy. Synonym, Elephantiasis Græcorum.*
870. Atrophia..... Atrophy.
a. Atrophia linearis..... *a. Linear atrophy.*
b. Alopecia..... *b. Alopecia.*
c. Atrophia unguium..... *c. Atrophy of nails.*
Carcinoma..... (44¹.) *Cancer.*
871. Tumor fibrocellulosus..... Fibro-cellular tumor.
872. Tumor adiposus..... Fatty tumor.
Nævus vasculosus..... (267.) *Nævus vascularis.*
873. Nævus..... Nævus. *Synonym, Port-wine stain.*
874. Nævus pilaris..... Nævus pilaris. *Synonym, Mole.*
- [*173]
875. Tumor sebaceus..... Sebaceous tumor.
a. Steatoma..... *a. Steatoma.*
876. Cornua..... Cornua.
877. Verrucæ..... Warts.
878. Condyloma..... Condyloma.
879. Molluscum..... Molluscum.
880. Tumor cheloides..... Cheloid.
881. Morula..... Framboesia. *Synonym, Yaws.*
882. Furunculus Delhinus..... Delhi boil.
883. Malum Aleppense..... Aleppo Evil.
Lupus..... (46.) *Lupus.*
Struma..... (49.) *Scrofulous disease.*
884. Unguis involutus..... Ingrown nail.
Macula argentea..... (912^a.) *Silver stain.*
Ambusta..... (992.) *Burns and scalds.*
- 884*. Cicatrices..... Cicatrices (state the cause).
Note. — Under this heading are only to be returned cases presenting a definite morbid character.
- Hyperæsthesia*..... (102.) *Hyperæsthesia.*
885. Pruritus..... Pruritus.
Anæsthesia..... (103) *Anæsthesia.*
886. Ephidrosis..... Ephidrosis.
887. Anidrosis..... Anidrosis.

PARASITIC DISEASES OF THE SKIN.*

MORBI CUTIS PARASITICI.

Latin Eq.

- | | |
|--|---|
| 888. Tinea tonsurans. <i>Parasitus</i> , Achorion Lebertii. <i>Idem valet</i> Trichophyton tonsurans | Tinea tonsurans. <i>Synonym</i> , Ringworm. <i>Parasite</i> , Achorion Lebertii. <i>Synonym</i> , Trichophyton tonsurans. |
| 889. Tinea decalvans. <i>Idem valet</i> Area. <i>Parasitus</i> , Microsporon Audouini | Tinea decalvans. <i>Synonyms</i> , Alopecia areata, Porrigo decalvans. <i>Parasite</i> , Microsporon Audouini. |
| 890. Tinea favosa. <i>Idem valet</i> Favus. <i>Parasitus</i> , Achorion Schœnleinii; Puccinia favi | Tinea favosa. <i>Synonyms</i> , Favus, porrigo favosa. <i>Parasites</i> , Achorion Schœnleinii; Pucciniafavi. |
| [*175] | |
| 891. Tinea versicolor. <i>Idem valet</i> Ptyriasis versicolor. <i>Parasitus</i> , Microsporon furfur | Tinea versicolor. <i>Synonym</i> , Pityriasis versicolor. <i>Parasite</i> , Microsporon furfur. |
| 892. Tinea polonica. <i>Idem valet</i> Plica polonica. <i>Parasitus</i> , Trichophyton sporoides | Tinea polonica. <i>Synonym</i> , Plica polonica. <i>Parasite</i> , Trichophyton sporuloides. |
| 893. Mycetoma. <i>Idem valet</i> Pes Maduranus. <i>Parasitus</i> , Chionyphe Carteri | Mycetoma. <i>Synonym</i> , Madura foot. <i>Parasite</i> , Chionyphe Carteri. |
| 894. Scabies. <i>Idem valet</i> Psora. <i>Parasitus</i> , Sarcoptes scabiei | Scabies. <i>Synonym</i> , Itch. <i>Parasite</i> , Sarcoptes scabiei. |
| 895. Phthiriasis | Phthiriasis. |
| 896. Irritatio orta..... | Irritation caused by |
| a. Ex pediculo capitis..... | a. Pediculus capitis. |
| b. Ex pediculo palpebrarum..... | b. " palpebrarum. |
| c. Ex pediculo vestimenti..... | c. " vestimenti. |
| d. Ex pediculo tabescentium..... | d. " tabescentium. |
| | e. Phthirius inguinalis. |
| 897. Ex pulice penetranti..... | Irritation caused by Pulex penetrans. <i>English synonym</i> , Chigoe. |
| Ex pulice irritanti..... | " Pulex irritans. |
| 898. Ex cimice | " Cimex. |
| 899. Ex leptotrice autumnali | " Leptothrix autumnalis. <i>English synonym</i> , Harvest-bug. |
| 900. Ex crabronibus apibus, aliisque insectis aculeatis | " Wasps, bees, and other stinging insects.
(985 ^{a3}) Cases of irritation from stinging insects should be entered here, and those of death from that cause under poisoned wounds. |
| 901. Ex urticis, aliisque plantis aculeatis | Irritation caused by nettles and other stinging plants. |

* For a list of the parasites found in the parasitic diseases of the skin, all of which are to be returned here, see pp. 232-5. (Nos. 5, 36-43, 45, 48-55.)

CONDITIONS NOT NECESSARILY ASSOCIATED WITH
GENERAL OR LOCAL DISEASES.

[*177]

CONDITIONES NON EX NECESSITATE CUM MORBIS
CONJUNCTÆ SIVE CORPORIS UNIVERSI SIVE PAR-
TIUM SINGULARUM.

Latin Eq.

- | | |
|--------------------------------|------------------|
| 902. Partus emortuus..... | Still-born. |
| 903. Partus intempestivus..... | Premature birth. |
| 904. Senectus..... | Old age. |

Note.—This mode of return is only to be employed when the cause of death is not traceable to definite disease.

- | | | |
|------------------------|------------|---|
| 905. Imbecillitas..... | *Debility. | <i>Definition:</i> Uniform exhaustion of all the organs of the body without specific disease. |
|------------------------|------------|---|

POISONS.
VENENA.

In returning cases of poisoning, the precise agent should be stated.

METALS AND THEIR SALTS.

METALLA ET SALES METALLICI.

- | | |
|---|---|
| 906. Arsenicum | Arsenic. |
| 907. Hydrargyrum | Mercury. |
| a. Tremor ex hydrargyro..... | a. Mercurial tremor. |
| b. <i>Inflammatiō ex hydrargyro den-</i>
<i>tium periostei</i> | (393.) b. <i>Mercurial inflammation of the dental periosteum.</i> |
| 908. Plumbum..... | Lead. |
| a. <i>Colum ex plumbo. Idem valet</i>
<i>Colum pictorum</i> | a. Lead colic. <i>Synonym, Painters' colic.</i> |
| b. <i>Paralysis ex plumbo</i> | b. Lead palsy. |
| c. <i>Gingiva cærulea</i> | c. Blue gum. |
| d. <i>Decolorata plumbo conjunctiva</i> ... | (124. b) d. <i>Stains of the conjunctiva from lead.</i> |
| 909. Cuprum..... | Copper. |
| 910. Antimonium | Antimony. |
| 911. Zincum..... | Zinc. |
| [*179] | |
| 912. Argentum | Silver. |
| a. <i>Macula argentea</i> | a. Silver stain. |
| b. <i>Decolorata argento conjunctiva</i> ... | (124. a) b. <i>Stain of the conjunctiva from nitrate of silver.</i> |
| 913. Ferrum | Iron. |
| 914. Bismuthum | Bismuth. |
| 915. Chromium..... | Chromium. |
| a. <i>Potassæ bichromas</i> | a. Bichromate of potash. |

* When the cause of this affection has been ascertained, the case should be returned under the head of the primary disease, the secondary affection being also specified.

CAUSTIC ALKALIES.
ALCALIA CAUSTICA.

<i>Latin Eq.</i>	
916. Potassa.....	Potash.
917. Soda.....	Soda.
918. Ammonia.....	Ammonia.
<hr/>	
919. Sales alcalini.....	Alkaline salts.

METALLOIDS.
METALLIS SIMILIA.

920. Phosphorus.....	Phosphorus.
<i>a. Inflammatio et necrosis alveolorum</i>	(394.) <i>a. Phosphoric inflammation and ne-</i>
<i>ex phosphoro</i>	<i>crosis of the alveoli.</i>
921. Iodum.....	Iodine.

ACIDS.
ACIDA.

922. Acidum sulphuricum.....	Sulphuric acid.
923. Acidum nitricum.....	Nitric acid.
924. Acidum hydrochloricum.....	Hydrochloric acid.
925. Acidum phosphorosum.....	Phosphorous acid.
926. Acidum oxalicum.....	Oxalic acid.
927. Acidum tartaricum.....	Tartaric acid.

VEGETABLE POISONS.
VENENA VEGETABILIA.

928. Sabina.....	Savin.
	(JUNIPERUS SABINA.— <i>Linnæus.</i>)
929. Oleum crotonis.....	Croton oil.
	(CROTON TIGLIUM.— <i>Linnæus.</i>)
930. Elaterium.....	Elaterium.
	(ECBALIUM OFFICINARUM.— <i>Rich.</i>)
931. Colchicum.....	Colchicum.
	(COLCHICUM AUTUMNALE.— <i>Linnæus.</i>)
[*181]	
932. Helleborus niger.....	Black hellebore.
	(HELLEBORUS NIGER.— <i>Linnæus.</i>)
933. Veratrum album.....	White hellebore.
	(VERATRUM ALBUM.— <i>Linnæus.</i>)
<i>a. Veratria</i>	<i>a. Veratria.</i>
934. Scilla.....	Squill.
	(SCILLA MARITIMA.— <i>Linnæus.</i>)
935. Ergota.....	Ergot of rye.
	(SPHERIA PURPUREA.— <i>Fries.</i>)
<i>a. Ergotismus</i>	<i>a. Ergotism.</i>
<hr/>	
936. Opium.....	Opium.
	(PAPAVER SOMNIFERUM.— <i>Linnæus.</i>)
937. Cannabis Indica.....	Indian hemp. Cannabis Indica.
	(CANNABIS SATIVA.— <i>Linnæus.</i>)
938. Alcohol.....	Alcohol.
<i>a. Delirium alcoholicum</i>	<i>a. Delirium tremens.</i>
939. Ætheris vapor.....	Ether vapor.
940. Chloroformi vapor.....	Chloroform vapor.

<i>Latin Eq.</i>	
941. Hyoscyamus.....	Henbane. Hyoscyamus. (HYOSCYAMUS NIGER.— <i>Linnæus.</i>)
942. Belladonna.....	Deadly nightshade. Belladonna. (ATROPA BELLADONNA.— <i>Linnæus.</i>)
<i>a.</i> Atropia	<i>a.</i> Atropia.
943. Stramonium	Thorn apple. Stramonium. (DATURA STRAMONIUM.— <i>Linnæus.</i>)
944. Acidum hydrocyanicum.....	Prussic acid.
<i>a.</i> Amygdalæ amaræ oleum	<i>a.</i> Oil of bitter almonds.
<i>b.</i> Laurœcerasi aqua.....	<i>b.</i> Laurel water.
945. Potassii cyanidum.....	Cyanide of potassium.
946. Nitrobenzoleum.....	Nitro-benzole.
947. Uralia. Curara	Wourali. Curara. Woorara. (STRYCHNOS TOXIFERA.— <i>Schomburgk.</i>)
948. Conium	Hemlock. Conium. (CONIUM MACULATUM.— <i>Linnæus.</i>)
949. Aconitum.....	Monkshood. Aconite. (ACONITUM NAPELLUS.— <i>Linnæus.</i>)
[*183]	
<i>a.</i> Aconitia	<i>a.</i> Aconitia.
950. Digitalis	Foxglove. Digitalis. (DIGITALIS PURPUREA.— <i>Linnæus.</i>)
<i>a.</i> Digitalinum	<i>a.</i> Digitalin.
951. Tabacum	Tobacco. (NICOTIANA TABACUM.— <i>Linnæus.</i>)
<i>a.</i> Nicotia	<i>a.</i> Nicotia.
952. Œnanthe crocata	Hemlock dropwort. (ŒNANTHE CROCATA.— <i>Linnæus.</i>)
953. Nux vomica.....	Nux vomica. (STRYCHNOS NUX VOMICA.— <i>Linnæus.</i>)
<i>a.</i> Strychnia.....	<i>a.</i> Strychnia.
<i>b.</i> Brucia.....	<i>b.</i> Brucia.
954. Upas tieuticum	Upas tieute. (STRYCHNOS TIEUTE.— <i>Leschenhault.</i>)
955. Upas antiaricum.....	Upas antiar. (ANTIARIS TOXICARIA.— <i>Leschenhault.</i>)
956. Faba Calabarica. <i>Idem valet,</i> Physostigmatis faba.....	Calabar bean. (PHYSOSTIGMA VENENOSUM.— <i>Balfour.</i>)
957. Æthusa cynapium.....	Fool's parsley. (ÆTHUSA CYNAPIUM.— <i>Linnæus.</i>)
958. Cicuta virosa	Water hemlock. (CICUTA VIROSA.— <i>Linnæus.</i>)
959. Camphora	Camphor. (CINNAMOMUM CAMPHORA.— <i>F. Nees and Obermaier.</i>)
960. Cocculus Indicus	Cocculus Indicus. (ANAMIRTA COCCULUS.— <i>Wight and Arnott.</i>)
961. Lolium temulentum.....	Darnel. (LOLIUM TEMULENTUM.— <i>Linnæus.</i>)
962. Lobelia inflata	Indian tobacco. Lobelia. (LOBELIA INFLATA.— <i>Linnæus.</i>)
963. Laburnum.....	Laburnum. (LABURNUM VULGARE.— <i>Grisebach.</i>)
964. Taxus baccata.....	Yew. (TAXUS BACCATA.— <i>Linnæus.</i>)
[*185]	
965. Fungi venenati.....	Poisonous fungi.
<i>a.</i> Panis mucidus	<i>a.</i> Mouldy bread.
966. Grana venenata.....	Poisonous grain.
<i>a.</i> Lathyrus	<i>a.</i> Lathyrus. (LATHYRUS SATIVUS.)
Paralysis ex Lathyro.....	¹ Paralysis from Lathyrus.

ANIMAL POISONS.

VENENA ANIMALIA.

Latin Eq.

967. Cantharis.....	Spanish fly. Cantharides.
968. Caro rancida et morbida.....	Decayed and diseased meat.
969. Caro venenata.....	Poisonous meat.
<i>a.</i> Botuli	<i>a.</i> Sausages.
970. Caseus venenatus.....	Poisonous cheese.
971. Lac venenatum.....	Poisonous milk.
972. Pisces venenati	Poisonous fish.
<i>a.</i> Musculi.....	<i>a.</i> Mussels.

GASEOUS POISONS.

VENENA AËRIA.

973. Ammonia.....	Ammonia.
974. Acidi nitrosi vapor.....	Nitrous acid vapor.
975. Chlorum	Chlorine.
976. Acidum carbonicum	Carbonic acid.
977. Oxidum carbonicum	Carbonic oxide.
978. Carbonis vapor.....	Coal gas.
979. Cyanogenium.....	Cyanogen.
980. Hydrogenii sulphuretum	Sulphuretted hydrogen.
<i>Ætheris vapor</i>	(939.) <i>Æther vapor.</i>
<i>Chloroformi vapor</i>	(940.) <i>Chloroform vapor.</i>
981. Exhalationes putridæ et pestilentes	Putrid and morbid exhalations.
982. Aliæ exhalationes noxiæ.....	Other noxious effluvia.

MECHANICAL IRRITANTS.

[*187]

CORPORA IRRITANTIA.

983. Vitrum contusum... ..	Pounded glass.
984. Ferri scobs.....	Steel filings.

POISONED WOUNDS.

VULNERA VENENO INFECTA.

Definition: Wounds inoculated with foreign matter, producing general symptoms, or propagating inflammation to other parts of the body.

Varieties:

985. <i>a.</i> Ex animalibus venenatis.....	<i>a.</i> By venomous animals.
1. Serpentibus	1. Snakes.
2. Scorpionibus	2. Scorpions.
3. <i>Insectis aculeatis</i>	3. Stinging insects.
	Cases of death from stinging insects should be entered here, and those of irritation only from that cause at No. 900.
	(900.)
<i>b.</i> Ex animalibus quæ mala habent morbi contagiosi	<i>b.</i> By animals having infectious disease.
<i>Equinia</i>	(23.) Glanders.
<i>Farciminum</i>	(24.) Farcy.
<i>Equinia mitis</i>	(25.) <i>Equinia mitis.</i>
<i>Pustula maligna</i>	(26.) Malignant pustule.
<i>Rabies, hydrophobia</i>	(91.) Hydrophobia, rabies.
<i>Vaccinia</i>	(2.) Cowpox.

- Latin Eq.*
- | | |
|---|--|
| 986. c. Ex corporibus animalium mortuorum | c. By dead animal matter. |
| 987. d. Ex humoribus morbidis..... | d. By morbid secretions. |
| 988. e. Ex materia vegetabili | e. By vegetable substances. |
| 989. 1. Ex sagittis venenatis..... | 1. Poisoned arrows. |
| <i>Ex uralia</i> | (947.) <i>Wourali</i> . |
| 990. 2. Ex infusione hypodermica | 2. Subcutaneous injection. |
| | <i>Note.</i> —In returning such cases, specify the agent employed. |
| 991. f. Ex materia metallica..... | f. By mineral substances. |

INJURIES.

[*189]

INJURIAE.

GENERAL INJURIES.

INJURIAE IN CORPORE UNIVERSO.

- | | |
|-------------------------------------|--|
| 992. Ambusta..... | Burns and scalds.* |
| | <i>Note.</i> —When limited to one part of the body the part is to be specified; <i>e g.</i> Scald of the larynx. |
| 993. Fulminis ictus..... | Lightning stroke. |
| 994. Injuria multiplex..... | Multiple injury. (The cause and extent to be stated.) |
| 995. Asphyxia | Asphyxia. <i>Synonym</i> , Apnoea. |
| a. Demersorum | a. From drowning. |
| b. Ex suspendio..... | b. “ hanging. |
| c. Strangulatorum..... | c. “ strangling. |
| d. Ex obturatis spiritus itineribus | d. “ plugging of air-passages. <i>e g.</i> With bread; with blood. |
| e. Ex corpore superincubante..... | e. “ overlaying. |
| f. Ex compressu..... | f. “ crushing. |
| g. Ex vaporibus pestiferis | g. “ Gaseous poisons. See the list at p. 185. |
| 996. Fames..... | Privation.† <i>Synonym</i> , Starvation. |
| 997. Frigus..... | Exposure to cold.† |
| 998. Infantium expositio | Infant exposure.† |
| 999. Incuria..... | Neglect.† |

* Including explosions.

† Any affection that may have been induced by this cause ought to be stated.

LOCAL INJURIES.

[*191]

INJURIE SINGULARES.

General Note.—In all cases of injury, specify whether accidental, judicial, homicidal, self-inflicted, or in battle.

INJURIES OF THE HEAD AND FACE.

INJURIE IN CAPITE ET FACIE.

A.—OF THE HEAD.

A.—IN CAPITE.

Latin Eq.

1000. Contusum.....	Contusion.
<i>a.</i> Cephalæmatoma.....	<i>a.</i> Cephalhæmatoma.
1001. Vulnus cutis, osse non nudato	Scalp-wound: bone not exposed.
1002. Vulnus cutis, osse nudato.....	Scalp-wound: bone exposed.
1003. Concussio cerebri.....	Concussion of the brain.
1004. Fractura calvarie superioris...	Fracture of the vault of the skull.*
<i>a.</i> Simplex, osse non depresso....	<i>a.</i> Simple, without depression.
<i>b.</i> Simplex, osse depresso.....	<i>b.</i> “ with depression.
<i>c.</i> Foras patens, osse non depresso	<i>c.</i> Compound, without depression.
<i>d.</i> Foras patens, osse depresso....	<i>d.</i> “ with depression.
1005. Hernia cerebri.....	Hernia cerebri.
1006. Fractura basis calvarie.....	Fracture of the base of the skull.
1007. Vulnus calvarie.....	Wound of the skull.
	<i>Note.</i> —If from gunshot, to be so stated.
[*193]	
1008. Laceratio cerebri sine fractura	Laceration of the brain, without fracture.
1009. Injurie vasis illatæ.....	Injuries of the vessels.*†‡ (Specify which.)
1010. Injurie nervis cerebri illatæ...	Injuries of the cerebral nerves.

B.—OF THE FACE.

B.—IN FACIE.

1011. Contusum.....	Contusion.
1012. Vulnus.....	Wound.*
1013. Injurie vasis illatæ.....	Injuries of vessels.*†‡ (Specify which.)
1014. Corpora adventitia in aure sita	Foreign bodies in the ear.
1015. Corpora adventitia in naribus	“ “ nose.
1016. Corpora adventitia in antro....	“ “ antrum.
1017. Corpora adventitia in partibus mollioribus	“ “ soft parts.
1018. Fractura ossium faciei.....	Fracture of the facial bones.
1019. Fractura maxillæ inferioris....	“ lower jaw.
	(410, 411.) <i>Note.</i> —Injuries of the alveoli and teeth are to be returned with the other affections of those parts.
1020. Maxilla loco mota.....	Dislocation of the jaw.

* In such cases, state the main features in the fewest words possible.

† Specify when from gunshot.

‡ Return such cases in the order given at pages 65, 67.

INJURIES OF THE EYE.

INJURIE IN OCULO.

Latin Eq.

1021. Contusum.....	Contusion.
1022. Contusus oculus, ruptâ scleroticâ. <i>Idem valet</i> Ruptum album oculi	Contusion, with rupture of the sclerotic. <i>Synonym</i> , Ruptured globe.
[*195]	
1023. Contusus oculus lente elisâ....	Contusion, with dislocation of the lens.
1024. Contusus oculus cum hæmorrhagia interiore	Contusion, with hemorrhage into the globe.
1025. Corpora adventitia in corneam vel conjunctivam recepta	Foreign bodies in the cornea or conjunctiva
1026. Corpora adventitia intra oculum recepta	Foreign bodies in the cavity of the eye.*
1027. Vulnus palpebrarum.....	Wound of the eyelid.
1028. Vulnus conjunctivæ.....	“ conjunctiva.
1029. Vulnus scleroticæ.....	“ sclerotic.
1030. Vulnus cornæ.....	“ cornea.
1031. Vulnus lentis.....	“ lens.
1032. Vulnus iridis.....	“ iris.
1033. Loco motus oculus.....	Dislocation of the globe.
(158.) <i>Oculus funditus injuriâ convulsus</i>	(158.) <i>Total disorganization of the eye from injury.</i>
1034. Vulnura vel injuriæ intra orbitam acceptæ	Wounds and injuries of the parts within the orbit.
1035. Injuriæ chemicæ palpebris et oculo illatæ	Chemical injuries of the eyelids and eye.
1036. Ambusta.....	Burns and scalds.

INJURIES OF THE NECK.

[*197]

INJURIE IN CERVICE.

1037. Contusum in partibus mollioribus	Contusion of the soft parts.
1038. Fractura ossis hyoïdis.....	Fracture of the hyoid bone.
1039. Fractura cartilagineum laryngis	“ cartilages of the larynx.
1040. Trachea rupta.....	Rupture of the trachea.
1041. Os hyoïdes loco motum.....	Dislocation of the hyoid bone.
1042. Vulnus.....	Wound.
<i>a.</i> In summa carne.....	<i>a.</i> Superficial.
<i>b.</i> Perfosso jugulo.....	<i>b.</i> Cut throat.†
<i>c.</i> Ex tormentorum pilis.....	<i>c.</i> Gunshot.†
<i>d.</i> Ex ore.....	<i>d.</i> From the mouth.
1043. Injuriæ vasis illatæ.....	Injuries of vessels †‡§ (Specify which.)
<i>Ambusta in larynge</i>	(992.) <i>Burn and scald of the larynx.</i>
1044. Corpora adventitia in spiritus itineribus	Foreign bodies in the air-passages.
1045. Corpora adventitia in pharynge	“ “ pharynx.
1046. Corpora adventitia in œsophago	“ “ œsophagus.
1047. Injuria exedentium in pharynge et œsophago	Injury of the pharynx and œsophagus by corrosive substances.

* State when from gunshot.

† In such cases, state the main features in the fewest words possible.

‡ Specify when from gunshot.

§ Return such cases in the order given at pp. 65, 67.

INJURIES OF THE CHEST.*

[*199]

INJURIE IN THORACE.

Latin Eq.

1048. Contusum.....	Contusion.
1049. Fractura costarum cartilaginumque in costis, illæso pulmone	Fracture of the ribs (including costal cartilages) without injury to the lung.
1050. Fractura costarum cartilaginumque in costis, læso pulmone	Fracture of the ribs (including costal cartilages) with injury to lung.
1051. Fractura ossis pectoralis.....	Fracture of the sternum.
1052. Vulnus laterum.....	Wound of the parietes.
1053. Vulnus perforans thoracis.....	Perforating wound of the chest.*†
1054. Vulnus penetrans pleuræ vel pulmonis	Penetrating wound of the pleura or lung.*†
1055. Vulnus mediastini prioris.....	Wound of the anterior mediastinum.*†
1056. Vulnus pericardii et cordis.....	Wound of the pericardium and heart.*†
1057. Injurie vasis illatæ.....	Injuries of vessels.*†‡ (Specify which.)
1058. Diruptio cordis vel pulmonis citra vulnus aut fracturam	Rupture of the heart or lung without wound or fracture.*

INJURIES OF THE BACK.

[*201]

INJURIE A TERGO.

(Including the whole spinal region.)

1059. Contusum.....	Contusion.
1060. Stremma	Sprain.
1061. Vulnus	Wound.*†
1062. Spina fracta et loco mota.....	Fracture and dislocation of the spine. <i>Note.</i> —The seat of the injury and the existence and extent of paralysis to be stated.
1063. Injuria in medulla spinæ sine cognita fractura	Injury of the cord, without known fracture.

INJURIES OF THE ABDOMEN.

INJURIE IN VENTRE.

1064. Contusum.....	Contusion.
1065. Contusum ruptis musculis.....	“ with rupture of muscles.*
1066. Contusum ruptis visceribus....	“ with rupture of viscera.
1067. Vulnus abdominis.....	Wound of the parietes.†
1068. Vulnus abdominis cum prolapsione viscerum illæsorum....	“ “ with protrusion of uninjured viscera.
1069. Vulnus abdominis cum prolapsione viscerum læsorum....	Wound of the parietes with protrusion of wounded viscera.
1070. Vulnus abdominis cum vulnere viscerum in sede manentium	Wound of the parietes with wound of unprotruded viscera.
[*203]	
1071. Vulnus viscerum sine abdominis vulnere	Wound of viscera without wound of parietes.†
1072. Injurie vasis illatæ	Injuries of vessels.*†‡ (Specify which.)

* In such cases, state the main features in the fewest words possible.

† Specify when from gunshot.

‡ Return such cases in the order given at pp. 65, 67.

Latin Eq.

- | | |
|--|--|
| 1073. Corpora adventitia in peritoneo sita..... | Foreign bodies in the peritoneal cavity. |
| 1074. Corpora adventitia in ventriculo | “ “ stomach |
| 1075. Corpora adventitia et concreta in intestinis | Foreign bodies and concretions in the intestine. |
| 1076. Fistula ex injuria, anusque nothus | Fistula from injury, and artificial anus. |

INJURIES OF THE PELVIS.

INJURIÆ IN PELVI.

- | | |
|---|---|
| 1077. Contusum | Contusion. |
| 1078. Vulnus perinei masculi, scroti, colisque | Wound of the male perineum, scrotum, and penis.* |
| 1079. Vulnus perinei foeminei et vulvæ | Wound of the female perineum and vulva. |
| 1080. Vulnus vaginæ et partium interiorum in foeminis | “ vagina and internal female organs.† |
| 1081. Vulnus recti intestini..... | “ rectum.† |
| 1082. Vulnus ani | “ anus. |
| 1083. Vulnus vesicæ..... | “ bladder. |
| 1084. Rupta sine vulnere vesica..... | Rupture of the bladder without wound. |
| [*205] | |
| 1085. Rupta ex fractura vesica..... | Rupture of the bladder from fracture.
<i>Note.</i> —Rupture of the bladder from accumulation of urine is usually from stricture, and must be returned under the appropriate heading (592.) |
| 1086. Injuriae utero gravido illatae... | Injuries of the pregnant uterus. |
| 1087. Injuriae vasis illatae | Injuries of the vessels.*†‡ (Specify which.) |
| 1088. Corpora adventitia in vagina.. | Foreign bodies in the vagina. |
| 1089. Corpora adventitia in recto intestino | “ “ rectum. |
| <i>Corpora adventitia in vesica et urinæ itinere</i> | (570, “ “ bladder and urethra, 601*.) <i>Note.</i> —Return such cases with calculus in the bladder and urethra. |
| 1090. Fractum et loco motum os coxarum | Fracture and dislocation of the pelvis. |
| 1091. <i>Idem</i> , rupta vesica vel urinæ itinere | “ “ with rupture of the bladder or urethra. |

INJURIES OF THE UPPER EXTREMITIES.

INJURIÆ IN MEMBRIS SUPERIORIBUS.

- | | |
|---|--|
| 1092. Contusum..... | Contusion. |
| 1093. Stremma..... | Sprain. (Specify which joint.) |
| 1094. Vulnus | Wound.†‡ |
| 1095. Vulnura articularum..... | “ of joint. |
| 1096. Injuriae vasis illatae..... | Injuries of vessels.*†‡ (Specify which.) |
| 1097. Corpora adventitia inhaerentia | Foreign bodies imbedded.‡ |
| 1098. Diductio epiphysium..... | Separation of epiphyses. |
| 1099. Fractura surcularia, sive flexura ossis | Greenstick fracture, or bending of bone. (Specify which bone.) |
| 1100. Fractura | Fracture. (State whether simple or compound.) |

* Specify when from gunshot.

† In such cases, state the main features in the fewest words possible.

‡ Return such cases in the order given at pp. 65, 67.

§ In such cases, state main features of the case in the fewest words possible.

[*207]

Latin Eq.

1101. Fractura juguli.....	Fracture of the clavicle.
1102. Fractura ossis scapularum.....	“ scapula.
1103. Fractura humeri.....	“ humerus.
1104. Fractura brachii.....	“ forearm.
1105. Fractura carpi, metacarpi, phalangium	“ carpus, metacarpus, and pha- langes.
1106. Fractura non coiens, sive arti- culus nothus	Ununited fracture, or false joint. (Specify which bone.)
1107. Loco mota ossa.....	Dislocation. (When compound to be so stated.)
1108. Loco motum jugulum a parte ossis pectoris	Dislocation of the sterno-clavicular joint.
1109. Loco motum jugulum a parte scapularum	“ acromio-clavicular joint.
1110. Loco motus humerus	“ shoulder.
1111. Loco motus cubitus.....	“ elbow.
1112. Loco motus carpus primate pars palmæ	“ wrist and carpus.
1113. Loco motus pollex.....	“ thumb.
1114. Loco motæ phalanges.....	“ phalangeal joints.

INJURIES OF THE LOWER EXTREMITIES.

[*209]

INJURIE IN MEMBRIS INFERIORIBUS.

1115. Contusum.....	Contusion.
1116. Stremma.....	Sprain. (Specify which joint.)
1117. Vulnus	Wound.*†
1118. Vulnura articularum.....	“ of joint.
1119. Injurie vasis illatæ.....	Injuries of vessels.*†‡ (Specify which.)
1120. Corpora adventitia in hærentia	Foreign bodies imbedded.*
1121. Diductio epiphysium.....	Separation of epiphyses.
1121*. Fractura.....	Fracture. (When compound, to be so stated.)
1122. Fractura femoris.....	“ of the femur.
1123. Fractura cervicis femoris.....	“ “ cervix femoris.
1124. Eadem intra capsulam.....	“ “ “ intracapsular.
1125. Fractura processus majoris...	“ “ trochanter major.
1126. Fractura patellæ.....	“ “ patella.
1127. Fractura cruris, utriusque ossis	“ “ leg, both bones.
1128. Fractura tibiæ solius.....	“ “ tibia alone.
1129. Fractura suræ solius.....	“ “ fibula alone.
1130. Fractura ossium pedis.....	“ “ bones of the foot.
1131. Fractura non coiens, sive arti- culus nothus	Ununited fracture, or false joint. (Specify which bone.)

[*211]

1132. Loco mota ossa.....	Dislocation. (When compound, to be so stated.)
1133. Loco motum femur.....	“ of the hip.
1134. Loco mota patella	“ “ patella.
1135. Loco motum genu	“ “ knee.
1136. Loco motum caput suræ.....	“ “ head of fibula.
1137. Loco motus pes circa talos....	“ “ foot, at the ankle.
1138. Loco motus pes calcaneum inter astragalumque, et os sca- phoides inter astragalumque	“ “ at calcaneo-astraga- loid, and scapho- astragaloid joints.
1139. Loco motus astragalus.....	“ “ “ astragalus.
1140. Loco motum os calcis.....	“ “ “ os calcis.
1141. Loco mota cætera tarsi ossa...	“ “ “ other tarsal bones.
1142. Loco motus metatarsus et pha- langes	“ “ “ metatarsus, and pha- langes.

* In such cases, state the main features in the fewest words possible.

† Specify when from gunshot.

‡ Return such cases in the order given at pages 65, 67.

INJURIES OF THE ABSORBENT SYSTEM.

[*213]

*INJURIAE IN ORGANIS ABSORBENTIBUS.**Latin Eq.*

- | | | |
|-------|--------------------------------|---------------------------------|
| 1142. | Corpora adventitia et concreta | Foreign bodies and concretions. |
| 1143. | Vulnus vasorum lymphiferorum | Wound of lymphatics. |

INJURIES NOT CLASSIFIED.

INJURIAE NON IN CLASSES DISTRIBUTÆ.

- | | | |
|-------|--|--|
| 1144. | Diruptio musculorum..... | Rupture of muscle. |
| 1145. | Diruptio tendinum | Rupture of tendon. |
| 1146. | Corpora adventitia in membrana cellulosa | Foreign substances in the cellular tissue. |

APPENDIX.

SURGICAL OPERATIONS.

[*215]

OPERA CHIRURGICA.

OPERATIONS ON THE EYE AND ITS APPENDAGES.

OPERA CHIRURGICA CIRCA OCULUM APPENDICESQUE OCULI.

OPERATIONS ON THE EYELIDS.

OPERA CIRCA PALPEBRAS.

Latin Eq.

Adversus entropion.....	For entropium.
Adversus ectropion.....	“ ectropium.
Adversus symblepharon et ankyloblepharon	“ symblepharon and ankyloblepharon.
Adversus trichiasim.....	“ trichiasis.
Adversus tumorem.....	“ tumor.

OPERATIONS ON THE OTHER APPENDAGES OF THE EYE.

OPERA CIRCA CÆTERAS OCULI APPENDICES.

Adversus strabismum.....	For strabismus.
Adversus unguem.....	“ pterygium.
Adversus fistulam lacrymalem et lacrymarum interclusionem	“ fistula lacrymalis and lacrymal obstruction.
Adversus morbum glandulæ lacrymarum	“ disease of the lacrymal gland.

OPERATIONS ON THE EYEBALL.

OPERA IN IPSO OCULO.

Pupilla factitia.....	Artificial pupil.
Iridectomia.....	Iridectomy.
Solutio lentis.....	Solution of the lens.
[*217]	
Depressio lentis.....	Depression of the lens.
Detractio lentis.....	Extraction of the lens.
Excisio capsulæ opacæ.....	Extraction of opaque capsule.
Excisio corporum adventitiorum.....	Extraction of foreign bodies.
Laceratio capsulæ opacæ.....	Laceration of opaque capsule.
Punctio oculi.....	Puncture of the globe.
Adversus uvam.....	Staphyloma.
Excisio oculi.....	Excision of the eyeball.
<i>a.</i> Ex parte.....	<i>a.</i> Partial.
<i>b.</i> Ex toto.....	<i>b.</i> Total.
<i>c.</i> Cum reliquis partibus intra orbitam sitis	<i>c.</i> With the rest of the contents of the orbit.
Detractio tumorum oculo circumjacentium	Removal of tumors from the neighborhood of the eye.

OPERATIONS ON ARTERIES.

*OPERA CIRCA ARTERIAS.**Latin Eq.*

Ligatura.....	Ligature.
Constrictio temporaria.....	Temporary constriction.
Acupressura.....	Acupressure.

OPERATIONS ON ANEURISMS.

OPERA CIRCA ANEURYSMATA.

Compressio arteriæ.....	By compression of the artery.
Sectio sacci.....	By incision of the sac.
[*219]	
Coagulatio sanguinis artificiosa.....	By artificial coagulation of blood.
Contrectatio.....	By manipulation.

OPERATIONS ON VEINS.

OPERA CIRCA VENAS.

Obliteratio varicum.....	Obliteration of varicose veins.
Obliteratio cirsoceles.....	Obliteration of varicocele.

OPERATIONS FOR HEMORRHAGE.

OPERA ADVERSUS HÆMORRHAGIAM.

Obturbatio narium.....	Plugging of the nostrils.
Obturbatio vaginæ.....	“ “ vagina.
Obturbatio recti intestini.....	“ “ rectum.

OPERATIONS ON JOINTS.

OPERA CIRCA ARTICULOS.

The joints must be specified.

Restitutio loco motorum.....	Reduction of dislocations.
Extensio rigidorum et deformium articulorum	Extension of stiff and deformed joints.
Sectio articulorum.....	Incision of joints.
Excisio articulorum.....	Excision of joints.
Detractio corporum liberorum.....	Removal of loose bodies.

OPERATIONS ON BONES.

[*221]

OPERA CIRCA OSSA.

Excisio ossium.....	Excision of bones.
	State whether for necrosis, injury, or disease, and whether total or partial.
Ex capite.....	From the head.
Terebratio.....	Trephining.
Ex trunco.....	“ trunk.
Ex membris superioribus.....	“ upper extremities.
Ex membris inferioribus.....	“ lower extremities.
Adversus fracturam non coeuntem...	Operation for ununited fracture.
Refractura ossium.....	Refracture of bone.

AMPUTATIONS.

AMPUTATIO.

Latin Eq.

Expedita	Primary.	
Ossis scapularum et humeri.....	Of the scapula and arm.	
Capitis humeri.....	“ shoulder-joint.	
Ipsius humeri.....	“ arm.	
Brachii.....	“ forearm.	
Manus	“ hand.	
A carpi articulo	At the wrist-joint.	
Partium manus singularum.....	Of parts of the hand.	
Digitorum.....	At the fingers.	
Ad sinum coxæ.....	Of the hip-joint.	
Femoris.....	“ thigh.	
Ossium genu.....	“ knee-joint.	
Cruris.....	“ leg.	
Articuli talaris.....	“ ankle-joint.	
Pedis transversi	Across the foot.	
Ossium metatarsi.....	Of the metatarsal bones.	
Digitorum pedis	“ toes.	
[*223]		
Amputatio prorogata.....	Secondary amputations.	} with similar divisions of amputations.
(Ex eodem ordine in singulis operibus)		
Amputatio morbi causa.....	Amputations for disease.	
Amputatio deformitatis causa	“ deformity.	

REMOVAL OF TUMORS.

DETRACTIO TUMORUM.

State whether by knife, ligature, écraseur, caustic, or galvanic cautery; and specify the main features of the case.

Arrange according to the list of tumors.

REMOVAL OF FOREIGN BODIES.

DETRACTIO CORPORUM ADVENTITIORUM.

Cartilaginum liberarum.....	Loose cartilages.
Glandium plumbeorum.....	Balls.
Aliarum rerum penitus conditarum vel inhærentium	Other imbedded or impacted substances.

REMOVAL OF CALCULI.

DETRACTIO CALCULORUM.

Salivosorum	Salivary.
Felleorum.....	Biliary.
[*225]	
Ex vesica.....	Vesical.
Lithotomia.....	By lithotomy.
a. Supra pubem.....	a. Supra pubic.
b. Ab alterutro latere	b. Lateral.
c. Ab utroque latere.....	c. Bilateral.
d. A mediâ parte.....	d. Median.
e. A parte perinei et recti intestini	e. Recto-perineal.
Lithotripsis	By lithotrity.
Dilatatio urinæ itineris fœminæ.....	“ dilatation of female urethra.
Evulsio fragmentorum.....	“ extraction of fragments.

INCISIONS.

SECTIONES.

(If subcutaneous, to be so stated)

<i>Latin Eq.</i>	
Neurotomia.....	Neurotomy.
Laryngotomia.....	Laryngotomy.
Tracheotomia.....	Tracheotomy.
Evulsio ex gutture corporum adventitiorum	Removal of foreign bodies from the wind-pipe.
Œsophagotomia.....	Œsophagotomy.
Gastrotomia.....	Gastrotomy (opening the stomach).
Sectio abdominis (exploratorium opus ad intestina scrutanda)	Abdominal section (exploratory operation on the intestines).
Colotomia.....	Colotomy.
A parte inguinis.....	Inguinal.
A parte lumborum.....	Lumbar.
Adversus herniam.....	For hernia.
	<i>Note.</i> —The nature of the hernia to be stated.
Adversus strangulationem.....	For strangulation.
[*227]	
Adversus strangulationem aperiendo velamento	For strangulation, with opening sac.
Adversus strangulationem illæso velamento	“ without opening sac.
Restitutio in integrum.....	Radical cure.
	<i>Note.</i> —The mode of operation to be stated.
Adversus stricturam recti intestini...	For stricture of the rectum.
Sectio sphincteris ani.....	Of the sphincter ani.
Adversus fistulam in ano.....	For fistula in ano.
Adversus rhagadas in ano.....	For anal fissure.
Adversus ulcus recti intestini.....	For ulcer of the rectum.
Sectio perinei.....	Perineal section.
Urethrotomia interior.....	Internal urethrotomy.
Dilatatio prompta stricturæ.....	Sudden dilatation of stricture.
	<i>Note.</i> —The mode of operation to be stated.
Exsectio ovarii.....	Ovariectomy.
Section Cæsarea.....	Cæsarian section.
Detractio reliquiarum fœtus.....	Removal of fœtal remains.
Tenontotomia.....	Tenotomy.
Myotomia.....	Myotomy.

REPARATIVE OPERATIONS.

OPERA REFICIENTIA.

Adversus ulcus vetustum.....	For chronic ulcer.
Adversus fistulam in ventre.....	For abdominal fistula.
Adversus cicatrices.....	For cicatrices.
Nasi.....	“ “ of the nose.
Palpebrarum.....	“ “ “ eyelid.
Laborum.....	“ “ “ lips.
Cervicis.....	“ “ “ neck.
Membrorum.....	“ “ “ limbs.
Adversus fistulam rectum inter et iter urinæ	For recto-urethral fistula.

[*229]

Latin Eq.

Adversus fistulam rectum inter et vaginam	For recto-vaginal fistula.
Adversus fistulam vesicam inter et uterum	For utero-vesical fistula.
Adversus fistulam vesicam inter et vaginam	For vesico-vaginal fistula.
Adversus perineum ruptum	For perineal rupture.
Adversus fungum testiculi.....	For protrusion of the tubuli or fungus testis.
Adversus deformitates	For deformities.
Adversus labium leporinum.....	Harelip.
Adversus palatum fisum	Cleft palate.
Adversus phimosim.....	Phimosis.

(For other deformities, see the list at p. 237.)

OPERATIONS NOT CLASSIFIED.

OPERA NON IN CLASSES DISTRIBUTA.

Paracentesis.....	Paracentesis.
Paracentesis capitis.....	“ Cephalic.
Paracentesis spinæ bifidæ.....	“ of spina bifida.
Paracentesis thoracis	“ Thoracic.
Paracentesis pericardii	“ Pericardiac.
Paracentesis abdominis.....	“ Abdominal.
Paracentesis ovarii	“ Ovarian.
Paracentesis vesicæ	“ Vesical.
Supra pubem.....	above the pubes.
Per rectum intestinum.....	through the rectum.

[*231]	Paracentesis hydroceles	Paracentesis of hydrocele.
	Paracentesis tumorum fluidorum.....	“ of fluid tumors.
	Transfusio	Transfusion.
	Respiratio artificiosa.....	Artificial respiration.
	Restitutio animæ in demersis	Resuscitation of drowned persons.
	Restitutio animæ a suspendio	“ hanged persons.

HUMAN PARASITES.

[*232]

The Parasites are to be returned under Local Diseases.

SUBDIVISIONS.

1. ENTOZOA.
2. ECTOZOA.
3. ENTOPHYTA AND EPIPHYTA.

ENTOZOA.

CLASSES.

- A. CŒLELMINTHA. *English synonym*, Hollow worms. *Definition*: Worms with an abdominal cavity.
- B. STERELMINTHA. *English synonym*, Solid worms.
- C. ACCIDENTAL PARASITES. *Definition*: Internal parasite, having the habits, but not referable to the class, of entozoa.

CLASS A. CŒLELMINTHA.

1. *Ascaris lumbricoides*. (Linnæus.) *Habitat*: Intestines.
2. *Ascaris mystax*. (Rudolphi.) *Habitat*: Intestines.
3. *Trichocephalus dispar*. (Rudolphi.) *Habitat*: Intestines.
4. *Trichina spiralis*. (Owen.) *Habitat*: Muscles.
5. *Filaria Medinensis*. (Gmelin.) *Syn.*, *Dracunculus Medinensis*. *English synonym*, Guinea worm. *Habitat*: Skin and subcutaneous tissues.
6. *Filaria oculi*. (Nordmann.) *Synonym*, *Filaria lentis*. (Diesing.) *Habitat*: Eye.
7. *Strongylus bronchialis*. (Cobbold.) *Habitat*: Bronchial tubes.
8. *Eustrongylus gigas*. (Diesing.) *Habitat*: Kidney; intestines.
- [*233]
9. *Sclerostoma duodenale*. (Cobbold.) *Syn.* *Anchylostomum duodenale*. *Habitat*: Duodenum.
10. *Oxyuris vermicularis*. (Bremser.) *English synonym*, Threadworm. *Habitat*: Rectum.

CLASS B. STERELMINTHA.

11. *Bothriocephalus latus*. (Bremser.) *Habitat*: Intestines.
12. *Bothriocephalus cordatus*. (Leuckart.) *Habitat*: Intestines.
13. *Tænia solium*. (Linnæus.) *Habitat*: Intestines.
14. *Cysticercus* of the *Tænia solium*. *Synonym*, *Cysticercus telæ cellulosæ*.
15. *Tænia mediocanellata*. (Küchenmeister.) *Habitat*: Intestines.
16. *Tænia acanthotriax*. (Weinland.) *Habitat*: Intestines.
17. *Tænia flavopuncta*. (Weinland.) *Habitat*: Intestines.
18. *Tænia nana*. (Siebold.) *Habitat*: Intestines.
19. *Tænia lophosoma*. (Cobbold.) *Habitat*: Intestines.
20. *Tænia elliptica*. (Batsch.) *Habitat*: Intestines.
21. *Cysticercus* of the *Tænia marginata*. *Synonym*, *Cysticercus tenuicollis*.
22. *Echinococcus hominis*, or *Hydatid* of the *Tænia echinococcus*. (Siebold.)
23. *Fasciola hepatica*. (Linnæus.) *Habitat*: Liver.
24. *Distoma crassum*. (Busk.) *Habitat*: Duodenum.
25. *Distoma lanceolatum*. (Mehlis.) *Habitat*: Hepatic duct: intestines.
26. *Distoma ophthalmobium*. (Diesing.) *Habitat*: Eye.
27. *Distoma heterophyes*. (Siebold.) *Habitat*: Small intestines.
28. *Bilharzia hæmatobia*. (Cobbold.) *Habitat*: Portal and venous blood.
29. *Tetrastoma renale*. (Della Chiaje.) *Habitat*: Tubes of the kidney.
30. *Hexathyridium venarum*. (Trentler.) *Habitat*: Venous blood.
31. *Hexathyridium pinguicola*. (Trentler.) *Habitat*: Ovary.

[*234]

CLASS C. ACCIDENTAL PARASITES.

32. *Pentastoma denticulatum*. (Siebold.) *Habitat*: Liver; small intestines.
33. *Pentastoma constrictum*. *Habitat*: Liver.
34. *Œstrus hominis*. (Say.) *English synonym*, Larva of the gad-fly. *Habitat*: Intestines.
35. *Anthomyia canicularis*. (A. Farre.) *Habitat*: Intestines.

ECTOZOA.

36. *Phthirus inguinalis*. (Leach.) *English synonym*, Crab-louse.
37. *Pediculus capitis*. (Nitzsch.)
38. *Pediculus palpebrarum*. (Le Jeune in Guillemeau.)
39. *Pediculus vestimenti*. (Nitzsch.) *English synonym*, Body-louse.
40. *Pediculus tabescentium*. (Burmeister.)
41. *Sarcoptes scabiei*. (Latreille.) *Synonym*, *Acarus*. *English synonym*, Itch-insect.

Note.—The disease Scabies to be returned amongst the parasitic diseases of the skin.

42. *Demodex folliculorum*. (Owen.)
 43. *Pulex penetrans*. (Gmelin.) *English synonym*, Chigoe. *Habitat*: skin and cellular tissue.

ENTOPHYTA AND EPIPHYTA.

44. *Leptothrix buccalis*. (Wedl. Robin.) *English synonym*, Alga of the mouth.
 45. *Oidium albicans*. (Link.) *English synonym*, Thrush fungus. *Habitat*: Mouth in cases of thrush, and certain mucous and cutaneous surfaces.
 46. *Sarcina ventriculi*. (Goodsir.) *Habitat*: Stomach.
 47. *Torula cerevisiæ*. (Turpin.) *Synonym*, *Cryptococcus cerevisiæ*. (Kützing.) *English synonym*, Yeast-plant. *Habitat*: Stomach; bladder, &c.
 48. *Chionyphe Carteri*. *Definition*: A cotton fungus occurring in the disease called Mycetoma. *Habitat*: Deep tissues, and bones of the hands and feet.

[*235]

49. *Achorion Schönleinii*. (Remak.) *Habitat*: *Tinea favosa*.
Note.—To be returned amongst the parasitic diseases of the skin.
 50. *Puccinia favi*. (Ardsten.) *Habitat*: *Tinea favosa*.
Note.—To be returned amongst the parasitic diseases of the skin.
 51. *Achorion Lebertii*. (Robin.) *Synonym*, *Trichophyton tonsurans*. (Malmsten.)
Habitat: *Tinea tonsurans*.
Note.—To be returned amongst the parasitic diseases of the skin.
 52. *Microsporon Andouini*. (Gruby.) *Habitat*: *Tinea decalvans*.
Note.—To be returned amongst the parasitic diseases of the skin.
 53. *Trichophyton sporuloides*. (Von Walther.) *Habitat*: *Tinea polonica*.
Note.—To be returned amongst the parasitic diseases of the skin.
 54. *Microsporon furfur*. (Eichstädt.) *Habitat*: *Tinea versicolor*.
Note.—To be returned amongst the parasitic diseases of the skin.
 55. *Microsporon mentagrophytes*. (Gruby.) *Habitat*: Follicles of hair in Sycosis or Mentagra.
Note.—To be returned amongst the parasitic diseases of the skin.

The foregoing list might be extended by the addition of various parasitic vegetations, which have been reported under the names of Algæ, Fungi, Mycodermis, Leptomiti, &c., but the characters or the existence of which are still the subject of inquiry.

CONGENITAL MALFORMATIONS.

[*237]

DEFORMITATES INGENITÆ.

MALFORMATIONS RESULTING FROM INCOMPLETE DEVELOPMENT OR GROWTH OF PARTS.

DEFORMITATES INGENITÆ EX RUDI EVOLUTIONE VEL INCREMENTO PARTIUM EXORTÆ.

OF THE BODY GENERALLY.

CORPORIS UNIVERSI.

Latin Eq.

Caput aut nullum aut rude	Head absent, or rudimentary.
Calvaria curta.....	Cranium defective.
Maxilla inferior aut nulla aut curta..	Lower jaw absent or defective.
Defectio partium extremarum superiorum et inferiorum	Upper and lower extremities absent.
Defectio membrorum inferiorum	Lower extremities absent.
Defectio membri inferioris alterutrius	One lower extremity absent.
Manus pedesque scapularum et coarum ossibus inserti	Hands and feet articulated to scapulæ and pelvis.
Manuum pedumque digiti numero deficientes	Fingers and toes deficient in number.

OF THE NERVOUS SYSTEM.

NERVORUM APPARATUS.

Latin Eq.

Defectio cerebri.....	Brain absent.
Cerebrum rude vel minus absolutum	Brain rudimentary or incompletely developed.
Medulla spinæ aut nulla aut inchoata	Spinal cord absent or imperfect.
Nervorum cum centrīs suis imperfecta commissura	Continuity of nerves with nerve-centres in- complete.

OF THE ORGANS OF SPECIAL SENSE.

SENSUUM SINGULARIUM APPARATUS.

Defectio oculorum.....	Eyes absent.
Oculi curti.....	Eyes imperfect.
Palpebræ imperfectæ. Palpebrarum perpetua conjunctio (Symblepha- ron)	Eyelids incomplete. Eyelids remaining united. (Symblepharon.)
Defectio auris exterioris. Auricula adhærens	External ear absent. Pinna adherent.
Foramen auris clausum.....	Meatus externus closed.
Auris interior curta.....	Internal ear imperfect.
Defectio nasi.....	Nose absent.
[*239]	
Nasus curtus.....	Nose imperfect.
Nasus proboscidi similior.....	Nose resembling a proboscis.

OF THE VASCULAR SYSTEM.

SANGUINIS APPARATUS.

Defectio cordis.....	Heart absent.
Cava cordis numero deficientia.....	Cavities of heart deficient in number.
<i>a.</i> Singulæ auriculæ cum singulis ventriculis	<i>a.</i> One auricle and one ventricle.
<i>b.</i> Binæ auriculæ cum singulis ventriculis	<i>b.</i> Two auricles and one ventricle.
Septa imperfecta.....	Septa incomplete.
<i>a.</i> Septum auricularum.....	<i>a.</i> Auricular.
<i>b.</i> Septum ventriculorum.....	<i>b.</i> Ventricular.
Ostia obstructa vel imperfecta.....	Orifices obstructed or imperfect.
<i>a.</i> Ostium dextrum auriculam inter ventriculumque	<i>a.</i> Right auriculo-ventricular aperture.
<i>b.</i> Ostium pulmonale.....	<i>b.</i> Pulmonic aperture.
<i>c.</i> Ostium sinistrum auriculam in- ter ventriculumque	<i>c.</i> Left auriculo-ventricular aperture.
<i>d.</i> Ostium aorticum.....	<i>d.</i> Aortic aperture.
Foramen ovale præmature clausum...	Foramen ovale prematurely closed.
Ductus arteriosus præmature clausus.	Ductus arteriosus prematurely closed.
Capita aortæ et arteriæ pulmona- lis inter se transposita	Origins of aorta and pulmonary artery trans- ferred.
Aorta ascendens a sinistro ventriculo orsa, descendens a dextro per duc- tum arteriosum	Origin of ascending aorta from left ventricle and of descending aorta from right ventri- cle, through the ductus arteriosus.
Caput aortæ descendēntis coarctatum vel obliteratum	Commencement of descending aorta, con- tracted or obliterated.
Foramen ovale a partu patens.....	Foramen ovale persistent.
Ductus arteriosus a partu pervius.....	Ductus arteriosus pervious.
Valvæ cordis imperfectæ.....	Cardiac valves imperfect.
Defectio pericardii.....	Pericardium absent.

OF THE RESPIRATORY SYSTEM.

RESPIRANDI APPARATUS.

Latin Eq.

Defectio pulmonum (alterutrius vel utriusque)	Lung (one or both) absent.
Pulmonum lobi numero deficientes...	Pulmonary lobes deficient in number.
Larynx et trachea aut nulla aut inchoata	Larynx and trachea absent or imperfect.

OF THE DIGESTIVE SYSTEM.

CONCOCTIONIS APPARATUS.

Œsophagus impervius.....	Œsophagus impervious.
Intestina impervia vel deficientia in variis partibus	Intestine impervious, or deficient in various regions.
Anus impervius.....	Anus impervious.
Anus in alieno situ.....	Anus in unusual situations.
Jecur præter naturam exiguum.....	Liver preternaturally small.
Defectio vesiculæ fellis.....	Gall bladder absent.
[*241]	
Ductus jecinoris impervii.....	Biliary ducts impervious.
Urachus patens. Ductus Vitellinus patens	Urachus patent. Vitelline duct patent.

OF THE URINARY SYSTEM.

URINÆ APPARATUS.

Defectio renum (alterutrius vel utriusque)	Kidney (one or both) absent.
Renes multifidi.....	Kidney lobulated.
Ureteres aut nulli aut impervii.....	Ureters absent or impervious.
Urachus perstans.....	Urachus persistent.

OF THE MALE ORGANS OF GENERATION.

GENITALIUM VIRILIUM.

Coles pusillus, clitoridi similior.....	Penis diminutive, resembling clitoris.
Præputium justo brevius—justo longius	Prepuce abbreviated—elongated.
Defectio testiculorum (alterutrius vel utriusque)	Testicle (one or both) absent.
Defectio partium exteriorum.....	External organs absent.

OF THE FEMALE ORGANS OF GENERATION.

GENITALIUM MULIEBRIMUM.

Defectio ovariorum (alterutrius vel utriusque)	Ovary (one or both) absent.
Defectio uteri.....	Uterus absent.
Defectio vaginæ.....	Vagina absent.
Vagina impervia.....	Vagina impervious.
Vagina in sinum desinens.....	Vagina a cul-de-sac.
Defectio partium exteriorum.....	External organs absent.

MALFORMATIONS RESULTING FROM INCOMPLETE COALESCENCE OF THE LATERAL HALVES OF PARTS WHICH SHOULD BECOME CONJOINED.

DEFORMITATES INGENITÆ EX PARUM COËUNTIBUS AB UTROQUE LATERE PARTIBUS DIMIDIIS, QUÆ DEBUERANT CONJUNGI.

A —ON THE ANTERIOR MEDIAN PLANE.

MEDIARUM REGIONUM A PRIORI PARTE.

<i>Latin Eq.</i>	
Fissura faciei.....	Fissure of the face.
Fissura iridis. Coloboma.....	“ “ iris. Coloboma.
Fissura labri.....	“ “ lip.
<i>a.</i> Labrum leporinum simplex...	<i>a.</i> Single harelip.
<i>b.</i> Labrum leporinum duplex....	<i>b.</i> Double harelip.
Fissura palati.....	“ “ palate.
<i>a.</i> Palati duri.....	<i>a.</i> Hard palate.
<i>b.</i> Palati mollis.....	<i>b.</i> Soft palate.
Fissura nasi. Fissura nasi et buccarum	“ “ nose. Naso-buccal fissure.
Fissura ossis pectoralis.....	“ “ sternum.
Fissura septi transversi.....	“ “ diaphragm.
[*243]	
Fissura abdominis.....	“ “ abdominal walls.
Fissura commissuræ pectinis.....	“ “ pubic symphysis.
Fissura membranæ prioris vesicæ (posteriore dimidio foras everso)	“ “ anterior wall of the urinary bladder (with extroversion of the posterior half.)
Fissura epispadica itineris urinæ.....	Epispadic fissure of the urethra.
Fissura hypospadica itineris urinæ...	Hypospadic fissure of the urethra.
Fissura scroti.....	Fissure of the scrotum.

B.—ON THE POSTERIOR MEDIAN PLANE.

MEDIARUM REGIONUM A TERGO

Fissura calvariæ.....	Fissure of the skull.
Fissura vertebrarum in spina. Spina bifida	“ “ spinal column. Spina bifida.
<i>a.</i> Ex toto.....	<i>a.</i> Complete.
<i>b.</i> Ex parte.....	<i>b.</i> Partial.
1. Cervicis.....	1. Cervical region.
2. Lumborum.....	2. Lumbar region.
3. Sacri.....	3. Sacral region.
Fissura medullæ in spina.....	Fissure of the spinal cord.

MALFORMATION RESULTING FROM COALESCENCE OF THE LATERAL HALVES OF PARTS WHICH SHOULD REMAIN DISTINCT.

DEFORMITATES INGENITÆ EX COËUNTIBUS AB UTROQUE LATERE DIMIDIIS PARTIBUS, QUÆ DEBUERANT IN PERPETUUM DISSOCIARI.

Membra inferiora commissa. Fœtus syreniformis	Lower extremities conjoined. Syreniform Fœtus.
Digiti cohærentes.....	Fingers or toes conjoined.
Unoculus. Cyclops.....	Monoculus. Cyclops.
Renes in unum conjuncti.....	Double kidney.

MALFORMATIONS RESULTING FROM THE EXTENSION OF A COMMISSURE BETWEEN THE LATERAL HALVES OF PARTS (CAUSING APPARENT DUPLICATION).

DEFORMITATES INGENITÆ EX LATIUS PATENTE COMMISSURA DIMIDIARUM A LATERIBUS PARTIUM (DUPLICATA OMNIA REPRÆSENTANTES).

Latin Eq.

Uterus duplex.....	Double uterus.
Vagina duplex	Double vagina.

MALFORMATIONS RESULTING FROM REPETITION OR DUPLICATION OF PARTS IN A SINGLE FÆTUS.

DEFORMITATES INGENITÆ EX REPETITIS IN DUPLUM PARTIBUS SINGULORUM FÆTUM.

Superantes numero digiti	Supernumerary fingers and toes.
Superantia numero cava cordis	“ cavities of the heart.
Superantes numero valvæ cordis	“ valves of the heart.

[*245]

MALFORMATIONS RESULTING FROM THE COALESCENCE OF TWO FÆTUSES, OR OF THEIR PARTS.

DEFORMITATES EX COHÆRENTIBUS INTER SE BINIS FÆTIBUS, SIVE EX TOTO SIVE EX PARTE.

Fœtus, plus minus absolutus, alio in fœtu inclusus	Fœtus, more or less perfect, contained within another fœtus
Fœtus, plus minus absolutus, tumorem repræsentans cute obductum	Fœtus, more or less perfect, constituting a tumor covered by integument
Fœtus duplex.....	Double fœtus.
<i>a.</i> Altera pars integra. Altera appendix tantummodo	<i>a.</i> One perfect. The other an appendage.
<i>b.</i> Utraque pars plus minus integra	<i>b.</i> Both more or less perfect.
1. Partes mediæ continentes. Superiora et inferiora discreta	1. The middle parts united. The upper and lower distinct
2. Superiora continentia. Inferiora discreta	2. The upper parts united. The lower distinct.
3. Inferiora continentia. Superiora discreta	3. The lower parts united. The upper distinct.

CONGENITAL DISPLACEMENTS AND UNUSUAL POSITIONS OF PARTS OF THE FÆTUS.

MUTATIO LOCI ET POSITURA INUSITATA IN FÆTU INGENITA.

Viscera inter se transposita,.....	Transposition of viscera.
Hernia sive ectopia cerebri.....	Hernia or ectopia of the brain.
Hernia sive ectopia cordis.....	“ “ heart.
Hernia sive ectopia pulmonum.....	“ “ lungs.
Hernia sive ectopia intestinorum.....	“ “ intestines.
<i>Varietates :</i>	
Per septum transversum. <i>Idem valet</i> Hernia diaphragmatica	Through the diaphragm. <i>Synonym,</i> Diaphragmatic hernia.
Per abdomen. <i>Idem valet</i> Hernia abdominalis	Through the abdominal walls. <i>Synonym,</i> Abdominal hernia.
Per umbilicum. <i>Idem valet</i> Hernia umbilicaris	Through the umbilicus. <i>Synonym,</i> Umbilical hernia


Latin Eq.

Membrana vesicæ posterior foras extrusa	Extroversion of the posterior wall of the bladder.
Testiculus in ventre retentus.....	Testicle retained in the abdomen.
“ in foramine inguinali.....	“ “ “ inguinal canal.

DISEASES MANIFESTED AT OR AFTER BIRTH.

MORBI A PARTU IPSO VEL POST PARTUM APPARENTES.

Partus intempestivus.....	Premature birth.
Partus intus emortuus—Asphyxia...	Stillborn—Asphyxia.
Pulmonis imperfecta explicatio.....	Atelectasis pulmonum.
Morbus regius.....	Jaundice.
Amentia.....	Idiotcy.
Infantia linguæ vel mutorum surditas	Dumbness or deaf-dumbness.
Suffusio ingenita.....	Congenital cataract.
Cephalæmatoma.....	Cephalhæmatoma.
Syphilis.....	Syphilis.





~~11. 11. 11.~~

