# Motion study: a method for increasing the efficiency of the workman / by Frank B. Gilbreth.

#### **Contributors**

Gilbreth, Frank Bunker, 1868-1924.

#### **Publication/Creation**

New York: D. Van Nostrand, 1911.

#### **Persistent URL**

https://wellcomecollection.org/works/rzs95y4h

#### License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

# MOTION STUDY

# FRANK B. GILBRETH

A METHOD FOR
INCREASING THE
EFFICIENCY OF
THE WORKMAN



Med K9235 motion "studies an author of Chages By T Dozon.



Digitized by the Internet Archive in 2016

OTHER WORKS BY

FRANK B. GILBRETH

FIELD SYSTEM
CONCRETE SYSTEM
BRICKLAYING SYSTEM

# MOTION STUDY

# A METHOD FOR INCREASING THE EFFICIENCY OF THE WORKMAN

BY

#### FRANK B. GILBRETH

MEMBER OF THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS

WITH AN INTRODUCTION BY
ROBERT THURSTON KENT
EDITOR OF "INDUSTRIAL ENGINEERING"



# NEW YORK: D. VAN NOSTRAND COMPANY

23 MURRAY AND 27 WARREN STS.

1911

Copyright, 1911, by
D. VAN NOSTRAND COMPANY
NEW YORK

WEL	LOOMS INSTITUTE
Coll	West Omec
Cali	THE POST OF THE PO
No.	OT.
	and applied of the order and associated and applied to the order of th
	and a contract of the second s

Stanbope Press
F. H. GILSON COMPANY
BOSTON, U.S.A.

#### PREFACE

THE phrase "Motion Study" explains itself.

The aim of motion study is to find and perpetuate the scheme of perfection. There are three stages in this study:

- 1. Discovering and classifying the best practice.
- 2. Deducing the laws.
- 3. Applying the laws to standardize practice, either for the purpose of increasing output or decreasing hours of labor, or both.

Standardizing the trades is the world's most important work to-day, and motion study is the first factor in that work.

In presenting this material I have attempted to show the necessity for Motion Study and the savings that are possible by the application of its underlying principles.

Thanks are due to the Myron C. Clark Publishing Company and to *Industrial Engineering* for permission to use the cuts that illustrate this book.

FRANK B. GILBRETH.



# TABLE OF CONTENTS

Lympopyo	way with	PAGE
INTRODUC	TION XI—	XXIII
CHAPTER	I.	
DESCRIE	PTION AND GENERAL OUTLINE OF MOTION STUDY	1-0
I.	N	I
2.	D 31 C C 31	
	MENT	3
3.	VAST FIELD FOR MOTION STUDY	5
4.	PRESENT STAGE OF MOTION STUDY	5
5.	The Variables	6
CHAPTER	II.	
VARIABI	LES OF THE WORKER	0-42
I.	Anatomy	10
2.	Brawn	13
3.	Contentment	14
4.	CREED	15
5.	EARNING POWER	16
0.	EXPERIENCE	19
7· 8.	FATIGUE	23
0.	HEALTH	32
10.		33 35
II.	NUTRITION	35
12.	Size	36
13.	Skill	36
14.	Temperament	38
15.	Training	40
CHAPTER	III.	
VARIAB	LES OF THE SURROUNDINGS 43	3-64
	APPLIANCES	43
2.		45
3.		46
4.	ENTERTAINMENT	48
5.	HEATING	49
6.	Lighting	50

VARIABI	LES OF THE SURROUNDINGS (Continued).	PAGE
7· 8.	QUALITY OF MATERIAL	52
		53
9.	Size of Unit Moved	54
10.		56
II.	SURROUNDINGS	58
12.	Tools	59
13.	Union Rules	62
14.	WEIGHT OF UNIT MOVED	63
CHAPTER	IV.	
VARIABI	LES OF THE MOTION	5-85
I.	ACCELERATION	65
2.	Automaticity	67
3.	Combination with Other Motions	60
4.	Cost	70
5.	Direction	74
6.	Effectiveness	76
7.	FOOT-POUNDS OF WORK ACCOMPLISHED	76
8.	INERTIA AND MOMENTUM OVERCOME	77
Q.	Length	79
10.	Necessity	81
II.	Path	82
12.	Play for Position	83
13.	Speed	84
CHAPTER	V	
Past, P	Present, and Future of Motion Study 86	-100
I.	Work Accomplished	86
2.	Magnitude of Work to be Done	86
3.	Value of Charts	87
4.	FUTURE WORK IN STANDARDIZING THE TRADES	94
	THE FIRST STEPS	TOO

# LIST OF ILLUSTRATIONS

Fig.		PAGE
1.	Non-stooping Scaffold	11
2.	Non-stooping Scaffold, "Pack-on-the-wall" Method	12
3.	Gravity Conveyor for Unloading Brick without Stooping	14
4.	Right Way to Pick up Brick from Upper Tier on the Packet	17
5.	Wrong Way to Pick up Brick from Upper Tier on the Packet	18
6.	Right Way to Pick up Brick from the Lower Tier on the Packet.	19
7.	Wrong Way to Pick up Brick from the Lower Tier on the Packet.	20
8.	The Non-stooping Scaffold for Handling Packs of Brick with the	
	Fewest and Shortest Motions	21
9.	The Usual Method of Providing the Bricklayer with Material	22
10.	Standard Practice of Providing Bricklayers with Materials	26
II.	Standard Practice of Providing Bricklayers with Materials	27
12.	Standard Practice for Providing Bricklayers with Materials	28
13.	Pick-and-dip Method of Bricklaying on the Interior or Filling	
	Tiers	30
14.	String-Mortar Method of Bricklaying on the Interior or Filling	
	Tiers	31
15.	Correct Sequence of Courses and Tiers Laid from Stooping Scaf-	
	fold	38
16.	Correct Sequence of Courses and Tiers Laid from the Non-stooping	
	Scaffold	39
17.	Two-horse Carts with Horses Changed from Empty to Full Carts.	55
18.	Gravity Conveyors for Transporting Packs to Carts	55
19.	The Fountain Trowel in Position for Conveying Mortar	56
	The Trucket for Carrying Twelve Packs	57
21.	The Trucket for Storing Packs	75
22.	The Fountain Trowel in Position for Pouring Mortar	76
	Common Type of Trestle Horse Staging	79
24 to 42. Motion Study Pictures of Bricklaying 103-1		
43.	"Pack-on-the-wall" Method, Building Exterior Face Tiers	108
44.	"Pack-on-the-wall" Method, Building the Interior Face and Fill-	
	ing Tiers	109



#### INTRODUCTION

When the editor of a live journal hears of some new development in the field to which his paper caters, he is neglecting his duty if he does not make every possible effort to secure a powerful article by the highest authority on that development for his readers. Some months before "Motion Study" first appeared in the columns of Industrial Engineering, we heard that Mr. Gilbreth had, by some method or other, made wonderful records in the construction of buildings and other engineering works. We were curious to know how this had been accomplished, and sought an interview. We then learned that for years Mr. Gilbreth had been studying the actions of his workmen, the conditions surrounding their work, and all the other variables which go to help or hinder them in the actual construction work. He had paid particular attention to the motions made by a given man, say a bricklayer, in getting a brick from the pile made by the tenders to its final resting place in the wall. He had discovered how the number of these motions could be cut down, by having the brick brought to the bricklayer in a different way than usual, by placing them in a somewhat more convenient position, by arranging the scaffolding in an improved manner, and by various other little changes,

some of them slight in themselves, but all together totaling an immense saving of time and motions.

This appealed to us as forming the basis of a good "story," and we immediately made arrangements with Mr. Gilbreth to prepare for Industrial Engineering a serial article showing the importance of these studies in the improvement of working conditions in all trades, and how they benefited both employer and workman. When the manuscript of "Motion Study" was first placed in the writer's hands, as editor, he examined it with considerable interest, but without any idea of the immense importance of what he had done in securing this contribution. It was then merely another good story for the paper. It seemed to him a trifle unfortunate, however, that the author had chosen practically all of his illustrations from the bricklaying trade. On rereading the article more carefully it was apparent that these illustrations were of secondary importance and had been drawn from a trade with which every one was familiar and which any one could observe, also from one so old that it hardly seemed possible that it could be improved. It therefore became evident that the principles laid down were applicable to every trade and industry. This idea was confirmed later, when "Motion Study" appeared in serial form.

We were a trifle disappointed, at first, that it attracted less attention than we anticipated. We thought that perhaps we were somewhat in advance of our time, and that the public was not yet prepared for so long a step forward. It now appears, however, that the apparent lack of interest was due to the fact that we had presented a subject so entirely new that it required some little time for people to comprehend its importance and to realize its value. By the time the third installment had appeared, requests for the earlier installments were flowing in steadily, and since its completion many firms have sent for all the issues of the paper containing it. To show the wide application possible of the principles laid down in "Motion Study," requests for the complete series have come to us from the iron and steel industry, from the shoe manufacturing industry, from book-printing and book-binding establishments, and many other industries. It was when we began to receive these requests that we realized that we had done something worth while, and had published an article which was of stupendous value, not to one trade or group of trades, but to the whole world.

The writer, in handling the successive installments of "Motion Study," became more and more impressed with the possibilities which were involved in it. He resolved to apply some of these principles in his own office. Naturally the first point of attack is the one where the greatest saving can be accomplished. In our case, it happened to be the outgoing mail. A publication has, particularly in its circulation department, an amount of outgoing mail entirely out of proportion to the volume of business transacted by it, when measured by the standard of other industries. A circulation campaign will involve the send-

ing out of perhaps twenty thousand duplicate letters, each with one or more inclosures. Evidently the saving of but one motion on each letter would, in the aggregate, show an immense saving of time. Formerly the girls folding and sealing the letters were permitted to arrange the work to suit themselves. A short observation of their work showed that there was much room for improvement. The writer studied the question for a short time and made several experiments to determine in just what order each movement should be made to fold the letter, pick up its inclosure, pick up the envelope, and insert the letter and inclosure in the envelope. The first attempt was crude, but immediately doubled the output of the girl. Further study resulted in improvements which not only eliminated motions, but shortened the distance which the hands had to move in those that remained. The final result was an arrangement of pieces and a sequence of motions by which each hand, at the completion of one motion, was in position immediately to begin the next. The final motion, that of throwing the filled envelope on the pile, was eliminated entirely by having a large basket on the floor, directly under the point where the letter was inserted in the envelope. The girl simply let go of the envelope, and it fell into the basket, gravity doing the work formerly done by the girl. The output under the new conditions was about four times that obtained when the girls were allowed to do the work their own way.

Several other routine jobs in the office were handled in

the same way, with a marked improvement in each case. By this time the office force had become interested and were studying motions on their own account, and improving methods of doing work without any suggestion from the writer. One of the girls devised a method of stamping envelopes which enabled her to work at a speed of between one hundred and one hundred and twenty envelopes per minute. She piled the letters on edge in a long pile, the addressed side facing her. The stamps were torn in strips, crosswise of the sheet, so that the stamps were side by side instead of one above the other. She fastened to the forefinger of her right hand a small wet sponge, and taking a strip of stamps in that hand, fed them across the sponge, using her thumb to move the strip, and to guide the stamp into place on the corner of the envelope. The left hand drew the stamped envelope forward from the pile, the thumb of the left hand giving the necessary pressure to the stamp while it was being drawn forward, to assure its being firmly affixed to the envelope. The motion of drawing the envelope forward tore the stamp from the strip, and the operation was complete. The work was done with marvelous rapidity, yet the girl hardly seemed to make any motions, except to pull the envelopes forward, and to reach for strips of stamps. We do not know just what processes were followed in developing the method, as the girl studied it out and put it in operation while the writer was taking a vacation.

These incidents, and others, convinced us that there was

much more to motion study than appeared from a hasty survey of the subject. We then began to look around in earnest, to discover what had been done in this line in other trades than those with which Mr. Gilbreth was familiar. We found that practically nothing had been done in a systematic, scientific manner, except in certain shops where scientific management had been installed.

We further found, that even in these shops motion study had not been made in the scientific manner outlined in Mr. Gilbreth's articles. It was a by-product, an incident in the installation of scientific management, rather than a science of itself. Nevertheless, even treated as an incidental branch of management it had conferred much benefit on those shops in which it had been made. We shall refer to this later.

The reduction of the number of motions can be accomplished in two radically different ways: (1) By analyzing every step of a process, as outlined by Mr. Gilbreth, studying the motions made, and improving or eliminating them as a result of the analysis, or by devising an entirely new way of accomplishing the same object. (2) By substituting a device which is an improvement over that formerly used, but which required a greater number of motions to operate it, or by the substitution of new motions or processes as they occur to the observer, rather than by any systematic study of the subject. This last method is the one most generally used. It might be termed the

"accidental" method, as contrasted with the scientific one developed by Mr. Gilbreth.

An example of this latter kind of motion study is familiar to every man, woman, or child who lives in even a moderate-sized city. In the city fire departments much thought has been expended on the problem of enabling the firemen to start out to a fire in the shortest possible time after the alarm has been received. At first the horses stood in their stalls with their harness on them. The hitching of the horses required the fastening of several buckles. Some one then invented the drop harness, now universally used, and the number of motions in hitching a horse was reduced to three, - snapping the collar round his neck, and the fastening of the two reins to his bridle by bit snaps. Later the horses were moved from the rear of the house to a point alongside the engine, so that they had only to travel a matter of a few feet to be in position under the harness. Some one else then invented a device which released the horses from their stalls automatically with the sounding of the alarm on the fire-house gong, effecting a further saving in time and motion. Instead of having the firemen descend stairs from their sleeping quarters, the sliding pole was thought of, which eliminated a great number of individual motions and saved many seconds. And so on, as one device after another was perfected which saved motions, and thereby time, it was adopted, until now the "motion efficiency" in a fire house is one hundred per cent. It is useless to improve it further, because it has reached a point where the company is ready to start to a fire before it has received the number of the box. The men and horses do their part in less time than the electric telegraph transmits the complete signal. Yet to attain this efficiency has required a period of perhaps thirty years. The subject was not studied in a scientific manner.

Turning now to the machine shop, let us see what motion study means there. In an editorial in *Industrial Engineering*, in August, 1910, we said:

Before a task can be set intelligently it is necessary to know just what can be accomplished by the best type of workman. This usually involves a time study of the job under consideration. The time study is more than putting a clerk with a stop watch alongside the workman, with instructions to see how long it takes him to do the job. A proper time study requires that a certain piece of work be divided into its component operations and that each operation be studied separately, and also in conjunction with other operations to which it is related. The time of performing these operations is recorded not once, but many times, until a fair average has been determined. The results are then analyzed to see if the time required can be cut down. Usually it will be found that it can. A single instance will suffice for illustration.

In a certain shop with which we are familiar a piece had to have several holes of different sizes drilled in it, a jig being provided to locate the holes. The drills and the sockets for them were given to the workman in a tote

box. The time study of this job revealed several interesting facts. First, after the piece was drilled the machine was stopped, and time was lost while the workman removed the piece from the jig and substituted a new one. This was remedied by providing a second jig in which the piece was placed while another piece was being drilled in the first jig, the finished one being removed after the second jig had been placed in the machine and drilling started. It was also found that the workman lost considerable time hunting in the tote box for his drill, and for the socket to fit it. The result was the provision of a socket for each drill, which was fitted to it in the tool room, and the further provision of a tray alongside the machine on which the man could lay out his drills in the order in which they were to be used. He was thereby enabled to pick up the correct drill without losing any time hunting for it. It was also found that it took considerable time to verify the size of the drill and socket, due to the figures stamped on the drill by the manufacturer being so small as to require the workman to go to the light to hunt for the figures. Consequently, numbers one-half inch high were placed on the drills, so that they could be seen in almost any light. To do this it was necessary to grind a flat spot on the drill to accommodate the large-size figures. This had the desirable but unsought for result of enabling the workman to locate the figures by the sense of touch, and consequently no time was lost in turning the drill round and round to search for the size.

The above changes, simple in themselves, resulted in an increase in output on this particular job of about four times that usually obtained before the time study was made.

The incident related above is one that the writer discovered after he began to investigate motion study in other lines than those discussed by Mr. Gilbreth. It, too, is typical of the "accidental" method. It is sufficient to show, however, what scientific motion study could do if applied to an entire industry.

The following letter from Mr. H. L. Gantt to the writer illustrates how little people, even the most expert in their line, know about the most economical way of doing work:

## Editor Industrial Engineering:

The series of articles on "Motion Study" by Frank B. Gilbreth are particularly valuable as illustrating what a man, having an analytical mind and a quick comprehension of details, can accomplish. They also illustrate the fact that in order to accomplish such results the subject must be given a great deal of study. The articles are unique in that they describe for the first time the detailed application to an art of principles which have often been described in more general terms.

On the other hand, the man who becomes interested in making this kind of a study will, if he has the right kind of mind, become so fascinated by it that it is on his mind almost all the time. The subject opens up so many possibilities that those men who can appreciate it are simply carried away. While in London with the American Society of Mechanical Engineers, Mr. Gilbreth cornered an old friend of his and explained to him the wonderful results that could be accomplished by motion study. He declared that he did not care what the work was, he would be able to shorten the time usually required, provided that nobody had previously applied the principles of motion study to the work.

A few days before, this friend had been at the Japanese-British Exposition and had seen there a girl putting papers on boxes of shoe polish at a wonderful speed. Without saying what he had in mind, Mr. Gilbreth's friend invited him to visit the exposition, and in a most casual way led him to the stand where the girl was doing this remarkable work, with the feeling that here at least was an operation which could not be improved upon.

No sooner had Mr. Gilbreth spied this phenomenal work than out came his stop watch, and he timed accurately how long it took the girl to do twenty-four boxes. The time was forty seconds. When he had obtained this information he told the girl that she was not doing the work right. She, of course, was greatly incensed that a man from the audience should presume to criticize what she was doing, when she was acknowledged to be the most skillful girl that had ever done that work. He had observed that while all her motions were made with great rapidity, about half of them would be unnecessary if she arranged her work a little differently. He has a very persuasive way, and although the girl was quite irritated by his remark, she consented to listen to his suggestion that he could show her how to do the work more rapidly. Inasmuch as she was on piece work the prospect of larger earnings induced her to try his suggestion. The first

time she tried to do as he directed she did twenty-four boxes in twenty-six seconds; the second time she tried it she did it in twenty seconds. She was not working any harder, only making fewer motions.

This account the writer heard in Manchester, England, from the man himself who had put up the job on Mr. Gilbreth, and it is safe to say that this man is now about as firm a believer in motion study as Mr. Gilbreth is.

H. L. GANTT.

NEW YORK, Oct. 1, 1910.

Enough has been said, and sufficient instances drawn from widely diversified trades have been given, to show that motion study is a problem of the most vital importance to the world. Some day an intelligent nation will awake to the fact that by scientifically studying the motions in its trades it will obtain the industrial supremacy of the world. We hope that that nation will be the United States. Already rated as the most progressive nation the world has ever seen, it will take a position far in advance of all, once it begins to give its earnest attention to this subject. Certain it is, that if we do not some other people will, and our boasted progress and supremacy will then be but a memory.

When one looks about him and sees the wasted time and money in every walk of life from useless motions, the mind becomes weary in contemplating the magnitude of the task. The bricklayer, the carpenter, the machinist, the shoveller, the clerk, even the editor in writing with his pen, make twenty motions where one would suffice. The actual wealth of the nation is in what it takes from the ground in the shape of crops or minerals plus the value added to these products by processes of manufacture. If by reducing the number of motions in any of these processes we can increase many fold the output of the worker, we have increased by that amount the wealth of the world; we have taken a long step in bringing the cost of living to a point where it will no longer be a burden to all but the very wealthy; and we have benefited mankind in untold ways.

Words fail the writer when he tries to express his appreciation of what Mr. Gilbreth has done in blazing a trail for future investigators. The work he outlines of investigating and reclassifying the trades by means of motion study is worthy of the brains of the most scientific investigators; it is worthy of the endowments of a Rockefeller or a Carnegie; it is worthy of the best efforts of the national government. Properly carried to its logical conclusion it would form the mightiest tool for the conservation of resources that the country could have. Our scientists could engage in no more important work than this.

ROBERT THURSTON KENT,

Editor Industrial Engineering.



## MOTION STUDY

#### CHAPTER I

# DESCRIPTION AND GENERAL OUTLINE OF MOTION STUDY

NECESSITY FOR MOTION STUDY

Professor Nathaniel Southgate Shaler astounded the world when he called attention to the tremendous waste caused by the rain washing the fertile soil of the plowed ground to the brooks, to the rivers, and to the seas, there to be lost forever.

This waste is going on in the whole civilized world, and especially in our country. Professor Shaler's book, "Man and the Earth," was the real prime cause of the congress that met in Washington for the conservation of our natural resources. While Professor Shaler's book was right, and while the waste from the soil washing to the sea is a slow but sure national calamity, it is negligible compared with the loss each year due to wasteful motions made by the workers of our country. In fact, if the workers of this country were taught the possible economies of motion study, there would be a saving in labor beside which the cost of building and operating tremendous settling basins, and the transporting of this fertile soil back to the land

from whence it came, would be insignificant. Besides, there would still be a surplus of labor more than large enough to develop every water power in the country, and build and maintain enough wind engines to supply the heat, light, and power wants of mankind.

There is no waste of any kind in the world that equals the waste from needless, ill-directed, and ineffective motions. When one realizes that in such a trade as bricklaying alone, the motions now adopted after careful study have already cut down the bricklayer's work more than two-thirds, it is possible to realize the amount of energy that is wasted by the workers of this country.

The census of 1900 showed 29,287,070 persons, ten years of age and over, as engaged in gainful occupations. There is no reason for not cutting down the waste motions in the vocations of the other almost half (49.7 per cent) of the population ten years of age and upward who do *not* engage in gainful occupations. The housekeepers, students, etc., on this list have as much need for motion saving as any one else, — though possibly the direct saving to the country would not be so great. But taking the case of the nearly thirty million workers cited above, it would be a conservative estimate that would call half their motions utterly wasted.

As for the various ways in which this waste might be utilized, that is a question which would be answered differently by each group of people to whom it might be put.

By motion study the earning capacity of the workman

can surely be more than doubled. Wherever motion study has been applied, the workman's output has been doubled. This will mean for every worker either more wages or more leisure.

But the most advisable way to utilize this gain is not a question which concerns us now. We have not yet reached the stage where the solving of that problem becomes a necessity — far from it! Our duty is to study the motions and to reduce them as rapidly as possible to standard sets of least in number, least in fatigue, yet most effective motions. This has not been done perfectly as yet for any branch of the industries. In fact, so far as we know, it has not, before this time, been scientifically attempted. It is this work, and the method of attack for undertaking it, which it is the aim of this book to explain.

### PLACE OF MOTION STUDY IN SCIENTIFIC MANAGEMENT

Motion study as herein shown has a definite place in the evolution of scientific management not wholly appreciated by the casual reader.

Its value in cost reducing cannot be overestimated, and its usefulness in all three types of management — Military, or driver; Interim, or transitory; and Ultimate, or functional — is constant.

In increasing output by selecting and teaching each workman the best known method of performing his work, motion economy is all important. Through it, alone, when applied to unsystematized work, the output can be more than doubled, with no increase in cost.

When the Interim system takes up the work of standardizing the operations performed, motion study enables the time-study men to limit their work to the study of correct methods only. This is an immense saving in time, labor, and costs, as the methods studied comply, as nearly as is at that stage possible, with the standard methods that will be synthetically constructed after the time study has taken place.

Even when Ultimate system has finally been installed, and the scientifically timed elements are ready and at hand to be used by the instruction card man in determining the tasks, or schedules, the results of motion study serve as a collection of best methods of performing work that can be quickly and economically incorporated into instruction cards.

Motion study, as a means of increasing output under the military type of management, has consciously proved its usefulness on the work for the past twenty-five years. Its value as a permanent element for standardizing work and its important place in scientific management have been appreciated only since observing its standing among the laws of management given to the world by Mr. Frederick W. Taylor, that great conservator of scientific investigation, who has done more than all others toward reducing the problem of management to an exact science.

#### VAST FIELD FOR MOTION STUDY

Now tremendous savings are possible in the work of everybody, — they are not for one class, they are not for the trades only; they are for the offices, the schools, the colleges, the stores, the households, and the farms. But the possibilities of benefits from motion study in the trades are particularly striking, because all trades, even at their present best, are badly bungled.

At first glance the problem of motion study seems an easy one. After careful investigation it is apt to seem too difficult and too large to attack. There is this to be said to encourage the student, however:

- Study of one trade will aid in finding the result for all trades.
- 2. Work once done need never be done again. The final results will be standards.

#### PRESENT STAGE OF MOTION STUDY

We stand at present in the first stage of motion study, *i.e.*, the stage of discovering and classifying the best practice. This is the stage of analysis.

The following are the steps to be taken in the analysis:

- 1. Reduce present practice to writing.
- 2. Enumerate motions used.
- 3. Enumerate variables which affect each motion.
- 4. Reduce best practice to writing.
- 5. Enumerate motions used.
- 6. Enumerate variables which affect each motion.

#### VARIABLES

Every element that makes up or affects the amount of work that the worker is able to turn out must be considered separately; but the variables which must be studied in analyzing any motion, group themselves naturally into some such divisions as the following:

## I. Variables of the Worker.

- 1. Anatomy.
- 2. Brawn.
- 3. Contentment.
- 4. Creed.
- 5. Earning Power.
- 6. Experience.
- 7. Fatigue.
- 8. Habits.
- 9. Health.
- 10. Mode of living.
- 11. Nutrition.
- 12. Size.
- 13. Skill.
- 14. Temperament.
- 15. Training.

## II. Variables of the Surroundings, Equipment, and Tools.

- 1. Appliances.
- 2. Clothes.
- 3. Colors.
- 4. Entertainment, music, reading, etc.
- 5. Heating, Cooling, Ventilating.
- 6. Lighting.

- 7. Quality of material.
- 8. Reward and punishment.
- 9. Size of unit moved.
- 10. Special fatigue-eliminating devices.
- 11. Surroundings.
- 12. Tools.
- 13. Union rules.
- 14. Weight of unit moved.

### III. Variables of the Motion.

- I. Acceleration.
- 2. Automaticity.
- 3. Combination with other motions and sequence.
- 4. Cost.
- 5. Direction.
- 6. Effectiveness.
- 7. Foot-pounds of work accomplished.
- 8. Inertia and momentum overcome.
- 9. Length.
- 10. Necessity.
- 11. Path.
- 12. "Play for position."
- 13. Speed.

In taking up the analysis of any problem of motion reduction we first consider each variable on the list separately, to see if it is an element of our problem.

Our discussion of these variables must of necessity be incomplete, as the subject is too large to be investigated thoroughly by any one student. Moreover, the nature of our work is such that only investigations can be made as show *immediate* results for increasing outputs or reducing unit costs.

The nature of any variable can be most clearly shown by citing a case where it appears and is of importance. But it is obviously impossible in a discussion such as this to attempt fully to illustrate each separate variable even of our incomplete list.

Most of our illustrations are drawn from bricklaying. We have applied motion study to our office and field forces, and to many of the trades, but our results on bricklaying are the most interesting, because it is the oldest mechanical trade there is. It has passed through all the eras of history, it has been practiced by nations barbarous and civilized, and was therefore in a condition supposed to be perfection before we applied motion study to it, and revolutionized it.

Since first writing these articles for Industrial Engineering it has been of great interest to the writer to learn
of the conscious and successful application of the principles involved to the particular fields of work that
have interested various readers. It was thought that
unity might be lent to the argument by choosing the
illustrations given from one field. The reader will probably find himself more successful in estimating the value
of the underlying laws by translating the illustrations
into his own vocabulary, — by thinking in his own chosen
material.

The practical value of a study such as this aims to be will be increased many fold by coöperation in application and illustration. The variables, at best an incomplete framework, take on form and personality when so considered.

## CHAPTER II

## VARIABLES OF THE WORKER

### ANATOMY

A CAREFUL study of the anatomy of the worker will enable one to adapt his work, surroundings, equipment, and tools to him. This will decrease the number of motions he must make, and make the necessary motions shorter and less fatiguing.

Examples. — 1. If the bricklayer is left-handed the relative position of the pile of packs to the mortar box is reversed.

- 2. The staging is erected so that the uprights will be out of the bricklayer's way whenever reaching for brick and mortar at the same time. (See Fig. 1.)
- 3. Packs can be piled at a height with reference to the height of the mortar box that will enable stock to be picked up more easily by bending over sideways than by bending forwards. This latter case is, of course, on work where the non-stooping scaffold is not used.
- 4. The planks on the bricklayer's platform of the nonstooping scaffold, if made of two unconnected planks, will enable the bricklayer to lean either toward the stock platform or toward the wall without any other effort than that

of throwing his weight on one foot or the other, taking advantage of the spring of the planks. (See Fig. 2.)

5. The inside plank of the bricklayer's platform must extend in under the stock platform, or the bricklayer's leg




Fig. 1. — Non-stooping scaffold designed so that uprights are out of the bricklayer's way whenever reaching for brick and mortar at the same time.

will strike the edge of the plank of the stock platform when he reaches for stock.

6. The stock platform must not be wider than the minimum width that will permit holding the packets, or the lower-priced packet man will not place the packs exactly in that position that will require the least amount of straining of the high-priced workman, the bricklayer.




Fig. 2. — Gilbreth's patent non-stooping scaffold for bricklaying.

The numbers show the correct sequence of courses and tiers as laid from the non-stooping scaffold for the fewest, shortest, and most economical motions under the "Pack-on-the-wall" method.

#### BRAWN

Workmen vary widely as to their brawn and strength.

When the actual work is being done, due consideration should be given to the percentage of efficiency that the men available possess. But all calculations should be made on the basis of using first-class men only. All data should be gathered from observations on first-class men only. In fact, so-called first-class men are not good enough. The best man obtainable anywhere is the best for observation purposes. The data gathered on that best man will then be considered as 100-per-cent quality. The men finally used can then be considered as of a certain percentage of perfect quality, and it should then be the aim of the management to attain 100-per-cent quality. This is one of the most important factors in the success of intensive management. The manager who wins is the one who has the men best suited for the purpose. Intensive management must not only recognize quickly the first-class man, but must also attract first-class men.

Everybody concedes that the size of the output depends, first of all, on the quality of the men.

Example. — We have found that a first-class laborer, if his work is so arranged that he does not have to stoop over, but can do his work with a straight back, can handle ninety pounds of brick on a packet (see Fig. 3) day after day and keep in first-class physical condition, while laborers of a class that does not have the right food cannot handle

continuously over sixty to seventy pounds of bricks on a packet.

It is obviously better to have all one class of men, so that all instruction cards will be as nearly alike as possible. The size of the shovel, the weight of the hammer, the number of brick on the packet — these are variables that must



Fig. 3.—Arrangement of gravity conveyor for unloading brick so that laborer does not have to stoop.

also be considered when making out the instruction card — and these are all influenced by the brawn of the worker.

## CONTENTMENT

Contentment affects the output of the worker. If he is contented, he will have his mind on his work, and he will be more willing to carry out the motions exactly as directed on the instruction card. The contented worker does not require so large a percentage of rest for overcoming fatigue from his intensive efforts.

Contentment makes for loyalty to the management, for coöperating for maintainment of the best conditions, and for the protection and preservation of the property of the employer.

#### CREED

The term "creed" is used to cover religion, nationality, etc., — everything that might act as a bond of sympathy between workers and the people with whom they come in contact. On work where the output of each man is recorded separately, the question as to whether the creed of the workman is the same as that of his foreman, or superintendent, or employer, is of little consequence.

In places where the output of each man is not recorded separately, it is a recognized fact that instructions of the foreman or employer will be more apt to be carried out where there is a bond of sympathy between the employees, the foreman, and the employers. A bond of sympathy between the workman and the people who are to occupy the edifice upon which they are working will also increase the output.

The motions of a bricklayer working upon the wall of a church differing from his own religion are often vastly different from those that he is careful to make when the congregation to occupy it coincides with his belief.

In planning athletic contests also, it is well to group men according to their affiliations. Example. — On engine beds and similar work, where the pieces are isolated, assigning gangs of men of different nationalities to the different beds will create extra interest in the contests. If this is not feasible, put the tall men on one bed and the short men on the other, or the single men against the married men, or eastern "pick-and-dip" men against western "string-mortar" men.

# EARNING POWER

The matter of classifying men by their relative earning power is as important as classifying them by their relative brawn. It is better, of course, to have men as nearly as possible of one class only, and that the best class. Classing men by their earning power simplifies the work of the planning department in many ways. It enables it to prescribe the same motions to the entire class of men, to place them all under nearly the same conditions, to prescribe the same tools and surroundings, to place them together, and, finally, to have an athletic contest between the men of the same class.

Furthermore, the motions to be made are often entirely different for workmen of different earning power.

Examples. — 1. With masons and laborers of low earning power it is sometimes advisable to place the brick on the packets any way that will give the fewest motions for loading the packets, and to let the bricklayers lay them with their customary numerous motions, until men of higher earning power may be obtained to take their places.

2. With bricklayers and laborers of high earning power it is better to have the laborers pile the brick upon the packets so that the brick will be in that position that requires the least amount of motions of the bricklayer to pick them up and to lay them.

It is obvious that all motions performed in handling or transporting material before the material is used, cut up, or fabricated, should, theoretically, be performed by lowpriced men, and that the work done by the high-priced




Fig. 4. — Right way to pick up brick from upper tier on the packet.

men should be limited as far as possible to the work of permanent character. As an example of this, the carrying of the brick and mortar to the scaffold is done by the mason's helper, while the carrying of the brick from the packet to its final resting place in the wall is done by the mason.

This same principle can be carried much further in all

trades than is usually customary to-day. For example, we have found that piling the brick face up and with the top side nearest the palm of the bricklayer's hand when his arm hangs in a natural position will save an average of one motion of the high-priced bricklayer per brick. (See Figs. 4, 5, 6, and 7.)

We have found a great increase in the number of brick it is possible to lay, and a decrease in the cost of laying them if the brick are placed by the low-priced man in the nearest practicable place in feet and inches from the place where they will finally rest in the wall. Not only this,




Fig. 5. — Wrong way to pick up brick from upper tier on the packet.

but the receptacle must be left with the material on it, so that the higher-priced man can lift the receptacle and its contents simultaneously at the exact time the materials are wanted to a place still nearer to the place where the material will be finally used, to be transported from there to their final resting place by a still higher-priced man. (See Figs. 2 and 8.)

This use of "low-priced men" does not mean the use of mediocre men. The men used, of whatever price, should be the best men of that class obtainable.

## EXPERIENCE

That previous experience is an element to be considered is obvious. This fact is so well recognized that the expres-




Fig. 6. — Right way to pick up brick from the lower tier on the packet.

sion "You can't teach an old dog new tricks" may be heard around the world. While this may be true with dogs, it is not true with workmen. On a short job it may not be advisable to attempt to change radically the lifetime customs of a local workman. But recording the output of each man separately will tell whether or not it is advisable to make out the instruction card in accordance with the previous experience of the workman, or in accordance with the way in which actual records have proved to be productive of the highest outputs. Experience varies




Fig. 7. — Wrong way to pick up brick from the lower tier on the packet.

widely, and the habits formed are often difficult to overcome.

Example. — A bricklayer from certain sections of New England has been accustomed to pick up mortar with a trowel at the same time that he picks up brick with the




Fig. 8. — The non-stooping scaffold for handling packs of brick with the fewest and shortest motions.

other hand. This is called the "pick-and-dip method." The size and shape of his mortar receptacle, the arrangement of the brick and mortar on his scaffold, the shape of the scaffold itself, the sequence in which he builds the vertical tiers and the horizontal courses, and, finally, the labor-union rules themselves, are fashioned after the consequences of using a small trowel, just large enough to pick up sufficient mortar for one brick only.



Fig. 9. — The usual method of providing the bricklayer with material.

A bricklayer so trained finds it difficult at first to adapt himself to the "string mortar" method of the West. The western-taught bricklayer experiences the same difficulties in adapting himself to the "pick-and-dip" method with the speed of the eastern bricklayer. But their difficulties are nothing compared with those that the employer experiences who puts the good points of both systems on any one job.

Not only do habitual motions become fixed, but also the previous experience of the bricklayer is often the cause of his making too many motions, i.e., unnecessary motions. He seldom, if ever, has been rigidly trained to use a certain number of definite motions. It takes time and patience to induce him to adopt a standard method.

On a small job it is advisable to select those men for the leads and the trigs who are best fitted to be leaders, that is, who are best prepared by previous experience to carry out without delay the requirements of the instruction cards — but give due consideration to the previous experience and habits of work of the workmen.

On a large job, however, it is most economical to insist on standard methods and standard motions that will produce the highest outputs, without regard to the previous training of the workmen. Attract and retain those workmen who can follow out their instruction card and as a result produce the high records of outputs.

# FATIGUE

Fatigue is an important variable to consider when selecting those motions that will give the most economy and that make the "standard motions." It goes without saying that the motions that cause the least fatigue are the most desirable, other things being equal.

Fatigue is due to a secretion in the blood.

To quote from an article signed "I. M. T." in the American Magazine for February, 1910:

"The toxin of fatigue is the phrase the physicians have given us with which to jar the attention of those who can only be stirred by harsh words. It has been demonstrated in the last few years that fatigue is due to an actual poison not unlike the poison or toxin of diphtheria. It is generated in the body by labor. But the system takes care of itself and generates enough anti-toxin to take care of a normal amount of toxin or poison. If it continues to be produced in abnormal quantities the system cannot grapple with it. There is a steady poisoning of the body, with all the baneful effects, mental and moral, as well as physical, that poison produces."

Continuous hard work, however, like proper training, puts the body into that condition that best overcomes fatigue.

Fatigue is due to three causes:

- 1. Fatigue due to coming to work improperly rested (fatigue brought to the job).
- 2. Unnecessary fatigue, due to unnecessary work, unnecessary motions, or uncomfortable positions, surroundings, and conditions of working.
  - 3. Necessary fatigue, due to output.

Every motion causes fatigue. The same motions in the same trade cause about the same fatigue for all firstclass men, and they all require about the same amount of rest to overcome fatigue, provided their habits and mode of living are the same outside of working hours. The amount of fatigue caused and the percentage of rest required in many different kinds of work have been computed by Frederick W. Taylor with great exactness. He has assigned the various workers to classes and accurately computed the "task" from his records.

We have no such records as Mr. Taylor has gathered, but we have numerous records of outputs of different men on several kinds of work. We know that the amount of rest actually required by a workman increases with the discomfort of the position in which he works. We also know that the speed, hence the output of the worker, decreases rapidly if there is much fatigue to overcome.

Example. — A bricklayer can lay brick for a few minutes quite as quickly when he picks up the brick from the level of the platform on which he stands (see Fig. 9), as he can when he picks up the brick from a bench twenty-four inches above the level of the platform on which he stands (see Figs. 10, 11, and 12), but he cannot keep that speed up, because he requires more rest to overcome the greater fatigue.

It is not simply for the welfare alone, although that reason should be sufficient, but for economic reasons as well, that the men should be so placed and equipped that their work is done under the most comfortable conditions.

Examples. — 1. It is a recognized fact that a cluttered-up floor under a workman's feet will tire him quite as much as the productive work that he is doing. A




Fig. 10. - Standard practice of providing bricklayers with materials - mortar boxes on the floor and low piles of packs when the wall is below the level of the top of the floor.




Fig. 11. — Standard practice of providing bricklayers with materials—raised mortar boxes and high piles of packs when the wall is waist high.

smooth-planked floor will enable a bricklayer to lay many more brick than will earth that has been leveled off.

2. A bricklayer can stoop over and pick up anything from the floor with one hand with much less fatigue if he has a place to rest his other hand while he is stooping,




Fig. 12.—Standard practice for providing bricklayers with material for pick-and-dip method of bricklaying when the wall is shoulder high.

because he puts his weight on one foot and lifts his other foot out behind him, which does not tire the muscles of his back nearly so much.

Slow motions do not necessarily cause less fatigue than quick motions, and, per unit of work done, may cause much more fatigue than quick motions.

The amount of work done per motion may not be fatiguing proportionately to the size of the unit.

Example. — Lifting ninety pounds of brick on a packet to the wall will fatigue a bricklayer much less than handling the same number of brick one or two at a time. Consequently with the same amount of fatigue the workman will handle several times as many brick on packets as he can handle one or two at a time.

We have, then, under this variable two tasks to perform:

- 1. To eliminate unnecessary fatigue. This we do by studying and fixing the variables; that is, by standardizing the work.
- 2. To provide for rest from necessary fatigue, and to utilize rest time.

Under old forms of management workmen "should keep busy at something," even if prevented from doing their regular work. An idle workman was considered a disgrace. The consequence of this was that the workman took his rest while working, or made believe work while resting. The old-fashioned kind of rest is called "systematic soldiering." It is the curse of the military type of management. It is a form of cheating that has been made respectable by the conditions forced upon the workers by the employers.

Under scientific management the evils of soldiering are eliminated, and the correct definite percentage of rest required is recognized and provided for. When a man is prevented by causes beyond his control from doing his regularly assigned work, he is told to use the opportunity for rest,—not to take such rest as can be obtained by making slow and useless motions, that will give him an





Fig. 13. - Pick-and-dip method of bricklaying on the interior or filling tiers.

Working from left to right.—The mortar should be laid to the right of the brick and deposited on the wall at exactly the same instant that the brick is deposited on the previous trowelful. Otherwise the brick would wait until the mortar was deposited.

Working from right to left. — The mortar and brick are deposited in different tiers, so that they may be both deposited at the same time. The apprentice must be taught on his first day the right positions for his feet and the right motions for the greatest economy.



Brick-and-brick method of bricklaying, working from right to left.—In the brick-and-brick method the brick are picked up simultaneously, put together end to end in the air, and guided as one brick to place for the greatest speed. This method is not used when shove joints are desired.

Shove-joint method of bricklaying, working right to left.—The two brick are deposited in different tiers at the same time.

industrious appearance to the casual observer, but to rest, the 100-per-cent kind of rest.

There are cases where chairs and reading tables have been provided with beneficial effect for workers to occupy when delayed for a few minutes. They get the rest, and their presence at the table acts as a danger signal to the management.

When a man is fatigued to the point where it is impossible for him to do his best work he should be made to rest. He must not do anything but rest until he is in that condition that will enable him to fly at his work and perform it with the fastest standard motions possible.

Rest does not necessarily mean idleness. The worker can spend the rest period reading his instruction card, or filling out his record of output on the card, or in some other form of restful work. A change of work is often a rest. By performing the above two tasks well, we secure the greatest output per day and the fewest hours per day without injury to the health of the men.

## HABITS

The habits of the workman have much to do with his success in eliminating unnecessary motions and in adopting quickly and permanently standard methods. The term "habits," as here used, includes not only personal "habits," so-called, but also habits of thinking, habits of working, etc.

Habits brought to the work may act as a deterrent or

as an aid to its best performance. They embrace a group of sub-variables which are difficult to describe and analyze, and are of immense importance in influencing output.

That acquiring good habits of work makes the worker more versatile as well as more efficient is forcefully stated by Mr. Gantt in his book on "Work, Wages, and Profits." He says:

"The habits that a man has to acquire to become efficient in one class of work stand him in good stead in becoming efficient in other work. These habits of work are vastly more important than the work itself, for it is our experience that a man who has become efficient in one thing, readily learns to become efficient at doing other things."

### HEALTH

The health of the worker may be affected by:

- 1. Other things than his work and the conditions under which it is done.
  - 2. The work.

Consideration of other things than the work may properly be left to the welfare department. This department can most successfully define the scope of its work by attempting to improve the man himself and his surroundings in every way that will make him a better and more successful worker. This criterion will satisfy both employer and employee as to the appropriateness, justness, and utility of the work of the welfare department.

The life of the man when away from work is only in so far subject to the inspection and jurisdiction of the socalled "welfare" department as that department can show itself able to make of the man a more valuable economic unit to himself and to the community.

If the welfare department makes an efficient workman the product of its work, the philanthropic by-products will take care of themselves.

The work itself should be laid out in such a way that its performance will add to and not subtract from health. A proper study and determination of the variables that affect the surroundings and the motion will go far to insure this. Moreover, standardized work will transform the workman.

Henry L. Gantt, in a most stimulating paper on "Training the Workmen in Habits of Industry and Coöperation," read before the American Society of Mechanical Engineers, December, 1908, says of workmen:

"As they become more skilled, they form better habits of work, lose less time, and become more reliable. Their health improves, and the improvement in their general appearance is very marked. This improvement in health seems to be due to a more regular and active life, combined with a greater interest in their work, for it is a well-known fact that work in which we are interested and which holds our attention without any effort on our part, tires us much less than that we have to force ourselves to do."

This Mr. Gantt says in speaking of the benefits of the "task and bonus" system; but the same thing is undoubtedly true of men working under standards derived from motion study.

### Mode of Living

Mode of living has been more or less touched upon under "health" and "habits." It is a complex variable, difficult to analyze and difficult to control. Its effects on output are for this reason all the more far-reaching and demand scientific investigation.

#### NUTRITION

This is a subject that has been investigated much more scientifically with regard to horses and mules than with regard to workmen, but cases are seen on every hand where it is more profitable to furnish the most nutritious food to the men gratis than to permit them to have the usual poor food of the padrones' storehouse. In the building of a new town in Maine it was found to be economical to spend considerable sums of money for supplying food for the men at less than cost, rather than to have them eat the food provided by the local boarding houses. The nutritive value of various foods and the amount of energy which various diets enable one to put forth have been made a study in training soldiers. There must be many data available on the subject, and the government should collect them and issue a bulletin for the use of the welfare departments of large employing organizations. The army might also serve as an example in many other ways to the student of economics. The "Tactics" are admirable "instruction cards," conforming to many of the laws of motion study. It seems unfortunate that the governments of the world up to the present time have confined all of their attempts to standardize motions to the arts of war, and have done nothing in this line in the arts of peace.

## SIZE

Size of men, with relation to their motions, has much more influence than is usually realized.

Short men are usually the best shovelers where the shovelful need not be raised much in doing the work, such as in mixing mortar and concrete. Few foremen realize that this is because a short man does fewer foot-pounds of work in doing the same amount of shoveling. On the other hand, when men are shoveling in a trench, the taller the men, usually, the more the output per man.

Oftentimes a staging is built at a height below a set of floor beams that enables the men to work to best advantage. On such a staging men should be selected of as nearly the same height as possible.

# SKILL

The workman with the most skill is usually the one who can adapt himself quickest to new methods and conditions.

Example. — A bricklayer who has great skill in his trade can instantly lay a brick in the same manner that he is once shown. To get him to do so constantly when not supervised is difficult, but that can be quickest im-

pressed upon his mind if he is shown the reason for every change demanded of him.

To make sure that the worker of the future acquires his skill properly, is the most important task here. This can be done only by insisting continuously on conformity to scientifically derived standards from the beginning of his training.

Example. — The best results from a motion-study stand-point can be attained only by teaching the apprentice from his first day to lay the brick with the standard motions regardless of the looks of the work. If the work is not good enough to permit the brick to remain on the wall, a skilled bricklayer should fix it, until the apprentice can lay the brick with the prescribed standard motions in a manner good enough to permit the work to remain as a part of the structure.

The apprentice should not be permitted to depart from the standard motions in any case until he has first acquired them as a fixed habit. The most pernicious practice is the generally accepted one of first having an apprentice do perfect work and then attempting to make speed later. The right motions should be taught first, and the work taken down and rebuilt until it is up to standard quality. This is the *only* way to get the full benefits of the economics of motion study. (See Figs. 13 and 14.)

The workman who will make the highest outputs of the future will be he who has as a *habit* those standard motions that are the most productive when operated under standard conditions.




Fig. 15. — The numbers show the correct sequence of courses and tiers as laid from the ordinary scaffold for the fewest, shortest, and most economical motions.

# TEMPERAMENT

The temperament of the man has more to do with the motion he uses than one usually supposes.

Example. — Many expert face bricklayers would quit a job rather than lay common brick on interior walls, even




Fig. 16. — The numbers show the correct sequence of courses and tiers as laid from the non-stooping scaffold for the fewest, shortest, and most economical motions. This scaffold permits a much larger percentage of the brick to be laid as "filling in," instead of as "backing up," consequently requiring less skillful motions.

though they might earn higher wages on the inside work. Other bricklayers prefer to lay common brickwork,—not that they doubt their ability to lay the face brick, but because they like the strenuous athletic contests for high

scores of output and high pay. To them there is no monotony in laying common brick day after day, for to the skilled mason brick are not so nearly alike as are human beings.

A bricklayer interested in his work will often remember the characteristics of one certain brick years after he has forgotten the wall upon which it was laid.

Therefore the temperament of the man must be taken into consideration when placing the men. When they are best placed they follow their instructions on the subject of motion, and higher scores will be the result.

### TRAINING

"Training" is so closely related to "skill" and "experience" that it is difficult to separate it from them. We use the word to mean both the worker's theoretical and practical equipment for his work, his entire preparation. The problem is to see that the worker has both kinds of equipment, acquired in the most useful, balanced method possible.

The training of the available worker must always be considered in estimating the time that it will take him to acquire standard methods and the output that can be expected of him. The training of the worker of the future should be planned to fit him for standard work. The training of the apprentice on the work to-day is usually defective because he has little or no training in theory at the same time that he is getting his practice. Further-

more, the journeyman who is his instructor not only has had no training in pedagogy, but often lacks the benefits of the elements of a common-school education. The usual time of apprenticeship in the building trades in this country is three years, or until the apprentice is twenty-one years old.

On the other hand, the boy taught in the trade school lacks training under actual working conditions. The question of dollars and cents to make for the employer, special fitting for high wages for himself, and the knowledge of the principles underlying the requirements necessary in order to obtain specially high outputs from intensive management, are wholly lacking.

The present apprenticeship system is pitiful and criminal from the apprentice's standpoint, ridiculous from a modern system standpoint, and there is no word that describes its wastefulness from an economic standpoint.

## SUMMARY

Before turning to the variables of the surroundings, it may be well to summarize. The variables of the worker consist of the elements of the equipment that the worker brings to his work, both those that he was born with and those that he has acquired. These are mental and physical.

We have concluded:

- 1. That first-class men should always be secured if that be possible.
  - 2. That everything possible should be done to preserve

and to add to the natural powers and capacities that the worker brings to his work.

- 3. That standard practice derived from motion study does add to the natural powers of the worker, and both shortens his hours of work and adds to his output.
  - 4. That training based on the laws underlying standard practice will enable the worker of the future to attain still higher efficiency and output.

### CHAPTER III

## VARIABLES OF THE SURROUNDINGS

We turn now to the variables of the surroundings. These differ from the variables of the worker in that we can influence them more quickly and more directly. In discussing the variables of the worker, we deal more or less with the past and the future. The variables of the surroundings are each and all distinctly of the present.

### APPLIANCES

The "standard conditions" maintained by the employer are a most important factor for high outputs. It is obvious that the appliances furnished the workman and the motions used are interdependent on each other.

Examples. — 1. The bricklayer could not be expected to pick up the brick so that he would not have to spin or flop it in his hand unless it were delivered to him in the right position on a packet.

- 2. The bricklayer could not be expected to have so high an output if he had to stoop over in order to pick up his stock as he would have to do if the scaffold did not have a bench that obviated bending.
- 3. The bricklayer could not be expected to lay brick without turning around or bending over unless he was provided with packs of bricks that could be lifted bodily

and placed upon the wall in units as large as could be economically handled.

4. The bricklayer could not be expected to do away with those motions that are necessary to remove the lumps from under a brick if there were holes in the sand screen and no pug mill to break up the lumps.

It is most important that the workman should be given "handy conditions" under which to work, that is, the "most comfortable," or those that require the "least percentage of rest" to overcome fatigue.

Examples. — 1. The bricklayer must obviously have a scaffold to stand upon that permits adjusting the height of the platform on which he stands to a standard distance below the top of the ever-growing wall on which he is laying the brick. We have found that the best height is from twenty-four to thirty-two inches below the top of the wall. If the wall is being laid overhanded, the height should not be over twenty-four inches, while if the wall is not being laid overhanded, thirty-two inches is the better height.

It is obvious that the bench from which the stock is picked up should be maintained at a standard distance above the platform on which the man stands. Also the platform on which the laborer walks should be located at the standard distance below the stock platform that will enable him to deposit the brick and mortar in a manner that will cause the least fatigue. Therefore, the three platforms for bricklayer, stock, and tender should be

fixed with relation to one another, and movable in relation to the top of the wall, capable of being hoisted as the wall grows without stopping or disturbing the men.

- 2. The elevator for hoisting the brick and mortar should always be arranged so that it can, when desired, land above the top of a staged wall, and thus the brick and mortar can be wheeled down to the scaffold on the floor below. Then the tenders can wheel down with full loads and wheel the empty barrows up to the floor above.
- 3. Make a table, barrel, or box to put near the work-man, no matter what his trade is, so that he will not have to stoop over and pick up his tools. Provide something to lean his shovel against or to hang his shovel on when he is alternately shoveling and wheeling to cut down time and to reduce the fatigue of stooping over and picking up the shovel.

The motions to be used and to be avoided are largely determined and affected by the appliances used; therefore for the highest outputs the right appliances must be devised, standardized, used, and maintained, otherwise the motions cannot be standardized. Furthermore, it is much easier to standardize motions with standard appliances than without them.

### CLOTHES

The clothes that the workman wears may be a hindrance or a help to him in his work. Tight or ill-fitting clothing may restrict motions. Fear of ruining clothing may seriously cut down the speed of the worker. On the other hand, clothing designed and specially adapted to the work that the worker has to do may increase output to a surprising extent.

Not till the advantages have been appreciated of having working clothes made the subject of study from the motion-economy standpoint will manufacturers provide the garments needed. But they are only too anxious to meet every demand as soon as they are conscious of it. Once let the specialized clothes for the worker be standardized and they will be placed immediately upon the market in inexpensive, durable, and attractive shape.

As for their reception by the worker, as soon as he realizes that they increase his efficiency, and are a badge of specialization and not of servitude, he will be ready and glad to welcome them.

### COLOR

The stimulating effect of color upon workers is a subject to be investigated by psychologists. The results of their study should be of great benefit, especially to indoor workers. Motions could undoubtedly be made simpler by the proper selection of the color of painting and lighting in the workroom.

In our work we have to deal chiefly with color as a saver of motions. Color can be seen quicker than shape. Therefore, distinguishing things by their color is quicker than distinguishing them by the printing on them.

Examples. — 1. The various pipes in a pipe gallery

can best be recognized by painting them different colors.

- 2. The right-hand end of the packet is painted black, in order that when carried in the right hand of the laborer it can be placed so that the bricklayer can pick up each brick without spinning or flopping the brick in his hand.
- 3. Painting tools different colors, and also the place where they are to be placed in the drawer or the chest the same color, saves motions and time of motions when putting them away and finding them next time.
- 4. When low-priced men bring packages of any kind to higher-priced men to use or handle, the packages should always be painted, stenciled, or labeled with a distinguishing color on one end and on top. This will enable the low-priced workman to place the package in the manner called for on the instruction card with the least thought, delay, and motions. It will also enable the high-priced man to handle the package with no such lost motions as turning the package around or over.
- 5. Oftentimes the workmen who are best fitted physically for their work cannot read, or at least cannot read English. Even if they could, it would take some time to read the stenciled directions on the non-stooping scaffold to the effect that "this side goes against the brick wall." It will greatly reduce the number of motions to paint the side that goes next to the wall a different color from the side that goes away from the wall.

### ENTERTAINMENT

Music. — The inspiring and stimulating effect of music has been recognized from ancient times, as is shown by the military band, the fife and drum corps, the bagpipe of the Scotchman, down to the band that rushes the athlete around the track or across the field.

The singing of gangs at certain kinds of work, the rhythmic orders that a leader of a gang shouts to his men, and the grunting in unison of the hand drillers, show the unifying as well as the motion-stimulating effect of music and rhythm.

That some of the trades can have their motions affected in time and speed by music, to a point that will materially affect the size of their outputs, is a recognized fact.

Some of the silent trades have used phonography and musical instruments to entertain the men while they were working. It was found it paid the employer to furnish stimulating records at his own expense, so that the workmen would make more and quicker motions, rather than to permit the employees to furnish phonographic records at random at their own expense.

Reading. — Reading as a stimulus to output has been used with excellent results among the cigar makers.

It is also interesting to read in an article on "Three Months in Peonage" in the March, 1910, issue of the American Magazine, that story-telling may produce the same good results.

"The four packers under me," says the writer, a German white, who was working with peons at packing tobacco in Mexico, 'knew no greater joy than to listen to a fairy tale with the regulation princess and dragon, and if I could but tell them one, or one of their number did so, the work went twice as fast, and they were happy."

The excellent and direct effects of entertainment upon health, fatigue, etc., are subjects for the scientist to study and the planning department and the welfare worker to apply. The effects of entertainment upon output should be studied by the student of motion economy. This variable alone furnishes a vast field for investigation.

### HEATING, COOLING, VENTILATING

Heating, cooling, ventilating, and humidizing are closely allied, because all can be done with one and the same apparatus, and all greatly increase the workman's comfort, health, and possible number of motions.

Maintaining desired temperature in summer as well as winter by forcing into workrooms air that has been passed over heating or refrigerating coils has a great effect on the workman. Many factories, such as chocolate factories, have found that cooling the air for better results to the manufacturing process also enables the workers to produce more output—an output quite out of proportion to the cost of providing the air.

In many trades requiring great alertness and physical strength the proper heating and ventilating will allow the workman to dress in a costume specially adapted to his work, or to strip almost to the athlete's suit, with a consequent increased number and effectiveness of motions.

The degree of temperature and the percentage of humidity desired for each day of the year should be determined. The man in charge of the heating should receive no bonus for small consumption of fuel unless he also maintained the temperature and humidity called for on his instruction card.

The subjects of heating, ventilating, etc., are well covered by Mr. Hugo Diemer in his book on "Factory Organization and Administration." The proper time to consider these subjects is when the building is designed, but too often at that time the all-important question is,—How cheaply can the building be built? Ultimate saving will justify almost any conceivable first costs.

### LIGHTING

The subject of lighting has, indirectly as well as directly, a great influence upon output and motions, as upon the comfort of the eye depends, to a large extent, the comfort of the whole body.

The arrangement of lighting in the average office, factory, or house is generally determined by putting in the least light necessary in order that the one who determined the location of the light may be able to see perfectly. This is wrong. The best light is the cheapest. By that is not meant that which gives the brightest light. In fact,

the light itself is but a small part of the question. Go into any factory and examine every light, and you will notice that as a rule they are obviously wrong. A light to be right must pass five tests:

- a. It must furnish the user sufficient light so that he can see.
- b. It must be so placed that it does not cause the user's eyes to change the size of the diaphragm when ordinarily using the light.
  - c. It must be steady.
- d. There shall not be any polished surfaces in its vicinity that will reflect an unnecessary bright spot anywhere that can be seen by the eyes of the worker.
- e. It must be protected so that it does not shine in the eyes of some other worker.

The use of polished brass and nickel should be abandoned wherever it will shine in the worker's eye.

For work done on a flat surface, like the work of a book-keeper or a reader, the light should be placed where the glare will reflect least in the worker's eyes; where the work is like the examining of single threads, the relative color and figured pattern of the background, as well as good light, is important. This is obvious. So is nearly everything else in good management. Go into the buildings among the workers, the students, and the scientists and see how rarely it is considered. All of this is not a question of getting the most out of the light. Light in a factory is the cheapest thing there is. It is wholly a

question of fatigue of the worker. The best lighting conditions will reduce the percentage of time required for rest for overcoming fatigue. The difference between the cost of the best lighting and the poorest is nothing compared with the saving in money due to decreased time for rest period due to less fatigued eyes.

It is a similar case to the taxicab concerns—they charge their drivers with gasoline and tires and mileage, accidents, etc., but they furnish the lubricating oil free. The fallacy of the common practice of putting the lighting in the hands of the man whose merit is measured inversely as the coal bill is obvious.

The sub-variables involved make the problem as to exactly what lighting is most desirable difficult of solution. The proper solution will have such a beneficial effect, not only upon the man's work, but also upon his welfare, that no time or effort expended upon it can be too great.

# QUALITY OF MATERIAL

It is essential to the use of standard motions and the resulting large output that all material used shall be in exactly that state in which it can be most easily handled by the worker.

Examples.— 1. If there are lumps in the mortar, due to pieces of brick or shavings or lumps of lime, or cement or coarse pebbles in the sand, it is impossible for the bricklayer to do his best work.

2. If the sand is not selected with reference to the thick-

ness of joints, if the sequence of tiers and courses (see Figs. 15 and 16) and the thickness of joints is determined by the whim of the bricklayer on the lead, instead of by the planning department, it is out of the question to expect high outputs. On the other hand, if the material is of exactly that consistency with which it can be best handled, and the other conditions are determined on the instruction card, much better speed can be obtained.

- 3. When using cement mortar made of cement and sand and no lime, the bricklayer will do more and better work if a tender is kept on the stock platform tempering the mortar to just the right consistency for the bricklayers.
- 4. If the brick are all handled in packs on packets from the time that they arrive upon the job until they reach the bricklayer's hand, they will each be of better quality, due to there being little or no chipping from handling and throwing about. The bricklayer will then be saved the useless motions of picking up brick that are chipped and discarding them again, to be used only when laying in the filling tiers.

### REWARDS AND PENALTIES

The stimulus that rewards and penalties give motions is obvious. The discussion of reward and punishment would come under the head of compensation. It must be left to the cost reducing system to determine just what system of compensation will induce the men to do their swiftest, best work.

### SIZE OF UNIT MOVED

The most advantageous size of unit to use is a difficult problem to solve, and is often controlled by some outside factor. For example, the most economical size of brick has been determined by the cost and other conditions relating to the making and baking, and not by the conditions of handling and laying. When the conditions of laying are studied scientifically, as they are to-day, one is forced to the conclusion that, for the greatest economy, the size of common brick should be changed materially from that of the present practice in America. The usual size of the brick used in England is much larger than the customary size used here.

It is obvious that there is some size of unit that is the most economical to make the standard package for handling brick in bulk. We have found it to be ninety-two pounds for a first-class laborer, either for piling or loading and unloading brick from carts. (See Figs. 17 and 18.)

Careful examination of brickwork with the object in view of selecting the most profitable motions has entirely revolutionized the methods of bricklaying. For example, the size of unit that is picked up when loose brick are handled must be one brick for each hand. The packet enables us to pick up about eighteen brick at once.

The fountain trowel permits us to pick up and carry to the wall and spread mortar for twenty-one brick at one time without dropping the regular trowel which forms a temporary handle to it. (See Fig. 19.)




Fig. 17.—Two-horse carts with horses changed from the empty to the full carts will require fewer and cheaper motions than any other methods of transportation.




Fig. 18.—Loading carts with 90-pound packs of brick fed on gravity conveyors.

The two-wheeled trucket permits carrying twelve packets, or 216 brick (see Fig. 20), while the hod carries 18 brick, and the one-wheeled barrow carries 60 loose brick.



Fig. 19. — The Fountain Trowel for conveying and spreading mortar for 21 brick. The regular trowel forms a temporary handle for lifting and guiding it.

# SPECIAL FATIGUE-ELIMINATING DEVICES

Only the careful student of management realizes how much the speed of the worker can be increased by providing him with all possible aids toward doing his work.

Mr. Fred. W. Taylor, in his paper on "Shop Management," tells of a study he made of overhauling a set of boilers.

"He [the writer] did all of the work of chipping, clean-

ing, and overhauling a set of boilers, and at the same time made a careful time study of each of the elements of the work. This time study showed that a great part of the



Fig. 20. — The two-wheeled trucket for carrying 12 packs. This trucket is so perfectly balanced that it causes less fatigue than the ordinary wheel-barrow.

time was lost owing to the constrained position of the workman. Thick pads were made to fasten to the elbows, knees, and hips; special tools and appliances were made for the various details of the work. . . . The whole scheme was much laughed at when it first went into use, but the trouble taken was fully justified, for the work was better done than ever before, and it cost only eleven dollars to

completely overhaul a set of 300 horse-power boilers by this method, while the average cost of doing the same work on day work without an instruction card was sixty-two dollars."

In reading this, it must be remembered that the fatigueeliminating devices were only one element in increasing speed and reducing costs. But, on the other hand, it must be remembered also what a large element they were in adding to the comfort and ultimate well-being of the worker.

#### SURROUNDINGS

"Surroundings" have been previously discussed under "Fatigue," "Appliances," etc. It is only necessary to say here that the surroundings of the worker should be standardized, the standard being derived from a study of all the variables.

It is obvious that the highest possible records of output cannot be obtained unless the workers are furnished with a standard instruction card made out by the best man obtainable, one who knows more about their work than they do, and who can, and does, provide them with standard conditions that fulfill the most economical conditions of motions. Even then daily outputs and unit costs must be watched, so as to take advantage of the slightest change of conditions that affect costs. In practice, the unit costs must always also include the wages of the recorder, otherwise one cannot tell when the wages of the recorders are not deceiving as to actual unit costs under this intensive management.

#### Tools

The influence of the tools used upon the output is large. No workman can possibly comply with standard motions unless he has the standard tools. No worker should ever be obliged to furnish his own tools, if large output is expected. When workmen are obliged to furnish their own tools (due to their having too much thrift, lack of money, or fear of having them stolen), they usually use one size only of the same kind of tool. On many kinds of work greater output can be obtained by using two or more sizes of a tool.

Example. — The bricklayer should use a smaller trowel on pressed brick and a larger trowel on common brick.

Again, where workmen furnish their own tools, they use them after they are too much worn. A shovel with a worn blade will require several motions to push it into the material to fill it. It is cheaper in this case to cut off the handle of the shovel, so that the men cannot use it. Where no records are kept of their individual outputs the men always choose the shovel with the small blade.

It is especially important that apprentices should be supplied with proper tools. According to the usual practice the apprentice is taught with any tool procurable. He becomes adept and skilled, but often becomes so accustomed to the poor tool he has used that he finds it difficult to adapt himself to the use of a better new tool. This seriously hinders his complying with demands for standard quantities of output.

Tools should be of standard size and pattern. Workmen should invariably be made to use a tool that will enable them to make standard-sized outputs instead of using a tool that may seem "handier" to them. You cannot expect a man to comply with standard motions unless he has the standard tool for which his standard instruction card was made out.

The customary method in the past for determining the best weight of tool to use was to guess at it, and to use that size of tool which was thought to be the "handiest," or which it seemed could be used with the least fatigue.

Makers of hand tools cater to the whims of the local workmen, and, as a result, hand tools are made of many different designs in different parts of the country. Makers spend and waste great sums of money making experiments and conducting selling campaigns of odd or new designs of tools that have no merit from a motion-economy standpoint. There should be a bureau of testing, where the actual value of new shapes, designs, and sizes of tools could be tested and rated in percentages of efficiency from the standpoint of motion study.

Critics will say that such a scheme will crowd out new designs, and the benefit of the individual's inventions will be lost. But it would not; on the contrary, the testing would give great stimulus to inventors, designers, and tool makers, for they could then obtain the immediate attention of the buyers, because they would have the standard stamp of merit that comes from the record of a test that excelled previous standards.

We have testing stations for everything else. Think what the societies for testing materials have done for the progress of the world! Their records are usable forever, in any part of the world, once they are made.

When machines have to be tended, two separate sets of motions must be provided for:

- 1. The set that the worker uses when he is tending the machine.
- 2. The set that the worker uses to prepare tools and material for the machine while it does not require his attention.

All machines have to be tended more or less. Even automatic machinery has to have attention, and it is most important here to have motion study, because of the earning value of the machine being lost while it is shut down.

One sees occasionally a machine that can have any and every lever operated without the operator taking a single step, but comparatively few machines are constructed with this in mind.

Machines requiring constant starting and stopping and hand feeding or adjusting should have their various levers so positioned that the "laws of least effort of simultaneous motions" are complied with.

These laws will be discussed under "Variables of the Motion." It is only necessary to say here that motions should be similar on each side of a fore and aft vertical

plane passing through the body. It is so necessary to have the motions similar that often counterbalances and springs can be installed to reverse the motion, thus also causing the hardest work to be done in the most convenient direction.

Anything that is used very often can be returned to place better, as well as with less motions, by gravity, or by the application of the gravity by some such means as a string and a weight. It requires some skill to use a wrench, but it requires no skilled motion or thought to return the wrench to its exact resting place with handle pointing in the most economical direction for picking up the next time it is used.

The average machine to-day is designed for a short demonstration of quick output, with less regard for the least percentage of rest required for overcoming fatigue due to continuous operation. With demand will come supply of machines that fulfill all economical motion requirements.

# Union Rules

The local rules of some unions are sometimes a hindrance to standardizing motions and thereby increasing output. The higher wages from higher outputs under intensive management soon convert the desirable members, however.

Many unions believe that extremely high outputs per man are against the interests of the union as a whole, on the theory that they may "work all of their members out of a job." Furthermore, they often think that the sacrifice that their one union may make in the world's endeavor to reduce the cost of living generally, is not properly offset by having any one trade or any one locality practicing intensive outputs. A few practical object lessons of the general increase in business resulting from higher wages and simultaneously created lower-production costs will, however, always convince the most prejudiced believer in artificially restricted maximum outputs.

The compensation of workers will not be discussed here, although the basis of compensation does affect motions.

### WEIGHT OF UNIT MOVED

Generally speaking, the weight of the unit moved is of three kinds:

- 1. The weight of that part of the body that is moved.
- 2. The weight of a tool used, such as a hammer or a trowel.
- 3. The weight of material used, such as a brick, or the mortar on the trowel.

Other things being equal, the less of the body moved the less fatigue.

The weight that the tool should be is determined by the use of the tool. In the case of a sledge hammer, increased weight means increased efficiency. A twenty-five pound sledge might break a block of granite in halves in five blows, while a ten pound hammer might require one hundred blows. In the case of a trowel, increased weight means decreased efficiency. The heavier the trowel, the greater the fatigue — with no accompanying gain in output.

We have determined that a cutting-out hammer for brickwork should weigh, exclusive of the handle, 3.75 pounds, but that a hammer for drilling plug holes in granite, for making dog holes in heavy stone blocks, should weigh 4 pounds.

The weight of units moved should be standardized.

Example. — There is undoubtedly a certain sized load in a shovel that will enable a first-class man to accomplish the largest output with his maximum effort. Taylor has found his weight to be 21.5 pounds. The size of shovels that should be used should therefore be designated on the instruction card accordingly, and exactly 21.5 pounds should be the standard unit of weight of material shoveled.

### SUMMARY

This discussion of the variables of the surroundings, etc., is not detailed — because general discussion is self-evident, and detailed discussion must be too specialized to interest the general reader.

It is only necessary to call attention to the general laws, logical and psychological, which underlie these variables, and their effect on standardizing motions. Each student naturally applies these laws to his own field, and sees for himself the opportunities for further study and application.

#### CHAPTER IV

#### VARIABLES OF THE MOTION

A discussion of variables of the motion opens up a field so large that it is only possible here to attempt to show the method of investigation, and to show that each variable is a necessary factor in making motions standard, leaving to the universities and to properly created and equipped bureaus of the national government the task of reducing motion study to an exact science.

### ACCELERATION

In considering acceleration of speed as an element of any motion, we must determine:

- I. The amount of acceleration that it is possible or economical to obtain.
- 2. The means by which the acceleration can be obtained.
- 3. The effect of the acceleration on
  - a. Economy in time required to make the motion.
  - b. Economy in time required for rest to overcome the fatigue of having made the motion.

Examples. — 1. Laying brick on a wall from a floor, from the height of the floor level up to three feet eight inches high above the floor, can be done with greatest speed

when the brick to be picked up are each maintained at a height of one foot three inches, plus two-thirds the height that the wall is higher than the level of the floor on which the bricklayer stands. The brick to be picked up should never be higher than three feet eight inches under any circumstances.

By maintaining the height of the brick to be laid in this relative position to the height of the wall, the brick will always be in a position that permits the bricklayer to accelerate the speed of transportation of the brick by using the path of the quickest speed.

While bricklayers know nothing about this in theory, they very soon discover it in practice by means of their higher recorded output. Greater outputs will be noticeable as an immediate result of maintaining the brick as nearly as possible at the heights above stated.

2. In laying the filling tiers in any one course, it is most economical to lay the farthest filling tier first and the next farthest tier second, and so on. This enables the brick-layer to accelerate the speed of transportation of the brick up to the instant that it is deposited in the mortar.

The above practice is, of course, much more important on shove-joint work than on brick-and-brick construction.

3. The possible benefits from acceleration should be taken into consideration when determining the sequence in which the tiers shall be laid. The position of the feet of the bricklayer is an important factor in obtaining the acceleration desired. For the best results the feet should

be on separate springy planks, so that the transportation of the brick can be speeded up, in addition to the speed of the arms by simply throwing the body by the aid of the spring of the plank. (See Fig. 13.)

#### AUTOMATICITY

Nearly all often-repeated motions become automatic. This is especially true of motions that require no careful supervision of mind or eye.

The automaticity of motions is of great assistance to the worker whose training and methods conform to standardized motions. This fact makes it necessary to have the apprentice taught the right motions first, last, and always.

The automaticity of motions is a hindrance to the worker who has been accustomed to old-fashioned surroundings, equipment, and tools, and who must adapt himself to standard surroundings.

Example.—A remarkable example of making unnecessary motions as a matter of habit is noticeable in places where the local bricklayers have been accustomed to laying brick that have a decided difference in the top and bottom. This difference makes it necessary to lay no brick upside down on the line. When these bricklayers first worked from packets with the brick in the right position to seize right-side up, they would invariably flop and spin each brick in their hands, first wrong-side up and then back again to the original right-side-up position.

The worker who has been trained wrong also finds it difficult to change his habits when he conforms to standard methods.

Example. — Occasionally we find the bricklayer who will spin or flop a brick that is to be laid in the middle of the wall, although it makes no difference which face of the brick is uppermost in these tiers.

The best way to cure motions that are not necessary but that are made from force of habit is to count the motions aloud, endeavoring to keep down to the standard number of standard motions.

When work is done by both hands simultaneously, it can be done quickest and with least mental effort if the work is done by both hands in a similar manner; that is to say, when one hand makes the same motions to the right as the other does to the left.

Most work is accomplished when both hands start work at the same time, and when the motions can be made at the same relative position on each side of a central fore and aft vertical plane dividing the worker's body symmetrically.

Even if motions cannot be planned to be similar for each hand and performed simultaneously, the plane in which the work is to be done should be carefully located.

If motions are so arranged as to be balanced, as suggested, it is possible not only to take advantage of automaticity, but also to cut down jar to the body. It is on this well-known principle that the shockless jarring machine is built. Balanced motions counteract each other. The result is, less bracing of the body is necessary, and less fatigue ensues.

# COMBINATION WITH OTHER MOTIONS, AND SEQUENCE

A motion may be combined with motions that are (a) similar to it, and (b) dissimilar to it.

(a) If the motions combined are similar to it, advantage must be taken of the automaticity. Care must also be taken that all the motions made in a series of similar motions are necessary. Sometimes one effective motion is preferable to several not so effective.

Examples.— 1. When tapping a brick down to grade with a trowel, one brisk tap will do the work as well as several light taps, and with much less time and effort.

- 2. If it is necessary to spread mortar on a face tier, one stroke of the trowel will do the work as well as several.
- (b) If the motions combined are dissimilar, two motions may often be transformed into one.

Example. — The motion used to spread mortar may be combined with the motion used to butter the end of the brick laid just before the mortar was thrown. Thus, the two operations may be transformed into one, and a saving of time and motions will result. In fact, so doing may have other distinct advantages, such as leaving better keying for plastering direct upon the wall.

This subject of combinations of motions can barely be

touched here. Its full treatment involves all other variables, and it can never be considered standardized till each separate motion is a standard.

#### Cost

The cost of motions, absolute and relative, is a subject too large for any person, firm, or corporation to hope to cover. If complete data are ever to be gathered on it, the cost keeping, recording, and deducing will have to be done by the government.

But all work done by the individual investigator will result in real cost reducing, with increase of output, which is the ultimate purpose of all motion study.

The relative cost of labor and material must be considered.

Examples. — 1. A bricklayer should never stop to pick up dropped mortar. The mortar dropped is not so valuable as the motions necessary to save it.

- 2. That quality of mortar that is easiest handled by the bricklayer is usually cheapest. The cost of grinding up the lumps in the sand, cement, and lime is less than the cost of the motions necessary to pick the lumps out with a trowel.
- 3. It is usually cheaper to fill a closer, say less than one-half a brick in size, on the interior tiers, with even the best of cement, than it is to cut a special piece of brick to fit or to walk a few steps to find one the right size. The extra cost of the mortar is negligible compared with the cost of the motions.

The relative cost of motions of higher and lower grades of labor must also be considered.

It is obvious that, other things being equal, it is cheaper to have a low-priced man instead of a high-priced man make the same motion; but only the most careful study can determine all of the motions that could be taken from the high-priced man and allotted to one or more grades of lower-priced men. This can never be wholly or properly accomplished until our present trades, with their inherited conditions and traditions, have been reclassified to meet modern conditions.

In some trades it is very difficult to effect such division of work, as unions are opposed to having anything relating to skilled work done by laborers.

Examples. — 1. In the most highly unionized districts carpenters only are allowed to unload the rough lumber from the cars, and none but carpenters are allowed to transport, lift, and erect, as well as to fabricate it.

2. In bricklaying the case is slightly different. The work of transporting the brick to the place where they are to be laid has always been done by tenders and laborers. The bricklayer never wheels or carries brick. This is a tradition long handed down. Yet he is most jealous that no part of his own work shall be done by a tender or a laborer.

During the time that brick construction was practically without competitors in its field, the bricklayer could insist on his ancient privileges and prosper. The inroads of concrete, both plain and reinforced, however, have changed conditions, and the bricklayer himself is, more than any other one factor, the cause of many cases of substitutions of concrete for brick.

The architecture of any country is determined by the relative cost of building materials in place, and the history of the world shows that the way to get the most of any one thing used is to make it the lowest in price.

The one thing that will reduce the price of brickwork more than any other is to reduce the cost of the motions.

After the laws underlying motion study have all been applied, the cost of motions can still be reduced from one-third to one-half by separating the motions of the brick-layer into at least two classes, such as, for example:

- 1. Those that require skill.
- 2. Those that require nothing but strength, endurance, and speed.

Those that require skill should be divided into several classes, according to the amount of skill required; those that chiefly require skill should be handled by mechanics, and those that chiefly require strength, endurance, and speed should be handled by specially trained laborers. This is the only way to enable brickwork to compete with concrete, when all of the architects, engineers, owners, and contractors shall have learned the full possibilities of concrete.

It will be urged that such division of the work of bricklaying will lower the general skill of the bricklayers as a class. Far from it! All operations requiring skill will remain in the hands of the bricklayer, who, escaping all work that unskilled hands could do, will have the more time and energy to devote to the "art" element of his work.

But we are not at this time discussing "brickwork as a lost art" — we cite bricklaying here as an example of the cost of motions, the result of the effects of cost of motions, and of the possibilities and importance of motion study as a method of attack in cost reducing and in standardizing the trades for the greatest possible economy.

What greater service can the bricklayer do both his trade and the people who own or occupy houses than to reduce the cost of the motions in brickwork without reducing his own wages or increasing his hours?

The elimination of wastes is the problem that has been forced to the attention of the entire world to-day, and of America particularly. The elimination of wastes in the trades offers the largest field for savings.

Every trade must be reclassified, and must have the brawn motions separated from the skill motions. Scientific division of the work to be done is as sure to result in higher wages and lower production costs as did F. W. Taylor's separating the planning from the performing.

The reason that our country is not astounded and confused at the appalling unnecessary loss to its inhabitants on account of unnecessary, wasteful, and improper motions of its workers is due to ignorance of the existence of this loss, and to ignorance of any method of eliminating it.

The loss due to the present classification of the trades alone is probably more than sufficient to pension, under full pay, one-half of the workers of the country; is certainly enough to enable all of the women and children in the trades to remain out of the trades and be paid at their regular wages.

While such action is not even recommended, the illustration is used to emphasize the enormous waste going on daily and yearly.

That we go on year after year submitting to this waste because our present trades are handled in accordance with ancient conditions entirely out of place in our present civilization, is no longer necessary and without excuse.

Let the government call its scientific managerial experts together and make a test of one trade, reclassify it, and publish the data. The object lesson thus presented will cause to be taken the necessary further steps to remedy the present system of handling the trades. The workers will each be able to earn higher wages when the unions see that they are benefited, and the labor interests will coöperate. The cost of living will be reduced as by no other means, and all this by scientifically reclassifying the trades!

### DIRECTION

In most cases, the direction of a motion that is most economical is the one that utilizes gravitation the most.

Oftentimes delivering material to a high-priced work-

man by leaving the material in a high position also makes easy unloading for the low-priced workman.

Example. — Stacking up packs 2 feet high saves motions, and saves stooping when the laborer unloads his trucket. (See Fig. 21.)

"Direction" admirably serves as an illustration of the




Fig. 21.—Trucket for storing reserve packs stacked up 2 ft. high, to save stooping when it is being unloaded.

close interrelation of the variables. It is closely connected with "path." It involves discussions of anatomy, acceleration, and speed. It demands consideration of all variables of surroundings, equipment, and tools.

The best "direction of motion" is not only important in itself for increase of output; it must also be kept constantly in mind in standardizing the placing of both materials and men.

#### EFFECTIVENESS

Effectiveness has been touched upon in discussing "combination with other motions."

An effective motion is one that produces the desired result. Oftentimes whole processes, methods, and operations can be so changed as to make the succeeding motions much more effective.

Example. — The introduction of the fountain trowel,



Fig. 22. — The Fountain Trowel.

used in connection with an ordinary trowel, made each motion in handling mortar much more effective. (See Figs. 19, 22.)

# FOOT-POUNDS OF WORK ACCOMPLISHED

After all, a human being or a work animal is a power plant, and is subject to nearly all the laws that govern and limit the power plant. It is a law of motion study that, other things being equal, the less number of footpounds of work done by the workman, the smaller percentage of working hours he must devote to rest to overcome fatigue.

It is therefore of great importance in obtaining the largest possible output that the work shall be so arranged and the workman so placed that he can do his work with the least possible amount of foot-pounds of work done per unit of output accomplished. This is where the philanthropic employer has often been rewarded without knowing it. In his desire to make conditions such that the workman was most comfortable while working, he reduced the number of foot-pounds of work to that which was absolutely necessary to do the work. He surrounded the workman with conditions that enabled him to have no fatigue, except that which was acquired from the motions of the work itself. He made conditions such that the workman was enabled to overcome the fatigue from his motions in the quickest possible time. (See Fig. 23.)

### INERTIA AND MOMENTUM OVERCOME

There are two ways by which the amount of inertia and momentum may be reduced.

1. By standardizing surroundings and equipment so that the inertia and the momentum are limited to practically that of the materials, and not the materials plus arms and body. Example. — Picking up ninety pounds of brick at one lifting.

2. By so standardizing motions that as few starts and stops as possible occur from the time the material leaves the stock pile till the time it is in its final resting place in the work.

Example. — In laying brick by the "pick-and-dip" method on face tiers, a brick is lifted in one hand and a trowel full of mortar in the other. The brick must come to a full stop in the bricklayer's hand while the mortar is being laid and the bed prepared, and then move to its final resting place, unless brick and mortar are dropped in two different places.

In laying brick by the "stringing-mortar" method, the mortar is laid and the bed prepared before the bricks are lifted. The brick are conveyed from the pack to the wall without interruption or delay.

Standard methods of performing work may enable the worker to utilize the momentum.

Example. — If the bricks are conveyed from the stock platform or pack to the wall with no stops, the momentum can be made to do valuable work by assisting to shove the joints full of mortar. If, instead of being utilized, the momentum must be overcome by the muscles of the bricklayer fatigue, not full joints, will result.

The ideal case is to move the brick in a straight path and make the contact with the wall overcome the momentum.

#### LENGTH

A general rule of motion economy is to make the shortest motions possible.

Eliminating unnecessary distances that workers' hands



Fig. 23.—Common type of Trestle Horse Staging. Bricklayers cannot be expected to lay as many brick per day when working in this position as when standing up between a wall and a stock platform, each 2 ft. high.

and arms must travel, will eliminate miles of motions per man in a working day as compared with usual practice.

Example. — Put the wheelbarrow body as close as possible to the pile that is to be put into it, so that the distance the packets are carried from the pile to the barrow,

or the sand from the pile to the barrow, will be the shortest distance possible.

Of the necessary distance to be walked or reached, have as much of it as possible done by the low-priced man, and have as little of it as possible done by the highpriced man.

Example. — With brick, have the tender put the pack of brick as near the final resting place of the brick as conditions will permit, so that when the high-priced man picks up a pack of, say, eighteen bricks, he requires a short motion only.

Have the high-priced worker always use first the stock that is nearest, this rule requiring the shortest motions in conveying the stock to its final resting place.

Example. — In picking up brick from a packet or a scaffold the nearest brick should be picked up first. The brick that are farthest away serve as a reserve stock pile, to be picked up only in the emergency of not having any others nearer to pick up. It may be that the brick farthest away may not need to be used on that piece of work at all, or at least their place will not be occupied so many times by bricks to be transported with longer motions.

Standard tools, equipment, and surroundings are essential if length of motions is to be made standard.

As already said when discussing clothes, the workman of the present should have even his overalls, belt, and clothes so designed that they will hold the different kinds of tools that are oftenest used, so that they may be picked up in the shortest time — that is, with pockets for nails, clips, clamps, etc. The tools should be so placed that the least and shortest motions can be used after they are picked up, as cartridges are placed in a cartridge belt.

#### NECESSITY

The necessity of the motion is such an important variable that an investigator is tempted at first glance to divide all motions into necessary and unnecessary, and to eliminate with one stroke those that appear to him unnecessary. A more thorough investigation will be apt to prove that no such summary elimination is advisable.

A motion may be an unnecessary motion in a necessary sequence, or it may be a necessary motion in a certain sequence, but the whole sequence may be unnecessary or inadvisable.

Example. — In opening a paper bag of cement the average untrained laborer usually cuts the bag in two and removes the paper in several pieces and with many motions. The correct way is to cut the bottom with a shovel and pull the bag upward in one piece by grasping the bag just above the string.

This example shows both how motions may be unnecessary in themselves and how they may belong to a sequence that is unnecessary.

The only final solution as to the necessity of a motion will come when the trades are completely standardized.

It is impossible to determine whether or not a motion is absolutely necessary until the method of doing the work in which it is used is standard.

Examples.— 1. Motions which were relatively proved necessary in laying brick by the "pick-and-dip" method or "stringing-mortar" method, the brick being lifted from the stock platform, became absolutely unnecessary when the "packet-on-the-wall" method of handling brick was adopted.

2. The same thing is true of motions eliminated by handling mortar in a fountain trowel.

The final solution of the problem of necessity of motions will be discussed later, though the subject is so large that no amount of discussion could do more than touch it.

# PATH

The determination of the path which will result in the greatest economy of motion and the greatest increase of output is a subject for the closest investigation and the most scientific determination. Not until data are accumulated by trained observers can standard paths be adopted. The laws underlying physics, physiology, and psychology must be considered and followed. In the meantime, merely applying the results of observation will reduce motions and costs and increase output to an amazing degree.

The path most desirable is usually that which permits gravitation to assist in carrying the material to place.

Example. — We have found that the most economical height for laying brick is twenty-four inches above where the bricklayer stands, while it is most economical to pick the brick from a height about three feet above where the bricklayer stands; that is, about one foot higher than the top of the wall where the brick is to be laid.

The path is affected by the direction that the material is to be shoved as it moves into its final resting place.

Examples. — When the packet is placed on the wall it should be placed so that the brick can be picked up and moved in a comparatively straight line with the direction that the brick will be shoved for filling a joint.

In theory the ideal path would be in a line of quickest speed from the stock platform to the wall.

In practice it is seldom that the most economical path for carrying a brick or mortar from the stock platform to the wall is exactly a straight line from one to the other. It will generally be most economical to move the brick in the path that will bend the arms the least and that will permit almost a swing from the shoulder.

# PLAYING FOR POSITION

Each motion should be made so as to be most economically combined with the next motion, like the billiard player who plays for position.

The direction in which a motion is made may affect the time required for a subsequent motion.

Example. - In laying brick the motion of placing the

mortar for the end joint can be done quickest if it is done in the direction of the next motion, such, for example, as the next motion that puts the trowel in the position to cut off the hanging mortar.

The sequence of motions in bricklaying, that determines when the particular motion is to be made that puts the mortar in the end joint, depends upon whether the "pickand-dip" or the "stringing-mortar" method is used.

When the motions are made in the correct sequence, many of them can be combined so that two, and in some cases three, motions can be made as one motion, in but little more time than is required for one motion.

Example. — Cutting off mortar, buttering the end of the laid brick, and reaching for more mortar all as one motion, in the "pick-and-dip" method.

## SPEED

Usually, the faster the motions, the more output. There are other advantages to speed of motions besides the fact that they require less time. Speed increases momentum, and this momentum may be utilized to do work.

Example. — The momentum of the brick helps to shove the mortar better into the joint.

Again, high outputs are generally the result of the habit of speed in motions. Habits of speed are hard to form, and they are hard to break.

Next to fewest motions, speed of motions is the most important factor of high record of outputs.

The list of variables here given makes no claim to being complete. The field of study is so immense that it is impossible as yet to give a complete and detailed method of attack.

It will be noted in reading the discussion of the variables that it has been found extremely difficult to handle each one separately. It is needless to tell the student, the investigator, the cost-reducing manager, that, difficult as the task is, for the best results each variable must be studied alone. The effects of all variables but one must be eliminated, or, better perhaps, all variables but one must be maintained constant.

Quicker results may often be obtained by studying several variables simultaneously, and for short jobs this may be advisable. But for long jobs of repetitive work there is no way so accurate and satisfactory as studying one variable at a time.

## CHAPTER V

# PAST, PRESENT, AND FUTURE OF MOTION STUDY

## WORK ACCOMPLISHED

Considered in relation to the time during which it has been applied to the trades, scientific motion study can show most satisfactory results.

The workers in the field as well as in the office have been quick to appreciate and adopt the new methods suggested by motion economy.

This has been especially the case in the crafts. Nearly every proficient workman loves his trade. He loves the joy of achievement. He can achieve most when useless motions have been eliminated for him, and he welcomes improvements, as the bricklayers have welcomed the brick coming right side up on the packet.

# MAGNITUDE OF WORK TO BE DONE

To the casual reader it may seem that the task of evolving standard practice from usual present practice, and from the best practice, is simply a case of observing, recording, and eliminating. The student will see that it requires the closest concentration to do even the necessary scientific observing and recording, while to deduce and

systematize standard motions for any one trade would furnish a life work for several trained scientists.

It is a difficult task for an inexperienced or untrained observer to divide an operation correctly into its motions. Enumerating the variables that affect each motion is a task big enough to satisfy the most ambitious student of waste elimination.

#### VALUE OF CHARTS

We have found it helpful in recording our observations to use charts. Some such form as that shown on pages 88 and 89 is used.

This chart is one made during an observation of bricklaying before the invention of the packet, the packet scaffold, and the fountain trowel.

The operation of laying a brick was divided into the motions of which it consisted (column 1). The usual (present) practice of the time (given as "the wrong way," column 2) showed the units into which the operation was divided. The best practice of the time ("the right way," column 3, now obsolete) was charted in such a way that its relation from a motion standpoint to the usual practice was clearly shown.

Column 4 shows how the usual practice may be transformed into the best practice. It would serve as an instruction card to the workman, showing him not only where his method needed to be improved but also exactly how to improve it.

SAMPLE CHART USED ON PICK-AND-DIP METHOD, EXTERIOR BRICKWORK, BEFORE THE DAYS OF THE PACKET

Operation No.	The Wrong Way, Motions per Brick,	The Right Way, Motions per Brick,	Pick-and-Dip Method. The Exterior 4 inches (Laying to the Line).
H	Step for mortar	Omit	On the scaffold the inside edge of mortar box should be plumb with inside edge of stock platform. On floor the inside edge of mortar box should be 21 in. from wall. Mortar boxes never over 4 ft. apart.
CH	Reaching for mortar	*	Do not bend any more than absolutely necessary to reach mortar with a straight arm.
ю	Working up mortar	Omit	Provide mortar of right consistency. Examine sand screen and keep in repair so that no pebbles can get through. Keep tender on scaffold to temper up and keep mortar worked up right.
4	Step for brick	Omit	If tubs are kept 4 ft. apart, no stepping will be necessary on scaffold. On floor keep brick in a pile not nearer than 1 ft. nor more than 4 ft. 6 in from the wall.
ıs	Reach for brick	Included in 2	Brick must be reached for at the same time that mortar is reached for and picked up at exactly the same time the mortar is picked up. If it is not picked up at the same time, allowance must be made for operation.
9	Pick up right brick	Omit	Train the leaders of the tenders to vary the kind of brick used as much as possible to suit the conditions; that is, to bring the best brick when the men are working on the line.
7	Mortar box to wall	*	Carry stock from the staging to the wall in the straightest possible line and with an even speed, without pause or hitch. It is important to move the stock with an even speed and not by quick jerks.
00	Brick pile to wall	Included in 7	Brick must be carried from pile to wall at exactly the same time the mortar is carried to the wall, without pause or jerk.

1110.	, 110	COLL	11, 111	I I	OIC	ILL	OI III	CIL	011 01	
If pause is made, this space must be filled out. If no pause is made, it is included in No. 7.	The mortar must be thrown so as to require no additional spreading and so that the mortar runs up on the end of the previous brick laid, or else the next two spaces must be filled out.	If the mortar is thrown from the trowel properly, no spreading and no cutting is necessary.	If mortar is not cut off, this space is not filled out. If mortar is cut off, keep it on trowel and carry back on trowel to box, or else butter on end of brick. Do not throw it on mortar box.	Fill out this space if the brick is held still while mortar is thrown on wall. When the brick is laid on mortar it presses mortar out of joints; cut this off only at every second brick. It takes no longer to cut mortar off two bricks than one	Second blees, at takes no longer to cut moreal on the pieces than one.	When this mortar is cut off it can be used to butter that end of the last previous brick laid, or it can be carried on the trowel back to the box.	If the mortar is of the right consistency, with no lumps in it, and the right amount is used, and the bricks are as wet as possible without having them run, no tapping with the trowel will be necessary.	If the brick must be tapped, hit it once hard enough to hammer it down where it belongs. Do not hit the brick several light taps where one hard tap will do.	Do not cut off the mortar oftener than every second brick, and, when you do cut it off, do not let it fall to the ground; save it; keep it on the trowel, and do not make another motion by throwing it at the box. Carrying it to the box does not count as another motion.	Total number of motions per brick.
Included in 7	Omit	Omit	Omit	**	Every 2d 1/2	Butter end 44	Jount	Omit	Omit	41/2
Deposit mortar on wall	Spreading mortar	Cutting off mortar	Disposing of mortar	Laying brick on mortar	Cutting off mortar	Disposing of mortar	Tapping down brick	Cutting off mortar	Disposing of mortar	1.8
0	01	п	1.2	13	14	1.5	16	17	18	

This chart, together with a plan showing the workman where he should put the stock and where he should place his feet (Fig. 14), and with pictures showing how he should lay the brick, etc., proved most successful for instruction as well as for recording.

At first glance this chart, and the others like it, which we used at that time, seem very crude. In fact, compared to what has since been done to standardize operations, they are crude. But they mark a distinct phase of motion study. They show plainly, as careful reading will prove, that an earnest study of motions will automatically promote the growth of the study.

For example, study of column 4 in the sample chart given led to the invention of the packet scaffold, the packet, the fountain trowel, and several other of the best devices, and the "packet-on-the-wall" method now used in brickwork.

These inventions in their turn necessitated an entirely new set of motions to perform the operation of laying a brick.

So, likewise, the progression also went on before the days of conscious motion study: observation, explanation, invention, elimination, and again observation, in an upward helix of progress.

The great point to be observed is this: Once the variables of motions are determined, and the laws of underlying motions and their efficiency deduced, conformity to these laws will result in standard motions, standard tools,

standard conditions, and standard methods of performing the operations of the trades.

Conformity to these laws allows standard practice to be attained and used. If the standard methods are deduced before the equipment, tools, surroundings, etc., are standardized, the invention of these standard means is as sure as the appearance of a celestial body at the time and place where mathematics predicts that it will appear.

It is as well to recognize first as last that real progress from the best present method to the standard method can never be made solely by elimination. The sooner this is recognized the better. Elimination is often an admirable makeshift. But the only real progress comes through a reconstruction of the operation, building it up of standardized units, or elements.

It is also well to recognize the absolute necessity of the trained scientific investigator. The worker cannot, by himself, arrange to do his work in the most economical manner in accordance with the laws of motion study. Oftentimes, in fact nearly always, the worker will believe that the new method takes longer than the old method. At least he will be positive that many parts, or elements, of the process when done under the new method take longer than under the old style, and will not be in sympathy with the scheme because he is sure that the new way is not so efficient as his old way. All of which shows that the worker himself cannot tell which are the most advantageous motions. He must judge by the fatigue that he feels, or

else by the quantity of output accomplished in a given time. To judge by the quantity of output accomplished in a given time is more of a test of effort than a test of motion study, and oftentimes that element that will produce the most output is the one that will cause the least fatigue.

The difference in amount of merit between any two methods can perhaps be best determined by timing the elements of the motions used in each. This is the method of attack usually accepted as best, because it separates each motion into its variables and analyzes them one at a time. It is out of the question to expect a workman to do such timing and to do his work at the same time. Furthermore, it is an art in itself to take time-study observations, an art that probably takes longer to master than does shorthand, typewriting, telegraphy, or drafting.

Few workers have had an opportunity to learn the art of making and using time-study observations, because our school educators have not had any mental grasp of the subject themselves. Add to the difficulties to be overcome in acquiring the knowledge of observing, recording, and analyzing the time-study records, the knowledge necessary to build up synthetically the correct method with each element strictly in accordance with the laws of motion economy each by itself and when used together in the particular determined sequence, and you will see the reason why the worker by himself has not devised, cannot, and never will be expected to devise, the ultimate method of output. It does not then, after all, seem so

93

queer that the workman's output can always be doubled and oftentimes more than tripled by scientific motion study. Again, scientifically attained methods only can become Ultimate methods.

Any method which seems after careful study to have attained perfection, using absolutely the least number of most effective, shortest motions, may be thrown aside when a new way of transporting or placing material or men is introduced. It is pitiful to think of the time, money, strength, and brains that have been wasted on devising and using wonderfully clever but not fundamentally derived methods of doing work, which must inevitably be discarded for the latter.

The standardizing of the trades will utilize every atom of such heretofore wasted energy.

The standardizing of the trades affords a definite best method of doing each element.

Having but one standard method of doing each element divides the amount of time-study data necessary to take by a number equal to the number of different equally good methods that could be used.

The greatest step forward can be made only when timestudy data can be made by one and used by all. A system of interchange and coöperation in the use of the data of scientific management can then be used by all persons interested.

This reduction and simplification of taking time study is the real reason for insistence upon making and maintaining standards for the largest down to the smallest insignificant tool or device used.

Much toward standardizing the trades has already been done. In this, as in almost countless other lines of activity, the investigator turns oftenest with admiration to the work of Frederick W. Taylor. It is the never-ceasing marvel concerning this man that age cannot wither nor custom stale his work. After many a weary day's study the investigator awakes from a dream of greatness to find that he has only worked out a new proof for a problem that Taylor has already solved.

Time study, the instruction card, functional foremanship, the differential rate piece method of compensation, and numerous other scientifically derived methods of decreasing costs and increasing output and wages—these are by no means his only contributions toward standardizing the trades whose value it would be difficult to overestimate; they are but a few of the means toward attaining standards which have been placed by Taylor, their discoverer, within the hands of any man willing to use them.

## FUTURE WORK IN STANDARDIZING THE TRADES

The great need to-day in standardizing the trades is for coöperation. In other times all excellent methods or means were held as "trade secrets," sometimes lost to the world for generations until rediscovered. The day for this is past. Thinkers of to-day recognize that the work to be done is so great that, given all that every one has

accomplished and is accomplishing, there is room and to spare for every worker who cares to enter the field. Cooperation and team work is the crying need.

Conservation and comparison of knowledge, experiments, data and conclusions are what we need. The various engineering journals are to be commended for recognizing the importance of this, and for furnishing an excellent means for recording and spreading much needed information.

The ideal conservator of knowledge in this, as in all other branches, would be the United States government. The government should maintain a permanent bureau, with experiment stations, as is done with the Department of Agriculture.

Individual investigators, corporations, and colleges, all would be willing to turn over the results of their work to such a government bureau. The colleges would coöperate with such a bureau, as do the agricultural colleges with the Department of Agriculture. The bulletins of such a bureau would be invaluable to the men in the trades, as are the agricultural bulletins to the farmers.

The Department of Agriculture is an excellent model. The form for a department or bureau of trades is all at hand. It is only necessary to translate the language of agriculture into the language of labor. It is only through such a bureau that the trades can formally be standardized.

Such a bureau would have two main tasks: (1) To subclassify the trades; (2) To standardize the trades.

The first task should be successfully completed before the second is undertaken.

We have spoken briefly, in considering cost of motions, of the necessity of separating those motions that require skill from those that require nothing but strength and endurance.

This sub-classifying of the trades according to the types or grades of motions that they use, or according to the brawn, brain, training, and skill required to make the motions, will cut down production costs. It will raise the standards of all classes. It will do away with differences between employers and employees. It will eliminate unnecessary waste. It will raise the wages of all workers. It will reduce the cost of living.

We might call such a sub-classification as desired a "functional" classification of the trades.

For example, for brickwork we recommend five classes:

Class A. — Ornamental and exterior face brick and molded terra cotta.

Class B. — Interior face tiers that do not show at completion, where strong, plumb, and straight work only is needed.

Class C. — Filling tiers where only strength is needed.

Class D. — Putting fountain trowels and brick packs on the wall near the place, and in the manner where the other three classes can reach them with greatest economy of motion.

Class E. — Pack loaders, brick cullers, and stage builders.

The pay of the A and B classes should be considerably higher than is customary for bricklayers. The pay of the C, D, and E classes should be lower than is customary for bricklayers, but much higher than the pay of laborers. This classification will raise the pay of all five classes higher than they could ever obtain in the classes that they would ordinarily work in under the present system, yet the resulting cost of the labor on brickwork would be much less, and each class would be raised in its standing and educated for better work and higher wages.

In the case of brickwork this new classification is a crying necessity, as the cost of brickwork must be reduced to a point where it can compete with concrete. Improvements in making, methods of mixing, transporting, and densifying concrete in the metal molds of to-day have put the entire brickwork proposition where it can be used for looks only, because for strength, imperviousness, quickness of construction, lack of union labor troubles, and low cost, brickwork cannot compete with concrete under present conditions.

Having sub-classified the trades, the second step is to standardize them.

And both classification and standardization demand motion study.

The United States government has already spent millions and used many of the best of minds on the subject of motion study as applied to war; the motions of the sword, gun, and bayonet drill are wonderfully perfect from

the standpoint of the requirements of their use. This same study should be applied to the arts of peace.

It is obvious that this work must and will be done in time. But there is inestimable loss in every hour of delay. The waste of energy of the workers in the industries to-day is pitiful. But it is far more important that the coming generation of workers should be scientifically trained.

The science of management of the future will demand that the trades be taught in accordance with the motion standards of a United States Bureau of Standardization of Mechanical Trades. The present method of teaching an apprentice is the most unbusinesslike event that takes place in any of our industrial institutions.

We have never heard of a trades school, manual training school, or technical school that makes any attempt to solve questions of motion study. The usual process is to teach a student or apprentice to do his work well first, and after he has finally accomplished the art of making or doing the thing in question, then to expect him to learn to do it quickly. This process is a relic of the dark ages. A novice should be taught to do what he is trying to do with certain definite motions, and to repeat the operation until he is able automatically to use the standard motions and do good work.

If an apprentice bricklayer, blacksmith, or tool sharpener, for example, is not instructed to count his motions when doing a certain piece of work, he will surely get into the habit of making extra motions that cannot be omitted later without almost as much effort as that spent in learning the trade. There is little incentive for an old mechanic to teach a boy so that he will excel his teacher, and perhaps run him out of a job about the time that he, the apprentice, becomes expert.

One of the most common causes for neglecting the important subject of motion study is that the boss of the establishment is not himself really a master of the trade that is being taught, or, if he was master once, has forgotten it because there are no books or systems that have so described, charted, and illustrated his trade as to refresh his memory.

Again the teacher is often a mechanic who is not trained to impart what knowledge he has, has never studied pedagogy, and is expected to do a full day's work at the same time that he is teaching his apprentice.

The arts and trades of human beings should be studied, charted, photographed, and motion-pictured, and every employer, apprentice, and student should be able to receive bulletins of his trade for a sum equal to the cost to a farmer of a bulletin from the Department of Agriculture instructing how to increase the outputs of cows, hens, and bees.

One great aid toward cutting down the work of every one out of the trades as well as in, would be the standardizing of our written alphabet to conform to the laws of motion study. The most offhand analysis of our written alphabet shows that it is full of absolutely useless strokes, all of which require what are really wasted motions.

Consider the single example of the first stroke on the first letter of each word. Here is a motion that can be eliminated wholly. While its existence is necessary in type that represents handwriting or imitates engraved plate work, and in enameled separate letters of window signs, its adoption and use in handwriting is of no purpose and is wrong from the standpoint of motion economy.

Each letter of our written alphabet is a natural deviation from our printed alphabet that is the result of leaving the pencil on the paper.

Now the time has arrived for revising our written language by means of a new scientifically invented alphabet specially devised for the purpose of securing clearer writing, made of connected letters, each designed of itself and in connection with all the other letters, so that it conforms to the laws of motion economy. This is not a suggestion that we should adopt stenographic signs for words or sounds, although a general knowledge of one standard stenographic system would also be a great benefit to a nation.

The suggestion is, that in as much as it is the aim of our nation that all citizens should be able to read and write, a new written alphabet should be devised for us that shall conform to the laws of motion study, — that we all can increase either our outputs in writing or else that we all may be able to do such writing as we are obliged to do in less time.

It is to be hoped that an international society of highly trained educators, similar to those composing the Simplified

IOI

Spelling Board, may be called together, as was the Simplified Spelling Board, to give this matter immediate attention. A written alphabet for all languages of the world should be determined and used not only by the users of each language, but also by the societies advocating and promulgating such world's second or international languages as Volapük and Esperanto.

One great drawback to the more rapid progress of any artificial or second language has been the difficulty of reading the correspondence between enthusiasts who were proficient in speaking their thoroughly agreed upon international language.

It would not be desirable to abandon our present written alphabet. There are now literally hundreds of different styles of lettering that all can read, yet how few of them can any of us make with pen or pencil.

To add one more style of lettering to the now existing hundreds could scarcely be considered as confusing by even those who are constitutionally opposed to changes in anything.

Therefore, there should be devised one more style of lettering, specially adapted to cutting down the time of writing and adding to the general legibility when written quickly.

Let this be our second written language. Let us use the present system and the new one. Let the generations to come have the benefit of the application of science to their future writing, and let the present style be also used, provided it does not die the natural death in the combat of the survival of the fittest.

We may have to wait for international coinage, international postage stamps, international courts, international arbitration, and international weights and measures; but there can be no reason for not having an international system of written alphabetical characters, and while having it let us decide in favor of that system that fulfills the requirements of motion study, both of the hand in making, and of the eye in reading.

#### THE FIRST STEPS

In the meantime, while we are waiting for the politicians and educators to realize the importance of this subject and to create the bureaus and societies to undertake and complete the work, we need not be idle. There is work in abundance to be done.

Motion study must be applied to all the industries. Our trade schools and colleges can:

- I. Observe the best work of the best workers.
- 2. Photograph the methods used.
- 3. Record the methods used.
- 4. Record outputs.
- 5. Record costs.
- 6. Deduce laws.
- 7. Establish laboratories "for trying out laws."
- 8. Embody laws in instructions.
- o. Publish bulletins.
- 10. Coöperate to spread results and to train the rising generation.

This is the era -now. We have a scientific method of attack, and we have also scientific methods of teaching.

The stereoscopic camera and stereoscope, the motion picture machines, and the stereopticon enable us to observe, record, and teach as one never could in the past.

The following motion study pictures, charts, and diagrams are typical and have been used for teaching journeymen and apprentice bricklayers our standard methods.

## PICK-AND-DIP METHOD — WORKING RIGHT TO LEFT



Fig. 24. — Spreading mortar on exterior face tier.



Fig. 25. — Cutting off mortar before the brick is laid on exterior face tier.



brick on the exterior face tier.



Fig. 26. - Buttering the end of the laid Fig. 27. - Cutting off the mortar after the brick is laid on the exterior face tier.

## PICK-AND-DIP METHOD - WORKING RIGHT TO LEFT (Continued)




Fig. 28. — Throwing mortar on interior face tier.



Fig. 29. — Spreading mortar on interior face tier.



Fig. 30. — Cutting off mortar before brick is laid.



Fig. 31. — Tapping down brick after laying on interior face tier.




Fig. 32. — Cutting off mortar after brick is laid on interior face tier (here working left to right).




Fig. 33.—Handling mortar for two brick at one time on interior face tier.

### STRINGING-MORTAR METHOD




Fig. 34.—Working right to left.—Spreading mortar on exterior face tier.




Fig. 35.—Working left to right.—Buttering end of laid brick on exterior face tier.



Fig. 36.—Working left to right.— Cutting off mortar after brick is laid on exterior face tier.




Fig. 37.—Working right to left.—Spreading mortar on the interior face tier.



Fig. 38.—Working left to right.—Cutting off mortar after brick is laid on exterior face tier.



Fig. 39.—Working left to right.— Spreading mortar on the interior face tier.

# STRINGING-MORTAR METHOD (Continued)



Fig. 40.—Working left to right.—Spreading mortar on the interior face tier.



Fig. 42.— Working right to left.— Buttering right-hand end of brick in hand to be laid on interior face tier.




Fig. 41.— Working left to right.— Throwing mortar on the interior face tier.

The "pack-on-the-wall" method is the latest development and is an actual direct result of motion study. It has again changed the entire method of laying brick by reducing the kind, number, sequence and length of motions. It reduces the fatigue of the bricklayer and he is therefore able to make more rapid motions.

SAMPLE CHART USED FOR STRINGING-MORTAR METHOD ON THE FILLING TIERS, BEFORE THE DAYS OF THE PACK-ON-THE-WALL METHOD

Stringing-Mortar Method. The Center of the Wall.	Mortar enough for four brick at a time = 1/4 motion per brick.  One brick in each hand = 1/2 motion per brick.  Mortar for four bricks at once = 3/4 motion per brick.  One brick in each hand = 1/2 motion per brick.  Spreading mortar for four brick = 1/4 motion per brick.  If the brick is not shoved too far on the bed of mortar, the mortar will be shoved just to the top edge of the brick, and no cutting of mortar above top of brick will be necessary.  Total number of motions per brick.
The Right Way, Motions per Brick, 14 1/2 34 44	Omit  Omit  Omit  \frac{\fir}\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\
The Wrong Way, Motions per Brick,	Step for mortar Reaching for mortar Working up mortar Step for brick Reach for brick Pick up right brick Mortar box to wall Brick pile to wall Brick pile to wall Spreading mortar Cutting off mortar Disposing of mortar Cutting off mortar Cutting off mortar Cutting off mortar Cutting off mortar Disposing of mortar Cutting off mortar Tapping down brick Cutting off mortar
Operation No.	1 2 2 4 4 3 2 1 1 1 1 2 8 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4




Fig. 43.—Location of the pack on the wall while building the exterior face tiers. Pack-on-the-wall method.




Fig. 44. — Location of the packs while building the interior face and filling tiers. Pack-on-the-wall method.

The economic value of motion study has been proved by the fact that by means of it workmen's outputs have been more than tripled, production costs lowered, and wages increased simultaneously.

This book is written for the express purpose of calling to the attention of the nation that what has been done in a few trades can be done in each and every trade.

The most important matter before the public to-day is the creation and operation of a department at Washington for discovering, collecting, conserving and disseminating data relating to Taylor's method of Intensive Management commonly called Scientific Management.

## INDEX

Acceleration, 65-67. Charts, form for, 87. amount of, 65. place in motion study of, 90. effects of, 65. value of, 87-94. effects on output of, 66. Clothes, 45-46. means for obtaining, 65. help of proper, 45. Alphabet, written, standardizing of, hindrance of improper, 45. importance of utility of, 80. "American Magazine," article on motion-economy value of, 46. fatigue in, 24. necessity for specially adapted, article on value of entertainment in, 48. shortening of motions by, 8o. Anatomy, 10-12. Color, 46-47. adapting equipment to, 10. motion saving properties of, 46. adapting surroundings to, 10. selection of, 46. adapting tools to, 10. stimulating effect of, 46. adapting work to, 10. Combination with other motions, usefulness of study of, 10. 69-70. Appliances, 43-45. Conservation, congress for, 1. relation to motions of, 43. Apprentices, supplying of tools to, 59. Contentment, 14-15. Apprenticeship, defects in present advantages of, 15. system of, 41. effect on fatigue of, 15. Automaticity, 67-69. effect on output of, 14. value of, 67. Cooling, 49, 50. Coöperation, need for, 94. Brawn, 13, 14. Cost, 70-74. arrangement of work to utilize, 13. deducing, 70. influence on instruction cards of, keeping, 70. of living, reduction of, 74. importance as a variable of, 13. recording, 70. variation in, 13. reducing, 70. Bricklaying, necessity for division relation to output of, 70. of work in, 71-73. reducing of cost in, 72. Creed, 15-16. value of illustrations from, 8. definition of, 15. Brickwork, subclassifying of, 96. grouping men according to, 15.

III2 INDEX

Devices for eliminating fatigue, 56.

Diemer, Hugo — "Factory Organization and Administration," 50.

Direction, 74-75.

relation to other variables of, 75.

relation to "path" of, 75.

Division of work, necessity for, 71.

Earning power, 16–19.
classifying men according to, 16.
prescribing motions according to,
16.
Effectiveness, 76.
attaining of, 76.
definition of, 76.

Elimination of wastes, importance of, 73.
Entertainment, 48–49.

effect on fatigue of, 49. effect on health of, 49. effect on output of, 48.

Equipment relation to standard practice of, q1.

Experience, 19-23.
effect on learning of standard
methods of, 23.
influence of, 20.

"Factory organization and administration," 50.

Fatigue, 23-32.

"American Magazine," article on,

causes of, 24.
eliminating devices, 56.
necessary, rest from, 29.
overcoming of, 24.
percentage of rest for, 25.
relation of quick motions to, 28.
relation of slow motions to, 28.
unnecessary, elimination of, 29.

First-class men, importance of using, 13.

First steps, the, 102.

Foot-pounds of work accomplished, 76-77.

relation to fatigue of, 77.

Fountain trowel, advantages of use of, 54.

usefulness of, 76.

Future work in standardizing the trades, 94–102.

Gantt, H. L., A. S. M. E. Paper, Dec., 1908, 34. "Work, Wages, and Profits," 33.

Government, place in scientific management of, 74.

Government bureau, need for, 95. Gravity, application of, 62.

Habits, 32-33.
changing of, 68.
definition of, 32.
H. L. Gantt on, 33.
incorporating standard motions
into, 37.

Health, 33–34.

H. L. Gantt on, 34.
relation of work to, 34.

Heating, 49–50. effect on clothing of, 50. provision necessary for, 50.

High-priced man, arrangement of material for, 75.
arranging distances for, 80.
cost of, 71.
prescribing work for, 17, 18.

Humidizing, 49.

provision necessary for, 50.

Inertia overcome, 77-78. limiting of, 77.

Interim system, place of motion study in, 4.

Investigator, trained, need for, 91.

Large jobs, selection of men for, 23.

Length, 79-81.

Length of motions, effect of clothes on, 80.

Lighting, 50-52.

advantages of proper, 51.

five tests of, 51.

influence on motions of, 50.

influence on output of, 50.

problems involved in, 52.

usual arrangement of, 50.

Low-priced man, arranging distances for, 80.

arranging of work of, 75.

cost of, 71.

definition of, 19.

prescribing work for, 17, 18.

Machines, demand for properly designed, 62.

sets of motions for tending of, 61. tending of, 61.

Magnitude of work to be done, 86–87.

"Man and the Earth," Shaler's book on, 1.

Mechanical Trades, U. S. Bureau of, 98.

Methods, standard, use of momentum in, 78.

Military system, place of motion study in, 3.

Mode of living, 35.

effect on output of, 35.

Momentum overcome, 77-78.

limiting of, 77.

work done by, 78.

Motion, variables of the, 65–85. Motion economy, utilization of, 86.

Motion study, aim of, 3.

cost reducing value of, 3.

description and outline of, 1-9.

earning capacity of workman increased by, 2.

field of, 5.

immediate need of, 103.

increase in output by, 3.

method of attack of, 3.

necessity for, 1.

past, present, and future of, 86-

place in scientific management of, 3.

possible economies of, 1.

present stage of, 5.

problem presented by, 5.

savings by, 2.

steps in, 5.

steps in study of, 102.

successful applications of, 8.

usefulness to all types of management of, 3.

value of, 4.

Motions, balanced, 68.

combination of, 69.

counting of, 98.

dissimilar, 69.

necessity for classifying of, 72.

planning of, 68.

sequence of, 69.

similar, 69.

Music, effects of, 48.

Necessity, 81-82.

importance of, 81.

use as a criterion of, 81.

Non-stooping scaffold, advantages of, 11, 12.

Nutrition, 35-36.

114 INDEX

Nutrition, importance of "welfare" work on, 35. lack of scientific data concerning,

Output, effect of "Contentment"

on, 14. influence of quality of the men influence of surroundings on, 58. relation to cost of, 70.

Packet, advantages of use of, 54. Past, present, and future of motion study, 86-110.

Path, 82-83. determination of, 82. ideal, 83. relation of gravitation to, 82.

Penalties, 53. relation of cost reducing to, 53. stimulus of, 53.

Percentage of rest, provision for, 20. Phonography, usefulness of, 48. Playing for position, 83–84. definition of, 83.

Quality of material, 52-53. effect of output on, 52. relation to standard motions of, 52.

Quality of men, importance of, 13,

Reading, stimulus of, 48. Reclassifying of trades, 73. Reducing the cost of living, 96. Rest, compulsory, 32. provision for, 29. Rest time, utilization of, 29, 32. Reward, 53. influence on cost reducing of, 53. stimulus of, 53.

Savings by motion study, 2. Science of management, demands of, Scientific investigator, necessity of, Sequence, 69-70. determining of, 84. Shaler, "Man and the Earth," 1. work of, 1. "Shop Management," 56. Short men, selection of work for, 36. Singing, stimulus of, 48. Size, 36. relation of motions to, 36. selection of men according to, 36. Size of unit moved, 54-56. determining of, 54. relation to economy of, 54. Skill, 36-38. acquiring of, 37. Small jobs, selection of men for, 23. "Soldiering," evils of, 29. Special fatigue eliminating devices, 56-58. Speed, 84-85. advantages of, 84. habit of, 84. importance of, 84. relation to output of, 84.

"Standard conditions," relation of output to, 43. Standard length of motions, 80. Standard methods, utilizing mo-

mentum in, 78. Standard motions, aid of standard appliances toward, 45.

forming habits of, 37. necessity for, 37. necessity for standard tools with, 59.

Standard practice, benefits of, 42. derivation of, 91.

Standard tools, necessity for, 80.

Standardizing the trades, future work in, 94.
need for, 93, 95, 96.

Subclassifying the trades, need for, 95.

Surroundings, 58.
relation to standard practice of, 91.
relation of output to, 58.
specifications in instruction cards on, 58.
standardizing of, 58.
variables of, 43.

Tall men, selection of work for, 36. Taylor, F. W., data on "rest," 25. laws of management, 4. separating planning from performing by, 73. "Shop Management," 56. wonderful work of, 94. Temperament, 38-40. effect on output of, 40. Temperature, importance of regulation of, 49. The first steps, 102-110. "Three Months in Peonage," 48. Time study observations, making of, 92. using of, 92. Tools, 59-62. bureau of testing of, 60. hand, 60. "handiness" no just test of, 6o. importance to apprentices of proper, 59. influence upon output of, 59.

necessity for standard, 59.

necessity of providing proper, 59.

relation to standard motions of, 59.

relation to standard practice of, 91.

rating as motion savers of, 60.

Tools, standard patterns of, 60.
standard sizes of, 60.
testing stations for, 61.
Trades, necessity for study of, 99.
reclassifying of, 73.
standardizing of, 93.
Trades school, methods of, 98.
Training, 40–41.
definition of, 40.
effect on output of, 40.
necessary scope of, 41.

necessary scope of, 41.

Ultimate methods, definition of, 93.

Ultimate system, place of motion study in, 4.

Union rules, 62-63.
 hindrance to standardizing motions of, 62.

U. S. Bureau of Standardization of Mechanical Trades, 98.

U. S. government, work to be done by, 95.

Value of charts, 87-94.

Variables, definition of, 6.
 difficulty in separating, 85.
 difficulty of enumerating the, 87.
 divisions of, 6.

Variables, definition of, 6.
difficulty in separating, 85.
difficulty of enumerating the, 87.
divisions of, 6.
incompleteness of list of, 85.
list of, 6.
method of study of, 7.
necessity for application of, 9.
of the motion, 65–85.
field of, 65.
of the surroundings, 43–64.
equipment and tools, 6.
of the worker, 6, 10–42.
definition of, 41.
study, on long jobs, of, 85.
study, on short jobs, of, 85.
test for study of, 8.
Ventilating, 49–50.
effect on clothing of, 50.

34.

Waste, elimination of, 73.

in bricklaying, 2.

of motions, 2.

prevalence of, 1.

Shaler's book on, 1.

utilization of, 2.

Weight of unit moved, 63-64.

elements of, 63.

relation to fatigue of, 63.

standardizing of, 64.

Welfare Department, work of, 33,

Work accomplished, 86.

Work, arrangement of, 77.
division of, 74.

Work to be done, magnitude of, 86–87.

"Work, Wages, and Profits," H. L.
Gantt's book on, 33.

Worker, variables of, 10–42.

Written alphabet, standardizing of, 99.

Written language, need for standardizing of, 101.



# D. VAN NOSTRAND COMPANY 25 PARK PLACE NEW YORK

# SHORT-TITLE CATALOG

OF

# Publications & Importations

OF

### SCIENTIFIC AND ENGINEERING BOOKS



This list includes all the books published by the M. C. CLARK PUBLISHING CO., Chicago, Ill.,

and the technical publications of the following English publishers:

SCOTT, GREENWOOD & CO.

CONSTABLE & COMPANY, Ltd.

ELECTRICIAN PRINTING & PUBLISHING CO.

for whom D. Van Nostrand Company are American agents

Descriptive Circulars sent on request.

#### SHORT-TITLE CATALOG

OF THE

## Publications and Importations

OF

# D. VAN NOSTRAND COMPANY 25 PARK PLACE

The books published by the MYRON C. CLARK PUBLISHING CO., Chicago, Ill. are included in this catalog.

Prices marked with an asterisk (\*) are NET
All bindings are in cloth unless otherwise noted

Abbott, A. V. The Electrical Transmission of Energy8vo,	*\$5	00
— A Treatise on Fuel. (Science Series No. 9.)16mo,	0	50
— Testing Machines. (Science Series No. 74.)16mo,	0	50
Adam, P. Practical Bookbinding. Trans. by T. E. Maw. 12mo,	*2	50
Adams, H. Theory and Practice in Designing8vo,	*2	50
Adams, H. C. Sewage of Seacoast Towns8vo,	*2	00
Adams, J. W. Sewers and Drains for Populous Districts8vo,	2	50
Adler, A. A. Theory of Engineering Drawing8vo,	*2	00
- Principles of Parallel Projecting-Line Drawing 8vo,	*1	00
Aikman, C. M. Manures and the Principles of Manuring 8vo,	2	50
Aitken, W. Manual of the Telephone 8vo,	*8	00
d'Albe, E. E. F. Contemporary Chemistry	*1	25
Alexander, J. H. Elementary Electrical Engineering 12mo,	2	00

Allan, W. Strength of Beams under Transverse Loads.		
(Science Series No. 19.)16mo,	0	50
Allan, W. Theory of Arches. (Science Series No. 11.) 16mo,		
Allen, H. Modern Power Gas Producer Practice and Applica-		
tions12mo,	*2	50
Anderson, J. W. Prospector's Handbook12mo,	I	50
Andes, L. Vegetable Fats and Oils8vo,	*4	00
Animal Fats and Oils. Trans. by C. Salter	*4	00
Drying Oils, Boiled Oil, and Solid and Liquid Driers 8vo,	*5	00
Iron Corrosion, Anti-fouling and Anti-corrosive Paints.		
Trans. by C. Salter8vo,	*4	00
- Oil Colors and Printers' Ink. Trans. by A. Morris and		
H. Robson8vo,	*2	50
Treatment of Paper for Special Purposes. Trans. by C.		
Salter12mo,	*2	50
Andrews, E. S. Reinforced Concrete Construction 12mo,	*1	25
- Theory and Design of Structures 8vo,	3	50
- Further Problems in the Theory and Design of Struc-		
tures8vo,	2	50
- The Strength of Materials 8vo,	*4	00
Andrews, E. S., and Heywood, H. B. The Calculus for		
Engineers12m0,	I	25
Annual Reports on the Progress of Chemistry. Twelve Vol-		
umes now ready. Vol. I, 1904, to Vol. XII, 1914, 8vo,		
each	*2	00
Argand, M. Imaginary Quantities. Translated from the French		
by A. S. Hardy. (Science Series No. 52.)16mo,	0	50
Armstrong, R., and Idell, F. E. Chimneys for Furnaces and		30
Steam Boilers. (Science Series No. 1.)16mo,	0	50
Arnold, E. Armature Windings of Direct Current Dynamos.		5
Trans. by F. B. DeGress8vo,	*2	00
Asch, W., and Asch, D. The Silicates in Chemistry and	-	-
Commerce8vo,	*6	00
Ashe, S. W., and Keiley, J. D. Electric Railways. Theoreti-	U	00
cally and Practically Treated. Vol. I. Rolling Stock		
	*-	
12mo,	2	50

Ashe, S. W. Electric Railways. Vol. II. Engineering Pre-		
liminaries and Direct Current Sub-Stations12mo,	*2	50
Electricity: Experimentally and Practically Applied.		
12mo,		00
Ashley, R. H. Chemical Calculations12mo,		00
Atkins, W. Common Battery Telephony Simplified 12mo,		25
Atkinson, A. A. Electrical and Magnetic Calculations. 8vo,	*1	50
Atkinson, J. J. Friction of Air in Mines. (Science Series		
No. 14.)16mo,	0	50
Atkinson, J. J., and Williams, E. H., Jr. Gases Met with in		
Coal Mines. (Science Series No. 13.)16mo,		50
Atkinson, P. The Elements of Electric Lighting12m0,	I	00
The Elements of Dynamic Electricity and Magnetism. 12mo,	2	00
Atkinson, P. Power Transmitted by Electricity 12mo,		00
Auchincloss, W. S. Link and Valve Motions Simplified 8vo,		50
Austin, E. Single Phase Electric Railways4to,		00
Ayrton, H. The Electric Arc8vo,	*5	00
Bacon, F. W. Treatise on the Richards Steam-Engine Indica-		
tor12m0,	I	00
Bailes, G. M. Modern Mining Practice. Five Volumes. 8vo, each,	3	50
Bailey, R. D. The Brewers' Analyst8vo,	-	00
Baker, A. L. Quaternions8vo,	*1	25
—— Thick-Lens Optics	*1	50
Baker, Benj. Pressure of Earthwork. (Science Series No. 56.)		
16mo,		
Baker, G. S. Ship Form, Resistance and Screw Propulsion,	-	
8vo,		50
Baker, I. O Levelling. (Science Series No. 91.)16mo,		50
Baker, M. N. Potable Water. (Science Series No. 61). 16mo,	0	50
—— Sewerage and Sewage Purification. (Science Series No. 18.)		
16mo,	0	50
Baker, T. T. Telegraphic Transmission of Photographs.	*-	
Dale C. D. Malana Iran Founday Practice Two Volumes	1	25
Bale, G. R. Modern Iron Foundry Practice. Two Volumes.		
Vol I Founder Fauinment Material Used	***	50
Vol. I. Foundry Equipment, Material Used		50
voi. 11. machine moulding and moulding machines	1	20

Ball, J. W. Concrete Structures in Railways8vo,	*2	50
Ball, R. S. Popular Guide to the Heavens 8vo,	*4	50
- Natural Sources of Power. (Westminster Series)8vo,	*2	00
Ball, W. V. Law Affecting Engineers8vo,	*3	50
Bankson, Lloyd. Slide Valve Diagrams. (Science Series No.		
108.)16mo,	0	50
Barba, J. Use of Steel for Constructive Purposes 12mo,	I	00
Barham, G. B. Development of the Incandescent Electric		
Lamp8vo	*2	00
Barker, A. F. Textiles and Their Manufacture. (Westminster		
Series)8vo,	2	00
Barker, A. F., and Midgley, E. Analysis of Textile Fabrics,		
8vo,	The same of	00
Barker, A. H. Graphic Methods of Engine Design12mo,	*1	50
Heating and Ventilation4to,	*8	00
Barnard, J. H. The Naval Militiaman's Guide. 16mo, leather,	I	00
Barnard, Major J. G. Rotary Motion. (Science Series No. 90.)		
16mo,	0	50
Barrus, G. H. Boiler Tests8vo,	*3	00
—— Engine Tests8vo,	*4	00
The above two purchased together	*6	00
Barwise, S. The Purification of Sewage	3	50
Baterden, J. R. Timber. (Westminster Series)8vo,	*2	00
Bates, E. L., and Charlesworth, F. Practical Mathematics and		
Geometry12m0,		
Part I. Preliminary and Elementary Course		50
Part II. Advanced Course		50
— Practical Geometry and Graphics12mo,		50
Batey, J. The Science of Works Management12mo,		25
— Steam Boilers and Combustion		25
Beadle, C. Chapters on Papermaking. Five Volumes. 12mo, each,		00
Beaumont, R. Color in Woven Design8vo,		00
— Finishing of Textile Fabrics		00
— Standard Cloths8vo,		00
Beaumont, W. W. Steam-Engine Indicator 8vo,		50
	-	

Bechhold, H. Colloids in Biology and Medicine. Trans. by J. G.		
Bullowa(In	Pres	88.)
Beckwith, A. Pottery8vo, paper,	0	60
Bedell, F., and Pierce, C. A. Direct and Alternating Current		
Manual8vo,	*2	00
Beech, F. Dyeing of Cotton Fabrics8vo,		00
Dyeing of Woolen Fabrics8vo,	1000	50
Beggs, G. E. Stresses in Railway Girders and Bridges (In	100	
Begtrup, J. The Slide Valve	-	00
Bender, C. E. Continuous Bridges. (Science Series No. 26.)	-	
16mo,	0	50
- Proportions of Pins used in Bridges. (Science Series No. 4.)		
16mo,	0	50
Bengough, G. D. Brass. (Metallurgy Series)(In I		
Bennett, H.G. The Manufacture of Leather8vo,		50
Bernthsen, A. A Text-book of Organic Chemistry. Trans. by		
G. M'Gowan12mo,	*2	50
Bersch, J. Manufacture of Mineral and Lake Pigments. Trans.		
by A. C. Wright8vo,	*5	00
Bertin, L. E. Marine Boilers. Trans. by L. S. Robertson. 8vo,		00
Beveridge, J. Papermaker's Pocket Book 12mo,		00
Binnie, Sir A. Rainfall Reservoirs and Water Supply 8vo,	*3	00
Binns, C. F. Manual of Practical Potting8vo,	*7	50
- The Potter's Craft	*2	00
Birchmore, W. H. Interpretation of Gas Analysis 12mo,	*1	25
Blaine, R. G. The Calculus and Its Applications 12mo,	*1	50
Blake, W. H. Brewer's Vade Mecum8vo,		00
Blasdale, W. C. Quantitative Chemical Analysis. (Van	7	
Nostrand's Textbooks)12mo,	*2	50
Bligh, W. G. The Practical Design of Irrigation Works 8vo,	*6	00
Bloch, L. Science of Illumination. (Trans. by W. C.		
Clinton)8vo,	*2	50
Blok, A. Illumination and Artificial Lighting12mo,	*1	25
Blucher, H. Modern Industrial Chemistry. Trans. by J. P.		
Millington8vo,	*7	50
Blyth, A. W. Foods: Their Composition and Analysis 8vo,	-	
Poisons: Their Effects and Detection 8vo	-	

Böckmann, F. Celluloid	*2	50
Bodmer, G. R. Hydraulic Motors and Turbines	5	00
Boileau, J. T. Traverse Tables	5	00
Bonney, G. E. The Electro-plater's Handbook	I	20
Booth, N. Guide to Ring-Spinning Frame12mo,	*1	25
Booth, W. H. Water Softening and Treatment 8vo,	*2	50
- Superheaters and Superheating and their Control 8vo,	*1	50
Bottcher, A. Cranes: Their Construction, Mechanical Equip-		
ment and Working. Trans. by A. Tolhausen 4to,	10	00
Bottler, M. Modern Bleaching Agents. Trans. by C. Salter.		
12m0,	*2	50
Bottone, S. R. Magnetos for Automobilists	*1	00
Boulton, S. B. Preservation of Timber. (Science Series No.		
82.)16mo,	0	50
Bourcart, E. Insecticides, Fungicides and Weedkillers8vo,	*4	50
Bourgougnon, A. Physical Problems. (Science Series No. 113.)		
16mo,	0	50
Bourry, E. Treatise on Ceramic Industries. Trans. by		
A. B. Searle8vo,	*5	00
Bowie, A. J., Jr. A Practical Treatise on Hydraulic Mining. 8vo,	5	00
Bowles, O. Tables of Common Rocks. (Science Series,		
No. 125)16mo,	0	50
Bowser, E. A. Elementary Treatise on Analytic Geometry.12mo,	1	75
- Elementary Treatise on the Differential and Integral		
Calculus12m0,	2	25
Bowser, E. A. Elementary Treatise on Analytic Mechanics,		
12m0,	3	00
- Elementary Treatise on Hydro-mechanics12mo,	2	50
— A Treatise on Roofs and Bridges		25
Boycott, G. W. M. Compressed Air Work and Diving. 8vo,		00
Bragg, E. M. Marine Engine Design	*2	00
— Design of Marine Engines and Auxiliaries	*3	00
Brainard, F. R. The Sextant. (Science Series No. 101.).16mo,		
Brassey's Naval Annual for 1915. War Edition8vo,	4	00
Briggs, R., and Wolff, A. R. Steam-Heating. (Science Series		
No. 67.)16mo,	0	50

Bright, C. The Life Story of Sir Charles Tilson Bright. 8vo,	*4	50
Brislee, T. J. Introduction to the Study of Fuel. (Outlines		
of Industrial Chemistry.)8vo,	*3	00
Broadfoot, S. K. Motors Secondary Batteries. (Installation		
Manuals Series.), 12mo,	*0	75
Broughton, H. H. Electric Cranes and Hoists	*9	00
Brown, G. Healthy Foundations. (Science Series No. 80.).16mo,	0	50
Brown, H. Irrigation8vo,	*5	00
Brown, H. Rubber8vo,		00
Brown, Wm. N. The Art of Enamelling on Metal12mo,		00
Handbook on Japanning12mo,		50
House Decorating and Painting12mo,		50
— History of Decorative Art	*1	25
Dipping, Burnishing, Lacquering and Bronzing Brass	4	
Ware12m0,	*1	00
Workshop Wrinkles8vo,	*1	00
Browne, C. L. Fitting and Erecting of Engines8vo,	*1	50
Browne, R. E. Water Meters. (Science Series No. 81.).16mo,	0	50
Bruce, E. M. Pure Food Tests	*1	25
Bruhns, Dr. New Manual of Logarithms8vo, cloth,	2	00
Half morocco,	2	50
Brunner, R. Manufacture of Lubricants, Shoe Polishes and		
Leather Dressings. Trans. by C. Salter 8vo,	*3	00
Buel, R. H. Safety Valves. (Science Series No. 21.) 16mo,	0	50
Burley, G. W. Lathes, Their Construction and Operation,		
12m0,	I	25
Burnside, W. Bridge Foundations12mo,	*1	25
Burstall, F. W. Energy Diagram for Gas. With text8vo,	I	50
Diagram sold separately	*1	00
Burt, W. A. Key to the Solar Compass16mo, leather,	2	50
Buskett, E. W. Fire Assaying	*1	25
Butler, H. J. Motor Bodies and Chasis8vo,	*2	50
Byers, H. G., and Knight, H. G. Notes on Qualitative		
Analysis8vo,	*1	50

Cain, W. Brief Course in the Calculus	*I 75
- Elastic Arches. (Science Series No. 48.)16mo,	0 50
- Maximum Stresses. (Science Series No. 38.)16mo,	0 50
- Practical Dsigning Retaining of Walls. (Science Series	
No. 3.)16mo,	0 50
Theory of Steel-concrete Arches and of Vaulted Struc-	
tures. (Science Series, No. 42)16mo,	0 50
— Theory of Voussoir Arches. (Science Series No. 12.)	- 3-
16mo,	0 50
— Symbolic Algebra. (Science Series No. 73.)16mo,	0 50
Carpenter, F. D. Geographical Surveying. (Science Series	- 3-
No. 37.)16mo,	
Carpenter, R. C., and Diederichs, H. Internal-Combustion	
Engines8vo,	*5 00
Carter, H. A. Ramie (Rhea), China Grass12mo,	*2 00
Carter, H. R. Modern Flax, Hemp, and Jute Spinning 8vo,	*3 00
— Bleaching, Dyeing and Finishing of Fabrics8vo,	*1 00
Cary, E. R. Solution of Railroad Problems With the Use of	
the Slide Rule	*1 00
Casler, M. D. Simplified Reinforced Concrete Mathematics,	
12m0,	*1 00
Cathcart, W. L. Machine Design. Part I. Fastenings8vo,	*3 00
Cathcart, W. L., and Chaffee, J. I. Elements of Graphic	
Statics8vo,	*3 00
— Short Course in Graphics	1 50
Caven, R. M., and Lander, G. D. Systematic Inorganic Chem-	*
istry	*2 00
Chalkley, A. P. Diesel Engines8vo,	*3 50
Chambers' Mathematical Tables8vo,	1 75
Chambers, G. F. Astronomy	*1 50
Chappel, E. Five Figure Mathematical Tables8vo,	*2 00
Charnock. Mechanical Technology8vo,	*3 00
Charpentier, P. Timber	*6 00
Chatley, H. Principles and Designs of Aeroplanes. (Science	
Series.)	0 50
— How to Use Water Power	*1 00
- Gyrostatic Balancing8vo,	*1 00

Child, C. D. Electric Arcs8vo,	*2	00
Christian, M. Disinfection and Disinfectants. Trans. by		
Chas. Salter12mo,	2	00
Christie, W. W. Boiler-waters, Scale, Corrosion, Foaming,		
8vo,	*3	00
Chimney Design and Theory8vo,	*3	00
Furnace Draft. (Science Series, No. 123) 16mo,	0	50
- Water, Its Purification and Use in the Industries 8vo,	*2	00
Church's Laboratory Guide. Rewritten by Edward Kinch. 8vo,	*2	50
Clapperton, G. Practical Papermaking8vo,	2	50
Clark, A. G. Motor Car Engineering.		
Vol. I. Construction	*3	00
Vol. II. Design(In P	res.	5.)
Clark, C. H. Marine Gas Engines	*1	50
Clark, J. M. New System of Laying Out Railway Turnouts,		
12mo,	I	00
Clarke, J. W., and Scott, W. Plumbing Practice.		
Vol. I. Lead Working and Plumbers' Materials 8vo,	*4	00
Vol. II. Sanitary Plumbing and Fittings(In P	res.	s.)
Vol. III. Practical Lead Working on Roofs(In P	res.	5.)
Clarkson, R. B. Elementary Electrical Engineering.		
(In P	res.	5.)
Clausen-Thue, W. A B C Universal Commercial Telegraphic		
Code. Sixth Edition(In P	ress	s.)
Clerk, D., and Idell, F. E. Theory of the Gas Engine.		
(Science Series No. 62.)	0	50
Clevenger, S. R. Treatise on the Method of Government		
Surveying		
Clouth, F. Rubber, Gutta-Percha, and Balata8vo,	*5	
Cochran, J. Treatise on Cement Specifications8vo,	*1	
Concrete and Reinforced Concrete Specifications8vo,	*2	
Cochran, J. Inspection of Concrete Construction8vo,	*4	
Coffin, J. H. C. Navigation and Nautical Astronomy. 12mo,	*3	50
Colburn, Z., and Thurston, R. H. Steam Boiler Explosions.		
(Science Series No. 2.)16mo,		50
Cole R S. Treatise on Photographic Optics 12mo	T	50

1	Coles-Finch, W. Water, Its Origin and Use8vo,	*5	00
1	Collins, J. E. Useful Alloys and Memoranda for Goldsmiths,		
	Jewelers16mo,	0	50
	Collis, A. G. High and Low Tension Switch-Gear Design. 8vo,	*3	50
	- Switchgear. (Installation Manuals Series.) 12mo,	0	50
	Comstock, D. F., and Troland, L. T. The Nature of Matter		
	and Electricity(In P	res.	s.)
	Coombs, H. A. Gear Teeth. (Science Series No. 120)16mo,		50
	Cooper, W. R. Primary Batteries8vo,	*4	00
	Copperthwaite, W. C. Tunnel Shields4to,	*9	00
	Corfield, W. H. Dwelling Houses. (Science Series No. 50.) 16mo,	0	50
	- Water and Water-Supply. (Science Series No. 17.) 16mo,	υ	50
	Cornwall, H. B. Manual of Blow-pipe Analysis8vo,	100	50
	Cowee, G. A. Practical Safety Methods and Devices8vo,	1990	00
	Cowell, W. B. Pure Air, Ozone, and Water 12mo,	*2	00
	Craig, J. W., and Woodward, W. P. Questions and Answers		
	about Electrical Apparatus12mo, leather,	1	50
	Craig, T. Motion of a Solid in a Fuel. (Science Series No. 49.)		
	Wave and Vortex Motion. (Science Series No. 43.). 16mo,		50
	Cramp, W. Continuous Current Machine Design8vo,	-	50
	Creedy, F. Single-Phase Commutator Motors8vo,		-00
	Crocker, F. B. Electric Lighting. Two Volumes. 8vo.		
	Vol. I. The Generating Plant	,	00
	Vol. II. Distributing Systems and Lamps	3	00
	Crocker, F B., and Arendt, M. Electric Motors8vo,	*2	50
	- and Wheeler, S. S. The Management of Electrical Ma-	_	30
	chinery12mo,	*1	00
	Cross, C. F., Bevan, E. J., and Sindall, R. W. Wood Pulp and		
	Its Applications. (Westminster Series.)8vo.	*2	00
	Crosskey, L. R. Elementary Perspective8vo,		00
	Crosskey, L. R., and Thaw, J. Advanced Perspective 8vo,	I	50
	Culley, J. L. Theory of Arches. (Science Series No. 87.) 16mo,		50
	Cushing, H. C., Jr., and Harrison, N. Central Station Man-		
	agement	*2	00
	Dadourian, H. M. Analytical Mechanics8vo.	*2	00

Dana, R. T. Handbook of Construction Plant12mo, leather, — Handbook of Construction Efficiency	*5 Pres	00
Danby, A. Natural Rock Asphalts and Bitumens 8vo,	1,000	50
Davenport, C. The Book. (Westminster Series.)8vo,	*2	00
Davey, N. The Gas Turbine8vo,	*4	00
Davies, F. H. Electric Power and Traction8vo,	*2	00
Foundations and Machinery Fixing. (Installation Manuals	50,000	
Series)		00
Deerr, N. Sugar Cane	200	00
Deite, C. Manual of Soapmaking. Trans. by S. T. King 4to, De la Coux, H. The Industrial Uses of Water. Trans. by A.	5	00
Morris8vo,	*4	50
Del Mar, W. A. Electric Power Conductors8vo,	120	00
Denny, G. A. Deep-Level Mines of the Rand4to,	*10	
—— Diamond Drilling for Gold	*5	00
De Roos, J. D. C. Linkages. (Science Series No. 47.)16mo,	0	50
Derr, W. L. Block Signal Operation Oblong 12mo,	*1	50
— Maintenance of Way Engineering(In Prepare	ratio	n.)
Desaint, A. Three Hundred Shades and How to Mix Them.		
8vo,	8	00
De Varona, A. Sewer Gases. (Science Series No. 55.)16mo,	0	50
Devey, R. G. Mill and Factory Wiring. (Installation Manuals		
Series.)		00
Dibdin, W. J. Purification of Sewage and Water8vo,		50
Dichman, C. Basic Open-Hearth Steel Process8vo,	3	50
Dieterich, K. Analysis of Resins, Balsams, and Gum Resins 8vo.	*3	00
Dilworth, E. C. Steel Railway Bridges4to,		00
Dinger, Lieut. H. C. Care and Operation of Naval Machinery		
12mo.	*2	00
Dixon, D. B. Machinist's and Steam Engineer's Practical Cal-		
culator16mo, mor.,	I	25
Dodge, G. F. Diagrams for Designing Reinforced Concrete		
Structuresfolio,		00
Dommett, W. E. Motor Car Mechanism12mo,	~I	25
Dorr, B. F. The Surveyor's Guide and Pocket Table-book.	0392	1
16mo, mor.,	2	00

Draper, C. H. Elementary Text-book of Light, Heat and		
Sound		00
Draper, C. H. Heat and the Principles of Thermo-dynamics,		
Dron B W Mining Formulas		00
Dron, R. W. Mining Formulas		00
Dubbel, H. High Power Gas Engines8vo,	5	00
Dumesny, P., and Noyer, J. Wood Products, Distillates, and		
Extracts	*4	50
Duncan, W. G., and Penman, D. The Electrical Equipment of	*.	
Collieries	*4	00
	*-	
Chemistry	1	40
	*-	00
Series)		00
	*5	
Dyson, S. S. Practical Testing of Raw Materials8vo, —— and Clarkson, S. S. Chemical Works8vo,	-	50
and Clarkson, S. S. Chemical Works	1	50
Forler W H Wireless Telegraphy and Telephony same	*.	
Eccles, W. H. Wireless Telegraphy and Telephony2mo,	4	50
Eck, J. Light, Radiation and Illumination. Trans. by Paul	*-	
Hogner8vo,	-2	50
Eddy, H. T. Maximum Stresses under Concentrated Loads,		
8vo,	1	50
Eddy, L. C. Laboratory Manual of Alternating Currents,		
12m0,		50
Edelman, P. Inventions and Patents12mo	*I	50
Edgcumbe, K. Industrial Electrical Measuring Instruments.		
8vo.		
Edler, R. Switches and Switchgear. Trans. by Ph. Laubach.		
8vo,	*4	00
Eissler, M. The Metallurgy of Gold8vo,	7	50
—— The Metallurgy of Silver8vo,	4	00
—— The Metallurgy of Argentiferous Lead8vo,	5	00
—— A Handbook of Modern Explosives8vo,	5	00
Ekin, T. C. Water Pipe and Sewage Discharge Diagrams		
folio,	*3	00

Electric Light Carbons, Manufacture of	I	00
Eliot, C. W., and Storer, F. H. Compendious Manual of Qualita-		
tive Chemical Analysis	*1	25
Ellis, C. Hydrogenation of Oils		
Ellis, G. Modern Technical Drawing8vo,	*2	00
Ennis, Wm. D. Linseed Oil and Other Seed Oils8vo,	*4	00
Applied Thermodynamics8vo,	*4	50
- Flying Machines To-day	*1	50
- Vapors for Heat Engines	*1	00
Ermen, W. F. A. Materials Used in Sizing8vo,	*2	
Erwin, M. The Universe and the Atom	*2	00
Evans, C. A. Macadamized Roads(In	Pres	88.)
Ewing, A. J. Magnetic Induction in Iron8vo,	*4	00
Fairie, J. Notes on Lead Ores	*1	00
Notes on Pottery Clays	*1	50
Fairley, W., and Andre, Geo. J. Vertilation of Coal Mines.		
(Science Series No. 58.)16mo,	0	50
Fairweather, W. C. Foreign and Colonial Patent Laws 8vo,	*3	00
Falk, M. S. Cement Mortars and Concretes	*2	50
Fanning, J. T. Hydraulic and Water-supply Engineering. 8vo,	*5	00
Fay, I. W. The Coal-tar Colors 8vo,	*4	00
Fernbach, R. L. Glue and Gelatine8vo,	*3	00
— Chemical Aspects of Silk Manufacture12mo,	*1	00
Firth, J. B. Practical Physical Chemistry	*1	00
Fischer, E. The Preparation of Organic Compounds. Trans.	-	
by R. V. Stanford	*1	123
Fish, J. C. L. Lettering of Working Drawings Oblong 8vo, — Mathematics of the Paper Location of a Railroad,	1	00
12mo, paper,	*0	25
Fisher, H. K. C., and Darby, W. C. Submarine Cable Testing.		-
8vo,	*3	50
Fleischmann, W. The Book of the Dairy. Trans. by C. M.	-	
Aikman8vo,	4	00
Fleming, J. A. The Alternate-current Transformer. Two		1
Volumes8vo,		
Vol. I. The Induction of Electric Currents	*5	00
Vol. II. The Utilization of Induced Currents		00

Fleming, J. A. Propagation of Electric Currents8vo,  —— A Handbook for the Electrical Laboratory and Testing	*3	00
Room. Two Volumes8vo, each,	*5	00
Fleury, P. Preparation and Uses of White Zinc Paints. 8vo,	*2	
Flynn, P. J. Flow of Water. (Science Series No. 84.) . 12mo,		50
- Hydraulic Tables. (Science Series No. 66.)16mo,		50
Forgie, J. Shield Tunneling8vo. (In P		
Foster, H. A. Electrical Engineers' Pocket-book. (Seventh	,	.,
Edition.)12mo, leather,	5	00
- Engineering Valuation of Public Utilities and Factories,	3	-
8vo,	*3	00
Handbook of Electrical Cost Data	-	
Fowle, F. F. Overhead Transmission Line Crossings 12mo,		
— The Solution of Alternating Current Problems8vo (In I		
Fox, W. G. Transition Curves. (Science Series No. 110.).16mo,		50
Fox, W., and Thomas, C. W. Practical Course in Mechanical	0	50
Drawing		24
		25
Foye, J. C. Chemical Problems. (Science Series No. 69.).16mo,	0	50
—— Handbook of Mineralogy. (Science Series No. 86.).	0	
Francis, J. B. Lowell Hydraulic Experiments4to,		50
Franzen, H. Exercises in Gas Analysis	15	00
French, J. W. Machine Tools. 2 vols4to,		
	13	00
Freudemacher, P. W. Electrical Mining Installations. (Installation Manuals Series.)	*-	
	*1	
Frith, J. Alternating Current Design	4	00
Fritsch, J. Manufacture of Chemical Manures. Trans. by	*.	
D. Grant		00
Fuller, G. W. Investigations into the Purification of the Ohio	3	00
	***	
River		
ruinen, j. raints, colors, ons, and varinshes	1	00
Gairdner, J. W. I. Earthwork 8vo (In I	Pres	38.)
Gant, L. W. Elements of Electric Traction8vo,		
Garcia, A. J. R. V. Spanish-English Railway Terms8vo,		

Garforth, W. E. Rules for Recovering Coal Mines after Explo-		
sions and Fires	I	50
Garrard, C. C. Electric Switch and Controlling Gear (In		
Gaudard, J. Foundations. (Science Series No. 34.) 16mo,		50
Gear, H. B., and Williams, P. F. Electric Central Station Dis-		
tributing Systems8vo,	3	00
Geerligs, H. C. P. Cane Sugar and Its Manufacture8vo,	*5	
Geikie, J. Structural and Field Geology8vo,	*4	
- Mountains, Their Origin, Growth and Decay 8vo,	*4	
The Antiquity of Man in Europe8vo,	*3	
Georgi, F., and Schubert, A. Sheet Metal Working. Trans.		
by C. Salter8vo,	3	00
Gerhard, W. P. Sanitation, Water-supply and Sewage Dis-		
posal of Country Houses	*2	00
Gas Lighting. (Science Series No. 111.)16mo,	0	50
Gerhard, W. P. Household Wastes. (Science Series No. 97.)		
16mo,	0	50
House Drainage. (Science Series No. 63.)16mo	0	50
Sanitary Drainage of Buildings. (Science Series No. 93.)		
16mo,	0	50
Gerhardi, C. W. H. Electricity Meters8vo,	*4	00
Geschwind, L. Manufacture of Alum and Sulphates. Trans.		
by C. Salter 8vo,	*5	00
Gibbings, A. H. Oil Fuel Equipment for Locomotives 8vo,	*2	50
Gibbs, W. E. Lighting by Acetylene	*1	50
Gibson, A. H. Hydraulics and Its Application8vo,		00
- Water Hammer in Hydraulic Pipe Lines 12mo,	_	00
Gibson, A. H., and Ritchie, E. G. Circular Arc Bow Girder. 4to,	*3	50
Gilbreth, F. B. Motion Study12mo,	*2	00
Bricklaying System8vo,	*3	00
Field System 12mo, leather,	*3	00
Primer of Scientific Management	*1	00
Gillette, H. P. Handbook of Cost Data 12mo, leather,	*5	00
- Rock Excavation Methods and Cost 12mo, leather,	*5	
Handbook of Earth Excavation(In	The second second	
Handbook of Tunnels and Shafts, Cost and Methods		-
of Construction(In	Pres	5.)
Handbook of Road Construction, Methods and Cost (In		

Gillette, H. P., and Dana, R. T. Cost Keeping and Management Engineering8vo,	*3	50
— and Hill, C. S. Concrete Construction, Methods and Cost		00
Gillmore, Gen. Q. A. Limes, Hydraulics Cement and Mortars.		
8vo,	4	00
— Roads, Streets, and Pavements	2	00
Godfrey, E. Tables for Structural Engineers 16mo, leather,	*2	50
Golding, H. A The Theta-Phi Diagram	*1	25
Goldschmidt, R. Alternating Current Commutator Motor . 8vo,	*3	00
Goodchild, W. Precious Stones. (Westminster Series.).8vo,	*2	00
Goodeve, T. M. Textbook on the Steam-engine 12mo,	2	00
Gore, G. Electrolytic Separation of Metals8vo,	*3	50
Gould, E. S. Arithmetic of the Steam-engine 12mo,	I	00
— Calculus. (Science Series No. 112.)16mo,	0	50
— High Masonry Dams. (Science Series No. 22.) 16mo,		50
- Practical Hydrostatics and Hydrostatic Formulas. (Science		
Series No. 117.)16mo,		50
Gratacap, L. P. A Popular Guide to Minerals8vo,	~	00
Gray, J. Electrical Influence Machines12mo,		00
Gray, J. Marine Boiler Design		25
Greenhill, G. Dynamics of Mechanical Flight8vo.	*2	50
Greenwood, E. Classified Guide to Technical and Commercial	100	
Books8vo,		00
Gregorius, R. Mineral Waxes. Trans. by C. Salter 12mo,	7.	00
Grierson, R. Modern Methods of Ventilation(In I	res	s.)
Griffiths, A. B. A Treatise on Manures	3	00
Griffiths, A. B. Dental Metallurgy8vo,	*3	50
Gross, E. Hops8vo,	*4	50
Grossman, J. Ammonia and its Compounds	*1	25
Groth, L. A. Welding and Cutting Metals by Gases or Electricity. (Westminster Series.)8vo,	*2	00
Grover, F. Modern Gas and Oil Engines8vo,		
Gruner, A. Power-loom Weaving8vo,		
Güldner, Hugo. Internal-Combustion Engines. Trans. by		
H. Diedrichs4to,	*10	00

Gunther, C. O. Integration	*I 25 *7 50
Guy, A. E. Experiments on the Flexure of Beams8vo,	
Haenig, A. Emery and the Emery Industry8vo,	*2 50
Hainbach, R. Pottery Decoration. Trans. by C. Salter. 12mo,	*3 00
Hale, W. J. Calculations of General Chemistry 12mo,	*1 00
Hall, C. H. Chemistry of Paints and Paint Vehicles 12mo,	*2 00
Hall, G. L. Elementary Theory of Alternate Current Work-	
ing8vo,	*1 50
Hall, R. H. Governors and Governing Mechanism 12mo,	*2 00
Hall, W. S. Elements of the Differential and Integral Calculus	
8vo,	*2 25
- Descriptive Geometry 8vo volume and 4to atlas,	*3 50
Haller, G. F., and Cunningham, E. T. The Tesla Coil 12mo,	*1 25
Halsey, F. A. Slide Valve Gears 12mo,	I 50
The Use of the Slide Rule. (Science Series No. 114.)	
16mo,	0 50
Worm and Spiral Gearing. (Science Series No. 116.)	0 50
Hancock, H. Textbook of Mechanics and Hydrostatics8vo,	1 50
Hancock, W. C. Refractory Materials. (Metallurgy Series. (In P.	
Hardy, E. Elementary Principles of Graphic Statics 12mo,	*1 50
Haring, H. Engineering Law. Vol. I. Law of Contract8vo,	*4 00
Harper, J. H. Hydraulic Tables on the Flow of Water 16mo,	*2 00
Harris, S. M. Practical Topographical Surveying (In P	
Harrison, W. B. The Mechanics' Tool-book	I 50
Hart, J. W. External Plumbing Work8vo,	*3 00
Hints to Plumbers on Joint Wiping 8vo,	*3 00
- Principles of Hot Water Supply8vo,	*3 00
Sanitary Plumbing and Drainage	*3 00
Haskins, C. H. The Galvanometer and Its Uses 16mo,	I 50
Hatt, J. A. H. The Colorist square 12mo,	*1 50
Hausbrand, E. Drying by Means of Air and Steam. Trans.	
by A. C. Wright	*2 00
- Evaporating, Condensing and Cooling Apparatus. Trans.	
by A. C. Wright8vo,	*5 00

Hausmann, E. Telegraph Engineering8vo,	*3	00
Hausner, A. Manufacture of Preserved Foods and Sweetmeats.	*-	
Trans. by A. Morris and H. Robson 8vo,	*3	00
Hawkesworth, J. Graphical Handbook for Reinforced Concrete	Si.	
Design4to,	*2	
Hay, A. Continuous Current Engineering8vo,	*2	50
Hayes, H. V. Public Utilities, Their Cost New and Deprecia-		
tion8vo,	*2	00
- Public Utilities, Their Fair Present Value and Return,	sk_	
Heath E H Chamistry of Dhotography Sec (I. B		
Heath, F. H. Chemistry of Photography8vo (In: P		
Heather, H. J. S. Electrical Engineering 8vo, Heaviside, O. Electromagnetic Theory.	*3	50
Vols. I and II	*5	00
Vol. III8vo,	*7	50
Heck, R. C. H. Steam Engine and Turbine	*3	50
- Steam-Engine and Other Steam Motors. Two Volumes.		
Vol. I. Thermodynamics and the Mechanics8vo,	*3	50
Vol. II. Form, Construction and Working 8vo,	*5	00
- Notes on Elementary Kinematics	*1	
— Graphics of Machine Forces	*1	00
Heermann, P. Dyers' Materials. Trans. by A. C. Wright.		
Heidenseich E. J. Engineers' Beskethaals of Beinforsel	*2	50
Heidenreich, E. L. Engineers' Pocketbook of Reinforced Concrete	*2	00
Hellot, Macquer and D'Apligny. Art of Dyeing Wool, Silk and	3	00
Cotton	*0	.00
Henrici, O. Skeleton Structures8vo,		50
Hering, D. W. Essentials of Physics for College Students.	-	30
8vo,	*1	75
Hering-Shaw, A. Domestic Sanitation and Plumbing. Two		13
Vols8vo,	*5	00
- Elementary Science	*2	00
Herington, C. F. Powdered Coal as a Fuel(In P		
Hermann, G. The Graphical Statics of Mechanism. Trans.		
by A. P. Smith	2	00
Herzfeld, J. Testing of Yarns and Textile Fabrics8vo,		

Hildebrandt, A. Airships, Past and Present8vo, *3	50
Hildenbrand, B. W. Cable-Making. (Science Series No. 32.)	
	50
	25
Hill, C. S. Concrete Inspection	00
Hill, C. W. Laboratory Manual and Notes in Beginning	
Chemistry(In Pres	(5.)
Hill, J. W. The Purification of Public Water Supplies. New	
Edition(In Pre	88.)
— Interpretation of Water Analysis(In Pre	88.)
Hill, M. J. M. The Theory of Proportion8vo, *2	50
Hiroi, I. Plate Girder Construction. (Science Series No. 95.)	
16mo, o	50
—— Statically-Indeterminate Stresses	00
Hirshfeld, C. F. Engineering Thermodynamics. (Science	
Series No. 45)	50
Hoar, A. The Submarine Torpedo Boat *2	00
	50
	00
— Electricity	00
	50
	00
Hobart, J. F. Hard Soldering, Soft Soldering, and Brazing.	
	00
Hobbs, W. R. P. The Arithmetic of Electrical Measurements	
	50
	50
	50
	00
Hopkins, N. M. Model Engines and Small Boats12mo, 1	25
Hopkinson, J., Shoolbred, J. N., and Day, R. E. Dynamic	
Electricity. (Science Series No. 71.)16mo, o	50
Horner, J. Practical Ironfounding	00
	00
	00
	00

Hovenden, F. Practical Mathematics for Young Engineers,		
12m0,	*1	00
Howe, G. Mathematics for the Practical Man	*1	25
Howorth, J. Repairing and Riveting Glass, China and Earthen-		
ware8vo, paper,	*0	50
Hoyt, W. F. Chemistry by Experimentation(In P.	res	s.)
Hubbard, E. The Utilization of Wood-waste 8vo,	*2	00
Hubner, J. Bleaching and Dyeing of Vegetable and Fibrous Materials. (Outlines of Industrial Chemistry.).8vo,	*5	00
Hudson, O. F. Iron and Steel. (Outlines of Industrial	160	
Chemistry.) 8vo,	*2	00
Humphrey, J. C. W. Metallography of Strain. (Metallurgy		
Series)(In P	res.	s.)
Humphreys, A. C. The Business Features of Engineering		
Practice8vo,	*1	25
Hunter, A. Bridge Work8vo (In F	res	8.)
Hurst, G. H. Handbook of the Theory of Color8vo,	*2	50
Dictionary of Chemicals and Raw Products8vo,	*3	00
	*4	00
	*5	00
Hurst, G. H., and Simmons, W. H. Textile Soaps and Oils,		
8vo,		00
	*3	00
—— Also published in Three Parts:	*1	
	*1	
	*1	
	1	50
Hutchinson, R. W., Jr. Long Distance Electric Power Trans-	*-	
mission	-3	co
	-00	()
Mining	633	.)
Them12mo,	T	25
Hutton, W. S. The Works' Manager's Handbook 8vo,		
Hyde, E. W. Skew Arches. (Science Series No. 15.)16mo,		
Hyde, F. S. Solvents, Oils, Gums and Waxes8vo,		

Induction Coils. (Science Series No. 53.)	0 50
Ingham, A. E. Gearing. A practical treatise8vo,	*2 50
Ingle, H. Manual of Agricultural Chemistry. 8vo,	*3 00
Inness, C. H. Problems in Machine Design	*2 00
Air Compressors and Blowing Engines	*2 00
— Centrifugal Pumps	*2 00
— The Fan12mo,	*2.00
Ivatts, E. B. Railway Management at Stations8vo,	*2 50
Jacob, A., and Gould, E. S. On the Designing and Construction	
of Storage Reservoirs. (Science Series No. 6.)16mo,	0 50
Jannettaz, E. Guide to the Determination of Rocks. Trans.	anie
by G. W. Plympton	1 50
Jehl, F. Manufacture of Carbons8vo,	*4 00
Jennings, A. S. Commercial Paints and Painting. (West-	
minster Series.)8vo,	*2 00
Jennison, F. H. The Manufacture of Lake Pigments 8vo,	*3 00
Jepson, G. Cams and the Principles of their Construction8vo,	*1 50
— Mechanical Drawing	
Jervis-Smith, F. J. Dynamometers8vo,	*3 50
Jockin, W. Arithmetic of the Gold and Silversmith 12mo,	*1 00
Johnson, J. H. Arc Lamps and Accessory Apparatus. (In-	*0 75
stallation Manuals Series.)	0 75
Manuals Series.)	*0.75
Johnson, W. McA. The Metallurgy of Nickel (In Prepar	
Johnston, J. F. W., and Cameron, C. Elements of Agricultural	actore.)
Chemistry and Geology12mo,	2 60
Joly, J. Radioactivity and Geology12mo,	
Jones, H. C. Electrical Nature of Matter and Radioactivity	
12mo,	*2 00
- Nature of Solution(In I	ress.)
New Era in Chemistry	*2 00
Jones, J. H. Tinplate Industry8vo,	*3 00
Jones, M. W. Testing Raw Materials Used in Paint 12mo,	*2 00
Jordan, L. C. Practical Railway Spiral 12mo, Leather,	*1 50

Joynson, F. H. Designing and Construction of Machine Gear-		
ing8vo,	2	00
Jüptner, H. F. V. Siderology: The Science of Iron 8vo,	*5	00
Kapp, G. Alternate Current Machinery. (Science Series No.		
· 96.)16mo,		50
Kapper, F. Overhead Transmission Lines4to,	*4	00
Keim, A. W. Prevention of Dampness in Buildings 8vo,	*2	00
Keller, S. S. Mathematics for Engineering Students.		
12mo, half leather,		
- Algebra and Trigonometry, with a Chapter on Vectors		75
Plane and Solid Geometry.	100	25
- and Knox, W. E. Analytical Geometry and Calculus	*2	00
Kelsey, W. R. Continuous-current Dynamos and Motors.	-	
8vo,	*2	50
Kemble, W. T., and Underhill, C. R. The Periodic Law and the		
Hydrogen Spectrum8vo, paper,		50
Kemp, J. F. Handbook of Rocks		50
Kendall, E. Twelve Figure Cipher Code4to,	*12	50
Kennedy, A. B. W., and Thurston, R. H. Kinematics of		
Machinery. (Science Series No. 54.)	0	50
Kennedy, A. B. W., Unwin, W. C., and Idell, F. E. Compressed		
Air. (Science Series No. 106.)16mo, Kennedy, R. Modern Engines and Power Generators. Six	0	50
Volumes4to,		00
Single Volumeseach,  — Electrical Installations. Five Volumes4to,		00
Single Volumeseach,	700	00
—— Flying Machines; Practice and Design		50
— Principles of Aeroplane Construction8vo,		50
Kennelly, A. E. Electro-dynamic Machinery 8vo,		50
Kent, W. Strength of Materials. (Science Series No. 41.).16mo,		50
Kershaw, J. B. C. Fuel, Water and Gas Analysis 8vo;		50
— Electrometallurgy. (Westminster Series.) 3vo,		00
— The Electric Furnace in Iron and Steel Production12mo,		50
- Electro-Thermal Methods of Iron and Steel Production,		0
8vo,	*3	00
Kindelan, I. Trackman's Helper12mo,		

Kinzbrunner, C. Alternate Current Windings8vo,	*1 50
Continuous Current Armatures 8vo,	*1 50
- Testing of Alternating Current Machines 8vo,	*2 00
Kirkaldy, A. W., and Evans, A. D. History and Economics	
of Transport8vo,	*3 00
Kirkaldy, W. G. David Kirkaldy's System of Mechanical	
Testing4to,	10 00
Kirkbride, J. Engraving for Illustration8vo,	*1 50
Kirkham, J. E. Structural Engineering8vo,	*5 00
Kirkwood, J. P. Filtration of River Waters4to,	7 50
Kirschke, A. Gas and Oil Engines12mo.	*1 25
Klein, J. F. Design of a High speed Steam-engine 8vo,	*5 00
—— Physical Significance of Entropy	*1 50
Klingenberg, G. Large Electric Power Stations4to,	*5 00
Knight, RAdm. A. M. Modern Seamanship8vo,	*7 50
Half Mor.	*9 00
Knott, C. G., and Mackay, J. S. Practical Mathematics 8vo,	2 00
Knox, G. D. Spirit of the Soil	*1 25
Knox, J. Physico-chemical Calculations	*I 00
Fixation of Atmospheric Nitrogen, (Chemical Mono-	
graphs.)12m0,	0 75
Koester, F. Steam-Electric Power Plants4to,	*5 00
Hydroelectric Developments and Engineering4to,	*5 00
Koller, T. The Utilization of Waste Products8vo,	*3 00
—— Cosmetics	*2 50
Koppe, S. W. Glycerine12mo,	*2 50
Kozmin, P. A. Flour Milling. Trans. by M. Falkner 8vo,	
	Press.)
Kremann, R. Application of Physico Chemical Theory to	
Technical Processes and Manufacturing Methods.	
Trans. by H. E. Potts8vo,	*2 50
Kretchmar, K. Yarn and Warp Sizing8vo,	*4 00
Lallier, E. V. Elementary Manual of the Steam Engine.	
12m0,	
Lambert, T. Lead and its Compounds 8vo,	*3 50
Bone Products and Manures8vo,	*3 00

Lamborn, L. L. Cottonseed Products	*3	
Lamprecht, R. Recovery Work After Pit Fires. Trans. by		
C. Salter	*4	
		50
Lanchester, F. W. Aerial Flight. Two Volumes. 8vo.	ike.	
Vol. I. Aerodynamics		
Vol. II. Aerodonetics	*6	
Lange, K. R. By-Products of Coal-Gas Manufacture. 12mo,		00
Larner, E. T. Principles of Alternating Currents12mo,	*1	
La Rue, B. F. Swing Bridges. (Science Series No. 107.) 16mo,		50
Lassar-Cohn, Dr. Modern Scientific Chemistry. Trans. by M.		50
M. Pattison Muir	*2	00
Latimer, L. H., Field, C. J., and Howell, J. W. Incandescent		
Electric Lighting. (Science Series No. 57.)16mo,	0	50
Latta, M. N. Handbook of American Gas-Engineering Practice.		
8vo,	*4	50
— American Producer Gas Practice 4to,	*6	
Laws, B. C. Stability and Equilibrium of Floating Bodies.8vo,	*3	50
Lawson, W. R. British Railways, a Financial and Commer-		
cial Survey8vo,		00
Leask, A. R. Breakdowns at Sea		00
Refrigerating Machinery		00
Lecky, S. T. S. "Wrinkles" in Practical Navigation8vo,	*10	00
Le Doux, M. Ice-Making Machines. (Science Series No. 46.)		
16mo,		50
Leeds, C. C. Mechanical Drawing for Trade Schools oblong 4to, — Mechanical Drawing for High and Vocational Schools,	*2	00
- Mechanical Drawing for high and vocational Schools,	*1	0.5
Lefevre, L. Architectural Pottery. Trans. by H. K. Bird and	1	25
W. M. Binns4to,	*7	50
Lehner, S. Ink Manufacture. Trans. by A. Morris and H		0
Robson8vo	*2	50
Lemstrom, S. Electricity in Agriculture and Horticulture 8vo,	*1	
Letts, E. A. Fundamental Problems in Chemistry 8vo,		-

Le Van, W. B. Steam-Engine Indicator. (Science Series No.		
78.)16mo,	0	50
Lewes, V. B. Liquid and Gaseous Fuels. (Westminster Series.)		
8vo,	*2	00
Carbonization of Coal8vo,	*3	00
Lewis, L. P. Railway Signal Engineering8vo,	*3	50
Licks, H. E. Recreations in Mathematics12mo,	1	25
Lieber, B. F. Lieber's Five Letter Standard Telegraphic Code,		
	*10	
— Spanish Edition	*10	00
- French Edition		
Terminal Index8vo,		
— Lieber's Appendixfolio,		
— — Handy Tables4to,	*2	50
- Bankers and Stockbrokers' Code and Merchants and	1	
Shippers' Blank Tables8vo,	*15	00
Lieber, B. F. 100,000,000 Combination Code 8vo,	*10	00
—— Engineering Code8vo,	*12	50
Livermore, V. P., and Williams, J. How to Become a Com-		
petent Motorman		
Livingstone, R. Design and Construction of Commutators. 8vo,	*2	
— Mechanical Design and Construction of Generators8vo,	1	50
Lloyd, S. L. Fertilizer Materials(In		
Lobben, P. Machinists' and Draftsmen's Handbook 8vo,	2	50
Lockwood, T. D. Electricity, Magnetism, and Electro-teleg-		
raphy8vo,		50
— Electrical Measurement and the Galvanometer12mo,		75
Lodge, O. J. Elementary Mechanics		50
—— Signalling Across Space without Wires	*2	
Loewenstein, L. C., and Crissey, C. P. Centrifugal Pumps.		50
Lomax, J. W. Cotton Spinning		50
Lord, R. T. Decorative and Fancy Fabrics	-	50
Loring, A. E. A Handbook of the Electromagnetic Telegraph, 16mo,		50
Handbook. (Science Series No. 39)		50
Lovell, D. H. Practical Switchwork. Revised by Strong and		50
Whitney		(2)

Low, D. A. Applied Mechanics (Elementary)16mo,	0	80
Lubschez, B. J. Perspective	*1	50
Lucke, C. E. Gas Engine Design8vo,		00
- Power Plants: their Design, Efficiency, and Power Costs.		
2 vols(In Prepar	atio	n.)
Luckiesh, M. Color and Its Application		
- Light and Shade and Their Applications		
The two when purchased together		
Lunge, G. Coal-tar Ammonia. Three Parts8vo,	*18	00
- Manufacture of Sulphuric Acid and Alkali. Four Volumes		
8vo,		
Vol. I. Sulphuric Acid. In three parts	*18	00
Vol. II. Salt Cake, Hydrochloric Acid and Leblanc Soda.		
In two parts		
Vol. III. Ammonia Soda	*10	00
Vol. IV. Electrolytic Methods(In	Pres	88.)
— Technical Chemists' Handbook	*3	50
- Technical Methods of Chemical Analysis. Trans. by		
C. A. Keane. In collaboration with the corps of		
specialists.		
Vol. I. In two parts	1000	
Vol. II. In two parts		
Vol. III. In two parts		
— Technical Gas Analysis8vo,		
Luquer, L. M. Minerals in Rock Sections8vo,		
Euquei, D. M. Minerals in Rock Sections	-	50
Macaulay, J., and Hall, C. Modern Railway Working.		
Eight vols4to,	20	oc
Each volume separately		00
Macewen, H. A. Food Inspection8vo,	*2	50
Mackenzie, N. F. Notes on Irrigation Works8vo,	*2	700
Mackie, J. How to Make a Woolen Mill Pay8vo,	*2	00
Maguire, Wm. R. Domestic Sanitary Drainage and Plumbing		
8vo,	0.50	00
Malcolm, C. W. Textbook on Graphic Statics8vo,	*3	00

Malcolm, H. W. Submarine Telegraph Cable (In	Pres	rs.)
Mallet, A. Compound Engines. Trans. by R. R. Buel.		
(Science Series No. 10.)		
Mansfield, A. N. Electro-magnets. (Science Series No. 64)		
16mo,	0	50
Marks, E. C. R. Construction of Cranes and Lifting Machinery		
12mo,	*1	50
Construction and Working of Pumps 12mo,	*1	50
- Manufacture of Iron and Steel Tubes 12mo,	*2	00
- Mechanical Engineering Materials	*1	00
Marks, G. C. Hydraulic Power Engineering	3	50
— Inventions, Patents and Designs 12mo,	*1	00
Marlow, T. G. Drying Machinery and Practice8vo,	*5	00
Marsh, C. F. Concise Treatise on Reinforced Concrete 8vo,	*2	50
Marsh, C. F. Reinforced Concrete Compression Member		
Diagram Mounted on Cloth Boards	*1	50
Marsh, C. F., and Dunn, W. Manual of Reinforced Concrete		
and Concrete Block Construction16mo, mor.,	*2	50
Marshall, W.J., and Sankey, H. R. Gas Engines. (Westminster		
Series.)8vo,	*2	00
Martin, G. Triumphs and Wonders of Modern Chemistry.	1	
8vo,		00
Modern Chemistry and Its Wonders8vo,	*2	00
Martin, N. Properties and Design of Reinforced Concrete,	4	
12mo,		50
Martin, W. D. Hints to Engineers	TI	00
Massie, W. W., and Underhill, C. R. Wireless Telegraphy and		
Telephony12mo,	*1	
Mathot, R. E. Internal Combustion Engines8vo,	*4	
Maurice, W. Electric Blasting Apparatus and Explosives 8vo,	*3	-
— Shot Firer's Guide	*1	50
Maxwell, J. C. Matter and Motion. (Science Series No. 36.)		-
16mo,	0	50
Maxwell, W. H., and Brown, J. T. Encyclopedia of Municipal	*	
and Sanitary Engineering		
Mayer, C., and Slippy, J. C. Telephone Line Construction.8vo,		00
mayer, o., and Suppy, J. C. Telephone Line Construction. 8vo,	3	00

McCullough, E. Practical Surveying 12mo,	*2	00
- Engineering Work in Cities and Towns8vo,		00
Reinforced Concrete	*1	50
McCullough, R. S. Mechanical Theory of Heat	3	50
8vo,	*3	00
- Marine Engineers' Drawing Book oblong 4to,	*2	
Marine Engineers' Pocketbook 12mo, leather,	*4	00
McIntosh, J. G. Technology of Sugar8vo,	*5	00
— Industrial Alcohol8vo,	*3	00
— Manufacture of Varnishes and Kindred Industries. Three Volumes. 8vo.		
Vol. I. Oil Crushing, Refining and Boiling	*3	50
Vol. II. Varnish Materials and Oil Varnish Making	12.0	00
Vol. III. Spirit Varnishes and Materials	*4	50
McKnight, J. D., and Brown, A. W. Marine Multitubular		
Boilers	*1	50
McMaster, J. B. Bridge and Tunnel Centres. (Science Series		
No. 20.)		50
McMechen, F. L. Tests for Ores, Minerals and Metals 12mo,		00
McPherson, J. A. Water-works Distribution	2	50
Meade, R. K. Design and Equipment of Small Chemical Laboratories		
Melick, C. W. Dairy Laboratory Guide	**	25
Mensch, L. J. Reinforced Concrete Pocket Book 16mo, leather		00
Merck, E. Chemical Reagents: Their Purity and Tests.		
Trans. by H. E. Schenck8vo,	I	00
Merivale, J. H. Notes and Formulae for Mining Students,		
12m0,		50
Merritt, Wm. H. Field Testing for Gold and Silver. 16mo, leather,	I	50
Mierzinski, S. Waterproofing of Fabrics. Trans. by A. Morris and H. Robson	*-	
Miessner, B. F. Radiodynamics12mo,		50
Miller, G. A. Determinants. (Science Series No. 105.). 16mo,	2	00
Miller, W. J. Historical Geology12mo,	*2	00
Mills, C. N. Elementary Mechanics for Engineers12mo,		00
Milroy, M. E. W. Home Lace-making		

Mitchell, C. A. Mineral and Aerated Waters8vo,	*3	00
and Prideaux, R. M. Fibres Used in Textile and	*-	
Allied Industries	*3	00
ing 12m0  Elementary Course,	*-	50
Advanced Course,		50
Monckton, C. C. F. Radiotelegraphy. (Westminster Series.)		3-
8vo,	*2	00
Monteverde, R. D. Vest Pocket Glossary of English-Spanish,		
Spanish-English Technical Terms 64mo, leather,	*1	00
Montgomery, J. H. Electric Wiring Specifications 16mo,	*1	00
Moore, E. C. S. New Tables for the Complete Solution of		
Ganguillet and Kutter's Formula	*5	00
Morecroft, J. H., and Hehre, F. W. Short Course in Electrical		
Testing8vo,	*I	50
Morgan, A. P. Wireless Telegraph Apparatus for Amateurs,		
12mo,	*1	50
Moses, A. J. The Characters of Crystals 8vo,	*2	00
- and Parsons, C. L. Elements of Mineralogy 8vo,		
Moss, S. A. Elements of Gas Engine Design. (Science		
Series No. 121)16mo,	0	50
— The Lay-out of Corliss Valve Gears. (Science Series		
No. 119.)16mo,	0	50
Mulford, A. C. Boundaries and Landmarks12mo,	*1	00
Mullin, J. P. Modern Moulding and Pattern-making 12mo,	2	50
Munby, A. E. Chemistry and Physics of Building Materials.		
(Westminster Series.)8vo,	*2	
Murphy, J. G. Practical Mining		
Murphy, W. S. Textile Industries, 8 vols		
— (Sold separately.)each,		
Murray, J. A. Soils and Manures. (Westminster Series.) 8vo,	*2	00
Nasmith, J. The Student's Cotton Spinning 8vo,	3	00
- Recent Cotton Mill Construction		50
Neave, G. B., and Heilbron, I. M. Identification of Organic		
Compounds12mo,	*1	25

Neilson, R. M. Aeroplane Patents8vo,	*2	00
Nerz, F. Searchlights. Trans. by C. Rodgers8vo,	*3	00
Neuberger, H., and Noalhat, H. Technology of Petroleum.		
Trans. by J. G. McIntosh8vo,	*10	00
Newall, J. W. Drawing, Sizing and Cutting Bevel-gears 8vo,	· I	50
Newbiging, T. Handbook for Gas Engineers and Managers,		
8vo,	*6	50
Newell, F. H., and Drayer, C. E. Engineering as a Career.		
12mo, cloth,	*1	
paper,		75
Nicol, G. Ship Construction and Calculations8vo,	*4	
Nipher, F. E. Theory of Magnetic Measurements 12mo,		00
Nisbet, H. Grammar of Textile Design8vo,	*3	
Nolan, H. The Telescope. (Science Series No. 51.)16mo,	0	50
North, H. B. Laboratory Experiments in General Chemistry	4	11216
12m0,	*1	
Nugent, E. Treatise on Optics	I	50
O'Connor, H. The Gas Engineer's Pocketbook 12mo, leather,	3	50
Ohm, G. S., and Lockwood, T. D. Galvanic Circuit. Trans. by	-	-
William Francis. (Science Series No. 102.) 16mo,	0	50
Olsen, J. C. Textbook of Quantitative Chemical Analysis. 8vo,	*3	
Olsson, A. Motor Control, in Turret Turning and Gun Elevating.		
(U. S. Navy Electrical Series, No. 1.) 12mo, paper,	*0	50
Ormsby, M. T. M. Surveying12mo,		50
Oudin, M. A. Standard Polyphase Apparatus and Systems 8vo,	*3	1000
Owen, D. Recent Physical Research8vo,	100	50
		-
Pakes, W. C. C., and Nankivell, A. T. The Science of Hygiene.		
8vo,	*1	75
Palaz, A. Industrial Photometry. Trans. by G. W. Patterson,		
Jr8vo,	*4	0,0
Pamely, C. Colliery Manager's Handbook8vo,		
Parker, P. A. M. The Control of Water8vo,		
Parr, G. D. A. Electrical Engineering Measuring Instruments.		
8vo,	*3	50
Parry, E. J. Chemistry of Essential Oils and Artificial Per-	-	
fumes	*5	00

Parry, E. J. Foods and Drugs. Two Volumes8vo.		
Vol. I. Chemical and Microscopical Analysis of Food		
and Drugs	*7	. 50
Vol. II. Sale of Food and Drugs Acts		00
- and Coste, J. H. Chemistry of Pigments	03/75	50
Parry, L. Notes on Alloys8vo,	-	00
Metalliferous Wastes8vo,		00
- Analysis of Ashes and Alloys8vo,	*2	00
Parry, L. A. Risk and Dangers of Various Occupations 8vo,	*3	00
Parshall, H. F., and Hobart, H. M. Armature Windings 4to,	*7	50
Electric Railway Engineering	*10	00
Parsons, J. L. Land Drainage8vo,	*1	50
Parsons, S. J. Malleable Cast Iron8vo,	*2	50
Partington, J. R. Higher Mathematics for Chemical Students		
12mo,		00
Textbook of Thermodynamics8vo,		00
Passmore, A. C. Technical Terms Used in Architecture 8vo,		50
Patchell, W. H. Electric Power in Mines8vo,	-	00
Paterson, G. W. L. Wiring Calculations12mo,		00
- Electric Mine Signalling Installations		50
Patterson, D. The Color Printing of Carpet Yarns 8vo,	1000	50
Color Matching on Textiles 8vo,		00
— Textile Color Mixing8vo,	*3	00
Paulding, C. P. Condensation of Steam in Covered and Bare	4	
Pipes	*2	00
- Transmission of Heat Through Cold-storage Insulation	*1	00
Payne, D. W. Founders' Manual		
Peckham, S. F. Solid Bitumens8vo,		
Peddie, R. A. Engineering and Metallurgical Books12mo,	45	50
Peirce, B. System of Analytic Mechanics4to,		00
- Linnear Associative Algebra4to,	3	00
Pendred, V. The Railway Locomotive. (Westminster Series.)		
8vo,	*2	00
Perkin, F. M. Practical Method of Inorganic Chemistry . 1 mo,	*1	00
- and Jaggers, E. M. Elementary Chemistry 2mo,	*1	00
Perrine, F. A. C. Conductors for Electrical Distribution 8vo,	*3	50

Petit, G. White Lead and Zinc White Paints8vo,	*1	50
Petit, R. How to Build an Aeroplane. Trans. by T. O'B.		
Hubbard, and J. H. Ledeboer8vo,	*1	50
Pettit, Lieut. J. S. Graphic Processes. (Science Series No. 76.)		
16mo,	0	50
Philbrick, P. H. Beams and Girders. (Science Series No. 88.)		
16mo,		
Phillips, J. Gold Assaying8vo,	*2	50
—— Dangerous Goods		50
Phin, J. Seven Follies of Science	*1	25
Pickworth, C. N. The Indicator Handbook. Two Volumes		
12mo, each,		50
— Logarithms for Beginners		50
The Slide Rule	1	00
Plattner's Manual of Blowpipe Analysis. Eighth Edition, re-	4	
vised. Trans. by H. B. Cornwall	*4	
Plympton, G.W. The Aneroid Barometer. (Science Series.).16mo,	0	50
— How to become an Engineer. (Science Series No. 100.)	-	
16mo,	0	50
— Van Nostrand's Table Book. (Science Series No. 104).	0	50
Pochet, M. L. Steam Injectors. Translated from the French.		
(Science Series No. 29.)	0	50
Pocket Logarithms to Four Places. (Science Series.) 16mo,		50
leather,	1	00
Polleyn, F. Dressings and Finishings for Textile Fabrics 8vo,	*3	00
Pope, F. G. Organic Chemistry 12mo,	*2	25
Pope, F. L. Modern Practice of the Electric Telegraph 8vo,	I	50
Popplewell, W. C. Prevention of Smoke		50
- Strength of Materials 8vo,	*1	75
Porritt, B. D. The Chemistry of Rubber. (Chemical Mono-		
graphs, No. 3.)	*0	75
Porter, J. R. Helicopter Flying Machine12mo,	*I	25
Potts, H. E. Chemistry of the Rubber Industry. (Outlines of		
	*2	00
Practical Compounding of Oils, Tallow and Grease 8vo.	*2	50

Pratt, K. Boiler Draught	*I 25
High Speed Steam Engines8vo,	*2 00
Pray, T., Jr. Twenty Years with the Indicator8vo,	2 50
- Steam Tables and Engine Constant8vo,	2 00
Prelini, C. Earth and Rock Excavation8vo,	*3 00
- Graphical Determination of Earth Slopes 8vo,	*2 00
Tunneling. New Edition8vo,	*3 00
— Dredging. A Practical Treatise8vo,	*3 00
Prescott, A. B. Organic Analysis	5 00
- and Johnson, O. C. Qualitative Chemical Analysis.8vo,	*3 50
- and Sullivan, E. C. First Book in Qualitative Chemistry	*
12m0,	*1 50
Prideaux, E. B. R. Problems in Physical Chemistry 8vo,	*2 00
Primrose, G. S. C. Zinc. (Metallurgy Series.)(In F	
Prince, G. T. Flow of Water	*2 00
Pullen, W. W. F. Application of Graphic Methods to the Design	
of Structures	*2 50
Injectors: Theory, Construction and Working12mo,	*1 50
— Indicator Diagrams8vo,	*2 50
Engine Testing8vo,	*4 50
Pulsifer, W. H. Notes for a History of Lead8vo,	4 00
Putsch, A. Gas and Coal-dust Firing 8vo,	*3 00
Pynchon, T. R. Introduction to Chemical Physics 8vo,	3 00
Rafter, G. W. Mechanics of Ventilation. (Science Series No.	
33.)16mo,	0 50
Potable Water. (Science Series No. 103.)16mo,	0 50
- Treatment of Septic Sewage. (Science Series No. 118.)	0 30
16mo,	0 50
- and Baker, M. N. Sewage Disposal in the United States	-
4to,	*6 00
Raikes, H. P. Sewage Disposal Works8vo,	*4 00
Randau, P. Enamels and Enamelling8vo,	*4 00
Rankine, W. J. M. Applied Mechanics8vo,	5 00
Civil Engineering	6 50
Machinery and Millwork8vo,	5 00
- The Steam-engine and Other Prime Movers8vo,	5 00
and Bamber, E. F. A Mechanical Textbook8vo,	3 50

Ransome, W. R. Freshman Mathematics12mo,	*1	35
Raphael, F. C. Localization of Faults in Electric Light and		
Power Mains8vo,	*3	50
Rasch, E. Electric Arc Phenomena. Trans. by K. Tornberg.		
. 8vo,	*2	00
Rathbone, R. L. B. Simple Jewellery8vo,	*2	00
Rateau, A. Flow of Steam through Nozzles and Orifices.		
Trans. by H. B. Brydon8vo,	*1	50
Rausenberger, F. The Theory of the Recoil of Guns 8vo,	*4	50
Rautenstrauch, W. Notes on the Elements of Machine Design,		
8vo, boards,	*1	50
Rautenstrauch, W., and Williams, J. T. Machine Drafting and		
Empirical Design.		
Part I. Machine Drafting8vo,	*1	
Part II. Empirical Design		
Raymond, E. B. Alternating Current Engineering12mo,		50
Rayner, H. Silk Throwing and Waste Silk Spinning 8vo,	*2	50
Recipes for the Color, Paint, Varnish, Oil, Soap and Drysaltery		
Trades8vo,	*3	50
Recipes for Flint Glass Making	*4	50
Redfern, J. B., and Savin, J. Bells, Telephones. (Installa-		
tion Manuals Series.)	*0	50
Redgrove, H. S. Experimental Mensuration12mo,	*1	25
Redwood, B. Petroleum. (Science Series No. 92.)16mo,	0	50
Reed, S. Turbines Applied to Marine Propulsion	*5	00
Reed's Engineers' Handbook8vo,	*5	00
- Key to the Nineteenth Edition of Reed's Engineers'		
Handbook8vo,	*3	00
— Useful Hints to Sea-going Engineers	I	50
Reid, E. E. Introduction to Research in Organic Chemistry.		
(In 1	res	s.)
Reid, H. A. Concrete and Reinforced Concrete Construction,		
8vo,	*5	00
Reinhardt, C. W. Lettering for Draftsmen, Engineers, and		
Studentsoblong 4to, boards,		
- The Technic of Mechanical Drafting . oblong 4to, boards,	oft I	00

Reiser, F. Hardening and Tempering of Steel. Trans. by A.		
Morris and H. Robson	*2	50
Reiser, N. Faults in the Manufacture of Woolen Goods. Trans.		
by A. Morris and H. Robson8vo,	*2	50
- Spinning and Weaving Calculations 8vo,	*5	00
Renwick, W. G. Marble and Marble Working 8vo,	5	00
Reuleaux, F. The Constructor. Trans. by H. H. Suplee . 4to,	*4	00
Reuterdahl, A. Theory and Design of Reinforced Concrete		
Arches8vo,	*2	00
Reynolds, O., and Idell, F. E. Triple Expansion Engines.		
(Science Series No. 99.)	0	50
Rhead, G. F. Simple Structural Woodwork 12mo,	*1	00
Rhodes, H. J. Art of Lithography8vo,	3	50
Rice, J. M., and Johnson, W. W. A New Method of Obtaining		
the Differential of Functions12mo,	0	50
Richards, W. A. Forging of Iron and Steel12mo,		50
Richards, W. A., and North, H. B. Manual of Cement Testing,		30
12m0,	*1	50
Richardson, J. The Modern Steam Engine		50
Richardson, S. S. Magnetism and Electricity12mo,	*2	00
Rideal, S. Glue and Glue Testing	*4	00
Rimmer, E. J. Boiler Explosions, Collapses and Mishaps. 8vo,	*1	75
Rings, F. Concrete in Theory and Practice	*2	50
Reinforced Concrete Bridges4to,	*5	00
Ripper, W. Course of Instruction in Machine Drawing. folio,	*6	00
Roberts, F. C. Figure of the Earth. (Science Series No. 79.)		
16mo,	0	50
Roberts, J., Jr. Laboratory Work in Electrical Engineering		
8vo,	*2	00
Robertson, L. S. Water-tube Boilers 8vo,	2	00
Robinson, J. B. Architectural Composition8vo,		50
Robinson, S. W. Practical Treatise on the Teeth of Wheels.		
(Science Series No. 24.)16mo,	0	50
Railroad Economics. (Science Series No. 59.)16mo,	0	50
60.)16mo,	0	50

Robson, J. H. Machine Drawing and Sketching 8vo,	*1	50
Roebling, J. A. Long and Short Span Railway Bridges. folio,	25	00
Rogers, A. A Laboratory Guide of Industrial Chemistry . 12mo,	*1	50
- Elements of Industrial Chemistry 12mo,	*2	50
Industrial Chemistry8vo,	*5	00
Rogers, F. Magnetism of Iron Vessels. (Science Series No. 30.)		
16mo,	0	50
Rohland, P. Colloidal and its Crystalloidal State of Matter.		
Trans. by W. J. Britland and H. E. Potts 12mo,	*1	25
Rollins, W. Notes on X-Light8vo,		00
Rollinson, C. Alphabetsoblong 12mo,	*1	00
Rose, J. The Pattern-makers' Assistant 8vo,	2	50
- Key to Engines and Engine-running 12mo,	2	50
Rose, T. K. The Precious Metals. (Westminster Series.) 8vo,	*2	00
Rosenhain, W. Glass Manufacture. (Westminster Series.) 8vo,	*2	00
Physical Metallurgy, An Introduction to. (Metallurgy	de	
Series.)		50
Roth, W. A. Physical Chemistry8vo,	~2	00
Rothery, G. C., and Edmonds, H. O. The Modern Laundry.	-	
2 vols4to, half leather,		
Rowan, F. J. Practical Physics of the Modern Steam-boiler.8vo, — and Idell, F. E. Boiler Incrustation and Corrosion.	*3	00
(Science Series No. 27.)	0	50
Roxburgh, W. General Foundry Practice. (Westminster		
Series.)8vo,	*2	00
Ruhmer, E. Wireless Telephony. Trans. by J. Erskine-		
Murray8vo,		50
Russell, A. Theory of Electric Cables and Networks 8vo,	*3	00
Rutley, F. Elements of Mineralogy	*1	25
Sanford, P. G. Nitro-explosives8vo,		
Saunders, C. H. Handbook of Practical Mechanics 16mo,		
leather,	I	25
Sayers, H. M. Brakes for Tram Cars 8vo,	*I	25
Scheele, C. W. Chemical Essays	*2	00
Scherer, R. Casein. Trans. by C. Salter		
AVO.	-	6363

Schidrowitz, P. Rubber, Its Production and Industrial Uses, 8vo,	*5	00
Schindler, K. Iron and Steel Construction Works 12mo,		25
Schmall, C. N. First Course in Analytic Geometry, Plane and		-3
Solid	*1	75
Schmall, C. N., and Schack, S. M. Elements of Plane Geometry		13
12mo,	*1	25
Schmeer, L. Flow of Water8vo,	*3	
Schumann, F. A Manual of Heating and Ventilation.	3	00
	-	
Schwartz E H I Causal Goology		50
Schwartz, E. H. L. Causal Geology	*2	
Schweizer, V. Distillation of Resins	*3	50
Scott, W. W. Qualitative Analysis. A Laboratory Manual, 8vo.	*1	50
— Technical Methods of Analysis		
	res	5.)
Scribner, J. M. Engineers' and Mechanics' Companion.		
16mo, leather,	1	50
Scudder, H. Electrical Conductivity and Ionization Constants of Organic Compounds8vo,	**	00
	-	
Searle, A. B. Modern Brickmaking		00
	3	00
Searle, G. M. "Sumners' Method." Condensed and Improved.  (Science Series No. 124.)	-	
		50
Seaton, A. E. Manual of Marine Engineering8vo,	0	00
Seaton, A. E., and Rounthwaite, H. M. Pocket-book of Marine		
Engineering	3	50
Seeligmann, T., Torrilhon, G. L., and Falconnet, H. India		
Rubber and Gutta Percha. Trans. by J. G. McIntosh	-	
8vo,	-	
Seidell, A. Solubilities of Inorganic and Organic Substances 8vo,		
Seligman, R. Aluminum. (Metallurgy Series)(In		
Sellew, W. H. Steel Rails4to,		-
- Railway Maintenance Engineering		50
Senter, G. Outlines of Physical Chemistry12mo,		75
— Textbook of Inorganic Chemistry		75
Sever, G. F. Electric Engineering Experiments 8vo, boards,	*1	00
-and Townsend, F. Laboratory and Factory Tests in Elec-		
trical Engineering 8vo,	*2	50

Sewall, C. H. Wireless Telegraphy8vo,	*2	00
— Lessons in Telegraphy 12mo,	*1	00
Sewell, T. The Construction of Dynamos8vo,	*3	00
Sexton, A. H. Fuel and Refractory Materials 12mo,	*2	50
Chemistry of the Materials of Engineering	*2	50
- Alloys (Non-Ferrous)8vo,	*3	00
- and Primrose, J. S. G. The Metallurgy of Iron and Steel,		
8vo,		50
Seymour, A. Modern Printing Inks	*2	00
Shaw, Henry S. H. Mechanical Integrators. (Science Series	0	50
No. 83.)		1000
		00
Chemistry of Compounds Used in Porcelain Manufacture.8vo,	1999	00
Shaw, W. N. Forecasting Weather	1000	50
Sheldon, S., and Hausmann, E. Direct Current Machines. 12mo,		50
— Alternating-current Machines		50
Electric Traction and Transmission Engineering. 12mo,	*2	50
Shields, J. E. Note ion Engineering Construction12mo,		50
Shreve, S. H. Strength of Bridges and Roofs8vo,	3	50
Shunk, W. F. The Field Engineer12mo, mor.,	2	50
Simmons, W. H., and Appleton, H. A. Handbook of Soap		
ManufactureSvo,	*3	00
Simmons, W. H., and Mitchell, C. A. Edible Fats and Oils,	45	
8vo,	*3	
Simpson, G. The Naval Constructor12mo, mor.,	*5	
Simpson, W. Foundations	Pres	88.)
Sinclair, A. Development of the Locomotive Engine.		
8vo, half leather,	5	00
Sindall, R. W. Manufacture of Paper. (Westminster Series.)		
8vo,	*2	
- and Bacon, W. N. The Testing of Wood Pulp8vo,	*2	50
Sloane, T. O'C. Elementary Electrical Calculations 12mo,	*2	00
Smallwood, J. C. Mechanical Laboratory Methods. (Van	-	
Nostrand's Textbooks.)		50
Smith, C. A. M. Handbook of Testing, MATERIALS 8vo,		50
— and Warren, A. G. New Steam Tables		25
Smith, C. F. Practical Alternating Currents and Testing . 8vo,	*2	50
- Practical Testing of Dynamos and Motors	*2	00

Smith, F. A. Railway Curves	*1	00
— Standard Turnouts on American Railroads12mo,	*1	00
— Maintenance of Way Standards 12mo,	*1	50
Smith, F. E. Handbook of General Instruction for Mechanics.		
12mo,	I	50
Smith, H. G. Minerals and the Microscoper2mo,		25
Smith, J. C. Manufacture of Paint8vo,	*3	50
Smith, R. H. Principles of Machine Work		
- Advanced Machine Work 12mo,	*3	00
Smith, W. Chemistry of Hat Manufacturing12mo,	*3	00
Snell, A. T. Electric Motive Power8vo,	*4	00
Snow, W. G. Pocketbook of Steam Heating and Ventilation,		
(In	Pres	88.)
Snow, W. G., and Nolan, T. Ventilation of Buildings. (Science		
Series No. 5.)	0	50
Soddy, F. Radioactivity8vo,	*3	00
Solomon, M. Electric Lamps. (Westminster Series.)8vo,	*2	00
Somerscales, A. N. Mechanics for Marine Engineers. 12mo,	*1	50
- Mechanical and Marine Engineering Science8vo,		00
Sothern, J. W. The Marine Steam Turbine8vo,	*6	00
- Verbal Notes and Sketches for Marine Engineers8vo,	*5	00
Sothern, J. W., and Sothern, R. M. Elementary Mathematics	4	
for Marine Engineers12mo,	*1	
— Simple Problems in Marine Engineering Design12mo,	*1	00
Southcombe, J. E. Chemistry of the Oil Industries. (Out-	4	
lines of Industrial Chemistry)8vo,	*3	00
Soxhlet, D. H. Dyeing and Staining Marble. Trans. by A.		
	*2	
Spang, H.W. A Practical Treatise on Lightning Protection. 12mo,	I	00
Spangenburg, L. Fatigue of Metals. Translated by S. H.		
Shreve. (Science Series No. 23.)16mo,	0	50
Specht, G. J., Hardy, A. S., McMaster, J. B., and Walling. Topo-		
graphical Surveying. (Science Series No. 72.)16mo,		50
Spencer, A. S. Design of Steel-Framed Sheds8vo,	*3	
Speyers, C. L. Text-book of Physical Chemistry	*2	25
Spiegel, L. Chemical Constitution and Physiological Action.	*	
(Trans. by C. Luedeking and A. C. Boylston.).12mo,	TI	25

Sprague, E. H. Hydraulics	I	25
— Stability of Masonry12mo,	I	25
Stahl, A. W. Transmission of Power. (Science Series No. 28.)		
16mo,		
and Woods, A. T. Elementary Mechanism12mo,	*2	00
Staley, C., and Pierson, G. S. The Separate System of Sewerage.		
8vo,	*3	00
Standage, H. C. Leatherworkers' Manual 8vo,	*3	50
- Sealing Waxes, Wafers, and Other Adhesives 8vo,	*2	00
Agglutinants of All Kinds for All Purposes12mo,	*3	50
Stanley, H. Practical Applied Physics(In Practical Applied Physics	res.	s.)
Stansbie, J. H. Iron and Steel. (Westminster Series.) 8vo,	*2	00
Steadman, F. M. Unit Photography12mo,	*2	00
Stecher, G. E. Cork. Its Origin and Industrial Uses. 12mo,	I	00
Steinman, D. B. Suspension Bridges and Cantilevers. (Science		
Series No. 127.)	0	50
- Melan's Steel Arches and Suspension Bridges 8vo,	*3	00
	*2	-
Stevens, J. S. Theory of Measurements	*1	25
Stevenson, J. L. Blast-Furnace Calculations12mo, leather,	*2	00
Stewart, G. Modern Steam Traps	*1	25
Stiles, A. Tables for Field Engineers	I	00
	*5	00
Stone, H. The Timbers of Commerce8vo,		50
* *	*2	
— The Study of Plant Life8vo,	*2	
Stumpf, Prof. Una-Flow Steam Engine4to,	*3	50
Sudborough, J. J., and James, T. C. Practical Organic Chem-		
istry		
Suffling, E. R. Treatise on the Art of Glass Painting 8vo,	-	
Sullivan, T. V., and Underwood, N. Testing and Valuation		
of Building and Engineering Materials(In Pr		
Sur, F. J. S. Oil Prospecting and Extracting8vo,	*I	00
Svenson, C. L. Handbook on Piping(In Pr	ess	(.)
Swan, K. Patents, Designs and Trade Marks. (Westminster		
Series.)8vo.	*2	00

Swinburne, J., Wordingham, C. H., and Martin, T. C. Electric	
Currents. (Science Series No. 109.)16mo,	0 50
Swoope, C. W. Lessons in Practical Electricity 12mo,	*2 00
Tailfer, L. Bleaching Linen and Cotton Yarn and Fabrics.8vo,	*5 00
Tate, J. S. Surcharged and Different Forms of Retaining-walls.	
(Science Series No. 7.)	0 50
Taylor, F. N. Small Water Supplies12mo,	*2 00
- Masonry in Civil Engineering	*2 50
Taylor, T. U. Surveyor's Handbook 12mo, leather,	*2 00
- Backbone of Perspective12mo,	*1 00
Taylor, W. P. Practical Cement Testing8vo,	*3 00
Templeton, W. Practical Mechanic's Workshop Companion,	
12mo, morocco,	2 00
Tenney, E. H. Test Methods for Steam Power Plants.	
(Van Nostrand's Textbooks.)	*2 50
Terry, H. L. India Rubber and its Manufacture. (West-	
minster Series.)8vo,	*2 00
Thayer, H. R. Structural Design8vo,	
Vol. I. Elements of Structural Design	*2 00
Vol. II. Design of Simple Structures	
Vol. III. Design of Advanced Structures (In Prepar	
- Foundations and Masonry(In Prepar	
Thiess, J. B., and Joy, G. A. Toll Telephone Practice. 8vo,	
Thom, C., and Jones, W. H. Telegraphic Connections.	-
oblong 12mo,	1 50
Thomas, C. W. Paper-makers' Handbook (In	Press.)
Thompson, A. B. Oil Fields of Russia4to,	*7 50
- Oil Field Development and Petroleum Mining 8vo,	*7 50
Thompson, S. P. Dynamo Electric Machines. (Science	10011100
Series No. 75.)	0 50
Thompson, W. P. Handbook of Patent Law of All Countries,	
16mo,	
Thomson, G. Modern Sanitary Engineering 12mo,	
Thomson, G. S. Milk and Cream Testing12mo,	and the same of th
- Modern Sanitary Engineering, House Drainage, etc. 8vo.	

D. VAN NOSTRAND COMPANY'S SHORT-TI	TLE CATALOG 4	13
------------------------------------	---------------	----

Thornley, T. Cottom Combing Machines 8vo,	*3	00
Cotton Waste8vo,	*3	00
Cotton Spinning8vo,		
First Year	*1	50
Second Year	*3	00
Third Year		50
Thurso, J. W. Modern Turbine Practice	*4	00
Tidy, C. Meymott. Treatment of Sewage. (Science Series		
No. 94.)16mo,	0	50
Tillmans, J. Water Purification and Sewage Disposal. Trans.		
by Hugh S. Taylor8vo,	*2	00
Tinney, W. H. Gold-mining Machinery 8vo,		00
Titherley, A. W. Laboratory Course of Organic Chemistry. 8vo,	-	00
Tizard, H. T. Indicators(In I		
Toch, M. Chemistry and Technology of Paints 8vo,		00
- Materials for Permanent Painting12mo,		00
Tod, J., and McGibbon, W. C. Marine Engineers' Board of		
Trade Examinations8vo,	*1	50
Todd, J., and Whall, W. B. Practical Seamanship 8vo,		50
Tonge, J. Coal. (Westminster Series.)8vo,		00
Townsend, F. Alternating Current Engineering. 8vo, boards,		75
Townsend, J. Ionization of Gases by Collision8vo,		25
Transactions of the American Institute of Chemical Engineers.		-3
Seven volumes now ready. Vols. I to VIII., 1908-1915,		
8vo, each,	*6	00
Traverse Tables. (Science Series No. 115.) 16mo,		50
mor.,	7	00
Treiber, E. Foundry Machinery. Trans. by C. Salter 12mo,		
Trinks, W., and Housum, C. Shaft Governors. (Science		
Series No. 122.)	0	50
Trowbridge, D. C. Handbook for Engineering Draughtsmen.		
(In 1	Pres	s.)
Trowbridge, W. P. Turbine Wheels. (Science Series No. 44.)		
. 16mo,	0	50
Tucker, J. H. A Manual of Sugar Analysis8vo,	3	50
Tunner, P. A. Treatise on Roll-turning. Trans. by J. B.		
Pearse 8vo text and folio atlas.	TO	00

Turner H Wersted Spinners' Handbook	*-	1212
	*2	
	*1	
	*3	
	*4	
	*3	00
Artistic Bridge Design	*3	00
Underhill, C. R. Solenoids, Electromagnets and Electromag-		
	*2	00
Underwood, N., and Sullivan, T. V. Chemistry and Tech-		-
	*3	00
Urquhart, J. W. Electro-plating12mo,	-	00
— Electrotyping		
		00
Osborne, P. O. G. Design of Simple Steel Bridges	*4	00
Vacher, F. Food Inspector's Handbook	*3	00
Van Nostrand's Chemical Annual. Third issue 1913. Leather.		
12m0,	*2	50
- Year Book of Mechanical Engineering Data (In Pr	res	5.)
Van Wagenen, T. F. Manual of Hydraulic Mining 16mo,		00
Vega, Baron, Von. Logarithmic Tables 8vo, cloth,		
Total Dalon, Ton, Document & words,	2	
		00
half mor.,		
Vincent, C. Ammonia and its Compounds. Trans. by M. J.	2	50
Vincent, C. Ammonia and its Compounds. Trans. by M. J. Salter	2	00 50
Vincent, C. Ammonia and its Compounds. Trans. by M. J. Salter	2	00 50
Vincent, C. Ammonia and its Compounds. Trans. by M. J. Salter	2 *2 *4	00 50 00 00
Vincent, C. Ammonia and its Compounds. Trans. by M. J. Salter	2 *2 *4 *4	00 50 00 50
Vincent, C. Ammonia and its Compounds. Trans. by M. J. Salter	2 *2 *4	00 50 00 50
Vincent, C. Ammonia and its Compounds. Trans. by M. J. Salter	2 *2 *4 *4	00 50 00 50
Vincent, C. Ammonia and its Compounds. Trans. by M. J. Salter	2 *2 *4 *4 *4	00 50 00 00 50 50
Vincent, C. Ammonia and its Compounds. Trans. by M. J. Salter	2 *2 *4 *4 *4	00 50 00 00 50 50
Vincent, C. Ammonia and its Compounds. Trans. by M. J. Salter	2 *2 *4 *4 *4	00 50 00 00 50 50
Vincent, C. Ammonia and its Compounds. Trans. by M. J. Salter	2 *2 *4 *4 *4 *4	00 50 00 50 50 50

Wadmore, J. M. Elementary Chemical Theory 12mo,	*I	50
Wadsworth, C. Primary Battery Ignition12mo,	*0	50
Wagner, E. Preserving Fruits, Vegetables, and Meat 12mo,	*2	50
Waldram, P. J. Principles of Structural Mechanics 12mo,	*3	00
Walker, F. Aerial Navigation8vo,	2	00
— Dynamo Building. (Science Series No. 98.) 16mo,	0	50
Walker, J. Organic Chemistry for Students of Medicine 8vo,		50
Walker, S. F. Steam Boilers, Engines and Turbines 8vo,		00
- Refrigeration, Heating and Ventilation on Shipboard,		
12m0,	*2	00
Electricity in Mining8vo,	*3	50
Wallis-Tayler, A. J. Bearings and Lubrication8vo,	*1	50
Aerial or Wire Ropeways8vo,	*3	00
— Sugar Machinery12mo,	*2	00
Walsh, J. J. Chemistry and Physics of Mining and Mine		
Ventilation12m0,	*2	00
Wanklyn, J. A. Water Analysis	2	00
Wansbrough, W. D. The A B C of the Differential Calculus,		
12m0,		50
—— Slide Valves12mo,	*2	00
Waring, Jr., G. E. Sanitary Conditions. (Science Series		
No. 31.)16mo,		50
Sewerage and Land Drainage		00
— Modern Methods of Sewage Disposal	2	00
— How to Drain a House		25
Warnes, A. R. Coal Tar Distillation8vo,		50
Warren, F. D. Handbook on Reinforced Concrete12mo,		50
Watkins, A. Photography. (Westminster Series.)8vo,	*2	00
Watson, E. P. Small Engines and Boilers	I	25
Watt, A. Electro-plating and Electro-refining of Metals. 8vo,	*4	50
Electro-metallurgy12mo,	I	00
— The Art of Soap-making8vo,	3	00
— Leather Manufacture8vo,	*4	00
—— Paper Making8vo,	3	00
Webb, H. L. Guide to the Testing of Insulated Wires and		
Cables12m0,	I	00
Webber, W. H. Y. Town Gas. (Westminster Series.)8vo,	*2	00

Weisbach, J. A Manual of Theoretical Mechanics8vo,	*6	00
sheep,	100	50
- and Herrmann, G. Mechanics of Air Machinery 8vo,	*3	75
Wells, M. B. Steel Bridge Designing8vo,	*2	50
Weston, E. B. Loss of Head Due to Friction of Water in Pipes,		
12mo,	*1	50
Wharen, G. B., and Yoder, J. H. Locomotive Valves and		
Valve Gears(In F	res	s.)
Wheatley, O. Ornamental Cement Work8vo,	*2	00
Whipple, S. An Elementary and Practical Treatise on Bridge		
Building8vo,	3	00
White, C. H. Methods in Metallurgical Analysis. (Van		
Nostrand's Textbooks.)	2	50
White, G. F. Qualitative Chemical Analysis	*1	25
White, G. T. Toothed Gearing	*1	25
Wilcox, R. M. Cantilever Bridges. (Science Series No. 25.)		
16mo,	0	50
Wilda, H. Steam Turbines. Trans. by C. Salter12mo,	I	25
- Cranes and Hoists. Trans. by Chas. Salter 12mo,	I	25
Wilkinson, H. D. Submarine Cable Laying and Repairing. 8vo,	*6	00
Williamson, J. Surveying8vo,	*3	00
Williamson, R. S. On the Use of the Barometer4to,	15	00
Practical Tables in Meteorology and Hypsometry 4to,	2	50
Wilson, F. J., and Heilbron, I. M. Chemical Theory and Cal-		
culations12mo,	*1	00
Wilson, J. F. Essentials of Electrical Engineering8vo,	2	50
Wimperis, H. E. Internal Combustion Engine 8vo,	The second second	00
— Application of Power to Road Transport		50
— Primer of Internal Combustion Engine	*1	
Winchell, N. H., and A. N. Elements of Optical Mineralogy.8vo,	*3	50
Winslow, A. Stadia Surveying. (Science Series No. 77.). 16mo,	0	50
Wisser, Lieut. J. P. Explosive Materials. (Science Series No.		
70.)16mo,	0	50
Wisser, Lieut. J. P. Modern Gun Cotton. (Science Series No.		
89.)16mo,		50
Wolff C F Modern Locomotive Practice 8vo.	**	20

Wood, De V. Luminiferous Aether. (Science Series No. 85.)		
16mo,	0	50
Wood, J. K. Chemistry of Dyeing. (Chemical Monographs		
No. 2.)12mo,		75
Worden, E. C. The Nitrocellulose Industry. Two vols. 8vo,		-
- Technology of Cellulose Esters. In 10 vols 8vo.		
Vol. VIII. Cellulose Acetate	*5	00
Wren, H. Organometallic Compounds of Zinc and Magnesium.		
(Chemical Monographs No. 1.)12mo,	*0	75
Wright, A. C. Analysis of Oils and Allied Substances 8vo,		50
- Simple Method for Testing Painter's Materials 8vo,		50
Wright, F. W. Design of a Condensing Plant12mo,	*1	50
Wright, H. E. Handy Book for Brewers 8vo,	*5	00
Wright, J. Testing, Fault Finding, etc. for Wiremen (Installa-		
tion Manuals Series)16mo,	*0	50
Wright, T. W. Elements of Mechanics8vo,	*2	50
— and Hayford, J. F. Adjustment of Observations 8vo,	*3	00
Wynne, W. E., and Spraragen, W. Handbook of Engineering	ale.	
Mathematics12mo, leather,	*2	00
Young, J. E. Electrical Testing for Telegraph Engineers8vo,	*4	00
Zahner, R. Transmission of Power. (Science Series No. 40.)		
16mo,		
Zeidler, J., and Lustgarten, J. Electric Arc Lamps8vo,	*2	00
Zeuner, A. Technical Thermodynamics. Trans. by J. F.	4.	
Klein. Two Volumes	*8	00
Zimmer, G. F. Mechanical Handling and Storing of Materials,	*	
	*12	
Zipser, J. Textile Raw Materials. Trans. by C. Salter8vo,	*5	00
Zur Nedden, F. Engineering Workshop Machines and Proc- esses. Trans. by J. A. Davenport8vo,	**	0.0
csses. Italis. by J. A. Davenport	*2	00

## D. VAN NOSTRAND COMPANY

are prepared to supply, either from their complete stock or at short notice,

# Any Technical or Scientific Book

In addition to publishing a very large and varied number of SCIENTIFIC AND ENGINEERING BOOKS, D. Van Nostrand Company have on hand the largest assortment in the United States of such books issued by American and foreign publishers.

All inquiries are cheerfully and carefully answered and complete catalogs sent free on request.



a. 11/87



