Considerations on the medicinal use and on the production of factitious airs / by Thomas Beddoes, M.D.: part II; by James Watt, engineer; to which are added communications from Doctors Carmichael, Darwin, Ewart, ... and others.

Contributors

Beddoes, Thomas, 1760-1808. Watt, James, 1736-1819. Royal College of Physicians of London

Publication/Creation

London: Printed by Bulgin and Rosser, for J. Johnson, 1795.

Persistent URL

https://wellcomecollection.org/works/wf82dsuu

Provider

Royal College of Physicians

License and attribution

This material has been provided by This material has been provided by Royal College of Physicians, London. The original may be consulted at Royal College of Physicians, London. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

CONSIDERATIONS

ON THE

MEDICINAL USE,

AND ON THE

PRODUCTION

OF

FACTITIOUS AIRS.

PART I. By THOMAS BEDDOES, M. D. PART II. By JAMES WATT, Engineer.

EDITION THE SECOND.

TO WHICH ARE ADDED. COMMUNICATIONS

From Doctors CARMICHAEL, DARWIN, EWART, FERRIAR, GARNET, JOHNSTONE, PEARSON, THORNTON, and TROTTER; from Mr. ATWOOD, Mr. BARR, Surgeon to the Birmingham Difpenfary, Mr. WALTER WILLIAM CAPPER, Mr. GIMBERNAT, Surgeon to the King of Spain, Mr. SAND-FORD, Surgeon to the Worcester Infirmary, and others.

BRISTOL:

PRINTED BY BULGIN AND ROSSER;
For J. JOHNSON, in St. Paul's Church-Yard, London.



1795

CONSIDERATIONS

MEDICINATT USE

Digitized by the Internet Archive in 2016

https://archive.org/details/b28269202

MODE

ROYAL COLLEGE OF PHYSICIANS LIBRARY CLASS ACCN. 13512 SOURCE DATE

To MR. WATT.

DEAR SIR,

You read your name on the page destined to dedication; but I cannot prevail upon myself to send these Considerations a second time abroad, without acknowledging my satisfaction in having hadyou for a fellow labourer. To establish a new department in Medicine, would have exceeded my single strength; and I do not know any person who could have afforded me such effectual assistance as you have done.

That the pneumatic practice is beginning to acquire the certainty of a genuine art, may be too bold a thing for me to assert; but if this should prove to be the case, I need not explain how much it is indebted to you for the rapidity of its progress, the means of judging being fully before the public. The zeal however with which you exerted your talents to do good, could be witnessed but by a few; and it is particularly incumbent on me to return thanks both to you and Mr. Boulton, for so liberally consenting, at my earnest request, to manufacture your air-apparatus. The profits were never likely to requite any man—much less persons engaged in such extensive concerns—for the expence and vexation always occasioned by a new branch of business.

Though you have succeeded so far as to enable any one, who chooses, to procure elastic fluids with perfect ease, and in the utmost abundance, I hope you will not entirely abandon the subject. By turning your thoughts to it from time to time, you will not fail to help us forward by some useful hint, or happy invention.

Of

Of those members of the medical profession who have already made trial of factitious airs, the desire of certainty or the uneasiness of doubt would ensure the perseverance, even though they had met with no direct encouragement. Others will feel it their duty or interest to adopt the same practice. Nor will the sick or their friends be universally quieted by unmeaning objections or overawed by that authoritative tone which ignorance—and medical ignorance, more especially—is so apt to assume. Notwithstanding the times, a much more lively interest has been manifested by the public in this arduous undertaking than I could have expected. And should the pursuit, which I by no means apprehend, be abandoned here, it will be continued in other countries. I could prove by sufficient testimonies how favourably the proposal for the extensive employment of aeriform remedies, has been received in different parts of the civilized world. At present, I shall only remark, that a celebrated American physician is composing a work, to explain the most remarkable appearances of the yellow fever of PHILADELPHIA, according to the principles stated in the following pages. Should his explanation be true to nature, the same principles will doubtless suggest effectual means for checking the ravages of this consuming disorder in future.

No contingencies therefore, it should seem, can altogether put a premature end to these interesting researches. When the time for balancing success and failure shall arrive, the result, I trust, will not diminish the satisfaction you must have derived from cases within your certain knowledge.

I am, dear Sir,

Your's with sincere esteem,

THOMAS BEDDOES.

Clifton, March 30, 1795.

HE former edition of this pamphlet, confifting of between 500 and 600 copies, appeared in the middle of October, 1794. The bookfellers had disposed of most of the eopies in a few weeks; and in lefs than four months a new impression became necessary. As the British market for professional publications is most discouragingly narrow, may not this brisk demand be regarded as the token of a rifing difposition in mankind to take what belongs to their welfare into their own confideration; and to emancipate themselves still further from the danger and fervility of implicit confidence ?---Prefuming that the prefent edition will likewife fall into the hands of persons, indifferent about medical literature in general, but anxious to form an opinion concerning the virtues of elastic fluids: I shall endeavour to obviate the effect of certain cavils, which will perhaps be urged with greater vehemence, as the projected improvement feems more likely to answer. In the past and present state of medicine there are feveral circumstances which may, in my opinion, be fuccessfully employed for this purpose.

I. Let the means by which alone it is possible for human ingenuity to improve this or any other art be first, considered; and afterwards

A

the

the difficulties it has been necessary to surmount before the most powerful articles of the Materia Medica could be brought into train. To difcover an efficacious method of administering quickfilver, without inflicting the most severe torture upon the patient, required the fucceffive efforts of many generations. Opium has been longer known and much more frequently exhibited; yet the number of those, who understand its properties so as to employ it safely and with its full effect, is at this day incredibly fmall. Nor would a stranger to the records of medicine ever conceive by what fufferings and, to palliate nothing, by what facrifices our prefent knowledge of these two substances has been obtained. This is a melancholy retrospect; but before you give way to your fenfations, hear what the alternative would have been. We possess the most authentic documents; and from them we may collect that the number of miserable lives and miserable deaths would have been many million times greater, if our predecessors had not persevered in their endeavours to master these active bodies. Such is univerfally the condition of human affairs; and the miseries of the present age will work out the redemption of posterity.

If you pursue this train of thought, you will, after some hesitation perhaps, be led to a conclusion opposite to that of the acute author of the

the work, entitled Medicine pernicious to Society (a); but if you limit the question to the past and the present, and comprehend practitioners of all titles and of both sexes, I dare not deny that for one pang that has been eased, an hundred have been inslicted; for one life that has been preserved, twenty have been destroyed.

It would not therefore have been a sufficient reason for abandoning elastic fluids in despair, if in cases where there was no chance of other help, some suspicious circumstances had arisen after their use They have however now been very frequently and largely administered; and fometimes in a state of debility but just compatible with life. My attention and enquiries have been particularly directed to bad confequences. Yet I know only of three instances, where any inconvenience, more worth confideration than the ordinary effect of an emetic, has been experienced. In the worst of these I had the mortification to be concerned; it is the case of epileptic affection related in my Collection of Letters. The patient is now as before the inspiration of the modified air; nor has any thing worth mentioning occurred in the mean time .--- Of the other cases Dr. Carmichael gives an accurate report p. 69-72: How on we would A 2

⁽a) Medecine nuifible à la Societé; by Dr. Gilibert, a Medical Professor of Montpellier.

There is not, I believe, the least reason to sufpect that life has been ever once shortened in these attempts to relieve hopeless distress. Had such an event sallen under my notice, I should have described it as circumstantially as the most brilliant cure. Of the observations I should myself make, it was my original determination to relate such as might suggest too high expectations; and I suppose common sense will distate to every person in the same circumstances the policy of watching and reporting effects in the character of an adversary rather than of an advocate.

To imagine possibilities is one thing; to judge of realities is another. The imagination, I prefume, may very allowably range the unexplored recesses of Nature in quest of remedies for frequent and fatal diforders. If any thing that appears capable of fupplying fo great a defideratum should occur, you must of necesfity, in applying it to ufe, be guided by views or expectations, previous to direct experience. To frame analogical hypotheses concerning the operation of untried agents (unless the hypotheses be abfurd or contrary to well-established facts) can, therefore, bring no man's judgment into question, except with those who feel it their interest to confound, or who want capacity to distinguish, things essentially different. In

In the daily declamations against proceeding upon analogy in the practice of physic, there is fo little meaning that the declaimers are continually endeavouring to avail themselves of this resource; they are only unconscious of what passes in their own minds. But to adhere to speculation in opposition to the evidence of experiment, is, I acknowledge, a degree of weakness, equal to the criminality of prevarication or direct falshood, for the fake of gaining a lucrative reputation. My coadjutors appear to have been actuated by the same fentiments: and the impartial and intelligent may, I think, be fafely challenged to determine how far their reasonings are distinguished by philosophical scepticism, and their reports by the austerity of truth. visa batk from the (hops: 40 opp

In our clinical observations we must all be sensible that there is a degree of immaturity, which time only could remove. But it seems too obvious to require proof that the progress of the art and the advantage of patients are best consulted by speedy publication, provided the statement of facts be accurate as far as it goes. This is certainly the quickest way of multiplying observers: and thus I expect the machinations of empirics and monopolists will be deseated.

II. No one will pretend that factitious airs are inert; and fince they have been fo freely used with so little injury, may we not fafely persevere, till their virtues be ascertained? Is it too foon to conclude that the caution, at all times necessary in the practice of medicine, is fufficient for the fecurity of the fick? and that any unfortunate event in future ought to be imputed to rashness, to ignorance, or to one of those mistakes in consequence of which the noblest remedies have sometimes proved pernicious? It is beyond expectation fortunate that the time of natural death should have in no instance coincided with the first administration of elastic fluids. For I saw Crast and Timidity, which formed a league to expel Peruvian bark from the shops, to oppose inoculation, and to decry the cool treatment of the fmall-pox, ready to take advantage of any event that might bear an alarming interpretation .---That fo little opposition and fo little pretext for opposition has arisen, I impute to a variety of causes: to skill and care in individuals; to our fuperior knowledge of the nature of animation; to instructive experiments upon animals; and, above all, to that power over invisible and impalpable agents which we derive from mechanics and chemistry.

an evil eye, it was doubtless expected that it would be defeated by its own difficulty. But it has escaped this danger, and others, according to the course of medical transactions, await it. That which will arise from the following cause I regard as most to be dreaded. Unless the enemies to improvement facrifice their sees to their stubbornness, they will be compelled by the urgency of patients to employ the new method or to make believe they do. In what disposition of mind they will set about the trial may be conceived by those who recollect the occasion on which the Jew in Shakspeare demands

"On what compulsion must I, tell me that?"

Modern instances might easily be adduced where an active and well-recommended material has been presented to the public, as unfit to be prescribed, on the authority of cases in which it had been converted by the enormity of the dose into a poison. When factitious airs fall into the same hands, we shall, I dare say, be surnished with instances in plenty of their injurious effects; for I repeat what I have already taken some pains to inculcate, that like all efficacious remedies they are capable, when misapplied, of producing the most fatal consequences.

IV. Knowledge is never exact but when it involves absolute or comparative quantity.

A 4

To perceive clearly in what estimation the general art of healing in its present condition deserves to be held, we should know

- 1. The number of cases where it can effect a cure, though no spontaneous recovery would take place.
- 2. The number of cases where we are helpless spectators.
- 3. The pain we can fave patients whether fpontaneous recovery will or will not take place.

Werethese quantities ascertained, the figures on the melancholy fide of the account would, I fear, run tremendoully high. But let us fuppose that in a given district there are 10,000 patients, where the drugs in use can neither preserve life, nor in any considerable degree mitigate pain. Of these 10,000 cases let it be affumed that in 1000 or in half the number factitious airs are capable of re-establishing health, and in 2000 others that they will prove better palliatives than we possessed before. That their efficacy will hold fo high a proportion I by no means affirm; though facts feem to warrant very favourable expectations, and the fignal virtues they have manifested in internal and external ulcerations, that is to fay, in curing or relieving the most fatal and excruci-

ating of human maladies, is a most encouraging consideration. But though their advantages should require to be expressed in much lower terms, it is obvious that they may still be an acquisition to humanity; and I have offered a numerical statement merely to evince their value, if they should prove serviceable in any species of disease, though they fail in all others. The habit of analysing medical facts is so uncommon that the diffident and the uninformed might by a little management be led to infer general want of power from partial inefficacy. It was accordingly remarked to me by a phyfician, acquainted with the history of his art, the feelings of his brethren, and the spirit of the metropolis, "that fome patients might poffibly "be cured by breathing this or that air; as " others are by fwallowing this or that drug. "But the method, unless mysteriously practifed, " cannot foon obtain credit; persons out of "the profession are too indolent or ignorant to " concern themselves about its pretensions: it " appears troublesome and would put the fa-" culty too much out of their way; I think "therefore fuccess in twenty instances will not, " at prefent, be so likely to recommend it, as " one failure to bring it into discredit."--- I acknowledge the shrewdness of these remarks; and I am fenfible that it is a thing of itself by no means defirable to put the faculty out of their

ferigolofiydg

way. But superior considerations will easily occur; and it remains to be seen whether the public judgment, almost 200 years after the time of BACON, is so enseebled by medical superstition, as to yield in a matter of such moment to vague presumptions and opinions of questionable origin.

To the former edition I prefixed a proposal for a MEDICAL PNEUMATIC INSTITUTION. A temporary public establishment might, I conceived, be so contrived as greatly to affift in deciding how far elastic sluids will be of service in diseases, which are a reproach to the art and mines of gold to its profesfors .--- Among the peculiar advantages of fuch an institution persons of information appear to have been most struck with the following. 1. To a complete trial of this practice it might be neceffary to fill apartments with modified air: Even unfavourable conclusions should be established in such a manner as to leave no regret behind; and perfons of enlarged views will, I suppose, affent to an observation of Mr. Thomas Wedgwood, "that it is worth while to expend " the specified sum in order to assure ourselves that elastic fluids will not be serviceable as " medicines." 2. It would be defirable to have the means of applying this practice to animals --- as dogs and horses---labouring under dangerous or fatal diforders. 3. We might carry on physiological

physiological investigations of longer duration and greater extent than have ever yet been devised, with a view to discoveries, applicable to the practice of physic. 4. As all imaginable precautions would be taken to authenticate facts and give them publicity, a large quantity of matter for reslection, if not of knowledge immediately useful, would be thrown into circulation. 5. Observations on private patients may suggest modes of applying air, not easily practicable but in an appropriated building. 6. It may be expected that men of genius, having such assurance that all reasonable suggestions would be realised, would universally exert their inventive powers in behalf of humanity.

According to the common acceptation of the term charity, the proposed institution must be regarded as essentially different from ordinary charitable foundations. It is calculated for the benefit of the wealthy as well as of the indigent; in other words, to relieve the distress universally arising from the impersect state of medicine, and not from poverty in particular. It can scarce be suspected as a private or party job; there are sew individuals incapable of judging how far the undertaking is unnecessary; for there are sew who have not seen some friend tortured long or prematurely cut off by some disorder, which has bassled the skill of those in whom

whom most confidence was placed, and from which they themselves are furnished with no exemption.

The proposal having been some months before the public, it may be expected that I should fay something of its reception. It has incurred ridicule; that was in order. It has also been commended; indeed, if I may credit the reports of some correspondents, and if words could procure workmen and materials, the present age might have consecrated to humanity an edifice more splendid than the monuments of oriental fuperstition. These commendations however might be mere civilities; but I can feriously affirm that no defign has ever been fanctioned by more respectable support. The fum at present subscribed does not, I believe, exceed fix hundred pounds. But among the fubscribers will be found a majority of the perfons, eminent in Great Britain and Ireland as improvers of medical and philosophical science. Their names shall speedily be given to the publie. But I think it due to departed worth to record on the present occasion that the promotion of this defign was among the last acts of the ingenious and public-spirited Mr. Wedgwood. In my former advertisement I thought myself bound in justice to mention the liberality of Mr. William Reynolds, of Mr. Joseph Reynolds,

Reynolds, and Mr. Yonge, furgeon, of Shifnal, Shropshire. In 1792, when I pointed out the principles on which I imagined beneficial consequences might result from the free use of elastic sluids as medicines, these persons agreed with me to risque a sum not exceeding two hundred pounds each, in order to bring my conjectures to a proper trial. An apparatus was accordingly erected; an operator engaged, and in 1793 I made many of the following experiments. At the fame time it was ascertained that the practice might very safely be purfued: and a prospect of advantage offered itself. Upon this first essay was expended no inconfiderable part of the fum we had determined not to exceed.

I have observed of late certain expressions in print, from which strangers to the real circumstances might suppose that several other persons had co-operated with me in attempting to improve Medicine, in consequence of previous connexions in private life. But there has been in this proceeding nothing of narrow partiality towards an individual, nothing of collusion or cabal. The real motives of those who have stepped forward are so much more honourable to themselves, and to the cause in which they engaged, that fuch misapprehension ought to be obviated. In truth, I have not even a perfonal acquaintance with the majority of those Reynolds by

by whom I have been favoured with communications; nor had I the least previous intimacy or correspondence with any one among the number, excepting a physician eminent for the variety and energy of his talents; and our acquaintance was confined to an intercourse of letters on subjects of medicine and philosophy.

Advertifing the propofal and contributions in the London papers has been delayed longer than was intended. But the necessities of the poor during the late disastrous season were so urgent that it was thought the public would not pay much attention to other applications for fubscriptions. As foon as the contributions amount to fifteen hundred pounds, I shall propose to the subscribers to proceed to the execution of the defign, in hopes that the fum, further necessary, will be afterwards raised .--I have fometimes been asked if it would not be better to defer the project till peace be restored? I think indeed that lefs difficulty would have been experienced in time of peace; but I have thought it not improper to reply by another question: If you admit the propriety of the measure at any time, should a nation like this defer a plan, requiring for its execution no more than 3 or 4000l. and calculated to rescue multitudes from suffering and death? Can you suspend the progress of disease, till you are at leisure from the pressing concerns of the war to contribute

your mite towards the alleviation of distress, which is gnawing the bosom of innumerable families? Besides, where is our security, that at the cessation of hostilities or shortly afterwards, we shall be better able or more willing than at present to execute schemes of beneficence? And would it not be a cause of just regret if we should suffer to pass away so noble an opportunity of deserving well of mankind, at such a trisling cost?

The following Bankers in London have obligingly agreed to receive Subscriptions for the Medical Pneumatic Institution: Messrs. Coutts and Co. Sir J. Esdaile and Co. Messrs. Pybus and Co. Messrs. Ransom and Co. Messrs. Pybus and Co. Messrs. Ransom and Co. Messrs. Smith, Payne, and Co. Messrs. Staples and Co.—Sir Benj. Hammett, Alexander Anderson, Esq. and John Grant, Esq. have consented to hold the money subscribed, as Trustees, till the execution of the design commences.

another queltion: If you

may take towards the alleviation of distress, where is our factories, that at the eeffection of holdities or thordy afterwards, we find the better able or more willing that at prefent to execute fehemes of beneficence? And would it not be a cause of just regree of we should fuller to pass away so noble an opportunity of deserving well of mankind, at such a tristing cost?

The following Bankers in London have obligingly agreed to receive Subscriptions for the Medical Pheumatic Inflication: Meffix. Gunts and Co. Sir J. Eldaile and Co. Meffix. Pybus and Co. Meffix. Rapfom and Co. Meff. Smith, Payne, and Co. Meff. Staples and Co. Meff. Sir Beni, France, and Co. Meff. Staples and Co. Sir Beni, Franmott, Alexander Anderson and John Grant, Esq. have confensed to hold the money subscribed, as Trustees, till hold the money subscribed, as Trustees, till the execution of the defign commenters.

PART I.

EXPERIMENTS, CAUTIONS, and CASES, tending to illustrate the medicinal use of Factitious Airs, and of other substances, of which the application to Medicine has been suggested by modern philosophical discoveries.

I .- Of the Atmosphere.

IT is proved, by fatisfactory experiments, that the inferior region of the atmosphere consists of two kinds of air, quite distinct in many properties. One is the kind called VITAL, DEPHLOGISTICATED, or OXYGENE AIR, and by a variety of names besides. The other has been named AZOTIC, PHLOGISTICATED, FOUL, or BAD AIR. Where the lower atmosphere is not altered by the breathing of animals, the burning of suel, by exhalations from subterraneous chemical processes or putresying substances, and such local causes, if you confine and examine an hundred cubic inches, you will find twenty-seven or twenty-eight to be oxygene, and the remaining seventy-two or seventy-three azotic

air. The manner in which air may be analysed, is described in the writings of Dr. Priestley, Mr. Scheele, Mr. Cavendish, and Mr. Lavoisier. These authors explain much of the nature of oxygene and azotic air. A candle burns in a vessel full of oxygene air with dazzling brilliancy, and is confumed with great rapidity. This air unites with various fubstances, and turns them four, as beer and milk. Blood taken from a vein is of a dark or livid colour; oxygene makes it bright, florid or ruddy. You may fee this difference by breaking a clot of blood that has flood a little time in the air; the furface will be crimfon, the infide dark, and the dark part, now become the furface, will turn ruddy, though covered with ferum. When black blood is put into azotic air, it does not become ruddy. Azotic air extinguishes flame, does not burn when mixed, or in contact with common air, and is not abforbed by lime-water.

Near the earth, these two airs are sound mixed with surprising exactness. Take a cubic foot from ten disferent places, and you will find that a little more than a quarter of each is oxygene; the rest azotic air. There is often likewise found a little carbonic acid air, as one part in an hundred, though no stress burn, or animals breathe near.—The nice balance of attraction between the two constituent parts of the atmosphere, deserves notice. These two substances, when closely united, form nitrous acid: If, therefore, they were not, by some circumstances, prevented from uniting closely, all the oxygene, with part of the azote, would be changed into an highly corrosive acid, and the

waters

waters of our globe would be converted into aqua fortis. Again, azotic is lighter than oxygene air; if, therefore, they had not fome attraction, they might separate, and any animals, that should be immersed in an atmosphere of azotic air, would almost instantly expire: The undiluted oxygene remaining below, would, as we shall presently see, occasion violent diseases in man, as well in many other animals.

II .- Of the breathing of man and similar animals.

Fix a pipe to a bladder full of air, and, holding your nostrils, breathe the air for some time, and your distreffed feelings will inform you that it is no longer fit for breathing. If you transfer this breathed air into an inverted glass jar full of water, and turn up the jar so as to keep in the air, and admit none from the atmofphere, you will find that it extinguishes a candle, and destroys the life of a small animal, dipped into it. If you procure another quantity of fuch air, and add to it a little more than one fourth of oxygene air, a candle will burn in it just as in the atmosphere; and you may breathe it as long as fo much fresh air, though it is not exactly the fame; for it contains, after being breathed. fome fixed or carbonic acid air, either thrown out from the blood, or formed in the lungs. These experiments indicate, that breathing renders common air unfit for supporting life or flame, by depriving it of oxygene. Various other experiments shew further that this is the case. The blood, before it passes through the lungs, is dark; after palling, it is florid; dark blood in a bladder, exposed to the atmosphere, becomes florid fuperficially; and in breathing, the blood

and air are only feparated by membranes not unlike a bladder. When dark blood is introduced into veffels containing oxygene or common air, the blood becomes ruddy, and the air is reduced in quantity. Hence it appears, that the blood constantly drinks up a portion of the oxygene air received into the lungs; and from various confiderations I conclude that it is confumed in the contraction of the muscles, and in the formation of feveral fluids, fecreted from the blood; for the blood, after traverfing the body, comes back to the lungs dark, or without the oxygene, which it received in paffing through them. In faying that this principle is confumed, I mean no more than that it enters into new combinations; quitting the blood and muscular fibres, and forming perhaps an ingredient in those falts which the bones and fluids are found to contain.-It has been calculated, that, an healthy man requires about five cubic feet of air, or 11 cubic feet nearly of oxygene air, every hour.

So much is premifed to render the following experiments and speculations intelligible to some readers.

—They will find more in Dr. Goodwin's connection of life with respiration, Mr. Coleman's differtation on suspended respiration, Dr. Menzies' Tentamen de respiratione (Annales de Chimie, 1791, p. 211), in my three publications on the propriety of employing elastic sluids in various disorders, and the chemical authors already quoted.

It appears that the skin imbibes and exhales air. It will imbibe various kinds; but, as it is found in equal times to take in three or four times as much oxygene

air as any other, it probably felects oxygene alone from the atmosphere. Some philosophers suppose the hu. man species to have existed in a monkey state; would the hair then fo much prevent the cutaneous absorption of oxygene as the cloaths at prefent?-From thefe experiments it has been also conjectured that immerfion of the naked body or limbs in different airs might cure difeases. See Dr. Ewart on Cancer, Dilly, London. Monthly Review for November, 1794, p. 301.

III .- Though the proportion of oxygene in the atmosphere may be best adapted to the average state of health, may the proportion not be smaller than is beneficial in some disorders, and larger than in others?

Confiderate persons will, I conceive, reply, that this is probable. I have made many experiments on animals, to illustrate the effect of atmospheres of various constitutions. I should have made more, had I not been abfent from England, or otherwise occupied for a good part of the last 12 months. No investigation of greater importance or extent, can be imagined. This is only a rude beginning. Others will affift in continuing the enquiry.

IV .- The effect of breathing oxygene air little diluted.

Dr. Priestley and Mr. Lavoisier found animals either to die, or to become exceedingly ill in fuch air, while it continues more oxygenated than the atmofphere, and will support the life of other animals. It is not then defect, but excess of oxygene, that is pernicious here. The heart and arteries pulsate more quickly and forcibly; the eyes grow red and feem to pro-

trude; the heat of the body is faid confiderably to increase (a), sweat to break out over the whole body, and fatal mortification of the lungs to come on. Thefe appearances denote violent inflammation: animals have always appeared to me to fuffer extremely, foon after immersion in unmixed oxygene air. The human fpecies, I think, will be found to vary as widely in the manner in which this elastic fluid affects various individuals as in any quality whatfoever. Some, I have observed, not to be very sensibly affected by it when respired pure. To my own lungs, it feels like ardent fpirits applied to the palate; and I have often thought I could not furvive the inspiration of oxygene air as it is driven from manganese by heat many minutes. The production of inflammation is fully established by diffection, as others have found, and as appeared from the following experiment :- A large kitten was kept feventeen hours in a veffel containing feveral cubic feet of air from manganese, of which about eighty parts in an hundred might be oxygene. This, and another kitten of nearly the same fize, which had lived as ufual, were then diffected in my prefence, by Mr. Guillemard, of St. John's College, Oxford, who immediately made the following minute of the appear- . ances :- "The lungs were of a florid red colour in the " oxygenated kitten (A); in the other (B), they were " pale; the difference was very firiking, both in the "inflated and uninflated flate; the edge of one lobe " in A was marked with livid spots (as in mortifi-" cation). The pleura was likewife evidently inflamed. "The heart in A was of a florid red colour. The " liver,

⁽a) Girtanner Antiphlogistische Chemie, p. 263.

"liver, kidneys, fpleen, and blood-veffels of the me"fentery and urinary bladder, were of a brightish red
"colour. In B, the heart was of a deepish colour.

"The liver, fpleen, kidneys, and blood-veffels in ge"neral, were of a bluish or purple colour. Both kit"tens had been successively killed by immersion under
"water. Upon opening the head of A, there was no
"appearance of inflammation.—The blood veffels had
"rather a florid colour; but there was no sign of ex"travasation, or more than the usual quantity of blood.

In B, on raising the skull, there appeared a quantity
of blood between the bones and the membranes of
the brain, of which the blood-veffels were turgid
with dark-coloured blood.

"In A, the heart readily obeyed the stimulus of pricking: The spontaneous contractions of the right auricle and ventricle were frequent; they continued
with little diminution of frequency and force for
above half an hour. In about an hour, they had
wholly ceased.

"In B, the irritability of the heart was at first equi"vocal. On opening the pericardium half an hour

after the sternum had been removed, the motions of
the heart became very visible; they continued more

than an hour after the first exposure of the contents

of the thorax."

The universally diffused florid colour in A was particularly striking; So was the dulness of one heart at first, and the vivacity of the other: Of the latter, I believe the spontaneous pulsations were in all many

B 4

times more frequent and forcible; though this circumflance deferves more particular examination than we
bestowed upon it. The kitten (A) had eaten some
time after being put into the reservoir, as appeared
from food introduced at the same time. The air seemed
to have suffered little diminution either in quantity or
quality: The reason will appear from a subsequent
experiment. On cutting the wind-pipe of A to blow
up the lungs, a good deal of viscid mucus slowed out.
This was occasioned by strong action continued for
some time, and was not seen in any thing like the same
degree in B.

V.—Experiments to ascertain the condition of the venous blood in animals made to respire oxygene air.

On comparing the experiments made upon blood out of the body, I was formerly uncertain what might be expected to be the effect of hyper-oxygenation of the fystem upon the colour and other qualities of the venous blood. (See my Observations on consumption.) Many fubstances, containing oxygene, brighten venous blood, but oxygenated marine acid, according to feveral foreign chemists of reputation, has an oppofite effect. Mr. Guillemarde and myself often noticed the dark appearance of the veins in animals charged with oxygene, and of the blood they discharged when wounded. To investigate this point more particularly, one of two equal half-grown rabbits was kept fifteen minutes in a mixture of three parts of oxygene air from heated manganese, and one part of atmospheric air. Both were killed by blows on the back of the head, and opened nearly at the fame time. This experiment

periment was made in the presence of Mr. William Clayfield, and Mr. Bowles, Surgeon, of Bristol. In the oxygenated rabbit neither the vena cava itself, nor blood taken from it, appeared less dark-coloured; we thought (but were not certain) that it was rather more so. The blood of the oxygenated rabbit coagulated much more rapidly. The liver also was of a much less dark colour in this rabbit.

The blood of both gained its usual florid colour on standing exposed to the air.

EXPERIMENT 2.—Of two equal and nearly fullagrown rabbits, one was kept a quarter of an hour in undiluted oxygene air, prepared as before. Both were then killed and opened, as before, by Mr. Bowles. In the oxygenated the following were the appearances. The veins were certainly not of a lighter colour, nor the blood. A quantity from the vena cava of both rabbits was received in tea-cups. When it was fpread thin on the fides of the veffel, we thought the oxygenated blood had a purple or claret colour, which was not perceptible in the other; Mr. Bowles likewife thought its general appearance rather darker; its coagulation, as in the former experiment, was more speedy; and the coagulum, as I thought on examination afterwards, was firmer.—The liver was less dark.

On the margin of the lungs in the oxygenated rabbit, we observed florid spots in shape and situation like those I had formerly seen on the lungs of animals long confined in oxygene air; and which I take to be points of inflammation.

We observed signs of much stronger irritability in the right auricle and ventricle, in the diaphragm and the intercostal muscles of the oxygenated rabbit. They continued longer too in this. But considering the force and frequency of the contractions, the quantity of action would have been greater in the oxygenated, had the irritability continued five times as long in the other.

These phænomena made me wish for an opportunity of oxygenating animals of large fize, as horses, and of drawing blood from their veins and arteries both before and afterwards. Such a train of experiments would form a very interesting supplement to Mr. Hunter's refearches concerning the general principles of the blood. (See his Treatise on the blood, inflammation, and gun-shot wounds, p. 11-100.) The speedier coagulation of the oxygenated venous blood I think remarkable, and as it happened in three experiments, it probably was not accidental. The more vigorous action of the oxygenated muscles too deserves to be compared by a course of experiments with the tendency of oxygenated blood to coagulate fooner. Several perfons, of whom all did not know the one rabbit from the other, found the boiled flesh of the oxygenated, in both cases, more stringy, harder, and less juicy. The difference was most sensible in the young pair. The greater firinginess was apparent on both these occasions to the eve.

We observed that the rabbits drank repeatedly during their confinement in oxygene air. The latter had been watered a short time before; I could not learn whether the former had or not. Perhaps this thirst (if such it was) depends on the excitement produced.

The conclusion directly deducible from these experiments, is, that the blood parts with that excels of oxygene upon which its florid colour depends, before it gets into the large veins, or indeed into any of the visible veins. The altered colour of the folids shews where the oxygene remains. But as we can never get to the end of our physiological enquiries, a further problem may be proposed :- " If the oxygenation be " continued very long, will not the folids be fo " highly charged as to be able to take no more oxy-" gene from the arterial blood? and will it not pass " florid into the veins?"-If this does not happen, there must be some contrivance in the system to throw this principle perpetually from the folids. Those who do not think that oxygene combines with the blood during respiration, have only to change the terms of my conclusion. The fact remains.

VI.—Experiments with air, containing fomewhat more oxygene than the atmosphere.

In my letter to Dr. Darwin, I conjectured "that if "before immersion divers were to breathe air of an "higher than the ordinary standard, they would be able "to continue longer under water," (p. 13). I made several experiments to determine whether this supposition was just; in each two animals of the same litter were employed; and as several spectators were sometimes present, they were desired to fix upon the weakest for oxygenation. The following report I literally transcribe from my journal, as it was settled and subscribed by the spectators: "August 20th, 1793." Kitten C was placed in a mixture of nearly two-" thirds oxygene air from manganese, and one-third atmospheric

" atmospheric air; it was kept twenty minutes in the " vessel, which was from time to time supplied with "oxygene air, fo as to keep the air better than atmo-" fpheric air; which was known by dipping a candle " into it, and observing that it burned with a brighter " flame. At the expiration of the twenty minutes, C " and D, which latter had breathed atmospheric air, " were immersed in water till persect asphyxia came " on. At the inflant they were taken out, there ap-" peared in both a motion of the lower jaw; C began " fenfibly to recover, while D lay as dead: In a mi-" nute and half, C rose, and began to walk about the " room, staggering at first, D being still motionless or " nearly fo; in this state it continued for fifteen mi-" nutes, when, for the first time, it raised itself, and " immediately afterwards fell on its fide.

- " CHRISTOPHER MACHELL.
- " RICHARD LOVELL EDGEWORTH.
- " J. GUILLEMARD.
 - " JAS. SADLER.
 - "THOMAS BEDDOES.
- " Kitten D died the next day."

Of many fimilar experiments, it is fufficient to obferve, that the refult was always in some degree the same; sometimes the unoxygenated animal failed to recover; it was generally noticed that the oxygenated shewed signs of life under water the longest; and sometimes that it struggled as much as ever after its unoxygenated fellow had ceased to move. Thus, in an experiment (September 28) a whelp, which had respired atmospheric mixed with one-third of oxygene air for thirty-four minutes, is registered to have been as much alive as before immersion under water, another puppy of the same litter unprepared, and immersed at the same time, having become motionless. These sacts illustrate the query concerning divers. To obviate any mistake from difference of constitution, the experiment was sometimes repeated upon the same pair of animals, one being oxygenated one day, and the other the next, or the day following. The water in which they were drowned, was sometimes heated to the temperature of the body.

But as unequal quantities of liquid have been found to get down the wind-pipe of drowning animals, it feemed proper to repeat the experiment in another manner.-Accordingly, of two greyhound puppies of the same litter, ten days old, E the weaker was kept an hour and fifty minutes in a mixture of two-thirds of atmospheric air, and one-third of oxygene air from heated manganese. F was left as usual: Both were then immersed in hydrogene air. F foon appeared much agitated, and expressed much uneasiness. E moved very little, and foon placed itself in the couchant posture, with the head between the fore-legs and the muzzle resting on the bottom of the vessel. In five minutes, F was lying on its fide, now and then breathing, which it did lefs and lefs frequently and more feebly. In ten minutes, this effort was scarce perceptible: In two minutes more, it was not once repeated. For the last fix out of the twelve minutes, E was fo perfectly still, that we were disposed to believe it dead; and a person present said, "this expe-" riment will turn out ill for oxygene." During these last fix minutes, E had not inspired at all; and from the first, the respiration was very infrequent.

At the end of the twelve minutes, both puppies were taken out of the hydrogene air; Eimmediately cried and flruggled, F being quite motionless. They were laid before a fire; E cried, moved, and foon walked as usual; F seeming quite dead. In fixteen minutes, a stream of oxygene air was blown into F's mouth, but no fign of life appeared. The animal was afterwards opened; upon irritating the pericardium with a pointed knife, so as to press upon the heart, no movement followed; the pericardium being removed, the heart began to contract fpontaneously; a stream of oxygene air being directed upon the heart, its action became more strong and frequent; the number of strokes was about feventy in a minute. The colour of the heart (probably from the filling of its own blood veffels) changed from pale to red. The difference of colour in the tongues of these puppies was striking, after the experiment, even by candle light, that of E being much more ruddy. The following variation feems worth transcribing from the journal: Of two puppies of the same litter, the weaker G was kept in atmospheric air mixed with one-third oxygene, and H for an equal time in atmospheric air with one-third hydrogene. Both were plunged into tepid water. H became motionless, while G moved with force, cried on being taken out, and feemed little affected.

The effect of oxygene air was very striking in recovering H. It began to move, and respire the moment it was put into a vessel containing this air.

It was fometimes observed, that the movements of very young puppies under water, did not entirely cease in less than filteen minutes.

VII .- Necessity of oxygene air to muscular exertion.

The blood in the veins is dark; in the arteries it is bright. When the respiration is straitened, the arterial blood becomes darker; when access of oxygene air is prevented, all the blood becomes dark. drowned and strangled persons, the face, lips, the skin under the nails, and some other parts, are of a violet or dark blue colour. Here the blood can receive no oxygene.-There are a number of cases on record, where, from bad conformation of the heart and adjacent great blood vessels, part of the blood only traverfed the lungs; the rest passed into the arteries again in the dark difoxygenated state in which it returns from the veins. Such persons are always blue or livid. They are extremely feeble; in walking, are fometimes obliged to ftop every third ftep, nor can they make any exertion of the muscles without instant panting and wearinefs. They commonly die fuddenly; you will find an account of fuch individuals in the Commentaries of the Institution at Bologna. Vol. 6, p. 64. Philosoph. Transactions, vol. 55, p. 72. Medical Observations and Enquiries, vol. 6, in my Medical Observ. p. 62. Abernethy's Surgical Esfays, part 2 .-Persons ill of sea-scurvy, often drop down dead in making a fudden effort, and from furprize. There is reason to believe, that either living in confined air, or on falted food, occasions a deficiency of oxygene in the fluids and folids.

Hence, if a person were to keep quite still, a given quantity of air should serve him to breathe.longer than if he exerted himself. Thus should any persons find themselves again in the situation of Mr. Holwell and his fellow-sufferers in the Black-hole prison at Calcutta, their best chance of surviving would probably be to sorbear vehement struggles. The sever of the survivors appears to have been occasioned by the great stimulating power of sresh air, and of the sensations their escape must have occasioned.

The following experiments render probable the expenditure of oxygene in muscular exertion. They do not, however, absolutely prove this position; nor did their immediate result appear to me so certain as of my other experiments. Of two half-grown kittens of the same litter, one was teazed to make efforts for half an hour, and then put into an air-tight vessel, in which it lived 48 minutes; the other lived 56 m. in the same vessel; it would require more such cruel experiments to decide whether speedier death here arose from previous consumption of oxygene by strong muscular action, and the subsequent necessity of a supply. It should be observed, that the first animal was not respiring more deeply than the second, at the time they were inclosed.

The following fact is remarkable, and countenances, but does not rigorously prove, the hypothesis. A grown cat was inclosed in an air-tight glass vessel. She immediately became furious to a degree beyond what I ever observed in any animal under experiment. The violent agitation continued for 20 minutes. In 5 minutes more—25 minutes in all—she appeared dead; she was left in the vessel two minutes longer, and proved to be quite dead. A lighted candle was immediately extinguished on being introduced into the vessel.

Into the same vessel another cat of the same size and age nearly, to which a small glass of white wine had been given half an hour before, was introduced. This cat sat almost perfectly still during the whole experiment. It lived 47 minutes, or nearly twice as long as the other.

In order to vary the experiment, half a glass of sherry was given to a kitten nearly grown. It was immediately put into the same receiver; and set to struggle very violently. It soon appeared to respire with difficulty. In 15 minutes the respirations were 98 or 100 in a minute. It did not respire after the 34th minute, and in 2 minutes more was taken out insensible.

A fellow kitten, no way prepared, was placed in the fame receiver, and remained very tranquil for above a quarter of an hour; its respiration was never so frequent as that of the former; and it raised its head and breathed at the end of 41 minutes.

We have then

Minutes. Minutes.

An haraffed kitten living Its fellow, not previously harraffed, 56 Difference 8.

A grown cat not prepared, but furiously agitated, Another perfectly tranquil, having drank wine, 47

A large kitten immediately after wine, and violent, 1ts fellow tranquil without wine, 41

Difference 7.

In these six experiments the same vessel, that is, the same quantity of air, was used. It may be said, by a person

person unused to accuracy of terms, "no wonder the most exhausted animals should perish soonest." By considering a moment, he will perceive, that it is desirable to know precisely in what this exhaustion consists. It formerly conjectured that oxygene is consumed faster by an animal under the first operation of wine or other such stimulants; and Dr. Withering afterwards adduced the experience of Mr. Spalding in confirmation of this conjecture. It is not so easy to make the experiment upon animals; the efforts of some under confinement being so much more violent than of others. The last experiment was made with a view to this question, but the two preceding incline me to refer speedier death in this instance to the violent struggles, rather than to the wine.

VIII.—Another comparative experiment with an Animal charged with oxygene.

Of two half-grown rabbits (K and L) of the fame brood, colour, fize, and apparent strength, K was put into a large refervoir containing atmospheric air with a little oxygene. After some hours it was taken out. and placed for an hour longer in a mixture of nearly equal parts of oxygene and atmospheric air. It did not feem to fuffer in its respiration; K and L, which latter had remained at large in the fame apartment, were then inclosed in a veffel, and placed in a freezing mixture. In 20 minutes fome of the cold brine was poured upon the bottom of the vessel in which the rabbits were : in 30 minutes L seemed affected, in 4.5 was scarce alive, and in 55 was quite lifeless, and frozen stiff. K seemed sufficiently lively, only its feet were frozen stiff. They were dipped in cold water, and the animal recovered perfectly. I observed many convulfions and much tremor of the limbs during recovery. It was between 8 and 9 o'clock in the evening when the rabbits were taken out of the veffel. K, by 12, had recovered the use of its forelegs, and being left not far from a dying fire within the sender, was found in the morning running about the room, when it eat cabbage leaves freely. It was kept alive for a week, when the legs appeared diseased from too quick application of heat at first.

The experiment being repeated without admitting liquor into the receiver, the refult was fimilar. Would opium and wine enable an animal to refift the freezing mixture, as oxygene does?

IX.—Experiments with oxygene and other airs, largely distributed through the cellular substance.

Dr. Maxwell, affisted by Dr. Goodwyn and some other friends of accuracy and genius, forced different airs under the skin of animals, whence every person in any degree acquainted with anatomy, knows they would infinuate themselves far and wide through the body, in confequence of the free communication between different portions of the cellular substance.-I. 41 pints of atmospherical air were forced under the skin of a bitch, weighing 20lb. the incision was closed by a future: the animal appeared uneafy and indisposed for 36 hours; the puffing did not begin to fubfide before the 9th day; on the 20th, no air was left except a little about the lower part of the belly .--II. 3 pints of air, in which a light had burned out, were forced under the skin of a dog weighing 13lb. For fome hours the animal appeared stupid. The emphysema or puffing seemed to decrease during the 3d

day; on the 16th convulfions came on and frequently returned; on the 20th the dog died, much debilitated. In three other experiments nearly the fame phænomena were observed .-- III. 4 pints of oxygene air were infused in the fame manner into another dog; flight uneafiness was observed for the first hour, and afterwards the animal appeared exceedingly lively (maxima alacritas). Next day the emphysema began to leffen; by the 10th all the air was absorbed. In another dog of 19lb. 31 pints of this air disappeared in 8 days; in a third of 21lb. 3 pints in 8 days; in a 4th of 20lb. 3 pints nearly in 7 days. The 2d and 3d were affected as the first dog; the 4th was in no way affected. -IV. Carbonic acid air was infused into several dogs and rabbits. A large quantity (as much as 2 pints in a dog of 17lb.) difappeared during the operation; the rest was gradually absorbed in 4-14 days. No inconvenience followed, except in one case where a pint of air infused into a rabbit 3 months old, occafioned uneafiness from distention; but even here the animal cat with a good appetite in half an hour. The inflantaneous disappearance of so much air in these experiments, was probably owing to its combination with the moisture in the cellular fubiliance.-Inflammable air (from metallic folutions, I suppose) occafioned heaviness and shivering in two dogs; 3 pints in one, 21 in the other. Some detumescence was obferved on the 4th day in both; in 13 days the air was all gone in the 1st, and in the 2d in 9 days .- VI. 21 pints of nitrous air were infused into a dog of 28lb. It howled as if in exquifite pain; in 15 minutes it flaggered as if drunk; then convulfions came on, and vomiting with involuntary excretions. In 30 minutes it lay enfeebled on the ground, making deep and laborious

rious inspirations, in 541 it died, the convulsions continuing to the laft .- The heart had all its cavities full, and was quite inirritable. The lungs were of a pale faffron colour, and shewed no vestige of red blood. Brain in a natural state. In another experiment 11 pint of nitrous air produced the same effects, and death. in 45 minutes. In neither case were the external muscles inirritable. Rabbits died just as these dogs, and the fmell of nitrous acid was perceived when the lungs were inflated and left to collapse. In this thesis (Edinburgh 1787) Dr. Maxwell relates other experiments, in which airs were thrown into the blood-veffels. By one (p. 22) he shews that elastic fluids do not prove fatal till they get into the cavities of the heart. But as these latter experiments suggest no conclusion concerning the medicinal power of elastic fluids, I need not confider them at prefent. Mr. Achard of Berlin, was the first who published experiments with different airs injected into the cellular membrane. But Mr. Achard is a writer whom you can feldom quote with confidence.

X.—Experiments with hydrogene and other mephitic airs.

Dr. Priestley, (Exp. on Air, N. Ed. I. 229), says, "Inflammable air kills animals as suddenly as fixed air, and as far as can be perceived, in the same manner, throwing them into convulsions, and thereby occasioning present death." Dr. Priestley does not say how he ascertained the former part of this assertion, and I apprehend, it will be found erroneous, if it regard pure hydrogene. Mr. Scheele could make nispirations without inconvenience; and I have seen several persons breathe still oftener from a tube through

through which a current of this air fet, their noffrils not being closed (Letter to Dr. Darwin, p. 44). Hence I concluded that this bland air might with impunity be breathed unmixed, longer than any other mephitic air, except perhaps azotic. Dr. Macdonald of Belfast, whose abilities and skill in physiological refearches must be well remembered by all who studied medicineat Edinburgh ten years ago, confirms me in this opinion. " I have tried, (he informs me in a letter dated August 13, 1794), "hydrogen air in five pulmonary cafes, in " two of which it had a very fudden and a very fa-" vourable influence. In one of the others the " meafles fupervened upon phthifis, and feemed to "decrease the first disease.-My patients sometimes "respired hydrogen air for a minute and half at a " time; the more frequently they repeated the expe-" riment, the more easy did it become; but after 15 or " 20 inspirations I always observed the face to grow "dark and livid. I am aftonished at the length of "time which man can breathe, and animals live in, " hydrogen air."

Dr. Gilby of Birmingham noted the following appearances, and immediately afterwards drew out this minute.

" Hydrogene Air."

"A mouse immersed in hydrogene air—from wa"ter and heated malleable iron—continued 30 seconds
"without shewing any mark of distress; respiration
"then became laborious; one minute 33 seconds
"from the time of immersion it inspired: but it
"moved no more, and when taken out, proved to be
"quite dead,

Fixed, or Carbonic acid Air."

"Another mouse, immersed in this air, was instantly affected; and in 15 seconds was completely dead." A young wood pigeon, in hydrogene air, ceased to gape and move in 2 minutes 35 seconds. For 10 or 15 seconds it did not appear incommoded. Its sellow, in carbonic acid air, ceased to gape and move in 43 seconds. It shewed distress instantly on immersion.

Very young animals do not drown fo foon as old .-Imagining, therefore, that young animals would afford a more fensible scale on which to measure the power of different mephitic airs to extinguish life, I made the following experiment. A puppy, four days old, was put into a veffel of hydrogene air from heated iron and water. It ceafed to breathe and move twenty-two minutes afterwards .- Another puppy, of the same litter, was put into carbonic acid gas: it ceased to breathe and move in one minute and an half .- Comparative experiments of this kind require repetition; two apparently fimilar animals may be tenacious of life in different degrees, from causes not yet discovered; moreover, if immediately before immersion, one should have inspired, and the other expired, this might occasion a wrong interence: nor should dependence be placed on a flight difference. By keeping animals, feemingly equal, in different unrespirable airs, till all appearances of life in one or the other had ceafed; then taking the furvivor out, fuffering it to recover, and after some days drowning it again in that air in which its fellow had perished before, I hoped to determine this question certainly for the subjects of experiment, and by analogy for all animals of the same class.

Accordingly, three rabbits of the fame litter, feven weeks old, nearly half grown, and weighing one pound and an half each, were fuccessively immersed in three different kinds of air. Dr. Gilby being present at this experiment also, noted the appearances at the moment they occurred.

-----D-6--

EXPERIMENT I .- RABBIT X.

" In hydrogene from water and heated malleable iron.

	0					
6	Minutes,	Second	ls, after immersion.			
" In	1	20	Moved about, in appear-			
			ance little distressed.			
	1	50	Began to breathe short.			
	2	0	Visibly distressed.			
	4	15 Much agitated.				
- Maria	7	0	Taken out, breathing very			
			fhort and thick.			
"In less	than 17	0	Completely recovered.			
"In-	40	0	(that is, as foon as food			
To be seen			was offered) began to			
	300		eat.			

" EXPERIMENT II .- RABBIT P.

"In hydrocarbonate air from hot charcoal and water, twice passed through water.

Minutes. Seconds.

"In o 25 Breathed short, distressed.

O 35 Violently agitated, continued so 15 seconds; inspired at long intervals for some seconds: scarce alive.

" After

" After	Minutes.	Seconds. 30 No infpiration ment feen.	or move-
" In	4 Joan	o Taken out for	

"EXPERIMENT III .- RABBIT Q.

" In carbonic acid air, from heated chalk."

Minutes,	Second	ls, after immersion.
o	20	Strongly convulfed.
0	35	Gasped at intervals.
0	49	Has continued gasping.
1	0	Nearly dead.
Ambara Arm	15	Quite dead.
and odd hange	0	Taken out, perfectly ina-
Lited/presidents		nimate, did not recover.

45

EXPERIMENT IV .- RABBIT R.

At the time of making these experiments I had not pure azotic air at command, and had neglected to use it when I had; the following observation makes it highly probable, that this air is not more suddenly deleterious than hydrogene. A candle having burned out in a vessel full of atmospheric air in contact with lime water, a very small kitten (about 14 days old) was put into the same portion of air; after the death of this kitten, which did not happen in less than 3 hours,

hours, the fellow of the three preceding rabbits was introduced; the following were the appearances:

Minutes.

- 1 Breath short—turns round.
- 3 In no great distress, breath short.
- 5 The fame.
- 7 Breath shorter.
- 10 Respiration apparently more laborious.
- Taken out—very foon recovered—a candle plunged into the veffel was immediately extinguished.

EXPERIMENT V.—RABBIT X again, at the interval of several days in hydrogene air.

Min.	Sec./
- 1	At first very tranquil.
2	o Snuffs for air round the fide
ON THE STATE OF TH	of the vessel.
4	o Reclined almost on its side.
5	30 Breathes thick-very weak.
6	10 Taken out, breathing thick.
7	10 Could fit.
8	o Could move, tho' still weak.
1 sinsmite	30 As ufual.

to so at command, and

EXPERIMENT VI.-RABBIT X a third time.

od - odkivation makes

At the interval of two days—recent hydrocarbonate, prepared without superfluous steam.

Distressed the moment of

Min.

Min. Sec.	denne jeve lligarians. Perouffe
00 vs oll 20	Scratched the veffel furi-
	ille and eafe of animylluous
0 25	Fell on its fide.
35	Motionless and insensible-
West Stories and	taken out.
Holf gran	Lay as dead fome time;
	finally recovered.

Another rabbit of the fame brood, (before immersion in water, visibly much affected with fear) struggled with strength for a minute and an half. At the end of two minutes, forty seconds, it moved; in three minutes was taken out, but did not recover.

Should these experiments be repeated by a person, careful to procure his elastic sluids free from offensive acid fumes, the distinctness of the phænomena I obferved, perfuades me that their general refult, will be confirmed. Of fome readers, whom the importance of the subject may lead to take up this pamphlet, the curiofity will, I fear, be repressed by sensations, arifing from the idea of pain endured by the animals. In a few cases, the torture which was inflicted was exceedingly repugnant to my own feelings; and for this reason, I have left one series of experiments (SECT. vii.) more incompleat than I could eafily have rendered it. Against drowning, an imputation of cruelty will hardly lie: Animals, destined to this death, may just as well drown for the instruction of the physician. Besides, did not accustomed acts of outrage and injustice daily pals uncenfured, I know not how he who feeds upon the flesh of a flaughtered animal can confishently condemn

demn investigations, seriously tending to restore or preferve health, though conducted at the expence of the life and ease of animals, unable to resist the power of man. I wish, with all my heart, I could prove that morose writer in the wrong, who has called the Earth A VAST FIELD OF BATTLE, where creature, for preservation, preys upon creature, or tortures its fellow in pursuit of pleasure.

Two kittens immersed, one in carbonic acid, the other in hydrogene air, afforded a similar result; that is, the carbonic acid appeared full three times as deleterious as hydrogene.

Finally, to render the difference again more distinct, two equal quantities of atmospheric, were successively mixed with an equal bulk of carbonic acid, and of hydrogene, air. A rabbit (S) being put into the mixture of atmospheric and carbonic acid air; the following observations were made.

Minutes.

In 2 Appeared weak.

4 Has been couchant for 2 minutes.

6 Very still.

11 Respiration more laborious,

on one fide; fcarce alive.

43 · Quite dead.—After the 2d minute it never rose—death very lingering.

A fellow rabbit, T, in atmospheric and hydrogene air, seemed much less distressed at first; rubbed its fore-feet after it had continued in the vessel 40 minutes.

nutes, and performed feveral other actions; much of the time it fat, that is, it continued erect before. Even at the last, no distress, except quick respiration, was observable.

In 48 minutes it was taken out; it now flood firm; and though unwilling to move; was capable, when urged forward, of advancing, without flaggering, or any fign of great debility. In appearance it had fuffered less in 48 than its fellow in 15 minutes.

XI .- How hydrocarbonate air affects venous blood.

Two fowls were firangled and a rabbit was drowned while their fellows were immerfed in hydrocarbonate air. In all these last the veins appeared of a brightish red colour! the liver and heart (which was perfectly irritable) were also of a bright colour. In the others the liver was dark as usual; and the heart pale. In the hydrocarbonated rabbit the flesh was universally of a light lively red. The blood from the vena cava had the fame brightness; it coagulated about as soon as the livid blood of the strangled fowls and drowned rabbit. The boiled flesh of all the sowls had much the same tafte and toughness. The muscles of the lower extremities of the hydrocarbonated fowls, were of a lively red. The boiled flesh of the h. rabbit had a pink hue. Of two equal fowls one was put into hydrocarbonate and one into carbonic acid air; the former was ruddy throughout, as was well feen in the heart cut acrofs. In the fowl put into c. acid air nothing of this bright red colour appeared. The liver I thought paler than in firangled fowls: but I had not one at hand for immediate comparison. Of this last h. fowl the wings and breast were brown, and the thighs reddish.

XII .- Reflections on the preceding facts.

The attentive reader must have seen, even in the result of these simple extemporaneous experiments, indubitable proofs of the power of factitious airs variously to affeet the living frame. It appears that oxygene air, when inspired pure, or nearly so, increases the motions so as to produce dangerous or mortal inflammation; that by reddening the blood, it brightens the colour of the folid parts; even that of the liver, which anatomy fhews to be the least likely of all the folids to be affected by any change of the arterial blood: that it renders animals less capable of being drowned or destroyed by cold; that it is expended in muscular motion, fince animals that have exerted themselves violently, immediately before confinement in a given quantity of atmospheric air, or during confinement, soonest exhaust it of oxygene; and that, when it is blown into dogs, in the manner veal is blown up by butchers, it produces a remarkable degree of vivacity. These facts, compared with some of the observations, which will be given in the next paragraph, will prove of use in directing us how to apply this air properly as a remedy; efpecially as they will appear to have been confirmed fince their first publication by observations on the fick.

Between unrespirable airs, there seems a remarkable difference in their power to produce insensibility and death. Hydrogene appears the least noxious, both when inspired alone, or mixed with atmospheric air. Azote probably differs little from hydrogene. Hydrocarbonate seems extremely deleterious; Mr. Watt gives evidence of this in the human species. I can add a similar observation. A person in confirmed

firmed confumption breathed a quantity of hydrocarbonate, mixed with 4 times its bulk of atmospheric air: he became very fick, or rather vertiginous; the pulse was much quickened, and the extremities became very cold. The patient finding an abatement of pain in his fide, and of dyspnoea, returned for another dose. The operator, a chemist of great skill, thinking the former dose too strong, mixed 50 c. inches of hydrocarbonate with 600 of atmospheric air. This was respired without any sensible effect. In a quarter of an hour, 100 c. i. of hydrocarbonate were mixed with 600 of atmofpheric air. The patient breathed at twice about twothirds of this mixture, when he was defired to defift. Soon afterwards he became vertiginous and nearly infenfible, his pulse at one period being nearly imperceptible; the sphineter of the bladder was relaxed; after his recovery, he was again very cold-" intenfely cold to his own feelings" was his expression-as well as to the touch. After getting into his carriage, he fainted; and his pulse for several hours continued quicker and weaker than before. The operator having observed, that when much water is added to redhot charcoal, carbonic acid air is copiously produced, in the preparation of this last portion of air, had added fo little water, that no fuperfluous fleam at all came over; hence it was as pure as can be made: being also newly prepared, it retained all the charcoal it had carried up; of which it is well known to deposit part on standing. This might lead to conjecture, that the greater deleterious power of heavy inflammable air from water and hot charcoal (hydrocarbonate) compared with that of light inflammable air, depends on the

the facility of its combination, or at least of the charcoal it contains with the oxygene of the blood; in confequence of which, it speedily disarms the system of its moving principle. This opinion feems countenanced by the effect of nitrous air, which more quickly destroys life than any of those above-mentioned, and which is well-known very readily to combine with oxygene. Death, in this case, might be more instantaneous, from the inflantaneous production of an highly corrofive acid (nitrous acid) and its application to the whole furface of the lungs. . But for the rapid effect of carbonic acid air, and the appearances in XI I can affign no plaufible reason; nor does the above hypothesis suit the facts in XI; which with those in X resute those eminent philosophers, who have of late supposed that water and feveral bland unrespirable airs occasion death, fimply by exclusion of the oxygene of the atmofphere. Their action is certainly unequal; and I prefume, recovery from afphyxia in water (when but little goes down the wind-pipe), hydrogene air, azote, or from strangulation (where no material organic injury is produced), will be much more easy than from asphyxia, occasioned by other unrespirable mediums.

Experiments to discover the effects of the long continued action of aeri-form substances, would be much more curious than such as I have made. They would thus, in all probability, more deeply and permanently affect the living system. If, for instance, an animal were kept in an atmosphere containing $\frac{20}{100} \frac{24}{100}$ of oxygene or still less, it would perhaps be affected by the sea-scurvy. The muscular fibres, at least, and the solids in general would in all probability be sound weak, tender

ing animals were kept, one in the atmosphere, the other in air of an higher, the third of a lower, standard, and in all other respects treated alike; some considerable difference would perhaps be observed in their growth and vigour.—By frequent immersion in water, the association between the movements of the heart and lungs might perhaps be dissolved; and an animal be inured to live commodiously for any time under water. If some plan, similar to that which I have ventured to propose, should be executed, such processes of investigation ought to be carried on in the Institution.

XIII.—Some effects of the inspiration of hydrogene, to elucidate the refult of the foregoing experiments.

"When an animal is immerfed in water, his pulse be-" comes weak and frequent, he feels an anxiety about his " breaft, and ftruggles to relieve it: in these struggles, "he rifes towards the furface of the water, and throws " out a quantity of air from his lungs. After this, " his anxiety increases, his pulse becomes weaker; the " ftruggles are renewed with more violence; he rifes " towards the furface again; throws out more air from " his lungs, and makes feveral efforts to inspire; and " in some of these efforts, a quantity of water com-" monly passes into his mouth; his skin then becomes " blue, particularly about the face and lips; his pulse " gradually ceases; the sphinclers are relaxed; he falls down without fenfation, and without motion." (Dr. Goodwyn, l. c. pp 3, 4.) This description of drowning in water applies, as far as the circumstances admit of comparison, to the effects occasioned by the respiration of pure hydrogene. I have remarked them in a num-

ber of healthy persons, who were curious to try how long they could breathe this air. The frequency and debility of pulse, blueness of the lips and coloured parts of the skin, were always observable in a minute, or a minute and an half. Besides, dizziness was felt, and the eyes have grown dim; in animals, the transparent cornea has appeared funk and shrivelled. Several individuals agree in describing the incipient insensibility as highly agreeable. One confumptive person loved to indulge in it; for this purpofe, contrary to my judgment, he used to inspire a cubic foot of hydrogene at a time. This quantity most commonly produced little change in his feelings. Sometimes it brought on almost compleat asphyxia. During this process, I have felt the pulse nearly obliterated. Afterwards, as he recovered, it was fenfibly fuller, and stronger than before the inspiration. This fact belongs to a general principle now beginning to be understood; when the ordinary powers have been, for a certain time, withheld from the body, they act with greater effect, as holding the fingers to the fire after handling fnow, occasions fevere aching. For this reason, whenever air with less oxygene is to be inspired, it would feem more advantageous to employ for a long time an atmosphere little reduced, than one so low that it can only be breathed for a short time.

An observation the patient just mentioned made upon himself, seems to shew the necessity of oxygene to muscular action. Judging from his feelings, that he was perfectly recruited after his dose of pure hydrogene, he has risen from his sopha with an intention to walk about his apartment, but has been surprised on rising, to find himself incapable of advancing three steps,

steps, till he had rested some time longer. In this case, was not the store of loosely combined oxygene, laid in before, expended during the inspiration of the hydrogene, by those motions which are perpetually going on in the system? Did it not require some time to replace the necessary portion in the muscles, remote from the heart and lungs?

XIV.—Some particulars relative to oxygene, supplemental to the preceding experiments.

The celebrated Dr. Ingenhousz in a letter dated August 4th, 1794, mentions to me a very curious experiment, "which," fays he, "if it be a real fact, ... "throws a great deal of light upon your fystem; it is "this :- Blifter your finger, fo as to lay bare the na-" ked and fenfible skin. The contact of air will pro-" duce pain: put your finger into vital air, and this " will give more pain; introduce it into fixed or azo-"tic air, and the pain will diminish or cease.." Dr. Webster, he adds, was informed of these circumstances, by a Frenchman, whose name does not appear; I had often heard them indistinctly related; and it is rather furprifing that the fact has not been afcertained, Much of the art of modern furgery confifts in keeping the air from wounds and fome kinds of ulcers : and this fact, if the account be true, pretty decifively shews which ingredient of the atmosphere is injurious,

I applied a blifter an inch long, and half an inch broad, to the back of the third finger of the left hand. When the pain from the action of the cantharides had entirely ceased, I cut away the scarf-skin of the vesication; and was sensible, the moment the air was admitted, of a sharp smarting pain. This did not continue Upon tying the neck of a bladder, containing carbonic acid air from heated chalk, round the root of the finger, the pain very foon subsided. While I kept my singer in carbonic acid air, which was near half an hour, I should not have known it had received any injury. On taking it out, the surface had a whitish appearance—Was this from the beginning of the formation of epidermis?—In the air—the experiment was made in a warm temperature—the smarting returned; in an hour the exposed skin was painful and looked angry, as the expression is: I again enclosed it in carbonic acid air; in six minutes I felt no more pain. After several hours I again removed the bladder, and soon felt the smarting return.

During the hour after my finger had been for the first time taken out of the bladder, I had introduced it into a phial of oxygene air, for a few minutes, but was not sensible of increase of pain; nor can I say that the redness and angry appearance was owing to this circumstance.

The following experiments were made on three different persons:—1. The raised epidermis of a blistered singer, after all action of the cantharides had ceased, was cut away in carbonic acid air. No pain was selt. The atmospheric air slowly mixed with the other in the glass cylinder, as I found by the dull manner in which a candle after some minutes burned in it; and now some slight pain was selt. The singer being put into oxygene air, a smarting came on, and lasted 20 minutes; but then became less. The singer was next put into air containing alkaline sumes; and the pain was much severer than ever.—2. A second blister

blister being opened in the air, smarting pain came on. In a bladder of fixed air it soon went off.—3. The epidermis was cutofffrom a blister on my own singer, which I instantly plunged into oxygene air; it felt as when salt is sprinkled on a cut: and the pain was, I am pretty sure, more severe than when my former blister was opened in the atmosphere. In carbonic acid air the pain in two minutes quite subsided, and returned when I exposed the bare skin to the atmosphere.

At Oxford, in 1790, I had proposed to a distressed negro, to try to whiten part of his skin with oxygenated marine acid air. He was to exhibit the appearance, if it should be curious, for the relief of his family. His arm was introduced into a large jar full of this air, and the back of his fingers lay in some water impregnated with it at the bottom of the vessel. It was perceived that he had ulcerations from the itch between his fingers; and this made me very cautious about the experiments. In 12 minutes he complained of fevere pain from the ulcers, and the arm was withdrawn. The back of his fingers had acquired an appearance as if white lead paint had been laid upon them, but this did not prove permanent. A lock of his hair was whitened by this acid. - Next day the ulcers became extremely painful, and the hand fwelled from the inflammation; this deterred him from a continuance of the experiment after he was cured of his complaint. You cannot fafely impute the effect of this powerfully flimulating acid to its oxygene alone.

But the fact stated by Dr. Ingenhousz is very agreeable to the common phænomena presented by wounds. Moreover, I have lately seen cancerous patients treated by the application of unrespirable air, with the most

D 3

aftonishing

aftonishing fuccess. In mentioning to Dr. Black the introduction of factitious airs into the BATH hospital, as a source of hope, I did not so soon expect an event which ages and nations have desired in vain. Observations, extremely analogous to the experiments just related, were there made during the course of the treatment. See Dr. Ewart's pamphlet. Should it be invidiously observed by any reader of his narrative, that something similar had been tried before, it may be truly replied, that these trials were rather discouragements to the new application of elastic sluids; and that failure in sormer instances enhances the merit of the recent method. Mr. Magellan's case seems never to have been much known in England.

It feems not improbable, that on certain ill-conditioned ulcers, oxygene externally applied has a falutary effect, by occasioning greater action, both of the vessels which throw out the copious thin discharge, and of the abforbents. Many fubftances, usually applied to fuch ulcers with fuccefs, as metallic falts, contain much oxygene, and fome are most highly charged with this principle, as the red oxyds of metals. The following intelligence, if authentic, adds confirmation to this opinion, and may prove uleful. A few months ago, I was ftruck with the frequency of fcrophulous tumours among the poor of the county of Longford, in Ireland. Supposing that necessity might have occasioned the trial of many methods of cure, I enquired whether the people there had not some peculiar domestic practices in such complaints. A phyfician referred me to a fimple but very reputable old farmer, as remarkably fuccessful in scrophulous fores. With this person I had an interview. In his practice, he had no view to gain; and that, in his principles, he had nothing of empirical imposture, he convinced me, by

by at once disclosing his whole secret. He had himfelf, many years ago, an ulceration of the fubmaxillary glands: This, after various unfuccessful applications, was healed by a ruftic practitioner like himfelf. obtained a knowledge of the remedy, by which, during a long life, he affured me he had himfelf healed many fuch ulcers of the glands about the jaws. He was fo little speculative, as never to have attempted the cure of an obstinate fore in any other feat. That he might effectually instruct me, he brought specimens of his fimples. They were the leaves and stalks of wood-forrel (oxalis acetofella), and the root of meadow-sweet (spiraea ulmaria). The forrel he prepares by wrapping it in a cabbage leaf, and macerating it by its own juices in warm peat ashes. This pulp is applied as a poultice to the ulcer, and left 24 hours; the application of forrel is four times repeated; then the roots of the meadow fweet, bruifed and mixed with the four head or efflorescence that appears on butter-milk, left in the churn, are used in the same manner till the fore heals, which I was told always fpeedily happens; often in two or three weeks.

The following extract of a letter from Mr. Edgeworth of Edgeworthstown, contains some supplementary information, and will probably add so much to the credit of my information, as to obtain a trial for the remedy.

"I have learned from Mr. Mills, that when he was about eight and twenty, he had two large fcrophulous fwellings in his neck, one under each ear, near the jaw; the marks they had left he shewed me. He was attended by a surgeon in the neighbourhood for some weeks, without receiving any benefit. A farmer, with

D 4

whom

whom he was acquainted, recommended the application he mentioned to you, by which he was completely cured. The man told him the names and quantities of the feveral ingredients, when he applied them, but did not till some years afterwards (when he was leaving this country for America) apprize him that the mystery of the cure (this was his expression) depends entirely upon the forrel. This person had predicted to Mills, that one of the fores, which had been lanced, would not heal fo foon as that which had fuppurated of itfelf; and he found this to be true. Whilft he had fcrophulous fwellings, he was weak and unhealthy; from the time the wounds were healed, he has been strong and active; he is now eighty; and whilst he was relating these circumstances to me this evening, he kept pace with my horse up hill for half a mile, without any apparent effort. I mention this, because it is a common opinion (I suppose a vulgar error) that healing fuch fores is prejudicial to the general health. He has applied this remedy to upwards of an hundred different persons, every one of whom have been cured.—Seven years ago I remember having feen his fon, who rents a confiderable farm from me, with an enormous fcrophulous fwelling on his neck; he was in great pain, was weak, and emaciated; he was too impatient to wait for a suppuration of the fwelling, and would have the plaister applied to it whilst it was unbroken: the cure was protracted, but it was effectual; he has had no return of the complaint; a flight inequality of furface still remains on his neck; Mr. Mills has communicated his recipe to feveral, and in particular to a very intelligent person in this neighourhood, who has employed it with unfailing fuccess. All the patients complain of the feverity of the application : .

cation; and in every ulcer to which it is applied, there takes place a remarkable change from a dead pale to a bright scarlet colour." July 17, 1794.

This change of colour indicates communication of oxygene, which perhaps the oxalic acid of the forrel contains in such a state of combination as easily to part with a portion. Now Dr. Darwin, in his ZOONOMIA, attributes scrophulous swellings of the glands to inirratibility, which, as I have conjectured, may arise from a certain deficiency of oxygene. These principles would supply an obvious theory, were we but certain of our facts. If however, as the preceding account implies, forrel produces detumescence of the glands before suppuration, its application will be, I suppose, a more eligible practice than any now in use. Writers in the Materia Medica may have applied deobfruent-their word of course-to this plant, but I remember no particular commemoration of its virtue in scrophula. Murray, a compiler of extensive reading, has nothing to this purpose. - (Apparat. Medicam. III. 492-9).

XV.—Of the preparation of atmospheres of different flandards.

Perspicuity in the directions, which cannot for all readers be attained in reasonings, being a principal object in the present pamphlet, it may be useful, before I proceed, to exhibit a view of those mixtures which surnish atmospheres of an higher or lower standard, than the common air. By an higher standard, I mean more than 28 parts of oxygene in 100; by a lower standard, less. For the sake of brevity, we might

fay, air of the standard of thirty-six, instead of "air containing thirty-six parts of oxygene in an hundred parts."

Mr. Watt's hydraulic bellows furnish the means of throwing any proportions you please of the different airs into the common reservoir. I have found a small spare hydraulic bellows—of the contents of a gallon for instance—highly useful in adjusting the proportion of atmospheric air. It may be larger; but when small, it is very handy. The effect, as far as can be ever useful in practice, is shewn in the following tables:

Change of the standard of atmospheric air, by addition of other airs.

The standard of atmospheric air being 28 oxygene, 72 azote, it is altered in this manner, by the addition of successive equal parts of atmospheric to one of oxygene: Small fractions are neglected.

	DELL TELL	STED IT		MINE PREPER	60 9	SAASA.	I VIII G		68
						Oxy	gene.	A	zotie.
1	part of att	moſp	heric	to 1 of ox	ygene	-	64	-	36
12	of atm.	irresi	decin	to do.	10000	+	52	-	48
3	do.	-	-	to do.	-	-	46	-	54
4	do.	-	2	to do.	-	=	42	-	58
5	do.	- 1	-	to do.	-	-	40	-	.60
6	do.	Simo	4	to do.	-		'38	-	62
7	do.	DO YE	- 11	to do.	-	204	37	7	63
8	do.	-	-	to do.	-	-	36	-	64
9	do.	19 1	-0	to do.	-	-	35	-	65
IO	do.	-	2 40	to do.	-	-	$34\frac{1}{2}$	-	651
11	do.	-	-	to do.	-	-	34	-	66
19	do.	-	-	to do.	-	-	301	-	69½

The standard is altered in the following manner, by addition of successive equal parts of oxygene to one of atmospheric air:

acino pino i			Second.		Oxy	gene.	Az	otic.
2 oxygene	-	-	to I atm	ofph	eric	76	wh	24
3 oxygene		-	to do.	-		81	.cb	19
4 do.	-	-	to do.	-	1	85	180	15
5 do.	-		to do.			88	-	12

Respecting these two tables, it is to be observed, that the most skilful chemists have never been able to obtain oxygene air quite pure; it may therefore be allowed, that in such as will commonly be prepared, not more than 85 parts in 100 will be pure oxygene; unless it be prepared from good manganese and rectified vitriolic acid; of this, washed in lime-water, not 10 parts in 100 will be unrespirable. The unrespirable air, with tolerable care, will be obtained free from oxygene. The following proportions, therefore, will be more exact than the foregoing:

Effect of the addition of different portions of atmospheric to one of unrespirable air.

		1900				Oxyge	ne. I	Inre	spir.
1	atmospher	ic	-	to 1 u	nrefpi	rable	14	-	86
2	do.	-	-	to do.		9	19	-1	8r
3	do.	4	-	to do.	la ala		21	-	79
4	do.	-	-	to do.	adla.	-	22	-	78
5	do.	-	-	to do.	Nine of		23	-	77
6	do.	-	-	to do.		-1	24	7.4	76
7	do.	-	-	to do.	3 4176		24	-	76
8	do.	-		to do.	-	THORE !	25	-	75
9	do.	-	-	to do.	-	and the	25	-	75
IO	do.	-		to do.	in igh	-	WA AREL	-	$74^{\frac{1}{2}}$

Effect of the addition of different portions of unrespirable airs to one of atmospheric.

1 atmospheric	-	to 2 unrespin	rable	911-	91
1 do.	-	to 3 do.	-	7 -	93
1 do. 97	digia	to 4 do	2 9	5½ -	944
1 do. 18	-	to 5 do:	4 3	5	

XVI. -Of the method of procuring elastic fluids.

To procure a dose of factitious air by means of Mr. Watt's apparatus will, I think, be found more easy to dress a joint of meat. In several instances under my eye, a servant of plain understanding has managed the apparatus perfectly: in one a maid fervant has proved quite equal to the talk. When inexperienced operators have failed, it has been from fetting the water to drop before the charge in the furnace was redhot, or letting it drop too fast afterwards. Hence they get steam instead of air. When the joints are made tight, and the heat is proper, and the water does not drop too fast, the operation proceeds perfectly. Mr. Watt gives a sufficient variety of lutes. A strip of oiled filk bound fast round a joint, alone makes a good lute; fo does a strip of bladder.

I was for fome time anxious concerning oxygene air. Expecting this would be full as extensively useful in medicine, as any unrespirable air, I wished for a method equally simple of procuring it. The manganese from the Mendip hills gives 1. azotic, 2. oxygene, 3. azotic with carbonic acid air; fo that the whole product is not much superior to the atmosphere. I feared left it should be found difficult to catch the best part of the produce. At the suggestion of Mr. Hermbstaedt and Mr. Chaptal I turned my attention to the

folution of manganese in vitriolic acid. Mr. Hermbflaedt had found a pound of either the Ilefeld or Ilmenau manganese, with strong vitriolic acid, to yield 3384 cubic inches of "the best oxygene air."-[(Harmbstaedi's Versuche, B. II. p. 49.) Mr, Chaptal obtained full as much from French manganefe. I procured 1,50---200 c. i. of oxygene air (which by the nitrous test proved excellent) from oil of vitriol and 1 oz. Exeter manganese. But when I came to make experiments with a view to discover a proper method for common practice, I perceived that this process was highly objectionable. The first portions of air procured by means of the oil of vitriol of commerce contained much oxygenated marine acid air-a species of elastic fluid exceedingly deleterious and irritating to the lungs. This happened because ordinary oil of vitriol is contaminated with muriatic acid. Besides, as the acid of vitriol will itself be carried up by the heat necessary to extricate the air by this operation, the veffels will fuffer from corrofion, unless troublesome precautions are employed. The air itself too will not eafily be totally freed from the pernicious acid fumes. Hence, contrary to my first intention, I shall omit directions for procuring oxygene air from oil of vitriol and manganese; they are fortunately become unneceffary, fince Mr. Watt's apparatus answers incomparably for this also, according to his last directions. Exeter manganese is in no respect preserable to any other, that does not contain much calcareous earth, or fome noxious mineral, which latter is not the cafe with any manganese I know. To impregnate hydrogene air with zinc, I have thought it fufficient to put a few ounces of zinc (which in the shops is called speltre) into the pot, the rest of the charge being of iron.

It may be well to fuffer oxygene air to stand some hours before it is used, that it may deposit the suspended particles of manganese; which however, as far as I have seen or heard, have never been in the smallest degree hurtful.—As to the hydro-carbonate, I fully agree with a very judicious correspondent, that it will be most powerful when sresh.

As there can be no reasonable doubt but the ulcers of the lungs were healed by air from chalk and acids in the case of the lady described by Dr. Ewart, and as other respectable observers have seen the symptoms of confumption alleviated by the fame practice, I have added to this edition the figure of an apparatus for effervescing mixtures, less objectionable in one respect than I remember to have feen described. It may be used as an auxiliary to Mr. Watt's apparatus, but ought in no case to be depended on alone. The lower vessel B, fig. 1, pl. 4, is to contain vitriolic acid or spirit of falt (muriatic acid) and chalk for carbonic acid air; and either acid with zinc for hydrogene air. The former of these mixtures foams much; and the apparatus should be placed on a large pewter dish. The oil of vitriol should be mixed with 16 or 20 times its bulk of water; and the chalk should be pounded and made into faufages with water. The veffel should be filled only to a 4th or 5th part of its height with the materials. It may be made to hold from three to five gallons. Into the fmall bucket C of the capital may be put spirits of hartshorn to the depth of an inch, the bucket itself being four inches deep. The tumes of the fpirit of hartshorn will arrest the acid spray, and prevent its paffing down the long tube. The capital Ais to be fet in the groove at the top of the veffel B, which

which is to be filled with water. This groove should be more than an inch deep. The tube may then be turned towards the patient's face. Spirit of falt diluted just enough to dissolve the chalk with moderate briskness is better than vitriolic acid for a continued effervescence; but it is more expensive; for this acid the chalk need only be broken into lumps of the size of a walnut. The spirit of hartshorn should be renewed whenever it has considerably lost of its pungent smell.

If hydrogene air be wanted, the veffel B may be filled to a greater height, because the ingrédients do not foam fo much. The oil of vitriol in this case is not to be so much diluted; from 5 to 7 times its bulk of water is sufficient. But it may always be tried in a glass with a bit of zinc beforehand. You will eafily judge whether your mixture wants acid or the other material according as it begins to act anew when you add a little of one or the other. If you drop in a roll of chalk, for instance, and no hissing is perceived, it wants acid. The whole apparatus should be japanned, and the infide also be anointed with melted bees wax. I have directed, when it could be done, that the vitriolic acid and water should be boiled together. The management of this apparatus is troublesome, as of every other where you want a continued effervescence... In pouring these acids from vessel to vessel, it is difficult to avoid some splashing, by which holes will be burned in the cloaths. The fumes of muriatic acid foon spoil polished iron furniture.

XVII.—Cases in which oxygene air was inspired.

The clearest directions for the use of factitious airs in medicine will be afforded by a faithful account of the

FOUTHGE

effects they have been already found to produce. I shall therefore dispose the clinical observations I have to lay before the reader in the best order I can devise. To these observations I shall subjoin a brief recapitulation; in hopes it may surnish a more precise idea of the progress already made, and contribute towards the accumulation of further knowledge.

Letter from Dr. THORNTON.

Feb. 27, 1795 .- Great Ruffel-street.

DEAR SIR,

I am very happy to hear your proposal for a pneumatic institution meets with the support of so many
eminent physicians and men of science. I wait with
the utmost impatience for its establishment, firmly believing that the experience resulting from it will be of
the greatest public utility. The subjoined cases will
be a great inducement for extending pneumatic remedies in the proposed institution to surgery; they will,
I trust, operate somewhat with the public in promoting a subscription sufficient for that benevolent purpose.

The first case will appear to great advantage, as the patient has obligingly permitted me to enclose to you his journal, which is the faithful picture of his own feelings; he assures me, he had not the least knowledge of any part of your theory of the operation of vital air, but was induced from seeing somewhat similar cures performed, to conside himself to Mr. Hill, an ingenious surgeon who has been among the first to apply these new powers to the purposes of his profession.

Journal of the Rev. Mr. ATWOOD, Rector of Saxlingham and Sharrington. Part. I. Statement of the case, and of the effect of the common means of cure.

" December, 1779.-The left leg has felt for some time past very heavy; is now much swelled; upon pressure the indentation continues. This was wholly removed in about nine weeks by means of a very tight bandage on the leg, exercise, spirituous lotions, sumigations, and frictions .- October, 1780. The constitution much impaired by the hot climate of Spain; was attacked with jaundice, which yielded to flow journies on mules and to oranges .- January, 1785. My health was much deranged during this month, with great debility .- 1786 and 1787. The habit much relaxed .- December 1788. Had violent night fweats. - January, 1789. These continued to the latter end of this month. - May, 1789. Had a violent inflammatory fever .- August, 1790. Had an eruption on the furface of the body .- 1791. During this whole year experienced great debility.-March, 1792. Was feized with an inflammatory fever, attended with delirium .- May, 1792. Had a third attack. My phyfician ordered me fea-bathing to remove the extreme debility which succeeded to this fever .- From August 1792, to February 1793, bathed in the fea. During this time I had many dreadful spasms in the stomach and bowels, accompanied with naufea and vomiting. These were the forerunners of the disease, which has fince affected my left leg .- January, 1793. There appeared a mahogany coloured swelling in the left ancle of the left leg, which kept up an incessant gnawing pain. -July, 1793. This hardness was attemped to be eat away with caustic; but it produced only an ulcer of a

very

very unfavourable aspect. - September, 1793. I placed myself under a most skilful surgeon at Norwich, who applied fomentation, unguents, &c. but without any material benefit.-November, 1793. Though a eripple, was enjo ned regular exercise. The ulcer, however, still continued increasing .--- January, 1794. A new enemy more formidable than the other made its appearance. It had the fame dark mahogany colour, and the same unconquerable hardness. By degrees this formed into a dreadful ulcer, which increased daily .-March, 1794.—Came to London, and placed myfelf under a furgeon of great eminence. Was attended by him daily with unremitting attention. Twice did he employ the lapis infernalis, but these ulcers seemed to refift every application. My conflitution being extremely debilitated, with loss of appetite; want of found fleep; and the mind exceedingly irritable, feabathing was once more enjoined .-- From June 14, to October 18, bathed in the fea .--- June 27. Mortification took place. The usual methods, bark in great quantities, port wine, and yeast poultices, were had recourse to .- October 25. Returned to London. The pains in the leg were excessive; the fætor intolerable; the ulcers had made great encroachments; frequent naufea at the ftomach; the bark and other medicines were frequently rejected, the breakfast sometimes, and now and then the dinner; the nights were excessive bad; strength impaired; in short every thing was unfavourable .-- December. A friend who had feen the whole progress of the case, asked my surgeon " what prospect there was of faving the limb." He made no reply, but very gravely shook his head.

The following letter is here introduced as effential to a compleat idea of the cafe.

Barnet,

DEAR SIR,

Being accidentally present at the first interview between you, Mr. Hill, and Mr. Atwood, I cannot help expressing my great astonishment on finding so speedy a cure has been actually effected in so desperate a case.

The wound, I mean what particularly called my attention at the time, appeared to me to extend four inches in longitudinal direction of the muscles of the leg, and about three inches transversely. It was so deep that not only the whole thickness of the adipose membrane was destroyed, but a considerable loss of substance had taken place in the muscular parts themselves.

The ulcer was in appearance as ill-conditioned as I remember to have feen, either in the London hospital, or in my own practice of near thirty years, affording an ichorous fœtid discharge, which appeared to inflame the surrounding parts, and which must therefore have gone on increasing the evil.

The gentleman's habit of body, from his own account, was fuch (for he had tried bark, fea-bathing, &c. without benefit) that I confess I had not the most distant idea, that any cure could have been performed, much less, in so short a space of time.

Indeed I think it a great happiness to mankind in general, that such a remedy as the vital air has been discovered, and that men of science are employing it; I am rejoiced to have such proof, that the blood and juices of our fellow creatures can be so changed, that we need not now despair of our patients even in situations truly deplorable. I have the honor to be, &c. &c.

[To Dr. Thornton.]

JOHN CORP.

PART II. of Mr. ATWOOD'S Journal, beginning the day before the inhalation of vital air.

December 13. Got up with a peculiar fensation of weight and pain in the leg; a fense of nausea at the stomach; and no inclination for breakfast; spirits oppreffed; and the mind irritable; when endeavouring to walk, felt great pain; the large ulcer in the leg looked of a blackish hue in places; a probe being thrust into one part of the ulcer, I had not the least fenfation in that part; yeast poultices were talked of; had no appetite for dinner; felt very much indisposed towards the evening; no inclination for fupper; had a fense of chilliness on first getting into bed, succeeded by hot palms; paffed as usual a bad night, with perturbed fleep; awoke at two o'clock with sharp and burning pains in the leg, which continued until five in the morning; dosed till nine. - December 14. Got up with nausea at the stomach; and a sense of languor; no appetite for breakfast; spirits exceedingly oppressed; for the first time inhaled the VITAL AIR diluted with a portion of atmospheric; had a pleasurable glow at the time; felt an appetite for dinner, and my friends observed my cheeks did not flush after dinner, as heretofore; my fpirits, which were fomewhat better during the day, funk towards evening; no inclination for fupper; passed a very indifferent night .- December 15. Got up but without a fense of nausea; had a flight inclination for breakfast; perfect ease in the leg; inhaled again the vital air; felt a great appetite for dinner, and a peculiar pleafurable lightness after dinner, as if no sustenance had been thrown in; with a flow of spirits; and a strange idea

of being able to mount a horse, and ride as fast as people in health; appetite for fupper; paffed the sweetest night! fuch as I am fure I have not enjoyed thefe four years .- December 16. Got up quite refreshed without the least sense of nausea at the stomach; a great inclination for breakfast; spirits unusually elated; took the vital air; felt a genial glow during the whole day; great appetite for dinner; walked with agility and without pain; the wound however appeared unfavourable to day; appetite for supper; a good night; awoke with a thick clammy perspiration. December 17. Spirits much depressed; no inclination for breakfast; mind very irritable; much pain in the wound; inhaled the vital air; the wound threw off nine floughs this day; a flight appetite for dinner; the fpirits recovered towards evening; inclination for fupper; had a found night's rest .- December 18. Appetite for breakfast; inhaled the vital air; a sense of glow, which extended even to the fingers ends; the mufcular powers were evidently increased; walked with flight, or no pain .- December 19. The wound for the first time discharged real pus; had the fensation, if the expression can be allowed, of perfect health, never experienced before this week; fleep very found; pains in the leg towards morning. - Dec. 20. Got up with great spirits; inhaled the vital air; the wound discharged a great quantity of real pus; a craving for dinner; felt no longer an inclination for much wine, and after four glasses, had the same fatisfaction, as three pints used formerly to produce; porter was now rather coveted; fpirits elevated in an extraordinary degree, which together with a genial fummers warmth continued from four to nine in the evening, and then subfided to humbler spirits; slept profoundly E 3 from

from ten to four, which, with the morning doze, made me get up sufficiently refreshed; transitory pains in the leg. - December 21. A fine appearance of white edges in the wounds; great appetite for dinner; an univerfal glow in bed, accompanied with perspiration; sharp twitching in the leg .- December 22. Appetite for breakfast; inhaled the vital air; the wound still kept on a great discharge of laudable pus; no appetite for dinner; in the evening a peculiar fense of weight and uneasiness in the leg; a great liftlessness in the evening; much irritation in the leg; particularly in the ulcer, with much itching round the part; but an indifferent night .-- December 23. Spirits oppressed; inhaled the vital air; returned home without much inclination for dinner; spirits rather mended towards evening; enjoyed a good night's reft. --- December 24. Eat a hearty breakfast; spirits elevated; walked with eafe and vigour; a furprifing change for the better had evidently taken place in the wound; appetite for dinner; had a good night. --- Christmas day. Still the same happy appearance in the wound to day .--- December 27. The ulcer looked wonderfully well; was evidently decreafed in fize; the discharge very favourable; but less in quantity; great pain was felt in the ulcer for a quarter of an hour in bed; afterwards fell into a refreshing sleep .---December 28. All the appearance of healing; the wound much decreased; some parts filled up; and the borders of a fine white; the whole leg, which before exhibited a dark purplish appearance, wore now the livery of health .-- December 29. The cavity of the wound was almost filled up; the effects of the vital air operating together with my amendment, produced a constant gaiety, as if I had been drinking champagne;

champagne; enjoyed a profound night's rest.---Dercember 30 and 31. The same sensation of perfect health; elevated spirits; great appetite; and comfortable sleep.—New-year's day. Every thing in a good train. My toast after dinner was, "May the introducers of aerial remedies meet with that recompence from their country, which they so amply deserve."

[This toast from motives of delicacy I would have omitted, but I thought it my duty to transmit you the journal entire as written by the author, R. I. T.]

It was applauded and unanimously drank. --- Jan. 1. 2, 3, 4, 5, 6, 7. As on the preceding days, with evident and progressive amendment in the wound .---January 8. Went to a private concert; before, mufic was difgusting to me, having no spirits to enjoy it; was furprized to find myfelf standing, at I was playing on my violin, without leaning on a chair, at feveral different times during the evening, and without the least fensation of fatigue or pain .--- January o. The fmaller ulcer, which of late I have not much noticed, was healed .--- January 10, 11, 12. Nothing peculiar. --- January 13. The old ulcer was this day rubbed hard with a flannel, and the larger ulcer appeared nearly healed .-- January 14. Walked with great vigour; the larger ulcer was rapidly skinning over; appetite good; spirits good; and sleep the same. - January 17. Notwithstanding the season the most inclement I remember, the ulcer was completely skinned over; and my body feemed fortified against cold."

Here ends the journal. I have to add that on the 25th of February, the family received a letter from Mr. Atwood from on board the Stately, of which ship he was made chaplain. He was then in perfect health and spirits,

E 4

There are two other cures, which deferve your particular attention, as the perfons were previously in the best hands, and as they serve in some degree to confirm your ideas respecting herpes, as depending upon a deficiency of the oxygenous principle.

John Patterson, aged 45, married, has five children; he was formerly a failor. He had endured much hardship, and at one time lived for nine months wholly on falt provisions. He was subject from the age of fourteen to eruptions on his face. When he came under Mr. Hill's care, I faw him, with a face encrufted over with humours, feveral purple blotches on his body, many hard scales or scurfs about his arms, and a darkcoloured deep ulcer in his leg, which gave out an ichorous and fætid discharge. He had also lost his fight near eighteen months. These complicated evils had refisted the well-known abilities of Mess. West, Carr, Turnbull, Wathen, Phipps, and others. This cafe being recommended to Mr. Hill by the last named gentleman, he gave him the vital air blended with atmospheric air, as an alterative of the blood, strengthening his constitution with chamomile tea and bark, and Mr. Phipps continued those applications to the eyes, which before the purification of the blood, proved unfuccessful. After a few weeks inhalation of the modified atmosphere, I had the fatisfaction of feeing him with a face perfectly clear and fmooth, large white fcales fell from his hands and arms; the dark purple ulcers on his body, and the vitiated ulcer in his leg were healed, and he had so far recovered his fight, that he had at first a blue, then a brighter light before him, and after a regular attendance during four months, he was able to discriminate different objects in the ftreet. The

The subject of the next case is a widow lady. She had a humour in her right leg, which deprived her of exercise, and had produced a painful and discoloured fore in that part of above 18 years standing; 4 years of which time, she was attended by Pott, and twenty-seven months, by Sharp; but neither of these eminent surgeons were able to effect a cure. After only three weeks inhalation of the vital air a violent itching came on, and in another week this leg was rendered as sound as the other. Mr. Sharp saw this patient at Mr. Hill's, and examined her leg, and was very much delighted. This lady has now continued well near six months.

I need not take up your time with Mr. Hill's fuccess in other less conspicuous cases. What I have already related is sufficient to set forth the advantage that will probably arise to surgery from the introduction and proper application of the pneumatic practice.

I am, &c. &c.

R. I. THORNTON.

P. S. Nothing is faid of dreffings in the above cases; the usual modes having been practised. The body too was kept open, as occasion required.—It may be interesting to add that the young lady, related to an eminent surgeon in London, whose case is mentioned in a letter of mine which you published some time ago, is now perfectly well. The violent spasmodic seizures yielded compleatly to oxygene air. In the same collection I mentioned the case of a gentleman far gone in pulmonary consumption, whose symptoms were surprisingly mitigated by a lowered atmosphere. Finding himself recruited, he undertook a journey of 140 miles. The hestic sever returned, perhaps in consequence

quence of his breathing the purer air of the country; and in a week after his arrival among his friends, he paid the debt to nature.—R. I. T.

It would be desirable that Dr. Thornton should fully state the case of the lady afflicted by spasms. The cure, I understand, was so compleat, that it gained the good will of several medical friends of the patient to the pneumatic practice. The case, if I conceive it rightly, was similar to those described in Zoonomia, p. 26.

Letter from Mr. BARR.

Birmingham, 14th March, 1795.

DEAR SIR,

Having a very high opinion of the effects to be expected from the practice which you have so benevolently promoted; and wishing to encourage farther experiments upon a subject so interesting to humanity, I take the liberty to communicate to you some observations which I have made on the effects of different factitious airs in the cure of scrophula.

About four months ago, a gentleman of this neighbourhood applied to me for advice in the management of a scrophulous ulcer of considerable extent. He had tried various remedies, but had derived no lasting advantage from any of them. When I first visited him he was worn down by a long course of night watching. The deep-seated pain of the arm was so constant and severe, that it had in a great measure deprived him of sleep. His countenance was pale and sickly; his limbs were continually afflicted with aching pains; every exertion, even the most gentle, seemed beyond the measure of his strength, for his body had lost much of

its active power, and his mind much of its wonted energy. The discharge from the ulcer was copious, thin, bloody and corrofive; and befides, the whole furface of the fore was fo exceedingly irritable that the mildest dressings, applied in the gentlest manner, produced very fevere and lasting pain. During the first fix weeks of my attendance he regularly took as much Peruvian bark in fubstance as his stomach and bowels could bear; and the ulcer was dreffed with various emollient, fedative, and aftringent applications, but without any permanent advantage. I then recommended a trial of oxygene air, which was readily complied with. He began by inspiring four ale quarts diluted with fixteen of atmospheric air twice a day, and gradually increased the quantity of oxygene to a cubic foot and a half in the day; by pursuing this plan for about a month, his health was wonderfully improved, but the ulcer shewed no disposition to heal. The deep feated pain was now entirely removed, but in the space of a few days more, he complained of a burning fenfation over the whole furface of the fore, fimilar to the pain arifing from erifepelatous inflammation. This unpleafant fenfation first commenced after inspiring the whole quantity of oxygene in the space of two hours, which before had been taken in equally divided portions morning and evening. We still purfued our plan, thinking that this new pain might be owing to some accidental circumstance, and that it would foon pass away. But it every day continued to increase, and the ulcer began to spread wider and wider. The edges became thick and were turned outwards, and the difcharge became more thin and acrid,

In this fituation, a local application feemed proper. I wished to have applied hydrocarbonate externally to the ulcer, but this from some circumstances of the case was not practicable. I then thought to moderate the stimulus of the oxygene by a mixture of hydrocarbonate, which Mr. Watt told me would occasion no chemical change in the two airs. Accordingly a mixture of three parts of oxygene, and one of hydrocarbonate was prescribed. Four quarts of this mixed air were added to about fixteen of atmospheric, and this quantity inspired morning and evening. In less than a week the burning fensation was much diminished, and the ulcer put on a more healing appearance. The mixed air was then increased to five quarts, and used as before, which produced an increase of all the pleasant fymptoms. After a few days trial of this proportion of the mixed air, fix quarts were prescribed. This is the quantity now inspired morning and evening.

My friend, at present, enjoys good health and a good appetite, and feels himself as strong as at any former period of his life. The ulcer is now reduced to less than half its original size, and healing rapidly. There is neither superficial nor deep feated pain remaining, and the motion of the joint, and the action of the contiguous muscles are free and easy.

I am, dear Sir, &c. &c.

JOHN BARR.

P. S. The event I will take care to communicate, not doubting but you will find an opportunity of laying it before the public at no great distance of time.

Extracts of Letters from Dr. CARMICHAEL.

SIR,

I take the liberty of fending you the following lines, wherein I shall briefly state the effects produced by oxygene upon a person affected with amaurosis. My patient I. B. aged 45, began 15 months fince gradually to lofe his fight, fo that about 5 weeks ago he could fcarcely distinguish a bright fire, or even the glare of the noon day fun. The right fide of his face, and half of his tongue, are affected with numbness, coldness, and loss of feeling. No other complaint, P. 84. In this state he began on the first of December, 1794, to breathe a mixture of 1 part of oxygene obtained by heat from manganese, and o parts of atmospheric air, for about the space of 5 minutes .- 2d December. Has passed rather a restless night, and complains much of heat and itching of his neck and shoulders .- P. 90. Breathed a mixture of 1 to 7.—3d. A very restless night. Complains much of pain in his temples and forehead .- P. 98. I directed 8 ounces of blood to be taken from his arm, and afterwards to breathe as yefterday.-4th. The blood drawn was remarkably dark in appearance, and after fome time contracted a thin fuperficial florid cruft.-P. 88. Passed a very restless evening and night. Head-ach not quite fo fevere. Breathed a mixture of 1 part ox. to 4 atm.—7th. Very fevere head-ach, with temporary loss of the use of his lower extremities .- P. 100. T. white. I directed the venæsection to be repeated to 12 ounces. This day I was afraid to give him any of the modified air.—8th. Has passed a better night, but feels himself low and feeble .- P. 92. Blood dark; but fooner than formerly

merly affumed a florid crust. Inhales as before. 10. Has passed two restless nights, head-ach severe, but to use his own expression, he feels himself "lightsomer." Breathed equal parts .- 12th. Both nights he has had very fevere head-ach; and on the 11th was for fome little time deprived of the power of motion. Numbness and coldness of his cheek and tongue continued. The irritability of the pupils is not at all increased. Here I thought fit to give up the use of the oxygene, as by a continuance of it, I must confess I had fears of inducing a more ferious difease than that I was endeavouring to remove or alleviate. - 14th December. As I did not think it prudent to perfift longer with the ox. I determined to make trial of the hydro-carbonate. I directed for him a mixture of containing 1 quart of that species of factitious air, and 19 of atmospheric air, which he inhaled in about ten minutes, resting at intervals. The fame quantity was repeated for four fuccessive mornings, but no advantage attending this mode, and the vertigo occasioned by it being troublefome, I did not wish to continue the use of it for a longer time. From its discontinuance till the evening of the 27th December he continued much in his usual way, when he was attacked with apoplexy, from which however, he gradually recovered.

Another case of Gutta Serena has afforded me an opportunity of trying the virtues of oxygene. This patient, about 40 years of age, and of a very irritable habit, has been gradually losing her sight for two years past; that of one eye is nearly gone, that of the other very indistinct. The nerve of the right eye has almost entirely lost its irritability, but the pupil of the left still contracts pretty readily on the approach of light.

On inspection the slightest degree of cloudiness towards the external canthus of the left eye may be perceived; and she describes objects as seen by the edge of a wall, or of any other interpoling medium. Every other day, objects appear to her tinged with a yellow hue, and on the intermediate ones of a dark purple. She has the fame fense of colours in the dark and when the palpebræ are shut: those appearances have fucceeded each other at the interval of 24 hours, with the utmost regularity for some months past. At times fhe is subject to a total loss of fight, which, however, continues but for a few minutes, and feldom longer than an hour at a time. Its return is in general accompanied by a confiderable discharge of flatus from the stomach, to which she is at all times subject. She has tried many remedies, but her fight, she fays, has been getting gradually more imperfect.

14th January, 1795, I directed her to inhale a mixture containing 6 quarts of ox. procured from Exeter manganese by heat only, and about 18 of common air, which she did in the space of 5 or 6 minutes; and repeated it daily till the 22d .- 22. No perceptible change. It was fuggested that it might be better to divide the dofe and repeat it twice a day, which was accordingly done. I directed her to take 3 quarts of ox. diluted with 18 of atmospheric air forenoons and evenings. As she was rather costive, she took occafionally of the Edinburgh stomachic pill .- 2d Feb. No advantage attending this method, the dose was increafed to 6 quarts of ox. diluted as above, mornings and evenings. On the morning of the fixth she awoke completely blind, and continued fo with the exception of a few momentary intervals during the day; she however passed a good night, and on the morning of the 7th found her fight much in the same state as it had been on the evening of the 5th. She was a good deal alarmed at the deprivation of sight for so long a period; and as she had not derived any advantage from the use of the modified air, I desired her to discontinue it. Her vision became gradually more impersect, her pulse, during the time she inhaled the modified air, in my opinion rather acquired tension, and the irritability of her system was not quite so apparent.

S. P. Æt. 173. - Complains of universal languor and debility, palpitation and difficulty of breathing on the flightest exertion, especially in going up stairs; The is much emaciated, and her skin is universally pale; her feet and ancles for some months past have become ædematous toward evening, but more particularly after using exercise; she complains of pain of her stomach, and of frequent cough, attended at times with pain of her fide. B. regular; app. impaired; pulse 112. She has never menstruated, nor had any of the fymptoms usually preceding that evacuation. She first began to complain about 21 years ago; fince which time she has taken different medicines, but without advantage.-Feb. 14, 1795, I directed her to inhale daily a mixture of oxygene and atmospheric air, in the proportions of 3 to 17 .- 18. Modified air produced no evident effect. I directed her 6 quarts of oxygene diluted with 14 of common air .- 23d. Since the proportion of oxygene was augmented, her nights have been reftless, and she has complained of general heat. Cough more frequent; p. 125 .- 26th. Her evenings and nights are still restless; cough increased; pain of her

her stomach not abated; p. from 120 to 125. I dirested her to use the modified air in the proportions at first prescribed .- March 1. Sleeps better, and in the evenings she thinks that she is less hot. Cough less frequent, pain of her stomach not abated; p. 110 .---6th. Pain of her stomach less troublesome, appetite mended; thinks that her spirits are higher than usual; and that she feels less fatigue and dyspnæa on motion, p. 100 .-- The appearance of her countenance is evidently more healthy; cough much less frequent; dyspnæa and palpitation on motion much relieved; p. 98; fleeps well; ædema of her feet and ancles feldom returns in the evenings, excepting after more than usual fatigue .- 15th. Continues to recover in every refpect; cough nearly gone; no return of pain of her stomach for some days; complains so little of dyspnæa and palpitation on motion, that she can walk a mile and upwards without being particularly affected by either, and without much fatigue; p. 89 .- 20th. Her general health much improved; the universal paleness of her skin has given way to the natural appearance; and her cheeks, lips and nails have acquired a rofy tinge; p. 81. She has not yet menstruated, nor has the hitherto had any figns indicative of fuch a change; but as that discharge depends upon a certain tone of the arterial fystem in general, I have little doubt but that it will be established with the complete restoration of her health; which defirable event there is every reason to believe is at no great distance.

I am, &c. &c. JOHN CARMICHAEL.

28th. Has uniformly mended in appearance, strength, and in respect to her own seelings.—J. C.

Birmingham, March 1795.

Extract of a letter from Dr. PEARSON.

DEAR SIR,

In my little publication, I can scarcely call any thing my own, but the observations on the vapour of ather, of the probable use of which in phthissical cases, your considerations on Factitious Airs first gave me the idea. As the number of consumptive persons in this large manufacturing town is deplorably great, I have had frequent opportunities of trying the inhalation of ather in such cases; and I have the satisfaction to say that I have found it very beneficial. It abates the hectic heat, relieves and often removes the dyspnæa, and promotes and improves the expectoration. It seems to have such an effect as a mixture of inflammable and fixed air (duly diluted with common air) would have; and where the sactitious airs cannot be had, it may be used in their stead with great advantage.

My trials with inflammable air upon confumptive patients at the hospital here, have, as vet, been too few, and those too much interrupted, to admit of any certain conclusion; but I have lately had a proof of the falutary operation of oxygene air in the cafe of a chlorotic girl, Mary Rider, 22 years of age, who has had her menses suppressed for the last 12 months. After she had taken for many weeks the usual emmenagogue medicines without experiencing the fmallest benefit, I ordered her, at the end of December, oxygene air, of which she took a large dose, immediately after it was expelled from oxygene, and before it had time to make any deposit. Her pulse, which before was very languid, was confiderably raifed by it; and the faid the felt a warmth in her cheft, which continued

tinued throughout the day, accompanied with headach and an uneafy fenfation at the stomach. At the ad application, about a fortnight afterwards, she inhaled a smaller dose, (viz. 2 quarts) largely diluted with common air. (This oxygene air must have been purer than that which she had breathed before, as it had flood by a long time in the air-holder, in which fome water was purposely left to absorb the fixed air, from which I have reason to think it was not thoroughly freed during its paffage through the refrigeratory.) At this and the subsequent repetitions of the application, the strokes of the artery in the wrist were stronger and fuller than before the inspiration. On account of pain of the fide, head-ach, and uneafiness at the stomach, of which she complained the next day, the application was suspended, and was not again repeated till the 22d of January, when she breathed only a quart of oxygene. In the interval no other medicine was given but Rochelle falts, to keep the belly open, and take off the fulness and quickness of the pulse.-23d. A quart more.—24th. The fame quantity. Mr. Taylor, the apothecary to the hospital, superintended the last mentioned applications, as I was prevented from being present myself. When I saw the patient the day after the last inhalation, I found her pulse, appetite, spirits and countenance much improved. An accident having befallen the apparatus, and the flock in the airholder being exhausted, we were obliged to discontinue the application. The girl was discharged on the 31st of January, much better as to her general health, and particularly with more colour and more animation in her countenance; but in respect to the menstrual evacuation, the same as before. When she left the hospital, she had directions to come again after 5 or 6

weeks; when, if the suppression of the menses should still continue, I intend to repeat the pneumatic application.—I have likewise given oxygene air to another patient affected with epilepsy joined with amenorrhæa; but as I have not, in this case, repeated the application sufficiently, I do not yet think myself warranted to speak of its effects.

I am, dear Sir, with great regard, your's,
RICHARD PEARSON.

Birmingham, Feb. 2, 1795.

P. S. From what I have feen of the effects of oxygene, I think it should at first be applied in more diluted doses than those in which you feem to have given it. In my little pamphlet I have said, (p. 4), that "at the first time of using it, it should be mixed with 8 or 10 times its bulk of atmospheric;" but I think it will in most cases be prudent to dilute it with as much as 12 or 15 times its quantity of common air.

Extract of a Letter from Dr. THORNTON.

A gentleman, Mr. T——d, was recommended to me by Mr. Baker; he had been afflicted with afthma for the last 13 years. Having loss of appetite, great muscular weakness, cold extremities, and a languid pulse, I directed him to inhale a super-oxygenated air. After six weeks trial of the efficacy of this new means, accompanied with medicines, his asshma was not diminished, which surprised me, as I had in this way relieved and cured several asshmas this winter and the preceding, but on the contrary it seemed somewhat increased. This gentleman was now seized with a violent cold; fearing the recent oxygenation might increase the inslammatory symptoms, I directed him to inhale

inhale hydrogene gas, diluted with atmospheric air. The heat and soreness at his breast were immediately taken off. He repeated this, and he is himself fully persuaded, from the knowledge he has of his own constitution and the lasting effects of a cold with him, that the hydrogene gas prevented, or rather cured this catarrhal attack; upon a more particular inquiry, I found he was in the habit of relieving his asthmatic sits by going to the play, which succeeded if he went into the upper gallery, but not if he sat in the pit, and that a sharp easterly wind was sure to bring on a paroxysm, if he walked in the sace of it; and that he was never so well as in crowded rooms, and in foggy damp air.

When Mr. T—d inhaled an oxygenated atmofphere alone, he was accustomed, though the oxygene
was very considerably diluted, to awake early with
difficulty of breathing, a long fit of coughing, the
breath hot, and the tongue parched. When he began
to inhale the hydrogene air, he fell asseep sooner than
before, slept composedly, and had none of the above
symptoms. Since the catarrh was cut short by the
hydrogene, I have ventured to give him a little oxygene by day, with hydrogene at night. He is going
on well; salls asseep soon after taking the hydrogene,
and is quite exempt from the above-mentioned disagreeable complaints.

I cannot help adding, that I had lately an opportunity of observing a fact, which seems to favour your idea of muscular motion, as dependent upon oxygene. An asthmatic patient after going up stairs was always obliged to remain quiet in her chair near ten minutes, before she could enter into conversation. The progress of her recovery not being so speedy as she could wish, she

fancied

fancied the vital air in a state of dilution did her no fervice:—After inhaling the quantity I judged prudent, I have begged her to go down stairs, and walk up as quick as usual, or rather more so, which she obligingly did, and was able then to converse the moment she entered the room.

Ever your's,

R. I. THORNTON.

-->-D--->

The Rev. Mr. F——, at Bristol Hotwells, much troubled with dyspnæa, and mucous expectoration, used to assure me, that after inhaling diluted oxygene air, he could walk up the steep hill to Cliston with much greater ease than at other times. He made the experiment innumerable times. This air, however, rendered him no permanent benefit; his disorder depending upon mal-confirmation.

We may admit these sacts, as they seem clearly ascertained, and supported by many analogies. But would not æther or other drugs have done the same? And was the effect produced by the specific power of oxygene? A good reasoner ought not to admit such power till there shall have been made a number of comparative experiments, of which no man has perhaps conceived the idea. It is, for instance, possible for any thing we know to the contrary, that certain substances introduced into the stomach shall prevent an animal from drowning so soon as its unprepared fellow, without communicating oxygene to the system, and thus, to a certain degree, rendering respiration superfluous. In this case it would be doubtful whether oxygene ass

on the same principle as the bodies, producing an effect so far equivalent, or on a principle peculiar to itself. When we are acquainted with the result of these more extensive researches, we shall not be in so much danger as at present of being seduced by narrow views into wrong conclusions.

In November 1794, Mr. James Tobin of Bristol, informed me he had heard of instances of amaurosis, in which benefit had been derived from inhaling oxygene air. From my own experience I could not give him any encouragement, except as to the probable safety of the trial; but as he had lost the sight of one eye entirely by this disease, and had that of the other exceedingly impaired, he determined upon the experiment. He ventured upon the quantities specified in the following note, with which he savoured me from memorandums made at the time. Not the smallest difference for the better or the worse was experienced at the time or since as to his vision.

"Mr. James Tobin for fourteen days in December, " 1794, took of atmospheric mixed with equal " parts of oxygene air, from five to fix of Mr. "Watt's fmaller cylinders daily; having discontinued " it for a fortnight, he began again taking of the fame " proportions five cylinders for nineteen days; four " minutes are more than fufficient for the breathing of " one cylinder (i. e. 1 of a cubic foot) of this air. Mr. " J. T. has occasionally breathed the pure oxygene " without any inconvenience, nor could be abfolutely " afcertain any effect from the mixed air, though he " fometimes thought he derived from it the power of " relisting cold. The proportion of oxygene is fo XVIII. Cult F 4 great

"great in this mixture as to add brilliancy to the flame of a candle after it has passed through the lungs."—March 23, 1795.

I have received general information concerning feveral other patients, to whom oxygene has been administered. Compleat reports will, I hope, be published in due time. In some of those patients scrophulous tumours have disappeared during this treatment. In one a combination, which I had recommended feveral months ago in fuch cases of cancer as should resist the external application of carbonic acid or other unrespirable airs, has been employed with great advantage, and will probably effect a complete cure. Carbonic acid air having been applied for three months to a cancerous ulcer of the breast without mending its state, it was conceived that the inhalation of oxygene air, together with the continuance of the external application of the c. acid, might produce an effect to which the latter alone was not equal. In less than a fortnight after this alteration in the treatment, good pus was discharged, healthy granulations appeared, and the ulcer was much diminished. There has fince been a gradual progress towards recovery, and the cancer, I am well informed, " is all but healed."

XVIII. Cases in which different unrespirable airs were administered.

Letter from Dr. FERRIAR.

Manchester, Jan. 23, 1795.

SIR,

It would afford me fincere pleafure if I could furnish you with any decifive proofs of the efficacy of Pneumatic Medicines; but my trials of them have not yet been numerous, and my patients have not been fo regular and perfevering as I could have wished. I began to use hydrogene about two months ago, with an elderly man, who had every fymptom of confirmed phthifis, and whose complaints had been ushered in by hæmoptoe. His pulse was 120, and very quick; on that day when he first breathed the mixture, there was I of hydrogene. He remarked that he did not cough during the rest of the day; and the next morning, his pulse was only from 60 to 70. By administering a dofe of the air morning and evening, and increafing the proportion of hydrogene to 1, he obtained several eafy nights, though the weather was frosty, and a thick fog prevailed for feveral days. These favourable appearances are now over; for the air no longer gives him relief, owing, I apprehend, to the period of the difeafe. When the hydrogene loft its efficacy, I gave him the hydro-carbonate, and afterwards oxygene. without benefit.

The next case in which I used hydrogene was that of a lady who had been harassed with a spassnodic asthma upwards of 11 years. During the last two years are half, she had seldom been free from a paroxysm above four days together. After breathing the mixture

mixture with a third of hydrogene, she complained of a sensation of sulness in the lungs, and of severe coldness. I prevailed upon her to use the medicine twice a-day for some time; and she has certainly been more free from the asshma than she had been at any time for the last three years. In the course of two months, she has had only two paroxysms, and they have been shorter than usual. I have attempted to relieve her during the paroxysm, by giving oxygene, but without effect.

I made a patient at the Infirmary inspire a mixture, with the common proportion of oxygene, in my prefence, a few days ago. The man has had a severe asthma during several years, which only quits him in the middle of summer. He had been once free from his complaint for a considerable time, by taking bark and opium under my direction. After inspiring the air, he said he selt himself perfectly easy, and that if he could continue so, he should think himself well. He has neglected, however, to return as I desired, for another dose.

I have found no inconvenience result from the exhibition of the airs; on the contrary, the consumptive patient whom I first mentioned, thought his appetite and spirits improved by the use of the hydrogene.

I hope, in a short time, to acquire more facts on this subject; in the mean time I shall be very happy if these slight observations can be of any use to you.

I am, Sir, &c.

it spove four days together

J. FERPIAR.

To Dr. Beddoes.

Letter from Dr. CARMICHAEL.

DEAR SIR,

The Hydro-carbonate, fo far as my observation goes, has never failed to afford very fenfible relief in Phthifis Pulmonalis. Confumption occurs very frequently in this place; but it rarely happens that a physician is applied to early in the diforder, when much advantage may be expected to be derived from the use of modified air. The persons affected with Phthisis, whose cases are detailed below, were reduced to the brink of the grave, and cannot therefore be confidered as favourable subjects. I have however the satisfaction to inform you that the hydro-carbonate has hitherto reprieved one of them, and that the fufferings of the two others were uniformly and greatly alleviated. No medicines having been used at the same time, the effects produced are to be attributed entirely to the virtues of the factitious air.

J. A. applied for my advice Dec. 1, 1794: has very frequent cough, attended with copious expectoration, pain of his fide, dyspnæa on the slightest bodily exertion, colliquative sweats and diarrhæa, very restless nights, strength much impaired, p. 115. These complaints originated about five months since without any evident cause, and notwithstanding many remedies used have continued to increase. I prepared a mixture of hydro-carbonate and common air, in the proportion of one quart to nineteen, which he inhaled at intervals as directed below in J. T.'s case (p. 87).—2. The vertigo produced was considerable and from which he did not completely recover for upwards of an hour. Has had a very comfortable night, cough relieved and he expec-

torates with more ease, p. 108; breathing less difficult. -6. Pain of fide and dyfpnæa gone, cough not fo frequent, fætor of the matter expectorated not fo offenfive, diarrhœa less frequent, perspiration much less profuse, p. 104; sleep has been uniformly good fince he began the use of the modified air. Vertigo produced fill confiderable, and after having once gone completely off continues to return at intervals during the day .- 13. All his fymptoms better except in point of strength, which seems gradually to decay. His mother requested me to inform her whether or not it was my opinion that her fon could recover; I replied that I had little expectation of fo favourable an event, but that his life might be prolonged and rendered more comfortable by the use of the modified air. From this time, however, for five days, I saw no more of him .-18. He returned to-day, and earnestly entreated me to fuffer him to inhale the modified air as formerly. All the fymptoms were greatly aggravated, the fætor of his breath was intolerable, and his diarrhœa had returned with increased violence, p. 120; he breathed the same mixture as at first prescribed for him .-19. Hydro-carbonate occasioned considerable vertigo, has paffed the night comfortably and feems much refreshed by his sleep, cough less urgent, p. 108 .-24. Cough less frequent, dyspnæa less urgent, fætor of his breath less offensive, sleeps well, body regular, p. 104. Notwithstanding the relief of his fymptoms, his strength is evidently declining -30. Continues the fame, - Jan. 12, 1795. Since the last report, owing to the feverity of the weather, he was prevented from attending. I am this day informed that his diarrhœa returned with great violence and carried him off on the tenth instant. S. C.

S. C. æt. 32, was about nine months fince, in confequence of exposure to cold and wet, seized with cough and pain of his breaft, which fymptoms were foon after attended with confiderable expectoration. I first saw him towards the end of July. His cough was then fevere and attended with copious expectoration of a whitish ropy fluid, he complained of flying pains of his thorax, dyfpnæa on any flight exercife, reftless nights, and strength much impaired, p. 100. He was at that time engaged in business, but as his strength was but ill adapted to the attendance required, and his mind seemed little at ease, I recommended to him to leave fuch fcenes for the prefent, and if he conveniently could, to retire for a few months into the country. With this advice he readily complied, and I faw no more of him until the middle of October. His mended appearance befooke the benefit he had derived, he had had no pain in his breaft for some weeks, and could use confiderable exercise without any return of dyfpnæa, his appetite was much better, and he in general flept pretty well, his cough and expectoration continued in a less degree. But this glimpfe of hope was only of short continuance, he gradually loft the ground he had acquired, to his former fymptoms new ones were added, so that at the end of November, when I again faw him, it was but too evident that he could not much longer struggle with fo formidable a difeafe. Dec. 4. Cough very fevere, copious expectoration of a ropy whitish phlegm, dyspnœa urgent on the flightest exertion, nights very restless notwithstanding he is in the habit of taking a grain and half of extract of opium at bed-time, profuse perspirations, p. 110, body regular, appetite and strength much impaired. I directed him to inhale a mixture containing

containing one quart of hydro-carbonate and nineteen of common air, once a-day, and defired him to omit the opiate at bed-time. - 5. Confiderable giddine's produced by the hydro-carbonate, and he complains that to-day he feels himfelf more languid than usual. Slept better than he has been accustomed to do for some weeks past .- 10. Cough much abated, expectorates with more ease, pain of his fide gone, dyspnæa on motion less urgent, continues to enjoy very comfortable nights, perspirations much less prosuse, p. 90 .-15. Continues to find relief from the modified air .-20. For the two last days his cough has been rather worse, and his nights restless, p. 100, body costive. I directed him to take a little rhubarb occasionally.-25. Body regular, cough relieved, and he has flept better; for some time past no perspirations, p. 90 .go. He is evidently more emaciated, his voice has become more feeble, and his step is less firm. Cough variable, expectoration rather more copious .- Jan. 4. 1795. Confiderably affected by the feverity of the weather, cough increased and attended with a sense of tightness in his breast, and at times with pain under his sternum.-27. I heard nothing of him for some days fubfequent to the lastereport. Finding himself getting worfe, he was advised to apply elsewhere, but medicine was of no avail, and I am informed that he funk under his complaints two days fince.-Had it been possible for me to have supplied this patient, and him whose case is before detailed, with modified air at their own houses, during the unusually severe weather, might they not have recovered?

J. T. æt. 40, has for two years past been affected during the winter and spring months with cough and expectoration,

expectoration, and at times with pains in his breaft; accompanied with flight dyfpnæa. These fymptoms in general left him during the fummer months, and never at any time arose to such a degree as to prevent him from following his usual occupation. In the beginning of October last, he was seized with pain of his fide, cough, dyfpnæa, and after fome time with copious expectoration. He applied for my advice in the beginning of November. At that time he had an almost inceffant cough, attended with copious expectoration, he complained of a sense of tightness across his thorax, and much dyfpnæa on the flightest exertion, his pulse was in general from 110 to 120, his nights were reftless and attended with profule perspirations, his body was irregular, his appetite much impaired, his frame much emaciated. I ordered for him at different times emetics, fquils, ammoniacum, blifters, &c. but from none of them did he derive more than a very temporary relief. -Nov. 27. He began the use of the hydro-carbonate. I directed him at first to inhale a mixture containing a quart and an half of this species of factitious air, and nineteen of atmospheric air. This quantity he used in about twenty minutes, breathing it for twenty feconds together, and then resting for one, two, or three minutes according to the degree of vertigo produced .- 28. The vertigo produced by yesterday's inhalation was very fevere, and returned at intervals during the evening. He has paffed a much better night than usual, and favs that the dyspnæa and sense of stricture on the thorax are much relieved. The quantity of hydro-carbonate diminished to one quart, diluted as above .- 30. Cough much relieved, sense of stricture gone, dyspnæa less troublesome on motion, has had better nights, and his perspirations are less profuse, p. 106, appetite rather better-

better .- Dec. 7. Cough evidently better, expectoration confiderably diminished, p. 95, body for some days past regular, breathing so much improved that he can with ease walk up stairs to his chamber and undress himself, without return of dyspnæa, which he could not before accomplish without the greatest difficulty, fleeps better than he has done for months past, perspirations entirely left him, appetite mended .- 15. Continues to recover in every respect, has at times some return of tightness of his breast, but which is uniformly relieved or completely carried off by the hydro-carbonate. His countenance is evidently altered for the better, and he is of opinion that his strength returns. Notwithstanding that the modified air still continues to produce confiderable vertigo, I increased the quantity to two quarts, diluted as before .- 27. Cough very much relieved, expectorated matter reduced to onethird of its former quantity, p. from 84 to 90. He has evidently acquired flesh, and he is of opinion that his strength continues to improve. - Jan. 6, 1795. Cough rather more frequent and attended with fome degree of dyspnæa. On account of the severity of the weather, which evidently affects him, I ordered him not to stir from home. At this time he began to breathe the modified air of the strength directed above, twice a-day .- 16. Cough relieved, quantity of expectorated matter much the fame as reported on the 27th ult. in other respects the same. - Feb. 1. On account of the unufual feverity of the weather, no advance has been made fince last report. Cough more variable, and at times attended with some degree of dyspnæa, expectotorated matter rather increased, he does not however emaciate .- 12. Cough much abated, quantity of expectoration reduced to one-fifth of its former quantity, his

strength is so much recruited that it is with difficulty I can restrain him from returning to his occupation. In every respect he is much better.—March 1. Continues to gain strength, cough less frequent, and expectoration still diminishing in quantity, appetite good, sleeps well. As I could not prevail with him to remain longer at home, I advised him, before he returned to his usual occupation, to walk out a little daily.

[It is much to be regretted that this patient would, not be perfuaded, or could not afford to devote himself entirely to the care of his health. His return, however, to his usual occupation, and consequent exposure to the severities of such a season, form an æra in his case; and Dr. Carmichael has promised me a continuation of his history. I shall not fail to communicate the event to the public in the course of the present year: cases now in progress, besides those mentioned in this pamphlet, will enable me in a few months to add a small appendix. T. B.]

In prescribing the use of this species of factitious air, supposing my patient to be 19 years of age or upwards, I begin by directing 1 quart of hydro-carbonate to be mixed with 19 of atmospheric air. In this proportion it may be inhaled for fisteen or twenty seconds together, without producing much uneasiness of the head or vertigo; it is then prudent to desist until such time as any feeling occasioned by it goes off, which will in general require from one to five minutes. Vertigo universally accompanies the use of the hydrocarbonate, even in much smaller doses than those which I have above directed. At first the patient is sensible of a tightness across his forehead, and a sense as of something creeping round his ears and back part of his

G

head.

head. These symptoms gradually increase, until they are lost in vertigo, or if imprudently too much has been given, in a flight degree of apoplexy. I have made use of spirits, water, and volatile effluvia, to restore patients overcome by this species of modified air, but nothing feems to answer the purpose so well as exposing them freely to a current of the atmosphere. I in general make use of incipient vertigo as a test how much of the mixture patients may breathe at a time, and unless it produces more or less of this effect, I do not find that the advantages derived are so confpicuous. The proportion of the hydro-carbonate may be increased as the system becomes habituated to its operation. J. T. at this time takes a gallon of hydrocarbonate diluted with four gallons of atmospheric air twice a-day, and without producing much diffurbance in the fyslem. The other two patients never inhaled the modified air stronger than in the proportion of two to eighteen, nor oftener than once a-day.

In preparing the hydro-carbonate, I find it to be of the utmost consequence to suffer water to pass from the water-pipe in the most gradual manner. By doing so the air comes over much slower, but its purity compensates for a little loss of time. If much water is used a considerable quantity of hepatic and aerial acid airs are generated. The latter is of little consequence, as it may be absorbed by quick-lime put into the restrigeratory, but the former being inseparable from the hydro-carbonate, increases dyspnæa when present, and I have suspected it sometimes of occasioning pains in the breast.

The hydro-carbonate lofes much of its activity by keeping, it does not produce vertigo in the same de-

gree, and I have not observed the same beneficial effects result from its use. On recurring to fresh prepared air, it is necessary to begin again with a very small dose.

I am, dear Sir, &c. &c.

JOHN CARMICHAEL.

Birmingham, Feb. 12, 1795.

--> -(______)- (--

The collection of letters from Dr. Withering and others being out of print, and not likely to be ever republished, I shall extract the following important observation. Whatever opinion be formed concerning the nature of the case, the patient clearly appears to owe her life to the pneumatic treatment:

Extract from a letter from Dr. EWART, dated November 14th, 1793.

The other case in which I employed the inhalation of mephitic air, was that of a lady (Mrs. P.) aged about 22 years; who nearly two years and a half ago, was seized in Russia with symptoms of a violent pleuristy, after incautiously eating iced cream when over-heated. Notwithstanding blood-lettings and other evacuations, the inflammatory symptoms seem to have run into a rapid suppuration; for eight or ten days after the first attack, and after a severe sit of coughing, almost immediate relief sollowed the sudden expectoration of a large quantity of what was deemed pure pus, slightly intermixed with blood. But though the pain and dyspnæa now abated, still a frequent cough and a very copious

copious expectoration of a fimilar matter to that difcharged at first, remained; and soon her fever assumed a heetic form. She was in this fituation recommended to come to England, but experienced no benefit either from the sea voyage or from the use of the Bristol hot waters, which she drank during some months. So much of her case I give from her own report. From Bristol she came to Bath in the beginning of last January, when I first saw her, eighteen months after the commencement of her illness. The state of circumflances then was, very confiderable and progressive emaciation, an almost constant hectic slush on the countenance, the pulse always quick, with regular and strong exacerbations of fever towards evening, which again abated before morning, and were fucceeded by profuse sweats; the cough was very frequent, and the expectoration fo profuse as completely to wet many handkerchiefs daily. She began now to inspire mephitic air, pretty nearly in the same manner as Colonel Cathcart had formerly done. She not only repeated, however, the inhalations from the machine oftener, and continued them longer each time than was done in his case, but even while she was not inspiring through the tube, the machine generally remained on a table near her, emitting the fixed air which was continually extricated from the mixture of calcareous earth and vitriolic acid it contained, fo that I feldom entered her apartment without perceiving mephitic fumes in a greater or less degree. The apartment being close and of no great extent, I fometimes thought it prudent to have a window opened for the purpose of clearing it of these sumes .- Particular circumstances rendered it necessary that I should inform the lady's relations without referre, what chance I faw of her recovery;

and in the beginning of my attendance I did not he. fitate to express my despair of doing her any good, or of ever feeing her better. Such however was foon the abatement of all her fymptoms under the above treatment; fo entirely for fome weeks did the hectic fever disappear; and so evidently did she gain during the same period both flesh and strength, that not only her relations acquired new and fanguine hopes of her recovery, but I began feriously to flatter myself with a disappointment of my predictions, although I durst not venture to avow it. The first check given to this amendment, which proceeded for four or five weeks, was occasioned by an over exertion of her lately recovered ftrength, during a fatiguing walk, the latter part of which was up a pretty fleep afcent. A return of pain in the breast and dyspnæa, a tinge of blood in the expectoration, together with an accelerated pulse, made me have recourse to blood-letting, blifters applied to the cheft, &c. which greatly relieved thefe fymptoms, but at the fame time reduced the general strength. The inhalation of mephitic air was interrupted during the period of this inflammatory attack, from an uncertainty how it might act rather than from any observation of its disagreeing; but it was repeated as before, after the fymptoms of inflammation had abated, and again seemed to produce the same beneficial effects. A fecond relapse however occurred fome weeks afterwards from a flight indifcretion, the throwing off part of her accustomed garments. This was removed much in the same way as the former one, and the mephitic air was again reforted to with fimilar fuccess. After each of these inflammatory attacks, and after one or two others which happened fublequently, there remained for some time a considerable increase G 3

increase of cough and expectoration, and a permanent hectic, which however gradually abated under the ufe of the mephitic air. But these repeated relapses from flight causes, notwithstanding the constitution rallied aftonishingly afterwards, and foon seemed to regain all it had loft, renewed my fears that the difeafe would foon run the usual and rapid course of confirmed phthifis. The patient left Bath in the month of May last, to take advantage of the summer season for trying another voyage by fea, still bent on continuing the inhalation of mephitic air. I despaired of hearing much longer any favourable accounts of her; but have been repeatedly and agreeably disappointed, in learning that her health has fince gained instead of losing strength. By a letter received within these few days from Petersburgh, where she has passed the summer, it is reported to me "that she is wonderfully recovered by the Balfam of Mecca, which she got from the Turkish Ambaffador." Whether she has all along continued the mephitic air, I cannot undertake to affert; but I believe in the affirmative, from her intentions at the time of leaving this country. To whatever cause her prefervation is owing, it is the first case of so fully formed, and so far advanced a phthisis that I have met with, in which the progress to disfolution has been so long restrained, or so successfully repelled.

I remain, dear Sir, &c.

JOHN EWART.

Accounts from Petersburgh of a late date state the amendment of this lady to be more considerable than I ventured in my last letter to represent it. It was her intention to pass the winter in the South of Russia,

but she now thinks herself so well as to be able to remain with impunity at Petersburgh. The expressions of her father in a letter to her fister are, "She has re"covered progressively ever since she returned here,
"regains slesh and strength, is free from sever, and
"suffers very little from her cough, but continues to
"spit immoderately, though with ease." No mention
is made in this letter whether she persists in respiring
fixible air.

Your's, &c.

Bath, Dec. 15, 1793.

J. E.

Bath, March 25, 1795.

MY DEAR SIR,

In the beginning of the winter Mrs. P. was found to be pregnant, and has been delivered of a healthy child. Lady H. from whom I had an account within the last fortnight, mentions no particular fymptoms, but only fays her fifter is vastly well. She has not breathed any factitious air fince her return to Russia; fo that all which can be inferred from her case, applicable to your subject, is the evident amelioration of fymptoms which first began to take place here under the case of the carbonic acid air. I have fince admiministered the same air in a considerable number of eafes of phthisis. I can fay with confidence that in most of them it relieved the cough; but in none of them, where the disease was fully formed, could it be faid to produce beneficial effects in any degree equal to those observed in Mrs. P's. case. In two cases of apparently incipient phthisis, the fymptoms entirely difappeared G 4

disappeared under its use; but the difficulty of distinguishing certain states of simple catarrh from the first stage of genuine phthisis, leaves it with me still a matter of doubt, whether these two cases were strictly of the latter description or not.

One remark on Mrs. P's. case is likewise obvious, that although her disease had proceeded to a very formidable length, with every symptom which characterizes the last stage of phthisis, yet as it originated in a pleurisy, brought on by a sudden cause, and without evidence of any particular predisposition to phthisis, it may have been a simple impostume in the lungs, unattended by tubercules.

Your's, &c. &c.

J. EWART.

Dr. Pearson has lately given from Dr. Bergius an interesting experiment on the celebrated remedy of cows-breath in confumption. A Swedish lady, who had been subject to spitting of blood, was affected with cough, great expectoration and night fweats. She was exceedingly emaciated; difficulty of breathing rendered it necessary to bolfter her up : she had constant diarrhoea and fwelling of the feet. In this last stage of confumption, when the phyficians had relinquished all hope, a large hall was provided with stalls for four cows, and with a stage on a level with the heads of the cattle, upon which the patient's bed and chairs were placed. She took poffession of this station in September: in a month fome amendment had taken place; and by Christmas all her fymptoms were furprisingly mitigated. Her fever was abated fo much shat her pulse had become natural. In summer she was able

to quit her habitation; she gained flesh; the cutamenia returned; and she had to complain only of a flight cough and quickness of breathing when she walked. The enfuing winter the would not submit to pass her days in the hall with her cows. In the spring fhe caught cold, and fuffered much from inflammation of the lungs. The phthifical fymptoms returned in autumn; but she now refused even to pass her nights near the cows; she died at the end of winter. The progress of this case during the first winter differs so totally from the constant course of consumption, especially when the patient is fo far reduced, that we can fcarce hesitate to ascribe efficacy to the plan pursued. Dr. Pearfon thinks the patient's escape from imminent death may be imputed to the lowered atmosphere and the carbonic acid produced by the respiration of the cattle. I do not suppose much will be attributed to the balfam of their breath.

If nothing was owing to the fumes of volatile alkali; with which the atmosphere of the hall must have been loaded, we may at least conclude that no injury is likely to arise from the spirit of hartshorn in the apparatus represented in Pl. IV.

In the pamphlet whence this observation is taken, the beneficial effect of the atmosphere of the West India sugar-houses in consumptive cases is noticed. Carbonic acid abounds in these places. I have received intelligence of the compleat recovery of a consumptive patient who constantly breathed the air of an American tar-house, which I suppose may be of much the same quality as that of the sugar-houses.

The following fact I shall not attempt to force into the service of my speculations. I leave it, as the relater has judiciously done, to be determined by others whether the kind of atmosphere the patient breathed for so long a continuance had any share in the ultimate effect. That much was owing to another obvious cause I do not pretend to doubt, and it seems worth preserving as an instance of the good effect of long-continued nausea and repeated vomitting. Moreover, the narrative may suggest the trial of complicated powers where the single fail. Turn and twist our means how we can, we may esteem ourselves happy when we succeed at last.

Letter from Mr. CHISHOLM to Dr. EWART.

a the police of the reduced, that we can

Bath, February 16, 1795.

DEAR DOCTOR,

orse aucolouere and

The case which you defired I would send you an account of, was as follows :- A negro man, a fervant of mine, aged 28 years, of a strong muscular make. a bricklayer, in December 1787, after fpending fome days in hard drinking, and dancing in the open air, was feized with a violent pleurify, attended with strong fever, and all the usual symptoms; he was several times let blood and bliftered; he alfo took a good many dofes of James's fever powder; by which the fymptoms of general, as well as topical inflammation, were much abated, and it was expected he would foon recover. He however continued to complain, and in a few days it became evident, that matter was forming in the right lobe of the lungs; fome weeks thereafter he fuddenly brought up a confiderable quantity of illdigested matter, mixed with much blood. I immediately on this had him removed to my own house, where,

where, during two months, both food and medicine were administered to him with the greatest attention. During all that time, however, he continued to be afflicted, with a most incessant cough, expectorating confiderable quantities of very ill digested matter, always much tinged with blood, a great degree of he&ic fever, and at last profuse colliquative sweats, with great loss of strength. I was perfectly satisfied he must soon die, of which he himself was so much convinced, that he requested I would fend him home, as his wish was to die in his own house. I then proposed he should try the effects of a short voyage at sea, to which he confented; he was accordingly fent in a chaife to our nearest shipping place, distant about 20 miles, with directions to have him put on board of one of the fmall veffels employed in the coafting trade of Jamaica. He was accordingly put on board of a fingle decked veffel, about fixty tons burden, the only one at that time about to fail from our port, and I heard no more of him for fix weeks; at the end of that time I received a letter from the person who had the care of the wharf, informing me he was landed there in a dying condition, and defiring I would fend a chaife for him; which I accordingly did, with directions to make very fhort flages. At the end of four days he was brought to me, and to my aftonishment appeared in good spirits, and feemed convinced he should recover. On examining I found his pulfe good, the hectic fever having entirely left him, and although he had fill a fhort teazing cough at times, there was nothing expectorated. From that time he took no medicine whatever, but was plentifully supplied with nourishment, consisting principally of panada, rice, and milk, in three months was perfectly reflored to health and flrength, and went to work as ufual;

usual; he is still alive, and in good health, and has never had any return of his pulmonary complaints.

The account he gave of his voyage was this :-Immediately on the veffels failing, he was feized with a violent vomiting, occasioned by sea-sickness, which continued with fhort intervals, during the whole time he was on board; that being unable either to fland or fit up much, he spent the greatest part of the time, under the deck of the veffel, lying on the top of the cargo, where the air is necessarily very bad, as these veffels are generally loaded either with hogsheads of raw fugar and puncheons of rum, or barrels of falted beef and pork, and I believe are very feldom ventilated. The only nourishment he took was ship biscuit, pounded and mixed with water; he was, in confequence. when first landed, reduced to so great a state of debility and languor, he imagined he was dying, but after a night's rest, and having taken a good deal of wholesome nourishment, his spirits were restored, and he found his original complaints had in a great meafure left him.

My own opinion at the time was, that his cure had been effected by the frequent vomiting, not having ever heard any thing of the beneficial effects of fowered air. What share that might have in the cure, you are a better judge; the case was simply as above stated, on the truth of which you may rely, every part having passed under my own daily observation, excepting during the time he was on board the vessel; and of the truth of his account of that, I have not the smallest reason to doubt.

I am, your's, &c. &c.

To Dr. Ewart.

JAMES CHISHOLM.

Extract of a letter from Dr. CARMICHAEL.

Birmingham, March 1795.

I. B. æt. 45, was attacked about four months fince with difficulty of breathing, attended at times with pain under the sternum, and commonly with a sense of tightness of the thorax, frequent cough, with copious expectoration of a tough whitish sluid, p. 96, body regular, appetite variable. He has seldom passed four and twenty hours without a material aggravation of all his symptoms. Was first attacked with this disorder six years ago, and has regularly suffered very severely from it every winter since that period; it has always lest him about the beginning of May, and he has kept free from complaint during the summer and autumn months. He has tried many remedies, but never with more than very transitory relief.

February 14, 1795, I directed him to inhale daily a mixture of hydrocarbonate and atmospheric air, in the proportion of 1 to 19 .- 15. No fensible effects from the use of the hydrocarbonate; the strength of the mixture was therefore increased in the proportion of 2 to 18 .- 16. No vertigo, nor any other fenfible effect produced by the use of the modified air. The proportion still farther increased to 4 to 18 .- 17. Considerable vertigo produced by yesterday's dose, which returned at intervals, attended by head-ach during the day. Breathing much relieved, even during the act of inhaling the modified air, and has fince continued tolerably eafy. Slept better last night than he has been accustomed to do for fome months .- 22. Hydrocarbonate continues to produce considerable giddiness, breathing,

breathing, except fome short intervals of slight return. continues much easier. Cough less frequent, expectoration much diminished. Continues to enjoy comfortable sleep .- 27th. Had a considerable return of difficulty of breathing on the afternoon of the 25th, which, however, abated fo much before his ufual bedtime, as not to prevent him from passing the night comfortably. Cough infrequent, and rarely attended with expectoration. Has for some time past had no pain under his sternum, and rarely any sense of tightness of his thorax. - March 4. He is in every respect fo much better, that he intends to return to his usual occupation (making moulds in a cast-iron foundry) on the 9th instant. Modified air continues to produce vertigo.-March 9. He continued without any return of his complaint, and returned to his employment as he intended; but after working for a few hours only, he was obliged to defift, by a return of the fense of tightness on his thorax, and considerable difficulty of breathing.—Breathing increased in difficulty towards evening, and still continues, attended by frequent dry cough.-13. Continues to breathe with confiderable difficulty; p. 100; fleepless nights; cough more frequent; but now attended with confiderable expectoration .- 17th. Difficulty of breathing continued until yesterday; has passed a better night than usual; and this morning finds himfelf much better .- 20. Breathing continues easier; cough much less frequent; and quantity of expectoration diminished. Has slept for fome nights past comfortably, p. 86. Modified air continues to produce confiderable vertigo .- 29. Continues uniformly to recover; his cough is very trifling, and he expectorates better, his strength is so much improved, that he can use considerable exercise without inconvenience. Sleeps uniformly well.—He returns to work to-morrow, but for the present is to work within doors. He is of opinion that he is in every respect equal to the undertaking.

I remain,

Dear Sir,

Your's, &c. &c.

J. CARMICHAEL.

XIX. Mr. WATT's hints on the operation of different airs.

Heathfield, June 17, 1794.

DEAR SIR,

Having never made the art of medicine my particular study, I should not have troubled you with my crude ideas upon the use of pneumatic medicines, if your approbation of what I mentioned to you, joined to my earnest desire to aid your endeavours, with the hope that possibly some idea might be started, which may save other parents from the sorrow that has unfortunately sallen to my lot, had not urged me to step over the bounds of my profession.

It appears to me, that if it be allowed that poisons can be carried into the system of the lungs, remedies

may be thrown in by the fame channel. Remedies for some fatal or dangerous disorders may, possibly at least, be found in the class of airs, which admit of many known modifications, and doubtless many more still to be discovered :- which of these may prove beneficial in confumption, and other analagous diforders of the lungs, remains to be afcertained by experiment. You have shewn that oxygene air is hurtful in many cases of these disorders, though beneficial in fome cases of asthma; its opposites inflammable, azotic, and fixed air, feem then to be those which are most likely to be useful in phthisis: But there are also fubflances which fome eminent physicians have thought might be usefully employed even in the state of powder, fuch as Peruvian bark, the calces of lead and zinc, with other aftringents.

To the use of powders, however finely mechanically divided, I think there are some objections; particularly I doubt whether they could enter the minute vesicles of the lungs; but if such substances can be chemically divided and obtained in the state of solution in air of some congenial species, they might have their sull effect.

It is well known, that inflammable air, when produced by the common process from iron and vitriolic acid, always carries with it, even through water, a large quantity of iron; some of which it afterwards deposits, but very probably some part still remains suspended. If iron should then be esteemed a proper medicine for disorders of the lungs, we are thus surnished with the means of obtaining it in a sufficiently divided state; and to free it from any adherent acid, it may be passed through a caussic alcali.

If the calx of zinc is thought preferable, it is sufpended in inflammable air in great quantities, by applying water or steam to redhot zinc in close vessels, and probably also by the common process of making inflammable air from zinc by vitriolic acid. The calces of zinc are very efficacious in healing external fores; and are very likely to be so in internal ones, provided they can be applied, as I think they may, by the means indicated.

Charcoal has lately been found extremely efficacious in correcting putridity, and in disposing ulcers to heal. It feems to me, that no fubftance is diffolved in inflammable air in fuch quantities as charcoal, nor more intimately united. If water is applied to redhot charcoal in close vessels, the heavy inflammable air is produced in large quantities; and this air has been found to contain inflammable air, properly fo called, fixed air, feparable by water or by alkalies, and fome other fubstance, which, when the inflammable air is deflagrated with oxygene air, produces fixed air. This fubflance I confider as charcoal in a state of folution; for were it fixed air completely formed, it would be feparated by the means mentioned. Whether charcoal in this state could be decomposed by any excess of oxygene in the blood of confumptive patients, I cannot fay; but it feems likely that it would; and at any rate it would act as charcoal powder does, and therefore highly merits trial. - Since this was written, these conjectures have been verified; no species of air having been found fo effectual in phthifical cases as the heavy inflammable air. ?

As fixed air is a faturated folution of charcoal in oxygene air, it is not probable that the lungs can decompose it; we should therefore only look to its

effects as an antiseptic. As the lungs, when doing their duty, should separate, and throw out fixed air, it is not probable they will abforb it, though it may have fome effect merely by excluding the oxygene of the common air .- [It feems now certain that the lungs can absorb fixed air in toto, and that it changes the state of the blood. - I think, however, it will be found to have most beneficial effects in cases of a putrescent tendency; or if you do not like this theoretical phrase. where the breath and expectorated matter are fetid. The species I would recommend is that from fermentation, and the means, keeping a veffel of fermenting wort close by the patient, which will in general be found grateful to him.* Fixed air, from vitriolic acid and calcareous earths, may be occasionally much contaminated by other acids. The oil of vitriol of commerce is generally impure, containing sulphureous acid, with the nitrous and marine; it should be rectified for the purpose of medicine.

If it be certain that butchers are exempt from phthiss, putrid animal effluvia may be useful; and if the matter which constitutes the smell be not the useful part, it may be corrected by powder of charcoal, which does not otherwise hinder the progress of putrefaction. The smell seems to be owing to ammoniacal hepatic air.

The mixture of azotic and fixed air to be obtained from burning charcoal (first freed from bitumen by heat) might be tried, but I should hope more from the heavy inflammable air of charcoal.

The

[&]quot; I know that Mr. W. speaks here from attentive observation .- T. B.

The oxygene air may also be impregnated with various fubstances. When it is made by passing the fleams of fp. nitri through a redhot tobacco-pipe, it is highly charged with a white powder, some part of which it lays down on the contact of water; when produced in glass vessels, I have never seen it contain any fuch white matter. An eminent physician of your acquaintance, previous to my mentioning to him the ideas I now fend you, observed to me, that the oxygene air from heated manganefe, had a peculiar tafte and fmell; and that unless some other facts led to ascertain the subject, he should be at a loss to determine whether some of the cures you mention might not be attributed as much to the manganese as to the oxygene. He also, a priori, had entertained ideas of the good effects of fubstances disfolved in airs.

It would feem that the more pure the oxygene air can be obtained, so much the fitter it is for medicine, but the facts here mentioned may serve as cautions, as to the substances from which it should be obtained.

In regard to the manner of breathing these medicinal airs, I think it will be done best from bags of some very flexible and light substances, such as very thin leather waxed, or oiled silk. If a small tube be inserted into the mouth of the bag, the air may be pressed out opposite the patient's mouth, in cases when they are too weak to make extraordinary exertions of the lungs, or rooms may be filled with the proper mixture of airs.

It would be defirable that a list were made out of all fubflances, which are known to be foluble in air of any kind, or are of themselves reducible to vapour or

H 2

steam, that experiments may be made upon their sanative effects in cases of diseased lungs. The list will prove more numerous than may appear at first glance.

Having now explained my general ideas, I submit them to your correction.

And remain, &c.

J. W.



July 14, 1794.

DEAR SIR,

I fend you with this, drawings of my apparatus for producing and receiving the various airs which may be supposed to be useful in Medicine, with a description or explanation of the apparatus, which, if you think it worthy publication, I hope may at least prompt some younger and more active man to conceive a better.

In consequence of your desire, Boulton and Watt have agreed to manufacture these machines for the public. We have no desire to be the manufacturers, except to supply those who may not have the same opportunities as ourselves of procuring them; the price shall therefore be as moderate as we can make it; and those who choose to have them made by others, see what is to be done.—Wishing you to be successful in this undertaking, which promises to be of so much utility to mankind.

I remain, &c.

J. W.

To Dr. Beddoes.

DEAR SIR,

You defire me to fend you a more particular account of my observations on the medicinal airs than was contained in my former correspondence on that fubject. In my letter of June 17th, I mentioned that it feemed to me that the heavy inflammable air, or carbonated hydrogene, being principally a folution of charcoal in inflammable air, was more likely than any other to correct any difease arising from super-oxygenation of the blood. I could not, however, forefee that its effects would be fo powerful in some respects as they have proved. In the beginning of July, I made fome of this air by the application of water to redhot charcoal in a close vessel. Its smell was somewhat hepatick, from the new cast iron vessel it was made in, and was also contaminated, by a bad lintseed oil varnish in the refrigeratory, its taste was that of fixed air, though more feeble. I inhaled a little of it cautiously, but had scarce withdrawn the pipe from my mouth before I became fo giddy, that I could not fland with out a support. I had also considerable nausea. A healthy young man, who flood about 6 feet from the hydraulic bellows when I discharged about a cubic foot of this air, was affected in the same manner, as it paffed by him towards an open door. Another young person, merely from smelling to it as it issued from the bellows, fell upon the floor infensible, and wondered where he was when he awaked. None of us experienced any difagreeable effects in confequence of the vertigo, &c. only in going to bed fix hours afterwards, I felt some small remains of the vertigo. Several other persons have inhaled it fince; and all were affeeted in the same manner. I have no doubt, from H 3 what

what I have observed, that if inhaled in a pure state, this air would speedily bring on fainting and death; when given as medicine, it ought therefore to be much diluted with common air, I should think, with 12 times its bulk. Its effects upon diseased lungs you are better qualified to speak to, and I trust you will give the necessary cautions for the use of so active a medicine, in a more distinct manner than I am qualified to do.

About the same time, I made some inflammable air by means of zinc; it contained a very considerable quantity of the slowers of that metal in a state of suspension, which had the appearance of grey smoke, as it was discharged from the bellows. I breathed this air 3 or 4 times without being sensible of any immediate essest; nor could I have distinguished it in that manner from common air, though when I blew it out of my lungs against a lighted paper match, it took fire. Next morning I spit up some mucus very solid, and at most as elastick as caoutchouc, and the same in a smaller degree the second morning; this I attributed to the calx of zinc, which I apprehend it contains in a state of solution, as well as of suspension.

Of fixed air, I have little to fay. I have occasionally breathed it in larger quantities than were agreeable, and always experienced flying stitches in the muscles of my breast in consequence, but they soon lest me without any medicinal help.

Considering that no species of artificial air is obtained except water is obviously present, or that there is reason to suspect it may be contained as an element, or part of one of the substances concerned, and that Dr. Priestley obtained fixed air from aerated barytes, by passing steam over it when in a redhot state, though

it would yield none by a mere dry heat, I concluded, that if water or steam were applied to calcareous earths when redhot, they would readily part with their fixed air. I put 1½lb. of chalk broken into small pieces into the pot of my apparatus, and, when redhot, admitted small quantities of water. I obtained about 4 cubic feet of fixed air, extremely pungent to the smell, and greedily absorbed by water. The last portion was fixed with some inflammable air from the iron pot, and the chalk was found to be nearly caustic, but had no way changed its form.

This air was free from any smell similar to that of aquafortis, which that produced by means of vitriolic acid generally has, and perhaps was more pure.

In pursuance of the same idea, I concluded that nitre might yield its dephlogisticated air less reluctantly, if water were added when it was redhot. I put 4 ounces of nitre into an iron pot, and, by mere heat, obtained about 400 cubic inches of air, which, being washed in its passage through the spiral refrigeratory, did not tafte of spirit of nitre, though it smelled slightly of it. Fearing that on the addition of water fome inflammable air might be produced, and there might be an explofion, I removed the refrigeratory and bellows, and then admitted fome water. Air immediately issued in quantities from the conducting pipe of the pot; and this air was found, on the application of a match, to be dephlogisticated; but some spirit of nitre issued at the fame time, and probably fome azotic air. The pot was confiderably corroded by the nitre, which had found an iffue at some defective places, that has hitherto prevented a more complete experiment from

H4

being

being made. It would feem, from these appearances, that my reasoning was right, and that nitre may in this way be made to yield all its air in a moderate heat. It still, however, remains a desideratum to find vessels which can retain in it a red heat for a sufficient time.

I put 1½ pound of the Mendip manganese you were so kind as to send me, into the iron pot, and, by dry heat, obtained from it about 1½ cubic soot of air; the sirst and last portions seemed, by the taste, and by its extinguishing slame, to be fixed air, about half a cubic soot was dephlogisticated. When it had ceased to give air by the heat, I added water, and obtained a considerable quantity of fixed air, similar to that from chalk, but in which a grey powder was suspended in considerable quantities, which gave the appearance of smoke, as it is issued from the bellows. A person who breathed a little of this air undiluted, experienced a slight vertigo and nausea. May not this proceed from the powder suspended in it?

The purity of the dephlogisticated air, which you obtained by means of vitriolic acid from the Exeter manganese, may not be wholly owing to its superior purity, but to your mode of disengaging it; for I apprehend concentrated vitriolic acid will disengage very little fixed air, even from marble, as it soon covers it with a coat of gypsum, which protects it from any further action of the acid. If, therefore, this air can be freed sufficiently from any taint of the acid, the method you have followed seems by much the best mode of obtaining it, and perhaps the cheapest.

In respect to pure azotic air, I have tried no processes, but the method I mentioned to you in June last, last, of obtaining a mixture of azotic and fixed air from burning charcoal succeeded perfectly.

I made a chaffing dish about 6 inches diameter, and nine inches deep, into one fide of which, near its middle, there was inferted a pipe one inch diameter; to this pipe was joined another about 3 feet long, passing through a trough filled with water, and connected with the hydraulic bellows, the latter being flowly elevated, were filled with the air which had paffed through the burning charcoal in the chaffing dish, and this air, upon being poured out of a cup over a lighted candle, extinguished it immediately. Large inhalations were made of it by some of my affistants, without injury to themfelves; but, upon me, it produced effects fimilar to those of fixed air. Its uses in medicine I cannot pretend to predict; but if azotic air is found ufeful, this may be given in any case, wherein fixed air will be hurtful.

I remain,

J. W.

To Dr. Beddoes.

I have just made an air, which, as it has great powers, may, for ought I know, have great virtues; my experience extends only to its bad qualities—Pyrofarcate. I put 2 oz. of lean beef in the fire tube, and obtained, by mere heat, 250 c. i. of air, highly fœtid, like an extinguished tobacco pipe; inflammable, with a very blue flame; little diminished by lime and water.—Pyr-hydro-sarcate, on adding water to the redhot charcoal of this beef, I obtained 600 c. i. of air, with a foetor not so bad as the other; burning with an orange-coloured flame; losing not quite $\frac{1}{13}$ in lime wa-

ter. The smell of the first made me sick, though I did not inspire any purposely, and not above one third of the quantity mentioned was let loofe in my laboratory, and 3 doors and a chimney were open; we were, however, obliged to leave the place for fome time. The P. H. farcate feemed to possels the same property, but was more cautiously treated. G. was giddy all the afternoon. Pyro-Comate. Next day, 2 oz. of woollen rags were put into the tube; they gave, by mere heat, 800 c. i. of air; fœtid, though not fo offenfive as the other; burning with a deep blue flame: not tried with lime and water. - Pyr-hydro-comate. by addition of water to the redhot charcoal, gave above 11 cubic foot of air, fætid, but more like vol. alkali in fmell-burning with a yellow flame; lofing 1-5th by washing with lime and water; part was undoubtedly alkaline air and absorbed by the water; the water in the refrigeratory was flrongly impregnated with fætid vol. alkali. Though none of either of the airs was inspired, that could be avoided, I had a slight, though uncommon, nausea, attended with some elevation of fpirits, all that evening, but no heat or thirst. In short, it was very like the effect of the fumes of tobacco on an unexperienced person: In bed I was restless, though without pain or particular uneafiness, I could not fleep. Next day the naufea, and fome gidginess, continued, or rather increased, and a head-ache came on .- The uses of this air, if it has any, I leave you to find out. I think I shall have no more to do with it, or with animal fubstances: One may discover. by accident, the air which causes typhus, or some worse diforder, and fuffer for it.

JAMES WATT.

XX. Facts and conjectures respecting the medicinal use of certain solid and liquid substances.

Extracts of letters from Dr. GARNET.

SIR,

Were we possessed of methods of increasing or diminishing the quantity of oxygene in the system, we should have advanced a great way towards the cure of feveral formidable difeases. The method of doing this by inspiration is ingeniously conceived, and may, where reourfe can be had to it, answer the purposes, but perhaps cannot be generally used .- In confidering this fubject in the course of the last year, the following question occurred to me : when oxygene exists in the system in too great a quantity, may not its quantity be easily and fuccessfully diminished by liver of sulphur exhibited by the mouth? When this fubflance is moiftened with water, the water is decomposed; the oxygene uniting with the fulphur, and forming fulphuric acid, while its hydrogene is difengaged in large quantity, which diffolving a portion of the fulphur, forms fulphurated hydrogene gas, which will be readily diffolved by the chyle and conveyed into the blood. It is well known that hydrogene, at a much lower temperature than that of the human body, has a strong attraction for oxygene, with which it unites and forms water; and I have scarcely a doubt that this will take place when the fulphurated hydrogen is taken into the blood; and from some experiments which I have made, I even suspect that the quantity of oxygene in the blood might be fo far diminished by means of liver of fulphur, that a real fcurvy would be produced. If

I am right, will not this prove one of the most effectual remedies in florid confumption, as well as fome other difeafes which depend upon too great a quantity of oxygene in the blood? That the kali fulphuratum is a powerful medicine I have been fully convinced in cases where I have given it to stop or lessen a falivation which has been brought on by mercury. In thefe cases I have several times tried it, and have never seen it fail, and in 24, or at most 48 hours after the first exhibition of this remedy, the falivation is much abated. I suppose that the mercury derives most of its activity from its being in the state of an oxid, for crude mercury possesses little or no power.* On the decomposition of the water in which the medicine is given by the kali fulphuratum, fulphurated hydrogene gas is produced and conveyed into the blood, where the hydrogene unites with the oxygene of the acid menstruum of the mercury, and forms water; while the fulphur will convert the mercury into an ethiops which is very inert .- The benefit derived from hepatised waters, and from kali sulphuratum in colica pictonum, fome inflances of which I have noticed in the last edition of my treatife on the Harrogate waters. shows the great power of fulphurated hydrogene gas, which probably renders the lead as well as the mercury inert.

The last winter, during frosty weather, I walked a good deal for several days. I at first found no bad effects from this exercise, but my spirits were remarkably good, and I found myself less affected by cold than usual. My friends, however, observed, that my countenance (which is naturally inclined to red) was more florid

^{*} In the form of mercurial ointment, the mercury is evidently oxygenated by continued frituration.

florid than usual. In a few days I was seized with a difficulty of breathing, great tightness in my breast, and a fhort dry cough: I tried feveral remedies generally made use of, such as inhaling the vapour of water, blisters, opiates, &c. without relief. On reflecting that having used almost constant exercise, for many days, a much greater quantity of oxygene than usual would be taken into the lungs by the increased action of infpiration, (probably more than the increased muscular exertion required), and likewise that the barometer was very high, and the air very cold at that time, both which circumstances would occasion the presence of a greater quantity of oxygene in a given bulk of air, I imagined that my fystem was superoxygenated. I began with taking about half a drachm of kali fulphuratum diffolved in water every two hours,-likewife diffolving the fame quantity in boiling water, and inhaling the vapours from it by means of Mudge's machine, every hour. Before 20 hours had elapfed, I found the fense of tightness in the thorax considerably lessened, some degree of expectoration came on, and the cough was much relieved. In three days, by purfuing this method, my countenance became confiderably paler, and I found myself perfectly free from any complaint. Since that time I have prescribed the kali fulphuratum in feveral cases of florid consumption, and with confiderable relief; and in some other cases where there were evident marks of fuperoxygenation. In feveral of these cases I have ordered a mixture of the kali fulph: and powder of charcoal, thinking if the charcoal could be conveyed into the blood, it might affift in diminishing the quantity of oxygene, by uniting with it, and forming carbonic acid; at any rate, I thought that it might diminish the quantity of oxygene.

oxygene in the primæ viæ, and thus affift the fulphurated hydrogene, by permitting a greater quantity of that gas to be conveyed into the blood; but whether it really does produce any good effects, I cannot pofitively fay. That fulphurated hydrogene gas is conveyed into the blood, and that either it or its fulphur is given out by the excretorics, is, I think, evident from the urine of persons who have drank the sulphur water at this place, immediately rendering visible characters written upon paper with a folution of fugar of lead, on fuch paper being immerfed in it; and likewife from fuch persons finding their watches and the filver in their pockets tarnished during the time they are drinking the water, though they do not at the same time use the bath. If you wish for an account of the cases of consumption in which I exhibited the kali fulphuratum, I will fend them.

When deficiency of oxygene occurs, as is the cafe in scurvy, typhus, &c. may not the oxygenated muriatic acid be used with great advantage, or perhaps the oxygenated muriat of potash would be still better. We have here a large quantity of oxygene loosely attached to the salt, which would probably be soon separated by the blood. Sir W. Fordyce's account of the efficacy of the oxygenated muriatic acid in typhus, strongly supports the opinion.

I am, &c.

THOMAS GARNET.

Harrogate, Dec. 13th, 1794.

SIR,

In the month of February, 1794, I was defired to visit Mr. L. of Knaresborough .- I found him extremely emaciated; he had a short dry cough, with very little expectoration; and the little which he expectorated was of the confistence of cream cheese; he complained conflantly of a pain in the left fide. His face, though pale, had a circumscribed spot on each cheek, of a fine florid colour; his tongue and lips were likewise very florid; he had cold colliquative fweats every night; his pulfe, though fmall, was sharp beating like a stretched cord, and he had a confiderable degree of fever with exacerbations twice a day; his body was rather costive; his hair came off in great quantity on paffing a comb through it, and his nails had in a great degree the curved appearance described by authors; in short, there was present every fymptom characteristic of phthisis. He had been first attacked with these complaints about nine months before I faw him; they came on with fymptoms of common catarrh. The expectoration was very confiderable about fix weeks before I faw him, mixed with streaks of blood, and remarkably fœtid. This difcharge had gradually leffened, and become more confistent, attended with an increased difficulty of breathing, and pain of his fide. I found upon inquiry that he was of a scrophulous family; and he told me that he was the only furvivor of a large family, his brothers and fifters having all died confumptive. Before I faw him, most of the remedies generally used in fuch cases had been applied. Blistering, bleeding, myrrh, &c. had given him no relief, and his fymptoms feemed aggravated by the bark and opium, which last, though given in doses of from one to three grains, produced

produced not the least effect upon his troublesome cough. I directed him to take a drachm of kali fulphuratum, mixed with half a drachm of powdered charcoal four times a day in tea, and belides to put a tea-spoonful of kali sulphuratum into Mudge's inhaler, pour boiling water upon it, and inhale the vapour for a quarter of an hour at a time twice a day .-When he had purfued these methods for two days, his breathing was fenfibly relieved, and his cough was by no means fo troublesome; he expectorated more freely, and what he expectorated had more the appearance of bland pus. In a few days the expectoration became much less considerable and fluid; the heltic fever was less marked; the cough was much easier; he flept tolerably at night, and the florid fpots on his face had nearly disappeared. His pulse, though still 120, was much more foft; and though the perspiration was free in the night, the fweats were not cold and partial as before; his appetite was better, and his bowels quite regular. Encouraged by these appearances, I defired him to perfift. In about a fortnight he found himself so much stronger, as to be able to walk about the room five minutes at a time, feveral times a day. One day during my absence, being told that the weather was very fine, and the air very warm for the feafon, he expressed a great wish to walk out, and continued in the open air for near two hours. In the evening the cough and pain of the fide returned, and were more troublesome than ever; he expectorated with difficulty, and in very fmall quantity; the flushing of his face and fweats returned. The powders were again had recourse to, but did not afford much relief, though the expectoration became rather more easy. Blisters and opiates did not cause any alleviation;

tion; a diarrhœa came on, and after languishing about a week, he died. When I first visited him, he had been given over by his apothecary, who had left him declaring that he did not think he could live till the morning. I myself did not think he could survive above a day or two.

April 94 .- I visited -- Byron, of Knaresbrough, aged about 40, of a strong habit of body, and in general healthy .- After hard labour for some days in cold weather, he was feized with a difficulty of breathing, a short dry cough with but little expectoration, a great fense of heat, and face uncommonly florid; he was very restless and slept none; his pulse was 96, and rather full, and he had fome pain in his right fide. I directed about ten ounces of blood to be taken from the arm, and the application of a blifter to the pained fide, but he was not in the least relieved by them; the blood drawn was remarkably florid. In the evening I directed him to take a draught with 25 drops of laudanum, in hopes of relieving his cough, and procuring fome fleep, but it did not produce the defired effect, he having a very reftless night. Suspecting from appearances that the fystem was superoxygenated, I directed him to take a drachm of kali fulphuratum four times a day in a little tea. He took it four times the first day, thought himself somewhat relieved in the evening, flept better than he had done for feveral nights, his cough was much easier in the morning, he expectorated a little more freely, and the pain in the fide was gone. He perfifted in this plan two days more, and then found himfelf perfectly well .- An ingenious young friend of mine, Mr. George Birkbeck, who is now a student at Edinburgh, was on a visit with me at the time, faw the patient along with me, and was furprifed met with among labouring people in this pure air; and I must own that they have often perplexed me. I have generally found that no remedy affords permanent relief; but that the disease gradually goes off in ten days or a fortnight, if the patient will confine himfelf to his chamber, and more particularly to his bed. I hope, however, that I have it now in my power to shorten its duration. No doubt if the patient could have an opportunity of inhaling hydrogene gas, it would also remove the complaint.

I am, your's, &c.

THOMAS GARNETT.



Letter from Mr. WILLIAM SANDFORD.

Worcester, Feb. 20, 1795.

DEAR SIR,

Among the variety of patients that apply for furgical affiftance, those afflicted with putrid ulcers form a principal part; the laws of most hospitals forbid their admission as in-patients; but compassion frequently suspends the operation of these laws; and it is a melancholy truth, that the general poverty, inattention, and improper conduct of out-patients, often counteract the means directed for their relief.

I cannot flatter myself that success will invariably attend the application I am about to recommend for putrid

putrid ulcers mortifications; but my own experience has proved it to be efficacious in some of the worst of these cases, and I can add the respectable testimony of my colleagues, Mr. Jessreys and Mr. Cole. I feel satisfaction in communicating my observations to you as they are fundamentally connected with a system of medical practice, from which you have shewn by experiments, that great expectations may be justly entertained.

Accounts of the good effects arising from the external application of charcoal in a state of combination, or in that of fixed air, have been published by Mr. Justamond, Dr. Percival, Dr. Dobson, and more recently by the ingenious Dr. Ewart of Bath. Various periodical publications of modern date, have made the esticacy of charcoal in sweetening putrid substances sufficiently known. Dr. Johnstone of this city, informs me, that he has found this singular substance mixed in the proportion of two drachms with two ounces of syrup of roses, to be very speedily efficacious in removing apthous, and putrid ulcerations of the tongue and palate. I have been likewise informed of several cases in which charcoal has been administered with success as an internal medicine.

In private as well as public practice, it has long been customary to apply fermenting mixtures to sphacelated or mortified parts. Mr. Russel and Mr. Jessreys of this city, whose extensive practice has afforded them many opportunities of observing its essects, assure me (and particularly the former) that they have found no application so generally useful as yeast in every species of mortification, attended with an offensive discharge, except that which Mr. Pott has so well de-

I 2

fcribed as taking place in the extremities of old people. Mr. Jeffreys informs me, that many years ago it was his custom to apply to putrid ulcers stupes wrung out of the common formentation, and sprinkled with spiritus mindereri in a state of effervescence. The effects, he adds, were beneficial; and the books of the Worcester infirmary shew, that he followed this practice in 1751. The late Dr. Cameron and Mr. Edwards also employed it with great success, as far back as 1759. The real efficacy of sermenting applications, depends, perhaps, solely on the quantity of sermenting matter they contain; in other words, of carbonic acid generated and has no connection with several articles introduced by the fancy of different practitioners.

If the opinion be just, we should expect that the effect of termenting applications, and of the carrot poultice among the rest, would cease with the production of carbonic acid air; and this really appears to be the case. But by the application of charcoal, not only is the putrid condition of the ulcer corrected, but pus of a more bland nature is generated, the granulations are much quicker in their growth, and the disposition to heal is much quicker after this than after any other dressing I have seen employed. The granulations, indeed, frequently after a short time, become very luxuriant, and require early pressure to suppress their growth.

Putrid ulcers, as I have been credibly informed, have been confiderably benefited by charcoal strewed in fine powder on their surface; but of this I cannot speak positively from experience; for the pain which it seemed to occasion on several trials, induced me to lay it aside, and to have recourse to the following cataplasm.

Mix as much oatmeal and water as appear necessary to form a poultice large enough for the part affected. The confistence, after they are well boiled, should be rather thinner than the state in which poultices are generally applied; because it is to receive a large quantity of charcoal, which should be very finely powdered and fifted. The charcoal should be added, when the poultice is nearly cool enough to be applied, in fuch proportion as to give the whole a pretty firm confistence, fince after 6 or 8 hours application it becomes very liquid, particularly if the discharge be considerable. The poultice, when made, should be spread upon a foft linen cloth, much larger than the space occupied by the poultice, It will perhaps be thought unnecessary to infift upon equal spreading, or upon making the edges as thick as the centre; but this precaution is too often neglected.

The poultice, after being properly secured, must be suffered to remain at least 12 hours; and unless the discharge be great, it need not be removed in less than 24; and a fresh poultice should always be in complete readiness before the other is removed; the part should not be wiped more than necessary, and that the atmosphere might not affect the ulcerated part, the poultice should be applied as quickly as possible.

When the edges are foftened and look healthy, when the effluvia are corrected, and good pus appears on the furface, the poultice may be laid aside. Any other application which the surgeon shall think likely to promote cicatrization, may be substituted in its stead. I have experienced nothing more generally useful than to dress the edges with mild cerate, and very plentifully to sprinkle over the face of the ulcer

13

a fine

a fine powder, composed of two parts of Peruvian bark, one of calcined zinc, and one of myrrh.

In mortifications the poultice must be continued till the sloughs or unsound parts are completely thrown off.—These means, with gentle pressure, generally effect a cure. In one or two instances, where the poultice has been laid aside too early, the ulcers have put on their former ill conditioned appearance, which, however, on returning to the charcoal, has immediately changed for the better. I should not omit to insist with Dr. Crell, on the necessity of carefully preparing, sinely powdering, and keeping in clean vessels the charcoal. It adds much to the efficacy of the poultice, if a very small quantity of yeast be occasinally spread on its surface.

The following are a few, out of many cases, in which the cataplasm, thus prepared, has been successfully employed. If it be found equal in efficacy to any hitherto imagined, its cheapness seems to give it a claim to be adopted in hospital practice.

CASE I.—T. B. æt. 64, was admitted an in patient of the Worcester infirmary, November 23, 1793, as alcase that required immediate attention; a mortification of the right leg having taken place, which extended from the middle of the upper part of the foot, to about three inches below the knee; a separation of the unfound parts had in some places commenced, but the discharge, which was slight, was highly offensive and putrid; the back part of the leg, where no ulceration had taken place, was livid, cold, and insensible.

He was immediately put into bed, and the limb laid in a large carminative poultice of the hospital, composed

posed of bay-berries, æc. in which yeast also formed a principal part. The next morning I faw the patient with Dr. John Johnstone; he informed me that he had heard of charcoal having been applied externally to mortified parts with great fuccess; and as he conceived the present case was a favourable one for the trial of its effects, it was immediately applied in the form of poultice prepared in the manner before described.-Though the leg looked better after the application of the poultice with yeaft, yet the change after the charcoal had been twice applied, (which it was in the course of 24 hours) was as favourable as it was rapid. By the time the poultice had been 7 or 8 times applied, a compleat separation of the diseased parts took place: bland pus was produced, and the edges of the found parts appeared healthy and clear; as the application was continued, the leg in the course of a few days loft its livid aspect, and was warmer and more sensible to the touch.

Some of the floughs, particularly upon the upper part of the limb, when digested clearly off, exposed the tibia; the periosteum sloughed a little, but granulations soon made their appearance, without any exsoliation of the bone; to this part of the leg, therefore, the poultice was soon discontinued, and mild dressings substituted in its place. The exterior tendons of the foot were laid bare when that part sloughed: but this, as well as other parts of the limb, was soon clear, and presented a healthy and granulating surface; but so large a portion of the true skin having been destroyed by ulceration, rendered the healing process long and tedious. The patient, during the first month, took the Peruvian bark in as large doses as his stomach would

I 4

bear, together with half a pint only of port wine made into negus, in the course of 24 hours; afterwards he was allowed two pints of porter per diem, and his dose of bark was lessened: he was discharged cured, excepting a trisling ulceration upon the instep.—February 1st, 1794.

CASE 2 .- I. P. æt. 60, came recommended to the Worcester infirmary, as an out-patient, Aug. 2, 1794. for a large putrid ulcer of the left leg, with which he had been afflicted for upwards of 4 years; at this time the discharge was so acrimonious as to excoriate the leg in different parts near the ulcer, which was attended with fwelling, pain, and inflammation. Being judged in too bad a flate to receive much benefit as an out-patient, he was admitted into the infirmary; he took a dose of calomel the night of his admission, and next morning a dofe of Glaubers falts, and the ulcer was covered with a thick poultice of charcoal. When the first poultice was removed, which was not till the expiration of 24 hours, the furface of the ulcer appeared more favourable, and the quantity of the difcharge was altered for the better; he repeated the dose of calomel and faline purgative twice again within the space of 8 days, and the poultice was renewed every day for a fortnight longer; a large flough was then thrown off from the ulcer, and granulations made their appearance from the bottom, but the edges remained rather callous; these parts were dressed with mercurial ointment, and the face of the ulcer with the aftringent powder. The ulcered part filled up in due time, and the man was discharged perfectly cured .-October 4.

10000

CASE 3 .- I. F. æt. 24, a foldier belonging to the Scotch Greys, quartered in this city, was admitted an in-patient of the infirmary October 25, for a large illconditioned ulcer of the leg, which was at that time in a very putrid state. Immediately upon his admission, the charcoal poultice was applied. When the flough of the ulcered part first began to separate, it appeared more deeply attached to the found parts than any I ever remember to have feen, except in the patient (No. 5). and which was produced by mortification in an old fubject : the degree of inflammation in the furrounding parts of the ulcer was very great; he was bled freely, and took faline medicines for fome time; the charcoal poultice was applied to the ulcer, and continued till the flough was completely feparated and digested off, which took place in about 6 weeks, when the cerate edging and aftringent powders were made use of, and would most probably have completed the cure, had the patient paid more regard to his conduct; but having twice absented himself from the infirmary without leave, and coming home intoxicated, I was obliged to discharge him for irregularity .-- December 26.

CASE 4.—J. I. æt. 24, another foldier belonging to the same regiment, was also admitted an in-patient of the infirmary, November 15, 1793. He had a very large and painful ulcer about the middle of the leg, extending across the tibia, which had been healed at different times, and from slight accidents had broken out again. At this time the edges were callous, and the surface of the ulcer remarkably foul, with a greenish aspect, and attended with considerable inflammation

of the furrounding parts. The charcoal cataplasm was applied to the ulcer, and he took every third day a solution of Epsom salts for the first fortnight.

The ulcer, foon after the first week, lost its offensive smell, and the surface appeared clearer, but no granulations succeeded, nor were the callous edges at all softened. I then laid aside the poultice, and applied mild digestives, with the gentle pressure of a slannel roller. Still the ulcer continued in a very ill-conditioned state, and without the least sign of surther amendment. About this time having some reason to to suspect his conduct, and hearing from the nurse of some suspicious circumstances with regard to his linen, upon being questioned, he confessed that he then laboured under an inveterate venereal complaint.

I then immediately altered my present mode of treatment, gave him mercury by the month, and dressed the ulcer with mercurial ointment, which soon produced an appearance for the better.

This case exhibited strong proof of the efficacy of of the charcoal, in removing the fœtor, and clearing the surface of the ulcer—more could not here be expected from it, for reasons too well known to be alledged.

The man was now made an out-patient, and foon after having fome money left him by a relation, he purchased his discharge from the regiment, and I saw no more of him.

CASE 5.—As there are some remarkable circumflances attending the cause that required the application of the charcoal poultice in this case, I shall take the liberty to trespass a little upon your time in relating them.

F. M. æt. 60, was brought to the infirmary Oct. 30, with a simple fracture of the left leg, occasioned by a bull treading upon it, he having unfortunately fallen down whilst endeavouring to secure the animal for flaughter; by which accident the fibula was transversely fractured immediately above its formation of the outer ankle. The accident happened about 5 miles from Worcester, and his friends, from an over officiousness, which, though well meant, was ill-directed, bound a narrow list garter so very tight round the fractured part, as to press in the ends of the bone, and act like a tourniquet on the parts below; he was brought in this state to the infirmary 6 or 7 hours after this misfortune had befallen him. The limb below the bandage appeared perfectly livid, and above it, highly inflamed and much fwelled. The bandage (which had a little excoriated the skin) was immediately taken off; a faturnine poultice was applied to the leg, and a folution of Epfom falts was ordered to be taken. This was at night; I faw him next morning, and the limb looked then very unfavourably; the poultice was now laid afide, and linen cloths wet with a mixture of spirit minder; and spirit of wine was kept constantly upon the part. The day after, vesications appeared near the fracture, with every other appearance of gangrene having taken place; which in the course of a day or two terminated in a large sphacelated ulcer immediately over the fracture, which extended about three or four inches in circumference, discharging a putrid and highly offensive ichor. At this time Dr. Cameron faw him with me, and the cortex

cortex was given him in the form of cold infusion, with a small quantity of the tincture in each dose; he was also directed to take half a pint of port wine made into negus, in the course of 24 hours. His stomach bearing the present mixture so well, I then gave him a mixture with extract of common oak bark, (quercus) a preparation that Dr. R. W. Darwin, some years past, informed me had been applied externally with good essent to scrophulous ulcers; for which purpose I have often found it serviceable; and since that time I have very frequently given it internally, in most of these cases where the Peruvian bark seems indicated.

Dr. Lewis remarks, that "an extract made from "oak bark, is faid by fome to be equal in virtue to "that of the Peruvian bark."—(See Lewis's Mat. Medica, p. 474).

I have experienced equally good effects from this extract, (if joined with an aromatic) as from that of the true Peruvian bark. Some of the physicians of this infirmary have also lately prescribed it with very beneficial effects. With this patient it agreed remarkably well, improved his appetite, and supported his strength. which had been greatly reduced. This man's cafe feemed to prove, as clearly as any I have met with. the ingenious theory advanced by the late Mr. Hunter. that the "mortification which is preceded by inflam. mation, is produced and accompanied with increase of action and loss of power."- (See Hunter on the blood. inflammation, &c.)-Hence the necessity of giving the cortex, or fome fimilar tonic, in as large doses as the stomach will bear, and no more alcohol in any form than is merely sufficient to keep up the necessary action, and thereby prevent its excefs.

But to return to the fituation of the limb-the fame day the bark was administered internally, the charcoal cataplasm was applied to the mortified parts, and daily renewed at first twice, and latterly only once in the 24 hours, till the whole of the flough, which was large and deep, was entirely separated and thrown off. When this was effected, the fibula was laid bare, and the fractured part exposed to view; it was then of courfe to be treated as a compound fracture, and cured by the fecond intention; the poultice was now difcontinued; the edges of the ulceration dreffed with epulotic cerate, and the centre with the doffils of lint dipped in a mixture composed of equal parts of mel. rofar, tinet. myrrh, and decoet. cortic. Peruv. Granulations foon appeared; a flight exfoliation took place, and the cure went on perfectly well. The man is now able to walk about with the affistance of a stick, and the motion of the foot (which I feared would have been destroyed by suppuration) has been fortunately preferved, and is recovering its action.

Case 6.— J. H. æt. 27, was admitted an in-patient November 15, 1794, having a large putrid ulcer of the right leg, about the middle, and acrofs the tibia; he had been afflicted with it for more than 2 years, and it had been in its present ill-conditioned state upwards of three months; he had dressed it with variety of unguents of different kinds, and at this time it had every appearance of approaching gangrene. The charcoal poultice was immediately applied to the ulcer, and he took the extract of oak bark in the proportion of 15 grains to an ounce and half of saline mixture; to each dose of which 14 of aromatic tincture was added every six hours. This plan he continued with little alteration for upwards of a month, before the slough

was completely separated; when this was thrown off, the poultice was laid aside, and the ulcer treated as before mentioned. The ulcer, from the luxuriance of its granulations, required the pressure of lead to affift in the cicatrization.

CASE 7.—(Mr. Cole's patient).—O. C. æt. 20, was admitted an in-patient of the infirmary, for a compound diflocation of the ankle, which had been in fo bad a state for some time previous to his admission, that it was judged necessary to amputate the leg, which was according removed at the usual part below the knee. The man underwent the operation very well. The lips of the stump were brought together by strips of adhesive plaister, to be healed (as is now generally practiced, I believe) by the first intention.

Four days after the operation, the stump and thigh appeared much swelled, though the bandages were by no means tight. I happened to be in the ward when Mr. Cole removed the dressings, and examined the stump, the lips of which had receded, and exposed the face of the stump, which we were surprised to find in an highly offensive and gangrenous state; added to this unpleasant appearance, the patient's countenance was pale and sunk, and his pulse quick and tremulous.

Mr. Cole immediately ordered him a faline mixture with the cortex, and port wine negus occasionally; a thick charcoal poultice was also applied to the face of the stump. In less than 48 hours every unpleasant appearance was changed for the better, a good digestion came on, and the cure was by these unfavourable circumstances protracted for a short time. The patient soon lost his sever; recovered his strength; and the stump did well.

In this case, it was not found necessary to continue the charcoal poultice for a longer time than three or four days.

Having informed Mr. Field, who attends the invalids in the house of industry lately established in this city, of the good essets of the charcoal applications, he has in consequence applied it to several putrid ulcers of the legs, &c.—in subjects from whose age and other infirmities, little hope of relief was to be expected.

He affures me it has never failed to effect a speedy and favourable change, by correcting the putrid discharge, and producing healthy granulations, with a bland and well digested pus.

Two of the cases in which he has applied it I think merit particular attention. The one was a cancerous ulcer of the fide, (the breaft having been removed feveral years past at the infirmary), extending deep under the axilla. Mr. Field applied the charcoal in fine powder, which he fprinkled very freely over the face of the ulcer, first smearing it with a very small quantity of yeast. In a few days it removed a most offenfive fætor, and procured a healthy aspect of the ulcerwith a discharge of mild and inoffensive matter. The arm of this patient on the difeafed fide, after fwelling to an enormous fize, became gangrenous, and a mortification fucceeded, with putrid and deep floughs upon the wrift of the elbow; the fame mode of application was adopted with the hope of removing the intolerable fætor. Though it was conceived the patient could not live many days, being upwards of 60 years of age. and very much reduced by the pain and long continued discharge of the ulceration, the progress, however, of the

the mortification, which feemed extending upwards toward the shoulder, was immediately checked; in a very few days the sloughs completely separated, leaving healthy granulations, and the wound, though a very large one, is filling up as kindly as could be expected in a younger or healthier subject.

The other was a woman upwards of 50, who, from long confinement to bed, and the effect of conflant and unequal preffure, had a deep flough formed upon one of the nates; which was dry, perfectly infensible, and without any disposition to suppuration.

The charcoal powder was applied here as in the former case, and retained by a large piece of leather, the edges of which were spread with adhesive plaister; in less than a week a complete separation had taken place, when a dressing of mild digestive effected an easy and speedy cure.

In neither of these cases did the patients complain of any increase of pain from the application.

No medicine was given to the last; and in the first case nothing more than a sew grains of extr. cicutae, with about 20 drops of tincture of opium at bedtime.

In fome cases in which I am now applying charcoal powder, no pain has ensued. The yeast has been added in these cases; and it operates as effectually as the cataplasm.

Believe me, dear Sir, &c. &c.

WILLIAM SANDFORD.

To Dr. Beddoes.

Letter from Dr. JOHN JOHNSTONE.

Birmingham, Feb. 14, 1795.

DEAR SIR,

Herewith I fend you an abstract of trials of some of the chemical substances; I began to make them early in the year 1793, after having seen the relations of M. Lowitz and Kels. Many of the experiments of both these gentlemen I repeated, and others were instituted to satisfy my mind on some topics relating to putrifaction, a subject till lately involved in much darkness, and concerning which, our knowledge at present is far from precise.

Long before the time of M. Kels, Macbride had discovered, that the aerial product of fermentation; rectified the smell and taste of putrifying bodies; and there are many accounts of its service in diseases, recorded in the 4th vol. of Priestley on air, and in Dobson's Commentary. But this power, though possessed universally by the carbonic principle, is not confined to it. Substances containing oxygene, have it probably in a greater degree. Half an ounce of nitre will produce a more instantaneous effect on the same quantities of putrid fluids or slesh, than an ounce of powdered charcoal. The same holds good with respect to many other oxygenated substances. The hyper-oxygenated acids, destroy putrid smells, in very small proportion.

By these leading facts, and by many others which it is unnecessary to detail, I conceived myself authorized to make trial of the subjects of them, in cases of diseases which seemed to bear any affinity to the process

K

of putrefaction. These trials I shall here class together, without any respect to the order of time in which they were made, though many of them were made or improved fince I came to this place in the last Autumn, in conjunction with my brother, Dr. Edward Johnstone.

ULCERATIONS.—In hardly one case of soul ulceration of the extremities have I been disappointed in the application of carbon, though it has been applied in a vast number of cases under my inspection. Whether in the form of powder or of liquid (yeast), it universally renders them clean. In the case of Nurse Purton, an old woman of 80, a patient in the Worcester infirmary, and who had been afflicted with a sore leg for almost half a century, the carbon cataplasm never tailed to cleanse the wound, though the application sometimes gave pain.

During the Autumn of last year the measles assumed a peculiarly putrid appearance in the town of Birmingham and its neighbourhood. Children were generally affected with a very offensive and obstinate diarrhæa, during their continuance, and towards the close of the difeafe with very foul ulcerations, spreading about the face and mouth. In the case of a girl of 8 years old, the right cheek was much fwelled, and the infide of the mouth was occupied by a foul spreading ulcer. Various unguents had been tried in vain, the ulcer fpread, became black, and every day affumed a worfe appearance. The change for the better was very quick after the application of the carbon, and the ulcer foon healed. From the fame cause, the roof of the mouth, and the upper gum of an infant were in a dreadful flate, in part eaten away, and excessively foul. A paste composed

composed of charcoal powder and yeast was ordered to be applied, and was effectual in healing the wound, though the structure of the parts will probably be never entirely restored.

In two cases of mortification, one of the leg in a man of 50, the other in the thigh of a young boy, the application of the carbon was most satisfactory. In the first case the wound extended all over the foot and nearly up the leg: The sloughs began to separate the next day after the application. In the case of the boy the separation of the sloughs was succeeded by universal erysipelas. Both patients took bark and I believe nitre internally, and both recovered.

To scrophulous ulcers I have applied carbon in several cases, as well as given it internally, but never with permanent benefit. I have also given these patients nitre in large doses, at the same time that the ulcers were covered with carbon, and with no better apparent effect.

CANCER.—In one case in which a cancer had occupied the whole breast, and had spread towards the neck, eating it into soul ulcerations, the carbon powder was applied. The appearance of the wound was much mended; it became clearer and looked redder, but no permanent relief was obtained; and sometimes there was a great deal of pain.

In a cancer of the os uteri, after various trials, I directed a passe composed of carbon powder and yeast to be applied by a pessary to the part. There was some inconvenience in the application, though the patient complained much less of it than of the sumes of cin-

K 2

nabar, which had been previously administered. She could not be prevailed upon to perfist in its use.

CUTANEOUS ERUPTIONS.—The face of Poole, a patient in the Worcester infirmary, was covered with a dark-coloured reddish blotch, which was painful and spread. Her right arm was covered with the same species of eruption, particularly about the elbow, where there were several sores. She had these complaints many years, sometimes more, and sometimes in a less degree. I directed the carbon cataplasm to her arm, and to wash her face with yeast frequently. The effect was very satisfactory, as she had previously employed mercurials and many other means without benefit. The ulcers healed in a short time, and the eruption in great measure varnished.

In two cases of Erythema without ulceration, after the measles, yeast was applied with the best effect, the eruption disappearing in the course of a day and night.

The progress of pimples upon the face is generally stopped by washing them often with yeast. They grow lived after a few times washing, and soon disappear. I submit it therefore to my fair country-woman, whether it may not become a much more useful cosmetic than milk of Roses, or any of those doubtful preparations so commonly used.

ERYSIPELAS.—In feveral cases the carbon was used both by my brother and myself with complete success. In the case of Mrs. H——, it was very threatening, as it spread very much about the sace, accompanied with delirium. My brother ordered her sace to be washed with yeast frequently, and to take bark internally. She recovered in three days.

In cases of scarlatina and angina maligna, I now generally direct yeast to be used in gargles, and to be rubbed upon the skin. In repeated instances I have found this plan useful, exhibiting at the same time occasional emetics, with nitrous mixtures.

In phthifical cases, when the night sweats were urgent, I have for some time past directed yeast to be taken in the quantity of a large spoonful, or two large spoonfuls in milk, three or four times in the day. It generally appears to be serviceable at first, but I have seldom found its good effects permanent. In one case I think it succeeded,

TYPHUS.—In two instances I had the opportunity of trying the carbon fully.

The first, a foldier, had been very improperly treated with antimonials previously to my seeing him. His debility was extreme with occasional delirium; his tongue black and parched; his stools offensive, and he could keep nothing upon his stomach. The bark in all forms was vomited up. He first of all took a saline effervescing mixture, which staid upon his stomach. He afterwards took one ounce of charcoal powder three times a day, with port wine and water, and 15 drops of laudanum at night. The soulness of his tongue and the vomiting soon disappeared, and he recovered slowly, occasionally taking bark.

In a girl of 14, the small-pox assumed the worst appearances. The eruption began on the third day, with great sever, violent pain of the head and side. A blister was immediately ordered, which gave ease, and she took some opening medicines. The next day, after the blister had risen, the pustules showed no ele-

K 3

vation, and every fymptom clearly indicated that the disease was in the worst degree. Her stools were offensive, and the debility extreme. I ordered a drachm of charcoal powder to be taken every four hours, with a mixture of decoction of bark and yeaft, and that she might have as much port wine as fhe liked, and fresh ale. This plan was perfifted in, with blifters occasionally for nine days, at which time the patient died, with more marks of putrefaction than I ever faw before. Her body was univerfally black, and at a small distance she looked like a negro. She drank great quantities of the fresh ale, and during the two days before her death, 3 pints of port wine. Purple spots appeared on the thighs about ten days from the beginning of the difeafe, which vanished on the application of a paste of charcoal and yeast. I much regret that she was not washed all over with yeast, but I confess this circumstance did not occur to me. After the full trial of the carbon in this case so unsuccessfully, I have never trusted to it folely in any of those diseases in which the powers of life are fo exhausted as they are in typhus. I believe it may be useful to correct the filth that accumulates in the mouth and in the intestines, but it certainly is not to be trufted to alone for their cure. Substances containing oxygene are infinitely more appropriate for this purpole, and should be employed. Nitre contains oxygene in great abundance, and has been used with advantage in typhus. But its ufefulness in inflammatory diseases, and indeed its effects when taken as a poison in large quantity, make me suspect, that the basis of the acid contains a power capable of abstracting from vitality. On this suppofition we may account for the contradictory effects afcribed to it. But the confideration should make us

look out for other fubstances that are not contaminated with any powers contrary to those for which we wish to employ them. The oxides of manganese have occurred to me as likely to answer the end. I have given then in very large doses to healthy persons, and have swallowed them myself without the least apparent injury. On this subject, however, I shall not enlarge, and I will only add one more speculation to what is already perhaps too long.

From the notions that I entertain of the nature of the gout, I have been led to suppose that the inspiration of an atmosphere above the common standard might be serviceable for its cure. If the disease arise in the first place from a deficiency of oxygene in the blood of the arteries of the extremities, and the chain of symptoms be induced by this deficiency, certainly an hyper-oxygenated atmosphere is the remedy to be adopted. But this is all hypothetical, and I shall content myself with having given the hint, without pursuing the subject further.

This is what I know of the effects of carbon; it is imperfect as every abstract must be, but it is faithful as far as it goes; and it would have been impossible to have comprehended within the room that you could spare, the cases in their full extent.

I am, dear Sir, &c.

JOHN JOHNSTONE.

DUSTING-Box.

Several years ago, Dr. Darwin contrived the apparatus, delineated pl. 4, fig. 3, with intention to apply fubftances, that might be fupposed capable of a falutary action, to the ulcerated furface of the lungs. The facts in the preceding communications and some others, together with the present disposition of the public to favour attempts towards the cure of confumption, induced me to apply for permission to insert a sketch of this little machine in this pamphlet. Whether it will be useful to coat the pulmonary ulcers with fine charcoal, calx of zinc, any of the preparations of lead, Peruvian bark, or fome fuch composition as Mr. Sandford mentions, remains to be tried. The box may be 10 inches high and 8 square. It has within a circular lathe brush, with a cross bar of wire, against which the briftles of the brush, loaded with dust, successively strike; the dust is thus spurted up through the mouth-piece, and the patient inhales it at his inconvenience. The structure of the box will eafily be understood from the plate. On seeing this contrivance, another person thought that a powdermachine, formerly more in use for the waste of wheat than at prefent, would very well answer the purpose : this is represented fig. 4.

Observation on the effect of charcoal, in correcting rancid eructations.—Extract of a letter.

—My dyspepsia was not attended with much flatulence nor heartburn, but was very troublesome after eating any strong dish, such as goose, garlic, or cabbage, from a rising of rancid matter from the stomach, perhaps every 5 minutes. This was always immediately checked by a table spoonful of very fine ground charcoal—so much so that the next eructation would be scarcely offensive; and in a little time the stomach was completely set to rights. Several persons in our family have received benefit from it in the same way.

Having had no ailment in the stomach for a long time, I cannot say that I have had much experience.—
Perhaps I may have been relieved a dozen times, and I think never took it without a very sensible effect.
I do not believe it has much effect on the bowels; it is aperient, however, rather than otherwise. As to your question of prevention of wind, mine was so little a case of slatulency that I cannot speak very positively of its virtue in that particular. It certainly, however, had this effect to a certain degree. Upon the whole, I have not the smallest doubt of it being a very useful family medicine.

I am, your's, &c. — — —

To Dr. Beddoes.

I infert this observation with the greater pleasure, from the hope that it may take away one excuse for dram-drinking. I strenuously recommend it to perfons whose stomachs are weak; as also to persons apt to overload a strong stomach, to have in readiness some sine powder of charcoal, and to take it instead of wine or distilled spirit, to prevent food from repeating. It may be prepared by burning corks persectly and throughout black, and then rubbing them to powder. This preparation is used in some places for the colic in horses; but as it is given in fermented liquor, its power is somewhat dubious. I have been informed

by another intelligent correspondent that he has found charcoal gently aperient; an observation which seems well worth attention.

---- D-4--

Mr. Capper's description of his apparatus for experi-

The letters k, l, m, n, pl. 5, represent the wooden chamber, which is dovetailed to make it air-tight; the fize may be varied according to the fize of the animal which is destined for experiment. The one from which the plate is taken, is three inches and a half, by four and a half.

The letters i, j, k, l, represent the mouth-bag, which is of oiled filk nailed on the chamber at b; but before you put them together, glue on a narrow strip of leather; when the glue is dry, plait the oiled filk; and as fast as you plait, nail on a narrow strip of leather, similar to the one underneath; the plaits should be very small, and the nails of course very close to each other. The mouth-bag is easily secured round the mouth of the animal by means of tape, used as a ligature.

The letters m, n, o, G, represent the bag which contains the air to be inspired, and is nailed to the chamber in the same manner as is described. G is the aperture throwhich the bag is filled; h the inhaling valve (at the bottom of the chamber) made of very thin wood, covered with leather, which being extended on one side farther than the wood, (and this being glued to the chamber), serves as a hinge to the valve. At d is the exhaling

exhaling valve, made and fecured (but on the outfide of the chamber) in the fame manner as the other.

When you fill the bag, the valve at the bottom of the chamber must be pressed down with the finger, to prevent the escape of the air.

At G the filk should be lined with fost leather, otherwise it will soon be worn out by the frequent use of the ligature.

The manner to make the filk air tight, is by fowing weak leather within the feam, and then covering it with the fame, making the needle always pass through the leather between the oiled filk.

W. W. CAPPER.

Query.—Would it not be an improvement if a strip of leather were nailed over the valves, so as not to allow them to turn quite back.—T. B.

XXI.—Recapitulation with some additional Facts.

It appears already that the principles, which had been deduced from the modern experiments on respiration, are too narrow to explain the effects of differently modified atmospheres on the animals, by which they are respired. This is nothing discouraging; for the more various the powers of elastic sluids, the greater, we may hope, will be the resources of pneumatic medicine.—The two instances in which greater toughness of the sless and tendency in the blood to coagulate were observed after immersion in oxygene air, afforded the pleasing prospect of a physiological discovery; but in an enquiry, where unobserved powers

powers may so easily intervene, I have laid it down to myself as a rule of prudence not to admit any cause. unless the effect should distinctly appear upon four or five repetitions of an experiment with or without variation of accessory circumstances. Two other pairs of rabbits were therefore procured; and one individual of each pair was oxygenated; the other being left without preparation, and then both were killed by blows on the back of the head. The difference of coagulation in the blood was the same as in the former experiments; but after boiling I could not fatisfy myfelf that there was any difference in the state of the muscular fibres. One of these rabbits remained in the oxygene air 20, and the other 25 minutes: the others had only remained 15 minutes. These rabbits feemed as thirsty as the former; one drank eleven times.

Of two white pigeons, feemingly of the fame age, one was kept in a vessel of oxygene, mixed with a third part of atmospheric air for 25 minutes; birds confume air very fast; and at the end of this time, a candle was immediately and repeatedly extinguished on immersion in the vessel, which was the same as that in which the cats had been placed; the pigeon shewed no other sign of distress than a little quickness of breathing; which took place foon after its introduction. The power to stand erect in such an atmosphere, depended probably on the oxygene it had previously inspired, as in the experiments on drowning. The pigeon was flrangled on being taken out of the vessel and quickly opened; the blood coagulated instantly after effusion, and in some of the veins it was already coagulated. The heart was hard and inirritable;

inirritable; the cavity of the ventricles was closed; the auricles contained a little coagulated blood; the lungs were florid and appeared inflamed.

The other pigeon was put into a mixture of more than one third atmospheric, with less than two thirds of hydrocarbonate air. It died in less than half a minute; its fpeedy death probably arose from the fame cause as the rapid confumption of oxygene in the former experiment. No figns of recovery appeared while the feathers were hastily stripped from the belly and breast; the liver as before appeared much more ruddy than in the former pigeon; this undoubtedly depends on the greater proportion of venous blood in the liver than in any other organ; the heart and other viscera were more ruddy in the hydrocarbonated pigeon; the lungs excepted, which were of nearly the fame colour in both. The ventricles of the heart were inirritable, and contracted in the hydrocarbonated; but the right auricle was spontaneously acting. The blood was fluid and ruddy; it was fome time before it coagulated. The flesh of the heart was remarkably ruddy.

These pigeons being boiled, the hydrocarbonated was universally of a light red; the colour was strongest in the legs; it was well seen in the marrow and spongy part of the bones; the cartilage looked as they sometimes do in the young subject injected: in the breast of the pigeon (which on account of the state of the air when it was taken out of the vessel, I dare not call oxygenated) a degree of redness was perceptible; but the difference was great in savour of the hydrocarbonated: this was throughout as red as a salmon in season; it was observed on occasion of the redness produced

produced by the same air in the muscles of the thighs in a fowl, that one might have ham and sowl in the same piece, for the breast and wings were of a tender pink.—The slesh of the hydrocarbonated pigeon four persons agreed in thinking more agreeably tasted.— In point of tenderness there was no great difference; if any existed, it was perhaps in savour of the latter.

The effect of hydrocarbonate on the blood and flesh was fo opposite to all expectation, that I could not be fatisfied without repeating the experiment till all fear of an erroneous conclusion vanished. Of a pair of fowls, one was put into carbonic acid air, and one into hydrocarbonate; in the former, the appearances were the fame as in drowned and ftrangled animals, only the liver appeared a shade paler. In the hydrocarbonated, the phænomena were as ufual. It was thought by feveral persons who tasted these fowls after they were boiled, that the flesh of the hydrocarbonated was lefs confiftent; it was faid to approach towards the foftness of dressed liver .- Of two equal rabbits, one was immerfed in fuch a mixture of atmospheric and hydrocarbonate airs as did not destroy life in 15 minutes; it was then taken out in a state of great debility; both were killed in the usual manner. The blood, liver, and other viscera of the hydro. rabbit exhibited the accustomed phænomena. The flesh was of a light pink colour when boiled, the marrow of a fine red.

The power therefore of hydrocarbonate air to redden the blood and flesh of animals, made to respire it, either pure or diluted, admits of no doubt. I have attempted to determine the circumstances of its operation, by applying it directly to the blood. In two phials containing one hydrocarbonate, and the other carbonic

carbonic acid air, two funnels were cemented, the necks of which were closed by a wooden stopple .-Blood was received into each funnel as it flowed from a man's vein; when the funnel was full, the stopple was withdrawn and the blood descended into the phials, while the air issued through another small perforation in the cork, which could be closed at pleasure. When the greater part of the blood had descended into the phials, they were stopped, so as on trial to prove air tight. The blood in the phial containing carbonic acid air, acquired no florid colour on its furface; the edges of the coagulum, as they lay against the phial, appeared brighter; but this upon careful examination, appeared to be owing to their thinnels. The hydrocarbonate evidently brightened the upper part of the coagulum to as great a depth as it is usually brightened by oxygene or atmospheric air. The colour was not quite fo high, and yet not a great deal less florid.

Three equal and similar vessels were filled, two with hydrocarbonate, and one with atmospheric air. Blood was received from the vein of a horse into a sunnel, and then suffered to run into these phials. That containing atmospheric air, and one of the others, were immediately stopped and shaken. The blood was observed to acquire a brighter colour throughout; in both cases a head of soam rested upon the surface; and this appeared nearly of the same colour in both; the head was rather brighter than the close and condensed mass, on account of the light transmitted thro' bubbles of air catched and detained in the blood.

Four phials were filled; one with oxygene, one with hydrocarbonate, one with atmospheric, and one with

with hydrogene air from zinc, dissolved in muriatic acid. Blood was received into a funnel from the vein of a horse, and then suffered to run into each of these phials. The blood in the oxygene and atmospheric airs was equally brightened and to an equal depth; in both the other phials, the surface of the blood was brightened; but more in the hydrocarbonate and to a greater depth. In this the florid colour (which was inserior to that produced by the oxygene and atmospheric airs) reached three lines in depth; and the rest of the coagulum was less dark than the rest of the coagulum in the hydrogene; in which the brightened part did not descend more than a line.

The change of colour on the furface of the hydrogene (which does not I think agree with the observations of some philosophers, who have exposed blood to different airs, but without flating the circumstances of the experiment, particularly the age of the blood) induced me to immerfe a third pigeon, nearly the fellow of the two former, in hydrogene from zinc, dissolving in muriatic acid. The liver appeared rather paler than in pigeons killed in the common manner; but it had by no means the brightness of the liver in animals destroyed in hydrocarbonate; the veins were of their usual dark colour, and so was the blood. The heart was not ruddy, but it was flaccid; and in this respect formed a remarkable contrast with the hearts of the two other pigeons. The right auricle was working; the ventricles not irritable. boiled flesh did not sensibly differ from the flesh of pigeons that have inhaled atmospheric air, except perhaps in a very flight redness of part of the break. The

The muscles of the legs, which when they are brown in birds, shew the colouring power of h. a. so distinctly, were not at all tinged; nor did the cartilages of the joints look as if beautifully injected, but were pale, as in common cases. Hydrogen, as far as this fingle experiment warrants the conclusion, has no power to make the flesh of animals tender: and in two or three days the brightened furface of the blood exposed to it grew dark again, and the whole clot (1 an inch thick,) feemed blacker.

To discover the effect of hydrocarbonate on the blood at different periods after venæfection, a portion of the dark coagulum of a horse's blood two days old, was put into a quart of this air, and another part into a quart of atmospheric air. The vessels were equal and fimilar. A florid coat foon appeared on the blood in the atmospheric air; but no change took place upon the blood in the hydrocarbonate, though it was watched feveral days. Human blood was put to the fame trial nearly as foon as it coagulated, which was within a quarter of an hour after it was drawn; no change in the bottle of hyd. a .- The clotted part of a horse's blood was tried a day after it was drawn; a comparative experiment was made with both oxygene and atmospheric air: these last brightened the surface The hydrocarbonate produced this effect as ufual. in a very flight degree: upon the credit of these and fome other fimilar experiments, it may be affirmed that hydrocarbonate air has little power to render blood florid, except it be fluid; but this I think depends on the cohefion it acquires, and not on the life it loses. There is some danger of mistake from hafty observations on the thin edges; I L

depended

depended principally upon the appearance of the furface, where the mass was such as to produce persect opacity. Mr. Charles Gimbernat remarked in various instances that more serum separated from the blood in hydroc. a. and that the coagulum formed a much smaller cylinder in the phials containing this air, than in those containing oxygene, atmospheric, hydrogene, or carbonic acid.

When phials containing hydrocarbonate and blood were opened under water, there was no fign of diminution in the bulk of the air.

Experiments I am now profecuting, make me believe that blood renders hydrocarbonate explosive, and that it alters the colour of its flame; but in the promised appendix, I will give the result of these experiments, and a full account of the constitution of the residuary air.

Blood being received into a funnel from the arteries of an horse, and transmitted into hydrocarb. the phial was stopped air-tight and shaken; the colour did not become deeper or darker. Venous blood being at the same time treated in the same manner, acquired a colour little less bright.

These facts will suggest a variety of reflections and many new experiments. They seem to disclose the principle on which hydrocarbonate acts, in changing the colour of the venous blood. It's effect so far as colour is concerned, is not destroyed in passing through the small arteries; hence the alteration is seen in the veins, and by consequence in the folids, particularly the liver. This colouring principle (supposing something to be imparted to the blood) differs therefore

therefore in its affinity to the animal fibre from oxygene, if oxygene be distributed by the arteries.— Hydrocarbonate kept in contact with living blood appears, from its becoming more explosive, to approach to the nature of hydrogene; whence its bulk should be expected to increase instead of diminishing; but this is a point to be determined by nicer instruments than I have it in my power to employ at present. The principle which one should suspect from analogy, that hydrocarbonate communicates to the blood is charcoal, (or carbone, which I consider as a compound of hydrogene and azote) or some substance nearly allied to it. It might therefore be tried whether charcoal in any form will brighten the blood.

A florid complexion, may then, it feems, as far as it is connected with the mere fubstance of the blood, depend equally on arterial blood highly oxygenated, or venous blood brightened, as by the application of hydrocarbonate. It may at prefent be difficult to diffinguish the two cases. The blood is frequently florid, as it flows from a vein. But in many of these instances, arterial blood only escapes the change it commonly undergoes in its progrefs through the small blood-vessels. Thus when Mr. Hunter fays " I bled a lady whose blood at first "was of a dark colour; but she fainted, and " while she continued in the fit, the colour of the " blood that came from the vein was of a fine scarlet:" we may suppose the action of the small arteries to have been suspended, and the oxygene not to have been communicated to the folids; the same when an animal is bleeding to death. Mr. Hewson observes that the blood from faint animals is brighter and coagulates more speedily; which may depend on its containing more oxygene. Yet if the rapid coagulation in my experiments was occasioned by oxygene actually present in the venous blood, it was in such quantity as not to brighten the colour.

It might be thought that the oxygene of the blood. forming carbonic acid with hydrocarbonate gives redness; but the application of carbonic acid, both to the blood and to the lungs, discountenances this idea. These experiments should be further profecuted with arterial blood. Meanwhile as it is certain that the blood and the folids may acquire a bright red colour from causes totally diffinct from the presence of oxygene, my conjectures concerning the condition of the fystem in fome cases of consumption lose their support.--But although I cannot now believe that the permanent redness of the fauces in some consumptive patients. and other analogous appearances, indicate hyperoxygenation, I still think that excess of this principle does occasion disease. But besides colour, I should require fome of the fymptoms occasioned by the respiration of too much oxygene to appear, before I admitted this cause. Dr. Garnet has, I think, fixed upon instances of this nature; and perhaps the frequent pleurifies in the Castiles depend on the dryness of the atmosphere; a quality which, if it arise from the want of water, and not its combination, implies the prefence of more oxygene in a given bulk of air.

The cautions and fuggessions respecting the respiration of ox. air, which I had deduced from personal experience, seem confirmed by circumstances in several of the foregoing reports. Elevation of spirits, and power of resisting cold, have oftener than once followed

lowed its use; it has also been found to heighten the complexion. Mr. Barr's patient, and Mr. Atwood, furnish striking proof of its power to improve some debilitated conflitutions. Both communications afford instruction respecting the dose, which requires much vigilance. In the former of these cases it was necessary to lessen the quantity; and in Mr. Atwood's interesting journal, though we have unfortunately no precise information on this head, there are particulars that feem to shew that he proceeded to the utmost verge of prudence. These examples will encourage further trial in different forts and stages of debility. This elastic fluid deferves to be opposed to the approach and to the infirmities of old age, especially where the extremities are habitually cold. A quart inhaled every day, for a few weeks, and repeated from time to time, as the patient's feelings shall direct, bids fair to contribute to the comfort and prolongation of life. Its employment in chlorofis, will, I trust, be continued with fuccefs. I am authorized to fay, that a remarkable cure of hysteria will be related in the 2d vol. of Mr. Townshend's Guide to Health. Its power in the last stage of malignant and nervous fevers, ought to be afcertained in the course of another year.

In palfy, fact does not yet appear to coincide, as could be wished, with expectation. We may very safely put a paralytic patient on a course of oxygene air; but we should begin with very small doses, and be alive to suspicion. To prevent groundless alarm, I must add, that I have no other reason to give this warning, than what is already before the reader, (See p. 69, 70).—In paralysis of the absorbents, occasioning anasarca

anafarca of the lower extremities and of the lungs, I have been informed that confiderable temporary relief has been afforded. One case has fallen under my own care—it is as follows :- R. G. about 60 years of age, after living freely, had dropfical fymptoms. He underwent a long course of violent cathartics, and afterwards came to Bristol Hotwells. The paralytic appearances were fo striking, that I declared to his friends, in the most positive terms, that I apprehended he would in no long time die fuddenly. The digitalis (which I have never feen to fail in cases of this kind) procured a discharge of the water. It repeatedly collected, and was repeatedly evacuated by the digitalis, and once or twice by fquill and the pulvis ari comp. The medicines had now no fooner ceafed to operate, than a relapfe followed, and threatenings of apoplexy were feveral times observed. At this period oxygene air, mixed with twice its bulk of atmospheric, was administered for the space of one minute, four times a day. During the whole course of his disease, the patient had that tendency to fickness and vomiting, which the long abuse of fermented liquors produces. The modified air was found by the patient to relieve these symptoms; and by respiring it, he said he could prevent and remove nausea. From his observations I think ox. air more likely than any thing elfe to carry off violent affection of the stomach, arising from an overdose of digitalis. The difficulty of breathing was always relieved by his mixed air, though only for a short time. In less than a month, he by degrees came to respire for 15 minutes in a day. The swellings, however, increased, and there were evident figns of effufion in the thorax; fo that the oxygene did not appear to render the absorbents more irritable. One day, after

after walking for half an hour, (which was an unufual exertion) the patient fuddenly expired on entering his apartment. The special policies because of

The idea of administering oxygene air to persons affected with fea fcurvy, is extremely obvious. But the frequent instances of fudden death, when scorbutic patients are brought into the open air, deserves ferious attention. The principal doubt feems to be, whether it is muscular exertion, some sensation, or the free atmosphere, that proves fatal. After reading Dr. Trotter's late candid publication, I applied to the author for a folution of this difficulty; his instructive answer follows; and I own, that it appears to me to amount to a prohibition of the practice.

The state of the s

Spithead, March 13th, 1795.

SIR,

In answer to your query, whether the persons who died fuddenly in fcurvy on exposure to the air, had used much muscular exertion, I beg leave to inform you, that I do not think any preceding exercise of muscular motion had any share in producing this effect. The first case of the kind I ever saw, was from opening a port to windward; the air rushed in with confiderable force, I was flanding by the man, he had converfed with me with apparent eafe, and feemed to feel no pain when he expired. I have feen others drop down immediately on coming above the hatchway, although they could walk below with tolerable agility: Some have died after being carried above, in a horizontal posture, both legs being so hardened and contracted

contracted that they could not walk; and others have been faved by going immediately below. Might not all this be owing to the diminished temperature of the air, independant of its chemical qualities? Scorbutic patients bear cold very ill, but sudden death happens often under similar circumstances in hot tropical countries, and I own this explanation not fatisfactory.

I am afraid opportunities of trying the diluted oxygene in a ship, cannot be easily commanded. There is no medical hoard in the navy to countenance improvement. There is also so much room left for reformation in other respects for the benefit of health, that since I had the honor of attending the channel sleet, our great commander has been constantly ordering some beneficial regulations. From such active benevolence and authority, I have still much to hope. Wishing you health to continue your valuable pursuits,

I am, Sir, &c.

T. TROTTER.



Having lately received information of a very ingenious application of air to furgery, I shall infert it here, as the effect appears to depend on a residue of oxygene,—" Mr. Gimbernat, Surgeon at Madrid, reflecting upon the action of atmospheric air, admitted into the joints, was led to suppose that its introduction into the scrotum would excite an inflammation of the adhesive kind in the parts that require to be united for the radical cure of the hydrocele; in which case this might prove the easiest and most efficacious method of treating the disease.

Mr. G. therefore paffed through the scrotum of a patient, afflicted with hydrocele, a trocar much longer and thinner than that commonly employed in the operation for ascites; taking great care to leave the tefticle as much as possible behind, and at a distance from the instrument. He then withdrew the perforator, leaving the canula; which being pierced with small holes in its whole circumference, allowed an iffue of the water contained in the scrotum. When this was completely discharged, the operator stopped one of the orifices of the canula, and through the other blew into the scrotum a quantity of air from the lungs. This operation was repeated once or twice a day till the fcrotum was reduced to almost its natural size; for which purpose the canula was properly secured by a bandage in the fcrotum.

When the parts had acquired fo much adhesion as to contract round the canula, the instrument was removed, and the cavity it left was soon filled with new substance.

Mr. G. contrived this method 15 years ago; and he has uniformly fucceeded in a very confiderable number of cases of hydrocele. A fortnight or three weeks has generally been sufficient for a radical and complete cure. The patient is never confined to his bed, but can walk about his room without inconvenience. Mr. Gimbernat thinks the great success of his method is owing to the small degree of inflammation excited by the expired air."

Mr. Townshend, in the 1st vol. of his Guide, relates three cases in which the respiration of oxygene appeared highly beneficial. One is a case of hypochondrias;

chondriafis, another of asthma, and a third of such disorder of the stomach, that eating "almost constantly produced vomiting;" in this case the patient "continued free from sickness as often as the oxygene "air in a diluted form was administered;"—(p. 277, 292, 398).

I had formerly been led to infer that " an atmof-" phere with a diminished proportion of oxygene, " would be in some cases a better soporific than any " we at prefent poffefs." I have fince received confirmation of this opinion. A person in consumption, who for months had taken opium at night, flept perfectly well without opium when he came to respire hydrogene. His fleep he remarked to be more profound than usual. The air of his room being loosely mixed with hydrogene, his fervant, a very bad fleeper, declared that " he did not know what was come to " him, he flept fo found." This man necessarily inspired much hydrogene from attendance on his master. A physician has favoured me with the following memorandum of an observation on himself; which possibly may be referred to the same cause. He could not fix upon any other. "For feveral years I " have passed restless nights, and have seldom slept " longer than from half an hour to an hour at a time; " but on the night of the general illumination for the " victory of the ift of June, I enjoyed a found and " almost uninterrupted sleep; this I impute to my " having fat between four and five hours in a room "with about twenty candles burning immediately " before I went to bed, and to having had the fame " number burning as long in my bed-chamber; al-"though the weather was warm, I felt a glow of " heat

" heat on entering the chamber, with a ftrong fmell of "the candles; and as heat generally prevents my rest, I "was pleafantly disappointed by a more comfortable "fleep than I had had for fourteen years before. I " have experienced the same want of good and conti-" nued fleep fince." Whether a diminished atmosphere produces a tendency to fleep or not, diluted hydrocarbonate (of which the properties can scarce be fupposed to depend on privation of oxygene) undoubtedly possesses this property. My experience amply confirms the preceding reports. In two confumptive patients, I am able to induce fleep almost at pleasure by this air. In a great majority of fuch cases, it is well known that the nights are exceedingly diffurbed in spite of opium, freely administered. The soporific virtue of hydrocarbonate, feems however by no means to be confined to confumption.

I introduce here the following letter respecting consumption, from Mr. Darling, Pres. of the R. M. Soc. at Edinburgh. It did not come in time for insertion in its proper place. Mr. D. does not seem to have used hydrocarbonate air.

Edinburgh, Feb. 24th, 1795.

SIR,

The case to which I alluded in my letter was simply this.—A young lady labouring under every symptom of confirmed phthis pulmonalis, and daily sinking under the disease, happened to be residing at the house of an eminent tar merchant to whom she was related. No remedy seeming in the least degree efficacious, it was proposed that she should walk in one of his warehouses, where a large quantity of plantation tar was usually

usually kept. The first time she was introduced into it was on a Monday morning, when it was imagined, in consequence of the warehouse having been shut up since the Saturday afternoon, the air would be the most sully impregnated with essluvia. She walked a considerable time through the different ranges of barrels, and bore the experiment very well. This practice was persisted in several mornings with advantage: and sinding the cough and other symptoms gradually decrease, she persevered till she was restored to persect health.

Since I last wrote to you I have finished the account which I was then drawing up, of experiments with factitious airs in the cure of consumption, and read it to the medical fociety of this place. I have had about ten opportunities of trying their effects, but have been confiderably disappointed, as I was not able to effect a permanent cure of any of them; but it must be obferved, that in all of them the most distressing fymptoms were evidently relieved-as the cough, night fweats, diarrhæa, want of rest, fever, &c. and in one of them the hectic fever totally disappeared, and at prefent there only remains a cough, which is not very troublesome: nevertheless, I am much afraid that this immenfely fevere feafon may possibly bring on a relapfe, but this must be guarded against as much as poffible. My want of complete fuccess I attribute in fome measure to the imperfect flate in which my apparatus was; or it may possibly have arisen from the remedies not having been applied with sufficient vigour, or perhaps from the difease in all the cases having made too great a progress before the administration of a reduced atmosphere. W. C. DARLING.

In afthma it is extraordinary that oxygene, hydrogene, and hydrocarbonate, should have afforded relief. Dr. Carmichael has this reflection in one of his letters. It arose from the case of an asthmatic patient, whom one of the physicians to the Birmingham Dispensary, has lately much relieved by oxygene.—Dr. Ferriar (p. 80.) and Mr. Townshend, confirm the sact. It may be said that oxygene air prevents the paroxysm by exhausting excitability, as spirituous gargles cure an incipient inflammation of the throat; and that unrespirable airs withhold stimulus; but this seems by no means probable of hydrocarbonate; and the truth is that we have not yet experience to establish those distinctions, which are requisite to the certain direction of the pneumatic practice.

In the inflammatory stage of catarrh, and all the gradations of disease which connect a common cold with pleurify, I hope the exhibition of a lowered atmosphere. will prove an effectual cure. In these cases I am at prefent inclined to prefer hydrogene or azotic air, because they can be fo freely and frequently administered. In my letter to Dr. Darwin, I have described the effect of atmospheric lowered with one-eighth of hydrogene air, and respired for a quarter of an hour, in an inflammation of the chest. The acute pain entirely subsided while the patient was breathing this mixture, and the febrile fymptoms disappeared .- Mr. Townshend (p. 103.) has a fimilar example. "Mrs. Tovey, of " Charles-Street, Tottenham-Court-Road, having loft " one child" by the croup " brought her only re-" maining boy to Dr. Thornton for his advice. He " immediately made the child inhale azotic air with a " proportion of common air; and the father and mo-" ther

"ther were furprifed when they observed that the hands which were before parching hot, now felt cold to the touch; the pulse was rendered twenty beats less in a minute; the child no longer coughed as through a brazen trumpet, the fever seemed smowing thered, and the formation of the fatal membrane was prevented."—If a lowered atmosphere proves as serviceable in inflammatory catarrh as the analogy of these cases, reasonable conjecture and a few direct trials seem to promise, an apparatus for factitious airs will soon come to be considered as a necessary part of houshold furniture.

Different factitious airs enable us to change the constitution of the fluids and solids. By their operation on the extensive surface of the lungs, they must also produce motions by association in distant parts of the system. On these principles (if we had no immediate experience) they might be concluded capable of great essets on the chemical and mechanical agency of the animal organization. I dare not enter sully into the contemplation of their powers; but there are two or three points on which it may be useful to touch.

Doubts have been expressed whether the use of a modified atmosphere and especially of unrespirable airs could have any other than a momentary essect. This dissipation, a man who can see but a little way before him, will perceive. It has been cleared up by experiment; and I need not hesitate to affirm that the occasional respiration of modified air has a continued essect. But it is nevertheless true, that this important subject can never be sisted to the bottom, till we have the command of rooms filled with modified air.—

Useful as diluted hydrocarbonate has proved, no man can say that it would not be more useful, if more diluted and respired with greater constancy. The same doubt extends to other airs.

It has been apprehended that the fine particles of mangenese, suspended in oxygene, might injure the lungs, as in stone-cutters. But there is no analogy in the cases; engine-men, casters in brass, and numerous other artisans, respire fine powder without detriment; and experience with the air itself discountenances apprehension. For we have now a number of instances in which oxygene from manganese was breathed for many weeks; and no such inconvenience has been selt.

Pulmonary tubercles are regarded by fome as beyond the power of factitious airs to remove. Tubercles however do not appear inconfistent with tolerable enjoyment of life; and there are many instances in books of medicine and furgery, of the removal of bodies equally formidable. By facts related in Dr. Ewart's pamphlet on cancer, I am perfuaded that the lymphatics were excited into vigorous acting by carbonic acid air. In Mrs. A.'s cafe the furface of the ulcer became dry; and in that of Alford, "when the " gas most frequently renewed, the discharge was the " most diminished." In an instance of cancer, not yet published, I am well informed that the fwoln and indurated glands have been reduced by carbonic acid air to their natural fize and foftness. Hence I conclude that the falutary operation of this air in part confists in its action on the lymphatic system; and it can hardly be doubted that there is a degree of absorbent operation equal to the removal of tubercles .--

Whether

Whether hydrocarbonate possesses this property, the trials now making on cancers, are likely to decide.— I wish the respiration of unrespirable airs were tried in encysted dropsy; in one case of which I fully tried oxygene without benefit.

If a species of opium, capable of lulling the excruciating pain of cancer for weeks or months, had been discovered, it would doubtless be received with avidity by the members of the medical profession, and with benedictions by the diseased. But because it is uncertain whether a compleat and permanent cure can be effected by the application of air, this treatment is not only neglected, but refifted; yet no pretence is made to substitute any thing more efficacious: no natural cure or mitigation is looked for; no injury is dreaded from the new method; and the authority on which it is faid to afford at least long-continued ease. is neither questioned nor questionable. For fuch conduct, language wants a term sufficiently opprobious, for it implies whatever is contemptible and odious in floth, in ignorance, in narrowness of mind and hardness of heart. Here I invite all my readers to reflect and to hold their opinions at all times ready for delivery; for although this great crime against humanity is not punishable by law, it may be prevented by the censure of an enlightened public.

the same the reduced by coop Pache

CONTENTS.

By The spinished all	Page
I. Of the atmosphere	
II. Of the breathing of man and similar animals	11
III. Important question	19
IV. The effect of breathing oxygene air little	
diluted	ib.
V. How respired oxygene affects the venous blood	16
VI. Experiments with an atmosphere of an higher	
flandard	19
VII. Connection of oxygene with mufcular motion	
VIII. Animal charged with oxygene -	26
IX. Airs in the cellular substance -	27
X. Experiments with mephitic airs	29
XI. How respired hydrocarbonate affects venous	oibite
blood	37
XII. Reflections	38
XIII. Hydrogene respired -	41
XIV. Supplemental facts respecting oxygene	43
XV. Tables for mixtures of airs.	49
XVI. Production of factitious airs -	51
XVII. Cases in which oxygene air was admi-	Lyst To
nistered -	55
Dr. Thornton's Letter-Mr. Atwood's Journal	57
Mr. Corp's Letter on Mr. Atwood's case	59
Second part of Journal	60
C C C C D C	64-65
Mr. Barr's Letter	66
Dr. Carmichael on gutta serena	69
On Chlorofis	72
Letter from Dr. Pearfon	74
From Dr. Thornton	76
XVIII. Administration of unrespirable airs	81
	Letter

170)	
	Page
Letter from Dr. Ferriar	ib.
From Dr. Carmichael on confumption -	83
From Dr. Ewart	91
From Mr. Chisholm	98
From Dr. Carmichael on asthma	101
XIX. Mr. Watt's hints	103
XX. Of substances that may be supposed to all	
chemically -	115
Dr. Garnet's Letter	ib.
Mr. Sandford's	122
Dr. John Johnstone's	137
Dr. Darwin's Dusting-box	144
Corrective of ill-tasted eructations	ib.
Mr. Capper's apparatus	146
XXI. Miscellaneous facts and reflections	147
Experiments with oxygene-hydrocarbonate 1	48-9
Medical effects of oxygene	157
Dr. Trotter's Letter	159
Query In some of the heterogeneous cases, consounded une	
erm angina pelloris, its offified arteries do not give oxygene	
heart (Med. Memoirs, 1v. 261).—Would respiring oxygene beneficial to such patients?	air be
Tables for min well at which	17
Mr. Gimbernat's treatment of hydrocele -	160
Of hydrocarbonate	162
Query.—Does the charcoal with which h. a. impregnates the eft on the pulmonary ulcers, as charcoal strewed upon their surf	
certain other ulcers?	acc on
Tendency of unrespirable airs to procure sleep	ib.
Mr. Darling's Letter	163
Of some doubts and scruples	166
Reluctance to make efforts to relieve the diseased	168

of the state of th

The HISTORY of ISAAC JENKINS, and SARAII has WHIT to and Water THIRE CHILDREN. Price and Fault Edition.

Of J. JOHNSON and H. MURRAY, Elect firect, may be had, by THOMAS BEDDOES, M.D.

FRTTERS and PADER, Supplementary to two

- a Philosopher of the last century, being an account of MAYOW's discovery of several Factitious Airs and their principal properties. Price 28. 6d.
- 2. OBSERVATIONS on the Nature and Cure of CALCULUS, CONSUMPTION, FEVER, and feveral other difeases. Price 4s.
- 3. LETTER to Dr. DARWIN, on a new method of treating PULMONARY CONSUMPTION, and fome other difeases hitherto found incurable. Price 18.
- 4. A GUIDE for SELF-PRESERVATION and PA-RENTAL AFFECTION. Price 3d.
- 5. SPALLANZANI'S DISSERTATIONS on DI-GESTION, &c. translated from the Italian, 8vo. 2 vols. price 10s. Second Edition.
- 6. OBSERVATIONS on the Nature of DEMON-STRATIVE EVIDENCE, with DISQUISITIONS relative to LANGUAGE, 8vo. Price 3s.

AL THAT

- 7. The HISTORY of ISAAC JENKINS, and SARAH his WIFE, and their THREE CHILDREN. Price 3d. Tenth Edition.
- 8. SCHEELE's CHEMICAL ESSAYS, translated from the Swedish, by F. S-r, M.D.
- 9. LETTERS and PAPERS Supplementary to two Publications on ASTHMA, CONSUMPTION, and other difeases. Price 1s.

Speedily will be published,

Part II. of the GUIDE for SELF-PRESERVATION and PARENTAL AFFECTION.

Alfo,

The ELEMENTS of MEDICINE of the celebrated John Brown, M. D. with an Account of his Life, and Reflections on his System.

At Mr. CHIPPENDALE'S, Salisbury Court, Fleetstreet, London, Mr. WATT'S Air apparatus may be seen.

It is left to the reader to put and after ulcers p. 123, l. 1. to alter varnished to vanished, formentation to fomentation, and to correct a few other, principally literal, errors. In Sect. XVI, it might have been remarked, that hydrogene will be generated as well as hydrocarbonate, when the fire tubes are new. This may be known by filling a phial with the air produced, and burning it. If it takes fire at once, hydrogene is present. To fill the phial with air, invert it full of water into a bason of water, introduce some of your air into a wet bladder, and pass it through a tube, bent like an S, into the phial.

PART II.

DESCRIPTION

OF A

PNEUMATIC APPARATUS,

WITH

DIRECTIONS

FOR PROCURING

THE FACTITIOUS AIRS.

By JAMES WATT, ENGINEER.

MR. WATT's advertisement to an edition of his Description, published separately.

SINCE the first publication of this Description, experience has suggested some improvements in the mode of constructing and of using the Apparatus, which in the present state of Pneumatic Medicine, it would be improper to delay communicating to the Public. Every hint, however trifling in itself, now attention is awake, may lead to useful discoveries.

The Author has also availed himself of this opportunity to methodize and elucidate his description in a manner which the former hasty publication would not admit of. One of the original plates has been rejected, and another representing the improved use of the Fire-Tubes, has been inserted in its place. Conceiving the Apparatus may fall into the hands of persons who have not been accustomed to chemical

chemical experiments, clearness has been aimed at, even at the hazard of prolixity. Though the Author wishes to shun the imputation of neologism, yet to avoid circumlocutions, he has found himself obliged to form some new words, such as the Martial, Zincic, and Carbonic Inflammable Airs, which latter he has also called Hydro Carbonate.—

He has indifferently made use of the terms of the old and new Chemical Nomenclature, wishing merely to be understood, and not intending to enter into discussions upon theories in a treatise, the objects of which are facts.

The purchasers of the first edition, it is hoped, will not deem any apology necessary. It contained all the Author then thought worthy the notice of the Public, as this contains all he now deems essential to the right use of the Apparatus, which probably from the progressive advancement of Pneumatic Chemistry, will soon receive great additions.

Men having considered the subject, the Author ventured to give his opinion in some letters to Dr. Beddoes, on the airs which he thought the most likely to be of use in diseases of the lungs, and he esteemed it a duty to relate the few physiological observations he had made in the course of his chemical experiments to produce the airs; but he now thinks it would be improper to swell his pamphlet by a republication of those letters, as the subject is taken up by persons who are better able to judge in such matters. For what has yet been done in the application of the air to medicinal purposes, the Reader is referred to the publications of Dr. Beddoes and Dr. Ewart upon this subject.

Several of the apparatus are now in the hands of able practitioners, and the public at large is apprized of the importance of the practice, and will no doubt give it a fair trial. It is honourable to the present improved state of science, and it is honourable to the faculty in particular, that the application of Pneumatic Chemistry to medicine far from meeting with that persecution which has generally in every age followed new opinions, has obtained the well wishes and liberal support even of those who have doubts of its efficacy, but who are no less desirous of having those doubts cleared up by actual experiment.

HEATHFIELD, Jan. 1795.

DESCRIPTION

OF A

PNEUMATIC APPARATUS.

I HE apparatus may, for the facility of description, be divided into four parts, the uses of which are effentially different. First, an ALEMBIC or Pot, A, see plate 1, fig. 1, or in lieu of it, a FIRE-TUBE, a, (fee plate 1, fig. 3, and plate 3, fig. 1, 2, and 3) intended to contain the material or fubflance to be exposed to the action of the heat, with a Water-pipe D C, adjusted to its capital, for the purpose of admitting water to affift the generation or expulsion of the factitious air. Secondly, A REFRI-GERATORY G (plate 1, fig. 1) ferving to cool and wash the airs, which are conveyed thither by the Conductingpipe F, connected with the Capital of the Alembic or Fire-tube. Thirdly, an HYDRAULIC BELLOWS H I, to receive and measure the air as it comes cooled from the Refrigeratory through the Communicating-pipe P .---And, fourthly, AN AIR-HOLDER Y, plate 3, fig. 1 and 2, into which the Hydraulic Bellows discharge the factitious air by means of the Transfer-pipe g, and in which it is afterwards preferved, and may be removed from one place to another.

In lieu of this latter vessel, in cases where the patient is at hand, the air may be immediately transferred from the Hydraulic Bellows through the Discharging-pipe Q, into oiled silk or linen bags, or such other vessels as shall be thought convenient for mixing it with the proper por-

tion of common air, and also for the patient to inhale

1. The ALEMBIC and FIRE-TUBE. The Alembic A. fee plate 2, fig. 4. is made of foft cast iron, about half an inch in thickness, and six inches in diameter in its widest part or bilge. It has a Capital B, of the fame metal, the lower part of which is made conical and ground into its mouth, fo that the joint may be made tight with a small quantity of cement. Through the middle of the upper part of the Capital passes the Water-pipe DC, which reaches to within a small distance of the bottom of the Alembic; at the top of it is a cup D, to contain water, in the centre of which a wire E, is placed, extending within the Water-pipe to C, where it terminates in an acute cone, accurately fitted to the lower opening of the Pipe as shewn in place 2, fig. 5. The upper end of this wire has a button affixed to it to turn by hand, and the part immediately under it is formed into a fcrew, which works in a bridge fixed across the cup, so that by turning the fcrew, you may either raile or depress the wire, and thereby regulate the quantity of water to be admitted, or entirely exclude it. The joints of the Water-pipe at C, and at the top of the Capital are made conical for the greater facility of rendering them tight, by anointing them with a fmall quantity of the china clay or other lute hereafter described; which is likewise to be applied to the joint where the Conducting-pipe F, enters the fide branch of the Capital.

The Alembic above described, may be used for producing any of the artificial airs, and seems the best vessel for making that from Zinc. At the time this description was first published, it was thought that it would have A a proved

proved the most convenient for all purposes, but experience has since shewn the contrary.

The Fire-tube, fuch as represented in plate 1, fig. 3, when of equal contents with the Alembic, exposes a greater surface to the action of the fire, and exposes the substances contained in it better to the operation of the steam produced from the water, and thus yields the airs more readily and with less waste of suel. It is therefore presented for preparing air from chargoal, from turnings, chalk, &c. and answers very well for the Oxygene air from Manganese.

The main tube a, plate 3, fig. 1, 2, and 3, is of cast iron, open at both ends; a kneed pipe, called an End piece, b, is afterwards sitted to one extremity, and receives into its perpendicular part a water pipe, such as that described for the Alembic. To the opposite extremity of the tube, another similar end-piece, c, is sitted, the side branch of which is placed horizontally to receive the Conducting-pipe F, which conveys the air to the restrigeratory. The joints are made conical, ground into one another, and made tight with lute in the same manner as those of the Alembic.

The cast iron of which the Alembics and Fire-tubes, with their Capitals and End-pieces are made, is certainly liable to some objections; but it has been preferred as being the only substance, yet tried, which can bear the vicissitudes of heating and cooling, and the application of water, when red hot, without much injury, and the only metal, not too costly, the sumes or abrasions of which produced by the action of the water and airs might not have deleterious effects. For this latter reason no copper is employed in any part of the apparatus.

The

The Conducting-pipe F, which conveys the air from the Alembic or Fire-tube to the Refrigeratory, is made of forged-iron, about 11 inch in diameter, tapering to the ends to fit better. The length is from three to fix feet, as fuits the conveniency of the operator. To afcertain the nature of the air, a fmall hole, stopped with an iron plug, is made near the refrigeratory end; by taking out the plug, and holding a lighted candle to the hole, you may in some degree determine when any particular kind of air begins to come over. It would make the apparatus still more perfect, if a bent tube were fitted to the Conducting-pipe near this place, and the air was received according to Dr. Priestley's method, in jars through water; but care must be taken that the pillar of water through which the air passes, be not greater than that in the Refrigeratory. The quality of the air might then be more accurately determined by the usual tests.

2. The REFRIGERATORY. This veffel is made in three different ways, according to the nature of the airs to be cooled by it.

The Circulating Refrigeratory G, plate 1, fig. 1, is used for airs which require washing as well as cooling, to make them deposit any extraneous matters which they would otherwise carry over with them. It consists of two parts, as shewn in the plans and sections, plate 2, fig. 2 and 3, the upper part is represented in the inverted position in which it is to be placed within the other. In fig. 2, the outer vessel G is represented, surnished at one side with a funnel and pipe R, for conveying cold water to the bottom; on the opposite side are two circular apertures, with short pipes and corks sitted to them;

the upper serves to let off the heated water, and the lower to empty the veffel. Fig. 3, is a plan and fection of the inner veffel S; it is open at bottom, but its cover is convex, and has a spiral channel winding along the underside, which being likewise open below, the air coming from the Alembic or Fire-tube by the pipe N, at the circumference, passes through the whole of it in constant contact with the water of the Refrigeratory, until it arrives at the pipe O, fixed near the centre, which delivers it to the Hydraulic Bellows, by means of the Communicating-pipe P. In this long circuit it is both cooled, and in a confiderable degree washed and freed from any matters from which water has an attraction. In the centre of the inner or spiral vessel, is a short pipe open at both ends, reaching to the lower edge of the plates that form the spiral, and intended to serve as a passage for the hot water to rife through by its leffer specific gravity, when cold water is introduced below by means of the funnel R, and also for the stem of the Agitator to work The hot water is then fuffered to run off through the upper pipe of the outer vessel, and thus by a frequent renewal, the water in the Refrigeratory is kept both cool and unfaturated. A notch is made in the inner vessel at T, to receive the pipe R, and prevent its impeding the rim of that veffel from resting upon the bottom of the other; in which position, when in use, it is to be kept fleady by laying lead weights upon it.

When it is wanted to free the airs more perfectly from any acid taint, the Agitator or Stirrer is to be employed. This instrument is made of wood, in form of an inverted T, with a small winch to turn it by at the upper end of the axis or stem. The lower end of the axis or stem sits into a small cup at the bottom of the Refrigeratory,

and the other passes through the short pipe in the centre of the inner vessel, and turns in a socket assixed to the pipe O. The agitator being gently turned round by the winch, puts the whole water in motion; thus continually exposing fresh surfaces to the air in its passage to the bellows, and when the water is mixed with the powder of quick lime it serves to keep it suspended.

Tin plates japanned have been found to be the best

The Close Refrigeratory may be used for airs which are liable to be absorbed by the contact of water, such as fixed or carbonic acid air. It confifts of a cylindrical veffel, with a close diaphragm fixed a few inches from its bottom, as reprefented at X, plate 3, fig. 1 and 2. The conducting-pipe from the alembic opens into the fpace below the diaphragm, where the steam it brings with it is condenfed, and the air cooled by means of cold water poured into the upper part of the veffel upon the diaphragm, which is to be renewed as it warms, by letting off the heated water through a pipe h made for that purpose, and pouring on fresh. By this means the air is compleatly cooled, without coming in contact with the water, and is afterwards conveyed to the hydraulic bellows through the communicating pipe P. An aperture with a short pipe i is left in the lower or close part of the veffel, to let off the condensed steam, and infpect the quality of the air, if at any time need be.

Should however the circulating refrigeratory be preferred for the fake of washing the air, and freeing it from some of the calcareous earth, or other extraneous matter it brings over with it, the loss of air by the ab-

forption

forption of the water will not be very confiderable, for the water foon becomes faturated, and as it grows warm yields back great part of the air in a purer form.

The Pipe Refrigeratory is the most simple of all, but can only be used when the air produced brings no aqueous vapours over with it, and requires no washing. Its use is therefore confined to the cooling of dry airs, such as that produced from charcoal burning in the open air. It consists of a plain pipe n passing longitudinally through a trough m filled with water, such as that delineated plate 3, sig. 5, and connecting the hydraulic bellows immediately with the surnace or pot l, in which the charcoal is burning.

By connecting this pipe with any close veffel, to collect the condensed water, it may be made to answer all the purposes of the close refrigeratory.

of this veffel is given in H J, plate 1, fig. 1, and pl. 2, fig. 1, and an infide view in plate 2, fig. 1. It confifts of an outer or fixed veffel H, and an inner or moveable veffel J, which moves eafily up and down within the other, and is suspended by a cord passing over two pullies K K, and sustaining a counterpose L. To avoid the incumbrance of a great weight of water, the outer veffel H is made double, so that only an interstice of about half an inch is left between its two cylinders for the veffel J to move up and down in, and this must be filled with water as high as the pricked line in plate 2, fig. 1. The cup or rim W is to prevent the water from overslowing when the inner vessel is pressed forcibly down. The sactitious air enters from the refrigeratory

by

by the communicating pipe P, and passes along the perpendicular pipe V into the cavity of the vessel J, which continues rising until it is full, when the framing M will permit it to go no higher. The air is then expelled into the air-holder or bag, through the discharging-pipe Q, by lifting up the counterpoise L, and allowing the inner vessel to descend by its own weight.

This vessel is also made of tin plate japanned. Some slight variations have been made in the execution of those for sale since the two first plates were engraved, but none of sufficient importance to merit particular mention.

4. The AIR-HOLDER. The structure of this vessels is shewn at Y, plate 3, fig. 1 and 2. It is made of tinderly plate, japanned both inside and outside, and is close at both ends; but for the conveniency of japanning the inside, it is made in two halves, which are joined together in the middle of the vessel, by a cement composed of bee's-wax and one fourth of its weight of rosin, applied hot. By warming the joint before a fire, the vessel may at any time be taken as a funder, and cleaned. Two short pipes, U and Z, proceed from the side of the vessel, near its top and bottom, and another pipe, t, passes through the middle of the top or cover, to which it is well soldered, and reaches to within half an inch of the bottom.

When the lower pipe Z is corked, the upper one U remaining open, the vessel may be filled with water through the central pipe t, to which, for the conveniency of pouring, a funnel k is fitted; by withdrawing the cork of the pipe Z, the water may again be discharged, the external air which enters through the pipe U supplying

fupplying its place. So that if when it is filled with water, a short pipe g, called the Transser-pipe, be inserted and comented into the upper pipe U of the air-holder, and into the discharging-pipe Q of the hydraulic-bellows, and if the lower pipe Z of the air-holder be then opened, and the inner cylinder of the bellows be allowed to descend, by lifting the counterpoise, it is obvious that the factitious air contained in it will be transserred into the air-holder. The pipes Z and t are to be well corked as soon as the air holder is filled, but there should always be lest an inch of water at the bottom of it, to impede still more all communication with the external air; as soon as it is disjointed from the rest of the apparatus, the pipe U should likewise be carefully corked.

Corks are preferred to cocks for shutting these openings, both because when good, and well sitted, they are perfectly air-tight, and because common cocks are made of a metal, the rust of which is very poisonous, being a composition of copper, lead, tin, arsenic, and antimony, or whatever other metals the ores may happen to contain.

OILED SILK BAGS, as it has been already mentioned, are convenient for removing factitious air from one room to another, and for the patient to inhale from. They may be made in the form of a common fack, tapering at one end like a bottle, and having a conical wooden faucet fixed in the mouth, with the smaller end outwards, into which a spiggot is to be inserted.

To free oiled filk from its disagreeable smell, cut it into pieces of the size wanted for the bags, and provide a smooth table somewhat larger than the pieces of silk and a slat board the same size as the table. Take char-

coal fresh burnt in an open fire until it is tree from smoke, extinguish it by shutting it up in a clean close vessel, and reduce it to powder. Sift this powder over the table to the thickness of a quarter of an inch or more, fpread a piece of your filk upon it, and fift upon that again another layer of your charcoal duft, and thus proceed alternating the layers of filk and charcoal, until the whole of your filk is deposited; then lay your moveable board upon the top of all, and leave the whole undifturbed for four or five days. If upon removing the charcoal dust, the filk has not lost its smell entirely, repeat the process. The charcoal dust is to be swept off the filk, and the filk to be washed upon a table with a wet fponge until it is clean. The bags must then be carefully fewed up, and the feams anointed with japanners' gold fize, taking care to ule that kind which does not become brittle when dry. This is used in preference to drying oil, because it has not so bad a smell. Green oiled filk should be avoided, as it is stained by means of verdigris, which rots it; the yellowish filk is the best.

Dr. Beddoes fays he observed the thicker oiled silk to answer better than the thinner kind; that probably oiled linen will be found to answer; that the bags, when out of use, should be hung up by a string tied to the faucet, and that they should be as little creased as possible. To this it may be added, that the best way of emptying them of all the air they contain, is to lay them slat upon a table, and to pass the hand, or a round paper ruler, gently over them.

It is necessary to observe here, that although oiled silk be the best substance known for making the bags of, it is very imperfectly air-tight; and although charcoal dust deprives it of smell for the time, yet as it can only attract the odoriferous particles from the surface, it reacquires some smell by keeping, but by no means equal to what it had at first.—The desideratum is some thin slexible substance, whose pores can be more perfectly closed than those of silk, and a varnish without smell, or some kind of light bellows, not of the hydraulic kind.

FURNACE. Many persons to whom this apparatus will be useful, being unprovided with a convenient surnace, I have endeavoured to make one of such a confiruction as to adapt it to the uses both of the alembic and fire-tube, which has necessitated some slight variations from the one represented plate 1, fig. 1, but which are all shewn in plate 3, fig. 1, 2, 3.

The ash-pit and surnace are both made of one piece, of a cylindrical form. The surnace part is lined with fire bricks, is 14 inches diameter within, and 18 inches over all; the depth to the grate is 11 inches, and that of the ash-pit about 7. Two circular holes, of $4\frac{1}{2}$ inches diameter, are made in two opposite sides of the surnace to admit the fire-tube, which when the alembic is used are to be stopped with plugs of fire clay. Two cast iron rings, r, are sent with the fire-tubes, which when they are used sit upon the ends, and serve to shut up the circular holes of the surnace as accurately as can be done. The covers drawn in plate 1 are not found to be necessary.

A fmaller furnace has likewise been made for a smaller apparatus, 9 inches diameter within the brick lining, and 9 inches deep to the grate. The fire-tubes for this are only 3 inches diameter without.

Those

Those who wish occasionally to convert these furnaces into distilling furnaces, may have a fire-door d fitted to one of the side holes, a chimney-pipe p to the other, and a cast iron pot for containing sand, adapted to the mouth of the surnace; see plate 3, sig. 4; but none of these are necessary for the particular application of it to this apparatus.

Both furnaces have a door f to shut up the ash-pit, and at one side a sliding damper s, to regulate the quantity of air admitted, for when the coaks are good, and the grate clear from ashes, the fire might become too strong if the fire door were to be lest open. No chimney is used in the operations for producing airs, because a sufficient and a better regulated heat is produced without one; a slat plate, however, is useful to cover the surnace when the operation is over, which when the door of the ash-pit and the air-hole are shut, will soon extinguish the sire.

DIMENSIONS of the APPARATUS. The apparatus is made of two fizes. The hydraulic bellows of the larger, is 12 inches diameter, and the moveable vessel J rises about 15 inches, so that each inch in height contains 113 cubic inches, and the whole bellows 1695 cubic inches, or rather less than a cubic foot. The bellows of the smaller apparatus are about one third of the contents of the larger, being 8½ inches diameter, and rising 13 inches, so that each inch in height contains 57 cubic inches, and the whole of the bellows consequently 570, or about one third of a cubic foot.

The Air-holders are also made of two sizes, the larger containing a cubic foot, and the smaller half a cubic foot;

nient for carriage when filled with air, and capable of being lifted by one person when full of water, which would not be the case if the contents were more than a cubic foot. The small air-holders will, on account of their reduced contents, be chiefly useful for conveying Fixed air, which should be sent out in such quantities only as are likely to be used at once. For if water be poured into an air holder to expel part of the fixed air, and the air-holder be afterwards corked up and laid by, great part of the remaining air will be absorbed by the water.

The large Fire-tubes are three inches in diameter within, and have 14 inches in length exposed to the action of the fire; the Alembic, when filled to the neck or cylindrical part, is about equal to them in its contents. The small fire-tubes are 2½ inches diameter within, and have 9 inches exposed to the action of the fire, consequently the contents of the larger tubes is to that of the smaller as 54 to 126, but the quantities of air which will be produced from them respectively, will not follow that ratio, because the heat will be more readily communicated to the centre of the matter contained in the small tubes, than it will to that of the large ones. Their respective actual performances have not been compared.

The larger apparatus is particularly useful where confiderable quantities of air are required, especially for carbonic acid air from chalk or marble, or oxygene air from manganese, where it is of some consequence to be able to operate upon a large quantity of materials at once. For the use of private individuals, or for experiments, the smaller apparatus will be found large enough; but if any quantity of air is wanted to be produced, and the operator is not too much confined for room, it will be adviseable to combine the larger bellows and refrigeratory with the smaller surnace, to avoid the trouble of too frequently emptying the bellows, and to enable the operator to retain a reserve of air within them.

Stools. Before attempting to use the apparatus, stools should be provided for the different parts to stand upon. They are best made with round tops, and for the large apparatus should be 16 inches diameter, and about $1\frac{1}{2}$ inch thick, of elm or oak board, with three plain feet.—The following heights are taken from the stools to the ground:

Stool for the Refrigeratory - 18 inches.

Ditto Hydraulic bellows - 24

Ditto Air-holder, allowing an inch for the thickness of the tub it stands in \ 8\frac{1}{2}

When the fire-tubes are used, the same stools as above will serve, only an additional one of $14\frac{1}{2}$ inches high, must be provided to place the surnace upon. This may be made of iron, but the heat is not there sufficient to burn it, even if of wood.

The fmall apparatus is adapted folely to the use of fire-tubes, and the following stools of one foot diameter will be necessary in using it:

Stool for the Furnace to stand upon 12 inches high.

Ditto for Refrigeratory - 17 ditto

B

Ditto

These stools are required to be so high on account of the air-holder, which would not otherwise have room to empty its water into a moderate sized tub. The elevation of the apparatus will be sound a convenience to the operator.

If the smaller furnace be adapted to the larger apparatus, the heights of the stools will be as above, excepting that of the refrigeratory, which must be reduced to 16 inches; but in that case the stools of course must be of the diameter mentioned for the larger apparatus.

A stool that can be raised and depressed at pleasure, will be found convenient for placing the apparatus upon that is intended to receive air under water. See page 7.

GENERAL DIRECTIONS

FOR

THE USE OF THE APPARATUS.

man Docum

AS it has been already mentioned that the fire-tubes are more convenient for general purposes than the alembics, it may be proper to describe their use first.

FIRE TUBES. Thrust the plug fent with the apparatus into one end of the tube, and holding it perpendicularly resting upon that end, put into it what quantity you pleafe of the material to be acted upon, taking care that the whole lie within the wide part. Lay the tube upon its fide, take out the plug, anoint the end piece, which corresponds to the conducting-pipe, with the Fire-lute hereafter described, and (having first put one of the cast iron rings upon that end of the tube) infertit into the tube, turn it round a little, pressing it in at the same time, and then give it agentle blow with a piece of wood, to force out the superfluous lute. Pass the fire-tube through the two holes made in the furnace to receive it, and put the remaining iron ring upon the other end of it, fo as to fill the hole on that fide. Anoint the conical end of the conducting-pipe with lute, and thrust it into the end piece above-mentioned, letting it incline about an inch towards the refrigeratory, into the receiving-pipe N of which the other end must be inserted, being previously anointed with the Cold Lute hereafter described. Join the pipe O of the refrigeratory with the communicating pipe P of the hydraulic bellows, using the above lute for the joints. These being adjusted, anoint the other

end piece of the fire-tube with fire-lute, and fix it in its place, so that the water-pipe C D may be perpendicular. Lute also the joint of the water-pipe, and fix it in its place. Fill the cup D with water, having first screwed down the wire E, that no water, can pass into the fire tube.

As water is not absolutely essential for the production of oxygene from manganese, you may in that process insert the iron plug, properly anointed with fire lute, into the tube, in lieu of the end piece above-mentioned.

You may now proceed to light the fire*.—Lay the lead weights upon the inner vessel of the refrigeratory, and fill it with water, as also the outer vessel of the hydraulic bellows up to the dotted line shewn in plate 2, fig. 1, but no higher, otherwise the water will run down the perpendicular pipe V. Press down the inner vessel J of the bellows to empty it of air, cork the discharging-pipe Q, and hang on the balance weight L +.

As foon as the lute of the joints which are exposed to the action of the fire is dry and hot, apply to them some of the Fat-lute hereafter described, and to prevent its running off, strew some dry slacked lime over them. This fat-lute will prevent the joints from cracking, but care must be taken that none of it get into the inside of the fire-tube, as it would give a bad smell to the air.

* The directions here given are for the Circulating Refrigeratory, as being most commonly used; those for the Close Refrigeratory will be found under the article Fixed Air; and those for the Pipe Refrigeratory under Phlogisticated Air.

[†] The Air-holder may either be fixed on now, or hereafter, as deficibed page 22.

In cases where water is necessary for the production of the factitious air, as foon as the fire-tube is become red hot, unscrew the wire E, so as to admit a little water into The air will immediately pass through the conducting-pipe to the refrigeratory, and gliding along its spiral in contact with the water, will arrive at the bellows through the pipe P, washed and cooled. It is best to admit no more water into the fire-tube than enters, into the composition of the airs, or is necessary for their expulfion, as you will thus obtain them apparently more condenfed and powerful than when a fuperfluous quantity of water is admitted. The latter circumstance may be known by the pipe at N becoming too hot for the finger to bear, mived, toblod-je ent to U suin re-

Care should be taken to renew the water from time to time in the refrigeratory, and to keep the agitator constantly in a gentle motion if the production of the air is quick, but in cases where the production of air is not very rapid, it will be fufficiently washed and cooled without using the agitator. In processes where you wish the fixed air to be absorbed that may accompany the other factitious airs, it will be found necessary to fill the refrigeratory with lime water, or still better, to add powdered quicklime to the water contained in it. The inner veffel J of the hydraulic bellows will rife gradually as the factitious air enters, but when it is full, or nearly fo, it is proper to transfer the air into the air-holder, which for that purpose must be placed upon a small stool in a shallow tub, and filled with water through the central pipe, in the manner already directed. Connect the air-holder to the bellows by means of the transfer pipe g, and lute the joints. Then take out the cork from the lower pipe Z, and the counterpoise of the bellows being lifted up. the factitious air will pass into the air-holder, and the water be emptied into the tub. The issuing of the water may be rendered slower at pleasure, by holding the end of the cork against the opening of Z, which should be re-corked as soon as the air-holder is full, or the bellows completely emptied of air. The air-holder is then to be removed, and all the pipes to be well corked.

It should be kept in a cool place until the air is wanted, which may be transferred into one of the oiled bags, as follows :- Fix the Faucet, or mouth piece of the bag. lapped round with fome wet linen rag, tied with a thread, into the inner pipe U of the air-holder, having previously fqueezed out all the common air out of the bag, in the manner directed page 13. If you want a quart, gallon, or other measure of factitious air, pour that quantity of water into the air-holder, by means of the funnel k, through the central pipe (which reaching within half an inch of the bottom, precludes the air from escaping, and exactly that measure of the inclosed air will issue out into the bag.* Then recork your air-holder, if not exhausted of air. apply at the same time your thumb on the outside of the bag, and preffing it against the inner orifice of the faucet, to prevent the exit of the air until you can infert the fpiggot, which should be previously wetted.

The quantity of atmospheric air wanted to be mixed with the factitious air, should be thrown into these bags

^{*} It has been already remarked, that the factitious air may be transferred immediately from the hydraulic bellows into the bags, by inferting the faucet, lapped round with a linen rag, into the discharging pipe Q, and suffering the inner vessel of the bellows to descend, until as much air as is required enters the bag, which you may know by marking the quantity of the descent of the bellows.

by a pair of common bellows, the nozzle of which will admit the faucet of the bag, or by an hydraulie bellows appropriated to that purpose, and not by that which receives and measures the factitious airs, which will in general be otherwise employed. The smaller sized bellows will be found sufficiently large for this purpose. When both the airs are included in the bag, it should be repeatedly turned up and down, in order that they may be perfectly mixed.

Some gentlemen prefer an hydraulic bellows made to hold three or four cubic feet of air, to the bags for breathing out of; but fuch an apparatus cannot fail of being cumbersome in many cases, and in all will be troublesome to remove, especially when filled with air,

Should the factitious air contained in the air-holder, require to be more thoroughly freed from fixed air or acid fumes, than has been done before; it may be effected by putting fome dry flacked lime down the central pipe, pouring a fmall quantity of water upon it, and agitating the veffel brifkly; but so much atmospheric air will enter on uncorking the pipe as there was fixed air absorbed.

AIR MAGAZINE, Some persons may wish to preserve in readiness larger quantities of air than can conveniently be kept in air-holders. The most readily constructed vessel to answer this purpose, would be a common cask or hogshead, open below, and suspended over
another larger cask, filled with water, by a cord going over
pullies, and a counterposse, in the same manner as the
hydraulic bellows. The air might be admitted and taken out by means of a slexible pipe and a cock attached
to and communicating with the upper end of the suspended cask; the latter vessel being rendered air-tight,

by fhaving it smooth both inside and out, and filling up its pores with bees wax, applied when the cask has been made very hot by a fire of straw or shavings. The wax should continue to be applied until the pores will receive no more, and then the superfluity be wiped off. Oiled paint would give a poisonous impregnation to the water, and a mixture of rosin gives a bad smell.

For inflammable and dephlogisticated airs, the water over which they are kept may be impregnated with lime, which will prevent the putrefaction of the water, and will also ferve to absorb the fixed air. Fixed air itself cannot long be preserved in this way, even when there is no lime in the water. Something of the same nature with the air-holder, seems most proper for this air, as the small quantity of water included with the air, would soon be saturated; and for the same reason, the air-holder applied to this use, should not be large, otherwise the water employed to expel part of the air, might absorb the remainder.

ALEMBIC, or FIRE-POT. When you have put into this vessel the proper quantity of materials to produce the factitious air, force a piece of iron down through them to make way for the water-pipe, then lute the joint of the capital B, and fix it in its place. Lute and put in the lower part of the water-pipe C; set the pot on its pedestal in the middle of the furnace, and connect together the remaining parts of the apparatus, as has been described when the fire-tubes are used.

In letting in the water and regulating the whole of the apparatus, proceed exactly in the manner related above.

LUTES, or CEMENTS. Fire-lute. To join together the joints exposed to the action of the fire, viz. the end pieces and water-pipe with the fire-tube, the capital with the alembic and the conducting-pipe to either of them, the proper lute is the Cornish porcelaine clay, or slacked and finely fifted lime, mixed to the thickness of paint, with a solution of two ounces of borax in a pint of hot water.

Cold lute. For the other joints, a paste of dough made of about equal parts of wheat flour and porcelaine clay, or common whiting, which, for greater security, may when the joint is luted, be wrapped round with a rag. A slip of oiled silk does very well without any lute.

Fat lute. Is made of finely fifted flacked lime and drying linfeed oil, wrought into a pretty stiff paste, and applied to the hot joints with a small trowel.

Fuel. The proper fuel is good coaks or cinders of pit coal, which ought not to be of the heavy fort, nor too small, as in either case you would have a dull fire. The charcoal of wood would answer very well, but it is expensive, and the consumption would be considerable. A fire of pit-coal not coaked, is irregular and unmanageable. Care must be taken to have your coaks well dried; and the first time you use the surnace, you will, do well before you operate, to warm and dry it with a fire of coaks, to chase off any moisture the bricks may have imbibed, otherwise your fire will be long in lighting.

GENERAL CAUTIONS.

EACH time before you use the apparatus, it should be washed with cold water, to free it from any effluvia it may retain from the last operation. The same fire-tube or pot ought not to be used for producing different airs; and for this reason, it will be proper to keep one appropriated to the making of each. Indeed, should ever an establishment be formed for making large quantities of the different kinds of air, it will be certainly adviseable to have an entire apparatus appropriated to the making of each kind.

No bituminous or oily substances should be put into the pots or tubes, for the making of inflammable airs, or any other purpose. Nor should any substance likely to yield any of the mineral acids, be used in the apparatus, as the sumes would destroy both the conducting-pipe and the refrigeratory. The same objections lie against the volatile alkali, and to putting any alkali into the water of the refrigeratory; but as far as has been observed. lime-water does not hurt the varnish.

The process for obtaining the inflammable airs, should not be conducted by candle-light, otherwise the approach of the candle to the stream of air may occasion dangerous explosions. For the same reason, when any patient is inhaling this air by candle-light, the candle should be kept as distant as possible.

In all cases, wherein the powdery matter which the air brings over in the form of smoke, is not intended to be taken into the lungs, the air should be kept twelve hours at least before it is used, that it may make its deposit.

DIRECTIONS

DIRECTIONS

a continued efferveleener, which atherwise

I'de manganele to be nut into the fire-tube or pot.

PROCURING THE AIRS.

THE directions here given, are not intended to comprise all the methods of procuring each air, but merely those which have been found the cheapest and most easily practised. For the history of Factitious Airs, their chemical qualities, and the means of judging of their purity, the reader is referred to the last edition of Dr. Priestley's Experiments, in 3 vols. 8vo. to Lavoisier's Elements of Chemistry, and for a concise general view of the subject, to Nicholson's first principles of Chemistry.

I. DEPHLOGISTICATED, or OXYGENE AIR. This air is best obtained from manganese, by mere heat. The methods of obtaining it from nitre, from spirit of nitre, or from manganese, by means of vitriolic acid, are objectionable, because some acid always accompanies it in these cases, from which the air is difficultly freed, and this apparatus would suffer from corrosion, unless very troublesome means were employed to purify the air before it arrived at the refrigeratory.

Manganese, for this purpose, should be free from calcareous earth and noxious minerals. A very good kind is found near Exeter, which seems to possess these requisites. The presence of calcareous earth may at any time be detected, by pouring diluted nitrous acid upon the powdered manganese, for if it contain any, there will be a continued effervescence, which otherwise would not take place.

The manganese to be put into the fire-tube or pot, must be reduced to a coarse powder, all the joints must be properly prepared, and every part of the apparatus fixed in its place, as has been directed; the opening for the water-pipe is to be stopped with an iron plug, or with the water-pipe itself, having screwed down the wire so as to admit no water; but some water may be put into the cup by way of precaution, merely to prevent the escape of air, if the conical wire should not be tight. The fire is then to be lighted, and suffered to burn gently until the air begins to come, when it may be gradually augmented until the air ceases to be produced.

Water is not absolutely necessary in this process, for although it seems rather to accelerate the production of the air, it does not augment the quantity produced. It is therefore as well to make use of the iron plug to stop up one end of the fire-tube, instead of the end-piece and water-pipe as above directed.

A pound of the hard part of Exeter manganese, yields about 1400 cubic inches of air, highly dephlogisticated, and a very small portion of fixed air, which will be absorbed by the water in the refrigeratory. The soft or clayey part seems not to yield so much, but what it does yield is equally pure.

Some manganese yields its air at so low a heat, that it is necessary to have every joint tight, and all the apparatus ready before the fire is lighted. If the manganese happen to be wet, it will be a considerable time before any air comes over.

The fire-tube of the large furnace holds about 6lb. of manganese, which will yield about five cubic seet of air; those of the small surnace contain nearly 3lb. and yield about two and a half cubic seet of air.

Mendip manganese contains much calcareous earth, and consequently yields fixed air combined with phlogisticated or azotic air, both in the beginning and end of the process. A pound yields only about 500 or 600 cubic inches of impure dephlogisticated air, of which about one third part is absorbed by washing it with lime and water. To ascertain the point at which it begins to yield dephlogisticated air, take out the plug in the conducting-pipe, from time to time, and hold a lighted candle near the hole; from the brightness of the slame you will easily discover when the oxygene begins to come and when it ceases, and thus you may be able to keep it separate from other airs.

Objections have been started against the air from manganefe, the falubrity of which it is faid has not been constituted by experiment, and even if it should be found innocent when taken into the stomach, that as an earthy powder it may have bad effects upon the lungs. To this it is answered, that if the air stand a few hours, it will deposit the merely suspended earth, and what it retains will be in a state of solution in the air, and of too fine a texture to prove hurtful, as foft powders are found not to injure that organ. It is farther answered, that Dr. Beddoes and others have constantly given the air from manganese, without perceiving any bad effects attributable to that cause; and lastly, that no other means of obtaining this air equally unexceptionable, have yet been pointed out. For it feems undeniable, that the sumes of nitrous acid, or of the sulphuric, must prove

much

much more deleterious than the powder of manganese, and they seem almost inseparable from the airs obtained from nitrous and vitriolic salts.

II. PHLOGISTICATED, AZOTIC, or NITROGENE AIR. No process for producing this air unmixed with other airs, by means of mere heat, has yet been discovered, but it may be readily enough obtained mixed with fixed air.

Plate 3, fig. 5, represents a chafing dish, nine inches high and fix inches diameter, communicating through the medium of the pipe refrigeratory n m, with an hydraulic bellows at n. The chafing dish is to be compleatly filled, or rather heaped, with the charcoal of lome of the fofter woods, and in preference to that of the twigs or small branches, previously kindled and made red hot in a common chafing dish. The trough of the refrigeratory is to be filled with cold water, and the end n to be connected with the pipe P of the hydraulic bellows. These must be suffered to rise very slowly, say those of the larger apparatus in five or fix minutes. The air which has ferved to animate the fire, and has there been deprived of its oxygene, will pass through the side pipe of the chafing dish and the pipe of the refrigeratory into the bellows; and when the operation has been properly performed, it will be found to contain no uncombined oxygene air.

If the use to which this air is to be applied, requires it to be freed from the fixed air it contains, that may easily be effected, by agitating it in the air holder with a mixture of lime and water, or with a sufficient quantity of pure water. III. FIXED, or CARBONIC ACID AIR. Take as much good chalk as your fire-tube or pot will hold, break it into bits of about a quarter of an inch cube, and foak or boil it in a large quantity of water, to extract any faline matter it may contain. Put it into the fire-tube or pot, and prepare your apparatus, as has been already directed, making use of the close refrigeratory, as represented in plate 3, fig. 1; unless, for particular purposes, you wish to have your air washed, and do not value the loss of a small quantity; in which case you may make use of the circulating refrigeratory, as has been said before.

When your fire has burnt up, and your fire-tube or pot is become fully red-hot, admit water flowly by the water-pipe, and the fixed air will immediately iffue and pass to the bellows.

If you make use of the close refrigeratory, you must renew the cold water in the upper part from time to time, that the air below the diaphragm may be properly cooled, and any steam it brings over with it may be condensed.

Chalk is recommended in preference to marble, as it gives out its air at a lower heat.

The fire-tube of the smaller apparatus, when filled full, which it always should be, as otherwise the steam may pass over without acting upon it, will hold about 1½lb. of chalk, which will yield about four cubic feet of very strong fixed air, mixed with some inflammable air from the iron tube.

The fixed air thus obtained, carries with it some of the chalk in a state of suspension, which it will deposit by standing a few hours in the air-holder, or other convenient vessel.

IV. INFLAMMABLE, or HYDROGENE AIRS. First, Zincic Instantable Air. The purest, or at least the lightest fpecies of this air, is produced from zinc. The metal being broken or granulated, a few pounds of it is to be put into the alembic, and the apparatus being adjusted with the circulating refrigeratory, &c. as before directed, it is to be brought to a strong red heat and water to be admitted very slowly. It seems impossible to avoid the circumstance of a considerable quantity of steam accompanying the air, which renders it necessary to renew frequently the water in the refrigeratory.

This air carries with it a large quantity of the flowers of zinc in suspension, which it deposits by standing at rest; it probably also contains another quantity in a state of solution, which seems to form a part of its substance, and on which some of its virtues may depend.

If the air is wanted to be still more highly charged with the flowers of zinc, it would be proper to make use of the close refrigeratory.

When the fire-tubes are used in this process, part of the zinc sublimes in a metallic state, and is apt to choak the end pieces; the alembic is therefore recommended in preference, as being free from that inconvenience. Only a small quantity should be put in at a time, as the water could not force its way through any depth of the melted metal. As zinc does not produce very large quantities of inflammable air, and is more expensive than iron, Dr. Beddoes advises to put in only a few ounces of zinc, and to fill up the fire-tube with hammered iron turnings. The air produced in this way will probably carry with it both iron and zinc.

2. Martial Inflammable Air, or Hydrogene Gas from Iron, is the next in specific gravity to the inflammable air from zinc, and like it carries with it some of the metal from which it is formed. It has also more of an hepatic smell than the zincic air.

To produce it, the fire-tube or pot is to be filled with the turnings or chippings of hammered iron, which may be had from the whitesmiths. Cast iron turnings or borings give much more of the hepatic smell, and also contain more charcoal or carbone. Before the turnings are put into the fire-tube or pot, they should be heated red hot in a crucible, and quenched in water, to free them from oil, or other combustibles.

The apparatus is then to be adjusted as in the former cases; and when the fire-tube or pot is red hot, water is to be gradually admitted, which will readily extricate the air.

The fire-tubes of the small apparatus hold about two pounds of hammered iron turnings, which yield a large quantity of air.

When the turnings used for this purpose have not been exhausted, if they are plunged red hot into water, they

.

WILL

will throw off the scale or calcined iron, and when heated again, will present fresh surfaces, to the action of the water.

3. Heavy Inflammable Air, Carbonated Hydrogene, or Hydro Carbonate. Take charcoal made of the twigs of the foster woods, such as willow, poplar, hazle, birch, or sycamore, avoiding such as have resnous or astringent juices. Prepare the charcoal by heating it to full ignition in an open fire, and quenching it in clean water; or by filling a crucible with it, covering it with clean sand, and exposing it to a strong heat in an air surnace; and then suffering it to cool. In either of these cases it will be found free from any bituminous matter, which might contaminate the air, as generally happens with common charcoal.

The fire-tube or pot is to be heated red hot, and water admitted, as directed in the other cases. It has been obferved by Dr. Priestley, and confirmed by my experience, that where much water passes in the form of steam, there is also much fixed air formed; but less, or none, when the water is admitted so sparingly that no steam reaches the refrigeratory; and in the latter case it seemed to me that the air was more potent, that is, it was more subject to cause vertigo, &c.

This air having generally a difagreeable smell, an experiment was made with a view of producing it more free from that quality. Half an ounce of charcoal, finely powdered, was intimately mixed with half a pound of slaked, but caustic lime, quite dry. This mixture was put into the fire-tube, and without the addition of water, produced about a cubic foot of inflammable air, with

much less smell than usual, and in the opinion of my operator not so likely to cause vertige.

The production of the carbonic inflammable air by the addition of water is very rapid, as even the small fire-tubes will produce a cubic foot in five or six minutes. With the lime the production is slow.

4. Animal Inflammable Air is produced by putting any animal substance into the fire-tube or pot, and expelling the air by mere heat; wool, hair, and feathers, produce it in larger quantities than the mufcular part of animals. In all cases the air thus obtained is extremely fætid and deleterious, caufing vertigo and permanent naufea. It brings over large quantities of volatile alkali, which hurts or destroys the varnish of the apparatus. If it should be thought that it would prove ufeful in any difeases, it is probable that the air obtained from the charcoal of animal fubstances may be as falutary, and less nauseous, than that obtained from them in their fresh state. It is therefore proposed to reduce wool, feathers, or hair to charcoal, in a close vessel exposed to a strong heat; to put this charcoal into the fire-tube, and to obtain the air by the addition of water; by which process it is thought it will be obtained more free from the fœtor, and from the volatile alkali.

MISCELLANEOUS OBSERVATIONS.

-->-D-6--

IN every operation in which water is requifite to the production of the airs, the fire-tube should be filled compleatly with the bruised material, otherwise the steam would pass over the substance without acting upon it. This precaution also renders the production of the air more rapid and certain, and at the same time lessens the proportionate produce of inflammable air from the fire-tube, which, especially with a new tube, might otherwise form a considerable part of the whole.

A Coating for the infide of the fire-tubes, which would prevent the action of the steam, or other substances on the tube, is defirable, but none which compleatly answers that purpose has hitherto occurred. The best has been the lute of China clay and folution of borax. To apply this, the tube should be made as warm as the hands can bear, and one end being stopped up by the plug, the lute ready mixed up to the confiftency of cream, is to be poured into the tube. The other opening is then to be stopped, the tube agitated in all directions for a short time, and the lute, which does not adhere, fuddenly poured out; after which, the tube must be rolled upon a table until the heat has evaporated the water of the lute. It is probable that this lute might be improved by an addition of calcined flints ground to fine powder, fuch as are used in the Staffordshire potteries.

When the inflammable air is prepared by means of zinc, the pot should be coated in this manner, to prevent the zinc, or its calx, from adhering to the iron, which it would otherwise do, and be difficultly got off.

Earthen tubes or pots, which would be air-tight, and would fland repeated heating and cooling, would be a valuable acquisition; but considering every circumstance, this seems hardly practicable, as the crucible compositions which are best adapted to bear the heating and cooling, are too porous to contain the airs, and generally too tender to bear the sitting in of the end-pieces.

From fome circumstances it appeared probable, that the matter which communicated finell to the inflammable airs, might also be the cause of vertigo, and other disagreeable effects; it was therefore attempted to deprive them of fmell. A quart bottle was filled with fome very ill-fcented hydro carbonate, and an eight ounce vial, with a mixture of calcined charcoal-dust and water. The mouths of the two were luted together with a flrip of bladder, and inverted; the contents of the vial fell down into the bottle, where it was well agitated with the air, the apparatus was then reverfed, and the operation repeated more than once. On opening the bottle, it was found that the air had lost its bad fmell; its odour was not entirely gone, although what it retained was not unpleafant. However I foon found, by merely fmelling at the mouth of the bottle, that it had not lost its power of caufing vertigo. Conceiving these smells to be caused by fulphur in some of its forms, it was thought that a metallic calx might produce the same effects. The powder of calcined manganese was substituted for the charcoal in another experiment, and apparently produced a

still more powerful effect. The process with charcoal was attempted upon a larger quantity of air in the air-holder, but it was found that it required considerable quantities of charcoal-dust and of water, to produce the effect even in an imperfect manner. The experiment, however, seems worthy of repetition, as the smell with people of delicate nerves, will always be some obstacle to the free use of the airs.

In the mean time, it is recommended to try the following method in the extrication of inflammable air from charcoal and from iron. When you charge the tube, fill it half or three quarters full with clean washed and calcined sand, the kind called Calais sand seems the most proper, and upon this put the charcoal or iron to be operated upon, which will thus lie next to the water-pipe. The air produced must pass through the interstices of the red hot sand before it can arrive at the refrigeratory and it is expected will be considerably changed by thus coming into contact with so much hot surface. The experiment may be varied, by substituting caustic slacked lime, or clean pounded tobacco pipes, in lieu of the sand.

Whether the Hydro Carbonate thus obtained in a pureer or more inflammable state, would have the same virtues as a medicine, must be left to Physicians to determine; I fear it would not, as it would approach near to the nature of the metallic inflammable airs, which are not so powerful.

If the fire-tube is entirely filled with fand, and the vapour of spirits of wine, or of ether, from a small retort, are made to pass through it, inflammable airs will be produced of the nature of hydro carbonate, though specifically somewhat different.

REFERENCE

REFERENCE to the PLATES.

PLATE I. Fig. 1, Elevation of the Large Pneumatic Apparatus, with the Alembic. Fig. 2, Bird's Eye View of the Furnace, with its Covers. Fig. 3, Section of the Fire-tube and Furnace, according to the first Construction.


PLATE II. Fig. 1, Section of the inner and outer Veffels of the Hydraulic Bellows. Fig. 2, Section of the outer Vessel of the Circulating Refrigeratory. Fig. 3, Section and Plan of the inner Vessel of the Circulating Refrigeratory. Fig. 4, Section of the Alembic and Water-pipe. Fig. 5, Section or the upper Part of the Water-pipe, and View of the Conical Wire.

PLATE III. Fig. 1, Elevation of the Large Pneumatic Apparatus, with the improved Furnace Fire-tube, Close Refrigeratory, and Air-holder. Fig. 2, Plan of ditto. Fig. 3, Section of the Furnace and Fire-tube. Fig. 4, Section of the Small Furnace, with Sand Bath, Retort, and Chimney adapted for Distilling. Fig. 5, Section of the Pipe Refrigeratory.


ADVERTISEMENT.


LEAST the difficulty of constructing and procuring the apparatus should prove an obstacle to the extension of its use, BOULTON and WATT undertook to manufacture them. The difficulties of this new branch are so far overcome as to enable them to supply orders without delay. A list of the parts furnished by them, both of the larger and smaller apparatus, is subjoined, but they can only state the price by approximation, as the business is too new yet to enable them to determine the positive cost at which they shall be able to construct them in suture.

A PNEUMATIC APPARATUS, large Size, Comprehending Furnace, Fire-tube and End Pieces, Water-pipe, Conducting-pipe, Circulating Refrigeratory, and Hydraulic Bellows, fitted up as described in the preceding pages, will come to about 880 The AUXILIARY ARTICLES necessary to make the Apparatus quite complete, viz. two Fire-pots, two spare Fire-tubes, a large and a small Airholder, a Close Refrigeratory, a cast-iron Pan to fit the Furnace for a Sand-heat, &c. &c. will come to between 4l. and __ _ _ 5 0 0 A PNEUMATIC APPARATUS, fmall Size, comprehending Articles as above for the larger one, will come to about The AUXILIARY ARTICLES, no Fire-pots included, about N. B. IF the small furnace is combined with the large Bellows and Refrigeratories, which is recommended for private Practitioners, with all the extra Articles, it will come to between 10l. and 11 0 0

















Plate IV.









ate IV.

7.2.







MEDICINAL EFFECTS,

O F

FACTITIOUS AIRS;

AS OBSERVED OR FELT BY

JOHN ALDERSON, M. D.
Mr. BARR, Surgeon.
JOHN CARMICHAEL, M. D.
Sir W. CHAMBERS, K. P. S.
BOGTHBY CLOPTON, Efq.
Mr. JOHN DANBY.
ERASMUS DARWIN, M. D.
R. EDGEWORTH, Efq.
SAM. HILL, Efq.
G. LAMBERT, Efq.
RICH. PEARSON, M. D.
Mr. WATHEN PHIPPS, Surgeon.

RICH. REDFEARN, M.D.
Mr. ROLPH, Surgeon.
R. I. THORNTON, M. D.
Rev. J. TOWNSHEND.
Mr. WATT, Engineer.
Mr. G. YONGE, Surgeon.
And feveral others.
ALSO,
Mr. SANDFORD, on charcoal.
And Mr. CLAYFIELD, on a new
Mercurial Air-apparatus.

WITH TABLES AND PLATES.

Sold by J. JOHNSON, in St. Paul's Church-yard, and and H. PAGET, in Fleet-street,

--- D- c--

- 1. EXPERIMENTS and OPINIONS of a Philosopher of the last century, or an account of Dr. MAYOW's Discoveries. By Thomas Beddoes, M. D. Price 2s. 6d.
- 2. OBSERVATIONS on CALCULUS, CON-SUMPTION, FEVER, &c. by the same. Price 4s. in boards.
- 3. LETTER to Dr. DARWIN. Price 1s. from the fame.
- 4. CONSIDERATIONS on FACTITIOUS AIRS, by the same and Mr. WATT, 2d. Edition. Price 3s. 6d.—N. B. The present publication is a continuation of this work.
- of JOHN BROWN, M. D. by the same, prefixed to his ELEMENTS of MEDICINE, a new Edition. 2 vols. 8vo. Price 12s.
- 6. A GUIDE for SELF-PRESERVATION and PA-RENTAL AFFECTION by the fame. Price 3d.
- 7. Mr. GIMBERNAT on FEMORAL HERNIA, translated from the Spanish, with Queries respecting a safer method of performing Inoculation, and the treatment of certain Fevers, by the same. Price 28.6d.
- 8. OBSERVATIONS on DEMONSTRATIVE EVIDENCE, and on the nature of LANGUAGE, by the fame. Price 3s. 6d. in boards.

CONSIDERATIONS

ON THE

MEDICINAL USE

AND

PRODUCTION

OF

FACTITIOUS AIRS.

BY

THOMAS BEDDOES, M. D.

AND

JAMES WATT, Engineer.

PART III.

BRISTOL:

PRINTED BY BULGIN AND ROSSER;

For J. JOHNSON, in St. Paul's Church-Yard, London-

CONSIDERATIONS

242.00

TES LEMENT OF A TO

LENGTHOUSE

ATE I TO LET LET

E CHARLES BEREEF, MICHE

THE TANK STATE

THIS letter was not in my hands till those which follow it were printed. The sagacious writer, however, communicates matters so worthy of regard, that I am glad the post of honour, where it will have the fresh attention of the reader, should have fallen to its lot.

T. B.

Letter from Sir Jeremiah Morrison, Bart. M.D. to Dr. Daniel Lorimer Renshaw.

My long-esteemed Lorimer,

WHO so well as you can tell how often the soul of your octogenarian friend has been sore at the scandals of the times? ABSURDITY, I have frequently thought, set out on her travels soon after we started from College together (I to superior wealth and consideration perhaps, you to rural ease and a life of less contention) and she has nearly completed the round of medical erudition. I see, as I am apt to say, and I foresee. I see the degradation of our art, and I foresee its extinction. I remember the day when it had solidity—not without solemnity. I have lived till alas! I may repeat after the Poet

Summis longa dies.

All is now levity, doubt, distraction, chaos. Does not the Apothecary tread on the very heels of the Doctor; or rather does he not carry himself as hail-fellow-well met! Now if the dispenser turn prescriber, will not the prescriber, I pray you, be necessitated by and by to turn dispenser in his own defence? Where will the dignity of our faculty and function be then ?-But this is precifely what I predicted. You must recollect it-I am sure you must-It was when certain coxcombs, unworthy to be faluted by us as brethren, threw afide the cane, the peruke, and the other diftinguishing infignia of the profession. Well, what comes next? did I not anticipate that also? To a change of drefs fucceeds a change of deportment. The flippancy of folly introduces the familiar fashion of making the very patient a party to the prescription --- This they call openness, candour, but you and I have never dealt in any fuch openness. We have upheld the severity of a graver age. We never gave into this laxity of practice. Had Boerhaave himself given into it, should we ever, I pray, have numbered the crumb-of-bread pill, among that great man's happiest inventions?

Seeing into what confusion things have run, why should we be surprised if the licentiate comport himself as if he were on a par with the fellow? Why wonder, that we who have been matured in the regular discipline of episcopalian universities, should be held in scarce higher estimation than those who have but just had time to lick up a mouthful of the husks of science at some presbyterian seminary in the North?

In our early days, when the practitioner proposed to himself either to attenuate or resolve, or inviscate, or obtund; and when he had opened these his indications—not indiscreetly, no, nequid nimis— to the proper parties, was not as full reliance placed upon his insight, as if he had given them the cause of the disease to hold in the palm of the hand? Wherever he appeared, did he not inspire reverence? the friends—were they not all expectation; the attendants—all submission; the patient—all resignation? and he selt comfort even in resigning his breath; so decorously was the art exercised in its minutest particulars.!

But now—nor will you, my valued hippocratic friend, call me croaker---fuch has been the effect of candour, discussion, and the univerfal use of the vernacular idiom in medical writings, that I question whether acrimonies vellicating within, and peccant humours bursting their way out, will pass much longer, except with gentle-women about our own standing; though they once could give such universal satisfaction as to the cause of symptoms.

Partial friends-you among the rest-will fometimes perfuade me that my tracts are models of classic elegance, too good for a tasteless generation, and therefore not in fuch high request as they deserve. In point of years you are a little the younger man, and not a little in point of constitution; you may therefore live to fee an opportunity of bringing the faculty to a juster sense of things. Should you at such a moment (excuse the vanity of my suppofition) think it worth while to revive these my lucubrations; and should friendship induce you to prefix some memorials of the author, extracts from my correspondence on various occasions of alarm, ne quid ars detrimenti capiat, may, possibly, not be out of feafon. You will, I flatter myfelf, find fomething upon most painfworthy points. I will not, I need not, direct you, to those which I have most happily touched. But do not, I intreat you, omit my kind commendations of those SAGES who have fucceffively undertaken to shew that there is no sedative

sedative virtue in opium, no despumation in the small-pox, no erosive acrimony in pus, no putre-faction of the fluids in any disease, and no vires medicatrices naturæ in any constitution. Digreffively, I believe I may have thrown out some strictures upon those other modern teachers, to whom the world is indebted for the information that there is neither free-will in man, nor phlogiston in charcoal.

Sed hæc missa faciamus--let this business pass for the present.—Gravius instat—periculum shall I add? I should think the term too grave if I had not seen equally contemptible beginnings proceed to an issue, which it gives me a pang to recollect. You thought the difficulty of execution quite sufficient, and that we need not interfere to discountenance----But you now see the project, extravagant as it is, can hardly be classed among the dead-born. From what I hear—auribus invitis you may swear—even at the West end of the town, I am apt to apprehend sometimes that it is creeping on and gaining strength.

I do not argue—arguing on fuch a subject I consider as infra dignitatem. Neither do I descend to invective, though my indignation be indeed, at times, held in with difficulty. But did you know all, you would see that I can be strike.

strike a home-blow nevertheless. I will explain by an instance or two.

Some short time ago after dispatching the business on hand, and asking of the apothecary a few flight questions about what they call the yellow bark, I rose to go to my carriage. At the door of the room where we had been clofetted, I stopped, turned round my head, and looking fignificantly faid, " well, Mr. DRENCH, perhaps " you may deal with an additional species of " cortex; intrusions of this kind must be submit-"ted to; but have you contrived how you are "to put these new aerial remedies into saline "draughts?" I walked off without waiting for his answer, but the next time we met, he faid he had reported my question at his pharmaceutical club; and that it not only made the matter clear* to the understanding of the members, but created an hearty laugh into the bargain-You will, I am certain, prefer this mode of attaining the same end to that of -, the apothecary, who being told that one of his patients had been perfuaded to take the vital air, hurried to his house and indignantly demanded whether this was really his determination. " If " fo, fays he, "here is your bill, and if it be "not paid, I will arrest you to-morrow."--This

[&]quot;If Mr. Drench did not flatter his old friend the Baronet, the heads of the members could not be very clear, fince nothing hinders pharmaceutical gentlemen from dispensing airs and they may be conjoined with drugs.

T. B.

This was no doubt excellently intended, but was it not too direct? It was the more unlucky, as the patient recovered—by the power of nature beyond a doubt, not by the help of the new-fangled remedy he took.

Well; foon afterwards, the confumptive daughter of Sir -, who had been under my care for fome weeks, was ordered to the Hotwells. Sir - asked if he should confult -, naming the man, out of whole hands, I am most decidedly of opinion, that all phyficians, who have the state and stability of their profession at heart, should unite to keep patients. "To be sure," I replied, the disease is always fatal. It is, in truth, the very "fcourge of our island. Would to God some 66 better means were devised-Researches for " this purpose are out of all question laudable. "I most heartily wish them success." Having thus tuned their minds to confidence with my key of candour, "but would you, Sir ----," added I emphatically, " or you, my lady, have " experiments made on your daughter?" My lady shuddered at the question; she even started, nor could her countenance have expressed more horror, if she had actually beheld her daughter in the hands of an affaffin. I will answer

answer for it, no experiment is performed on this patient.

So much---and enough for example's fake. A great deal more occurs. The topic is fertile---but verbum sapienti.---The new practice will be applied to desperate cases principally; and as it can never save all the dying, you may conceive we shall have plenty of texts for useful comments; for it is always our own fault if those who employ new remedies without effect, do not appear to disadvantage, though we can do no better with the old. All depends on the sace we put upon the matter.

Then you know there is the topic of inexperience--- on this we may launch out. We may call aloud for facts, and all the while reject any that shall be offered. Naming no names-remember that --- let us use strong designations, as speculatists, enthusiasts, high-flyers. Such language, in the proper tone, will hurry away the mind of the hearer, in spite both of his previous conviction and of the guarded terms in which they may have expressed themselves .---Befides how eafy is it to fet Rumour at work! And if we could condescend to look upon them as adverfaries, what would this be but just retaliation? for you may observe in their publications an infolent neglect of us, who are at the

the head of the profession; nothing soothing, nothing conciliatory---no acknowledgment of our superior sagacity---no deference to our experience. On the contrary, appeals to common sense---a design to take public opinion by storm---in short a spirit that requires no less to be repressed than it deserves to be reprehended.

I had hoped to enclose, according to your pressing request, the lines, ending

PROCEED, high-toned enthuliaft! coax mankind With idiot mouth to gape and fuck the wind; To each forfaken belle and faded beau, In Hope's gay glass alluring visions shew. Teach in terfe phrase how chemic airs can spread O'er the wan cheek the rose's opening red: Smooth the dull brow: new scoop the dimpled cell Where once a fmiling Cupid loved to dwell: In the dim orb the glance of youth relume, And o'er the features breathe Promethean bloom. Nor boast thy airs cosmetic powers alone: Difease and vanquished Time their virtues own. Pneumatic art unfixes Cancer's claw. And shields the victim doomed to Phthisis' maw. See Palfy dance! his hollows Macies fill, And Asthma pace without a puff up hill!

Is but three thousand pounds obey thy call, .

Mankind shall mourn no more old Adam's fall.

Thenceforward—blooming through a second spring—
Tenfold the race assigned by Israel's King

Eve's half-immortal progeny shall run

And new Methusalems surprise the sun!

——But you must administer a lenitive to your curiosity. For my stiff old jade mounts slowly up the steeps of Parnassus. I am every now and then as much puzzled for a rhime, as a raw officinal recruit to lay his hand on the right box. Farewell! a friendship of sifty years cannot require valedictory asseverations.

JERE. MORRISON.

June, 1795.

CONTENTS.

A SECTION OF THE PARTY OF THE P		
Feremiah to Daniel, Epistle General -		I
Sir W. Chambers on Dropsy		2
Mr. S. Hill, on ditto	_	7
Dr. Thornton on ditto		9
Dr. Redfearn on Phthisical Cachexy -		11
Dr. Alderson on Chlorosis		13
on Phthisical Cachexy		16
- on Pneumatic Apparatus .		17
Dr. Thornton on a Siphulitic Affection		19
		21
Mrs. Barrett on Asthma		25
Rev. Jos. Townshend's Letter		27
Mr. Danby's		
Mr. Watt's		30
Mr. T. W. Townshend's Letter -	4	35
Dr. Thornton on Miss F.'s Case		41
Major Braithmaite's		44
Mr. Boothby Clopton's Asthma		46
Mr. Cooper's Case		48
Cases of Dyspepsia		50
- of Pregnancy -		52
— of impaired Senses		56
On Yeast	- 3	100
Dr. Thornton on Pneumatic Practice in general	., - (
Letter from Mr. Phipps		
from Mrs. Stephens		70
from Mr. Barr	7	72
J	- 1	74
	8 4 5 7	E

Letter from Dr. Darwin	-	-	-		- 76
- from Dr. Pearson	-	-	4.	-	- 78
- from Dr. Carmichae	1		-	-	- 82
- from Mr. Rolph	-	-	-	-	- 84
Dr. Crawford's case	-	-	-	-	- 88
Note from Mr. G. Yonge		4	-	-	- 91
- from Mr. R. Edgewo	orth	1	-	14	- 91
Letter from Mr. Sandford		-	-	-	- 92
- from Mrs. Munt	-	- 11	-	-	- 98
- Mr. Cummins	-	-	-	-	- 99
On Yeast and Inoculation	4	-	30-		100-2
Mr. W. Clayfield's Appara	tus	-	-	_	- 103
Conclusion -	-	-		-	- 105
The state of the s	-	-		-	- 108
Table of cases					

CASES

IN ELUCIDATION

OF THE

MEDICINAL EFFECTS

OF

FACTITIOUS AIRS. .

HAVING been informed that SIR WM. CHAMBERS, when labouring under the pressure of unspeakable distress, had derived more than present relief from oxygene air, I requested from him an account of the effects he had experienced from its use. In the 2d Ed. of my CONSIDERATIONS, p. 158. I have related my observations in a case of dropsy of the chest. In this case, oxygene air seemed repeatedly to remove the nausea, and for a short time the difficulty of breathing. But it had no effect in emptying the cellular substance of its water, or preventing its accumulation after it had been evacuated by foxglove.

This is one of those diseases in which I most wish for rooms filled with modified air; as from the diminished capacity of the air-cells, an atmosphere with more oxygene would only bring the patients to an equality with healthy persons, in respect to the quantity of oxygene acting upon the blood, during its passage through the lungs.

T. B.

Letter

Letter from SIR WILLIAM CHAMBERS, Knight of the Polar Star, F. A. S. &c. &c.

June 20, 1795.

SIR.

AS every person of a benevolent mind and enlarged understanding must approve of the design of those gentlemen, who are endeavouring from a philosophic induction, to introduce aerial remedies for the removal of otherwise incurable diseases, and as my case appears such as to demonstrate the efficacy of the vital air in a disorder, that has hitherto resisted the ablest practitioners in physic, I will attempt, as far as lies in my power, to describe my situation, and the effects, which I experienced from this new remedy; I shall be truly happy, should the same advantages be felt by others under similar circumstances.

Previous to my coming under Dr. Thornton's care, every means which extensive experience and great abilities could fuggeft, had been tried by my friend Dr. Turton. My complaint feemed to be of fuch a nature, as to baffle all the powers of art. I was at that time hardly able to move from one chair to another. It was with the utmost difficulty I could get up stairs. I had water in both my lower extremities, and great oppression on my breath, so that when I lay down to fleep, I was frequently obliged to start up and resume an upright posture, to prevent myself from being, as it were, fuffocated. My nights were bad, my appetite gone, and for months I had not been able to fwallow any thing folid. Indeed I had given myfelf up as a lost man, until I heard of the vital air, which my friends

friends told me had done fuch extraordinary things in medicine and furgery. I conceived that as the application was to the feat of the difeafe, it promifed more than most other remedies, and accordingly about ten months back I began the inhalation of this air. Dr. Thornton approved of the plan of medicine I was purfuing, which was, bitters to strengthen the system, and as occasion might require, a warm laxative pill; these were therefore continued. After a few weeks' trial of this new mode of treatment by the vital air, the above medicines being continued, my strength was fo far recruited, that from my own reckoning, I could walk upwards of two miles; my ancles did not pit; my breathing was relieved; my appetite improved and my countenance fo much mended; that all my friends, together with my physician, congratulated me on my recovery. I was able to pay my respects to his Majesty, who complimented me much on my good looks, and made many inquiries respecting the vital air. I was enabled regularly to attend the Board. But I had to battle through fuch a winter, as few at my time of life have been able to fupport. The influenza, which was general, was a great drawback to my full restoration, as the vital air was obliged to be defisted from at that time, and recourse was had to evacuants, cooling medicines, blifters, cupping, and a low diet. But this, together with feveral colds, that have occasionally attacked me, has; in my mind, only manifested the more the efficacy of the vital air in my complaint, for as foon as it has been judged prudent to have again recourse to the vital air, the fymptoms that had gained ground during the intermission, have been as constantly subdued, and my friend Dr. Turton has told me, " that I could not do better " than

"than to go back to the vital air," to which I do not hesitate to ascribe my present freedom from oppressive respiration, comfortable nights, clean ancles, power of eating solids, with appetite, and in a sew words, as much return of health, as a person at my time of life (85) has reason to expect after such an attack, and I think abundantly sufficient to be thankful for, and to prove the virtue of the vital air in all complaints of this nature; but this I must leave to you, Dr. Thornton, and others to determine, to whom I sincerely wish every success in your laudable attempts to lessen the afflictions of mankind, and have the honor to be,

Dear Sir,

Your obedient humble Servant,

WILLIAM CHAMBERS.

To Dr Beddoes.

Observations on this Case, by DR. THORNTON.

- of atmospheric air, super-oxygenated, at first by one, and afterwards by two quarts of vital air; does not this case of Anasarca prove, that such a mixture has no contemptible power?
- 2. As the super-oxygenated air was inhaled at first, for near two months successively, once each day; and afterwards for eight months, three or four times a week, it seems to prove, that this remedy may be employed for a great length of time without injury; care being taken to leave it off when any accidental inflammatory attack supervenes, and when the tongue has a white appearance, in the same way as bark and all other tonic and exciting remedies would be omitted under similar indications.
- 3. After the inhalation of the super-oxygenated air (the quantity of air usually drawn into the lungs being 4 pints at a forced inspiration) a sense of warmth was disfused throughout the body; Sir William Chambers frequently noticed that the extremities of his singers, which were before colourless, were suffused with red blood; the small vessels on the surface of the cheeks became more florid; the veins silled out; and the pulse which was 90, and weak, rose in sulness, but diminished in quantity, from six to ten in a minute.
- 4. Is the removal of the Anafarca; the recovery of muscular power; the increase of strength; to be ascribed solely to the inhalation of a super-oxygenated air?—to the power of tonic remedies?—or to both conjointly?

To the last opinion, from an experience of above two years in the pneumatic remedies, I subscribe, but this will be more satisfactorily determined by your *Pneumatic Institution*.

- 5. Was not a deficiency of vital air in the fystem, shewn not only from the nature of this disease; from incapacity for muscular action; coldness of the extremities; desect of colour, which was natural to the cheeks in the state of health; but also from the tremulous motion of the hand, when holding the tube connected with the machine for the inhalation of the air; for these went off in proportion as the system became oxygenated.
- 6. As the usual remedies are employed, which the prudent Physician prescribes according to the circumstances of the case; and as the patient loses no chance in the experiment, and the super-oxygenated air in a state of great dilution, is proved to be by no means a dangerous remedy; have not practitioners great reason for adopting in suture this new power under similar circumstances?

R. I. T.

7. As patients in general, though warned to the contrary, make greater efforts of respiration, when they draw the air out of a reservoir, does not the same quantity of atmospheric air oxygenate the system more in this mode of administering it than in ordinary breathing? and may not the exercise attending this mode of respiration be of service? This last circumstance deserves attention.

Letter from SAMUEL HILL, Esq.

June, 20, 1795, Great Suffolk-firect.

SIR,

I ACKNOWLEDGE the honour of your letter, and make not the smallest hesitation in complying with your request.

Mary Leucraft, the daughter of a tenant of mine, had been ill above three years. Every thing had been tried for her recovery, as far as her mother's refources would allow of, but her body still remained greatly fwelled, and she had that fallow, and, if I may be allowed the expression, slabby appearance, characteristic of a person in the worst state of health. As her diforder had been all along pronounced dropfy, and the had received no benefit from medicine, her mother told me, she had given up every hope of ever seeing her child recover; but well knowing the humanity of Dr. Thornton, and thinking, that this case would it fuccessful, do great credit to the aerial remedy; I fent her with a letter of recommendation to that Physician. She was accepted as a patient, and I foon heard she was getting better, and when I faw her, I was convinced that fuch was the case; but her mother at this time falling fick, and being unable to bring her daughter to Dr. Thornton, or to spare her from home, she again relapfed into her former condition of ill health. However, upon the recovery of her mother, she renewed her daily attendance.

In about fix weeks she came to return me, and the ladies belonging to my family, thanks; and we were, I must confess all of us astonished at the change; for from being an object of pity, she was now become of her proper size; she said she had an appetite; slept well; and she had a most blooming complexion.

I have the honour to be, Sir,

With the greatest respect,

Your obedient humble Servant,

SAMUEL HILL.

To Dr. Beddoes.

Observations by DR. THORNTON.

IN this case, I evacuated the bowels with rhubarb and cream of tartar, to discharge the water and accumulate in itability in the absorbent and inhalant vessels, at which time I enjoined the sparest mode of living. Afterwards, I gave bark and stimulants, and ordered a generous and plentiful diet, and my patient inhaled 900 cubic inches of air, super-oxygenated by 2 quarts of vital air. By this alteration (to the propriety of which measure the Brunonians, or rather the disciples of yourself and Dr. Darwin will readily assent my patient was quickly restored to health, as the above letter testifies. But how far the super-oxygenated air concurred in this cure, comparative trials must determine.

Extract of a Letter from DR. THORNTON, On Hydrocephalus.

November 15, 1795.

great

THOMAS MEAD, a lad, 13 years of age, was fix weeks in St. Thomas's Hospital, under the care of Dr. Fordyce. We cannot doubt an inflant, but that every proper remedy had been tried before he was discharged thence incurable. Being blind, he next came under the care of my friends, Messes. Wathen and Phipps, who with real love for the improvement of medical fcience, and a wish to lessen the mileries of suffering humanity, fent him to me, as a fit object for the trial of the pneumatic remedy. The pupils of the eye were greatly dilated, the pulse was fluggish, and he had fits, which were unlike those of epilepsy or hysteria, and ufually occurred, at uncertain periods, once or twice a week. These symptoms we know denote water in the head. He inhaled the vital air in the dose of two quarts to thirty-fix of common air, and in three days he began to distinguish objects. He then underwent a course of mercury, took bark and bitters, and inhaled the super-oxygenated air. His fight daily became fensibly clearer, the pupils of the eye were less dilated, and he had no recurrence of his fits. His pulse was increased in quantity and vigour. But during these favourable figns, the weather fet in extremely bad, and the lad living at a distance from me in the country, he left off attending for fome days, and all medicines were in consequence omitted. When the weather became better, in his attempt to vifit me, he had a fit on the road, which kept him back a day or two longer. and when I at last faw him, he complained much of

great weight and pain at his forehead; he appeared flupid, and had gradually fallen off in his fight. I began to be very apprehensive for his fasety, and cautioned the mother to bring the boy regularly each day. The fits, however, recurred, at first once, and then twice a day, with increased violence, and the benefits that were kept up during the last five weeks were now alas, lost for ever.

Observations on this Case.

Did not the recovery of fight in three days during the inhalation of super-oxygenated air arise from the power of this elastic sluid? and does it not indicate, that it will be of service in this satal disease? might not the dropping of so powerful an excitement as the combined operation of exercise, bark, mercury and a super-oxygenated air occasion what Dr. Cullen calls the "collapse" of the system, and in some measure account for the failure in this trial? or might not the super-oxygenated air, without mercury, conjoined with bark have proved successful? These interesting points, more extensive experience will, I trust, clear up.

Your's ever,

R. I. THORNTON.

Letter from DR. REDFEARN.

Lynn, Norfolk, 26th June, 1795.

SIR,

I SEND you the case of Hæmoptysis which I mentioned in my last letter: you will no doubt think it an important one.

I am, Sir, your most obedient Servant,

RICHARD REDFEARN.

To Dr. Beddoes.

Mr. B. F. Æt. 23, of a florid complexion narrow cheft, prominent shoulders, smooth skin, and of a delicate flender form, has been afflicted with hæmoptyfis about two years and a half; attended with dyfpnæa, cough, a difagreeable fense of burning in the chest, and expectoration of a purulent nature. P. about 100, and invariably accelerated by the hdc. air---Hectic fever was not completely formed; but he had at times a fense of chilliness in the day time with heat towards the evening. He began by taking one quart of hydro-carbonate, diluted with twenty-one quarts of atmospheric air, once a day. From this mixture he experienced much vertigo during its inhalation, and, two hours after dinner, he fuddenly became vertiginous, from which, however he foon recovered, although a violent head-ache remained during the rest of the evening.

The following days he only inhaled one pint of hydro-carbonate, mixed with twenty quarts of common air, once a day, which generally affected him with fome flight vertigo and tightness over his forehead: the hydrohydro-carbonate was increased gradually to two quarts or more at one dose, but I find it always necessary to begin with the original dose, where the air has been recently generated.

My patient has been persevering in this plan about three months; and has had no return of hæmorrhage; his cough and expectoration are very much diminished; sometimes he does not expectorate more than one table spoonful in the space of three days; he has also never experienced any of the distressing heats in his chest which harassed him before the administration of the air; his dyspnæa is persectly removed, he can ride upon horseback twelve miles without feeling much fatigue; his appetite is very good and he sleeps well: P. 80, he says he thinks his health is persectly established.



Extracts of letters from DR. ALDERSON, respecting a case of Chlorosis, a case of Pulmonic Disease, and a cheap Apparatus for the production of elastic fluids.

Hull, May 29, 1795.

DEAR SIR,


I HAVE had under my care a case of apparently approaching phthis; the complexion was uncommonly florid; the patient has perfectly recovered from the long-continued use of hydrogen air.

A case of chlorosis has also occurred to me in which steel proved inessectual without oxygen. The patient never never could fleep without her dose of this air, of which she inhaled a quart every night. So great were the beating of the carotids, the anxiety and the sense of drowning, when she was about to lie down, that she was under the necessity of sitting up all night, nothing ever procuring rest, till the oxygen was administered. Then the beatings ceased. She lay down and rested. She continued the air some months. It was assisted by small doses of steel, which she had in vain tried under every formula before. She has ever since been healthy and blooming.

I use the simplest contrivance possible for every kind of air. I will send you a drawing of it, if you think it will be of any service,

I am your's most fincerely,

J. ALDERSON,



June 26, 1795.

DEAR SIR,

MY friend Mr. Mead, who invented the apparatus of which I have now fent you a drawing, and which I have constantly employed, being much engaged in a very interesting pneumatic pursuit, I have necessarily been obliged to postpone to this time my promised account of the cases in which I have successfully employed factitious airs.

I was some time ago called to meet Dr. B. in the case of Miss L. aged 17, who had been long labouring under

under chlorofis. As my colleague had been for fome time administering a variety of very proper tonics, and being at that time perfuaded that some preparation of fleel would effect a cure, I advised only a different preparation of that mineral, but the change not producing the defired effect, the Doctor ordered some blood to be drawn from the arm, in the hopes that after the evacuation the tonics would have a better effect.-The blood was remarkably pale, and afforded but very Tittle crassamentum indeed; no alteration took place in the fystem for the better, she then went to sea, and returned from her voyage somewhat better, but soon after relapsed, and the complaint being now attended with great emaciation, and an uncommon throbbing in the carotids, which upon lying down was fo very troublefome as to prevent her fleeping, my affiflance was again called for in 1793, and having no prejudices to overcome with her very ingenious father, I immediately proposed the inhalation of oxygen gas, the first effect of which was to take off the throbbing of the arteries, enabling her to lie down and to get quiet fleep, the other effects are concisely related by her father, in his letter to me, of which the enclosed is a copy.


She inhaled every night, by means of the funnel, a quart of oxygen, unmixed with any other air, which was fometimes prepared from nitre, and fometimes from manganese by heat.

Note. It may not be amiss to remark, that no air from nitre ought to be kept for use that comes over before the reotrt be perfectly luminous, and even then some

fome azotic gas will ascend owing I suppose to the breaking down of a chrystal, the center of which has not been thoroughly permeated by the light.

I. A.

To Dr. Beddoes ;



Letter from MR. LAMBERT, to Dr. ALDERSON.

IT is not necessary, Sir, that I should attempt to describe to you the nature of my daughter Elizabeth's complaint or to enumerate the various medicines that had been administered, prior to your ordering the pure air. The immediate effect produced by this, was a considerable exhiberation of her spirits: in a few days the violent beating in her head greatly abated—the ends of her singers began to assume their natural colour; and by a steady perseverance in the use of it for about two or three months together, with the use of salt of steel, from a state of the greatest debility, and an appearance the most unhealthy, she assumed her former colour, strength and vigor. With the deepest sense of my great obligation to you,

I remain, Sir,

Your very humble Servant,

G. LAMBERT.

Hull, June 5, 1795.

Extract

Fxtract of a Letter from DR. ALDERSON.


1793 .- MISS -- aged 16, had all the fymptoms of approaching phthisis, cold tremors about twelve o'clock, fever, heat, and flushing every afternoon, pulse 120, countenance uncommonly florid, breathing rather difficult, cough fevere, accompanied with fome expectoration; as feveral of her family had died of confumption, there could be little doubt of the tendency of these symptoms, and after finding nitre, spermaceti, vomits, &c. to have no effect, I advised the inhalation of hydrogen; she daily inhaled a quart of pure hydrogen from water, by every now and then taking an inspiration at the mouth-piece of the tunnel. It frequently oocafioned naufea, and even vomiting, but this, I suspect, was occasioned by her every now and then swallowing a portion of it into the stomach. The pulse fell, the flushings and fever subfided, and the whole train of phthisical fymptoms left her, but at the expence of her fine florid colour, her countenance having ever fince been of a darker tint than before she was ill.

I. A.

To Dr. Beddoes.

June 5, 1795.

Secretary of the second



DESCRIPTION of a PNEUMATIC APPARATUS.

PLATE I. A. An iron retort or tube closed at end (1) open at end (2) with a female screw to receive the male screw of the tube or gun-barrel B. at the fig. 3. the position of the screw (3) must be such, that the end (4) may be three inches above the bottom (1).

- H. A bent iron tube inferted into A. at (5) which receives the cup with the cock C. at the point (6).
- D. A crooked tube inferted into the gun-barrel at the point (7).
- E. E. Screw-keys or wrenches, the one fitting A. at a. the other B. at b.


To use the vessel, fill A. with the substance necessary to produce the species of air required, to a height, three inches from the bottom; put the apparatus together, using a little lute, or flour and water, at the feveral joints: infert A. between the bars of a common grate, to the dotted line F. F. F. and D. into a pail filled with water, as in fig. f. When A. has acquired a red heat, if water be necessary to the production of the air, fill the cup C. with water, turn the cock Z. into fuch a position that the water may gently drop through the tube X. Infert the tube X. with lute, into the tube H. at the point (6) fill a bottle with water and infert it over the end (8) of the tube D. on the pail G. filled with water.-Note. When the water is not to be used shut the cock Z. D

EXPLANATION of PLATE II.


A. A funnel with its pipe or tube stopped at D. and perforated above and below with two or three small holes; round the tube A. is soldered the tube B. left open at top, the tube C. is made to circumscribe the tube B. and to be soldered to the funnel at f. and likewise soldered at g.


When water is poured into the funnel and the cork inferted into a bottle filled with gas, the water descends through the tube A. till it arrives at the division or section D. it then flows through the small holes at a. and ascends between the tubes A. and B. flows over the top of B. and descends again between the tubes B. and C. till it arrives at g. (where it regains the tube through an opening above g.) and thence into the bottle: as the water goes in the air escapes between the tubes A. and C. through the cock into the mouth-piece; the lower end of C. is made to perforate a cork which is properly attached to it, and which secures it air-tight into the neck of a common bottle.

The whole apparatus may be made for less than a guinea, and may be introduced to the bedside of the patient if necessary, for I have had a cask filled instead of a bottle, and placed upon a chair; by turning the cock, the patient may take an inspiration whenever he pleases, the cock being thrust into the spiggot-hole.



PI.11





Extract of a Letter from DR. THORNTON, On a Case of Venereal Affection.

May 3, 1795.

with

THE practitioner now and then meets with peculiar habits, in which mercury feems to have no action:— and again, other cases in which mercury is immediately carried off by ptyalism, violent sweats, or excessive diarrhæa. In both these states I was desirous to see the vital air tried, but as yet have been able only to observe its salutary effects in the latter instance.

A wealthy merchant of the city of London, after inebriation, became the victim of indifcreet indulgence. Mercury was had recourfe to in the form of pills and unguent, but these produced the greatest derangement in his health, and affected almost instantly the falivary glands. The primary fymptoms being however fubdued, his furgeon, an able and experienced practitioner, thought fit to leave off the mercury, feeing it was fo inimical to his constitution; and for some time the patient believed himself safe; but this Proteus disease broke out in another form, and that unfortunately at the time when he had just married. He was falivated again, but could not retain, according to the opinion of Bell, fufficient mercury to establish a cure; or rather the mercurial action was at first too violent and local to be kept up a fufficient time to produce a permanent benefit. Hence this cruel diforder afflicted him for more than the space of two years. When I saw him, the furface of his body was deformed by dreadful blotches; he had an ulcer on the lungs, attended with a hard cough, and bloody and purulent expectoration;

with other horrid marks of this dreadful scourge of illicit desires. Messers. Wathen and Phipps, seeing this gentleman in so deplorable a state, and having witnessed the relief, arising from the aerial practice, in the case of a servant maid, whom (though not a servant of their family) they humanely lodged in their house, and who was in the last stage of a pulmonary consumption; advised him by all means both to consult me and Mr. Hill.

From my former refidence at the Hotwells, near Briftol, and from frequent conversation with the late Dr. Rigg, Physician of that place, I was convinced of the fatality of confumption from venereal ulcers; and though this case was not exactly the one I had chalked out in my mind for the first trial of the vital air, yet, as perhaps it afforded the only chance of recovery, I urged its use. Mr. Hill accordingly gave him each day the fuper-oxygenated air, in the proportion of two quarts to a thousand cubic inches of atmospheric air; and by way of medicine, he had muriated mercury in the ftrongest decoction of bark, with the cortex, and two grains of opium at night. He was also occasionally purged. By this courfe without any violent effect from the mercury, he was in three weeks clear of all defedations of the fkin, and in a month the ulcer on the lungs, was healed, and the other marks of venereal affection disappeared, and in fix weeks he went to Margate, deeming himfelf perfectly cured.

A question here naturally arises, whether the cure in this case proceeded from a different administration of mercury? or from the combined operation of superoxygenated air? these doubts must often occur to a private practitioner before the acquisition of more sacts. I cannot conclude this letter without congratulating you on the discovery that the kali sulphuratum stops the action of mercury on the system, in a few hours arresting salivation.

Extract of a Letter from DR. THORNTON,

On a White Swelling.

July 5, 1795.

CAPTAIN — of the Devonshire Militia, was under the care of several surgeons, for a white swelling of the knee, which, as is usual, increased, notwithstanding the means employed. Mr. Bastard, Member for that county, advised him to place himself under Mr. Hill. After having inhaled the super-oxygenated air but a fortnight, and taken a mixture of bark, myrrh, and columbo, his health was restored and invigorated; the swelling had gradually decreased; he could move his limbs without pain or lameness; and in three weeks he was perfectly cured.

Ever your's,

R. I. THORNTON.

Extract of a Letter from DR. THORNTON,
On a Case of Cancer attended with Dyspnaa.

BEING requested to attend with Mr. Hill in a case of cancer by my friend Mr. Wathen, I had the pleafure to hear the latter gentleman daily pronounce, that from the inhalation of the super-oxygenated air, the open wound had put on a more savourable appearance,

and the discharge was more kindly. The health of this Lady was also much mended, and what is remarkable, and can only be ascribed to the effect of the super-oxygenated air, and the most benign of all tonic powers, Hope, though for the last fifteen years, she had been obliged to have recourse to opening pills, her body now had its regular exoneration, without the aid of medicine. But the knotty tumours about the head and neck seemed rapidly to hasten in their progress towards an ulcerous state, and the vital air was in consequence desisted from, and the patient lest, alas! to languish in a disease, that, till of late, admitted of neither palliative or cure.

The cancerous case, the object of the present letter, occurred not long after: it was complicated with another malady, hitherto deemed incurable, and one almost equally afflicting. The cancer in this Lady was very large, and the whole of the left breast projected, and purfed in. It was exceedingly painful, and attended with violent dyfpnæa; she could obtain little or no fleep, and therefore fcarce any respite from misery. -From my experience, as related above, I doubt whether I should have advised the vital air, had not Dr. Ewart candidly communicated the refult of his trials with fixed air in open cancer, and had I not myfelf feen a man whofe finger was taken off by Mr. Hill, receive immediate relief from pain by plunging his hand in that species of gas. This case will be more clearly understood by the perufal of the enclosed letter, which I received from her fon three weeks after Mrs. Barker had inhaled the fuper-oxygenated air, which was administered in the proportion of two quarts of vital air, to fifteen hundred cubic inches of common Silver air.

Silver Hall, Isleworth, Jan. 12, 1795.

DEAR SIR,

I SHOULD be very much wanting in gratitude, did I not express to you the very great obligation I feel myfelf under for the benefit my mother has received during the short time she has been under the care of the furgeon, whom you recommended. Some months previous to her attendance on Mr. Hill, she had had the advice of one of the first physicians in town, but fo far from receiving benefit from his prescriptions, they feemed to aggravate her complaint. You may therefore guess my satisfaction on observing the very great alteration produced for the better, by means of the vital air. Before, she was in violent and almost continual pain; fo much fo, that she could have no rest at night; all that pain is entirely removed, and she now fleeps as found as ever. Before, her stomach loathed the most innocent food; now she eats indifferently of any thing, and that with pleafure and fatisfaction to herfelf. Her great difficulty in breathing, which more peculiarly oppressed her at night is wholly removed, for she now breathes with the utmost ease and freedom. Indeed the alteration is truly extraordinary, and when it is confidered, that this change has been effected in less than three weeks, and during weather unufually fevere, also on a person approaching 70 years of age, whose health had been long on the decline, it must be looked upon as the more wonderful. I make not the least doubt, but that so powerful an agent, as the vital air, will be productive of the greatest good to her, as well as many others. With the fincerest acknowledgments for the benefit she has already received and many fincere wishes of future success,

I have the honour to be, Dear Sir,
Your very obliged humble Servant,
GEORGE BARKER.

The refult of this case I shall hope to communicate with other trials in cancer very soon.

Ever your's,

R. I. THORNTON.

To Dr. Beddoes.

Observation.

This Lady was ordered the decoction of bark, but having a great aversion to medicine, she did not take it regularly, and little, I think, can be ascribed to this remedy, at least no effect equal to that described in the letter.

Extract of a Letter from MRS. BARRETT.

July 12, Queen-Square, Westminster.

SIR,

MY asthma had afflicted me three years. It attacked me very violently at times, the fit going off generally with expectoration, leaving me very low and weak .-The last winter it was uncommonly severe, and, latterly, for months, I had not known what it was to enjoy a comfortable night's rest. As a tradesman in our neighbourhood had been just cured by medicated air of an asthma of thirteen years standing, I resolved to put myfelf under Dr. Thornton's care, though before this, I had made up my mind to try no more medicines .-I inhaled the vital air from a large bell glass, and its effect was fo immediate, that on the fecond night I flept the whole night through. My attacks were now less frequent, and milder, and purfuing the vital air for fix weeks, I got free of my complaint. With the bleffing of God, I have continued fince in perfect health, except I catch a bad cold, when my afthma recurs, but in a very flight degree.

I am, Sir,


Your obedient humble Servant,

ELIZ. BARRETT.

To Dr. Beddoes.

Observations on this Case, by DR. THORNTON.

- of the Rev. Dr. —, which is recorded by Mr. Townfend, in his Guide to Health, and the indications being the same, the same plan of cure was pursued. The air this Lady inhaled, was two quarts of vital air to 1500 pints of common air.
- 2. It was remarkable at first, how long a time she took to consume this quantity of air. As her complexion, which was at first livid, began to clear, I remarked, she consumed the air much faster.
- 3. The tradefman, whom Mrs. Barrett mentions in her letter, is a baker. He certainly obtained confiderable benefit, and when I fent on the 20th of July, 1795, to inquire how he continued, the answer returned was, "that he had not enjoyed such health, as at prefent, for years."



A Letter from the Rev. Jos. TOWNSEND.

Pewsey, July 21, 1795.

DEAR SIR,

WHEN I was in town, Dec. 15, I called on Mr. Hill, and finding him engaged with patients, I went into the parlour, where I met with Mr. Atwood. We foon entered into conversation, when he communicated his apprehensions of losing his leg, and asked me if I believed that the vital air could effect any thing in such a case. Finding this Gentleman desirous of having

my opinion, I explained to him, that though spirituous and other stimulating applications might call forth for a time, the action of a part, in which the vital energy was much diminished; yet, as exhausting it without producing action sufficient for a cure, a proportionable debility and tendency to gangrene must ensue.

This, Sir, faid he, is exactly my cafe. After every application, exciting pain, black parts have constantly appeared, which were either taken away by the knife, or elfe sloughed off.

It is fo, faid I, with spontaneous mortification: it is preceded, in weak habits, by inflammation accompanied by a proportionate loss of power. But when the air is rendered by the chemist more replete with that fubftance, which is effential to vitality and is inhaled by the lungs, this alters the disposition of the fystem, and produces what has been called the phlogistic diathesis, whereby the exhalent arteries pour forth instead of serum, coagulable lymph; the absorbents carry away difeafed parts; and the lymph being rendered more tenacious, is converted into granulations. In the new mode of treatment with vital air, energetic action in the part is supported by the system: in the old practice it is kept up for a short time only, by partial stimuli on weak and diseased vessels. There it is produced with a change of the blood; here it deprives the blood of life: there it produces energy; here it excites irritation: there it aids the efforts of nature. and renders them effectual; here it calls her into action, which she is unable to support.

This reasoning seemed to have weight with him, and here our conversation was interrupted by a message from Mr. Hill, that he was ready to attend his patient. However I begged permission of Mr. Atwood to see his wounds, which emitted a very offensive sector, and had discoloured his stocking. But no sooner were the applications taken off than the sector became intolerable, and the sight so disgusting, that I was constrained to hasten into the open air.

On my return to London, Jan. 15, I was impatient to know what had been the iffue, and gave Mr. Atwood the meeting as before at Mr. Hill's. The leffer of the wounds was healed, and bore the friction of a brush. The larger wound, so well described by Mr. Corp, was filled and covered with skin, excepting one place the fize of my nail, which he told me was occasioned by some accident.

I was equally pleafed this day with having a fight of Patterson, whose case I had heard related at Wathen and Phipps's in Pall Mall, and have since seen described by Dr. Thornton. His leg, now healed, shewed what had been the extent of his former ulcer; his sace was clear, and when I put a little bit of paper on the ground, he saw well enough to go and pick it up. As I examined his eye, I discovered still some degree of opacity in the crystalline lens.

To demonstrate, that the inspiration of vital air increases heat, I shall trouble you with one fact, from a case of melancholia, communicated to me by Dr. Thornton, for the second volume of my Guide to Health.

Mr.

Mr. Windy, from being hypochondriacal, became perfectly infane. He was gloomy, fullen, and filent, or muttered only expressions, which evinced what were the terrors of his disturbed imagination. He had no recollection of his wife or children, and the only notice he took of his attendants, was to manifest suspicion that they meant to injure him. He made several attempts to destroy himself. He was costive, and had remarkable coldness of the extremities.

As Dr. Thornton had fucceeded fo well with the vital air, in the case of Mr. Russel, described in the first volume of my Guide to Health, printed for Johnfon, in St. Paul's Church-yard, and Robinson, Paternoster-row, he determined to give it a fair trial in the present instance. He began therefore with giving four quarts of vital air to ten quarts of common air, which produced no change.-He then gave ether and brandy, hoping thereby to increase the vital heat, but without the least effect, for his hands continued cold as clay .-Thus disappointed in his first efforts to relieve his patient, he gave an emetic in the evening, which brought up a vast quantity of viscid mucus. At bedtime he ordered a calomel pill, which was worked off in the morning with rhubarb and fal polychreft. Having thus cleanfed the alimentary canal, he gave the day following ether and brandy as before, and caused his patient to inhale the fame quantity of vital air, which instantly produced a genial warmth extending to his fingers ends. Nor was this a transitory effect, for it continued all the time he was under the care of Dr. Thornton.

For the sequel of this case I shall refer you to the second volume of my work, which I shall before Christmas have the pleasure to present to you, and in which for the benefit of students I shall illustrate and explain this wonderful phænomenon.


I am authorized to fay, that Mr. Atwood inhaled upon an average each day, two quarts of vital air, to 400 quarts of atmospheric air, and that Patterson inhaled two quarts of vital air to fixty of atmospheric.

I am, dear Sir,

Your Friend and Servant,

JOSEPH TOWNSEND.

To Dr. Beddoes.



Letter from Mr. DANBY, to Dr. BEDDOES.

Upper John-street, July 19, 1795.
SIR,

I HAD the honour of receiving your letter, in which you request my case, and an account of the effects that the vital air had on me. I have accordingly drawn up the narrative which I enclose.

I went the latter end of July, 1794, in tolerable health to ——. Not defigning to stay there long, I took up my abode at an inn in the town. As was my custom at these places, I ordered port wine after dinner and supper; I observed the wine had a peculiar sweet and soft slavour, which was very unusual and agreeable

agreeable, but I by no means drank of it to excess .-On the third day after my arrival I was feized with tremors, and having taken up a pen to write out some music, to my great alarm, I found I could not accomplish it. The friend who was with me, complained at the fame time of a most violent bowel complaint, with great griping and copious evacuations. I was foon after feized with spasms, and lost the use of both hands and feet. I proceeded on to Lymington, and having confulted a physician there, was ordered bark and sea bathing. I went then to the Isle of Wight, and attempted to bathe once, and immediately perceived a great increase of my disease. I therefore hastened back to town, and as foon as Dr. Rowley heard that I was in a most deplorable state, with that humanity so conspicuous in his disposition and character, he voluntarily came to offerme his fervices, and with the greatest kindness visited me both in town and country. But notwithstanding those remedies, which I have not the fmallest doubt were the most promising of the pharmacopæia, yet my disorder kept on advancing, and as I had been taking drugs for five months without benefit, I grew very anxious to make trial of the vital air, which had been of the greatest service to some of my friends. But I did not choose to enter into any new scheme, without first consulting my friend Dr. Rowley, who fo far from objecting to it, wished me by all means to make trial of the vital air. I waited therefore upon Dr. Thornton. It was the beginning of December. My hands were pendulous, fo that I was obliged to be fed, dreffed, and undreffed, like a child: being quite helpless, having no use of my limbs, I was also obliged to be carried from place to place; my countenance

countenance, as well as I can express it, was of a black yellow; my appetite gone; and my nights truly dreadful. Counting the hours as they paffed, I repeatedly prayed for morning, which was no fooner come, than I hurried from my place, as I called it, of torment. You will scarce credit the affertion. A week had not passed from the time of my first inhaling the vital air, before my appetite returned, and my nights were rendered fo comfortable and refreshing, that my wife could fcarce get me up at a reasonable hour in the morning-bed was become fuch an indulgence! my spirits, as you might expect, were very great; my appetite the fame; and my family observed that my countenance was confiderably mended. Before the month was out, the motion of my hands was fo far restored, that I could compose catches and glees, and in fix weeks I began to employ my crutches. My general health is at the present time fully established, and Dr. Rowley fays, " I ail nothing now but weakness, the confequence of previous indisposition."

I have the honour to be, Sir,

With the highest respect,


Your obedient humble Servant,

JOHN DANBY.

Observations on this Case, by Dr. THORNTON.

- 1. DID not this paralyfis arise from the poison of fugar of lead? An acquaintance of Mr. Danby, who went since to the same inn, was seized with similar symptoms. Several medical men, who had no knowledge of the story, have asked him, "whether his physicians did not think he had been poisoned by lead?"
- 2. If this was truly the case, what would be the probable effect of sea-bathing? Dr. Johnson, a young physician of rising reputation, when at Cambridge, took a dog and poisoned him with sugar of lead; he was affected with paralysis. He opened the window and door, and admitted a current of cold air, when the paralysis became more violent, and the animal soon expired.
- 3. Dr. Rowley had tried tonic medicines, as bark, steel, and bitters, in various forms; and afterwards mercury as an alterative, with the intention, as I suppose, of giving irritability to the system. What might have been the effect of a conjunction of the two means?
- 4. Or was it necessary to oxygenate by the lungs, the organ supposed by some solely appropriated in cold climates to that purpose? (vide Medical Extracts, page 106). I have some grounds for suspecting this, for I left off the super-oxygenated air, and gave in the room of it, nitre and acids, but it produced so great a derangement in Mr. D.'s constitution, that it was obliged to be desisted from, and I must observe, that the mercury by itself, though indicated, seemed to aggravate, the disease.

5. This case affords a very striking instance of the different effects of modified air of different degrees .-When Mr. Danby inhaled as a dose, two quarts of modified air to 800 pints of atmospheric air, he generally afterwards experienced a comfortable glow, which extended, as he himself used to express it, to his fingers' ends. But when I attempted three different times to augment the dose to three quarts of vital air to fixty pints of atmospheric air, he was, after inhaling it, seized each time with excruciating and wandering pains, and passed a feverish night, and I was obliged to return to the former dose, and I must observe he always saw me prepare the mixture of airs, from the beginning to the end of his attendance on me. The medicines I prefcribed were bark with other tonic powers; and coftiveness was obviated by those cathartics in which the acid or oxygenous principle predominates.



Extract of a Letter from Mr. WATT, Engineer, to Dr. THORNTON.

Heatkfield, Birmingham, July 13, 1795.

DEAR SIR.

I AGREE perfectly with you, that the artificial air should be given much diluted with common air, and whether that has been yet carried far enough does not appear certain to me. I was convinced of the advantage of dilution from experiment, as well as from reafoning a priori; for if a man breathes any mixture containing much oxygene, he will expire the air highly oxygenated, therefore the oxygene has not been absorbed, and could only act by its immediate stimulus,

and not by affecting the blood materially, whereas had the fame quantity of oxygene been diluted with more common air, it would have been longer in being breathed, and would have had more time to act upon the lungs and be absorbed. The same is the case with hydro-carbonate, if taken little diluted, the greatest part is expired without having had any action, but by dilution time is given, and there is a continued action upon the blood, which though lefs violent in its immediate effects, lasts longer and seems more friendly. All this leads to the conclusion, that when these airs are breathed, the patient should retain them in his lungs a a longer time than usual; and it is probable also, that by deep inspirations many of the small vesicles of the lungs may become diftended, which do not commonly expand, and may retain the factitious airs for absorption; hence the frequent return of vertigo after inhaling the hydro-carbonate by forced inspirations. Your experiments feem to confirm, what I have been faying.

You will see from all this, that I highly approve of your mode of proceeding, by considerable dilution of the airs: and by fair and minute representations of symptoms, doses, and facts, to which if it were convenient to add your observations on the circumstances of the preparations of the air, it would still further the science.

Heartily wishing every success to your endeavours for the benefit of mankind,

. I remain respectfully, &c.

JAMES WATT.

Observations

Observation by Dr. THORNTON.

IS not this reasoning considerably in favour of a Pneumatic Institution, in which the vital, hydro-carbonate, hydrogene, fixed, and other airs, will undergo a very great dilution, and be longer inspired? this remark will be strengthened when I come to a case of pleurisy, in which I made experience of the effects of a reduced atmosphere.

In a letter dated July 23d, 1795, Dr. Thornton obferves, "that the lungs of a frog are really two bags:
"therefore little oxygene is abforbed. The more
"lungs are honey-combed or divided into partitions,
"the larger furface do they afford, for the abforption
of oxygene. In broken-winded horses, as I know
from diffection, five or fix cells run into one. The
lungs in this instance bear a greater resemblance to
those of the turtle, than in horses not broken
winded."

Letter from Mr. WATT.

Birmingham, June 24, 1795.

DEAR SIR,

I AM glad to hear that you propose soon to publish an appendix or supplement to the second edition of your Considerations. If you approve of the sollowing cautions, as I think you will, I beg that you will insert them, although they are mostly a repetition of what has been already printed, but too little attended to by some users of the pneumatic apparatus.

fixed air, if any inflammable matter be mixed with the manganese from which it is procured, (which may frequently happen by accident), or when it is prepared in a new fire-tube, or one in which hydro-carbonate has been prepared; in all these cases, the quantity of oxygene air produced, will be much less than would otherwise be yielded by the same quantity of manganese.—
This species of air when fresh made, also contains a large quantity of manganese in a state of suspension, which it deposits upon being kept some hours at rest.

It has been found by feveral patients, that the freshmade air containing the suspended manganese occasions a disagreable sickness, and that which contains much fixed air, occasions sickness and pains in the breast, which do not entirely subside for some days, though they do not seem to be of a malignant nature.

I suspect therefore that some unpleasant effects which have been imputed to oxygene air, may have been owing to one or both of these causes; and therefore recommend, that in preparing this air, there should always be some caustic lime well mixed in the water of the refrigeratory, and kept suspended by a gentle motion of the agitator, and that when the air is procured it should be well shaken with some quick lime and water in the air holder, in which it should be kept twelve hours before it is used, shaking it well from time to time. To these add the precaution of appropriating a fire-tube solely to the preparation of oxygene, and it will be attained free from any noxious admixture.

Mydro-carbon ate Air is also subject to an admixture of fixed air, which from the relations of intelligent practitioners, seems to diminish its efficacy, and may not in many cases be proper to be administered where hydro-carbonate is useful. I am assured by Mr. Barr, that to procure this air (hydro-carbonate) of a good quality, the water should be admitted so slowly, that it may require twenty minutes to procure one full of the large bellows, and that when longer time was employed, in consequence of a slower admission of water, the air was still more efficacious.

I recommend the fame precautions of mixing lime in the water of the refrigeratory, and of shaking the hydro-carbonate with lime and water in the air-holder, as for the oxygene; but I am not enabled to decide whether it is necessary to keep the air till it deposits its charcoal, some Gentlemen think that on the contrary, it is best to use it when fresh made.

The great powers of the hydro-carbonate air require the dose to be measured with the utmost accuracy, I therefore recommend that it be always measured out of the air-holder, by pouring in the measure of water as directed, and never measured by means of the hydraulic bellows, which is not so exact a method, especially when the diameter is large.

The charcoal from which this air is prepared, should always be previously well calcined, as empyreumatic vapours from half burnt wood, appear to be very deleterious; perhaps they may have their virtues, but it is desirable to know exactly what is administered, and the virtues of such airs may be very different from those of the hydro-carbonate.

J. W.

Caution from Mr. WATT.

THE utmost care should be taken that no bits of coals, charcoal, wood, or other inflammable matter be mixed with the manganese in preparing oxygene air, and that none of the linseed oil of the fat lute penetrate into the fire-tube: when any of these substances are mixed with the manganese, fixed air is produced, of an extremely pungent quality, and which it is apprehended will prove extremely detrimental in the generality of the cases in which oxygene air would be directed.


Imperfectly burnt charcoal, or mixtures of oily substances with it, are hurtful in preparing hydro-carbonate; therefore it is hoped that the cautions given on
that subject, as well as upon the preparing it free from
fixed air will be attended to, and these repetitions excused. A patient who prepared oxygene air for himself, found it one day so pungent as to occasion a sense
of burning in his lungs. The manganese was inspected
and a sample sent me. On examination I sound it to
contain nothing but manganese and iron as usual.—
There were no heterogeneous mixtures in the hogshead
out of which it was taken. Some mixture of instanmable matter I therefore conceive must have happened;
and I know the fixed air so produced is too pungent to
be smelled to.

J. W.

Extract of a Letter from DR. THORNTON, On Catarrh.

March 23, 1795.

I AM forry that the one I enclose is a solitary case, but trials of this fort may be easily multiplied. I can see no harm in publishing new trials provided these be accurate, and the trial is attended with so little prospect of danger to the patient as in the present instance.



March 21, 1795, Hollywell-Street, Strand. SIR,

AS DR. THORNTON has requested me to relate to you my case, and as the communication may be of Tervice to others, I will give it as well as I am able, hoping for the indulgence of the critical reader, from the confideration of the motive that has induced me to make it public. On the 18th of this month, I was for fome time in a large room, which was much crowded and very warm. When I came out of this place, I perceived the wind to be very cold. It was easterly and I had to face it as I returned home. Upon getting into bed I took some brandy and water, and soon after felt myself uncomfortable and restless. On the next morning when I awoke I coughed frequently, and threw up a thin transparent mucus, which came up freely and with no pain. I was convinced I had caught a bad cold, for my colds are uncommonly fevere, and these are the constant symptoms of their having seized me. The next morning after breakfast, my breast was very fore, and my cough very troublefome and painful.

The mucus became glutinous and fomewhat difficult to discharge. After I had dined, and drank three glaffes of wine, the oppression and pain increased in feverity. Believing now I had an inflammation of the lungs from the pungency of the pain, I hastened to see Dr. Thornton, who made me inhale the vapour of æther. I received from it almost immediate relief, both with respect to the oppression as well as the pain in my breast. Nevertheless I continued much affected all the evening, and coughed a great deal, and when I expectorated I felt a foreness at my breast. Before I went to rest I put my feet in warm water above half an hour, and took some warm gruel in bed. All this I have often done before, when fo attacked, but feldom found much relief from it. I had recourse again, as directed, to the vapour of æther, and inhaled two teafpoonfuls, which again gave me the same immediate relief as before. I very foon after fell afleep, had a good night's rest, and when I awoke in the morning, instead of difficulty of breathing, a long fit of coughing, my breath hot, my tongue dry and parched, as had been invariably the cafe after fuch fymptoms as above described, I breathed, on the contrary, freely, coughed only once or twice, and proceeded throughout the day in my bufiness, without the smallest inconvenience.

I am, Sir,

Your obedient humble Servant,

THO. WINNE TOWNSEND.

To Dr. Beddoes.

Observations on this Case by DR. THORNTON.

- 1. THE manner of inhalation is very simple. Two tea-spoonfuls of æther are put into a tea pot. This is held near a candle, and the thumb is put over the spout. When the vapour begins to press upon the thumb, it is transferred to the mouth, and the air is drawn into the lungs. This is to be repeated until the whole be consumed, or ease acquired.
- 2. That the vapour of æther is inflammable air we have the following proof .- I had often put æther into phials containing oxygen air, with a view to produce an explosion, but it never exhibited any other phænomenon than a blue lambent flame. One day having washed out a phial that contained æther, I transferred into it the vital air, and by way of shewing the properties of this gas, having blown out a lighted match, I conveyed the burnt end into the phial of oxygen air, but unexpectedly, instead of the match rekindling, a most violent explosion took place. I then put two drops of æther into a stronger phial containing this air, and having warmed it with my hand, upon transferring the red-hot part of a match into the oxygen gas, it produced an explosion nearly as loud as a gun: the match is shivered, caloric is disengaged, water is formed, and the remaining air, after this process, is incapable of fupporting combustion. As the phial in this instance did not burst, I have frequently repeated the experiment, and have always found that one drop of æther to an ounce measure of vital air, will produce the fame phænomena.
- 3. In a defluxion of the nose, may not the morbid secretion be thickened, by stopping the mouth, and drawing

drawing up an atmosphere chiefly composed of fixed air? Chemistry, I believe, points out this as very probable; but such conjectures will be at once determined by a proper public establishment.

113-4-C-D3-41-

Letter from Dr. THORNTON.

July 27, 1795, Great Russel-street.

DEAR SIR,

IN your letter to Dr. Darwin, dated June 20, 1793, having stated the reasons that inclined you to think, "that in a certain class of consumptive patients, there "may be a super-oxygenation of the system;" you subjoin, "that in constitutions injured by opium or excess of spirituous liquors, (and more especially "while they are under the operation of such liquors "or drugs) there probably exists a desiciency of oxy-"gene." The manner in which you attempt to prove these positions struck me much, and the sollowing sasts will, I think, tend in some measure to support the latter opinion.

Miss F—— came purposely from Edinburgh, attended by her mother, to be under the care of Messes. Wathen and Phipps. Labouring under a dreadful ophthalmia, she had been excluded for the last six months from the cheerful stimulus of light. Living in a confined situation in London, and unable to use exercise abroad, she had been constantly breathing a corrupt air. Seeing her worn down by pain; nearly deserted by hope; deprived of sleep, though she took large doses of opium; tormented with head-ache in

the morning; and without the least appetite during the day, Messrs. Wathen and Phipps did not think she would survive many days. Being called in by these Gentlemen I beheld the image of patience and wretchedness. The Lady's countenance and lips were pallid in the extreme. Her pulse was almost too weak to be discovered. I before observed that Miss F—was in the habit of taking laudanum every evening, the quantity was 110 drops, from which she latterly obtained but little sleep. After inhaling the super-oxygenated air her pulse evidently increased in sulness; her spirits were roused; her appetite in some measure returned; and a less quantity of laudanum would produce the desired effect.

I am, &c.

R. I. THORNTON.


To Dr. Beddoes.

Observations on this Case, made by Dr. THORNTON, and Meffrs. WATHEN and PHIPPS.

- 1. FROM local fulness we judged it prudent to take blood from the eyes of Miss F—. Her blood at first hardly coloured a white handkerchief; soon after she had inhaled the super-oxygenated air, it slightly tinged it; and in a fortnight the blood became of its right florid hue. WATHEN and PHIPPS.
- 2. The dose of air given was from two to four pints of vital air, and less diluted than with most other patients. This was very speedily consumed.
- 3. Why the vital air is favourable to sleep would deserve to be explained. Nurses, who are actuated by

no principle but observation, when they want to get an infant to sleep, carry it into the open air; for the same purpose they sing to it, or dance it about. Now are not these powerful stimuli exhausting irritability, which predisposes to sleep? The partial abstraction of the stimulus of vital air also produces the same effect, and more immediately, which was an improvement in medicine, first suggested by you, and will, probably, in cases where stimuli are to be seared, superfede the use of opium: in the mean time it may not be disadvantageous to know how to obviate the after-evil of this prevailing medicine.

R. I. THORNTON.



Letter from Major BRAITHWAITE.

Stratton-Areet, July 24, 1795.

SIR,

AS I had for a confiderable time been troubled with rheumatic pains, it was recommended to me to take a mild opiate every night on going to bed, and in the event of that dofe not proving fufficiently foporific, I was to add to it a few drops of laudanum; for which purpose I had procured a two ounce phial of laudanum, expecting to take a journey, where it might not be in my power always to procure medicine equally good of the kind. Nevertheless being unwilling to accustom myself to the use of opium, I generally postponed taking the opiate till extreme pain and want of sleep rendered it absolutely necessary. In one of those moments, about four o'clock in the morning, I reached out my hand to the night table, on which by mistake my fervant had placed the phial containing the

two ounces of laudanum, and believing this to be my usual night-draught, I poured the contents into a tumbler glass and drank it off. I soon perceived my mistake, not only from the tafte of the laudanum, but from my immediate relief from pain. From a certain pleafing languor, it was some time before I could rouse myfelf fufficiently to ring the bell for affiftance .being however perfectly convinced within myfelf, that I must foon, unless my stomach was eased of the poifon, beat a quick march into the other world, I made this effort and ordered some warm water; it was some time before it could be got ready. As foon as it was brought I drank large quantities, but without any apparent effect. The apothecary was fent for, he gave me several strong emetics before they took any effect, when I brought up a confiderable quantity of laudanum. I afterwards had a profound fleep, and very early in the morning inhaled the vital air, which was administered by Dr. Thornton, who ordered me to drink lemonade, which from the weak state of my stomach, was almost as speedily rejected, but perfectly sweet to the taste, and so deprived of all acidity as left me no doubt of what I cast up being only sugar and water. This was frequently repeated with always the fame refult. In the evening, I eat my dinner without any fenfible difference, and felt the next day much as usual. This is the simple fact to the best of my remembrance. If it can be of any use in a science, which has for its object the ease and happiness of mankind, I shall always look back with pleasure to an accident, which has afforded me an opportunity of giving you this detail. I am, &c.

GEO. CHA. BRAITHWAITE.

Observations

Observations on this Case, by Dr. THORNTON.

- I. AS more than an hour had elapsed before the emetic was administered, the opium though much diluted, must have taken considerable effect, and was not this proved by the quantity of vitriolated zinc necessary to be given, which the apothecary said was sufficient to vomit six strong men?
- 2. Major Braithwaite's pulse, which was commonly flow and full, was when I felt it, very quick and fluttering. Upon inhaling the super-oxygenated air, I carefully observed by my stop watch, that it was diminished near 15 beats in a minute; it also acquired sulness.
- 3. This Gentleman inhaled fix pints of vital air, but little diluted with atmospheric air, we were both furprifed to fee how speedily it was consumed!
- 4. This inhalation gave great refreshment for the time, as did the lemonade, which was taken into the stomach moderately warm. The idea of lemonade I derived from you.
- 5. Does not this case render it probable that opium disoxygenates the system?



Mr. BOOTHBY CLOPTON's replies to queries respecting his personal experience of the inhalation of vital air.

HAVING written a letter proposing queries to Mr. Boothby Clopton, I received the following very satisfactory answers.

R. I. T.

AS Sir William Chambers, and other Gentlemen of rank and character in England, have confented to authenticate the effects of the vital and other aerial remedies on themselves, and as my motive for this application is no other than the extension of the most important of the sciences, I am emboldened to request the same favor of you. You, Sir, are so well known to move in the highest sphere of life, that your testimony will greatly contribute to draw attention towards an investigation, which I have no doubt will finally be productive of the greatest general good. Permit me then to request your answer to the following queries.

- i. What was the nature of your indisposition?
- Anf. Ashma, accompanied with great debility.
- 2. How long had you been ill previous to your coming under my care?

Anf. Seven months.

3. Did the Gentleman, who attended you, make any objection to your trying the vital air, or did he fuppose other medicines would have had equal efficacy?

Anf. Mr. Farquhar had no objection, medicines having been fo long used without effect.

4. Was the disease after a time alleviated?

Anf. Immediately on my inhaling the air; I was less oppressed with asthma, and slept better the first night than I had done for seven months.

5. Did you find any alteration in your strength and spirits?

Anf. My strength and spirits were certainly increased.

6. Did your friends observe any alteration in your countenance?

Anf. Not only in my countenance, but in my perfon, for my nights being rendered good, I increased considerably in weight.

7. Has the advantage been permanent?

Anf. I inhaled the vital air in the winter, and am now in perfect health, and as I took no medicine, I am convinced my recovery proceeds from inhaling the vital air.

Letter from Mr. COOPER.

Dacre-street, Westminster, July 29, 1795.

SIR,

I WAS above nine months afflicted with hard tumours, which were very flow to suppurate, and when they did, produced only a watery discharge, and a sore, that took a long time in healing. These appeared chiefly about the mouth and throat. Previous to this, I had frequent eruptions on my face, for which I was often purged and bled, which in my opinion might have brought on the disorder I am attempting to describe to you. It soon became necessary to try every means to get rid of it, and I took a vast quantity of different medicines; but the tumours continued rather to increase in size and number, and produced a conti-

nual inconvenience to me. As the vital air alters the character of the blood, and I conceived my case arose from a broken state of the blood, I waited on Dr. Thornton, who thinking these tumours very likely to be removed by the air, wished me to make the trial. At that time feveral of the tumours were commencing, others were upon the point of breaking, and others again were in a flate of open fore. My bowels were first cleared, and I inhaled the vital air, and took bark twice a day in powder. The effect the air had on me was as my mother and fifter observed, to make me eat more than usual. I felt uncommon spirits, and no longer complained of chilliness. The tumours that were in their first state disappeared; the others looked redder and gave me more pain, and discharged matter. But in a fortnight these also yielded to the air and disappeared, and I was cured. But what furprifed me most was the change it produced in my eye fight. My eyes for the space of fifteen years had been uncommonly weak; fo weak, that I was never able to read or write by candle light, but from inhaling the vital air, they have acquired fuch ftrength, that latterly I I have fat up writing in my books, fometimes from twelve to one o'clock, without feeling the fight the least fatigued. My mother used to attribute my weakness of fight, to my having had the measles very bad. I am at the present time perfectly well, and without any fear of my former afflicting diforder.

I am, Sir, with the greatest respect, &c.

HENRY FREDERICK COOPER.

To Dr. Beddoes.

Observations on this Case, by DR. THORNTON.

- 1. This cure was established in Nov. 1793, when it was my custom in breaking the balance of the constituent parts of the air, to incline more to the side of the vital air, and the patient inhaled daily 300 pints of common air, super-oxygenated by four quarts of vital air.
- 2. Scrophulous tumours you have conjectured to arife "from a deficiency of oxygene, occasioning inirritability in the fystem." Was not this indicated by the blueness of Mr. Cooper's countenance; the slowness of his pulse; the torpor of the tumours; and the weakness of his fight, incapable of supporting the stimulus of a strong light, for these disappeared in proportion as his system became oxygenated and the sibres strengthened?
- 3. Having twice stimulated the several tumours with a solution of the oxyd of mercury, so as to produce some external inflammation, are we not to attribute some part of their cure to that process?

R. I. T.

4. It is hardly necessary to point out to the reader, the inference deducible from this important communication with respect to the use of vital air in a well-known species of ophthalmia.

T. B.

Letter from Mrs. BENHAM.

July 9, 1795, Fore-Street.

SIR,

I have been from my earliest youth terribly distressed with a nervous head-ache and weak digestion. This disorder runs in our family. I had tried almost every thing, but without relief. I must contess, however, that while I inhaled the vital air, it did me good, but the distance was so far to attend, that I was obliged to leave it off, it interfered fo much with my business .-It feemed at the time to remove a load from my ftomach, my spirits were better, and my appetite mended. It certainly took off a weight from my stomach, but whether the walk overpowered me I cannot fay, but my head-ache continued the fame. My diforder had affected my fight, that I could not fee fmall print, but after about ten days from my trying the air, having taken up a prayer-book, and turned by accident to where there was fmall print, I was aftonished to find I could read it. Having foon left off the air, perhaps before I had given it a fair trial, my stomach is now as bad as ever, and my fight as before.

I am, Sir,

Your obedient Servant,

ANN BENHAM.

To Dr. Beddoes.

Mrs. Benham regularly attended the first week each day, and for a fortnight after paid occasional visits.

R. I. T.

Letter

Letter from Mrs. BROOMHALL.

July 23, 1795, Stanhope-street.

SIR,

DECEMBER, 1793, when I came under Dr. Thornton's care I had a bad digestion, and a head-ache fo intolerable, that I believed, had I not been cured, I must have lost my fenses. I inhaled the vital air, and by Dr. Thornton's order, I took an electuary of bark and fleel, three times a day, having been first prepared for that medicine. From the first I gradually grew better, acquiring both ftrength and appetite, and in proportion as these improved, my head-aches were diminished. I attribute my increase of spirits and appetite wholly to the vital air, for a lady in perfect health going one day with me, out of curiofity, to fee me inhale the vital air, having defired Dr. Thornton to allow her to take some of it, her spirits were so high. and her appetite fo good, that she very much furprised the family she was with on her return home.

I am, Sir,

Your obedient humble Servant, ELIZ. BROOMHALL.

To Dr. Beddoes.

The diforder here mentioned, had been coming on gradually for three years. She has no returns of dyfpepfia or head-ache, and is at the prefent time in very good health.

R. I. T.

Letter

Letter from Mr. COTTEREL.

July 6, 1795, King-street, Westminster.

SIR,

I WAS troubled with great flatulence, heartburn, want of relish to my food, lowness of spirits, coldness of the hands and feet, and had flept very ill for more than five years. Before this time I enjoyed very good health; and to be employed in my occupation for my wife and family was a delight, but now it was attended with extreme uneafiness to myself. I was under the care of Dr. Lister, Dr. Pitcairne, and other medical Gentlemen of the first eminence. I had taken a great load of bark and other medicines, and during these five years I changed first from one and then to another, and tried what different friends recommended, but in the end I only grew worfe. Having spoke to Dr. Thornton, he gave me fomé hopes, and by his direction I inhaled the vital air, and drank three times a day water impregnated with fixed air, in which I dropt go drops of æther three times a day. In a fortnight I was free from my complaint, but I continued for fome time the water impregnated with the fixed air, in which fome falt of steel had been dissolved, and I have fince occafionally, chewed a warm aromatic root, and for these last two years have enjoyed very good health.

I am, Sir,

Your obedient Servant,

MATTHEW COTTEREL.

To Dr. Beddoes.

Observations on these Cases of Dyspepsia, by

Dr. THORNTON.

THAT common air confifts of two principles, viz. vital air and azotic air, was first satisfactorily proved by Lavoisier: That the blood fixes within itfelf one of these principles, viz. the vital air, was perhaps the discovery of Dr. Goodwin. The extinction of this principle, before it enters the veins, thereby generating vital heat in the body, was the discovery of Dr. Crawford, to the perfection of which theory I might have flightly contributed: That there is a balance between the vital air taken into the lungs, and the quantity of food that can be digested by the stomach, was among your earliest discoveries. These cases feem to confirm your views, and unless there were danger of exhausting the patience of your readers, I could direct you to many other persons, from whom you might procure testimony to the same effect.

Note from Mr. RUSSEL, Engraver. August 1, 1795, Constitution-Row, Grey's-Inn Road. SIR.

THE Rev. Mr. Townfend's account of my cafe is perfectly correct and expressive of my situation .-Wherever I went, every one who knew me testified the greatest surprise at seeing me so recovered. Since which time (nearly two years) I have continued in excellent health, having had no return of my former complaint.

> I am, Sir, your most obedient humble Servant, IOHN RUSSEL.

To Dr. Beddoes.

The case of Mr. Russel, together with some others treated by elastic sluids, is related by the Rev. Joseph Townsend in his Guide to Health. It was a case of melancholia. Oxygene air with other remedies were employed. The cure cannot therefore be fairly ascribed to oxygene alone; but the report shews demonstrably that this remedy had essicacy. For when it was withheld, the symptoms grew worse, and gave way when it was administered asresh.

T. B.



Letter from Dr. THORNTON.

August 6, 1795.

DEAR SIR,

I CANNOT better close my communications than by the trial I have made of vital air in pregnancy. It had often been remarked, that pregnancy arrefts confumption, but to you first we are indebted for an attempt to explain the manner in which this effect is produced. Allow me to lay your words before the reader. " The fœtus has its blood oxygenated by " the blood of the mother through the placenta .-" During pregnancy there feems to be no provision " for the reception of an unufual quantity of oxygene. " On the contrary, in consequence of the impeded " action of the diaphragm, lefs and lefs should be taken " into the lungs. The dark colour of the blood; the " aching of the teeth, and bleeding of the gums; the " propenfity to break out into fores, their dark appear-" ance, and difficulty in healing; the diflike to animal " food; and defire of acids and vegetables; also the " black

riage could pass, nor a rap even at a neighbour's door, nor any loud noise, but he joyfully noticed it; on the first day of his hearing, his father said, his extasy was beyond expression. He had likewise lost the power of speech, and therefore conveyed his meaning chiefly by gesture. The resemblance which this case was supposed to bear to paralysis of the optic nerve, made this idea general, even in the medical world. With regard to a partial paralysis, we have in reality, one case somewhat in point.

A Lady of rank was recommended to me and Mr. Hill; she had entirely lost one eye, and the fight of the other was fo impaired, that she could not read writing at all, nor any but the largest print; and streams of light feemed to iffue from the fire and the candles in the evening. There was no apparent defect in either of the eyes to any common observer, nor would any one in a room or carriage have imagined her fight failed her in the least. As the criterion to judge by, I requested this Lady, as she passed by in her carriage, to try if she could diftinguish the hour at the Horse-Guard's clock, she found she could not. She inhaled the vital air at first for a few days, and by the direction of Meffrs. Wathen and Phipps, electricity was daily employed, and the vapour of æther was thrown with the electric aura on the eye. She took once a day a a tonic mixture, and before fix weeks were elapfed, this Lady was able readily to diffinguish the hours on that fame clock which had before prefented only a confused object.

A Merchant came purposely from Jamaica, to be under Dr. Baillie, who with that liberality and love

for the improvement of medical science, so conspicuous in the samily of the Hunters, recommended him to Mr. Hill. I was in hopes I should have been able to have furnished you with this case, and had long ago promised it; but from caprice so common among the sick, without the least shadow of ground, he desisted from the vital air, and gave up probably the only chance of recovery. A poor man labouring under total darkness from gutta serena, was humanely sent last winter to Mr. Hill, by Messrs. Wathen and Phipps. His general health was established by the inhalation of superoxygenated air. The pupils, I thought, seemed rather to contract upon the application of a strong light, but the man living at a distance, and the winter being very severe, he did not attend much above a month.

With respect to super-oxygenated air in true amaurosis no conclusion in my mind can be drawn from the case related by Dr. Carmichael; for the vital air was had recourse to as a powerful exciting remedy; bleeding was on the same days employed, and a sudden transition was made to an air diametrically opposite in its virtues. This accurate Physician pursued a very different mode in chlorosis with good effect at first, and I trust, final success. Upon the whole, "whether benefit will result from the vital air in true gutta serena" remains to be decided.

Ever your's,

R. I. THORNTON.


" black appearance of the areolæ of the breafts, pecu-" liar to that period; and the fallowness of the coun-" tenance, feem to indicate a defect of oxygene." In the present case most of these symptoms were strongly marked; they were accompanied with great dyfpepfia and lowness of spirits. As with those under the influence of wine (the theory of which we before had occasion to consider), there was defect of appetite in the morning, with nausea and frequent inclination to vomiting. Instead of arterial, (for the Lady was in the vigour of life) there was venous plethora, and she complained of universal chilliness. I observed that acid fruits and vinegar were fo much indulged in, as in another state of the frame must have produced great evil. This indulgence was not however previous, but fubfequent to the fymptoms above described, and so far from augmenting feemed greatly to lessen them .-Any fmell tending to putrescency would occasion a total derangement in her constitution. Salt of vinegar and acids were very reviving, and would almost instantly stay the inclination to vomiting. In this state a violent fright produced first fainting, and then convulfive fits; thefe alternations would afterwards appear at uncertain intervals, and last from two to three hours. Wine, laudanum, peppermint, and brandy, feemed the most falutary remedies, either by being a stimulus adapted to the torpor of the fystem at that period; or elfe from the confent which this occasions with the lungs, whereby a larger portion of vital air is imbibed by the blood flowing through that organ. As things were thus circumflanced, I thought of the vital air, and reason authorised me to make this delicate and interesting trial. Therefore during one of these paroxysms,

peppermint-water and wine being first administered, and the room sprinkled with vinegar, I pressed into the lungs super-oxygenated air, and in a few minutes there was a most evident alteration for the better. This Lady being recovered, the super-oxygenated air was inhaled afterwards for several days, and it seemed to bring back the frame to the natural state of health, but I chose not to persist in the use of an unknown power, unless urged by the strongest indications.

I am, &c.

R. I. THORNTON.

To Dr. Beddoes.



Letter from Dr. THORNTON, respecting patients with impaired organs of sense.

DEAR SIR,

FROM the very quick restoration to sight of the blind boy, whose case I have before related, where there was water oppressing the brain, and from the case of Patterson, it was generally rumoured abroad, that gutta serena yields to the powers of the vital air.— This report gained the more credit, as a lad, who had been deas—so deas, that he did not even hear the Tower guns, though placed under them when they were firing, and whose mouth was drawn awry—by inhaling the vital air had entirely recovered the right position of his mouth, and could distinguish loud sounds, as the Rev. Mr. Townsend and many others witnessed. It was pleasing to observe, how delighted he was at the exercise of this returning faculty, for not a carriage

I ordered an emetic of antimony, and after this operation cleared the intestinal canal with rhubarb and vitriolated kali; the fever, though greatly abated, still continuing, I recommended yeast, and the lad was in a few days perfectly recovered.

Having in the two last cases ascertained, that the sthenic pulse was sunk by the operation of the fixed air, extricated in the warm stomach from the yeast, I conceived, that in violent inflammation it might sometimes preclude the free use of the lancet, and a case happily occurred, at the close of last winter, which seemed to authorize the trial.

Mr. Kennedy, a hair-dreffer by trade, living in Tottenham-Court-Road, aged 35, of fo nervous a frame that he could not shave his customers, (his hand being fubject to tremble) was attacked with the prevailing inflammatory difease of the last spring, which took off fuch a number of persons. He was seized with rigor and head-ache, succeeded by acute pains in the chest: his breathing became laborious, and towards night he had violent delirium. I was fent for early in the morning, and I observed 1st. a tense and oppressed pulse; 2d. great heat; 3d. great difficulty of breathing; 4th. he complained of acute pain in the right fide; and 5th. had total loss of fleep. I instantly called to mind Brown's ideas on catarrh. After a fevere troft, with fnow on the ground, the weather became mild, and the accumulated irritability was by the heat called into action -Had blood been taken from the arm, the blood partaking of the same increased irritability would have contracted strongly, and we should have had that cupped appearance, and hard coagulum fo expressive of in-From flammation.

From this theory the art of cure seemed to be to adjust the stimuli to the tone of the irritable fibre, and as the ordinary stimuli produced inordinate action, from the increased irritability of the fibre, it became necesfary to reduce these as early as possible. I was convinced, from former experience, that the oppreffed pulse would have risen under the finger, as the stimulus of the blood was withdrawn; but as this fluid is with difficulty regenerated in habits like that of my patient, and in this epidemic bleeding had precluded quick recovery, I refolved to omit for the present the abstraction of this stimulus. But I ordered the fire to be put out; I removed the stimulus of light; I would allow no one to fit in his room, or speak to him: to take off the stimulus of food from the stomach I gave him an emetic of tartarized antimony; and to take away all flimulus from the intestinal canal, I ordered a cathartic of rhubarb quickened by vitriolated kali. During the operation of these, I applied a very large blister to the cheft, the stimulus of which I conceived would do no harm under the operation of the cathartic, and might do good by deriving from the lungs, and afterwards by drawing off the ferum of blood, which is a species of half bleeding. To fupply oxygene without caloric, I ordered from fix to ten lemons in the twenty-four hours, in tamarind drink. Not contented with this, I wished the famished system to absorb as much fixed air as possible, (whose sedative power on the heart and arteries is fufficiently proved) and he took therefore yeaft in his acidulated water, and he was ordered frequently to plunge his arm in this fermenting ingredient. I ordered two grains of colomel to be taken at bedtime, the acid drink to be frequently repeated with the yeaft, and

Letter from Dr. THORNTON, on Yeast.

DEAR SIR,

THE communication of the Rev. Mr. Cartwright, on the efficacy of yeast in putrid fevers, induced me to pay much attention to this remedy. It appeared to me an excellent substitute for the effervescing mixture, which extricates too little fixed air to produce any very important action in the constitution. 'As fixed air forms the chief ingredient in medicinal waters, it has been without much opposition introduced into the practice of medicine. Its great antiseptic powers have been fully afcertained. But in the prefent inflance I am about to consider it also in another point of view. From the experiments of Dr. Percival, it appears, that fixed air is absorbed by the lacteals, and is fecreted from the blood by the kidneys, fo as to affect the water in the bladder; hence it becomes a folvent for the stone. From those of Mr. Abernethy, it appears, that it is also absorbed by the skin, and you conjecture, " that the constitution might be saturated by the immersion of the naked body or limbs in vessels containing airs." These suggestions led me to a new mode of treating peripneumony. But it may be proper first to premise one or two trials of yeast in putrid fever.

Mr. Caldwell, fome months back requested me to go into Green-street, Leicester-sields, to attend Mr. Hadril, who he said, it was supposed, would not outlive the day. I found him labouring under a dreadful fore throat: the tongue was black and thick coated, and the pulse quick and fluttering. Evacuations being first employed,

employed, yeast and bark in porter were exhibited every two hours. His fister, who nursed him, was soon after attacked by the same sever, but the throat was not affected. She was not like her brother consined to her bed, but her weakness was so great that she could not walk across the room, nor even stand up half a minute without support. In both these cases the relief from the yeast was very striking, and they were soon cured.

Mrs. Knight of Bolt-court, Fleet-street, had a white tongue; proftration of strength; the eyes gloffy; the countenance vacant, with a hecking cough; great heat on the furface; pulse 120; complexion very florid. Having first given an emetic and catharic, and well cleared the primæ vitæ, I ordered three table spoonfuls of yeaft to be taken every two hours. After the fecond repetition of this remedy, it brought on a great fense of coldness; the stomach was inflated with wind; she eructated continually; and for two hours was threatened with hysteria. As the loss of the fever produced great faintness, her officious and alarmed friends, gave her their grand specific for wind and lowness, Geneva and water. Finding on the next the day fever returned, and a prejudice against the yeast, I treated it according to the ordinary practice; the inflammatory stage passed into the putrid, with twitching of the tendons, and other fymptoms exciting alarm, and notwithstanding bark and wine it run its course of one and twenty days.

Master Kennard, who lives with Mr. Stoner, Charlesstreet, was brought to me by his mother for my advice. He was also in the inslammatory stage of a putrid-fever.

I ordered

and I encouraged no hopes in my patient, and in the morning he was to take the cathartic before-mentioned, to which was added half a grain of tartarized antimony.

The next day I found the pulse of my patient less oppressed considerably. I asked him to attempt an inspiration but he could not bear it. The want of sleep was now easily accounted for. The lungs being in part a voluntary organ, as distention of the vesicles was acute agony, the mind was kept constantly alert in preventing a too free respiration, hence perhaps the reason why the breathing was also quick and laborious.

He had no return of delirium. I repeated the purges on the two following days. The pulse became softer; the tongue looked less white; the thirst was abated; the breathing relieved; he sweated profusely; and began now to covet some food. I now admitted the stimulus of light; I raised his hopes; and progressively adding different stimuli, I came to bark; and in less than three weeks he was about on his business and as well as ever.

Nearly about the same time I was called in to attend Mrs. Eaton, at Shepherd's Market. Her disorder seemed less confined to the pleura, and extended more over the mucous membrane of the lungs. Her pulse was 112, tense, full, and intermittent; her respiration extremely laborious; her cough very painful; and her expectoration great. The blood taken from the arm exhibited a cupped appearannce, and hard coagulum, and the buffed coat, which is perhaps a secretion from the arteries. She was attended by Dr. Reynolds, who wrote to me as follows:

SIR,

SIR,


I SHALL be very happy in Mrs. Eaton's having your affiftance, and I fincerely hope that her inhaling a reduced atmosphere will be of use to her. Her respiration is at this moment very laborious, if that can be relieved, I trust that she will do well.

Believe me with the highest esteem and regard, Dear Sir, your faithful Friend and Servant,

H. R. REYNOLDS.

Wednesday, Jan. 21, 5 o'clock.

To Dr. Thornton.




I STAYED four hours with Mrs. Eaton, while I observed the effects of yeast in her case, during which time I gave her near half a pint. Her hands and arms were immerfed in this liquid in a state of ferment, and it lowered the pulse to 94, and produced so much coldnels, languor and dyspepsia, that for fear of her swooning, the window was obliged to be thrown up to let in the fresh air. The irritation on her lungs, she said, was less, and what she expectorated was easy. She was bled in the evening, but no fuch alteration of the pulse, or languor was produced from bleeding, as from yeaft .-After this operation, for two nights she inhaled a reduced atmosphere, but it occasioned catchings of the breath, and augmented the pain. Only a small quantity being inhaled at each time, from a general law in the animal economy, (now beginning to be understood) instead

instead of lessening, it quickened* the pulse as Dr. Reynolds observed, at the time. As no material benefit was derived from this weak essay, it was omitted, nor have I since tried it. But I have pursued the other mode in two instances with the most pleasing success, not that I would recommend this plan in every case, but only with such patients as are of a weak habit, and who therefore are sooner affected by the abstraction of stimuli. Might it not be conjoined with bleeding; and I must observe in the case of Mrs. Eaton, some Gentlemen of the faculty, who had previously seen her and given her up as lost, are of this opinion, but trials in a Pneumatic Institution would determine this.

From, my dear Sir,

Your ever faithful Friend,

R. I. THORNTON.



Letter from Dr. THORNTON, containing general observations on his experience with airs.

No. 3, Bennet-street, St. James's, August 2, 1795.

DEAR SIR,

IN almost all of the cases in which I have adminiftered elastic sluids, Mr. Hill, whom I have had occasion

to

^{*} I imagine there are few circumstances (I never saw any) in which a lowered atmosphere does not at the moment quicken the pulse, while it weakens the action of the heart and arteries. T.B.

to mention as a Surgeon, and who also practices Pharmacy, attended in the latter capacity, and becomes therefore an additional testimony to the efficacy of the vital air. A question will here naturally occur.-" Have not the cases which I have related, or pointed out " for your inquiry, been selected from innumerable " others ?" I could on the contrary add confiderably to the list of persons cured: but confining myself to those disorders, which scientific medical men generally allow to be incurable, or at any rate very difficult to cure, I here folemnly declare, that of fuch cafes I have recorded every inflance, excepting those of asthma and vitiated ulcers of the leg, where the trials have been very numerous, and almost universally crowned with the most striking success. Out of the many trials in which the fuper-oxygenated air has been at all employed, four only have terminated in death. Your readers shall be enabled to judge whether the smallest fuspicion can fall on the oxygen in any of those cases. One of them I have before related, where there was water on the brain, the fecond was a Gentleman from America, whom when I first saw, I did not believe that he could furvive many days. He had, I suspect, great adhesions, tying up the organ of respiration, and never took an eafy breath, but while he was inhaling the fuper-oxygenated air. He obtained a respite and relief for above two months; when complaining of coach-hire and former misfortunes, he very reluctantly gave up attendance, though the air was offered him free from expence. From almost that moment he lamented to his wife that he had loft his only support, and foon after refigued his spirit to that Being from whom it is derived. The third was a Gentleman who had a paralysis of the

lower

lower extremities from a diseased spine. Mr. Cruik-shanks, had employed caustics, and other remedies, but without success. When he came under Mr. Hill's care, he could not retain the natural evacuations, and as this last symptom gave me reason to expect, he did not survive to inhale the super-oxygenated air above a dozen times. The fourth was a sister of that experienced Surgeon, Mr. Sharp, in a case of cancer, where I was called in with Mr. Hill, to try the application of fixed air to the breast, and vital air internally; this plan gave some ease, but from the extent of the disease, and severity of the frost our apparatusses were destroyed, which were of glass, and we made therefore here a very impersect trial.

The vital air, which I have generally employed has been formed from manganese and oil of vitriol, which went through a very careful and tedious process, before it was fit for use. The cautions employed I need not detail, since by Mr. Watt's admirable Pneumatic Apparatus the vital air may be obtained pure, and with equal ease, and probably with the same, if not superior qualities.

I am, dear Sir,

Ever fincerely your's,

R. I. THORNTON.

To Dr. Beddoes.

Letter from Mr. WATHEN PHIPPS, Surgeon.

Pall Mall, Thursday, Aug. 5, 1795.

SIR,

UNDERSTANDING that you are collecting accounts of the various effects either feen or felt from the vital air, I embrace the present opportunity of transmitting the result of two cases to you. I was first induced to recommend the oxygen air, from observing the very happy and immediate effect it had in removing violent spasms, which had resisted in a relation of mine, all medicines for above fix months.* Soon after this a very corpulent Lady, of about 60 years of age, applied to me for a chronic inflammation in her eyes: befides which, I found she laboured under the greatest possible difficulty in breathing. She could not even walk from the coach into the house, without stopping more than once to recover her breath. After ordering what appeared to me necessary for her opthalmia, I recommended her to the care of Dr. Thornton for her dyfpnæa, requesting to see her in a week. In this short space of time the amendment exceeded my expectations .-She had walked the greater part of the way from Bloomsbury, to my house; her respiration had become almost free; and her nights better than she had enjoyed for a long time. She continued the use of the oxygene air for a month, and was most perfectly cured, and has never had any relapse. Another remarkable instance of the effect of the oxygene air on the blood, came under my observation last summer, which I cannot forbear

^{*} Of this case there is a short notice in my collection of letters. T. B.

bear mentioning. Miss F---, * a young Lady from Scotland, was afflicted with a chronic inflammation of the eyes, which had continued fome months before the came to England. The transparent cornea had become opaque, and the eyes otherwise much injured. She was extremely emaciated and fo debilitated, that it was with difficulty she walked across the room. A violent and constant pain affected the head, which was relieved only by fleep; which fleep was feldom procured, but from the exhibition of 112 to 120 drops of laudanum, the effect of which was no fooner gone than the pain returned. Every possible means had been used without benefit, when the oxygene air was recommended: after breathing it about ten days her appetite began to return, she was enabled to take an airing in the carriage, and she had several good nights, with a much less proportion of laudanum. I had frequently been in the habit of fcarifying the infide of the lower eyelids, from which she always found temporary relief. Prior to the exhibition of the vital air, the blood poffeffed fo few red particles, that it scarce tinged the handkerchief, and appeared more like the stain from yellow ferum than from blood. After she had taken the air for some days, it gradually affumed a redder colour, and at last regained its proper red appearance; a strong proof this, of the power of oxygene to change the nature of the blood.

With the fincerest wish for the success of your laudable and humane designs,

I remain, Sir, your very humble Servant, WATHEN PHIPPS.

To Dr. Beddoes.

Letter

^{*} This case the reader will recollect to have seen mentioned by Dr. Thornton also.

T. B.

Letter from Miss STEPHENS.

August 6, 1795. Snow-Hill.

SIR,

A YOUNG LADY, an acquaintance of mine, aged 20, having been two years ill, and under Dr. Carr, an eminent Physician, at Northampton, but continuing in the same state, she was fent on a visit to me, in order that she might obtain the opinion of some Physician in London. Having had the pleasure to see the greatest benefit derived by a young Lady,* whose case was fomewhat fimilar, from the inhalation of the vital air, I was very anxious for her to make trial of the fame means. The countenance of Miss S-was pale in the extreme; her lips very white; her breathing short; fhe was incapable of the smallest exercise; so wearied was the in dreffing herfelf, that even during this trifling exertion, she was obliged repeatedly to lie down; her appetite was very indifferent; her spirits low; she constantly complained of cold; and towards evening her legs used to swell. When we first went to Dr. Thornton's we were obliged to take a coach there and back, and even the getting out and in, and going up stairs feemed too much for her. At the end of five days, the change in her strength was so great, that she was able to walk back from Great Ruffel-street, and in getting up stairs, instead of panting for breath at every four or five steps, fhe could ascend the whole flight with the greatest speed and eafe. Her appetite was good; her spirits raised; her countenance shewed the figns of returning health;

^{*} This young Lady's case has never been mentioned in print. I understand the cure was complete and permanent. With others of the same kind it leaves little doubt of the powers of oxygene in these affections.

T. B.

and her lips, cheeks, and nails affumed a faint blush, which continued increasing, until she was in every particular restored to perfect health, and could walk to and back from Great Russel-street, above three miles, with the utmost ease. When Miss S—, after staying with me five weeks returned to her friends, every one was assonished at the great alteration, and indeed she hardly appeared the same young woman.

I am, Sir,

Your obedient humble Servant,
CAROLINE STEPHENS.

To Dr. Beddoes.

Observations on this Case by Dr. THORNTON.

- and tongue; the dyspnæa when in action; the semipellucid and polished skin; the want of perspiration; the black and pearly eye; the coldness of the frame; the dyspepsia; the yellow appearance of the teeth; the lowness of spirits; the weak and quick pulse; denote a deficiency of oxygene in the system.
- 2. If the skin was torn (before the system was oxygenated) there would ooze from the scratch, not blood, but a yellow serum. Is not the predominance of this sluid, the cause of that sallowness of the countenance so frequently mistaken for a disease of the liver, whence these persons have the name of bilious?
- 3. As this young lady had been under fuch excellent hands, may we not conclude the fleel and aloetic cathartics inadequate to the alteration here produced? In other instances the vital air along with these, has succeeded, when either alone did not produce the defired effect.

4. In feveral instances, when the blood has been oxygenated, and the system strengthened, I have employed electricity with the speediest effect. In such cases I have not had occasion for aloes or steel to remove the emansio mensium.



Letter from Mr. BARR.

Birmingham, 20th Aug. 1795.

DEAR SIR,

REBECCA STANLEY, fervant to Mr. Watt, of Heathfield, about 35 years of age, of a flender habit of body and a narrow cheft, was feized with the epidemic cold or influenza of last spring, and has ever since been afflicted with a tight dry cough, a pain of her side, and occasional fits of difficult breathing. She would not consent to have any medical advice, and had taken no medicines. A few days previous to my being consulted, she caught cold, which much aggravated all her complaints. The cough became almost perpetual, and on the 28th of July, the breathing became oppressed in a degree truly alarming. She could not bear a horizontal position, but was obliged to be supported upright in bed through the night.

Mr. Watt gave her an emetic early in the evening, which operated well, but produced no relief; ether and other antispasmodics were given, and a large blister was applied to the breast, where a sense of excessive tightness and constriction was selt, but yielded no benefit. She passed a very bad night, and I was sent for early in the morning.

I found her skin hot and dry; her pulse beat between 90 and 100 strokes in a minute, and her breathing was very laborious. I gave her thirty drops of laudanum with a dram of ether in half a tea cupful of water. Her breathing was much relieved by it, and continued fo during the day. I advised her to inhale a pint of hydro-carbonate in twenty quarts of common air, in the evening, and repeat the dose, increased or diminished according to its sensible effects, morning and evening; I likewise directed the laudanum to be repeated if urgent fymptoms should return; the dyspnæa was still further relieved by the inspiration of the air, and she passed a tolerable night; no more laudanum was given. Next morning she had a pint and half of hydro-carbonate diluted as before. The breathing became very eafy; at night fhe had the fame quantity, and flept better. Next day the fense of tightness and constriction in breathing was nearly gone, but the cough continued troublesome. The pulse, was hard, fmall, and quick, the tongue was white, and the pain of the fide was not removed. I took fix ounces of blood, which was much inflamed, from her arm, and gave her a quart of hydro-carbonate, which quantity I directed to be inspired night and morning. I also advised three grains of James's powder to be taken every eight hours.

I saw her again on the second of August. All the symptoms were much mitigated. The pulse was reduced to 80, her nights were much better, but the cough was but little abated. The James's powder was directed to be continued a day longer, and the hydrocarbonate for a week; at the end of the week she was in every respect well, except a little cough. I advised the continuation of the hydro-carbonate till the cough.

was entirely removed. This I found to be the case when I saw her three days ago—she sleeps well, and her pulse is full and regular.

In the beginning of this case the extreme urgency of the symptoms induced me to use active remedies along with the hydro-carbonate, and it certainly did not impede their salutary operation. In the latter stage it had no assistance. Could demulcents, expectorants, or antispasmodics, either singly or conjoined, have done more? Could they have done as much?

on lo noustial I remain, dear Sir, admit I

Your's, &c.

JOHN BARR.

To Dr. Beddoes.

the had a pint and



Letter from Dr. DARWIN to Dr. BEDDOES.

Derby, Aug. 12, 1795.

DEAR DOCTOR,

IN recording the efficacy of new medicines, cases in which they do not succeed are useful as well as those in which they do.

Mr. W—, about 60 years of age, was afflicted with hydrothorax, which had been gradually increasing for about two years; he had been fix or seven times relieved by taking tincture of fox-glove. He breathed about eight gallons of oxygene gas, from Exeter manganese, every day for about a week; it was at first diluted with about equal parts of atmospheric air, but he took it after a day or two undiluted, unless by the small quantity.

quantity of air which might be in the hydraulic bellows previous to the introduction of the oxygene.—
He did not perceive either any temporary or permanent effect from it. After about a fortnight he was again relieved by the tincture of fox-glove, and again began to respire oxygene, which was undiluted, and took about fix or seven gallons every day for about a fortnight, without any apparent effect, except that at last one parcel of air disagreed with him, which was probably owing to some inflammable material, which had incautiously been mixed with the Exeter manganese in putting it into the tube. In a few weeks afterwards he sunder the disease.

Mrs. S-, a young married lady, with light eyes and hair, had been long confined by a pertinacious headache; and was fo far reduced, as not to be able to rife from her bed, the breathed about fix gallons of oxygene gas daily, for three or four weeks, which was at first diluted with equal parts of common air, afterwards the chole to take it undiluted. She always found herfelf revived by these inhalations, and gradually recovered her health, and became flronger than she had been for fome years, and freer from the pains of her head. Though these pains of her head probably originated from decaying teeth; yet, as other people experience a decay of their teeth, without violent and permanent hemicrania, there must be some other cause; which may confist in the too great sensibility of the fystem to this affociation of the morbid action of the membranes of the teeth, or of the alveolar proceffes with those about the temple. This sensibility seems to have leffened as the constitution became invigorated."

I have only to add, that it is probable, that the quantities of oxygene gas would have had greater effects, if it had been respired in a more dilute state. And that I suppose the inirritability of the lungs to the stimulus of oxygene gas in the former case, might be owing to their being in some degree anasarcous, like the limbs.

From, Sir,

Your's most fincerely, E. DARWIN.

--- D-4-

Letter from Dr. PEARSON.

Birmingham, Aug. 23, 1795.

DEAR SIR,

WHEN I fent you an account of the effects of oxygene air in the case of the chlorotic girl, Mary Rider, I mentioned that I had also prescribed the same remedy to another patient affected with epilepfy, joined with amenorrhæa. This patient, whose name is Ann Smith, is about 18 years old; she has been subject to epileptic fits for more than two years. When at the worst she had four or five fits in the day-time, and one or two in At the time the fits first came on, the menthe night. fes, which had been regular before, ceafed, and have never returned fince. Several years ago she was troubled with worms; but it does not appear she has them now. These particulars relative to the history of her case, have been collected from her mother, as the patient is incapable of giving an accurate account of herfelf, her understanding and memory being so much impaired as to amount to some degree of idiotism.

It was in January last, that she first breathed oxygene air, the application of which, after two or three doses, was then interrupted by the accident mentioned in my former letter. About half a year afterwards, viz. on the 4th of July, this remedy was repeated; she breathed 226 cubic inches of oxygene air largely diluted with common air. This application was continued till the 22d of the same month, (i. e. nearly three weeks), towards the end of which time, the dose of the factitious air was increased to as much as 678 cubic inches. The inhalation was now discontinued, as it did not appear to be of any fervice. Scarce any difference was perceivable after the inspirations, except that the pulse was fuller and quicker, and the countenance more coloured. But these effects must be owing (at least in part) to the efforts of the patient in drawing in the air from the bag, and to a greater expansion of the lungs (in confequence of fuller inspirations) than happens in ordinary breathing. It is noted in the minutes of her case, that on the 20th of July, she said, she had not had fo many fits as usual; but I am unwilling to give credit to her own words, and the more so, as about a fortnight afterwards, upon inquiry of her mother how she went on. I was told she was not at all better.

This short statement is extracted from the journal kept at our hospital. To go more into the detail of a case which is indecisive either one way or the other, I thought would be useless. In the instance of epilepsy of which you have given an account in one of your publications, the symptoms were aggravated by oxygene air. In the present case, if it did no good, it did no harm. Whether in less complicated cases of this dis-

ease it is capable of giving relief, is a question which remains to be determined by future experience.

It is noted in the minutes of the hospital-journal that the patient sometimes appeared more lively after inhaling the factitious air; and one day she complained of a pain in her stomach. This circumstance shows that her feelings were rendered more acute by the use of this remedy. May we not then infer, that oxygene air would be serviceable in cases of amentia or fatuity?

In this epileptic patient, I suspect some organic affection of the brain; which explains why the oxygene air, though administered in such large doses, produced fuch little effect. loured. But thefe effects must be ow

part) to the efforts of the patinic imail wing in the air

cafe, that on the goth of July, the laid, the had not had

To Dr. Beddoesi, ni beron zi I R. PEARSON. Do

P. S. So much has lately been faid in favour of yeast, as a remedy in typhus and other diforders, that Is have been induced to take some notice of it. Those who have written about it, do not feem to have understood its nature thoroughly. They have looked only to the carbonic acid which it contains, without being aware of another active ingredient in its composition; I mean the bitter principle of the hop, which is present in a very concentrated state in yeast, and is highly narcotic. It is to this principle that I ascribe the violent effects which I have known yeaft to produce when given internally. I have been witness to its operation in two cases. Neither of them were fevers. In the first, the vomitings,

vomitings (which had come on before) were increased by it; and in the other instance it purged violently. In respect to its use internally, I cannot help looking upon it as a very doubtful remedy; but I can bear teftimony to its good effects externally, in cutaneous atfections. It should be observed that there is a great difference between old and new yeast. By keeping, much of the carbonic acid air escapes, the mass becomes less frothy, and its parts are brought into closer contact: hence old yeast, is bulk for bulk, much stronger than the new. I suspect, too, that in proportion as it loses its carbonic acid air, it becomes more powerfully narcotic. It is therefore a necessary precaution to proportion the dofe according to the quality of the yeaft. The old is at least twice as strong as the new.



THE reader will recollect the interesting case of I.T. so minutely detailed by Dr. Carmichael, (Consid. 2d. ed. p. 87.) He had in Nov. 1794, an almost incessant cough, with copious expectoration, sense of tightness across the chest, much dyspnæa on the slightest exertion, pulse 110—120—nights restless, attended with profuse perspirations, and much emaciation. After a course of hydro-carbonate air, without medicines, he was strong enough by the end of February, 1795, to determine to return to his usual occupation. The following letter tells the event.

T. B.

Letter from Dr. CARMICHAEL.

DEAR SIR,

I NOW communicate to you the fequel of I. T.'s case. On the 1st of March 1795, (the date of the last report) he was continuing to gain firength, his cough was less frequent, the quantity of matter which he expectorated was fmall, his appetite was good, and he flept well. He found himfelf fo well in every respect that he became anxious to return to his employment, and as I could not prevail upon him to defift from his intention, I advised him first to inure himself gradually to the cold, by walking out a little daily. He complied with my advice, and continued to gain ground till the 9th of that month, when in the evening he was feized with the usual fymptoms of the influenza, an epidemic catarrhal infection, which at that time prevailed much in this place. The febrile symptoms ran high, and were attended by frequent cough and confiderable pain in his fide; he complained also of fevere head-ache and unufual languor, he was thirsty, his tongue was white, his pulse 110.

15. Febrile fymptoms continue; cough frequent but now attended with increased expectoration; pain of his side less severe; considerable dyspnæa on the slightest motion; pulse 115, small and weak. Until this attack he inhaled twice daily a gallon of hydrocarbonate, diluted with sour times the quantity of atmospheric air, but as his strength wasted, it was found necessary to lessen the quantity to one quart diluted as above.

20. Pain of his fide fomething easier, but his cough increased in frequency and his expectoration is more copious

copious. Restless nights; no appetite; strength so much impaired, that for the last four days he has not been able to inhale the modified air; pulse 120. I directed a warm stimulating plaister to be applied to his side, and sive drops of tinctura opii to be given every four hours.

28. Pain of his fide gone, but his other symptoms continue; bowels regular; has had better nights, but his sleep has been attended with profuse perspirations; the tinctura opii was omitted, and he was directed to take at nearly the same intervals a small glass full of port wine.

15th April. Complaints continue without material alteration. From this date he recommenced the use of the hydro-carbonate, beginning with it of the strength of one pint to sixteen quarts of common air.

25. At first the modified air occasioned considerable vertigo, but he soon became so much habituated to its operation, that the quantity was increased to one, and afterwards to two quarts. His perspirations have abated, his cough has been less urgent, the quantity of his expectoration has diminished, and the dyspnæa, with which he has for some time past been troubled on the slightest motion, is greatly alleviated.

3d May. Since last report he has experienced confiderable amendment, pulse 98. The quantity of hydro-carbonate was further increased to a gallon diluted with four times that quantity of atmospheric air.

15. He has continued to recover fo much in every respect, that yesterday he walked, not without difficulty, fourteen miles into the country.

From

From this time I did not fee him till the middle of June, when he returned to this place with an intention to follow his usual occupation. He was in every particular so much better, that he seemed to have recovered completely the ground he had lost. I advised him to the country, to which he consented, and he has since been occupied in hay-making, and more lately in reaping. I saw him a sew days ago; he cannot be said either to cough or expectorate, except of a morning, and then in the most trisling degree, and his strength is so completely restored that he has been earning wages equal to those of the stoutest of his fellow-labourers, with ease to himself and satisfaction to his employer.

I am, dear Sir,

Your's fincerely,

JOHN CARMICHAEL.

Birmingham, 25 Aug. 1795.

To Dr. Beddoes.

My assimption I. B. continues perfectly well. I cannot say so much for the chlorotic girl. By the use of oxygene her health has been amended sour several times, but the menstrual evacuation has never yet taken place.

I. C.

Letter from Mr. Rolph, Surgeon.

Thornbury, Aug. 7, 1795.

DEAR SIR,

IT is with peculiar fatisfaction I inform you my oxygenated patient continues improving in health, and from prefent appearances, there is little doubt of his perfect

perfect recovery. I here fend you his state of health, previous to his commencing a course of oxygene air, and his daily report since.

W. Trayhern, aged 35, by trade a tailor, had about the middle of June, 1793, a flight discharge from the urethra, for which he took fome pills prescribed by a medical gentleman at Bristol'; in the course of seven or eight days after he complained of a violent pain in his foot, which also appeared tumefied. By the advice of an old woman he bathed it with palm oil and rum, by which means the fwelling was in a few days reduced, and the pain mitigated. He remained tolerably well for three weeks or a month, at which time he experienced violent pains in the hips, which confined him to bed for three months; his arms also at the elbow and shoulder joints became much affected, and remained so nearly the same space of time. After this he felt himself better, but a constant sense of coldness remained, together with lameness and pain, especially about the hips. In the latter end of Dec. 1794, the fense of coldness increased, and in a few days after his joints were more violently affected. At this time it was recommended that he should use mercury, in order to excite falivation; from an idea, that his complaints originated in the discharge he experienced in June, 1793. Being affured this would shortly restore him to health, he followed the advice. A short time after salivation commenced, there was a violent hæmorrhage from the gums, he fays nearly two quarts. But fo far from experiencing the promifed relief from this expedient, his pains and difficulty of motion were much increased. He had no power over the muscles of the left

left leg and thigh; fo that whenever he attempted to walk with the affistance of a strong stick in each hand. he was obliged to exert the muscles of the abdomen and pelvis in a very peculiar way. Indeed the muscular activity was fo generally impaired that he could not turn in bed without fomewhat to hold, and even then the exertion was most painful. He had been unable to turn in bed for a year and half; and for eight months unable to stoop. His nights he passed in pain, and generally was a stranger to sleep. Though his appetite was good, his body was greatly emaciated, and during unsettled weather he felt intolerable pains. When he ventured out he was truly a spectacle that could not fail to excite the attention and commiseration of every one he met. In this deplorable state he was pointed out to me, on Saturday July 4, 1795, by a gentleman in the neighbourhood, of great humanity and observation: on Sunday the 5th, I had a conversation with him and learnt the above particulars.

As there did not appear to be any organic affection, I determined to try the effect of oxygen, which from the general state of the muscular system seemed to promise relief. Being not then provided with any air, I begun on Monday the 6th, with giving him pills composed of bark and steel, and an opiate at night: Tuesday selt as usual; Wednesday he inhaled three quarts of oxygene gas, mixed with so much common air as to fill the bag; the medicines were continued; Thursday he had a good night, in other respects he felt as before; Friday he had a good night, and to use his own expression, felt himself lightsomer; Saturday he thought he moved with greater ease and less satigue; Sunday

he was better, and able to turn himself in bed; Monday mufcular motion performed with greater eafe, and he was able to stoop to pick up any thing from off the ground; which he had not been able to do, as I before observed, for eight months; Tuesday he passed a good night, and felt himfelf warmer than before: in the morning came down stairs, and walked to my house, the distance of 100 yards, with the assistance of one flick only; Wednesday in a mending state, he felt such a genial warmth all over him as he had not experienced fince 1793. Thursday as the day before; Friday he telt himfelf stronger and a greater glow through the whole frame. Saturday he walked a short distance on plain ground without a stick; Sunday, Monday, and Tuesday in the same state; Wednesday notwithstanding change of weather, he did not feel those pains he had been accustomed to. Thursday he was able to bend the left knee in walking; Friday complained of great pain in the heel and a little in the knee; his medicines were discontinued and a quart of oxygen added; Saturday as the day before; Sunday the heel and knee were relieved, passed the night free from pain, but without fleep. Monday he had a reftless night but free from pain, is able to walk feveral hundred yards upon plain ground without a flick; Tuesday he had a restless night, but in no pain, walked with the affistance of one stick nearly a mile; Wednesday had little or no fleep, but free from every uneafv fenfation. He fat at work crofs-legged the whole day, which he had not been able to do for two years and better .--The anodyne pill was again taken. Thursday he flept well; Friday he complained of flight pain in his hips; Saturday he was better. He began inhaling the factitious

titious air twice a day, omitted the opium and slept well. Sunday, though the weather was very stormy, and such as greatly affected him before the use of oxygen, yet he found himself quite free from pain.—Slept well without opium. Monday free from pain, continues mending; his countenance evidently altered for the better, and he regains slesh. Tuesday went to Bristol in a cart, and there to continue a few days. Slept well without opium.

In regard to your little patient, I have the fatisfaction to fay he is much better, from the use of yeast and carbon. I have in several other instances experienced its beneficial effects, particularly in one case; a child long afflicted with scabby face, and become a sad spectacle, obtained relief in a few days, and the sace was perfectly clear in three weeks.

I am, your's,

With respect,

THOMAS ROLPH.

To Dr. Beddoes.

The Case of Dr. CRAWFORD, Physician to St. Thomas's Hospital.

To Dr. Beddoes.

Bennet-street, St. James's, Aug. 20, 1795.

DEAR SIR,

AS every incident respecting a character of such celebrity as Dr. Crawford, must interest the public at the present moment, I am happy that the conversations which

passed betwixt him and me, were held in the presence of others. Having related to him some cures performed by a reduced atmosphere, which I propose at some suture time detailing at length; I next represented my own situation, and attributed my recovery from phthis 1st. to my breathing an atmosphere with a diminished proportion of oxygene; 2dly to my exhausting that principle by continued exercise on horseback, as well as from the quality of my food; and 3dly, to my increasing the powers of the absorbents by the vertiginous motion on ship board, and now and then by a nauseating emetic.

I mentioned also my freedom from complaints in my cheft, while in the moist air of Cambridge, and that having not long back gone to Oxford, to fee fome friends at the Univerfity, I was almost immediately affected with pains under the sternum, and had other marks of pulmonary affection. "You are right," Dr. Crawford exclaimed with an emphasis I shall never forget, fo contrary was it to his mild character. " I was obliged to remove from the sharp air of Ken-" tish-town, which I am certain did me harm, to the " fofter air of Somerstown: but in my case there are " counteracting causes, and my stomach and bowels are " in fo weak a condition, that I fear I shall not be able " to give your air a fair trial. Nevertheless, I am fully " perfuaded of the theory fuggested by Dr. Beddoes, " and I have endeavoured to make its importance be " attended to by the faculty; and if the hydro-carbo-" nate does not fucceed with me, it will be understood " why those who have weak digestive organs stand a " poor chance in pulmonary complaints, which is a "fill further corroboration of the justness of the " theory N

" theory." We discoursed then on the theory of the hydro-carbonate, and he was of opinion with you. " that as this factitious gas produced a far greater effect " on the animal economy, than either inflammable of " azotic gases, its action could not be solely the exclu-" fion of oxygene from the blood, but that the carbon " combined with the small portion of oxygene already " there, and formed with it fixed air." Having prepared the hydro-carbonate according to the direction of this able chemist, Dr. Crawford inhaled after dark nearly a quart diluted with 500 pints of common air. He declared " that it transfused over his body at the time a soothing tranquillity, fuch as opium is known to produce, but with flight vertigo." The following day he mentioned to me and Mr. Hill the circumstance of the correction of the offensiveness of his expectoration, which he faid, " he wholly attributed to the hy-" dro-carbonate air, as he had often taken myrrh and " quassia without this effect." Dr. Crawford omitted the laudanum at night, which he had been accustomed to take to check a diarrhæa, which diforder unfortunately recurring, he was defeated in his hopes of the hydro-carbonate supplying with him the use of opium. He however inhaled a fecond and third time the modified air, foon after which he went to Lymington, " with a fever," as he told me, " on his spirits," and there in a few months this great and good man paid the debt to nature. Nearly about the same time I was requested to go to Southampton, to attend Mr. Adams, the optician, who laboured under a fimilar difease of the cheft; fo reasonable are the suggestions, which the new chemistry has introduced into minds nurtured in philosophy; I have only to regret, that my medical engagement

making in these interesting cases a full trial of the aerial practice.

I am, &c.

R. I. THORNTON.

AT the time of Dr. C.'s inhalation of hdc. I received an account corresponding with the above; but had no idea of putting it into print, supposing that three quarts of hdc. taken at three different times, in a case of consumption, were much the same as is none had been taken. It is only in compliment to Rumour, that I now publish a fact so totally irrevelant. T. B.

Note from Mr. Yonge.

August 27, 1795.

I TRIED by way of experiment how long I could retain one inspiration of common atmospheric air, with a stop-watch before me, and found it to be twenty seconds. I then inhaled common air mixed with nearly an equal part of oxygene air which I suppose enabled me to retain it 32 seconds. Lastly, I inhaled oxygene, such as manganese yields. This was retained, by nearly the same effort 55 seconds, without that sensation of heat in the stomach, which resembled the seel occasioned by weak peppermint-water, and which I had experienced before, upon inhaling diluted oxygene.

GUSTAVUS YONGE.

Note from Mr. R. Edgeworth.


June, 1795.

1 CAUGHT cold: next day had great tightness over my chest. I breathed at several intervals a bag of modified air; during the time I felt giddy, and was obliged

obliged to defist for some minutes. My tightness however was completely carried off and did not return. My cold became quite trifling.

R. E.

The quantity of air respired was five quarts of hydrogene with near 35 of common air.



Letter from Mr. SANDFORD.

Worcester, August, 1795.

DEAR SIR.

WHEN I had the pleasure of spending a few hours with you sometime since at Cliston, I think you informed me that you were of opinion, the carbonic acid air might be useful in consequence of being absorbed by the skin, though there should be no breach or ulceration. This conversation I believe arose in consequence of an idea suggested by Mr. Jeffreys, viz. "whether it might not be sound advantageous in can"cerous diseases, before ulceration commenced, to puncture the tumour in order to admit the aerisorm "remedies,"

That the virtues of charcoal when externally applied, have been manifest without any ulceration, the following reports, will, I presume, be admitted as proofs.

CASE I.—T. P. æt. 54, came to the Worcester Infirmary May 24, 1795, with a mortification of the left foot and leg, extending half way up the thigh. About a fortnight before his admission, Dr. Johnstone being at the house where the patient resided was desired to visit him. The Doctor has since favoured me with an account

account of the state in which he found him. "His "pulse tremulous and vacillating, very low and quick, "his foot swelled, and the leg as high as the calf of "a dark gangrenous colour, with slight vesications.—"His abdomen, inslated, hard, and tumid, with fre-"quent evacuations of thin dark coloured sæces; his tongue black and dry, extreme restlessness and low-"ness: I allowed him cider in abundance, and pre-"fcribed Cort. Peruv. pulv. 2 fcr. Cascarill. fcr. sf. M. alternis horis ex Cyath. Vin. Oport. rubr. The carbonic cataplasm, prepared in the manner men-"tioned in the 2d. edition of Considerations, p. 125. was ordered to be applied, and I advised the patient to go to the Infirmary."

He was admitted an in-patient as before-mentioned. on my day of receiving patients. The poultice had by this time produced a great change for the better, in the colour and appearance of the leg and foot, but the thigh was now also become hard and inflamed. Some of the vefications had terminated in small abfceffes, which discharged good pus. The charcoal poultice which feemed hitherto to have had fo good an effect in checking the progress of gangrene before any ulceration had been formed, was still continued, and with the most beneficial effects; he was put upon a course of the extract of oak bark with Cascarilla, and took likewise lb. ss. of port wine made into negus, at first in the course of 12, and afterwards in 24 hours .-The poultice was continued to the leg and thigh, for upwards of a month after his admission, and was then laid afide and mild digestives were applied to the small ulcers which were even now very numerous, and principally

cipally situated in the general direction of the external lymphatics from the foot to about the middle of the thigh: these, though very troublesome and paintul during their formation soon granulated with a healthy aspect; and when his appetite was restored, he laid aside the use of wine and was allowed lb. ss. of ale per diem, in its stead. He took occasionally a grain or two of opium at bedtime, when the pain in consequence of the formation of the little abscesses required it—these were all suffered to break spontaneously, and of course healed sooner.

The man was discharged with the perfect use of his limb, and August 1st, was made an out-patient till he recovered his general health.

CASE II.-W. G. æt. 75, was entered in the lift for admission as an in-patient of the Worcester Infirmary, Saturday July 4. At that time there being no room in the house, he was obliged to remain an outpatient till the following week. He had at this time feveral fwellings of the carbuncle species, extending from the neck along the course of the lower jaw on the right fide, and one, particularly hard and livid, just below the condyle of the jaw; his pulse was feeble and, his whole frame in a state of extreme debility. Dr. Seward, the receiving-phyfician of the week, examined him with me, and recommended a generous diet, together with bark and opium internally. Though I almost despaired of any good effects from the application of charcoal before he could be taken into the house, yet I determined to make a trial of it in this case, and the man's wife (who came with him) appearing an intelligent woman, I gave her directions how

to prepare the poultice, to which she promised faithfully to attend. The Saturday following a bed was referved for him in the Infirmary, and I was very much furprised to find the extraordinary good effects the treatment had produced. It was not found necessary to continue the poultice after his admission, more than three or four days, every fymptom of gangrene had disappeared; his appetite began to return, and he was now directed to take the extract of oak bark with aromatics and chalybeates. Some of the fwellings had entirely fubfided, and the largest was confiderably reduced, and discharged a small quantity of well-digested matter. A plaister of soap cerate with camphire was applied over the tumour, and renewed every fecond or third day, as occasion required; this in a short time removed the hardness, and the man after being three weeks in the house, was recommended to go into the country again, in order to establish his health, which had been much impaired by his complaints.

CASE III.—E. M. æt. 40, had been troubled upwards of two years with an affection of the nose, that withstood a variety of applications, as well as internal remedies. For the last twelve months she applied mercury in various forms to the part, and took many of its preparations internally, joined at different times with antimony and hemlock; poultices and somentations of hemlock were also had recourse to, and persisted in the use of, for a considerable time without affording any relief. For the last month she has applied the carbonic poultice in the evening, and kept it to the part till the next morning. This application has already produced the most beneficial effects; though fixed air had been applied in immediate contact with

the part, from the mouth of a phial containing the effervescing mixture, without effecting any relief. The
point of the nose, which had lately a very carcinomatous appearance, has now lost its hardness, inflammation, and pain, and the small tubercles and cracks have
entirely disappeared. How it may finally terminate it
is impossible for me to pronounce, but since the charcoal cataplasm has been applied, its general appearance
has been much more savourable than from any previous
mode of treatment. The sequel of this case you may
depend upon having.

When still farther experiments have been made with charcoal, it will, I doubt not, be found one of those fingular substances, whose peculiar effects have for a great length of time escaped the observation of men of science, till by the recent discoveries in chemistry its extraordinary powers were made known to society.

I am, dear Sir, your's, &c.

To Dr. Beddoes. W. SANDFORD.

P.S. A Lady to whom I recommended the use of charcoal-powder as a dentrifice, was subject at times to violent tooth-ache, from one of the dentes sapientiæ that was become carious. She one day when in great pain filled the cavity of the tooth with the charcoal dentifrice, and was furprifed to find herfelf in a few feconds perfectly free from pain. It might probably be urged, that any substance filling the hollow of the teeth mechanically, and thereby preventing the access of atmospheric air, would produce the same effect. But I am rather inclined to attribute the temporary good effeet experienced in this case, to the power of the charcoal-Query. Could the oxygene in the tooth by a combination of these two principles act as carbonic August acid air ?

August 30, 1795.

I HAVE now the pleasure to inform you that E. M.'s nose is perfectly well. This is a proof of the singular efficacy of charcoal after the failure of every other medicine.

W. SANDFORD.

I HAVE endeavoured elsewhere to shew that carbonic acid specifically stimulates the absorbents. The
fostening of glands was very evident in a case of cancer—I think charcoal has the same property. This important case seems to prove it. For how could the tumid
nose be reduced without greater action of those vessels?
In the application of charcoal poultice to bad legs
where the skin was broken I have seen other proofs
of this sact.

T. B.

September 3, 1795, Bennet-street, St. James's.

DEAR SIR,

IT gives me fincere pleasure to be able to send you the following very satisfactory letter, which completes the evidence in favour of your opinion, respecting the effects of super-oxygenated air in cases of ill-conditioned ulcers of the leg. The reader will find these views in the letter to Dr. Darwin, which you published June 20, 1793, page 56 to 59, and which led me first to the trial of the vital air in the complaints you enumerate there.

I am, &c.

R. I. THORNTON.

September 1, 1795, Store-street.

SIR,

I WAS about eighteen years distressed with a dreadful humour covering the whole of the lower part of the left leg. It arose from water first in that part, and a tendency to the dropfy. I was four years under Surgeon Pott, 27 months under Sharp, 9 months under Blick, 27 months under Wade, and for some time under other eminent furgeons, but the humour continued as before. Previous to my attendance on Mr. Hill, I was very bad indeed, in great pain, and not able to walk fifty yards. After a fortnight from inhaling the vital air, I felt a most intolerable itching in the leg, and foon after the humour fcurfed away, and the leg was healed. It is now eleven months, and I have felt no pain whatever, nor has even a pimple appeared on the part, and as before I could not walk an hundred yards, now nothing impedes my walking but my corpulency, which arose from my former confinement.

I am, Sir,

Your obedient Servant,

ELIZ. MUNT.

To Dr. Thornton.

Observations on this case.

1. IN fat people I have observed that super-oxygenated air usually creates some disturbance in the stomach. This at first surprised me, but did not the super-oxygenated blood seed upon the elements of fat,
and thereby prevent the supply of food from the stomach, and that organ being robbed in some measure
of its office, might it not at first feel the want of its
customary action?

4. Fat

- 4. Fat people I observe are longer in consuming a given portion of air than others.
- 3. In the present case strong occasional evacuations were employed. In the intervals bark with the tincture of the same, and myrrh were given to strengthen the fibre and promote the consent which exists betwixt the stomach and the lungs.
- 6. The average dose of air employed, was 1500 pints of atmospheric air, super-oxygenated with from three to four quarts of vital air.

 R. I. T.

August 1, 1795. Islington.

SIR,

FOR more than two years the whole furface of my face was covered over with eruptions. To describe my real state would be as difgusting for you to hear, as it was disagreeable for me to bear. I had tried different purifiers of the blood, but the humour in my face continued the fame. Hearing that the vital air altered the flate of the blood, about nine months ago I placed myfelf under Dr. Thornton's care, and began the inhalation of the vital air. In less than ten days I felt a very great itching, which I do not remember to have had before. The itching however fubfided, and my face was quite cleared in about a month. This state continued four months, when I had a relapfe, but it foon gave way to medicine, and my face has continued fince perfectly clear or only here and there a pimple appears.

I am, &c.

JOHN CUMMINS.

Observations

Observations on this Case by Dr. THORNTON.

- 1. THIS patient in early times had led rather a tree life, and of late he could not get to sleep unless he took a certain portion of wine in the day. Does not this case, therefore, confirm your opinion respecting the effects of vinous liquors, and did not the hydrogenous principle which abounded in his system manifest itself by the humour covering his face?
- 2. As the same quantity of liquor was taken as before, and only three six-ounce phials of bark with myrrh, may we not ascribe this cure chiefly to the artificial oxygenation of the system?
- 3. As the body abounded in hydrogene, a larger proportion than usual of the oxygene air was given this patient, and it produced at the time a strong perspiration, and seemed, as he expressed it, to search every part of his body.
- 4. When the relapse occurred, he took an oxyd of of mercury, and the oxygenation of the system through this means produced the same effect; but as being productive of nausea, and violent griping; is not the oxygenation of the blood by the lungs, a more elegant and preserable mode? My patient observed, that while taking the vital air his strength was increased, but when under the course of mercury it was greatly diminished.

Observations by Dr. THORNTON, on the latter part of Dr. PEARSON's Letter.

AS the public are so easily prejudiced against new remedies, and wish ever to be cured by inert substances, acting

acting like charms, it may be necessary to comment on the evils that are faid to arife from yeast, as mentioned by this judicious phyfician. To ascertain the action of remedies is of the first consequence; to discover their mode of action is the next, which paves the way for future improvements, and distinguishes the physician from the empiric. In no instance has vomiting occurred with me, from the exhibition of yeast (the flomach and bowels being first cleansed) but such effects as refemble hysteria, and the continued eructations of air, feem in my mind, to indicate the modus operandi. It was curious to observe, that when my patients plunged their arms into yeast in a state of fermenting, it produced eructations. I happened lately to get a dreadful feald, and the pain was exceffive; I tried yeaft poultices, and obtained almost instant case. Do not the effects of the fixed air, and of the carrot and yeaft poultices in cancer, clearly shew that they act by one and the fame principle? The fame may be observed of mortification. Knowing the effects of wind on the stomach, can we then doubt of this being the prime agent ? Not that I mean to deny the bitter principle of the hop, any more than the neutral basis of the effervefcing mixture: but I would place it in the fecondary flation. The question was I think cleared up by the Geneva, which foon banished the wind, and gave relief. It may at once be decided by this able chemist, if he will first extricate the air from the yeast, and then exhibit it in cases which may demand its bitter and narcotic qualities.

Letter from Dr. THORNTON, On Inoculation.

Bennet-street, St. James's, Sept. 1, 1795. DEAR SIR,

THERE is no plaufible reason against general inoculation, but the danger which pregnant women run .-From your explanation of the change wrought on the constitution by child-bearing, I conceived an hope, that this great improvement in medicine, admitted even of farther perfection. I fixed upon the month of May, 1794, to afcertain this point, and as the small-pox is evidently inflammatory, I chose this month in preference to March or April, when the fibre, rendered more irritable by the preceding winter, is strongly affected by every stimulus; as also for another reason, in order that my patients might live upon goofeberry food, which is not only pleafant and nutritious, but affords to the fystem oxygene uncombined with caloric, and acts also as a mild aperient. Having first well cleanfed the intestinal canal, with rhubarb and vitriolated kali, I followed your idea of greatly diluting the variolous matter,* and in order that as little as poffible might be carried by the absorbents into the system, I gently raised with a lancet the skin on the deltoid muscle of the left arm, and when all inflammation was fubfided, I inferted under the small scratch the dilute variolous matter with the point of a needle.

In the first trial a circle of inflammation, resembling the bur of the moon in a misty night, was observed around the place where the variolous water was inferted, and the arm rose a little, but no eruption whatever appeared. Mr. Sadler, who lives at No. 86, Tottenham-

^{*} See the observations subjoined to the translation of Mr. Gimbernat on Hernia.

Tottenham-court Road, feeing the young lady have the diforder fo remarkably kind, wished me to inoculate his only child, and I purfued exactly the fame plan .-No rifing of the arm, or eruption appeared; one day only the little girl complained of head ache. I have also had a third example, and no eruption whatever has appeared, or any after-evil, and the little patients have enjoyed uninterrupted health, and they have been exposed frequently to the infection, without having taken it, which leads me to the perfuafion, that they are perfectly fecure, and to hope that the only objection against general inoculation may by an attention to the fuggestions you have given, be at last obviated, and the disease rendered universally mild: but this I mention only as a supposition, to be refuted or confirmed by future experience.

I remain, &c.

R. I. THORNTON.

P. S. Mr. C. Gimbernat informs me that the practitioners in Andalusia, give vinegar to their small-pox patients with the greatest success.



Description of a MERCURIAL APPARATUS, suggested by an inspection of Mr. Watt's Machine for producing and containing Factitious Airs, by Mr. WILLIAM CLAYFIELD, Bristol.

PLATE III. Fig. 1. represents a section of the machine, which consists of a lignum vitæ cylinder A. screwed to the solid block B. covered at top by the glass cap C. having a hole at D. for the passage of the air through the conducting-pipe E. into the moveable glass receiver F.

To an axis turning on the points aa. fig. 2. is adapted the wheel A. of such a diameter, that by the winding of the cord c. in one revolution, the receiver may be raised to the surface of the mercury. To one end of the same axis is sitted the wheel B. over which the balance cord runs in an opposite direction in the spiral groove d.

Suppose the receiver to be loaded with a weight C. fomething heavier than may be necessary to force it through a column of mercury of the fame depth, and that the balance weight D. equal to the excess, hangs from that part of the spiral where the radius equals that of the wheel A. and in proportion as the column of mercury forcing up the receiver, diminishes during its filling, let the radius of the spiral increase; so that in every fituation the weight D., may be an exact counterpoise to it. As in this way the least possible friction will arise, plunging the orifice of the tube E. a quarter of an inch below the furface of the mercury, contained in a feparate vessel, will be found sufficient to overcome every refistance, and will force the gas difcharged from the beak of a retort into the receiver where, whatever may be its quantity, it will fustain a pressure exactly corresponding with that of the atmosphere; and by graduating the edge of the wheel the balance cord may be made to indicate its volume.

The convexity at the top of the receiver a fig 1. fills up the concavity of the cap b. for receiving the fluids it may be thought proper to indroduce, by withdrawing the ground-stopper c. and in the same way we introduce a lighted taper; or a fluid may be drawn to the cap, by only plunging the orifice of the tube E.

below its furface, and then raifing the cylinder; by closing this orifice with the perforated cork and bent tube d. the air may be conveyed from the cylinder to any other vessel. The gum elastic bag at G. fig. 1. is intended to contain the mercury displaced by the defeent of the receiver which may be returned during its rise, by inserting it as at E. fig. 2. The joint at the screy must be carefully secured with thin soft leather.

W.C.

CONCLUSION.

THE continuation of my experiments on animals and animal substances, I find it necessary to defer, not having yet provided myself with an apparatus accurate enough to determine the quantity and quality of the residuary air.—Meanwhile, any person may see the extraordinary reddening essect of hydro-carbonate air, by suspending a small slice of veal in a phial silled with this air. Hydro-carbonate air is not decompounded by blood or slesh so as to be rendered more inslammable. On the contrary, hydrogen from zinc is rendered less explosive: whether one or the other is absorbed remains to be tried.

Numerous trials having been made with airs in medicine, with so little detriment, or with success so considerable as to warrant a prosecution of the practice, I have annexed a synoptical view of the published cases. This view will lead to reslections on the effect of unusually deep inspirations simply, and of various degrees of dilution of artificial airs. On the subject of dilution I have to add the following memorandum from Mr. Watt. It respects his letter, p. 34, 35. "Though I mentioned"

" mentioned to Dr. Thornton my approbation of di-" luting the factitious airs in general, I had no idea of " carrying it so far as he has done. My notion was, " that the airs might be advantageously mixed with 30 " or 40 times as much common air, when they are to " be breathed out of a bag; but that in cases where " the air of a room was to be modified by factitious " air, the dilution might, and must be carried much " farther; especially in the use of hydro-carbonate, a " cubic foot of which will very fenfibly affect the air " of a room 12 feet square and 8 feet high, as I know " by experience. I have not tried the effect of oxy-" gene air in fimilar circumstances, but should expect " they would be less sensible. As I conceive Dr. T. " to have been led to fuch dilution by observation as " well as theory, I must believe his practice to be " right. It is by no means my intention to criticife it. " I only wish to explain what I mean by dilution in " my letter to him."

August 7, 1795.

J. W.

The reader may expect from me some general reflections on the effects of airs. But many hundred more
observations must be collected and compared, before a
theory can be established. The immediate operation of
oxygene is doubtless to render the action of the heart
and arteries stronger. Among its remote effects may be
reckoned an increase of the red colour of the blood,
where this is pale, and heightening of the complexion.
The conjecture that it exhausts less than other equal
stimulants is still undetermined. Other remote effects
require surther inquiry.

Hydro-carbonate

Hydro-carbonate air weakens the action of the arterial system while it is respired. But so would the mere abstraction of oxygene. Does the venous blood; changed as it is by hydro-carbonate, stimulate the veins more than the dark blood they usually carry? Does this air stimulate the absorbents? In consumption it has been observed, (and I have feveral times noticed the fact in the last stage of consumption) that the expectoration is diminished, when hydro-carbonate is administered. Perhaps other phænomena might be brought to support this supposition. But I shall not dwell upon it at prefent. It may not be quite fo eafy to determine when the veins are stimulated. Dr. Darwin mentions paleness as sometimes a sign of this.— Less spunginess of the gums, may, I suppose, also be regarded as the fign of a tonic effect on the veins; that is, of their action having become permanently stronger.

I know not if any anatomist has yet thought of employing the rubefacient effects of oxygene or hydrocarbonate air, for ascertaining the doubtful structure of certain parts. The latter appears very capable of such application; as the blood tinged by this air passes beyond the reach of the most penetrating injection. To WILLIAM REYNOLDS, of Coalpit Bank, JOSEPH REYNOLDS, of Ketley, and WILLIAM YONGE, of Shefnal, Shropshire.

You see how far the undertaking, which you so liberally encouraged, has advanced. We all looked for opposition; nor have we been disappointed. But it was hardly to be expected in the shape in which it came from the enraged London Apothecary. Sir Jeremiah's statement of this transaction, I know on the best authority, to be exact. The alternative was offered to one of the patients, whose case you have read above in his own words. As to the young lady, Sir Jeremiah's conjecture was right; she never became the subject of experiment. A few days before her death, her father applied to me in an agony of distress; he inquired if it was possible to assuage her sufferings by any means. But nothing was attempted.

When I write the secret history of the pneumatic practice, I flatter myself I shall afford you some entertainment. Among the Doctors whom high-born patients imagine to opine with full cognizance of the subject, you will wonder to find one taking oxygene for fixed air, and another for the phlogisticated air of Dr. Priestley. Such is the alliance between intrigue and information. How do you think a surgeon in the metropolis went about to apply fixed air to a cancerous ulcer? I should never have guessed. But I am assured that he held the mouth of the retort, spouting acid foam, to the part. The liquor dropped on the lady's cloaths; the sore set to smart: and how could the poor tortured patient refrain from wondering that there should be in the world people wicked enough to recommend such abominable applications? She did not, I dare say, know that her surgeon might have equally succeeded in burning her gown and increasing her sufferings with his vitriolic acid, even though he had not taken the trouble to work it up into froth with fixed air.

In spite of such mishaps, aided by the propagation of untruths and the terror of imprisonment, the following reasons persuade me that factitious airs must have a full trial in medicine and surgery. 1. No body will imagine that all the persons who have transmitted to me their narratives, could mistake or would misstate their own feelings. 2. In different cases of the same disease, the results, whether favourable or unfavourable, are analogous. 3. There must be discernment enough out of the profession to enable many persons to perceive that no detriment to the public can result from the inquiry, the trial being perfectly safe with a small portion of prudence and intelligence. 4. Men of science abroad have entered with alacrity into the proposal, and foreign academies are offering premiums for an investigation of the virtues of factitious airs. 5. That ingenious people, which has nearly conquered leisure for cultivating the arts of humanity, will assuredly not neglect a study so closely allied to the pursuits in which it has already excelled. 6. The reports respecting Atwood, Danby, Miss L ..., Munt, Mrs. S ..., Trayhern, with a variety of asthmatic and phthisical cases, shew that the pneumatic treatment has alone performed or materially promoted the most splendid cures. Now it is evident that the practice is in the most helpless period of its infancy. We scarce know what kinds or combinations of air are best suited to the different stages of different diseases. I do not therefore think, that the facts hitherto observed form any criterion of the merit of the method. Failure should be an incentive to exertion, and partial be regarded as the omen of more complete success, in consequence of the improvements which will infallibly suggest themselves.

If I should publish the secret history, of which I have spoken, would you not advise me to dedicate it to a certain fashionable physician, who has the happiness of being the supreme favourite among fine ladies? Do you think a dedication would be a spell potent enough to confine his tongue within the circle of fall? I am not much inclined to stoop to an exposition of his artifices.

It would be difficult to avoid the imbecility of complaint; and personalities are always more or less odious. So I believe flattery will be the best resource.—As to minor opponents, were I a wit, it would be as easy to manage them by lampoon as their superiors by dedication. Observe for instance how naturally the apothecary's cool and flowing address runs into thyme.

You breathe indeed! do d—mme if you dare,
Take one ounce measure of their cursed air!
Look, here's your bill—pay that, Sir — if you fail,
You take, by G—d, your next night's air in jail!

T. B.

CLIFTON, SEPT. 14, 1795.

Medical Incumatic Institution.

Between eight and nine hundred Pounds have been subscribed. The Names of the Subscribers, except a few which I have not yet learned, are as follow:

Alderson, J. M. D. Alexander, Difney, M. D. Anstice, Matt. Armstrong, Thomas, Surgeon Aspinal, A. Esq. Banks, Wm. Efq. Barnes, Rev. Dr. Bell, Benj. Surgeon, Edinburgh Bell, John, Surgeon, ditto Black, Jos. M. D. Professor, ditto Blair, Alex. Efq. Boulton, Matt. Efg. Boulton, Matt. Rob. Efq. Boulton, Miss Bowles, Henry, M. D. Brandrell, Joseph, M. D. Brown, G. Efq. Brydone, Pat. Efg. Calcott, Rev. Mr. Campbell, W. M. D. Camplin, Joseph, M. D. Capper, W. W. Efq. Carmichael, J. M. D. Chambers, —, M. D. Coleman, Edward, Veterinary Professor Cooper, Ashley, Mr. Lecturer Cox, John, M. D. Congreve, Mrs. Constable, J. Esq. Clayfield, Wm. Mr. Cluni, J. Efq. Coates, Wm. Efq. Crompton, P. M. D. Currie, James, M. D. F. R. S. Dartmouth, Earl of Darwin, E. M. D. Darwin, R. W. M. D. Darwin, E. Efq. Davies, D. M. D. Davies, Mr. Surgeon. Dearman, T. P. Dethick, Rev. Mr. Devonshire, Duchels of Duncan, Andrew, M. D. Professor, Edinburgh

BERGAVENNY Book Club | Dundas, D. Efq. Royal Sergeant Surgeon Earl M. Mr. Edgeworth, L. R. Efq. Edgeworth, L. Efq, Ewart, John, M. D. Exon, Rev. Thomas Eyton, Thomas, Efg. Farquahar, Mr. Surgeon Ferriday, W. Efq. Field, Mr. Surgeon Floyer, Mr. Surgeon Fox, ---, Efq. Forster, Matt. Esq. Francis Mr. N. French, F. M. D. Fyfe, Andrew, Surgeon, Lectures, Edinburgh Garnham, Rev. R. Gerard, James, M. D. Gell, Vice-Admiral Giddy, Davies, Efq. Gill, J. Elq. Gilby, W. M. D. Gimbernat, Antonio, Surgeon Gimbernat, Carlos Gregfon, A. Efq. Goddington, Mr. J. Grigby, T. jun. Efq. Greene, James, Efq. Grieve, B. B. Efq. Greive, B. Efq. Guillemard, John, Efq. Hall, W. Efq. Hall, Sir J. Hall, Major Hart, T. Efq. Hawes, T. M. D. Henry, T. Mr. Apothecary Hill, Mr. Surgeon Hobbes, T. M. D. Hobhouse, Benj. Ffq, Home, James, M. D. Humberstone, J. M. D. Hutton, James, M. D. Jeffreys, J. Efg. Jeffreys, W. Elq.

Johnson,

Johnson, Rev. A. Johnstone, E. M. D. Johnstone, J. M. D. Johnstone, J. M. D. Keir, James, Efq. Kellock, A. M. D. Lady unknown Lanfdowne, Marquis of Lewis, Mrs. Sen. Liptrot, J. Efq. Lloyd, Mr. J. Lloyd, T. Capt. navy Luard, J. P. Elq. Male, T. Efq. Manfon, Major Marsland, Mr. R. Mason, ----, Esq. Maurice, Thomas, Surgeon Mead, ---, Efq. Middleditch, W. Elq. Milnes, Rev. Dr. Monro, Alex. M. D. Professor, Edinburgh. Morgan, Mr. Moleson, Mr. R. P. Owen, Robert Parr, Rev. Sam. D. D. Pearson, Richard, M. D. Pearson, Mr. Percival, Thomas, M. D. Peafe, Mrs. Perkins, Rev. Mr. Perkins, Mrs. Pew, Rich. Surgeon Phillips, T. Efq. Philpot, H. Efq. Potts, Capt. Powell, Rev. Wm. Prefland, Mrs. Probyn, Mr. Proffer, Mr. Surgeon Rathbone, W. Mr. Rankin, D. M. D. Redfearn, Rich. M. D. Reynolds, Mr. Reynolds, W. Mr. Reynolds, J. Mr. Roberts, W. M. D. Rutter, J. M. D. Salt, ----, M. D.

Salusbury, Sir Robert, Bart. M. P. Sandford, Mr. Surgeon Saunders, Miss Scott, W. Efq. Shaftfbury Book Club Seward, ---, M. D. Sibbit, A. Efq. Slaney, Mrs. A. Smith, Thomas, M. D. Smith, Mrs. Sneyds, Mr. and Miffes Society, Royal Medical, Edinburgh Stacey, Rev. H. P. Strutt, Meffrs. Sykes, John, Esq. Sykes, Joseph, Elg. Templer, G. Efq. M. P. Terry, G. M. D. Thompson, Rev. Andrew Thomson, ---, M. D. Thornton, R. I. M. D. Tobin, J. Efq. Townshend, Rev. Jos. Trotter, T. M. D. Tutin, W. Mr. Valpy, Rev. Richard, D. D. Waddington, Benj. Elq. Wanfey, George, Efq. Watt, Mr. Watt, Mrs. Watt, James, Mr. Waite, W. Elq. Wathen, Mr. Surgeon Wedgewood, late Mr. Wedgewood, Mrs. Wedgewood, Miss Wedgewood, John, Elq. Wedgewood, Josiah, Elq. Wedgewood, Mrs. Jof. Wedgewood, T. Efq. White, Mr. Surgeon, Manchester White, Rob. M. D. Williams, ---, Elq. Wilkinson, J. Efq. Winwood, J. Esq. Wise, H. C. Esq. Woolley, James, Efq, X, Y. Z. Yonge, Guslavus, Surgeon Yonge, W. Surgeon.

ADDITIONAL CASES.

Birmingham, 02.9, 1795.

Letter from Mr. BARR, to Dr. BEDDOES.

DEAR SIR,

I ANNOUNCE to you with much pleasure the cure of a case of hydrothorax, which had existed for a considerable time, and notwithstanding the application of every known and approved remedy, had reduced the subject of it nearly to the last stage of human suffering.

Mr. Barbor, of Barton-under-Needwood, being in this town on a vifit to a friend in the spring of 1703, was feized with an highly inflammatory fever, attended with a violent pain of the fide. This fever was followed by a dry tickling cough, a fense of tightness in breathing, much languor, and a great degree of restlessness and anxiety. His bowels felt full, tenfe, and uneafy; his pulse intermitted; and he complained that his urine, though nearly in the usual quantity, did not flow freely. and that he had always the fensation of not having evacuated the whole. Blifters, boluses of triturated mercury, and a decoction first of Peruvian, and afterwards of Augustura bark were prescribed. He was relieved by these medicines, but he neither recovered his strength nor his spirits. In this situation nearly he passed the remainder of the year in the country; in the spring of 1794, he came to Birmingham again, with all the fymptoms of his diforder very much increased, particularly the oppression in breathing. He could neither lie down in bed with comfort, nor ascend the smallest acclivity without great uneafinefs. His urine was diminished

nished in quantity and voided with difficulty. A decoction of Seneka root and small doses of Digitalis were directed and continued for two or three weeks; but they rather feemed to amuse than to relieve him. He called on me again in April last, and told me that all medicines had loft the power of relieving him; that his breathing was more generally difficult, that his urine was very fcanty, and that his appetite was entirely gone. I prescribed the Digitalis and a bitter infusion for him. He went into the country and continued these medicines for fome time. Towards the end of July he called upon me again-but, alas! how changed! His face was now become pale and emaciated, his eyes flared as if taking a last conscious view of their object; this circumstance alarmed his friends exceedingly .-His legs were fwelled to fuch a degree that the fkin was become much inflamed, and in danger of burfting; he had a continual tenefmus, and made very little urine; he could not endure a horizontal posture for a moment, but was under the necessity of being bolstered upright in bed through the night; even then he flept little, and that little was disturbed and unrefreshing, for he frequently started from his sleep under an impression of instant suffocation.

I had then feen a proof sheet of your appendix containing an account of the happy relief Sir William Chambers had experienced from oxygene in a similar situation; I mentioned it to my patient, and advised the adoption of the pneumatic plan; I did this, I confess, with little hope of advantage, but as the most powerful medicines had produced no falutary effect, I felt it my duty to him, as well as to the cause of humanity, to urge his compliance. I procured him a reading

ing of the case, and the similarity of the circumstances was so striking, that he agreed to come to Birmingham, and place himself under my care.

He arrived here on the 12th of August, and began to inspire the factitious air on the 13th, I directed one quart of oxygene mixed with nineteen of atmospheric air, to be inhaled every day; but as the fymptoms were become extremely urgent, I thought it right to join the use of those active medicines that I had preferibed for him before. Accordingly I directed him to take half a grain of Digitalis in Substance, every evening, and four ounces of a decoction of Augustura bark in the course of each day. On the third night after inspiring he found himself more composed, he could remain longer in one posture, and the startings during fleep, feemed both less frequent and less violent. Every night he was fensible of amendment; in ten days he could bear the removal of feveral of the pillows that bolftered him up in bed; and he could fleep for three or four hours without one starting fit. The swellings of his legs too began now to fubfide; the tenefmus was entirely removed; the quantity of urine was much increased, and he could walk up stairs with much ease; his appetite and cheerfulness began to return, and the pale face of difease to give place to the florid countenance of health. In the course of the fecond week I had gradually increased the quantity of oxygene to two quarts a day, diluted as before. In four weeks from his beginning to inspire the vital air, not a veflige of the diforder remained, except weakness; he could lay his head as low in bed as when in perfect health, and fleep the whole night; no fwelling of the legs remained, no difficulty of breathing upon ordinary exertion, and every function was performed with regularity and ease. He then went home provided with oxygene, and directions how to use it, and laid aside the use of all medicines except a laxative pill occasionally. He passed through this town yesterday in perfect health. His strength, agility, and vivacity are greater than in most men at his age (60).

This case, in my opinion, will add to the credit of pneumatic medicine; for though I employed medicines along with the oxygene, yet let it be remembered that the same remedies had been repeatedly taken without advantage, and before the diforder had made fuch alarming progress; add to this, that during the intermediate periods of the little history which I have given, Mr. Barbor had confulted fome of the ablest and most experienced Physicians of the present age, and faithfully followed their directions without any material benefit. May we not therefore conclude that the art of medicine had exhaufted all its resources without effect, and that this Gentleman had remained a devoted victim, had not this new foe to disease stretched forth her benevolent hand and fnatched him from mifery and death. This is the opinion of the worthy gentleman himfelf, of his family and friends, who have witneffed the whole proceedings. They have defired me to make it known to others, that those in similar circumstances of diffress may be encouraged to hope for ease and health.

I am, dear Sir,

Your's very respectfully,

JOHN BARR.

Extract

Extract of a Letter from Dr. REDFEARN, To Dr. BEDDOES.

ELIZABETH HOWLET, aged 41 years, has been afflicted with a pituitous asshma upwards of 16 years; attended with dyspnæa, troublesome cough, and a copious expectoration of mucous matter. She is also affected with slatulency, loss of appetite, and has great debility. Her countenance is pale and somewhat bloated; her pulse 100, weak and tremulous; she has often observed the extremities of her singers to become of a livid colour.

On May the 20th, 1795, she began to inhale four quarts of oxygene diluted with eighteen of atmospheric air, every evening. The oxygene was gradually increafed, and during the last two months, she has inhaled daily twelve quarts of oxygene mixed with ten of atmospheric air. Sometimes she has inhaled a cubic loot of recent oxygene undiluted, without experiencing any bad effects from it. She only mentioned a fenfation similar to that from drinking pepper mint water. and an agreeable glow in her cheft, after inhaling this quantity her fleep was always found and undiffurbed with coughing. September 20, she now relinquished the inhalation with much regret, after having used it for four months, and found her health much improved during its administration. The dyspeptic symptoms are entirely removed, and she is now enabled to make her own bed, which she has not been able to do for ten years past; she has also acquired a degree of corpulency which has furprifed all her friends, and the livid appearance at the extremities of her fingers has totally disappeared; her cough and expectoration are much

much mitigated, and her countenance appears more healthy than before, her pulse is now above 70, natural, and increased in vigour, her appetite is very good, and she sleeps well.

N. B. This case by Dr. Redsearn, is not included in the table.

MANY reports having been spread in print and otherwise, respecting the first of Dr. Ewart's cancerous patients, after the period at which his narrative ceases, I am tempted to insert the following piece of authentic intelligence. It may serve to satisfy curiosity till that more ample account which I hope will be given, shall appear. The reader should recollect that the patient led a life the reverse of temperate. Some of the following expressions seem to imply irregularity of attendance.

Bowood, Oct. 12, 1795.

DEAR SIR,

"ON my return to Bath, I saw the first semale patient, whose large cancerous ulcer of the breast was healed, though it returned on leaving off the application of carbonic acid air. The ulcer, however, is not so hideous, and it gives no pain when she applies the air, which was done in my presence. I think the whole will be healed up again if the application is continued, as it always grows better when the remedy is used. Upon the whole, I think this a very striking case to demonstrate the greatest efficacy of carbonic acid applied constantly, by means of a bladder, to soul ulcers.

I am, &c.

J. INGENHOUSZ."

I am always glad to bring into view the power of carbonic acid air (which is I believe possessed by some other airs) to allay the pain from certain ulcerated surfaces. On this fact, joined to the consideration, that no other method will do as much, I rest the propriety of the application. The argument must convince every understanding above idiotism; yet are there many practitioners, whom it will not induce to allow their patients the chance of a respite from misery, not to speak of the chance of cure.

This supplemental half-sheet allows me to announce the fulfilment of a prediction which I lately rifqued, with regard to the progress of pneumatic medicine.-In the letter to Mr. Watt, prefixed to the 2d edition of Parts I. and II. of Considerations on factitious airs, I faid, " Sould the purfuit, which I by no means ap-" prehend, be abandoned here, it will be continued " in other countries." Mr. Gimbernat, Surgeon to the King of Spain, has the following paragraph in a letter to a friend in England. " The doctrine of the " medicinal use of factitious airs appears to me to be " well established on the laws of the animal economy, " and upon the connection which is well known to fub-" fift between the nature of elastic fluids and life: and I " think it highly probable that medicine and furgery " will derive from Dr. Beddoes's discovery* consider-" able improvement. Mr. Sobral, the King's first " Physician, to whom I have communicated Dr. Bed-" does's ideas, is of the fame opinion, and in confe-" quence he has established a small hospital for the purpofe

^{*} Fidelity of transcription obliges me to leave this word discovery as it stands in the letter. I disclaim the merit which it implies. I have only made proposals and particularly pressed the use of unrespirable airs.

- " of determining by direct observations and experi-
- " ments what utility mankind will derive from the me-
- " dicinal use of factitious airs."

I am not fufficiently acquainted with the spirit of my brethren in Spain, to be able to explain why they should smile on a design which certain among the faculty+ in London have thought proper to try whether their gravity can frown down. The Spanish Government perhaps contributed to the hospital mentioned by Mr. Gimbernat, who has uniformly employed his influence at Court in the fervice of humanity. I have been asked whether the British Administration would not affift in the establishment of a pneumatic hospital in this country. My answer has been in conformity to the following principle. A government by corruption and by arbitrary authority must have many points of resemblance. In some respects the despotic government will be more favourable to the interests of mankind. In a Government by corruption the members of administration employ all the wealth of which they have the disposal to enlist adherents and to keep themselves in their stations. As the despot's will on the contrary has no opposition to provide against, those who exercife the powers of government will always be at leifure, and occasionally be disposed, to favour beneficent inflitutions, when they do not directly tend to impair the authority of the Sovereign. This

⁺ One said, "either Dr. Beddoes must overcome the saculty, or the saculty Dr. B. I do not believe the former event likely." By the faculty he meant, I suppose, some half dozen Doctors, who have contrived to get themselves into vogue. So, Mr. Atwood, Mr. Danby, and all you, whom medicine, administered by the lungs, has benefited, this man would if he could, have cut off from you the source of case and comfort. See what amiable ideas spring up in minds cankered by avarice and pride—pride sounded on no superiority of talents.

This argument must, I flatter myself, convince the reader that Mr. Pitt and his helpmates, under whose auspices the nation is enjoying so much happiness, and gathering so many laurels, would without scruple assist the design which I have sketched. But I have the misfortune not to be advantageously known to these benefactors of myself and my neighbours. I therefore sincerely hope some person who is not suspected to hold their measures in abhorrence, and their abilities as statesmen in contempt, will take the matter up.

Of errata, the number I trust, will be found very small. P. 4. 1. 5. 85 should be 75. and Mrs. Stephens is once called Miss S.—In a work entitled Medical Extracts in which such praise is lavished upon me as my conscience disclaims, it is said, that I have discovered how to obtain oxygene and hydrogene airs at large from water. This is a mistake. A person whom I had engaged as operator, afferted that he had made this discovery.

Having mentioned the Medical Extracts, I shall seize the opportunity of recommending the plates of the heart, published in illustration of that work.—

Deeming it of the utmost importance that all mankind should be acquainted with themselves, I wish to see the representation of anatomical objects in colours, encouraged and carried to perfection. Mr. Cruikshank, in a little pamphlet (Exp. on the insens. perspiration. Nicol, 1795.) has just exhibited a beautiful specimen of this art.

THE END.

N. B. The bag mentioned in Mr. Rolph's letter, holds 30 quarts.

mura, I dener mylell, com thee the

Speedily will be published,

VIEW

OF THE

PROGRESS

OF

Ineumatic Medicine.

(2)

TABLE

OF

ISES IN WHICH FACTITIOUS AIRS HAVE BEEN EMPLOYED.

"Of my own observations it was my original determine the character of an Adversary."——Construe, p. 8.

N. B. A. means the prefent Pamphlet.
C. The Second Edition of Confiderations of Factitious Airs, by the Author and Mr. Watt. Johnson.
Coll. Collection of Letters to the Author. Out of Print.
D. Dr. Ewart on Cancer. Dilly.
G. The Rev. Jofeph Townsfend's Guide to Health. Johnson, Robinsons, Cox.
M. Dr. Ferriar's Medical Histories. Cadell.
M. Ex. Medical Extracts. Johnson, Robinsons.
L. Letter to Dr. Darwin. Johnson.
P. Dr. Pearson's Short Account of Airs. Baldwin.
Z. Dr. Darwin's Zoonomia. Johnson.

P.N. Patient's Own Narration.

Az. Azotic Air.
C.ac. Carbonic Acid Air.
Hde. Hydrocarbonate.

Hg. Hydrogen, Ox. Oxygen, Dil. Diluted.

Ext. Extremely.

Mod. Moderately.

Lit. Little.

Occof. Occasionally.

Ben. Benefit.

p. Permanent; has continued months.
pp. Very permanent; many months.

AMAUROSIS AND SENSES IMPAIRED.

None.	State in other Refpells.	Medicines befoles.	What Air.	Circumstances.	Refult as to the Difeofe.	Authority.
Janues Tobin	General bealth, good	None	Ox. lit. dl	Lefs chilly in cold weather.	None	P. N. C. page 79.
8 2	Amaurufu	Venefect	Ox, med. dil. 'after- wards hdc. dila	Head-ach, reckleffnefs; a fit of apoplexy.	Note	Dr. Carmichael, C. 69
nale patient	Corious variations of imperfect vision.	Aperient occasi -	Ox, lite dil	Occasional blindrefs lasts longer than wheal.	None,	Dr. Carmithael, C. 70
Moad. 4	Water on the brain-	Mercury, aperients,	Ox. lit. dil. ; -	Sight refored	Ben, great, not p	Dr. Thornton, A. 9.
Boy. 5	Deaf; mouth awry.	Tonics	Ox. mod. dil	Wey mouth fee right.	Hears better pp	Dr. Thomston, A. 58.
dy 6 -	Sight impaired	Tonics	Ox. ext. dil	Hulth improved.	Sees better pp	Dr. Thornton, A. 59.


ANASARCA, GENERAL, AND OF THE LUNGS. ASCITES.

Name,	State in art	er Roff	etti.	Medicines befiles.	What Air.		Circunflances.	Refelt as to	he Difaste.	Authority.
Mr. G. L. 7- 8.	Dyspeptic:	free li	iver.	Digitalis	Ox. mod. & aft. lit.	50,	Dyfpepfia relieved,	Not cured.		Author, C. 157.
ofr				Digitalis	Ox. scarly pure.	- 1	No temporary advantage	Not cured.		Dr. Darwin, A. 76.
	Free liver.			Many in vain: digitalis.	Ox. mod. dil.		Diffrefs foon removed.	Cure		Mr. Barr, A. 113.
ir W. Chambers.	Age 75.	-	-	Bitters, aperient occaf.	Ox. ext. dil. +		Dyfpnwa removed	Great ben.		P. N. A. 1.
Mary Leveraft.	Africa		-	Crem. tartar	Ox. mod. dil.		Complexion heightened.	Cure pp.		5. Hill, Eq. A. 7.

Lady. +		Spalin. Fit et days.	very four	None		Не. ј		Two flort fits in two meaths.	Confid. bon.		Dr. Ferriar, Vol. II.
В		Humoral		None. •		Hác, dil.		Relipfed from impro- dence.	Great bea.		Dr. Carmichael, C. 101. A. 81.
n — 13.		Humoral.				Os		Irhaled but once: -	Much eafe.		Dr. Ferriar, C. 81.
r. T	-	Humeral.		Tonics in um at	the day, opi- night.	forenose	id in the and bg.	The distase appeared aggravated fix weeks by the dil. ox. when exhibited alone.	100000		Dr. Thornton, C. 77.
15 16.		Dyfpoora.		Tonies, occaf.	Apericuts	Ox. mod. d	L	Walks up flairs with less dyspness after the inhalation.	Imperfedt tria	l	Dr. Thornton, C. 18.
ev. Dr		Fit every night in expediera	, ending	Emetics, occas, a	Aperients and tonics.	Oz. ext. di		Strength and appetite increased.	Cure pp		Mr. Townfend, G. 398.
fra. Barrett	-	Spalmodic		Tonics, occas,	Apericuts	Ox. ext. dil		Complexion height-	Curc py		P. N. A. 25.
dr		Homoral		Tonics.		Ox. est. dil	9 9	General health effa-	Much ben		Mrs. Barrett, A. 26.
I. Clopous, Efq.		Spaimedic		None, -		Ox. cat. dl		Strength, and fpirits, improved,	Core pp		P. N. A. 48.
In Birker.		Orthopness	-	Tonics.		Ox ext. dil.		Cancer lefs indurated.	Cure pp		Mr. Barker, A. 23.
Lady		Homocal	13.53	Aperients.		Os. med, di	1	Immediate relief	Cure pp		Mr. Phipps, A. 70.

CHLOROSIS AND SENSIBILITY INCREASED WITH IRRITABILITY (OR CONTRACTILITY) DIM NISHED.

3. P	-	Chlorofis None Ox. mod. dil	Heightened complexion Relief repeated, . Dr. Carmichael,
Mary Rider		Chlorofia, Noor, Or. mod. dil.	Heightened complexion Much relief Dr. Pearfon, C. 74.
66 L	-		Steel given in vain Cure pp Dr. Alderson, Mr. Linnbert, A. 14, 15.
4ifi D		Chlorofis - Steel, alors Ox mod dil	Dyforms (peedly re- Cure pp Mrs. Stephens, A. 72.
tin L		Chlorofia Ox. dil	Cafe not detailed, . Cure pp Mrs. Stephens, A. 71.
86 F			Blood reldened. Sleeps Much ben Mr. Phipps, A. 71.
29.		Violent spalan, - None Oz. lit. dd	Immediate relief Cuer pp Mr. Phipps, A. 70. Dr. Theraton, Coll.
frs. S,		Head-ach from decayed None Oz. Lt. dl	Animation increased. Great ben Dr. Darwin, A. 27.
16 M—.		Hydrein. Firs 3 and 4 None Or. mod. dil	Warmth and spirits. Cure pp Mr. Townsend,



1700		
	2)
-	0	-

		D	YSPEPSI	Λ.		
Name.	State in other Refpatts.	Medicines befiles.	What Air.	Corcumfluxers.	Refult as to the Diferfe.	Astlarity.
ji.	Berd-ach	Tonica	Oz. est. dil	The vision improved; & dyspepsia ectieved.	Imperied trul	P. N. A. 5a.
ji- mahalla -	Head-ach	Steel, bank	Oz. lit. dil	Gerat increase of spirits.	Cure pp	P. N. A. 53.
33- coroll	Flavolence & indigation	Æther, fleel, water im-	Or. mod. &L	Increased warmth	Cure pp	P. N. A. 54
34.	Dyfg. of pregnancy;	Ether. Peppermint.	Ox. lit. dil	. Immediate relief	Imperfect trial	Dr. Thornton, A. 57-
15-	and convolince fits. Flatulence & vomiting	Æther	Or. mol. dil.	. Sickness prevented.	Reliefi	Mr. Townkod, G. 177
		1	EPILEPS	Υ.		
30.	Frequent fits	Nonc	Ox. mol. dil.	Sam: effects as opium.	Short aggravation	Coll. Author.
37.	Organic difeafe		Ox. med. dil.	- Spirits raifed	Not cured	Dr. Pearson, A. 80.
		HYPO	CHOND	RIASIS.		
18.	1				la	Mr. Townfmd, G. 191
50	Dyfprpfia; and great lowness of spirits.	Steel, burk, &c	Oz. mod. dil.	- Relapted when the or was at first list of and the field and bar continued.	H,	P. N. A. 55.
39. oby	America, with cold extremities.	Æth. emet. aper. tonic	Oz. fit, dil	- Wannth after emetic	Eca. great, pp	Mr. Tounfend, A. 29
40. Mr. T-	Low Girles	Tonics	Ox. lit. dil. "-	- Spicies miled	Cure pp	Coll. Dr. Thorston.
			PALSY	r		
41. mby	From lead	Tonics	On est. dil	- General health reflere	d. Ben. great pp.	P. N. A. 31.
* 41. Bushwalte	From opium	Acidelated érieks	Ox. lit. dil	- Immediate rolef	Cure pp	P.N. A. ap. M.Ex.638
41. ryhern.		. Some back and opium	Ox. med. dil.	- Warmth	Cure p	Mr. Rolph, A. 85.
		PHTHISICAL.	CACHEXY	AND PHTHIS	IS.	
41.	Florid hamopton	None	Hde, dil	- Heat in the cheft re	1	Dr. Redfearn, A. 11
44.				moved.		
7	Florid	Nett	Hg. pure 1 quart.	Lefs florid; heats re moved.	- Cure pp	Dr. Alderson, A. 16.
Crimp*.	- Pathife for goos	None	Bz. 3. 3.	Left dyfpows	Not cond	L. Mr. Cromp.
46. hitthead*.	- Phrhifis confermed		Hg	Polic reduced	Imperfect trial	Dr. Ferriar, V. II. 226
Gest.	- Last Stage	Opium. Oil of al-	Hg. cat. dil	Urgent fymptoms re moved.	Not cured,	Cell. Dr. Thornton.
. 48.	- Lath stages	None	Hác dil	Relief	Imperfect trial	Dr. Carmichael, C. 83
49-	- Far gone,	Aperient, p. r. n.	Hác dil	Rollef	Imperfect trial	Dr. Carmichael, C. 8
- 50-	- Far goor	None	Hác, díl	Influenza during cus valefornce.	- Cure p	Dr. Carmichael, C. 87. A.
P-51.	- Far gone	- Balf, of Mecca	C. ac	Difcafe from impel	- Cure pp	Dr. Ewart, C. 91.

(4) PNEUMONIA, CROUP, AND CATARRH*.

Name.	State in other Reffects.	Medicines byfiles.	What dir.	Circumflances.	Refult at to the Differfe.	distally.
March Street Street	Pricum, fielt day	None	Hg. 44 c. i. to atm.	Immed. cafe	Cure pp	Author, L. 48.
Mader Tovey	Croup	Aperients		Immed cafe	Cure pp	Mr. Townfend, G. 103
Mr. R. Edgeworth.	Catarah, found day.	None	Hg. mod. čil	Stricture removed	Cure pp	P.N. A. 91.
R. Stanley	Catarrh, 1ft flage.	Affive	Héc dil		Core p	Mr. Barr. A. 74-
Mr. T. W. Townfend.	Catarrh, aft flage.	Apericat	Æther-vapout	Inflant cafe	Core pp	P. N. A. 40.
	Informer, not all fings.	Yeaft. Aperions. Squilbs	Ar, and Car, dil	Catchings of breath, and pain at the time of inhabition.		
M. Adams	Parumonia, toth day.	Active	Hg	Sickneis	Not cural	Dr. Ferriar, Vall. 437
2 Patients	Pacamania, or phthifis i		Hg. pure	Sudden cafe	Cure pp	Dr. Macdonnel, C. 30
5 Patients, 1th thage.	Pretumonia	Evacuants	Yeath	Produced great cruc- tations.	Cure pp	Dr. Thorston, A 61.

TYPHUS.

Mili M——,	Laft flage	Bark, and wine im- pregnated with Cac.	ea		Instant relief	Cure pp.	-	Coll. Dr. Thomben.
6c. Several Patiests.	Typhus, typhoid.	Bark. Water of wine Yeal impregnated with C.ar.			The progress of cure rapid.	Cure yo.		Coll. Mr. Cartwright Dr. Thornton, A.66. Mr. Townlend, G. 61.

ULCERS CANCEROUS, FOUL, STRUMOUS.

Female Patient.	-	Caroer mammal	Arlenie.		C. ac. external.		Long free from pain and fever.	Speedy cafe.		Dr. Ewart, E.
Mrs. A-67.		Ditto	Tonics occasi-	onally.	C. ac. esternal.		Long free from pain and fever,	Speedy cale.		Dr. Ewart, E.
Mr. Atwood.	-	a large foul ulcers of the leg.	Tonics. Aper	ientocci	d Ox, ext. dil	-	General health effa- bliffieds	There 2 eller led up and i in leb than	kinned ov	I-P. N. C. 57. er Mr. Townsond, A. 19
J. Patterfon	-	Herpes, and large ul-	Teoles, Apri	ients occa	d Ox. mol. dil.		Sight mended	Cure pp.		Dr. Thornton, C. 64. Mr. Townfood, A. 29.
Mrs. Must		Ulcer of 18 years fluiding.	Tonics, Ager	ienneca	Ox, est. dil		Very corpolest	Cute pp.		Dr. Thornton C. 65, P. N. A.
Male Patients		Stromous uker	Bark		Ox. and ldc. with	or.	Health mendel, cale in progress.	Hon, great.		Mr. Barr, C. 66.
Mr. Cooper	-	Tumours and olvers	Tonier.		Oz. lit. dil		Spirits increased, fight throught.	Cure pp.		P. N. A. 50.
Many Patients.		Scrophulous fores	None -		Socrel poultice.		Rednefr, and pain pro-	Cure pp.		Mr. Mills, C. 48.
Many Patients.		Feel pleers, mortifi- cations.	Pro se mati.		Charcial position		Fector semoved	Cure pp.		Mr. Sandford, C. 112. A.
Mr. Cummings.		Humour in the face of a years standing.	Tenies.		Ox. mod. dik	-	Comparative trial	Cure not y.		P. N. A.
Many Patients		Eruptions cuttineous.	None		Yeah	-		Cure p.		Dra Johnstone, Petrion, Mr. Rolph, Author,
Capt		White fwelling	Tonies.		Ox. mol. 51.		General health im- armed.	Cure p.,		Dr. Thorston, A. at.
W. G. 78-		Carboncular tomours-	Tonics.		Charcoal poulnos.			Cure p.		Mr. Sandford, A. 94-
E. M. 79.		Bad nofe, fehirmen?	None		Charcoal poultice.			Cure		Mr. Sindford, A. 95:
				- 15		T				

	Marie Marie
and the latest transfer to the latest transfer transfer to the latest transfer trans	
ANGER OF	
TO THE WAY A STATE OF THE PARTY	Table Commence and the second
	-
- 17ths 20	
a shirt at a state of	
diff from self-interest from the land	
- 15 att so	
	Control of the Contro
	The second second second second
The state of the s	
'a stage	
AND ASSESSMENT OF THE PARTY OF	
. HEROCHON	
A Company of the Company	
	Land of the land o
TA I	
And the state of t	
Total	
Application - Loss tokak	THE RESERVE TO SERVE THE PARTY OF THE PARTY
EGHIDAD HADISHTEE	
The state of the s	
ALCOHOLD TO A MARKET	