The physicians' vade mecum; being a compendium of nosology and therapeutics, for the use of students / by the Rev. Joseph Townsend, Rector of Pewsey, Wilts.

Contributors

Townsend, Joseph, 1739-1816. Royal College of Physicians of London

Publication/Creation

London : printed by C. Whittingham, for H. D. Symonds, Paternoster-Row; and sold by J. Johnson, St. Paul's Church Yard, 1799.

Persistent URL

https://wellcomecollection.org/works/ecjtv39p

Provider

Royal College of Physicians

License and attribution


This material has been provided by This material has been provided by Royal College of Physicians, London. The original may be consulted at Royal College of Physicians, London. This material has been provided by Royal College of Physicians, London. The original may be consulted at Royal College of Physicians, London. where the originals may be consulted. This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org












Digitized by the Internet Archive in 2016

https://archive.org/details/b28524536





THE

PHYSICIANS' VADE MECUM;

BEING

A COMPENDIUM

OF

NOSOLOGY AND THERAPEUTICS,

FOR THE

USE OF STUDENTS.

BY

THE REV. JOSEPH TOWNSEND, RECTOR OF PEWSEY, WILTS.

Rifth Edition.

LONDON:

PRINTED BY C. WHITTINGHAM,

FOR H. D. SYMONDS, PATERNOSTER-ROW,

And Sold by J. Johnson, St. Paul's Church Yard; T. Cox, St. Thomas's Street, Borough; Murray and Highley, Fleet Street; Archer, Dublin; and Bell and Bradfute, Edinburgh.

1799.

ALL ALL				
AND STORES		and the second second		
	212			
	AVE	PHYSICIAN		
	ONITH			
DION:	Mar Hadel	A CC		
	D2/77	1-g-21		
TE UTICS,	ROYAL	COLLEGE OF PHYSICIANS LIBRARY		
	CLASS	61		
	ACCN.	16030		
	SOURCE			
	DATE			
Same and a strength				
and the second second		The state where the state		
Elfest Spielon.				
a growing an an analysis of				
		and the same of the same		
MARKEN AND		4		
	.2371			



rangement as shall most will university

to more disting them to make

Alty rousants fur Dicke

IN this Compendium of Nosology, I have, as far as possible, confined myself to the system and the genera of my venerable master Dr. Cullen, whose memory and justly acquired reputation will be ever dear to those who studied in his school, and were honoured with his friendship. Of all the systems which have yet appeared, his for a practitioner is undoubtedly the best: yet in some few instances I have departed from him; but it has been chiefty where he hesitates himself. My reasons for these variations, as requiring disquisitions ill suited to a Compendium, I must here omit.

The utility of classical distinctions is almost universally acknowledged; yet nothing is more difficult than to make such an arrangement as shall meet with universal approbation. It will, however, be acknowledged sufficient for every useful purpose, if we can with precision ascertain the name and nature of a disease, although we should not perfectly agree as to its proper place in a system of Nosology. Having once formed his diagnosis, the skilful practitioner will next proceed to investigate, where it is possible, the proximate cause of the disease; and where that is not to be discovered, he will pay particular attention both to the occasional and to the predisposing cause. In all these investigations the younger students will, I trust, receive some assistance from the Compendium now presented to the public; and with a moderate share of penetration will be enabled, in most cases, to determine what are the most judicious indications to effect a cure.

For the Compendium of Therapeutics I have been indebted principally to Drs. Duncan, Whytte, Cullen, Elliot, Berkenhout; and for some of the most efficacious formula, I must acknowledge my obligation to Dr. NAN-KIVELL, whose fame is too well established in our metropolis to need any eulogium from my pen.

Should this little work meet with acceptance among either the students in our hospitals, or the medical practitioners in country villages, I shall think myself well rewarded for my trouble.

LONDON, OCTOBER, 1792.

VIII

THE

CLASSES, ORDERS, GENERA,

AND

SPECIES OF DISEASE.

CLASSES,

WITH CHARACTERISTIC SYMPTOMS.

CLASS.	(After cold
reliquide ne we benefic	quency o crease of
I. PYREXIÆ	cially an
-ka yak turikin , booki k	paired fu
Should said granies fores	(nution of
on venescelion exhibit.	Affections
II. NEUROSES	motion, d
besternet citier , alopa,	out either
.zeretions.	l rexia, or
	(A depraved
III. CACHEXIÆ	without p
	dependar
diminution of the pow-	l original d
IV. LOCALES	5 Morbid at
LOCALLS	are partia
· indiaged	В -

After cold shivering, a frequency of pulse, with increase of heat, and especially among other impaired functions, a diminution of strength. Affections of sense and

motion, disturbed; without either idiopathic pyrexia, or topical disease. A depraved habit of body; without pyrexia, and independant of neurosis, as original diseases.

Morbid affections, which are partial.

ORDERS,

DISTINGUISHED BY THEIR SYMPTOMS.

ORDE		PYREXIÆ.
	Febres	{Pyrexia, without primary local affection.
II.	Phlegmasiæ	Pyrexia, with topical pain and inflammation. The blood after venesection exhibits the buff coat.
ш.	Exanthemata -	Contagious diseases, be- ginning with fever, and followed by an eruption on the skin.
IV.	Hæmorrhaigæ -	Pyrexia, with a discharge of blood, without any ex- ternal injury, the blood on venesection exhibit- ing the buff coat.
v.	Profluvia	{Pyrexia, with increased excretions.
-ni	CLASSI	NEUDOSES

CLASS II. NEUROSES.

(A diminution of the powers of voluntary motion, I. Comata ----- { ers of voluntary motion, with sleep, or the senses impaired. impaired.

ORDERS.

II. Adynamiæ

III. Spasmi IV. Vesaniæ - (A diminution of the involuntary motions of ei-ther vital or natural functions.

A morbid contraction, or motion of muscular fibres. The judgment impaired, without either coma, or pyrexia.

CLASS III. CACHEXIÆ.

3

I. Marcores --- Universal emaciation.

II. Intumescentiæ. General swellings.

Cahexia, deforming the III. Impetigines - { external parts of the bo-dy with tumours, erup-tions, &c.

CLASS IV. LOCALES.

I. Dysæsthesiæ - {
The senses injured, or de-stroyed, by the imper-fection of the organs.
II. Dysorexia - - {
The appetite deficient, or depraved.

ORDERS.		T
		{Motion impeded, or de- praved, from an imper- fection of the organ.
IV.	Apocenoses	A superabundant flux of blood, or humours, with- out pyrexia.
V.	Epischeses	{A suppression of excre- tions.
VI.	Tumores	{Partial swellings, without inflammation.
VII.	Ectopia	Parts displaced.
VIII.	Dialyses	A solution of continuity.



5 2

A wheele Manute M

GENERA, AND THEIR SYMPTOMS.

CLASS I. PYREXIÆ. ORDER I. FEBRES.

GENERA.

1. Intermittens ---

Cold, hot, and sweating stages, in succession, attend each paroxism, and are followed by an intermission, or remission.

SPECIES

- 1. quotidiana.
- 2. tertiana.
- 3. quartana,

2. Continua ----- {No intermission, yet subject to exacerbations twice in one day.

SPECIES.

- 1. Synocha. Heat increased; pulse frequent, strong, hard; urine high coloured; senses not much impaired.
- 2. Typhus. Contagious. Heat moderate; pulse quick, weak, small; senses much impaired; prostration of strength.

VARIETIES. 1. petechialis. 2. mitior. 3. gravior. 4. iEterodes.

GENERA.

3. Hectica -----

Exacerbations at noon, but chiefly in the evening, with slight remissions in the morning, after nocturnal sweats; the urine depositing a furfuraceo-lateritius sediment; appetite good; thirst moderate.

This fever is symptomatic of

- 1. Chlorosis.
- 2. Schrophula.
- 3. Nephralgia, &c. v. genus 31.

CLASS I. PYREXIÆ.

ORDER II. PHLEGMASIÆ.

GENERA.

4. Phlogosis $----- \begin{cases} \text{Redness; heat; pain; and} \\ \text{tumour on the surface of} \\ \text{the body.} \end{cases}$

SPECIES.

- 1. Phlegmone. Inflammation of a bright red colour; tumour pointed, throbbing, and tending to suppuration.
- 2. Erythema. Inflammation of a dull red colour, vanishing upon pressure, spreading unequally, with a burning pain, and tumour scarcely perceptible, ending in disquamation, or vesicles of the skin.

The phlogosis often terminates in

- 1. Impostume.
- 2. Gangrene.
- 3. Sphacelus.

5. Ophthalmia --- { Redness and pain of the eye; intolerance of light; with effusion of tears.

SPECIES.

1. Ophthalmia Membranarum. Inflammation in the coats of the eye, most commonly in the tunica conjunctiva. SPECIES.

2. Ophthalmia Tarsi. Small ulcers in the sebaceous glands of the tarsus, discharging a glutinous matter.

GENERA.

Strong fever; violent head-6. Phrenitis ----- ach; redness of face and eyes; impatience of light, and noise; watchfulness; and furious delirium.

SYMPTOMATIC.

1. exanthematica.

- 2. verminosa.
- 3. aphrodisiaca.
- 4. hydrophobica.
- 5. traumatica.
- 6. a dolore.

7. Cynanche ----- {Pain, and redness of the fauces; deglutition, and respiration, difficult.

SPECIES.

- 1. Tonsillaris, affecting the mucous membrane of the fauces, but more especially the tonsils.
- 2. Maligna, deglutition less difficult; a mucous crust of a whitish or ash-colour covers the tonsils and mucous membrane of the fauces, which are affected with spreading ulcers. These

SPECIES.

symtoms are accompanied with typhus, and followed by exanthemata.

3. Trachealis. Respiration difficult; cough loud; no apparent tumour in the fauces.

4. Pharyngæa.

5. Parotidæa.

SYMPTOMATIC.

- 1. exanthematica.
- 2. arthritica.
- 3. hepatica.

GENERA.

8. Pneumonia ---- {Pyrexia; difficult respiration; cough; and pain in the thorax.

SPECIES.

1. Peripneumonia. The pulse not always hard, but sometimes soft; an obtuse pain in the breast; the respiration always difficult; sometimes the patient cannot breathe unless in an upright posture; the face swelled, and of a livid colour; the cough for the most part moist, frequently bloody.

2. Pleuritis. The pulse hard; a pungent pain in one side, aggravated during the time of inspiration; an uneasiness when lying on one side; a most painful cough, dry in the beginning of the disease, afterwards moist, and frequently bloody.

These, if not resolved, are followed by

Vomica. Hectic; difficult respiration; cough; pain when lying on the sound side.

Empyema. The above symptoms, with remission of pain, and signs of hydrothorax.

9. Carditis -----

10. Peritonitis --

tristing and - Ch

11. Gastritis -----

towarder a sheet

Pyrexia; pain in the region of the heart; anxiety; difficult breathing; cough; irregular pulse; palpitation; fainting.

Pyrexia; pain in the abdomen, increased when erect.

Pyrexia; anxiety; heat and pain in the epigastrium, increased when any thing is taken into the stomach; vomiting; hickup; pulse small and hard; prostration of strength. SPECIES.

1. phlegmonodea.

2. erysipelatosa, with milder symptoms.

. cablendina . 1

astrolionity at

GENERA.

- cin infalise

-restint : stink

12. Enteritis -----

3. Hepatitis ----

14. Splenitis -

asimulteioints

15. Nephritis --

DAD CENTS CENTS

Pyrexia; fixed pain in the abdomen; costiveness; vomiting.

SFREEDWARES.

Pyrexia; tension and pain, more or less acute, in the right hypochondrium, usually referred to the top of the right shoulder, and extending to the clavicle, increased by lying on the left side; urine high coloured.

Pyrexia; tension, heat, tumour, and pain in the left hypochondrium, increased by pressure.

Pyrexia; pain in the region of the kidneys, and shooting along the course of the ureter; drawing up of the testicle; numbness of the thigh; vomiting; urine high coloured, and discharged; costiveness, and colic pains.

SYMPTOMATIC.

- 1. calculosa.
- 2. arthritica.
- 3. purulenta.

GENERA.

16. Cystitis -----

17. Hysteritis ----

18. Rheumatismus -

Pyrexia; tumour and pain in the hypogastrium; frequent and painful discharge of urine; tenesmus.

Pyrexia; heat, tension, tumour, and pain in the hypogastrium; pain in the os uteri, when touched; vomiting.

Pyrexia; pains in the joints, increased by the action of the muscles belonging to the joint; heat on the part. The blood after venesection exhibits an inflammatory crust.

This disease terminates in

Arthrodynia, pain in the joints without pyrexia.

SPECIES.

GENERA. 19. Odontalgia ---

20. Podagra ---

ESTABLIC STRUCTURE

SPECIES. 1. regularis. 2. atonica. 3. retrogada. 4. aberrans.

21. Arthropuosis -

Pain of the joints, or muscles, often after contusion, deep, blunt, of long continuance; little or no tumour; no inflammation; pyrexia slight at first, at last hectic; and finally terminating in abscess.

Tooth-ach.

Pyrexia; pain in the joints, chiefly of the great toe, and especially of the hands and feet, returning at intervals : previous to the attack, the functions of the stomach are commonly disturbed.

CLASS I. PYREXIÆ.

ORDER III. EXANTHEMATA.

GENERA.

22. Erysipelas

SPECIES. 1. vesiculosum. 2. phlyctaenodes.

23. Pestis -----

24. Variola -----

Synocha of two or three days continuance, with drowsiness most often, sometimes with delirium; pulse commonly full and hard; then *Erythema* in the face, with continuance of synocha; tending to either apoplexy, or to abscess.

(Typhus, contagious in the extreme; prostration of strength; buboes and carbuncles; petechiæ, hemorrhage, and colliquative diarrhœa.

Synocha; eruption of red pimples the third day, which on the eighth contain pus, and drying, fall off in crusts. SPECIES. 1. discreta. 2. confluens.

GENERA.

25. Varicella --

26. Rubeola ----

Moderate synocha; pimples bearing some resemblance to *variola*, quickly forming pustules, which contain a fluid matter, and after three or four days from their first appearance desquamate, leaving no cicatrix.

Synocha; hoarseness; dry cough; sneezing; drowsiness; about the fourth day eruption of small red points, discernible by the touch, which, after three days, end in meally desquamation. Blood, after venesection, exhibits inflammatory crust. GENERA.

27. Miliaria -----

28. Scarlatina ----

16

Synochus; cold stage considerable; hot stage attended with anxiety and frequent sighing; sweat of a strong and peculiar smell; eruption, preceded by a sense of pricking, first on the neck and breast, of small red pimples, which in two days become white pustules, desquamate, and are succeeded by fresh pimples.

Contagious synocha; 4th day face swells, and a scarlet eruption appears on the skin in patches; which, after three or four days, ends in desquamation of the cuticle, or is succeeded by anasarca.

SPECIES.

1. simplex without cynanche. 2. cynanchica.

CLASS I. PYREXIÆ.

17

ORDER IV. HEMORRHAGIE.

GENERA.

29. Epistaxis -----

30. Hæmoptysis - - -

{ pain, or fulness of the head. Coughing up of florid, or frothy blood; heat or pain

Bleeding at the nose, with

in the chest; irritation in the larynx; saltish taste.

SPECIES.

1. plethorica.

2. violenta.

3. phthisica.

4. calculosa.

5. vicaria.

31. Phthisis -----

Emaciation; debility; cough; hectic; purulent expectoration; hæmoptysis; diarrhœa.

SPECIES.

1. hæmoptoica.

2. exanthematica.

3. chlorotica.

4. scrophulosa.

5. syphilitica.

C

GENERA.

32. Hæmorrhois - - -

Flux of blood from the anus; pain there, and hæmorrhoids; vertigo; pain in the loins and headach.

33. Menorrhagia -- } Aux

- {A too copious menstrual flux.

SPECIES. 1. rubrá. 2. abortus. 3. lochialis. 4. vitiorum. 5. alba.

CLASS I. PYREXIÆ.

ORDER V. PROFLUVIA.

34. Catarrhus ----

debility s

CONTRA.

nectic: purvient

SPECIES.

a frigore.
 a contagio.

Increased excretion of mucus from the membranes of the nose, fauces, and bronchiæ, with pyrexia, and attended by cough, thirst, lassitude, and want of appetite.

SYMPTOMATIC.

- 1. tussis exanthematica.
- 2. verminosa.
- 3. a dentitione.
- 4. arthritica.

GENERA.

35. Dysenteria --

Contagious pyrexia; frequent griping stools; tenesmus; stools chiefly mucus, sometimes mixed with blood, the natural fæces being retained or voided in a hardened state; loss of appetite and nausea, arising from spasmodic constriction of the colon retaining hardened fæces.

CLASS II. NEUROSES.

ORDER I. COMATA.

36. Apoplexia ----

Abolition, in some degree, of the powers of sense and motion, with sleep, and sometimes snoring, the respiration, and motion of the heart, remaining.

c 2

SPECIES.

1. sanguinea.

2. serosa.

- 3. hydrocephalica. In early youth, lassitude, febricula, pain in the head, then a more sluggish pulse, dilated pupils, drowsiness, and apoplexia. The sutures of the cranium open.
- 4. atrabilaria.
- 5. traumatica.
- 6. venenata.
- 7. mentalis.
- 8. cataleptica.
- 9. suffocata.

SYMPTOMATIC.

- 1. exanthematica.
- 2. arthritica.
- 3. verminosa. Carus, cataphora, coma, and lethargus, are degrees only of apoplexy.

GENERA.

37. Paralysis ---- {A loss of the power of voluntary motion affecting certain parts.

SPECIES.

partialis.
 hemiplegica.
 paraplegica.
 venenata.

SYMPTOMATIC.

- 1. exanthematica.
 - 2. arthritica.
 - 3. verminosa.
 - 4. scrophulosa.
 - 5. syphilitica.
 - 6. traumatica.

CLASS II. NEUROSES.

ORDER II. ADYNAMIÆ.

GENERA.

38. Syncope -----

TOITERS

The respiration, and action of the heart, either cease, or become much weaker than usual, with paleness and coldness, arising from diminished energy of the brain, or from organic affections of the heart.

SPECIES.

1. cardiaca, returning without a visible cause, and with violent palpitation of the heart during the intervals.

2. occasionalis, from a manifest cause.

39. Dyspepsia ----

SYMPTOMATIC.

- 1. schirrosa.
- 2. ulcerosa.
- 3. a veneno.
- 4. verminosa.
- 5. chlorotica.
- 6. gravidarum.
- 7. arthritica.
- 8. nephritica.

40. Hypochondriasis

Dyspepsia; languor and want of energy; dejection of mind and apprehension of evil, more especially respecting health without sufficient cause; with a melancholic temperament.

Want of appetite; nausea; vomiting; flatulence; heart-burn; costiveness; and pain in the stomach; with other symptoms of debility in the organ of digestion.

CLASS II. NEUROSES.

ORDER III. SPASMI.

In the Animal Functions.

GENERA.

41. Tetanus ----- { Spasmodic rigidity of almost the whole body.

VARIETIES ARE,

1. opisthotonos,

2. emprosthotonos, and

3. Trismus, or locked-jaw.

SYMPTOMATIC.

1. syphiliticus.

2. verminosus.

42. Convulsio ----43. Chorea ----44. Raphania ----45. Epilepsia -----

Alternate relaxations, with violent and involuntary contractions of the moving fibres, without sleep. Convulsive motions of the limbs or trunk.

A spasmodic contraction of the joints, with convulsive motions and most violent pain: periodical. Convulsions with sleep, and usually froth issuing from the mouth. SPECIES.

- 1. traumatica.
- 2. a dolore.
- 3. verminosa.
- 4. a veneno.
- 5. exanthematica.
- 6. a cruditate ventriculi.
- 7. ab inanitione.
- 8. uterina.
 - 9. ex onanismo.

In the Vital Functions.

GENERA.

46. Palpitatio ----

47. Asthma -----

A palpitation of the heart, either constant or frequently returning.

Difficult respiration returning at intervals, with a sense of stricture across the breast and in the lungs; a wheezing; hard cough at first, but more free towards the close of every paroxism, with a discharge of mucus, followed by a remission.

SPECIES

spontaneum.
 exanthematicum.
 plethoricum.

SYMPTOMATIC. 1. arthriticum. 2. venereum.

GENERA.

48. Dyspnoea ----

uttended with my-

Difficult respiration continual, and without sense of stricture. Cough frequent through the whole course of the disease.

49. Pertussis -----

Convulsive, strangulating cough, with hooping, relieved by vomiting; contagious.

In the Natural Functions.

50. Pyrosis ----

Heartburn, with copious eructation, generally of a watery insipid fluid.

51. Colica -----

Pain in the lower belly, and twisting round the navel; vomiting; costiveness.

SPECIES.

- 1. spasmodica.
- 2. pictonum, ending in palsy.
- 3. stercorea.

rexia.

GENERA.

52. Cholera -----

53. Diarrhæa ----

liver strangel

SPECIES. 1. crapulosa. 2. biliosa. 3. mucosa. 4. cæliaca. 5. lienteria. 6. hepatirrhæa. 7. verminosa.

54. Diabetes -----

A superabundant discharge of urine, which is limpid, and sweetish to the taste.

A purging and vomiting of

bile; anxiety; painful

gripings; spasms of the

abdominal muscles, and

those of the thighs.

(Frequent liquid stools with

the natural excrement,

but not contagious, and

seldom attended with py-

SYMPTOMATIC.

- 1. hystericus.
- 2. arthriticus.

55. Hysteria ----

A grumbling noise in the belly; a ball ascending to the throat, with a sense of suffocation; stupor; insensibility and convulsions; involuntary laughing and crying; sleep interrupted by sighs; urine limpid and abundant, previous to the fit; great sensibility and irritability of mind.

species. 1. chlorotica.

2. a menorrhagia.
 3. a leucorrhæa.
 4. libidinosa.

.3@507015000853

and Pradice, 9. 1932.

56. Hydrophobia - -

A dread of water, as inducing painful convulsions of the pharynx.

27

CLASS II. NEUROSES.

ORDER IV. VESANIÆ.

GENERA.

57. Amentia -----

mpid and abundant, anno revious to the fit; great ensibility and irritability f mind.

58. Melancholia -

-mi 20 , 191947

-invice convul-

59. Insania -----

Imbecility of intellect, by which the relations of things are either not perceived, or not recollected.

Erroneous judgment, but not merely respecting health, from imaginary perceptions, or recollections, influencing the conduct, and depressing the mind with ill-grounded fears; not combined with either pyrexia or comatose affections; often appearing without dyspepsia, yet attended with costiveness, chiefly in persons of rigid fibres and torpid sensibility.

Erroneous judgment from imaginary perceptions, or recollections, attended with agreeable emotions in persons of a sanguine temperament. Vide Cullen's Practice, §. 1581.

60. Mania

61. Oneirodynia

SPECIES.

1. activa. 2. gravans.

A conception of false relations, and an erroneous judgment, arising from imaginary perceptions or recollections, exciting the passions, and producing unreasonable actions or emotion, with a hurry of mind in pursuing a train of thought, and in running from one train of thought to another, attended with incoherent and absurd speech, called raving, and violent impatience of either contradiction, or restraint.

{Disturbed imagination during sloop

Walking in the sleep. The incubus or night-mare.

CLASS III. CACHEXIÆ.

ORDER I. MARCORES.

GENERA.

62. Tabes ------ {Emaciation; weakness; hectic.

SPECIES.

purulenta.
 scrophulosa.
 venenata.

63. Atrophia ----- { Emaciation; weakness, but without hectic.

SPECIES.

- 1. inanitorum.
- 2. famelicorum.
- 3. cacochymica.
- 4. debilium.

CLASS III. CACHEXIÆ.

ORDER II. INTUMESCENTIÆ.

Adipose.

64. Polysarcia --- Troublesome obesity.

Flatulent.

65. Pneumatosis -

GENERA.

- {Air collected in the cellular texture under the skin, rendering it tense, elastic, and crepitating.

SPECIES.

- spontanea.
 traumatica.
- 3. venenata.
- 4. hysterica.

66. Tympanites ----

Elastic distention of the abdomen, not readily yielding to pressure, and sounding like a drum, with costiveness and atrophy; but no fluctuation.

SPECIES.

1. intestinalis, with discharge of wind giving relief.

2. abdominalis, without such relief.

67. Physometra -

A permanent elastic swelling in the hypogastrium from flatulent distention of the womb.

Aqueous.

68. Anasarca -----

Swelling on the surface of the body; not elastic; pitting by the pressure of the finger; and rising slowly to its former fulness.

SPECIES.

serosa.
 exanthematica.
 a compressione.
 debilium.

69. Hydrocephalus - { External swelling of the head, soft, not elastic.

The internal hydrocephalus has been described already as the third species of Apoplexia.

70. Hydrorachitis - { Tumour in new-born infants on the lumbal vertebræ, soft, and small.

71. Hydrothorax --

72. Ascites -----

species. 1. abdominalis. 2. saccatus.

73. Hydrometrá - -

74. Hydrocele ----

Dyspnoea; paleness of face; adematous swellings of the feet; scarcity of urine; impatience of an horizontal position, with sudden starting from sleep, and palpitation; fluctuation of water in the chest.

Swelling of the abdomen, tense, and scarcely elastic; with fluctuation.

A swelling in the hypogastrium of females not pregnant; with fluctuation; no suppression of urine. A soft tumour of the scrotum, increasing slowly, without pain, fluctuating, generally pellucid.

Of the Solids.

33

75. Physconia ---

Tumour occupying chiefly one part of the abdomen, increasing slowly, and neither sonorous nor fluctuating.

D

- 1. hepatica.
- 2. spenica.
- 3. renales.
- 4. uterina.
- 5. ab ovario.
- 6. mesenterica.
- 7. omentalis.
- 8. visceralis.

76. Rachitis -----

Large head; prominent forehead; protruded sternum; flattened ribs; big belly; emaciated limbs, with great debility.

CLASS III. CACHEXIÆ.

ORDER III. IMPETIGINES.

77. Scrophula ----

Swelled lymphatic glands; thick upper lip; obstinate ulcers; ophthalmia tarsi; indolent tumours on the joints; fair complexion; irritable habit.

78. Syphilis -----

79. Scorbutus -

A disease arising from impure connection, and appearing generally after a local affection of the organs, occasioning chancres; buboes; ulcers in the mouth and nose; clustered pimples of a copper colour, ending in scabby ulcers, chiefly situated near the hairy scalp; blotches on the surface of the body; nocturnal pain in the bones; nodes, &c.

35

Extreme debility; complexion pale and bloated; spungy gums; livid spots on the skin; breath offensive; adematous swellings in the legs; hæmorrhages; foul ulcers; urine fætid; stools extremely offensive.

GENERA.	(Skin, t
with the month and the second	ly, ur
E ANDE SUCCESSION OF THE SUCCESSION	hair;
80. Elephantiasis	tuber
oo. Drephanausis -	sound
	nose;
ento respective dinere	the e
	L conta
A Distant State and State	(The sk
	ped,
81. Lepra +	ceous
	under
	l a moi
	Fungi,
Annes Annalist State	growi
an Thurbert	in va
82. Frambæsia	body,
And the state of the state of the state	ichor
al mentante make any inst	Yaws
-manifered partial and real rates	The ha
and and a second of the second	twiste
83. Trichoma	tangle
and the second	Calle
A MALE AND A	Yellow
A set of the	
84. Icterus }	eyes; of a hi
the sheet sheet a to make the	linen
	inten

36

Skin, thick, rough, wrinkly, unctious, and void of hair; face deformed, with tubera; voice hoarse and sounding through the nose; want of feeling in the extremities.—It is contagious.

The skin rough and chopped, with white surfuraceous scales and crusts, under which is frequently a moisture, with itching.

Fungi, like mulberries, growing out of the skin in various parts of the body, and discharging ichor; infectious. Called Yaws.

The hair grows coarse and twisted into inextricable tangles. It is contagious. Called the *Plica Polonica*.

Yellowness of the skin and eyes; fæces white; urine of a high colour. It tinges linen yellow. SPECIES

- 1. calculosus, acute pain in the epigastric region, increasing after eating: gall stones pass by stool.
- 2. spasmodicus, without pain, after spasmodic diseases and passions of the mind.
- 3. mucosus, without either pain, gall-stones, or spasm, and relieved by the discharge of tough phlegm by stool.
- 4. hepaticus.
- 5. gravidarum.
- 6. infantum.

GENERA.

85. Chlorosis ----

Dyspepsia; livid paleness; great debility; palpitation; depraved appetite, with amenorrhæa.

CLASS IV. LOCALES.

ORDER I. DYSÆSTHESIÆ.

86. Caligo -----

Sight diminished, or destroyed, by the interposition of a dark body, between the object and the retina. lentis.
 corneæ.
 pupillæ.
 humorum.
 palpebrarum.

GENERA.

87. Amaurosis ----

SPECIES.

- 1. compressionis.
- 2. atonica.
- 3. spasmodica.
- 4. venenata.

88. Dysopia -----

Sight depraved, requiring one certain quantity of light, one particular distance, or one position.

Sight diminished, or de-

stroyed, without any vi-

sible injury of the eye:

the pupil mostly dilated

and immoveable.

SPECIES.

- 1. tenebrarum.
- 2. luminis.
- 3. dissitorum.
- 4. proximorum.
 - 5. lateralis.

89. Pseudoblepsis - -

Sight depraved, creating objects, or representing them different from what they are.

SPECIES.

imaginaria.
 mutans.

90. Dysecæa ----- {Hearing diminished, or destroyed.

SPECIES.

1. organica, from wax in the meatus, injuries of the membrana, or inflammation and obstruction of the tuba.

2. atonica, without any discernible injury of the organ.

91. Paracusis ---- Hearing depraved.

SPECIES.

1. imperfecta.

2. imaginaria.

92. Anosmia ----- {Smell diminished, or destroyed.

SPECIES.

organica.
 atonica.

GENERA. 93. Ageustia ----- {Taste diminished, or de-stroyed.

{Touch diminished, or de-troyed. 94. Anæsthesia ---

CLASS IV. LOCALES.

ORDER II. DYSOREXIÆ.

95. Bulimia ----- {Appetite voracious or ca-nine.

SYMPTOMATIC.

- 1. verminosa.
 - 2. a rachitide.
 - 3. ab acidis.

Appetite depraved, or a strong desire of unnatu-ral food. 96. Pica ---

SPECIES.

- 1. infantilis.
 - 2. chlorotica.
 - 3. gravidarum.
- 4. medicatrix.

97. Polydipsia ---- Excessive thirst.

. OTHER MICH.

SYMPTOMATIC.

1. febrilis.

2. hydropica.

3. fluxuum.

4. a venenis.

GENERA.

98. Satyriasis - - -

Excessive and violent desire for coition in men.

99. Nymphomania. The same in women.

100. Nostalgia - - -

Impatience when absent from one's native home, and vehement desire to return, attended with gloom and melancholy, loss of appetite, and want of sleep.

101. Anorexia --- Appetite impaired This is merely symptomatic.

102. Anaphrodisia - In

Impotence.

SPECIES.

paralytica.
 gonorrhoica.

CLASS IV. LOCALES.

ORDER III. DYSCINESIÆ.

GENERA.

103. Aphonia ----

Suppression of the voice, without either syncope, or coma.

104. Mutitas ---- Dumbness.

SPECIES

organica.
 atonica.
 surdorum.

105. Paraphonia -- Depravation of voice.
106. Psellismus --- {Vitiated articulation of the voice.
107. Strabismus --- Squinting.
108. Contractura -- {A rigid contraction of a joint.

SPECIES.

- 1. ab inflammatione.
- 2. spasmo.
- 3. ob antagonistas paralyticos.
- 4. ab acrimonia irritante.
- 5. articularis.

CLASS IV. LOCALES.

sing and swelled south in

ORDER IV. APOCENOSES.

GENERA:

109. Profusio ---- Loss of blood.
110. Ephidrosis ---- {A violent and morbid sweating.
Generally symptomatic.
111. Epiphora ---- A flux of tears.
112. Ptyalismus -- A salivation.

113. Enuresis ---- {Involuntary discharge of urine.

SPECIES.

1. atonica.

2. ab irritatione vel compressione vesicæ.

IIG. Incharge

114. Gonorrhæa -- {A preternatural flux from the urethra in men.

SPECIES.

- 1. pura, not arising from impure connection, and without disuria.
- 2. *impura*, arising from the action of the venereal virus on the urethra, producing first an itching at its orifice; afterward a discharge like pus; ardor

which notice ; maine

3. laxorum.

4. dormientium.

CLASS IV. LOCALES.

ORDER V. EPISCHESES.

GENERA.

115. Obstipatio - -- Costiveness.

SPECIES.

- 1. debilium.
- 2. rigidorum.
- 3. obstructorum.

116. Ischuria ----

Suppression of urine.

SPECIES.

renalis.
 ureterica.
 vesicalis.
 urethralis.

117. Dysuria ---- {Difficulty, and pain, in discharging water.

SPECIES.

- 1. ardens.
- 2. spasmodica.
- 3. compressionis.

4. phlogistica
 5. calculosa.
 6. mucosa.

GENERA.

118. Dyspermatismus ----- Seminis in actu venereo tarda, impedita, et ad generationem insufficiens emissio.

119. Amenorrhæa -

Menses wholly or partially obstructed without pregnancy.

CLASS IV. LOCALES.

ORDER VI. TUMORES.

120. Aneurisma	A soft tion,
121. Varix	- {A soft pulse,
122. Ecchymoma	A black either from tion of
123. Schirrus	$- \begin{cases} A hard \\ dular \\ not redefined and red$

A soft tumour, with pulsation, on arteries.

A soft tumour, without pulse, on veins.

A black and blue swelling, either from a bruise, or from a morbid extravasation of blood.

A hard tumour of a glandular part, indolent, and not readily suppurating.

GENERA.	The state of the second second second
124. Cancer	A hard tumour of a glan- dular part, painful and obstinate, which termi- nates in the foulest ulcer.
	A suppurating tumour of conglobate glands.
126. Sarcoma	A soft excrescence, not painful.
127. Verruca	
128. Clavus	Corns.
129. Lupia	{A cyst under the skin, moveable, soft, indolent.
130. Ganglion	A hard tumour, moveable, on the tendon.
131. Hydatis	A cuticular cyst full of an aqueous fluid.
132. Hydarthus	A white swelling on the joints.
133. Exostosis	A hard tumour on the bone.

1

20

-

. matering provident time .

.

CLASS IV. LOCALES.

ORDER VII. ECTOPIÆ.

GENERA.

134. Hernia

135. Prolapsus

CIGORA PERCENTION

The displacing of a soft part, covered by the common teguments. A rupture.

ALLICE

(The protrusion of a soft part, uncovered.

The disjointing of a bone.

CLASS IV. LOCALES.

ORDER VIII. DIALYSES.

137. Vulnus ---A wound.

138. Ulcus

139. Herpes

(An ulcer discharging pus or ichor.

Tetters, or an assemblage of little creeping ulcers, itching much, and not inclined to heal, but terminating in surfuraceous scales.

136. Luxatio - - -

140. Tinea -----

141. Psora -----

142. Fractura -----143. Caries ----- (A scald head. Small ulcers) at the root of the hairs, which produce a friable white crust.

The itch. Small pustules with watery heads, appearing first on the wrists, and between the fingers. Contagious.

The fracture of bones. The exulceration of bones.



GENERAL INDEX;

Sinail dicent

Read of the last

atarit gril no tent white

ramoli va sa mos

and bead

WITH

AN EXPLANATION OF THE TERMS.

and the second se		2	
A. Markan Marka	C1.	Or.	Gen.
ADYNANIÆ, A defect of Vital Powers; from a, privitive; and Duvapus, }	II	II	
Power	IV	I	93
AGUE. V. FEBRIS INTERMITTENS.	is ling		
AMAUROSIS, Gutta Serena; Αμαυεωσις, Obscurity	IV	I	87
a pressure of the Optic Nerve.		TALL	APO
ATÓNICA, from Debility. 			
Spasm.	1 1.0	- And	1
AMENORRHŒA, Suppression of the			
Menses; from a priv. Mnveç, the Menses; and Pew, to flow	IV	V	119
AMENTIA, Idiotism	II	IV	57
Sensation	IV	- I	94
ANAPHRODISIA, Impotence; from a, priv. and apgodisia, the Feast of	IV	II	102
Venus	and the second		1

E

	CI.	Or.	Gen.
ANASARCA, Dropsy of the whole Body; ?			10
from Ava, along; and $\Sigma \alpha_{\xi}\xi$, the Flefth	III	II	68
SEROSA, from a retention, or	-		
from an over increase, of Serum.	2 34		
EXANTHEMATICA, from		1	
Exanthemata. V. EXANTHE-			
MATA. A COMPRESSIONE from			
an Interruption of the Circulation.			24
DEBILIUM, from Debility.			
ANEURISMA, Tumour of an Artery; from ?	IV	VI	120
Aveuguopog, Dilatation \$			120
ANOREXIA, Want of Appetite; from a, }	IV	II	IOI
neg. and Οgεξις, Appetite	IV	I	92
ORGANICA, from a disease of	1.1	-	95
the Schneiderian Membrane.	11.12	NA	AD
ATONICA, no manifest cause	0 11 10	int.	
appearing.		-	
APHONIA, Loss of Voice; from a, priv. }	IV	III	103
and $\Phi \omega_{\gamma \eta}$, the Voice	Lanke (stress	
Αφεοδισιακος, Venereus.	i resti		12.5
APOCENŌSES, Excessive Discharges		Alin	· ····
APOPLEXIA, Apoplexy; from Ano and ?	II	T	36
Πλησσω, to ftrike			
SANGUINEA, Sanguine-	135	-	
ous, from excefs of Blood. 			1.1.19
sons of a cold temperament.	13,43	OME	1/ AM
HYDROCEPHALICA,	a solo	1	
Hydrocephalic; from Yewe, Water;	ecto S	12.12	1000
and zepaln, the Head.	1 de	1.7.2	
ATRABILARIA, from	12.5		
the suffusion of black Bile over the System.	100	HTT 2	VAN
TRAUMATICA, from	L'and	1912.00	
external Violence; from Teaujac,	um'l		
alos, a Wound.	1		1.00

51			
AND NOT THE TOP OF THE	Cl.	Or.	Gen.
APOPLEXIA VENENATA, from poison.	Xie I	10474	AST
SUFFOCATA, from Suf-	Santi		
focating Exhalations.	MR. Y		1.50
MENTALIS, from passions	a Ward		1.151
of the Mind.	1. 123	000	ATA
CATALEPTICA. The	"Tries	1.10	
Catalepsy; from Katahntos, a	Sec. 1	1.1.1	a farch in
Seizure. The patient on a sud-	1100		in sien
den becomes stiff, and observes	Inas		1 Parts
the same posture during the	AT	Lunah	
fit. A ANDER BOD	1.03		
APPETITE, Depraved. V. DysorexIA.	1. NAV		Call!
Want of. V. ANOREXIA.	and a	and and	
ARTHRITICUS, Arthritic; from Aebei-	Tal	1	
Inc, A disease in the Joints.			1
V. PODAGRA.			
ARTHRODYNIA, Chronic Rheumatism;			a hante
from Ag Jeov, a Joint; and Oduvn,	NE S		1 1. a.
Pain. V. RHEUMATISMUS.			
ARTHROPUOSIS, Inflammation occa-)	2.4.24	32	1.76
sioning a Collection of Matter;	1	II	21
from Ag Leov, a Joint; and IIvw-	Paret l	15.36	
ous, Suppuration	1682		200
ASCITES, Dropsy of the Abdomen; from ?			10/13
А ожо , a Sack	III	II	72
ABDOMINALIS, The Abdo-	14.11	=144	P.J.M.
minal, an equal swelling of the	121	1.20	2.023
whole Abdomen.	1		1000
SACCATUS, The Encysted,			
the fluctuation is here less evi-			
dent, and the Swelling of	(Seal		123
the Abdomen at the first par-	the states of		
tial.	1923	0.495	1.0
ASTHMA, Frequent attacks of short breath- ?		1.103	A.Y
ing; from Anµu, to breathe }	II	III	47
SPONTANEUM, without any	14. 11	1.1.	6.1
manifest cause.	123.93		1
PLETHORICUM, from Ple-			
thora.	all weat	08.64	
F 2		1 10	C - 1103

.,	-	0
ľ)	1
		-

4

ASTHMA EXANTHEMATICUM	C1.	Or.	Gen.
ASTHMA EXANTHEMATICUM, Exanthematic; from the repulsion	12. ha		
of some humour. V. EXANTHE-	and the se		
MATA. ATPOPHIA A Slow Decen on Aughbury	ayer		
ATROPHIA, A Slow Decay, or Atrophy; from a, priv. and Teopn, Nutri-	III	I	63
tion	Sin al	5	-3
INANITORUM, from too	i salei		
great Evacuations. FAMELICORUM, from famine.			
CACOHYMICA, from cor-			
rupted Nourishment.	3.53		AND N
fection in the digestive Organ.		TAL.	
feerion in the ingestive organ.	8. AS		C Test
B.			
BUBO*; from B&Guv, a Swelling in the }	IV	VI	125
Groin			
Ox; and Aimes, Hunger)	IV	II	95
BLEEDING at the Nose. V. EPIS-			1
TAXIS. PLOOD Extravastion of V Eccury			
BLOOD, Extravasation of. V. ECCHY- MOMA.	100		P.A.PO
BLOODY FLUX. V. PROFUSIO.	1.	10	
BREATHING, Difficult. V. ASTHMA,			
OF DYSPNCEA.	and in		
C.			
CACHEXLÆ, A bad habit of body; from ?	III		
Kanos, bad; and Egis, a habit . S CALIGO, The Cataract	IV	T	86
CANCER, Cancer, a Crab	IV	VI	124
CANINE APPETITE. V. BULIMIA.	1		-
CARDITIS, Inflammation of the Heart; }	I	II	9
from Kagelia, the Heart	1000	15.1	She at

* The vowels are placed first in this Index; then follow the consonants.

CARIES, Rottenness in the Bones IV VIII CATARACT. V. CALIGO. CATARRHUS, Catarrh; from Kalaggo, , a Defluxion	Gen. 143 34
CATARACT. V. CALIGO. CATARRHUS, Catarrh; from Kalaggo@, a Defluxion	in
CATARRHUS, Catarrh; from Kalaggo, I a Defluxion	34
a Defluxion	34
A FRIGORA, from cold. A CONTAGIO, from contagion. The Influenza. CATARRH. V. CATARRHUS. CÆLIAC PASSION. V. DIARRHŒA. COLICA, The Colic; from Koλov, the Colon	
A CONTAGIO, from contagion. The Influenza. CATARRH. V. CATARRHUS. CÆLIAC PASSION. V. DIARRHŒA. COLICA, The Colic; from Κολον, the Colon	
contagion. The Influenza. CATARRH. V. CATARRHUS. CÆLIAC PASSION. V. DIARRHŒA. COLICA, The Colic; from Kolov, the Colon	
CATARRH. V. CATARRHUS. CÆLIAC PASSION. V. DIARRHŒA. COLICA, The Colic; from Kolov, the Colon	-
CÆLIAC PASSION. V. DIARRHŒA. COLICA, The Colic; from Колоч, the Colon	125
COLICA, The Colic; from Kolov, the Colon	
Colon	
	51
arising from Spasms of the Ab- dominal Muscles. PICTONUM, The Painters, or Devonshire Colic. It arises from the poison of lead. STERCOREA, in Persons of a costive Habit. CONSUMPTION. V. PHTHISIS.	
dominal Muscles. 	YD
or Devonshire Colic. It arises from the poison of lead. STERCOREA, in Persons of a costive Habit. CONSUMPTION. V. PHTHISIS.	
from the poison of lead. STERCOREA, in Persons of a costive Habit. CONSUMPTION. V. PHTHISIS.	
CONSUMPTION. V. PHTHISIS.	
CONSUMPTION. V. PHTHISIS.	Lan.
CONSUMPTION. V. PHTHISIS.	
	1
CONTRACTURA, Contraction of the] I III I	08
Limbs	00
AB INFLAMMATIO-	
NE, from inflammation.	1
SPASMO, from spasm.	
OBANTAGONISTAS	
PARALITICOS, from	2102
the Antagonist Muscles losing their	
action.	ICP
OB ACRIMONIA IR-	
RITANTE, from some	
irritating cause.	a a
ARTICULARIS, from	
stiffness in the Joints.	all the
	42
ORNS. V. CLAVUS.	
ORPULENCY. V. POLYSARCIA. OSTIVENESS. V. OBSTIPATIO.	
HICKEN POX. V. VARICELLA.	
INCREMPOA. V. VARICELLA.	

Service and the service of the servi	C1.	Or.	Gen.
CHILBLAIN. V. PHLOGOSIS, ERY-		011	
THEMA.	TING	4 3.4	
CHLOROSIS, The Green Sickness; from ?		XTA	-
Xλωgos, green, pale	III	III	85
CHOLERA; from Xohn, the Bile	II	III	
CHOLERA, The Cholera Morbus; from	11	111	52
			Contraction of
Xohn, the Bile.		in and	
CHOREA, St. Vitus's Dance; from Xo- }	II	III	43
geta, Dancing		222	75
CLAP. V. GONORRHOEA.	2013	16.2	L CON
CLAVUS, A Corn	IV	VI	128
CROUP. V. CYNANCHE TRACHEALIS.	1124	1000	for some li
CYNANCHE; from Kuwy, a Dog; and ?	I	II	~
$A\gamma\chi\omega$, to suffocate	1	11	1
MALIGNA. The putrid	1319	esert	a veren
sore Throat.	mil	10	
PAROTIDÆA. The	1 find	11	0.000
Mumps.	1971	1000	12.2.1
TRACHEALIS. The	A. Salara		
Croup.	est and	105	2105
TONSILLARIS. Inflam-	1000	L'ANT	1000
matory Quinsy.	Ale		
CYSTITIS, Inflammation of the Bladder; ?	2		APR. S
from Kugus, the Bladder }	I	II	16
nom Koçiş, the Bladder)			in s
D.	1.1.1.1		
	1.1.2	0.000.00	******
DEAFNESS. V. Dysecöea.			
DEFECT in Vision. V. DYSOPIA.			'
DIABETES, Immoderate flow of Urine;)		14	A Second
from $\Delta_{i\alpha}$, through; and $\beta_{\alpha_i \nu \omega}$, to $\}$	II	III	54
, pass	-		
DIALYSES, The Destruction of Parts; ?	IV	VIII	-44
from $\Delta i \alpha \lambda v \omega$, to dissolve	IV	VIII	
DIARRHCEA, A constant Looseness; from ?	TT	TTT	
$\Delta_{iaceesia}$, to flow through	II	III	53
CRAPULOSA, The Fe-		.2.7	-/ 32
culent Diarrhæa; from Crapulo-	1.1.1	PLET P	Sal P
sus, one who overloads his sto-	S TT	1 1 10	TOO R
mach.	1.051	1.1.1	23.7.7

and the second s	C1.	Or.	Gen.
DIARRHOEA BILIOSA, The Bilious;	72.2	PER	DW/S
from an overflow of Bile.	ALC: N		10000
MUCOSA, The Mucous;	2 2 1 1 1	and.	in the second
a quantity of slime being voided.	1.212	TAM	174
HEPATIRRHŒA, The	1.50	D. K	
Hepatic; a flux of serous matter	1.20 62	120	DYS
somewhat resembling flesh is	mar	1.19	
voided, the liver being primarily	Telline	1	L'anti-
affected; from $H\pi\alpha\varrho$, the liver;	1.4.		
and esw, to flow.	2 Baking	Nº CO	
LIENTERIA. The Lien-	A. S. K.R.		
tery; the food passes unchanged.	122		Lann.
CŒLIACA. The Cœliac	001.		1
Passion.	1 Recio		1. 192
VERMINOSA, arising	47 211231		Ten-
from Worms.	1122.2	1. Asis	
DIGESTION, Bad. V. DYSPEPSIA.	L Ans	1 1 1	-
DUMBNESS. V. MUTITAS.	Prink H		1.
DYSÆSTHESIÆ; Aurano Inoia, Loss of ?	IV	I	
Sensation	1.1	1	
DYSECOEA, Deafness; from Aug, diffi- ?	IV	1	1.00
cult; and Anon, hearing \$	1		90
DYSENTERIA, Dysentery; from AUGEV- ?	I	V	179
_ legia, Pain in the Bowels 5	A. E. M.L.	I Y	35
DYSOPIA, Defect in Vision	IV	I	88
TENEBRARUM, Requiring	Second		2000
objects to be placed in a strong light.	TT hur	a freed	13
LUMINIS, Objects only dis-	06130	1221	DIG
cernible in a weak light.	- site as	1 126	1
DISSITORUM, In which	an th		
distant objects are not perceived.	AGAR	n A CA	1
PROXIMORUM, In which	113 70		1. Cara
objects too near are not perceived.	10120		1 and
LATERALIS, In which ob-	Rolli		1
jects are not seen, unless placed in	and the		
an oblique position.	A CO		1 all the
DYSOREXIA, A Depraved Appetite;	Bar B	1	100,00
from Aus, bad; and Ogegis, Ap- ?	IN	TT	POR
petite	114	In	1000

	1		
S A ST TOT LOS CONTROL TOOL TOOL	Cl.	Or.	Gen.
DYSPERMATISMUS, Difficult Emission	M.M.	146.0	Alter
of Semen; from Aus, difficult; }	IV	V	118
and $\Sigma \pi \epsilon e \mu a$, Seed		1	
DYSPEPSIA, Bad Digestion, from Δu_{ς} , ?	II	II	39
bad; and $\Pi \in \pi \mathbb{I} \omega$, to concoct		SAFERAN	
DYSURIA, Difficulty in discharging Urine;	137	37	
from Aus, difficult; and Ougov, }	IV	v	117
Urine J ARDENS, A sense of heat,		A HIN	100
without any manifest disorder of	1.4		
the Bladder.		34	
	to the local of		Service T
COMPRESSIONIS, from a	13.2		BALLY COL
compression of the neighbouring	ittest		
parts.		in the state	hand
PHLOGISTICA; from vio-		100	
- lent Inflammation; from Phoyos,	1810	1183	1. TALES
flamma.		1 MA	T GPCT .
CALCULOSA, from stone	2.11	126.	TA
in the Bladder.			
MUCOSA, from an abundant	1,081	0.04	page -
secretion of Mucus.	TREAM	S.Y.	1.1.1
DYSCINESIÆ, Difficulty of Motion; from ?	IV	III	
Δυς, bad; and Kivew, to move . }			
DYSPNCEA, A constant Difficulty of	12.14		
Breathing; from Δv , difficult; $\}$	II	III	48
and IIvnw, to breathe			
DROPSY of the Brain, Hydrocephalus In-		1	
ternus. V. APOPLEXIA.	et a		C.P.
of the whole Body. V. ANA-	-	12.5	11.18
SARCA. of the Abdomen. V. ASCITES.			
of the Womb or Ovaria. V Hy-			
DROMETRA.		R.C.	1.1.2.9
of the Scrotum. V. Hydrocele.	a un	mail	A. C.
	Neps 1	CH AS	1391213
E.	ANZ	43.03	AVCR !!
ECTOPIÆ, Parts Displaced; from Ex- ?	TTT	VII	
ποπος, out of its Situation	IV	VII	

Contraction in and in the	CI.	Or.	Gen.
ECCHYMOMA; Exxopumpua, an Extra-?	IV	VI	Y MAT.
vasation of Blood	1 A.	a march	122
ELEPHANTIASIS, Ελεφας, an Elephant EMPHYSĒMA. V. PNEUMATOSIS.	III	III	80
ENURESIS, An involuntary flow of Urine; ?			
from Evegew, to make water }	IV	IV	113
ATONICA, the Spincter of the	mar and the		
Bladder having lost its tone from	1.21	10Ta	EXO
some previous disease.	area 3	£	
ab Irritatione, from an irritation			
vel Compres- for compression of sione vesicæ, f the bladder.		Central S	
ENLARGEMENT of the Abdomen. V.			AN
PHYSCONIA.		1 0,10	
ENTERITIS, Inflammation of the Intes- ?	5.0		
tines; from Evlepov, the Intestine (I	II	12
EPIPHORA, An involuntary flow of tears; ?	IV	IV	RET .
from Emisonges, a Flood	1 4	14	III
EPILEPSIA, Epilepsy; from Επιλειψις, a } Swoon	II	III	45
TRAUMATICA, from an		22.4	47
injury of the Head.	and the second	12.00	
A DOLORE, from Pain.		Y	
VERMINOSA, from Worms.	in the second		
EXANTHEMATICA, from	1.12亿	1.100	
an Eruption drove in.	· + (22)	Lin I	AD
A CRUDITATE VENTRI-			
CULI, from crudities of the Sto- mach.			
AB INANITIONE, from			
Debility.	Berch	1	
UTERINA, from Hysteric	al and		
Affections. V. HYSTERIA.	01.00		
EPHIDROSIS, Excessive Sweating; Equ- ?	IV	IV	110
EPISCHESES. Επισχεσις, Retention	90-1216		110
EPISTAXIS, Bleeding at the Nose	IV	V	
ERYSIPELAS, St. Anthony's Fire	I	IV	29
		TTI	22

and the second			
terest and the literation of the second	Cl.	Or.	Gen.
ERYSIPELAS VESICULOSUM, with	1340		DOW
large Blisters		1. 20	t rate
Phlyctenæ, or small Blisters; from	ANA	awat	ENS!
Φλυκλαινωδης, Pustulæ Similis.	8.3	R L SI	DREA
EXANTHEMATA, Eruptions; from Eg- }	I	III	
avθημα, a Pustule	1	1.2.1	a carro
Eξ and O5 εον, a Bone	IV	VI	133
F.	id d	in the	
FAINTING. V. SYNCOPE.			
FEBRIS INTERMITTENS, An Inter- ?	I	I	Ī
mittent Fever, or Ague		1	
	I	I	23
FUROR UTERINUS. V. NYMPHO-		N.S.G.	3
MANIA.			-
FLUXES. V. PROFLUVIA.	777	TTTT	19.3
FRACTURA, A Fracture	IV	VIII	142
boise, Fr. a Rasberry	III	III	8z
G.	1	· ·····	
GANGLION, A Tumour on a Tendon	IV	VI	130
GASTRITIS, An Inflammation of the Sto. 7	I	II	IT
mach; from Tagne, the Stomach }		11000	
PHLEGMONODEA, with Phlegmon; from Φλεγω, to burn.			
ERYSIPELATOSA, from			
Eguσιπελας, a red Tumour. An			-
Erysepelatous redness is observed about the fauces.			
GOUT. V. PODAGRA.	1	der	
GONORRHCEA; from Forogeous, a Flux ?	IV	IN	
of Seed	IV	IV	114
	- 2	10.2	1.581
Turie commentation.		1	1000

. 59			
	ci.	Or.	Gen.
GONORRHOEA IMPURA, arising from	1. 1.	arie	IVH
Venereal Virus.	hhall	and the second	
LAXORUM, the person	「王 三	ROG	IYH
being awake.	S MILLS	1	
DORMIENTIUM, from		0012	and the second
an impure imagination when asleep. GUTTA SERENA. V. AMAUROSIS.	12 1 - 1 - 1 1 - 1 - 1 - 1 1 - 1 - 1 - 1	and a start	2.2.12
GREEN SICKNESS. V. CHLOROSIS.		1000	
	here	1 C /2	
H. gungyarni 201	EIS	00%	IN THE
HÆMOPTYSIS, Spitting of Blood; from ?	I	IV	
Auna, blood; and IITUW, to spit }	and a	IV	30
PLETHORICA, from ful-	AN		and the
ness of the Vessels.	SI C.M	40.91	TAT S
VIOLENTA, from some		No. of	Constant in
external violence.	66. S.]	in an	and and a second
PHTHISICA, Consump-		1.1.2.2	1 × 12 - 1
tive; from Φθιω, to waste.		Stry B.	110118
CALCULOSA, from cal- careous matter in the Lungs.	a free		
	121 16	115 100	Margary.
pression of some customary evacua-	(CON	TOB	PYNY ···
tion. The termination of an Hæ-	100	1	
moptysis is in Phthisis.		1	and the second
HÆMORRHAGIÆ, Hæmorrhages; from ?	I	IV	IN H
Aimoggayia, an Eruption of Blood §	(and	-	
HÆMORRHOIS, The Piles; from Augog- }	I	IV	32
gous, a Flux of Blood	1.1.1	1.4.18	
HEMIPLEGIA, Palsy of one Side. V. PARALYSIS.	1 - 2 - 4	1	
HECTIC FEVER. V. FEBRIS HEC-	arite		
TICA.	1120		ST. COR
HEPATĪTIS, Inflammation of the Liver .	I	II	13
HERNIA, A Rupture	IV	A DECK TO DECK	134
HERPES, Tetters; from Eenw, to creep .	IV	VIII	
HOOPING COUGH. V. PERTUSSIS.	Bad of		
HYDARTHUS, A White Swelling; from)	N ASIA		
Yewg, Water; and Agogov, a	IV	VI	132
Joint	D M. Is	P. Contraction	1

Children of the second second second	CI.	Or.	Gen.
HYDĂTIS, An Hydatid; from Ydalis, a ?	IV	VI	CON
Bladder		VI	131
HYDROCELE, Dropsy of the Scrotum;	TTT	TT	
from $\Upsilon \delta \omega_{g}$, Water; and $K \eta \lambda \eta$, a Swelling	III	II	74
HYDROCEPHALUS EXTERNUS, Ex-)	inter a	1.75	
ternal Swelling of the Head; from	III	п	60
Yewg, Water; and Kepann, the	111	11	69
Head			
HYDROCEPHALUS INTERNUS, Dropsy of the Brain; from YEwp,	1. Sara	mar	ean no
Water; and Kapahn, the Head.			
V. APOPLEXIA.	T L.		h.d.
HYDROMETRA, Dropsy of the Womb and	The second	a inte	
its Appendages; from Yowg, Wa- >	III	II	73
ter; and Μητεα, the Womb] HYDROPHOBIA, Canine Madness; from }			
Yowe, Water; and Polew, to dread }	II	III	56
HYDRORACHITIS, The Spina Bisida;)		in	in
from Yewe, Water; and Paxis, }	III	II	70
the Back-bone	1	. 121.	
HYDROTHORAX, Dropsy of the Chest;	TTT	TT	
from Newe, Water; and Owgaz, the Breast	III	II	71
HYPOCHONDRIASIS, Hypochondriac	in Con	100	
Affections; from Ynox ov Spianos, >	II	II	40
one who is hipped	SE.	0.0.8	RH
HYSTERIA, Hysterics; from Y5 ega, the }	II	III	55
Womb	3.4	24-24	55
tention of the Menses. V. CHLO-	1723	DIT	STR
ROSIS.	3.52		
A MENORHAGIA, from an	LAT	DT/	
immoderate flow of the Menses.	8. 9	R.L.	
V. MENORRHAGIA. A LEUCORRHCEA, from the	in .	2.1.1	
Fluor Albus; from Asunos, white;	37517	5	
and gew, to flow. V. MENOR-			
RHAGIA.	April		

1		-	12
Ł	٦.		

GLI OL COL	Cl.	Or.	Gen.
HYSTERIA LIBIDINOSA, from Sen- }	III	ш	84
sual Desires	I	II	17
III STERITIS, Inframmation of the Otoria,	KU Z.A	11	1.
Spleen, Spleen, Street, Street, Street, Spleen, Spleen	III	111	84
ICTERUS, The Jaundice	धानम् व		
CALCULOSUS, from Gall		Sec	TETT I
SPASMODICUS, from Spasm.	TAN	MA.	INT
MUCOSUS, from Mucus ob-	O MAL		
structing the Hepatic Duct.	NO NO	A.A.	UNI .
HEPATICUS, from an indura-	1111		
tion of the Liver. GRAVIDARUM, from preg-	alan		
nancy, and disappearing after de-	in Las	ATZ.	19111
livery.	o'Man's		
INFANTUM, of Infants.	411-	142.913	the state
IDIOTISM. V. AMENTIA. IMPETIGINES, Diseases which deform?			
the Surface	III	111	
INFLAMMATION of the Eye. V.	add o	1 5 M	
OPHTHALMIA.	11100	Elle ve	
ENTERITIS. Intestines, V.		(TANKAR	1111
Uterus. V.	orae a		
HYSTERITIS. AL MARINE MARINE	10 24	1	
Bladder. V.			
CYSTITIS. Brain. V.	1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		27.5.1
PHRENIFIS.	vistin		
	aurs.		
CARDITIS.	SCEN	AWC	TMI
Kidney. V.	al a fair		IDGT .
NEPHRITIS. Liver. V.	57		Mar I
HEPATITIS.	i case		Maine S
Lungs. V.	estation .		
PERIPNEUMONIA.	A.	Left 1	

n	0
n	1
U	-

Leight to the state of the state	Cl.	Or.	Gen.
INFLAMMATION of the Periton zum. V.	11	die 1	4.74
PERITONITIS. Pleura. V.		- marine	
PLEURITIS. V.	10.24		01.1
Spleen. V.	1214		114
SPLENITIS.	m l	stra	TTT
Stomach. V.	the state		
GASTRITIS.	. See !!		60
NFLAMMATORY QUINSY. V. Cy-	K.S.F.	· age - a b	
NANCHE TONSILLARIS.	p II og	inter	
NFLATION of the Uterus. V. PHYSO-			
METRA. Abdomen. V. TYM-	1	inter	
PANITES.	Park		
INSANIA, Insanity, or a deranged Ima- ?			1911
gination	II	IV	59
INTERMITTENS, An Intermittent Fever, {	I	I	
or Ague	1	+	D MIST
QUOTIDIANA,	1.244	OIT A	104
Quotidian. The paroxysms return	144 3		
in the morning, at an interval of about twenty-four hours.		1	1.00
	.9-11		
tian. The paroxysms commonly			1
come on at mid-day, at an inter-			
val of about forty-eight hours.	12877		174
QUARTANA,			1.200
Quartan. The paroxysms come	1.87		
on in the afternoon, with an	the state	a dela ba	1.54
interval of about seventy-two hours.	5 %	Set 1	1.1
INTUMESCENTIA, Swellings	III	II	
ISCHURIA, from Ioxugia, a Suppression ?	1.000	1.298	
of Urine	IV	V	II
RENALIS, Coming after a		1	
disease of the Kidney, with a	4.4.12		
troublesome sense of weight in that	1. 1. 1.	·	
hart.	E. Laura	Solution -	

63		-	
and the first state of the stat	C1.	Or.	Gen.
ISCHURIA URETERICA, After a dis-	177	24. PV	14.2
ease of the Kidneys, a sense of pain	AUL	1001	A MA
or uneasiness in some part of the	an in		and the second
Urethra.			CALLS IN
VESICALIS, A frequent de-	a.a.	apres	1 STREET
sire to make water, with a swel- ling of the Hypogastrium; pain at	at the		1 Marian
the neck of the Bladder.		1	
URETHRALIS, A fre-	Sugar		The story of
quent desire to make water, with	TO A	No. and	1
a swelling of the Hypogastrium,	Acres	Bern	Dan Ve
and pain in some part of the Ure-	- Nooil		1. 19
thra.	1.15-01	- darias	- Anna
JAUNDICE. V. ICTERUS.	al yand		12.00
A COTADUCT.		Acres	a la far hal
K.	1. 200	1 and	N. S. S.
KING'S EVIL. V. SCROFULA.	1	19.00	a start and a
the second s	200	0.00	Fars
L.	1.	1	The set
TEDDA Labrary	III	III	81
LEPRA, Leprosy	in n		
LOCALES, Local Affections.	h vds	AR	MAN
LOCKED JAW, or TRISMUS. V. TE-	no	KOL	1014
TANUS.	17. 0	1.297	MM "
LONGINGS OF WOMEN. V. PICA.	1. 18	ATT	TOM
LUES VENEREA. V. SYPHILIS and	State State		18 2
GONORRHŒA.	1.19	1.10	1
LUMBAGO. V. RHEUMATISMUS.	1.3		
LUMBER ABSCESS. V. ARTHROPU-	PD4	1771	IN BY
OSIS.	Pisio		1 ton
LUPIA, A soft Swelling under the Skin .		VI	
LUXATIO, A Luxation	IV	VII	136
M.	201	The state	- Care
MADNESS, MELANCHOLY. V. ME-	14.22	R 63	NEW
LANCHOLIA.	1 200		
	SIE.S	TI	DIM
FURIOUS. V. MANIA.	1 ASI		1
	CONTRACTOR OF		

0	1
5	1.
11	-1-
~	

ten on ten	Cl.	Or.	Gen.
MANIA, Raving, or Furious Madness	II	IV	60
MARCORES, Wasting	III	I	
MELANCHOLIA, Melancholy Madness .	II	IV	58
MENORRHAGIA, Immoderate flow of	rv7		
the Menses; from Mnv, a Month; }	I	IV	33
and Payas, a Rupture	See and		14.1
women neither with child or in			
child-birth	10.0		
ALBA, Serous; the	14		
Fluor Albus, or Whites.	1. 1.		
some local disease.		Sec.	
from women with child.		15	
LOCHIALIS, From	1111	in a series	1.1.1
women after delivery.		aren i	and the
MENSES, Immoderate flow of. V. ME- NORRHAGIA.	1783		
	alena 7	AR	CT T
RHOEA.	1.2	RETY	21.3
MILIARIA, Miliary Fever	I	III	27
MOTION IMPEDED. V. Dyscinesia. MUMPS. V. Cynanche Parotidœa.	1		
MUTITAS, Dumbness	IV	III	104
EA P Systems is and a set and	(in the second	TR	
N.	Sport 2		
NEDUDITICUS Nathritis + from Notes	-ON	AST.	NUL I
NEPHRITICUS, Nephritic ; from Νεφει- inc, a disease of the Kidney.	The second	He I	e y . L
NEPHRITIS, Inflammation of the Kidney; ?	I	п	TT.L
from Napgos, the Kidney 5	0,1	11/1	15
NERVOUS FEVER. V. TYPHUS MI-			
NEUROSES, Nervous Diseases; from NEU- 2		interest	and the
pov, a Nerve	II	47.0	
NIGHT-MARE. V. ONEIRODYNIA	NT.		
GRAVANS, AMAM . SUOISI	12		

NOCTATOLA FLORIDA	C1.	or.	Gen.
NOSTALGIA, Vehement desire of revisit- ing one's Country; from Novew, }	IV	II	100
to return; and Alyos, pain)		- and - and	12000
NYMPHOMANIA, Furor Uterinus; from Νυμφια, Nympha; and Mayıa,	IV	TT	
Madness	IV	II	99
0.			
OBSTIPATIO, Costiveness	IV	v	115
DEBILIUM, In weak and	1.1		
commonly dyspeptic persons.	A-2.2		
	5-19-11 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		
of rigid fibres and a melancholy temperament.			
OBSTRUCTORUM, From		142.00	1.6.95
obstructions. V. COLICA.	24.9		
ODONTALGIA, The Tooth-ach; from }	I	п	19
Odes, a Tooth; and Adyos, Pain S	1		
ONEIRODYNIA, Disturbed Sleep; from Overgov, a Dream; and Oduvn, }	II	IV	61
Anxiety	i ale		
GRAVANS, The Night-			
Mare.	all the	Pri tot	Card Service
OPHTHALMIA, Inflammation of the Eye; } from Οφθαλμος, the Eye }	I	II	5
nom opparatos, the Eye		2.62	
P.		1 TAB	C. Start
PALPITATIO, Palpitation of the Heart	II	III	4
PALSY OF ONE SIDE, Hemiplegia. V.	19 1.5 4	1.1.1	
PARALYSIS DADACTICLE States to the End	DEG	1. 19	2003 State
PARACUSIS, Singing in the Ears; from } maga, Wrong; and answ, to hear }	IV	I	91
IMPERFECTA, When	and the	Ser in	1.2.
existing sounds are not heard as		Prin R	in the
usual.	13	a a Maria	
IMAGINARIA, When	1.20		100-
imaginary sounds are heard. PARALYSIS, Palsy; from Παgaλuw, to ?	100		
Loose	II	I	37
F			Contraction of the

and and any and a second second second	CI.	Or.	Gen.
PARALYSIS PARTIALIS, Partial;	. 4.1.3	Jan 1	acte.
Palsy of some particular muscles.	anti-Arte	1.00	
HEMIPLEGICA, Para-	1 26 3		
lysis of one side; from 'Huiming		244.44	
nyos, dimidia parte percussus.			
of one half of the body; from Pa-			1919-191
εαφληγια.	1.152		
VENENATA, From the		9.1	100
sedative effect of poisons. V. Co-			Sec.
LICA PICTORUM.	airth		
PARAPLEGIA, Palsy of half of the Body			
taken transversely. V. PARA-	1		
LYSIS.		Level a	and a
PARAPHONIA, Alteration of the voice;	TTT	III	-07
from Maga, Wrong; and Dwyn, }	IV	111	105
PERIPNEUMONIA, Peripneumony, or	- in		
Inflammation of the Lungs. V.	1	(AA)	12107
PNEUMONIA.			
PERITONITIS, Inflammation of the Pe- ?	I	II	101
ritonæum			
PERTUSSIS, The Hooping Cough	II	III	49.
PESTIS, The Plague	I	III II	23 96
PICA, Particular Longings	IV	11	90
PODAGRA, The Gout; from IIsc, the ?			
Foot; and Ayeu, taken	I	II	20
REGULARIS, The Re-	11.1	S LE	Real S
gular.	alter A		
ATONICA, Atonic; from	342		
Alovos, a neg. and Terve, to stretch.	a real		
RETROGRADA, Retro- cedent.	15123	1.75.000	N EVEN
ABERRANS, Misplaced,			
or wandering.	1.28		Contra de
POLYDIPSIA, Excessive Thirst; from ?	TTT	ITT	
Holeus, much; and Ardn, Thirst }	IV	IV	97
POLYPUS. V. SARCOMA.	1154	STATES -	

-	200
6	7
U	

entered and the second s			
	C1.	Or.	Gen.
POLYSARCHIA, Corpulency; from IIo- }	III	II	64
λυς, much; and Σαςξ, Flesh			-7
PUTRID FEVER. V. TYPHUS GRA-			and the second
PUTRID SORE THROAT. V. Cy-			
NANCHE MALIGNA.			
PHLOGOSIS, Inflammation; from $\Phi \lambda_0 \xi$, ?	- 12. 20	1. m	
yoç, Flamma	I	II	4
PHLEGMONE, with Phleg-	100		1.11
mon; from pheypeorn, Vivid In-	Contra	- invest	
flammation.	C. STA		
ERYTHEMA; from Eguly-	4	(and the set	
μα, Redness.		1.	
PHRENITIS, Phrensy, or Inflammation of }	I	II	6
the Brain; from Denv, the Mind 5	Ser.		
PHTHISIS, Pulmonary Consumption; from }	Ι	IV	31
Φθιω, to consume	. Wile	1214	Co. West
out any expectoration of Pus.			
	(TA)		SART .
an expectoration of Pus.			String.
SCROPHULOSA; From	in frem		
Scrophula, Tubercles in the	a enance	all the second	and a start
Lungs.			entro here
			1. 1. 1. 1.
mohtysis.		A TANK	
EXANTHEMATICA, From		YGED	A
Exanthemata.	Pan W	14	danie is
CHLOROTICA, From Chlo-			
		12	CALL BALL
nereal Ulcer in the Lungs.	E Bart		
PHYSCONIA, Enlargement of the Abdo->	7		all 1
men; from Quonuy, a big-bellied \$	III	II	75
fellow		NO. SAL	14
PHYSOMETRA, Windy Swelling of the	fair a	\$ 20 10	St. all
Uterus; from Durow, to inflate; {	III	II	67
and Melou, the Womb)	18 8		Des of
PLAGUE. V. PESTIS.	3	PARCE	

	CI.	Or.	Gen.
PLEURITIS, Pleurisy, or Inflammation of		ALCO.	1.00
the Pleura. V. PNEUMONIA.			
PLICA POLONIA. V. TRICHOMA.			172
PNEUMATOSIS, Emphysema, or Windy	III	II	65
Swellings		1000	
any manifest cause.	12/24	1	
		100 20	1-2-51
a Wound.	2.23	1. 1. 1.	
VENENATA, From Poi-		1.17.17	
sons.		100	
HYSTERICA, With Hy-			
steria.			
PNEUMONIA, from IIvenuw, the Lungs	I	II	8
PROFLUVIA, Fluxes	1	V	
PROFUSIO, The Bloody Flux	IV	IV	109
PROLAPSUS, A Protrusion.	IV	VII	135
PROTUSION, or Falling down. V. PRO-	19.23	and the state	
PSEUDOBLEPSIS, Imaginary Vision of	in the second		1023
objects; from Yeudog, false; and }	IV	I	8
Bhefis, sight	IV	1	89
IMAGINARIA, In		11.000	a constant
which objects are perceived which			Statistics.
are not present.			
MUTANS, In which	T.		
objects that are present appear			
somehow changed.			26.23
PSELLISMUS, Defect of Speech; from ?	IV	III	106
Ψελλισμα, Hesitation of Speech §	1 V	111	106
PSORA, Yupa, the Itch	IV	VIII	141
PTYALISMUS, A Salivation	IV	IV	112
PYREXIÆ, Febrile Diseases; from Pv- ?	I	1. 100	14 F
PYROSIS Heart-hurn. from Human 22	1 1 2 3	1	
PYROSIS, Heart-burn; from Πυgωσις, a] Burning	II	III	50
	No. 1		
R.		1.1	
RACHITIS, The Rickets, from Pazis, the ?	III	III	76
Back-bone	1	1-1	

0	0
n	u
U	5
-	-

The second		and the second	
	Cl.	Or.	Gen.
RAPHANIA, from Paqavn, the radish, or	233		LATE .
charlock; eating the Seeds of }	II	III	44
which will occasion this disease J	A CR	-	s pap
RICKETS. V. RACHITIS.	5530	and the second	1108
RUBEOLA, The Measles; from Rubeo, to }	I	III	26
RUPTURE. V. HERNIA.			
RHEUMATISM, Chronic. V. ARTHRO-	C. + 4	1213	85.7
DYNIA.	etital	-1117	STR
RHEUMATISMUS, The Rheumatism, ?	124	021	-0
from Peupalionos, a Defluxion }	I	II	18
and the second	all a		6 Carl
S.	4.47		Arthur
SALIVA, Flux of. V. PTYALISMUS.		1.62	AV2
SARCOMA, An Excrescence, from EugE, ?	IV	VI	126
Flesh	1 4	V I	120
SATYRIASIS, Excessive desire after Ve- ?	IV	II	98
nery	-	J	and the
SEED, Preternatural flow of. V. GONOR-	1		
RHEA.	1.		
SENSATION, Want of. V. ANÆSTHE-			
SIA. SINGINGS IN THE EAR. V. PARA-			
CUSIS.			1100
SCALD HEAD. V. TINEA.	1.00		
SCARLATINA, The Scarlet Fever	T	III	28
SIMPLEX, The Mild.	1.		
CYNANCHICA, With	1000		and the second
ulcerated sore throat, or Cynanche.			
SCIATICA. V. RHEUMATISMUS.			E.P.T.
SCORBUTUS, Scurvy	III	III	79
SCURVY. V. SCORBUTUS.	1.3		
SCHIRRHUS, Excepos, a Chip of Marble	IV	VI	123
SCROPHULA, The King's Evil; Scro- ?	III	III	77
fula, a Pig	111	111	
SMALL POX. V. VARIOLA.	24	13.2	and and and
SMELL, Loss of. V. ANOSMIA.	51 41		
SPASMI, Spasmodic Diseases, from $\Sigma \pi a w$, ?	II	III	
to contract	N. TON		

100	0
1	
	~

	Cl.	Or.	Gen.
SPEECH, Defect of. V. PSELLISMUS.	1A.S	25.2.1	TUR!
SPITTING OF BLOOD. V. HÆMOP-	a first		
TYSIS. SDIENTTIS Information of the Sular	I	TT	
SPLENITIS, Inflammation of the Spleen, SQUINTING. V. STRABISMUS.	1	II	14
ST. ANTHONY'S FIRE. V. ERYSI-			
PELAS.		Epine	hirst 1
ST. VITUS'S DANCE. V. CHOREA.	a LT		CHER A
STRABISMUS, Elgabiopos, Squinting .	IV	III	107
SWEATING. V. EPHYDROSIS.	6018.	E Mary	a la fa
SWELLING OF THE HEAD, External. V. Hydrocephalus Exter«			
NUS.			
SYNOCHA, Suvoxos, continued. V. FE-	2758	in the	nen 1
BRIS CONTINUA.	1	Callio	TAC .
SYNCOPE, Fainting, from Suvnomlw, to]	II	II	38
strike down	1	TT.	LC 22
Syncope; arising from some or-			Lang B
ganic affection of the heart, or			
neighbouring vessels, and re-	6.46	-	ten :
turning without any manifest		P.A.	
cause.	1113	Chill.	1415
OCCASIONALIS, The ex-	212.0	1.5	
citing cause being manifest. SYPHILIS, Lues Venerea	III	III	78
STITUUS, Lucs renered		1	10
т.			E.
		-	
TABES, A Wasting of the Body	III	I	62
PURULENTA; from an ul-			
cerous discharge. 			
scrophulous habit.			Constant la
VENENATA; from Poison.	1.00		
TASTE, Want of. V. AGEUSTIA.	1.2.23	de	1353
TEARS, A Flux of. V. EPIPHORA.	12 state		19.9 A & A
TETANUS, Spasm with Rigidity, from	THE C		1.0 2.5
Tervw, to stretch.	1	4	1

TETĂNUS OPISTHOTONOS, Where	C1.	Or.	Gen.
the body is thrown back by shas-		al free	7 14
modic contractions of the Mus-		24.22	102
cles; from Onio Jorovos, bent	Part C	a da ry	Par Age
back.	5.5	and the second	
EMPROSTHOTONOS, The	Add	NOL4	AVE
body being bent forwards; from	SEC	127.50	AV
Eungoo Sev, before; and Terve, to	52.1	10.25	BY.
stretch.	10.33		
TRISMUS, The Locked Jaw;	1.1912	They a	
from Teropos, stridor.	No.	Constant Spa	
TETTERS. V. HERPES.	SANTS	MIL	ELWIT !
TINEA, A Scald Head	I	VIII	140
TOOTH-ACH. V. ODONTALGIA.			
TUMORES, Tumours	IV	VI	
TUSSIS EXANTHEMATICA. A cough	L'étil	11-4-12	
attendant on an erruption.			10.114
THIRST, Excessive. V. POLYDIPSIA.	100-01	a mini	P.Pr. was
TRICHOMA, An Entanglement of the	N.W. T. Y		
Hair; from Ogit, Tgixos, and }	III	III	83
Koun, the Hair	1.69%		
TYMPANITES, Tympany, Tupunavov, a ?	TTT	TT	66
Drum	III	II	00
INTESTINALIS, A	1 - S (24)	1	(april 1
lodgement of wind in the Intes-			STATES
tines.	Sec. 1	Contact of	5 C 16 19
ABDOMINALIS, Wind	Constant and	125.76	
in the Abdomen.	Carlos -	187 (温	
TYPHUS, Tupos, Stupor. V. FEBRIS			
CONTINUA.	1		
PETECHIALIS, Typhus with	and the second	10,216	
Petechiæ.	a set	A PR Th	
MITIOR, The milder Typhus,	the second	1.1.2.1	
or Slow Fever.	arth at		
GRAVIOR, The oppressive,		Sec.	
or Putrid Fever.	305	Bridge I	
ICTERODES, The Yellow	3.10X (1	1. 19-19	
Fever; from Inleguons, Felle ef-			
fusus.	Guite	S. Salar	AUX DE

72			
	CI.	Or,	Gei
V. VARIŎLA, The Small Pox	I	111	2
VARICELLA, The Chicken Pox VARIX, The Tumour of a Vein VERRUCA, A Wart	I IV IV	I II VI VI	2 12 12
w.			
WHITE SWELLING. V. ARTHRO- PUOSIS.			
P00515.		1	

PART II.

COMPENDIUM


A

OF

THERAPEUTICS,


WITH

FORMULÆ.



CONTENTS.

EMETICA	I.
CATHARTICA	II.
DIAPHORETICA	111.
DIURETICA	IV.
EPISPASTICA	v.,
EXPECTORANTIA	VI.
ERRHINA	VII.
SIALAGOGA	VIII.
EMMENAGOGA	IX.
ANTHELMINTICA	х.
LITHONTHRIPTICA	xI.
ANTACIDA	xII.
ATTENUANTIA	XIII.
ANTISEPTICA	xIV.
ANTISEPTICA	xv.
CORROSIVA	XVI.
DEMULCENTIA	XVII.
DEMULCENTIA STIMULANTIA	
	XIX.
ANTISPASMODICA	



MEDICINES ARRANGED

IN THEIR

CLASSES AND ORDERS.

CLASS I.

EMETICA.

ORDERS.

I. Irritantia.

Antimon. tartarisatum	gr.	1gr. 6.
Zincum vitriolatum	gr.	10scr. 2.
Hydrargyrus vitriolatus	gr.	4gr. 12.
Ipecacuanha	gr.	8.—scr. 1.
Asarum, rad	scr.	1dr. 1.
Scilla exsiccata	gr.	4.—gr. 6.

II. Calefacientia.

Sinapi	dr.	1.—dr.	4.
Raphanus rusticanus		the second se	
Chamæmelum			

III. Narcotica.

Nicotiana	dr.	1 un.	4.
Digitalis			

CLASS II.

CATHARTICA.

ORDERS.

1

11

.

IV

T

I. Stimulantia.

	Stutteration	
	Jalapium gr. 10scr. 1	12.
	Senna scr. 1dr. 2	
	Aloë socotorina gr. 10scr. 1	
	Golocynthis gr. 4gr. 12	
	Calomelas gr. 4gr. 12	
	Scammonium gr. 5gr. 15	
	Gambogia gr. 4gr. 15	
	Elaterium gr. 1gr. 5	
I.	Calefacientia.	
3	Guaiacum gummi-resina . gr. 10dr. 1	
I.	Refrigerantia.	
I.	Refrigerantia. Natron vitriolatum dr. 4un. 1	12.
1.	Natron vitriolatum dr. 4un. 1	<u>1</u> 2.
1.	Natron vitriolatum dr. 4.—un. 1 Kali vitriolatum dr. 4.—un. 1	- N
1.	Natron vitriolatum $dr. 4un. 1$ Kali vitriolatum $dr. 4un. 1$ Flores sulphuris $scr. 1dr. 1$	•
	Natron vitriolatum $dr. 4un. 1$ Kali vitriolatum $dr. 4un. 1$ Flores sulphuris $scr. 1dr. 1$	•
	Natron vitriolatum dr. 4un. 1 Kali vitriolatum dr. 4un. 1 Flores sulphuris scr. 1dr. 1 Cassia fistularis un. $\frac{1}{2}$ un. 1	
٧.	Natron vitriolatum dr. 4un. 1 Kali vitriolatum dr. 4un. 1 Flores sulphuris scr. 1dr. 1 Cassia fistularis un. $\frac{1}{2}$ un. 1 Astringentia.	

Oleum ricini dr. 4.—un. 2. Manna dr. 4.—un. 2.

VI. Narcotica.

Nicotiana	dr. 1 un. 4. aq.
Hioscyamus	gr. 1gr. 3.
Digitalis	gr. 2gr. 5.

CLASS III.

.

DIAPHORETICA.

I. Calefacientia.

Serpentaria	gr. 10scr. 2.
Contrayerva	gr. 10 scr. 2.
G. Guaiacum	gr. 10scr. 2.
Arnica, flos	dr. 1.
Liq. volat. Cornu Cervi	
Oleum essen. lavendulæ	A REAL PROPERTY OF A REAP

II. Stimulantia.

Antimonium tartarisatum.	gr.	1. o. h.
Vinum antimonii		
Calomelas	gr.	1.

III. Antispasmodica.

Opium	gr.	1gr.	1.
Moschus	gr.	10scr.	1코.
Camphora			
Ipecacuanha	gr.	1.	

ORDERS,

1 -

IV. Diluentia.

Aqua	ad libitum.
Serum lactis	ad libitum.

CLASS IV.

DIURETICA.

I. Stimulantia.

Colchicum. rad gr. 1gr. 2.
Daucus Sylvestris un. 1. ad. aq. lb. 1.
Genista. cac un. 1. ad. aq. lb. 1.
Juniper. cac. manip 1. d. coch. 2.
Taraxacum suc un. 1.—un. 3.
Terebinthina scr. 1dr. 1.
Scilla gr. 2gr. 6.
Cantharides gr. 1/2.
Apium.

II. Refrigerantia.

Acetum $un. \frac{1}{2}$.— $un. 1$.
Acetosa un. 4.—un. 6.
Petroselinum dr. $\frac{1}{2}$.
Kali præparatum gr. 12scr. 1.
Kali acetatum gr. 20gr. 30.
Nitrum
Berberis.

III. Diluentia.

Serum lactis ad libitum.

CLASS V.

81

EPISPASTICA.

ORDERS.

I. Rubefacientia.

Sinapi. Raphanus rusticus. Cortex radicis mezerei.

II. Vesicantia. Cantharides.

CLASS VI.

EXPECTORANTIA.

I. Stimulantia.

Allium dr. 1dr.	2.
Ammoniacum gr. 15.—dr.	I.
Enula scr. 1dr.	
Hyssopus manip. 1,-vel.	
Marrubium manip. 1.	
Scilla gr. 3gr.	6.
Antimonium scr. 1scr.	2.
Vesicatoria.	
Nicotianæ fumus.	

Ġ

II.	Emollientia.			
	Glycyrrhiza	dr.	2.—un.	1.
	Spermaceti	dr.	$\frac{1}{2}$. $-dr$.	1.
	Tussilago	ad	libitum.	AGLER
	Vapores	ad	libitum.	

CLASS VII.

ERRHINA.

Stimulantia.

Beta, rad. suc.
Betonica, folio gr. 3gr. 5.
Euphorbium gr. 4.
Asarum gr. 3gr. 4.
Helleborus gr. 5gr. 10.
Nicotiana ad libitum.

CLASS VIII.

SIALAGOGA.

-							
I.	1	0	n	1	r	11	
	1	U	D.	ı		u	ł.
	-						

Angelica	dr. 1.
Nicotiana	ad libitum.
Piper	gr. 10scr. 1.

Scillæ	gr.	3gr.	6.
Sal Prunellæ	gr.	3.—scr.	1.

II. Interna.

Ung. hydr. mitius	dr.	1.
Ung. hydr. fortius	dr.	<u>1</u> .
Pilulæ ex hydr	gr.	12gr. 20.

CLASS IX.

EMMENAGOGA.

I. Stimulantia.

Borax	gr. 10scr. 1.
Aloë soc	
Sabina	
Rubia	
Cantharides	gr. 1.
Electricitas.	
Hydrargyrus.	

II. Tonica.

Ferri rubigo	gr.	5scr.	1.
Limatura	gr.	5scr.	1.
Lavatio frigida.	1		·VI
Corporis exercitio.		idate -	
Diæta lauta.	avint	Sant	

III.	Antispasmodica.	Scillman
-1	Asafœtida	scr. 1scr. 2.
	Myrrha	gr. 10gr. 30.
	Castoreum	
	Pediluvium.	

CLASS X.

ANTHELMINTICA,

I. Venenosa.

Stannum	gr.	15gr.	60.
Hydrar. cum Sulphure	scr.	1.—dr.	1.
Spigelia	dr.	4.	
Filix	dr.	2dr.	4.
Heleborus fœtidus	gr.	1gr.	8.
Hydrargyrus.			

II. Irritantia.

Stizolobium (dolichos pruriens, L. S. P.) Corallina scr. 1.—scr. 3.

III. Lubricantia.

Oleum olivarum	dr.	4.—un.	1.
Oleum ricini	dr.	4un.	1.

IV. Tonica.

Sabina	gr.	5.—scr. 1.
Santonicum	dr.	1.

Tanacetum. Ferrum vitriolatum gr. 2.—gr. 8. Limatura Ferri gr. 5.—scr. 1. Aqua calcis.

V. Cathartica.

Sapo	un. 1.
Jalappa	scr. 1scr. 2.
Rheum	gr. 10gr. 30.
Aloë soc.	gr. 10gr. 20.
Scammonium	the second se
Gambogia	

CLASS XI.

LITHONTHRIPTICA.

I. Antacida.

Sapo		dr.	$\frac{1}{2}$ dr.	2.
Aqua	calcis	un.	4un.	8.
Aqua	kali puri	gt.	10gt.	60
Aqua	mephitica alkalina.		1. 18	14

II. Adstringentia.

Uva ursi scr. 2.

The set of the second s

CLASS XII.

ANTACIDA.

ORDERS.

I. Eccoprotica.

Sapo	gr.	5gr. 30.
Magnesia	gr.	5gr. 40.
Alkalina.		

II. Restringentia.

Creta. ppt	dr.	1scr.	2.
Testæ ostreorum, ppt	scr.	1scr.	3.
Aqua calcis	un.	4un.	8.

CLASS XIII.

ATTENUANTIA.

I. Diluentia.

Serum lactis.

II. Deobstruentia.

Sapo. Sales Neutri. Hýdrargyrus. Alkalina. Spongia usta scr. 1.—scr. 2.

CLASS XIV.

ANTISEPTICA.

ORDI	ERS.	Alaman
I.	Tonica.	niv mirnel
	Cortex peruvianus	gr. 10dr. 2.
	Absinthium	
	Chamæmelum	scr. 1.— $dr. \frac{1}{2}$.
II.	0	Zine. vitch
	Sales acidi.	Arsonicum.
	Sales neutri.	Cabiante -
	Fructus & vegetabilia.	II. Corrugantia
III.	Stimulantia.	Rog.
	Camphora	gr. 3gr. 24.
	Asafætida	
	Vinum.	
**	Alkohol	dr. $\frac{1}{2}$ dr. 1.
	Oleum terebinthinæ	
	South State of the second state	A COLLICE

III. Induranti

.Demor .VI.

CLASS XV.

ASTRINGENTIA.

I. Styptica.

Alumen	gr.	1gr. 24.
Ferrum vitriolat	gr.	1gr. 6.
Ferrum ammoniacale	gr.	3gr. 12.
Ferri rubigo	gr.	5gr. 24.
Ferri limatura		
Zincum calcinatum		
Zinc. vitriolatum		
Arsenicum		
Cuprum.		

II. Corrugantia.

Rosa.	ilevlimit?. H
Tormentil	scr. 2dr. 1.
Cortex peruvianus	gr. 10dr. 2.
Simarouba	gr. 10gr. 24.
Sanguis draconis	gr. 5scr. 1.
Quercus.	- Contractor Inc.
Gallæ.	

III. Indurantia. Alcohol. Acidum vitrioli. dilutum ... gt. 10.-gt. 20.

IV. Tonica.

Exercitium. Frictio.

CLASS XVI.

CORROSIVA.

ORDERS.

I. Erodentia.

Cuprum vitriolatum. Alumen ustum.

II. Caustica.

Argentum nitratum. Acidum vitriolicum.

CLASS XVII.

DEMULCENTIA.

Gummi arabicum	un. 1un. 3.
Oleum amigdalarum	dr. 2un. 1.
Spermaceti	gr. 15gr. 60.
Althæa	manip. 12.
Caricæ	dr. 4.—un. 1.
Malva	manip. 12.
Lini semen	dr. 4.—un. 1.

CLASS XVIII.

STIMULANTIA.

ORDERS.

I. Topica.

Sinapi	dr.	1dr.	2.
Raphanus rusticus	dr.	1scr.	1.
Cantharides			
Mercurii præparationes.	null de		

II. Diffusibilia.

Alkali volatile.	
Calor.	
Cinnamomum.	
Nux moschata.	
Vinum.	
Electricitas.	
Tinct. Opii gt. 3.	-gt. 5.

CLASS XIX.

ANTISPASMODICA.

ORDERS.

I. Stimulantia.

Alkali volatile. Olea essentialia. Spiritus vini. Æther vitriolicus gt. 30.-gt. 100.Valerianagr. 30.-gt. 100.Valerianagr. 10.-dr. 2.Asafætidagr. 20.-gr. 40.Camphoragr. 3.-gr. 24.Moschusgr. 8.-gr. 24.Opiumgr. 1.-gr. 3.Electricitas.

II. Tonica.

Cortex peruvianus	gr.	10.—dr.	2.
Ferrum	gr.	10gr.	20.
Zincum. calcin.	gr.	4gr.	10.
Cuprum.	11		
Exercitium.			
V. Astringentia.		T B.	Paul -

CLASS I.

EMETICA.

FORMULÆ.

URMULL.		
	(Antim. tart	gr. 5.
1 10	Syr. papav. errat	dr. 1.
1. Ŗ.	Aq. font.	un. 6.
	(d. un. 1. 0. 4. h. usque ad vo	mitionem.
	(Antim. tart	gr. 2.
2 R.	{ Ipecac	gr. 10.
00	(p. r. n. s.	
	(Vin. antimon	un. 1.
3 R.	{Oxymel Scillæ	dr. 6.
i lig-18	(p. r. n. s.	
a region of	-	un. 2.
4 R.	{Oxymel Scillæ <i>p. r. n. s.</i>	140
	(Oxymel Scillæ	un. 2.
5 D	{Suc. raph. rust.	un. 1.
5 Ŗ.	p. r. n. s.	
.tha0	A REAL PROPERTY AND A REAL	
C D.	{Vin. ipec	un. 1.
6 Ŗ.	{ Syr. violar.	dr. 2.
	(v. s.	Cup
	(Vin. ipec	un. 1.
7 R.	Vin. antim.	dr. 1.
) Syr. viol	dr. 2.
	lv. s.	
	Antim. tart Ipecac Calomel	gr. 1.
Q D.] Ipecac	gr. 6.
8 R.	Calomel	gr. 3.
	(v. s.	

CLASS II.

CATHARTICA.

FORM	IULÆ.	and the second se	
As Smith	-	Jalap	gr. 25.
9	R	Zinzib	scr. 1.
		(c. m.	
		Aloë soc.	dr. 12.
		Myrrh	un. 2.
		Croci	un. 1.
10	Ŗ. ~	Alkohol	16. 2.
		Digere. Cola. d. dr. 4 u	
		Elixir Proprietatis.	
		Aloë soc.	dr. 12.
		G. guaiac.	un. 1.
	-78	Pulv. arom.	
11	Ŗ	Bals. peruv.	āā dr A
		Syr. cort. aur.	
		A REAL PROPERTY OF A READ REAL PROPERTY OF A REAL P	q. s.
		(f. Pill. d. scr. 1.	
		Aloë soc.	- <u>a.</u> - 3. 181. 1
1	K.	Extr. gentian.	
- 12	2 Ŗ	Calomel	
		j Mucil. gum. arab	The second s
		(f. Pill. 119 50 d. Pill. 2	. h. s.
	AL AR	Aloë soc.	19. 18.
1	2.1.	Extr. gentian	āā dr. 1.
1:	3. R.	{ Ferri vitriolat	gr. 15.
		Syr. rosæ	g. s
100		Extr. gentian Ferri vitriolat Syr. rosæ f. Pill. d. gr. 10. h. s. s.	
May and and		A REAL PROPERTY AND A REAL	

FORMULÆ.		
14. <u></u> .	$\begin{cases} Aloë soc. \\ Sapon. alb. \\ Pil. Gummi. \\ d. scr. 1. h. s. s. \end{cases}$	āā un. 1.
15. Ŗ .	$\begin{cases} Aloë soc. \\ Colocynth. \\ Scammon. \\ Extr. Jalap \\ Syr. simp. \\ f Pill. d. gr. 12. h. s. s$	āā dr. 1. dr. 3.
16. Ŗ.	Scammon. G. guaiac. Aq. cinnam. Syr. rosæ. f. haust. hydrag. m. s.	
	Elaterii Extr. gentian o. b. h. s.	gr. 4 . gr. 4.
18. Ŗ	Flor. Sulph. Cremor tart. Mel. <i>f. Elect. d. dr.</i> 1. <i>p. r. n</i>	āā un. 1. q s.
-2 -2	Kali vitriolat. Jalap. Valer. sylv Oxymel Scillæ d. dr. 4. ter in die.	

FORMULÆ.			
	Rhei	scr.	1.
	Jalap	gr.	5.
20. R.	Aq. cinnam	un.	1.
	Syr e Cort. Aur	dr.	1.
1.1 .m. 1.	(m. s		Ma
and a star	Rhei	un.	1.
	Sennæ	un.	2.
.I sur L	Sem. fænic.		
Sec. 27. 5.	Bac. junip.	10 100 3	
21. R 🗧	Scobis guaiac	āā dr.	4.
and the second	Sach. alb		
	Sp. vin. gal.	16.	3.
all die 22	Digere. Cola. d. un. 1.		
dr. I.	Salutis. vulgo Daffy's		2
.ep	(Rhei	un.	1.
	Sennæ		
t. an. 1.	Cardam. M. ben 100		
and the second	Coriand		1.
	Croci.	ST 10	
22. Ŗ . <	Coccinel	āā scr.	2.
	Uvæ pass	un.	3.
.of its in	Sp. vin. gal	16.	
dr. 2.	Digere. Cola. d. un. 2. p.	r. n.	
	Boerhaave's Gout Cordial	· +1 (1	
and the second second	An and the second second and the second s		

o. 240. 10. c. 1.

Extr. lig. guaise.

29. IL.

......

95

.7

. UP 33

3t. 40.

CLASS III.

DIAPHORETICA.

FORMULÆ.	Byre Cort. Apr	
	Contrayerv.	scr. 1.
23. R.	Syr. Croci.	q. s.
	(f. Pil. h. s. s.	-
	G. Guaiac.	scr. 1.
01 D.] Sal. C. C	gr. 5.
24. Ŗ.	Cons. rosar.	scr. 2.
	(h. s. s.	
	(G. Guaiac.	
	Sach. alb	āā dr. 9.
25. R.	{ Extr. Gent.	dr. 1.
.1 .ma	Mucil. G. arab.	q. s.
de. 2.	(f. Pil. d. gr. 15.	1
	(Cort. rad. Mezerii recen	t. un. 1.
	Aq. font	cong. 11/2.
26. R.	{ Coque ad Cong. 1 & adde	
iā sar. 9.	Glycer.	un. 1.
. S	ld. un. 6. ter in die.	
16. 1.	Sulph. antim. præcip	or 10
	Hydrargyr. e sulph	gr. 10. dr. 2.
27. Ŗ .	Guaiac.	scr. 2.
	(f. pulv. No. 10. c. 1. p. 1	m. ET W.
	Sulph. antim. præcip.	dr 9
@0 D.	Calomel.	scr. 9
	Calomel Ol. Sassafras Extr. lig. guaiac Syr. papav. alb	et. 40.
28. je.	Extr. lig. guaiac.	dr. 7.
	Syr. papav. alb	9.5.
	Lf. Pill. 80. d. No. 3. o. n	

FORMULÆ		
29. Ŗ.	$\begin{cases} \text{Mist. Camph}\\ \text{Vin. Antimon.}\\ h. s. s. \end{cases}$	un. 1. gt. 40.
30. Ŗ.	Camph Tart. emet Elect. è Scordio h. s. s.	gr. 5. gr. 1. scr. 1.
	$\begin{cases} Mosch. \\ Cons. ros. \\ h. s. s. \end{cases}$	
32. <u>p</u> .	$\begin{cases} Mosch. (sach. alb. trit.) \\ Aq. cinnam \\ d. un. 1. \end{cases}$	gr. 30. un. 6.
33. <u>p</u> .	Tinct. Opii Vin. antimon d. gt. 30. ad. 120. h. s.	dr. 1. dr. 3.
34. <u>p</u> .	$\begin{cases} Tinct. Opii \\ Vin. ipec \\ Aq. Ammon. Acetat \\ Aq. rosar \\ Sach. alb \\ h. s. s. \end{cases}$	gt. 40. dr. 3.
35. <u>p</u> .	Kali præpar Suc. limon Aq. cinnam Syrup. papav. errat p. r. n. s.	212. 1

H

CLASS IV.

DIURETICA.

FORMULÆ.	Cample, to an and the second	
6". 1 Marga	(Sem. dauc. sylv.	
0C . D.	Bac. junip	āā dr. 2.
36. Ŗ.	Aq. font.	
	Digere. Cola. d. un. 2. o.	
10.	Sem. dauc. sylv.	1.31.3 391 -1
- 30% - 12	Sapon. alb	āā dr. 1.
37. R.	{ Millep. ppt	
gr. 30.	Muc. gum. arab	q. s.
THR. G. C.	f. Pill. d. scr. 1. o. n.	2
	(Juniper bac	un. 4.
20 D.		lb. 2.
38. R.	{ Vin. alb	
dir. 3. 6	(Digere. d. un. 2. ter. in a	A THE STREET STREET
	Tereb. venet.	dr. 1.
and have	Mucil. g. arab	dr. 4,
39. R.	{ Aq. puleg	un. 6.
A A.	Syr. e cort. aur	dr. 4.
.1	(h. s. s.	
dr. D. M.	(Tinct. cantharid	gt. 30.
	Infus. cort. per	un. 1.
40. R.	{ Aq. N. M.	
A start	Syr. cort. aurant	āā dr. 1.
Ar. A.	Lbis in die.	
	(Kali	gr. 10.
P. B.	Rhei.	scr. 1.
41. R .	Ol. juniper	gt. 4.
	(h s. s.	

98

1

FORMULÆ.			
ſŀ	Kali.		
J	alap. Marana a		
I	Raphan. rust	āā un.	1.
42. R. 20	Ciner. genist.		S. States
1	Millep.	āā un.	2.
1	Vin. rhen	16.	4.
	Digere. Cola. d. un. 2.		tre.
Contraction of the	and the start and the second is for		
	Oxymel scillæ	dr.	3.
10	Conf. arom	scr.	1.
43. R.	Aq. fæniculi	un.	1.
A	Aq. cinnam	dr.	1.
and the second	• 772.		
-0	ALTERATORISTICS.		
	scillæ exsic.	gr.	1 5 1 1 5 1 H I I
	Sapon. alb	scr.	1.
la	. m. & v.	aur The	
19	Scill. recent	ar 1	10
	mmon puly	gr. 1	
	mmon. puly.	gr. 1	
	Pulv. tragac. c	gr.	5.
C)	f. Bolus. 6. ter in die. s.		
(7	Finct. scill	gt. 3	0.
	Aq. cinnam. Syr. caryoph. rubr. f. Haustus. ter in die. s.	un.	
46. R.	Svr. carvoph ruhr	dr.	1.
	f Haustus ter in die c		1. C.
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. mannas ici in aic. s.		

CLASS V.

EPISPASTICA.

FORMULÆ.

47. **R**.

 $\begin{cases} \text{Lin. Sapon. comp. un. } 1\frac{1}{2}.\\ \text{Tinct. Canth. un. } \frac{1}{2}.\\ f. Lin. quod. part. affect. infricetur. \end{cases}$

CLASS VI.

EXPECTORANTIA.

	Oxymel scillæ	dr.	2.
48. R.	{ Aq. cinnamom	un.	1.
	(c. m.		
	(Scillæ recentis.		
10		āā un.	1.
49. R .	Glycyr.	<i>q</i> .	5.
	Gum. ammon Glycyr <i>f, Pill. d. scr. 1. m. s.</i>	-	
	(Enulæ.		
ALL SAME	Glycyr.		
50. Ŗ .	{ Flor. sulph	āā un.	1.
	Mel c. M. N. M. ter in die.	· un.	4.
	(c. M. N. M. ter in die.		
	(Sperm. ceti. (v. o. s.)	dr.	2.
51. Ŗ.	Lac ammon.	dr.	
	Syr. croci.	dr.	6,
	d. un. 1. ter in die.		

CLASS IX.

EMMENAGOGA.

FORMULÆ.	(Tinct. cantharid gt. 20.
the second	Aq. pulegii dr. 12.
52. Ŗ.	Syr. croci dr. 1.
	h. s. s.
	(Pil. ex aloë cum myrrha scr. 2.
	Pil. gummi.
53. R.	$Asæfætid \bar{a}\bar{a} dr. 1.$
	Calomel scr. 1.
and associate	f. Pill. 40. c. Pill. 1. h. s.
	(Pil. ex aloë cum myrrha un. 1.
54. Ŗ.	Ferri vitriolat dr. 1.
	f. Pill. d. scr. 1. h. s.
	(Tinct. aloë comp.
nu. d.	Tinct. ferri muriati āā dr. 2.
55. R.	Tinct. helebori nigri dr. 4.
	d. dr. 1. m. & v.
	(Fer. ammoniac.
56. R.	Pulv. aromat $\bar{a}\bar{a}$ gr. 10.
50. 4.	h. s. s.
	(Fer. vitriolat dr. 1.
57. R.	{ Sach. alb un 2.
	d. dr. 1. ter in die.
	The state of the s
wr. L	Aloë soc. gr. 15.
58. Ŗ.	Asæfætid.
	Extr. gent āā dr. 2.
1.1	Syr. cort. aurant
	f. Pill. d. gr. 10. h. s.

CLASS X.

ANTHELMINTICA.

FORMULÆ.	Syr. (Syr. Grooi
	(Calomel gr. 10.
59. R.	{ Rhei gr. 16.
	(m. s.
	Hydrarg. c. sulphure.
	Santonici āā dr. 2.
60 P	Sabinæ scr. 1.
60. Ŗ .	Corallinæ dr. 1.
1. ···	Syr. cort. aur q. s.
	f. Pill. d. scr. 1. m & v.
	(Stanni un. 1.
61. R .	{ Theriac un. 4.
	(d. un. 1. o. m.
	(Spigeliæ dr. 12.
69 D	
62. Ŗ .	Aq. font
	and the stand of t
	Santonici.
.E. Marin	Rhei.
63. Ŗ.	{ Corallinæ.
	Cor. cervi ust aa dr. 1.
	(d. gr. 24. o. m.
64. R	$\begin{cases} Sapo. alb un. 1. \\ o. m. ad. 10^m vicem. \end{cases}$
01. 4.	20. m. ad. 10 ^m vicem.
The Astron	$\begin{cases} Rheigr. 5. \\ Flor. chamæmelscr. 1. \\ o. m. s. \end{cases}$
65. Ŗ.	{ Flor. chamæmel scr. 1.
	(0. m. s.

FORMULÆ.

66. R.

(Gambog	gr. 2.
Calomel	gr. 5.
Jalap	gr. 10.
m. s.	

CLASS XI.

V. COM. Per. ..

LITHONTHRIPTICA.

 Uvæ Ursi
 un. 1.

 Cons. ros. rub.
 un. 2.

 Syr. ros.
 q. s.

 f. Elect. d. dr. 2. ter in die.

CLASS XIII.

cole, d. di. 4. It

......

ATTENUANTIA.

Spongiæ ust

68. R.

Syr. althææ q. s.
f. Trochisci 60.
Horum unus h. s. linguâ suppositus, ibi per noctem lente deliquescat.
Troches for the Bronchocele.

un. 3.

67. R.

CLASS XIV.

ANTISEPTICA.

FORMULÆ.	(Decost cost Dos	1 10
	Decoct. cort. Per	dr. 12.
CO . P.	Tinct. cort. Per. comp.	dr. 2.
69. Ŗ.	{ Pulv. cort. Per	scr. 1.
		r. 1-6.
	lq. h. s.	1.
	Decoct. cort. Per	un. 8.
	Conf. aromat	dr. 2.
70. R.	Tinct. serpent	dr. 4.
	Aq. cinnam.	dr. 12.
10.2.100	Syr. croci.	dr. 4.
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(d. un. 2. 4. q. h.	
	Cort. Per.	aug F
	Myrrh	un. 5.
	Sp vin tonui	un. 1.
71. R.	Sp. vin. tenui.	16. 2.
	Digere. cola. d. dr. 4. ter in	die.
	Addendo superioribus.	
	Acid vitriol. dilut. gt. 10. a.	d gt. 20.
the states	(p. r. n.	
	Suc. limon.	dr. 4.
	Kali.	
72. R .	Confect. arom āā	scr. 1.
121 .	Syr. tolut	dr. 1.
The second by the	Aq. cinnamom u	n. 1-8.
	lq. h. s.	
	Mist. camph.	2122 1
	$\begin{cases} \text{Mist. camph}\\ \text{Tinc. asæfœtid}\\ \text{Aq. ammoniæ acetat}\\ \text{Syr. croci}\\ q. h. s. \end{cases}$	dr 0
73. R.	Aq. ammonia acetat	dr. 2.
10. 7.	Svr. croci	ur. J.
	la h c	1.1-0.

CLASS XV.

ASTRINGENTIA.

FORMULÆ.

FURMULE.	
74. R .	[Alum
	Sang. dracon dr. 1.
	Syr. ros q. s.
	Lf. Pill. nº 28. c. Pill. 3. ter in die.
	Alum dr. 2.
	Cort. Per un. 1.
75. R.	Conserv. ros dr. 12.
and there	Syr. ros q. s.
	f. Elect. c. M. N. M. ter in die.
	Limat. ferri.
	Ter. japon āā dr. 3.
TC D.	Cort Por
76. Ŗ.	{ Cort. Per un. 2.
	Syr. zinzib q. s. f. Elect. c. M. N. M. ter in die.
	- J. Licci. c. m. n. m. ici in alc.
	(Ferri. rubig.
	Cort. Peruv āā un. 1.
77 D.	Spec. arom dr. 4.
77. Ŗ.	Cons. cort. aur un. 2.
	Syr. cort. aur q. s.
	f. Elect. c. M. N. M. ter. in die.
	(Ferri vitriolat.
78. Ŗ .	Myrrh.
	Flor. chamæmel āā gr. 10.
	Ferri vitriolat. Myrrh. Flor. chamæmel āā gr. 10. bis die s.

1 .

FORMULÆ.	
	[Zinci vitriolati gr. 25.
	Rhei gr. 5.
79. Ŗ.	Tereb. venet
	bis d. s.
	Cont Danua
gr. 30.	Cort. Peruv.
di. I.	Confect. aromat āā scr. 1.
	Aq. cinnam dr. 12.
80. R.	Spirit. cinnam.
	Syr. cort. aur dr. 1.
dr. 2.	m. s.
.L .m.	(m. s.
the sta	(Tingt cart Par comp de 1 - de 3
81. R.	{Tinct. cort. Per. comp. dr. 1dr. 3.
9. 5.	lbis in die.
in dir.	a mark for Block go M. N. M. Cor
	(Tinct. cort. Per. comp. un. 1.
82. R.	{ Vin. ferri dr. 4.
an des 3.	(c. dr. 4. ter in die.
	TS. B. & Cort. Per
	(Tormentil. discuss and
all all a	Cort. Peruv.
83. R.	Glycyrrh āā un. 1.
00. 4.	
da au. 1.	Syr. cort. aur
	f. Elect. d. M. N. M. ter in die.
	V. ANTISEPTICA tonica.
and and	
	577. COTL BUT

Elect. c. M. N. M. top. in dice.

.01 mg ms

231		77
C.1	U	
-	~	100

gr. 30.	CLASS XVII.			
	DEMULCENTIA.			
	{ Sp. N. M	.5	2.0	
.1 . co.	G. arab		un.	1.
of the	Aq. font.		un.	3.
84. Ŗ	Cola. adde.			
	Sach. alb c. dr. 1. urgente Tussi.		dr.	4.
and the second	Cc. dr. 1. urgente Tussi.			
1	(Amygd. dulc.		no.	15.
in the	Ol. amygd		un.	1.
85: R	Gum. arab			
aJ: jx	Sach. alb	āā	dr.	2.
	Aq. cinnam		un.	8.
	[d. un. 1. p.r.n.			
	(Ol. amygd		un.	2.
	Syr. viol.			
86. R	Syr. tolut.	āā	un.	1.
	Syr. tolut		dr.	2.
	f. Troch. p.r.n.s. miles		No.	
T in Th	(Ol. amygd	and the		
	Syr. viol.	āā	7/ 34	1
27 0	Sperm. ceti.		dr.	
87. Ŗ	Cons. ros		dr.	
	p.r.n.siqsail			
and the series	Ag. bul		5.3	
	Ol. amygd.		dr.	
	Liq. vol. C. C		gt.	
88. R	Syr. tolut.		dr.	
	Aq. distil.		dr.	12,
	(6. q. h. s.			

FORMULÆ.		
	Sperm. ceti. (v. o. s.)	gr. 30.
	Suc. limon.	dr. 3.
	Sal. C. C.	gr. 8.
89. R	{ Sp. N. M.	dr. 3.
.1 .WM.	Syr. tolut.	dr. 1.
.C .RM	Aq. distil.	dr. 12.
	6. q. h. s.	41.12.
in. 4.	Caric.	
	Uvar. pass.	
	Althom	
90. R.	Glyown ad	un. 1.
	Glycyr.	dr. 2.
0 10 CT	Aq. bul.	16. ij.
2	f. Infusio. d. un. 2. p. r. n.	
	ATTACKA AND A AND A DESCRIPTION OF A DES	

CLASS XVIII.

STIMULANTIA.

CLASS XIX.

ANTISPASMODICA.

FORMULÆ.

	(Asafætid	dr. 2.
93. R.	{ Ol. anisi	gt. 30.
	(d. gr. 24. p. r. n. s.	
	Camphor.	gr. 10.
01 7	Gum. arab	scr. 1.
94. Ŗ .	Syr. papav. alb	q. s.
	(f. bol. p. r. n. s.	no and the sec
	(Mosch.	scr. 2.
	Gum. arab	dr. 1.
95. Ŗ.	Aq. ros	un. 6.
JoII all	Syr. papav. alb	dr. 4,
	[d. un. 1. p. r. n. s.	
	Mist. moschat	dr. 4.
96. R.	{ Æther vitr	gt. 30.
S. within Las	(p. r. n. s.	as estimate
Angen and	(Mosch.	gr. 20.
	Asæfætid.	manner the
	Camph	āā scr. 2.
97. R .	7 Tinct. opii	
TTAL AND	Syr. papav. alb	
N. S.	f. Pill. Nº 20. d. Pill. 5.	
	(Valerian	dr. 2.
	Aq. cinnam.	un. 2.
98. R.	Aq. cinnam. Aq. N. M. Syr. croci.	121101 10 23 37
4 福 生ちん	Syr. croci	āā dr. 1.
. 1. 2.	(m. & v.s.	

FORMULÆ.	Valerian.
	Cort. Peruv āā dr. 6.
99. R.	Rei.
55. K.	Pulv. arom āā scr. 2.
gr. 30.	Syr. cort. aur. q. s. f. Elect. de M. N. M. ter in die.
	J. Dieter de mit mit mit de la de

1. Gas oxygenium.

2. Gas azoticum.

3. Gas hydrogenium.

4. Gas acidum Carbonicum.

These factitious airs promise, under the skilful management of Dr. BEDDOES at the Hot Wells, Bristol, and Dr. THORNTON in London, to be a remedy well worthy the attention of the medical practitioner.

The oxygene air, in a properly diluted state, is a stimulus the most natural and diffusive. It promotes the insensible perspiration, greatly aids digestion, favours sleep, exhilarates the spirits, and relieves difficult respiration. It is found of the highest use in the low nervous fever. The azotic air abates inflammation, and is the only remedy with the hydrogene air that is found capable of arresting the progress of consumption; and the carbonic acid air is a most powerful antiseptic.

GENERAL INDEX;

AN EXPLANATION OF THE TERMS.

WITH

THE ABBREVIATIONS.

aa Uniuscujusque Equal quantities. c. capiat.....Let him take. F. Formula..... The Prescription. d. Dosis The Dose. dr. Drachma......A Drachm. gr. Granum......A Grain. gt. Gutta..... A Drop. h. s. Horâ somni.....Bed-time. m. Mane..... The Morning. M. N. M. Magnitudinem Nucis Moschatz ... The size of a Nutmeg. THE PLANE PORT AND ADDRESS OF THE o. h. Omni hora Each Hour. o. 2. h. Omni bihora Every two Hours. 6.q.h. Sextâ quâque horâ..... Every six Hours. p.r.n. Pro re natâ As occasion may require. q. s. Quantum sufficit As much as is sufficient. r. Recipe Take of. s. Sumendus..... To be taken. ser. Scrupulus..... A Scruple. un. Uncia..... An Ounce. v. Vespere...... The Evening. v. o. s. In ovi vitello solutus ... Dissolved in the White of an Egg.

THE CLASSES.

CLASS.

Anthelmintica from	avil, against; and expuss, a worm X
Antiseptica	avil, against; and onnw, to corrupt XIV
Antacida	ante, against; and acidus, sour XII
Antispasmodica ——	avil, against; and onaw, to contract XIX
Astringentia	astringo, to bind XV
Attenuantia	attenuo, to make thinXIII
Cathartica	- nabargow, to purge II
	- corrodo, to corrodeXVI
Demulcentia	demulceo, to assuageXVII
Diaphoretĭca	- διαφεçω, to pass through the pores III
Diuretĭca	- Siseew, to make water IV
Emmenagoga	ev, in; μην, the menses; and αγω, to draw
	- $\varepsilon \pi \iota$ and $\sigma \pi \alpha \omega$, to draw V
	- ev, in; and gis, the nose
	- ex, out; and pectus, the breast VI
	- Nilos, a stone. and Oguntw, to break XI
	- σιαλον, saliva; and ayw, to forceVIII
	- stimulo, to stimulate

THE

MEDICINES.

Alexandre Later and sur to	a how and the	1	10
	A.	Class.	Or.
Æther vitriolicus	{ Vitriolic Æther V.F. 96.	XIX	I
Absinthium	Wormwood	XIV	I
	Sorrel	IV	II
Acētum	Vinegar	IV	II
Acidum vitriolicum	Vitriolic Acid	XV	III
- chaum vicioneum	V.F. 71	S. XVI	II
and the second second	Socotrine Aloes	II	T - T
Alde socotorina	V.F. 10, 11, 12, 13,	IX	I
	[14, 15. 58) 11	
Alumen ustum	Burnt Allum	XVI	I
	V. F. 74, 75	AVI	12
Alkohol	V. F. 10	XIV	III
		XV	III
Alkalīna	Alkali	XII	II
and second sold		XIII	II
Alkali volatile	Volatile Alkali }	XVIII	II
	AND A REAL PROPERTY OF A DESCRIPTION OF A D	XIX	I
	.Garlic	VI	J
Althæa	Marshmallow	XVII	I
1010 NY 17 19 10	V.F. 90		S. A. S. Ca
Amygdala dulcis	Sweet Almond.		1-1-10-5
10	(
Ammoniacum gum-	Gum-resin of Ammo-	1	1-14-02
mi-resina	niacum.	AN ALL	
A	V. F. 49.	1. 1. 4-15	
Ammonia	.V. F. 45	XII	11
Ammonīacum	Gum Ammoniacum }	VI	T
Analyse	Gum Ammoniacum }		1.
Augerica			the I want

I

1.00	60. B	
- 1		1
-		
	1.1	-

a set of the			mar
Stor Back		Class.	or.
C Ta	rtarised Antimony	I	I
	im Tartar Emetic }	ÎI	II.
1	F. I, 2. 8. 22	IV	I
	rsley	IV	Ĩ
17/	ater	III	IV
	ater of Ammonia.		a a
		133 C.A.	102
	F. 34. 73. nnamon Water.	ale in the	
	F. 16, 20, 32. 35.	the takes	10 2 1
	43.46.48.70.72.		
A REAL PROPERTY AND A REAL	80. 98.	so the taxes	1001125
and the second se	(x	IV
calcis Li	me Water }		T
· · · · · · · · · · · · · · · · · · ·	ennel Water.	IX	1 BAN
faniculi		11201	Rect T
	. F. 43.	VI	r
	ater of pure Kali	XI	1
mephitica al- }		XI	I
kalma)	Water	evidiar	1.5
	utmeg Water.	1 million of	
	. F. 40. 98.	. mätten i	a contrat
1	ennyroyal Water.	Propagar	Carry
	. F. 39. 52. 100.	Francial	11222
	ose Water.	1913	
	F. 24.95.		an:Olla
Aromatic pototer	Pulvisaromaticus.		1
Argentum nitratum A	litrated Silver	XVI	II
Arnica L	.eopard's bane	III	ter a
Arsenicum 2.	Irsenic	XV	1
and the second second second		IX	III
Asafætida V	F. 93. 97	XIV	III
	and the second sec	XIX	1 1
A comment	Asarabacca	in og I en	I
Asarum		VIII	I
-autorite	a house a start	The second	In and
		amon.un	1.00
IN IL MAN	3		and a second
and the second second	Local and		Cope
	Junifier Berry.	1 Alig	ta
	V. F. 21. 36. 38.	and a state of the	
	41		
	* *	- \	

	2	-
		n
-	-	Sec. 1

- Class W.		Class.	Or.
Balsamum Peruvia- 5	Balsam of Peru.	Jun	C. C. C. R. C.
num {	V. F. 11.	Bus anorth	Side -
Bearsfoot	V. Uva Ursæ.	The set of the	-and
Beet	V. Beta.	P. Carrie	- AL
Berberis	Barberry	IV	II
Bēta	Beet	VII	I
Betonica	Betony	VII	I
Bitter apple	V. Colocynthis.		
Broom tops	V. GenistæCacumen	Sime Ser	1000
1 212 L	and the second second		-
11 M. 14	C.	nipilipilit.	Calesta C
the second second	Galomel	П	I
Calomelas	V. F. 8. 12. 28. 53.	III	ÎI
sy line	. 59.66. J	11.12.12.12.222	Left.
Calor	Warmth	XVIII	II
and the state	Camphor	III	III
Camphora }	V. F. 30. 94. 97.	XIV	III
	The second s	XIX	I
Camphorated mixture }	V. Mistura Campho-		and the second
	rata.	10-0-0-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	
		IV	I
Cantharides	Spanish Fly	V	II
and the second second		IX	I
111 1720 13	L.	XVIII	iser. T
Carĭca	The Fig	XVII	I
difficiently of side	V. F. 90.	(Diff) (MA	Alich .
Cardamomum {	Cardamom Seed.		
1 Max I have t	V. F. 22.	TY	TTT
Castoreum		IX	III
Cineres genistæ }	The Ashes of Broom.		
	V. F. 42.		
Cinchona	V. Cortex Peruvianus.	VITIT	TT
Cinnamomum	Cinnamon	XVIII	II
Couhage	V. Stizolobium.	A. F. WY	
Coccinella	Cochineal.	State States	
Children berner geskerningen (V. F. 22.	TTT	
Colchicum	Meadow Saffron	IV.	1

Constant of the second s	[~ I	
ColteFoot	V. Tustilara	Class.	Or.
Coltsfoot	V. Tussilago.	- ALLERING	
Conserva rosarum	Conserve of Roses.	and the second	
Conserva rosarum	V. F. 24. 31. 67. 75. 87. 91.	Jan Start Barry	
Markey Carry Markey	Coriander.		
Coriandrum	V. F. 22.		1.1.19
_	Burnt Hartshorn.		
Cornu cervi ustum	V. F. 63.	L. A.Ko	
	(Peruvian Bark)	XIV	I
Cortex Peruvianus	V.F. 71.75, 76, 77.	XV	II
	80.83.99.	XIX	I
Corter redicio	The Bark of the Me- 7		
Cortex radicis me-	zereon Root	V	I
zerci	V. F. 26	2-2	
Corporis exercitio	Bodily Exercise	IX	11
Corallina	S Coral.		
	V. F. 60. 63.		bole 3
Conserva corticis au-	S Conserve of Orange peel.	ALL PRES	175 3
rantii	V. F. 77.	an said	an Cimby
Confectio aromatica	S Aromatic Confection.	1. 2. 6	
	V. F. 70. 72. 80.	TTT	Ŧ
Contrayerva	V. F. 23	III	I
Colocynthis	SBitter Apple	II	Ι
	2 V. F. 15 §	xv	T
Cuprum	Copper }	XIX	II
Cuprum vitriolatum		XVI	I
	(I	Î
Chamæmēlum	Chamomile }	xiv	Î
	S Cream of Tartar.	the Richard	
Cremor tartari	<i>V.</i> F. 18.		
Creta præparata	Prepared Calk	XIII	II
	Saffron.	and a second	pa s a l'
Crocus	V.F. 10. 22.	1. 24	12
ANT STREET		sel min	sents
	D.	. consider	a dia i
Dandelion	V. Taraxicum.	- Grating	in
Daucus sylvestris	· · I dia Arcuin.	A CONCELLAR	A not seen as

-

.

116

.

	-	-
		1
1.0		
-	-	

and some internet	CD CD		Class.	Or.
Decoctum corticis Peruviani	Decoction of Peruvian Bark.	Ra	einin m	itern
Diæta lauta	V.F. 70. A full Diet		İX	II
Digitālis	Foxglove	3	I	VI
Dragon's blood	V. Sanguis Draconis.	ilon	chaman	Fiore
mm	E. 00. 24.		inuiquui	
a contration of the light	. Spining Vini Gal		i briandy	Front
Euphorbium Elatērium	Wild cucumber			I
Latenum	·······	r	IX	i
Electricitas	Electricity	4	XVIII	II
IL YX .	(Electuary of Water-		XIX	I D
Electuarium e scor-	germander.			Sino?
dio	(V. F. 20.			Garlie
Enula	Elecampane	3	VI	dit O
Exercitium	V. F. 50 Exercise		XIX	IJ
Extractum gentiānæ	S Extract of Gentian.		dark in	Gum
Extractum generana -	V. F. 12, 13, 17. 25.			
Extractum jalapii	Extract of Jalap. V. F. 15.	and a second	A DECK	and and a second
Future days limit after			1.0	
Extractum ligni gua- laci	Extract of Guaiacum Wood.		anider	Ghes
	(V. F. 28.			
	the start of the second		1.6. 10	
La antipation	F.		S Carline	
Ferrum	Iron		VIV	aniste .
	Rust of Iron	2	XIX IX	II
Ferri rubīgo	V. F. 77	5	XV	II
limatura	Filings of Iron	2	XV	I
the second s	V. F. 56	8	XV	I

•

118

	Winder I Turner	Class.	or.
Ferrum vitriolatum -		X	I
Filings of Iron	V. Limatura Ferri.	AV	I STATE
Filix	Fern Root	x	I
Fox glove	V. Digitalis. Chamomile Flowers.	and the	
Flores chamæmeli	V. F. 65.	1.16	
sulphuris	Flowers of Sulphur V. F. 18. 50	II	111
French brandy	V. Spiritus Vini Gallici.	Analy -	
Fructus et vegetabilia	Fruits and vegetables	XIII	II
	G.		
Gallæ	Calle	VV	TT
	Galls ¿	XV II	II
Garlic	V. F. 66	X	V .
Genistæ cacumen	Broom Tops	IV	I
Ginger	V. Zingiber. Gum Arabic.	miit	lixert
Gummi Arabicum.	V.F. 85. 94, 95.	ing milit	Even
Guaiacum gummi-	Gum-resin of Guaicum V. F. 11. 16, 24, 25.	II	11
resina	27	III	1
Glycyrrhiza	V. F. 26. 49, 50. 83.	VI	п
the second second	90		
"Children from to	н. у ну		
Hellebärus	Hellebore	VII	I
Hellebörus.,	Participation of a sector	X	II
Honey	V. Mel.	. ogida	autor I
Horehound Horse-radish	V. Marrubium. V. Raphanus Rusticanus.	a stease	Perrora
Hyoscyamus	Henbane	II	VI

- Annald

	119 -		
		Class.	Or.
Hydrargyrus vitrio-	Vitriolated Quicksilver	I	I
latus cum	Quicksilver with Sul-	x	For
sulphure	<i>phur</i>	and to a	Filin
	{ Mercury {	IX XIII	II
1 112 1 . A.	I.		en ki
Indian pink	V. Spigelia.	-jugere	THE .
Infusio corticis Pe-	Infusion of Peruvian Bark.	Contraction of the	and and
ruviani	V. F. 40.	-	-
Ipecacuanha	V. F. 2.8	III	III
Jalapium	§ Jalap	II	I
Jupan earth	V. F. 9. 19, 20. 66. S V. Terra Japonica.		Contra -
Junipéri cacumen	Juniper Tops	IV	
m m le -	к.	the same of the second	13
Kali proparatum	{ Prepared Kali }	IV	II
tartarisatum	V.F. 35	in proposition	in lite
acetatum	Acetated Kali	IV II	II
vitriolatum	Vitriolated Kali	11	
	L.	-	
Lac ammoniaci	§ Milk of Ammoniacum	3	o print
Leopard's bane		3	1.1
Lemon juice	V. Succus Limonis.	S S S S S S S S S S S S S S S S S S S	an paint
Licorice	A CONTRACTOR OF THE PARTY OF TH	S IX	II
Limatūra		1 x	IV
Lime water	V. Aqua Calcis.	CUTIEVO	AVE

120				
Lini semen	Linseed	1	Class. XVII	Or. I
Liquor volatilis cor-	CTI TI U T. C	2		
nu cervi	V. F. 88.	5	III	III
	М.			
Madder	V. Rubia.		I NT TATA	0
Magnesia Manna			XII	1
Marrubium	Horehound	1.0	II VI	
Meadow saffron	V. Colchicum.			-
Mel	Honey.			
Margurial Distances	V. F. 18, 50. V. Unguentum Hy-			
Mercurial Ointment	drargyri.		es francis	14.0
Mercury	V. Hydrargyrus.	1	1 Same	
ratæ	Prepared Woodlice. V. F. 37. 42.			
Mistura camphorāta	Camphorated Mixture,			No.
	V. F. 29. 72.			
Moschus	Musk	3	III	III
Mucilago gummi	V. F. 31, 32	2	XIX	I
arabici	V. F. 12. 39.	-	a distal	
Mustard	V. Sinapi.	194	eventer 4	
Myrrha	Myrrh V. F. 10. 71. 78.	3	IX	III
1. ME 11140 M		2	and the	
	N.			
Natron vitriolatum	Vitriolated Natron		TT	III
	· ····································	C	II I	III III
Nicotiāna	Tobacco	1	II	VI
	The second second second	11	VII	I
	Smoke of Tobacco	-	VIII VI	I
Nitrum	Nitre		IV	ÎI
Nux moschatæ	Nutmeg	- 1	XVIII)	II

	121		
and here the	0.	Class.	Or.
0.1	and the second second	Thinks 9	pupi.
rum	V. Quercus. Oil of Almonds	xvII	Q. I
anisi	V. F. 93.		1 m
Olea essentialia	Essential Oils	XIX	I
Oleum juniperi	Oil of Juniper. V. F. 41.	E mar	legs II
olivarum	Olive Oil	x	T
ricĭni	Castor Oil	Î	v-
THE REPAIRS AND A DESCRIPTION OF	A state of the state of the state of the	X	III
terebinthina	Oil of Turpentine	XIV	III
Opium		III XIX	III
Oxymel scillæ	Oxymel of squills. V. F. 3, 4, 5. 19. 43. 48.		, I.
1 54 43	P		Sala
Parsley	V. Apium.	AT BUS	1945
Pediluvium	Bathing of the Feet	IX	III
Piper	Pepper	VIII	I
Pilula ex alöe cum	Aloetic Pills with Myrrh.	ioniu cer	Sal
myrrha	V. F. 53, 54.	etter a	ET &
ex hydrargyri	Mercurial Pills	VIII	IL.
	Gum Pills.	กามอรัก	Sant
	V. F. 14. 53. Compound Powder of	122	
Pulvis tragăcanthæ	Tragacanth.	nis drac	Shing.
compositus	V. F. 41.	1.87578.3	Sec.
aromaticus }	Aromatic Powder.		Sand
a shirt i t	V. F. 11. 56. 99.	1.	
corticis Peru-	Peruvian Bark in Pow- der.	isuals of	an all
viani	V. F. 69.	ar installe	in the
Prepared oyster shells.			ined.

-	0	0
- 1	07	()
	1	S
	-	-

		Class.	Or.
Quercus	Q. Oak Bark	xv.	п
2 1177.	our Durk timiting		610 ·
	R	14. 1 L	
Raisins	V. Uvæ papæ.		810 V
Raphanus Rustica- §	Horse-radish	I	IJ
nus ?		XVIII	I
Rubia	Madder	IX	1
Rheum vel	Rhubarb	IV	v
Rhabarbarum	V. F. 21, 22. 41. 59.	II	IV V
Rheubarb	63.65.79 L V. Rheym.	IX	v
1			-
	S.	inspinora	TL.
Sabīria	Savin ?	IX	I
(V. F. 60 §	X	IV
Saccharum album . {	Refined Sugar.		TEN
	V. F 21. 25. 34. 57. 84, 85.	2019004	
Cal annu anni S	Salt of Hartfuorn.		. I toxing
	V. F. 24. 89.	*****	10.76
Sal Prunellæ Sales acidi et nutri	Purified Nitre Acid and Neutral Salts	VIII XIV	III
11	Wormseed		
SantonIcum {	V. F. 60. 63 \$	x	IV
Sanguis draconis }	Dragon's Blood }	xv	II
1	V.F. 74 5	x	v
F (Soap	XI	I
Sapo {	Soap	XII	I
Second Street and Second	A COMPANY OF A DURING A DURING A	XIII	II
tris	Seed of the Wild Carrot. V. F. 26, 37.	ion and	(igg)
Senna	V. F. 21, 22	II	L

123			
East St.	in bur path	Class.	Or.
Semen fæniculi {	Fennel Seed.	tinin a	inia?
Silver	V. F. 21. V. Argentum.		1.
Simarouba	· Argentum.	xv	II
and the second se	Mud (I	II
Sinoni	Mustard	v	ULL US
111 2 1 1	and a state of the second second second	XVIII	Stall in B
Sorrel	V. Acetosa.	Genie un	Secon
	Lemon juice. V. F. 35. 89.	The second	
a start and a start of the star	The Juice of Horse-	- althau	
ticani	radish.		Red X 4
ticam	V. F. 5.	- contic	
Sulphur antimonii J	Precipitated Sulphur of		iner e
numainitatum)	Antimony, V. F. 28.		
(Scammony ?	II	1-
	V. F. 15, 16 }	x	V
	Company to serve 2 - (Ι	I
Scilla exsiccata }	Dried Squills	IV	Ţ.
	V. F. 44	VI VIII	I
(Fresh Squills.	VIII	anyc.
recens	V. F. 45.	evotiner -	
Scohi guningi	D CO .	********	idla
Scobī guaiaci }	V. F. 21.		
Serum lactis	Whey }	IV	ш
Contraction of the second	S A MARINE AND A	XIII VI	II
Spermaceti	V. 51. 87. 89	XVII	and I have
Spiritus vinosus te- 5	Proof Shirit of Wine.		1. 19. 19.
nuior	V. F. 71.	BIRDRY -	h light de la stradigion
Spiritus vini		XIX	I
	V. Scilla, Indian Pink	1	500
Spigēlia}	Indian Pink. V. F. 62.	100	1
Spiritus nucis mos- 5	the state of the second st	ious5 n	serie .
chatæ		1	EDI
and the state of the second	1. E. 21, 22 4 14		nerat

1	0	A
1	2	4

10 Jac D	and and a second second	Class.	Or.
Spiritus vini gallici	French Brandy.	uninal .	Sadie
	V. F. 21, 22. Shirit of Cinnamon.	1.840	Sel. 2
cinnamōmi	V. F. 80.	aduq	Simar
Stannum	Tin }	x	I
a farmer b	<i>V</i> . F. 61 §		
Stizolobium	Couhage Simple Syrup.	X	II
Syrupus simplex {	V. F. 15.		
althææ }	Syrup of Marshmallows	A. Tranki	
	V. F. 68.	mediger -	
corticis au-	Syrup of Orange-peel. V. F. 11. 39, 40. 58.	The Real Property in	和中華的
rantii	60. 69. 77. 80. 83.	Terre 40	dialo 2
(99.	in saliging	and a
caryophilli	Syrup of Clove July-		
rubri	flower. V. F. 46. 100.	munot	pur sa
1 1)	Syrup of Crocus.		
croci	V. F. 23, 52. 70. 72.	Habbier	illine?
Surtinus nanoverie	98. Survey of Wild Polyhias		
Syrūpus papaveris erratici	Syrup of Wild Poppies. V. F. I.	a church	
	Syrup of White Poppies.	er er est	
albi	V.F. 28. 94, 95. 97.	i baninoz	Scolf
Rosæ	Syrup of Roses. V. F. 13. 16. 67. 74.	1. 2. 1	
1000	75.	1-503314	ESCHERING.
tolutānus	Syrup of Tolu	L. inos	1110-2
contrainaon	V. F. 72. 86. 88, 89.	harris	. interes
violarum	Syrup of Violets. V. F. 6, 7. 86, 87.	2021	iIIII
I XIZ	Syrup of Ginger.	. ising a	sinh?
zinziberes .	V. F. 76. 91.	-	-

59 -Tills audis mos- { Spirit of Warney.

*

-	0	

in in the		Class.	Or.
	TerebinchiumT.	shine	Tagk
11 1V	reason - halled all a second	x	IV
Tanacetum	Tansy	iv	IV
Taraxăcum	Dandelion	1.4	
Terra japonica	Japan Earth. V. F. 76.		
11 - A a Grand	Venice Turpentine.	1. A. 1914	1.515
Terebinthina venēta	V. F. 30. 79.	The ide	1548
Terebinthĭna	Turpentine	IV	alt Z
Testæ ostreorum			1
præparatæ	Prepared Oyster-shell	XII	II
Tin	V. Stannum.	and the second	1
CONTRACT OF THE OWNER OF THE OWNER OF	Tineture of Asafætida		6.0
Tinctura asafætidæ -	V. F. 72.		1 Total
A State of the set	(Compound Tincture of	ample	
alöe compo	Aloes.		
-sita	(V. F. 55.	COLUME -	The second
	Tincture of Opium.	transt is	
opii	V. F. 33, 34. 97.	. Street	sid
antharidan	S Tincture of Cantharides.		
cantharides	V. F. 40. 47. 52.		- And
corticis Pe-	(Compound Tincture of	1.0.000	and the
ruviani composita	Peruvian Bark.	A in again	3 163
ruvian composita	(V. F. 69. 81, 82.	A within 1	12
Section 1 State	(Tincture of muriated	al during	12 1025
ferri muriați	Iron.	Paul Picks	073
	(V. F. 55.		-
Tinctura helebori	Tincture of Black Hel-		
nigri	lebore.	A. Spiriture	
scillæ	Tincture of Squills.	and the set	
State State-	(V. F. 46.	Contraction of	1
serpentariæ	Tincture of Serpentaria	A CONTRACT	- Line
CONTRACTOR OF STREET,	(V.F. 70.	And a month	ALL ST
valerianæ	S Ammoniated Tincture	a calin & site	1 miles
ammoniāta	V. F. 100.	a mareller!	12
and the second	Tormentil,	- and the	K.
Tormentilla	V. F. 83.	No. of Street,	
	(L. Salar	1

1	0	C
1	Z	O
		-

T	W Trank' M'		Class.
Turpentine Tussilāgo	V. Terebinthina. Coltsfoot	-	VI
	5 Garlic.		1. 1940
A nettaca tritter, tritter, tritter	<i>V.</i> F. 61.		
	v.		
	S Valerian	2	solipite
Valeriana	{ Valerian V. F. 19	3	XIX
v apores	Steams		VI
Vesicatoria Vinegar	Irritating plasters V. Acetum.		VI
Vinum	Wine.		XVIII
album	White Wine.		
	V. F. 38. 42. Antimonial Wine	2	o state -
antimonii .	V. F. 3. 6, 7. 29. 33.	8	III
Ipecacuan-		,	. Terro -
hæ			1.1.1.
	U.		
	The Milder Mercurial	3	VIII
Unguentum hydrar-	S The Stronger Mercu-	3	
gyri fortius	rial Ointment	5	VIII
Uvæ passæ	S Raisins.		
—— ursi	V. F. 22. 90. Bear's-foot		XI
	Dear 3-jour		Л
	W.		
Wormwood	V. Absintium.		Print 1
Wormseed	V. Santonicum.	101	
Wine Whey	V. Vinum.	***	13 Lindow
Whey	V. Serum Sactis.	1	

THE

VI

NIV

THY

11

71

11


NI.

APPENDIX.

Contra Same

the west

124/14



GENERAL POSOLOGICAL TABLE.

Α.

A

		DUSES.
Acetum Scillæ	Vinegar of Squills	gtt. 10gtt. 50.
Acidum muriaticum	Muriatic Acid	gtt. 15gtt.40.
dilutum	Diluted Vitriolic Acid	gtt.10gtt.30.
Æther vitriolicus	Vitriolic Æther	gtt.10gtt.100
Aloe socotrina	Socotrine Aloes	gr. 15scr. 1.
Alumen	Alum	gr. 6gr. 12.
Ammonia præparata	Prepared Ammonia	gr. 5scr. I.
Ammoniacum	Gum Ammoniacum	gr. 10gr. 15.
Antimonium	Crude Antimony	scr. 1dr. 1.
natum	Calcined Antimony	gr. 15scr. 2.
risatum	Tartarised Antimony	gr. 1gr. 6.
ficatum	Vitrified Antimony	gr. 2gr. 10.
Aqua ammoniæ	Water of Ammonià	gtt 10gtt.30.
tatæ ace- {	Water of acetated Ammonià	dr. 2dr. 6.
anethi	Dill-seed Water	un. 1un. 2.
calcis	Lime Water	un. 4lb. 1.
cinnamomi	Cinnamon Water	un. 2un. 4.
fœniculi	Fennel Water	un. 2un. 4.
kali {	Water of prepared Kali	gtt.20gtt.30.
puri	Water of pure Kali	gtt.10gtt.30.
ritidis}	Peppermint Water	Concerns Contract

ĸ

DOSES.

Aqua pimento	All-spice Water	un. 2un.	4.
pulegii	Pennyroyal Water	un. 2un.	4.
Rosæ	Rose Water	ad libitum.	
Arabicum Gummi	Gum Arabic	dr. 1dr.	2.
Asafætida		gr. 10scr.	I.

B.

Balsamum canadense	Canada Balsam	gr. 15gr. 30.
copaivæ		gtt.20gtt.40.
num	Balsam of Peru	gr. 6gr. 25.
	Balsam of Tolu	scr. 1dr. 1.

..... C.

...

Calomelas	Calomel	gr. 3gr. 10.
Camphora	Camphor	gr. 3scr. I.
Cantharis	Cantharides	gr. 4gr. 4.
Cardamomum	Cardamom seeds	gr. 5gr. 10.
Cascarilla	Cascarilla Bark	scr. 1 dr. I.
Castoreum	Castor	gr. 3scr. I.
Catechu		gr. 15scr. 2.
Chamœmelum	Camomile	scr. 1 dr. 1.
Cicuta	Hemlock	gr. 5scr. I.
Cinchona	Peruvian Bark	scr. 1dr. 2.
Colomba		gr. 10scr. 1.
Confectio aromatica	Cordial Confection	gr. 15scr. 2.
opiata	Confection of Opium	gr. 5scr. I.
Conserva absinthii	Conserve of Sea	dr a un I
maritimi	Wormwood	dr. 2un. 1/2.
ari }	Conserve of Cuckow-	scr. 1dr. 1.
	[int	Sci. 1
corticis au- 5	Conserve of Orange	ad libitum.
rantii {	Peel	and the state of the state
cynosbati	Conserve of Hips	ad libitum.

-		
	1.0	
100		1.00
-		

Conserva lujulæ pruni sylvestris rosæ rubræ bræ contrayerva Cornu cervi ustum Creta

		DOSES.	
Conserve of Wood- sorrel	} dr.	4un.	I.
Conserve of Sloes			
Conserve of Red Roses	dr.	2un.	1.
Conserve of Squills	gr.	1dr. 10dr.	12.
Coriander Seeds		1dr.	
Burnt Hartshorn	A	1dr.	
Chalk	gr.	15scr.	I.

D.

	cinchonæ cornu
cervi	hordei
	itum sarsapa-
100 - 2 - 2	itum ulmi

Decoction of Peru-	un.	2un.	6.
Decoction of Harts-	un.	4lb.	<u>1</u> .
Simple Decoction of Barley	and the second se	4lb.	1 .
	un.	41b.	12.
A		41b.	
Compound Decoction of Sarsaparilla	un.	4lb.	₹.
Decoction of Elm	un.	4lb.	Į.
Fox-glove		1gr.	

-DAUGE BURNE

..... bind

E.

Elaterium	3
Electuarium cassiæ	a li
monii	{
sennæ	10

The inspissated juice	1.1.1	***	
The inspissated juice of the Wild Cu- cumber	gr.	₹gr.	3.
Electuary of Cassiæ	dr.	t dr	6
Electuary of Scam-	7	- 1	
Electuary of Scam- mony	$\int scr.$	1dr.	1.
Electuary of Senna	dr.	1dr.	4.
K 2			

1	2	0
1	0	4

		DOSES.
Extractum cacumi-	Extract of Broom	scr.11dr. 11.
nis genistæ	Tops Extract of Cascarilla	gr. 10scr.1 ¹ / ₂ .
meli	Extract of Camomile	gr. 10scr. 2.
cinchonæ	Extract of Peruvian Bark	gr. 10scr.11.
cum resinâ	Extract of Bark with the Resin	gr. 10scr.1 ¹ / ₂ .
thidis compositum	Compound Extract of Bitter Apple	gr. 5gr. 25.
gentianæ	Extract of Gentian	gr. 10scr.11.
rhizæ	Extract of Liquorice	dr. 1dr. 4.
toxyli	Extract of Logwood	gr. 10gr. 2.
nigri	Extract of Black Hellebore	gr. 2gr. 10.
——— jalapii	Extract of Jalap	gr. 10scr. 1.
albi	Extract of White Poppies	{gr. 1gr. 5.
rutæ	Extract of Rue	gr. 10scr. 1.
sabinæ	Extract of Savin	gr. 10scr.17.
sennæ	Extract of Senna	gr. 10scr.11.

F.

Ferri rubigo		gr. 6scr. 1 1/2.
Ferrum ammonia- cale	Ammoniacal Iron	gr. 2gr. 10.
tartarisatum	Tartarized Iron	gr. 2gr. 10.
vitriolatum	Vitriolated Iron	gr. 1gr. 6.
Filix	Male Fern Root	scr.11un. 1.
Flores benzoes	Flowers of Benzoin	gr. 10scr. 1.
sulphuris	Flowers of Sulphur	scr. 1scr. 11/2.

G.

DOSES.

Gambogia	Gamboge	gr. 2gr. 12.
Genista	Broom Tops	scr. 1dr. 1.
	Gentian	gr. 10dr. 1.
Ginseng		gr. 10dr. 1.
Glycyrrhiza	Liquorice Root	dr. 4dr. 6.
Guaiacum		scr. 11. dr. 1.
Gummi resina	Gum-resin	gr. 6scr.11.

H.

Hæmatoxylum
Helleborus niger
Hydrargyrus
acetatus
calci-)
natus
cum }
cretâ §
muria- }
tus §
cum §
sulphure
sulphu-
ratus ruber
vitrio-
latus

Logwood	gr. 10dr. 1.
Black Hellebore	gr. 1gr. 5.
Quicksilver	un. 1 4.
Acetated Quicksilver	gr. 1gr. 10.
Calcined Quicksilver	gr. 1/2gr. 2.
Quicksilver with Chalk	
Muriated Quicksilver	gr. 1/8gr. 1/2.
Sulphurated Quick- silver	scr. 1dr. 1.
Red sulphurated Quicksilver	gr. 10scr.15.
Vitriolated Quicksil-	gr. 1/2gr. 4.

I.

Infusum gentianæ	Compound Infusion of Gentiam	un. 2un. 4.
rosæ	Infusion of Roses	un. 2lb. 1.
sennæ	Simple infusion of Senna	}un. 2un. 4.

	.D.	DOSES.	
Infusum sennæ tar- tarisatum	Tartarised infusion of Senna	un. 2un.	4.
Ipecacuanha		gr. 10scr.	
Iris	Florentine Orris	scr. 1dr.	

J.

Jalapium	Jalap	gr.	7scr.	<u>1</u> .
Juniperus	Juniper Berries		1dr.	-

ĸ.

Kino		gr. 1	10scr. :	I.T.
Kali præparatum	Prepared Kali	gr.	8scr.	I.
acetatum	Acetated Kali	scr.	1dr.	I.
tartarisatum	Tartarised Kali	dr.	2dr.	6.
vitriolatum	Vitriolated Kali	dr.	2dr.	6.

L.

Lac ammoniaci	Milk of Ammoniacum	dr.	2un.	I.	
amygdalæ	Milk of Almonds	un.	2un.	6.	
Liquor volatilis cor- nu cervi		sc	1 <u>1</u> dr.	2.	

м.

Magnesia alba	White Magnesia	scr. 1dr. 2.
usta	Burnt Magnesia	scr. 1 dr. 1.
vitriolata	Vitriolated Magnesia	dr. 2dr. 6.
Manna		un. 1/2un. 2.
Mel acetatum	Acetated Honey	dr. 1dr. 2.
rosæ	Rose Honey	dr. 1dr. 2.
scillæ	Squill Honey	scr. 1 ¹ / ₂ dr. 2.
Millepeda	Woodlice	dr. 1dr. 3.

DOSES.

Mistura camporata	Camphorated Mixture	un. 2un. 4.
cretacea	Chalk Mixture	un. 2un. 4.
moschata	Musk Mixture	dr. 4un. 2.
Mucilago amyli	Mucilage of Starch .	dr. 1un. 1.
gummi	Mucilage of Gum Arabic	dr. 1un. 1.
	Mucilage of Quince-	dr. 1un. 1.
thæ	Mucilage of Traga-	dr. 1un. 1.
	Myrrh	

N.

Natron præparatumPrepared Natrongr. 10...scr. 1½—______ tartarisatumTartarised Natron .dr. 4...un. 1.______ vitriolatum .Vitriolated Natron ...dr. 6...un. 1.Nitrum purificatumPurified Nitregr. 5...scr. 1.

0.

Oleum amygdalæ	Oil of Almonds	dr. 4un. 1.
baccæ	Oil of Juniper-ber-	gtt. 2gtt. 10.
lavendulæ .	Oil of Lavender	gtt. 1gtt. 5.
lini	Oil of Linseed	dr. 4un. 1.
olivæ	Oil of Olives	dr. 4un. 1.
ricini	Castor Oil	dr. 2un. I.
sinapeos	Oil of Mustard	dr. 4un. I.
Opium purificatum	Purified Opium	gr. 1gr. 2.
Ostreorum testæ	Oyster-shells	scr. 1dr. 11/2.
Oxymel cochici	Oxymel Colchici	scr. 1scr.11.
scillæ	Oxymel of Squills	scr. $1\frac{1}{2}$ dr. 1.

Pilula aloes compo-	S Compound Pills of	DOSES.
sita	Aloes	{ gr. 10scr. 1.
cum	S Pills of Aloes with	3 Mary Arrange
Myrrhâ	(Myrrh	{ gr. 6gr. 18.
galbani com-	S Compound Galbanum	{ gr. 10scr. 11.
posita —— hydrargyri	Pills)
opii	Quicksilver Pills Opium Pills	gr. 6scr. 1.
scillæ	Squill Pills	gr. 2gr. 8.
Pimento	All-spice	gr. 10scr. 1.
Pulvis alöes cum	S Aloetic Powder with	gr. 5scr. 1.
canellâ	canella	gr. 10scr. 1.
cum	Aloetic Powder with	í
ferro	[Iron	gr. 8gr. 18.
muaiaco cum	Aloetic Powder with	gr. 10scr. 1.
guaiaco —— antimonialis .	Guaiacum	,
aromaticus	Antimonial Powder Aromatic Powder	gr. 3gr. 6.
e chelis can-	1	gr. 5scr. 1.
crorum composi-	Compound Powder of	scr. 11 dr. 1.
tus	Crab's Claw	, sei. 1 <u>2</u>
contrayervæ	Compound Powder of	
compositus	Contrayerva	gr. 15scr. 11/2.
cretæ compo-	Compound Powder of	FF 10 000 -
situs	Chalk	gr. 10scr. 1.
situs cum opio	Compound Powder of	gr. 10scr. 2.
ipecacuanhæ	Chalk with Opium	8
compositus	Compound Powder of Ipecacuanha	gr. 18 scr. 11.
- Myrrhæ com-	Compound Powder of	and a state of the
positus 2	Myrrh	gr. 15scr. 11.
opiatus	Opium Powder	gr. 5scr. 1.
scammonii }	Compound Powder of 2	
	Scammony	gr. 10scr. 1.
]	Powder of Scammon]	Barris and Friends
compositus cum	Powder of Scammony with aloc	gr. 5gr. 10.
aloe J	Les Semigroude Barre	a ful primaterrit

Ρ.

136

DOLEP.		DOSES.
Pulvis scammonii cum calomelane.	Powder of Scammony with Calomel	gr. 8gr. 16.
sennæ compo-	Compound Powder of Senna	scr. 1scr. 2.
tragacanthæ compositus	Compound Powder of Tragacanth	scr. 1dr. 1.
Pyrethrum	Pellitory of Spain	gr. 1gr. 6.

Q.

-212 -----

al ale

日本のないよう

Quassia	Quassy Wood	gr.	5scr. 1.
Qercus	Oak Bark	gr.	6scr. 1.

R.

Raphanus rusticanus	Horse-radish	scr. 1dr. 1.
Rhei	Rhubarb	gr. 15scr. 2.
Ruta	Rue	gr. 15scr. 1.

s.

Sal ammoniacus	Sal Ammoniac	gr. 8scr. 1.
cornu cervi	Salt of Hartshorn	gr. 10scr. 1.
succini purifica-	S Purified Salt of Am- 2	
tus	ber	gr. 5gr. 15.
Sapo	Soap	scr. 11 dr. 4.
Sarsaparilla		scr. 1scr. 11.
Sassafras		scr. 1dr. 1.
Scammonium	Scammony	gr. 5scr. 1.
Scilla exsiccata	Dried Squills	gr. 1gr. 3.
recens	Fresh Squills	gr. 5gr. 10.
Scordium	Water-germander	scr. 1dr. 1.
Seneka		scr. 1scr. 2.
Senna		scr. 1dr. 1.
Serpentaria	· · · · · · · · · · · · · · · · · · ·	gr. 10scr. 2.
Simarouba	Simarouba Bark	gr. 10scr. 11.

DOSES.

Sinapi	Mustard-seed	dr. 1dr. 3.
Spermaceti		scr. 1dr. 1.
Spigelia	Indian Pink	gr. 10scr. 1.
Spina cervinæ	Buckthorn	scr. 11dr. 2.
Spiritus ætheris vi-	Vitriolic Spirit of	A STAR DE START - PARTY
triolici	Æther	gtt.20gtt.60.
vi-	Compound Spirit of	att 20 att 60
triolici compositus	vitriolic Æther	gtt.20gtt.60.
ni- 9	Nitrous Spirit of	gtt.20gtt.60.
trosi	Æther	
ammoniæ	Spirit of Ammonia	scr. 1 scr. 2.
	Compound Spirit of	
compositus	Ammonia	Ser. 1 2
	Fætid Spirit of Am-	scr. 1scr. 2.
fætidus	monia	Charles Derich Strangel
	Succinated Spirit of	gr. 10scr. 1.
succinatus	Ammonia	
anisi com-	Compound Spirit of	dr. 1dr. 4.
positus	Aniseed	
carui	Spirit of Carraway .	dr. 1 dr. 4.
cinnamomi	Shirit of Cinnamon .	dr. 1dr. 4.
juniperi	Compound Spirit of	dr. 1dr. 4.
compositus (Juniper	
lavendulæ .	Shirit of Lavender .	dr. 1dr. 4.
	Compound Spirit of	scr. 11dr. 2.
compositus	Lavender	- Linge real and
menthæ pi- }	Spirit of Peppermint	dr. 1dr. 3.
peritidis	and the state of t	anna dthaill
time sa-	Spirit of Spearmint .	dr. 1dr. 4.
tivæ		
nucis mos-	Spirit of Nutmeg	dr. 1dr. 4.
chatæ (Spirit of Pimento	
pimento		
	Spirit of Pennyroyal	and the second se
compositus	Compound Spirit of Horse-radish	dr. 1dr. 3.
Spongia usta	Burnt Sponge	scr. 1dr. 1.
Stanni pulvis	Powder of Tin	dr. 1dr. 6.
Styrax	Storax	gr. 10scr. 1.
		5

.73263 ·		DOSES.
Succinum præpara-	Prepared Amber	scr. 1 ¹ / ₂ dr. 1.
tum Succus aconiti spis- satus	Inspissated juice of Henbane	gr. 1gr. 4.
baccæ sambuci spissatus	Inspissated Juice of Elderberry	$\begin{cases} un. \frac{1}{2}un. 2. \end{cases}$
satus	Inspissated Juice of Hemlock	gr. 2gr. 10.
compositus	Compound Juice of Scurvy-grass	un. 2un. 6.
ribris nigri	Inspissated Juice of Black Currant	$un, \frac{1}{2}un, z.$
Sulphur antimonii præcipitatum	Precipitated Sulphur of Antimony	gr. 2gr. 5.
tum	Precipitated Sulphur	dr. 1dr. 2.
Syrupus altheæ	Syrup of Marsh-mal- low	dr. 1dr. 2.
albi	Syrup of White Pop- pies	dr. 4un. 1.
erratici	Syrup of wild Poppy	dr. 2dr. 4.
rosæ	Syrup of Rose	dr. 1dr. 2.
vinæ spinæ cer-	Syrup of Buckthorn	dr. 1dr. 2.
violæ zingiberis	Syrup of Vielets Syrup of Ginger	dr. 1dr. 2.

Τ.

And a firsting man

a situate which it is

Tanacetum	Dandelion	scr. 11dr.	I.
Tartari crystalli	Crystals of Tartar	dr. 4un.	I.
Tinctura aloës	Tincture of Aloes	dr. 4un.	I.
posita	Compound Tincture of Alves	scr. 1 ¹ / ₂ dr.	2.
asæfætidæ .		scr. 1dr.	2.
balsami pe- ruviani	Tincture of Balsam of Peru		2.

	DOSES.
Tinctura balsami to- 5 Tincture of Balsam 2	cr.11dr. 2.
benzoës { Compound Tincture of } d	r. 1dr. 2.
cantharidis { Tincture of the Spa- { g	r. 10dr. 1.
()	- manual and
cardamomi { Tincture of Carda- { d	r. 1dr. 3.
(mom)	eres and the local state
Compound Tincture of } d	r. 1dr. 3.
	THE REPAIRS OF A DATE OF A
cascarillæ { Tincture of Casca- { d	r. 1dr. 4.
	cr. 1dr. 1½.
	r. 2dr. 3. Ir. 1dr. 4.
(Compound Tincture of)	
composita } Bark	lr. 2dr. 4.
ammoniata? of Bark	cr.1 ¹ / ₂ dr. 2.
Time CO: 1	
cinnamomi } mon } d	lr. 1dr. 3.
Contract The C	
composita) Cinnamon	lr. 1dr. 3.
colombæ Tincture of Colomba	lr. 1dr. 3.
tann anama linteture et dissurgers	
niacalis? acal Iron	cr. 1dr. 2.
ferri muriati { Tincture of Muriated { g	stt.10gtt.60.
(1/0/1	s
galbani { Tincture of Galba- }	dr. 1dr. 3.
gentianze § Compound Tincture of }	dr. 2dr. 3.
	A STATE STATE AND A STATE OF A ST
guaiaci am- { Tincture of Ammoni- {	dr. 1dr. 4.
halahari i (Tindana of Plack)	
	cr. 1dr. 1.
git (Henebure	
	dr. 1dr. 3.
myrrhæ Tincture of Myrrh	dr. 1dr. 2.

Tinctura opii	
phorata rhabarbari	
composita ——Sabinæ com- posita	S
scillæ	
serpentariæ valerianæ	•
ammoniata zingiberis Tormentilla	2
Tragacantha	

Tincture of Opium ... Camphorated Tincture of Opium Tincture of Rhubarb Compound Tincture of Rhubarb Compound Tincture of Savin Tincture of Squills... Tincture of Senna ... Tincture of Serpentaria Tincture of Valerian Ammoniated Tincture of Valerian S Tincture of Ginger .. Tormentil Root Tragacanth


DOSES. gtt.20...gtt.25. gtt. 30...gtt. 60. dr. 4...un. 2. dr. 4...un. 2. gtt.20...gtt.40. gtt.20...gtt.60. dr. 2...un. 1. dr. 1...dr. 2. dr. 1...dr. 3. scr. 1...dr. 2. dr. 1...dr. 2. gr. 10...scr. 2. gr. 10...dr. 1.

V.

Valeriana
Vinum aloes
antimonii
tartarisati {
ferri
ipecacuanhæ
rhabarbari
Uva ursi
C va uisi

Valerian Wine of Aloes Antimonial Wine ... Wine of Tartarised Antimony Wine of Iron Ipecacuanha Wine ... Wine of Rhubarb ... Bear's Whortleberry scr. 1...dr. 2. dr. 6...un. 1. gtt.20...gtt.50. gtt.20...gtt.50. dr. 1...dr. 4. dr. 1...dr. 4. dr. 4...un. 2. scr. 1...dr. 1.

Zincum calcinatum Calcined Zinc gr. 3...gr. 10. —— vitriolatum { Purified Vitriolated } gr. 5...scr. 1.



INDEX

NOMINUM MUTATORUM.

A.

FORMER NAMES.

Acetum scilliticum. Æthiops mineralis. Aqua aluminosa bateana. ---- calcis simplex. ---- cinnamomi simplex. _____ spirituosa. ---- hordeata. ---- juniheri comhosita. -menthæ hiperitidis simplex. --- vulgaris simplex. - spirituosa. - nucis moschata. — piperis jamaicensis. - pulegii simplex. ----- spirituosa. - raphani composita. ---- rosarum damascenarum. --- sapphirina. ----- seminum anethi. anisi composita. ---- carui. Agua vitriolica camphorata.

NEW NAMES.

FOLMEN MAMES.

Acetum scillæ. Hydrargyrus cum sulphure. Aqua aluminis composita. ---- calcis. ---- cinnamomi. Spiritus cinnamomi. Decoctum hordei. Spiritus juniperi compositus. Aqua menthæ piperitidis. Spiritus menthæ piperitidis. Aqua menthæ sativæ. Spiritus menthæ sativæ. nucis moschatæ. Aqua pimento. - pulcgii. Spiritus pulegii. raphani compositus. Aqua rosæ. ---- cupri ammoniati. ----- anethi. Spiritus anisi compositus. ----- carui. Aqua zinci vitriolati cum camphora.

NEW NAMES.

B.

Petroleum sulphuratum. Oleum sulphuratum. Tinctura benzoës composita.

C.

D.

Decoctum album. —— commune pro clystere. —— pectorale. Decoctum cornu cervi. — pro enemate. — hordei compositum.

Electarium lenitivum. Elixir aloes. — myrrhæ compositum. — paregoricum. Emplastrum ex ammoniaco cum mercurio. — attrahens. — cephalicum. — commune. — adhæsi-

vum.

E.

sina.

Emplastrum commune cum gummi.

curio. e cymino. roborans. e sapone. stomachicum. vesicatorium. Emulsio communis. Extractum catharticum.

- thebäicum.

Flores benzoini. —— martiales. Fotus communis.

Hiera picra.

Infusum amarum simplex.

TALLER EN 150 S COMMENCE

NEW NAMES.

Emplastrum lithargyri cum gummi.

F.

Flores benzoës. Ferrum ammoniacale. Decoctum pro fomento.

H.

Pulvis aloëticus.

Į.

L

Infusum gentianæ compositum. ______ sennæ tartarisatum. Mistura camphorata. ______ cretacea. ______ moschata.

NEW NAMES.

M.

Mel Ægyptiacum. — 10saceum. Mercurius calcinatus. — corrosivus sublimatus. — ruber. — dulcis sublimatus. — emeticus flavus. — præcipitatus albus. N.

Nitrum vitriolatum.

Kali vitriolatum.

0.

Opium colatum. Oxymel scilliticum.

Philonium Londinense. Pilulæ aromaticæ. — rufi. Pulvis e bolo compositus. ______ cum

Ρ.

Confectio opiata. Pulvis aloëticus cum guaiaco. Pilulæ ex aloë cum myrrhâ. Pulvis e creta compositus.

-cum

R.

Rob baccarum sambuci.

Succus baccæ sambuci spissatus.

S.

Saccharum saturni. Sal absinthii. - catharticus glauberi. - diureticus. - martis. - tartari. - vitrioli. - volatilis salis ammoniaci. Species aromatica. Spiritus cornu cervi. --- lavendulæ compositus. ----- simplex. ----- nitri dulcis. glauberi. _____ salis ammoniaci. - dulcis. ---- marini glauberi. --- vinosus camphoratus. ---- vitrioli dulcis. - volatilis aromaticus. Succi scorbutici. Syrupus ex althæâ. e corticibus aurantiorum. balsamicus. e meconio. ---- rosarum solutivus.

NEW NAMES.

Cerussa acetata. Kali præparatum. Natron vitriolatum. Kali acetatum. Ferrum vitriolatum. Kali præparatum. Zincum vitriolatum. Ammonia præparata. Pulvis aromaticus. Liquor volatilis cornu cervi. Tinctura lavendulæ composita. Spiritus lavendulæ. ----- ætheris nitrosi. Acidum nitrosum. Aqua ammoniz. Spiritus ammoniæ. Acidum muriaticum. Spiritus camphoratus. - ætheris vitrioli. - ammoniæ compositus. ----- fætidus. Succus cochleariæ compositus. Syrupus althææ.

corticis aurantii.
tolutanus.
papaveris albi.
rofæ.

Tabellæ cardialgicæ. Tartarum emeticum. ______ solubile. _______vitriolatum.

T.

Trochisci e creta. Antimonium tartarisatum, Kali tartarisatum. —— vitriolatum.

FORMER NAMES.

- aromatica.

Tinctura amara.

fætida. guaiacina volatilis. jaþonica. martis in spiritu salis. melamþodii. rhabarbari sþirituosa. vinosa. sacra. stomachica.

Trochisci bechici albi. nigri.

NEW NAMES. Tinctura gentianæ composita. - cinnamomi composita. ----- asa fœtidæ. guaiaci. _____ catechu. _____ ferri muriati. hellebori nigri. ------ rhabarbari. Vinum rhabarbari. Infusum rosæ. Vinum aloes. Tinctura cardamomi composita. Trochisci ex amylo. e glycyrrhiza.

_____ mitius. _____ e mercurio præcipitato. ______ saturninum. ______ simplex.

v.

FINIS.

Speedily will be published,

PLATES

THE HEART,

OD HAMILION TROP LL GYA SDHALLYTERI

ILL.USTRATIVE OF

THE CIRCULATION OF THE BLOOD:

AND THE

EFFECTS OF OXYGEN AIR ON THE BLOOD.

BY

HALM TA

ROBERT JOHN THORNTON, M. D.

Late of Trinity College, Cambridge; Lecturer on Medical Botany at Guy's Hospital; one of the Council in the Botanical Department of the London Medical Society; Physician to the General Dispensary; Honorary Member of the Physical Societies of Guy's and Bartholomew's Hospitals, and of the Lyceum Medicum Londinense, &c. Author of Medical Extracts on the Nature of Health, with Practical Observations, including the Laws of the Nervous and Fibrous Systems; and of Letters to Dr. Beddoes on the Theory and Practice of Pneumatic Medicine, and the Politician's Creed; and now publishing in Numbers, a New Illustration of the Sexual System of Linnæus.

LONDON:

PRINTED BY C. WHITTINGHAM,

For Symonds, Paternoster-row; and sold by Cox, St. Thomas's-street, Borough; Johnson, St. Paul's Church-yard; Murray and Highley, Fleet-street; Bell and Bradfute, Edinburgh; Archer, Dublin; Campbell, Philadelphia; and Allen, New York.

DR. THORNTON'S MEDICAL EXTRACTS.

In the Press, and speedily will be published, IN FIVE LARGE AND ELEGANT VOLUMES OCTAVO; ILLUSTRATED BY MANY NEW ANATOMICAL PLATES, AND THE HEADS OF THE MOST EMINENT TEACHERS OF MEDICINE:

MEDICAL EXTRACTS,

ON THE

NATURE OF HEALTH & DISEASE,

WITH

PRACTICAL OBSERVATIONS,

INCLUDING THE

LAWS OF THE ANIMAL CECONOMY,

AND THE


DOCTRINES OF PNEUMATIC MEDICINE.


THE FOURTH EDITION,


INCLUDING VERY CONSIDERABLE ADDITIONS.

LONDON:

Printed for H. D. Symonds, Paternoster-row; J. Johnson. St. Faul's Church-yard; T. Cox, St. Thomas's-street, Borough, Murray and Highley, Fleet-street; Richardson, Royal Exchange; Cuthell, Middle-row, Holborn; Bell and Bradfute, Edinburgh; and J. Archer, Dublin.









Jome Ranunialuss - for Moore Flores De Quantoma. Mil, bem - un bento Para Sol, Odr de Rosa Drened 11/85

