

Beconase (beclomethasone dipropionate BP), nasal spray : long-tailed titmouse.

Contributors

Allen & Hanburys

Publication/Creation

London : Allen & Hanburys, 1978.

Persistent URL

<https://wellcomecollection.org/works/zsq2bbxe>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



LONG-TAILED TITMOUSE.

Beconase

NASAL SPRAY

(Beclomethasone Dipropionate BP for intranasal use)

SELECTIVE TOPICAL STEROID THERAPY IN ALLERGIC RHINITIS—SEASONAL AND PERENNIAL

PRESENTATION AND BASIC NHS COST

Beconase Nasal Spray is a metered-dose aerosol which delivers 50mcg of Beclomethasone Dipropionate BP per actuation to a specially designed nasal applicator. Each canister providing 200 sprays. £2.90.

SELECTED BIBLIOGRAPHY

- Andersen, J. B. et al (1975) *Acta Allergologica*, **30**, 316.
Blair, H. and Butler, A. G. (1976) *Practitioner*, **216**, 347.
Brogden, R. N. et al (1975) *Drugs*, **10**, 211.
Chatterjee, S. S. et al (1974) *Clin. Allergy*, **4**, 343.
Gibson, G. J. et al (1974) *Brit. med. J.*, **4**, 503.
Hansen, I. and Mygind, N. (1974) *Acta Allergologica*, **29**, 281.
Harris, D. M. et al (1974) *Clin. Allergy*, **4**, 291.
Morrow Brown, H. and Storey, G. (1974) *Clin. Allergy*, **4**, 331.
Mygind, N. (1973) *Brit. med. J.*, **4**, 464.
Prah, P. et al. (1975) *Arch. Dis. Childh.*, **50**, 875.

SELECTED BIRDS OF BRITAIN

LONG-TAILED TITMOUSE (TIT)

Aegithalos caudatus rosacerus

Found throughout the British Isles, but is less common in the extreme north. A woodland bird, also seen in copses and hedgerows. Has a thin 'tsee tsee' call or a 'zup' note, which is varied and often-repeated. Lives mainly on insects and occasionally seeds. Usually nests in bushes, trees or gorse. The nest is elaborately interwoven with lichen, moss and wool, making a beautifully domed structure which is lined with feathers and camouflaged with cobwebs. The entrance is near the top. The clutch numbers 8-12 tiny creamy-white eggs, which may be marked with a cap of spots or free speckling in light red. In the nest the parents have to fold their tails over their backs. The sexes are alike, the adult measuring $5\frac{1}{2}$ in (14 cm) including a 3 in (8 cm) tail.

(Illustration from "A History of British Birds" by F. O. Morris)

78/73/HN

Full prescribing information is available on request.
Beconase is a trade mark of
ALLEN & HANBURY LTD LONDON E2 6LA

