Becotide (beclomethasone dipropionate BP), inhaler and rotacaps: merlin.

Contributors

Allen & Hanburys

Publication/Creation

London: Allen & Hanburys, 1978.

Persistent URL

https://wellcomecollection.org/works/bu7y83gf

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).





MERLIN.

Becotide

INHALER

(Beclomethasone Dipropionate BP for inhalation)

SELECTIVE TOPICAL STEROID THERAPY IN BRONCHIAL ASTHMA

PRESENTATION AND BASIC NHS COST

Becotide Inhaler is a metered-dose aerosol which delivers 50mcg of Beclomethasone Dipropionate BP per actuation into the mouthpiece of a specially designed actuator. Each canister providing 200 inhalations. £2.90.

SELECTED BIBLIOGRAPHY

Cameron, S. J. et al (1973) Brit. med. J., 4, 205.
Choo. Kang, Y. F. J. et al (1972) Brit. J. Dis. Chest., 66, 101.
Clark, T. J. H. (1972) Lancet, i, 1361.
Dickson, W. et al (1973) Arch. Dis. Childh., 48, 671.
Godfrey, S. and Konig, P. (1973) Arch. Dis. Childh., 48, 665.
Grant, I. W. B. et al (1977) Brit. J. clin. Pharmacol., 4 (Suppl. 3), 249S.
Harris, D. M. et al (1973) Clin. Allergy, 3, 243.
McAllen, M. K. et al (1974) Brit. med. J., 1, 171.
Morrow Brown, H. et al (1972) Brit. med. J., 1, 585.
Morrow Brown, H. and Storey, G. (1973) Brit. med. J., 3, 161.
Pines. A. (1973) Practitioner, 211, 86.
Thiringer, G. et al (1975) Postgrad. med. J., 51 (Suppl. 4), 30.
Willey, R. F. et al (1976) Brit. J. Dis. Chest., 70, 32.

SELECTED BIRDS OF BRITAIN

MERLIN

Falco Columbarius

Normally resides in the northern moorlands of England, Scotland and Wales; but sometimes found in neighbouring coastal areas, especially during winter when visitors on migration follow more southerly sea coasts. Swift in flight; hunting over the moors it will follow every manoeuvre of the small birds, rabbits and insects on which it preys. Calls with a quick, sharp "Ki-ki" note. The female's call is more low-pitched. Normally nests on the ground in a scrape or a sand dune, where it builds a fair-sized nest of grass. In forests, it may take over nests of other birds, such as crows. Lays five to six eggs, whitish-cream stippled with purple, chocolate and rust. The print illustrates the male. The female is brown with pale streaks underneath, and black bars in the tail and is larger than the male—12 in (31 cm) in length.

(Illustration from "A History of British Birds" by F. O. Morris)

Further information is available on request.

Becotide is a trade mark of

ALLEN & HANBURYS LTD LONDON E2 6LA

