Dequadin paint: white-breasted barn owl.

Contributors

Allen & Hanburys

Publication/Creation

London: Allen & Hanburys, 1968.

Persistent URL

https://wellcomecollection.org/works/qs4827he

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).







Dequadin Paint

containing 0.5 per cent dequalinium chloride BP in propylene glycol

has an exceptionally wide antibacterial spectrum and inhibits, at low concentration, nearly all the bacteria pathogenic to man
is active against organisms resistant to antibiotics
is antifungal and rapidly effective in the treatment of oral thrush
is an antiseptic—therefore no antibiotic sensitization reactions
is not diminished in activity by the presence of serum
is retained on tissue, thus ensuring prolonged local anti-microbial activity
is easy to apply and does not give rise to pain or other side effects
is the certain means of effective, topical treatment for infections of the mouth and throat, such as: sore throat, tonsillitis, Vincent's angina, oral thrush and infected ulcers of the gums, buccal membrane and the throat

MODE OF APPLICATION

Apply the paint by means of a brush or pledget of cotton wool wound round a suitable holder or applicator. The paint should be applied every three hours and the patient instructed not to swallow for a few moments after each application.

CAUTION

Dequadin Paint is intended for intra-oral use only. **PRESENTATION**

Dequadin Paint is supplied in bottles of 28 ml. The basic price to the NHS per bottle is 5/10.

Dequadin is a Trade Mark of ALLEN & HANBURYS LIMITED LONDON E2

68/105/HN

Printed in England