Piriton for the relief and prophylaxis of allergic reactions: short-eared owl.

Contributors

Allen & Hanburys

Publication/Creation

London: Allen & Hanburys, 1968.

Persistent URL

https://wellcomecollection.org/works/kpgn3fmz

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).







for the relief and prophylaxis of allergic reactions

PIRITON is the preferred antihistamine for hay fever and all other allergies: "My favourite antihistamine for use in conditions such as hay fever is 'Piriton' (chlorpheniramine); drowsiness is most (Elliott-Binns, C.P., (1967), Practitioner, 198, 47). unusual."

chlorpheniramine maleate (Piriton) 4 mg t.d.s. is particularly effective in urticaria without being unduly soporific. (Holti, G., (1967), Brit. med. J., i, 155).

PIRITON combines effectiveness with a low incidence of side effects ... is well tolerated by patients of all age groups □ is available in a wide range of dosage forms:

PIRITON TABLETS—for routine therapy

-supplied in containers of 25 and 500 tablets each containing 4 mg chlorpheniramine maleate BP. Basic NHS cost of 25 tablets is 4/

PIRITON DUOLETS—for sustained therapy

-supplied in containers of 25 and 250 Duolets, each containing 8 mg chlorpheniramine maleate BP. Basic NHS cost of 25 Duolets is 5/8d.

PIRITON SYRUP—for paediatric use

—supplied in bottles of 114 ml (4 fluid ounces) and 2 litres. Each teaspoonful (4 ml) contains 2 mg chlorpheniramine maleate BP. Basic NHS cost of 114 ml is 2/6d.

PIRITON INJECTION—for parenteral therapy

supplied in boxes of 5 and 100 ampoules of 1 ml each containing 10 mg of chlorpheniramine maleate BP. Basic NHS cost of 5 ampoules is 4/-.

Piriton and Duolets are Trade Marks of ALLEN & HANBURYS LIMITED LONDON E2

68/65/HN

Printed in England