

Piriton for the symptomatic control of all allergic conditions responsive to antihistamines : marsh titmouse.

Contributors

Allen & Hanburys

Publication/Creation

London : Allen & Hanburys, 1978.

Persistent URL

<https://wellcomecollection.org/works/bcwkeeah>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).

**wellcome
collection**

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



MARSH TITMOUSE.

Piriton

(chlorpheniramine maleate BP)

For the symptomatic control of all allergic conditions responsive to antihistamines.

PRESENTATIONS

Piriton Tablets 4mg – for routine oral therapy.

Piriton Spandets 12mg } for sustained action oral therapy.

Piriton Duolets 8mg

Piriton Syrup (2mg per 5ml) – whenever a liquid formulation is desired.

Piriton Injection (10mg per 1ml ampoule) – for the acute and emergency situation.

PACKAGE QUANTITIES AND BASIC NHS COST

Piriton Tablets	50's	30p	500's	£2.58
Piriton Spandets	100's	£1.60		
Piriton Duolets			250's	£2.08
Piriton Syrup	150ml	13p		
Piriton Injection	5 x 1 ml	29p		

SELECTED BIRDS OF BRITAIN

MARSH TIT

Parus palustris

The marsh tit, less common than other tits, is resident mainly in England. It is found locally in parts of Southern Scotland. The name is rather misleading; this bird may be seen in hedgerows, bushy woodlands and occasionally gardens, as well as on marshland. Omnivorous, it eats seeds, fruit, also insects, beetles and larvae. Easily confused with the willow tit, but its black cap is glossier. The call is different from the willow tit, being a loud 'pit-chu'. The usual 'si-si-si' of other tits is uttered. Has a high trilling 'schipi-schipi' song. As with most tits, courtship includes a parade by the male, with his feathers puffed, tail erect and wings dropped. The nest is built in a natural hole in a tree. Moss, hair, fur and wool are used for lining. Produces 5-9 white eggs, thinly spotted at the wide end with brownish red. Both sexes reach 4½ inches (13 cm) in length and are alike.

(Illustration from "A History of British Birds" by F. O. Morris)

Full prescribing information is available on request.
Piriton, Spandet and Duolet are trade marks of
ALLEN & HANBURYS LTD LONDON E2 6LA

