

Propaderm cream, ointment and lotion : sand martin.

Contributors

Allen & Hanburys

Publication/Creation

London : Allen & Hanburys, 1978.

Persistent URL


<https://wellcomecollection.org/works/paj8uasx>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



SAND MARTIN.

Propaderm

(beclomethasone dipropionate BP)

CREAM, OINTMENT AND LOTION

Dermatological formulations containing 0.025% of the topical steroid, beclomethasone dipropionate for the treatment of eczema and dermatosis

PRESENTATIONS

Propaderm Cream – for weeping conditions or where the skin is moist or hairy.

Propaderm Ointment – for dry, lichenified or scaly conditions, or for use under occlusive dressings.

Propaderm Lotion – primarily intended for lesions involving large areas, skin folds or hairy sites and, for cosmetic reasons, may be preferred for the face or other exposed areas.

AND FOR WHEN INFECTION IS PRESENT OR LIKELY –

Propaderm-A Ointment – also containing chlortetracycline hydrochloride BP 3.0%.

Propaderm-C Ointment – also containing clioquinol BP 3.0% particularly suitable where infection may be of fungal origin.

All Propaderm Creams and Ointments are presented in 15mg tubes. Also available as Propaderm Forte Cream (0.5% of beclomethasone dipropionate) for use in resistant dermatoses.

SELECTED BIRDS OF BRITAIN

SAND MARTIN

Riparia riparia

The sand martin, a summer-time immigrant to Britain, is the smallest of our swallow family. It is found by sandy banks, cliff faces and gravel diggings. This martin twitters continuously as it flits to and fro across water in search of flies and other insects. Both male and female excavate a tunnel 2-3 feet long in the side of a bank in which to build their nest. The end is lined with hay and feathers. The sand martin is a social breeding bird, living in colonies where many holes may be seen close together. 4-5 narrow white eggs are laid. There are usually two broods. Both sexes are alike, and reach 5 inches (13 cm) in length.

(Illustration from "A History of British Birds" by F. O. Morris)

PACKAGE QUANTITIES AND BASIC NHS COST

Propaderm Cream	15g tube	41p	50g tube	£1.06
Propaderm Ointment	15g tube	41p	50g tube	£1.06
Propaderm Lotion	15ml bottle	40p	50ml bottle	£1.06
Propaderm-A Ointment	15g tube	46p	50g tube	£1.15
Propaderm-C Cream	15g tube	44p		
Propaderm-C Ointment	15g tube	44p		

Further information is available on request.

Propaderm is a trade mark of
ALLEN & HANBURY LTD LONDON E2 6LA

