

Propaderm cream, ointment and lotion : nuthatch.

Contributors

Allen & Hanburys

Publication/Creation

London : Allen & Hanburys, 1978.

Persistent URL

<https://wellcomecollection.org/works/xshy2zgk>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



NUTHATCH.

Propaderm

CREAM, OINTMENT AND LOTION

(beclomethasone dipropionate BP)

Dermatological formulations containing 0.025% of the topical steroid, beclomethasone dipropionate.

PRESENTATIONS

Propaderm Cream – for weeping conditions or where the skin is moist or hairy.

Propaderm Ointment – for dry, lichenified or scaly conditions, or for use under occlusive dressings.

Propaderm Lotion – primarily intended for lesions involving large areas, skin folds or hairy sites and, for cosmetic reasons, may be preferred for the face or other exposed areas.

AND FOR WHEN INFECTION IS PRESENT OR LIKELY –

Propaderm-A Ointment – also containing chlortetracycline hydrochloride BP 3.0%.

Propaderm-C Ointment – also containing clioquinol BP 3.0% particularly suitable where infection may be of fungal origin.

All Propaderm Creams and Ointments are presented in 15mg tubes. Also available as Propaderm Forte Cream (0.5% of beclomethasone dipropionate) for use in resistant dermatoses.

SELECTED BIRDS OF BRITAIN

NUTHATCH

Sitta europaea

The Nuthatch, a resident of most of England, is not found in Scotland and Ireland. Preferred habitat is well matured woodland, parks and gardens where it wedges acorns and other nuts in the bark of trees and prises them open. Also feeds on caterpillars and insects, which both parents feed to the young. A noisy bird, the Nuthatch sings all the year with a whistling "twi-twi-twi" and a variety of other loud calls. In courtship the male fluffs his feathers, spreading his wings and moving his head from side to side. The nest is built in a tree hole or nesting box, lined with bark and dead leaves, and with mud partially blocking the entrance to prevent the entry of other birds. 5-8 white, red-tan spotted eggs are laid. Male and female are alike, measuring $5\frac{1}{2}$ inches (14 cm) in length.

(Illustration from "A History of British Birds" by F. O. Morris)

PACKAGE QUANTITIES AND BASIC NHS COST

Propaderm Cream	15g tube	41p	50g tube	£1.06
Propaderm Ointment	15g tube	41p	50g tube	£1.06
Propaderm Lotion	15ml bottle	40p	50ml bottle	£1.06
Propaderm-A Ointment	15g tube	46p	50g tube	£1.15
Propaderm-C Cream	15g tube	44p		
Propaderm-C Ointment	15g tube	44p		

Further information is available on request.

Propaderm is a trade mark of
ALLEN & HANBURY LTD LONDON E2 6LA

