

**Trandate tablets : reed bunting.**

**Contributors**

Allen & Hanburys

**Publication/Creation**

London : Allen & Hanburys, 1978.

**Persistent URL**

<https://wellcomecollection.org/works/hacr8j6a>

**License and attribution**

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).

**wellcome  
collection**

Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>



REED BUNTING.

# Trandate

(labetalol hydrochloride)

## TABLETS

Concurrent alpha- and beta-adrenoceptor blockade for the management of all grades of hypertension.

### PRESENTATION

**Trandate Tablets 100mg**  
**Trandate Tablets 200mg**  
**Trandate Tablets 400mg**

} A choice of strengths for the oral treatment of mild, moderate or severe hypertension.

Also available as Trandate Injection.

### PACKAGE QUANTITIES AND BASIC NHS COST

Trandate Tablets in containers of 50 and 250		
Trandate Tablets 100mg	£3.44	£16.40
Trandate Tablets 200mg	£4.88	£22.88
Trandate Tablets 400mg	£7.76	£36.88

### SELECTED BIRDS OF BRITAIN

#### REED BUNTING

*Emberiza schoeniclus*

The reed bunting is both a resident and also a visitor to all parts of Britain. It may be seen perching on a reed by a river, lake, still or running water. Its food consists of water plant seeds and some insects. The song is a rusty, short stammered 'tseke-tseke'. In courtship the male puffs his white collar and gives speedy chase. The female builds the nest from hay and other available materials, lining it with hair. Two or three clutches are laid after April, each consisting of 3-6 eggs, coloured greenish-buff with black markings. This bird will attempt to divert attention from the nest by simulating a broken wing on the ground. In the breeding season the male is brighter than the female. Both birds reach 6 inches (15 cm) in length.

(Illustration from "A History of British Birds" by F. O. Morris)

78/447/HN

Full prescribing information is available on request.  
Trandate is a trade mark of  
ALLEN & HANBURY LTD LONDON E2 6LA

