Triptafen-DA combined therapy for concurrent depression and anxiety: whitethroat.

Contributors

Allen & Hanburys

Publication/Creation

London: Allen & Hanburys, 1966.

Persistent URL

https://wellcomecollection.org/works/kf4cwhgn

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org





Triptafen-DA

Combined therapy for concurrent depression and anxiety.

Depression and anxiety are components of a wide range of conditions involving emotional distress. Triptafen-DA provides a simple, effective way of dealing with the many and varied symptoms they can provoke, including lassitude, anorexia, tension and fatigue. Triptafen-DA is a balance of two psychotropic agents—perphenazine the tranquilliser and amitriptyline the antidepressant. Both are well established and well documented; both

combine high efficacy with low incidence of side effects.

Triptafen-DA tablets contain amitriptyline HCI 25mg and perphenazine BP 2mg The basic NHS cost of 50 tablets is 13/10d.

Full information on request.



Allen & Hanburys Limited London E2