

Triptafen : chaffinch.

Contributors

Allen & Hanburys

Publication/Creation

London : Allen & Hanburys, 1978.

Persistent URL

<https://wellcomecollection.org/works/hubw7yq9>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



CHAFFINCH.

Triptafen

(amitriptyline hydrochloride BP and perphenazine BP)
FOR THE COMPREHENSIVE TREATMENT
OF DEPRESSION AND ANXIETY
IN FOIL STRIP PACKS FOR ADDED
CONVENIENCE AND CHILD SAFETY

PRESENTATIONS

Triptafen-DA Tablets – providing Amitriptyline Hydrochloride BP 25mg and Perphenazine BP 2mg – whenever depression predominates.

Triptafen-Minor Tablets – providing Amitriptyline Hydrochloride BP 10mg and Perphenazine BP 2mg – when anxiety is the obvious feature.

Triptafen-Forte Tablets – providing Amitriptyline Hydrochloride BP 25mg and Perphenazine BP 4mg – when agitation complicates the picture.

PACKAGE QUANTITIES AND BASIC NHS COST

All Triptafen preparations are issued as tablets in printed cartons each containing 100 tablets in 10 foil strips of 10 (5 x 2) tablets.

Triptafen-DA Tablets	100's	£2.72
Triptafen-Forte Tablets	100's	£3.02
Triptafen-Minor Tablets	100's	£2.40

TABLET IDENTIFICATION CODE

Triptafen-DA Tablets	AH	Triptafen-Forte Tablets	AH
	1D		4D
		Triptafen-Minor Tablets	AH
			2D

SELECTED BIBLIOGRAPHY

Browne, M. W. (1969) *Brit. J. Psychiat.*, **115**, 693.

SELECTED BIRDS OF BRITAIN

CHAFFINCH

Fringilla coelebs

This, one of our most common birds, is resident throughout Britain and may be seen almost anywhere. It feeds on weed seeds, aphids, garden pests and other insects. Due to modern insecticides and the reduction of hedgerows the population though very large has declined over the past thirty years. The young are fed mainly on insects and thus are often poisoned as a result of spraying. It has a jolly 'pink, pink' voice and in flight gives a 'tchip, tchip' note. The nest is beautifully constructed of moss, wool and lichen lined with fur and other soft materials; its intricate design is fitted into a forked branch or bush. 4-6 beige-white eggs, marked at the larger end with brick-brown, are laid. Both sexes have similar markings, but the female is duller. The chaffinch reaches 6½ inches (17 cm) in length.

(Illustration from "A History of British Birds" by F. O. Morris)

Chacon, C. and Downham, E. T. (1967) *Brit. J. Psychiat.*, **113**, 201.
Collins, A. D. and Dundas, J. (1967) *Brit. J. Psychiat.*, **113**, 1425.
Dabbs, A. R. and Lyons, J. A. (1966) *Clin. Trials J.*, **3**, 573.
Haider, I. (1967) *Brit. J. Psychiat.*, **113**, 195.
McKnight, E. and Bodger, J. N. (1971) *Brit. J. clin. Pract.*, **25**, 381.
Martins, J. K. (1966) *Curr. ther. Res.*, **8**, 17.
Naftulin, D. H. and Ware, J. E. (1972) *Psychosomatics*, **13**, 125.
Rao, S. V. (1967) *Brit. J. clin. Pract.*, **21**, 348.

Full prescribing information is available on request.
Triptafen is a trade mark of
ALLEN & HANBURYS LTD LONDON E2 6LA

78/448/HN

