

Allen & Hanburys' malted farinaceous food for infants (patented) : Tonga a specific for neuralgia.

Contributors

Allen & Hanburys

Publication/Creation

London : Allen & Hanburys, [between 1880 and 1885?]

Persistent URL

<https://wellcomecollection.org/works/m3wnkz86>

License and attribution

The copyright of this item has not been evaluated. Please refer to the original publisher/creator of this item for more information. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use.

See rightsstatements.org for more information.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

ALLEN & HANBURYS' MALTED FARINACEOUS FOOD

FOR INFANTS. (Patented.)

A Prepared Food ready for use without either Boiling or Straining.

MORE than thirty years ago the great chemist JUSTUS VON LIEBIG gave to the world the result of his investigations on Food, and enunciated principles on which a suitable Food for Children and Invalids should be prepared, viz., by taking advantage of the very peculiar properties inherent in MALT, which he found to be rich both in muscle and fat-forming elements—to possess highly nutritive and restorative powers, and also the important property of assisting digestion in an eminent degree. Since that time many attempts have been made to apply the suggestions of LIEBIG, but hitherto all have been more or less unsatisfactory.

The PATENT MALTED FARINACEOUS FOOD now prepared by ALLEN & HANBURYS, is the result of a practical application of the advice of LIEBIG, and the benefits accruing from its use verify in a remarkable manner his predictions of the value and efficacy of such a Food.

On this subject Baron LIEBIG writes:—

“In many places, especially in the poorer districts, the mortality amongst infants is frightfully extensive, and every experienced physician knows that the real cause is defective nutrition.

“A child in good health and properly fed does not cry for hours, and will sleep sixteen hours out of the twenty-four. It suffers neither from costiveness nor diarrhoea, and increases daily in weight.

“When an infant is deprived of its natural nourishment, its growth and health essentially depend on the correct choice and proper admixture of its food.

“It can, without risk of error, be assumed that the usual Farinaceous Foods are the proximate cause of most of the diseases, and of half the cases of death amongst infants in the country, as well as in large towns.

“An improper food will after a short time cause symptoms of illness; the child cries frequently, is sleepless, and costiveness and diarrhoea afflict it in turn.

“Even a healthy mother who suckles her infant often finds it necessary to strengthen its diet with some artificial nutriment, and the best food for this purpose is a properly prepared MALTED FOOD.

“Infants fed on this food are neither fretful nor wakeful.”

ALLEN & HANBURYS' MALTED FARINACEOUS FOOD is manufactured with the greatest care, contains the active constituents of **Pure Malt in a Soluble Form**, and when prepared according to the directions given on the back of each Tin, affords a perfect Food easily assimilated by Infants. For delicate children, invalids, and persons with weak digestion, it is invaluable.

THE BRITISH MEDICAL JOURNAL, 16th October, 1880, writes:—“This is a new form of Malted Farinaceous Food, based on the principles and formula originally introduced by Liebig, but improved by the aid of the recent knowledge of the methods of technically applying the process of Malting. We have taken some trouble to have this food carefully tested by skilled persons, and, for this purpose, have secured the assistance of Dr. HORATIO DONKIN, and Dr. WARNER, who have both employed the food in private and in hospital practice; and we have also suggested trials, which have been carried out at *crèches*. The result of Dr. Warner's trials among his out-patients at the East London Hospital for Children was decidedly satisfactory. Delicate children have, in many instances, improved under its use; infants who have thriven under its use fell off when it was discontinued, and it was generally liked by the children to whom it was given. In the same way Dr. Donkin was able to report very favourably of its influence upon the health, nutrition, and digestion of the children to whom it was administered in his hospital practice. In two large *crèches* the food has been found very successful; in more than one instance the children who had been subject to sickness being freed from it by the use of Messrs. Allen & Hanburys' food. The food may be prepared either for infants or for invalids, according to the directions given; and we have no doubt whatever that this Malted Farinaceous Food will be found very effective, digestible, nutritious, and palatable, wherever it be tried.”

THE LANCET, 24th July, 1880, writes:—“An improved form of Liebig's well-known food. It is excellent in quality and flavour, is perfectly free from grit, can be made up in a few minutes, and requires no straining.”

Dr. TRESTRAIL writes:—

ALDERSHOT, 25th Nov., 1880.

GENTLEMEN,—I have much pleasure in being able to report most favourably upon your “Malted Food,” as my child, after being at death's door for weeks, from exhaustion, consequent upon severe diarrhoea, and inability to retain any form of “Infant's Food” or Milk, began to improve immediately he took your malted preparation, and I have never seen an infant increase in weight so rapidly as he has since done.—I am, Gentlemen, yours faithfully,

Messrs. ALLEN & HANBURYS.

H. ERNEST TRESTRAIL, F.R.C.S., M.R.C.P.

Mrs. HILTON writes:—

THE CRECHE, STEPNEY CAUSEWAY, E., 13th Nov., 1880.

DEAR SIR,—“After giving the Food a fair trial, we are able to say that, in the case of several delicate children, it has been found highly beneficial and nutritive.”

NOTE.—As the Malt present partially digests the Starch, the food does not thicken in the ordinary way. Sold only in Tins (Trade Mark—a Malt Kiln, with the word “Malted” on the roof), at 1/-, 2/-, 5/-, and 10/- each, by all Chemists and Italian Warehousemen.

Sole
Manufacturers, **ALLEN & HANBURYS,** Plough Court, Lombard St.
LONDON, E.C.



TONGA

A SPECIFIC FOR

NEURALGIA.

TONGA is the name given to a remarkable remedy for Neuralgia. It is a fluid Extract of a special combination of the Barks, Roots and Leaves of several plants, the peculiar efficacy of which was discovered by a resident in the South Pacific, whilst seeking relief from intense neuralgia. The drug was first introduced to us during the summer of 1879. On submitting it to a trial, it was at once found by competent medical authorities to possess extraordinary power in relieving Neuralgic pains. The following Extracts from papers in *The Lancet*, written by eminent medical men, will sufficiently testify to the great value of this remedy:—

"A woman, aged twenty-three, had suffered for fourteen days from severe neuralgia of the infra-orbital and great occipital nerves. She had four severe paroxysms in the day, lasting from half-an-hour to an hour and a half. Many of her teeth were bad. Three doses cured her.

"A woman suffered from neuralgia in the left great occipital nerve. Four half-drachm doses cured her.

"A man, aged twenty-five, had suffered for a fortnight from severe bilateral neuralgia in the temples, in the eyes, and under the eyes. Half a drachm dose thrice daily cured him in three days.

"A woman, aged twenty, for ten days had suffered from severe neuralgia in the first and third branch of the fifth nerve. She had daily about five paroxysms, each lasting from one to two hours. A drachm thrice daily cured her in three days.

"A girl, aged eighteen, suffered from toothache and severe neuralgia along the lower jaw, and in front and behind the ear. Half a drachm cured the neuralgia in twenty-four hours.

"This remedy, whilst apparently highly useful in neuralgia, produces no toxic symptoms."—From a Paper by **SYDNEY RINGER, M.D.**, and **WILLIAM MURRELL, M.D., M.R.C.P.**, in *The Lancet*, March 6th, 1880.

"The results obtained from Tonga by Drs. Ringer and Murrell fully coincide with mine. I have notes of cases of brain and kidney disease in which Tonga alone succeeded in removing pain. All cases of neuralgia (supra- and infra-orbital branches of the fifth nerve), with swelling of the temporal veins during the attack, were benefited."—From a Paper by **C. BADER, Esq.**, Ophthalmic Surgeon to Guy's Hospital, in *The Lancet*, Mar. 20, 1880.

"W. H.—, aged thirty-one, had been suffering from most severe neuralgia for nearly ten days. The teeth, both in the upper and lower jaw, were in a very decayed condition. One teaspoonful of Tonga was ordered to be taken every six hours till the pain was relieved. The paroxysms entirely ceased after the fourth dose.

"A woman, aged twenty-nine, in a very weak, anæmic state, with inflamed axillary glands, had suffered from supra-orbital neuralgia for six or seven days. She was ordered one teaspoonful three times a day. The paroxysms ceased, and did not return, after the fifth dose had been taken.

"Wm. P.—, aged thirty-two, had suffered greatly from neuralgia for nearly two years. He was ordered one teaspoonful in water three times a day. The pain very much decreased after the fourth dose, and entirely ceased after the sixth dose had been taken. In my case-book I find the following note on April 15th on this case:—"Had another bad attack, though less severe than the last. The neuralgic pain entirely disappeared after the third dose."—From a Paper by **W. J. H. LUSH, M.D., F.R.C.P. Ed., M.R.C.S.E., &c.**, *The Lancet*, May 29th, 1880.

"Tonga maintains its reputation in the treatment of neuralgia."—*The Lancet*, July 23rd, 1881.

"Invaluable in facial neuralgia."—*Medical Press and Circular*, Dec. 29th, 1880.

"Has proved effective in all those cases of facial neuralgia in which we have prescribed it. It is an elegant and easily-taken remedy."—*Medical Press and Circular*, Jan. 26th, 1881.

Extract from a Letter in the *British Medical Journal*, March 26th, 1881.

"After trying quinine, arsenic, iron, morphia, and the pills above mentioned (gelseminum, croton-chloralhydrate and monobromide of camphor), Tonga was used, and the effect was almost instantaneous.

I am, &c., **KENNETH W. MILLICAN, B.A., L.R.C.P. Ed.**"

We have also had further overwhelming testimony, both from the medical profession and the public, of the remarkable efficacy of **TONGA**. It is in short what it professes to be—"A specific for Neuralgia."

Captain H. PADDON, Hounslow, writes to —, Esq., Bickley:—"Some time ago you very kindly gave me a remedy for neuralgia (Tonga), and I have intended to write to you as to its value, and now do so. It stopped an attack of neuralgia to my astonishment when in full progress, and is the only remedy I have ever tried that would do it."—(Signed) **H. PADDON**.

G. W. WIGNER, Esq., F.I.C., F.C.S., writes:—"Gentlemen,—I have tried Tonga myself for neuralgia and acute rheumatism with perfect success in each case. I have given it away in fourteen other cases, and have inquired carefully as to the results. It has succeeded in every case, and a third dose has but seldom been required."—(Signed) **G. W. WIGNER**.

TONGA, unlike opium and other anodynes, produces its remarkable specific action on the nerves without giving rise to any derangement of the digestive or other organs.

DOSE: A teaspoonful in water three times a day. Relief generally follows the third or fourth dose.

N.B.—No ill effects follow from larger doses.

TONGA (which name is a registered Trade Mark) is sold only in bottles at 4s. 6d. and 11s. each, and may be obtained of any Chemist, or of the Sole Consignees and Manufacturers,

ALLEN & HANBURYS, Plough Court, Lombard Street, LONDON, E.C.

Barclay & Fry, Printers, 68, Queen Street, London, E.C.